

CONFERENCE
Price and Specification Guide
USA



Effective March 1, 2019

krug

June 2020

CONFERENCE | TABLE OF CONTENTS

GENERAL INFORMATION

2 General Information

PRICING & SPECIFICATIONS

5 Nuvo

88 V2

123 Ando

132 Revo

167 Chit Chat

175 Millennium

191 Stratford

193 Virtu

GENERAL INFORMATION

TERMS AND CONDITIONS

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Prices include shipping to territorial warehouse. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

CUSTOMER SERVICE HOURS

Please note customer service hours are:
8:30 am to 5:00 pm est
1.888.578.KRUG
1.519.748.5177 fax

ORDER ACKNOWLEDGEMENTS

Each order will be acknowledged via email or fax. This acknowledgement is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy, and advise Krug of any discrepancies with a purchase order.

CANCELLATION

A cancellation can be made only by expressed agreement with Krug. A cancellation fee may be incurred for restocking.

DIMENSIONS

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

STORAGE CHARGES

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

CONTACT INFORMATION

Phone: 1.888.578.KRUG
Fax: 1.519.748.5177
Purchase Order Fax: 1.888.236.4783 or email: orders@krug.ca
Web: www.krug.ca
Email: solutions@krug.ca

INSTALLATION SUPPORT

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

PRICING

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

WARRANTY

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of

variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

EXPORT PACKAGING

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. Export packaging is provided at an upcharge of 5% of the net selling price per item. Export Packaging is **STRONGLY RECOMMENDED** for:
(A) all shipments outside of the lower 48 states and Canada
(B) all shipments that will be held in storage for an extended period prior to installation. Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions where export packaging has not been utilized. Please contact Customer Service for specifications or any other assistance regarding export packaging.

FREIGHT TERMS AND CONDITIONS

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination (dealer's dock or territorial warehouse, where available) or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. When a Krug territorial warehouse (where available) is selected as the default delivery location, Krug pays freight cost to the territorial warehouse only, and no further. The Customer is responsible for all charges from this point.

4. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

5. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled.

6. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged.

CUSTOMER SATISFACTION

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

DAMAGED SHIPMENTS

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened.

Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

TESTING

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.

FIELD PRODUCT REPORT AUTHORIZATION

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

RETURNS

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted.

Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

CARE AND MAINTENANCE

Wood Finishes

Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent.

Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates

Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

CUSTOM CAPABILITIES

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
- 2) Custom wood finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Customer Service for more information.



KRUG EXPRESS

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

KRUG PANEL FABRIC PROGRAM

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website.

www.krug.ca PRODUCTS / FABRICS / PANEL

The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

If memo samples are required please call Momentum at 1-800-366-6839.

LAMINATES

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	Park Avenue Walnut
Park Avenue Walnut	Wilsonart 7984-38	Designer White	Wilsonart D354-60
Chocolate	Tafisa T498CR	Platinum	Tafisa T202CR
Nutmeg	Tafisa T477CR	Earth	Tafisa T767CR
Dark Walnut	Tafisa T469CR	Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

NON-STOCKED LAMINATES

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

HIGH PRESSURE LAMINATE TECHNICAL SPECIFICATIONS

PHYSICAL PROPERTIES	NEMA LD3-2005	STANDARD HPLs
Appearance	3.1	No ABC Defects
Light Resistance	3.3	Slight
Cleanability	3.4	20 (maximum)
Stain Resistance (see Products Tested Below) Reagents 1-10 Reagents 11-15	3.4	No Effect Moderate
Boiling Water Resistance	3.5	Slight
High Temperature Resistance	3.6	Slight
Ball Impact Resistance - mm - in	3.8	762 (minimum) 30 (minimum)
Radiant Heat Resistance - sec	3.10	100 (minimum)
Dimensional Change Machine Direction - % Cross Direction - %	3.11	1.1 (maximum) 1.4 (maximum)
Wear Resistance - cycles	3.13	400 (minimum)

CHIT CHAT TABLES | TABLE OF CONTENTS


PRICE LIST & SPECIFICATION GUIDE

168	LEED Credit Summary, Air Emissions & FSC Certification
169	Product Features & Options
170	Dimensions
171	Chit Chat Tables
172	Chit Chat Bar Tables
173	Chit Chat Counter Tables
174	Chit Chat Occasional Tables

CHIT CHAT | LEED CI CREDIT SUMMARY

CHIT CHAT

MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Chit Chat tables products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



FSC
www.fsc.org
FSC® C021699

The mark of responsible forestry

AIR EMISSIONS

All Chit Chat Table products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Chit Chat tables and other Krug products can be specified with one of two types of FSC® Certification:


- (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
 - (b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification)
- Contact customer service for further information, pricing and leadtimes.




Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CHIT CHAT | PRODUCT FEATURES & OPTIONS


TOP SHAPE & GRAIN DIRECTION



Square



Round



Rectangle

EDGE PROFILES




Flat Edge - T




Radius Edge - D

Chit Chat Table tops are 1-1/4" thick and available in two edge profiles.
Note: Solid Surface is only available in the D Radius edge profile.


BASES



Chit Chat Table bases are available in Brushed Stainless Steel, Matte Black or White finishes with non-marring glides.



Cylindrical column with disc base




Square column with square base



Brushed Stainless Steel (-13)



Matte Black (-14)




White (-44)


SOLID SURFACE

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

GROUP GRADE A - WHITE




Glacier White



Cameo White

GROUP GRADE A - COLOR



Bisque




Linen

GROUP GRADE B




Antarctica




Savannah

GROUP GRADE C



Dove





Deep Night Sky


CHIT CHAT | DIMENSIONS

Model	Width	Depth	Height	Shipping Weight	Cubes
Table					
Square Table -Rounded Corners					
7261242429	24	24	29.5	40	22.25
7261303029	30	30	29.5	45	30.5
7261363629	36	36	29.5	52	40.25
Rectangular Table -Rounded Corners					
7261233029	23	30	29.5	42	18.5
7261243029	24	30	29.5	42	18.5
7261463029	45.75	30	29.5	59	32.75
7261483029	48	30	29.5	85	33.25
7261693029	68.75	30	29.5	96	47.25
7261723029	72	30	29.5	117	49
Round Table					
72052429	24D		29.5	40	15
72053029	30D		29.5	45	22
72053629	36D		29.5	62	30.25
Bar					
Square Table -Rounded Corners					
7261242442	24	24	41.75	45	21.25
7261303042*	30	30	41.75	50	31
7261363642	36	36	41.75	67	42.75
Rectangular Table -Rounded Corners					
7261233042	23	30	41.75	47	25.75
7261243042	24	30	41.75	47	25.75
7261463042	45.75	30	41.75	65	45.25
7261483042	48	30	41.75	95	47
7261693042	68.75	30	41.75	101	65.75
7261723042	72	30	41.75	127	68.5
Round Table					
72052442	25D		41.75	45	21.25
72053042	30D		41.75	50	31
72053642	36D		41.75	67	42.75
Counter					
Square Table -Rounded Corners					
7261242436	24	24	36	45	21.25
7261303036*	30	30	36	50	31
7261363636	36	36	36	67	42.75
Rectangular Table -Rounded Corners					
7261233036	23	30	36	47	25.75
7261243036	24	30	36	47	25.75
7261463036	45.75	30	36	65	45.25
7261483036	48	30	36	95	47
7261693036	68.75	30	36	101	65.75
7261723036	72	30	36	127	68.5
Round Table					
72052436	25D		36	45	21.25
72053036	30D		36	50	31
72053636	36D		36	67	42.75
Occasional					
Square Table -Rounded Corners					
7261242416	24	24	16	35	10.25
7261303016	30	30	16	40	15
7261363616	36	36	16	47	20.5
Rectangular Table -Rounded Corners					
7261233016	23	30	16	37	12.5
7261243016	24	30	16	37	12.5
7261463016	45.75	30	16	54	21.75
7261483016	48	30	16	75	22.75
7261693016	68.75	30	16	91	31.5
7261723016	72	30	16	107	32.75
Round Table					
72052416	24D		16	35	10.25
72053016	30D		16	40	15
72053616	36D		16	57	20.5

CHIT CHAT | TABLE


DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners 	Square Plate Base	661	793	1052	1117	1197	1319
	7261242429SQ	714	857	1196	1274	1398	1567
	7261303029SQ	815	978	1569	1677	1866	2116
	7261363629SQ						

Rectangular Table, -Rounded Corners 	Square Plate Base						
	7261233029SQ	674	809	1110	1181	1275	1414
	7261243029SQ	674	809	1110	1181	1275	1414
	7261463029SQ	1056	1267	1811	1921	2116	2372
	7261483029SQ	1079	1295	1872	1987	2192	2461
	7261693029SQ	1169	1403	2404	2568	2850	3223
	7261723029SQ	1197	1436	2495	2667	2963	3355
	Round Disc Base						
	7261233029DB	648	778	1084	1155	1249	1388
	7261243029DB	648	778	1084	1155	1249	1388
	7261463029DB	1004	1205	1760	1870	2065	2321
	7261483029DB	1029	1235	1821	1936	2141	2410
	7261693029DB	1117	1340	2353	2517	2799	3172
	7261723029DB	1146	1375	2444	2616	2912	3304



ORDERING NOTES:

Rectangular Chit Chat Tables 46" (45.75) and longer include two bases. Please note table sizes 23", 46" & 69" (68.75) coordinate with all Zola one, two and three-seat Benches.

Round Table 	Round Disc Base						
	72052429DB	636	763	1007	1071	1166	1299
	72053029DB	686	823	1148	1225	1373	1549
	72053629DB	794	953	1523	1628	1855	1761

Model		Price		Shipping Weight	Cubes
Square Plate Base 	72541828	262		39.5	1.3
	72542428	307		60.5	1.6

ORDERING NOTES:

A single 18" base can be used with tops up to a maximum of 30 inches.


Round Disc Base 	72141828	236		39.5	1.3
	72142428	289		60.5	1.6


ORDERING NOTES:


A single 18" base can be used with tops up to a maximum of 30 inches.

ORDERING PROCEDURE	BASE FINISH	MATERIALS
To order please specify the following: 1. Select model number 2. Select top material 3. Select a colour for top (page 4) 4. Select base finish (page 169) 5. Select edge profile (page 169)	Round Disc Base, Brushed Stainless- DB-13 Square Plate Base, Brushed Stainless- SQ-13 Round Disc Base, White- DB-44 Square Plate Base, White- SQ-44 Round Disc Base, Matte Black- DB-14 Square Plate Base, Matte Black- SQ-14	For a complete list of Solid Surface colors please see page 169. Solid Surface is only available in the D Radius edge profile. For a complete list of Laminate colors please see page 4.

CHIT CHAT | BAR


DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	Square Plate Base						
	7261242442SQ	697	836	1087	1152	1232	1354
	7261303042SQ*	750	900	1231	1309	1433	1602
	7261363642SQ	851	1021	1605	1713	1902	2152

	Rectangular Table, -Rounded Corners	Square Plate Base						
		7261233042SQ	709	851	1145	1216	1310	1449
		7261243042SQ	709	851	1145	1216	1310	1449
		7261463042SQ	1127	1352	1882	1992	2187	2443
		7261483042SQ	1150	1380	1943	2058	2263	2532
		7261693042SQ	1240	1488	2475	2639	2921	3294
		7261723042SQ	1268	1522	2566	2738	3034	3426
		Round Disc Base						
		7261233042DB	667	800	1102	1173	1267	1406
		7261243042DB	667	800	1102	1173	1267	1406
	7261463042DB	1047	1256	1797	1907	2102	2358	
	7261483042DB	1065	1278	1858	1973	2178	2447	
	7261693042DB	1154	1385	2390	2554	2836	3209	
	7261723042DB	1182	1418	2481	2653	2949	3341	



ORDERING NOTES:

Rectangular Chit Chat Tables 46" (45.75) and longer include two bases.
Please note table sizes 23", 46" & 69" (68.75) coordinate with all Zola one, two and three-seat Benches.

	Round Table	Round Disc Base						
		72052442DB	654	785	1025	1089	1184	1317
		72053042DB	704	845	1166	1243	1391	1567
		72053642DB*	812	974	1544	1649	1876	1782

Model		Price		Shipping Weight	Cubes
	Square Plate Base	72541841	297	42.5	1.6
		72542441	343	63.5	1.9

ORDERING NOTES:


A single 18" base can be used with tops up to a maximum of 30 inches.



	Round Disc Base	72141841	254	42.5	1.6
		72142441	310	63.5	1.9

ORDERING NOTES:

A single 18" base can be used with tops up to a maximum of 30 inches.

ORDERING PROCEDURE	BASE FINISH	MATERIALS
<p>To order please specify the following:</p> <ol style="list-style-type: none"> 1. Select model number 2. Select top material 3. Select a colour for top (page 4) 4. Select base finish (page 169) 5. Select edge profile (page 169) 	<p>Round Disc Base, Brushed Stainless- DB-13 Square Plate Base, Brushed Stainless- SQ-13 Round Disc Base, White- DB-44 Square Plate Base, White- SQ-44 Round Disc Base, Matte Black- DB-14 Square Plate Base, Matte Black- SQ-14</p>	<p>For a complete list of Solid Surface colors please see page 169. Solid Surface is only available in the D Radius edge profile.</p> <p>For a complete list of Laminate colors please see page 4.</p>


DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners 	Square Plate Base						
	7261242436SQ	697	836	1087	1152	1232	1354
	7261303036SQ*	750	900	1231	1309	1433	1602
	7261363636SQ	851	1021	1605	1713	1902	2152


Rectangular Table, -Rounded Corners  	Square Plate Base						
	7261233036SQ	709	851	1145	1216	1310	1449
	7261243036SQ	709	851	1145	1216	1310	1449
	7261463036SQ	1127	1352	1882	1992	2187	2443
	7261483036SQ	1150	1380	1943	2058	2263	2532
	7261693036SQ	1240	1488	2475	2639	2921	3294
	7261723036SQ	1268	1522	2566	2738	3034	3426
	Round Disc Base						
	7261233036DB	667	800	1102	1173	1267	1406
	7261243036DB	667	800	1102	1173	1267	1406
	7261463036DB	1047	1256	1797	1907	2102	2358
	7261483036DB	1065	1278	1858	1973	2178	2447
	7261693036DB	1154	1385	2390	2554	2836	3209
	7261723036DB	1182	1418	2481	2653	2949	3341

ORDERING NOTES:

Rectangular Chit Chat Tables 46" (45.75) and longer include two bases.


Please note table sizes 23", 46" & 69" (68.75) coordinate with all Zola one, two and three-seat Benches.

Round Table 	Round Disc Base						
	72052436DB	654	785	1025	1089	1184	1317
	72053036DB	704	845	1166	1243	1391	1567
	72053636DB*	812	974	1544	1649	1876	1782

Model		Price		Shipping Weight	Cubes
Square Plate Base 	72541836	297		41.5	1.4
	72542436	343		62.5	1.7

ORDERING NOTES:

A single 18" base can be used with tops up to a maximum of 30 inches.


Round Disc Base 	72141836	254		41.5	1.4
	72142436	310		62.5	1.7


ORDERING NOTES:


A single 18" base can be used with tops up to a maximum of 30 inches.

ORDERING PROCEDURE	BASE FINISH	MATERIALS & FINISHES
To order please specify the following: 1. Select model number 2. Select top material 3. Select a colour for top (page 4) 4. Select base finish (page 169) 5. Select edge profile (page 169)	Round Disc Base, Brushed Stainless- DB-13 Square Plate Base, Brushed Stainless- SQ-13 Round Disc Base, White- DB-44 Square Plate Base, White- SQ-44 Round Disc Base, Matte Black- DB-14 Square Plate Base, Matte Black- SQ-14	For a complete list of Solid Surface colors please see page 169. Solid Surface is only available in the D Radius edge profile. For a complete list of Laminate colors please see page 4.

CHIT CHAT | OCCASIONAL


DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	Square Table, -Rounded Corners						
	Square Plate Base						
	7261242416SQ	661	793	1052	1117	1197	1319
	7261303016SQ	714	857	1196	1274	1398	1567
	7261363616SQ	815	978	1569	1677	1866	2116


	Rectangular Table, -Rounded Corners						
	Square Plate Base						
	7261233016SQ	674	809	1110	1181	1275	1414
	7261243016SQ	674	809	1110	1181	1275	1414
	7261463016SQ	1056	1267	1811	1921	2116	2372
	7261483016SQ	1079	1295	1872	1987	2192	2461
	7261693016SQ	1169	1403	2404	2568	2850	3223
	7261723016SQ	1197	1436	2495	2667	2963	3355
	Round Disc Base						
	7261233016DB	648	778	1084	1155	1249	1388
	7261243016DB	648	778	1084	1155	1249	1388
	7261463016DB	1004	1205	1760	1870	2065	2321
	7261483016DB	1029	1235	1821	1936	2141	2410
	7261693016DB	1117	1340	2353	2517	2799	3172
7261723016DB	1146	1375	2444	2616	2912	3304	



ORDERING NOTES:


Rectangular Chit Chat Tables 46" (45.75) and longer include two bases. Please note table sizes 23", 46" & 69" (68.75) coordinate with all Zola one, two and three-seat Benches.

	Round Table						
	Round Disc Base						
	72052416DB	636	763	1007	1071	1166	1299
	72053016DB	686	823	1148	1225	1373	1549
	72053616DB	794	953	1523	1628	1855	1761

Model		Price		Shipping Weight	Cubes
	Square Plate Base				
	72541815	262		37	1.1
	72542415	307		58	1.4

ORDERING NOTES:

A single 18" base can be used with tops up to a maximum of 30 inches.

	Round Disc Base				
	72141815	236		37	1.1
	72142415	289		58	1.4

ORDERING NOTES:

A single 18" base can be used with tops up to a maximum of 30 inches.

ORDERING PROCEDURE	BASE FINISH	MATERIALS & FINISHES
<p>To order please specify the following:</p> <ol style="list-style-type: none"> 1. Select model number 2. Select top material 3. Select a colour for top (page 4) 4. Select base finish (page 169) 5. Select edge profile (page 169) 	<p>Round Disc Base, Brushed Stainless- DB-13 Square Plate Base, Brushed Stainless- SQ-13 Round Disc Base, White- DB-44 Square Plate Base, White- SQ-44 Round Disc Base, Matte Black- DB-14 Square Plate Base, Matte Black- SQ-14</p>	<p>For a complete list of Solid Surface colors please see page 169. Solid Surface is only available in the D Radius edge profile.</p> <p>For a complete list of Laminate colors please see page 4.</p>



FSC
www.fsc.org
FSC® C021898

The mark of responsible forestry



All products are air emissions certified and are available as FSC® certified

krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG

June 2020