

## ANDO

Price and Specification Guide

GSA

GS-03F-084DA



# krug

Advancing Design Through Innovation

## TERMS &amp; CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

**General Services Administration  
Federal Supply Schedule**

FSC Groups 7110, 7125  
 Subcategory: Furniture  
 CONTRACT NUMBER: GS-03F-084DA  
 CONTRACT PERIOD: April 1, 2016 through March 31, 2026  
 CONTRACTOR/ ADMINISTRATOR: Mira Jaksic-Husic  
 Krug Inc.  
 421 Manitou Drive  
 Kitchener, Ontario, Canada  
 Tel: 1-800-265-2796  
 Fax: 1-800-265-2798

**1. List of Special Item Numbers on Contract**

33721P Packaged Office Furniture w Ancillary Installation Services  
 33721 Office Furniture w Ancillary Installation Services  
 339113H Healthcare Furniture w Ancillary Installation Services  
 OLM Order Level Materials

| <b>2. SPECIAL ITEM<br/>NUMBER</b> | <b>MAXIMUM<br/>ORDER</b> |
|-----------------------------------|--------------------------|
| 33721P                            | \$5,000,000              |
| 33721                             | \$250,000                |
| 339113H                           | \$500,000                |
| OLM                               | \$250,000                |

| <b>3. SPECIAL ITEM<br/>NUMBER</b> | <b>MINIMUM<br/>ORDER</b> |
|-----------------------------------|--------------------------|
| 33721P                            | \$100.00                 |
| 33721                             | \$100.00                 |
| 339113H                           | \$100.00                 |
| OLM                               | NA                       |

**4. Geographic Coverage**

48 contiguous States and Washington, DC

**5. Point of Production**

Krug Inc.  
 421 Manitou Drive  
 Kitchener, Ontario, CANADA  
 N2C 15L

**6. Discount from List Prices**

33721P Package Office Furniture Krug Product Discounts As Below  
 GSA Teaming Partner Products at their  
 Approved GSA Discount Terms. Krug  
 Installation Charge 12.75% of Net Order  
 (Max.). No Charge for Project Mgt Services.

|  |                                   |
|--|-----------------------------------|
| 33721 Office Furniture                   |                                   |
| Executive Office Furniture               | 56.6%                             |
| Executive Conference Furniture           | 56.6%                             |
| Tables and Accessories                   | 56.6%                             |
| Fully Upholstered Lounge Furniture       | 56.6%                             |
| Multiple Seating                         | 56.6%                             |
| Multi-Purpose Seating                    | 56.6%                             |
| Stacking Chairs                          | 56.6%                             |
| Installation Ancillary to these products | 12.75% Charge of Net Order (Max.) |

|  |                                   |
|--|-----------------------------------|
| 339113H Healthcare Furniture               |                                   |
| Hospital Patient Room Furniture            | 56.6%                             |
| Hospital Geriatric Chairs & Lounge Seating | 56.6%                             |
| Patient Service Systems                    | 56.6%                             |
| Installation Ancillary to these products   | 12.75% Charge of Net Order (Max.) |

**7. Quantity Discounts (off Net pricing)**

Multiple Seating, Multipurpose Seating, Stacking  
 Chairs

|                   |    |
|-------------------|----|
| 25,001 – 50,000   | 1% |
| 50,001 – 100,000  | 2% |
| 100,001 – 150,000 | 3% |
| 150,001 – 250,000 | 4% |

Lounge Seating, Tables & Accessories

|                   |    |
|-------------------|----|
| 25,000 – 50,000   | 1% |
| 50,001 – 75,000   | 2% |
| 75,001 – 100,000  | 3% |
| 100,001 – 180,000 | 4% |
| 180,001 – 200,000 | 5% |
| 200,001 – 250,000 | 6% |

Hosp/Geriatric Chairs and Lounge, Patient Room  
 Furniture, Patient Service Systems

|                          |      |
|--------------------------|------|
| \$100,000 - \$200,000    | 1%   |
| \$200,000.01 - \$300,000 | 1.5% |
| \$300,000.01 - \$400,000 | 2%   |
| \$400,000.01 - \$500,000 | 2.5% |

Quantity Discounts for Executive Office and  
 Executive Conference are no longer applicable  
 based on the MAS Consolidation revisions to  
 Maximum Order Limits.

**8. Prompt Payment Terms**

Net 30 Days

**9. Visa and MasterCard** are accepted above and  
below the micro-purchase threshold.

NOTE: No additional discount will be offered on  
 orders placed using credit cards.

**10. Foreign Items**

All items manufactured in Canada.

**11a. Time of Delivery**

60-90 Days ARO for all items.

**11b. Expedited Delivery**

Please contract Krug GSA Customer Service for  
 information on Expedited Delivery/Krug Express  
 Program. 1-800-265-2796

**11c. Overnight & 2 day Delivery**

N/A

**11d. Urgent Requirements**

Please contact Krug for urgent requirements.

**12. F.O.B. Point**

Destination

**13. Payment Address**

Same as above

# TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

## 14. Warranty

For commercial products, Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. For Krug Healthcare products (as outlined in the US Healthcare price and specification Guide dated March 1, 2019), Krug warrants the construction and finish of all Healthcare products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug.

Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug: Height Adjustable Mechanism Warranty Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase: a) Electronic components such as control boxes, hand switches and motors – two (2) years b) Mechanical components such as crank drives, spindles – five (5) years c) Structural components such as J-channels, feet and top supports – ten (10) years. The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced. Juno and Trevisa Overbed Tables have a 2-year warranty.

## 15. Export Packing Charges

Quoted upon request

## 16. Terms and Conditions of Government Commercial Credit Card

ACCEPTANCE: KRUG will accept the government commercial credit card but will not Offer any additional discount for orders placed using the credit card

## 17. Term and Conditions of Rental Maintenance and Repair.

N/A

## 18. Term and Conditions of Installation

N/A

## 19. Term and Conditions of Repair

N/A

## 20a. Term and Conditions for any other services

N/A

## 20. Service and Distribution points

Call contractor

## 21. Participating Dealers

Call contractor

## 22. Preventative Maintenance

N/A

## 23. Environmental Attributes

Krug maintains a program to reduce the impact on the environment of our products and operations.

## 24. Data Universal Number System (DUNS) number

251476669

## 25. Notification regarding registration in SAM.


Krug Inc.'s registration in SAM is current, accurate and valid.

## 26 Cage Code: 37310

## **ANDO** | TABLE OF CONTENTS

### **ANDO**

|     |  |
|-----|--|
| 119 | Environmental Summary  |
| 120 | Product Features   |
| 121 | Powerport Location, Suggested Seating & Sample Configuration |
| 122 | Ando Tables Pricing  |
| 123 | Power/Data & Cable Management                                |

**ANDO | ENVIRONMENTAL SUMMARY****LEED CI CREDITS****MATERIAL CONTENT:**

PRE-CONSUMER  
RECYCLED CONTENT = 8%

POST-CONSUMER  
RECYCLED CONTENT = 2%

|                  |   | CONTRIBUTES TO |
|------------------|---|----------------|
| Credit 2.1 - 2.2 | Construction Waste Management               | 1-2 point(s)   |
| Credit 3.3       | Resource Reuse                              | 1 point        |
| Credit 4.1       | Recycled Content                            | 1 point        |
| Credit 4.5       | Low Emitting Materials, (MUST BE REQUESTED) |                |
|                  | Systems Furniture & Seating                 | 1 point        |
| Credit 5.1       | Regional Materials*                         | 1 point        |
| Credit 7         | Certified Wood<br>(please enquire)          | 1 point(s)     |

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

**level® CERTIFICATION**

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Ando products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Ando products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.



FSC®  
www.fsc.org  
FSC® C021699

the mark of responsible forest

**AIR-EMISSIONS**

All Ando products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

**FSC®**

FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Ando and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times..



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



## ANDO | PRODUCT FEATURES



### **TABLES**

Tops and gables are 2.5" thick plywood core with face, back and edge veneer. Plastic Laminate tables are self edged. Standard laminates will show a visible dark line where the laminate edges meet, to avoid this line color-core laminates can be specified. Please contact customer service for a quote.

### **SUPPORT**

Construction integrates an internal support system that eliminates the need for any visible support under the table top.



### **MITERED CORNER**

The Ando table worksurface is joined to the side panel legs with a 45° angle miter joint indicative of the highest level of craftsmanship.



### **VENEER**

Ando table veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance.


### **FINISH**

A five step catalyzed varnish finish that when dry has a sheen value of 32°, is applied to all finished cases. A lower sheen topcoat, 20°, can also be specified at standard pricing. All purchase orders must clearly note "lower sheen finish" in order to receive the optional selection.



### **GLIDES**

Adjustable glides are 1 1/2" long and allow for a range of adjustment of 1". Glides are installed at the factory.




### **POWERPORT**

A PowerPort is a unique worksurface mounted module that can be specified to a location that best serves the user's needs. It includes a UL approved electrical, power bar, containing two 115 - volt electrical simplex outlets which are accessible from the work surface, plus a utility outlet at the end for daisy chaining purposes. 3 data versions are available and can be custom configured.

### **PORT**

A service module having no power bar will serve as a large grommet. A hinged lid easily enables the passage of several cables and devices.



### **HORIZONTAL CABLE MANAGEMENT**

This includes a Protective Electrical Cover that covers the power/data module. A grey plastic cable manager carries the cords to the Vertical Cable Manager on the gable.





### **VERTICAL CABLE MANAGEMENT**

This cable manager is clear satin anodized aluminum extrusion with clip attachment that carries from the underside of the top to the floor.

# ANDO | POWERPORT LOCATION, SUGGESTED SEATING, SAMPLE CONFIGURATION

## STANDARD POWERPORT LOCATIONS

### MIDDLE POSITION






For 60", 66", 72" &amp; 84" tables

For 96" tables only

**NOTE:** Workspace clearance of Middle positions:

- 24" depth - 10" from powerport to table edge
- 30" depth - 13" from powerport to table edge
- 36" depth - 16" from powerport to table edge
- 42" depth - 19" from powerport to table edge

### OFFSET POSITION



For 60", 66", 72" &amp; 84" tables

For 96" tables only

**NOTE:** Workspace clearance of Offset positions:

- All depths - Non-user side - 7" from powerport to table edge
- 24" depth - User side - 13" from powerport to table edge
- 30" depth - User side - 19" from powerport to table edge
- 36" depth - User side - 25" from powerport to table edge
- 42" depth - User side - 31" from powerport to table edge

## SUGGESTED SEATING BY TABLE SIZE



60" - 2 per side  
 66" - 2 per side  
 72" - 2 per side  
 84" - 2 per side  
 96" - 3 per side

## SAMPLE CONFIGURATION

| Description   | Model        | Oak<br>Cherry<br>Maple | Anigre<br>Sycamore<br>Walnut | Laminate    |
|---------------|--------------|------------------------|------------------------------|-------------|
| Ando table    | 54TB963042   | 6632                   | 7295                         | 6029        |
| PowerPort     | 54POWERPORT1 | 416                    | 416                          | 416         |
| Cable Manager | 54CM1TB      | 240                    | 240                          | 240         |
| <b>Total</b>  |              | <b>7288</b>            | <b>7951</b>                  | <b>6685</b> |



**ANDO | TABLES**

|  |            | Oak,<br>Cherry,<br>Maple | Walnut,<br>Anigre | Laminate | W     | D  | H     | Shipping<br>KW | Cubic<br>Weight | Feet   |
|--|------------|--------------------------|-------------------|----------|-------|----|-------|----------------|-----------------|--------|
| <div>Rectangular Table,<br/>Desk Height</div>  | 54TH602430 | 4765                     | 5243              | 4334     | 59.75 | 24 | 29.5  | 55             | 176             | 34     |
|  | 54TH603030 | 4868                     | 5353              | 4425     | 59.75 | 30 | 29.5  | 55             | 169             | 41     |
|  | 54TH603630 | 5380                     | 5917              | 4890     | 59.75 | 36 | 29.5  | 55             | 207             | 48     |
|  | 54TH604230 | 5912                     | 6500              | 5371     | 59.75 | 42 | 29.5  | 55             | 230             | 55.25  |
|  | 54TH662430 | 4833                     | 5316              | 4393     | 65.75 | 24 | 29.5  | 61             | 185             | 37.25  |
|  | 54TH663030 | 5020                     | 5520              | 4564     | 65.75 | 30 | 29.5  | 61             | 185             | 44.75  |
|  | 54TH663630 | 5497                     | 6048              | 4996     | 65.75 | 36 | 29.5  | 61             | 220             | 52.5   |
|  | 54TH664230 | 6028                     | 6630              | 5478     | 65.75 | 42 | 29.5  | 61             | 245             | 60.25  |
|  | 54TH722430 | 4927                     | 5422              | 4480     | 71.75 | 24 | 29.5  | 67             | 194             | 40.5   |
|  | 54TH723030 | 5173                     | 5691              | 4704     | 71.75 | 30 | 29.5  | 67             | 191             | 48.75  |
|  | 54TH723630 | 5605                     | 6164              | 5097     | 71.75 | 36 | 29.5  | 67             | 233             | 57     |
|  | 54TH724230 | 6804                     | 7485              | 6185     | 71.75 | 42 | 29.5  | 67             | 260             | 65.5   |
|  | 54TH842430 | 5464                     | 6008              | 4966     | 83.75 | 24 | 29.5  | 79             | 217             | 46.75  |
|  | 54TH843030 | 5739                     | 6312              | 5216     | 83.75 | 30 | 29.5  | 79             | 217             | 56.25  |
|  | 54TH843630 | 6191                     | 6813              | 5631     | 83.75 | 36 | 29.5  | 79             | 265             | 66     |
|  | 54TH844230 | 7434                     | 8177              | 6757     | 83.75 | 42 | 29.5  | 79             | 295             | 75.75  |
|  | 54TH962430 | 6035                     | 6639              | 5488     | 95.75 | 24 | 29.5  | 91             | 236             | 53.25  |
|  | 54TH963030 | 6384                     | 7022              | 5804     | 95.75 | 30 | 29.5  | 91             | 239             | 64     |
|  | 54TH963630 | 6789                     | 7466              | 6171     | 95.75 | 36 | 29.5  | 91             | 292             | 75     |
|  | 54TH964230 | 8220                     | 9041              | 7472     | 95.75 | 42 | 29.5  | 91             | 325             | 86     |
| <div>Rectangular Table,<br/>Bar Height</div>  | 54TB602442 | 4986                     | 5482              | 4532     | 59.75 | 24 | 41.75 | 55             | 203             | 47.25  |
|  | 54TB603042 | 5089                     | 5600              | 4627     | 59.75 | 30 | 41.75 | 55             | 220             | 56.75  |
|  | 54TB603642 | 5629                     | 6189              | 5113     | 59.75 | 36 | 41.75 | 55             | 250             | 66.5   |
|  | 54TB604242 | 6182                     | 6798              | 5619     | 59.75 | 42 | 41.75 | 55             | 266             | 76.5   |
|  | 54TB662442 | 5055                     | 5560              | 4596     | 65.75 | 24 | 41.75 | 61             | 212             | 51.5   |
|  | 54TB663042 | 5252                     | 5777              | 4773     | 65.75 | 30 | 41.75 | 61             | 230             | 62     |
|  | 54TB663642 | 5750                     | 6325              | 5227     | 65.75 | 36 | 41.75 | 61             | 263             | 72.75  |
|  | 54TB664242 | 6304                     | 6935              | 5729     | 65.75 | 42 | 41.75 | 61             | 281             | 83.5   |
|  | 54TB722442 | 5153                     | 5667              | 4685     | 71.75 | 24 | 41.75 | 67             | 221             | 56     |
|  | 54TB723042 | 5410                     | 5950              | 4918     | 71.75 | 30 | 41.75 | 67             | 241             | 67.25  |
|  | 54TB723642 | 5865                     | 6451              | 5332     | 71.75 | 36 | 41.75 | 67             | 276             | 79     |
|  | 54TB724242 | 7117                     | 7831              | 6470     | 71.75 | 42 | 41.75 | 67             | 297             | 90.5   |
|  | 54TB842442 | 5714                     | 6288              | 5195     | 83.75 | 24 | 41.75 | 79             | 245             | 64.75  |
|  | 54TB843042 | 6002                     | 6603              | 5455     | 83.75 | 30 | 41.75 | 79             | 268             | 78     |
|  | 54TB843642 | 6478                     | 7127              | 5891     | 83.75 | 36 | 41.75 | 79             | 303             | 91.25  |
|  | 54TB844242 | 7773                     | 8551              | 7068     | 83.75 | 42 | 41.75 | 79             | 332             | 104.75 |
|  | 54TB962442 | 6314                     | 6942              | 5741     | 95.75 | 24 | 41.75 | 91             | 263             | 73.5   |
|  | 54TB963042 | 6632                     | 7295              | 6029     | 95.75 | 30 | 41.75 | 91             | 290             | 88.5   |
|  | 54TB963642 | 7102                     | 7813              | 6456     | 95.75 | 36 | 41.75 | 91             | 329             | 104    |
|  | 54TB964242 | 8599                     | 9459              | 7817     | 95.75 | 42 | 41.75 | 91             | 362             | 119.25 |

**CAUTION:** Ando tables are shipped in one piece and are large & heavy. Please ensure consideration is taken regarding widths of entrances, aisles and stairways for maneuvering tables into office areas. If packing pallets need to be removed prior to the table getting into the office please ensure the bubble wrap material is left on the table to prevent damage during the move-in process.

**ORDERING PROCEDURE**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable

\*indicates model illustrated by line drawing.

**STANDARD FINISHES**








For a complete list of standard wood finishes please see page 363.

**GROMMETS**

One grommets in standard position are available at no additional charge.




## POWERPORTS

| Description  | Model   | Price | W | D | H | Shipping Weight | Cubic Feet |
|--|---|-------|---|---|---|-----------------|------------|
| PowerPort 1<br>- 2 RJ45s (Category 5/6)  | PORT1   | 291   | 8 | 4 | - | -               | -          |
|   | <b>Port Includes:</b> 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.<br><b>NOTE:</b> RJ45 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.                                    |       |   |   |   |                 |            |
| PowerPort 2<br>- USB-A & USB-C   | PORT2   | 294   | 8 | 4 | - | -               | -          |
|   | <b>Port Includes:</b> 2 accessible power outlets & 1 side utility outlet; 1 USB-A & 1 USB-C charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.   |       |   |   |   |                 |            |
| PowerPort 3<br>- RJ11 & RJ45   | PORT3   | 282   | 8 | 4 | - | -               | -          |
|    | <b>Port Includes:</b> 2 accessible power outlets & 1 side utility outlet; 1 RJ11 & 1 RJ45 (Category 5/6); 2 Velcro wire managers & PowerPort Shroud; 1 x 10 Foot Data Cords (T568A) & 1 x 14 Foot RJ11 (Telecomm); powered by a 10' plug-in cord. PortPort lid is Silver Metallic.<br><b>NOTE:</b> RJ45 & RJ11 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional. |       |   |   |   |                 |            |
| PowerPort 4<br>- 2 USB-A   | PORT4   | 300   | 8 | 4 | - | -               | -          |
|   | <b>Port Includes:</b> 2 accessible power outlets & 1 side utility outlet; 2- USB-A charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PortPort shroud. PortPort lid is Silver Metallic.   |       |   |   |   |                 |            |
| PowerPort 5<br>- 4 Receptacles   | PORT5   | 294   | 8 | 4 | - | -               | -          |
|   | <b>Port Includes:</b> 4 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.  |       |   |   |   |                 |            |
| PowerPort 6<br>- USB-A, USB-C & RJ45   | PORT6   | 426   | 8 | 4 | - | -               | -          |
| <br>Top View<br> | <b>Port Includes:</b> 2 accessible power outlets & 1 side utility outlet 1 USB-A, 1 USB-C charging ports all powered by a 10' plug-in power cord. Includes 2 velcro wire managers and metal PortPort shroud with 2 data plate knock outs, 1 #M02 plate insert & 2 #S01W RJ45 female input, punch down terminal output snap in jacks. 2nd data plate knock out is blank for future use. PortPort lid is Silver Metallic.         |       |   |   |   |                 |            |

## ACCESSORIES &amp; WIRE MANAGEMENT


| Description        | Model | Price | W | D | H | Shipping Weight | Cubic Feet |
|--------------------|-------|-------|---|---|---|-----------------|------------|
| Port - no Powerbar | Port0 | 143   | 8 | 4 | - | -               | -          |



**Port Includes:** Lid & Shroud only.

**ORDERING NOTE:** Velcro wire managers not included, see below for pricing. Port lid is Silver Metallic.

|   |           |                                    |   |   |   |   |   |
|---|-----------|------------------------------------|---|---|---|---|---|
| PowerPort Shroud with 2 Data Plate Knock-outs | SHROUD2KO | Must be requested<br>- no upcharge | - | - | - | - | - |
|---|-----------|------------------------------------|---|---|---|---|---|




Angled PowerPort Shroud Includes: shroud with 2 data plate knock-outs in the bottom.

**ORDERING NOTE:** Please refer to data plate, data and AV integration options on page XX.

|               |                 |     |     |   |      |   |   |
|---------------|-----------------|-----|-----|---|------|---|---|
| Cable Manager | METAL - 54CM1TH | 196 | 2.5 | - | 25   | - | - |
|               | 54CM1TB         | 240 | 2.5 | - | 36.5 | - | - |
|               | WOOD - 54CM1TH1 | 428 | 2.5 | - | 25   | - | - |
|               | - 54CM1TB1      | 473 | 2.5 | - | 36.5 | - | - |



|                             |      |    |   |     |     |   |   |
|-----------------------------|------|----|---|-----|-----|---|---|
| Velcro Wire Manager (qty 1) | WM-4 | 27 | 2 | 4.5 | 0.5 | - | - |
|-----------------------------|------|----|---|-----|-----|---|---|




2 velcro wire managers are included with Ports 1-5.

|                        |       |     |    |   |   |   |   |
|------------------------|-------|-----|----|---|---|---|---|
| Wire Management Trough | WM-72 | 191 | 72 | 3 | 1 | - | - |
|------------------------|-------|-----|----|---|---|---|---|




Wire Management Trough is standard in a 72" length & can be cut to specific length; double-sided tape installation.

|                           |       |     |    |   |   |   |   |
|---------------------------|-------|-----|----|---|---|---|---|
| 4-Channel Wire Management | CM-72 | 242 | 72 | 3 | 1 | - | - |
|---------------------------|-------|-----|----|---|---|---|---|








4-Channel Wire Management is standard in a 72" length & can be cut to specific length; double-sided tape installation.

|               |                                 |     |   |   |   |   |   |
|---------------|---------------------------------|-----|---|---|---|---|---|
| Round Grommet | Round Grommet - Silver Metallic | 159 | - | - | - | - | - |
|               | Round Grommet - Black           | 159 | - | - | - | - | - |



One 60mm Grommet in a standard position is available at no charge per table.

## POWER/DATA

| SNAP IN PORTS   | Reference Code | Description   | List Price |
|---|----------------|---|------------|
| <b>ADAPTOR PLATES</b>   |                |   |            |
|              | <b>M02</b>     | <b>Adaptor Plate (2)</b> - accepts two snap in data ports   | 39         |
|   | <b>M04</b>     | <b>Adaptor Plate (4)</b> - accepts four snap in data ports  | 39         |
|   | <b>M06</b>     | <b>Adaptor Plate (6)</b> - accepts six snap in data ports   | 39         |
| <b>ORDERING NOTES:</b> Blank covers are required when port is not in use, please see page 55. |                |   |            |
|              |                | <b>RJ-45</b> - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection. | 49         |
|   | <b>S01W</b>    | RJ45-CAT6 (White)   |            |
|   | <b>S01B</b>    | RJ45-CAT6 (Blue)  |            |
|   | <b>S01R</b>    | RJ45-CAT6 (Red)   |            |
|              |                | <b>RJ11</b> - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.  | 33         |
|   | <b>S02W</b>    | RJ11 (White)  |            |
|   | <b>S02B</b>    | RJ11-B (Black)  |            |
|   | <b>S02G</b>    | RJ11-G (Green)  |            |
|   | <b>S02R</b>    | RJ11-R (Red)  |            |
|   | <b>S02Y</b>    | RJ11-Y (Yellow)   |            |
|            | <b>S04</b>     | <b>HDMI</b> - High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.  | 181        |
|   |                |   |            |
|            | <b>S08</b>     | <b>USB-A</b> - Full size USB "A" style connection. Connector is a female-to-female pass through.  | 64         |

## GENERAL INFORMATION

### Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

### Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: [orders@krug.ca](mailto:orders@krug.ca)

Web: [www.krug.ca](http://www.krug.ca) E-mail: [solutions@krug.ca](mailto:solutions@krug.ca)

### Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

### Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

### Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgment is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

### Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

### Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

### Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

### Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

### Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

**Important:** Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

### Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

### Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail [installationhelp@krug.ca](mailto:installationhelp@krug.ca) and you will be directed to the appropriate installation support person.

### Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
- 2) Custom wood finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Customer Service for more information.

## GENERAL INFORMATION

**Freight Terms and Conditions**

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

**Product Strength and Durability Testing**

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.

**Damaged Shipments**

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

**Field Product Report Authorization**

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

**Care and Maintenance**

**Wood Finishes** - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

**Plastic Laminates** - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

**Krug Panel Fabric Program**

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. [www.krug.ca](http://www.krug.ca) PRODUCTS / FABRICS / PANEL. The Momentum panel fabrics pass ASTM-E84-87 Fire Codes. If memo samples are required please call Momentum at 1-800-366-6839.

**PROGRAM DETAILS**

*KrugExpress* orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

*KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".



WOOD FINISHES AND LAMINATES

**Standard Wood Finishes:**  
(See product pages for individual species availability)

| SPECIES | FINISH               |
|---------|----------------------|
| Cherry  | Light Cherry         |
|         | Natural Cherry       |
|         | American Cherry      |
|         | Medium Cherry        |
|         | Standard Cherry      |
|         | Imperial Cherry      |
|         | Appalachian Cherry   |
|         | Sable Cherry         |
| Maple   | Clear Maple          |
|         | Honey Maple          |
|         | Wheat Maple          |
| Oak     | Light Oak            |
|         | SilverGrey on Oak    |
|         | Harvest Oak          |
|         | Mahogany Oak         |
|         | Medium Cherry on Oak |
|         | Mellow Oak           |
|         | Walnut on Oak        |
|         | Espresso on Oak      |
| Walnut  | Natural Walnut       |
|         | Regular Walnut       |
|         | Mahogany on Walnut   |
|         | Dark Walnut          |
|         | Cordovan Walnut      |
|         | SilverGrey on Walnut |
| Anigre  | Clear Anigre         |
|         | Medium Anigre        |
| Palette | Black                |
|         | White                |
|         | Sand                 |
|         | Soft Green           |
|         | Steel Blue           |
|         | Slate                |

**NATURAL CHARACTERISTICS OF WOOD**  
Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

**CUSTOM WOOD FINISHES**  
Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.) For orders with special finishes, a sample that is a minimum 3” by 3” must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

**FINISH**  
Conference products feature Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

**WOOD FINISHES TO MATCH STANDARD LAMINATES**  
Willow on Rift Oak  
Dune on Rift Oak  
Portobello on Rift Oak  
Ash on Rift Oak  
Copper on Cherry  
Shiraz Cherry  
Park Avenue Walnut  
Chocolate on Walnut  
Nutmeg on Walnut  
Hardrock Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

| IN-STOCK LAMINATES   |                                 |                               |                                 |
|----------------------|---------------------------------|-------------------------------|---------------------------------|
| Wood Grain Laminates | High Pressure Laminate Supplier | Textured Wood Grain Laminates | High Pressure Laminate Supplier |
| Champagne            | Tafisa T492CR                   | Gingerbread                   | Tafisa T556UR                   |
| Hardrock Maple       | Formica 86992-58                | Portobello                    | Tafisa T557UR                   |
| Dune                 | Tafisa T491CR                   | Ash                           | Tafisa T535AT                   |
| Copper               | Tafisa T521CR                   | Willow                        | Tafisa T543AT                   |
| Shiraz Cherry        | Tafisa T472CR                   | <b>Solid Laminates</b>        |                                 |
| Park Avenue Walnut   | Wilsonart 7984-38               | Designer White                | Wilsonart D354-60               |
| Chocolate            | Tafisa T498CR                   | Platinum                      | Tafisa T202CR                   |
| Nutmeg               | Tafisa T477CR                   | Earth                         | Tafisa T767CR                   |
| Nightfall            | Pionite WX421                   | Charcoal                      | Tafisa T228CR                   |

**PHASE OUT LAMINATES** Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

**NON-STOCKED LAMINATES**  
For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged. |





All products are air emissions certified and are available as FSC® certified

**krug**