AQUA Price and Specification Guide USA



krug

Advancing Design Through Innovation

AQUA | TABLE OF CONTENTS

AQUA

- 2 Aqua LEED Credit Summary
- 3 Aqua Features & Options
- 4 Aqua Dimensions & COM
- 5 Aqua Mesh Back
- 6 Aqua Upholstered Back
- 7 Aqua Stool

GENERAL INFORMATION

- 8 Terms & Conditions
- 8 Warranty
- 10 KRUG Textiles Upholstery Fabrics
- 10 KRUG Textiles Leather & Faux Leather
- 14 Customer's Own Material (COM/COL)
- 14 CAL 133 & Moisture Barrier
- 15 Mesh Colors
- 15 Graded-In Upholstery Programs
- 16 KRUGEXPRESS Program
- 16 Base Styles

AQUA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

	MATE RIAL CONTE NT:196 Cardboard 7% Foam 6% Plywood 3% Fabric 28% Plastic 45% SteelCONTRIBUTES TO	PRE-CONSUMER RECYCLED CONTENT = 11.5% POST-CONSUMER RECYCLE CONTENT = 21.91% Up to 47.7% of Aqua product is recyclable at the end of its useful life.
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Aqua products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

FSC®

All Aqua products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Aqua and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

AQUA | FEATURES & OPTIONS

ARM STYLE

Four arm styles are available on Aqua - Armless, T-Arm, Height Adjustable T-Arm and Fixed Cantilever Arm.



T-Arm - A comfortable and supportive urethane pad, 10" in length by 3.5" wide, which can be field replaced if damaged, as can the entire arm.



Height Adjustable T-Arm - In addition to the same features as the T-Arm version, the arm pad has a 3-position rotation horizontally: center, left and right. The arm pad also adjusts forward and rearward in 5 positions, and is height-adjustable in 9 positions ranging over 4".



Cantilever Arm - The top surface of this arm has been proportioned to provide comfortable arm support, with a resting surface of $10" \times 2"$.



ARM WIDTH ADJUSTMENT

Width adjustment is a standard feature on Aqua arm styles. T-Arms, and Height Adjustable T-Arms, can be width adjusted, operated by the handwheel located under the seat. The T-Arms are width adjustable in a range of 1.5" per arm, or 3" per chair. Cantilever arms can be width adjusted with tools instead of a handwheel, with adjustment range of 1" per arm, or 2" per chair.



MECHANISM OPTIONS

Synchro-Tilt Mechanism - There are 5 recline/lock positions, in addition to a full range of free-flowing movement. The forward position of the pivot point allows the back and seat to adjust in a 2:1 ratio synchronously, providing comfortable recline of the back with minimal incline of the seat.



Swivel-Tilt Mechanism - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment - ideal for short-term use environments, such as meeting rooms, where numerous adjustability features may not be desirable or necessary. Aqua Stools are only available with a Swivel Mechanism.



Seat-Slider Option - Available on the Synchro-Tilt Mechanism, this offers a 2" range of forward and rearward adjustment of the seat, with a locking feature. The addition of the seat slider adds 1/2" to the height of the seat and arms.



BASE STYLE

Aqua seating is available with Black five star base and black gas cylinder, or optional Polished Aluminum five star base and chrome cylinder for an upcharge of **\$39 list**. Both bases come standard with dual wheel black casters. Hard casters are the standard and soft wheel casters can be ordered for **\$61 list** per chair. Aqua bases are also available with a fixed height option for an upcharge of **\$39 list** per chair.



JURY BASE

The Aqua series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

MESH BACKS

Mesh Backs are made of breathable polyester elastomers, the Mesh Back has an ideal tension that provides comfortable lumbar and thoracic support for extended use and healthy sitting enhanced further with the air circulation provided by the mesh's unique design, and an easy-to-clean surface. The mesh back is also replaceable. Mesh colors available:

- White Warm Grey Black Sky• Clay Neo
 Sunset Cardinal
- Sunset Gardinar

UPHOLSTERED BACKS

A unique construction with a mesh suspension core, combined with extensively-researched ergonomic curvature, gives the Aqua back a form-fitting comfort and a thin profile that is designed for healthy long-term sitting.

BACK TENSION

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

REPLACEABLE COMPONENTS

Aqua chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

OPTIONS

Combination Upholstery Options When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

AQUA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
Standard Height										
Mesh Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	40	18	0.75
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	40	18	0.75
Upholstered Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	41	18	1.4
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	41	18	1.4
Stool Height										
Mesh Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	40	20	0.75
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	40	20	0.75
Upholstered Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	41	20	1.4
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	41	20	1.4

MULTIPLE YARDAGE REQUIREMENTS

	Yardage MESH BACK Seats Only	Yardage UPHOLSTERED BACK Back Only	Yardage UPHOLSTERED Full Chair
1 Chair	.75	.94	1.28
2 Chairs	.75	1.8	2.53
3 Chairs	1.5	2.74	3.81
4 Chairs	1.5	3.6	5.06

Height measurements of Aqua tilter and teller chairs are taken with the pneumatic lift in the lowest position and with a standard height range gas lift.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

The approval process is as follows:

1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

Aqua	Standa	rd⊦	leight
------	--------	-----	--------









Aqua Stool Height



Armless


Fixed T- Arms

Adjustable T - Arms

Cantilever Arms

AQUA | MESH BACK

		COM		COL	FAE	BRIC GRAD	DES		LEATHER	
DESCRIPTION/N	NODEL	1	2	3	4	5	6	7	8	9
	Aqua Mesh Back, A AQU1M03B	rmless with Swive 790	l Tilt, 5 s 803	tar base in 814	black 841	869	896	922	950	1003
	Aqua Mesh Back, A AQU1M01B	rmless with Synch 812	nro Tilt, 5 827	star base 840	in black 867	895	918	945	973	1030
0 000	Aqua Mesh Back, A AQU1M02B	rmless with Synch 858	nro Tilt/S 871	eat Slider, 885	5 star base 912	e in black 939	966	990	1017	1073
	Aqua Mesh Back, T AQU1M13B	Arm in black with 930	Swivel 7 940	Filt, 5 star k 955	base in bla 982	ck 1010	1036	1063	1087	1142
	Aqua Mesh Back, T AQU1M11B	Arm in black with 954	Synchro 967	o Tilt, 5 sta 981	r base in b 1006	lack 1033	1059	1086	1114	1166
5 6 6	Aqua Mesh Back, T AQU1M12B	Arm in black, with 997	n Synchr 1012	o Tilt/Seat 1023	Slider, 5 st 1050	tar base in 1078	black 1106	1134	1159	1211
	Aqua Mesh Back, H AQU1M23B	leight Adjustable T 971	-Arm in 985	black with 999	Swivel Tilt 1029	, 5 star bas 1055	e in black 1080	1107	1135	1187
	Aqua Mesh Back, H AQU1M21B	leight Adjustable T 996	-Arm in 1011	black, with 1022	Synchro 7 1050	Filt, 5 star b 1078	ase in bla 1106	ick 1134	1158	1211
0000	Aqua Mesh Back, H AQU1M22B	leight Adjustable T 1041	-Arm in 1056	black with 1068	Synchro T 1097	ilt/Seat Slic 1122	der, 5 star 1149	base in bl 1178	ack 1203	1255
	Aqua Mesh Back, C AQU1M33B	antilever Arm in b 847	lack with 862	n Swivel Til 873	t, 5 star ba 899	ase in black 928	955	982	1010	1061
	Aqua Mesh Back, C AQU1M31B	antilever Arm in b 871	lack, wit 885	h Synchro 898	Tilt, 5 star 927	base in bla 954	ick 980	1006	1033	1086
	Aqua Mesh Back, C AQU1M32B	antilever Arm in b 915	lack with 931	n Synchro 1 942	Filt/Seat SI 970	ider, 5 star 997	base in bl 1022	lack 1050	1078	1134
model number and CAL 133 and M upcharge of \$61 For Polished Alum number from "B" t Hard casters are t	on, please add a 'J' for the d add \$74 list . Moisture Barrier option I list per yard. iinum base please change o a "C" and add \$39 list . he standard and soft whe	ns are available f	or an model				Ţ.			
for \$61 list per cha Mesh Colors availa	air. able are listed on Page 15.			Armles	S	T-Arm		Height Adju T-Arm	ustable	Cantilever
PRODUCT CODE	Series	Back Style		Arm	Style		lechanism		Base S	Style
				Antis		N			Dase c	



AQUA | UPHOLSTERED BACK

		COM		COL	FAE	BRIC GRAD	DES		LEATHER	
DESCRIPTION/M	ODEL	1	2	3	4	5	6	7	8	9
	Aqua Upholstered Back, Ar	mless wit	h Swivel 1	Filt 5 star	base in bla	ck				
	AQU1U03B	899	945	994	1087	1181	1275	1370	1463	1650
	Aqua Upholstered Back, Ar	mless wit	h Synchro	o Tilt, 5 sta	r base in b	lack				
\sim	AQU1U01B	925	970	1017	1113	1206	1299	1394	1486	1675
	Aqua Upholstered Back, Ar	mless wit	h Synchro	o Tilt/Seat	Slider, 5 sta	ar base in l	black			
	AQU1U02B	969	1015	1064	1158	1250	1347	1439	1533	1720
	Aqua Upholstered Back, T-/									
	AQU1U13B	1040	1086	1135	1225	1321	1414	1510	1603	1792
$\Rightarrow \Rightarrow$										
	Aqua Upholstered Back, T-/		-							
	AQU1U11B	1064	1111	1158	1252	1347	1440	1534	1627	1817
	Agus Lipholatored Dools T	Awaa ina kale	al with C	Nunahra Ti	It/Coot Clid	ar Eatar b	and in bloc	s.		
	Aqua Upholstered Back, T-/ AQU1U12B	4mm in Dia 1109	1156 ack, with a	1203	1296	1391 1391	1485	эк 1580	1672	1861
	AQUIUI2B	1109	1150	1203	1290	1391	1405	1300	1072	1001
	Aqua Upholstered Back, He	eiaht Adiu	istable T-A	rm in blac	k with Swi	vel Tilt. 5 s	tar base in	black		
	AQU1U23B	1084	1131	1179	1272	1365	1460	1527	1648	1835
T	Aqua Upholstered Back, He	eight Adju	stable T-A	Arm in blac	k with Syn	chro Tilt, 5	star base	in black		
E Sanda S	AQU1U21B	1109	1156	1203	1295	1391	1484	1580	1672	1861
F										
000	Aqua Upholstered Back, He	eight Adju	istable T-A		k, with Syr					
KO OD	AQU1U22B	1155	1202	1248	1341	1437	1530	1623	1718	1906
	Aqua Upholstered Back, Ca				-					
	AQU1U33B	959	1006	1054	1146	1241	1335	1428	1521	1710
					I 	F . 1 1	1. I.I I			
VIY	Aqua Upholstered Back, Ca							1 4 5 4	1545	1700
	AQU1U31B	983	1031	1078	1171	1265	1358	1454	1545	1733
	Agua Liphalatarad Daala	ntilover (Auron in hele	al with O	mahra Titt	Coat Olicia	E atar ha	oo in bla-l		
O CO CO	Aqua Upholstered Back, Ca AQU1U32B	1030	1074	2K, With Sy 1122	/ncnro 110/ 1216	1309			1590	1779
	AQUIU32D	1030	1074	1122	1210	1309	1407	1496	1290	1//9

ORDERING NOTES


For jury base version, please add a 'J' for the base style at the end of the model number and add \$74 list.


CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$39 list.

Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair.

Mesh Colors available are listed on Page 15.








T-Arm

Height Adjustable

PRODUCT CODE KEY



AQUA | STOOL

		COM	0	COL 3					LEATHER	
DESCRIPTION/MODEL		I	2	3	4	5	6	7	8	9
	ua Stool Mesh Bacl T1M0G (glides)	k, Armle: 853	ss, 5 star 867	in black w 880	ith glides c 909	or casters 936	960	987	1014	1068
	T1M0B (casters)									
U .	ua Stool Upholstere T1U0G (glides)	ed Back, 966	Armless, 1012	5 star bas 1059	e in black 1152	with glide: 1247	s or caster 1341	s 1435	1530	1717
AQ	T1U0B (casters)									
	ua Stool Mesh Bacl	-	in black,	with 5 sta	r base in bl	ack with g	lides or ca	asters		
	T1M1G (glides) T1M1B (casters)	994	1008	1018	1045	1073	1100	1127	1155	1208
	ua Stool Upholstere	ed Back,	T-Arm in	black, 5 s	tar base in	black with	n glides or	casters		
	T1U1G (glides) T1U1B (casters)	1106	1150	1198	1293	1386	1482	1575	1666	1855
Aqu	ua Stool Mesh Bacl	k, Height	t Adjustab	ole T-Arm i	n black, 5 s	star base i	n black wi	th glides o	r casters	
	T1M2G (glides) T1M2B (casters)	1039	1050	1064	1089	1117	1145	1172	1198	1252
Aqu	ua Stool Upholstere	ed Back,	Height A	djustable ⁻	Г-Arm in bla	ack, 5 star	base in b	ack with g	lides or ca	asters
	T1U2G (glides) T1U2B (casters)	1149	1195	1244	1337	1432	1525	1619	1713	1900
	ua Stool Mesh Bacl	k, Cantile	ever Arm	in black, 5	star base	in black w	ith glides o	or casters		
	T1M3G (glides) T1M3B (casters)	912	927	939	967	994	1017	1044	1073	1127
	ua Stool Upholstere	ed Back,	Cantileve	er Arm in b	lack, 5 sta	r base in b	lack with	glides or ca	asters	
	PT1U3G (glides) PT1U3B (casters)	1022	1069	1117	1211	1306	1398	1493	1588	1774
ORDERING NOTES										


ORDERING NOTES

Hard casters are the standard and **soft wheel casters** can be ordered for **\$61 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.**

Mesh Colors available are listed on Page 15.

Aqua Stools are only available with a Swivel Mechanism.

PRODUCT CODE KEY



Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177 Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca **Customer Service Hours** Please note customer service hours are: 8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

GENERAL INFORMATION

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination – please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$78/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$78/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$78/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements

of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.

BIFMA

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address <u>engquotes@krug.ca</u>.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013



KRUG TEXTILES - UPHOLSTERY FABRICS

Grade 1

ARLO **306 PETROL** 908 CHARCOAL 93 SEAL 601 PEARL 308 MIDNIGHT 84 NUTMEG 62 OATMEAL 90 LIMESTONE **FRANKLIN** 67 FAWN 94 METAL 3009 MIDNIGHT 97 CINDER 47 CAMEL 909 BLACK 9004 CHARCOAL 308 PETROL 108 ORCHID COMRADE 84 TEAK 63 LINEN 24 ALPINE 905 IRON 309 MIDNIGHT 601 SNOW 57 MARIGOLD 31 DUCK EGG FELICITY 305 SKY 603 TAUPE 93 COAL 405 HENNA



64 PUTTY

62 FAWN

AQUA | SEATING & OCCASIONAL TABLES | USA | 10

36 BLUEBERRY



Krug Textiles - Stocked Fabric Program

Grade 2

Grade 2				
GRADDY				
PS CAPER	31 SKY	604 FLAX	901 CHAR 98 NICKLE	93 GRAY
YATES				
	44 CLAY	87 TAUPE 25	JUNIPER 305 INDIGO	109 CRANBERRY
84 BIRCH	803 TOAST	92 ZINC	91 SILVER	908 CHARCOAL
ΜCCOY				
	601 CREME	908 CHARCOAL	62 COPPER	108 CORDOVAN
608 TUNDRA	32 ROBIN'S EGG	94 MERCURY	84 BARK	
ORIS				
	604 BARK	601 CREAM	306 DELFT	902 ZINC

908 DOMINO 305 MIDNIGHT 11 | USA | SEATING & OCCASIONAL TABLES | AQUA

and the action of the

64 PUTTY

205 CHARTREUSE



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ









82 CLAY



104 MULBERRY



31 AEGEAN

32 MIST



306 INDIGO



601 CREAM



106 HENNA



304 CAPRI

91 FLANNEL



604 STUCCO

BISCOTTI





45 SPICE



61 DESERT



91 GRANITE





INTRIGUE



601 OYSTER



608 STUCCO

AQUA | SEATING & OCCASIONAL TABLES | USA | 12

605 STRAW

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$21 Grade 2 \$33 Grade 3 \$44

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover rolls, or for the method of upholstery in on instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2 Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a <u>NAFTA Certificate of Origin</u> and a <u>Commercial Invoice</u> be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

AQUA | SEATING & OCCASIONAL TABLES | USA | 14

AQUA | MESH COLORS

MESH COLORS



Sky

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin
- CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is <u>not</u> available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

BASE STYLES (on applicable products)

Base Styles	Description						
Black Nylon	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.						
Polished Aluminum	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.)						
Seat Slider	Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.						
Wood	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.						
Chrome	5 blade polished chrome base with 2 1/4" dual wheel casters.						
Jury Bases	Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning						
Jury Bases	height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.						
Pan Am	Bank of England Dorso Cadence C5 Aqua						

Pan Am Pan1-M11<u>J</u>

177-<u>J</u>












C5E1MB41AJ



AQU1M33J





All products are air emissions certified and are available as $\ensuremath{\mathsf{FSC}}\xspace^{\ensuremath{\mathsf{R}}}$ certified



solutions@krug.ca | www.krug.ca | 1.888.578.KRUG