

ARTEMIS LAMINATE
Price and Specification Guide
GSA
GS-03F-084DA



krug

Advancing Design Through Innovation

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

General Services Administration Federal Supply Schedule

FSC Groups 7110, 7125
Subcategory: Furniture
CONTRACT NUMBER: GS-03F-084DA
CONTRACT PERIOD: April 1, 2016 through March 31, 2026
CONTRACTOR/ ADMINISTRATOR: Mira Jaksic-Husic
Krug Inc.
421 Manitou Drive
Kitchener, Ontario, Canada
Tel: 1-800-265-2796
Fax: 1-800-265-2798

1. List of Special Item Numbers on Contract

33721P Packaged Office Furniture w Ancillary Installation Services
33721 Office Furniture w Ancillary Installation Services
339113H Healthcare Furniture w Ancillary Installation Services
OLM Order Level Materials

2. SPECIAL ITEM NUMBER	MAXIMUM ORDER
33721P	\$5,000,000
33721	\$250,000
339113H	\$500,000
OLM	\$250,000

3. SPECIAL ITEM NUMBER	MINIMUM ORDER
33721P	\$100.00
33721	\$100.00
339113H	\$100.00
OLM	NA

4. Geographic Coverage

48 contiguous States and Washington, DC

5. Point of Production

Krug Inc.
421 Manitou Drive
Kitchener, Ontario, CANADA
N2C 15L

6. Discount from List Prices

33721P Package Office Furniture Krug Product Discounts As Below
GSA Teaming Partner Products at their
Approved GSA Discount Terms. Krug
Installation Charge 12.75% of Net Order
(Max.). No Charge for Project Mgt Services.

33721 Office Furniture	
Executive Office Furniture	56.6%
Executive Conference Furniture	56.6%
Tables and Accessories	56.6%
Fully Upholstered Lounge Furniture	56.6%
Multiple Seating	56.6%
Multi-Purpose Seating	56.6%
Stacking Chairs	56.6%
Installation Ancillary to these products	12.75% Charge of Net Order (Max.)

339113H Healthcare Furniture	
Hospital Patient Room Furniture	56.6%
Hospital Geriatric Chairs & Lounge Seating	56.6%
Patient Service Systems	56.6%
Installation Ancillary to these products	12.75% Charge of Net Order (Max.)

7. Quantity Discounts (off Net pricing)

Multiple Seating, Multipurpose Seating, Stacking
Chairs

25,001 – 50,000	1%
50,001 – 100,000	2%
100,001 – 150,000	3%
150,001 – 250,000	4%

Lounge Seating, Tables & Accessories

25,000 – 50,000	1%
50,001 – 75,000	2%
75,001 – 100,000	3%
100,001 – 180,000	4%
180,001 – 200,000	5%
200,001 – 250,000	6%

Hosp/Geriatric Chairs and Lounge, Patient Room
Furniture, Patient Service Systems

\$100,000 - \$200,000	1%
\$200,000.01 - \$300,000	1.5%
\$300,000.01 - \$400,000	2%
\$400,000.01 - \$500,000	2.5%

Quantity Discounts for Executive Office and
Executive Conference are no longer applicable
based on the MAS Consolidation revisions to
Maximum Order Limits.

8. Prompt Payment Terms

Net 30 Days

9. Visa and MasterCard are accepted above and below the micro-purchase threshold.

NOTE: No additional discount will be offered on
orders placed using credit cards.

10. Foreign Items

All items manufactured in Canada.

11a. Time of Delivery

60-90 Days ARO for all items.

11b. Expedited Delivery

Please contract Krug GSA Customer Service for
information on Expedited Delivery/Krug Express
Program. 1-800-265-2796

11c. Overnight & 2 day Delivery

N/A

11d. Urgent Requirements

Please contact Krug for urgent requirements.

12. F.O.B. Point

Destination

13. Payment Address

Same as above

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

14. Warranty

For commercial products, Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. For Krug Healthcare products (as outlined in the US Healthcare price and specification Guide dated March 1, 2019), Krug warrants the construction and finish of all Healthcare products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug.

Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug: Height Adjustable Mechanism Warranty Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase: a) Electronic components such as control boxes, hand switches and motors – two (2) years b) Mechanical components such as crank drives, spindles – five (5) years c) Structural components such as J-channels, feet and top supports – ten (10) years. The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced. Juno and Trevisa Overbed Tables have a 2-year warranty.

15. Export Packing Charges

Quoted upon request

16. Terms and Conditions of Government Commercial Credit Card

ACCEPTANCE: KRUG will accept the government commercial credit card but will not Offer any additional discount for orders placed using the credit card

17. Term and Conditions of Rental Maintenance and Repair.

N/A

18. Term and Conditions of Installation

N/A

19. Term and Conditions of Repair

N/A

20a. Term and Conditions for any other services

N/A

20. Service and Distribution points

Call contractor

21. Participating Dealers

Call contractor

22. Preventative Maintenance

N/A

23. Environmental Attributes

Krug maintains a program to reduce the impact on the environment of our products and operations.

24. Data Universal Number System (DUNS) number

251476669

25. Notification regarding registration in SAM.

Krug Inc.'s registration in SAM is current, accurate and valid.

26 Cage Code: 37310

ARTEMIS LAMINATE TABLE OF CONTENTS

226	Environmental Summary
227	Product Features & Options
228	Laminates
229	Sample Configurations
230	Desks
237	Returns
250	Linking Tops
251	Corner Units & Credenza Shells
252	Credenzas
259	Overheads
260	Hutches
264	Pedestals
265	Bookcases
266	Storage
271	Wardrobes
272	Reception
271	Media Walls
277	Modular Tops
278	Modular Pedestals with Finished Backs
279	Modular Metal Pedestals & Storage
282	PowerPorts, Cable Management & Data

General Information


288	Credenza, Linking Unit, Corner Unit & Hutches
289	Installation Instructions

ARTEMIS LAMINATE ENVIRONMENTAL SUMMARY

LEED CERTIFICATION



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 81%

POST-CONSUMER
RECYCLED CONTENT - 3%

		CONTRIBUTES TO
Credit 2.1 - 2.2	Construction Waste Management	1 point
Credit 3.3	Resource Reuse	1 point
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
	Regional Materials*	1 point
Credit 5.1	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
Credit 7	Certified Wood (MUST BE REQUESTED)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.



level® CERTIFICATION

BIFMA’s e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Artemis products have earned level®, BIFMA’s sustainability certification program for furniture, certification through third-party verification against the e3 standard.



the mark of responsible forest

AIR EMISSIONS

All Artemis products can be supplied with air emissions-certification. Contact customer service for information and upcharges.



FSC®

FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Artemis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ARTEMIS LAMINATE FEATURES & OPTIONS

WORK SURFACES

Laminate worksurfaces are 1-1/4" thick, and have thermally fused laminate applied to particle board core. High Pressure plastic Laminate (HPL) worksurfaces are 1-1/8" thick, and have plastic laminate applied to particle board core, with a laminate backer. All worksurface height tops have profiled edges on all sides. On credenza, return, linking unit, and 2 hi storage unit tops the side and back edges are not profiled. Standard Artemis laminate casegoods will have low pressure laminate worksurfaces and a low pressure laminate chassis. Optional high pressure laminate worksurfaces are available.

MODESTY PANELS

Modesty panels are standard on all desks, and optional on shaped tops, returns, linking units and credenzas.

LATCHES

Bookcase doors are equipped with touch latches mounted inside the top edge of the door when no pulls are specified. Pier hutches have an option of a pull on the pier door only, touch latch will not be provided.

HINGES

Hinges on all hutch, overhead and bookcase laminate doors are European style with 165 degree opening. Frosted glass doors have 105 degree opening. All hinges are fully adjustable.

DRAWERS

Desk box and file drawers have fully progressive full extension slides and are load rated at 125 lbs. per drawer. All drawer interiors are birch components. All file drawers are equipped for letter and legal filing. All box/box/file pedestals in desks are supplied with one molded black pencil tray.

LOCKS

Locks are standard on all pedestals and storage unit lateral file drawers. Locks are optional on door fronts and must be specified at time of order. All lock cores are Silver. Locks are not available on glass doors.

METAL LEGS

The metal legs in Artemis Laminate have a Silver Metallic finish.

GLIDES


Adjustable glides are 1-1/2" long and allow for a range of adjustment of 1 1/4".

PULLS


All pulls are die cast with a choice of Silver Metallic powder coat and Grey metallic powder coat finish options. Pulls are supplied on all drawers.



Athena



Diana



Hera



Sono



Finger Pull - Metal Cases Only

Doors with Pulls

Above Work Surface Height:

Athena	Vertical
Diana	Vertical
Hera	Vertical
Sono	Vertical

Doors with Pulls

Below Work Surface Height:

Athena	Vertical
Diana	Horizontal
Hera	Horizontal
Sono	Horizontal

Pulls on All Drawer

Fronts:

Athena	Vertical
Diana	Horizontal
Hera	Horizontal
Sono	Horizontal

EDGE PROFILES



Flat Edge - T



Radius Edge - D

METAL CABINETS

Steel frame construction is welded and channels are formed in key areas for strength. Inner frame is 20 gauge metal. Fronts, tops, outer panels are 20 and 22 gauge steel.

TESTING INFORMATION

Artemis meets or exceeds the testing requirements of ANSI/BIFMA X5.5-2014 and/or X5.9 - 2012.



ARTEMIS LAMINATE LAMINATES & GRAIN DIRECTION

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38		
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates



For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

Dual Laminates

Two laminate colors can be combined on the same unit, with one laminate color on the worksurface and another laminate on the rest of the unit, at an upcharge of 5%. Combinations of more than one laminate in the body of the unit are not available.




GRAIN DIRECTION

The grain direction runs lengthwise on all worksurfaces.






The diagram illustrates the placement of laminate on Krug worksurfaces. The shaded areas represent laminate, while the non-shaded area indicates the polymer edge.

ARTEMIS LAMINATE SAMPLE CONFIGURATIONS





	Model	Laminate/ Poly Edge	High Pressure Laminate/ Poly Edge
Desk	72TD7236	1997	2479
Hutch	72HT721640	2704	2704
Credenza	72CY72244LDRF	3042	3396
TOTAL		7743	8579

*with laminate hutch





	Model	Laminate/ Poly Edge	High Pressure Laminate/ Poly Edge
Desk	72TD7236M	2184	3116
Overhead	72OH721616	1641	1641
Tackboard	72TBOHW7224	537	537
Credenza	72CY72244LDRF	3042	3396
Storage	72ST19246911R	1701	1701
TOTAL		9105	10391

*with laminate overhead & storage



	Model	Laminate/ Poly Edge	High Pressure Laminate/ Poly Edge
Desk	72D72364LORF	2488	2958
Link Unit	72LU4224HX46	676	833
Hutch	72HT721640	2574	2704
Credenza	72C72244XLDR0	2090	2397
TOTAL		7898	8823


*with laminate hutch




	Model	Laminate/ Poly Edge	High Pressure Laminate/ Poly Edge
Return	72RHB6030RV26D8	1072	1396
Storage	72ST19246990	1954	1954
Credenza	72CY7220LFR0	2714	3082
TOTAL		5740	6432

*with laminate storage


LATITUDE | SAMPLE CONFIGURATIONS




	Model	Cherry Maple Walnut
Desk	65DR78363LM	3166
Credenza	65C72243L3617R3611	4302
Credenza x2	65C6020L3011R3011	8206
Wall Panel x4	65WP3053	4820
Wall Panel Shelf x6	65WPS30	3030
TOTAL		23,524



	Model	Cherry Maple Walnut
Desk	65DQ78300BV21-78	4385
Storage 2 Hi x2	65ST36202911	4914
Return	65RHDR7230LOB	2752
TOTAL		12,051




	Model	Cherry Maple Walnut
Desk	SP65HACS6630ECSGV21	8632
Credenza	SPCHA102243L3616R3617R3011	6903
Back Painted Glass	65GPW3659	3868
Panel Wall	65WP6659	1981
Panel Wall	65WPS66	644
Tackboard	65TBOHW6613	538
Tackboard	65TBOHW6632	688
TOTAL		23,254




	Model	Cherry Maple Walnut
Desk	65DR78363LM	3166
Credenza	65C72243L3617R3611	4302
Credenza x2	65C6020L3011R3011	8206
Wall Panel x4	65WP3053	4820
Wall Panel Shelf x6	65WPS30	3030
TOTAL		23,524


LATITUDE | SAMPLE CONFIGURATIONS



	Model	Cherry Maple Walnut
Desk	65DQ6630OBL	3604
Credenza	5CHA60243L3011R3017	4135
Single Stage C-Base	SP65HACH5424ECS	3555
Wardrobe	65WR19207002	2976
Credenza 3/4 Ht.	SP65CHA90243L3017C3017R3011	5179
Credenza full Face	SP65CHA60243L3011R3016	4888
Wall Panel	SP65WP6046	1387
Wall Panel Shelf	65WPS60	626
Wall Panel		1949
TOTAL		28,299





	Model	Cherry Maple Walnut
Desk w/Slim Base		6871
Desk Ht. Adj.	SP65HA6022ETSO16G	5928
Storage x2	65ST30242316	5534
Storage	65ST36242316	2961
Wardrobe	65WR19248302R	3221
Wall Panel Shelf x3	65WPS36	1563
Panel Wall	65WP4283	2444
Panel Wall Shelf	65WPS42	540
Panel Wall	65WP3683	2182
Panel Wall Shelf	65WPS36	521
Panel Wall x2	65WP3083	3898
Panel Wall Shelf	65WPS30	504
TOTAL		36,167



	Model	Cherry Maple Walnut
Desk	65HA5424ETSV21	3902
Modular Top	65TP6024	1046
Pedestal Rt-3/H	65PFB1624233BR	2065
Pedestal Rt-3/H	65PFB1624233BR	2065
Pedestal Open Bookcase	SP65PFB28242317L	1790
Wardrobe	SP65WR19247002L	3345
Overhead	65OMW601718HD30	4861
Back Painted Glass	65GPW6030	2695
TOTAL		21,769

ARTEMIS LAMINATE DESKS

Description	Model	Laminate		High Pressure Laminate		W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Top/ Polymer Edge	Top/ Polymer Edge	Top/ Polymer Edge						
	Rectangular Desk	72D60304LDRF	2732	3114		59.75	30	29.5	28.5	218	39
	Double Pedestal	72D60304LFRD	2732	3114		59.75	30	29.5	28.5	218	39
		72D60304LFRF	2732	3114		59.75	30	29.5	28.5	218	39
		72D66304LDRF*	2878	3282		65.75	30	29.5	34.5	224	42.75
		72D66304LFRD	2878	3282		65.75	30	29.5	34.5	224	42.75
		72D66304LFRF	2878	3282		65.75	30	29.5	34.5	224	42.75
		72D66364LDRF	2788	3180		65.75	36	29.5	34.5	236	50
		72D66364LFRD	2788	3180		65.75	36	29.5	34.5	236	50
		72D66364LFRF	2788	3180		65.75	36	29.5	34.5	236	50
		72D72304LDRF	2830	3224		71.75	30	29.5	40.5	246	46.5
		72D72304LFRD	2830	3224		71.75	30	29.5	40.5	246	46.5
		72D72304LFRF	2830	3224		71.75	30	29.5	40.5	246	46.5
		72D72364LDRF	3027	3472		71.75	36	29.5	40.5	248	54.75
		72D72364LFRD*	3027	3472		71.75	36	29.5	40.5	248	54.75
		72D72364LFRF	3027	3472		71.75	36	29.5	40.5	248	54.75
		72D78304LDRF	3035	3480		77.75	30	29.5	46.5	248	50
		72D78304LFRD	3035	3480		77.75	30	29.5	46.5	248	50
		72D78304LFRF	3035	3480		77.75	30	29.5	46.5	248	50
		72D78364LDRF	3183	3652		77.75	36	29.5	46.5	248	59
		72D78364LFRD	3183	3652		77.75	36	29.5	46.5	248	59
		72D78364LFRF	3183	3652		77.75	36	29.5	46.5	248	59
		72D84364LDRF	3392	3891		77.75	36	29.5	54.5	272	63
		72D84364LFRD	3392	3891		83.75	36	29.5	54.5	272	63
		72D84364LFRF	3392	3891		83.75	36	29.5	54.5	272	63
	Shows overhang on 36" top										
	Rectangular Desk	72D60304LFR0	2025	2411		59.75	30	29.5	43	206	39
	Single Pedestal	72D60304LORF	2025	2411		59.75	30	29.5	43	206	39
		72D66304LFR0*	2169	2581		65.75	30	29.5	49	212	42.75
		72D66304LORF	2169	2581		65.75	30	29.5	49	212	42.75
		72D66364LFR0	2164	2571		65.75	36	29.5	49	224	50
		72D66364LORF	2164	2571		65.75	36	29.5	49	224	50
		72D72304LFR0	2243	2668		71.75	30	29.5	55	224	46.5
		72D72304LORF	2243	2668		71.75	30	29.5	55	224	46.5
		72D72364LFR0	2322	2763		71.75	36	29.5	55	236	54.75
		72D72364LORF	2322	2763		71.75	36	29.5	55	236	54.75
		72D78304LFR0	2370	2818		77.75	30	29.5	61	236	50
		72D78304LORF	2370	2818		77.75	30	29.5	61	236	50
		72D78364LFR0	2629	3126		77.75	36	29.5	61	242	59
		72D78364LORF	2629	3126		77.75	36	29.5	61	242	59
		72D84364LFR0	2754	3273		83.75	36	29.5	67	260	63
		72D84364LORF"	2754	3273		83.75	36	29.5	67	260	63

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- L - left handed pedestal position
 R - right handed pedestal position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal





STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE DESKS

		Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge	W	D	H	KW	Shipping Weight	Cubic Feet	
	Rectangular Desk	72SD6030X46	1198	1525	59.75	30	29.5	57.5	154	39
	Shell with Full Height	72SD6630X46	1272	1617	65.75	30	29.5	63.5	198	42.75
	Modesty Panel	72SD6636X46	1258	1601	65.75	36	29.5	63.5	215	50
		72SD7230X46*	1328	1689	71.75	30	29.5	69.5	210	46.5
		72SD7236X46	1442	1898	71.75	36	29.5	69.5	228	54.75
		72SD7830X46	1505	1916	77.75	30	29.5	75.5	210	46.5
		72SD7836X46	1568	2064	77.75	36	29.5	75.5	241	59
		72SD8436X46	1712	2176	78.75	36	29.5	81.5	254	63
	Rectangular Desk	72SD6030X36	1198	1525	59.75	30	29.5	57.5	146	39
	Shell with 3/4 Height	72SD6630X36	1272	1617	65.75	30	29.5	63.5	198	42.75
	Modesty Panel	72SD6636X36	1258	1601	65.75	36	29.5	63.5	215	50
		72SD7230X36	1328	1689	71.75	30	29.5	69.5	210	46.5
		72SD7236X36*	1442	1835	71.75	36	29.5	69.5	228	54.75
		72SD7830X36	1505	1916	77.75	30	29.5	75.5	210	46.5
		72SD7836X36	1568	2000	77.75	36	29.5	75.5	241	59
		72SD8436X36	1712	2176	78.75	36	29.5	81.5	254	63
	Bow Top Option	BT72D6030	213	282	59.75	36	-	-	68	1
		BT72D6630	223	297	65.75	36	-	-	73	1.25
		BT72D6636	235	309	65.75	42	-	-	84	1.25
		BT72D7230*	244	325	71.75	36	-	-	79	1.5
		BT72D7236	252	333	71.75	42	-	-	91	1.5
		BT72D7830	255	346	77.75	36	-	-	94	1.5
		BT72D7836	258	350	77.75	42	-	-	98	1.5
		BT72D8430	262	384	83.75	36	-	-	101	1.75
	BT72D8436	265	392	83.75	42	-	-	105	1.75	
	Table Desk with 4"	72TD6636	1752	2175	65.75	36	29.5	58	198	45.75
	Rectangular Gable	72TD7236*	1997	2479	71.75	36	29.5	64	228	54
		72TD7836	2103	2611	77.75	36	29.5	70	241	58.5
		72TD8436	2211	2737	83.75	36	29.5	76	254	63
	Table Desk with 2"	72TD6636M	1990	2922	65.75	36	29.5	62	198	45.75
	Square Metal Legs	72TD7236M*	2184	3116	71.75	36	29.5	68	228	54
		72TD7836M	2239	3173	77.75	36	29.5	74	241	58.5
		72TD8436M	2302	3227	83.75	36	29.5	80	254	63

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

X46 - full height fixed laminate modesty panel
X36 - 3/4 height fixed laminate modesty panel





STANDARD LAMINATES

For a complete list of standard wood finishes please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE DESKS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
Arc Desk with Square Laminate Leg, no Modesty Panel 	72DA6630S6	1193	1531	65.75	30	29.5	38	126	42.75
	72DA6636S6	1315	1690	65.75	36	29.5	35	146	50
	72DA7230S6	1246	1600	71.75	30	29.5	44	132	46.5
	72DA7236S6	1350	1733	71.75	36	29.5	41	155	54.75
	72DA7830S6	1409	1810	77.75	30	29.5	50	141	50
	72DA7836S6	1455	1865	77.75	36	29.5	47	163	59
	72DA8430S6	1605	2060	83.75	30	29.5	56	154	53.75
	72DA8436S6	1650	2119	83.75	36	29.5	53	178	63
Arc Desk with Square Laminate Leg, 1/2 Height Floating Modesty Panel 	72DA6630LV26S6	1336	1690	65.75	30	29.5	38	135	42.75
	72DA6630RV26S6	1336	1690	65.75	30	29.5	38	135	42.75
	72DA7230LV26S6	1389	1754	71.75	30	29.5	44	142	46.5
	72DA7230RV26S6*	1389	1754	71.75	30	29.5	44	142	46.5
	72DA7830LV26S6	1613	2038	77.75	30	29.5	50	150	50
	72DA7830RV26S6	1613	2038	77.75	30	29.5	50	150	50
	72DA8430LV26S6	1833	2312	83.75	30	29.5	56	158	53.75
	72DA8430RV26S6	1833	2312	83.75	30	29.5	56	158	53.75
Arc Desk with Square Laminate Leg, 1/2 Height Fixed Modesty Panel 	72DA6636X26S6	1380	1744	65.75	36	29.5	35	148	50
	72DA7236X26S6	1415	1776	71.75	36	29.5	41	158	54.75
	72DA7836X26S6	1494	1857	77.75	36	29.5	47	168	59
	72DA8436X26S6	1770	2131	83.75	36	29.5	53	186	63
Arc Desk with Square Laminate Leg, 1/2 Height Fixed Modesty Panel 	72DA6630LV29S6	1981	2275	65.75	30	29.5	38	131	42.75
	72DA6630RV29S6	1981	2275	65.75	30	29.5	38	131	42.75
	72DA6636LV29S6	2022	2320	65.75	36	29.5	35	150	50
	72DA6636RV29S6	2022	2320	65.75	36	29.5	35	150	50
	72DA7230LV29S6	2235	2562	71.75	30	29.5	44	138	46.5
	72DA7230RV29S6	2235	2562	71.75	30	29.5	44	138	46.5
	72DA7236LV29S6	2255	2587	71.75	36	29.5	41	160	54.75
	72DA7236RV29S6*	2255	2587	71.75	36	29.5	41	160	54.75
	72DA7830LV29S6	2348	2816	77.75	30	29.5	50	147	50
	72DA7830RV29S6	2348	2816	77.75	30	29.5	50	147	50
	72DA7836LV29S6	2464	2957	77.75	36	29.5	47	169	59
	72DA7836RV29S6	2464	2957	77.75	36	29.5	47	169	59
	72DA8430LV29S6	2768	3322	83.75	30	29.5	56	162	53.75
	72DA8430RV29S6	2768	3322	83.75	30	29.5	56	162	53.75
	72DA8436LV29S6	2831	3397	83.75	36	29.5	53	186	63
	72DA8436RV29S6	2831	3397	83.75	36	29.5	53	186	63

ORDERING NOTES:

Curvilinear desks are not stand alone cases. They must be used in conjunction with returns or linking units. All Desks with a "S6" at the end of the model number are available with a 4" diameter metal leg. To order the metal leg please replace "S6" with a "D8" to the existing model number ie: 72DA6630**D8**. All Desks with a "S6" at the end of the model number are available with a Panel Leg. To order panel leg please replace "S6" with "P6" in the model number ie: 72DA6630**P6**.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Wood edge detail- see Page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

S6 - square Laminate leg
 L - left-handed position
 R - right-handed position
 V26 - 1/2 h floating laminate modesty panel
 X26 - 1/2 h fixed laminate modesty panel
 V29 - 1/2 h floating acrylic modesty panel
 S6 - square laminate leg
 D8 - metal leg
 P6 - panel leg





STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE DESKS

Description	Model	Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge	W	D	H	KW	Shipping Weight	Cubic Feet
Bullet Desk with Square Laminate Leg no Modesty Panel 	72DB6030S6	1150	1479	59.75	30	29.5	32	117	39
	72DB6036S6	1187	1524	59.75	36	29.5	29	135	46
	72DB6630S6	1253	1610	65.75	30	29.5	38	124	42.75
	72DB6636S6	1260	1617	65.75	36	29.5	35	144	50
	72DB7230S6*	1286	1717	71.75	30	29.5	44	130	46.5
	72DB7236S6	1334	1796	71.75	36	29.5	44	153	54.75
	72DB7830S6	1350	1802	77.75	30	29.5	50	130	46.5
	72DB7836S6	1400	1885	77.75	36	29.5	50	161	59
	72DB8430S6	1523	1954	83.75	30	29.5	56	130	46.5
	72DB8436S6	1628	2157	83.75	36	29.5	56	176	63
Bullet Desk with Square Laminate Leg, 1/2 Height Floating Laminate Modesty Panel 	72DB6030LV26S6	1300	1641	59.75	30	29.5	32	127	39
	72DB6030RV26S6	1300	1641	59.75	30	29.5	32	127	39
	72DB6630LV26S6	1338	1691	65.75	30	29.5	38	135	42.75
	72DB6630RV26S6	1338	1691	65.75	30	29.5	38	135	42.75
	72DB7230LV26S6	1394	1756	71.75	30	29.5	44	144	46.5
	72DB7230RV26S6*	1394	1756	71.75	30	29.5	44	144	46.5
	72DB7830LV26S6	1418	1790	77.75	30	29.5	50	153	50
	72DB7830RV26S6	1418	1790	77.75	30	29.5	50	153	50
	72DB8430LV26S6	1641	2074	83.75	30	29.5	56	167	53.75
	72DB8430RV26S6"	1641	2074	83.75	30	29.5	56	167	53.75
Bullet Desk with Square Laminate Leg, 1/2 Height Fixed Laminate Modesty 	72DB6036X26S6	1158	1524	59.75	36	29.5	38.5	134	46
	72DB6636X26S6	1193	1567	65.75	36	29.5	44.5	146	50
	72DB7236X26S6*	1246	1690	71.75	36	29.5	50.5	156	54.75
	72DB7836X26S6	1320	1804	77.75	36	29.5	56.5	166	59
	72DB8436X26S6	1538	2023	83.75	36	29.5	62.5	176	63
Bullet Desk with Square Laminate Leg and 1/2 Height Floating Acrylic Modesty Panel 	72DB6030LV29S6	1788	2125	59.75	30	29.5	32	121	39
	72DB6030RV29S6	1788	2125	59.75	30	29.5	32	121	39
	72DB6036LV29S6	1749	2080	59.75	36	29.5	32	135	46
	72DB6036RV29S6	1749	2080	59.75	36	29.5	32	135	46
	72DB6630LV29S6	1813	2157	65.75	30	29.5	38	129	42.75
	72DB6630RV29S6*	1813	2157	65.75	30	29.5	38	129	42.75
	72DB6636LV29S6	2066	2459	65.75	36	29.5	38	148	50
	72DB6636RV29S6	2066	2459	65.75	36	29.5	38	148	50
	72DB7230LV29S6	2105	2502	71.75	30	29.5	44	136	46.5
	72DB7230RV29S6	2105	2502	71.75	30	29.5	44	136	46.5
	72DB7236LV29S6	2210	2627	71.75	36	29.5	44	158	54.75
	72DB7236RV29S6	2210	2627	71.75	36	29.5	44	158	54.75
	72DB7830LV29S6	2169	2581	77.75	30	29.5	50	145	50
	72DB7830RV29S6	2169	2581	77.75	30	29.5	50	145	50
	72DB7836LV29S6	2242	2762	77.75	36	29.5	50	167	59
	72DB7836RV29S6	2242	2762	77.75	36	29.5	50	167	59
	72DB8430LV29S6	2399	2852	83.75	30	29.5	56	160	53.75
	72DB8430RV29S6	2399	2852	83.75	30	29.5	56	160	53.75
	72DB8436LV29S6	2476	2945	83.75	36	29.5	56	184	63
	72DB8436RV29S6"	2476	2945	83.75	36	29.5	56	184	63

ORDERING NOTES: Curvilinear desks are not stand alone cases. They must be used in conjunction with returns or linking units.

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.





CODE DESCRIPTION

L - left-handed position
R - right-handed position
V26 - 1/2 h floating laminate modesty panel
X26 - 1/2 h fixed laminate modesty panel
V29 - 1/2 h floating acrylic modesty panel
S6 - square laminate leg
D8 - metal leg
P6 - panel leg

LEG OPTIONS

All Desks with a "S6" at the end of the model
number are available with a 4" diameter metal leg.
To order the metal leg replace "S6" with a
"D8" to the existing model All Desks with a
"S6" at the end of the model number are
available with a Panel Leg. 72DB8436**D8**
To order panel leg replace "S6" with "P6" in
the model number ie: 72DB8436**P6**.

ARTEMIS LAMINATE DESKS

Description	Model	Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge	W	D	H	KW	Shipping Weight	Cubic Feet
J Desk with square Laminate leg 	72DJ7233LS6	1455	1884	71.75	33	29.5	36	136	62.75
	72DJ7233RS6	1455	1884	71.75	33	29.5	36	136	62.75
	72DJ7833LS6	1534	1986	77.75	33	29.5	42	144	62.75
	72DJ7833RS6	1534	1986	77.75	33	29.5	42	144	62.75
	72DJ8433LS6*	1752	2269	83.75	33	29.5	48	152	72.75
	72DJ8433RS6"	1752	2269	83.75	33	29.5	48	152	72.75
P Desk with Square Laminate Leg, no Modesty Panel 	72DP6636LS6	1418	1894	65.75	36	29.5	32	156	57.75
	72DP6636RS6	1418	1894	65.75	36	29.5	32	156	57.75
	72DP7236LS6	1455	1975	71.75	36	29.5	38	166	62.75
	72DP7236RS6	1455	1975	71.75	36	29.5	38	166	62.75
	72DP7836LS6	1534	2098	77.75	36	29.5	44	173	67.75
	72DP7836RS6	1534	2098	77.75	36	29.5	44	173	67.75
	72DP8436LS6	1752	2359	83.75	36	29.5	50	182	72.75
	72DP8436RS6*	1752	2359	83.75	36	29.5	50	182	72.75
P Desk with Laminate leg, 1/2 height fixed Laminate modesty panel 	72DP6636LX26S6	1527	2007	65.75	36	29.5	32	156	57.75
	72DP6636RX26S6	1527	2007	65.75	36	29.5	32	156	57.75
	72DP7236LX26S6	1562	2089	71.75	36	29.5	38	166	62.75
	72DP7236RX26S6	1562	2089	71.75	36	29.5	38	166	62.75
	72DP7836LX26S6	1644	2213	77.75	36	29.5	44	178	67.75
	72DP7836RX26S6	1644	2213	77.75	36	29.5	44	178	67.75
	72DP8436LX26S6	1724	2341	83.75	36	29.5	50	188	72.75
	72DP8436RX26S6*	1724	2341	83.75	36	29.5	50	188	72.75
P Desk with Square Laminate Leg, 1/2 Height Floating Acrylic Modesty Panel 	72DP6636LV29S6	2169	2628	65.75	36	29.5	32	159	57.75
	72DP6636RV29S6	2169	2628	65.75	36	29.5	32	159	57.75
	72DP7236LV29S6	2408	2911	71.75	36	29.5	38	168	62.75
	72DP7236RV29S6	2408	2911	71.75	36	29.5	38	168	62.75
	72DP7836LV29S6	2496	3022	77.75	36	29.5	44	178	67.75
	72DP7836RV29S6	2496	3022	77.75	36	29.5	44	178	67.75
	72DP8436LV29S6	2723	3294	83.75	36	29.5	50	183	72.75
	72DP8436RV29S6*	2723	3294	83.75	36	29.5	50	183	72.75

ORDERING NOTES:

Curvilinear desks are not stand alone cases. They must be used in conjunction with returns or linking units. All Desks with a "S6" at the end of the model number are available with a 4" diameter metal leg. To order the metal leg please replace "S6" with a "D8" to the existing model number ie: 72DA6630**D8**. All Desks with a "S6" at the end of the model number are available with a Panel Leg. To order panel leg please replace "S6" with "P6" in the model number ie: 72DA6630**P6**.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Wood edge detail- see Page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
S6 - square laminate leg
X26 - 1/2 h fixed laminate modesty panel
V29 - 1/2 h floating acrylic modesty panel
D8 - metal leg
P6 - panel leg





STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE DESKS

Description	Model	Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge	W	D	H	KW	Shipping Weight	Cubic Feet
Curved Corner Arc Desk with Square Laminate Leg, no Modesty Panel	72UDA723048L24RS6	2017	2586	71.75	48	29.5	31	192	71
	72UDA723048R24LS6	2017	2586	71.75	48	29.5	31	192	71
	72UDA783048L24RS6	2080	2669	77.75	48	29.5	37	185	76.75
	72UDA783048R24LS6	2080	2669	77.75	48	29.5	37	185	76.75
	72UDA843048L24RS6	2299	2948	83.75	48	29.5	43	191	82
	72UDA843048R24LS6*	2299	2948	83.75	48	29.5	43	191	82
									
Curved Corner Arc Desk with Square Laminate Leg, 1/2 Height Floating Laminate Modesty Panel	72UDA723048L24RV26S6	2043	2620	71.75	48	29.5	31	195	71
	72UDA723048R24LV26S6	2043	2620	71.75	48	29.5	31	195	71
	72UDA783048L24RV26S6	2101	2696	77.75	48	29.5	37	205	76.75
	72UDA783048R24LV26S6	2101	2696	77.75	48	29.5	37	205	76.75
	72UDA843048L24RV26S6	2324	2986	83.75	48	29.5	43	223	82
	72UDA843048R24LV26S6*	2324	2986	83.75	48	29.5	43	223	82
									
Curved Corner Bullet Desk with Square Laminate Leg, no Modesty Panel	72UDB723048L24RS6	2017	2586	71.75	48	29.5	38	184	71
	72UDB723048R24LS6	2017	2586	71.75	48	29.5	38	184	71
	72UDB783048L24RS6	2080	2669	77.75	48	29.5	44	192	76.75
	72UDB783048R24LS6	2080	2669	77.75	48	29.5	44	192	76.75
	72UDB843048L24RS6	2299	2948	83.75	48	29.5	50	208	82
	72UDB843048R24LS6	2299	2948	83.75	48	29.5	50	208	82
									
Curved Corner P Desk with Square Laminate Leg & 1/2 Height Fixed Laminate Modesty Panel	72UDB723048L24RV26S6	2043	2620	71.75	48	29.5	38	195	71
	72UDB723048R24LV26S6	2043	2620	71.75	48	29.5	38	195	71
	72UDB783048L24RV26S6	2101	2696	77.75	48	29.5	44	205	76.75
	72UDB783048R24LV26S6	2101	2696	77.75	48	29.5	44	205	76.75
	72UDB843048L24RV26S6*	2324	2986	83.75	48	29.5	50	223	82
	72UDB843048R24LV26S6	2324	2986	83.75	48	29.5	50	223	82
									

ORDERING NOTES:

Curved Corner desks are not stand alone cases. They must be used in conjunction with returns or linking units. All Desks with a "S6" at the end of the model number are available with a 4" diameter metal leg. To order the metal leg please replace "S6" with a "D8" to the existing model number ie: 72DA6630**D8**. All Desks with a "S6" at the end of the model number are available with a Panel Leg. To order panel leg please replace "S6" with "P6" in the model number ie: 72DA6630**P6**.

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
S6 - square Laminate leg
V26 - 1/2 height floating Laminate modesty
panel





STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.

GROMMETS

One grommet in standard position is
optional at no charge. Additional grommets
are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE DESKS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
 Curved Corner P Desk with Square Laminate Leg, no Modesty Panel	72UDP663648L24RS6	2278	2878	65.75	48	29.5	22	168	65.5
	72UDP663648R24LS6	2278	2878	65.75	48	29.5	22	168	65.5
	72UDP723648L24RS6	2345	2961	71.75	48	29.5	28	177	71
	72UDP723648R24LS6	2345	2961	71.75	48	29.5	28	177	71
	72UDP783648L24RS6	2409	3040	77.75	48	29.5	34	186	76.75
	72UDP783648R24LS6	2409	3040	77.75	48	29.5	34	186	76.75
	72UDP843648L24RS6*	2473	3120	83.75	48	29.5	40	202	82
	72UDP843648R24LS6	2473	3120	83.75	48	29.5	40	202	82
 Curved Corner P Desk with Square Laminate Leg, 1/2 Height Fixed Laminate Modesty Panel	72UDP663648L24RX26S6	2303	2907	65.75	48	29.5	22	172	65.5
	72UDP663648R24LX26S6	2303	2907	65.75	48	29.5	22	172	65.5
	72UDP723648L24RX26S6	2368	2993	71.75	48	29.5	28	182	71
	72UDP723648R24LX26S6	2368	2993	71.75	48	29.5	28	182	71
	72UDP783648L24RX26S6	2434	3073	77.75	48	29.5	34	192	76.75
	72UDP783648R24LX26S6	2434	3073	77.75	48	29.5	34	192	76.75
	72UDP843648L24RX26S6*	2500	3154	83.75	48	29.5	40	204	82
	72UDP843648R24LX26S6	2500	3154	83.75	48	29.5	40	204	82
 Curved Corner Rectangular Top Desk Single Pedestal, Full Modesty Panel	72UD723042L24RF	2552	3114	71.75	42	29.5	32	269	62.75
	72UD723042R24LF*	2552	3114	71.75	42	29.5	32	269	62.75
	72UD783042L24RF	2740	3344	77.75	42	29.5	38	279	67.75
	72UD783042R24LF	2740	3344	77.75	42	29.5	38	279	67.75
	72UD843042L24RF	2942	3591	83.75	42	29.5	44	289	72.75
	72UD843042R24LF	2942	3591	83.75	42	29.5	44	289	72.75
 Bow Top Option for Corner Desks	BT72UD723048L*	243	324	71.75	48	-	-	88	1.25
	BT72UD723048R	243	324	71.75	48	-	-	88	1.25
	BT72UD783048L	254	344	77.75	48	-	-	95	5
	BT72UD783048R	254	344	77.75	48	-	-	95	1.5
	BT72UD843048L	262	357	83.75	48	-	-	105	1.75
	BT72UD843048R	262	357	83.75	48	-	-	105	1.75

ORDERING NOTES:

Curved Corner desks are not stand alone cases. They must be used in conjunction with returns or linking units. All Desks with a "S6" at the end of the model number are available with a 4" diameter metal leg. To order the metal leg please replace "S6" with a "D8" to the existing model number ie: 72DA6630**D8**. All Desks with a "S6" at the end of the model number are available with a Panel Leg. To order panel leg please replace "S6" with "P6" in the model number ie: 72DA6630**P6**.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
S6 - square laminate leg
X26 - 1/2 h fixed laminate modesty panel
D8 - metal leg
P6 - panel leg

STANDARD LAMINATES


For a complete list of standard laminates please see page 4.

GROMMETS


One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE RETURNS


Description	Model	Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge	W	D	H	KW	Shipping Weight	Cubic Feet
Shell Return with Full Height Laminate Modesty Panel	72SRH4224LX46	798	974	42	24	29.5	41	98	23
	72SRH4224RX46*	798	974	42	24	29.5	41	98	23
	72SRH4824LX46	835	1022	48	24	29.5	47	108	26
	72SRH4824RX46	835	1022	48	24	29.5	47	108	26



Single Pedestal Return with 1/2 Height Fixed Laminate Modesty Panel	72RH4220L4DX26	1479	1666	42	20	29.5	26	100	20
	72RH4220L4FX26	1479	1666	42	20	29.5	26	100	20
	72RH4220R4DX26	1479	1666	42	20	29.5	26	100	20
	72RH4220R4FX26	1479	1666	42	20	29.5	26	100	20
	72RH4224L4DX26	1537	1730	42	24	29.5	26	104	23
	72RH4224L4FX26	1537	1730	42	24	29.5	26	104	23
	72RH4224R4DX26*	1537	1730	42	24	29.5	26	104	23
	72RH4224R4FX26	1537	1730	42	24	29.5	26	104	23
	72RH4820L4DX26	1551	1746	48	20	29.5	32	104	22.5
	72RH4820L4FX26	1551	1746	48	20	29.5	2	104	22.5
	72RH4820R4DX26	1551	1746	48	20	29.5	2	104	22.5
	72RH4820R4FX26	1551	1746	48	20	29.5	32	104	22.5
	72RH4824L4DX26	1609	1810	48	24	29.5	32	108	26
	72RH4824L4FX26	1609	1810	48	24	29.5	32	108	26
	72RH4824R4DX26	1609	1810	48	24	29.5	32	108	26
	72RH4824R4FX26	1609	1810	48	24	29.5	32	108	26



Single Pedestal Return with Hinged Laminate Modesty Panel	72RHY4220L4D	1839	2032	42	20	29.5	26	104	20
	72RHY4220L4F	1839	2032	42	20	29.5	26	104	20
	72RHY4220R4D	1839	2032	42	20	29.5	26	104	20
	72RHY4220R4F	1839	2032	42	20	29.5	26	104	20
	72RHY4224L4D	1814	1866	42	24	29.5	26	108	23
	72RHY4224L4F	1814	1866	42	24	29.5	26	108	23
	72RHY4224R4D*	1814	1866	42	24	29.5	26	108	23
	72RHY4224R4F	1814	1866	42	24	29.5	26	108	23
	72RHY4820L4D	1822	2014	48	20	29.5	32	108	22.5
	72RHY4820L4F	1822	2014	48	20	29.5	32	108	22.5
	72RHY4820R4D	1822	2014	48	20	29.5	32	108	22.5
	72RHY4820R4F	1822	2014	48	20	29.5	32	108	22.5
	72RHY4824L4D	1978	2188	48	24	29.5	32	112	26
	72RHY4824L4F	1978	2188	48	24	29.5	32	112	26
	72RHY4824R4D	1978	2188	48	24	29.5	32	112	26
	72RHY4824R4F"	1978	2188	48	24	29.5	32	112	26



DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION

L - left hand pedestal position
R - right hand pedestal position
X46 - full height Laminate modesty panel
X26 - 1/2 height Laminate modesty panel
D - 2 file drawers
F - 2 box, 1 file drawer


STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.

GROMMETS

One grommet in standard position is
optional at no charge. Additional grommets
are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE RETURNS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
Arc Return with Square Laminate Leg, no Modesty Panel 	72RHA4830LS6	896	1178	47.75	30	29.5	30.75	58	8.5
	72RHA4830RS6	896	1178	47.75	30	29.5	30.75	58	8.5
	72RHA4836LS6	929	1258	47.75	36	29.5	27.75	66	9.5
	72RHA4836RS6	929	1258	47.75	36	29.5	27.75	66	9.5
	72RHA5430LS6	892	1208	53.75	30	29.5	36.75	63	9
	72RHA5430RS6	892	1208	53.75	30	29.5	36.75	63	9
	72RHA5436LS6	919	1255	53.75	36	29.5	33.75	71	10.5
	72RHA5436RS6	919	1255	53.75	36	29.5	33.75	71	10.5
	72RHA6030LS6	990	1331	59.75	30	29.5	42.75	68	10
	72RHA6030RS6	990	1331	59.75	30	29.5	42.75	68	10
	72RHA6036LS6	987	1331	59.75	36	29.5	39.75	77	11.5
	72RHA6036RS6	987	1331	59.75	36	29.5	39.75	77	11.5
	72RHA6630LS6	987	1331	65.75	30	29.5	48.75	99	10.75
	72RHA6630RS6	987	1331	65.75	30	29.5	48.75	99	10.75
	72RHA6636LS6	1065	1456	65.75	36	29.5	45.75	88	12.5
	72RHA6636RS6	1065	1456	65.75	36	29.5	45.75	88	12.5
	72RHA7230LS6*	1203	1625	71.75	30	29.5	54.75	104	11.5
	72RHA7230RS6	1203	1625	71.75	30	29.5	54.75	104	11.5
	72RHA7236LS6	1242	1698	71.75	36	29.5	51.75	95	13.5
	72RHA7236RS6	1242	1698	71.75	36	29.5	51.75	95	13.5
	72RHA7830LS6	1215	1640	77.75	30	29.5	60.75	104	11.5
	72RHA7830RS6	1215	1640	77.75	30	29.5	60.75	104	11.5
	72RHA7836LS6	1319	1802	77.75	36	29.5	57.75	95	13.5
	72RHA7836RS6	1319	1802	77.75	36	29.5	57.75	95	13.5
	72RHA8430LS6	1305	1782	83.75	30	29.5	66.75	114	13
	72RHA8430RS6	1305	1782	83.75	30	29.5	30.75	114	13
	72RHA8436LS6	1422	1946	83.75	36	29.5	63.75	108	15
	72RHA8436RS6	1422	1946	83.75	36	29.5	63.75	108	15

ORDERING NOTES:

All Returns with a "S6" at the end of the model number are available with a 4" diameter metal leg, replace "S6" with a "D8" to the existing model number ie: 72RHB6630**LD8**. All returns with a "S6" at the end of the model number are available with a Panel Leg, replace "S6" with "P6" in the model number ie: 72RH6630**LP6**.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed position
R - right handed position
S6 - square laminate leg



STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE RETURNS

Description	Model	Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge	W	D	H	KW	Shipping Weight	Cubic Feet
Arc Return with Square Laminate Leg, 1/2 Height Floating Laminate Modesty Panel 	72RHA4830LV26S6	1031	1309	47.75	30	29.5	30.75	67	9
	72RHA4830RV26S6	1031	1309	47.75	30	29.5	30.75	67	9
	72RHA4836LV26S6	1061	1374	47.75	36	29.5	27.75	69	10
	72RHA4836RV26S6	1061	1374	47.75	36	29.5	27.75	69	10
	72RHA5430LV26S6	1018	1318	53.75	30	29.5	36.75	73	10
	72RHA5430RV26S6	1018	1318	53.75	30	29.5	36.75	73	10
	72RHA5436LV26S6	1044	1385	53.75	36	29.5	33.75	75	11
	72RHA5436RV26S6	1044	1385	53.75	36	29.5	33.75	75	11
	72RHA6030LV26S6	1072	1423	59.75	30	29.5	42.75	80	11
	72RHA6030RV26S6	1072	1423	59.75	30	29.5	42.75	80	11
	72RHA6036LV26S6	1118	1484	59.75	36	29.5	39.75	82	12
	72RHA6036RV26S6	1118	1484	59.75	36	29.5	39.75	82	12
	72RHA6630LV26S6	1118	1484	65.75	30	29.5	48.75	128	12
	72RHA6630RV26S6	1118	1484	65.75	30	29.5	48.75	128	12
	72RHA6636LV26S6	1187	1571	65.75	36	29.5	45.75	103	13
	72RHA6636RV26S6	1187	1571	65.75	36	29.5	45.75	103	13
	72RHA7230LV26S6	1326	1744	71.75	30	29.5	54.75	136	13
	72RHA7230RV26S6*	1326	1744	71.75	30	29.5	54.75	136	13
	72RHA7236LV26S6	1371	1816	71.75	36	29.5	51.75	110	14
	72RHA7236RV26S6	1371	1816	71.75	36	29.5	51.75	110	14
	72RHA7830LV26S6	1418	1864	77.75	30	29.5	60.75	145	14
	72RHA7830RV26S6	1418	1864	77.75	30	29.5	60.75	145	14
	72RHA7836LV26S6	1465	1945	77.75	36	29.5	57.75	117	15
	72RHA7836RV26S6	1465	1945	77.75	36	29.5	57.75	117	15
	72RHA8430LV26S6	1519	1997	83.75	30	29.5	66.75	153	15
	72RHA8430RV26S6	1519	1997	83.75	30	29.5	66.75	153	15
	72RHA8436LV26S6	1635	2167	83.75	36	29.5	63.75	124	16
	72RHA8436RV26S6	1635	2167	83.75	36	29.5	63.75	124	16
Arc Return with Square Laminate Leg, 1/2 Height Fixed Modesty Panel 	72RHA4836LX26S6	1173	1518	47.75	36	29.5	27.75	101	36.5
	72RHA4836RX26S6	1173	1518	47.75	36	29.5	27.75	101	36.5
	72RHA5436LX26S6	1203	1569	53.75	36	29.5	33.75	111	40.5
	72RHA5436RX26S6	1203	1569	53.75	36	29.5	33.75	111	40.5
	72RHA6036LX26S6	1230	1606	59.75	36	29.5	39.75	120	44.5
	72RHA6036RX26S6	1230	1606	59.75	36	29.5	39.75	120	44.5
	72RHA6636LX26S6	1269	1657	65.75	36	29.5	45.75	128	50
	72RHA6636RX26S6	1269	1657	65.75	36	29.5	45.75	128	50
	72RHA7236LX26S6	1325	1769	71.75	36	29.5	51.75	136	54.75
	72RHA7236RX26S6*	1325	1769	71.75	36	29.5	51.75	136	54.75
	72RHA7836LX26S6	1399	1884	77.75	36	29.5	57.75	145	57
	72RHA7836RX26S6	1399	1884	77.75	36	29.5	57.75	145	57
	72RHA8436LX26S6	1484	2013	83.75	36	29.5	63.75	153	63
	72RHA8436RX26S6"	1484	2013	83.75	36	29.5	63.75	153	63

ORDERING NOTES:

All Returns with a "S6" at the end of the model number are available with a 4" diameter metal leg, replace "S6" with a "D8" to the existing model number ie: 72RHB6630LD8. All returns with a "S6" at the end of the model number are available with a Panel Leg, replace "S6" with "P6" in the model number ie: 72RH6630LP6.

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
S6 - square wood leg
V26- 1/2 height floating Laminate modesty
panel
X26- 1/2 height fixed Laminate modesty
panel



STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.

GROMMETS

One grommet in standard position is
optional at no charge. Additional grommets
are available at an upcharge of **\$159 list**.

ARTEMIS LAMINATE RETURNS

Description	Model	Laminate		High Pressure Laminate		W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Top/ Polymer Edge	Top/ Polymer Edge	Top/ Polymer Edge						
Arc Return with Square Laminate Leg, 1/2 Height Floating Acrylic Modesty Panel 	72RHA4830LV29S6	1384	1692	47.75	30	29.5	27.75	62	8.75		
	72RHA4830RV29S6	1384	1692	47.75	30	29.5	27.75	62	8.75		
	72RHA4836LV29S6	1409	1735	47.75	36	29.5	27.75	69	10		
	72RHA4836RV29S6	1409	1735	47.75	36	29.5	27.75	69	10		
	72RHA5430LV29S6	1418	1746	53.75	30	29.5	33.75	67	9		
	72RHA5430RV29S6	1418	1746	53.75	30	29.5	33.75	67	9		
	72RHA5436LV29S6	1441	1775	53.75	36	29.5	33.75	75	11		
	72RHA5436RV29S6	1441	1775	53.75	36	29.5	33.75	75	11		
	72RHA6030LV29S6	1449	1782	59.75	30	29.5	39.75	72	10		
	72RHA6030RV29S6	1449	1782	59.75	30	29.5	39.75	72	10		
	72RHA6036LV29S6	1467	1806	59.75	36	29.5	39.75	82	12		
	72RHA6036RV29S6	1467	1806	59.75	36	29.5	39.75	82	12		
	72RHA6630LV29S6	1475	1816	65.75	30	29.5	45.75	103	11.5		
	72RHA6630RV29S6	1475	1816	65.75	30	29.5	45.75	103	11.5		
	72RHA6636LV29S6	1605	1976	65.75	36	29.5	45.75	103	13		
	72RHA6636RV29S6	1605	1976	65.75	36	29.5	45.75	103	13		
	72RHA7230LV29S6	1839	2265	71.75	30	29.5	51.75	110	12		
	72RHA7230RV29S6	1839	2265	71.75	30	29.5	51.75	110	12		
	72RHA7236LV29S6	1956	2409	71.75	36	29.5	51.75	110	14		
	72RHA7236RV29S6*	1956	2409	71.75	36	29.5	51.75	110	14		
	72RHA7830LV29S6	1993	2458	77.75	30	29.5	57.75	110	12		
	72RHA7830RV29S6	1993	2458	77.75	30	29.5	57.75	110	12		
	72RHA7836LV29S6	2031	2502	77.75	36	29.5	57.75	117	15		
	72RHA7836RV29S6	2031	2502	77.75	36	29.5	57.75	117	15		
	72RHA8430LV29S6	2020	2487	83.75	30	29.5	63.75	124	14		
	72RHA8430RV29S6	2020	2487	83.75	30	29.5	63.75	124	14		
	72RHA8436LV29S6	2111	2599	83.75	36	29.5	63.75	124	16		
	72RHA8436RV29S6	2111	2599	83.75	36	29.5	63.75	124	16		
J Return with Square Laminate Leg 	72RHJ4833LS6*	1046	1375	33	47.75	29.5		128	11.5		
	72RHJ4833RS6	1046	1375	33	47.75	29.5		128	11.5		
	72RHJ5433LS6	1094	1460	33	53.75	29.5		128	11.5		
	72RHJ5433RS6	1094	1460	33	53.75	29.5		128	11.5		
	72RHJ6033LS6	1134	1534	33	59.75	29.5		128	11.5		
	72RHJ6033RS6	1134	1534	33	59.75	29.5		128	11.5		
	72RHJ6633LS6	1176	1610	33	65.75	29.5		128	11.5		
	72RHJ6633RS6	1176	1610	33	65.75	29.5		128	11.5		
	72RHJ7233LS6	1223	1671	33	71.75	29.5		135	12.5		
	72RHJ7233RS6	1223	1671	33	71.75	29.5		135	12.5		
	72RHJ7833LS6	1485	2016	33	77.75	29.5		139	13.5		
	72RHJ7833RS6	1485	2016	33	77.75	29.5		139	13.5		
	72RHJ8433LS6	1615	2193	33	83.75	29.5		144	14		
	72RHJ8433RS6"	1615	2193	33	83.75	29.5		144	14		

ORDERING NOTES:

All Returns with a "S6" at the end of the model number are available with a 4" diameter metal leg, replace "S6" with a "D8" to the existing model number ie: 72RHA8436RV29**D8**. All returns with a "S6" at the end of the model number are available with a Panel Leg, replace "S6" with "P6" in the model number ie: 72RHA8436RV29**P6**.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left-handed position
 R - right-handed position
 V29- 1/2 h floating acrylic modesty panel
 S6 - square wood leg



STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 list**.

ARTEMIS LAMINATE RETURNS

Description	Model	High Pressure		W	D	H	KW	Shipping Weight	Cubic Feet
		Laminate Top/ Polymer Edge	Laminate Top/ Polymer Edge						
Bullet Return with Square Laminate Leg, no Modesty Panel 	72RHB4830LS6	894	1176	47.75	30	29.5	30.75	56	8.75
	72RHB4830RS6	894	1176	47.75	30	29.5	30.75	56	8.75
	72RHB4836LS6	904	1226	47.75	36	29.5	27.75	63	9
	72RHB4836RS6	904	1226	47.75	36	29.5	27.75	63	9
	72RHB5430LS6	921	1229	53.75	30	29.5	36.75	61	9
	72RHB5430RS6	921	1229	53.75	30	29.5	36.75	61	9
	72RHB5436LS6	940	1307	53.75	36	29.5	33.75	69	9.75
	72RHB5436RS6	940	1307	53.75	36	29.5	33.75	69	9.75
	72RHB6030LS6	950	1288	59.75	30	29.5	42.75	72	10
	72RHB6030RS6	950	1288	59.75	30	29.5	42.75	72	10
	72RHB6036LS6	957	1308	59.75	36	29.5	39.75	79	11.5
	72RHB6036RS6	957	1308	59.75	36	29.5	39.75	79	11.5
	72RHB6630LS6	987	1331	65.75	30	29.5	48.75	78	10.75
	72RHB6630RS6	987	1331	65.75	30	29.5	48.75	78	10.75
	72RHB6636LS6	1065	1456	65.75	36	29.5	45.75	85	12.5
	72RHB6636RS6	1065	1456	65.75	36	29.5	45.75	85	12.5
	72RHB7230LS6*	1203	1620	71.75	30	29.5	54.75	84	11.5
	72RHB7230RS6	1203	1620	71.75	30	29.5	54.75	84	11.5
	72RHB7236LS6	1242	1725	71.75	36	29.5	51.75	96	13.5
	72RHB7236RS6	1242	1725	71.75	36	29.5	51.75	96	13.5
	72RHB7830LS6	1253	1698	77.75	30	29.5	60.75	103	12.5
	72RHB7830RS6	1253	1698	77.75	30	29.5	60.75	103	12.5
	72RHB7836LS6	1362	1834	77.75	36	29.5	57.75	116	14
	72RHB7836RS6	1362	1834	77.75	36	29.5	57.75	116	14
	72RHB8430LS6	1335	1898	83.75	30	29.5	66.75	121	13
	72RHB8430RS6	1335	1898	83.75	30	29.5	66.75	121	13
	72RHB8436LS6	1486	2031	83.75	36	29.5	63.75	135	15
	72RHB8436RS6	1486	2031	83.75	36	29.5	66.75	135	15
Bullet Return with Square Laminate Leg, 1/2 Height Floating Laminate Modesty Panel 	72RHB4830LV26S6	988	1267	47.75	30	29.5	30	66	9
	72RHB4830RV26S6	988	1267	47.75	30	29.5	30	66	9
	72RHB5430LV26S6	1026	1336	53.75	30	29.5	36	72	9.75
	72RHB5430RV26S6	1026	1336	53.75	30	29.5	36	72	9.75
	72RHB6030LV26S6	1072	1396	59.75	30	29.5	42	108	11
	72RHB6030RV26S6	1072	1396	59.75	30	29.5	42	108	11
	72RHB6630LV26S6	1118	1472	65.75	30	29.5	48	115	12
	72RHB6630RV26S6	1118	1472	65.75	30	29.5	48	115	12
	72RHB7230LV26S6	1187	1539	71.75	30	29.5	54	122	13
	72RHB7230RV26S6	1187	1539	71.75	30	29.5	54	122	13
	72RHB7830LV26S6	1256	1648	77.75	30	29.5	60	129	14
	72RHB7830RV26S6*	1256	1648	77.75	30	29.5	60	129	14
	72RHB8430LV26S6	1465	1928	83.75	30	29.5	66	136	15
	72RHB8430RV26S6	1465	1928	83.75	30	29.5	66	136	15

ORDERING NOTES:

All Returns with a "S6" at the end of the model number are available with a 4" diameter metal leg, replace "S6" with a "D8" to the existing model number ie: 72RHB8430RV26**D8**. All returns with a "S6" at the end of the model number are available with a Panel Leg, replace "S6" with "P6" in the model number ie: 72RHB8430RV26**P6**.

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
V26- 1/2 h floating laminate modesty panel
S6 - square wood leg

STANDARD LAMINATES


For a complete list of standard wood finishes
please see page 4.

GROMMETS

One grommet in standard position is
optional at no charge. Additional grommets
are available at an upcharge of **\$159 list**.

ARTEMIS LAMINATE RETURNS

		Laminate	High Pressure							
		Top/ Polymer Edge	Laminate Top/ Polymer Edge							
Description	Model			W	D	H	KW	Shipping Weight	Cubic Feet	
Bullet Return with Square Laminate Leg, 1/2 Height Fixed Laminate Modesty Panel	72RHB4836LX26S6	1067	1404	47.75	36	29.5	27	71	36.5	
	72RHB4836RX26S6	1067	1404	47.75	36	29.5	27	71	36.5	
	72RHB5436LX26S6	1105	1450	53.75	36	29.5	33	78	40.5	
	72RHB5436RX26S6	1105	1450	53.75	36	29.5	33	78	40.5	
	72RHB6036LX26S6	1142	1501	59.75	36	29.5	39	117	46	
	72RHB6036RX26S6	1142	1501	59.75	36	29.5	39	117	46	
	72RHB6636LX26S6	1221	1604	65.75	36	29.5	45	125	50	
	72RHB6636RX26S6	1221	1604	65.75	36	29.5	45	125	50	
	72RHB7236LX26S6*	1269	1669	71.75	36	29.5	51	133	54.75	
	72RHB7236RX26S6	1269	1669	71.75	36	29.5	51	133	54.75	
	72RHB7836LX26S6	1396	1834	77.75	36	29.5	57	141	57	
	72RHB7836RX26S6	1396	1834	77.75	36	29.5	57	141	57	
	72RHB8436LX26S6	1531	2016	83.75	36	29.5	63	150	63	
	72RHB8436RX26S6	1531	2016	83.75	36	29.5	63	150	63	

Bullet Return with Square Laminate Leg, 1/2 Height Floating Acrylic Modesty Panel 	72RHB4830LV29S6	1352	1647	47.75	30	29.5	30	60	9	
	72RHB4830RV29S6	1352	1647	47.75	30	29.5	30	60	10.5	
	72RHB4836LV29S6	1441	1775	47.75	36	29.5	27	66	10.5	
	72RHB4836RV29S6	1441	1775	47.75	36	29.5	27	66	10.5	
	72RHB5430LV29S6	1382	1703	53.75	30	29.5	36	65	9.75	
	72RHB5430RV29S6	1382	1703	53.75	30	29.5	36	65	11.5	
	72RHB5436LV29S6	1473	1814	53.75	36	29.5	33	72	11.5	
	72RHB5436RV29S6	1473	1814	53.75	36	29.5	33	72	11.5	
	72RHB6030LV29S6	1449	1790	59.75	30	29.5	42	87	10.5	
	72RHB6030RV29S6	1449	1790	59.75	30	29.5	42	87	10.5	
	72RHB6036LV29S6	1519	1869	59.75	36	29.5	39	94	12	
	72RHB6036RV29S6	1519	1869	59.75	36	29.5	39	94	12	
	72RHB6630LV29S6	1505	1830	65.75	30	29.5	48	93	11.5	
	72RHB6630RV29S6	1505	1830	65.75	30	29.5	48	93	11.5	
	72RHB6636LV29S6*	1587	1994	65.75	36	29.5	45	100	13	
	72RHB6636RV29S6	1587	1994	65.75	36	29.5	45	100	13	
	72RHB7230LV29S6	1839	2265	71.75	30	29.5	54	99	12	
	72RHB7230RV29S6	1839	2265	71.75	30	29.5	54	99	12	
	72RHB7236LV29S6	1818	2239	71.75	36	29.5	51	107	14	
	72RHB7236RV29S6	1818	2239	71.75	36	29.5	51	107	14	
	72RHB7830LV29S6	1823	2243	77.75	30	29.5	60	104	13	
	72RHB7830RV29S6	1823	2243	77.75	30	29.5	60	104	13	
	72RHB7836LV29S6	1885	2321	77.75	36	29.5	57	114	15	
	72RHB7836RV29S6	1885	2321	77.75	36	29.5	57	114	15	
	72RHB8430LV29S6	1929	2377	83.75	30	29.5	66	110	14	
	72RHB8430RV29S6	1929	2377	83.75	30	29.5	66	110	14	
	72RHB8436LV29S6	2155	2652	83.75	36	29.5	63	120	16	
	72RHB8436RV29S6	2155	2652	83.75	36	29.5	63	120	16	

ORDERING NOTES:

All Returns with a "S6" at the end of the model number are available with a 4" diameter metal leg, replace "S6" with a "D8" to the existing model number ie: 72RHA8436RV29**D8**. All returns with a "S6" at the end of the model number are available with a Panel Leg, replace "S6" with "P6" in the model number ie: 72RHA8436RV29**P6**.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- L - left-handed position
 R - right-handed position
 X26- 1/2 height fixed Laminate modesty panel
 V29- 1/2 height floating acrylic modesty panel
 S6 - square wood leg



STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE RETURNS

Description	Model	Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge	W	D	H	KW	Shipping Weight	Cubic Feet
 Crescent Return with Square Laminate Leg	"72RHC4830LS6	1025	1423	47.75	39	29.5	54	8	
	72RHC4830RS6	1025	1423	47.75	39	29.5	54	8	
	72RHC5430LS6	1073	1491	53.75	39	29.5	59	9	
	72RHC5430RS6	1073	1491	53.75	39	29.5	59	9	
	72RHC6030LS6	1140	1581	59.75	42	29.5	64	10	
	72RHC6030RS6	1140	1581	59.75	42	29.5	64	10	
	72RHC6630LS6	1221	1692	65.75	42	29.5	69	10.5	
	72RHC6630RS6	1221	1692	65.75	42	29.5	69	10.5	
	72RHC7230LS6	1307	1899	71.75	45	29.5	86	11.5	
	72RHC7230RS6*	1307	1899	71.75	45	29.5	86	11.5	
	72RHC7830LS6	1580	2191	71.75	45	29.5	92	12.5	
	72RHC7830RS6	1580	2191	71.75	45	29.5	92	12.5	
	72RHC8430LS6	1722	2390	83.75	48.75	29.5	95	13	
	72RHC8430RS6	1722	2390	83.75	48.75	29.5	95	13	
 Rectangular Desk Return with 4" Gable, no Modesty Panel	72RHDR4830L	1110	1399	47.75	30	29.5	43.75	91	36.5
	72RHDR4830R	1110	1399	47.75	30	29.5	43.75	91	36.5
	72RHDR4836L	1190	1525	47.75	36	29.5	43.75	96	36.5
	72RHDR4836R	1190	1525	47.75	36	29.5	43.75	96	36.5
	72RHDR5430L	1163	1481	53.75	30	29.5	49.75	99	40.5
	72RHDR5430R	1163	1481	53.75	30	29.5	49.75	99	40.5
	72RHDR5436L	1237	1588	53.75	36	29.5	49.75	104	40.5
	72RHDR5436R	1237	1588	53.75	36	29.5	49.75	104	40.5
	72RHDR6030L	1348	1701	59.75	30	29.5	55.75	106	44.5
	72RHDR6030R	1348	1701	59.75	30	29.5	55.75	106	44.5
	72RHDR6036L	1332	1709	59.75	36	29.5	55.75	111	44.5
	72RHDR6036R	1332	1709	59.75	36	29.5	55.75	111	44.5
	72RHDR6630L	1357	1743	65.75	30	29.5	61.75	112	49
	72RHDR6630R	1357	1743	65.75	30	29.5	61.75	112	49
	72RHDR6636L	1374	1764	65.75	36	29.5	61.75	117	50
	72RHDR6636R	1374	1764	65.75	36	29.5	61.75	117	50
	72RHDR7230L*	1403	1801	71.75	30	29.5	67.75	119	53
	72RHDR7230R	1403	1801	71.75	30	29.5	67.75	119	53
	72RHDR7236L	1480	1897	71.75	36	29.5	67.75	124	54.75
	72RHDR7236R	1480	1897	71.75	36	29.5	67.75	124	54.75
	72RHDR7830L	1581	2028	77.75	30	29.5	73.75	126	57
	72RHDR7830R	1581	2028	77.75	30	29.5	73.75	126	57
	72RHDR7836L	1638	2100	77.75	36	29.5	73.75	131	57
	72RHDR7836R	1638	2100	77.75	36	29.5	73.75	131	57
	72RHDR8430L	1736	2229	83.75	30	29.5	79.75	132	61
	72RHDR8430R	1736	2229	83.75	30	29.5	79.75	132	61
	72RHDR8436L	1928	2473	83.75	36	29.5	79.75	137	63
	72RHDR8436R	1928	2473	83.75	36	29.5	79.75	137	63

ORDERING NOTES:

All Returns with a "S6" at the end of the model number are available with a 4" diameter metal leg, replace "S6" with a "D8" to the existing model number ie: 72RHJ8433RD**8**. All returns with a "S6" at the end of the model number are available with a Panel Leg, replace "S6" with "P6" in the model number ie: 72RHJ8433RP**6**.

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
S6 - square wood leg


STANDARD LAMINATES

For a complete list of standard wood finishes please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE RETURNS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
Rectangular Desk Return with 4" Gable, 1/2 Height Fixed	72RHDR4830LX26	1253	1556	47.75	30	29.5	43.75	106	36.5
	72RHDR4830RX26	1253	1556	47.75	30	29.5	43.75	106	36.5
Laminate Modesty Panel	72RHDR4836LX26	1239	1551	47.75	36	29.5	43.75	112	36.5
	72RHDR4836RX26	1239	1551	47.75	36	29.5	43.75	112	36.5
	72RHDR5430LX26	1266	1596	53.75	30	29.5	49.75	114	40.5
	72RHDR5430RX26	1266	1596	53.75	30	29.5	49.75	114	40.5
	72RHDR5436LX26	1288	1626	53.75	36	29.5	49.75	120	40.5
	72RHDR5436RX26	1288	1626	53.75	36	29.5	49.75	120	40.5
	72RHDR6030LX26	1309	1651	59.75	30	29.5	55.75	122	44.5
	72RHDR6030RX26	1309	1651	59.75	30	29.5	55.75	122	44.5
	72RHDR6036LX26	1332	1680	59.75	36	29.5	55.75	128	44.5
	72RHDR6036RX26	1332	1680	59.75	36	29.5	55.75	128	44.5
	72RHDR6630LX26	1360	1717	65.75	30	29.5	61.75	130	49
	72RHDR6630RX26	1360	1717	65.75	30	29.5	61.75	130	49
	72RHDR6636LX26	1374	1734	65.75	36	29.5	61.75	136	50
	72RHDR6636RX26*	1374	1734	65.75	36	29.5	61.75	136	50
	72RHDR7230LX26	1403	1772	71.75	30	29.5	67.75	138	53
	72RHDR7230RX26	1403	1772	71.75	30	29.5	67.75	138	53
	72RHDR7236LX26	1480	1866	71.75	36	29.5	67.75	144	54.75
	72RHDR7236RX26	1480	1866	71.75	36	29.5	67.75	144	54.75
	72RHDR7830LX26	1504	1896	77.75	30	29.5	73.75	148	57
	72RHDR7830RX26	1504	1896	77.75	30	29.5	73.75	148	57
	72RHDR7836LX26	1573	1988	77.75	36	29.5	73.75	152	57
	72RHDR7836RX26	1573	1988	77.75	36	29.5	73.75	152	57
	72RHDR8430LX26	1604	2024	83.75	30	29.5	79.75	154	61
	72RHDR8430RX26	1604	2024	83.75	30	29.5	79.75	154	61
	72RHDR8436LX26	1789	2256	83.75	36	29.5	79.75	160	63
	72RHDR8436RX26	1789	2256	83.75	36	29.5	79.75	160	63

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
X26- 1/2 height fixed laminate modesty panel


STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE RETURNS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
Rectangular Desk Return with 4" Gable 1/2 Height Floating Acrylic Modesty Panel 	72RHDR4830LV29	1456	1760	47.75	30	29.5	43.75	105	36.5
	72RHDR4830RV29	1456	1760	47.75	30	29.5	43.75	105	36.5
	72RHDR4836LV29	1531	1855	47.75	36	29.5	43.75	111	36.5
	72RHDR4836RV29	1531	1855	47.75	36	29.5	43.75	111	36.5
	72RHDR5430LV29	1500	1816	53.75	30	29.5	49.75	113	40.5
	72RHDR5430RV29	1500	1816	53.75	30	29.5	49.75	113	40.5
	72RHDR5436LV29	1583	1913	53.75	36	29.5	49.75	119	40.5
	72RHDR5436RV29	1583	1913	53.75	36	29.5	49.75	119	40.5
	72RHDR6030LV29	1695	2051	59.75	30	29.5	55.75	120	44.5
	72RHDR6030RV29	1695	2051	59.75	30	29.5	55.75	120	44.5
	72RHDR6036LV29	1770	2140	59.75	36	29.5	55.75	126	44.5
	72RHDR6036RV29	1770	2140	59.75	36	29.5	55.75	126	44.5
	72RHDR6630LV29	1741	2104	65.75	30	29.5	61.75	127	49
	72RHDR6630RV29	1741	2104	65.75	30	29.5	61.75	127	49
	72RHDR6636LV29	1705	2062	65.75	36	29.5	61.75	132	50
	72RHDR6636RV29*	1705	2062	65.75	36	29.5	61.75	132	50
	72RHDR7230LV29	1734	2098	71.75	30	29.5	67.75	133	53
	72RHDR7230RV29	1734	2098	71.75	30	29.5	67.75	133	53
	72RHDR7236LV29	1953	2361	71.75	36	29.5	67.75	139	54.75
	72RHDR7236RV29	1953	2361	71.75	36	29.5	67.75	139	54.75
	72RHDR7830LV29	2045	2476	77.75	30	29.5	73.75	141	57
	72RHDR7830RV29	2045	2476	77.75	30	29.5	73.75	141	57
	72RHDR7836LV29	2113	2559	77.75	36	29.5	73.75	139	57
	72RHDR7836RV29	2113	2559	77.75	36	29.5	73.75	139	57
	72RHDR8430LV29	2206	2669	83.75	30	29.5	79.75	146	61
	72RHDR8430RV29	2206	2669	83.75	30	29.5	79.75	146	61
	72RHDR8436LV29	2413	2919	83.75	36	29.5	79.75	152	63
	72RHDR8436RV29"	2413	2919	83.75	36	29.5	79.75	152	63

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
V29 - 1/2 height floating acrylic modesty
panel


STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.

GROMMETS

One grommet in standard position is
optional at no charge. Additional grommets
are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE RETURNS

Description	Model	Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge	W	D	H	KW	Shipping Weight	Cubic Feet
Rectangular Desk Return with 2" Square Metal Legs, no Modesty Panel 	72RHDR4830LM	977	1265	47.75	30	29.5	45.75	58	8
	72RHDR4830RM	977	1265	47.75	30	29.5	45.75	58	8
	72RHDR4836LM	1056	1384	47.75	36	29.5	45.75	66	10
	72RHDR4836RM	1056	1384	47.75	36	29.5	45.75	66	10
	72RHDR5430LM	1025	1335	53.75	30	29.5	51.75	63	8.5
	72RHDR5430RM	1025	1335	53.75	30	29.5	51.75	63	8.5
	72RHDR5436LM	1104	1449	53.75	36	29.5	51.75	71	10.75
	72RHDR5436RM	1104	1449	53.75	36	29.5	51.75	71	10.75
	72RHDR6030LM	1215	1600	59.75	30	29.5	57.75	72	9
	72RHDR6030RM	1215	1600	59.75	30	29.5	57.75	72	9
	72RHDR6036LM	1202	1567	59.75	36	29.5	57.75	81	11.5
	72RHDR6036RM	1202	1567	59.75	36	29.5	57.75	81	11.5
	72RHDR6630LM	1230	1618	65.75	30	29.5	63.75	76	10
	72RHDR6630RM	1230	1618	65.75	30	29.5	63.75	76	10
	72RHDR6636LM	1253	1645	65.75	36	29.5	63.75	93	12.5
	72RHDR6636RM*	1253	1645	65.75	36	29.5	63.75	93	12.5
	72RHDR7230LM	1275	1509	71.75	30	29.5	69.75	81	10.75
	72RHDR7230RM	1275	1509	71.75	30	29.5	69.75	81	10.75
	72RHDR7236LM	1433	1704	71.75	36	29.5	69.75	100	13.5
	72RHDR7236RM	1433	1704	71.75	36	29.5	69.75	100	13.5
	72RHDR7830LM	1463	1923	77.75	30	29.5	75.75	86	11.5
	72RHDR7830RM	1463	1923	77.75	30	29.5	75.75	86	11.5
	72RHDR7836LM	1492	1773	77.75	36	29.5	75.75	106	14
	72RHDR7836RM	1492	1773	77.75	36	29.5	75.75	106	14
	72RHDR8430LM	1514	1991	83.75	30	29.5	81.75	91	13
	72RHDR8430RM	1514	1991	83.75	30	29.5	81.75	91	13
	72RHDR8436LM	1660	2182	83.75	36	29.5	81.75	113	15
	72RHDR8436RM	1660	2182	83.75	36	29.5	81.75	113	15

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
M - metal legs

STANDARD LAMINATES


For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE RETURNS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
Rectangular Desk Return with 2" Square Metal Legs, 1/2 Height Floating Acrylic Modesty Panel	72RHDR4830LV29M	1435	1735	47.75	30	29.5	45.75	63	8
	72RHDR4830RV29M	1435	1735	47.75	30	29.5	45.75	63	8
	72RHDR4836LV29M	1509	1839	47.75	36	29.5	45.75	70	10
	72RHDR4836RV29M	1509	1839	47.75	36	29.5	45.75	70	10
	72RHDR5430LV29M	1486	1814	53.75	30	29.5	51.75	68	8.5
	72RHDR5430RV29M	1486	1814	53.75	30	29.5	51.75	68	8.5
	72RHDR5436LV29M	1557	1900	53.75	36	29.5	51.75	76	10.75
	72RHDR5436RV29M	1557	1900	53.75	36	29.5	51.75	76	10.75
	72RHDR6030LV29M	1669	2039	59.75	30	29.5	57.75	78	9
	72RHDR6030RV29M	1669	2039	59.75	30	29.5	57.75	78	9
	72RHDR6036LV29M	1750	2134	59.75	36	29.5	57.75	87	11.5
	72RHDR6036RV29M	1750	2134	59.75	36	29.5	57.75	87	11.5
	72RHDR6630LV29M	1720	2097	65.75	30	29.5	63.75	83	10
	72RHDR6630RV29M	1720	2097	65.75	30	29.5	63.75	83	10
	72RHDR6636LV29M	1800	2196	65.75	36	29.5	63.75	108	13
	72RHDR6636RV29M*	1800	2196	65.75	36	29.5	63.75	108	13
	72RHDR7230LV29M	1772	2161	71.75	30	29.5	69.75	89	10.75
	72RHDR7230RV29M	1772	2161	71.75	30	29.5	69.75	89	10.75
	72RHDR7236LV29M	2167	2646	71.75	36	29.5	69.75	115	14
	72RHDR7236RV29M	2167	2646	71.75	36	29.5	69.75	115	14
	72RHDR7830LV29M	2001	2440	77.75	30	29.5	75.75	94	11.5
	72RHDR7830RV29M	2001	2440	77.75	30	29.5	75.75	94	11.5
	72RHDR7836LV29M	2227	2719	77.75	36	29.5	75.75	115	15
	72RHDR7836RV29M	2227	2719	77.75	36	29.5	75.75	115	15
	72RHDR8430LV29M	2056	2509	83.75	30	29.5	81.75	100	13
	72RHDR8430RV29M	2056	2509	83.75	30	29.5	81.75	100	13
	72RHDR8436LV29M	2297	2802	83.75	36	29.5	81.75	128	16
	72RHDR8436RV29M	2297	2802	83.75	36	29.5	81.75	128	16

**DIMENSION KEY**

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
V29- 1/2 floating acrylic modesty panel
M - metal legs


STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.

GROMMETS

One grommet in standard position is
optional at no charge. Additional grommets
are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE RETURNS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
 Rectangular Desk Return with Panel Leg, no Modesty Panel	72RHDR4830LP6	817	1089	47.75	30	29.5	27.75	56	8.5
	72RHDR4830RP6	817	1089	47.75	30	29.5	27.75	56	8.5
	72RHDR4836LP6	820	1111	47.75	36	29.5	27.75	64	12
	72RHDR4836RP6	820	1111	47.75	36	29.5	27.75	64	12
	72RHDR5430LP6	848	1161	53.75	30	29.5	33.75	61	9
	72RHDR5430RP6	848	1161	53.75	30	29.5	33.75	61	9
	72RHDR5436LP6	868	1185	53.75	36	29.5	33.75	69	13
	72RHDR5436RP6	868	1185	53.75	36	29.5	33.75	69	13
	72RHDR6030LP6	892	1240	59.75	30	29.5	39.75	65	10
	72RHDR6030RP6	892	1240	59.75	30	29.5	39.75	65	10
	72RHDR6036LP6	912	1266	59.75	36	29.5	39.75	75	13.75
	72RHDR6036RP6	912	1266	59.75	36	29.5	39.75	75	13.75
	72RHDR6630LP6	941	1315	65.75	30	29.5	45.75	70	10.75
	72RHDR6630RP6	941	1315	65.75	30	29.5	45.75	70	10.75
	72RHDR6636LP6*	1031	1462	65.75	36	29.5	45.75	93	14
	72RHDR6636RP6	1031	1462	65.75	36	29.5	45.75	93	14
	72RHDR7230LP6	1171	1576	71.75	30	29.5	51.75	79	11.5
	72RHDR7230RP6	1171	1576	71.75	30	29.5	51.75	79	11.5
	72RHDR7236LP6	1183	1606	71.75	36	29.5	51.75	100	15
	72RHDR7236RP6	1183	1606	71.75	36	29.5	51.75	100	15
	72RHDR7830LP6	1197	1662	77.75	30	29.5	57.75	84	13
	72RHDR7830RP6	1197	1662	77.75	30	29.5	57.75	84	13
	72RHDR7836LP6	1262	1712	77.75	36	29.5	57.75	106	16
	72RHDR7836RP6	1262	1712	77.75	36	29.5	57.75	106	16
	72RHDR8430LP6	1272	1768	83.75	30	29.5	63.75	89	14.5
	72RHDR8430RP6	1272	1768	83.75	30	29.5	63.75	89	14.5
	72RHDR8436LP6	1414	1978	83.75	36	29.5	63.75	113	17
	72RHDR8436RP6"	1414	1978	83.75	36	29.5	63.75	113	17

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
P6- Laminate panel leg


STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE RETURNS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
Rectangular Desk Return with Panel Leg, 1/2 Height Floating Acrylic Modesty Panel 	72RHDR4830LV29P6	1290	1587	47.75	30	29.5	30.75	59	8.5
	72RHDR4830RV29P6	1290	1587	47.75	30	29.5	30.75	59	8.5
	72RHDR4836LV29P6	1275	1584	47.75	36	29.5	27.75	67	12
	72RHDR4836RV29P6	1275	1584	47.75	36	29.5	27.75	67	12
	72RHDR5430LV29P6	1307	1636	53.75	30	29.5	36.75	65	9
	72RHDR5430RV29P6	1307	1636	53.75	30	29.5	36.75	65	9
	72RHDR5436LV29P6	1323	1660	53.75	36	29.5	33.75	73	13
	72RHDR5436RV29P6	1323	1660	53.75	36	29.5	33.75	73	13
	72RHDR6030LV29P6	1351	1691	59.75	30	29.5	42.75	70	10
	72RHDR6030RV29P6	1351	1691	59.75	30	29.5	42.75	70	10
	72RHDR6036LV29P6	1383	1731	59.75	36	29.5	39.75	80	13.75
	72RHDR6036RV29P6	1383	1731	59.75	36	29.5	39.75	80	13.75
	72RHDR6630LV29P6	1405	1760	65.75	30	29.5	48.75	76	10.75
	72RHDR6630RV29P6	1405	1760	65.75	30	29.5	48.75	76	10.75
	72RHDR6636LV29P6	1425	1782	65.75	36	29.5	45.75	108	14.5
	72RHDR6636RV29P6	1425	1782	65.75	36	29.5	45.75	108	14.5
	72RHDR7230LV29P6*	1451	1816	71.75	30	29.5	54.75	86	11.5
	72RHDR7230RV29P6	1451	1816	71.75	30	29.5	54.75	86	11.5
	72RHDR7236LV29P6	1651	2065	71.75	36	29.5	51.75	115	15.75
	72RHDR7236RV29P6	1651	2065	71.75	36	29.5	51.75	115	15.75
	72RHDR7830LV29P6	1683	2106	77.75	30	29.5	60.75	91	13
	72RHDR7830RV29P6	1683	2106	77.75	30	29.5	60.75	91	13
	72RHDR7836LV29P6	1878	2348	77.75	36	29.5	57.75	121	16.75
	72RHDR7836RV29P6	1878	2348	77.75	36	29.5	57.75	121	16.75
	72RHDR8430LV29P6	1892	2368	83.75	30	29.5	66.75	96	14.5
	72RHDR8430RV29P6	1892	2368	83.75	30	29.5	66.75	96	14.5
	72RHDR8436LV29P6	2077	2601	83.75	36	29.5	63.75	128	17.75
	72RHDR8436RV29P6"	2077	2601	83.75	36	29.5	63.75	128	17.75

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION

L - left-handed position
R - right-handed position
V29- 1/2 h floating acrylic modesty panel
P6 - Laminate panel leg






STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.

GROMMETS

One grommet in standard position is
optional at no charge. Additional grommets
are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE LINKING UNITS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
	72LU3620H	347	479	36	20	" - "	15	1.5	
	72LU3624H	357	515	36	24	" - "	16	1.75	
	72LU4220H*	369	525	42	20	" - "	20	1.5	
	72LU4224H	392	571	42	24	" - "	24	2	
	72LU4820H	416	590	48	20	" - "	29	1.75	
	72LU4824H	443	651	48	24	" - "	36	2	
	72LU3620HX46	553	679	36	20	29.5	59	3	
	72LU3624HX46	596	733	36	24	29.5	64	3	
	72LU4220HX46*	609	746	42	20	29.5	67	3.75	
	72LU4224HX46	676	833	42	24	29.5	72	3.75	
	72LU4820HX46	702	864	48	20	29.5	78	4	
	72LU4824HX46	804	990	48	24	29.5	80	4	
	72LUY3620H	609	736	36	20	29.5	59	3	
	72LUY3624H	657	794	36	24	29.5	64	3	
	72LUY4220H	667	805	42	20	29.5	67	3.5	
	72LUY4224H*	740	895	42	24	29.5	72	3.5	
	72LUY4820H	767	921	48	20	29.5	78	4	
	72LUY4824H	875	1061	48	24	29.5	80	4	
	72LUTD3620HLX46	553	679	36	20	29.5	59	3	
	72LUTD3620HRX46	553	679	36	20	29.5	59	3	
	72LUTD3624HLX46	596	733	36	24	29.5	64	3	
	72LUTD3624HRX46	596	733	36	24	29.5	64	3	
	72LUTD4220HLX46	609	746	42	20	29.5	67	3.75	
	72LUTD4220HRX46	609	746	42	20	29.5	67	3.75	
	72LUTD4224HLX46	676	833	42	24	29.5	72	3.75	
	72LUTD4224HRX46	676	833	42	24	29.5	72	3.75	
	72LUTD4820HLX46	702	864	48	20	29.5	78	4	
	72LUTD4820HRX46	702	864	48	20	29.5	78	4	
	72LUTD4824HLX46	804	990	48	24	29.5	80	4	
	72LUTD4824HRX46	804	990	48	24	29.5	80	4	
	72LUYTD3620HL	609	746	36	20	29.5	59	3	
	72LUYTD3620HR	609	746	36	20	29.5	59	3	
	72LUYTD3624HL	657	794	36	24	29.5	64	3	
	72LUYTD3624HR	657	794	36	24	29.5	64	3	
	72LUYTD4220HL	667	822	42	20	29.5	67	3.75	
	72LUYTD4220HR	667	822	42	20	29.5	67	3.75	
	72LUYTD4224HL	740	911	42	24	29.5	72	3.75	
	72LUYTD4224HR	740	911	42	24	29.5	72	3.75	
	72LUYTD4820HL	767	921	48	20	29.5	78	4	
	72LUYTD4820HR	767	921	48	20	29.5	78	4	
	72LUYTD4824HL	875	1061	48	24	29.5	80	4	
	72LUYTD4824HR	875	1061	48	24	29.5	80	4	

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

X46 - full height wood modesty panel

L - left-handed position

R - right-handed position

H - desk height




STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE CORNER UNITS & CREDENZA SHELLS

Description	Model	Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge	W	D	H	KW	Shipping Weight	Cubic Feet
	72CU363620	1198	1452	36	36	29.5	22.5	106	29
	72CU363624*	1198	1452	36	36	29.5	17	106	29
	72CU424220	1421	1719	42	42	29.5	31	131	38
	72CU424224	1421	1719	42	42	29.5	25.25	131	38
	72SC6624	1116	1397	24	65.75	29.5	63.5	104	35
	72SC7224*	1174	1484	24	71.75	29.5	69.5	112	38
	72SC7824	1319	1648	24	77.75	29.5	75.5	120	40
	72SC8424	1421	1776	24	83.75	29.5	81.5	128	44
	72SC6624X46	1336	1673	24	65.75	29.5	63.5	104	35
	72SC7224X46	1413	1782	24	71.75	29.5	69.5	112	38
	72SC7824X46	1583	1980	24	77.75	29.5	75.5	120	40
	72SC8424X46	1703	2133	24	83.75	29.5	81.5	128	44

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION

X46 - full height laminate modesty


STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.

GROMMETS

One grommet in standard position is
optional at no charge. Additional grommets
are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE CREDENZAS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
Single Pedestal Credenza with Fixed Laminate Modesty Panel	72C60204XLDR0	1870	2147	59.75	20	29.5	43	120	27.75
	72C60204XLFR0	1870	2147	59.75	20	29.5	43	120	27.75
	72C60204XLORD	1870	2147	59.75	20	29.5	43	120	27.75
	72C60204XLORF	1870	2147	59.75	20	29.5	43	120	27.75
	72C60244XLDR0	1898	2177	59.75	24	29.5	43	128	32
	72C60244XLFR0	1898	2177	59.75	24	29.5	43	128	32
	72C60244XLORD	1898	2177	59.75	24	29.5	43	128	32
	72C60244XLORF	1898	2177	59.75	24	29.5	43	128	32
	72C66204XLDR0*	1828	2096	65.75	20	29.5	49	136	30
	72C66204XLFR0	1828	2096	65.75	20	29.5	49	136	30
	72C66204XLORD	1828	2096	65.75	20	29.5	49	36	30
	72C66204XLORF	1828	2096	65.75	20	29.5	49	136	30
	72C66244XLDR0	1923	2206	65.75	24	29.5	49	144	35
	72C66244XLFR0	1923	2206	65.75	24	29.5	49	144	35
	72C66244XLORD	1923	2206	65.75	24	29.5	49	144	35
	72C66244XLORF	1923	2206	65.75	24	29.5	49	144	35
	72C72204XLDR0	1855	2129	71.75	20	29.5	55	152	32.75
	72C72204XLFR0	1855	2129	71.75	20	29.5	55	152	32.75
	72C72204XLORD	1855	2129	71.75	20	29.5	55	152	32.75
	72C72204XLORF	1855	2129	71.75	20	29.5	55	152	32.75
	72C72244XLDR0	1991	2283	71.75	24	29.5	55	160	38
	72C72244XLFR0	1991	2283	71.75	24	29.5	55	160	38
	72C72244XLORD	1991	2283	71.75	24	29.5	55	160	38
	72C72244XLORF	1991	2283	71.75	24	29.5	55	160	38
	72C78204XLDR0	1981	2272	77.75	20	29.5	61	168	35.5
	72C78204XLFR0	1981	2272	77.75	20	29.5	61	168	35.5
	72C78204XLORD	1981	2272	77.75	20	29.5	61	168	35.5
	72C78204XLORF	1981	2272	77.75	20	29.5	61	168	35.5
	72C78244XLDR0	2235	2562	77.75	24	29.5	61	172	41
	72C78244XLFR0	2235	2562	77.75	24	29.5	61	172	41
	72C78244XLORD	2235	2562	77.75	24	29.5	61	172	41
	72C78244XLORF	2235	2562	77.75	24	29.5	61	172	41
	72C84204XLDR0	2273	2607	83.75	20	29.5	67	184	38
	72C84204XLFR0	2273	2607	83.75	20	29.5	67	184	38
	72C84204XLORD	2273	2607	83.75	20	29.5	67	184	38
	72C84204XLORF	2273	2607	83.75	20	29.5	67	184	38
	72C84244XLDR0	2442	2801	83.75	24	29.5	67	192	44
	72C84244XLFR0	2442	2801	83.75	24	29.5	67	192	44
	72C84244XLORD	2442	2801	83.75	24	29.5	67	192	44
	72C84244XLORF	2442	2801	83.75	24	29.5	67	192	44

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- 4 - full height pedestal
- X - fixed modesty panel
- L - left hand pedestal position
- R - right hand pedestal position
- 0 - no pedestal
- D - 2 file drawer
- F - 2 box, 1 file drawer


STANDARD LAMINATES


For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE CREDENZAS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet	
		Top/ Polymer Edge	Laminate Top/ Polymer Edge							
	Single 36" Pedestal	72C7220XLBR0	1962	2272	71.75	20	29.5	35	168	32.75
	Lateral File or Bookcase	72C7220XLORB	1962	2272	71.75	20	29.5	35	168	32.75
	Credenza with Fixed	72C7220XLFR0	2362	2709	71.75	20	29.5	35	128	32.75
	Laminate Modesty Panel	72C7220XLORF	2362	2709	71.75	20	29.5	35	128	32.75
		72C7224XLBR0	2090	2419	71.75	24	29.5	35	176	38
		72C7224XLORB	2090	2419	71.75	24	29.5	35	76	38
		72C7224XLFR0*	2491	2881	71.75	24	29.5	35	136	38
		72C7224XLORF	2491	2881	71.75	24	29.5	35	136	38
		72C7820XLBR0	2227	2579	77.75	20	29.5	41	195	35.5
		72C7820XLORB	2227	2579	77.75	20	29.5	41	195	35.5
		72C7820XLFR0	2627	3013	77.75	20	29.5	41	155	35.5
		72C7820XLORF	2627	3013	77.75	20	29.5	41	155	35.5
		72C7824XLBR0	2368	2742	77.75	24	29.5	41	199	41
		72C7824XLORB	2368	2742	77.75	24	29.5	41	199	41
		72C7824XLFR0	2768	3206	77.75	24	29.5	41	174	41
		72C7824XLORF	2768	3206	77.75	24	29.5	41	174	41
		72C8420XLBR0	2517	2916	83.75	20	29.5	47	221	38
		72C8420XLORB	2517	2916	83.75	20	29.5	47	221	38
		72C8420XLFR0	2917	3346	83.75	20	29.5	47	181	38
		72C8420XLORF	2917	3346	83.75	20	29.5	47	181	38
		72C8424XLBR0	2678	3099	83.75	24	29.5	47	252	44
		72C8424XLORB	2678	3099	83.75	24	29.5	47	252	44
		72C8424XLFR0	3074	3558	83.75	24	29.5	47	212	44
		72C8424XLORF	3074	3558	83.75	24	29.5	47	212	44

	Single 36" Pedestal	72C7220XL3602R0	2442	2748	71.75	20	29.5	35	168	32.75
	Lateral File or Bookcase	72C7220XL0R3604	2442	2748	71.75	20	29.5	35	168	32.75
	Credenza with Fixed	72C7224XL3602R0*	2573	2898	71.75	24	29.5	35	176	38
	Laminate Modesty Panel	72C7224XL0R3604	2573	2898	71.75	24	29.5	35	176	38
		72C7820XL3602R0	2709	3051	77.75	20	29.5	41	174	35.5
		72C7820XL0R3604	2709	3051	77.75	20	29.5	41	174	35.5
		72C7824XL3602R0	2850	3208	77.75	24	29.5	41	182	41
		72C7824XL0R3604	2850	3208	77.75	24	29.5	41	182	41
		72C8420XL3602R0	2996	3375	83.75	20	29.5	47	180	38
		72C8420XL0R3604	2996	3375	83.75	20	29.5	47	180	38
		72C8424XL3602R0	3156	3554	83.75	24	29.5	47	188	44
		72C8424XL0R3604	3156	3554	83.75	24	29.5	47	188	44

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION

X - fixed modesty panel
L - left hand pedestal position
R - right hand pedestal position
0 - no pedestal
B - bookcase
F - lateral file
02 - 1 file, 2 box, 1 lateral file pedestal
04 - 2 box, 1 file, 1 lateral file pedestal


STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.

GROMMETS

One grommet in standard position is
optional at no charge. Additional grommets
are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE CREDENZAS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
Double Pedestal Credenza with Fixed Modesty Panel	72C60204XLDRD	2448	2731	59.75	20	29.5	28.5	200	27.75
	72C60204XLDRF	2448	2731	59.75	20	29.5	28.5	200	27.75
	72C60204XLFRD	2448	2731	59.75	20	29.5	28.5	200	27.75
	72C60204XLFRF	2448	2731	59.75	20	29.5	28.5	200	27.75
	72C60244XLDRD*	2378	2654	59.75	24	29.5	28.5	208	32
	72C60244XLDRF	2378	2654	59.75	24	29.5	28.5	208	32
	72C60244XLFRD	2378	2654	59.75	24	29.5	28.5	208	32
	72C60244XLFRF	2378	2654	59.75	24	29.5	28.5	208	32
	72C66204XLDRD	2398	2676	65.75	20	29.5	34.5	216	30
	72C66204XLDRF	2398	2676	65.75	20	29.5	34.5	216	30
	72C66204XLFRD	2398	2676	65.75	20	29.5	34.5	216	30
	72C66204XLFRF	2398	2676	65.75	20	29.5	34.5	216	30
	72C66244XLDRD	2489	2778	65.75	24	29.5	34.5	224	35
	72C66244XLDRF	2489	2778	65.75	24	29.5	34.5	224	35
	72C66244XLFRD	2489	2778	65.75	24	29.5	34.5	224	35
	72C66244XLFRF	2489	2778	65.75	24	29.5	34.5	224	35
	72C72204XLDRD	2508	2800	71.75	20	29.5	40.5	232	32.75
	72C72204XLDRF	2508	2800	71.75	20	29.5	40.5	232	32.75
	72C72204XLFRD	2508	2800	71.75	20	29.5	40.5	232	32.75
	72C72204XLFRF	2508	2800	71.75	20	29.5	40.5	232	32.75
	72C72244XLDRD	2558	2841	71.75	24	29.5	40.5	240	38
	72C72244XLDRF	2558	2841	71.75	24	29.5	40.5	240	38
	72C72244XLFRD	2558	2841	71.75	24	29.5	40.5	240	38
	72C72244XLFRF	2558	2841	71.75	24	29.5	40.5	240	38
	72C78204XLDRD	2760	3062	77.75	20	29.5	46.5	248	35.5
	72C78204XLDRF	2760	3062	77.75	20	29.5	46.5	248	35.5
	72C78204XLFRD	2760	3062	77.75	20	29.5	46.5	248	35.5
	72C78204XLFRF	2760	3062	77.75	20	29.5	46.5	248	35.5
	72C78244XLDRD	2950	3291	77.75	24	29.5	46.5	256	41
	72C78244XLDRF	2950	3291	77.75	24	29.5	46.5	256	41
	72C78244XLFRD	2950	3291	77.75	24	29.5	46.5	256	41
	72C78244XLFRF	2950	3291	77.75	24	29.5	46.5	256	41
	72C84204XLDRD	3025	3371	83.75	20	29.5	52.5	264	38
	72C84204XLDRF	3025	3371	83.75	20	29.5	52.5	264	38
	72C84204XLFRD	3025	3371	83.75	20	29.5	52.5	264	38
	72C84204XLFRF	3025	3371	83.75	20	29.5	52.5	264	38
	72C84244XLDRD	3231	3604	83.75	24	29.5	52.5	272	44
	72C84244XLDRF	3231	3604	83.75	24	29.5	52.5	272	44
	72C84244XLFRD	3231	3604	83.75	24	29.5	52.5	272	44
	72C84244XLFRF	3231	3604	83.75	24	29.5	52.5	272	44

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- X - fixed modesty panel
- L - left-handed pedestal position
- R - right-handed pedestal position
- 0 - no pedestal
- D - 2 file drawers
- F - 2 box, 1 file drawer


STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE CREDENZAS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
Single Pedestal Credenza with Hinged Laminate Modesty Panel	72CY60204LDR0	2222	2527	59.75	20	29.5	43	120	27.75
	72CY60204LFR0	2222	2527	59.75	20	29.5	43	120	27.75
	72CY60204LORD	2222	2527	59.75	20	29.5	43	120	27.75
	72CY60204LORF	2222	2527	59.75	20	29.5	43	120	27.75
	72CY60244LDR0*	2163	2480	59.75	24	29.5	43	128	32
	72CY60244LFR0	2163	2480	59.75	24	29.5	43	128	32
	72CY60244LORD	2163	2480	59.75	24	29.5	43	128	32
	72CY60244LORF	2163	2480	59.75	24	29.5	43	128	32
	72CY66204LDR0	2188	2486	65.75	20	29.5	49	136	30
	72CY66204LFR0	2188	2486	65.75	20	29.5	49	136	30
	72CY66204LORD	2188	2486	65.75	20	29.5	49	136	30
	72CY66204LORF	2188	2486	65.75	20	29.5	49	136	30
	72CY66244LDR0	2234	2562	65.75	24	29.5	49	144	35
	72CY66244LFR0	2234	2562	65.75	24	29.5	49	144	35
	72CY66244LORD	2234	2562	65.75	24	29.5	49	144	35
	72CY66244LORF	2234	2562	65.75	24	29.5	49	144	35
	72CY72204LDR0	2255	2587	71.75	20	29.5	55	152	32.75
	72CY72204LFR0	2255	2587	71.75	20	29.5	55	152	32.75
	72CY72204LORD	2255	2587	71.75	20	29.5	55	152	32.75
	72CY72204LORF	2255	2587	71.75	20	29.5	55	152	32.75
	72CY72244LDR0	2313	2654	71.75	24	29.5	55	160	38
	72CY72244LFR0	2313	2654	71.75	24	29.5	55	160	38
	72CY72244LORD	2313	2654	71.75	24	29.5	55	160	38
	72CY72244LORF	2313	2654	71.75	24	29.5	55	160	38
	72CY78204LDR0	2326	2668	77.75	20	29.5	61	168	35.5
	72CY78204LFR0	2326	2668	77.75	20	29.5	61	168	35.5
	72CY78204LORD	2326	2668	77.75	20	29.5	61	168	35.5
	72CY78204LORF	2326	2668	77.75	20	29.5	61	168	35.5
	72CY78244LDR0	2584	2963	77.75	24	29.5	61	176	41
	72CY78244LFR0	2584	2963	77.75	24	29.5	61	176	41
	72CY78244LORD	2584	2963	77.75	24	29.5	61	176	41
	72CY78244LORF	2584	2963	77.75	24	29.5	61	176	41
	72CY84204LDR0	2621	3007	83.75	20	29.5	67	184	38
	72CY84204LFR0	2621	3007	83.75	20	29.5	67	184	38
	72CY84204LORD	2621	3007	83.75	20	29.5	67	184	38
	72CY84204LORF	2621	3007	83.75	20	29.5	67	184	38
	72CY84244LDR0	2791	3201	83.75	24	29.5	67	192	44
	72CY84244LFR0	2791	3201	83.75	24	29.5	67	192	44
	72CY84244LORD	2791	3201	83.75	24	29.5	67	192	44
	72CY84244LORF"	2791	3201	83.75	24	29.5	67	192	44

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION

L - left-handed pedestal position
R - right-handed pedestal position
0 - no pedestal
D - 2 file drawers
F - 2 box, 1 file drawer



STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.

GROMMETS

One grommet in standard position is
optional at no charge. Additional grommets
are available at an upcharge of **\$159List**.

ARTEMIS LAMINATE CREDENZAS

		Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge						
Description	Model			W	D	H	KW	Shipping Weight	Cubic Feet
Single 36" Pedestal Lateral File or Bookcase with Hinged Laminate Modesty Panel 	72CY7220LBR0	2312	2629	71.75	20	29.5	35	156	32.75
	72CY7220LORB	2312	2629	71.75	20	29.5	35	156	32.75
	72CY7220LFR0	2714	3082	71.75	20	29.5	35	116	32.75
	72CY7220LORF	2714	3082	71.75	20	29.5	35	116	32.75
	72CY7224LBR0	2442	2774	71.75	24	29.5	35	160	38
	72CY7224LORB	2442	2774	71.75	24	29.5	35	160	38
	72CY7224LFR0	2844	3230	71.75	24	29.5	35	120	38
	72CY7224LORF	2844	3230	71.75	24	29.5	35	120	38
	72CY7820LBR0	2580	2930	77.75	20	29.5	41	195	35.5
	72CY7820LORB	2580	2930	77.75	20	29.5	41	195	35.5
	72CY7820LFR0	2976	3382	77.75	20	29.5	41	155	35.5
	72CY7820LORF	2976	3382	77.75	20	29.5	41	155	35.5
	72CY7824LBR0	2720	3093	77.75	24	29.5	41	199	41
	72CY7824LORB	2720	3093	77.75	24	29.5	41	199	41
	72CY7824LFR0	3119	3550	77.75	24	29.5	41	174	41
	72CY7824LORF	3119	3550	77.75	24	29.5	41	174	41
	72CY8420LBR0	2870	3259	83.75	20	29.5	47	221	38
	72CY8420LORB	2870	3259	83.75	20	29.5	47	221	38
	72CY8420LFR0	3267	3712	83.75	20	29.5	47	181	38
	72CY8420LORF	3267	3712	83.75	20	29.5	47	181	38
	72CY8424LBR0	3026	3437	83.75	24	29.5	47	252	44
	72CY8424LORB	3026	3437	83.75	24	29.5	47	252	44
	72CY8424LFR0*	3424	3893	83.75	24	29.5	47	212	44
	72CY8424LORF	3424	3893	83.75	24	29.5	47	212	44
Single 36" Combination Pedestal Credenza with Hinged Laminate Modesty Panel 	72CY7220L3602R0	2791	3055	71.75	20	29.5	35	168	32.75
	72CY7220LOR3604	2791	3055	71.75	20	29.5	35	168	32.75
	72CY7224L3602R0*	2922	3197	71.75	24	29.5	35	176	38
	72CY7224LOR3604	2922	3197	71.75	24	29.5	35	176	38
	72CY7820L3602R0	3057	3346	77.75	20	29.5	41	174	35.5
	72CY7820LOR3604	3057	3346	77.75	20	29.5	41	174	35.5
	72CY7824L3602R0	3199	3461	77.75	24	29.5	41	182	41
	72CY7824LOR3604	3199	3461	77.75	24	29.5	41	182	41
	72CY8420L3602R0	3347	3665	83.75	20	29.5	47	180	38
	72CY8420LOR3604	3347	3665	83.75	20	29.5	47	180	38
	72CY8424L3602R0	3508	3837	83.75	24	29.5	47	188	44
	72CY8424LOR3604	3508	3837	83.75	24	29.5	47	188	44

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- L - left hand pedestal position
 R - right hand pedestal position
 0 - no pedestal
 B - bookcase
 F - lateral file
 02 - 1 file, 2 box, 1 lateral file pedestal
 04 - 2 box, 1 file, 1 lateral file pedestal


STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE CREDENZAS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
Double Pedestal Credenza with Hinged Laminate Modesty Panel	72CY60204LDRD	2798	3120	59.75	20	29.5	28.5	220	27.75
	72CY60204LDRF	2798	3120	59.75	20	29.5	28.5	220	27.75
	72CY60204LFRD	2798	3120	59.75	20	29.5	28.5	220	27.75
	72CY60204LFRF	2798	3120	59.75	20	29.5	28.5	220	27.75
	72CY60244LDRD*	2713	3025	59.75	24	29.5	28.5	220	32
	72CY60244LDRF	2713	3025	59.75	24	29.5	28.5	220	32
	72CY60244LFRD	2713	3025	59.75	24	29.5	28.5	220	32
	72CY60244LFRF	2713	3025	59.75	24	29.5	28.5	220	32
	72CY66204LDRD	2734	3047	65.75	20	29.5	34.5	228	30
	72CY66204LDRF	2734	3047	65.75	20	29.5	34.5	228	30
	72CY66204LFRD	2734	3047	65.75	20	29.5	34.5	228	30
	72CY66204LFRF	2734	3047	65.75	20	29.5	34.5	228	30
	72CY66244LDRD	2822	3146	65.75	24	29.5	34.5	228	35
	72CY66244LDRF	2822	3146	65.75	24	29.5	34.5	228	35
	72CY66244LFRD	2822	3146	65.75	24	29.5	34.5	228	35
	72CY66244LFRF	2822	3146	65.75	24	29.5	34.5	228	35
	72CY72204LDRD	2845	3172	71.75	20	29.5	40.5	228	32.75
	72CY72204LDRF	2845	3172	71.75	20	29.5	40.5	228	32.75
	72CY72204LFRD	2845	3172	71.75	20	29.5	40.5	228	32.75
	72CY72204LFRF	2845	3172	71.75	20	29.5	40.5	228	32.75
	72CY72244LDRD	3042	3396	71.75	24	29.5	40.5	236	38
	72CY72244LDRF	3042	3396	71.75	24	29.5	40.5	236	38
	72CY72244LFRD	3042	3396	71.75	24	29.5	40.5	236	38
	72CY72244LFRF	3042	3396	71.75	24	29.5	40.5	236	38
	72CY78204LDRD	3110	3468	77.75	20	29.5	46.5	234	35.5
	72CY78204LDRF	3110	3468	77.75	20	29.5	46.5	234	35.5
	72CY78204LFRD	3110	3468	77.75	20	29.5	46.5	234	35.5
	72CY78204LFRF	3110	3468	77.75	20	29.5	46.5	234	35.5
	72CY78244LDRD	3299	3683	77.75	24	29.5	46.5	242	41
	72CY78244LDRF	3299	3683	77.75	24	29.5	46.5	242	41
	72CY78244LFRD	3299	3683	77.75	24	29.5	46.5	242	41
	72CY78244LFRF	3299	3683	77.75	24	29.5	46.5	242	41
	72CY84204LDRD	3375	3766	83.75	20	29.5	52.5	240	38
	72CY84204LDRF	3375	3766	83.75	20	29.5	52.5	240	38
	72CY84204LFRD	3375	3766	83.75	20	29.5	52.5	240	38
	72CY84204LFRF	3375	3766	83.75	20	29.5	52.5	240	38
	72CY84244LDRD	3582	3996	83.75	24	29.5	52.5	248	44
	72CY84244LDRF	3582	3996	83.75	24	29.5	52.5	248	44
	72CY84244LFRD	3582	3996	83.75	24	29.5	52.5	248	44
	72CY84244LFRF"	3582	3996	83.75	24	29.5	52.5	248	44

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION

L - left-handed pedestal position
R - right-handed pedestal position
D - 2 file drawers
F - 2 box, 1 file drawer


STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.


GROMMETS


One grommet in standard position is
optional at no charge. Additional grommets
are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE CREDENZAS

Description	Model	Laminate	High Pressure	W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge						
 Credenza Full Face	72C7220LFRF	3260	3602	71.75	20	29.5	248	32.75	
	72C7220LBRB	2463	2722	71.75	20	29.5	208	32.75	
	72C7220LBRF	2862	3163	71.75	20	29.5	228	32.75	
	72C7220LFRB*	2862	3163	71.75	20	29.5	228	32.75	
	72C7224LFRF	3417	3775	71.75	24	29.5	256	38	
	72C7224LBRB	2619	2894	71.75	24	29.5	224	38	
	72C7224LBRF	3021	3339	71.75	24	29.5	236	38	
	72C7224LFRB	3021	3339	71.75	24	29.5	236	38	

Bookcase pedestals have the option of pulls instead of the standard touch latch doors. To select this option, change the prefix in the model number from "72" to "73" ie: 73C7220XLBR0. Please refer to page 3 for pull orientation below the worksurface. Locks are available on wood doors for an upcharge of **\$159 list**.

 Corner Credenza Single Pedestal, Fixed Laminate Modesty Panel	72CC7224XL4D*	2517	3074	71.75	24	29.5	32	192	38
	72CC7224XL4F	2517	3074	71.75	24	29.5	32	192	38
	72CC7224XR4D	2517	3074	71.75	24	29.5	32	192	38
	72CC7224XR4F	2517	3074	71.75	24	29.5	32	192	38
	72CC7824XL4D	2744	3351	77.75	24	29.5	38	200	41
	72CC7824XL4F	2744	3351	77.75	24	29.5	38	200	41
	72CC7824XR4D	2744	3351	77.75	24	29.5	38	200	41
	72CC7824XR4F	2744	3351	77.75	24	29.5	38	200	41
	72CC8424XL4D	2994	3625	83.75	24	29.5	44	208	44
	72CC8424XL4F	2994	3625	83.75	24	29.5	44	208	44
	72CC8424XR4D	2994	3625	83.75	24	29.5	44	208	44
	72CC8424XR4F	2994	3625	83.75	24	29.5	44	208	44

 Curved Corner Credenza Single Pedestal, Fixed Laminate Modesty Panel	72CCC7224XL4D	2517	3074	71.75	24	29.5	32	192	38
	72CCC7224XL4F*	2517	3074	71.75	24	29.5	32	192	38
	72CCC7224XR4D	2517	3074	71.75	24	29.5	32	192	38
	72CCC7224XR4F	2517	3074	71.75	24	29.5	32	192	38
	72CCC7824XL4D	2744	3351	77.75	24	29.5	38	200	41
	72CCC7824XL4F	2744	3351	77.75	24	29.5	38	200	41
	72CCC7824XR4D	2744	3351	77.75	24	29.5	38	200	41
	72CCC7824XR4F	2744	3351	77.75	24	29.5	38	200	41
	72CCC8424XL4D	2994	3625	83.75	24	29.5	44	208	44
	72CCC8424XL4F	2994	3625	83.75	24	29.5	44	208	44
	72CCC8424XR4D	2994	3625	83.75	24	29.5	44	208	44
	72CCC8424XR4F	2994	3625	83.75	24	29.5	44	208	44

ORDERING NOTES:

Curved corner credenzas are not compatible with curved corner desks.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

F - lateral file
B - bookcase
L - left handed pedestal position
R - right handed pedestal position
X - fixed modesty
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer


STANDARD LAMINATES


For a complete list of standard laminates please see page 4.


GROMMETS


One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE OVERHEADS & TACKBOARDS

Description	Model	Laminate	W	D	H	Doors	Shipping Weight	Cubic Feet
Single Wall Mounted Overhead with Laminate Doors 	72OHW361616	1046	35.75	16	16	2	64	7
	72OHW421616	1147	41.75	16	16	2	71	8.5
	72OHW481616*	1266	47.75	16	16	3	82	9
	72OHW601616	1479	59.75	16	16	4	96	11.5
	72OHW661616	1562	65.75	16	16	4	102	12.75
	72OHW721616	1641	71.75	16	16	4	109	13.75

Single Wall Mounted Overhead with Frosted Glass Doors 	72OHW361616X	1558	35.75	16	16	2	64	7
	72OHW421616X	1712	41.75	16	16	2	71	8.5
	72OHW481616X	1927	47.75	16	16	3	82	9
	72OHW601616X	2312	59.75	16	16	4	96	11.5
	72OHW661616X	2401	65.75	16	16	4	102	12.75
	72OHW721616X*	2526	71.75	16	16	4	109	13.75

Double Wall Mounted Overhead with Laminate Doors 	72OHW361630	1359	35.75	16	29.5	2	100	12
	72OHW421630	1491	41.75	16	29.5	2	112	14.5
	72OHW481630*	1646	47.75	16	29.5	3	130	16

Double Wall Mounted Overhead with Frosted Glass Doors 	72OHW361630X	2114	35.75	16	29.5	2	100	12
	72OHW421630X	2350	41.75	16	29.5	2	112	14.5
	72OHW481630X*	2613	47.75	16	29.5	3	130	16

FABRIC GRADES

Description	Model	1	2	3	4	5	6	7	8	9	W	H	COM	WT
Wall Mounted Tackboard	72TBOHW3624	317	441	468	589	714	830	957	1110	1314	35.75	24	1.25	2
	72TBOHW4224	353	476	504	625	751	865	995	1144	1350	42.75	24	1.25	2
	72TBOHW4824	394	488	511	643	769	882	1019	1172	1408	47.75	24	1.5	3
	72TBOHW6024	447	596	625	680	802	1110	1283	1456	1729	59.75	24	2	4
	72TBOHW6624	488	665	710	868	1038	1236	1404	1605	1912	65.75	24	2	5
	72TBOHW7224	537	822	856	1138	1398	1415	1624	1855	2160	71.75	24	2.25	5
Wall Mounted Tackboard for Overhead Mounted 6" Higher than 5 Hi Storage	72TBOHW3630	397	443	487	557	725	886	1044	1215	1428	35.75	30	1.25	2.5
	72TBOHW4230	443	595	628	781	939	1083	1240	1463	1689	42.75	30	1.25	2.5
	72TBOHW4830	493	612	640	803	962	1105	1272	1463	1760	47.75	30	1.5	3.75
	72TBOHW6030	559	745	781	974	1171	1383	1604	1820	2164	59.75	30	2.0	4.5
	72TBOHW6630	612	832	890	694	1302	1547	1755	2008	2392	65.75	30	2.0	5.75
	72TBOHW7230	672	1030	1072	1422	1747	1770	2030	2316	2698	71.75	30	2.25	6

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

X - Silver Metallic framed frosted glass doors

STANDARD LAMINATES


For a complete list of standard wood finishes please see page 4.

GROMMETS


One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

ARTEMIS LAMINATE HUTCHES


Description	Model	Laminate	W	D	H	TB	Shipping Weight	Cubic Feet
5 Hi Hutch with Laminate Doors	"72HT661640	2599	65.75	15.75	39.5	23.5	181	28.5
	72HT721640	2704	71.75	15.75	39.5	23.5	193	31
	72HT781640*	2875	77.75	15.75	39.5	23.5	206	33.5
	72HT841640	3104	83.75	15.75	39.5	23.5	219	36




5 Hi Hutch with Frosted Glass Doors	72HT721640X	3550	71.75	15.75	39.5	23.5	193	31
	72HT781640X*	3893	77.75	15.75	39.5	23.5	208	33.5
	72HT841640X	4292	83.75	15.75	39.5	23.5	219	36



5 Hi Hutch with Laminate Doors and Paper Manager	72HTPM661640	2856	65.75	15.75	39.5	20.25	199	28.5
	72HTPM721640	2990	71.75	15.75	39.5	20.25	214	31
	72HTPM781640*	3211	77.75	15.75	39.5	20.25	228	33.5
	72HTPM841640	3481	83.75	15.75	39.5	20.25	242	36



5 Hi Hutch with Frosted Glass Doors and Paper Manager	72HTPM661640X	3768	65.75	15.75	39.5	20.25	199	28.5
	72HTPM721640X	3903	71.75	15.75	39.5	20.25	214	31
	72HTPM781640X*	4299	77.75	15.75	39.5	20.25	228	33.5
	72HTPM841640X"	4740	83.75	15.75	39.5	20.25	242	36



ORDERING NOTES:

Tasklights and fabric grade 1 tackboards come standard with all hutches. To specify a Power/Data/Voice module with any hutch, please add a "W" at the end of the model number and a **\$264 list** upcharge.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION


X - Silver Metallic framed frosted glass doors

STANDARD LAMINATES


For a complete list of standard laminates please see page 4.

ARTEMIS LAMINATE HUTCHES


Description	Model	Laminate	W	D	H	TB	Shipping Weight	Cubic Feet
5 Hi Hutch with Laminate Doors and Single Pier	72HTPR721640L11OHR0	3074	71.75	15.75	39.5	23.5	215	31
	72HTPR721640L0OHR11	3074	71.75	15.75	39.5	23.5	215	31
	72HTPR781640L11OHR0*	3257	77.75	15.75	39.5	23.5	233	33.5
	72HTPR781640L0OHR11	3257	77.75	15.75	39.5	23.5	233	33.5
	72HTPR841640L11OHR0	3520	83.75	15.75	39.5	23.5	251	36
	72HTPR841640L0OHR11	3520	83.75	15.75	39.5	23.5	251	36




5 Hi Hutch with Frosted Glass Doors and Single Pier	72HTPR721640L11OHXR0	3986	71.75	15.75	39.5	23.5	215	31
	72HTPR721640L0OHXR11	3986	71.75	15.75	39.5	23.5	215	31
	72HTPR781640L11OHXR0*	4344	77.75	15.75	39.5	23.5	233	33.5
	72HTPR781640L0OHXR11	4344	77.75	15.75	39.5	23.5	233	33.5
	72HTPR841640L11OHXR0	4780	83.75	15.75	39.5	23.5	251	36
	72HTPR841640L0OHXR11	4780	83.75	15.75	39.5	23.5	251	36



6 Hi Hutch with Laminate Doors	72HT661653	2791	65.75	15.75	53	23.5	250	37.75
	72HT721653	2929	71.75	15.75	53	23.5	268	41
	72HT781653*	3101	77.75	15.75	53	23.5	287	44.5
	72HT841653	3351	83.75	15.75	53	23.5	305	47.75



6 Hi Hutch with Frosted Glass Doors	72HT661653X	3869	65.75	15.75	53	23.5	250	37.75
	72HT721653X	4013	71.75	15.75	53	23.5	268	41
	72HT781653X*	4406	77.75	15.75	53	23.5	287	44.5
	72HT841653X	4881	83.75	15.75	53	23.5	305	47.75

**ORDERING NOTES:**

Tasklights and fabric grade 1 tackboards come standard with all hutches. To specify a Power/Data/Voice module with any hutch, please add a "W" at the end of the model number and a **\$264 list** upcharge. Pier hutches have an option of a pull on the pier door only. To select this option, change the model number from "72" to "73"; e.g. 73HTPR841640L11OHXR0.

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION


X - Silver Metallic framed frosted glass doors

STANDARD LAMINATES


For a complete list of standard wood finishes please see page 4.

ARTEMIS LAMINATE HUTCHES


Description	Model	Laminate	W	D	H	TB	Shipping Weight	Cubic Feet
6 Hi Hutch with Laminate Doors and Paper Manager	72HTPM661653	3049	65.75	15.75	53	20.25	269	37.75
	72HTPM721653	3215	71.75	15.75	53	20.25	289	41
	72HTPM781653*	3440	77.75	15.75	53	20.25	298	44.5
	72HTPM841653	3730	83.75	15.75	53	20.25	328	47.75




6 Hi Hutch with Frosted Glass Doors and Paper Manager	72HTPM661653X	4195	65.75	15.75	53	20.25	269	37.75
	72HTPM721653X	4369	71.75	15.75	53	20.25	289	41
	72HTPM781653X*	4815	77.75	15.75	53	20.25	298	44.5
	72HTPM841653X	5334	83.75	15.75	53	20.25	328	47.75



6 Hi Hutch with Laminate Doors and Single Pier	72HTPR721653L11OHR0	3356	71.75	15.75	53	23.5	294	41
	72HTPR721653L0OHR11	3356	71.75	15.75	53	20.25	294	41
	72HTPR781653L11OHR0*	3539	77.75	15.75	53	23.5	303	44.5
	72HTPR781653L0OHR11	3539	77.75	15.75	53	20.25	303	44.5
	72HTPR841653L11OHR0	3830	83.75	15.75	53	23.5	312	47.75
	72HTPR841653L0OHR11	3830	83.75	15.75	53	20.25	312	47.75



6 Hi Hutch with Frosted Glass Doors and Single Pier	72HTPR721653L11OHXR0	4509	71.75	15.75	53	23.5	294	41
	72HTPR721653L0OHXR11	4509	71.75	15.75	53	23.5	294	41
	72HTPR781653L11OHXR0*	4917	77.75	15.75	53	23.5	303	44.5
	72HTPR781653L0OHXR11	4917	77.75	15.75	53	23.5	303	44.5
	72HTPR841653L11OHXR0	5434	83.75	15.75	53	20.25	312	47.75
	72HTPR841653L0OHXR11	5434	83.75	15.75	53	23.5	312	47.75



ORDERING NOTES:

Tasklights and fabric grade 1 tackboards come standard with all hutches. To specify a Power/Data/Voice module with any hutch, please add a "W" at the end of the model number and a **\$264 list** upcharge. Pier hutches have and option of a pull on the pier door only. To select this option, change the model number from "72" to "73"; e.g. 73HTPR841640L11OHXR0.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

X - Silver Metallic framed frosted glass doors
 L - left handed position
 R - right handed position
 0 - no pier
 11 - closed door Laminate pier
 PM - paper manager

STANDARD LAMINATES

For a complete list of standard laminates please see page 4.


ARTEMIS LAMINATE HUTCHES

Description	Model	FABRIC GRADES								COM
		2	3	4	5	6	7	8	9	
Tackboard	66" hutch	180	392	574	768	957	1138	1323	1640	2
Upcharges for	72" hutch	208	447	653	878	1087	1297	1508	1813	2.25
Standard Hutches	78" hutch*	245	525	771	1022	1266	1515	1760	2102	2.5
	84" hutch	291	609	899	1192	1484	1774	2063	2438	2.5
	72" single pier hutch	156	330	483	645	802	955	1111	1349	1.5
	78" single pier hutch	164	353	516	690	856	1021	1183	1456	1.75
	84" single pier hutch	172	374	547	731	912	1083	1258	1484	2

ORDERING NOTES:

All hutches include a tackboard in Krug panel grade 1 fabric. Use this chart to find the upcharge for tackboard fabrics grades 2-9 and add it to the cost of the hutch. Only Krug panel fabrics are available on KrugExpress.

Description	Model	Laminate	W	D	H	Shipping Weight	Cubic Feet
6 Hi Hutch with Laminate	72PM18122002	443	17	12.5	19.75	50	3
Doors and Paper Manager	72PM18122003*	465	17	12.5	19.75	50	3

**DIMENSION KEY**

W - width

D - depth

H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.

ARTEMIS LAMINATE PEDESTALS


Description	Model	Laminate	W	D	H	Shipping Weight	Cubic Feet
Pedestal Desk Height, 2 Box, 1 File with Unfinished Tops/Backs	72P16184F*	1162	15.75	18.25	28.25	61	6.5
	72P16284F	1315	15.75	27.5	28.25	66	9




Pedestal Desk Height, 2 File	72P16184D	1147	15.75	18.25	28.25	61	6.5
	72P16284D*	1300	15.75	27.5	28.25	66	9




Pedestal, Lateral File with Unfinished Tops/Backs	72P301801*	1381	29.75	18.25	28.25	104	11.5
	72P361801	1598	35.75	18.25	28.25	112	13.5



36" Combination Pedestal, Lateral File & 2 Box/File	72P361802	1676	35.75	18.25	28.25	112	13.5
--	-----------	------	-------	-------	-------	-----	------



36" Combination Pedestal, 2 Box/File & Lateral File	72P361804	1676	35.75	18.25	28.25	112	13.5
--	-----------	------	-------	-------	-------	-----	------



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION


- 4 - full height pedestal
- D - 2 file drawers
- F - 2 box, 1 file drawer

STANDARD LAMINATES


For a complete list of standard laminates please see page 4.

ARTEMIS LAMINATE BOOKCASES


Description	Model	Laminate	W	D	H	Shipping Weight	Cubic Feet
2 Hi Bookcase Open Shelves	72BC301629*	942	29.75	15.75	29.5	48	10
	72BC361629	1127	35.75	15.75	29.5	56	12



4 Hi Bookcase Open Shelves	72BC301655*	1368	29.75	15.75	55.25	64	18.25
	72BC361655	1524	35.75	15.75	55.25	72	21.75



5 Hi Bookcase Open Shelves	72BC301669*	1428	29.75	15.75	69	100	22.75
	72BC361669	1584	35.75	15.75	69	112	27

**ORDERING NOTES:**

Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 3 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of **\$159 List**.

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION**STANDARD LAMINATES**


For a complete list of standard wood finishes
please see page 4.

BOOKCASE SHELVES


Shelves are adjustable in 1.25" increments.

ARTEMIS LAMINATE STORAGE

Description	Model	Laminate	High Pressure	W	D	H	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Laminate Top/ Polymer Edge					
2 Hi Storage Unit Closed Bookcase	72ST36202911	1496	1645	35.75	20	29.5	104	14.75
	72ST36242911*	1571	1727	35.75	24	29.5	108	17.5




2 Hi Storage Unit Lateral File	72ST36202901	2175	2392	35.75	20	29.5	116	14.75
	72ST36242901*	2250	2473	35.75	24	29.5	120	17.5



4 Hi Storage Unit Lateral File	72ST36205501	3194		35.75	20	55.25	176	27
	72ST36245501*	3375		35.75	24	55.25	196	32



5 Hi Storage Unit Closed Shelves	72ST19246911L	1701		18.75	24	69	132	21.75
	72ST19246911R*	1701		18.75	24	69	132	21.75



ORDERING NOTES:

Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 3 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of **\$159 list**.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- L - left hinged door
- R - right hinged door

STANDARD LAMINATES


For a complete list of standard laminates please see page 4.

BOOKCASE SHELVES

Shelves are adjustable in 1.25" increments.

ARTEMIS LAMINATE STORAGE

Description	Model	Laminate	W	D	H	Shipping Weight	Cubic Feet
5 Hi Storage Unit, 2 File, 3 Open Shelves	72ST19246990	1954	18.75	24	69	132	21.75




5 Hi Storage Unit	72ST19246991L	2163	18.75	24	69	132	21.75
2 File, 3 Closed Shelves	72ST19246991R*	2163	18.75	24	69	132	21.75



5 - Hi Storage Unit,	72ST36206903	2806	35.75	20	69	180	33.5
2 Lateral, 3 Open Shelves	72ST36246903*	2476	35.75	24	69	188	39.75



5 - Hi Storage Unit,	72ST36206904*	2720	35.75	20	69	192	33.5
2 Lateral, 3 Closed Shelves	72ST36246904	3053	35.75	24	69	200	39.75

**ORDERING NOTES:**

Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 3 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of **\$159 list**.

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.

CODE DESCRIPTION

L - left hinged door
R - right hinged door

STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.

BOOKCASE SHELVES

Shelves are adjustable in 1.25" increments.

ARTEMIS LAMINATE STORAGE


Description	Model	Laminate	W	D	H	Shipping Weight	Cubic Feet
5 Hi Storage Unit	72ST36206904X	3786	35.75	20	69	192	33.5
2 Lateral File, 3 Closed Shelves with Frosted Glass Doors	72ST36246904X	4114	35.75	24	69	200	39.75




5 Hi Storage Unit, 3 Lateral, 2 Closed Shelves	72ST36246908	3531	35.75	24	69	192	39.75
--	--------------	------	-------	----	----	-----	-------



5 Hi Storage Unit, 2 closed, 3 open Shelves	72ST36206913	2079	35.75	20	69	104	33.5
	72ST36246913	2408	35.75	24	69	116	39.75



6 - Hi Storage Unit Closed Shelves	72ST19248311L	1788	18.75	24	82.75	160	26
	72ST19248311R	1788	18.75	24	82.75	160	26



ORDERING NOTES:

Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 3 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of **\$159 list**. Please note that glass doors are not available with the pull option or lock option.

ORDERING PROCEDURE

- To order, please specify the following:
- 1) Krug product model number
 - 2) Laminate selection, see page 4
 - 3) Edge profile, see page 3
 - 4) Pull style, see Page 3
 - 5) Grommet location if applicable

CODE DESCRIPTION

- L - left hinged door
- R - right hinged door
- X - Silver Metallic framed frosted glass doors

STANDARD LAMINATES


For a complete list of standard laminates please see page 4.

BOOKCASE SHELVES

Shelves are adjustable in 1.25" increments.

ARTEMIS LAMINATE STORAGE


Description	Model	Laminate	W	D	H	Shipping Weight	Cubic Feet
6 Hi Storage Unit 2 File, 4 Open Shelves	72ST19248390	2041	18.75	24	82.75	160	26




6 Hi Storage Unit	72ST19248391L	2250	18.75	24	82.75	160	26
2 File, 4 Closed Shelves	72ST19248391R	2250	18.75	24	82.75	160	26



6 Hi Storage Unit	72ST36208303	2583	35.75	20	82.75	216	40
2 Lateral File, 4 Open Shelves	72ST36248303	2919	35.75	24	82.75	224	47.5



6 Hi Storage Unit	72ST36208304	2870	35.75	20	82.75	220	40
2 Lateral File, 4 Closed Shelves	72ST36248304	3164	35.75	24	82.75	228	47.5

**ORDERING NOTES:**

Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 3 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of **\$159 list**.

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

L - left hinged door
R - right hinged door

STANDARD LAMINATES

For a complete list of standard wood finishes please see page 4.

BOOKCASE SHELVES


Shelves are adjustable in 1.25" increments.

ARTEMIS LAMINATE STORAGE


Description	Model	Laminate	W	D	H	Shipping Weight	Cubic Feet
6 Hi Storage Unit	72ST36208304X	4039	35.75	20	82.75	220	40
2 Lateral File, 4 Closed Shelves with Frosted Glass Doors	72ST36248304X	4377	35.75	24	82.75	228	40



6 Hi Storage Unit 2 Closed, 4 Open Shelves	72ST36208313 72ST36248313	2184 2521	35.75 35.75	20 24	82.75 82.75	200 208	40 40
--	------------------------------	--------------	----------------	----------	----------------	------------	----------



6 Hi Storage Unit 3 Lateral File, 3 Closed Shelves	72ST36248308	3644	35.75	24	82.75	220	40"
--	--------------	------	-------	----	-------	-----	-----



ORDERING NOTES:

Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 3 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of **\$159 list**. Please note that glass doors are not available with the pull option or lock option.

ORDERING PROCEDURE

- To order, please specify the following:
- 1) Krug product model number
 - 2) Laminate selection, see page 4
 - 3) Edge profile, see page 3
 - 4) Pull style, see Page 3
 - 5) Grommet location if applicable

CODE DESCRIPTION

- L - left hinged door
- R - right hinged door
- X - Silver Metallic framed frosted glass doors

STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

BOOKCASE SHELVES


Shelves are adjustable in 1.25" increments.

ARTEMIS LAMINATE WARDROBES

Description	Model	Laminate	W	D	H	Shipping Weight	Cubic Feet
5 Hi Wardrobe with Closed Shelves	72WR36246901	2628	35.75	24	69	164	39.75
	72WR36246903*	2628	35.75	24	69	164	39.75



5 Hi Full Width Wardrobe	72WR36246902	2544	35.75	24	69	135	9.75"
--------------------------	--------------	------	-------	----	----	-----	-------

**ORDERING NOTES:**

Storage Units have the option of pulls instead of the standard touch latch doors. To select this option, please change the prefix in the model number from "72" to "73" ie: 73ST19246991L. Please refer to page 3 for pull orientation above and below the worksurface height. Locks are available on Laminate doors for an upcharge of **\$159 list**.

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

01 - indicates closed left shelves and closed right wardrobe.
03 - indicates closed right shelves and closed left wardrobe.

STANDARD LAMINATES


For a complete list of standard wood finishes please see page 4.

BOOKCASE SHELVES


Shelves are adjustable in 1.25" increments.

ARTEMIS LAMINATE RECEPTION


Description	Model	Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge	W	D	H	Shipping Weight	Cubic Feet
Reception Desk Shell with transaction top	72GSD7230	1750	2191	71.75	30	42	216	65
	72GSD7830*	2010	2496	77.75	30	42	229	68
	72GSD8430	2083	2609	83.75	30	42	241	75.5
	72GSD9630	2219	2803	95.75	30	42	265	85.75




Reception Credenza Shell	72GSC7224	1512	1779	71.75	24	42	197	53.75
	72GSC7824*	1741	2050	77.75	24	42	209	58
	72GSC8424	1804	2129	83.75	24	42	221	62
	72GSC9624	1923	2345	95.75	24	42	244	70.5



Reception Return Shell	72GSRH4224L*	1048	1224	41.75	24	42	118	32.5
	72GSRH4224R	1048	1224	41.75	24	42	118	32.5
	72GSRH4824L	1119	1308	47.75	24	42	128	36.75
	72GSRH4824R	1119	1308	47.75	24	42	128	36.75



Reception Linking Unit	72GLU4224H*	767	921	41.75	24	24	76	32.5
	72GLU4824H"	875	1061	47.75	24	24	87	36.75

**ORDERING PROCEDURE**

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION


L - left handed position
R - right handed position

STANDARD LAMINATES


For a complete list of standard laminates please see page 4.

ARTEMIS LAMINATE MEDIA WALL


Description	Model	Laminate	W	D	H	Shipping Weight	Cubic Feet
1 TV Area, Unfinished Back	72MW541269S14	2294	53.75	12	69	164	26
	72MW601269S14	2350	59.75	12	69	220	35
	72MW541269S16	2294	53.75	12	69	164	26
	72MW601269S16	2350	59.75	12	69	220	35



1 TV Area, Finished Back	72MW541269S14FB	2763	53.75	12	69	213	26
	72MW601269S14FB	2838	59.75	12	69	285	35
	72MW541269S16FB	2763	53.75	12	69	213	26
	72MW601269S16FB	2838	59.75	12	69	285	35



1 TV Area, Finished Back with Drawers	72MW541269S14FBB	4410	53.75	12	69	238	30
	72MW601269S14FBB	5188	59.75	12	69	318	41
	72MW541269S16FBB	4410	53.75	12	69	238	30
	72MW601269S16FBB"	5188	59.75	12	69	318	41

**DIMENSION KEY**

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.




CODE DESCRIPTION

S14 - use with desk height runoff
S16 - use with bar height runoff
FBB - finished back with drawers
FB - finished back

STANDARD LAMINATES

For a complete list of standard wood finishes please see page 4.

ARTEMIS LAMINATE MEDIA WALL

Description	Model	Laminate		High Pressure			Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Top/ Polymer Edge	W	D	H		
Rectangular Runoff Top 	72MHR60364	922	1413	59.5	35.75	29.5	85	5
	72MHR60424	914	1399	59.5	41.75	29.5	98	6
	72MHR66364	979	1499	65.5	35.75	29.5	93	5.5
	72MHR66424	1097	1683	65.5	41.75	29.5	106	6.5
	72MHR72364	1138	1743	71.5	35.75	29.5	100	6
	72MHR72424	1149	1758	71.5	41.75	29.5	115	7
	72MHR78364	1180	1804	77.5	35.75	29.5	108	6.5
	72MHR78424	1207	1849	77.5	41.75	29.5	118	7.5
	72MHR84364	1243	1901	83.5	35.75	29.5	115	7
	72MHR84424	1383	2114	83.5	41.75	29.5	135	8
	72MHR96364	1412	2161	95.5	35.75	29.5	140	7.5
	72MHR96424	1550	2368	95.5	41.75	29.5	160	9
Arc Runoff Top 	72MHAR60364	961	1473	59.5	35.75	29.5	85	5
	72MHAR60424	954	1458	59.5	41.75	29.5	98	6
	72MHAR66364	1017	1557	65.5	35.75	29.5	93	5.5
	72MHAR66424	1137	1738	65.5	41.75	29.5	106	6.5
	72MHAR72364	1177	1798	71.5	35.75	29.5	100	6
	72MHAR72424	1187	1817	71.5	41.75	29.5	115	7
	72MHAR78364	1216	1861	77.5	35.75	29.5	108	6.5
	72MHAR78424	1245	1906	77.5	41.75	29.5	118	7.5
	72MHAR84364	1281	1957	83.5	35.75	29.5	115	7
	72MHAR84424	1420	2172	83.5	41.75	29.5	135	8
	72MHAR96364	1451	2218	95.5	35.75	29.5	140	7.5
	72MHAR96424	1585	2427	95.5	41.75	29.5	160	9
Bullet Runoff Top 	72MHBR60364	961	1473	59.5	35.75	29.5	85	5
	72MHBR60424	954	1458	59.5	41.75	29.5	98	6
	72MHBR66364	1017	1557	65.5	35.75	29.5	93	5.5
	72MHBR66424	1137	1738	65.5	41.75	29.5	106	6.5
	72MHBR72364	1177	1798	71.5	35.75	29.5	100	6
	72MHBR72424	1187	1817	71.5	41.75	29.5	115	7
	72MHBR78364	1216	1861	77.5	35.75	29.5	108	6.5
	72MHBR78424	1245	1906	77.5	41.75	29.5	118	7.5
	72MHBR84364	1281	1957	83.5	35.75	29.5	115	7
	72MHBR84424	1420	2172	83.5	41.75	29.5	135	8
	72MHBR96364	1451	2218	95.5	35.75	29.5	140	7.5
	72MHBR96424	1585	2427	95.5	41.75	29.5	160	9
Please note that 2" Square Metal legs cannot be specified with the Bullet Runoff top.								
Visio Runoff Top 	72MHVR6036-424	1104	1689	59.5	35.75	29.5	98	6
	72MHVR6042-484	1142	1747	59.5	41.75	29.5	110	6.5
	72MHVR6636-424	1208	1849	65.5	35.75	29.5	106	6.5
	72MHVR6642-484	1355	2075	65.5	41.75	29.5	120	7
	72MHVR7236-424	1377	2109	71.5	35.75	29.5	115	7
	72MHVR7242-484	1404	2148	71.5	41.75	29.5	130	7.5
	72MHVR7836-424	1408	2155	77.5	35.75	29.5	118	7.5
	72MHVR7842-484	1418	2169	77.5	41.75	29.5	145	8
	72MHVR8436-424	1465	2242	83.5	35.75	29.5	135	8
	72MHVR8442-484	1486	2275	83.5	41.75	29.5	155	9
	72MHVR9636-424	1656	2531	95.5	35.75	29.5	160	9
	72MHVR9662-484	1690	2584	95.5	41.75	29.5	175	10

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Laminate selection, see page 4
- 3) Edge profile, see page 3
- 4) Pull style, see Page 3
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.





CODE DESCRIPTION

4 - use with desk height runoff

STANDARD LAMINATES

For a complete list of standard laminates please see page 4.

ARTEMIS LAMINATE MEDIA WALL

Description	Model	Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge	W	D	H	Shipping Weight	Cubic Feet
Rectangular Runoff Top 	72MHR60366	922	1413	59.5	35.75	41.5	85	5
	72MHR60426	914	1399	59.5	41.75	41.5	98	6
	72MHR66366	979	1499	65.5	35.75	41.5	93	5.5
	72MHR66426	1097	1683	65.5	41.75	41.5	106	6.5
	72MHR72366	1138	1743	71.5	35.75	41.5	100	6
	72MHR72426	1149	1758	71.5	41.75	41.5	115	7
	72MHR78366	1180	1804	77.5	35.75	41.5	108	6.5
	72MHR78426	1207	1849	77.5	41.75	41.5	118	7.5
	72MHR84366	1243	1901	83.5	35.75	41.5	115	7
	72MHR84426	1383	2114	83.5	41.75	41.5	135	8
	72MHR96366	1412	2161	95.5	35.75	41.5	140	7.5
	72MHR96426	1550	2368	95.5	41.75	41.5	160	9
Arc Runoff Top 	72MHAR60366	961	1473	59.5	35.75	41.5	85	5
	72MHAR60426	954	1458	59.5	41.75	41.5	98	6
	72MHAR66366	1017	1557	65.5	35.75	41.5	93	5.5
	72MHAR66426	1137	1738	65.5	41.75	41.5	106	6.5
	72MHAR72366	1177	1798	71.5	35.75	41.5	100	6
	72MHAR72426	1187	1817	71.5	41.75	41.5	115	7
	72MHAR78366	1216	1861	77.5	35.75	41.5	108	6.5
	72MHAR78426	1245	1906	77.5	41.75	41.5	118	7.5
	72MHAR84366	1281	1957	83.5	35.75	41.5	115	7
	72MHAR84426	1420	2172	83.5	41.75	41.5	135	8
	72MHAR96366	1451	2218	95.5	35.75	41.5	140	7.5
	72MHAR96426	1585	2427	95.5	41.75	41.5	160	9
Bullet Runoff Top 	72MHBR60366	961	1473	59.5	35.75	41.5	85	5
	72MHBR60426	954	1458	59.5	41.75	41.5	98	6
	72MHBR66366	1017	1557	65.5	35.75	41.5	93	5.5
	72MHBR66426	1137	1738	65.5	41.75	41.5	106	6.5
	72MHBR72366	1177	1798	71.5	35.75	41.5	100	6
	72MHBR72426	1187	1817	71.5	41.75	41.5	115	7
	72MHBR78366	1216	1861	77.5	35.75	41.5	108	6.5
	72MHBR78426	1245	1906	77.5	41.75	41.5	118	7.5
	72MHBR84366	1281	1957	83.5	35.75	41.5	115	7
	72MHBR84426	1420	2172	83.5	41.75	41.5	135	8
	72MHBR96366	1451	2218	95.5	35.75	41.5	140	7.5
	72MHBR96426	1585	2427	95.5	41.75	41.5	160	9
Please note that 2" Square Metal legs cannot be specified with the Bullet Runoff top.								
Visio Runoff Top 	72MHVR6036-426	1104	1689	59.5	35.75	41.5	98	6
	72MHVR6042-486	1088	1664	59.5	41.75	41.5	110	6.5
	72MHVR6636-426	1151	1761	65.5	35.75	41.5	106	6.5
	72MHVR6642-486	1291	1977	65.5	41.75	41.5	120	7
	72MHVR7236-426	1312	2009	71.5	35.75	41.5	115	7
	72MHVR7242-486	1338	2046	71.5	41.75	41.5	130	7.5
	72MHVR7836-426	1341	2053	77.5	35.75	41.5	118	7.5
	72MHVR7842-486	1351	2066	77.5	41.75	41.5	145	8
	72MHVR8436-426	1396	2136	83.5	35.75	41.5	135	8
	72MHVR8442-486	1416	2167	83.5	41.75	41.5	155	9
	72MHVR9636-426	1578	2411	95.5	35.75	41.5	160	9
	72MHVR9662-486	1610	2461	95.5	41.75	41.5	175	10

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions
are critical.


CODE DESCRIPTION

6 - use with bar height runoff

STANDARD LAMINATES

For a complete list of standard wood finishes
please see page 4.

ARTEMIS LAMINATE MEDIA WALL


Description	Model	Laminate	High Pressure Laminate	W	D	H	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Top/ Polymer Edge					
	72MHVAR6036-426	1137	1739	59.5	35.75	41.5	98	6
	72MHVAR6042-486	1119	1714	59.5	41.75	41.5	110	6.5
	72MHVAR6636-426	1165	1781	65.5	35.75	41.5	106	6.5
	72MHVAR6642-486	1185	1815	65.5	41.75	41.5	120	7
	72MHVAR7236-426	1354	2069	71.5	35.75	41.5	115	7
	72MHVAR7242-486	1377	2108	71.5	41.75	41.5	130	7.5
	72MHVAR7836-426	1381	2113	77.5	35.75	41.5	118	7.5
	72MHVAR7842-486	1438	2198	77.5	41.75	41.5	145	8
	72MHVAR8436-426	1459	2230	83.5	35.75	41.5	135	8
	72MHVAR8442-486	1622	2483	83.5	41.75	41.5	155	9
	72MHVAR9636-426	1657	2533	95.5	35.75	41.5	160	9
	72MHVAR9642-486	1813	2772	95.5	41.75	41.5	175	10

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
	72LG429D8	765	4	4	28	20	1
	72LG442D8	820	4	4	41	30	1.5

Legs required per runoff: 1

	72141828	316	18	18	28.5	30	8
	72141842	353	18	18	41	35	8.5

Legs required per runoff: 1

	72LG229M	483	2	2	28	10	1
	72LGX242M	540	2	2	41	20	1.5

Legs required per runoff: 2

ORDERING NOTES: Please note that 2" Square Metal legs cannot be specified with the Bullet Runoff top.

	72LG2029TR5	470	2	2	28	10	1
	72LG2042TR5"	711	2	2	41	20	1.5





Legs required per runoff: 1

ORDERING NOTES:

Please note that 29" base is to be used to achieve a desk height runoff, 42" base is to be used for bar height runoff.

ORDERING PROCEDURE	CODE DESCRIPTION	STANDARD LAMINATES
To order, please specify the following: 1) Krug product model number 2) Laminate selection, see page 4 3) Edge profile, see page 3 4) Pull style, see Page 3 5) Grommet location if applicable *Indicates model illustrated by line drawing.	6 - use with bar height runoff	For a complete list of standard laminates please see page 4.

ARTEMIS LAMINATE MODULAR

Description	Model	Laminate		High Pressure Laminate		W	D	H	KW	Shipping Weight	Cubic Feet
		Top/ Polymer Edge	Top/ Polymer Edge	Top/ Polymer Edge	Top/ Polymer Edge						
Modular Tops 	72TP6620	381	584	66	20	1.13				43	2.75
	72TP6624	436	672	66	24	1.13				50	3
	72TP6630	517	796	66	30	1.13				64	4
	72TP7220	429	658	72	20	1.13				44	3
	72TP7224*	487	746	72	24	1.13				55	3.5
	72TP7230	583	891	72	30	1.13				65	4
	72TP7820	478	737	78	20	1.13				46	3
	72TP7824	542	835	78	24	1.13				58	3.75
	72TP7830	652	1001	78	30	1.13				75	4.75
Modular Return Tops 	72TPR4220L	309	455	42	20	1.13				28	1.75
	72TPR4220R	309	455	42	20	1.13				28	1.75
	72TPR4224L	320	471	42	24	1.13				28	1.75
	72TPR4224R	320	471	42	24	1.13				28	1.75
	72TPR4820L*	327	476	48	20	1.13				31	2
	72TPR4820R	327	476	48	20	1.13				31	2
	72TPR4824L	374	548	48	24	1.13				31	2
	72TPR4824R	374	548	48	24	1.13				31	2
Modular Laminate Modesty Panel 	72MP66*	380		0.75	42.75	28				26	4.5
	72MP72	411		0.75	48.75	28				30	5
	72MP78	449		0.75	54.75	28				30	5
L Support 	72LB2029L	496		16	20	28				55	2
	72LB2029R	496		16	20	28				55	2
	72LB2429L*	536		16	24	28				60	3
	72LB2429R*	536		16	24	28				60	3
	72LB3029L	573		16	30	28				70	3.5
	72LB3029R	573		16	30	28				70	3.5
Half Gable Desk Height 	72HG0829	150		8	1.12	28				8	1.5
	72HG1229	159		12	1.12	28				8	1.5
Panel Leg 	72LG1429P6	342		12	1.12	28				8	1.5

DIMENSION KEY

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

L - left handed position
R - right handed position

STANDARD LAMINATES


For a complete list of standard wood finishes please see page 4.

ARTEMIS LAMINATE MODULAR

Description	Model	Laminate	W	D	H	Shipping Weight	Cubic Feet
	72PFB16204F	1288	15.75	20	28	61	6.5
	72PFB16204D	1272	15.75	20	28	59	6.5
	72PFB16244F*	1414	15.75	24	28	72	6.5
	72PFB16244D	1398	15.75	24	28	70	6.5
	72PFB16304F	1538	15.75	30	28	83	9.5
	72PFB16304D	1525	15.75	30	28	78	9.5

	Mobile Pedestal	72MP161927F*	1240	15.75	18.5	26.75	82	6.5
		72MP161927D	1227	15.75	18.5	26.75	82	6.5

		Laminate Top/ Polymer Edge	High Pressure Laminate Top/ Polymer Edge	W	D	H	Shipping Weight	Cubic Feet
Round Meeting Tables with Square Base	72053629WM	1424	1677	36	36	29.35	50	5.75
	72054229WM	1632	1955	42	42	29.35	62	7.5
	72054829WM	1759	2111	48	48	29.35	80	9.5



ORDERING PROCEDURE

- To order, please specify the following:
- 1) Krug product model number
 - 2) Laminate selection, see page 4
 - 3) Edge profile, see page 3
 - 4) Pull style, see Page 3
 - 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- 4 - full height pedestal
- D - 2 file drawers
- F - 2 box, 1 file drawer


STANDARD LAMINATES

For a complete list of standard laminates please see page 4.


ARTEMIS LAMINATE MODULAR-METAL

Description	Model	List Price	W	D	H	Shipping Weight	Cubic Feet
	MTL72P15184F*	920	15.25	22	27.75	53	7.2
	MTL72P15184D	856	15.25	18	27.75	51	7.2
	MTL72P15224F	1081	15.25	22	27.75	70	10.6
	MTL72P15224D	1019	15.25	18	27.75	70	10.6


Metal Pedestal 2 Hi Lateral File	MTL72P30182801	1465	36	18.25	27.75	101	11.8
----------------------------------	----------------	------	----	-------	-------	-----	------



Metal Pedestal File/2 Box & Lateral File Combination	MTL72P30182802	1646	36	18.25	27.75	105	11.8
--	----------------	------	----	-------	-------	-----	------



Metal Pedestal 2 Box/ File & Lateral File Combination	MTL72P30182804	1571	36	18.25	27.75	95	11.8
---	----------------	------	----	-------	-------	----	------



Metal Mobile Pedestal	MTL72MP1519227F	1081	15.25	19	27	54	7
-----------------------	-----------------	------	-------	----	----	----	---

**DIMENSION KEY**

W - width
D - depth
H - height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.





CODE DESCRIPTION

MTL- metal components
4 - full height pedestal
D - 2 file drawer
F - 2 box, 1 file drawer
01 - lateral file drawer

STANDARD LAMINATES

Silver Metallic
Additional Colors are available upon request.

ARTEMIS LAMINATE MODULAR-METAL

Description	Model	List Price	W	D	H	Shipping Weight	Cubic Feet
Bookcase 2 Hi Open Shelves	MTL72BC361328	1187	36	13.5	27.75	67	11.3
							
Storage Unit, 2 Hi Closed Bookcase	MTL72ST36182811	1645	36	18.25	27.75	101	14
							
Metal Storage Unit, 2 Hi Lateral File	MTL72ST36182801	1822	"36	18.25	27.75	108	14
							
Metal Storage Unit, 4 Hi Lateral File	MTL72ST36185201	2888	36	18.25	51.5	192	25.2
							
Metal Storage Unit, 4 Hi Closed Bookcase	MTL72ST36185211	2527	36	18.25	51.5	148	25.2
							
Open Bookcase 4hi /5hi	MTL72BC361352*	1475	36	13.5	51.5	90	14.2
	* **						
	MTL72BC361366**	1767	36	13.5	66	118	25.3
							

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Pull style, see Page 3

*Indicates model illustrated by line drawing.

CODE DESCRIPTION


MTL- metal components
11 - closed shelves
01 - lateral file drawer

STANDARD LAMINATES


Silver Metallic
Additional Colors are available upon request.

ARTEMIS LAMINATE MODULAR-METAL


Description	Model	List Price	W	D	H	Shipping Weight	Cubic Feet
Metal Storage Unit, 5 Hi 3 Lateral File, 2 Closed	MTL72ST36186608	3710	36	18.25	66	212	30.8




Metal Storage Unit, 5 Hi 2 Lateral File, 3 Closed	MTL72ST36186604	3495	36	18.25	66	203	30.8"
--	-----------------	------	----	-------	----	-----	-------




Metal Storage Unit, 5 Hi Closed	MTL72ST36186611	2971	36	18.25	66	172	31
------------------------------------	-----------------	------	----	-------	----	-----	----



5 Hi- 2 File/3 Closed, Shelves/Wardrobe	MTL72WR24246610	3187	23.5	23.5	66	193	25.7"
--	-----------------	------	------	------	----	-----	-------



5 Hi- Wardrobe, 2 File/3 Closed Shelves	MTL72WR24246611	3187	23.5	23.5	66	193	25.7"
--	-----------------	------	------	------	----	-----	-------

**DIMENSION KEY**

W - width
D - depth
H - height








CODE DESCRIPTION

10 - indicates closed right wardrobe, left 3 closed shelves, 2 file drawers
11 - indicates closed left wardrobe, right 3 closed shelves, 2 file drawers

STANDARD LAMINATES


Silver Metallic
Additional Colors are available upon request.

ARTEMIS LAMINATE POWERPORTS

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
PowerPort 1 - 2 RJ45s (Category 5/6)	PORT1	291	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic. NOTE: RJ45 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.						
PowerPort 2 - USB-A & USB-C	PORT2	294	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 USB-A & 1 USB-C charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.						
PowerPort 3 - RJ11 & RJ45	PORT3	283	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 RJ11 & 1 RJ45 (Category 5/6); 2 Velcro wire managers & PowerPort Shroud; 1 x 10 Foot Data Cords (T568A) & 1 x 14 Foot RJ11 (Telecomm); powered by a 10' plug-in cord. PortPort lid is Silver Metallic. NOTE: RJ45 & RJ11 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.						
PowerPort 4 - 2 USB-A	PORT4	300	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 2- USB-A charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PortPort shroud. PortPort lid is Silver Metallic.						
PowerPort 5 - 4 Receptacles	PORT5	294	8	4	-	-	-
	Port Includes: 4 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.						
PowerPort 6 - USB-A, USB-C & RJ45	PORT6	426	8	4	-	-	-
 	Port Includes: 2 accessible power outlets & 1 side utility outlet 1 USB-A, 1 USB-C charging ports all powered by a 10' plug-in power cord. Includes 2 velcro wire managers and metal PortPort shroud with 2 data plate knock outs, 1 #M02 plate insert & 2 #S01W RJ45 female input, punch down terminal output snap in jacks. 2nd data plate knock out is blank for future use. PortPort lid is Silver Metallic.						

ARTEMIS LAMINATE POWERPORTS


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Port - no Powerbar	Port0	143	8	4	-	-	-



Port Includes: Port lid & Shroud only.

ORDERING NOTE: Velcro wire managers not included, see below for pricing. Port lid is Silver Metallic.


PowerPort Shroud with 2 Data Plate Knock-outs	SHROUD2KO	Must be requested - no upcharge	-	-	-	-	-
---	-----------	------------------------------------	---	---	---	---	---



Angled PowerPort Shroud Includes: shroud with 2 data plate knock-outs in the bottom.

ORDERING NOTE: Please refer to data plate, data and AV integration options on page 60.

Velcro Wire Manager (qty 1)	WM-4	27	2	4.5	0.5	-	-
-----------------------------	------	----	---	-----	-----	---	---




2 velcro wire managers are included with Ports 1-5.

Wire Management Trough	WM-72	191	72	3	1	-	-
------------------------	-------	-----	----	---	---	---	---



Wire Management Trough is standard in a 72" length & can be cut to specific length; double-sided tape installation.

4-Channel Wire Management	CM-72	242	72	3	1	-	-
---------------------------	-------	-----	----	---	---	---	---



4-Channel Wire Management is standard in a 72" length & can be cut to specific length; double-sided tape installation.


Round Grommet	Round Grommet - Silver Metallic	159	-	-	-	-	-
	Round Grommet - Black	159	-	-	-	-	-




One 60mm Grommet in a standard position is available at no charge per table.


ARTEMIS LAMINATE POWER/DATA


SNAP IN PORTS	Reference Code	Description	List Price
---------------	----------------	-------------	------------

	M02	Adaptor Plate (2) - accepts two snap in data ports	39
	M04	Adaptor Plate (4) - accepts four snap in data ports	39
	M06	Adaptor Plate (6) - accepts six snap in data ports	39
	ORDERING NOTES: Blank covers are required when port is not in use,		

		RJ-45 - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	49
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	

		RJ11 - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	33
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	






	S04	HDMI - High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	181

	S08	USB-A - Full size USB "A" style connection. Connector is a female-to-female pass through.	64

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Power Data Module	72PDVM	237	6.25	3.25	-	1	0.25




ARTEMIS LAMINATE ACCESSORIES

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Articulating Keyboard Tray with Palm Rest and Mouse Pad	76KBAMT1912	431	27	20	7	20	2
							
Articulating Keyboard Tray with Palm Rest and Mouse Pad with Spacer and Stiffener Bars	76KBAMT1912S	507	27	20	7	20	2
							
ORDERING NOTES: This Articulating Keyboard is required on any item that has a stiffener bar. See below for specific items and sizes that use stiffener bars. Note that the vertical knee clearance will be reduced by 1-1/8". CASES THAT USE STIFFENER BARS: Arc, Bullet and J Desks -84" and up. Curved Corner Arc, Bullet and P Desks -84" and up. P Desks -90" and up. Arc, Bullet and J Returns -72" and up. Crescent Returns -78" and up. Desk Returns -54" and up. Table Desks -60" and up.							
Keyboard Tray for Angled & Curved Units	76KBAMT1912X	449	27	20	7	20	2
							
Pencil Drawer	76PD2119	309	21	19	2	2	1
							
ORDERING NOTES: Pencil drawer is black in color.							
Pencil Drawer with Spacer	76PD2119S	347	21	19	2	2	1
							
ORDERING NOTES: This pencil drawer is required on any item that has a stiffener bar.							

ARTEMIS POWER MANAGEMENT OPTIONS

Standard Grommet & PowerPort Positions Desks, Credenzas, Link Units & Returns

AL BL C BR AR



30" deep desks:

Position Code:

AL – left corner


BL – left end beside pedestal gable

C – center

BR – right end beside pedestal gable

AR – right corner

AL BL C BR AR



36" deep desks:

Position Code:

AL – left corner

BL – left end beside pedestal gable

C – center

BR – right end beside pedestal gable

AR – right corner

“BR” and “BL” are only available on tops 60” or longer.

Curvilinear Top Grommets & PowerPorts

“AL” and “AR” are the only grommet and PowerPort locations that apply to curvilinear returns. Please note these locations are not applicable on the 36” deep top and fixed modesty panel.

Guest Side



Guest Side



Position code:

AL - left corner on right hand return

AR - right corner on left hand return


Curvilinear desk grommets and PowerPorts can only be specified in “C” position.



User Side



User Side




User Side

Position Code: C center

Crescent Return Grommets

Grommets and PowerPorts are available on Crescent returns.




Position Code:

AL - left corner on return


AR - right corner on return

ARTEMIS POWER & CABLE MANAGEMENT




Grommets - Round

The round grommet, available in a Silver or Black finish, features an open and shut mouse hole to provide cable passage for areas not requiring a large opening. Grommets can be field installed with a power drill, 60 mm hole saw. All cases may be specified with one grommet in a standard position at no upcharge. A an upcharge will apply to additional grommets in standard positions and for grommets requested in non-standard positions of **\$159 list**. Please clearly specify location(s) of grommet when ordering.



POWERPORT

A PowerPort is a unique worksurface mounted module that can be specified to a location that best serves the user's needs. It includes a UL approved electrical, voice and data power bar, containing 115 - volt electrical simplex outlets which are accessible from the work surface, plus a utility outlet at the end for daisy chaining purposes. 6 data versions are available, please see page 58.



PORT

A service module having no power bar will serve as a large grommet. A hinged lid easily enables the passage of several cables and devices.




76PDVM (Power/ Data/ Voice Module)

The worksurface mounted 76PDVM can be specified to a standard location that best serves the user's needs. It is CSA/UL approved, and comes with 2 - 115 volt electrical convenience outlets, 1 - RJ 11 communication port, and 1 - RJ 45 data port.

Please keep in mind the location of Powerports, Ports, and 76PDVM's when specifying paper managers or pier door hutches for use with worksurfaces. For example, a paper manager or a pier on the left-hand side may be use with a "C", "BR", or "AR" Power port.

ARTEMIS LAMINATE CREDENZAS, LINKING, CORNER UNITS & HUTCHES



CREDENZAS


Artemis Laminate offers a wide variety of credenzas for use as stand alone storage pieces, part of a connected work-surface configuration, or behind a desk. Choose from single or double pedestal options, with fixed or hinged modesty panel

Modesty Panels

Credenzas with hinged modesty panels provide easy access to wall mounted electrical sources without wiring difficulties. Credenzas with modesty panels have an added finished look, and all cases are available with a wiring grommet in a standard position for added cable management, please specify on your order. Wiring grommets can be specified above the pedestal location


Pedestals

Artemis Laminate credenzas are available with single, lateral file, combination pedestals or bookcase pedestals. Artemis Laminate linking units and corner units are available in a range of sizes for ease of use in configuring a connected work-surface.




LINKING UNITS

Artemis Laminate linking units and corner units are available in a range of sizes for ease of use in configuring a connected worksurface. Linking Units are for use between desks and credenzas in creating a U-shaped configuration, and must be supported at both ends. They are available with or without modesty panels.



CORNER UNITS

A corner unit can also be used on a U-shaped configuration, or it can be an integral part of a L-shaped work area with returns or linking units linked to either side. Corner units have a standard grommet included in the back corner for ease of cable management, and have additional wire management access grommets in the half gables so that cable can be run to other areas of the connected worksurface. This can be assisted by a cut length of wire management cover.



HUTCHES AND OVERHEADS

Artemis Laminate offers hutch and overhead options for use in a work area configuration. All hutches and overheads include tasklights that are factory installed and require no field adjustment. Tasklights are mounted beneath the cabinet and hidden from view. Selected hutches are available with Silver Metallic framed frosted glass doors.

Doors

Doors are equipped with fully adjustable European style hinges. Locks are optional and can be specified at time of order for an upcharge of \$159 per set of (2) doors. If an uneven amount of doors require locks, the lock on the single door is \$159. Locks are not available on glass doors.



Hutch Power/ Data/ Voice Module


Access to power and data is made simple by using a hutch with a power/data/voice module built right into the tackboard. The module is fully installed at the factory but can be removed to connect data links on site. It features a flip door that retracts into the case of the unit when open. Please note, not all fabrics are suitable for tackboard application. Tackboard fabric selections should be supplied with the order information. Tackboards are not included with overheads. Overhead tackboards include wall mounting hardware and instructions. Only hutches and overhead tackboards in Krug panel fabrics are available on KrugExpress.

Tasklights

Tasklights are included with hutches and overheads. On hutches, the tasklight cord is threaded behind the hutch through a standard access grommet on the upper right hand side of the back panel. Tasklights are installed on the underside of overhead units. Cords run down the right hand side of the tasklight to the worksurface where they can be routed behind the worksurface top. The use of a wall mounted Overhead tackboard conceals the cord from view.

Installation

Hutch and overhead installation instructions are included with every case or can be found in this guide on page 66. All mounting hardware required is included with the product.



MEDIA WALL

No storage. Removable access panel for wire management. Wire management cutout in the base of center bookcase is 10-1/4" x 12-3/4". Media Wall units must be used in conjunction with a media hub runoff top and base. Runoff tops and bases sold separately and available in both desk and bar heights. Desk height runoff tops are mounted at 29.5" in height. Bar height runoff tops are mounted at 42" in height. Bank of drawers includes 3 box drawers. Back of unit is unfinished.

ARTEMIS LAMINATE INSTALLATION INSTRUCTIONS



Drawers will be offered for letter and legal size filing. All units are equipped with file bars that are fixed in place for shipping.

Desk Pedestal File Drawers

Filing Capacity:

15" drawers

21" of letter filing front to back or

12" of legal filling side to side

22" pedestal drawer depths allow only one row of side to side files

Weight capacity of pedestal file drawers is 125 lbs



Credenza and Return Pedestal File Drawers

Filing Capacity:

15" drawers

15" of letter filing front to back or

12" of legal filling side to side

16" pedestal drawer depths allow only one row of side to side files

Weight capacity of pedestal file drawers is 125 lbs



Credenza, Return or Storage Lateral File Drawers

Filing Capacity:

30" wide drawers:

30" letter filing front to back, or

25" legal filing side to side

15" or legal filing front to back.

When filing front to back, 30" lateral file drawer widths allow two rows of letter filing, but only one row of legal file width

Filing capacity:


36" wide drawers:

30" letter filing front to back, or

36" legal filing side to side, or

30" legal filing front to back.


Weight capacity of lateral file drawers is 135 lbs



Linking Units, Tops and Returns

It is important that the main units (desk, credenza) to which the linking unit or return is being attached be in their final position and leveled.

Units are connected with mending plates under the worksurface from the modesty to the end panels. Attach the mending plates under the worksurface, ensure cases are level and if necessary adjust the glides to achieve flush and firm joints before completing installation of mending plates to the modesty and end panels.




Drawer Removal

Pull drawer and slide out to the full extension position. With index finger, lift up the release lever on the left and press down the release lever on the right side of the drawer (as shown).


Pull out the drawer with the attached drawer channel from the cabinet member.

To re-assemble, insert the drawer through the guide.



Glide Adjustment

Raise one corner of the unit at a time and adjust the glide to the desired height by turning the glide to the hole. Make sure unit is level after adjusting the glides. Please note that the maximum adjustment range of the glides is 1 1/4". When moving units after glides have been inserted, dial the glides to the lowest position to prevent damage.




Door Adjustments

Hinges on all bookcase, overhead and hutch doors are designed to be adjusted for depth, horizontal and vertical alignment. This is easily done by adjusting the appropriate screw. See drawing.

To remove a door, pull the release clip and pull out the door, disconnecting hinges.

ARTEMIS LAMINATE INSTALLATION INSTRUCTIONS



Hutch Installation

Before installing the hutch, insure that the worksurface has been placed in the final position and leveled. The worksurface should then be moved out a sufficient distance to allow access to the back. It is recommended that the minimum amount of movement be used with the leveling glides extended to prevent damage to the glides. The hutch comes with self-adhesive foam strips that must be applied to the bottom edge prior to placing the hutch on the credenza. The foam is best applied with the hutch lying on its back. Do not leave any gaps in the foam strip, in order to prevent scratches to the credenza top while placing the hutch. Place the hutch securely on the worksurface. Try to minimize any movement of the hutch to prevent scratching.

Use of a blanket on the front portion of the credenza is recommended.

Using the supplied hardware, screw the flat bracket (A) to the top of the credenza at each end, using the 3/4" screws (B). Swing the bracket up to approximately 60° and place the supplied washer (C) behind the top hole in the bracket. Screw through the bracket and washer into the hutch back with the 3/4" screws (B). Tighten all screws. Move combined hutch and credenza back to final location. Check for level again and adjust as required.

Overhead Units

The wall mount overhead units must be installed on wall studs. The first step for installation is to locate the studs in the wall where the overhead is to be mounted. Position the overhead hanger rail on the wall to insure studs line up with pre-drilled holes in the hanger rail and mark the location on the wall. Drill holes at the marked hole locations. Fasteners are to be provided by the installer, so hole size will be determined by size of fastener chosen. If studs cannot be accessed, then appropriate drywall plugs or butterfly bolts should be used. If the end of the wall rail is further than 3" from a stud, toggle bolts must be fastened through holes 1 and 3. Fasten the mounting rail to the wall insuring that it is level.

Remove the black plugs located on the inside face of the back panel to gain access to the adjusting screws on the hanging brackets. Hang the overhead on the mounting rail. The hanging brackets provide vertical and plumb adjusting screws. Level the cabinet by using these screws. All brackets must be adjusted so that they all support the cabinet. When leveling of the overhead is complete, insert the black plugs in the holes to cover the adjusting screws.

Installation instructions (included with each case) must be followed exactly.

CUSTOM PRICING METHODS

CUSTOM PRICING METHODS

Custom widths: Apply the price that is one standard size larger than the desired case size (but same depth).

Example: The required custom dimension is 74" x 30". The first standard size above this is 78" x 30", so in this case you would apply the price of the 78" x 30" unit.

Custom depths: Apply the price of the same unit one size deeper (but same width).

Example: The required custom dimension is 72" x 26". The first standard size above this is 72" x 30", so in this case you would apply the price of the 72" x 30" unit.

Custom width & depth: Apply the price of the same unit both one size wider and one size deeper.

Example: The required custom dimension is 74" x 26". The first standard size above this is 84" x 30", so in this case you would apply the price of the 84" x 30" unit.

Custom height of desk height cases: Add 18% (31-32" hi)

Grommets in non-standard positions, add: \$159 list

To remove hutch or overhead doors, deduct: 4% list

Bookcase with optional vent in back (includes 2 vents and 1 grommet), add: \$302 list

2 lateral files and 3 or 4 closed shelves - convert to half open, half closed shelves, add: 15% list

2 lateral files and 3 or 4 closed shelves - convert to half open, half wardrobe, add: 15% list

To remove storage doors for open shelves, deduct: 4% list

EXCEPTIONS TO THE PRICING METHODS ABOVE

Sizes larger than largest shown in Price List.

Glass door - any style.

Cases with curvilinear tops where the radius becomes non-standard.

NOTE: Cases with non-standard features do not apply to the rules above.

Please contact Krug Customer Service at 1.888.578.KRUG for assistance.

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgment is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers,

if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Height Adjustable Mechanism Warranty

Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase:

- a) Electronic components such as control boxes, hand switches and motors – two (2) years
- b) Mechanical components such as crank drives, spindles – five (5) years
- c) Structural components such as J-channels, feet and top supports – ten (10) years.

The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Testing

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.



Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments.

Export Packaging is **STRONGLY RECOMMENDED** for:

(A) all shipments outside of the lower 48 states and Canada

(B) all shipments that will be held in storage for an extended period prior to installation. Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$275/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$275/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$551/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$131/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$131/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$131/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and

packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Care and Maintenance

Wood Finishes - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
 - 2) Custom wood finishes
 - 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.
- Custom orders may require additional production lead times. Contact Customer Service for more information.

Krug Panel Fabric Program

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca The Momentum panel fabrics pass ASTM-E84-87 Fire Codes. If memo samples are required please call Momentum at 1-800-366-6839.

KrugExpress Program Details

KrugExpress orders are **ready to ship** by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

CUSTOM PRICING METHODS

CUSTOM PRICING METHODS

Custom widths: Apply the price that is one standard size larger than the desired case size (but same depth).

Example: The required custom dimension is 74" x 30". The first standard size above this is 78" x 30", so in this case you would apply the price of the 78" x 30" unit.

Custom depths: Apply the price of the same unit one size deeper (but same width).

Example: The required custom dimension is 72" x 26". The first standard size above this is 72" x 30", so in this case you would apply the price of the 72" x 30" unit.

Custom width & depth: Apply the price of the same unit both one size wider and one size deeper.

Example: The required custom dimension is 74" x 26". The first standard size above this is 84" x 30", so in this case you would apply the price of the 84" x 30" unit.

Custom height of desk height cases: Add 18% (31-32" hi)

Grommets in non-standard positions, add: \$159 list

To remove hutch or overhead doors, deduct: 4% list

Convert 5-hi hutch to 6-hi hutch, add: 20%

Bookcases with optional pull out printer shelf at standard shelf height, add: \$249 List

Bookcase with optional vent in back (includes 2 vents and 1 grommet), add: \$317 list

Cases where tops are flush left/right or both, add \$126 list

Storage units flush, add: \$208 list

2 lateral files and 3 or 4 closed shelves - convert to half open, half closed shelves, add: 15%

2 lateral files and 3 or 4 closed shelves - convert to half open, half wardrobe, add: 15%

To remove storage doors for open shelves, deduct: 4%

EXCEPTIONS TO THE PRICING METHODS ABOVE

Sizes larger than the largest shown Price List.

Non-standard extension on drawer slides.

Non-standard drawer depths in standard depth pedestals.

Glass door - any style.

Glass - face mounted modesty panels.

Perforated modesty panels.

Cases with curvilinear tops where the radius becomes non-standard.

A/V cabinets.

Any case with flipper doors

PLEASE NOTE: Cases with non-standard features do not apply to the rules above.

Contact Krug Customer Service if you require assistance.

KRUGEXPRESS CASEGOODS

CASEGOODS PROGRAM DETAILS*

*(In addition to previous page)

Orders for casegood products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information. Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Only actual casegood pieces and conference tables tops and bases are considered "units". Items such as tasklights, tackboards, keyboard trays and drawers, electrical and wire management components, etc., are not considered under the quantity restrictions.

For example, a typical office configuration that includes a desk, linking unit, credenza and hutch/overhead, equals a total of four units for the purposes of the quantity maximum. Only Krug In-stock panel fabric is available on the KrugExpress program. Only standard wood finishes are available for KrugExpress orders. Grommets can be specified in standard positions only. KrugExpress also includes all Krug seating and occasional tables as well as Krug conference products to complement this casegoods offering. Please note PALETTE finishes are not available on KrugExpress.

TACKBOARD, C.O.M. & GRADED-IN UPHOLSTERY PROGRAMS

KRUG PANEL FABRIC PROGRAM

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The in-stock Momentum fabrics are priced at Grade 1 and are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca If memo samples are required please call Momentum at 1-800-366-6839. The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM)

COM must be received three weeks prior to the acknowledged ship date. Orders with COM not received by the required deadline will be delayed.

A description of the fabric, including supplier name, fabric name and color number must be included with the purchase order. When the COM fabric is received at Krug, it must be clearly identified with the fabric name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM fabric when received to determine if it will be suitable for upholstery. Where Krug feels that the fabric or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM fabrics or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material. Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine fabric required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. As fabric is applied horizontally, non-directional fabrics are recommended. COM fabrics are applied as they come off the roll unless otherwise specified. All striped fabrics will be applied vertically unless otherwise stated by the customer and after approval by Krug. It is the customer's responsibility to advise Krug if the upholstery is to be applied otherwise, and to advise Krug of any special upholstery instructions. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the fabric. Krug is not responsible for instructions sent with the fabric rolls, or for the method of upholstery if no instructions have been provided. COM fabrics for tackboards may be specified in either Maharam or

Momentum panel fabrics. Krug is not responsible for determining if a fabric is not ideal for tackboard application.

Please contact Maharam at 1-800-645-3943 or Momentum at

COM Shipping Procedures

For tackboard COM fabrics, please send fabrics to:

Krug Inc.

111 Ahrens Street

Kitchener, Ontario

Canada N2H 4C2

Attention: RECEIVER

All packages must be clearly marked "For Customs Clearance by Willson International Custom Brokers". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico. Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the fabric shipment. The Commercial Invoice must clearly state the description of the fabric, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change. When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Resources, to view the upholstery. Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is

particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.



All products are air emissions certified and are available as FSC® certified

krug