

C5
Price and Specification Guide
CANADA



krug

Advancing Design Through Innovation

C5 | TABLE OF CONTENTS

C5

- 2 C5 LEED Credit Summary
- 3 C5 Features & Options
- 4 C5 Dimensions & COM
- 5 C5 Pricing

GENERAL INFORMATION


- 11 Terms & Conditions
- 11 Warranty
- 13 KRUG Textiles - Upholstery Fabrics
- 14 KRUG Textiles - Leather & Faux Leather
- 14 Graded-In Upholstery Programs
- 15 Customer's Own Material (COM/COL)
- 15 CAL 133 & Moisture Barrier
- 16 *KRUGEXPRESS* Program
- 16 Base Styles

C5 | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 24.5%

POST-CONSUMER
RECYCLED CONTENT = 19.4%

Up to 60.1% of this C5 product is recyclable at the end of its useful life.

CONTRIBUTES TO

| | | |
|------------------|--|--------------|
| CREDIT 2.1 - 2.2 | Construction Waste Management | 1-2 point(s) |
| CREDIT 3.3 | Resource Reuse | 1 point |
| CREDIT 4.1 | Recycled Content | 1 point |
| CREDIT 4.2 | Recycled Content | 1 point |
| CREDIT 4.5 | Low Emitting Materials, Systems & Seating | 1 point |
| CREDIT 5.1 | Regional Materials* | 1 point |
| CREDIT 7 | Certified Wood (MUST BE REQUESTED) | 1 point(s) |

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. C5 products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All C5 products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. C5 and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ARM STYLES

C5 features four styles of fixed arms; polished aluminum with polymer pad, polished aluminum with upholstered pad, full black polymer arm, and fully upholstered arm.



Polished Aluminum Arm with Polymer Pad



Polished Aluminum Arm with Upholstered Pad



Black Polymer Arm



Fully Upholstered - Leather or Fabric wrapped upholstered arm with detailed top stitching.



MECHANISM OPTIONS

Swivel-Tilt - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment. Right side activated tension control. Available in Black only.



Knee Tilt - Right side activated tension control and vertical adjustment. Left side 4 position activated tilt lock. Available in Black powdercoat or Polished Aluminum.

BASE STYLES

C5 seating is available in two base options. Choose from a black nylon, or a polished aluminum.



Polished Aluminum



Black Glass Reinforced Nylon



Jury Base

The C5 series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

SEAT

The seat has been carefully researched and shaped to provide extended sitting comfort, with a foam density that provides an optimal combination of softness and firmness.

REPLACEABLE COMPONENTS

C5 chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable.

OPTIONS

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$34 list** per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C5 | DIMENSIONS & COM REQUIREMENTS

| | Overall Width | Overall Depth | Overall Height | Seat Height min/max | Height of Arms from Floor | Width between Arms | Seat Depth | Shipping Weight | Cube | COM Yardage |
|--|---------------|---------------|----------------|---------------------|---------------------------|--------------------|------------|-----------------|------|-------------|
| Mid Back | | | | | | | | | | |
| Polished Aluminum Arm with Polymer pad | 25 | 23.8 | 43.9 | 18.9 - 22.8 | 26.5 - 30.4 | 21 | 17.8 | 43 | 17.4 | 1.7 |
| Polished Aluminum Arm with Uph. Pad | 25 | 23.8 | 43.9 | 18.9 - 22.8 | 26.5 - 30.4 | 21 | 17.8 | 43 | 17.4 | 1.9 |
| Black Polymer Arm | 25 | 23.8 | 43.9 | 18.9 - 22.8 | 26.5 - 30.4 | 21 | 17.8 | 43 | 17.4 | 1.7 |
| Upholstered Arm | 25 | 23.8 | 43.9 | 18.9 - 22.8 | 26.5 - 30.4 | 21 | 17.8 | 43 | 17.4 | 2.5 |

High Back

| | | | | | | | | | | |
|--|----|------|------|-------------|-------------|----|------|----|------|-----|
| Polished Aluminum Arm with Polymer Pad | 25 | 23.8 | 49.9 | 18.9 - 22.8 | 26.5 - 30.4 | 21 | 17.8 | 46 | 20.0 | 2.1 |
| Polished Aluminum Arm with Uph. Pad | 25 | 23.8 | 49.9 | 18.9 - 22.8 | 26.5 - 30.4 | 21 | 17.8 | 46 | 20.0 | 2.3 |
| Black Polymer Arm | 25 | 23.8 | 49.9 | 18.9 - 22.8 | 26.5 - 30.4 | 21 | 17.8 | 46 | 20.0 | 2.1 |
| Upholstered Arm | 25 | 23.8 | 49.9 | 18.9 - 22.8 | 26.5 - 30.4 | 21 | 17.8 | 46 | 20.0 | 2.9 |

MULTIPLE YARDAGE REQUIREMENTS

| | Yardage Seat & Back Rest | Yardage Seat only | Yardage Back rest only | Yardage Upholstered Arm Pad (2) | Yardage Full Upholstered Arm (2) |
|------------------|--------------------------|-------------------|------------------------|---------------------------------|----------------------------------|
| Mid Back | | | | | |
| 1 Chair | 1.7 | .9 | 1.5 | .19 | .8 |
| 2 Chairs | 3.3 | 1.14 | 2.4 | .19 | 1.06 |
| 3 Chairs | 5 | 2.04 | 3.2 | .19 | 1.5 |
| 4 Chairs | 6.6 | 2.28 | 4 | .19 | 2.19 |
| High Back | | | | | |
| 1 Chair | 2.1 | .9 | 1.95 | .19 | .8 |
| 2 Chairs | 3.4 | 1.14 | 3.1 | .19 | 1.06 |
| 3 Chairs | 5.5 | 2.04 | 4.2 | .19 | 1.5 |
| 4 Chairs | 7.4 | 2.28 | 5.8 | .19 | 2.19 |

DIMENSIONS:

Height measurements of C5 tilter are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

COM APPROVAL PROCESS:

The approval process is as follows:

1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

WEIGHT CAPACITY:

C5 has been tested to ANSI BIFMA.

C5 is load rated to 300lbs

C5 EXECUTIVE | MID BACK

| DESCRIPTION/MODEL | COM 1 | 2 | COL 3 | FABRIC GRADES 4 | 5 | 6 | 7 | LEATHER 8 | 9 |
|-------------------|----------|---|----------|--------------------|---|---|---|--------------|---|
|-------------------|----------|---|----------|--------------------|---|---|---|--------------|---|



FULLY UPHOLSTERED ARM

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5E1MB41A | 1450 | 1519 | 1589 | 1689 | 1801 | 1900 | 2013 | 2155 | 2297 |
| Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| C5E1MB42B | 1409 | 1481 | 1552 | 1647 | 1760 | 1861 | 1974 | 2114 | 2253 |
| Black Aluminum knee tilt, Black base | | | | | | | | | |



FULLY UPHOLSTERED ARM

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5E1MB43C | 1363 | 1434 | 1508 | 1604 | 1716 | 1821 | 1930 | 2072 | 2212 |
| Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| C5E1MB43D | 1335 | 1404 | 1477 | 1571 | 1687 | 1790 | 1901 | 2042 | 2180 |
| Black Swivel tilt, Black base | | | | | | | | | |



POLISHED ALUMINUM ARM WITH POLYMER PAD

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5E1MB11A | 1265 | 1328 | 1386 | 1474 | 1573 | 1660 | 1756 | 1881 | 2004 |
| Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| C5E1MB12B | 1226 | 1288 | 1349 | 1435 | 1534 | 1617 | 1717 | 1839 | 1963 |
| Black Aluminum knee tilt, Black base | | | | | | | | | |



POLISHED ALUMINUM ARM WITH POLYMER PAD

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5E1MB13C | 1181 | 1241 | 1305 | 1392 | 1489 | 1577 | 1674 | 1797 | 1922 |
| Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| C5E1MB13D | 1152 | 1211 | 1273 | 1359 | 1460 | 1545 | 1645 | 1767 | 1891 |
| Black Swivel tilt, Black base | | | | | | | | | |



ORDERING NOTES:



For jury base, please add a 'J' for the base style at the end of the model number and add **\$84 list**.
Hard casters are the standard and soft wheel casters can be ordered for **\$67 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard**.
For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 119 | 126 | 132 | 142 | 152 | 162 | 172 | 186 | 199 |

PRODUCT CODE KEY

| Line | Series | Back Style | Arm Style | Mechanism | Base Style |
|--|-------------|-----------------|--|-------------------------------------|--|
| C5E C5 Executive (Horizontal Ribbed) | 1 Tilter | MB Mid Back | 1 Polished Aluminum Arm with Polymer Pad | 1 Polished Aluminum Knee Tilt | A Polished Aluminum Base for Knee Tilt |
| | | HB High Back | 2 Polished Aluminum Arm with Uph. Pad | 2 Black Aluminum Knee Tilt | B Black Base for Knee Tilt |
| | | | 3 Black Polymer Arm | 3 Black Swivel Tilt | C Polished Aluminum Base for Swivel Tilt |
| | | | 4 Fully Uph. Arm | | D Black Base for Swivel Tilt |
| | | | | | J Jury Base |

C5 EXECUTIVE | MID BACK

| DESCRIPTION/MODEL | COM | | COL | FABRIC GRADES | | | LEATHER | | | |
|--|---|------|------|---------------|------|------|---------|------|------|------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
|  | BLACK POLYMER ARM | | | | | | | | | |
| | C5E1MB31A | 1164 | 1224 | 1286 | 1409 | 1533 | 1656 | 1778 | 1899 | 2147 |
| | Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| | C5E1MB32B | 1136 | 1198 | 1258 | 1345 | 1443 | 1526 | 1627 | 1749 | 1873 |
| | Black Aluminum knee tilt, Black base | | | | | | | | | |
|  | BLACK POLYMER ARM | | | | | | | | | |
| | C5E1MB33C | 1090 | 1150 | 1214 | 1302 | 1399 | 1486 | 1584 | 1707 | 1832 |
| | Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| | C5E1MB33D | 1062 | 1121 | 1183 | 1269 | 1370 | 1455 | 1555 | 1676 | 1800 |
| | Black Swivel tilt, Black base | | | | | | | | | |








ORDERING NOTES:
For jury base, please add a 'J' for the base style at the end of the model number and add **\$84 list**.
Hard casters are the standard and soft wheel casters can be ordered for **\$67 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard**.
For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

| | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 119 | 126 | 132 | 142 | 152 | 162 | 172 | 186 | 199 |

| PRODUCT CODE KEY | | | | | |
|--|-------------|-----------------|---|----------------------------------|---|
| Line | Series | Back Style | Arm Style | Mechanism | Base Style |
| C5E C5 Executive (Horizontal Ribbed) | 1 Tilter | MB Mid Back | 1 Polished Aluminum Arm with Polymer Pad | 1 Polished Aluminum Knee Tilt | A Polished Aluminum Base for Knee Tilt |
| | | HB High Back | 2 Polished Aluminum Arm with Uph. Pad | 2 Black Aluminum Knee Tilt | B Black Base for Knee Tilt |
| | | | 3 Black Polymer Arm | 3 Black Swivel Tilt | C Polished Aluminum Base for Swivel Tilt |
| | | | 4 Fully Uph. Arm | | D Black Base for Swivel Tilt |
| | | | | | J Jury Base |
| | | | | | |


C5 EXECUTIVE | HIGH BACK

| DESCRIPTION/MODEL | COM | | COL | | FABRIC GRADES | | | LEATHER | | |
|---|---|------|------|------|---------------|------|------|---------|------|------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
|  | FULLY UPHOLSTERED ARM | | | | | | | | | |
| | C5E1HB41A | 1504 | 1583 | 1663 | 1773 | 1899 | 2010 | 2136 | 2297 | 2455 |
| | Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| | C5E1HB42B | 1462 | 1541 | 1622 | 1733 | 1860 | 1971 | 2097 | 2254 | 2413 |
| Black Aluminum knee tilt, Black base | | | | | | | | | | |
|  | FULLY UPHOLSTERED ARM | | | | | | | | | |
| | C5E1HB43C | 1416 | 1499 | 1580 | 1691 | 1818 | 1928 | 2058 | 2214 | 2373 |
| | Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| | C5E1HB43D | 1387 | 1466 | 1549 | 1661 | 1788 | 1900 | 2024 | 2180 | 2341 |
| Black Swivel tilt, Black base | | | | | | | | | | |
|  | POLISHED ALUMINUM ARM WITH POLYMER PAD | | | | | | | | | |
| | C5E1HB11A | 1319 | 1386 | 1459 | 1557 | 1671 | 1770 | 1881 | 2023 | 2164 |
| | Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| | C5E1HB12B | 1278 | 1349 | 1421 | 1518 | 1632 | 1728 | 1840 | 1981 | 2124 |
| Black Aluminum knee tilt, Black base | | | | | | | | | | |
|  | POLISHED ALUMINUM ARM WITH POLYMER PAD | | | | | | | | | |
| | C5E1HB13C | 1234 | 1306 | 1377 | 1474 | 1586 | 1685 | 1800 | 1942 | 2081 |
| | Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| | C5E1HB13D | 1205 | 1273 | 1347 | 1443 | 1556 | 1656 | 1767 | 1908 | 2049 |
| Black Swivel tilt, Black base | | | | | | | | | | |
|  | ORDERING NOTES: | | | | | | | | | |
| | For jury base, please add a 'J' for the base style at the end of the model number and add \$84 list . | | | | | | | | | |
| | Hard casters are the standard and soft wheel casters can be ordered for \$67 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard . | | | | | | | | | |
| | For UPHOLSTERED ARM PAD on polished arm versions only select arm style 2 and add upcharge below. | | | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | 119 | 126 | 132 | 142 | 152 | 162 | 172 | 186 | 199 | |


PRODUCT CODE KEY

| Line | Series | Back Style | Arm Style | Mechanism | Base Style |
|-------------------------------------|--------|------------|---|--------------------------------|---|
| C5E | 1 | MB | 1 | 1 | A |
| C5 Executive (Horizontal Ribbed) | Tilter | Mid Back | Polished Aluminum Arm with Polymer Pad | Polished Aluminum Knee Tilt | Polished Aluminum Base for Knee Tilt |
| | | HB | 2 | 2 | B |
| | | High Back | Polished Aluminum Arm with Uph. Pad | Black Aluminum Knee Tilt | Black Base for Knee Tilt |
| | | | 3 | 3 | C |
| | | | Black Polymer Arm | Black Swivel Tilt | Polished Aluminum Base for Swivel Tilt |
| | | | 4 | | D |
| | | | Fully Uph. Arm | | Black Base for Swivel Tilt |
| | | | | | J |
| | | | | | Jury Base |

C5 EXECUTIVE | HIGH BACK

| DESCRIPTION/MODEL | COM | | COL | FABRIC GRADES | | | | LEATHER | | |
|---|---|------|------|---------------|------|------|------|---------|------|------|
| | 1 | 2 | | 4 | 5 | 6 | | 7 | 8 | 9 |
|  | BLACK POLYMER ARM | | | | | | | | | |
| | C5E1HB31A | 1190 | 1257 | 1329 | 1425 | 1538 | 1638 | 1750 | 1892 | 2031 |
| | Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| | C5E1HB32B | 1219 | 1286 | 1357 | 1454 | 1566 | 1666 | 1778 | 1920 | 2060 |
| Black Aluminum knee tilt, Black base | | | | | | | | | | |

Black Aluminum knee tilt, Black base

| | | | | | | | | | | |
|---|---|------|------|------|------|------|------|------|------|------|
|  | BLACK POLYMER ARM | | | | | | | | | |
| | C5E1HB33C | 1144 | 1215 | 1287 | 1383 | 1496 | 1594 | 1710 | 1852 | 1990 |
| | Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| | C5E1HB33D | 1115 | 1183 | 1256 | 1353 | 1465 | 1566 | 1676 | 1818 | 1959 |
| | Black Swivel tilt, Black base | | | | | | | | | |

Black Swivel tilt, Black base



ORDERING NOTES:
For jury base, please add a 'J' for the base style at the end of the model number and add **\$84 list**.
Hard casters are the standard and soft wheel casters can be ordered for **\$67 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard**.
For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

| | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 119 | 126 | 132 | 142 | 152 | 162 | 172 | 186 | 199 |

PRODUCT CODE KEY

| Line | Series | Back Style | Arm Style | Mechanism | Base Style |
|--|-------------|-----------------|--|-------------------------------------|--|
| C5E C5 Executive (Horizontal Ribbed) | 1 Tilter | MB Mid Back | 1 Polished Aluminum Arm with Polymer Pad | 1 Polished Aluminum Knee Tilt | A Polished Aluminum Base for Knee Tilt |
| | | HB High Back | 2 Polished Aluminum Arm with Uph. Pad | 2 Black Aluminum Knee Tilt | B Black Base for Knee Tilt |
| | | | 3 Black Polymer Arm | 3 Black Swivel Tilt | C Polished Aluminum Base for Swivel Tilt |
| | | | 4 Fully Uph. Arm | | D Black Base for Swivel Tilt |
| | | | | | J Jury Base |
| | | | | | |
| | | | | | |

C5 CONTEMPORARY | MID BACK

| DESCRIPTION/MODEL | COM | | COL | FABRIC GRADES | | | LEATHER | | |
|-------------------|-----|---|-----|---------------|---|---|---------|---|---|
| | 1 | 2 | | 4 | 5 | 6 | 7 | 8 | 9 |



FULLY UPHOLSTERED ARM

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5C1MB41A | 1307 | 1379 | 1449 | 1550 | 1662 | 1756 | 1870 | 2013 | 2155 |
| Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| C5C1MB42B | 1276 | 1348 | 1418 | 1517 | 1632 | 1727 | 1839 | 1980 | 2121 |
| Black Aluminum knee tilt, Black base | | | | | | | | | |



FULLY UPHOLSTERED ARM

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5C1MB43C | 1237 | 1305 | 1376 | 1478 | 1590 | 1688 | 1798 | 1938 | 2082 |
| Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| C5C1MB43D | 1205 | 1275 | 1345 | 1444 | 1559 | 1656 | 1767 | 1906 | 2051 |
| Black Swivel tilt, Black base | | | | | | | | | |



POLISHED ALUMINUM ARM WITH POLYMER PAD

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5C1MB11A | 1121 | 1183 | 1246 | 1333 | 1429 | 1518 | 1614 | 1741 | 1862 |
| Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| C5C1MB12B | 1094 | 1152 | 1215 | 1302 | 1400 | 1486 | 1585 | 1710 | 1833 |
| Black Aluminum knee tilt, Black base | | | | | | | | | |



POLISHED ALUMINUM ARM WITH POLYMER PAD

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5C1MB13C | 1041 | 1100 | 1163 | 1251 | 1349 | 1436 | 1535 | 1657 | 1780 |
| Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| C5C1MB13D | 1009 | 1071 | 1131 | 1218 | 1317 | 1404 | 1503 | 1626 | 1750 |
| Black Swivel tilt, Black base | | | | | | | | | |

ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add **\$84 list**. Hard casters are the standard and soft wheel casters can be ordered for **\$67 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard**.

For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.



| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 119 | 126 | 132 | 142 | 152 | 162 | 172 | 186 | 199 |


PRODUCT CODE KEY



| Line | Series | Back Style | Arm Style | Mechanism | Base Style |
|------------------------|-------------|-----------------|---|----------------------------------|---|
| C5C C5 Contemporary | 1 Tilter | MB Mid Back | 1 Polished Aluminum Arm with Polymer Pad | 1 Polished Aluminum Knee Tilt | A Polished Aluminum Base for Knee Tilt |
| | | HB High Back | 2 Polished Aluminum Arm with Uph. Pad | 2 Black Aluminum Knee Tilt | B Black Base for Knee Tilt |
| | | | 3 Black Polymer Arm | 3 Black Swivel Tilt | C Polished Aluminum Base for Swivel Tilt |
| | | | 4 Fully Uph. Arm | | D Black Base for Swivel Tilt |
| | | | | | J Jury Base |

C5 CONTEMPORARY | MID BACK

| DESCRIPTION/MODEL | COM | | COL | | FABRIC GRADES | | | LEATHER | |
|-------------------|-----|---|-----|---|---------------|---|---|---------|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

| | | | | | | | | | | |
|--|---|------|------|------|------|------|------|------|------|------|
|  | BLACK POLYMER ARM | | | | | | | | | |
| | C5C1MB31A | 1018 | 1081 | 1143 | 1228 | 1329 | 1413 | 1514 | 1638 | 1757 |
| | Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| | C5C1MB32B | 990 | 1053 | 1115 | 1200 | 1300 | 1384 | 1485 | 1609 | 1729 |
|  | Black Aluminum knee tilt, Black base | | | | | | | | | |
| | | | | | | | | | | |

|  | BLACK POLYMER ARM | | | | | | | | | |
|---|---|-----|------|------|------|------|------|------|------|------|
| | C5C1MB33C | 951 | 1010 | 1073 | 1161 | 1258 | 1346 | 1444 | 1567 | 1690 |
| | Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| | C5C1MB33D | 918 | 980 | 1041 | 1127 | 1227 | 1314 | 1413 | 1536 | 1660 |
| | Black Swivel tilt, Black base | | | | | | | | | |

| | | | | | | | | | |
|---|---|-----|-----|-----|-----|-----|-----|-----|-----|
|  | ORDERING NOTES: | | | | | | | | |
| | For jury base, please add a 'J' for the base style at the end of the model number and add \$84 list . | | | | | | | | |
| | Hard casters are the standard and soft wheel casters can be ordered for \$67 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard . | | | | | | | | |
|  | For UPHOLSTERED ARM PAD on polished arm versions only select arm style 2 and add upcharge below. | | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | 119 | 126 | 132 | 142 | 152 | 162 | 172 | 186 | 199 |

| PRODUCT CODE KEY | | | | | |
|------------------------|-------------|-----------------|---|----------------------------------|---|
| Line | Series | Back Style | Arm Style | Mechanism | Base Style |
| C5C C5 Contemporary | 1 Tilter | MB Mid Back | 1 Polished Aluminum Arm with Polymer Pad | 1 Polished Aluminum Knee Tilt | A Polished Aluminum Base for Knee Tilt |
| | | HB High Back | 2 Polished Aluminum Arm with Uph. Pad | 2 Black Aluminum Knee Tilt | B Black Base for Knee Tilt |
| | | | 3 Black Polymer Arm | 3 Black Swivel Tilt | C Polished Aluminum Base for Swivel Tilt |
| | | | 4 Fully Uph. Arm | | D Black Base for Swivel Tilt |
| | | | | | J Jury Base |
| | | | | | |


C5 CONTEMPORARY | HIGH BACK

| DESCRIPTION/MODEL | COM 1 | 2 | COL 3 | FABRIC GRADES 4 | 5 | 6 | 7 | LEATHER 8 | 9 |
|-------------------|----------|---|----------|--------------------|---|---|---|--------------|---|
|-------------------|----------|---|----------|--------------------|---|---|---|--------------|---|



FULLY UPHOLSTERED ARM

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5C1HB41A | 1356 | 1437 | 1515 | 1625 | 1752 | 1864 | 1990 | 2148 | 2305 |
| Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| C5C1HB42B | 1326 | 1402 | 1485 | 1594 | 1722 | 1833 | 1959 | 2118 | 2276 |
| Black Aluminum knee tilt, Black base | | | | | | | | | |



FULLY UPHOLSTERED ARM

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5C1HB43C | 1289 | 1366 | 1447 | 1556 | 1680 | 1795 | 1919 | 2077 | 2234 |
| Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| C5C1HB43D | 1256 | 1334 | 1417 | 1524 | 1650 | 1764 | 1888 | 2046 | 2206 |
| Black Swivel tilt, Black base | | | | | | | | | |



POLISHED ALUMINUM ARM WITH POLYMER PAD

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5C1HB11A | 1172 | 1242 | 1313 | 1413 | 1524 | 1622 | 1735 | 1877 | 2018 |
| Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| C5C1HB12B | 1141 | 1210 | 1284 | 1380 | 1492 | 1590 | 1704 | 1843 | 1986 |
| Black Aluminum knee tilt, Black base | | | | | | | | | |



POLISHED ALUMINUM ARM WITH POLYMER PAD

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5C1HB13C | 1090 | 1159 | 1231 | 1328 | 1440 | 1540 | 1651 | 1793 | 1933 |
| Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| C5C1HB13D | 1058 | 1127 | 1201 | 1296 | 1411 | 1508 | 1621 | 1761 | 1904 |
| Black Swivel tilt, Black base | | | | | | | | | |



ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add **\$84 list**. Hard casters are the standard and soft wheel casters can be ordered for **\$67 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard**.



For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.


| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 119 | 126 | 132 | 142 | 152 | 162 | 172 | 186 | 199 |

PRODUCT CODE KEY

| Line | Series | Back Style | Arm Style | Mechanism | Base Style |
|------------------------|-------------|-----------------|---|----------------------------------|---|
| C5C C5 Contemporary | 1 Tilter | MB Mid Back | 1 Polished Aluminum Arm with Polymer Pad | 1 Polished Aluminum Knee Tilt | A Polished Aluminum Base for Knee Tilt |
| | | HB High Back | 2 Polished Aluminum Arm with Uph. Pad | 2 Black Aluminum Knee Tilt | B Black Base for Knee Tilt |
| | | | 3 Black Polymer Arm | 3 Black Swivel Tilt | C Polished Aluminum Base for Swivel Tilt |
| | | | 4 Fully Uph. Arm | | D Black Base for Swivel Tilt |
| | | | | | J Jury Base |

C5 CONTEMPORARY | HIGH BACK

| DESCRIPTION/MODEL | COM | | COL | | FABRIC GRADES | | | LEATHER | | |
|--|---|------|------|------|---------------|------|------|---------|------|------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
|  | BLACK POLYMER ARM | | | | | | | | | |
| | C5C1HB31A | 1067 | 1140 | 1208 | 1307 | 1422 | 1519 | 1632 | 1773 | 1914 |
| | Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
|  | C5C1HB32B | 1039 | 1111 | 1180 | 1278 | 1394 | 1491 | 1604 | 1745 | 1885 |
| | Black Aluminum knee tilt, Black base | | | | | | | | | |
| | | | | | | | | | | |



| BLACK POLYMER ARM | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5C1HB33C | 1000 | 1068 | 1141 | 1237 | 1350 | 1450 | 1561 | 1703 | 1842 |
| Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| C5C1HB33D | 968 | 1037 | 1110 | 1206 | 1320 | 1418 | 1530 | 1671 | 1814 |
| Black Swivel tilt, Black base | | | | | | | | | |



ORDERING NOTES:
For jury base, please add a 'J' for the base style at the end of the model number and add **\$84 list**.
Hard casters are the standard and soft wheel casters can be ordered for **\$67 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard**.
For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 119 | 126 | 132 | 142 | 152 | 162 | 172 | 186 | 199 |

PRODUCT CODE KEY

| Line | Series | Back Style | Arm Style | Mechanism | Base Style |
|------------------------|-------------|-----------------|---|----------------------------------|---|
| C5C C5 Contemporary | 1 Tilter | MB Mid Back | 1 Polished Aluminum Arm with Polymer Pad | 1 Polished Aluminum Knee Tilt | A Polished Aluminum Base for Knee Tilt |
| | | HB High Back | 2 Polished Aluminum Arm with Uph. Pad | 2 Black Aluminum Knee Tilt | B Black Base for Knee Tilt |
| | | | 3 Black Polymer Arm | 3 Black Swivel Tilt | C Polished Aluminum Base for Swivel Tilt |
| | | | 4 Fully Uph. Arm | | D Black Base for Swivel Tilt |
| | | | | | J Jury Base |
| | | | | | |

C5 PULLS | MID BACK

| DESCRIPTION/MODEL | COM 1 | 2 | COL 3 | 4 | FABRIC GRADES 5 | 6 | 7 | LEATHER 8 | 9 |
|-------------------|----------|---|----------|---|--------------------|---|---|--------------|---|
|-------------------|----------|---|----------|---|--------------------|---|---|--------------|---|



FULLY UPHOLSTERED ARM

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5P1MB41A | 1330 | 1400 | 1472 | 1569 | 1683 | 1779 | 1894 | 2034 | 2175 |
| Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| C5P1MB42B | 1290 | 1359 | 1429 | 1528 | 1643 | 1743 | 1855 | 1993 | 2135 |
| Black Aluminum knee tilt, Black base | | | | | | | | | |



FULLY UPHOLSTERED ARM

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5P1MB43C | 1265 | 1329 | 1401 | 1497 | 1614 | 1710 | 1821 | 1962 | 2108 |
| Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| C5P1MB43D | 1231 | 1298 | 1371 | 1466 | 1583 | 1677 | 1792 | 1930 | 2075 |
| Black Swivel tilt, Black base | | | | | | | | | |



POLISHED ALUMINUM ARM WITH POLYMER PAD

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5P1MB11A | 1144 | 1206 | 1267 | 1354 | 1453 | 1539 | 1638 | 1760 | 1885 |
| Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| C5P1MB12B | 1106 | 1166 | 1228 | 1315 | 1414 | 1500 | 1600 | 1722 | 1843 |
| Black Aluminum knee tilt, Black base | | | | | | | | | |



POLISHED ALUMINUM ARM WITH POLYMER PAD

| | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5P1MB13C | 1064 | 1124 | 1186 | 1270 | 1373 | 1458 | 1555 | 1678 | 1803 |
| Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| C5P1MB13D | 1031 | 1094 | 1156 | 1240 | 1341 | 1425 | 1525 | 1647 | 1771 |
| Black Swivel tilt, Black base | | | | | | | | | |



ORDERING NOTES:


For jury base, please add a 'J' for the base style at the end of the model number and add **\$84 list**.
Hard casters are the standard and soft wheel casters can be ordered for **\$67 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard**.
For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.


| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 119 | 126 | 132 | 142 | 152 | 162 | 172 | 186 | 199 |

PRODUCT CODE KEY

| Line | Series | Back Style | Arm Style | Mechanism | Base Style |
|-----------------|-------------|-----------------|---|----------------------------------|---|
| C5P C5 Pulls | 1 Tilter | MB Mid Back | 1 Polished Aluminum Arm with Polymer Pad | 1 Polished Aluminum Knee Tilt | A Polished Aluminum Base for Knee Tilt |
| | | HB High Back | 2 Polished Aluminum Arm with Uph. Pad | 2 Black Aluminum Knee Tilt | B Black Base for Knee Tilt |
| | | | 3 Black Polymer Arm | 3 Black Swivel Tilt | C Polished Aluminum Base for Swivel Tilt |
| | | | 4 Fully Uph. Arm | | D Black Base for Swivel Tilt |
| | | | | | J Jury Base |

C5 PULLS | MID BACK

| DESCRIPTION/MODEL | COM | | COL | | FABRIC GRADES | | | LEATHER | | |
|--|---|------|------|------|---------------|------|------|---------|------|------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
|  | BLACK POLYMER ARM | | | | | | | | | |
| | C5P1MB31A | 1039 | 1105 | 1166 | 1252 | 1351 | 1437 | 1537 | 1661 | 1780 |
| | Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| | C5P1MB32B | 1011 | 1077 | 1138 | 1224 | 1323 | 1409 | 1508 | 1632 | 1752 |
| Black Aluminum knee tilt, Black base | | | | | | | | | | |

| | | | | | | | | | | |
|--|---|-----|------|------|------|------|------|------|------|------|
|  | BLACK POLYMER ARM | | | | | | | | | |
| | C5P1MB33C | 974 | 1034 | 1096 | 1180 | 1283 | 1368 | 1464 | 1588 | 1713 |
| | Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| | C5P1MB33D | 940 | 1003 | 1065 | 1149 | 1251 | 1335 | 1435 | 1557 | 1681 |
| | Black Swivel tilt, Black base | | | | | | | | | |



ORDERING NOTES:
For jury base, please add a 'J' for the base style at the end of the model number and add **\$84 list**.
Hard casters are the standard and soft wheel casters can be ordered for **\$67 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard**.
For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 119 | 126 | 132 | 142 | 152 | 162 | 172 | 186 | 199 |

PRODUCT CODE KEY

| Line | Series | Back Style | Arm Style | Mechanism | Base Style |
|------------------------------------|--------------------------------|------------------------------------|--|---|--|
| <div>C5P</div> <div>C5 Pulls</div> | <div>1</div> <div>Tilter</div> | <div>MB</div> <div>Mid Back</div> | <div>1</div> <div>Polished Aluminum Arm with Polymer Pad</div> | <div>1</div> <div>Polished Aluminum Knee Tilt</div> | <div>A</div> <div>Polished Aluminum Base for Knee Tilt</div> |
| | | <div>HB</div> <div>High Back</div> | <div>2</div> <div>Polished Aluminum Arm with Uph. Pad</div> | <div>2</div> <div>Black Aluminum Knee Tilt</div> | <div>B</div> <div>Black Base for Knee Tilt</div> |
| | | | <div>3</div> <div>Black Polymer Arm</div> | <div>3</div> <div>Black Swivel Tilt</div> | <div>C</div> <div>Polished Aluminum Base for Swivel Tilt</div> |
| | | | <div>4</div> <div>Fully Uph. Arm</div> | | <div>D</div> <div>Black Base for Swivel Tilt</div> |
| | | | | | <div>J</div> <div>Jury Base</div> |
| | | | | | |

C5 PULLS | MID BACK

| DESCRIPTION/MODEL | COM 1 | 2 | COL 3 | 4 | FABRIC GRADES 5 | 6 | 7 | LEATHER 8 | 9 |
|-------------------|----------|---|----------|---|--------------------|---|---|--------------|---|
|-------------------|----------|---|----------|---|--------------------|---|---|--------------|---|



FULLY UPHOLSTERED ARM

C5P1HB41A 1389 1467 1550 1660 1788 1898 2023 2182 2340
Polished Aluminum knee tilt, Polished Aluminum base

C5P1HB42B 1350 1428 1509 1617 1746 1857 1984 2142 2301
Black Aluminum knee tilt, Black base



FULLY UPHOLSTERED ARM

C5P1HB43C 1287 1367 1445 1556 1688 1795 1923 2081 2242
Black Swivel tilt, Polished Aluminum base

C5P1HB43D 1257 1336 1414 1525 1654 1761 1894 2051 2211
Black Swivel tilt, Black base



POLISHED ALUMINUM ARM WITH POLYMER PAD

C5P1HB11A 1204 1275 1347 1444 1557 1656 1769 1908 2051
Polished Aluminum knee tilt, Polished Aluminum base

C5P1HB12B 1165 1235 1306 1402 1517 1614 1727 1867 2009
Black Aluminum knee tilt, Black base



POLISHED ALUMINUM ARM WITH POLYMER PAD

C5P1HB13C 1100 1172 1241 1342 1457 1552 1666 1806 1949
Black Swivel tilt, Polished Aluminum base

C5P1HB13D 1071 1142 1209 1312 1423 1519 1636 1776 1918
Black Swivel tilt, Black base

ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add **\$84 list**.

Hard casters are the standard and soft wheel casters can be ordered for **\$67 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard**.

For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.





| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 119 | 126 | 132 | 142 | 152 | 162 | 172 | 186 | 199 |

PRODUCT CODE KEY

| Line | Series | Back Style | Arm Style | Mechanism | Base Style |
|-----------------|-------------|-----------------|--|-------------------------------------|--|
| C5P C5 Pulls | 1 Tilter | MB Mid Back | 1 Polished Aluminum Arm with Polymer Pad | 1 Polished Aluminum Knee Tilt | A Polished Aluminum Base for Knee Tilt |
| | | HB High Back | 2 Polished Aluminum Arm with Uph. Pad | 2 Black Aluminum Knee Tilt | B Black Base for Knee Tilt |
| | | | 3 Black Polymer Arm | 3 Black Swivel Tilt | C Polished Aluminum Base for Swivel Tilt |
| | | | 4 Fully Uph. Arm | | D Black Base for Swivel Tilt |
| | | | | | J Jury Base |

C5 PULLS | HIGH BACK

| DESCRIPTION/MODEL | COM | | COL | | FABRIC GRADES | | | LEATHER | | |
|--|---|------|------|------|---------------|------|------|---------|------|------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
|  | BLACK POLYMER ARM | | | | | | | | | |
| | C5P1HB31A | 1101 | 1171 | 1243 | 1341 | 1453 | 1552 | 1665 | 1804 | 1946 |
| | Polished Aluminum knee tilt, Polished Aluminum base | | | | | | | | | |
| | C5P1HB32B | 1073 | 1143 | 1214 | 1313 | 1424 | 1524 | 1636 | 1776 | 1918 |
| | Black Aluminum knee tilt, Black base | | | | | | | | | |



| BLACK POLYMER ARM | | | | | | | | | |
|---|------|------|------|------|------|------|------|------|------|
| C5P1HB33C | 1010 | 1082 | 1150 | 1252 | 1367 | 1462 | 1576 | 1715 | 1859 |
| Black Swivel tilt, Polished Aluminum base | | | | | | | | | |
| C5P1HB33D | 980 | 1052 | 1119 | 1222 | 1333 | 1429 | 1546 | 1686 | 1828 |
| Black Swivel tilt, Black base | | | | | | | | | |

ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add **\$84 list**.
Hard casters are the standard and soft wheel casters can be ordered for **\$67 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard**.
For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.



| | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 119 | 126 | 132 | 142 | 152 | 162 | 172 | 186 | 199 |

PRODUCT CODE KEY

| Line | Series | Back Style | Arm Style | Mechanism | Base Style |
|----------|--------|------------|--|-----------------------------|--|
| C5P | 1 | MB | 1 | 1 | A |
| C5 Pulls | Tilter | Mid Back | Polished Aluminum Arm with Polymer Pad | Polished Aluminum Knee Tilt | Polished Aluminum Base for Knee Tilt |
| | | HB | 2 | 2 | B |
| | | High Back | Polished Aluminum Arm with Uph. Pad | Black Aluminum Knee Tilt | Black Base for Knee Tilt |
| | | | 3 | 3 | C |
| | | | Black Polymer Arm | Black Swivel Tilt | Polished Aluminum Base for Swivel Tilt |
| | | | 4 | | D |
| | | | Fully Uph. Arm | | Black Base for Swivel Tilt |
| | | | | | J |
| | | | | | Jury Base |

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgment is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$385 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$275/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$275/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$551/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$131/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$131/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$131/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.---

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.



Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition

of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.


Flammability Standards for Krug Fabric Program

- Passes State of California Technical Bulletin CAL 117-2013

Krug Textiles - Stocked Fabric Program

Grade 1


ARLO




308 MIDNIGHT



306 PETROL



908 CHARCOAL



93 SEAL



601 PEARL



84 NUTMEG



62 OATMEAL



90 LIMESTONE

FRANKLIN




47 CAMEL



3009 MIDNIGHT



67 FAWN



97 CINDER



94 METAL



909 BLACK



9004 CHARCOAL




308 PETROL



108 ORCHID

COMRADE




309 MIDNIGHT



84 TEAK



63 LINEN



24 ALPINE




905 IRON



601 SNOW



57 MARIGOLD



31 DUCK EGG

FELICITY



601 IVORY



305 SKY




603 TAUPE



93 COAL



405 HENNA



64 PUTTY



62 FAWN



36 BLUEBERRY

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY



25 CAPER



31 SKY



604 FLAX



901 CHAR



93 GRAY



34 SLATE



84 TEAK



98 NICKLE

YATES




84 BIRCH




44 CLAY



87 TAUPE



25 JUNIPER




305 INDIGO



109 CRANBERRY



803 TOAST



92 ZINC



91 SILVER



908 CHARCOAL

MCCOY



608 TUNDRA



601 CREME



908 CHARCOAL



62 COPPER



108 CORDOVAN



32 ROBIN'S EGG




94 MERCURY



84 BARK

ORIS



908 DOMINO



604 BARK



601 CREAM



306 DELFT




902 ZINC



305 MIDNIGHT



64 PUTTY




205 CHARTREUSE


Krug Textiles - Stocked Fabric Program

Grade 3


MORITZ




205 SPEARMINT



61 OYSTER




306 CADET




104 MULBERRY



31 AEGEAN



9008 CHARCOAL



82 CLAY



304 CAPRI

LORENZO



306 INDIGO



24 ALPINE




64 LINEN



91 FLANNEL



32 MIST



601 CREAM



106 HENNA



604 STUCCO


BISCOTTI



302 CAPRI



45 SPICE



61 DESERT



91 GRANITE

INTRIGUE



601 OYSTER



27 OLIVE



4003 OCHRE



908 CHARCOAL



3009 MIDNIGHT



805 PECAN



608 STUCCO



605 STRAW

KRUG TEXTILES - UPHOLSTERY FABRICS




Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

| | |
|---------|------|
| Grade 1 | \$23 |
| Grade 2 | \$35 |
| Grade 3 | \$48 |

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).



Standard-Cut
"up the roll"



Non-Standard-Cut
across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to:

Krug Inc.
111 Ahrens Street
Kitchener, Ontario
Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

| | | 2"-14" | 15"-19" | 20"-27" | 28"-36" |
|--------|-------|--------|---------|---------|---------|
| FABRIC | Plain | Repeat | Repeat | Repeat | Repeat |
| 54 | 0% | 10% | 15% | 20% | 25% |
| 53-50 | 16% | 20% | 25% | 30% | 35% |
| 48 | 16% | 25% | 30% | 35% | 40% |
| 45 | 40% | 50% | 55% | 60% | 65% |
| 36 | 50% | 60% | 65% | 70% | 75% |

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances.

Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for *KrugExpress* orders. Laminates are not available on *KrugExpress*.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

GLIDE SELECTION CHART

| Product | Floor Saver | | Non-Slip | Metal | Plastic |
|------------------------------------|-------------|----------|----------|----------|----------|
| | Nylon | Felt | Rubber | | |
| Management & Task Seating | | | | | |
| Aqua Stool | n/a | n/a | n/a | n/a | standard |
| Guest Seating | | | | | |
| Addison | standard | n/a | n/a | optional | optional |
| Blake | standard | optional | n/a | optional | optional |
| Dorso | n/a | optional | optional | optional | standard |
| Bali | standard | optional | n/a | optional | n/a |
| Kita | standard | optional | n/a | optional | optional |
| Spence | standard | optional | n/a | optional | optional |
| Cadence | standard | optional | n/a | optional | optional |
| Faeron Wood | standard | optional | n/a | optional | optional |
| Faeron Metal | optional | optional | optional | optional | standard |
| Multi-Purpose Seating | | | | | |
| Libra | standard | n/a | n/a | n/a | n/a |
| Mobi | standard | optional | optional | n/a | optional |
| Karma | optional | optional | optional | optional | standard |
| Corfu | standard | n/a | n/a | optional | n/a |
| Capri | n/a | n/a | n/a | n/a | standard |
| Bank of England | standard | optional | n/a | optional | optional |
| Barstools & Counter Height Seating | | | | | |
| Manolo | n/a | optional | n/a | n/a | standard |
| Karma | optional | optional | optional | optional | standard |
| Capri | n/a | n/a | n/a | n/a | standard |
| Corfu | standard | n/a | n/a | n/a | n/a |
| Lounge Seating | | | | | |
| Avatar | standard | n/a | n/a | n/a | n/a |
| Cressida | standard | n/a | n/a | n/a | n/a |
| Leyton | optional | n/a | n/a | n/a | standard |
| Zola | standard | optional | optional | optional | n/a |
| Zola Privacy | standard | optional | optional | optional | n/a |
| Faeron Upholstered - Wood Leg | standard | n/a | n/a | optional | optional |
| Faeron Upholstered - Metal Leg | standard | optional | optional | optional | n/a |
| Sutton-wood base | optional | optional | optional | standard | optional |
| Sutton-metal base | standard | n/a | n/a | n/a | optional |
| Carlyle-wood base | standard | optional | n/a | optional | optional |
| Carlyle-metal base | n/a | n/a | n/a | n/a | standard |
| Brio | standard | optional | optional | optional | optional |
| Sloane | n/a | standard | n/a | n/a | n/a |
| Benches | | | | | |
| Tate | optional | n/a | n/a | n/a | standard |
| Zola | standard | optional | optional | optional | n/a |
| Carlyle | n/a | n/a | n/a | n/a | standard |

ORDERING NOTES: Glides options marked “n/a” are not available for that product due to leg style. Please see product pricing pages for optional glide upcharges.

GLIDE RECOMMENDATION BY FLOORING TYPE

| Glide Material | Carpet | Vinyl/Linoleum | VCT | Rubber | LVT/LVP | Ceramic Tile | Concrete | Hardwood |
|---------------------|--------|----------------|-----|--------|---------|--------------|----------|----------|
| Nylon - Floor Saver | ** | * | * | * | NR | * | * | NR |
| Felt - Floor Saver | NR | * | ** | NR | ** | ** | * | ** |
| Rubber - Non-slip | ** | ** | * | * | NR | * | ** | NR |
| Metal | * | * | NR | NR | NR | * | ** | NR |
| Plastic | ** | * | * | * | NR | * | ** | NR |


** = Best Solution
* = Acceptable
NR = Not Recommended

ORDERING NOTES: The above chart shows our recommendation based on a clean, professionally finished floor without dust or debris between the glides and the flooring.


BASE STYLES

| Base Styles | Description |
|-------------------|---|
| Black Nylon | 5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters. |
| Polished Aluminum | 5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.) |
| Seat Slider | Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob. |
| Wood | 5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters. |
| Chrome | 5 blade polished chrome base with 2 1/4" dual wheel casters. |
| Jury Bases | Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available. |
| Jury Bases | |


Pan Am
Pan1-M11J




Bank of England
177-J




Dorso
D0S1-H2011J




Cadence
CAD1-HW12J




C5
C5E1MB41AJ



Aqua
AQU1M33J





krug



All products are air emissions certified and are available as FSC® certified

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG