CADENCE Price and Specification Guide CANADA



# krug

Advancing Design Through Innovation

# **CADENCE | TABLE OF CONTENTS**

# CADENCE

- 2 Cadence LEED Credit Summary
- 3 Cadence Features & Options
- 3 Cadence Dimensions & COM
- 4 Cadence Mid Back Pricing
- 6 Cadence High Back Pricing
- 8 Cadence Guest LEED Credit Summary
- 9 Cadence Guest Pricing

# **GENERAL INFORMATION**

- 10 Terms & Conditions
- 10 Warranty
- 12 KRUG Textiles Upholstery Fabrics
- 14 KRUG Textiles Leather & Faux Leather
- 16 Customer's Own Material (COM/COL)
- 16 CAL 133 & Moisture Barrier
- 17 Graded-In Upholstery Programs
- 17 KrugExpress
- 18 Wood Finish
- 18 Base Styles

# CADENCE | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS

	MATERIAL CONTENT:	PRE-CONSUMER RECYCLED CONTENT = 4.67% POST-CONSUMER RECYCLED CONTENT = 17.3% Up to 26.67% of this Cadence product is recyclable at the end of its useful life.			
	CONTRIBUTES TO				
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)			
CREDIT 3.3	Resource Reuse	1 point			
CREDIT 4.1	Recycled Content 1 point				
CREDIT 4.5	Low Emitting Materials,				

CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## **AIR-EMISSIONS**

**FSC**®

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# CADENCE | FEATURES & OPTIONS



### **RECLINE ADJUSTMENT**

The recline adjustment on the Cadence series allows a 24 degree range of motion. The foremost lever located on the right-hand side (when you are in a seated position) engages a device to lock the back in any position within the chair's range of movement. Lowering the lever locks the back at any position within the range. Raising the lever releases the lock and the back will move freely through the entire range.



#### **BACK HEIGHT ADJUSTMENT** (on selected models only)

The back height is adjustable on selected models of Cadence series. The mechanism adjusts the back while in the seated position. The adjustable height back has a 4 inch range of movement with an 8 position stop mechanism. Place both hands on either side of the lower back cushion and lift and click to the desired height. Raise the back to the highest position to release the back height lock and lower to the first and lowest position.



### **BACK TENSION**

A hand wheel centrally located near the front underside of the chair controls the amount of tension applied to the back. Turning the knob clockwise when you are in the seated position lessens the tension. Turning the knob counterclockwise increases the tension.

#### **ARM HEIGHT**

(on selected models only)

A trigger release button located outside and below the arm pad adjusts the arm height. Depress the trigger to raise arm through its height range of 3.5 inches and 8 settings. Depress the trigger to raise the arm, release when desired height is reached to lock in position.

# SEAT HEIGHT ADJUSTMENTS

The rear-most lever located in the right-hand side (when you are in the seated position) activates the seat height adjustment. Pull up on the lever to adjust seat height up or down through a range of adjustment of 3 inches.

### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **DIMENSIONS & COM REQUIREMENTS**

				Overall Height		Height of Arms from floor	Width between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
MID BACK	Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
Narrow Width	Adjustable	25	26	36.75	17.75	24.25-30.25	19.5	19.75	4	43	18	2.3
	Wood & Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
	Wood & Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.8
	Completely Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	3.0
	Armless	19.5	26	36.75	17.75	-	-	19.75	4	41	18	2.3
Wide Width	Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Adjustable	26.5	26	36.75	17.75	24.25-30.25	21	19.75	4	45	18	2.3
	Wood & Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Wood & Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.8
	Completely Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	3.0
	Armless	21	26	36.75	17.75	-	-	19.75	4	43	18	2.3
HIGH BACK	Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
Narrow Width	Adjustable	25	26	43	17.75	24.25-30.25	19.5	19.75	4	46	20	2.5
	Wood & Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
	Wood & Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.0
	Completely Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.2
Wide Width	Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Adjustable	26.5	26	43	17.75	24.25-30.25	21	19.75	4	48	20	2.5
	Wood & Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Wood & Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.0
	Completely Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.2
ARM CHAIR		27.25	27	36	18.25	26	18.75	18	-	23	18	1.7

Height measurements are taken with the pneumatic lift (and adjustable arm and back when applicable) in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# CADENCE | MID BACK

		WOOD	COM		COL	FAB	RIC GRAI	DES		LEATHER	3
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARM CAD1-MW11B CAD1-MN11B CAD1-MW21B CAD1-MW21B	ИS	1597	1680	1751	1974	2090	2195	2364	2764	3013
	CAD1-MW11W CAD1-MN11W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	1898	1980	2046	2272	2392	2483	2664	3067	3303
	CAD1-MW21W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN21W	Cherry, Maple, Walnut, Medium Anigre									
	ADJUSTABLE A	RMS									
$\int \int \int dx dx dx$	CAD1-MW15B		1536	1615	1685	1905	2016	2104	2278	2658	2913
	CAD1-MN15B										
	CAD1-MW25B										
	CAD1-MN25B										
1 A	CAD1-MW15W	Cherry, Maple,	1839	1914	1982	2197	2312	2406	2579	2959	3203
	CAD1-MN15W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MW25W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN25W	Cherry, Maple, Walnut, Medium Anigre									

### **ORDERING NOTES:**

CAD-MW25 CAD-MN25 versions are available with optional seat slider mechanism at an upcharge of \$77 list. Specifying seat slider option may add additional lead time to production schedules. Please contact Customer Service for more information.

	WOOD AND URI CAD1-MW12B	ETHANE ARMS	1698	1780	1920	2098	2221	2318	2515	2934	3180
	CAD1-MN12B CAD1-MW22B CAD1-MN22B		1997	2084	2160	2397	2523	2623	2816	3236	3465
A CONTRACTOR	CAD1-MW12W	Cherry, Maple, Walnut, Medium Anigre		2001	2.00	2007	_0_0	2020	2010	0200	0.00
	CAD1-MN12W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MW22W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN22W	Cherry, Maple, Walnut, Medium Anigre									

**ORDERING NOTES:** Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator. For jury base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$77** to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 331 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.** 

### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	1	W
Cadence	Management Seating	Mid Back Wide	Fixed Back	Urethane	Wood
		MN	2	2	В
		Mid Back Narrow	Adjustable Back	Wood And Urethane	Black Nylon
				5	J
				Adjustable	Jury Base

# CADENCE | MID BACK

DESCRIPTION	/MODEL	WOOD FINISH	COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHE 8	R 9
	WOOD AND UP	PHOLSTERED ARM									
$\int$	CAD1-MW13B		1920	2002	2143	2318	2447	2542	2738	3158	3465
	CAD1-MN13B										
	CAD1-MW23B										
	CAD1-MN23B										
- Ha	CAD1-MW13W	Cherry, Maple,	2218	2306	2383	2623	2743	2845	3037	3458	3757
		Walnut, Medium Anigre									
8 8 0	CAD1-MN13W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW23W	<b>3</b> / 1 /									
		Walnut, Medium Anigre									
	CAD1-MN23W	Cherry, Maple,									
		Walnut, Medium Anigre									
	COMPLETELY U CAD1-MW14B	UPHOLSTERED	1863	1951	2087	2264	2387	2487	2681	3101	3445
$\gamma$	CAD1-MN14B		1003	1951	2007	2204	2301	2407	2001	3101	3443
	CAD1-MW24B										
	CAD1-MN24B										
4D)	CAD1-MW14W	Cherry, Maple,	2164	2250	2326	2566	2691	2788	2984	3404	3735
-H-		Walnut, Medium Anigre	2104	LLOO	LOLO	2000	2001	2100	2004	0-10-1	0/00
	CAD1-MN14W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW24W	-									
		Walnut, Medium Anigre									
	CAD1-MN24W										
		Walnut, Medium Anigre									
	ARMLESS										
$\int \int \int dx = \int d$	CAD1-MW10B		1431	1512	1583	1804	1924	2030	2196	2595	2874
$\mathbb{P}$	CAD1-MN10B										
11 1	CAD1-MW20B										
	CAD1-MN20B	Obarra Marala	1701	1010	1000	0107	0000	0015	0407	0004	0141
H	CAD1-MW10W	<b>3</b> / 1 /	1731	1813	1883	2107	2228	2315	2497	2894	3141
	CAD1-MN10W	Walnut, Medium Anigre Cherry, Maple,									
u u		Walnut, Medium Anigre									
	CAD1-MW20W										
	57,D1 101002000	Walnut, Medium Anigre									
	CAD1-MN20W	Cherry, Maple,									
		Walnut, Medium Anigre									
		, <b>.</b>									


### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a '**J**' for the base style at the end of the model number and **add \$77** to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

### PRODUCT CODE KEY



# **CADENCE** | HIGH BACK

		WOOD	COM		COL	FAB	RIC GRA	DES		LEATHE	R
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARI CAD1-HW11B CAD1-HN11B CAD1-HW21B CAD1-HW21B CAD1-HN21B	MS	1735	1842	1922	2163	2306	2407	2623	3074	3345
	CAD1-HW11W CAD1-HN11W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre	2039	2143	2221	2462	2608	2707	2921	3374	3634
	CAD1-HW21W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN21W	Cherry, Maple, Walnut, Anigre									
	ADJUSTABLE A	RMS									
	CAD1-HW15B CAD1-HN15B CAD1-HW25B CAD1-HN25B		1668	1771	1849	2084	2217	2315	2523	2959	3234
	CAD1-HW15W	Cherry, Maple, Walnut, Medium Anigre	1970	2069	2148	2383	2520	2618	2824	3259	3520
	CAD1-HN15W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW25W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN25W	Cherry, Maple, Walnut Medium Anigre									

Walnut, Medium Anigre

**ORDERING NOTES:** CAD-MW25 versions are available with optional seat slider mechanism at an upcharge of **\$74 list**. Specifying seat slider option may add additional lead time to production schedules. Please contact Customer Service for more information.

	WOOD AND UR CAD1-HW12B CAD1-HN12B	ETHANE ARM	1844	1957	2042	2303	2452	2559	2783	3266	3529
HAR FR	CAD1-HW22B										
	CAD1-HN22B										
- N	CAD1-HW12W	Cherry, Maple,	2146	2255	2345	2605	2747	2854	3084	3566	3816
-H-		Walnut, Medium Anigre									
8 90	CAD1-HN12W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-HW22W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-HN22W	Cherry, Maple,									
		Walnut, Medium Anigre									

### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$77** to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD Cadence	1 Management Seating	HW High Back	1 Fixed Back	1 Urethane	W Wood
		Wide HN High Back	2 Adjustable Back	2 Wood And Urethane	Black Nylon
		Narrow			
				Adjustable	Jury Base

# **CADENCE** | HIGH BACK

		WOOD	COM		COL	FAB	RIC GRAD	DES	L	EATHER	3
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	WOOD AND UP CAD1-HW13B CAD1-HN13B CAD1-HW23B CAD1-HW23B CAD1-HN23B	HOLSTERED ARM	2065	2177	2264	2523	2673	2778	3006	3488	3816
	CAD1-HW13W CAD1-HN13W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	2366	2479	2566	2824	2971	3081	3305	3790	4107
& . A .	CAD1-HW23W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN23W	Cherry, Maple, Walnut, Medium Anigre									
	COMPLETELY U	PHOLSTERED ARM									
1	CAD1-HW14B		2014	2124	2209	2464	2618	2720	2952	3432	3795
	CAD1-HN14B										
Har 177	CAD1-HW24B										
	CAD1-HN24B CAD1-HW14W	Cherry, Maple, Walnut, Medium Anigre	2310	2422	2511	2768	2919	3027	3249	3735	4083
	CAD1-HN14W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW24W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN24W	Cherry, Maple, Walnut, Medium Anigre									


### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a '**J**' for the base style at the end of the model number and **add \$77** to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.


CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

### PRODUCT CODE KEY



# CADENCE | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

**FSC**®

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# CADENCE | GUEST

		WOOD FINISH	COM 1	2	COL 3	FAB 4	RIC GRAE 5	DES 6	7	LEATHER 8	9
	CAD2A	Cherry, Maple, Walnut, Medium Anigre	1622	1697	1771	1887	2010	2130	2252	2397	2661

# **ORDERING NOTES**

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

# **DIMENSIONS & COM REQUIREMENTS**

			Overall Height		Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage
CAD2A	22.75	27	36	18.25	26	18.75	18	23	18	1.7

<b>ORDERING PROCEDURE</b> To order please specify the following:	STANDARD FINISHES Chair frames are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.
<ol> <li>Krug product model number</li> <li>Select a finish for the chair frame</li> <li>Select a textile or leather</li> </ol>	
Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.	

#### Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

#### Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177 Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca **Customer Service Hours** Please note customer service hours are: 8:30 am to 5:00 pm est

#### Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

#### Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

#### **Order Cancellation**

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

#### Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

#### Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

# GENERAL INFORMATION

#### Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

#### **Blanket Wrapping**

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

### **Export Packaging**

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination – please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

**Important:** Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

#### Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

#### Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

# GENERAL INFORMATION

### **Freight Terms and Conditions**

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

#### Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements

of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.

# INTERNATIONAL

#### **Damaged Shipments**

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

#### **Field Product Report Authorization**

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

#### Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

#### **Custom Capabilities**

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- Dimensional customization of standard size products 1)
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

#### **Care and Maintenance Leather**

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

#### Fabric Upholstery

Professional upholstery cleaning is recommended.

### Flammability Standards for Krug Fabric Program

• Passes State of California Technical Bulletin CAL 117-2013





# **KRUG TEXTILES - UPHOLSTERY FABRICS**

Grade 1

ARLO **306 PETROL** 908 CHARCOAL 93 SEAL 601 PEARL 308 MIDNIGHT 84 NUTMEG 90 LIMESTONE 62 OATMEAL **FRANKLIN** 67 FAWN 3009 MIDNIGHT 97 CINDER 94 METAL 47 CAMEL 909 BLACK 9004 CHARCOAL 308 PETROL 108 ORCHID COMRADE 84 TEAK 63 LINEN 24 ALPINE 905 IRON 309 MIDNIGHT 601 SNOW 57 MARIGOLD 31 DUCK EGG FELICITY 305 SKY 603 TAUPE 93 COAL 405 HENNA

601 IVORY

64 PUTTY

62 FAWN

2025 | SEATING & OCCASIONAL TABLES | CANADA | 12

**36 BLUEBERRY** 



Krug Textiles - Stocked Fabric Program

#### \_ . .

Grade 2				
GRADDY				
PS CAPER	31 SKY	604 FLAX 684 TEAK	901 CHAR 901 CHAR 98 NICKLE	93 GRAY
YATES				
	44 CLAY	87 TAUPE 2	5 JUNIPER 305 INDIGO	109 CRANBERRY
84 BIRCH	803 TOAST	92 ZINC	91 SILVER	908 CHARCOAL
ΜCCOY				
	601 CREME	908 CHARCOAL	62 COPPER	108 CORDOVAN
608 TUNDRA	32 ROBIN'S EGG	94 MERCURY	84 BARK	
ORIS				
	604 BARK	601 CREAM	306 DELFT	902 ZINC
CONTRACTOR CONTRACTOR				

13 | CANADA | SEATING & OCCASIONAL TABLES | 2025

305 MIDNIGHT

64 PUTTY

205 CHARTREUSE

and the action of


908 DOMINO



# Krug Textiles - Stocked Fabric Program

#### Grade 3

# **MORITZ**



24 ALPINE



601 CREAM



306 CADET



82 CLAY







304 CAPRI



**31 AEGEAN** 

32 MIST



306 INDIGO







64 LINEN

106 HENNA



91 FLANNEL



604 STUCCO

# **BISCOTTI**





45 SPICE



61 DESERT



91 GRANITE





601 OYSTER



608 STUCCO

605 STRAW



# **KRUG TEXTILES - UPHOLSTERY FABRICS**

Krug Textiles - Faux Leather Program - Grade 2



## Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



# Krug Textiles - Cut fabric NET price per yard

Grade 1	\$22
Grade 2	\$34
Grade 3	\$46

#### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

#### Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover rolls, or for the method of upholstery in no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

#### Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

#### COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2 Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a <u>NAFTA Certificate of Origin</u> and a <u>Commercial Invoice</u> be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

#### CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

#### Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

# GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

#### **Upholstery Grades**

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

# KRUG EXPRESS PROGRAM

### **PROGRAM DETAILS**

#### **Upholstery Samples**

If you require additional samples or memos for presentation, please contact fabric supplier directly.

#### Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

#### **Special Conditions**

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

*KrugExpress* orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

*KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

### SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is <u>not</u> available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

# WOOD FINISHES

Standard wood finishes are:

#### **Finishes on Beech**

Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry Natural Cherry Sable Cherry Standard Cherry Light Oak Harvest Oak Mahogany Mellow Oak Espresso Cordovan Walnut Natural Walnut Regular Walnut SilverGrey on Walnut Dark Walnut Clear Beech Medium Anigre

**Finishes on Maple** Clear Maple Honey Maple Wheat Maple

# NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

### **Custom Wood Finishes**

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

# WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

# KRUG BASE STYLES (where applicable)

Base Styles	Description							
Black Nylon	5 blade glass rei	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.						
Polished Aluminum	5 blade polished	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.)						
Seat Slider		Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.						
Wood	5 blade steel ba	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.						
Chrome	5 blade polished	5 blade polished chrome base with 2 1/4" dual wheel casters.						
Jury Bases	Into the base is	inserted a black pneun	natic gas cylinder with	n self returning actio	nently mounting a chair to the floor. In from rotation, and self returning			
Jury Bases	height feature wi	hen exiting the chair. All	ows for full 360 degree	e rotation. Limited de	egrees of rotation are not available.			
Pan Am Pan1-M11 <u>J</u>	Bank of England 177- <u>J</u>	Dorso D0S1-H2011 <u>J</u>	Cadence CAD1-HW12J	C5 C5E1MB41AJ	Aqua AQU1M33 <u>J</u>			















All products are air emissions certified and are available as  $\ensuremath{\mathsf{FSC}}\xspace^{\ensuremath{\mathsf{R}}}$  certified

