# CHIT CHAT

Price and Specification Guide USA





Advancing Design Through Innovation

# CHAT TABLES | TABLE OF CONTENTS

### **PRICE LIST & SPECIFICATION GUIDE**

- 2 Environmental Summary
- 3 Product Features & Options
- 4 Dimensions
- 5 Chit Chat Tables
- 6 Chit Chat Bar Tables
- 7 Chit Chat Counter Tables
- 8 Chit Chat Occasional Tables

### **GENERAL INFORMATION**

- 9 Terms & Conditions
- 9 Warranty
- 10 KrugExpress
- 11 Laminates & Solid Surface

# CHIT CHAT | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS

	MATERIAL CONTENT:	
	6% Other 10% Metal & Glass 84% Wood	PRE-CONSUMER RECYCLED CONTENT = 81% POST-CONSUMER RECYCLED CONTENT = 3%
		CONTRIBUTES TO
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Chit Chat products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

**FSC**®

All Chit Chat products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Chit Chat and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.


# **CHIT CHAT | PRODUCT FEATURES & OPTIONS**

### **TOP SHAPE & GRAIN DIRECTION**





Round



Rectangle

### **EDGE PROFILES**

Square




Chit Chat Table tops are 1-1/4" thick and available in two edge profiles. Note: Solid Surface is only available in the D Radius edge profile. See page 11 for color options.

Flat Edge - T

Radius Edge - D

#### BASES



Chit Chat Table bases are available in Brushed Stainless Steel, Matte Black or White finishes with non-marring glides.









Brushed Stainless Matte Black (-14) White (-44) Steel (-13)





Square column with square base

# CHIT CHAT | DIMENSIONS

Model	Width	Depth	Height	Shipping Weight	Cubes
Table					
Square Table -Rounded Corners					
7261242429	24	24	29.5	40	22.25
7261303029 7261363629	30 36	30 36	29.5 29.5	45 52	30.5 40.25
		00	20.0	52	40.25
Rectangular Table -Rounded Corn 7261233029	ers 23	30	29.5	42	18.5
7261243029	23	30	29.5	42	18.5
7261463029	45.75	30	29.5	59	32.75
7261483029	48	30	29.5	85	33.25
7261693029 7261723029	68.75 72	30 30	29.5 29.5	96 117	47.25 49
	12	00	20.0	117	-5
Round Table 72052429	24D		29.5	40	15
72053029	30D		29.5	45	22
72053629	36D		29.5	62	30.25
Bar					
Square Table -Rounded Corners					
7261242442	24	24	41.75	45	21.25
7261303042* 7261363642	30 36	30 36	41.75 41.75	50 67	31 42.75
		30	41./0	07	42.70
Rectangular Table -Rounded Corn 7261233042	ers 23	30	41.75	47	25.75
7261233042 7261243042	23	30	41.75	47 47	25.75
7261463042	45.75	30	41.75	65	45.25
7261483042	48	30	41.75	95	47
7261693042	68.75	30	41.75	101	65.75
7261723042	72	30	41.75	127	68.5
Round Table 72052442	25D		41 75	45	01.05
72052442	25D 30D		41.75 41.75	45 50	21.25 31
72053642	36D		41.75	67	42.75
Counter					
Square Table -Rounded Corners					
7261242436	24	24	36	45	21.25
7261303036*	30	30	36	50	31
7261363636	36	36	36	67	42.75
Rectangular Table -Rounded Corn 7261233036		20	06	47	05 75
7261233036 7261243036	23 24	30 30	36 36	47 47	25.75 25.75
7261463036	45.75	30	36	65	45.25
7261483036	48	30	36	95	47
7261693036	68.75	30	36	101	65.75
7261723036	72	30	36	127	68.5
Round Table	250		06	15	01.05
72052436 72053036	25D 30D		36 36	45 50	21.25 31
72053636	36D		36	67	42.75
Occasional					
Square Table -Rounded Corners					
7261242416	24	24	16	35	10.25
7261303016	30	30	16	40	15
7261363616	36	36	16	47	20.5
Rectangular Table -Rounded Corn 7261233016	ers 23	30	16	37	12.5
7261233016 7261243016	23 24	30	16	37 37	12.5
7261463016	45.75	30	16	54	21.75
7261483016	48	30	16	75	22.75
7261693016	68.75	30	16	91	31.5
7261723016	72	30	16	107	32.75
Round Table	24D		16	35	10.25
72052416 72053016	24D 30D		16	40	15
72053016 72053616	36D		16	57	20.5

# CHIT CHAT | TABLE

DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Base 7261242429SQ 7261303029SQ 7261363629SQ	868 937 1068	1041 1124 1284	1380 1569 2060	1465 1671 2201	1570 1835 2449	1731 2058 2778
Rectangular Table, -Rounded Corners		885 885 1386 1416 1535 1570 851 851 1317 1351 1465 1505 <b>ES:</b> Chat Tables 46" (4		1458 1458 2377 2458 3157 3274 1422 2310 2390 3089 3208 longer include two iree-seat Benches.	1551 1551 2522 2609 3370 3501 1515 1515 2455 2541 3304 3433 9 bases. Please	1672 1672 2778 2878 3741 3890 1640 1640 2712 2810 3672 3822 note table sizes 2	1856 1856 3114 3231 4231 4404 1821 1821 3047 3163 4163 4337 3", 46" & 69"
Round Table	Round Disc Base 72052429DB 72053029DB 72053629DB	834 900 1042	1002 1081 1251	1320 1507 1999	1405 1609 2136	1530 1802 2312	1705 2033 2434
Model		Price				Shipping Weight	Cubes
Square Plate Base	72541828 72542428	344 404				39.5 60 .5	1.3 1.6
	ORDERING NOTE A single 18" base		tops up to	a maximum of 30 i	nches.		
Round Disc Base	72141828 72142428	309 380				39.5 60 .5	1.3 1.6
Ţ	ORDERING NOTE A single 18" base		tops up to	a maximum of 30 i	nches.		
	IRE	BASE FINISH			MATERIALS		
To order please specify 1. Select model number 2. Select top material 3. Select a color for top 4. Select base finish		Round Disc Base, Square Plate Base, Round Disc Base, Square Plate Base Round Disc Base,	e, Brushed , White- DE e, White- S	Stainless- SQ-13 3-44 6Q-44	please see p available in th	ete list of Solid S age 11. Solid Su e D Radius edge p te list of Laminate	irface is only profile.

Round Disc Base, Matte Black- DB-14

Square Plate Base, Matte Black- SQ-14

see page 179.

- 3. Select a color for top
- 4. Select base finish
- 5. Select edge profile

# CHIT CHAT | BAR

DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Ba 7261242442SQ 7261303042SQ* 7261363642SQ	914	1096 1181 1340	1428 1615 2107	1512 1717 2249	1617 1881 2496	1777 2104 2824
Rectangular Table, -Rounded Corners	Square Plate Ba 7261233042SQ 7261243042SQ 7261463042SQ 7261483042SQ 7261693042SQ 7261723042SQ	se 931 1480 1509 1627 1664	1117 1117 1774 1811 1954 1998	1504 1504 2471 2551 3248 3368	1596 1596 2614 2701 3463 3594	1719 1719 2870 2970 3834 3982	1902 1902 3207 3323 4323 4498
		875 875 1374 1398 1514 1552				1663 1663 2760 2859 3722 3871	1845 1845 3095 3211 4213 4385 nches.
Round Table	Round Disc Bas 72052442DB 72053042DB 72053642DB*	e 857 924 1065	1031 1109 1279	1346 1530 2028	1430 1632 2165	1555 1825 2340	1729 2058 2462
Model		Price				Shipping Weigh	it Cubes
Square Plate Base	72541841 72542441	389 451				42.5 63.5	1.6 1.9
	ORDERING NO A single 18" bas	TES: e can be used with	tops up to	o a maximum of 30	inches.		
Round Disc Base	72141841 72142441 ORDERING NO A single 18" base	333 407 TES: e can be used with	tops up to	a maximum of 30	inches.	42.5 63.5	1.6 1.9
	DE	BASE FINISH			MATERIALS		
To order please specify t 1. Select model number 2. Select top material 3. Select a color for top 4. Select base finish 5. Select edge profile		Round Disc Base,	e, Brushed White- Dl e, White- S Matte Bla	l Stainless- SQ-13 3-44 6Q-44 ack- DB-14	For a complet please see pa available in the	te list of Solid S age 11. Solid S D Radius edge p e list of Laminate	urface is only profile.

# CHIT CHAT | COUNTER

DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Bas 7261242436SQ 7261303036SQ* 7261363636SQ	se 914 984 1117	1096 1181 1340	1428 1615 2107	1512 1717 2249	1617 1881 2496	1777 2104 2824
Rectangular Table, -Rounded Corners	Square Plate Bas 7261233036SQ 7261243036SQ 7261463036SQ 7261483036SQ 7261693036SQ 7261693036SQ 7261723036SQ	se 931 931 1480 1509 1627 1664	1117 1117 1774 1811 1954 1998	1504 1504 2471 2551 3248 3368	1596 1596 2614 2701 3463 3594	1719 1719 2870 2970 3834 3982	1902 1902 3207 3323 4323 4498
	Round Disc Base 7261233036DB 7261243036DB 7261463036DB 7261483036DB 7261693036DB 7261723036DB	875 875 1374 1398 1514 1552	1048 1048 1647 1677 1818 1861	1446 1446 2359 2438 3137 3257	1539 1539 2504 2590 3353 3483	1663 1663 2760 2859 3722 3871	1845 1845 3095 3211 4213 4385
	ORDERING NOTES: Rectangular Chit Chat Tables 46" (45.75) and longer include two bases. Please note table sizes 23", 46" & 69" (68.75) coordinate with all Zola one, two and three-seat E						ches.
Round Table	Round Disc Base 72052436DB 72053036DB 72053636DB*	857 924 1065	1031 1109 1279	1346 1530 2028	1430 1632 2165	1555 1825 2340	1729 2058 2462
Model		Price				Shipping Weigh	t Cubes
Square Plate Base	72541836 72542436	389 451				41.5 62.5	1.4 1.7
	ORDERING NOT A single 18" base	TES: e can be used with t	tops up to	a maximum of 30	inches.		
Round Disc Base	72141836 72142436	333 407				41.5 62.5	1.4 1.7
Ţ	ORDERING NOT A single 18" base	<b>FES:</b> e can be used with t	tops up to	a maximum of 30	inches.		
ORDERING PROCEDU	RE	BASE FINISH			MATERIALS &	FINISHES	
To order please specify 1. Select model number 2. Select top material 3. Select a color for top 4. Select base finish 5. Select edge profile		Round Disc Base, Square Plate Base Round Disc Base, Square Plate Base Round Disc Base, Square Plate Base	e, Brushed White- DE e, White- S Matte Bla	Stainless- SQ-13 3-44 6Q-44 ck- DB-14	please see pa available in the	te list of Solid S age 11. Solid Su D Radius edge p e list of Laminate	urface is only profile.

# CHIT CHAT | OCCASIONAL

DESCRIPTION/MODEL	-	Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Base 7261242416SQ 7261303016SQ 7261363616SQ	868 937 1068	1041 1124 1284	1380 1569 2060	1465 1671 2201	1570 1835 2449	1731 2058 2778
Rectangular Table, -Rounded Corners	Square Plate Base 7261233016SQ 7261243016SQ 7261463016SQ 7261483016SQ 7261693016SQ 7261723016SQ Round Disc Base 7261233016DB 7261243016DB 7261463016DB	885 885 1386 1416 1535 1570 851 851 1317	1062 1062 1663 1699 1841 1884 1020 1020 1582	1458 1458 2377 2458 3157 3274 1422 1422 2310	1551 1551 2522 2609 3370 3501 1515 1515 2455	1672 1672 2778 2878 3741 3890 1640 1640 2712	1856 1856 3114 3231 4231 4404 1821 1821 3047
	7261483016DB 7261693016DB 7261723016DB ORDERING NOTES Rectangular Chit Cl (68.75) coordinate w	hat Tables 46" (4			2541 3304 3433 o bases. Please	2810 3672 3822 note table sizes 2	3163 4163 4337 23", 46" & 69"
Round Table	Round Disc Base 72052416DB 72053016DB 72053616DB	834 900 1042	1002 1081 1251	1320 1507 1999	1405 1609 2136	1530 1802 2312	1705 2033 2434
Model		Price				Shipping Weigh	t Cubes
Square Plate Base	72541815 72542415 <b>ORDERING NOTES</b> A single 18" base ca		ops up to a	a maximum of 30 ii	nches.	37 58	1.1 1.4
Round Disc Base	72141815 72142415 <b>ORDERING NOTES</b> A single 18" base ca		ops up to a	a maximum of 30 ii	nches.	37 58	1.1 1.4
ORDERING PROCED	JRE E	BASE FINISH			MATERIALS &	FINISHES	
1. Select model numberSqu2. Select top materialRou3. Select a color for topSqu4. Select base finishRou		Square Plate Base Round Disc Base Square Plate Base Round Disc Base	Ind Disc Base, Brushed Stainless- DB-13 are Plate Base, Brushed Stainless- SQ-13 and Disc Base, White- DB-44 are Plate Base, White- SQ-44 and Disc Base, Matte Black- DB-14 are Plate Base, Matte Black- SQ-14 Bror a complete list of Solid S available in the D Radius edge p For a complete list of Laminate see page 11.			urface is only profile.	
	I				202	25   CONFEREN	ICE   USA   8

### **GENERAL INFORMATION**

#### Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

#### **Contact Information**

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177 Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca **Customer Service Hours** Please note customer service hours are: 8:30 am to 5:00 pm est

#### **Customer Satisfaction**

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

#### **Order Acknowledgments**

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

#### **Order Cancellation**

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

#### Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

#### Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

#### Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

#### Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

**Important:** Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

#### Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

#### Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

#### **Custom Capabilities**

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
- 2) Custom wood finishes

3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Customer Service for more information.

#### Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

#### Product Strength and Durability Testing

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.



#### **Damaged Shipments**

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

#### Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

#### **Care and Maintenance**

**Wood Finishes** - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

**Plastic Laminates** - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

#### **Krug Panel Fabric Program**

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca PRODUCTS / FABRICS / PANEL

The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

If memo samples are required please call Momentum at 1-800-366-6839.



#### **PROGRAM DETAILS**

*KrugExpress* orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

*KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

# CHIT CHAT | LAMINATES & SOLID SURFACE

### LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

### **IN-STOCK LAMINATES**

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier	
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR	
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR	
Dune	Tafisa T491CR	Ash	Tafisa T535AT	
Copper	Tafisa T521CR	Willow	Tafisa T543AT	
Shiraz Cherry	Tafisa T472CR	Solid Laminates		
Park Avenue Walnut	Wilsonart 7984–38			
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60	
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR	
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR	
		Charcoal	Tafisa T228CR	

#### SOLID SURFACE

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

GROUP GRADE A - WHITE		
	Glacier White	Cameo White
GROUP GRADE A - COLOR		1
	Bisque	Linen
GROUP GRADE B		
	Antarctica	Savannah
GROUP GRADE C		
	Dove	Deep Night Sky







All products are air emissions certified and are available as  $\ensuremath{\mathsf{FSC}}\xspace$  certified



solutions@krug.ca | www.krug.ca | 1.888.578.KRUG