CONFERENCE

Price and Specification Guide

CANADA



krug

Advancing Design Through Innovation

Effective 2027

TABLE OF CONTENTS

PRICING & SPECIFICATIONS

2 Nuvo
84 V2
118 Ando
126 Revo
162 Gira
174 Chit Chat
182 Millennium
208 Stratford
220 Virtu

General Information

361 Terms & Conditions
361 Warranty
362 *KrugExpress* Program
363 Wood Finishes
363 Laminate Program
364 Solid Surface

NUVO | TABLE OF CONTENTS

NUVO

3 Nuvo Environmental Summary
4 Features & Options
6 Power Management
8 Sample Configurations
9 Rectangular Wood Tops
10 Arc End Wood Conference Tops
11 Racetrack Wood Conference Tops
12 Boat Shaped & Visio Wood Conference Tops
13 Oval, Arced Square & Round Wood Conference Tops
14 Console Planning For Wood Tops
15 Console Size & Location For Wood Tops
25 Console Size & Location For Laminate Tops
35 Consoles for Wood & Laminate Tops
36 Back-Painted Glass Rectangular Conference Tops
37 Back-Painted Glass Arc End Conference Tops
38 Back-Painted Glass Boat Shaped & Visio Conference Tops
39 Back-Painted Glass Oval, Arced Square & Round Conference Tops
40 Console Planning for Back-Painted Glass Tops
41 Console Size & Location For Back-Painted Glass Tops
48 Consoles for Back-Painted Glass Tops & Console Power/Data Modules
49 Standard Console Power/Data Media Modules
53 Console Power Modules for Custom Configurations
54 Console Data/Media Options
59 Bases
60 Base Requirements Chart


MEDIA AND STORAGE

68 LEED Credit Summary, Substantiality & Environmental
69 Features & Options
72 Credenzas
76 Buffets
82 Hospitality Carts
83 Lecterns & Media

LEED CERTIFICATION



MATERIAL CONTENT:




PRE-CONSUMER
RECYCLED CONTENT - 82%

POST-CONSUMER
RECYCLED CONTENT - 2.5%



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 72%

POST-CONSUMER
RECYCLED CONTENT - 2.5%

		CONTRIBUTES TO
Credit 2.1 - 2.2	Construction Waste Management	1-2 point(s)
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
Credit 7	Certified Wood (MUST BE REQUESTED)	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Nuvo products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Nuvo products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.

AIR-EMISSIONS

All Nuvo products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.


FSC®

FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Nuvo and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times..


In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

NUVO | FEATURES & OPTIONS


TOPS
Nuvo Conference products offers 8 table top shapes in 6 veneer species in addition to 13 wood grain, 4 solid laminate selections. Veneered tops are 1 1/2" thick veneered fiberboard MDF core and backer material, with a 1/8" wood edge. Laminate tops are 1 1/2" thick with fiberboard MDF core and backer material, with a PVC edge. Conference tops are available with these profiles.



Edge profile for
wood tops
Knife Edge



Edge profile for
laminate tops



Edge profile for
glass tops

BASES
All bases are shipped separately and require assembly to support beams and/or tops.
All wood bases, with the exception of panel bases, offer large interior cavities for cable routing and allow for total concealment of wiring when floor monuments are located underneath. Bases are equipped with removable panels which make access to the interior quick and easy.
Refer to the base requirements chart on page 60 to select the appropriate bases and sizes for conference tables.
Formed Metal Bases are available in Matte Chrome finish.
Base plates are available in a choice of Wood, Palette, Laminate or Gloss Aluminum finish.

CONSOLES
Consoles are available in 14", 27", 36", 42" and 50" lengths, and can be located within a top section or across a seam. Consoles located within a table section will be factory installed. Consoles located across the seam are ordered by a separate model number and will be shipped as a separate item for field installation. The console access cover allows wiring to pass through to the console module from all sides. The console access cover can be operated from either side of the table for easy access to the console module and opens to a 95° angle from the top of the table. Console access covers are available in Gloss Aluminum with Polished Chrome end bezels.

CONSOLE POWER/DATA/MEDIA MODULES
Console power/data/media modules are available in 18 preconfigured options or can be customized by adding plate-mounted or snap-in data ports to any of the 4 standard power modules. The number of console modules per console is dependent on the console size; 1 unit in 14" lengths, 2 units in 27" and 36" lengths, and 3 units in 42" and 50" lengths. Console power modules are available in three cord lengths (6', 16' and 25'). A utility outlet is available in some console module models for connecting power within a table. Up to 10 duplex receptacles can be connected to one electrical circuit. Faceplates, duplex receptacles and data components are white.

SUPPORT BEAMS
Aluminum support beams provide strength and support to the conference tops. Support beams are field installed onto the bases allowing for top-on-last installation for all base styles except the formed metal base. Powder coated steel trough pans located between the support beams accommodate under-surface cable management and runs cables to interior base cavities to access floor monuments.

SEATING CAPACITY
To establish seating capacity, an outside chair dimension of 24" has been used for this price guide, plus an allowance of 5" between chairs, for a total of 29". This is an approximation only. When using another chair, particularly seating with a 5 prong caster base, be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use the same formula, when seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Nuvo Conference Tables.

VENEER
Veneers available are Rift White Oak, Quarter Cut Maple, Cherry, Walnut.

FINISH
A five step catalyzed varnish finish that when dry has a sheen value of 32°, is applied to all tables, bases and cases. A lower sheen topcoat, 20°, can also be specified, at standard pricing. All purchase orders must clearly note "lower sheen finish" in order to receive this optional selection. All finished surfaces are well sanded before applying finishing materials. The procedure begins by applying a base color via an NGR stain. A wash coat follows to further enhance the color. Next is the glazing process, which provides the 3rd color step and fills the pores of the wood. A sealer coat is then applied, twice to the horizontal worksurfaces to enhance the finish. The product is then scuff sanded to prepare for the top coat. The top coat is a catalyzed varnish that when dry has a sheen value of 32°. Krug's catalyzed varnish has been tested to be one of the industry's most durable and long lasting. Custom finishes are available at an upcharge of 10% list per unit.

GLASS SURFACES
Nuvo conference tops are available in white back-painted 10mm tempered glass. Please contact customer service for additional color selections available at no upcharge. Color options also on website.

SOLID SURFACES
Solid Surface tops are available on conference tops. The solid surface standard top option is white, with additional colors available upon request. Solid surfaces are composed of minerals, acrylic resins that are non-porous and stain, scratch and dent resistant. Color is throughout the material, so surface scratches are not as visible. Please contact customer service with specifications for a quote.

GLIDES
Wood bases feature adjustable glides 1 ½" long and allow for a range of adjustment of ¾". Metal bases have ½" glides.

MICROPHONE CUT OUTS
Microphone cut outs are available for **$416 list** per table for up to 7 microphone cutouts. For Back-Painted Glass tops add an additional **$132 list** per cut-out.

HOW TO SPECIFY NUVO

1) Specify table top shape, size, model number and top material. For wood and laminate tops see page 9, for Back-Painted Glass see page 36.
2) Select base shape, size and model number using Base Requirements chart on page 60.
3) Specify console location (end sections, middle sections or across the seam) and size option. For wood top see page 15, for Back-Painted Glass see page 40.
4) Cross seam console model number, where applicable. For wood top see page 15 for Back-Painted Glass see page 41.
   Please note: Across seam consoles are field installed and have a separate model number.
5) Specify Console Power module options. Preconfigured Console Modules, see page 49. Custom Console Modules, see page 53.
6) Add plate-mounted data or snap-in data options to custom module, see port options on page 49.

Purchase orders must include:

- Wood Species and Finish
- Base Plates - Gloss Aluminum, Palette, Laminate or Wood

LAMINATE WORKSURFACES


Laminate is available on all Nuvo Conference Tops; refer to Krug's standard laminate program on page 363. Krug will order and procure laminates. Purchase orders with a plastic laminate option must include Laminate Name.

Krug reserves the right to decline a laminate that may not be suitable for the application. Krug assumes no responsibility for durability or consistent color. The number of sections on 48" wide Laminate tops, on some table sizes, are different than the same size wood top. This is due to the size of laminates available. See table sections column on pages 25. Please note the grain direction of wood grain laminates will run lengthwise on 1 piece tops and crosswise on multiple piece tables. The grain direction of wood grain laminate will run horizontal on the backs of credenzas and buffets.


CUSTOM SIZING

Custom sizing and additional customization is available on Nuvo Conference Tables. Tops may be ordered with a reduced number of sections at an upcharge. For more information or to obtain quotations, please contact Customer Service.


STANDARD TABLE SHAPES




Rectangular
Model Number: 5161
Glass Top 5161GP




Arc End
Model Number: 5166
Glass Top 5166GP




Racetrack
Model Number: 5102
Glass Top 5102GP




Boat Shaped-Arc Ends
Model Number: 5164
Glass Top 5164GP




Visio-Arc Ends
Model Number: 5168
Glass Top 5168GP



Oval
Model Number: 5159
Glass Top 5159GP



Arced Square
Model Number: 5166
Glass Top 5166GP



Round
Model Number: 5105
Glass Top 5105GP

SQUARE CORNER TOPS

Nuvo conference tables may be specified with Square Corners in all shapes with rounded corners. To order these additional configurations, please replace the standard model number with the number listed: Rectangular = 5101, Arc End = 5106, Boat Shape-Straight End = 5104, Boat Shape-Arc End = 5154, Visio-Straight End = 5108, Visio-Arc End = 5158, Arc Square = 5156. Pricing for tops with square corners is the same as standard tops.

TESTING

All products have been tested in accordance with ANSI/BIFMA X5.5-2014 or X5.9-2012.

BIFMA INTERNATIONAL

NUVO | POWER MANAGEMENT


All Nuvo Conference tables feature cable management capabilities for routing cables between the floor monuments and the consoles that provide voice/power/data/media connections.

Support beams connect the bases and provide additional support for the conference top. Support beams enable top-on-last assembly of the tables - this shortens the installation time, requires fewer installers, and helps to prevent damage to table tops. Data cables can be connected to the power/data modules and dropped into the base and connected to the source prior to the installation of the top. After the top is installed, the power modules are bolted into the threaded inserts in the top. Cable troughs located between the support beams offer generous space for cable management and are supplied with grommets to allow for cables to pass through to the base interior cavities.

Bases feature sizable cutouts at the bottom, providing access to floor monuments. With the exception of Panel and Formed Metal Bases, bases allow for total concealment of wiring when floor monuments are located underneath. Access doors are provided on the inward-facing vertical side of the bases, providing quick access to cabling in the interior. Formed Metal bases are available with an external cable management system and cables are run to the floor using a Metal Cable Manager or Spine Cable Manager.

The Console modules are housed within the support beam and provide power and communications connectivity. Console modules utilize UL standard receptacle outlets. Console modules are available in 18 pre-configured configurations, or can be custom-configured in unique configurations - or alternatively can be specified with blank ports, so customers can purchase and insert their own outlets. Console modules also can be designed and built specifically to meet your connectivity needs by using the Snap-in or Plate mounted port options. Console modules are available with three electrical cord lengths (6', 16', and 25'). Console modules with a utility outlet will allow units to be linked together to a maximum of 10 duplex receptacles per circuit. The number of console modules is dependent on the console size; 1 unit in 14" lengths, 2 units in 27" and 36" lengths, and 3 units in 42" and 50" lengths.

Consoles are available in 14", 27", 36", 42" and 50" lengths, and can be located within a top section, or can span top section seams. The console access cover allows wiring to pass through to the console module from all sides. Console access covers are operated from either side of the table for easy access to the console module and open to a 95° angle from the top of the table. Console access covers are available in a Gloss Aluminum finish with polished chrome end bezel. There are some limitations in glass, please see page 41.




SUPPORT BEAMS & CABLE TROUGH



CONSOLE MODULE



Panel Base




Base Size	Base Floor Monument Cut Out Dimension

Note: Panel bases will not completely conceal floor monuments.
Panel bases have 2 cable access panels

21” x 3”	4” X 1.5”
25” x 3”	4” X 1.5”
31” x 3”	4” X 1.5”


Oval Base



Oval bases have 2 cable access panels16” x 16”

21” x 8”	12” X 5”
25” x 10”	12” X 6.5”
31” x 12”	12” X 9.5”


Square Base



Square bases have 1 cable access panel

16”x16”	6.25” X 6.25”
20” x 20”	9.5” X 9.5”
24” x 24”	14.5” X 14.5”
30” x 30”	20.5” X 20.5”


Rectangular Base



Rectangular bases have 1 cable access panel

21” x 12”	15” X 6”
25” x 12”	19” X 6”
31” x 12”	25” X 6”


Oval Island Base



Oval Island bases have 2 cable access panels

18” x 47”	10” X 20”
18” x 71”	(2) 6 X 11 (1) 6 X 15
24” x 71”	13 X 33
24” x 95”	(2) 13 X 12 (1) 13 X 26
24” x 107”	(2) 13 X 17 (1) 13 X 33


Rectangular Island Base



Rectangular Island bases have 1, 2 or 3 cable access panels depending on base size

18” x 27”	9” X 9”
18” x 39”	9” X 22”
18” x 63”	9” X 29”
18” x 99”	(2) 9” X 33”
18” x 123	(2) 9” X 43”
18” x 171	(4) 8” X 34”
24” x 63”	11” X 29”
24” x 99”	(2) 11” X 33”
24” x 123”	(2) 11” X 43”
24” x 171”	(4) 11” X 34”
24” x 219”	(3) 11” X 40”


Formed Metal Base



NOTE: Formed Metal bases do not feature an interior cavity. Formed Metal bases have external cable management systems allowing cables to run to the floor monument. See page 60 for model numbers and cable management options. Overall table height is 29.5”


NUVO | SAMPLE CONFIGURATIONS

SAMPLE CONFIGURATIONS - EXAMPLE ONE




Description	Model Number	Laminate, Oak Maple, Cherry	Walnut
(1) Arc End Top 72x36	51667236	3411	3752
(1) Formed Metal Base w/ Metal Cable Manager	514124328CMI	1494	1494
(1) Formed Metal Base	514124328	1292	1292
(1) Console Access Port within top section	AM27	324	324
(1) Console Power Module for Custom Configurations	51PMA06	532	532
Console Data/Media Options			
Position 3 -(1) - DVI-D Dual (Digital)	P03	150	150
Position 4 -(1) - Adaptor Plate	M04	40	40
-(2) - RJ45-CAT6 White	S01W	51	51
		51	51
-(1) - RJ11-Telephone White	S02W	34	34
-(1) - HDMI	S04	190	190
TOTAL LIST		**7569**	**7910**

SAMPLE CONFIGURATIONS - EXAMPLE TWO




Description	Model Number	Laminate, Oak Maple, Cherry	Walnut
(1) Visio Top 168x66/42	51681686642	15334	16864
(1) Formed Metal Base w/ Metal Cable Manager	514124328CM1	1494	1494
(1) Formed Metal Base	514136328	1444	1444
(1) Formed Metal Base	514148328	1593	1593
(4) Console Access Ports within top section	AI14	291	291
	BM36	366	366
	CM36	366	366
	DI14	291	291
(3) Basic Data with 2 Duplex Receptacles & Utility Outlet	51PDCD01-06	615	615
		615	615
		615	615
(1) Basic Data with 2 Duplex Receptacles	51PDAD01-06	559	559
TOTAL LIST		**23583**	**25113**

SAMPLE CONFIGURATIONS - EXAMPLE THREE



Description	Model Number	Laminate, Oak Maple, Cherry	Walnut
(1) Rectangular Top 120x48	516112048	6555	7211
(2) 20” Square Bases	5143202025	1361	1496
		1361	1496
(2) Console Access Port within top section	AM14	291	291
	BM14	291	291
(1) Console Access Port across a seam	51CONSOLE-X27 (ABX27)	324	324
(2) Basic Data with 2 Duplex Receptacles & Utility Outlet	51PDCD01-06	615	615
		615	615
(1) Basic Data with 2 Duplex Receptacles	51PDAD01-06	559	559
TOTAL LIST		**11972**	**12898**

Description	Model	Laminate Oak, Maple, Cherry	Walnut	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Rectangular- Rounded Corners	51616036	3072	3379	60	36	1	4	95	5
	51616042	3236	3561	60	42	1	4	110	6
	51616048	3404	3743	60	48	1	4	125	6
	51617236	3288	3614	72	36	1	6	113	6
	51617242	3453	3797	72	42	1	6	131	7
	51617248	3619	3978	72	48	1	6	148	8
	51617836	3568	3925	78	36	1	6	122	6
	51617842	3767	4145	78	42	1	6	142	7
	51617848	3966	4362	78	48	1	6	161	8
	51618436	3816	4201	84	36	1	6	131	7
	51618442	4065	4474	84	42	1	6	152	8
	51618448	4315	4749	84	48	1	6	172	9
	51619636	3982	4381	96	36	1	8	150	8
	51619642	4646	5111	96	42	2	8	175	9
	51619648	5309	5841	96	48	2	8	198	10
	516110842	4813	5294	108	42	2 (3)	8	195	10
	516110848	5559	6115	108	48	2 (3)	8	222	11
	516110854	6389	7027	108	54	3	8	250	13
	516112042	5808	6389	120	42	2 (3)	8	216	11
	516112048*	6555	7211	120	48	2 (3)	10	247	12
	516112054	7302	8033	120	54	3	10	278	14
	516112060	8130	8947	120	60	3	10	307	15
	516114448	7466	8215	144	48	2 (3)	10	297	15
	516114454	8382	9221	144	54	3	12	333	17
	516114460	9377	10315	144	60	3	12	369	18
	516115654	9128	10042	156	54	3 (4)	12	362	18
	516115660	10290	11317	156	60	3 (4)	12	401	20
	516116848	9874	10862	168	48	3 (4)	12	347	17
	516116854	11119	12231	168	54	4	12	390	19
	516116860	12530	13783	168	60	4	12	431	21
	516119248	11535	12689	192	48	3 (4)	14	397	20
	516119254	12944	14238	192	54	4	14	445	22
	516119260	14521	15972	192	60	4	14	492	24
	516121654	14272	15699	216	54	5	16	501	24
	516121660	16014	17614	216	60	5	16	554	27
	516124060	18089	19897	240	60	5	18	617	30
	516126460	20497	22542	264	60	6	20	680	33
	516128860	23148	25462	288	60	6	22	740	36

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

RECTANGULAR - SQUARE CORNER TOPS:
Rectangular tops with square corners are available. Replace the model prefix with **5101**. e.g. **5161**14448 becomes **5101**14448 Pricing is the same as standard tops.

LAMINATE TABLE SECTIONS:
The number in brackets under table sections, refers to the number of sections when ordering laminate tops, if different than the number of sections for the same size wood top. Please note the grain direction of wood grain laminates will run lengthwise on 1 piece tops and crosswise on multiple piece table tops.

ORDERING PROCEDURES
To order, please specify the following:
1) Table top shape, size, model number and wood species
2) Base model number
3) Console location and size option
4) Cross seam console model number, where applicable
5) Console power module and data options

DIMENSION KEY
L - length
W - Width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363


BASE REQUIREMENTS
See page 60 for base requirements

CONSOLE SIZE & LOCATIONS
For information on Console locations and size options, see page 15 for wood and page 25 for laminate.

CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

TABLE SECTION SIZE
Section sizes can be calculated by dividing the table length by the # of sections

NUVO | ARC END CONFERENCE TOPS

Description	Model	Laminate Oak, Maple, Cherry	Walnut	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Arc End Table - Rounded Corners	51666036	3194	3514	60	36	1	4	89	5
	51666042	3404	3743	60	42	1	4	103	5
	51666048	3608	3973	60	48	1	4	117	6
	51667236	3411	3752	72	36	1	6	107	5
	51667242	3619	3978	72	42	1	6	123	6
	51667248	3825	4208	72	48	1	6	140	7
	51667836	3691	4062	78	36	1	6	116	6
	51667842	3932	4326	78	42	1	6	134	7
	51667848	4174	4593	78	48	1	6	153	8
	51668436	3942	4336	84	36	1	6	125	7
	51668442	4234	4654	84	42	1	6	144	
	51668448	4523	4973	84	48	1	6	164	9
	51669636	4108	4518	96	36	1	8	144	7
	51669642	4813	5294	96	42	2	8	167	9
	51669648*	5518	6071	96	48	2	8	190	10
	516610842	4977	5476	108	42	2 (3)	8	188	10
	516610848	5767	6345	108	48	2 (3)	8	214	11
	516610854	6638	7302	108	54	3	8	240	12
	516612042	5975	6573	120	42	2 (3)	10 (8)	211	11
	516612048	6764	7440	120	48	2 (3)	10	239	12
	516612054	7551	8305	120	54	3	10	268	14
	516612060	8424	9266	120	60	3	10	297	15
	516614448	7675	8442	144	48	2 (3)	10	289	15
	516614454	8631	9493	144	54	3	12	324	16
	516614460	9666	10634	144	60	3	12	359	18
	516615654	9377	10315	156	54	3 (4)	12 (10)	353	18
	516615660	10579	11638	156	60	3 (4)	12	390	20
	516616848	10082	11092	168	48	3 (4)	12	338	17
	516616854	11368	12506	168	54	4	12	380	19
	516616860	12819	14102	168	60	4	12	421	21
	516619248	11742	12915	192	48	3 (4)	14	388	20
	516619254	13193	14513	192	54	4	14	435	22
	516619260	14810	16294	192	60	4	14	482	24
	516621654	14521	15972	216	54	5	16	491	25
	516621660	16304	17935	216	60	5	16	544	27
	516624060	18379	20217	240	60	5	20 (18)	606	30
	516626460	20785	22863	264	60	6	20	668	33
	516628860	23441	25784	288	60	6	22	729	36

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

ARC END TABLE - SQUARE CORNERS:
Arc End tops are available with square corners. Replace the model number prefix with **5106**. e.g. **5166**12042 becomes **5106**12042. Pricing is the same as standard tops.

LAMINATE TABLE SECTIONS:
The number in brackets under table sections, refers to the number of sections when ordering laminate tops, if different than the number of sections for the same size wood top. Please note the grain direction of wood grain laminates will run lengthwise on 1 piece tops and crosswise on multiple piece table tops.

SEATING CAPACITY:
The number in brackets is the seating capacity when formed metal legs are used if different than the seating capacity when other bases are used.

ORDERING PROCEDURES
To order, please specify the following:
1) Table top shape, size, model number and wood species
2) Base model number
3) Console location and size option
4) Cross seam console model number, where applicable
5) Console power module and data options

DIMENSION KEY
L - Length
W - Width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363


BASE REQUIREMENTS
See page 60 for base requirements

CONSOLE SIZE & LOCATIONS
For information on Console locations and size options, see page 15 for wood and page 25 for laminate.

CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

TABLE SECTION SIZE
Section sizes can be calculated by dividing the table length by the # of sections

Description	Model	Laminate Oak, Maple, Cherry	Walnut	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Racetrack	51026036	3236	3561	60	36	1	4	83	5
	51026042	3404	3743	60	42	1	4	94	5
	51026048	3583	3943	60	48	1	4	104	6
	51027236	3453	3797	72	36	1	6	101	6
	51027242	3634	3998	72	42	1	6	115	6
	51027248	3802	4180	72	48	1	6	127	7
	51027836	3751	4125	78	36	1	6	110	6
	51027842	3966	4362	78	42	1	6	126	7
	51027848	4168	4581	78	48	1	6	140	8
	51028436	4016	4417	84	36	1	6	119	7
	51028442	4282	4709	84	42	1	6	136	7
	51028448	4531	4984	84	48	1	6	152	9
	51029636	4181	4600	96	36	1	8	138	7
	51029642	4879	5366	96	42	2	8	159	9
	51029648	5576	6133	96	48	2	8	178	10
	510210842	5062	5569	108	42	2 (3)	8	180	10
	510210848*	5841	6427	108	48	2 (3)	8	202	11
	510210854	6722	7395	108	54	3	10 (8)	226	12
	510212042	6105	6716	120	42	2 (3)	8	202	11
	510212048	6886	7574	120	48	2 (3)	10	227	12
	510212054	7668	8434	120	54	3	10	251	14
	510212060	8549	9401	120	60	3	10 (8)	275	15
	510214448	7851	8636	144	48	2 (3)	12 (10)	277	15
	510214454	8812	9691	144	54	3	12 (10)	307	16
	510214460	9857	10843	144	60	3	12 (10)	337	16
	510215654	9591	10543	156	54	3 (4)	14 (12)	336	18
	510215660	10804	11882	156	60	3 (4)	14 (12)	369	20
	510216848	10374	11409	168	48	3 (4)	12	326	17
	510216854	11682	12850	168	54	4	14 (12)	364	19
	510216860	13161	14477	168	60	4	14 (12)	399	21
	510219248	12114	13327	192	48	3 (4)	14	376	20
	510219254	13593	14950	192	54	4	16 (14)	418	22
	510219260	15250	16774	192	60	4	16 (14)	460	24
	510221654	14986	16486	216	54	5	18 (16)	475	25
	510221660	16828	18511	216	60	5	18 (16)	522	27
	510224060	19001	20900	240	60	5	18 (16)	584	30
	510226460	21523	23673	264	60	6	20 (18)	647	33
	510228860	24311	26742	288	60	6	22 (20)	707	36



NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

LAMINATE TABLE SECTIONS:
The number in brackets under table sections, refers to the number of sections when ordering laminate tops, if different than the number of sections for the same size wood top. Please note the grain direction of wood grain laminates will run lengthwise on 1 piece tops and crosswise on multiple piece table tops.

SEATING CAPACITY:
The number in brackets is the seating capacity when formed metal legs are used if different than the seating capacity when other bases are used.

ORDERING PROCEDURES
To order, please specify the following:
1) Table top shape, size, model number and wood species
2) Base model number
3) Console location and size option
4) Cross seam console model number, where applicable
5) Console power module and data options

DIMENSION KEY
L - length
W - Width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363


BASE REQUIREMENTS
See page 60 for base requirements

CONSOLE SIZE & LOCATIONS
For information on Console locations and size options, see page 15 for wood and page 25 for laminate.

CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

TABLE SECTION SIZE
Section sizes can be calculated by dividing the table length by the # of sections

NUVO | BOAT SHAPED & VISIO CONFERENCE TOPS

Description	Model	Laminate Oak, Maple, Cherry	Walnut	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Boat-Shaped - Arc End Rounded Corners	5164964842	5743	6315	96	48/42	2	8	181	10
	5164965442*	6734	7405	96	54/42	2	8	204	11
	51641204842	7088	7795	120	48/42	2 (3)	8	229	12
	51641205442	7898	8689	120	54/42	3	10 (8)	257	14
	51641444842	8065	8870	144	48/42	2 (3)	10	276	15
	51641445442	9062	9967	144	54/42	3	12	311	15
	51641685442	12017	13215	168	54/42	4	12	366	19
	51641925442	13991	15390	192	54/42	4	14	419	22
	51642166048	17311	19039	216	60/48	5	16	526	27
	51642406048	19549	21504	240	60/48	5	18 (16)	585	30
	51642646048	22139	24352	264	60/48	6	20	646	33
	51642886048	25008	27510	288	60/48	6	22	704	36


NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

BOAT SHAPE - ARC END, SQUARE CORNERS:
Boat Shape tops are available with Arc ends and Square corners. For Arc End, Square Corner tops replace model suffix with **5154**. e.g. **5164**1204842 becomes **5154**1204842. Pricing is the same as standard tops.

BOAT SHAPE - STRAIGHT END, SQUARE CORNERS:
Boat Shape tops are available with Straight ends and square corners. For Straight End, Square Corner tops replace model suffix with **5104**. e.g. **5164**1204842 becomes **5104**1204842. Pricing is the same as standard tops.

LAMINATE TABLE SECTIONS:
The number in brackets under table sections, refers to the number of sections when ordering laminate tops, if different than the number of sections for the same size wood top. Please note the grain direction of wood grain laminates will run lengthwise on 1 piece tops and crosswise on multiple piece table tops.

SEATING CAPACITY:
The number in brackets is the seating capacity when formed metal legs are used if different than the seating capacity when other bases are used.

Visio - Arc End Rounded Corners	51681206042	10539	11590	120	60/42	3	8	268	15
	51681446042*	14423	15863	144	60/42	3	10	323	18
	51681686642	15334	16864	168	66/42	4	13	407	23
	51681926942	16530	18183	192	69/42	4	15	482	27
	51682167342	18006	19807	216	73/42	5	17	567	32
	51682407642	19302	21232	240	76/42	5	19	651	38

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

VISIO - ARC END, SQUARE CORNERS:
Visio Shape Tops with Arc Ends are available with square corners. For Arc End-Square corners, replace the model suffix with **5158**. e.g. **5168**1446042 becomes **5158**1446042. Pricing is the same as standard tops.

VISIO - STRAIGHT END, SQUARE CORNERS:
Visio Shape Tops with Straight Ends are available with square corners. For Arc Straight End-Square corners, replace the model suffix with **5108**. e.g. **5168**1446042 becomes **5108**1446042. Pricing is the same as standard tops.

ORDERING PROCEDURES
To order, please specify the following:
1) Table top shape, size, model number and wood species
2) Base model number
3) Console location and size option
4) Cross seam console model number, where applicable
5) Console power module and data options

DIMENSION KEY
L - Length
W - Width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363


BASE REQUIREMENTS
See page 60 for base requirements

CONSOLE SIZE & LOCATIONS
For information on Console locations and size options, see page 15 for wood and page 25 for laminate.

CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

TABLE SECTION SIZE
Section sizes can be calculated by dividing the table length by the # of sections


NUVO | OVAL, ARCED SQUARE & ROUND CONFERENCE TOPS

Description	Model	Laminate Oak, Maple, Cherry	Walnut	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Oval Top	51598448	4964	5457	84	48	1	6	136	9
	51599648	6339	6973	96	48	2	8	157	10
	51599654	6870	7558	96	54	2	8	176	11
	515912048*	7551	8305	120	48	2 (3)	8	196	12
	515912060	8182	8999	120	60	3	10	243	15
	515914454	9411	10349	144	54	3	10	264	16
	515914460	9874	10862	144	60	3	12	292	18
	515916860	11251	12378	168	60	4	12	341	21

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.


LAMINATE TABLE SECTIONS:

The number in brackets under table sections, refers to the number of sections when ordering laminate tops, if different than the number of sections for the same size wood top.

Arced Square Top	51663636	2240	2465	36	36	1	4	59	3
	51664242	2472	2718	42	42	1	4	79	4
	51664848	2788	3066	48	48	1	4	101	5
	51665454	3153	3468	54	54	1	4	127	7
	51666060	4085	4488	60	60	1	4	155	8

ARC SQUARE TOP - SQUARE CORNERS:

Arc Square tops are available with square corners. For Square Corner tops replace model suffix with **5156**. e.g. **5166**4242 becomes **5156**4242. Pricing is the same as standard tops.

Round Top	510536	2191	2411	36 Dia.		1	3	47	3
	510542	2421	2664	42 Dia.		1	3	63	4
	510548	2722	2993	48 Dia.		1	4	80	5
	510554	3518	3871	54 Dia.		1	5	100	7
	510560	4098	4508	60 Dia.		1	5	123	8

ORDERING PROCEDURES

To order, please specify the following:
1) Table top shape, size, model number and wood species
2) Base model number
3) Console location and size option
4) Cross seam console model number, where applicable
5) Console power module and data options

DIMENSION KEY

L - Length
W - Width
D - Depth
H - Height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 363

BASE REQUIREMENTS

See page 60 for base requirements

CONSOLE SIZE & LOCATIONS

For information on Console locations and size options, see page 15 for wood and page 25 for laminate.

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

TABLE SECTION SIZE

Section sizes can be calculated by dividing the table length by the # of sections

NUVO | CONSOLE PLANNING FOR WOOD TOPS

CONSOLE ORDERING CODE (WITHIN THE TABLE SECTION - 4 CHARACTER CODE)

1st character specifies top sections from left to right on table: A, B, C, D, E, F

2nd character specifies console location within top section: M, I, L, R

M- Middle of top on one piece table

M- Middle of top section on multi section table

I - Inset 3” from seam on end sections

L- Left side of a one piece top

R- Right side of a one piece top

3rd and 4th characters specify console size: 14, 27, 36, 42, 50

Examples:

Table Size: 96” x 36”




Table Size: 168” x 48”




Table Size: 96 “x 36”





Table Size: 144” x 48”



Y= Dimension from end of table to end of console
18” or greater, cannot be less than 18”

CONSOLE ORDERING CODE (ACROSS SEAM - 5 CHARACTER CODE)


1st and 2nd character specifies section from left to right on table: AB, BC, CD, DE, EF

3rd character specifies console location across the seam: X

4th and 5th characters specify console size: 14, 27, 36, 42, 50





Examples:

Table Size: 288” x 60”



Y= Dimension from end of table to end of console

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 36" - 48"	60	M14			23
60" - 84" X 36", 42", 48" 96" X 36"	72	M14			29
		M27			22.5
Example  	78	M14			32
		M27			25.5
		M36			21
		M42			18
	84	M14			35
		M27			28.5
		M36			24
		M42			21
	96	M14			41
		M27			34.5
		M36			30
		M42			27
		M50			23
78" - 84" X 36", 42", 48" 96" X 36"	78	L14 / R14			18
Example  	84	L14 / R14			18
	96	L14 / R14			18
96" - 144" X 42", 48"	96	M14			18
Example  	108	M14		X27	20
	102	M14		X27	23
	144	M14		X27 X36 X42	29
		M27		X27	22.5
96" - 144" X 42", 48"	96			X27	34.5
				X36	30
				X42	27
Example  				X50	23
	108			X27	40.5
				X36	36
				X42	33
				X50	29
	120			X36	42
				X42	39
				X50	35
	144			X50	47

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3" from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y - Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table


CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes


CONSOLE MODULE OPTIONS
See page 49 for power / data options


ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".


NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK


Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 36" - 48"	96	I27			18
96" - 144" X 42", 48"	108	I27			24
Example	120	I27			30
		I36			21
	144	I27			42
		I36			33
		I42			27
		I50			19
168" - 192" X 48"	168	M14	M14 M27 M36 M42 M50		21
		I27	M14 M27 M36 M42 M50		26
Example	192	M14	M14 M27 M36 M42 M50		25
		I27	M14 M27 M36 M42 M50		34
		I36	M14 M27 M36 M42 M50		25
168" - 192" X 48"	168			X14	49
				X27	42.5
Example				X36	38
				X42	35
				X50	31
	192			X36	46
				X42	43
				X50	39
168" - 192" X 48"	168	M14	M14 M27 M36 M42		21
Example		I27	M14 M27 M36 M42		26
	192	M14	M14 M27 M36 M42 M50		25
		I27	M14 M27 M36 M42 M50		34
WIDTHS 54" OR GREATER	108	I14	M14 M27		19
108" - 156" X 54", 60"	120	I14	M14 M27		23
Example	144	M14	M14 M27 M36 M42		18
		I14	M14 M27 M36 M42		31
		I27	M14 M27 M36 M42		18
	156	M14	M14 M27 M36 M42		19
		I14	M14 M27 M36 M42		35
		I27	M14 M27 M36 M42		22











CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3" from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console





Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 54" OR GREATER	108			X27	22.5
108" - 156" X 54", 60"	120			X27	26.5
Example	144			X36	30
				X42	27
ABX42 BCX42	156			X36	34
				X42	31
					
168"-192" X 54", 60"	168	I14	M14 M27 M36		25
	192	M14	M14 M27 M36 M42		18
Example		I14	M14 M27 M36 M42		31
AM14 BM42 CM42 DM14		I27	M14 M27 M36 M42		18
					
168" - 192" X 54", 60"	168	I14		X27 X36 X42	25
	192	M14		X36 X42	18
Example		I14		X36 X42	31
AM14 BCX42 DM14		I27		X36 X42	18
					
168" - 192" x 54", 60"	168			X27	28.5
				X36	24
Example	192			X27	34.5
ABX42 BCX42 CDX42				X36	30
				X42	27
					
216"- 240" X 54", 60"	216	I14	M14 M27 M36		26
	240	M14	M14 M27 M36 M42		18
		14	M14 M27 M36 M42		31
Example		I27	M14 M27 M36 M42		18
AM14 BM42 CM42 DM42 EM14					
					

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3" from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console







Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 54" OR GREATER 216" - 240" X 54", 60"	216			X27 X36	29.5 25
Example ABX42 BCX42 CDX42 DEX42  	240			X27 X36 X42	34.5 30 27
216" - 240" X 54", 60" Example ABX42 CM42 DEX42  	216		M14 M27 M36 M14 M27 M36 M14 M27 M36	X27 X36 X42	29.5 25 22
	240		M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42	X27 X36 X42 X50	34.5 30 27 23
264" - 288" X 60" Example AM14 BM42 CM42 DM42 EM42 FM14  	264	M14 I14	 M14 M27 M36		18 27
	288	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
264" - 288" X 60" Example AM14 BCX42 DEX42 FM14  	264	M14 I14		 X36 X42 X50	18 27
	288	M14 I14 I27		X36 X42 X50 X36 X42 X50 X36 X42 X50	18 31 18
264" - 288" X 60" Example ABX42 BCX42 CDX42 DEX42 EFX42  	264			X27 X36	30.5 26
	288			X27 X36 X42	34.5 30 27
264" - 288" X 60" Example ABX42 CDX42 EFX42  	264			X27 X36 X42	30.5 26 23
	288			X27 X36 X42 X50	34.5 30 27 23

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3" from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console







Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
96” - 144” X 48”42” 96” X 54”/42”	96	M14			18
Example	120	M14		X27	23
	144	M14 M27		X27 X36 X42 X27	29 22.5
96” - 144” X 48”/42” 96” X 54”/42”	96			X27 X36 X42 X50	34.5 30 27 23
Example					
	120			X36 X42 X50	42 39 35
	144			X50	47
96” - 144” X 48”/42” 96” X 54”/42”	96	I27			18
Example	120	I27 I36			30 21
	144	I27 I36 I42 I50			42 33 27 19
120” - 144” x 54”/42”	120	I14	M14 M27		23
Example	144	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
					
120” - 144” x 54”/42”	120			X27	26.5
Example	144			X36 X42	30 27
					
168” - 192” X 54”/42”	168	I14	M14 M27 M36		25
Example	192	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
					

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3” from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console







Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
168” - 192” X 54”/42”	168	I14		X27 X36 X42	25
Example AM14 BCX42 DM14  	192	M14 I14 I27		X36 X42 X36 X42 X36 X42	18 31 18
168” - 192” X 54”/42”	168			X27 X36	28.5 24
Example ABX42 BCX42 CDX42  	192			X27 X36 X42	34.5 30 27
216” - 240” X 60”/48”	216	I14	M14 M27 M36		26
Example AM14 BM42 CM42 DM42 EM14  	240	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
216” - 240” X 60”/48”	216			X27 X36	29.5 24
Example ABX42 BCX42 CDX42 DEX42  	240			X27 X36 X42	34.5 30 27
216” - 240” X 60”/48”	216		M14 M27 M36 M14 M27 M36 M14 M27 M36	X27 X36 X42	29.5 25 22
Example ABX42 CM42 DEX42  	240		M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42	X27 X36 X42 X50	34.5 30 27 23
264” - 288” X 60”/48”	264	M14 I14	 M14 M36		18 27
Example AM14 BM42 CM42 DM42 EM42 FM14  	288	M14 I14 I27	M14 M36 M42 M14 M36 M42 M14 M36 M42		18 31 18

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3” from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console







Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED & VISIO

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
264” - 288” X 60”/48”	264	M14			18
		I14		X36 X42 X50	27
Example AM14 BCX42 DEX42 FM14  	288	M14		X36 X42 X50	18
		I14		X36 X42 X50	31
		I27		X36 X42 X50	18
264” - 288” X 60”/48”	264			X27	30.5
				X36	26
Example ABX42 BCX42 CDX42 DEX42 EFX42  	288			X27	34.5
				X36	30
				X42	27
264” - 288” X 60”/48”	264			X27	30.5
				X36	26
				X42	23
Example ABX42 CDX42 EFX42  	288			X27	34.5
				X36	30
				X42	27
				X50	23
120” - 144” X 60”/42”	120	I14	M14 M27		23
Example AM14 BM42 CM14  	144	M14	M14 M27 M36 M42		18
		I27	M14 M27 M36 M42		18
120” - 144” X 60/42	120			X27	26.5
Example ABX42 BCX42  	144			X36	30
				X42	27
168” X 66/42” 192” X 69/42”	168	I14	M14 M27 M36		25
AI14 BM42 CM42 DI14  	192	M14	M14 M27 M36 M42		18
		I27	M14 M27 M36 M42		18

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3” from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console







Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - VISIO

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
168” X 66/42” 192” X 69/42”	168	I14		X27 X36 X42 X50	25
AI14 BCX42 DI14  	192	M14 I27		X27 X36 X42 X50 X27 X36 X42 X50	18 18
168” X 66/42” 192” X 69/42”	168			X27	28.5
Example ABX27 BCX27 CDX27  	192			X27	28.5
216” X 73”/42”	216	I14	M14 M27 M36		26
Example AI14 BM36 CM36 DM36 EI14  					
216” X 73”/42”	216			X27 X36	25.5 25
ABX36 BCX36 CDX36 DEX36  					
216” X 73”/42”	216		M14 M27 M36 M14 M27 M36 M14 M27 M36	X27 X36 X42	30 25 22
Example ABX36 CM36 DEX36  					
240” X 76”/42”	240	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
Example AI14 BM42 CM42 DM42 EI14  					

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3” from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console







Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - VISIO & OVAL

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
240” X 76”/42” Example ABX42 BCX42 CDX42 DEX42  	240			X27 X36 X42	34.5 30 27
84” x 48” Example AM42  	84	M14 M27 M36 M42			35 28.5 24 21
84” x 48” Example AL14 AR14  	84	L14/R14			18
96” - 120” X 48” 96” X 54” AM14 ABX27 BM14  	96 120	M14 M14		 X27	18 23
96” - 120” X 48” 96” X 54” Example ABX42  	96 120			X27 X36 X42 X50 X36 X42 X50	34.5 30 27 23 42 39 35
96” - 120” X 48” 96” X 54” AI36 BI36  	96 120	I27 I27 I36			18 30 21

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3” from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console







Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - OVAL, ROUND, ARCED SQUARE

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
144” X 54”	144	M14	M14 M27 M36 M42		18
		I14	M14 M27 M36 M42		31
Example		I27	M14 M27 M36 M42		18
AI14 BM42 CI14					
					
120” - 144” X 60”	120	I14	M14 M27		23
Example	144	M14	M14 M27 M36 M42		18
AM14 BM42 CM14		I14	M14 M27 M36 M42		31
		I27	M14 M27 M36 M42		18
120” - 144” X 60” 144” X 54”	120			X27	26.5
Example	144			X36	30
ABX42 BCX42				X42	27
					
168” X 60”	168	I14	M14 M27 M36		25
Example					
AI14 BM36 CM36 DI14					
					
168” X 60”	168			X27	28.5
Example				X36	24
ABX27 BCX27 CDX27					
					
36” - 60”	36	M14			11
Examples	42	M14			14
M14 M14	48	M14			17
	54	M14			20
	60	M14			23

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3” from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y - Dimension from end of table to end of Console





Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 36" - 48"	60	M14			23
60" - 84" X 36", 42", 48" 96" X 36"	72	M14 M27			29 22.5
Example  	78	M14 M27 M36 M42			32 25.5 21 18
	84	M14 M27 M36 M42			35 28.5 24 21
	96	M14 M27 M36 M42 M50			41 34.5 30 27 23
78" - 84" X 36", 42", 48" 96" X 36"	78	L14 / R14			18
Example  	84	L14 / R14			18
	96	L14 / R14			18
96" X 42", 48"	96	M14			18
Example  					
96" X 42", 48"	96			X27 X36 X42 X50	34.5 30 27 23
Example  					

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3" from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y - Dimension from end of table to end of Console





Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 42" - 60"	96	I27			18
96" X 42", 48" Example 					
108"-144" X 42", 48", 54", 60"	108	I14	M14 M27	19	
Example 	120	M14 I14	M14 M27 M14 M27		 23
	144	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
108"-144" X 42", 48", 54", 60"	108			X27	22.5
Example 	120			X27	26.5
	144			X36 X42	30 27
156"-192" X 48", 54", 60"	156	I14	M14 M27		22
Example 	168	I14	M14 M27 M36		25
	192	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3" from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table


CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes


CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".


NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 54" OR GREATER	156	I14		X27 X36 X42	22
156" - 192" X 48" 54", 60"	168	I14		X27 X36	25
Example	192	M14		X36 X42	18
		I14		X36 X42	31
		I27		X36 X42	18
156" - 192" x 48" 54", 60"	156			X27	25.5
				X36	21
Example	168			X27	28.5
				X36	24
	192			X27	34.5
				X36	30
				X42	27
216"- 240" X 54", 60"	216	I14	M14 M27 M36		26
	240	M14	M14 M27 M36 M42		18
		14	M14 M27 M36 M42		31
Example		I27	M14 M27 M36 M42		18
216" - 240" X 54", 60"	216			X27	29.5
				X36	25
Example	240			X27	34.5
				X36	30
				X42	27









CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3" from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console





Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 54" OR GREATER	216		M14 M27 M36	X27	29.5
			M14 M27 M36	X36	25
216" - 240" X 54", 60"			M14 M27 M36	X42	22
Example					
ABX42 CM42 DEX42	240		M14 M27 M36 M42	X27	34.5
			M14 M27 M36 M42	X36	30
			M14 M27 M36 M42	X42	27
			M14 M27 M36 M42	X50	23
264" - 288" X 60"	264	M14			18
		I14	M14 M27 M36		27
Example					
AM14 BM42 CM42 DM42 EM42 FM14	288	M14	M14 M27 M36 M42		18
		I14	M14 M27 M36 M42		31
		I27	M14 M27 M36 M42		18
264" - 288" X 60"	264	M14			18
		I14		X36 X42 X50	27
Example					
AM14 BCX42 DEX42 FM14	288	M14		X36 X42 X50	18
		I14		X36 X42 X50	31
		I27		X36 X42 X50	18
264" - 288" X 60"	264			X27	30.5
				X36	26
Example					
ABX42 BCX42 CDX42 DEX42 EFX42	288			X27	34.5
				X36	30
				X42	27
264" - 288" X 60"	264			X27	30.5
				X36	26
Example				X42	23
ABX42 CDX42 EFX42	288			X27	34.5
				X36	30
				X42	27
				X50	23

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3" from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console







Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 29 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
96” - 144” X 48”42” 96” X 54”/42”	96	M14			18
Example 					
96” - 144” X 48”/42” 96” X 54”/42”	96			X27 X36 X42 X50	34.5 30 27 23
Example 					
96” - 144” X 48”/42” 96” X 54”/42”	96	I27			18
Example 					
120” - 144” x 54”/42”	120	I14	M14 M27		23
Example 	144	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
120” - 144” x 54”/42”	120 144			X27 X36 X42	26.5 30 27
Example 					
168” - 192” X 54”/42”	168	I14	M14 M27 M36		25
Example 	192	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3” from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console

Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes


CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.


NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
168” - 192” X 54”/42”	168	I14		X27 X36 X42	25
	192	M14		X36 X42	18
		I14		X36 X42	31
		I27		X36 X42	18
168” - 192” X 54”/42”	168			X27	28.5
				X36	24
	192			X27	34.5
				X36	30
				X42	27
216” - 240” X 60”/48”	216	I14	M14 M27 M36		26
	240	M14	M14 M27 M36 M42		18
		I14	M14 M27 M36 M42		31
		I27	M14 M27 M36 M42		18
216” - 240” X 60”/48”	216			X27	29.5
				X36	24
	240			X27	34.5
				X36	30
				X42	27
216” - 240” X 60”/48”	216		M14 M27 M36	X27	29.5
			M14 M27 M36	X36	25
			M14 M27 M36	X42	22
	240		M14 M27 M36 M42	X27	34.5
			M14 M27 M36 M42	X36	30
			M14 M27 M36 M42	X42	27
			M14 M27 M36 M42	X50	23
264” - 288” X 60”/48”	264	M14			18
		I14	M14 M36		27
	288	M14	M14 M36 M42		18
		I14	M14 M36 M42		31
		I27	M14 M36 M42		18


Example




Example




Example




Example



Example



Example



CODE KEY

M - Console location, middle of top section
I - Console location, Inset 3” from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console

Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes







CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED & VISIO

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
264” - 288” X 60”/48”	264	M14			18
		I14		X36 X42 X50	27
Example AM14 BCX42 DEX42 FM14  	288	M14		X36 X42 X50	18
		I14		X36 X42 X50	31
		I27		X36 X42 X50	18
264” - 288” X 60”/48”	264			X27	30.5
				X36	26
Example ABX42 BCX42 CDX42 DEX42 EFX42  	288			X27	34.5
				X36	30
				X42	27
264” - 288” X 60”/48”	264			X27	30.5
				X36	26
				X42	23
Example ABX42 CDX42 EFX42  	288			X27	34.5
				X36	30
				X42	27
				X50	23
120” - 144” X 60”/42”	120	I14	M14 M27		23
Example AM14 BM42 CM14  	144	M14	M14 M27 M36 M42		18
		I27	M14 M27 M36 M42		18
120” - 144” X 60/42	120			X27	26.5
Example ABX42 BCX42  	144			X36	30
				X42	27
168” X 66/42” 192” X 69/42”	168	I14	M14 M27 M36		25
AI14 BM42 CM42 DI14  	192	M14	M14 M27 M36 M42		18
		I27	M14 M27 M36 M42		18

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3” from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console

Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - VISIO

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
168” X 66/42” 192” X 69/42”	168	I14		X27 X36 X42 X50	25
AI14 BCX42 DI14	192	M14		X27 X36 X42 X50	18
		I27		X27 X36 X42 X50	18
168” X 66/42” 192” X 69/42”	168			X27	28.5
Example	192			X27	28.5
ABX27 BCX27 CDX27					
216” X 73”/42”	216	I14	M14 M27 M36		26
Example					
AI14 BM36 CM36 DM36 EI14					
216” X 73”/42”	216			X27	25.5
				X36	25
ABX36 BCX36 CDX36 DEX36					
216” X 73”/42”	216		M14 M27 M36	X27	30
			M14 M27 M36	X36	25
Example			M14 M27 M36	X42	22
ABX36 CM36 DEX36					
240” X 76”/42”	240	M14	M14 M27 M36 M42		18
		I14	M14 M27 M36 M42		31
Example		I27	M14 M27 M36 M42		18
AI14 BM42 CM42 DM42 EI14					







CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3” from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console

Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
240” X 76”/42”	240			X27	34.5
				X36	30
				X42	27
Example					
ABX42 BCX42 CDX42 DEX42					
					
84” x 48”	84	M14			35
		M27			28.5
Example		M36			24
AM42		M42			21
					
84” x 48”	84	L14/R14			18
Example					
AL14 AR14					
					
96” - 120” X 48”	96	M14			18
96” X 54”					
	120	M14		X27	23
AM14 ABX27 BM14					
					
96” - 120” X 48”	96			X27	34.5
96” X 54”				X36	30
				X42	27
Example				X50	23
ABX42					
	120			X36	42
				X42	39
				X50	35
96” - 120” X 48”	96	I27			18
96” X 54”					
	120	I27			30
AI36 BI36		I36			21
					

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3” from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console







Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - OVAL, ROUND, ARCED SQUARE

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
144” X 54”	144	M14	M14 M27 M36 M42		18
		I14	M14 M27 M36 M42		31
Example		I27	M14 M27 M36 M42		18
AI14 BM42 CI14 					
120” - 144” X 60”	120	I14	M14 M27		23
Example	144	M14	M14 M27 M36 M42		18
AM14 BM42 CM14 		I14	M14 M27 M36 M42		31
		I27	M14 M27 M36 M42		18
120” - 144” X 60” 144” X 54”	120			X27	26.5
Example	144			X36	30
ABX42 BCX42 				X42	27
168” X 60”	168	I14	M14 M27 M36		25
Example					
AI14 BM36 CM36 DI14 					
168” X 60”	168			X27	28.5
Example				X36	24
ABX27 BCX27 CDX27 					
36” - 60”	36	M14			11
Examples	42	M14			14
M14 M14 	48	M14			17
	54	M14			20
	60	M14			23

CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3” from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y - Dimension from end of table to end of Console

Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table


CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

CONSOLE - WITHIN A TOP SECTION

Consoles located within a top section are factory installed. The model numbers are determined by the location within each section and the size. For example, when ordering a rectangular top 96" x 54" a console M14 can be specified in both the A and/or B section of the table. When ordering, simply add AM14 and BM14 to your purchase order and add the list price for each console to your order.




Description	Model	Console size	Price	Weights	Cubes
	M14, I14, L14,R14	14	291	3	.25
	M27, I27	27	324	4	.25
	M36, I36	36	366	5	.25
	M42, I42	42	400	5.5	0.5
	M50, I50	50	443	6	0.5

Consoles are available in 5 standard lengths.

CONSOLE - ACROSS SEAMS

Consoles located across the seam are field installed and have separate model numbers that need to be included on your purchase order along with the desired console position. For example, when ordering a rectangular top 120" x 54" with a console across the seam, purchase orders need to specify the model number for the console (51CONSOLEX27) and the location ABX27.



Description	Model	Console size	Price	Weights	Cubes
	51CONSOLE-X14	14	291	3	0.25
	51CONSOLE-X27	27	324	4	0.25
	51CONSOLE-X36	36	366	5	0.25
	51CONSOLE-X42	42	400	5.5	0.5
	51CONSOLE-X50	50	443	6	0.5

Consoles are available in 5 standard lengths.

Note: 50" Consoles have 3 lid supports, while all other sized have 2.

CONSOLE POWER/DATA MODULES

Console modules provide an extensive range of power, data and audio-visual solutions for today's conferencing environments. Console modules are available in 18 preconfigured data and power options, or alternatively console modules with just electrical ports can be selected allowing units to be designed and built specifically to meet your connectivity needs by using the Snap-in or Plate mounted port options.
Consoles are available with 3 power options in both preconfigured & custom console modules.


Power Module A (PMA) consists of 2 duplex receptacles with 3 cord lengths 6', 16' & 25'.

Power Module B (PMB) consists of 1 duplex receptacle with 3 cord lengths 6', 16' & 25'.

Power Module C (PMC) consists of 2 duplex receptacles with a utility outlet & circuit breaker with 2 cord lengths 6' & 16'.
The utility outlet in Module C allows another power module within the table to be plugged into it resulting in 1 cord going to the power source for both modules, as well as circuit protection for both modules. This also means shorter cord lengths can be specified resulting in a more cost effective power solution. Krug recommends the use of Module C's on the Console at the end of the table or location in the table nearest the power source.

Examples:
120" table with 2 consoles & the power source at right end.
Use a PMC06 in the 1st console from the right & the cord goes to power source.
Use a PMA06 in the 2nd console from the right & the cord goes to the utility outlet of the first console module.

168" table with 4 consoles & power source at right hand end.
Use a PMC06 in the 1st console from the right & the cord goes to power source.
Use a PMC06 in the 2nd console from the right & the cord goes to power source.
Use a PMA06 in the 3rd console from the right & the cord goes to utility the outlet in the 1st console module.
Use a PMA06 in the 4th console from the right & the cord goes to utility the outlet in the 2nd console module.



CODE KEY
M - Console location, middle of top section
I - Console location, Inset 3" from seam on end sections
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y - Dimension from end of table to end of Console


Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS
See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS
See page 49 for power / data options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

NUVO | BACK-PAINTED GLASS RECTANGULAR CONFERENCE TOPS

Description	Model	Glass	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Rectangular- Rounded Corners	5161GP6036	6247	60	36	1	4	190	42
	5161GP6042	7289	60	42	1	4	220	49
	5161GP6048	8329	60	48	1	4	250	53
	5161GP7236	7499	72	36	1	6	226	50
	5161GP7242	8747	72	42	1	6	262	58
	5161GP7248	9996	72	48	1	6	296	66
	5161GP7836	8123	78	36	1	6	244	55
	5161GP7842	9476	78	42	1	6	284	63
	5161GP7848	10822	78	48	1	6	322	72
	5161GP8436	8747	84	36	1	6	262	59
	5161GP8442	10206	84	42	1	6	304	68
	5161GP8448	11653	84	48	1	6	346	77
	5161GP9636	9996	96	36	1	8	300	67
	5161GP9642	11661	96	42	2	8	350	39
	5161GP9648	13248	96	48	2	8	396	45
	5161GP10842	13173	108	42	2	8	390	44
	5161GP10848	15039	108	48	2	8	444	50
	5161GP12042	15565	120	42	2	8	432	49
	5161GP12048*	17734	120	48	2	10	494	56
	5161GP12054	20014	120	54	3	10	556	40
	5161GP12060	22236	120	60	3	10	614	47
	5161GP14448	21349	144	48	2	10	594	66
	5161GP14454	24017	144	54	3	12	666	50
	5161GP14460	26683	144	60	3	12	738	56
	5161GP15654	26016	156	54	3	12	724	54
	5161GP15660	28908	156	60	3	12	802	60
	5161GP16848	24904	168	48	3	12	694	52
	5161GP16854	28018	168	54	4	12	780	44
	5161GP16860	31131	168	60	4	12	862	49
	5161GP19248	28463	192	48	3	14	794	59
	5161GP19254	32022	192	54	4	14	890	50
	5161GP19260	35579	192	60	4	14	984	56

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

RECTANGULAR - SQUARE CORNER TOPS:
Rectangular tops with square corners are available. Replace the model prefix with **5101GP**. e.g. **5161GP**14448 becomes **5101GP**14448. Pricing is the same as standard tops.

ORDERING PROCEDURES
To order, please specify the following:
1) Table top shape, size, model number , glass color
2) Base model number
3) Console location and size option
4) Cross seam console model number, where applicable
5) Console power module and data options

DIMENSION KEY
L - length
W - Width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

BASE REQUIREMENTS
See page 60 for base requirements

CONSOLE SIZE & LOCATIONS
See page 41 for information on Console locations and size options

CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

TABLE SECTION SIZE
Section sizes can be calculated by dividing the table length by the # of sections

Description	Model	Glass	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Arc End Table - Rounded Corners	5166GP6036	6347	60	36	1	4	178	42
	5166GP6042	7404	60	42	1	4	206	49
	5166GP6048	8465	60	48	1	4	234	53
	5166GP7236	7618	72	36	1	6	214	50
	5166GP7242	8887	72	42	1	6	246	58
	5166GP7248	10156	72	48	1	6	280	66
	5166GP7836	8887	78	36	1	6	232	55
	5166GP7842	9601	78	42	1	6	268	63
	5166GP7848	11130	78	48	1	6	306	72
	5166GP8436	8983	84	36	1	6	250	59
	5166GP8442	10490	84	42	1	6	288	68
	5166GP8448	11987	84	48	1	6	328	77
	5166GP9636	10277	96	36	1	8	288	67
	5166GP9642	11987	96	42	2	8	334	39
	5166GP9648*	13701	96	48	2	8	380	45
	5166GP10842	13486	108	42	2	8	376	44
	5166GP10848	15415	108	48	2	8	428	50
	5166GP12042	16791	120	42	2	10 (8)	422	49
	5166GP12048	17745	120	48	2	10	478	56
	5166GP12054	20014	120	54	3	10	536	40
	5166GP12060	22236	120	60	3	10	594	47
	5166GP14448	21349	144	48	2	10	578	66
	5166GP14454	24017	144	54	3	12	648	50
	5166GP14460	26683	144	60	3	12	718	56
	5166GP15654	26016	156	54	3	12 (10)	706	54
	5166GP15660	28908	156	60	3	12	780	60
	5166GP16848	24904	168	48	3	12	676	52
	5166GP16854	28018	168	54	4	12	760	44
	5166GP16860	31131	168	60	4	12	842	49
	5166GP19248	28463	192	48	3	14	776	59
	5166GP19254	32022	192	54	4	14	870	50
	5166GP19260	35579	192	60	4	14	964	56

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

ARC END TABLE - SQUARE CORNERS:
Arc End tops are available with square corners. Replace the model number prefix with **5106GP**. e.g. **5166GP**12042 becomes **5106GP**12042. Pricing is the same as standard tops.

SEATING CAPACITY:
The number in brackets is the seating capacity when formed metal legs are used if different than the seating capacity when other bases are used.

ORDERING PROCEDURES
To order, please specify the following:
1) Table top shape, size, model number, glass color
2) Base model number
3) Console location and size option
4) Cross seam console model number, where applicable
5) Console power module and data options

DIMENSION KEY
L - Length
W - Width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

BASE REQUIREMENTS
See page 60 for base requirements


CONSOLE SIZE & LOCATIONS
See page 45 for information on Console locations and size options

CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

TABLE SECTION SIZE
Section sizes can be calculated by dividing the table length by the # of sections

NUVO | BACK-PAINTED GLASS BOAT SHAPED & VISIO CONFERENCE TOPS

Description	Model	Glass	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Boat-Shaped - Arc End Rounded Corners	5164GP964842	13973	96	48/42	2	8	362	45
	5164GP965442*	15723	96	54/42	2	8	408	50
	5164GP1204842	18098	120	48/42	2	8	458	56
	5164GP1205442	20414	120	54/42	3	10 (8)	514	40
	5164GP1444842	21775	144	48/42	2	10	552	66
	5164GP1445442	24495	144	54/42	3	12	622	50
	5164GP1685442	28579	168	54/42	4	12	732	44
	5164GP1925442	32661	192	54/42	4	14	838	50




NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

BOAT SHAPE - ARC END, SQUARE CORNERS:
Boat Shape tops are available with Arc ends and Square corners. For Arc End, Square Corner tops replace model suffix with **5154GP**. e.g. **5164GP**1204842 becomes **5154GP**1204842. Pricing is the same as standard tops.

BOAT SHAPE - STRAIGHT END, SQUARE CORNERS:
Boat Shape tops are available with Straight ends and square corners. For Straight End, Square Corner tops replace model suffix with **5104GP**. e.g. **5164GP**1204842 becomes **5104GP**1204842. Pricing is the same as standard tops.

SEATING CAPACITY:
The number in brackets is the seating capacity when formed metal legs are used if different than the seating capacity when other bases are used.

Visio - Arc End Rounded Corners	5168GP1206042	22395	120	60/42	3	8	536	47
	5168GP1446042*	24257	144	60/42	3	10	646	56
	5168GP1686642	34501	168	66/42	4	13	814	62
	5168GP1926942	41223	192	69/42	4	15	964	73



NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

VISIO - ARC END, SQUARE CORNERS:
Visio Shape Tops with Arc Ends are available with square corners. For Arc End-Square corners, replace the model suffix with **5158GP**. e.g. **5168GP**1446042 becomes **5158GP**1446042. Pricing is the same as standard tops.

VISIO - STRAIGHT END, SQUARE CORNERS:
Visio Shape Tops with Straight Ends are available with square corners. For Arc Straight End-Square corners, replace the model suffix with **5108GP**. e.g. **5168GP**1446042 becomes **5108GP**1446042. Pricing is the same as standard tops.

ORDERING PROCEDURES
To order, please specify the following:
1) Table top shape, size, model number, glass color
2) Base model number
3) Console location and size option
4) Cross seam console model number, where applicable
5) Console power module and data options

DIMENSION KEY
L - Length
W - Width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.


BASE REQUIREMENTS
See page 60 for base requirements

CONSOLE SIZE & LOCATIONS
See page 41 for information on Console locations and size options


CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

TABLE SECTION SIZE
Section sizes can be calculated by dividing the table length by the # of sections


NUVO | BACK-PAINTED GLASS OVAL, ARCED SQUARE & ROUND CONFERENCE TOPS

Description	Model	Glass	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Oval Top	5159GP8448	12256	84	48	1	6	272	77
	5159GP9648	13193	96	48	2	8	314	45
	5159GP9654	16182	96	54	2	8	352	50
	5159GP12048*	17923	120	48	2	8	392	56
	5159GP12060	22395	120	60	3	10	486	40
	5159GP14454	24196	144	54	3	10	528	50
	5159GP14460	24257	144	60	3	12	584	56
	5159GP16860	31363	168	60	4	12	682	49

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

Arced Square Top	5166GP3636	3809	36	36	1	4	118	31
	5166GP4242	5187	42	42	1	4	158	41
	5166GP4848	6770	48	48	1	4	202	52
	5166GP5454	8670	54	54	1	4	254	64

ARC SQUARE TOP - SQUARE CORNERS
Arc Square tops are available with square corners. For Square Corner tops replace model suffix with **5156GP**. e.g. **5166GP**4242 becomes **5156GP**4242. Pricing is the same as standard tops.

Round Top	5105GP36	3883	36 Dia.		1	3	94	31
	5105GP42	5285	42 Dia.		1	3	126	41
	5105GP48	6907	48 Dia.		1	4	160	52
	5105GP54	8846	54 Dia.		1	5	200	64

ORDERING PROCEDURES
To order, please specify the following:
1) Table top shape, size, model number, glass color
2) Base model number
3) Console location and size option
4) Cross seam console model number, where applicable
5) Console power module and data options

DIMENSION KEY
L - Length
W - Width
Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

BASE REQUIREMENTS
See page 60 for base requirements

CONSOLE SIZE & LOCATIONS
See page 41 for information on Console locations and size options

CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

TABLE SECTION SIZE
Section sizes can be calculated by dividing the table length by the # of sections

CONSOLE ORDERING CODE (WITHIN THE TABLE SECTION - 4 CHARACTER CODE)

1st character specifies top sections from left to right on table: A, B, C, D

2nd character specifies console location within top section: M, L, R

M- Middle of top on one piece table

M- Middle of top section on multi section table

L- Left side of a one piece top

R- Right side of a one piece top

3rd and 4th characters specify console size: 14, 27, 36,

Examples:

Table Size: 96” x 36”




Table Size: 168” x 48”




Table Size: 96 “x 36”





Table Size: 144” x 48”



Y= Dimension from end of table to end of console

CONSOLE ORDERING CODE (ACROSS SEAM - 5 CHARACTER CODE)


1st and 2nd character specifies section from left to right on table: AB, BC, CD

3rd character specifies console location across the seam: X

4th and 5th characters specify console size: 14, 27, 36,





Example:

Table Size 168” - 192” X 48”



Y= Dimension from end of table to end of console

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

Back-Painted Glass Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 48" OR LESS	60	M14			23
60" - 84" X 36", 42", 48" 96" X 36"	72	M14			29
	78	M14			32
		M27			25.5
Example	84	M14			35
AM27		M27			28.5
	96	M14			41
Y		M27			34.5
84" X 36", 42", 48" 96" X 36"	84	L14 / R14			18
Example	96	L14 / R14			18
AL14 AR14					
					
Y					
96" - 144" X 42", 48"	96	*M14			18
Example	108	M14			20
AM14 ABX14 BM14	120	M14		X14	23
	144	M14		X14	29
Y					
	*The "M" position of these consoles is not exactly in the center of the section.				
96" - 144" X 42", 48"	96			X14	41
				X27	34.5
Example	108			X14	47
ABX36				X27	40.5
				X36	36
Y	120			X14	53
				X27	46.5
				X36	42
	144			X14	65
				X27	58.5
				X36	54






CODE KEY:
M - Console location, middle of top section
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK & BOAT SHAPED

Back-Painted Glass Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
96” - 144” X 42”, 48”	96	*M14			18
Example	108	M14			20
AM14 BM14  Y	120	M14			23
	144	M14			29
	*The “M” position of these consoles is not exactly in the center of the section.				
168” - 192” X 48”	168	M14	M14		21
Example	192	M14	M14		25
AM14 BM14 CM14  Y					
168” - 192” X 48”	168			X14	49
Example	192			X14	57
ABX14 BCX14  Y					
GLASS TOP WIDTHS 54” OR GREATER	120	*M14	M14		18
	144	*M14	M14		18
120” - 156” X 54”, 60”	156	M14	M14		19
Example	*The “M” position of these consoles is not exactly in the center of the section.				
AM14 BM14 CM14  Y					
120” - 156” X 54”, 60”	120			X14	33
Example	144			X14	41
ABX14 BCX14  Y	156			X14	45

CODE KEY
M - Console location, middle of top section
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console

Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table


CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK & BOAT SHAPED

Back-Painted Glass Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
168”-192” X 54”, 60”	168	*M14	M14		18
Example	192	M14	M14		18


AM14 BM14 CM14 DM14



*The “M” position of these consoles is not exactly in the center of the section.

168” - 192” X 54”, 60”	168	*M14		X14	18
				X27	
Example	192	M14		X14	18
				X27	18


AM14 BCX14 DM14



*The “M” position of these consoles is not exactly in the center of the section.

96” - 144” X 48”/42” 96” X 54”/42”	96	*M14			18
Example	120	M14		X14	23
	144	M14		X14	29


AM14 ABX14 BM14



*The “M” position of these consoles is not exactly in the center of the section.


96” - 144” X 48”/42” 96” X 54”/42”	96			X14	41
				X27	34.5
Example	120			X14	53
				X36	42
				X27	46.5
	144			X14	65
				X27	58.5
				X36	54

ABX36



96” - 144” X 48”/42” 96” X 54”/42”	96	*M14			18
	120	M14			23
Example	144	M14			29

AM14 BM14



*The “M” position of these consoles is not exactly in the center of the section.

CODE KEY
M - Console location, middle of top section
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console

Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table.


CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED

Back-Painted Glass Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
120” - 144” x 54”/42”	120	*M14	M14		18
Example	144	*M14	M14		18


AM14 BM14 CM14



*The “M” position of these consoles is not exactly in the center of the section.


120” - 144” x 54”/42”	120			X14	33
Example	144			X14	41

ABX14 BCX14



168” - 192” X 54”/42”	168	*M14	M14		18
Example	192	M14	M14		18


AM14 BM14 CM14 DM14



*The “M” position of these consoles is not exactly in the center of the section.

168” - 192” X 54”/42”	168	*M14		X14 X27	18
Example	192	*M14		X14 X27	18

AM14 BCX27 DM14



*The “M” position of these consoles is not exactly in the center of the section.






CODE KEY
M - Console location, middle of top section
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console

Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - VISIO & OVAL

Back-Painted Glass Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
120” - 144” X 60”/42”	120	*M14	M14		18
Example	144	M14	M14		18
AM14 BM14 CM14 	*The “M” position of these consoles is not exactly in the center of the section.				
120” - 144” X 60/42	120			X14	33
Example	144			X14	41
ABX14 BCX14 					
168” X 66/42” 192” X 69/42”	168	*M14	M14		18
AM14 BM14 CM14 DM14	192	M14			18
	*The “M” position of these consoles is not exactly in the center of the section.				
168” X 66/42” 192” X 69/42”	168	*M14		X14 X27	18
AM14 BCX27 DM14	192	*M14		X14 X27	18
	*The “M” position of these consoles is not exactly in the center of the section.				
84” x 48”	84	M14 M27			35 28.5
Example					
AM27 					






CODE KEY
M - Console location, middle of top section
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console

Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - OVAL

Back-Painted Glass Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
84” x 48”	84	L14/R14			18
Example AL14 AR14  					
96” - 120” X 48” 96” X 54”	96	*M14			18
AM14 ABX14 BM14  	120	M14		X14	23
	*The “M” position of these consoles is not exactly in the center of the section.				
96” - 120” X 48” 96” X 54”	96			X27 X14	34.5 41
Example ABX36  	120			X36 X27 X14	42 46.5 53
96” - 120” X 48” 96” X 54”	96	*M14			18
AM14 BM14  	120	M14			23
	*The “M” position of these consoles is not exactly in the center of the section.				
144” X 54”	144	*M14	M14		18
Example AM14 BM14 CM14  	*The “M” position of these consoles is not exactly in the center of the section.				





CODE KEY
M - Console location, middle of top section
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y- Dimension from end of table to end of Console

Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

NUVO | CONSOLE SIZE & LOCATION - OVAL, ROUND, ARCED SQUARE

Back-Painted Glass Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
120” - 144” X 60”	120	*M14	M14		18
Example	144	M14	M14		18
AM14 BM14 CM14 	*The “M” position of these consoles is not exactly in the center of the section.				
120” - 144” X 60” 144” X 54”	120			X14	33
Example	144			X14	41
ABX14 BCX14 					
168” X 60”	168	M14	M14		18
Example					
AM14 BM14 CM14 DM14 					
36” - 60”	36	M14			11
Examples	42	M14			14
M14 M14 	48	M14			17
	54	M14			20

CODE KEY
M - Console location, middle of top section
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y - Dimension from end of table to end of Console


Caution: Y greater than 30” makes access to Console Power/Data difficult from the end of the table

CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18”.

CONSOLE - WITHIN A TOP SECTION

Consoles located within a top section are factory installed. The model numbers are determined by the location within each section and the size. For example, when ordering a rectangular top 96" x 54" a console M14 can be specified in both the A and/or B section of the table. When ordering, simply add AM14 and BM14 to your purchase order and add the list price for each console to your order.




Description	Model	Console Size	Price	Weights	Cubes
	M14, L14,R14	14	291	.25	
	M27	27	324	4	.25

Consoles are available in 2 standard lengths.

CONSOLE - ACROSS SEAMS

Consoles located across the seam are field installed and have separate model numbers that need to be included on your purchase order along with the desired console position. For example, when ordering a rectangular top 120" x 54" with a console across the seam, purchase orders need to specify the model number for the console (51CONSOLEX-14) and the location ABX14.



Description	Model	Console Size	Price	Weights	Cubes
	51CONSOLE-X14	14	291	3	0.25
	51CONSOLE-X27	27	324	4	0.25
	51CONSOLE-X36	36	366	5	0.25

CONSOLE POWER/DATA MODULES

Console modules provide an extensive range of power, data and audio-visual solutions for today's conferencing environments. Console modules are available in 18 preconfigured data and power options, or alternatively console modules with just electrical ports can be selected allowing units to be designed and built specifically to meet your connectivity needs by using the Snap-in or Plate mounted port options.
Consoles are available with 3 power options in both preconfigured & custom console modules.
Power Module A (PMA) consists of 2 duplex receptacles with 3 cord lengths 6', 16' & 25'.
Power Module B (PMB) consists of 1 duplex receptacle with 3 cord lengths 6', 16' & 25'.
Power Module C (PMC) consists of 2 duplex receptacles with a utility outlet & circuit breaker with 2 cord lengths 6' & 16'. The utility outlet in Module C allows another power module within the table to be plugged into it resulting in 1 cord going to the power source for both modules, as well as circuit protection for both modules. This also means shorter cord lengths can be specified resulting in a more cost effective power solution. Krug recommends the use of Module C's on the Console at the end of the table or location in the table nearest the power source.

Examples:
120" table with 2 consoles & the power source at right end.
Use a PMC06 in the 1st console from the right & the cord goes to power source.
Use a PMA06 in the 2nd console from the right & the cord goes to the utility outlet of the first console module.

168" table with 4 consoles & power source at right hand end.
Use a PMC06 in the 1st console from the right & the cord goes to power source.
Use a PMC06 in the 2nd console from the right & the cord goes to power source.
Use a PMA06 in the 3rd console from the right & the cord goes to utility the outlet in the 1st console module.
Use a PMA06 in the 4th console from the right & the cord goes to utility the outlet in the 2nd console module.

CODE KEY
M - Console location, middle of top section
X - Console location, across a seam of two top sections
L - Console location, left side of a one piece top
R - Console location, right side of a one piece top
Y - Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table


CONSOLE POWER/DATA MODULE OPTIONS
See page 49 for Console Module Options

ORDERING NOTES
Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".


NUVO | STANDARD CONSOLE POWER/DATA/MEDIA CONFIGURATIONS

There are 3 versions of console power/data module: A, B, C. Version C has an utility outlet, this also allows another power module to be plugged into it allowing a shorter cord to be used.


POWER MODULE A PRECONFIGURED




PORT OPTIONS	MODEL #	CORD LENGTH	LIST PRICE
BASIC DATA			
① (1) Duplex Receptacle ② (1) Duplex Receptacle ③ (2) RJ45 Port (Cat 6) ④ (2) Blank Ports (for future use)	51PDAD01-06 51PDAD01-16	6’ 16’	559 656



BASIC VOICE DATA			
① (1) Duplex Receptacle ② (1) Duplex Receptacle ③ (1) RJ45 Port (Cat 6) (1) RJ11 (Voice) Port ④ (2) Blank Ports (for future use)	51PDAD02-06 51PDAD02-16	6’ 16’	532 628



EXPANDED DATA			
① (1) Duplex Receptacle ② (1) Duplex Receptacle ③ (4) RJ45 Port (Cat 6) ④ (2) Blank Ports (for future use)	51PDAD03-06 51PDAD03-16	6’ 16’	648 746




EXPANDED VOICE DATA			
① (1) Duplex Receptacle ② (1) Duplex Receptacle ③ (4) RJ45 Port (Cat 6) (2) RJ11 (Voice) Port ④ (2) Blank Ports (for future use)	51PDAD04-06 51PDAD04-16	6’ 16’	689 788

NUVO | STANDARD CONSOLE POWER/DATA/MEDIA CONFIGURATIONS


There are 3 versions of console power/data module: A, B, C. Version C has an utility outlet, this also allows another power module to be plugged into it allowing a shorter cord to be used.

POWER MODULE C PRECONFIGURED




	PORT OPTIONS	MODEL #	CORD LENGTH	LIST PRICE
	ENHANCED MULTIMEDIA WITH UTILITY OUTLET RECEPTACLE			
1	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD06-06 51PDCD06-16	6' 16'	1378 1478
2	(1) Duplex Receptacle with Utility Outlet			
3	(1) DVI-I (1) VGA			
4	(1) RJ11 (Voice) Port (1) RJ45 Port (Cat 6) (1) USB "A" (1) Stereo 3.5 mm Mini (1) HDMI (1) Fibre Optic LC Duplex			

POWER MODULE H PRECONFIGURED




	BASIC DATA WITH UTILITY OUTLET RECEPTACLE			
1	(1) Duplex Receptacle w/15 amp circuit breaker plus Type A and Type C USB	51PDHD01-06 51PDHD01-16	6' 16'	1270 1309
2	(1) Duplex Receptacle w/utility outlet plus Type A and Type C USB			
3	(2) RJ45 Port (Cat 6)			
4	(2) Blanks (for future use)			




	EXPANDED DATA WITH UTILITY OUTLET RECEPTACLE			
1	(1) Duplex Receptacle with Type A and Type C USB	51PDHD03-06 51PDHD03-16	6' 16'	1270 1309
2	(1) Duplex Receptacle w/utility outlet plus Type A and Type C USB			
3	(4) RJ45 Port (Cat 6)			
4	(2) Blanks (for future use)			

POWER MODULE I PRECONFIGURED




	BASIC DATA WITH UTILITY OUTLET RECEPTACLE			
1	(1) Duplex Receptacle with 15 amp circuit breaker Dual Type C USB	51PDID01-06 51PDID01-16	6' 16'	1440 1531
2	(1) Duplex Receptacle w/utility outlet plus Dual Type C USB			
3	(2) RJ45 Port (Cat 6)			
4	(2) Blanks (for future use)			


POWER MODULE C PRECONFIGURED



	PORT OPTIONS	MODEL #	CORD LENGTH	LIST PRICE
	BASIC DATA WITH UTILITY OUTLET RECEPTACLE			
1 2	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD01-06 51PDCD01-16	6’ 16’	615 714
3	(1) Duplex Receptacle with Utility Outlet			
4	(2) RJ45 Port (Cat 6)			
	(2) Blank Ports (for future use)			




	PORT OPTIONS	MODEL #	CORD LENGTH	LIST PRICE
	BASIC VOICE DATA WITH UTILITY OUTLET RECEPTACLE			
1	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD02-06 51PDCD02-16	6’ 16’	597 697
2	(1) Duplex Receptacle with Utility Outlet			
3	(1) RJ45 Port (Cat 6) (1) RJ11 (Voice) Port			
4	(2) Blank Ports (for future use)			



	PORT OPTIONS	MODEL #	CORD LENGTH	LIST PRICE
	EXPANDED DATA WITH UTILITY OUTLET RECEPTACLE			
1	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD03-06 51PDCD03-16	6’ 16’	714 813
2	(1) Duplex Receptacle with Utility Outlet			
3	(4) RJ45 Port (Cat 6)			
4	(2) Blank Ports (for future use)			


NUVO | STANDARD CONSOLE POWER/DATA/MEDIA CONFIGURATIONS

POWER MODULE G PRECONFIGURED




PORT OPTIONS	MODEL #	CORD LENGTH	LIST PRICE
EXPANDED DATA WITH UTILITY OUTLET RECEPTACLE			
1 (1) Duplex Receptacle w/15 amp circuit breaker plus Dual Type C USB	51PDGD01-06 51PDGD01S-16	6’ 16’	1529 1573
2 (1) Duplex Receptacle w/utility outlet plus Dual Type C USB			
3 (4) RJ45 Port (Cat 6)			
4 (2) Blank Ports (for future use)			

POWER MODULE H CUSTOM CONFIGURATION




POWER MODULE H WITH UTILITY OUTLET			
1 (1) Duplex Receptacle w/15 amp circuit breaker plus Type A and Type C USB	51PMH-06 51PMH-16	6’ 16’	1243 1281
2 (1) Duplex Receptacle w/utility outlet plus Type A and Type C USB			
3 (1) Open for data			
4 (1) Open for data			

POWER MODULE G CUSTOM CONFIGURATION




POWER MODULE I WITH UTILITY OUTLET			
1 (1) Duplex Receptacle w/15 amp circuit breaker plus Dual Type C USB	51PMG-06 51PMG-16	6’ 16’	1243 1281
2 (1) Duplex Receptacle w/utility outlet plus Dual Type C USB			
3 (1) Open for data			
4 (1) Open for data			

POWER MODULE G PRECONFIGURED







POWER MODULE H WITH UTILITY OUTLET			
1 (1) Duplex Receptacle w/15 amp circuit breaker plus Dual Type C USB	51PDGD02-06 51PDGD02-16	6’ 16’	1440 1531
2 (1) Duplex Receptacle w/utility outlet plus Dual Type C USB			
3 (4) RJ45 Port (Cat 6)			
4 (2) Blanks (for future use)			



POWER MODULE H PRECONFIGURED



POWER MODULE H WITH UTILITY OUTLET			
1 (1) Duplex Receptacle w/utility outlet plus Type A & C USB	51PDHD01-06 51PDHD01-16	6” 16”	1359 1398
(1) Duplex Receptacle w/utility outlet plus Type A & C USB			
2 (2) RJ45 Port (Cat 6)			
3 (2) Blanks (for future use)			
4			

PORT OPTIONS	MODEL #	CORD LENGTH	LIST PRICE
POWER MODULE A			
			
① (1) Duplex Receptacle	51PMA06 51PMA16	6’ 16’	532 622
② (1) Duplex Receptacle			
③ (1) Open for data			
④ (1) Open for data			
POWER MODULE B			
			
① (1) Duplex Receptacle	51PMB06 51PMB16	6’ 16’	400 491
② (1) Open for data			
③ (1) Open for data			
④ (1) Open for data			
POWER MODULE C WITH UTILITY OUTLET			
			
① (1) Duplex Receptacle w/ 15 amp circuit breaker	51PMC06 51PMC16	6’ 16’	559 641
② (1) Duplex Receptacle with Utility Outlet			
③ (1) Open for data			
④ (1) Open for data			
DATA MODULE D			
			
① (1) Open for data	51PMD		140
② (1) Open for data			
③ (1) Open for data			
④ (1) Open for data			

This open module can also be used if hard wiring power is required. Electrical boxes and receptacles can be installed in open spaces and a Decora face plate is mounted on top. All components would be provided by a qualified electrician.

POWER MODULE E WITH UTILITY OUTLET			
			
① (1) Duplex Receptacle w/15 amp circuit breaker	51PME06		842
② (1) Simplex Receptacle/ 2 USB Charging Port with Utility Outlet	51PME16		953
③ (1) open for data			
④ (1) open for data			
POWER MODULE A - HARD WIRED			
			
① (1) Duplex Receptacle	51PMA16HW	16’	714
② (1) Duplex Receptacle			
③ (1) Open for data			
④ (1) Open for data			

NOTE: Open positions will accept 1 Plate Mounted Data Option or up to 6 Snap-In Data Options. Please order a blank port when an odd number of snap-in ports are specified.

When specifying data within the power console module, please provide reference code and port position (1, 2, 3 or 4).

PLATE MOUNTED DATA OPTIONS
See page 54 for Plate Mounted Data Options

SNAP-IN DATA OPTIONS
See page 56 for Snap-In Data Options

NUVO | CONSOLE DATA/MEDIA OPTIONS



























PLATE MOUNTED PORTS	Reference Code	Description	List Price
	**P01**	**VGA & 3.5 STEREO MINI -** Use for VGA (DB15) connections and for 3.5mm stereo connections. VGA connectors is a female-to-female pass through and the 3.5 Mini is a female-to-female pass through.	157
	**P02**	**DVI-I DUAL (DIGITAL/ANALOG) & 3.5 STEREO MINI -** Use for DVI Integrated - Digital and Analog connections and for 3.5mm stereo connection. The DVI connector is a Dual Link. DVI-I connector is a female-to-female pass through and the 3.5 Mini is a female input with screw terminal output (back side of Console interface).	233
	**P03**	**DVI-D DUAL (DIGITAL) -** Use for DVI-D Digital only connection. The connector is a Dual Link. Connector is a female-to-female pass through.	150
	**P04**	**DVI-I DUAL (DIGITAL/ANALOG) & VGA -** Use for DVI Integrated - Digital and Analog and for VGA (DB15) connections. The DVI connector is a Dual Link. Both connectors are female-to-female pass through.	298
	**P05**	**DVI-I DUAL (DIGITAL/ANALOG) -** Use for DVI Integrated -Digital and Analog connections. DVI connector is a Dual Link. Connector is a female-to-female pass through.	190
	**P06**	**VGA-2 -** Use for two VGA (DB15) connections. Both connectors are female-to-female pass through.	184
	**P07**	**DISPLAYPORT -** Use for DisplayPort connection. This connector is primarily used to connect a video source to a display device and also carries audio signals, Connector is a female input to a 3' corded output (back side of Console interface) with a male Display Port termination.	184


PLATE MOUNTED PORTS	Reference Code	Description	List Price
	**P08**	**MICROPHONE XLR STANDARD -** Use for standard size XLR microphone connection. Connector is a female input with a 3 pin screw terminal output (back side of Console interface).	250
	**P09**	**MICROPHONE STANDARD XLR -2 -** Use for two standard size XLR microphone connections. Each connector is a female input with a 3 pin screw terminal output (back side of Console interface).	366
	**P10**	**3 HOLE CABLE PASS THROUGH -** Use for running loose cables from the under side of the table up into the Console interface cavity. Often used with running wires for PolyCom™ devices.	58
	**P11**	**VGA-to-BNCx2 -** Use for two VGA (DB15) connections that are input female pass through and are terminated on the output (back side of Console interface) with 5 BNC female pigtail connections, for each VGA connector.	597
	**P12**	**INPUT VGA & 3.5 Stereo (POWERED) -** VGA + Audio Line Driver designed for VGA (DB15) connections and for 3.5mm stereo connections. This unit provides a method of transmitting signals to a remote display and audio receiver or amplifier. VGA connector is a female input and comes with cabling for either VGA output, or 5 BNC output and the 3.5 Mini is a female input with screw terminal output (back side of Console interface). A 9 volt DC 500mA power supply is required to power this unit.	1462
	**P13**	**BLANK DECORA ADAPTER -** Use for covering a full Decora sides blank opening.	40
	**DVIR**	**DVI-REPEATER -** Is a cable equalizer that automatically compensates for long DVI cable runs. This unit extends the canadable cable distance up to 130 ft depending on the quality of the cable and the resolution of the video signal. Additionally, it is capable of extending dual link signals allowing for much greater resolutions and refresh rates. This unit comes with a power supply and is generally mounted underneath a table.	1152

NUVO | CONSOLE DATA/MEDIA OPTIONS


SNAP IN PORTS	Reference Code	Description	List Price
		ADAPTOR PLATES	
	**M02**	**Adaptor Plate (2) -** accepts two snap in data ports	40
	M04	**Adaptor Plate (4) -** accepts four snap in data ports	40
	M06	**Adaptor Plate (6) -** accepts six snap in data ports	40
		ORDERING NOTES: Blank covers are required when port is not in use, please see page 55.	
		**RJ-45** - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	51
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		**RJ11** - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	34
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	**S03**	**3.5 STEREO MINI -** 3.5mm stereo connection. Connector is a female input with screw terminal output (back side of Console interface).	100
	**S04**	**HDMI -** High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	190
	**S05**	**RCA-LEFT -** RCA left audio channel connection. Color coded with black. Connector is a female-to-female pass through.	40
	**S06**	**RCA-RIGHT -** RCA right audio channel connection. Color coded with red. Connector is a female-to-female pass through.	40
	**S07**	**RCA- VIDEO -** RCA video channel connection. Color coded with yellow. Connector is a female-to-female pass through.	40
	**S08**	**USB-A -** Full size USB “A” style connection. Connector is a female-to-female pass through**.**	67

SNAP IN PORTS	Reference Code	Description	List Price
	**S09**	**3 PIN MINI XLR** - 3 Pin Mini XLR microphone connection. Connector is a female input to a 6' corded output (back side of Console interface) with a 3 Pin Mini XLR male termination.	813
	**S10**	**S-VIDEO -** S-Video connection. Connector is a female-to-female pass through.	74
	**S11**	**PS/2 (6 PIN MINI DIN) -** PS/2 (mouse, keyboard, other input devices) connections. Connector is a female-to-female pass through.	93
	**S12**	**BNC -** BNC style data connection for use with co-axial cable. Connector is a female-to-female pass through.	51
	**S13**	**F-TYPE -** F-Type (DSL, Cable) connections, generally for high speed Internet or video applications. Connector is a female-to-female threaded pass through.	40
	**S14**	**FIBER OPTIC SC -** Fibre Optic SC Simplex connection. Connector is a female-to-female pass through. Please note that two of these connectors are required to complete the data transmissions to and from the source and destination units.	51
	**S15**	**FIBER OPTIC LC -** Fibre Optic LC Duplex connection. Connector is a female-to-female pass through. One connector only is required to complete the data transmissions to and from source and destination units.	100
	**S16**	**USB–B –** USB "B" type connection. Connector is a female "B" input to a female "A" output (back side of Console interface). This connector is reversible.	150
	**S17**	**RJ12** (White) - RJ12 style PolyCom™ connection. Connector is a female input with a 6' corded output (back side) of Console interface) with a male RJ12 termination.	324
	**S00**	**BLANK COVER -** Blank covers are required when port is not in use.	16


NOTE: Up to 6 snap-in data ports can be ordered for open data positions. Snap-in adaptors can accept 2, 4 or 6 snap-in data ports. Please order a blank port when an odd number of snap-in ports are specified.


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Formed Metal Base	514124328	1292	24	3	28	29	2.75
	514136328	1444	36	3	28	31	3.75
	514148328	1593	47	3	28	37	4.5

ORDERING NOTE: Formed Metal bases are available in Matte Chrome.
There are two cable management options available for Formed Metal bases – Metal Cable Manager or Spine Cable Manager. To order either of these options, please add the cable manager suffix to the end of the model number and add the upcharge listed below. For Example: To add the Metal Cable Manager to the Formed Metal base, please add **CM1** to the end of the base model number. e.g. 514124328 changes to 514124328**CM1** & add the upcharge from below. To add the Spine Cable Manager to the table, please add **CM2** to the end of the Formed Metal base model number. e.g. 514124328 changes to 514124328 **CM2** & add the upcharge from below.

Formed Metal Base Cable Management	Metal Cable Manager		
	CM1	200	

NOTE: Metal Cable Manager attaches to the Formed Metal Base magnetically.

	Spine Cable Manager		
	CM2	233	


Description	Model	Laminate Oak, Maple Cherry Palette	Walnut	W	D	H	Shipping Weight	Cubic Feet
Square Base for Arc Square and Round Tops	5142161628	1172	1315	16	16	28	136	7.25
	5142202028	1313	1442	20	20	28	160	12.5
								

ORDERING NOTES: Bases are available in Oak, Maple, Cherry, Walnut, Palette finishes and Laminate. Base plates are available in Gloss Aluminum, Palette, Laminate or Wood, please specify requirement on order.






BASE SIZES FOR ARCED SQUARE TABLES AND FOR ROUND TABLES

Top Size Arc Square	Top Size Round Tops	Quantity	W	D	H
36-36	36 Dia.	1	16	16	28
42-42	42 Dia.	1	16	16	28
48-48	48 Dia.	1	20	20	28
54-54	54 Dia.	1	20	20	28
60-60	60 Dia.	1	20	20	28

These bases include a weighted ballast to provide stability.





Panel Base	513921325	972	1069	20.5	3	25	30	2
	513925325	1054	1161	24.5	3	25	33	2.25
	513931325	1120	1232	30.5	3	25	38	2.5

ORDERING NOTE: Base plates are available in Gloss Aluminum, Palette, Laminate or Wood, please specify requirement on order.

Description	Model	Laminate Oak, Maple, Cherry, Palette	Walnut	W	D	H	Shipping Weight	Cubic Feet
Oval Base	514521825	1095	1204	21	8	25	28	3.5
	5145251025	1177	1296	25	10	25	33	5.75
	5145311225	1281	1404	31	12	25	38	7.75
	ORDERING NOTE: Base plates are available in Gloss Aluminum, Palette, Laminate or Wood, please specify requirement on order.							
Square Base	5143161625	1292	1423	16	16	25	60	7.25
	5143202025	1361	1496	20	20	25	75	8.5
	5143242425	1413	1552	24	24	25	88	12
	5143303025	1560	1716	30	30	25	95	14
	ORDERING NOTE: Base plates are available in Gloss Aluminum, Palette, Laminate or Wood, please specify requirement on order.							
Rectangular Base	5144211225	1144	1258	21.5	12	25	55	7
	5144251225	1292	1423	25	12	25	61	8
	5144311225	1444	1588	31	12	25	69	9.5
	ORDERING NOTE: Base plates are available in Gloss Aluminum, Palette, Laminate or Wood, please specify requirement on order.							
Oval Island Base	5146184725	2756	3028	18	47	25	118	19
	5146187125	3536	3890	18	71	25	175	28
	5146247125	4613	5075	24	71	25	270	41
	5146249525	5892	6479	24	95	25	308	46.5
	51462410725	6954	7648	24	107	25	346	52
	ORDERING NOTE: Base plates are available in Gloss Aluminum, Palette, Laminate or Wood, please specify requirement on order.							
Rectangular Island Base	5147182725	1313	1442	18	27	25	46	11.5
	5147183925	1776	1954	18	39	25	65	16
	5147186325	2389	2629	18	63	25	102	25
	5147189925	3302	3630	18	99	25	157	38
	51471812325	4085	4488	18	123	25	193	47
	51471817125	5509	6060	18	171	25	267	65
	5147246325	2839	3120	24	63	25	134	31.5
	5147249925	3404	3743	24	99	25	207	48.5
	51472412325	4813	5294	24	123	25	256	60
	51472417125	6356	6993	24	171	25	351	82.5
	51472421925	7170	7886	24	219	25	451	105


ORDERING NOTE: Base plates are available in Gloss Aluminum, Palette, Laminate or Wood, please specify requirement on order. Rectangular island bases greater than 99” are constructed in two pieces requiring assembly in the field.

NUVO | BASE REQUIREMENTS CHART


	Panel Base 5139		Oval Base 5145		Square Base 5143		Rectangular Base 5144	
								
Model#	Quantity	Size	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR RECTANGULAR (5161) & ARC END (5166) TOPS								
60-36	2	21	2	21				
60-42	2	21	2	21				
60-48	2	21	2	21				
72-36	2	21	2	21				
72-42	2	21	2	21				
72-48	2	21	2	21				
78-36	2	21	2	21			2	21
78-42	2	21	2	21			2	21
78-48	2	21	2	21			2	21
84-36	2	21	2	21			2	21
84-42	2	21	2	21			2	21
84-48	2	21	2	21			2	21
96-36	2	21	2	21	2	16	2	21
96-42	2	21	2	21	2	16	2	21
96-48	2	21	2	21	2	20	2	21
108-42	2	21	2	21	2	16	2	21
108-48	2	21	2	21	2	20	2	21
108-54	2	25	2	25	2	24	2	25
120-42	2	21	2	21	2	16	2	21
120-48	2	21	2	21	2	20	2	21
120-54	2	25	2	25	2	24	2	25
120-60	2	25	2	25	2	24	2	25
144-48	3	21	3	21	2	20	3	21
144-54	3	25	3	25	2	24	3	25
144-60	3	25	3	25	2	24	3	25
156-54	3	25	3	25	2	24	3	25
156-60	3	25	3	25	2	24	3	25
168-48	3	21	3	21	3	20	3	21
168-54	3	25	3	25	3	24	3	25
168-60	3	25	3	25	3	24	3	25
192-48	3	21	3	21	3	20	3	21
192-54	3	25	3	25	3	24	3	25
192-60	3	25	3	25	3	24	3	25
216-54	4	25	4	25	3	24	4	25
216-60	4	25	4	25	3	24	4	25
240-60	4	25	4	25	3	24	4	25
264-60	4	25	4	25	3	24	4	25
288-60	5	25	5	25	4	24	5	25

NUVO | BASE REQUIREMENTS CHART


Formed Metal Base
5141



Rectangular Island Base
5147







Oval Island Base
5146




Model#	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR RECTANGULAR (5161) & ARC END (5166) TOPS						
60-36	2	24				
60-42	2	24				
60-48	2	36	1	18x27		
72-36	2	24				
72-42	2	24				
72-48	2	36	1	18x27		
78-36	2	24				
78-42	2	24				
78-48	2	36	1	18x39		
84-36	2	24				
84-42	2	24				
84-48	2	36	1	18x39		
96-36	2	24				
96-42	2	24				
96-48	2	36	1	18x39		
108-42	2	24				
108-48	2	36	1	18x63		
108-54	2	36	1	24x63		
120-42	2	24				
120-48	2	36	1	18x63		
120-54	2	36	1	24x63		
120-60	2	48	1	24x63		
144-48	3	36	1	18x99		
144-54	3	36	1	24x99		
144-60	3	48	1	24x99		
156-54	3	36	1	24x99		
156-60	3	48	1	24x99		
168-48	3	36	1	18x123		
168-54	3	36	1	24x123		
168-60	3	48	1	24x123		
192-48	3	36	1	18x123		
192-54	3	36	1	24x123		
192-60	3	48	1	24x123		
216-54	4	36	1	24x171		
216-60	4	48	1	24x171		
240-60	4	48	1	24x171		
264-60	4	48	1	24x219		
288-60	5	48	1	24x219		

NUVO | BASE REQUIREMENTS CHART


	Panel Base 5139		Oval Base 5145		Square Base 5143		Rectangular Base 5144	
								
Model#	Quantity	Size	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR RACETRACK TOPS - (5102)								
60-36	2	21	2	21				
60-42	2	21	2	21				
60-48	2	21	2	21				
72-36	2	21	2	21				
72-42	2	21	2	21				
72-48	2	21	2	21				
78-36	2	21	2	21			2	21
78-42	2	21	2	21			2	21
78-48	2	21	2	21			2	21
84-36	2	21	2	21			2	21
84-42	2	21	2	21			2	21
84-48	2	21	2	21			2	21
96-36	2	21	2	21	2	16	2	21
96-42	2	21	2	21	2	16	2	21
96-48	2	21	2	21	2	20	2	21
108-42	2	21	2	21	2	16	2	21
108-48	2	21	2	21	2	20	2	21
108-54	2	21	2	21	2	20	2	21
120-42	2	21	2	21	2	16	2	21
120-48	2	21	2	21	2	20	2	21
120-54	2	21	2	21	2	20	2	21
120-60	2	25	2	25	2	24	2	25
144-48	3	21	3	21	2	20	3	21
144-54	3	21	3	21	2	20	3	21
144-60	3	25	3	25	2	24	3	25
156-54	3	21	3	21	2	20	3	21
156-60	3	25	3	25	2	24	3	25
168-48	3	21	3	21	3	20	3	21
168-54	3	21	3	21	3	20	3	21
168-60	3	25	3	25	3	24	3	25
192-48	3	21	3	21	3	20	3	21
192-54	3	21	3	21	3	20	3	21
192-60	3	25	3	25	3	24	3	25
216-54	4	21	4	21	3	20	4	21
216-60	4	25	4	25	3	24	4	25
240-60	4	25	4	25	3	24	4	25
264-60	4	25	4	25	3	24	4	25
288-60	5	25	5	25	4	24	5	25

NUVO | BASE REQUIREMENTS CHART


Formed Metal Base
5141



Rectangular Island Base
5147







Oval Island Base
5146




Model#	Formed Metal Base Quantity	Formed Metal Base Size	Rectangular Island Base Quantity	Rectangular Island Base Size	Oval Island Base Quantity	Oval Island Base Size
BASE REQUIREMENTS FOR RACETRACK TOPS - (5102)						
60-36	2	24				
60-42	2	24				
60-48	2	36	1	18x27		
72-36	2	24				
72-42	2	24				
72-48	2	36	1	18x27		
78-36	2	24				
78-42	2	24				
78-48	2	36	1	18x39		
84-36	2	24				
84-42	2	24				
84-48	2	36	1	18x39		
96-36	2	24				
96-42	2	24				
96-48	2	36	1	18x39		
108-42	2	24				
108-48	2	36	1	18x63		
108-54	2	36	1	18x63		
120-42	2	24				
120-48	2	36	1	18x63		
120-54	2	36	1	18x63		
120-60	2	48	1	24x63		
144-48	3	36	1	18x99		
144-54	3	36	1	18x99		
144-60	3	48	1	24x99		
156-54	3	36	1	18x99		
156-60	3	48	1	24x99		
168-48	3	36	1	18x123		
168-54	3	36	1	18x123		
168-60	3	48	1	24x123		
192-48	3	36	1	18x123		
192-54	3	36	1	18x123		
192-60	3	48	1	24x123		
216-54	4	36	1	18x171		
216-60	4	48	1	24x171		
240-60	4	48	1	24x171		
264-60	4	48	1	24x219		
288-60	5	48	1	24x219		

NUVO | BASE REQUIREMENTS CHART


	Panel Base 5139		Oval Base 5145		Square Base 5143		Rectangular Base 5144	
								
Model#	Quantity	Size	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR BOAT-SHAPED TOPS - (5164)								
96-48-42	2	21	2	21	2	20	2	21
96-54-42	2	21	2	21	2	20	2	21
120-48-42	2	21	2	21	2	20	2	21
120-54-42	2	21	2	21	2	20	2	21
144-48-42	3	21	3	21	2	20	3	21
144-54-42	2	21	2	21	2	20	2	21
	1	25	1	25			1	25
168-54-42	2	21	2	21	2	20	2	21
	1	25	1	25	1	24	1	25
192-54-42	2	21	2	21	2	20	2	21
	1	25	1	25	1	24	1	25
216-60-48	2	21	2	21	2	20	2	21
	2	25	2	25	1	24	2	25
240-60-48	2	21	2	21	2	20	2	21
	2	25	2	25	1	24	2	25
264-60-48	2	21	2	21	2	20	2	21
	2	25	2	25	2	24	2	25
288-60-48	4	21	4	21	2	20	4	21
	1	25	1	25	2	24	1	25
BASE REQUIREMENTS FOR VISIO TOPS - (5168)								
120-60-42	2	21	2	21	2	20	2	21
144-60-42	3	21	3	21	2	20	3	21
168-66-42	2	21	2	21	2	20	2	21
	1	31	1	31	1	30	1	31
192-69-42	2	21	2	21	2	20	2	21
	1	31	1	31	1	30	1	31
216-73-42	2	21	2	21	2	20	2	21
	2	31	2	31	1	30	2	31
240-76-42	2	21	2	21	2	20	2	21
	2	31	2	31	1	30	2	31

NUVO | BASE REQUIREMENTS CHART


Formed Metal Base
5141



Rectangular Island Base
5147







Oval Island Base
5146






Model#	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR BOAT-SHAPED TOPS - (5164)						
96-48-42	2	36				
96-54-42	2	36				
120-48-42	2	24				
120-54-42	2	36				
144-48-42	2	24				
	1	36				
144-54-42	3	36				
168-54-42	3	36				
192-54-42	3	36				
216-60-48	2	36				
	2	48				
240-60-48	2	36				
	2	48				
264-60-48	2	36				
	2	48				
288-60-48	4	36				
	1	48				
BASE REQUIREMENTS FOR VISIO TOPS - (5168)						
120-60-42	1	36				
	1	48				
144-60-42	1	24				
	1	36				
	1	48				
168-66-42	1	24				
	1	36				
	1	48				
192-69-42	1	24				
	1	36				
	1	48				
216-73-42	1	24				
	1	36				
	2	48				
240-76-42	1	24				
	1	36				
	2	48				

NUVO | BASE REQUIREMENTS CHART

	Panel Base 5139		Oval Base 5145		Square Base 5143		Rectangular Base 5144	
								
Model#	Quantity	Size	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR OVAL TOPS - (5159)								
84-48	2	21	2	21				
96-48	2	21	2	21				
96-54	2	21	2	21				
120-48	2	21	2	21				
120-60	2	21	2	21				
144-54	3	21	3	21				
144-60	2	21	2	21				
	1	25	1	25				
168-60	2	21	2	21				
	1	25	1	25				

NUVO | BASE REQUIREMENTS CHART

	Formed Metal Base 5141		Rectangular Island Base 5147		Oval Island Base 5146	
						
Model#	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMENTS FOR OVAL TOPS - (5159)						
84-48	2	24			1	18x47
96-48	2	24			1	18x47
96-54	2	36			1	18x47
120-48	2	24			1	18x71
120-60	2	36			1	24x71
144-54	1	36			1	24x95
	2	24				
144-60	1	48			1	24x95
	2	24				
168-60	1	48			1	24x107
	2	24				

LEED CI - Credit Summary


NUVO CONFERENCE







MATERIAL CONTENT



PRE-CONSUMER
RECYCLED CONTENT - 81%

POST-CONSUMER
RECYCLE CONTENT - 3%


		CONTRIBUTES TO
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (MUST BE REQUESTED) Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

Nuvo Media & Storage products compliment Nuvo Conference with 6 veneer species selections. Veneered tops are 1 1/2" thick veneered particle board core and backer material, with a 1/8" wood edge. Laminate tops are 1 1/2" thick with particle board core and backer material, with a matching laminate edge. Glass tops are back painted tempered glass with an 1 1/8" medium density fiberboard painted sub top with bevelled edge. Tops are available with these profiles.



Edge profile for wood & laminate tops



Edge profile for glass tops

SURFACES
Buffet and Credenza tops are 1 1/2" thick 45lbs per cubic feet particle board core, 3 ply. Gables are 3/4" thick 45lbs per cubic feet particle board core, 3 ply.

VENEER
Veneers available are Rift White Oak, Quarter Cut Maple, Quarter Cut Cherry, Quarter Cut Walnut

LAMINATE
Please note the grain direction of wood grain laminate will run horizontal on the backs of credenzas and buffets. Laminate tops are 1 1/2" thick with particle board core and backer material, with a matching laminate edge.

FINISH
A five step catalyzed varnish finish that when dry has a sheen value of 32˚, is applied to all tables, bases and cases. A lower sheen topcoat, 20˚, can also be specified, at standard pricing. All purchase orders must clearly note "lower sheen finish" in order to receive this optional selection.

All finished surfaces are well sanded before applying finishing materials. The procedure begins by applying a base color via an NGR stain. A wash coat follows to further enhance the color. Next is the glazing process, which provides the 3rd color step and fills the pores of the wood. A sealer coat is then applied, twice to the horizontal worksurfaces to enhance the finish. The product is then scuff sanded to prepare for the top coat. The top coat is a catalyzed varnish that when dry has a sheen value of 32˚. Krug's catalyzed varnish has been tested to be one of the industry's most durable and long lasting. Custom finishes are available

GLIDES
Credenzas and Buffets feature adjustable glides 1 ½" long and allow for a range of adjustment of ¾".

GLASS SURFACE
Nuvo Casegood tops are available in white back-painted 10mm tempered glass. Please contact customer service, for additional color selections available at no upcharge.

TESTING
All products have been tested in accordance with ANSI/BIFMA X5.5-2014 or X5.9-2012.

DRAWERS
Desk box drawers have full progressive full extension slides and are load rated at 100lbs. per drawer. All drawer interiors are veneer on plywood, and include a push to open drawer mechanism.

LATCHES
Doors open with a touch latch. There are no pulls on Nuvo Media & Storage.


HINGES
Nuvo Media & Storage utilize European style satin chrome hinges with 3-way adjustment & quick release feature. Hinge opening is 95 degrees.

CASTERS
Locking casters are standard on the Hospitality Cart and lectern.


SLIDING DOORS
Sliding Doors include a single roller track system.


BACK-PAINTED GLASS DOORS
Nuvo glass doors have Back-Painted glass with a satin aluminum frame.

LOCKS
Locks are optional on hinged wood doors at an upcharge of **$166 list** per set of 2 doors and **$166 list** per single door. Buffets and Credenzas with 2 outside doors require 3 locks.




NUVO | FEATURES & OPTIONS






CREDENZAS AND BUFFETS


- 2 styles of cabinet tops are available: wood top and Back-Painted glass tops.
- Doors are available in Back-Painted glass & wood veneer.
- Storage sections feature one wooden shelf which is height adjustable in increments of 1 1/4".
- Buffets with wood drawers can include an optional cutlery insert.
- Buffet may be specified with optional Recycle/Waste bin.
- Buffet may be specified with optional Mini Refrigerator on 24" deep Buffets at a price of **$2907 list**.
- Mini refrigerator features volume of 1.1 cu. ft., 2 inner door racks, automatic defrost, and lock.
- Credenzas and Buffets with glass tops are shipped with tops assembled to case.






TV CABINET WITH LIFT

- Accommodate flat screen televisions up to 130lbs with dimensions no greater than 51 1/4”W x 4 3/4”D x 30”H
- Cabinet is standard with 4 shelves 12 1/2” deep.
- Includes a remote control to raise and lower the television. Remote has a radio frequency control with 15 ft. operating distance
- 2 styles of cabinet tops are available: wood top and Back-Painted glass tops.
- Cable access in shelves and partition




Grommet in each shelf & partition for cord pass through



HOSPITALITY CARTS

- The cart is mounted on heavy-duty locking casters.
- A handle on each end facilitates movement of the cart. Handles are available in a satin aluminum finish.
- The cart features a stainless steel container with removable plastic garbage & recycling bins. A cutlery tray is included.
- 2 styles of cabinet tops are available: wood top and Back-Painted glass tops.
- 2 adjustable shelves behind large door



LECTERNS


- Glass shelf version has a wood upper flat shelf which provides a place for pens, pencils or a glass of water, and optional reference light at a price of **$488 list**. It will also accommodate a user-specified microphone.
- Angled wood shelf has a bottom lip to hold papers in place. The shelf lifts to reveal an optional power and data interface point
- Back-Painted glass shelf provides more surface area for equipment such as a laptop. A presenter’s open laptop is not visible to the seated audience.
- Cables from the interface point, (or user supplied cables) are routed down through grommeted holes to the bottom of the unit and are accessible via doors on the users side. Optional power bar at a price of **$228 list**.
- Full width shelf version is available.
- Mobile versions are available.
- Glass shelf is shipped installed.



BASE PLATES
- Available in a choice of Wood, Laminate, or Gloss Aluminum finish.



BACK-PAINTED GLASS TOPS
- Back-Painted glass tops are 10mm thick and available as an option.



RECYCLE/WASTE BIN
- Stainless Steel sliding bin containing 2 x 14 L plastic bins for recycling and waste. Opens with the door.
- Approximate dimensions 14.25 x 17.33 x 16.53



CUTLERY TRAY
- Surface silver grained
- Impact-resistant polystyrene
- Environmentally friendly, fully recyclable
- Antistatic, easy to clean


ALTINEX BOX
The Altinex box offers an ideal solution for the power and data requirements of a speaker using the NUVO Lectern.

Altinex features the following power/data connectors:





A	(1) Stereo Mini	3.5 mm Mini pass-through connector from computer sound card to amplified sound system
B	(1) BNC port	High quality pass-through connector from broadcast video or computer video to video display monitor
C	(1) RJ11 port	Connection for Telephone / Modem
D	(1) RJ45 port	Connection for Network Connector
E	(2) RCA ports	Female RCA type pass-through (Left - Black, Right - Red) cable connectors from stereo audio source to audio system
F	(1) 15 Pin HD port	VGA type 15 pin pass-through connector from computer video to display monitor
G	(1) Simplex Power port	Power Input

For more information or questions regarding the Altinex Box, please contact Krug Customer Service or Altinex Technical Support at 1-800-258-4623.

This option is available on NUVO lecterns at an upcharge of **$1402 list**.



NUVO | CREDENZAS

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	H	Weight	Cube
3 Hinged Doors, 4 Drawers	51C72202907	6564	7220	71.5	20	29.9	309	31
	51C72242907	6875	7564	71.5	24	29.9	321	36
	51C84202907	7547	8303	83.5	20	29.9	360	36
	51C84242907	7907	8697	83.5	24	29.9	374	42
Back-Painted Glass Doors, 4 Drawers	51C72202907Z	8265	9094	71.5	20	29.9	323	31
	51C72242907Z	8578	9435	71.5	24	29.9	383	36
	51C84202907Z	9505	10458	83.5	20	29.9	376	36
	51C84242907Z	9863	10849	83.5	24	29.9	446	42
3 Hinged Doors, 4 Drawers, Back-Painted Glass Top	51CGP72202907	9762	10736	71.5	20	29.9	349	31
	51CGP72242907	10714	11786	71.5	24	29.9	369	36
	51CGP84202907	11225	12345	83.5	20	29.9	406	36
	51CGP84242907	12318	13550	83.5	24	29.9	429	42
Back-Painted Glass Doors, 4 Drawers, Back-Painted Glass Top	51CGP72202907Z	11463	12609	71.5	20	29.9	363	31
	51CGP72242907Z	12416	13657	71.5	24	29.9	383	36
	51CGP84202907Z	13182	14500	83.5	20	29.9	423	36
	51CGP84242907Z	14277	15705	83.5	24	29.9	446	42





ORDERING NOTES: An optional Recycle/Waste bin, located behind the right door, is available at an upcharge of **$628 list**, add W - Waste Bin to the model number. An optional Cutlery Tray is available at an upcharge of **$67 list**. An optional mini fridge, located behind the right door, is available on 24" deep units at an upcharge of **$2907 list**, add F - fridge to model number.

ORDERING PROCEDURE
To order, please specify the following:
1) Krug product model number
2) Wood species and finish

CODE DESCRIPTION
GP - Back-Painted Glass Top
Z - Back-Painted Glass Doors

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363

BASE PLATES
Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	H	Weight	Cube
4 Hinged Doors	51C72202911	5475	6023	71.5	20	29.9	265	31
	51C72242911	5785	6366	71.5	24	29.9	277	36
	51C84202911	6297	6927	83.5	20	29.9	309	36
	51C84242911	6653	7321	83.5	24	29.9	323	42
4 Hinged Back-Painted Glass Doors	51C72202911Z	7743	8521	71.5	20	29.9	283	31
	51C72242911Z	8058	8864	71.5	24	29.9	295	36
	51C84202911Z	8906	9798	83.5	20	29.9	330	36
	51C84242911Z	9266	10192	83.5	24	29.9	344	42
4 Hinged Doors, Back-Painted Glass Top	51CGP72202911	8671	9540	71.5	20	29.9	305	31
	51CGP72242911	9625	10588	71.5	24	29.9	325	36
	51CGP84202911	9975	10971	83.5	20	29.9	355	36
	51CGP84242911	11071	12175	83.5	24	29.9	379	42
4 Hinged Back-Painted Glass Doors, Back-Painted Glass Top	51CGP72202911Z	10945	12036	71.5	20	29.9	323	31
	51CGP72242911Z	11895	13086	71.5	24	29.9	343	36
	51CGP84202911Z	12584	13842	83.5	20	29.9	376	36
	51CGP84242911Z	13679	15046	83.5	24	29.9	400	42

ORDERING NOTES: An optional Recycle/Waste bin is available at an upcharge of **$628 list**, add WL - Waste Bin Left or WR - Waste Bin Right to the model number.
An optional mini fridge is available on 24” deep units, at an upcharge of **$2907**, add FL fridge left or FR fridge right to model number.





DIMENSION KEY
W - width
D - depth
H - height

CODE DESCRIPTION
GP - Back-Painted Glass Top
Z - Back-Painted Glass Doors

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363

BASE PLATES
Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

NUVO | CREDENZAS

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	H	Weight	Cube
2 Sliding Doors	51CS72202911	6050	6653	71.5	20	29.9	246	31
	51CS72242911	6359	6997	71.5	24	29.9	258	36
	51CS84202911	6958	7652	83.5	20	29.9	287	36
	51CS84242911	7313	8045	83.5	24	29.9	301	42
2 Sliding Back-Painted Glass Doors	51CS72202911Z	7566	8322	71.5	20	29.9	259	31
	51CS72242911Z	7879	8667	71.5	24	29.9	271	36
	51CS84202911Z	8701	9570	83.5	20	29.9	302	36
	51CS84242911Z	9060	9966	83.5	24	29.9	316	42
2 Sliding Doors, Back-Painted Glass Top	51CSGP72202911	9248	10170	71.5	20	29.9	286	31
	51CSGP72242911	10199	11219	71.5	24	29.9	306	36
	51CSGP84202911	10634	11699	83.5	20	29.9	333	36
	51CSGP84242911	11727	12903	83.5	24	29.9	356	42
2 Sliding Back-Painted Glass Doors, Back-Painted Glass Top	51CSGP72202911Z	10763	11841	71.5	20	29.9	299	31
	51CSGP72242911Z	11718	12888	71.5	24	29.9	319	36
	51CSGP84202911Z	12544	13800	83.5	20	29.9	348	36
	51CSGP84242911Z	13474	14822	83.5	24	29.9	372	42





ORDERING NOTES: An optional mini fridge is available on 24" deep units, at an upcharge of **$2907**, add FL fridge left or FR fridge right to model number.

ORDERING PROCEDURE
To order, please specify the following:
1) Krug product model number
2) Wood species and finish

CODE DESCRIPTION
GP - Back-Painted Glass Top
Z - Back-Painted Glass Doors

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363.

BASE PLATES
Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	H	Weight	Cube
Door, Drawer/Door, Drawer/Door, Door	51C72202914	6663	7327	71.5	20	29.9	277	31
	51C72242914	6973	7671	71.5	24	29.9	289	36
	51C84202914	7659	8428	83.5	20	29.9	323	36
	51C84242914	8017	8822	83.5	24	29.9	337	42
Back-Painted Glass Door, Drawer/Door, Drawer/Door, Door	51C72202914Z	8746	9621	71.5	20	29.9	295	31
	51C72242914Z	9058	9963	71.5	24	29.9	317	36
	51C84202914Z	10057	11062	83.5	20	29.9	344	36
	51C84242914Z	10414	11456	83.5	24	29.9	369	42
Door, Drawer/Door, Drawer/Door, Door, Back-Painted Glass Top	51CGP72202914	9858	10845	71.5	20	29.9	317	31
	51CGP72242914	10812	11892	71.5	24	29.9	337	36
	51CGP84202914	11338	12471	83.5	20	29.9	369	36
	51CGP84242914	12434	13676	83.5	24	29.9	393	42
Back-Painted Glass Door, Drawer/Door, Drawer/Door, Door, Back-Painted Glass Top	51CGP72202914Z	11943	13137	71.5	20	29.9	335	31
	51CGP72242914Z	12897	14184	71.5	24	29.9	365	36
	51CGP84202914Z	13737	15111	83.5	20	29.9	390	36
	51CGP84242914Z	14832	16313	83.5	24	29.9	425	42

ORDERING NOTES: An optional Recycle/Waste bin is available at an upcharge of **$628 list**, add WL - Waste Bin Left or WR - Waste Bin Right to the model number. An optional Cutlery Tray is available at an upcharge of **$67 list**. Mini fridge is not available in this configuration.





DIMENSION KEY
W - width
D - depth
H - height

CODE DESCRIPTION
GP - Back-Painted Glass Top
Z - Back-Painted Glass Doors

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363.

BASE PLATES
Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

NUVO | BUFFETS

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	H	Weight	Cube
Hinged Doors, 5 Drawers	51BU72203507	7019	7722	71.5	20	35	330	36
	51BU72243507	7333	8065	71.5	24	35	343	42
	51BU84203507	8073	8881	83.5	20	35	384	42
	51BU84243507	8432	9274	83.5	24	35	400	49
Back-Painted Glass Doors, 5 Drawers	51BU72203507Z	8721	9594	71.5	20	35	345	36
	51BU72243507Z	9034	9936	71.5	24	35	358	42
	51BU84203507Z	10028	11032	83.5	20	35	402	42
	51BU84243507Z	10388	11429	83.5	24	35	417	49
Hinged Doors, 5 Drawers, Back-Painted Glass Top	51BUGP72203507	10218	11240	71.5	20	35	370	36
	51BUGP72243507	11169	12286	71.5	24	35	391	42
	51BUGP84203507	11750	12925	83.5	20	35	431	42
	51BUGP84243507	12846	14130	83.5	24	35	455	49
Back-Painted Glass Doors, 5 Drawers, Back-Painted Glass Top	51BUGP72203507Z	11919	13111	71.5	20	35	385	36
	51BUGP72243507Z	12871	14161	71.5	24	35	406	42
	51BUGP84203507Z	13706	15076	83.5	20	35	448	42
	51BUGP84243507Z	14806	16284	83.5	24	35	473	49





ORDERING NOTES: An optional Recycle/Waste bin, located behind the right door, is available at an upcharge of **$628 list**, add W - Waste Bin to the model number. An optional Cutlery Tray is available at an upcharge of **$67 list**. An optional mini fridge, located behind the right door, is available on 24" deep units at an upcharge of $**2907**, add F - fridge to model number.

ORDERING PROCEDURE
To order, please specify the following:
1) Krug product model number
2) Wood species and finish

CODE DESCRIPTION
GP - Back-Painted Glass Top
Z - Back-Painted Glass Doors

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363.

BASE PLATES
Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	H	Weight	Cube
4 Hinged Doors	51BU72203511	5662	6227	71.5	20	35	266	36
	51BU72243511	5973	6571	71.5	24	35	279	42
	51BU84203511	6510	7161	83.5	20	35	310	42
	51BU84243511	6868	7556	83.5	24	35	325	49
4 Hinged Back-Painted Glass Doors	51BU72203511Z	7929	8723	71.5	20	35	286	36
	51BU72243511Z	8243	9067	71.5	24	35	299	42
	51BU84203511Z	9122	10032	83.5	20	35	333	42
	51BU84243511Z	9477	10427	83.5	24	35	348	49
4 Hinged Doors, Back-Painted Glass Top	51BUGP72203511	8859	9744	71.5	20	35	306	36
	51BUGP72243511	9810	10792	71.5	24	35	327	42
	51BUGP84203511	10188	11208	83.5	20	35	356	42
	51BUGP84243511	11283	12412	83.5	24	35	381	49
4 Hinged Back-Painted Glass Doors, Back-Painted Glass Top	51BUGP72203511Z	11127	12248	71.5	20	35	326	36
	51BUGP72243511Z	12081	13290	71.5	24	35	347	42
	51BUGP84203511Z	12799	14079	83.5	20	35	380	42
	51BUGP84243511Z	13895	15281	83.5	24	35	404	49

ORDERING NOTES: An optional Recycle/Waste bin, located behind the right door, is available at an upcharge of **$628 list**, add W - Waste Bin to the model number. An optional Cutlery Tray is available at an upcharge of **$67 list**. An optional mini fridge, located behind the right door, is available on 24" deep units at an upcharge of **$2907**, add F - fridge to model number.





DIMENSION KEY
W - width
D - depth
H - height

CODE DESCRIPTION
GP - Back-Painted Glass Top
Z - Back-Painted Glass Doors

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363.

BASE PLATES
Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

NUVO | BUFFETS

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	H	Weight	Cube
2 Sliding Doors	51BUS72203511	6235	6859	71.5	20	35	252	36
	51BUS72243511	6546	7203	71.5	24	35	265	42
	51BUS84203511	7171	7887	83.5	20	35	294	42
	51BUS84243511	7530	8282	83.5	24	35	309	49
2 Sliding Back-Painted Glass Doors	51BUS72203511Z	7935	8731	71.5	20	35	267	36
	51BUS72243511Z	8250	9075	71.5	24	35	280	42
	51BUS84203511Z	9128	10042	83.5	20	35	311	42
	51BUS84243511Z	9488	10437	83.5	24	35	326	49
2 Sliding Doors, Back-Painted Glass Top	51BUSGP72203511	9432	10376	71.5	20	35	292	36
	51BUSGP72243511	10383	11425	71.5	24	35	313	42
	51BUSGP84203511	10848	11935	83.5	20	35	340	42
	51BUSGP84243511	11943	13137	83.5	24	35	365	49
2 Sliding Back-Painted Glass Doors, Back-Painted Glass Top	51BUSGP72203511Z	11136	12248	71.5	20	35	307	36
	51BUSGP72243511Z	12087	13298	71.5	24	35	328	42
	51BUSGP84203511Z	12806	14086	83.5	20	35	358	42
	51BUSGP84243511Z	13902	15294	83.5	24	35	382	49

ORDERING NOTES: An optional mini fridge is available on 24" deep units at an upcharge of **$2907**, add FL fridge left or FR fridge right to model number.


ORDERING PROCEDURE
To order, please specify the following:
1) Krug product model number
2) Wood species and finish

CODE DESCRIPTION
GP - Back-Painted Glass Top
Z - Back-Painted Glass Doors

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363.


BASE PLATES
Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	H	Weight	Cube
Drawer/Door, Open/ 2 Doors, Drawer/Door	51BU72203513	6847	7532	71.5	20	35	294	36
	51BU72243513	7159	7877	71.5	24	35	307	42
	51BU84203513	7877	8665	83.5	20	35	342	42
	51BU84243513	8232	9056	83.5	24	35	358	49




NOTE: For Media Buffet version with vents & cable access add M to model number and **$583 list**.

Back-Painted Glass Drawer/Door, Open/2 Doors, Drawer/Door	51BU72203513Z	9116	10027	71.5	20	35	313	36
	51BU72243513Z	9429	10374	71.5	24	35	326	42
	51BU84203513Z	10485	11535	83.5	20	35	365	42
	51BU84243513Z	10843	11925	83.5	24	35	380	49




NOTE: For Media Buffet version with vents & cable access add M to model number and **$583 list**.

Drawer/Door, Open/ 2 Doors, Drawer/Door, Back-Painted Glass Top	51BUGP72203513	10047	11049	71.5	20	35	334	36
	51BUGP72243513	10996	12099	71.5	24	35	355	42
	51BUGP84203513	11555	12708	83.5	20	35	389	42
	51BUGP84243513	12647	13910	83.5	24	35	413	49



NOTE: For Media Buffet version with vents & cable access add M to model number and **$583 list**.

Back-Painted Glass Drawer/Door, Open/2 Doors, Drawer/Door, Back-Painted Glass Top	51BUGP72203513Z	12314	13546	71.5	20	35	353	36
	51BUGP72243513Z	13267	14597	71.5	24	35	374	42
	51BUGP84203513Z	14162	15577	83.5	20	35	411	42
	51BUGP84243513Z	15260	16782	83.5	24	35	436	49



NOTE: For Media Buffet version with vents & cable access add M to model number and **$583 list**.

ORDERING NOTES: An optional Recycle/Waste bin, located behind the right door, is available at an upcharge of **$628 list**, add W - Waste Bin to the model number. An optional Cutlery Tray is available at an upcharge of **$67 list**. An optional mini fridge, located behind the right door, is available on 24" deep units at an upcharge of $**2907**, add F - fridge to model number.





DIMENSION KEY
W - width
D - depth
H - height

CODE DESCRIPTION
GP - Back-Painted Glass Top
Z - Back-Painted Glass Doors

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363.

BASE PLATES
Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

NUVO | BUFFETS

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	H	Weight	Cube
Door, Drawer/Door, Drawer/Door, Door	51BU72203514	6847	7532	71.5	20	35	298	36
	51BU72243514	7159	7877	71.5	24	35	311	42
	51BU84203514	7877	8665	83.5	20	35	347	42
	51BU84243514	8232	9056	83.5	24	35	362	49
Back-Painted Glass Door, Drawer/Door, Drawer/Door, Door	51BU72203514Z	9402	10344	71.5	20	35	308	36
	51BU72243514Z	9714	10685	71.5	24	35	331	42
	51BU84203514Z	10813	11895	83.5	20	35	359	42
	51BU84243514Z	11170	12287	83.5	24	35	385	49
Door, Drawer/Door, Drawer/Door, Door, Back-Painted Glass Top	51BUGP72203514	10047	11049	71.5	20	35	338	36
	51BUGP72243514	10996	12099	71.5	24	35	359	42
	51BUGP84203514	11555	12708	83.5	20	35	394	42
	51BUGP84243514	12647	13910	83.5	24	35	418	49
Back-Painted Glass Door, Drawer/Door, Drawer/Door, Door, Back-Painted Glass Top	51BUGP72203514Z	12437	13678	71.5	20	35	348	36
	51BUGP72243514Z	13267	14597	71.5	24	35	379	42
	51BUGP84203514Z	14299	15731	83.5	20	35	405	42
	51BUGP84243514Z	15260	16782	83.5	24	35	441	49





ORDERING NOTES: An optional Recycle/Waste bin, located behind the right door, is available at an upcharge of **$628 list**, add W - Waste Bin to the model number. An optional Cutlery Tray is available at an upcharge of **$67 list**. An optional mini fridge, located behind the right door, is available on 24" deep units at an upcharge of $**2907**, add F - fridge to model number.

ORDERING PROCEDURE
To order, please specify the following:
1) Krug product model number
2) Wood species and finish

CODE DESCRIPTION
GP - Back-Painted Glass Top
Z - Back-Painted Glass Doors

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363.

BASE PLATES
Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	H	Weight	Cube
4 Doors with TV Lift	51TV722439	14101	15511	71.5	24	39	345	49
	51TV842439	16218	17838	83.5	24	39	402	57
4 Back-Painted Glass Doors with TV Lift	51TV722439Z	18514	20366	71.5	24	39	368	49
	51TV842439Z	21291	23422	83.5	24	39	429	57
4 Doors with TV Lift, Back-Painted Glass Top	51TVGP722439	15802	17382	71.5	24	39	372	49
	51TVGP842439	18172	19989	83.5	24	39	433	57
4 Back-Painted Glass Doors with TV Lift, Back-Painted Glass Top	51TVGP722439Z	20217	22237	71.5	24	39	395	49
	51TVGP842439Z	23251	25574	83.5	24	39	460	57

ORDERING NOTE: Cabinet is standard with 4 shelves 12 1/2" deep.



DIMENSION KEY
W - width
D - depth
H - height

CODE DESCRIPTION
GP - Back-Painted Glass Top
Z - Back-Painted Glass Doors

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363.

BASE PLATES
Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

NUVO | HOSPITALITY CARTS

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	H	Weight	Cube
Hospitality Cart	51MSC422035	5432	5975	42	20	35	213	22
								
Hospitality Cart - Back-Painted Glass Doors	51MSC422035Z	6773	7452	42	20	35	227	22
								
Hospitality Cart, Back-Painted Glass Top	51MSCGP422035	7479	8227	42	20	35	240	22
								
Hospitality Cart - Back-Painted Glass Doors, Back-Painted Glass Top	51MSCGP422035Z	8822	9705	42	20	35	275	22
								

ORDERING NOTES:
Hospitality Cart is standard with Cutlery Tray & Recycle/Waste bin on the left and two adjustable shelves on the right.


ORDERING PROCEDURE
To order, please specify the following:
1) Krug product model number
2) Wood species and finish

CODE DESCRIPTION
GP - Back-Painted Glass Top
Z - Back-Painted Glass Doors


STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363.

BASE PLATES
Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	H	Weight	Cube
Lectern with Glass Shelf & Closed Lower Storage	51LN372250-11	7526	8553	37	22	50	234	30



Lectern Full Width & Closed Lower Storage	51LNX372250-11	6562	7214	37	22	50	230	30




ORDERING NOTES: Lecterns feature grommets for cable management. Lecterns are available with casters, add M to the model # and an upcharge of **$166**. All hinged doors on Lecterns feature standard locks.
Lectern options:

Altinex Box : **$1402 list**.

Power Bar : **$228 list**


Reference Light : **$488 list**

Media Wall	51MW8483	3899	4290	84	4	83	115	16



NOTES: Media Wall features a T.V. mounting bracket and cable channel for cords to exit at the floor. Media wall can be mounted without a credenza or buffet if no equipment other than the TV is required. Please include TV size on each purchase order, since machining required is dependent on the TV size.

Sliding Door Media Board	51VBS4848	4848	5337	48	-	48	120	16



NOTE: Sliding Door Media Board includes white board, eraser and four dry erase makers. For laminate orders marker tray is Black Palette.
Sliding Doors slide open and closed independently of each other.

DIMENSION KEY
W - width
D - depth
H - height

CODE DESCRIPTION
X - Full Width
11 - Closed Shelves Below

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 363.

BASE PLATES
Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

V2 MODULAR | TABLE OF CONTENTS


V2 MODULAR

85 Environmental Summary
86 Features & Options
90 Power Options
95 Modular Configurations
96 Seating Capacities
98 Sample Configurations
100 Rectangular & Arc Tables
101 Wave Tables
102 Curve Tables
103 Swept Tables
104 Trapezoid & Curved Trapezoid Tables
105 Visio Tables
106 Square & Round Tables
108 Connecting Tops
109 Modesty Panels
111 Legs & Power
112 PowerPorts
116 Media

LEED CERTIFICATION



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 78.9%

POST-CONSUMER
RECYCLED CONTENT - 21.1%

		Contributes To
Credit 2.1 - 2.2	Construction Waste Management	1-2 point(s)
Credit 3.3	Resource Reuse	1 point
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
Credit 7	Certified Wood (MUST BE REQUESTED)	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. V2 products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All V2 products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.

AIR-EMISSIONS
All V2 products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.


FSC
www.fsc.org
FSC® C021699
he mark of responsible forestı

FSC®
FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. V2 and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times..


In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

V2 MODULAR | FEATURES & OPTIONS


MODULAR TOP SHAPES




Round




Square




Half Round




Rectangular




Swept (Left shown)




Curve (Left shown)




Wave




Arc




Wave Inverted



Trapezoid




Curved Trapezoid



Visio End

Dotted line depicts which side modesty panel is available on. Round, Curved Trapezoid and Visio End are not available with modesty panels. Grommets, Surface Modules, PowerPorts and Ports when specified are positioned on the same side as the modesty panel. Please note on the Curve tables that the back leg on the longer edge is set back 6” from the back edge.


GRAIN DIRECTION - WOOD VENEER AND WOOD GRAIN LAMINATE



Please note: On V2 corner CONNECTOR TABLES, the grain runs at 45^{O} angle. For all other V2 Modular Meeting Tables, the grain runs lengthwise, except for Curved Trapezoid, and Visio End where the grain runs up and down. For wood modesty panels the grain runs vertically.

EDGE OPTIONS – MODULAR TABLES

V2 product offers 12 table tops in Wood or Laminate with a distinct Knife edge profile.




Knife Edge

Top thickness - 1 1/8”


WOOD FINISH
A five step catalyzed varnish finish that when dry has a sheen value of 32° is applied to all V2 Modular table tops.

METAL FINISH
V2 components are comprised of satin anodized and powder coated Silver Metallic finishes.


GANGING MODULE
Ganging Modules are recommended when 2 or more tables are being joined to one another. These ganging modules should be ordered along with the tables as a separate line item on the order. All tables come pre-drilled for ganging capabilities. Please note corner connector tops without legs are supplied with an alternative mounting plate. Corner connector tops with legs require ganging modules. The Ganging Modules can be used to prevent movement of the tables, enhance stability and keep the legs
perfectly aligned. It is recommended to use 2 brackets per seam.




BACK TO END CONNECTION




END TO END CONNECTION




SELF STORING
The Ganging Module can be neatly tucked underneath the table and re-fastened when not being used, to join to another table in the future. This allows the flexibility and reconfigurability of the V2 Modular line when wanting to add or subtract tables from existing table configurations.






PACKAGING
V2 packaging features recycled and recyclable cardboard. The product is shipped as separate components - legs are cartoned separate from table top.
However, the electrical is shipped already installed on table top. Table legs have to be attached to table top surface after delivery.

LEG OPTIONS
The V2 aluminum leg fastens to a die cast mounting plate. The mounting plate has a polished surface and is attached to the underside of the table using machine bolts. The mounting plate is 9 3/8" deep and tapers from 4" wide to 1/4" diameter and is 9/16" thick.
See Page 94 for wire management feature.



V2 LEGS WITH GLIDES


The V2 Modular legs come with the adjustable glides. There is 2 1/4" of height adjustment and these glides can be adjusted with 5/8" wrench.




V2 LEGS WITH CASTERS


The V2 Modular legs come with 2" casters in a Silver Metallic finish. They have the ability to lock with a foot release lever located at the base of the wheel.

PLASMA SCREEN CABINETS
- 72” cabinets accommodate flat screen televisions up to 130lbs with dimensions no greater than 51 1/4” x 4 3/4” x 30”
- The 20” deep units do not come with storage shelves
- 24” deep units come with 4 shelves that measure 34 1/2” wide x 12 7/16” deep
- Grommet cut-outs are on each shelf for cord pass through
- Grommet cut-out is on center partition for cord pass through
- Comes with remote control to raise and lower television
- The remote has a radio frequency with 15 ft. operating distance






FRONT VIEW




TOP VIEW




MEDIA HUTCHES
- 75” media hutches accommodate flat screen televisions up to 200lbs with dimensions no greater than 65” x 9” x 40”
- Media Hutches come standard with television wall mount
- The teardrop holes in the mount allow for quick connect/disconnect of the screen, thus simplifying installation and maintenance processes
- This display can be pulled and tilted by hand into any position from 0^{O} to 15^{O} tilt range and/or remain stationary


OPEN




CLOSED




MEDIA BUFFETS
- Come with option of locks for an upcharge of **$166 list**
- Opening on media buffet (space between drawers) measures 37 5/16” wide, 5 13/16” high
- Media buffets have an adjustable shelf that comes standard when ordered. Adjustable shelves are shipped in the middle position and are 1 3/16” thick.
- A grommet cut-out comes standard in the center of the media buffet opening
- Drawer depths measure 2.5” in depth, 15 3/16” wide




FRONT VIEW



MEDIA PEDESTALS
- Grommet cut-outs are on each shelf
- Grommet cut-outs are on the top of the back and lower bottom of the back for wire pass through and plug access
- Come standard with two storage shelves




FRONT VIEW




TOP VIEW






FRONT VIEW




TOP VIEW




MEDIA PIERS - SINGLE
- Single 19” storage unit stacks on top of the work surface
- Media Piers should be used in conjunction with media pedestals
- Come standard with touch latch doors
- Grommet cut-outs are on every shelf in media piers at the back of each shelf
- Grommet cut-outs are on the top of the back and the lower back for plug and wire access



MEDIA PIERS – DOUBLE
- Double media piers are 36” wide with wood doors
- Come standard with touch latch doors
- Grommet cut-outs are on every shelf in media piers and at the back of each shelf
- Grommet cut-outs are on the top of the back and lower back for plug and wire access



VISUAL BOARDS & WHITE BOARD
- Includes white board and four dry erase markers.
- Doors slide straight out to the side
- Wall mountable that includes a roll-out presentation screen.



EDGE PROFILES – CONFERENCE ROOM CASEGOODS
V2 Conference Room Casegood worksurfaces feature the Fino profile at 1 1/8" thickness.



DRAWER PULL
Four drawer pull styles are available on V2 Conference Room Casegood Visual Boards, Plasma Screen Cabinet, Media Hutch with doors, Media Buffet and Media Pedestals: Como, Mira, Sono and Massa. The four drawer pull styles are only available in a satin metallic finish. Please note pull selection on Purchase Order. Orders will not be entered until a pull is specified.

SONO MIRA COMO MASSA



V2 MODULAR | POWER OPTIONS



POWERPORT
The V2 Modular PowerPort made from aluminum and featuring a hinged lid, provides a functional and attractive solution for connectivity. The PowerPort comes standard 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal PowerPort shroud.
The PowerPort is a UL/CSA-approved power/data power bar, (Port) which includes three 115-volt electrical convenience outlets, and two RJ45 communication ports - all easily accessed just under the worksurface. The PowerPort is Category 5/6 compatible.
The PowerPort can be specified without the power bar (Port), to serve as a grommet for wire management, or to enable future power-up of the tables. It is 7.5" wide by 4" long, and features an aluminum hinged lid that is designed to be in the closed position when cables pass through to the plug-in. The PowerPort can accommodate multiple cables at once, as well as transformer plugs, through the worksurface.
Power cord is 10 ft. long, data cable is 14 ft. long.

PowerPorts can be specified in 3 different locations (left, right or center) depending on the size of the meeting table surface. On surfaces that are smaller than 60”, PowerPorts are available only in the center position.

See Page xx for options and location codes for selecting the PowerPort location for each table top.



SURFACE MODULE
The V2 Surface Module is a lower cost alternative to the PowerPort. It is compact and convenient and positions the plug-in on the worksurface itself, instead of underneath it.

A Surface Module comes with two power receptacles above the work surface and one power receptacle below the work surface, which allows you to connect power to additional tables or configurations. In addition the Surface Module also comes with one USB Port - one USB printer port, one RJ11 and one RJ45. Each receptacle has a 12 Amp, 120 Volt, 60Hz capacity and comes standard with a 10’ heavy duty power cord with a right angle plug.

The Surface Module has an angled face, that’s easy to see and operate. The RJ45 Port allows connection to High Speed DSL or Internet and provides access to cable modem, network or internet router. In addition, a power plug exists for cell phone and laptop. There are two USB Ports - one for input and one for output to accommodate almost any electrical needs. The surface module is available in a black finish only.

Surface Modules can be specified in 3 different locations (Left, Right or Center) depending on the size of the meeting table surface. On surfaces that are smaller than 60”, Surface Modules are available only in the center position.

See Page 90 for options and location codes for selecting the Surface Module location for each table top.



ROUND GROMMET
A round grommet with an open and shut mousehole serves to provide cable passage for areas not requiring a large opening.

Round grommet Silver Metallic, 60 mm dia. (2 3/8” approx.)
Round grommets do not provide electrical service.


Grommets can be specified in 3 different locations (left, right or center) depending on the size of the meeting table surface. On surfaces that are smaller than 60”, grommets are available only in the center position.


One round grommet per table is provided at no charge, additional round grommets are available for an upcharge of **$166 list** per grommet.

See Page 90 for options and location codes for selecting the Grommet location for each table top.


SCENARIO 1

This symbol refers to: Electrical, Fax, Modem, Telephone, and Network Data







SCENARIO 2



SCENARIO 3




SCENARIO 4




*Power Entry (4 wire, 2 circuit and 8 wire, 4 circuit) are hard wired to power source in the wall or floor.

WIRING SOLUTIONS AND TABLE CONFIGURATIONS

Below are 2 configurations which demonstrate the 4-Wire System, where the 42” Jumper is required on the underside of the table. Same layout applies to the 8-Wire System.






V2 MODULAR | POWER OPTIONS

Non-standard locations can be specified, although there are restrictions due to leg positions, and modesty panel positions. An upcharge of **$166 list** per non-standard grommet is applicable, contact Customer Service for assistance. Modular Table Tops smaller than 60” have the power access available only in the ‘C’ position. Table tops greater than 60” can have the power access specified in as many as three locations (AR, AL and C). The only exception to this rule is the 36” visio tables which can be specified with three power access positions, AR– right corner, AL– left corner, and C– center.


POWERPORT/PORT POSITIONS -Modesty Panels are shown on the same side as the PowerPort/Ports.

MODULAR MEETING TABLES SMALLER THAN 60”




Square **Half Round** **Rectangular** **Trapezoid** **Curved Trapezoid** **24” & 30” Visio**

MODULAR MEETING TABLES 60” OR LARGER




Half Round **Rectangular** **Swept** **Curve**



Arc **Wave** **Wave Inverted** **36” Visio**


SURFACE MODULE/GROMMET POSITIONS - Modesty Panels are shown on the same side as the Surface Modules.

MODULAR MEETING TABLES SMALLER THAN 60”




Square **Half Round** **Rectangular** **Trapezoid** **Curved Trapezoid** **24” & 30” Visio**

MODULAR MEETING TABLES 60” OR LARGER




Half Round **Rectangular** **Swept** **Curve**



Arc **Wave** **Wave Inverted** **36” Visio**

Modesty Panels are shown on the same side as the Round Grommets. One round grommet per table is provided at no charge, additional round grommets are available for an upcharge of **$166 list** per grommet in standard positions.






4-WIRE SYSTEM
The 4-Wire System is a economical power distribution solution that is easy to specify, install, and re-configure.

Features:
- 4-wires, 2 circuits, 20 Amps each
- 13 - duplex receptacles per circuit, 26 - 15 Amp duplex receptacles per power infeed maximum
- Easy to specify
- Easy to install and reconfigure
- Requires less space
- UL Listed as a Manufactured Wiring System
- More economical than 8-wire system
- RoHS Compliancy available upon request; Cradle to Cradle

61EC4-30 - 4 wire, 2 circuit system, 30” table
61EC4-36 - 4 wire, 2 circuit system, 36” table
61EC4-42 - 4 wire, 2 circuit system, 42” table
61EC4-48 - 4 wire, 2 circuit system, 48” table
61EC4-54 - 4 wire, 2 circuit system, 54” table
61EC4-60 - 4 wire, 2 circuit system, 60” table
61EC4-66 - 4 wire, 2 circuit system, 66” table
61EC4-72 - 4 wire, 2 circuit system, 72” table





8-WIRE SYSTEM
The 8-Wire System offers a high quality, cost effective answer to your power distribution needs. The modular system is adaptable to all architectural elements. The modularity of the System makes it simple to specify, order and install.

Features:
- UL recognized & listed
- Approved for use in New York City
- RoHS compliancy available upon request; cradle to cradle
- 20 Amp system available in 4 circuit configurations
- Allows for up to 52 duplex receptacles or desktop accessories using Interconnect.

Can be used independently with grommet or PORT0.

61EC8-30 - 8 wire, 4 circuit system, 30” table
61EC8-36 - 8 wire, 4 circuit system, 36” table
61EC8-42 - 8 wire, 4 circuit system, 42” table
61EC8-48 - 8 wire, 4 circuit system, 48” table
61EC8-54 - 8 wire, 4 circuit system, 54” table
61EC8-60 - 8 wire, 4 circuit system, 60” table
61EC8-66 - 8 wire, 4 circuit system, 66” table
61EC8-72 - 8 wire, 4 circuit system, 72” table

All Krug’s power access options can be used with or without the 4-Wire or 8-Wire System. These components can be ordered together, or at a later date as your power requirements change.


4-WIRE AND 8-WIRE - 42” JUMPERS
These longer jumper cables are required when connecting one table from the back to the end of another table using either the 4-Wire or 8-Wire System. These jumper cables allow you to daisychain each wired table to the next.




4-Wire
Power Entry



8-Wire
Power Entry






V2 MODULAR | POWER OPTIONS


Modesty panels are available with or without grommets.

Grommets on modesty panels are required for electrified tables that are positioned such that modesty panels are overlapping, so that cabling can pass through the overlapping modesty panels. Wiring either at 90^{O} corners (when corner connector tables aren't used) or tables that are face-to-face adjoining require modesty panels to be ordered with grommets. Below is an example showing wiring passing through one table to another via a modesty panel with grommets.

Typical layouts when modesty panels with grommets are required below.



Typical layout with modesty panels without grommets below.



WIRE MANAGEMENT

Wires are channeled through the leg and concealed with a snap-on cover which allows cord access to the top and bottom when required.

There is 2.2 in^{2} of wire management capacity in the interior of the leg. Available with glides or casters.




V2 leg
Snap on Cover



Wire management


This is a sampling of some of the possible configurations in the V2 Modular Meeting Line

WAVE WITH RECTANGULAR TABLES




Model Number	Qty
61THW-7236	2
61THRT-7236	2

WAVE WITH RECTANGULAR TABLES




Model Number	Qty.
61THW-7236	2
61THRT-7224	2

WAVE WITH RECTANGULAR TABLES




Model Number	Qty.
61THRT-7236	4
61THW-7236	2

WAVE WITH WAVE INVERTED TABLES




Model Number	Qty.
61THW-7236	2
61THWI-7236	2

WAVE WITH SWEPT TABLES




Model Number	Qty
61THW-6030	1
61THS-7236R	1
61THS-7236L	1

SWEPT WITH RECTANGULAR TABLES



Model Number	Qty
61THS-7236R	2
61THS-7236L	2
61THRT-4824	2

TRAPEZOID TABLES



Model Number	Qty.
61THTZ-72-3636	6

TRAPEZOID TABLES




Model Number	Qty.
61THTZ60-3030	2

60° CORNER CONNECTOR TOP WITH TRAPEZOID TABLES




Model Number	Qty.
61TC-3030-60	2
61THTZ60-3030	4

60° CORNER CONNECTOR TABLES WITH CURVED TRAPEZOID TABLES




Model Number	Qty
61TC-3030-60	4
61TH30CT-30	4

90° CORNER CONNECTOR TABLES WITH CURVED TRAPEZOID TABLES




Model Number	Qty.
61TC3030-90	2
61TH30CT-3060	6

90° AND 60° CORNER CONNECTOR TOPS WITH SQUARE AND CURVED TRAPEZOID TABLES




Model Number	Qty.
61TC-3030-60	2
61TH30CT-3060	4
61THSQ-3030	2
61TC-3030-90	4

CURVED TRAPEZOID




Model Number	Qty.
61TH30CT-3060	12

90° CORNER CONNECTOR TABLES WITH RECTANGULAR TABLES




Model Number	Qty.
61THRT-6030	1
61THRT-7230	2
61TC-3030-90	2

90° CORNER CONNECTOR TABLES WITH RECTANGULAR TABLES




Model Number	Qty
61TC-3636-90	1
61THRT-7236	2

90° CORNER CONNECTOR TABLES WITH RECTANGULAR TABLES




Model Number	Qty.
61THRT-7236	4
61TC-3636-90	4

VISIO END WITH RECTANGULAR TABLES



Model Number	Qty.
61THV-24	1
61THRT-7224	4

45° CORNER CONNECTOR TOP WITH RECTANGULAR TABLES



Model Number	Qty.
61TC-2424-45	8
61THRT-4824	8

HALF ROUND WITH RECTANGULAR TABLES





Model Number	Qty
61THDH-6030	2
61THRT-6030	2

HALF ROUND TABLES






Model Number	Qty
61THDH-6030	2

V2 MODULAR | SEATING CAPACITIES

Description	Top Size Length	Width	Approx. Seating for long side Without modesty panel	Approx. Seating for End	Approx. Seating for Total Stand Alone
Square	30	30	1	1	4
	36	36	1	1	4
	42	42	1	1	4
	48	48	1	1	4
Round	36 DIA	N/A	1	1	4
	42 DIA	N/A	1	1	4
	48 DIA	N/A	1	1	4
	54 DIA	N/A	1	1	4
Half Round	48	24	2	1	3
	60	30	2	2	4
Rectangular	48	24	1	0	2
	54	24	1	0	2
	60	24	2	0	4
	66	24	2	0	4
	72	24	2	0	4
	48	30	1	1	4
	54	30	1	1	4
	60	30	2	1	6
	66	30	2	1	6
	72	30	2	1	6
	54	36	1	1	4
	60	36	2	1	6
	66	36	2	1	6
	72	36	2	1	6
Arc	60	30-36	2	1	6
	72	30-36	2	1	6
	60	36-42	2	1	6
	72	36-42	2	1	6

ORDERING NOTES

If a modesty panel is used, there is no seating capacity on that side of the table. To establish seating capacities, an outside chair dimension of 24" has been used, plus an allowance of 5" between chairs, for a total of 29". This is an approximation and based on seating with 5 prong bases. When using chairs with different specifications be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use this same seating formula, when a seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Krug V2 Modular product.


Description		Top Size Length	Width	Approx. Seating for long side Without modesty panel	Approx. Seating for End	Approx. Seating for Total Stand Alone
Swept		60	36-30	2	1	6
		72	36-30	2	1	6
						
Curve						
						
Wave		60	30-31.5	2	1	6
		72	30-31.5	2	1	6
						
Wave Inverted						
		60	30-28.5	2	1	6
		72	30-28.5	2	1	6
						
Trapezoid		48	24	1	1	4
		60	24	1	1	4
		48	30	1	1	4
		60	30	1	1	4
		72	36	1	1	4
						
Curved Trapezoid		60	30	2	1	5
						
Visio End		24	N/A	1	1	5
		30	N/A	1	1	5
		36	N/A	2	1	6
						
Corner Connecting Top	45°	24	24	1	0	N/A
		30	30	1	0	N/A
		36	36	1	0	N/A
	60°	24	24	1	0	N/A
		30	30	1	0	N/A
		36	36	1	0	N/A
	90°	24	24	1	0	N/A
(with or without legs)		30	30	1	0	N/A
		36	36	1	0	N/A

ORDERING NOTES


If a modesty panel is used, there is no seating capacity on that side of the table. To establish seating capacities, an outside chair dimension of 24" has been used, plus an allowance of 5" between chairs, for a total of 29". This is an approximation and based on seating with 5 prong bases. When using chairs with different specifications be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use this same seating formula, when a seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Krug V2 Modular product.


V2 MODULAR | SAMPLE CONFIGURATIONS

Model	QTY	Laminate with PVC Edge	Laminate with Wood Edge	Rift Oak, Cherry, Maple, Walnut	Anigre
61TC-3030-90-Q2	2	1287	1414	1414	1628
61TH30CT-3060	6	2230	2448	2448	2816
TABLE CONFIGURATION TOTAL		**15956**	**17520**	**17520**	**20160**




Model	QTY	Laminate w/ PVC Edge		Laminate w/ Wood Edge		Rift Oak, Cherry, Maple, Walnut	Anigre
61THW-7236-X21	(2)	2769	3138	3138	3534		
PowerData/Link in Position “C”	1	383	383	383	383		
61THRT-7224-X21	(2)	2440	2772	2772	3111		
PowerPort in a “C” position	(2)	1048	76	1048	1048		
TABLE TOTAL LIST		**12905**	**12360**	**14305**	**15774**		
62CMBU-752435-13	1	N/A		N/A	8605	9851	
62CMHTO-751541	1	N/A		N/A	5200	5980	
62CMP-362035-11	(2)	N/A		N/A	4175	9601	
62CMPR-361541G	(2)	N/A		N/A	4502	7066	
TABLE CONFIGURATION TOTAL					**31165**	**49169**	






Model	QTY	Laminate w/ PVC Edge	Laminate w/ Wood Edge	Rift Oak, Cherry, Maple, Walnut	Anigre
61THRT-7224-X29	6	2320	2651	2651	2990
Grommet in “C” Position	*	0	0	0	0
TABLE CONFIGURATION TOTAL		**13924**	**15908**	**15908**	**17945**

* One Grommet position comes standard at no charge per table.




Model	QTY	Laminate with PVC Edge	Laminate with Wood Edge	Rift Oak, Cherry, Maple, Walnut	Anigre
61THS-7236R	2	2264	2631	2631	3026
61THS-7236L	2	2264	2631	2631	3026
TABLE CONFIGURATION TOTAL		**9062**	**10526**	**10526**	**12105**




V2 MODULAR | RECTANGULAR & ARC TABLES

Description	Model	Laminate W/ PVC Edge	Laminate W/ Wood Edge	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Rectangular Table with Glides	61THRT-4824	1618	1775	1775	2043	47.75	23.75	29.25	40.5	60	7.5
	61THRT-5424	1716	2011	2011	2315	53.75	23.75	29.25	46.5	64	8
	61THRT-6024	1771	2075	2075	2387	59.75	23.75	29.25	52.25	68	9
	61THRT-6624	1876	2139	2139	2460	65.75	23.75	29.25	58.5	72	9.5
	61THRT-7224	1934	2265	2265	2604	71.75	23.75	29.25	64.25	88	10
	61THRT-4830	1668	1832	1832	2106	47.75	29.75	29.25	40.5	68	8.5
	61THRT-5430	1746	2126	2126	2445	53.75	29.75	29.25	46.5	73	9.5
	61THRT-6030	1822	2188	2188	2514	59.75	29.75	29.25	52.25	78	10
	61THRT-6630	1930	2235	2235	2567	65.75	29.75	29.25	58.5	88	11
	61THRT-7230	1992	2334	2334	2684	71.75	29.75	29.25	64.25	93	11.5
	61THRT-6036	2020	2419	2419	2784	59.75	35.75	29.25	52.25	99	12.5
	61THRT-7236	2108	2531	2531	2908	71.75	35.75	29.25	64.25	105	13




ORDERING NOTES
Rectangular tables are available with a modesty panel that runs with the grain on one side only.
Please see page 109 for options and upcharges.

Rectangular Table with Casters	61THRT-4824-M	1730	1887	1887	2169	47.75	23.75	29.25	40.5	60	7.5
	61THRT-5424-M	1831	2124	2124	2443	53.75	23.75	29.25	46.5	64	8
	61THRT-6024-M	1882	2188	2188	2514	59.75	23.75	29.25	52.25	68	9
	61THRT-6624-M	1987	2249	2249	2587	65.75	23.75	29.25	58.5	72	9.5
	61THRT-7224-M	2045	2378	2378	2735	71.75	23.75	29.25	64.25	88	10
	61THRT-4830-M	1781	2239	2239	2575	47.75	29.75	29.25	40.5	68	8.5
	61THRT-5430-M	1857	2299	2299	2641	53.75	29.75	29.25	46.5	73	9.5
	61THRT-6030-M	1934	2322	2322	2670	59.75	29.75	29.25	52.25	78	10
	61THRT-6630-M	2043	2347	2347	2698	65.75	29.75	29.25	58.5	88	11
	61THRT-7230-M	2104	2445	2445	2815	71.75	29.75	29.25	64.25	93	11.5
	61THRT-6036-M	2129	2532	2532	2910	59.75	35.75	29.25	52.25	99	12.5
	61THRT-7236-M	2221	2640	2640	3037	71.75	35.75	29.25	64.25	105	13



Arc Table with Glides	61THA-4824	1746	1921	1921	2207	47.75	29.75	29.25	40.5	63	8.5
	61THA-5424	1978	2172	2172	2501	53.75	29.75	29.25	46.5	68	9.5
	61THA-6024	2042	2240	2240	2579	59.75	29.75	29.25	52.25	73	10
	61THA-6624	2103	2307	2307	2656	65.75	29.75	29.25	58.5	83	11
	61THA-7224	2227	2445	2445	2815	71.75	29.75	29.25	64.25	88	11.5
	61THA-4830	1799	1975	1975	2273	47.75	35.75	29.25	40.5	71	10
	61THA-5430	2090	2299	2299	2640	53.75	35.75	29.25	46.5	77	10.5
	61THA-6030	2148	2362	2362	2716	59.75	35.75	29.25	52.25	83	11.5
	61THA-6630	2194	2415	2415	2774	65.75	35.75	29.25	58.5	94	12.5
	61THA-7230	2297	2520	2520	2901	71.75	35.75	29.25	64.25	100	13



DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width
Dimensions are in inches and are plus or minus 1/8".
Contact Customer Service if dimensions are critical.


See page 346 for Krug Express program.

STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.

MODESTY PANELS
Please see page 109 for options and upcharges.


VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

Description	Model	Laminate W/ PVC Edge	Laminate W/ Wood Edge	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Arc Table with Casters	61THA-4824-M	1846	2029	2029	2333	47.75	29.75	29.25	40.5	63	8.5
	61THA-5424-M	2077	2283	2283	2629	53.75	29.75	29.25	46.5	68	9.5
	61THA-6024-M	2143	2352	2352	2707	59.75	29.75	29.25	52.25	73	10
	61THA-6624-M	2202	2419	2419	2785	65.75	29.75	29.25	58.5	83	11
	61THA-7224-M	2327	2558	2558	2942	71.75	29.75	29.25	64.25	88	11.5
	61THA-4830-M	1900	2087	2087	2399	47.75	35.75	29.25	40.5	71	10
	61THA-5430-M	2192	2411	2411	2772	53.75	35.75	29.25	46.5	77	10.5
	61THA-6030-M	2251	2471	2471	2844	59.75	35.75	29.25	52.25	83	11.5
	61THA-6630-M	2298	2527	2527	2904	65.75	35.75	29.25	58.5	94	12.5
	61THA-7230-M	2396	2634	2634	3028	71.75	35.75	29.25	64.25	100	13




ORDERING NOTES
Arc tables are available with a modesty panel that runs with the grain on the bow side.
Please see page 26 for options and upcharges. The modesty panel is on the curved section of the bow top and is constructed to have seating on the straight section.

Wave Table with Glides	61THW-6030	2165	2516	2516	2896	59.75	31.25	29.25	52.25	85	11
	61THW-7230	2264	2631	2631	3026	71.75	31.25	29.25	64.25	96	12



ORDERING NOTES
Wave tables are available with a modesty panel on the long straight side only.
Please see page 26 for options and upcharges.

Wave Table with Casters	61THW-6030-M	2262	2630	2630	3024	59.75	31.25	29.25	52.25	85	11
	61THW-7230-M	2359	2742	2742	3154	71.75	31.25	29.25	64.25	96	12



ORDERING NOTES
Wave tables are available with a modesty panel on the long straight side only.
Please see page 26 for options and upcharges.

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width

Dimensions are in inches and are plus or minus 1/8".
Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.


STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.

MODESTY PANELS
Please see page 109 for options and upcharges.

VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.


V2 MODULAR | WAVE & CURVE TABLES

Description	Model	Laminate W/ PVC Edge	Laminate W/ Wood Edge	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Wave Inverted	61THWI-6036	2165	2516	2516	2896	59.75	29.75/28.5	29.25	52.25	78	10.5
Table with Glides	61THWI-7236	2264	2631	2631	3026	71.75	29.75/28.5	29.25	64.25	93	11.5




ORDERING NOTES
Wave Inverted tables are available with a modesty panel on the long straight side only.

Description	Model	Laminate W/ PVC Edge	Laminate W/ Wood Edge	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Wave Inverted Table	61THW1-6036-M	2262	2630	2630	3024	59.75	29.75/28.5	29.25	52.25	78	10.5
with Casters	61THW1-7236-M	2359	2742	2742	3154	71.75	29.75/28.5	29.25	64.25	93	11.5



ORDERING NOTES
Wave Inverted tables are available with a modesty panel on the long straight side only.

Description	Model	Laminate W/ PVC Edge	Laminate W/ Wood Edge	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Curve Table	61THC-6036R	2194	2415	2415	2774	59.75	35.75/29.75	29.25	52.25	75	12.5
with Glides	61THC-6036L	2194	2415	2415	2774	59.75	35.75/29.75	29.25	52.25	75	12.5
	61THC-7236R	2297	2520	2520	2901	71.75	35.75/29.75	29.25	64.25	90	13
	61THC-7236L	2297	2520	2520	2901	71.75	35.75/29.75	29.25	64.25	90	13



ORDERING NOTES
Curve tables are available with a modesty panel on the curved side only.

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width

Dimensions are in inches and are plus or minus 1/8".
Contact Customer Service if dimensions are critical.


See page 346 for Krug Express program.

STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.

MODESTY PANELS
Please see page 109 for options and upcharges.


VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

Description	Model	Laminate W/ PVC Edge	Laminate W/ Wood Edge	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Curve Table with Casters	61THC-6036R-M	2298	2527	2527	2904	59.75	35.75/29.75	29.25	52.25	75	12.5
	61THC-6036L-M	2298	2527	2527	2904	59.75	35.75/29.75	29.25	52.25	75	12.5
	61THC-7236R-M	2396	2634	2634	3028	71.75	35.75/29.75	29.25	64.25	90	13
	61THC-7236L-M	2396	2634	2634	3028	71.75	35.75/29.75	29.25	64.25	90	13




ORDERING NOTES
Curve tables are available with a modesty panel on the curved side only.

Description	Model	Laminate W/ PVC Edge	Laminate W/ Wood Edge	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Swept Table with Glides	61THS-6036R	2165	2516	2516	2896	59.75	35.75/29.75	29.25	52.25	75	12.5
	61THS-6036L	2165	2516	2516	2896	59.75	35.75/29.75	29.25	52.25	75	12.5
	61THS-7236R	2264	2631	2631	3026	71.75	35.75/29.75	29.25	64.25	90	13
	61THS-7236L	2264	2631	2631	3026	71.75	35.75/29.75	29.25	64.25	90	13



ORDERING NOTES
Swept tables are available with a modesty panel on the long straight side only.

Description	Model	Laminate W/ PVC Edge	Laminate W/ Wood Edge	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Swept Table with Casters	61THS-6036R-M	2262	2630	2630	3024	59.75	35.75/29.75	29.25	52.25	75	12.5
	61THS-6036L-M	2262	2630	2630	3024	59.75	35.75/29.75	29.25	52.25	75	12.5
	61THS-7236R-M	2359	2742	2742	3154	71.75	35.75/29.75	29.25	64.25	90	13
	61THS-7236L-M	2359	2742	2742	3154	71.75	35.75/29.75	29.25	64.25	90	13



ORDERING NOTES
Swept tables are available with a modesty panel on the long straight side only.

DIMENSION KEY
W – WIDTH
D – depth
H – height of worksurface
KW – kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.


STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.

MODESTY PANELS
Please see page 109 for options and upcharges.

VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.


V2 MODULAR | TRAPEZOID & CURVED TRAPEZOID TABLES

Description	Model	Laminate W/ PVC Edge	Laminate W/ Wood Edge	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet	Y	X
Trapezoid Table with Glides	61THTZ48-2424	1940	2131	2131	2448	47.75	20.75	29.25	40.25	53	7.5	23.75	23.75
	61THTZ60-2424	2268	2487	2487	2867	59.75	20.75	29.25	52	61	9	35.75	23.75
	61THTZ48-3030	2000	2194	2194	2527	47.75	25.75	29.25	40.25	61	8.5	18	29.75
	61THTZ60-3030	2387	2626	2626	3020	59.75	25.75	29.25	52	71	10	29.75	29.75
	61THTZ72-3636	2761	3035	3035	3490	71.75	30.75	29.25	64	86	13	35.75	35.75




ORDERING NOTES
Trapezoid tables are available with a modesty panel on the short side only. Please note that on the trapezoid table the knife edge profile is not present on the angled sides of the table.

Trapezoid Table with Casters	61THTZ48-2424-M	2051	2241	2241	2580	47.75	20.75	29.25	40.25	53	7.5	23.75	23.75
	61THTZ60-2424-M	2381	2601	2601	2992	59.75	20.75	29.25	52	61	9	35.75	23.75
	61THTZ48-3030-M	2109	2305	2305	2654	47.75	25.75	29.25	40.25	61	8.5	18	29.75
	61THTZ60-3030-M	2500	2737	2737	3145	59.75	25.75	29.25	52	71	10	29.75	29.75
	61THTZ72-3636-M	2875	3145	3145	3621	71.75	30.75	29.25	64	86	13	35.75	35.75



ORDERING NOTES
Trapezoid tables are available with a modesty panel on the short side only. Please note that on the trapezoid table the knife edge profile is not present on the angled sides of the table.

Curved Trapezoid Table with Glides	61TH30CT-3060	2230	2448	2448	2816	32.75	59.5	29.25	51.25	83	8.5	38.5	
	61TH30CT-3066	2276	2503	2503	2877	33	65.75	29.25	57.25	89	10.5	44.5	
	61TH30CT-3072	2382	2616	2616	3007	38.75	71.75	29.25	57.25	99	11.75	41.5	
	61TH30CT-3666	2467	2712	2712	3117	33.5	65.75	29.25	63	95	11.25	50.5	
	61TH30CT-3672	2580	2832	2832	3259	39.25	71.75	29.25	63	106	12.5	47.5	



ORDERING NOTES
Curved Trapezoid tables are not available with a modesty panel option.

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width

Dimensions are in inches and are plus or minus 1/8".
Contact Customer Service if dimensions are critical.


See page 346 for Krug Express program.

STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.

MODESTY PANELS
Please see page 109 for options and upcharges.


VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

Description	Model	Laminate W/ PVC Edge	Laminate W/ Wood Edge	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet	Y
Curved Trapezoid Table with Casters	61TH30CT-3060-M	2341	2562	2562	2944	32.75	59.5	29.25	51.25	83	8.5	38.5
	61TH30CT-3066-M	2381	2615	2615	3006	33	65.75	29.25	57.25	89	10.5	44.5
	61TH30CT-3072-M	2482	2725	2725	3138	38.75	71.75	29.25	57.25	99	11.75	41.5
	61TH30CT-3666-M	2567	2824	2824	3247	33.5	65.75	29.25	63	95	11.25	50.5
	61TH30CT-3672-M	2680	2944	2944	3387	39.25	71.75	29.25	63	106	12.5	47.5




ORDERING NOTES
Curved Trapezoid tables are not available with a modesty panel option.

Visio End Table with Glides	61THV-473824	1886	2072	2072	2382	38	47.5	29.25	33.5	79	10.5	28.75
	61THV-593930	2208	2426	2426	2789	38.75	59.25	29.25	45.25	98	12	28.75
	61THV-713936	2532	2784	2784	3201	39.25	71.25	29.25	57	112	14	28.75



ORDERING NOTES
Visio End tables are not available with a modesty panel.

Visio End Table with Casters	61THV-473824-M	1996	2182	2182	2510	38	47.5	29.25	33.5	79	10.5	28.75
	61THV-593930-M	2320	2537	2537	2916	38.75	59.25	29.25	45.25	98	12	28.75
	61THV-713936-M	2641	2896	2896	3330	39.25	71.25	29.25	57	112	14	28.75



ORDERING NOTES
Visio End tables are not available with a modesty panel.

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width

Dimensions are in inches and are plus or minus 1/8".
Contact Customer Service if dimensions are critical.


See page 346 for Krug Express program.

STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.

VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.


V2 MODULAR | SQUARE & ROUND TABLES

Description	Model	Laminate W/ PVC Edge	Rift Oak, Laminate W/ Wood Edge	Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Square Table with Glides	61THSQ-3030	1560	1713	1713	1968	29.75	29.75	29.25	22.5	53	6.5
	61THSQ-3636	1686	1837	1837	2110	35.75	35.75	29.25	28.5	64	8
	61THSQ-4242	1781	1971	1971	2268	41.75	41.75	29.25	34.5	77	10.5
	61THSQ-4848	1887	2102	2102	2416	47.75	47.75	29.25	40.5	92	12




ORDERING NOTES
The Square tables are available with a modesty panel that runs with the grain on one side only.

Description	Model	Laminate W/ PVC Edge	Rift Oak, Laminate W/ Wood Edge	Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Square Table with Casters	61THSQ-3030-M	1669	1822	1822	2096	29.75	29.75	29.25	22.5	53	6.5
	61THSQ-3636-M	1799	1949	1949	2240	35.75	35.75	29.25	28.5	64	8
	61THSQ-4242-M	1891	2080	2080	2394	41.75	41.75	29.25	34.5	77	10.5
	61THSQ-4848-M	2000	2211	2211	2543	47.75	47.75	29.25	40.5	92	12



ORDERING NOTES
The Square tables are available with a modesty panel that runs with the grain on one side only.

Description	Model	Laminate W/ PVC Edge	Rift Oak, Laminate W/ Wood Edge	Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
Round Table with Glides	61THD-36	1900	2109	2109	2427	35.75	35.75	29.25	18.25	57	8
	61THD-42	2044	2277	2277	2620	41.75	41.75	29.25	22.5	68	10.5
	61THD-48	2163	2416	2416	2778	47.75	47.75	29.25	26.75	85	12
	61THD-54	2310	2455	2455	2824	53.75	53.75	29.25	30.75	97	14.5



ORDERING NOTES
Round tables are not available with a modesty panel option.

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width
Y – dimensions as indicated on line drawing
X – dimensions as indicated on line drawing

Dimensions are in inches and are plus or minus 1/8".
Contact Customer Service if dimensions are critical.


See page 346 for Krug Express program.

STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.

MODESTY PANELS
Please see page 109 for options and upcharges.


VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

Description	Model	Laminate W/ PVC Edge	Laminate W/ Wood Edge	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet	Y
Round Table with Casters	61THD-36-M	2009	2222	2222	2554	35.75	35.75	29.25	18.25	57	8	-
	61THD-42-M	2155	2390	2390	2749	41.75	41.75	29.25	22.5	68	10.5	-
	61THD-48-M	2274	2528	2528	2906	47.75	47.75	29.25	26.75	85	12	-
	61THD-54-M	2420	2566	2566	2954	53.75	53.75	29.25	30.75	97	14.5	-




ORDERING NOTES
Round tables are not available with a modesty panel option.

Half Round Table with Glides	61THDH-4824	1656	1812	1812	2085	47.75	23.75	29.25	40.75	50	8	25.75
	61THDH-6030	1860	2077	2077	2390	59.75	29.75	29.25	52.75	64	10	34



ORDERING NOTES
Half Round meeting tables are available with modesty panel on the straight side only.

Half Round Table with Casters	61THDH-4824-M	1768	1924	1924	2212	47.75	23.75	29.25	40.75	50	8	25.75
	61THDH-6030-M	2191	2191	2518	2518	59.75	29.75	29.25	52.75	64	10	34



ORDERING NOTES
Half Round meeting tables are available with modesty panel on the straight side only.

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width
Y – dimensions as indicated on line drawing

Dimensions are in inches and are plus or minus 1/8".
Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.

MODESTY PANELS
Please see page 109 for options and upcharges.

VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

V2 MODULAR | CONNECTING TOPS

Description	Model	Laminate W/ PVC Edge	Laminate W/ Wood Edge	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	KW	Shipping Weight	Cubic Feet
45° Corner Connecting Top	61TC-2424-45	456	501	501	575	18.25	23.75	-	18.25	21	2.5
	61TC-3030-45	481	532	532	613	22.75	29.75	-	22.75	27	3.5
	61TC-3636-45	517	567	567	652	27.25	35.75	-	27.25	36	4.5
60° Corner Connecting Top	61TC-2424-60	517	567	567	652	23.75	23.75	-	23.75	27	3
	61TC-3030-60	547	601	601	694	29.75	29.75	-	29.75	36	4
	61TC-3636-60	585	645	645	741	35.75	35.75	-	35.75	44	5.5
90° Corner Connecting Top	61TC-2424-90	611	667	667	769	33.75	23.75	-	33.75	36	2.5
	61TC-3030-90	645	709	709	815	42.75	29.75	-	42	44	5.5
	61TC-3636-90	690	759	759	871	50.5	35.75	-	50.5	61	8
90° Corner Connecting Top with 2 Legs (Glides)	61TC-2424-90-Q2	1243	1368	1368	1575	33.75	23.75	29.25	24.25	47	4.7
	61TC-3030-90-Q2	1287	1414	1414	1628	42.75	29.75	29.25	32.75	55	7.7
	61TC-3636-90-Q2	1333	1467	1467	1686	50.5	35.75	29.25	41.25	72	10.2
90° Corner Connecting Top with 2 Legs (Casters)	61TC-2424-90-Q2-M	1355	1479	1479	1701	33.75	23.75	29.25	24.25	47	4.7
	61TC-3030-90-Q2-M	1397	1525	1525	1752	42.75	29.75	29.25	32.75	55	7.7
	61TC-3636-90-Q2-M	1445	1579	1579	1814	50.5	35.75	29.25	41.25	72	10.2

NOTE
Connecting tops ship complete with ganging brackets.

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width
Y – dimensions as indicated on line drawing


Dimensions are in inches and are plus or minus 1/8".
Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.


VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

Description	Model	Size	Rift Oak, Cherry, Walnut, Maple	Anigre	Rift Oak Cherry Walnut Maple w/Grommets	Anigre w/Grommets	Shipping Weight	Cubic Feet
Modesty Panels - wood	X21	30”	451	523	530	598	5	1
		36”	451	523	530	598	6.4	1.25
		42”	451	523	530	598	7.8	1.25
		48”	459	532	540	613	9.1	1.5
		54”	476	547	560	628	10.5	1.75
		60”	476	547	560	628	11.8	2
		66”	491	565	574	649	13.2	2.25
		72”	504	584	592	672	14.6	2.25
		11” - 48X30 Trapezoid	438	504	513	582	2.5	0.5
		17” - 48X24 Trapezoid	438	504	513	582	3.9	0.75
		23” - 60X30 Trapezoid	451	523	530	598	5.2	1
		29” - 60X24 Trapezoid	451	523	530	598	6.6	1.25
		29” - 72X36 Trapezoid	451	523	530	598	6.6	1.25



ORDERING NOTES
With wood veneer modesty panels, the grain runs vertically. To specify fixed wood modesty panels apply above pricing for the specific modesty panel and add (X21) to the end of the model number 61THRT-4824-X21.

Description	Model	Size	Laminate W/ PVC	Laminate W/ w/Grommets		Shipping Weight	Cubic Feet
Modesty Panels - plastic laminate	X23	30”	388	467		5	1
		36”	388	467	6.4	1.25	
		42”	388	467	7.8	1.25	
		48”	399	477	9.1	1.5	
		54”	409	493	10.5	1.75	
		60”	409	493	11.8	2	
		66”	423	507	13.2	2.25	
		72”	436	525	14.6	2.25	
		11” - 48X30 Trapezoid	379	452	2.5	0.5	
		17” - 48X24 Trapezoid	379	452	3.9	0.75	
		23” - 60X30 Trapezoid	388	467	5.2	1	
		29” - 60X24 Trapezoid	388	467	6.6	1.25	
		29” - 72X36 Trapezoid	388	467	6.6	1.25	



ORDERING NOTES
With wood grain laminate modesty panels, the grain runs lengthwise. To specify laminate modesty panels apply above pricing for the specific modesty panel and add (X23) to the end of the model number 61THRT-4824-X23.

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width


Dimensions are in inches and are plus or minus 1/8”.
Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.


GROMMETS
To order a modesty panel with grommets please specify when ordering and apply the appropriate pricing from above.

Description	Model	Size	Upcharge	W/Grommets	Shipping Weight	Cubic Feet
Modesty Panels perforated metal	X28	30”	421	498	3.3	1
		36”	421	498	4.2	1.25
		42”	421	498	5.1	1.25
		48”	428	510	6	1.5
		54”	445	526	6.9	1.75
		60”	445	526	7.8	2
		66”	456	540	8.7	2.25
		72”	471	560	9.6	2.25
		11” - 48X30 Trapezoid	408	480	1.7	0.5
		17” - 48X24 Trapezoid	408	480	2.6	0.75
		23” - 60X30 Trapezoid	421	498	3.4	1
		29” - 60X24 Trapezoid	421	498	4.3	1.25
		29” - 72X36 Trapezoid	421	498	4.3	1.25



ORDERING NOTES
To specify fixed perforated metal modesty panels apply above pricing for the specific modesty panel and add (X28) to the end of the model number 61THRT-4824-X28. Perforated metal modesty panels come powder coated in Silver Metallic.

Modesty Panels - frosted acrylic	X29	30”	341	421	1.2	1
		36”	341	421	1.6	1.25
		42”	341	421	1.9	1.25
		48”	350	428	2.2	1.5
		54”	361	445	2.5	1.75
		60”	361	445	2.9	2
		66”	371	456	3.2	2.25
		72”	383	471	3.5	2.25
		11” - 48X30 Trapezoid	333	408	.6	0.5
		17” - 48X24 Trapezoid	333	408	1	0.75
		23” - 60X30 Trapezoid	341	421	1.3	1
		29” - 60X24 Trapezoid	341	421	1.6	1.25
		29” - 72X36 Trapezoid	341	421	1.6	1.25



ORDERING NOTES
To specify frosted acrylic modesty panels apply above pricing for the specific modesty panel and add (X29) to the end of the model number 61THRT-4824-X29.


DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width

Dimensions are in inches and are plus or minus 1/8”.
Contact Customer Service if dimensions are critical.


See page 346 for Krug Express program.

GROMMETS
To order a modesty panel with grommets please specify when ordering and apply the appropriate pricing from above.


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
V2 Leg with Glides	61LEG	218	4	9.25	29.25	5.1	2.2



V2 Leg with Casters	61LEGM	261	4	9.25	29.25	5.1	2.2




Ganging Module	61GANG	52	-	-	-	1	0.5




ORDERING NOTES
It is recommended to use 2 brackets per seam.

Power/Data/Link	61POWER/DATALINK	383	-	-	-	-	-



ORDERING NOTES
Power/data/link comes with 3 receptacles and 2 RJ45's.
Power cord is 10 ft. long.
Data cords are 14 ft. long.

Surface Module	61SURFACEMODULE	218	8	4	-	-	-



ORDERING NOTES
Surface module comes with 3 receptacles - 2 above the worksurface and 1 below, 1 USB port, 1 USB printer port, 1 RJ45 and 1 RJ11. The USB ports in this device do not charge unless connected to a transformer or another power supply device.

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width
Y – dimensions as indicated on line drawing


Dimensions are in inches and are plus or minus 1/8".
Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

STANDARD FINISHES
V2 metal finishes are Silver Metallic.


POWERPORTS

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
PowerPort 1 - 2 RJ45s (Category 5/6)	PORT1	305	7.5	3.75	-	-	-




Port Includes: 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.
NOTE: RJ45 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.

PowerPort 2 - USB-A & USB-C	PORT2	308	7.5	3.75	-	-	-



Port Includes: 2 accessible power outlets & 1 side utility outlet;1 USB-A & 1 USB-C charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.


PowerPort 3 - RJ11 & RJ45	PORT3	296	7.5	3.75	-	-	-



Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 RJ11 & 1 RJ45 (Category 5/6); 2 Velcro wire managers & PowerPort Shroud; 1 x 10 Foot Data Cords (T568A) & 1 x 14 Foot RJ11 (Telecomm); powered by a 10' plug-in cord.PortPort lid is Silver Metallic.


NOTE: RJ45 & RJ11 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.

PowerPort 4 - 2 USB-A	PORT4	315	7.5	3.75	-	-	-




Port Includes: 2 accessible power outlets & 1 side utility outlet; 2- USB-A charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PortPort shroud. PortPort lid is Silver Metallic.

PowerPort 5 - 4 Receptacles	PORT5	308	7.5	3.75	-	-	-




Port Includes: 4 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.

PowerPort 6 - USB-A, USB-C & RJ45	PORT6	447	7.5	3.75	-	-	-




Top View



Port Includes: 2 accessible power outlets & 1 side utility outlet 1 USB-A, 1 USB-C charging ports all powered by a 10' plug-in power cord. Includes 2 velcro wire managers and metal PortPort shroud with 2 data plate knock outs, 1 #M02 plate insert & 2 #S01W RJ45 female input, punch down terminal output snap in jacks. 2nd data plate knock out is blank for future use. PortPort lid is Silver Metallic.


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Port - no Powerbar	Port0	150	7.5	3.75	-	-	-



Port Includes: Lid & Shroud only.

ORDERING NOTE: Velcro wire managers not included, see below for pricing. Port lid is Silver Metallic.


PowerPort Shroud with 2 Data Plate Knock-outs	SHROUD2KO	Must be requested - no upcharge	-	-	-	-	-



Angled PowerPort Shroud Includes: shroud with 2 data plate knock-outs in the bottom.

ORDERING NOTE: Please refer to data plate, data and AV integration options on page 114.

Velcro Wire Manager (qty 1)	WM-4	28	2	4.5	0.5	-	-




2 velcro wire managers are incuded with Ports 1-5.

Wire Management Trough	WM-72	200	72	3	1	-	-



Wire Management Trough is standard in a 72” length & can be cut to specific length; double-sided tape installation.

4-Channel Wire Management	CM-72	254	72	3	1	-	-








4-Channel Wire Management is standard in a 72” length & can be cut to specific length; double-sided tape installation.





Round Grommet	Round Grommet - Silver Metallic	166	-	-	-	-	-
	Round Grommet - Black	166	-	-	-	-	-



One 60mm Grommet in a standard position is available at no charge per table.

POWER/DATA

SNAP IN PORTS	Reference Code	Description	List Price
		ADAPTOR PLATES	
	**M02**	**Adaptor Plate (2) -** accepts two snap in data ports	40
	M04	**Adaptor Plate (4) -** accepts four snap in data ports	40
	M06	**Adaptor Plate (6) -** accepts six snap in data ports	40
		ORDERING NOTES: Blank covers are required when port is not in use, please see page 55.	
		**RJ-45** - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	51
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		**RJ11** - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	34
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	**S04**	**HDMI -** High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	190
	**S08**	**USB-A -** Full size USB “A” style connection. Connector is a female-to-female pass through**.**	67


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Power Entry - 4 wire, 2 circuit 	61EC4PE	132	-	-	-	1	.25
	ORDERING NOTES Please note when ordering the 4-Wire or 8-Wire Power Entry components, you must also order either the 4-Wire or 8-Wire System, to work in conjunction.						
Power Entry - 8 wire, 4 circuit 	61EC8PE	174	-	-	-	1	.25
	ORDERING NOTES Please note when ordering the 4-Wire and 8-Wire Power Entry components, you must also order either the 4-Wire or 8-Wire System, to work in conjunction.						
4-Wire System 	61EC4-30	190	-	-	-	2	.25
	61EC4-36	190	-	-	-	2	.25
	61EC4-42	190	-	-	-	2	.25
	61EC4-48	201	-	-	-	2	.25
	61EC4-54	201	-	-	-	2	.25
	61EC4-60	208	-	-	-	2	.25
	61EC4-66	218	-	-	-	2	.25
	61EC4-72	225	-	-	-	2	.25
	ORDERING NOTES Please note when ordering the 4-Wire or 8-Wire System, you must also order either the 4 wire or 8 wire Power Entry in conjunction to work together. Each model comes standard with an 18" Jumper.						
8-Wire System 	61EC8-30	261	-	-	-	2	.25
	61EC8-36	280	-	-	-	2	.25
	61EC8-42	287	-	-	-	2	.25
	61EC8-48	296	-	-	-	2	.25
	61EC8-54	305	-	-	-	2	.25
	61EC8-60	312	-	-	-	2	.25
	61EC8-66	331	-	-	-	2	.25
	61EC8-72	340	-	-	-	2	.25
	ORDERING NOTES Please note when ordering the 4-Wire or 8-Wire System, you must also order either the 4 wire or 8 wire Power Entry in conjunction to work together. Each model comes standard with an 18" Jumper.						
4-Wire 42" Jumper 	61EC4JUMP-42	88	-	-	-	1	0.25
	ORDERING NOTES This longer jumper cable is required when connecting one table off the edge to the end of another table using the 4-Wire System. Jumper cables allow you to daisychain each wired table to the next. Please refer to page 93 for further explanation.						
8-Wire 42" Jumper 	61EC8JUMP-42	139	-	-	-	1	0.25
	ORDERING NOTES This longer jumper cable is required when connecting one table off the edge to the end of another table using the 8-Wire System. Jumper cables allow you to daisychain each wired table to the next. Please refer to page 93 for further explanation.						

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width

Dimensions are in inches and are plus or minus 1/8".
Contact Customer Service if dimensions are critical.


See page 346 for Krug Express program.

Description	Model	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	Shipping Weight	Cubic Feet
Visual Board with sliding doors	62VBS-4848	6492	7463	47.75	47.75	6.5	120	16




ORDERING NOTES
Please note projection screen can not be ordered with the visual board with sliding doors.

White Board with Projection Screen	62WB-4848	2596	2989	47.75	47.75	4.75	90	16
	62WB-5454	2665	3066	53.75	53.75	4.75	115	17.5




Plasma Screen Cabinet	62CMBUPS-722041	9321	10722	71.75	20	41.25	263	45.5
	62CMBUPS-722441	9956	11450	71.75	24	41.25	329	53
	62CMBUPS-722441G	10952	12595	71.75	24	41.25	329	53




ORDERING NOTES
Glass doors are available with Como pulls only

Media Hutches - Open	62CMHTO-751541	5200	5980	74.75	15	41.5	167	33



ORDERING NOTES
Media Hutch comes with the wall mount bracket.

Media Hutches - with Doors	62CMHT-751541	6319	7264	74.75	15	41.5	172	33



ORDERING NOTES
Please note that the Media Hutch with doors comes with two bifold doors that open away from the center.
Media Hutch comes with the wall mount bracket.

DIMENSION KEY
W – width
D – depth
H – height of worksurface

Dimensions are in inches and are plus or minus 1/8”. Contact Customer Service if dimensions are critical.


See page 346 for Krug Express program.

CODE DESCRIPTION
VBS – visual board with sliding doors
WB – white board
CM – conference media
BU – buffet
PS – plasma lift
HTO – open hutch
HT – hutch
G – glass

STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.


NON-STANDARD GROMMETS
Grommets in non-standard positions are available at **$166 list** per grommet.

Description	Model	Rift Oak, Cherry, Walnut, Maple	Anigre	W	D	H	Shipping Weight	Cubic Feet
Media Buffet - with Equipment Shelf	62CMBU-752035-13	8732	10043	74.75	20.25	34.5	245	43.5
	62CMBU-752435-13	8909	10244	74.75	24.25	34.5	295	3.5



ORDERING NOTES
Media buffets are available with optional locks for an upcharge of **$166 list** per lock.

Media Pedestals	62CMP-192035-11	3499	4024	18.75	19.75	34.5	62	10.5
	62CMP-192435-11	3847	4423	18.75	23.75	34.5	74	12.5
	62CMP-192035-11G	3570	4104	18.75	19.75	34.5	62	10.5
	62CMP-192435-11G	3928	4517	18.75	23.75	34.5	74	12.5




ORDERING NOTES
When ordering media pedestals, please add an “L” or “R” to model number to denote a right or left hinged door.
Media pedestals are available with optional locks for an upcharge of **$166 list** per lock.
Glass doors are available with Como pulls only

	62CMP-362035-11	4175	4799	35.75	19.75	34.5	117	18.5
	62CMP-362435-11	4594	5282	35.75	23.75	34.5	140	22
	62CMP-362035-11G	4269	4911	35.75	19.75	34.5	117	18.5
	62CMP-362435-11G	4696	5400	35.75	23.75	34.5	140	22




Media Piers - Single	62CMPR-191541	3600	4138	18.75	15	41.5	61	9
	62CMPR-191541G	3959	4553	18.75	15	41.5	61	9



ORDERING NOTES
Media piers must be ordered in conjunction with Media Pedestals.
When ordering media piers, please add an “L” or “R” to model number to denote a right or left hinged door.
Media piers are available with optional locks for an upcharge of **$166 list** per lock.

Media Piers - Double	62CMPR-361541	4091	4705	35.75	15	41.5	85	16
	62CMPR-361541G	4502	5173	35.75	15	41.5	85	166



ORDERING NOTES
Media piers are available with optional locks for an upcharge of **$166 list** per lock.

DIMENSION KEY
W – width
D – depth
H – height of worksurface

Dimensions are in inches and are plus or minus 1/8”. Contact Customer Service if dimensions are critical.

See page 346 for Krug Express program.

CODE DESCRIPTION
CM – conference media
BU – buffet
P – pedestal
PR – pier
G – glass door
L – door hinged left
R – door hinged right

STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.

ORDERING NOTES
Media piers must be ordered in conjunction with Media Pedestals.

NON-STANDARD GROMMETS
Grommets in non-standard positions are available at **$166 list** per grommet.

ANDO | TABLE OF CONTENTS


ANDO

119 Environmental Summary
120 Product Features
121 Powerport Location, Suggested Seating & Sample Configuration
122 Ando Tables Pricing
123 Power/Data & Cable Management

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 8%

POST-CONSUMER
RECYCLED CONTENT = 2%

		CONTRIBUTES TO
Credit 2.1 - 2.2	Construction Waste Management	1-2 point(s)
Credit 3.3	Resource Reuse	1 point
Credit 4.1	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Systems Furniture & Seating	1 point
Credit 5.1	Regional Materials*	1 point
Credit 7	Certified Wood (please enquire)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Ando products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Ando products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.

AIR-EMISSIONS
All Ando products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

FSC®
FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Ando and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times..

In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ANDO | PRODUCT FEATURES



TABLES
Tops and gables are 2.5” thick plywood core with face, back and edge veneer. Plastic Laminate tables are self edged. Standard laminates will show a visible dark line where the laminate edges meet, to avoid this line color-core laminates can be specified. Please contact customer service for a quote.

SUPPORT
Construction integrates an internal support system that eliminates the need for any visible support under the table top.



MITERED CORNER
The Ando table worksurface is joined to the side panel legs with a 45° angle miter joint indicative of the highest level of craftsmanship.


VENEER
Ando table veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance.



FINISH
A five step catalyzed varnish finish that when dry has a sheen value of 32°, is applied to all finished cases. A lower sheen topcoat, 20˚, can also be specified at standard pricing. All purchase orders must clearly note “lower sheen finish” in order to receive the optional selection.



GLIDES
Adjustable glides are 1 1/2” long and allow for a range of adjustment of 1”. Glides are installed at the factory.



POWERPORT
A PowerPort is a unique worksurface mounted module that can be specified to a location that best serves the user’s needs. It includes a UL approved electrical, power bar, containing two 115 - volt electrical simplex outlets which are accessible from the work surface, plus a utility outlet at the end for daisy chaining purposes. 3 data versions are available and can be custom configured.

PORT
A service module having no power bar will serve as a large grommet. A hinged lid easily enables the passage of several cables and devices.



HORIZONTAL CABLE MANAGEMENT
This includes a Protective Electrical Cover that covers the power/data module. A grey plastic cable manager carries the cords to the Vertical Cable Manager on the gable.





VERTICAL CABLE MANAGEMENT
This cable manager is clear satin anodized aluminum extrusion with clip attachment that carries from the underside of the top to the floor.

ANDO | POWERPORT LOCATION, SUGGESTED SEATING, SAMPLE CONFIGURATION


STANDARD POWERPORT LOCATIONS

MIDDLE POSITION






For 60”, 66”, 72” & 84” tables




For 96” tables only


NOTE: Workspace clearance of Middle positions: 24” depth - 10” from powerport to table edge
30” depth - 13” from powerport to table edge
36” depth - 16” from powerport to table edge
42” depth - 19” from powerport to table edge

OFFSET POSITION





For 60”, 66”, 72” & 84” tables



For 96” tables only

NOTE: Workspace clearance of Offset positions: All depths - Non-user side - 7” from powerport to table edge
24” depth - User side - 13” from powerport to table edge
30” depth - User side - 19” from powerport to table edge
36” depth - User side - 25” from powerport to table edge
42” depth - User side - 31” from powerport to table edge

SUGGESTED SEATING BY TABLE SIZE


60” - 2 per side
66” - 2 per side
72” - 2 per side
84” - 2 per side
96” - 3 per side


SAMPLE CONFIGURATION

Description	Model	Oak Cherry Maple	Anigre Sycamore Walnut	Laminate
Ando table	54TB963042	6963	7659	6330
PowerPort	54POWERPORT1	436	436	436
Cable Manager	54CM1TB	252	252	252
Total		**7652**	**8348**	**7019**



Description	Model	Oak, Cherry, Maple	Walnut, Anigre	Laminate	W	D	H	Shipping KW	Cubic Weight	Feet
Rectangular Table, Desk Height	54TH602430	5003	5505	4550	59.75	24	29.5	55	176	34
	54TH603030	5111	5620	4646	59.75	30	29.5	55	169	41
	54TH603630	5649	6212	5134	59.75	36	29.5	55	207	48
	54TH604230	6207	6825	5639	59.75	42	29.5	55	230	55.25
	54TH662430	5074	5581	4612	65.75	24	29.5	61	185	37.25
	54TH663030	5271	5796	4792	65.75	30	29.5	61	185	44.75
	54TH663630	5771	6350	5245	65.75	36	29.5	61	220	52.5
	54TH664230	6329	6961	5751	65.75	42	29.5	61	245	60.25
	54TH722430	5173	5693	4704	71.75	24	29.5	67	194	40.5
	54TH723030	5431	5975	4939	71.75	30	29.5	67	191	48.75
	54TH723630	5885	6472	5351	71.75	36	29.5	67	233	57
	54TH724230	7144	7859	6494	71.75	42	29.5	67	260	65.5
	54TH842430	5737	6308	5214	83.75	24	29.5	79	217	46.75
	54TH843030	6025	6627	5476	83.75	30	29.5	79	217	56.25
	54TH843630	6500	7153	5912	83.75	36	29.5	79	265	66
	54TH844230	7805	8585	7094	83.75	42	29.5	79	295	75.75
	54TH962430	6336	6970	5762	95.75	24	29.5	91	236	53.25
	54TH963030	6703	7373	6094	95.75	30	29.5	91	239	64
	54TH963630	7128	7839	6479	95.75	36	29.5	91	292	75
	54TH964230	8631	9493	7845	95.75	42	29.5	91	325	86
Rectangular Table, Bar Height	54TB602442	5235	5756	4758	59.75	24	41.75	55	203	47.25
	54TB603042	5343	5880	4858	59.75	30	41.75	55	220	56.75
	54TB603642	5910	6498	5368	59.75	36	41.75	55	250	66.5
	54TB604242	6491	7137	5899	59.75	42	41.75	55	266	76.5
	54TB662442	5307	5838	4825	65.75	24	41.75	61	212	51.5
	54TB663042	5514	6065	5011	65.75	30	41.75	61	230	62
	54TB663642	6037	6641	5488	65.75	36	41.75	61	263	72.75
	54TB664242	6619	7281	6015	65.75	42	41.75	61	281	83.5
	54TB722442	5410	5950	4919	71.75	24	41.75	67	221	56
	54TB723042	5680	6247	5163	71.75	30	41.75	67	241	67.25
	54TB723642	6158	6773	5598	71.75	36	41.75	67	276	79
	54TB724242	7472	8222	6793	71.75	42	41.75	67	297	90.5
	54TB842442	5999	6602	5454	83.75	24	41.75	79	245	64.75
	54TB843042	6302	6933	5727	83.75	30	41.75	79	268	78
	54TB843642	6801	7483	6185	83.75	36	41.75	79	303	91.25
	54TB844242	8161	8978	7421	83.75	42	41.75	79	332	104.75
	54TB962442	6629	7289	6028	95.75	24	41.75	91	263	73.5
	54TB963042	6963	7659	6330	95.75	30	41.75	91	290	88.5
	54TB963642	7457	8203	6778	95.75	36	41.75	91	329	104
	54TB964242	9028	9931	8207	95.75	42	41.75	91	362	119.25





CAUTION: Ando tables are shipped in one piece and are large & heavy. Please ensure consideration is taken regarding widths of entrances, aisles and stairways for maneuvering tables into office areas. If packing pallets need to be removed prior to the table getting into the office please ensure the bubble wrap material is left on the table to prevent damage during the move-in process.

ORDERING PROCEDURE
To order, please specify the following:


1) Krug product model number
2) Wood species and finish
3) Grommet location and style if applicable

*indicates model illustrated by line drawing.

STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.


GROMMETS
One grommets in standard position are available at no additional charge.

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
PowerPort 1 - 2 RJ45s (Category 5/6)	PORT1	305	7.5	3.75	-	-	-




Port Includes: 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.
NOTE: RJ45 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.

PowerPort 2 - USB-A & USB-C	PORT2	308	7.5	3.75	-	-	-



Port Includes: 2 accessible power outlets & 1 side utility outlet;1 USB-A & 1 USB-C charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.


PowerPort 3 - RJ11 & RJ45	PORT3	296	7.5	3.75	-	-	-



Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 RJ11 & 1 RJ45 (Category 5/6); 2 Velcro wire managers & PowerPort Shroud; 1 x 10 Foot Data Cords (T568A) & 1 x 14 Foot RJ11 (Telecomm); powered by a 10' plug-in cord.PortPort lid is Silver Metallic.


NOTE: RJ45 & RJ11 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.

PowerPort 4 - 2 USB-A	PORT4	315	7.5	3.75	-	-	-




Port Includes: 2 accessible power outlets & 1 side utility outlet; 2- USB-A charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PortPort shroud. PortPort lid is Silver Metallic.

PowerPort 5 - 4 Receptacles	PORT5	308	7.5	3.75	-	-	-




Port Includes: 4 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.

PowerPort 6 - USB-A, USB-C & RJ45	PORT6	447	7.5	3.75	-	-	-




Top View



Port Includes: 2 accessible power outlets & 1 side utility outlet 1 USB-A, 1 USB-C charging ports all powered by a 10' plug-in power cord. Includes 2 velcro wire managers and metal PortPort shroud with 2 data plate knock outs, 1 #M02 plate insert & 2 #S01W RJ45 female input, punch down terminal output snap in jacks. 2nd data plate knock out is blank for future use. PortPort lid is Silver Metallic.

ACCESSORIES & WIRE MANAGEMENT


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Port - no Powerbar	Port0	150	8	4	-	-	-



Port Includes: Lid & Shroud only.

ORDERING NOTE: Velcro wire managers not included, see below for pricing. Port lid is Silver Metallic.

PowerPort Shroud with 2 Data Plate Knock-outs	SHROUD2KO		-	-	-	-	-




Angled PowerPort Shroud Includes: shroud with 2 data plate knock-outs in the bottom.

ORDERING NOTE: Please refer to data plate, data and AV integration options on page XX.

Cable Manager	METAL - 54CM1TH	205	2.5	-	25	-	-
	54CM1TB	252	2.5	-	36.5	-	-
	WOOD - 54CM1TH1	449	2.5	-	25	-	-
	- 54CM1TB1	496	2.5	-	36.5	-	-



Velcro Wire Manager (qty 1)	WM-4	28	2	4.5	0.5	-	-




2 velcro wire managers are incuded with Ports 1-5.

Wire Management Trough	WM-72	200	72	3	1	-	-




Wire Management Trough is standard in a 72” length & can be cut to specific length; double-sided tape installation.

4-Channel Wire Management	CM-72	254	72	3	1	-	-








4-Channel Wire Management is standard in a 72” length & can be cut to specific length; double-sided tape installation.

Round Grommet	Round Grommet - Silver Metallic	166	-	-	-	-	-
	Round Grommet - Black	166	-	-	-	-	-



One 60mm Grommet in a standard position is available at no charge per table.

SNAP IN PORTS	Reference Code	Description	List Price
		ADAPTOR PLATES	
	**M02**	**Adaptor Plate (2) -** accepts two snap in data ports	40
	M04	**Adaptor Plate (4) -** accepts four snap in data ports	40
	M06	**Adaptor Plate (6) -** accepts six snap in data ports	40
		ORDERING NOTES: Blank covers are required when port is not in use, please see page 55.	
		**RJ-45** - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	51
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		**RJ11** - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	34
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	**S04**	**HDMI -** High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	190
	**S08**	**USB-A -** Full size USB “A” style connection. Connector is a female-to-female pass through**.**	67


REVO | TABLE OF CONTENTS

REVO
127 Environmental Summary
128 Features & Options
132 Power Options
138 Seating Capacities
139 Example Configurations
140 Tables Fixed C & T Base
144 Nesting Tables C & T Base
147 Connecting Tops
148 Rectangular Folding Tables C & T Base
149 Modesty Panels
155 PowerPorts
156 Power Accessories

LEED CERTIFICATION



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 77%

POST-CONSUMER
RECYCLED CONTENT - 9%

		CONTRIBUTES TO
Credit 2.1 - 2.2	Construction Waste Management	1-2 point(s)
Credit 3.3	Resource Reuse	1 point
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
Credit 7	Certified Wood (MUST BE REQUESTED)	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Revo products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Revo products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.

AIR-EMISSIONS
All Revo products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

FSC®
FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Revo and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times...


In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

REVO | FEATURES & OPTIONS


TRAINING TABLE TOP SHAPES
Revo Training are available in 5 table top shapes.



Square




Half Round



Rectangular



Trapezoid




Arched Trapezoid

Dotted line depicts which side a modesty panel is available on. 1/2 Round and Square tops not available with modesty panels. Grommets, Surface Modules, PowerPorts and Ports when specified are positioned on the same side as the modesty panel.

WORKSURFACES
Worksurfaces with Knife (K) edge profile - Tops are 1 1/8" thick veneered, laminated - 45 lb. fibreboard MDF core and backer material.
Worksurfaces with T-Edge profile - Tops are 1 1/8" thick veneered, laminated -42 lbs. particleboard core with backer material.
Worksurfaces with D-Edge profile - Tops are 1 1/8" thick veneered, laminated -42 lbs. particleboard core with backer material.
All worksurfaces have a profiled edges on all sides. Corner Connecting tops have a profile on the curved edge only.


GRAIN DIRECTION - WOOD VENEER AND WOOD GRAIN LAMINATE




Please note: On Revo corner CONNECTOR TOPS, the grain runs on a 45^{O} angle. For all other Revo Training tables, the grain runs lengthwise. For wood modesty panels the grain runs vertically. For laminate modesty panels, the grain runs horizontally.

EDGE OPTIONS – TRAINING TABLES
Revo training product offers 3 edge profiles.

D-Edge




T-Edge



"D" edge profile and "T" edge profile are available on Wood and Laminate worksurfaces.

Knife Edge



Knife Edge is optional on Wood and Laminate worksurfaces for a upcharge of $172 **list** per table.

WOOD FINISH
A five step catalyzed varnish finish that when dry has a sheen value of 32° is applied to all Revo Training table tops.


METAL FINISH
Revo components have a powder coated Silver Metallic finish.

LEGS
Revo "T" and "C" style legs are available in fixed, folding and nesting versions. All legs are available with casters or glides. Revo legs with casters come with a 2" caster in Silver Metallic finish. They have the ability to lock with a foot release lever located at the base of the wheel. Revo legs with glides have 1 1/4" of height adjustment, longer glides are available upon request for very uneven floors. Revo legs allow for cables to be channeled through the leg and concealed with a snap-on cover which allows cord access to the top and bottom when required.


MODESTY PANELS
Revo modesty panels are available in wood, laminate and aluminum in both fixed and flip versions. Fixed modesty panels are available with no cable management trough, with cable management trough or cable management for power and data. The flip version is equipped for power and data with access from either side.

GANGING BRACKETS


A set of ganging brackets are recommended when 2 or more tables are being joined to one another. These ganging brackets should be ordered along with the tables as a separate line item on the order. All tables come pre-drilled for ganging capabilities. Please note corner connector tops are supplied with an alternative mounting plate. The Ganging Brackets are used to prevent separation of the tables when configured in a layout.









BACK TO END CONNECTION



END TO END CONNECTION




CORNER TOP CONNECTION



BACK TO BACK CONNECTION

SELF STORING

The Ganging Brackets can be neatly tucked underneath the table when not being used to join to another table. This allows the Revo Training Tables to be easily reconfigured when wanting to add or subtract tables from existing configurations.



PACKAGING


Revo packaging features recycled and recyclable cardboard and bubble wrap. The product is shipped as separate components. Bases and modesty panels have to be attached to table top surface after delivery.

REVO | FEATURES & OPTIONS


REVO TRAINING BASES
All Revo Training C bases are available in 16” and 20” widths, with standard (W1) and high capacity (W2) cable managers.
All Revo Training T bases are available in 20” width, with standard (W1) and high capacity (W2) cable managers.

BASE SIZES
16” C Bases are used on Revo Training Tables that are 20” in depth.
20” C Bases are used on Revo Training Tables that are 24” and 30” in depth.
20” T Bases are used on Revo Training Tables that are 24”, 30” and 36” in depth.

Fixed T Base




With Casters




With Glides

Fixed C Base




With Casters




With Glides

Folding T Base




With Casters




With Glides

Folding C Base





With Casters




With Glides


Nesting T Base


With Casters


With Glides


Nesting C Base



With Casters



With Glides


REVO NESTING TABLES

With innovative design and clever construction, the Revo Nesting table is an ideal solution for training rooms, classrooms or meeting rooms. A simple and easy to operate one handed release handle allows the table top to rotate downwards 90 degrees for ease of storage or quick room configuration. In addition, the wheeled legs rotate 20 degrees for compact nested storage, resulting in an efficient use of space.









Nested Table Dimensions:
20” D table = 16 1/8”
24” D table = 19 7/8”
30” D table = 19 7/8”
36” D table = 32 1/8”

Add 7.5”D for each additional nested tables or add 12” if modesty panels are attached.

For Example: A 20” D table in a nested position is 16 1/8” D. Add 9 additional nesting tables (9 x 7.5”=67.5”D). Therefore, the depth requirement for nested tables is 83.75”D.


Total space required to nest 10 table without modesty panels is 83.75” x the length of the table.


Table Height of nested tables:

24” deep - T Base	41.75”	20” deep - C Base	37.25”
30” deep - T Base	44.75”	24” deep - C Base	37.25”
36” deep - T Base	47.5”	30” deep - C Base	40.25”
36” deep - T Base	47.5”		


REVO FOLDING TABLES


The Revo Folding Legs features our easy to use release lever that when activated retracts the legs parallel to be underside of the tabletop, allowing tables to be stacked vertically or horizontally. This feature can be used anywhere but is particularly beneficial in settings which need to be reconfigured quickly or frequently. The flattened table maximizes storage space. The optional storage cart, which holds up to 5 tables vertically, makes movement of the folded tables safe and easy. Folding tables cannot accommodate powerports or surface modules.





Stacking Dimension: 4 1/4” high









POWERPORT
The Revo Training PowerPort made from aluminum and featuring a hinged lid, provides a functional and attractive solution for connectivity. The PowerPort comes standard with 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.
The PowerPort is a UL/CSA-approved power/data power bar, (Port) which includes three 115-volt electrical convenience outlets, and two RJ45 communication ports - all easily accessed just under the worksurface. The PowerPort is Category 5/6 compatible. Folding tables cannot accommodate powerports or surface modules.

PORT
The Port alone (without the powerbar) serves as a large grommet for cable management, or to enable future power-up of the tables. It is 7.5" wide by 4" long, and features an aluminum hinged lid that is designed to be in the closed position when cables pass through to the plug-in. The Port can accommodate multiple cables at once, as well as transformer plugs, through the worksurface.

PowerPorts and Ports can be specified in 3 different locations (left, right or center) depending on the size of the training table surface. On surfaces that are smaller than 60”, PowerPorts and Ports are available only in the center position.

See page xx for options and location codes for selecting the PowerPort and Port location for each table top.



SURFACE MODULE
The Surface Module is a lower cost alternative to the PowerPort. It is compact and convenient and positions the plug-in on the work surface itself, instead of underneath it.

A Surface Module comes with two power receptacles above the work surface and one power receptacle below the work surface, which allows you to connect power to additional tables or configurations. In addition, the Surface Module also comes with two USB Ports -- one USB printer port, one RJ11 and one RJ45. Each receptacle has a 12 Amp, 120 Volt, 60 Hz capacity and comes standard with a 10’ heavy duty power cord with a right angle plug. Folding tables cannot accommodate powerports or surface modules.

The Surface Module has an angled face that is easy to see and operate. The RJ45 Port allows connection to high speed DSL or Internet and provides access to cable modem, network or Internet router. In addition, a power plug exists for cell phone and laptop. There are two USB ports -- one for input and one for output to accommodate almost any electrical needs. The Surface Module is available in black finish only.

Surface Modules can be specified in three (3) different locations (Left, Right and Center) depending on the size of the meeting table surface. On surfaces that are smaller than 60”, Surface Modules are available only in the centre position.

See page 130 for options and location codes for selecting the Surface Module location for each table top.



ROUND GROMMET
A round grommet with an open and shut mousehole serves to provide cable passage for areas not requiring a large opening.

Round grommet Silver Metallic, 60 mm diameter. (2 3/8” approx.)
Round grommets do not provide electrical service.


Grommets can be specified in 3 different locations (left, right or center) depending on the size of the meeting table surface.
On surfaces that are smaller than 60”, grommets are available only in the center position.

One round grommet per table is provided at no charge, additional round grommets are available for an upcharge of **$166 list** per grommet.



4-WIRE SYSTEM
The 4-wire System is a economical power distribution solution that is easy to specify, install, and re-configure.

Features:
- 4-wires, 2 circuits, 20 amps each
- 10 - duplex receptacles per circuit, 20 - 15 Amp receptacles per power infeed maximum
- Requires less space
- UL Listed as a Manufactured Wiring System
- More economical than 8-wire system
- RoHS Compliancy available upon request; Cradle to Cradle
- Can be used independently with grommet or PORT0.



Model Numbers for4-wire System

Circuit 1	Circuit 2	Description
59EC4-30-1	59EC4-30-2	4 wire, 2 circuit system for 30” table
59EC4-36-1	59EC4-36-2	4 wire, 2 circuit system for 36” table
59EC4-42-1	59EC4-42-2	4 wire, 2 circuit system for 42” table
59EC4-48-1	59EC4-48-2	4 wire, 2 circuit system for 48” table
59EC4-54-1	59EC4-54-2	4 wire, 2 circuit system for 54” table
59EC4-60-1	59EC4-60-2	4 wire, 2 circuit system for 60” table
59EC4-66-1	59EC4-66-2	4 wire, 2 circuit system for 66” table
59EC4-72-1	59EC4-72-2	4 wire, 2 circuit system for 72” table
59EC4-78-1	59EC4-78-2	4 wire, 2 circuit system for 78” table
59EC4-84-1	59EC4-84-2	4 wire, 2 circuit system for 84” table

4-WIRE SYSTEM
The4-wire system can power a maximum of 10 duplex receptacles per circuit, 20 duplex receptacles total. With 2 duplex receptacles per table, this means that no more than 5 tables can connected to one circuit (10 tables per4-wire system). Once you have more than 10 tables powered with the 4-Trac® system, you must order another Power Entry (59EC4PE) and the related4-wire harnesses to access a new circuit. Duplex receptacles are marked as circuit 1 or circuit 2. Unless specified, Krug will package as close as possible equal quantities of circuit 1 and 2 wiring harnesses.

All Krug’s power access options can be used with or without the 4-wire Wire System.
These components can be ordered together, or at a later date as your power requirements change.

Example 1: If you have a connected group of 7 (48” length) tables with a grommet in each, using the4-wire system, you would order:
- One 4 wire, 2 circuit power entry (59EC4PE).
- Four tables will use circuit 1 harnesses (59EC4-48-1), which has two duplex receptacles per harness for a total of 8 duplex receptacles.
- Three tables will use circuit 2 harnesses (59EC-48-2), which has two duplex receptacles per harness for a total of 6 duplex receptacles.

Example 2: If you have a connected group of 11 (48” length) tables with a grommet in each, using the4-wire system, you would order:


- Two 4 wire, 2 circuit power entry (59EC4PE).
  For the 1st power entry:
- Three tables will use circuit 1 harnesses (59EC4-48-1), which has two duplex receptacles per harness for a total of 6 duplex receptacles.
- Three tables will use circuit 2 harnesses (59EC-48-2), which has two duplex receptacles per harness for a total of 6 duplex receptacles.


For the 2nd power entry:
- Three tables will use circuit 1 harnesses (59EC4-48-1), which has two duplex receptacles per harness for a total of 6 duplex receptacles.
- Two tables will use circuit 2 harnesses (59EC-48-2), which has two duplex receptacles per harness for a total of 4 duplex receptacles.


4-WIRE - 42” JUMPERS
These longer jumper cables are required when connecting one table from the back to the end of another table using the 4-wire system. These jumper cables allow you to daisy chain each wired table to the next.



4-Wire
Power Entry








8-WIRE SYSTEM

The 8-wire Power System offers a high quality, cost effective answer to your power distribution needs. The modular system is adaptable to all architectural elements. The modularity of the System makes it simple to specify, order and install.

Features:
- UL recognized & listed
- Approved for use in New York City
- RoHS compliancy available upon request; cradle to cradle
- 20 Amp system available in 4 circuit configurations
- Allows for up to 40 duplex receptacles.
- Can be used independently with grommet or PORT0.



Model Numbers for 8-wire System

Circuit 1	Circuit 2	Circuit 3	Circuit 4	Description
59EC8-30-1	59EC8-30-2	59EC8-30-3	59EC8-30-4	8 wire, 4 circuit system for 30” table
59EC8-36-1	59EC8-36-2	59EC8-36-3	59EC8-36-4	8 wire, 4 circuit system for 36” table
59EC8-42-1	59EC8-42-2	59EC8-42-4	59EC8-42-4	8 wire, 4 circuit system for 42” table
59EC8-48-1	59EC8-48-2	59EC8-48-3	59EC8-48-4	8 wire, 4 circuit system for 48” table
59EC8-541	59EC8-54-2	59EC8-54-3	59EC8-54-4	8 wire, 4 circuit system for 54” table
59EC8-60-1	59EC8-60-2	59EC8-60-3	59EC8-60-4	8 wire, 4 circuit system for 60” table
59EC8-66-1	59EC8-66-2	59EC8-66-3	59EC8-66-4	8 wire, 4 circuit system for 66” table
59EC8-72-1	59EC8-72-2	59EC8-72-3	59EC8-72-4	8 wire, 4 circuit system for 72” table
59EC8-781	59EC8-78-2	59EC8-78-3	59EC8-78-4	8 wire, 4 circuit system for 48” table
59EC8-84-1	59EC8-84-2	59EC8-84-3	59EC8-84-4	8 wire, 4 circuit system for 84” table

8-WIRE SYSTEM

The 8-wire system can power a maximum of 10 duplex receptacles per circuit, 40 duplex receptacles total. With 2 duplex receptacles per table, this means that no more than 5 tables can connected to one circuit (20 tables per 8-wire system). Once you have more than 20 tables powered with the 8-wire system, you must order another Power Entry (59EC8PE) and the related 8-wire harnesses to access a new circuit. Duplex receptacles are marked as circuit 1, 2, 3, or 4. Unless specified, as close as possible Krug will package equal quantities of Circuit 1, 2, 3, and 4 wiring harnesses.

All Krug’s power access options can be used with or without the 8-wire Wire System.
These components can be ordered together, or at a later date as your power requirements change.

For Example: If you have group of 16 (48” length) tables, using the 8-wire system, you would order:
One 8 wire, 4 circuit power entry (59EC8PE).


- Four tables will use circuit 1 harnesses (59EC8-48-1), which has two duplex receptacles per harness for a total of 8 duplex receptacles.
- Four tables will use circuit 2 harnesses (59EC8-48-2), which has two duplex receptacles per harness for a total of 8 duplex receptacles.
- Four tables will use circuit 3 harnesses (59EC8-48-3), which has two duplex receptacles per harness for a total of 8 duplex receptacles.
- Four tables will use circuit 4 harnesses (59EC8-48-4), which has two duplex receptacles per harness for a total of 8 duplex receptacles.


8-WIRE - 42” JUMPERS

These longer jumper cables are required when connecting one table from the back to the end of another table using the 8-wire system. These jumper cables allow you to daisy chain each wired table to the next.




8-wire
Power Entry






SCENARIO 1




This symbol refers to: Electrical, Fax, Modem, Telephone, and Network Data




Scenario 1 is the simplest of connectivity solutions. You simply run your electrical and data cables down through the round grommet or port and plug directly into the power source.

SCENARIO 2



Scenario 2 demonstrates when powerports and surface modules are specified in the worksurfaces. Your electrical and data cables are plugged directly into these units. Both of these power options have 10' electrical cords and 14' data cables, that can be channeled through the cable management cavity in the leg and then plugged into the power source. Up to 10 powerports or surface modules can be daisy chained together from one power circuit, when the 14' data cables are not enough to reach the power source, data cables can be linked together with the use of a data hub. Please check local electrical regulations before linking these units.

SCENARIO 3




Scenario 3 illustrates the use of the 4-wire and 8-wire system. Your electrical and data cables are passed through the worksurface via the round grommet or port. The electrical equipment is plugged into the duplex receptacles located in the trac system.

The 4 trac system uses 2 circuits allowing 10 receptacles on the same circuit to be daisy chained together. Each trac system contains two duplex receptacles and can be specified with either circuit one or circuit two or both. Therefore, a maximum of 20 duplex receptacles can be used on two circuits. The 8 trac system works in the same manner, but uses 4 circuits instead of 2, allowing a maximum of 40 duplex receptacles to be used at one time.

*Power Entry is hardwired into the building source and can be channelled up the cable management cavity in the leg. The data cables run directly to the data source or linked together using a data hub.

SCENARIO 4



Scenario 4 demonstrates the use of the powerport or surface modules with the 4-wire and 8-wire system. Your electrical and data cables are plugged directly into either the powerport or surface module. The 10' power cord from these units are plugged into the duplex receptacles located in the trac system.

The 4 trac system uses 2 circuits allowing 10 receptacles on the same circuit to be daisy chained together. Each trac system contains two duplex receptacles and can be specified with either circuit one or circuit two or both. Therefore, a maximum of 20 duplex receptacles can be used on two circuits. The 8 trac system works in the same manner, but uses 4 circuits instead of 2, allowing a maximum of 40 duplex receptacles to be used at one time. When ordering powerports or surface modules on the worksurfaces, the duplex receptacles in these units need to be included in the receptacle count per circuit, otherwise the circuits will become overloaded.

*Power Entry is hardwired into the building source and can be channelled up the cable management cavity in the leg. The data cables run directly to the data source or linked together using a data hub.


REVO | POWER OPTIONS

Non-standard locations can be specified, although there are restrictions due to leg positions, and modesty panel positions. An upcharge of **$174 list** per non-standard grommet is applicable. Contact Customer Service for assistance. Table Tops smaller than 60” have the power access available only in the “C’ position. Table tops greater than 60” can have the power access specified in as many as three locations (AR, AL and C).

Position Code:
AL – left corner
AR – right corner
C – center


POWERPORT/PORT POSITIONS

REVO TRAINING TABLES SMALLER THAN 60”



Square **Half Round** **Rectangular** **Trapezoid** **Arc Trapezoid**

REVO TRAINING TABLES 60” OR LARGER




Half Round **Rectangular**

Modesty Panels are located on the same side as the PowerPort/Ports/Surface Modules. Modesty Panels are not available on 1/2 round and square tables. Folding tables cannot accommodate powerports.


SURFACE MODULE POSITIONS

REVO TRAINING TABLES SMALLER THAN 60”



Square **Half Round** **Rectangular** **Trapezoid** **Arc Trapezoid**

REVO TRAINING TABLES 60” OR LARGER




Half Round **Rectangular**

Modesty Panels are located on the same side as the PowerPort/Ports/Surface Modules. Modesty Panels are not available on 1/2 round and square tables. Folding tables cannot accommodate surface modules.


STANDARD GROMMET POSITIONS

REVO TRAINING TABLES SMALLER THAN 60”



Square **Half Round** **Rectangular** **Trapezoid** **Arc Trapezoid**


REVO TRAINING TABLES 60” OR LARGER



Half Round **Rectangular**


Modesty Panels are shown on the same side as the Round Grommets. One round grommet per table is provided at no charge, additional round grommets are available for an upcharge of **$166 list** per grommet in standard positions. Modesty Panels are not available on 1/2 round and square tables.

MODESTY PANELS




Revo training tables have been designed with a 1-1/4" (32mm) space between the underside of the worksurface and the top edge of the modesty panel, eliminating the need for grommets in the modesty panels. This space makes it easy to pass cables from one table to another where modesty panels overlap at 90º corners, or where tables are positioned face to face.
See typical examples below of cable management with different power options.

Track System, Modesty Panels for Power and Data Trough



Power Ports & Modesty Panels with no Cable Management Trough



CABLE MANAGEMENT



REVO leg
Snap on Cover




Cable management

Cables are channeled through the leg and concealed with a snap-on cover which allows cord access to the top and bottom when required.

Legs are available in two cable management sizes, standard and high capacity, determined by the users' requirements.

Standard cable managers have 1.5 in^2 of cable management capacity.
High capacity cable managers have 2.4 in^2 iof cable management capacity.

REVO | SEATING CAPACITIES

DESCRIPTION		TOP SIZE LENGTH	TOP SIZE WIDTH	APPROX. SEATING FOR LONG SIDE	APPROX. TOTAL SEATING FOR STAND ALONE WITHOUT MODESTY
Half Round		48	24	2	2
		60	30	2	2
		72	36	2	2
Square		30	30	1	2
		36	36	1	2
Rectangular		48	20	1	2
		54	20	1	2
		60	20	2	4
		66	20	2	4
		72	20	2	4
		78	20	2	4
		84	20	3	6
		48	24	1	2
		54	24	1	2
		60	24	2	4
		66	24	2	4
		72	24	2	4
		78	24	2	4
		84	24	3	6
		48	30/36	1	2
		54	30/36	1	2
		60	30/36	2	4
		66	30/36	2	4
		72	30/36	2	4
		78	30/36	2	4
		84	30/36	3	6
Trapezoid		48	24	1	2
		60	30	1	2
		72	36	1	2
Arc Trapezoid		48	24	1	2
		60	24	2	2
		72	24	2	2
		60	30	2	2
		72	30	2	2
		60	36	2	2
		72	36	2	2
Corner Connecting Top	45°	24	24	1	N/A
		30	30	1	N/A
		36	36	1	N/A
	60°	24	24	1	N/A
		30	30	1	N/A
		36	36	1	N/A
	90	24	24	1	N/A
		30	30	1	N/A
		36	36	1	N/A

ORDERING NOTES

If a modesty panel is used, there is no seating capacity on that side of the table. There is no seating on the ends due to base locations. Seating on the ends of a 84” tables is possible since the bases are inset 15” from the ends. To establish seating capacities, an outside chair dimension of 24" has been used, plus an allowance of 5" between chairs, for a total of 29". This is an approximation and based on seating with 5 prong bases. When using chairs with different specifications be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use this same seating formula, when a seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Krug Revo Training product.

This is a sampling of some of the possible configurations in the REVO Training Table Line

RECTANGULAR TABLES




Model Number	Qty
59THRT7236	4

RECTANGULAR TABLES




Model Number	Qty.
59THRT7236	2
59THRT7224	2

HALF ROUND TABLES




Model Number	Qty.
59THDH6030	2

HALF ROUND WITH RECTANGULAR TABLES




Model Number	Qty.
59THDH6030	2
59THRT6030	2

TRAPEZOID TABLES




Model Number	Qty.
59THTZ7236	6

60º CORNER CONNECTOR TOPS WITH TRAPEZOID TABLES




Model Number	Qty.
59TC303060	2
59THTZ6030	4

TRAPEZOID TABLES WITH RECTANGULAR TABLES




Model Number	Qty.
59THTZ6030	6
59THRT6030	2

90º CORNER CONNECTOR TOP WITH RECTANGULAR TABLES




Model Number	Qty.
59TC363690	1
59THRT7236	2

90º CORNER CONNECTOR TOPS WITH RECTANGULAR TABLES




Model Number	Qty.
59TC303090	2
59THRT6030	1
59THRT7230	2

90º CORNER CONNECTOR TOPS WITH RECTANGULAR TABLES




Model Number	Qty.
59TC363690	4
59THRT7236	6

TRAPEZOID TABLES WITH RECTANGULAR TABLES




Model Number	Qty.
59THTZ6030	3
59THRT6030	4

60º CORNER CONNECTOR TOPS WITH RECTANGULAR TABLES



Model Number	Qty.
59TC242460	2
59THRT6024	5


45º CORNER CONNECTOR TOPS WITH RECTANGULAR TABLES




Model Number	Qty.
59TC242445	8
59THRT4824	8

REVO | RECTANGULAR TABLES W/ FIXED C & T BASES

Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Rectangular Table w/ Fixed C - Base. Casters or Glides - No Modesty Panel	59THRT4820CB_W_	1502	1971	47.75	19.75	29.25	36.5	62	5
	59THRT5420CB_W_	1536	2009	53.75	19.75	29.25	42.5	65	5.5
	59THRT6020CB_W_	1568	2050	59.75	19.75	29.25	48.5	69	5.5
	59THRT6620CB_W_	1683	2175	65.75	19.75	29.25	54.5	76	6
	59THRT7220CB_W_	1745	2257	71.75	19.75	29.25	60.5	82	6
	59THRT7820CB_W_	1813	2347	77.75	19.75	29.25	60.5	83	6.5
	59THRT8420CB_W_	1882	2436	83.75	19.75	29.25	48.5	84	7
	59THRT4824CB_W_	1559	2033	47.75	23.75	29.25	36.5	68	5.5
	59THRT5424CB_W_	1597	2079	53.75	23.75	29.25	42.5	73	6
	59THRT6024CB_W_	1633	2125	59.75	23.75	29.25	48.5	77	6
	59THRT6624CB_W_	1759	2251	65.75	23.75	29.25	54.5	80	6.5
	59THRT7224CB_W_	1836	2324	71.75	23.75	29.25	60.5	91	6.5
	59THRT7824CB_W_	1906	2415	77.75	23.75	29.25	60.5	92	7
	59THRT8424CB_W_	1978	2510	83.75	23.75	29.75	48.5	93	7.5
	59THRT4830CB_W_	1662	2110	47.75	29.75	29.25	36.5	77	6
	59THRT5430CB_W_	1689	2168	53.75	29.75	29.25	42.5	81	6.5
	59THRT6030CB_W_	1716	2222	59.75	29.75	29.25	48.5	88	6.5
	59THRT6630CB_W_	1838	2357	65.75	29.75	29.25	54.5	90	7
	59THRT7230CB_W_	1908	2443	71.75	29.75	29.25	60.5	104	7.5
	59THRT7830CB_W_	1981	2529	77.75	29.75	29.25	60.5	107	8
	59THRT8430CB_W_	2052	2615	83.75	29.75	29.25	48.5	109	8
Rectangular Table w/ Fixed T- Base. Casters or Glides - No Modesty Panel	59THRT4824TB_W_	1559	2033	47.75	23.75	29.25	36.5	68	5.5
	59THRT5424TB_W_	1597	2079	53.75	23.75	29.25	42.5	73	6
	59THRT6024TB_W_	1633	2125	59.75	23.75	29.25	48.5	77	6
	59THRT6624TB_W_	1759	2251	65.75	23.75	29.25	54.5	80	6.5
	59THRT7224TB_W_	1836	2324	71.75	23.75	29.25	60.5	91	6.5
	59THRT7824TB_W_	1906	2415	77.75	23.75	29.25	60.5	92	7
	59THRT8424TB_W_	1978	2510	77.75	23.75	29.25	48.5	93	7.5
	59THRT4830TB_W_	1662	2110	47.75	29.75	29.25	36.5	77	6
	59THRT5430TB_W_	1689	2168	53.75	29.75	29.25	42.5	81	6.5
	59THRT6030TB_W_	1716	2222	59.75	29.75	29.25	48.5	88	6.5
	59THRT6630TB_W_	1838	2357	65.75	29.75	29.25	54.5	90	7
	59THRT7230TB_W_	1908	2443	71.75	29.75	29.25	60.5	104	7.5
	59THRT7830TB_W_	1981	2529	77.75	29.75	29.25	60.5	107	8
	59THRT8430TB_W_	2052	2615	83.75	29.75	29.25	48.5	109	8
	59THRT4836TB_W_	1773	2280	47.75	35.75	29.25	36.5	91	8
	59THRT5436TB_W_	1831	2347	53.75	35.75	29.25	42.5	98	8.5
	59THRT6036TB_W_	1883	2411	59.75	35.75	29.25	48.5	104	9
	59THRT6636TB_W_	2007	2552	65.75	35.75	29.25	54.5	113	9.5
	59THRT7236TB_W_	2079	2647	71.75	35.75	29.25	60.5	122	9.5
	59THRT7836TB_W_	2154	2739	77.75	35.75	29.25	60.5	126	10
	59THRT8436TB_W_	2224	2824	83.75	35.75	29.25	48.5	130	10



C-base inset from ends:
72" tables & smaller - 3"
78" tables - inset 6"
84" tables - inset 15"



T-base inset from ends:
72" tables & smaller - 3"
78" tables - inset 6"
84" tables - inset 15"

ORDERING NOTES:
To order bases with glides, replace the 1st underscore in the model number with the letter "**G**"; e.g. "59THRT7224CB**G**W_".
To order bases with casters, replace the 1st underscore in the model number with the letter "**C**"; e.g. "59THRT7224CB**C**W_".
To order the standard cable manager replace the 2nd underscore in the model number with the number "**1**"; e.g. "59THRT7224CBGW**1**".
To order the high capacity base cable manager replace the 2nd underscore in the model number with the number "**2**". e.g. "59THRT7224CBCW**2**".

ORDERING PROCEDURE
To order, please specify the following:

1) Krug product model number
2) Wood species and finish or Laminate
3) Grommet location and style if applicable
4) Edge profile - D or T
(Knife Edge is optional on Wood and Laminate worksurfaces for a upcharge of $172 list per table.
5) Modesty Panel if applicable (see page 149)

*indicates model illustrated by line drawing.

KRUG EXPRESS
See page 346 for Krug Express program.


STANDARD FINISHES
For a complete list of standard finishes, please see page 363 for Standard Wood Finishes or In-Stock Laminates .

MODESTY PANELS
Please see page 147 for options and upcharges.


VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

REVO | TRAPEZOID TABLES W/ FIXED C & T BASES

Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Weight	Cubic Feet	X	Y
Trapezoid Table w/ Fixed C - Base. Casters or Glides - No Modesty Panel	59THTZ4824CB_W_	1657	2124	47.75	20.75	29.25	21.5	56	5.5	23.75	23.75
	59THTZ6030CB_W_	1812	2276	59.75	25.75	29.25	27.75	69	6.5	29.75	29.75
	59THTZ7236CB_W_	2104	2638	71.75	31	29.25	35.75	84	7.5	35.75	35.75



Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Weight	Cubic Feet	X	Y
Trapezoid Table w/ Fixed T - Base. Casters or Glides - No Modesty Panel	59THTZ6030TB_W_	1811	2276	59.75	25.75	29.25	27.75	69	6.5	29.75	29.75
	59THTZ7236TB_W_	2104	2638	71.75	31	29.25	35.75	84	7.5	35.75	35.75



ORDERING NOTES:
To order bases with glides, replace the 1st underscore in the model number with the letter "**G**"; e.g. 59THRT7224CB**G**W_.
To order bases with casters, replace the 1st underscore in the model number with the letter "**C**"; e.g. 59THRT7224CB**C**W_.
To order the standard cable manager replace the 2nd underscore in the model number with the number "**1**"; e.g. 59THRT7224CBGW**1**.
To order the high capacity base cable manager replace the 2nd underscore in the model number with the number "**2**"; e.g. 59THRT7224CBCW**2**.

ORDERING PROCEDURE
To order, please specify the following:

1) Krug product model number
2) Wood species and finish or Laminate
3) Grommet location and style if applicable
4) Edge profile - D or T
(Knife Edge is optional on Wood and Laminate worksurfaces for a upcharge of $172 list per table.
5) Modesty Panel if applicable (see page 149)

*indicates model illustrated by line drawing.

KRUG EXPRESS
See page 346 for Krug Express program.


STANDARD FINISHES
For a complete list of standard finishes, please see page 363 for Standard Wood Finishes or In-Stock Laminates.

MODESTY PANELS
Please see page 147 for options and upcharges.


VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

REVO | ARCED TRAPEZOID TABLES W/ FIXED C & T BASES

Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Weight	Cubic Feet	X	Y
Arced Trapezoid Table w/ Fixed C - Base. Casters or Glides - No Modesty Panel	59THAZ4824CB_W_	1725	2178	47.75	23.5	29.25	20.5	59	5.5	23.75	23.75
	59THAZ6024CB_W_	1799	2275	59.75	23.5	29.25	32.25	67	6	23.75	35.75
	59THAZ7224CB_W_	1970	2513	71.75	23.5	29.25	44.25	75	6.5	23.75	47.75
	59THAZ6030CB_W_	1812	2322	59.75	28.5	29.25	29.25	72	6.5	29.75	29.75
	59THAZ7230CB_W_	2044	2579	71.75	28.5	29.25	41.25	82	7	29.75	41.75



Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Weight	Cubic Feet	X	Y
Arced Trapezoid Table w/ Fixed T - Base. Casters or Glides - No Modesty Panel	59THAZ4824TB_W_	1725	2178	47.75	23.5	29.25	20.5	59	5.5	23.75	23.75
	59THAZ6024TB_W_	1799	2275	59.75	23.5	29.25	32.25	67	6	23.75	35.75
	59THAZ7224TB_W_	1970	2513	71.75	23.5	29.25	44.25	75	6.5	23.75	47.75
	59THAZ6030TB_W_	1812	2322	59.75	28.5	29.25	29.25	72	6.5	29.75	29.75
	59THAZ7230TB_W_	2044	2579	71.75	28.5	29.25	41.25	82	7	29.75	41.75
	59THAZ6036TB_W_	1935	2420	59.75	33.75	29.25	26	76	7	35.75	23.75
	59THAZ7236TB_W_	2146	2682	71.75	33.75	29.25	37.75	88	7.5	35.75	35.75



ORDERING NOTES: To order bases with glides, replace the 1st underscore in the model number with the letter "**G**"; e.g. "59THZ6030CB**G**W_".
To order bases with casters, replace the 1st underscore in the model number with the letter "**C**"; e.g. "59THZ6030CB**C**W_".
To order the standard cable manager replace the 2nd underscore in the model number with the number "**1**"; e.g. "59THZ6030CBGW**1**".
To order the high capacity base cable manager replace the 2nd underscore in the model number with the number "**2**"; e.g. "59THZ6030CBCW**2**".

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

KRUG EXPRESS
See page 346 for Krug Express program.


STANDARD FINISHES
For a complete list of standard finishes, please see page 363 for Standard Wood Finishes or In-Stock Laminates.

MODESTY PANELS
Please see page 147 for options and upcharges.

VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

REVO | HALF ROUND TABLES W/ FIXED C & T BASES SQUARE TABLES W/ FIXED T BASE

Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Weight	Cubic Feet	X	Y
Half Round Table w/ Fixed C - Base. Casters or Glides - No Modesty Panel	59THDH4824CB_W_	1594	2072	47.75	23.75	29.25	30	60	5	-	-
	59THDH6030CB_W_	1843	2269	59.75	29.75	29.25	33.25	76	6.5	-	-
	59THDH7236CB_W_	2053	2630	71.75	35.75	29.25	45.25	95	8	-	-



Half Round Table w/ Fixed T - Base. Casters or Glides - No Modesty Panel	59THDH6030TB_W_	1843	2269	59.75	29.75	29.25	33.25	76	6.5	-	-
	59THDH7236TB_W_	2053	2630	71.75	35.75	29.25	45.25	95	8	-	-



Square Table w/ Fixed T - Base. Casters or Glides - No Modesty Panel	59THSQ3030TB_W_	1666	2091	29.75	29.75	29.25	24.5	59	4	-	-
	59THSQ3636TB_W_	1689	2169	35.75	35.75	29.25	24.5	71	4.5	-	-



ORDERING NOTES: To order bases with glides, replace the 1st underscore in the model number with the letter "**G**"; e.g. "59THRT7224CB**G**W_".
To order bases with casters, replace the 1st underscore in the model number with the letter "**C**"; e.g. "59THRT7224CB**C**W_".
To order the standard cable manager replace the 2nd underscore in the model number with the number "**1**"; e.g. "59THRT7224CBGW**1**".
To order the high capacity base cable manager replace the 2nd underscore in the model number with the number "**2**"; e.g. "59THRT7224CBCW**2**".

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

KRUG EXPRESS
See page 346 for Krug Express program.

STANDARD FINISHES
For a complete list of standard finishes, please see page 363 for Standard Wood Finishes or In-Stock Laminates.

MODESTY PANELS
Modesty panels are not available on half round and square tables.

VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

REVO | RECTANGULAR NESTING TABLES W/ C & T BASES

Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Weight	Cubic Feet	X	Y
Rectangular Nesting Table w/ C - Base. Casters or Glides - No Modesty Panel	59THRT4820CBFP_W_	2051	2516	47.75	19.75	29.25	36.5	62	5	-	-
	59THRT5420CBFP_W_	2085	2558	53.75	19.75	29.25	42.5	65	5.5	-	-
	59THRT6020CBFP_W_	2118	2596	59.75	19.75	29.25	48.5	69	5.5	-	-
	59THRT6620CBFP_W_	2464	2946	65.75	19.75	29.25	54.5	76	6	-	-
	59THRT7220CBFP_W_	2520	3015	71.75	19.75	29.25	60.5	82	6	-	-
	59THRT7820CBFP_W_	2588	3095	77.75	19.75	29.25	72.5	83	6.5	-	-
	59THRT8420CBFP_W_	2661	3183	83.75	29.75	29.25	48.5	84	7	-	-
	59THRT4824CBFP_W_	2109	2586	47.75	23.75	29.25	36.5	68	5.5	-	-
	59THRT5424CBFP_W_	2148	2632	53.75	23.75	29.25	42.5	73	6	-	-
	59THRT6024CBFP_W_	2187	2679	59.75	23.75	29.25	48.5	77	6	-	-
	59THRT6624CBFP_W_	2544	3035	65.75	23.75	29.25	54.5	80	6.5	-	-
	59THRT7224CBFP_W_	2616	3105	71.75	23.75	29.25	60.5	91	6.5	-	-
	59THRT7824CBFP_W_	2684	3176	77.75	23.75	29.25	72.5	92	7	-	-
	59THRT8424CBFP_W_	2756	3245	83.75	23.75	29.25	48.5	93	7.5	-	-
	59THRT4830CBFP_W_	2212	2664	47.75	29.75	29.25	36.5	77	6	-	-
	59THRT5430CBFP_W_	2240	2718	53.75	29.75	29.25	42.5	81	6.5	-	-
	59THRT6030CBFP_W_	2269	2774	59.75	29.75	29.25	48.5	88	6.5	-	-
C-base inset from ends:	59THRT6630CBFP_W_	2625	3142	65.75	29.75	29.25	54.5	90	7	-	-
72" tables & smaller - 3"	59THRT7230CBFP_W_	2691	3225	71.75	29.75	29.25	60.5	104	7.5	-	-
78" tables - inset 6"	59THRT7830CBFP_W_	2759	3304	77.75	29.75	29.25	60.5	107	8	-	-
84" tables - inset 15"	59THRT8430CBFP_W_	2941	3423	83.75	29.75	29.25	48.5	109	8	-	-
Rectangular Nesting Table w/ T- Base. Casters or Glides No Modesty Panel	59THRT4824TBFP_W_	2109	2586	47.75	23.75	29.25	36.5	68	5.5	-	-
	59THRT5424TBFP_W_	2148	2632	53.75	23.75	29.25	42.5	73	6	-	-
	59THRT6024TBFP_W_	2187	2679	59.75	23.75	29.25	48.5	77	6	-	-
	59THRT6624TBFP_W_	2544	3035	65.75	23.75	29.25	54.5	80	6.5	-	-
	59THRT7224TBFP_W_	2616	3105	71.75	23.75	29.25	60.5	91	6.5	-	-
	59THRT7824TBFP_W_	2684	3176	77.75	23.75	29.25	60.5	92	7	-	-
	59THRT8424TBFP_W_	2756	3245	83.75	23.75	29.25	48.5	93	7.5	-	-
	59THRT4830TBFP_W_	2212	2664	47.75	29.75	29.25	36.5	77	6	-	-
	59THRT5430TBFP_W_	2240	2718	53.75	29.75	29.25	42.5	81	6.5	-	-
	59THRT6030TBFP_W_	2269	2774	59.75	29.75	29.25	48.5	88	6.5	-	-
	59THRT6630TBFP_W_	2625	3142	65.75	29.75	29.25	54.5	90	7	-	-
	59THRT7230TBFP_W_	2691	3225	71.75	29.75	29.25	60.5	104	7.5	-	-
	59THRT7830TBFP_W_	2872	3353	77.75	29.75	29.25	60.5	107	8	-	-
	59THRT8430TBFP_W_	2941	3423	83.75	29.75	29.25	48.5	109	8	-	-
	59THRT4836TBFP_W_	2303	2812	47.75	35.75	29.25	36.5	91	8	-	-
	59THRT5436TBFP_W_	2359	2877	53.75	35.75	29.25	42.5	98	8.5	-	-
	59THRT6036TBFP_W_	2416	2942	59.75	35.75	29.25	48.5	104	9	-	-
T-base inset from ends:	59THRT6636TBFP_W_	2772	3316	65.75	35.75	29.25	54.5	113	9.5	-	-
72" tables & smaller - 3"	59THRT7236TBFP_W_	2840	3406	71.75	35.75	29.25	60.5	122	9.5	-	-
78" tables - inset 6"	59THRT7836TBFP_W_	2908	3493	77.75	35.75	29.25	60.5	126	10	-	-
84" tables - inset 15"	59THRT8436TBFP_W_	2979	3580	83.75	35.75	29.25	48.5	130	10	-	-

ORDERING NOTES: To order bases with glides, replace the 1st underscore in the model number with the letter "**G**"; e.g. "59THRT7224CBFP**G**W_".
To order bases with casters, replace the 1st underscore in the model number with the letter "**C**"; e.g. "59THRT7224CBFP**C**W_".
To order the standard cable manager replace the 2nd underscore in the model number with the number "**1**"; e.g. "59THRT7224CBFPGW**1**".

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.


KRUG EXPRESS
See page 346 for Krug Express program.

STANDARD FINISHES
For a complete list of standard finishes, please see page 363 for Standard Wood Finishes or In-Stock Laminates.


MODESTY PANELS
Please see page 147 for options and upcharges.

VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Weight	Cubic Feet	X	Y
Trapezoid Nesting Table w/ C - Base. Casters or Glides - No Modesty Panel	59THTZ4824CBFP_W_	2206	2670	47.75	20.75	29.25	18.25	56	5.5	23.75	23.75
	59THTZ6030CBFP_W_	2364	2829	59.75	25.75	29.25	24.5	69	6.5	29.75	29.75
	59THTZ7236CBFP_W_	2724	3261	71.75	31	29.25	32.5	84	7.5	35.75	35.75



Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Weight	Cubic Feet	X	Y
Trapezoid Nesting Table w/ T - Base. Casters or Glides - No Modesty Panel	59THZ6030TBFP_W_	2364	2829	59.75	20.75	29.25	27.5	69	6.5	29.75	29.75
	59THZ7236TBFP_W_	2724	3261	71.75	31	29.25	35.75	84	7.5	35.75	35.75



ORDERING NOTES: To order bases with glides, replace the 1st underscore in the model number with the letter "**G**"; e.g. "59THRT7224CBFP**G**W_".
To order bases with casters, replace the 1st underscore in the model number with the letter "**C**"; e.g. "59THRT7224CBFP**C**W_".
To order the standard cable manager replace the 2nd underscore in the model number with the number "**1**"; e.g. "59THRT7224CBFP-W**1**".
To order the high capacity base cable manager replace the 2nd underscore in the model number with the number "**2**"; e.g. "59THRT7224CBFPCW**2**".

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

KRUG EXPRESS
See page 346 for Krug Express program.


STANDARD FINISHES
For a complete list of standard finishes, please see page 363 for Standard Wood Finishes or In-Stock Laminates.

MODESTY PANELS
Please see page 147 for options and upcharges.


VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

REVO | ARCED TRAPEZOID NESTING TABLES W/ C & T BASES

Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Cubic Weight	Feet	X	Y
Arced Trapezoid Nesting	59THAZ4824CBFP_W_	2276	2732	47.75	23.5	29.25	17.25	59	5.5	23.75	23.75
Table w/ C - Base.	59THAZ6024CBFP_W_	2350	2828	59.75	23.5	29.25	29	67	6	23.75	35.75
Casters or Glides - No	59THAZ7224CBFP_W_	2520	3064	71.75	23.5	29.25	41	75	6.5	23.75	47.75
Modesty Panel	59THAZ6030CBFP_W_	2364	2874	59.75	28.5	29.25	26	72	6.5	29.75	29.75
	59THAZ7230CBFP_W_	2595	3129	71.75	28.5	29.25	38	82	7	29.75	41.75



Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Cubic Weight	Feet	X	Y
Arced Trapezoid Nesting	59THAZ4824TBFP_W_	2276	2732	47.75	23.5	29.25	20.5	59	5.5	23.75	23.75
Table w/ T - Base. Casters	59THAZ6024TBFP_W_	2350	2828	59.75	23.5	29.25	32.25	67	6	23.75	35.75
or Glides - No Modesty	59THAZ7224TBFP_W_	2520	3064	71.75	23.5	29.25	44.25	75	6.5	23.75	47.75
Panel	59THAZ6030TBFP_W_	2364	2874	59.75	28.5	29.25	29.25	72	6.5	29.75	29.75
	59THAZ7230TBFP_W_	2595	3129	71.75	28.5	29.25	41.25	82	7	29.75	41.75
	59THAZ6036TBFP_W_	2486	2973	59.75	33.75	29.25	26	76	7	35.75	23.75
	59THAZ7236TBFP_W_	2699	3235	71.75	33.75	29.25	37.75	88	7.5	35.75	35.75



ORDERING NOTES: To order bases with glides, replace the 1st underscore in the model number with the letter "**G**"; e.g. "59THZ6030CBFP**G**W_".
To order bases with casters, replace the 1st underscore in the model number with the letter "**C**"; e.g. "59THZ6030CBFP**C**W_".
To order the standard cable manager replace the 2nd underscore in the model number with the number "**1**"; e.g. "59THZ6030CBFPGW**1**".
To order the high capacity base cable manager replace the 2nd underscore in the model number with the number "**2**"; e.g. "59THZ6030CBFPCW**2**".

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

KRUG EXPRESS
See page 346 for Krug Express program.


STANDARD FINISHES
For a complete list of standard finishes, please see page 363 for Standard Wood Finishes or In-Stock Laminates.

MODESTY PANELS
Please see page 147 for options and upcharges.

VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

REVO | HALF ROUND NESTING TABLES W/ C & T BASES CORNER CONNECTING TOPS


Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Weight	Cubic Feet	X	Y
Half Round Nesting Table w/C - Base. Casters or Glides - No Modesty Panel	59THDH4824CBFP_W_	2143	2618	47.75	23.75	29.25	30	60	5	-	-
	59THDH6030CBFP_W_	2396	2822	59.75	29.75	29.25	33.25	76	6.5	-	-
	59THDH7236CBFP_W_	2606	3181	71.75	35.75	29.25	45.25	95	8	-	-



Half Round Nesting Table w/T - Base. Casters or Glides - No Modesty Panel	59THDH6030TBFP_W_	2396	2822	59.75	29.75	29.25	33.25	76	6.5	-	-
	59THDH7236TBFP_W_	2606	3181	71.75	35.75	29.25	45.25	95	8	-	-



45º Corner Tops	59TC242445	456	501	18.25	23.75	29.25	18.25	21	2.5	-	-
	59TC303045	481	532	22.75	35.75	29.25	22.75	27	3.5	-	-
	59TC363645	517	567	27.75	35.75	29.25	27.25	36	4.5	-	-



60º Corner Tops	59TC242460	517	567	23.75	23.75	29.25	23.75	27	3	-	-
	59TC303060	547	601	29.75	29.75	29.25	29.75	36	4	-	-
	59TC363660	585	645	35.75	35.75	29.25	35.75	44	5.5	-	-



ORDERING NOTES: To order bases with glides, replace the 1st underscore in the model number with the letter "**G**"; e.g. "59THRT7224CBFD**G**W_".
To order bases with casters, replace the 1st underscore in the model number with the letter "**C**"; e.g. "59THRT7224CBFD**C**W_".
To order the standard cable manager replace the 2nd underscore in the model number with the number "**1**"; e.g. "59THRT7224CBFDGW**1**".
To order the high capacity base cable manager replace the 2nd underscore in the model number with the number "**2**"; e.g. "59THRT7224CBFDCW**2**".
Please note that modesty panels are not available on half round tables.

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

KRUG EXPRESS
See page 346 for Krug Express program.


STANDARD FINISHES
For a complete list of standard finishes, please see page 363 for Standard Wood Finishes or In-Stock Laminates.


MODESTY PANELS
Modesty Panels are not available on half round tables.

VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.


REVO | CORNER CONNECTING TOPS RECTANGULAR TABLES W/ FOLDING C & T BASES

Description	Model	Laminate W/ PVC Edge	Rift Oak, Cherry, Walnut, Maple	W	D	H	KW	Shipping Weight	Cubic Feet
90 Corner Tops	59TC242490	611	667	33.75	23.75	29.25	33.75	36	2.5
	59TC303090	645	709	42.75	29.75	29.25	42	44	5.5
	59TC363690	690	759	50.5	35.75	29.25	50.5	61	8
Rectangular Table w/ Folding C - Base. Casters or Glides - No Modesty Panel -	59THRT6020CBFD_W_	1800	2255	59.75	19.75	29.25	48.5	69	5.5
	59THRT6620CBFD_W_	1905	2366	65.75	19.75	29.25	54.5	76	6
	59THRT7220CBFD_W_	1963	2436	71.75	19.75	29.25	60.5	82	6
	59THRT7820CBFD_W_	2144	2658	77.75	19.75	29.25	60.5	83	6.5
	59THRT8420CBFD_W_	2247	2746	83.75	19.75	29.25	48.5	84	7
	59THRT6024CBFD_W_	1860	2327	59.75	23.75	29.25	48.5	77	6
	59THRT6624CBFD_W_	1979	2445	65.75	23.75	29.25	54.5	80	6.5
	59THRT7224CBFD_W_	2051	2515	71.75	23.75	29.25	60.5	91	6.5
	59THRT7824CBFD_W_	2237	2743	77.75	23.75	29.25	60.5	92	7
	59THRT8424CBFD_W_	2339	2815	83.75	23.75	29.25	48.5	93	7.5
	59THRT6030CBFD_W_	1937	2418	59.75	29.75	29.25	48.5	88	6.5
	59THRT6630CBFD_W_	2053	2548	65.75	29.75	29.25	54.5	90	7
	59THRT7230CBFD_W_	2123	2630	71.75	29.75	29.25	60.5	104	7.5
	59THRT7830CBFD_W_	2323	2788	77.75	29.75	29.25	60.5	107	8
	59THRT8430CBFD_W_	2390	2882	83.75	29.75	29.25	48.5	109	8
Rectangular Table w/ Folding T- Base. Casters or Glides - No Modesty Panel	59THRT6024TBFD_W_	1860	2327	59.75	23.75	29.25	48.5	77	6
	59THRT6624TBFD_W_	1979	2445	65.75	23.75	29.25	54.5	80	6.5
	59THRT7224TBFD_W_	2051	2515	71.75	23.75	29.25	60.5	91	6.5
	59THRT7824TBFD_W_	2237	2743	77.75	23.75	29.25	60.5	92	7
	59THRT8424TBFD_W_	2339	2815	83.75	23.75	29.25	48.5	93	7.5
	59THRT6030TBFD_W_	1937	2418	59.75	29.75	29.25	48.5	88	6.5
	59THRT6630TBFD_W_	2053	2548	65.75	29.75	29.25	54.5	90	7
	59THRT7230TBFD_W_	2123	2630	71.75	29.75	29.25	60.5	104	7.5
	59THRT7830TBFD_W_	2323	2788	77.75	29.75	29.25	60.5	107	8
	59THRT8430TBFD_W_	2390	2882	83.75	29.75	29.25	48.5	109	8
	59THRT6036TBFD_W_	2100	2597	59.75	35.75	29.25	48.5	104	9
	59THRT6636TBFD_W_	2215	2734	65.75	35.75	29.25	54.5	113	9.5
	59THRT7236TBFD_W_	2283	2822	71.75	35.75	29.25	60.5	122	9.5
	59THRT7836TBFD_W_	2440	2937	77.75	35.75	29.25	60.5	126	10
	59THRT8436TBFD_W_	2510	2961	83.75	35.75	29.25	48.5	130	10





C-base inset from ends:
72” tables & smaller - 3”
78” tables - inset 6”
84” tables - inset 15”



T-base inset from ends:
72” tables & smaller - 3”
78” tables - inset 6”
84” tables - inset 15”

ORDERING NOTES: To order bases with glides, replace the 1st underscore in the model number with the letter “**G**”; e.g. “59THRT7224CBFD**G**W_”.
To order bases with casters, replace the 1st underscore in the model number with the letter “**C**”; e.g. “59THRT7224CBFD**C**W_”.
To order the standard cable manager replace the 2nd underscore in the model number with the number “**1**”; e.g. “59THRT7224CBFDGW**1**”.
To order the high capacity base cable manager replace the 2nd underscore in the model number with the number “**2**”; e.g. “59THRT7224CBFDCW**2**”.

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width
X & Y – dimensions as indicated on line drawing

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

KRUG EXPRESS
See page 346 for Krug Express program.



STANDARD FINISHES
For a complete list of standard finishes, please see page 363 for Standard Wood Finishes or In-Stock Laminates.

MODESTY PANELS
Please see page 147 for options and upcharges.

VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

Description	Model	Table	Size	Upcharge	W	D	H	Shipping Weight	Cubic Feet
Fixed Modesty Panels Laminate No Cable Management Trough	F61	Rectangle	48”	361	46.5	4	10	14	2.5
			54”	370	52.5	4	10	15	2.5
			60”	379	58.5	4	10	16	3
			66”	392	64.5	4	10	17	3
			72”	402	70.5	4	10	18	3.5
			78”	423	76.5	4	10	20	3.5
			84”	446	82.5	4	10	21	4
		Arced	48” x 24”	311	22.5	4	10	9	1
		Trapezoid	60” x 24”	328	34.5	4	10	12	1.5
			72” x 24”	361	46.5	4	10	14	2.5
			60” x 30”	321	28.5	4	10	11	1.5
			72” x 30”	350	40.5	4	10	13	2
			60” x 36”	311	22.5	4	10	9	1
			72” x 36”	328	34.5	4	10	12	1.5
		Trapezoid	48” x 24”	311	22.5	4	10	9	1
			60” x 30”	321	28.5	4	10	11	1.5
			72” x 36”	328	34.5	4	10	12	1.5

ORDERING NOTES
On laminate modesty panels, the grain runs horizontally. To specify a fixed laminate modesty panel, apply above pricing for the specific modesty panel and add “**F61**” to the end of the tables model number; e.g. 59THRT7224CBFDGW1**F61**.

Fixed Modesty Panels Aluminum No Cable Management Trough	F51	Rectangle	48”	423	46.5	6	10	19	2.5
			54”	453	52.5	6	10	21	2.5
			60”	480	58.5	6	10	23	3
			66”	507	64.5	6	10	24	3
			72”	530	70.5	6	10	26	4
			78”	570	76.5	6	10	27	3.5
			84”	613	82.5	6	10	29	4.5
		Arced	48” x 24”	286	22.5	6	10	13	1.5
		Trapezoid	60” x 24”	353	34.5	6	10	17	2
			72” x 24”	406	46.5	6	10	19	3
			60” x 30”	320	28.5	6	10	15	2
			72” x 30”	387	40.5	6	10	18	2.5
			60” x 36”	286	22.5	6	10	13	1.5
			72” x 36”	353	34.5	6	10	17	2
		Trapezoid	48” x 24”	286	22.5	6	10	13	1.5
			60” x 30”	320	28.5	6	10	15	2
			72” x 36”	353	34.5	6	10	17	2

ORDERING NOTES
To specify an aluminum modesty panel, apply above pricing for the specific modesty panel and add “**F51**” to the end of the tables model number; e.g. 59THRT7224CBFDGW1**F51**.



DIMENSION KEY

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES
For a complete list of In-Stock Laminates, please see page 363.

KRUG EXPRESS
See page 346 for Krug Express program.

REVO | MODESTY PANELS

Description	Model	Table	Size	Upcharge	W	D	H	Shipping Weight	Cubic Feet
Fixed Modesty Panels Wood No Cable Management Trough	F11	Rectangle	48”	644	46.5	5	10	19	2.5
			54”	657	52.5	5	10	21	2.5
			60”	672	58.5	5	10	23	3
			66”	685	64.5	5	10	24	3
			72”	701	70.5	5	10	26	4
			78”	712	76.5	5	10	27	3.5
			84”	720	82.5	5	10	29	4.5
		Arced Trapezoid	48” x 24”	589	22.5	5	10	13	1.5
			60” x 24”	617	34.5	5	10	17	2
			72” x 24”	644	46.5	5	10	19	3
			60” x 30”	599	28.5	5	10	15	2
			72” x 30”	628	40.5	5	10	18	2.5
			60” x 36”	589	22.5	5	10	13	1.5
			72” x 36”	617	34.5	5	10	17	2
		Trapezoid	48” x 24”	589	22.5	5	10	13	1.5
			60” x 30”	599	28.5	5	10	15	2
			72” x 36”	617	34.5	5	10	17	2

ORDERING NOTES
On wood modesty panels, the grain runs vertically. To specify a fixed wood modesty panel, apply above pricing for the specific modesty panel and add “**F11**” to the end of the tables model number; e.g. 59THRT7224CBFDGW1**F11**.

Description	Model	Table	Size	Upcharge	W	D	H	Shipping Weight	Cubic Feet
Fixed Modesty Panels Laminate With Cable Management Trough	F62	Rectangle	48”	402	46.5	5	10	19	2.5
			54”	411	52.5	5	10	15	2.5
			60”	421	58.5	5	10	23	3
			66”	430	64.5	5	10	17	3
			72”	445	70.5	5	10	26	4
			78”	470	76.5	5	10	20	3.5
			84”	496	82.5	5	10	29	4.5
		Arced Trapezoid	48” x 24”	353	22.5	5	10	13	1.5
			60” x 24”	371	34.5	5	10	17	2
			72” x 24”	402	46.5	5	10	19	3
			60” x 30”	363	28.5	5	10	15	2
			72” x 30”	392	40.5	5	10	18	2.5
			60” x 36”	353	22.5	5	10	13	1.5
			72” x 36”	371	34.5	5	10	17	2
		Trapezoid	48” x 24”	353	22.5	5	10	13	1.5
			60” x 30”	363	28.5	5	10	15	2
			72” x 36”	371	34.5	5	10	17	2


ORDERING NOTES
On laminate modesty panels, the grain runs horizontally. To specify a fixed laminate modesty panel, apply above pricing for the specific modesty panel and add “**F62**” to the end of the tables model number; e.g. 59THRT7224CBFDGW1**F62**.

DIMENSION KEY


Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES
For a complete list of standard finishes, please see page 363 for Standard Wood Finishes or In-Stock Laminates.

KRUG EXPRESS
See page 346 for Krug Express program.

Description	Model	Table	Size	Upcharge	W	D	H	Shipping Weight	Cubic Feet
Fixed Modesty Panels Aluminum With Cable Management Trough	F52	Rectangle	48”	477	46.5	4	10	14	2.5
			54”	510	52.5	4	10	15	2.5
			60”	540	58.5	4	10	16	3
			66”	563	64.5	4	10	17	3
			72”	585	70.5	4	10	18	3.5
			78”	628	76.5	4	10	20	3.5
			84”	676	82.5	4	10	21	4
		Arced Trapezoid	48” x 24”	343	22.5	4	10	9	1
			60” x 24”	413	34.5	4	10	12	1.5
			72” x 24”	477	46.5	4	10	14	2.5
			60” x 30”	380	28.5	4	10	11	1.5
			72” x 30”	448	40.5	4	10	13	2
			60” x 36”	343	22.5	4	10	9	1
			72” x 36”	413	34.5	4	10	12	1.5
		Trapezoid	48” x 24”	343	22.5	4	10	9	1
			60” x 30”	380	28.5	4	10	11	1.5
			72” x 36”	413	34.5	4	10	12	1.5

ORDERING NOTES
To specify an aluminum modesty panel, apply above pricing for the specific modesty panel and add “**F52**” to the end of the tables model number; e.g. 59THRT7224CBFDGW1**F52**.

Description	Model	Table	Size	Upcharge	W	D	H	Shipping Weight	Cubic Feet
Fixed Modesty Panels Wood with Cable Management Trough	F12	Rectangle	48”	681	46.5	6	10	19	2.5
			54”	697	52.5	6	10	21	2.5
			60”	712	58.5	6	10	23	3
			66”	729	52.5	6	10	24	3
			72”	744	70.5	6	10	26	4
			78”	756	76.5	6	10	27	3.5
			84”	765	82.5	6	10	29	4.5
		Arced Trapezoid	48” x 24”	599	22.5	6	10	13	1.5
			60” x 24”	641	34.5	6	10	17	2
			72” x 24”	681	46.5	6	10	19	3
			60” x 30”	619	28.5	6	10	15	2
			72” x 30”	658	40.5	6	10	18	2.5
			60” x 36”	599	22.5	6	10	13	1.5
			72” x 36”	641	34.5	6	10	17	2
		Trapezoid	48” x 24”	599	22.5	6	10	13	1.5
			60” x 30”	619	28.5	6	10	15	2
			72” x 36”	641	34.5	6	10	17	2

ORDERING NOTES
On wood modesty panels, the grain runs vertically. To specify a fixed wood modesty panel, apply above pricing for the specific modesty panel and add “**F12**” to the end of the tables model number; e.g. 59THRT7224CBFDGW1**F12**.


DIMENSION KEY

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.



STANDARD FINISHES
For a complete list of standard wood finishes , please see page 363.

KRUG EXPRESS
See page 346 for Krug Express program.

REVO | MODESTY PANELS

Description	Model	Table	Size	Upcharge	W	D	H	Shipping Weight	Cubic Feet
Fixed Modesty Panels	F63	Rectangle	48”	513	46.5	5	10	19	2.5
Laminate			54”	526	52.5	5	10	21	2.5
For Power/ Data			60”	534	58.5	5	10	23	3
			66”	542	64.5	5	10	24	3
			72”	558	70.5	5	10	26	4
			78”	574	76.5	5	10	27	3.5
			84”	596	82.5	5	10	29	4.5
		Arced	48” x 24”	466	22.5	5	10	13	1.5
		Trapezoid	60” x 24”	481	34.5	5	10	17	2
			72” x 24”	513	46.5	5	10	19	3
			60” x 30”	474	28.5	5	10	15	2
			72” x 30”	502	40.5	5	10	18	2.5
			60” x 36”	466	22.5	5	10	13	1.5
			72” x 36”	481	34.5	5	10	17	2
		Trapezoid	48” x 24”	466	22.5	5	10	13	1.5
			60” x 30”	474	28.5	5	10	15	2
			72” x 36”	481	34.5	5	10	17	2

ORDERING NOTES
On laminate modesty panels, the grain runs horizontally. To specify a fixed laminate modesty panel, apply above pricing for the specific modesty panel and add “**F63**” to the end of the tables model number;
e.g. 59THRT7224CBFDGW1**F63**.

Description	Model	Table	Size	Upcharge	W	D	H	Shipping Weight	Cubic Feet
Fixed Modesty Panels	F53	Rectangle	48”	569	46.5	5	10	19	2.5
Aluminum			54”	598	52.5	5	10	21	2.5
For Power/ Data			60”	626	58.5	5	10	23	3
			66”	663	64.5	5	10	24	3
			72”	698	70.5	5	10	26	4
			78”	749	76.5	5	10	20	3.5
			84”	804	82.5	5	10	29	4.5
		Arced	48” x 24”	438	22.5	5	10	13	1.5
		Trapezoid	60” x 24”	504	34.5	5	10	17	2
			72” x 24”	569	46.5	5	10	19	3
			60” x 30”	471	28.5	5	10	15	2
			72” x 30”	529	40.5	5	10	18	2.5
			60” x 36”	438	22.5	5	10	13	1.5
			72” x 36”	504	34.5	5	10	17	2
		Trapezoid	48” x 24”	438	22.5	5	10	13	1.5
			60” x 30”	471	28.5	5	10	15	2
			72” x 36”	504	34.5	5	10	17	2


ORDERING NOTES
To specify an aluminum modesty panel, apply above pricing for the specific modesty panel and add “**F53**” to the end of the tables model number; e.g. 59THRT7224CBFDGW1**F53**.

DIMENSION KEY

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES
For a complete list of In-Stock Laminates, please see page 363.

KRUG EXPRESS
See page 346 for Krug Express program.

Description	Model	Table	Size	Upcharge	W	D	H	Shipping Weight	Cubic Feet
Fixed Modesty Panels Wood For Power/ Data	F13	Rectangle	48” 54” 60” 66” 72” 78” 84”	793 809 827 841 855 874 893	46.5 52.5 58.5 64.5 70.5 76.5 82.5	4 4 4 4 4 4 4	10 10 10 10 10 10 10	14 15 16 17 18 20 21	2.5 2.5 3 3 3.5 3.5 4
		Arced Trapezoid	48” x 24” 60” x 24” 72” x 24” 60” x 30” 72” x 30” 60” x 36” 72” x 36”	714 749 793 732 769 714 749	22.5 34.5 46.5 28.5 40.5 22.5 34.5	4 4 4 4 4 4 4	10 10 10 10 10 10 10	9 12 14 11 13 9 12	1 1.5 2.5 1.5 2 1 1.5
		Trapezoid	48” x 24” 60” x 30” 72” x 36”	714 732 749	22.5 28.5 34.5	4 4 4	10 10 10	9 11 12	1 1.5 1.5

ORDERING NOTES
On wood modesty panels, the grain runs vertically. To specify a fixed wood modesty panel, apply above pricing for the specific modesty panel and add “**F13**” to the end of the tables model number; e.g. 59THRT7224CBFDGW1**F13**.

Description	Model	Table	Size	Upcharge	W	D	H	Shipping Weight	Cubic Feet
Flip Modesty Panels Laminate For Power/ Data	Y64	Rectangle	48” 54” 60” 66” 72” 78” 84”	569 580 589 598 612 628 651	46.5 52.5 58.5 64.5 70.5 76.5 82.5	6 6 6 6 6 6 6	10 10 10 10 10 10 10	19 21 23 24 26 20 29	2.5 2.5 3 3 4 3.5 4.5
		Arced Trapezoid	48” x 24” 60” x 24” 72” x 24” 60” x 30” 72” x 30” 60” x 36” 72” x 36”	520 538 569 530 560 520 538	22.5 34.5 46.5 28.5 40.5 22.5 34.5	6 6 6 6 6 6 6	10 10 10 10 10 10 10	13 17 19 15 18 13 17	1.5 2 3 2 2.5 1.5 2
		Trapezoid	48” x 24” 60” x 30” 72” x 36”	520 530 538	22.5 28.5 34.5	6 6 6	10 10 10	13 15 17	1.5 2 2

ORDERING NOTES
On laminate modesty panels, the grain runs horizontally. To specify a flip laminate modesty panel, apply above pricing for the specific modesty panel and add “**Y64**” to the end of the tables model number; e.g. 59THRT7224CBFDGW1**Y64**.

DIMENSION KEY


Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES
For a complete list of standard finishes, please see page 363 for Standard Wood Finishes In-Stock Laminates.

KRUG EXPRESS
See page 346 for Krug Express program.

REVO | MODESTY PANELS


Description	Model	Table	Size	Upcharge	W	D	H	Shipping Weight	Cubic Feet
Flip Modesty Panels Aluminum For Power/ Data	Y54	Rectangle	48”	626	46.5	6	10	19	2.5
			54”	657	52.5	6	10	21	2.5
			60”	684	58.5	6	10	23	3
			66”	721	64.5	6	10	24	3
			72”	759	70.5	6	10	26	4
			78”	815	76.5	6	10	27	3.5
			84”	873	82.5	6	10	29	4.5
		Arced Trapezoid	48” x 24”	496	22.5	6	10	13	1.5
			60” x 24”	564	34.5	6	10	17	2
			72” x 24”	626	46.5	6	10	19	3
			60” x 30”	530	28.5	6	10	15	2
			72” x 30”	585	40.5	6	10	18	2.5
			60” x 36”	496	22.5	6	10	13	1.5
			72” x 36”	564	34.5	6	10	17	2
		Trapezoid	48” x 24”	496	22.5	6	10	13	1.5
			60” x 30”	530	28.5	6	10	15	2
			72” x 36”	564	34.5	6	10	17	2





ORDERING NOTES
To specify a flip aluminum modesty panel, apply above pricing for the specific modesty panel and add “**Y54**” to the end of the tables model number; e.g. 59THRT7224CBFDGW1**Y54**.

Description	Model	Table	Size	Upcharge	W	D	H	Shipping Weight	Cubic Feet
Flip Modesty Panels Wood For Power/ Data	Y14	Rectangle	48”	843	46.5	6	10	19	2.5
			54”	857	52.5	6	10	21	2.5
			60”	873	58.5	6	10	23	3
			66”	888	64.5	6	10	24	3
			72”	901	70.5	6	10	26	4
			78”	921	76.5	6	10	27	3.5
			84”	940	82.5	6	10	29	4.5
		Arced Trapezoid	48” x 24”	767	22.5	6	10	13	1.5
			60” x 24”	805	34.5	6	10	17	2
			72” x 24”	843	46.5	6	10	19	3
			60” x 30”	787	28.5	6	10	15	2
			72” x 30”	827	40.5	6	10	18	2.5
			60” x 36”	767	22.5	6	10	13	1.5
			72” x 36”	805	34.5	6	10	17	2
		Trapezoid	48” x 24”	767	22.5	6	10	13	1.5
			60” x 30”	787	28.5	6	10	15	2
			72” x 36”	805	34.5	6	10	17	2





ORDERING NOTES
On wood modesty panels, the grain runs vertically. To specify a flip wood modesty panel, apply above pricing for the specific modesty panel and add “**Y14**” to the end of the tables model number; e.g. 59THRT7224CBFDGW1**Y14**.


DIMENSION KEY

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES
For a complete list of standard wood finishes please see page 363.


KRUG EXPRESS
See page 346 for Krug Express program.

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
PowerPort 1 - 2 RJ45s (Category 5/6)	PORT1	305	7.5	3.75	-	-	-




Port Includes: 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.
NOTE: RJ45 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.

PowerPort 2 - USB-A & USB-C	PORT2	308	7.5	3.75	-	-	-



Port Includes: 2 accessible power outlets & 1 side utility outlet;1 USB-A & 1 USB-C charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.


PowerPort 3 - RJ11 & RJ45	PORT3	296	7.5	3.75	-	-	-



Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 RJ11 & 1 RJ45 (Category 5/6); 2 Velcro wire managers & PowerPort Shroud; 1 x 10 Foot Data Cords (T568A) & 1 x 14 Foot RJ11 (Telecomm); powered by a 10' plug-in cord.PortPort lid is Silver Metallic.


NOTE: RJ45 & RJ11 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.

PowerPort 4 - 2 USB-A	PORT4	315	7.5	3.75	-	-	-




Port Includes: 2 accessible power outlets & 1 side utility outlet; 2- USB-A charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PortPort shroud. PortPort lid is Silver Metallic.

PowerPort 5 - 4 Receptacles	PORT5	308	7.5	3.75	-	-	-




Port Includes: 4 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.

PowerPort 6 - USB-A, USB-C & RJ45	PORT6	447	7.5	3.75	-	-	-




Top View



Port Includes: 2 accessible power outlets & 1 side utility outlet 1 USB-A, 1 USB-C charging ports all powered by a 10' plug-in power cord. Includes 2 velcro wire managers and metal PortPort shroud with 2 data plate knock outs, 1 #M02 plate insert & 2 #S01W RJ45 female input, punch down terminal output snap in jacks. 2nd data plate knock out is blank for future use. PortPort lid is Silver Metallic.

WIRE MANAGEMENT & ACCESSORIES


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Port - no Powerbar	Port0	150	8	4	-	-	-



Port Includes: Lid & Shroud only.

ORDERING NOTE: Velcro wire managers not included, see below for pricing. Port lid is Silver Metallic.


PowerPort Shroud with 2 Data Plate Knock-outs	SHROUD2KO	Must be requested - no upcharge	-	-	-	-	-



Angled PowerPort Shroud Includes: shroud with 2 data plate knock-outs in the bottom.

ORDERING NOTE: Please refer to data plate, data and AV integration options on page 157.

Velcro Wire Manager (qty 1)	WM-4	28	2	4.5	0.5	-	-




2 velcro wire managers are incuded with Ports 1-5.

Wire Management Trough	WM-72	200	72	3	1	-	-




Wire Management Trough is standard in a 72” length & can be cut to specific length; double-sided tape installation.

4-Channel Wire Management	CM-72	254	72	3	1	-	-



4-Channel Wire Management is standard in a 72” length & can be cut to specific length; double-sided tape installation.

Round Grommet	Round Grommet - Silver Metallic	166	-	-	-	-	-
	Round Grommet - Black	166	-	-	-	-	-



One 60mm Grommet in a standard position is available at no charge per table.

Ganging Brackets	59GANG	52	-	-	-	1	0.5











Table Storage Cart	59STC	1137	60.5	32.5	34.5	82	2.5



ORDERING NOTES
Storage cart will hold 5 tables.


SNAP IN PORTS	Reference Code	Description	List Price
		ADAPTOR PLATES	
	**M02**	**Adaptor Plate (2) -** accepts two snap in data ports	40
	M04	**Adaptor Plate (4) -** accepts four snap in data ports	40
	M06	**Adaptor Plate (6) -** accepts six snap in data ports	40
		ORDERING NOTES: Blank covers are required when port is not in use, please see page 55.	
		**RJ-45** - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	51
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		**RJ11** - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	34
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	**S04**	**HDMI -** High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	190
	**S08**	**USB-A -** Full size USB "A" style connection. Connector is a female-to-female pass through**.**	67

Surface Module	59SURFACEMODULE	208	8	4	-		-	-	218




ORDERING NOTES
Surface module comes with 3 receptacles - 2 above the worksurface and 1 below, 2 USB ports, 1 USB printer port, 1 RJ45 and 1 RJ11. Surface Modules have a 10' cord. Folding tables cannot accommodate surface modules.

Power Bar	59PWR-USB	126	8	2	-		2	0.2	132




ORDERING NOTES
Power bar comes with 3 outlets and one powered USB port, and it has a 10' cord.

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Power Entry - 4 wire, 2 circuit	59EC4PE	149	-	-	-	1	.25



ORDERING NOTES
Please note when ordering the 4-wire Power Entry components, you must also order the 4-wire System, to work in conjunction. 4-wire Power Entry is hardwired into buildings power source.

Power Entry - 8 wire, 4 circuit	59EC8PE	214	-	-	-	1	.25



ORDERING NOTES
Please note when ordering the 8-wire Power Entry components, you must also order the 8-wire System, to work in conjunction. 8-wire Power Entry is hardwired into buildings power source.

4-wire 42” Jumper	59EC4JUMP-42	113	-	-	-	1	.25



ORDERING NOTES
This longer jumper cable is required when connecting one table off the edge to the end of another table using the 4-Trac® system. Jumper cables allow you to daisy chain each wired table to the next.

8-wire 42” Jumper	59EC8JUMP-42	177	-	-	-	1	.25



ORDERING NOTES
This longer jumper cable is required when connecting one table off the edge to the end of another table using the 8-wire system. Jumper cables allow you to daisy chain each wired table to the next.


DIMENSION KEY

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

Description

4-wire System


**



Model Circuit 1	Model Circuit 2	Price	W	D	H	Shipping Weight	Cubic Feet
59EC4-24-1	59EC4-24-2	242	-	-	-	2	.25
59EC4-30-1	59EC4-30-2	246	-	-	-	2	.25
59EC4-36-1	59EC4-36-2	249	-	-	-	2	.25
59EC4-42-1	59EC4-42-2	252	-	-	-	2	.25
59EC4-48-1	59EC4-48-2	256	-	-	-	2	.25
59EC4-54-1	59EC4-54-2	262	-	-	-	2	.25
59EC4-60-1	59EC4-60-2	268	-	-	-	2	.25
59EC4-66-1	59EC4-66-2	275	-	-	-	2	.25
59EC4-72-1	59EC4-72-2	282	-	-	-	2	.25
59EC4-78-1	59EC4-78-2	287	-	-	-	2	.25
59EC4-84-1	59EC4-84-2	294	-	-	-	2	.25

8-wire System

**



Model Circuit 1	Model Circuit 2	Model Circuit 3	Model Circuit 4	Price	W	D	H	Shipping Weight	Cubic Feet
59EC8-24-1	59EC8-24-2	59EC8-24-3	59EC8-24-4	349	-	-	-	2	.25
59EC8-30-1	59EC8-30-2	59EC8-30-3	59EC8-30-4	374	-	-	-	2	.25
59EC8-36-1	59EC8-36-2	59EC8-36-3	59EC8-36-4	409	-	-	-	2	.25
59EC8-42-1	59EC8-42-2	59EC8-42-3	59EC8-42-4	420	-	-	-	2	.25
59EC8-48-1	59EC8-48-2	59EC8-48-3	59EC8-48-4	427	-	-	-	2	.25
59EC8-54-1	59EC8-54-2	59EC8-54-3	59EC8-54-4	436	-	-	-	2	.25
59EC8-60-1	59EC8-60-2	59EC8-60-3	59EC8-60-4	452	-	-	-	2	.25
59EC8-66-1	59EC8-66-2	59EC8-66-3	59EC8-66-4	463	-	-	-	2	.25
59EC8-72-1	59EC8-72-2	59EC8-72-3	59EC8-72-4	471	-	-	-	2	.25
59EC8-78-1	59EC8-78-2	59EC8-78-3	59EC8-78-4	478	-	-	-	2	.25
59EC8-84-1	59EC8-84-2	59EC8-84-3	59EC8-84-4	489	-	-	-	2	.25


** **ORDERING NOTES**
Each model comes standard with an 18” Jumper. Please note when ordering the 4-wire or 8-wire System, you must also order the appropriate 4-wire or 8-wire Power Entry.

DIMENSION KEY

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.


REVO | DATA MOUNTING BRACKET & ACCESSORIES

Description	Model	Suffix	Description	Price	W	D	H	Shipping Weight	Cubic Feet
Data Mount Bracket black	59DMB		Mounting bracket for configured plates and side mount ports	44	6	2.75	3.25	.5	.25



ORDERING NOTES
Opening on top is for mounting a Decora wall plate and adapter plate (wall plate and blank adapter plate are standard). Openings on sides are for mounting an optional DVI connector, and a VGA connector or Serial Port.

Configured Plate Options		HDMI	1 HDMI Pass thru	208	-	-	-	-	-
		2HDMI	2 HDMI Pass thru	312	-	-	-	-	-
		USB-A	1 USB-A Female Port	208	-	-	-	-	-
		2USB-A	2 USB-A Female Ports	312	-	-	-	-	-
		VGA3.5*	VGA/3.5 Mini Port	132	-	-	-	-	-
		XLR	1 STD XLR Female (Mic) Port	287	-	-	-	-	-
		2XLR	2 STD XLR Female (Mic) Ports	402	-	-	-	-	-
Side Mount Ports		DVI-D*	DVI-D to DVI-D	123	-	-	-	-	-
		DVI-I	DVI-I to DVI-I	201	-	-	-	-	-



ORDERING NOTES: To specify a Configured Plate Option apply above pricing and the corresponding suffix to the end of the Data Mount Bracket price and model number. e.g. 59DMBHDMI

Data Mount Bracket Insert Plate & Face Plates For Snap-in Ports	59DMB2B		2 Blank Faceplate	70	-	-	-	-	-
	59DMB4B		4 Blank Faceplate	88	-	-	-	-	-
	59DMB6B		6 Blank Faceplate	88	-	-	-	-	-
Snap-In Port Options	1C	Blank Port Cover	(Qty 1)	16	-	-	-	-	
	2C	Blank Port Cover	(Qty 2)	26	-	-	-	-	-
	4C	Blank Port Cover	(Qty 4)	44	-	-	-	-	-
	1D	RJ45 - Cat 6	(Qty 1)	77	-	-	-	-	-
	2D	RJ45 - Cat 6	(Qty 2)	149	-	-	-	-	-
	4D	RJ45 - Cat 6	(Qty 4)	296	-	-	-	-	-
	6D	RJ45 - Cat 6	(Qty 6)	436	-	-	-	-	-
	1E	RJ11	(Qty 1)	31	-	-	-	-	-
	2E	RJ11 x 2	(Qty 2)	51	-	-	-	-	-
	4E	RJ11 x 4	(Qty 4)	77	-	-	-	-	-
	1F	3.5 Mini Stereo		88	-	-	-	-	-
	1G	USB “A” Female/Female		70	-	-	-	-	-
	1H	USB Mini B Female - A Male Exit		305	-	-	-	-	-
	1J	Fibre Optic Jack for MTRJ		70	-	-	-	-	-
	1K	3 Pin Mini XLR (Mic) w/Cable		828	-	-	-	-	-
	1L	HDMI Pass Thru		427	-	-	-	-	-
	1M	White DSL Pass thru		44	-	-	-	-	-
	1N	BNC		70	-	-	-	-	-
	1O	RCA Black Strip (LT Audio)		70	-	-	-	-	-
	1P	RCA Red Strip (RT Audio)		70	-	-	-	-	-
	1Q	RCA Yellow Strip (Video)		70	-	-	-	-	-
	1R	4 Pin Mini Din S-Video		132	-	-	-	-	-
	1S	RJ45 - Cat 5	(Qty 1)	70	-	-	-	-	-
	2S	RJ45 - Cat 5	(Qty 2)	139	-	-	-	-	-
	1T	SRL/VGA Pass Thru		245	-	-	-	-	-

ORDERING NOTES: To specify a Mounting Bracket with Snap-In Port options, apply above pricing and the corresponding suffix to the end of the Data Mount Bracket & Snap-In Port Face Plate price and model number. e.g. 59DMB4B2D1E1G

DIMENSION KEY

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Table to Table Cable Manager -grey plastic	59CMB14	50	14	2	3	0.5	0.5
	59CMB17	58	17	2	3	0.5	0.5
	59CMB20	70	20	2	3	0.5	0.5
	59CMB26	89	26	2	3	0.5	0.5
	59CMB29	100	29	2	3	0.5	0.5
	59CMB38	130	38	2	3	0.5	0.5



59CMB14 - for use on connecting tables equal or less than 72”
59CMB17 - for use on connecting 78” tables to tables equal or less than 72”
59CMB20 - for use when connecting 78” tables to 78” tables
59CMB26 - for use when connecting 84” tables to tables equal or less than 72”
59CMB29 - for use when connecting 84” tables to 78” tables
59CMB38 - for use when connecting 84” tables to 84” tables

Techflex F6 Split Braided Tube -black	59CMC18	63	18	1.5	1.5	0.5	0.5



ORDERING NOTES
Flexible, semi-rigid wrap-able split braided tube. Used when running cables past corner connecting tops.

DIMENSION KEY

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.


GIRA TABLE OF CONTENTS

163 Environmental Summary
164 Features & Options
165 Wood Finish & Laminates
166 Configurations & Seating Capacities
167 Rectangular Tables
168 Modesty Panels
169 Power

LEED CERTIFICATION



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 77%

POST-CONSUMER
RECYCLED CONTENT - 9%

		CONTRIBUTES TO
Credit 2.1 - 2.2	Construction Waste Management	1-2 point(s)
Credit 3.3	Resource Reuse	1 point
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
Credit 7	Certified Wood (MUST BE REQUESTED)	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.


level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Gira products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Gira products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.

AIR-EMISSIONS
All Gira products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

FSC®
FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Gira and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times...


In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

GIRA FEATURES & OPTIONS



TRAINING TABLE TOP SHAPES
Gira Training are available in Rectangular table top sizes. Dotted line depicts which side the modesty panel is available on. Grommets, PowerPorts and Ports when specified are positioned on the same side as the modesty panel.

WOOD AND LAMINATE WORKSURFACES
Worksurface tops are 1-1/8" thick, 42 lb. particleboard core with backer material. All worksurfaces have a profiled edges on all sides.



EDGE PROFILE
Gira edge profile is available on Wood and Laminate worksurfaces.

WOOD FINISH
A five step catalyzed varnish finish with sheen value of 32° is applied to wood surfaces.

METAL FINISH
Gira bases and metal components are available in powder coated Grey or Black finishes.

BASES
Gira C- bases are available in 20" widths, in Grey or Black finishes and feature 2.5" diameter dual wheel locking casters. They lock with a foot release lever located at the base of the wheel.
NOTE: Grey bases are 2 toned - bottom part of base is white plastic, upper portion of the leg is grey metal.

WIRE MANAGEMENT
Optional base clip on cable managers are available in addition to a Velcro or plastic trough.

MODESTY PANELS
Gira modesty panels are available in wood and laminate.



GANGING BRACKETS
A set of ganging brackets are recommended when 2 or more tables are being joined to one another. These ganging brackets should be ordered along with the tables as a separate line item on the order. The brackets can be stowed underneath the table

FLIP AND NEST CAPABILITY
Gira tables with and without modesty panels are standard with flip top and nesting capability for ease of mobility and efficient storage.



GIRA NESTING TABLES
With innovative design and clever construction, the Gira Nesting table is an ideal solution for training rooms, classrooms or meeting rooms. A simple and easy to operate one handed release handle allows the table top to rotate upward 90 degrees for ease of storage or quick room configuration.

Nested Table Dimensions:
20" D table - 25 5/8"
24" D table - 25 5/8"
30" D table - 25 5/8"

For Example: A 20" D table in a nested position is 25 5/8" D. Add 9 additional nesting tables (9 x 5.5" = 49 1/2"). Therefore, the depth requirement for nested tables is 75"D.

Total space required to nest 10 table is 75" x the length of the table.
Table Height of nested tables:
20" deep - C Base - 38 3/4"
24" deep - C Base - 41 3/4"
30" deep - C Base - 44 3/4"

PACKAGING
Gira packaging features recycled and recyclable cardboard and bubble wrap. The product is shipped as separate components. Bases and modesty panels have to be attached to table top surface after delivery.

Standard Wood Finishes:

SPECIES	FINISH
Cherry	Light Cherry
	Natural Cherry
	American Cherry
	Medium Cherry
	Standard Cherry
	Imperial Cherry
	Appalachian Cherry
	Sable Cherry
Maple	Clear Maple
	Honey Maple
	Wheat Maple
Walnut	Natural Walnut
	Regular Walnut
	Mahogany on Walnut
	Dark Walnut
	Cordovan Walnut
	SilverGrey on Walnut

NATURAL CHARACTERISTICS OF WOOD
Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES
Add 10% list to your order for special finishes, minimum upcharge is $661 list per finish per order. (For example, on all orders up to $6615 list, an upcharge of $694 will apply, on orders $6615 and up add 10% list to your order.) For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

FINISH
Conference products feature Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

WOOD FINISHES TO MATCH STANDARD LAMINATES
Copper on Cherry
Shiraz Cherry
Park Avenue Walnut
Chocolate on Walnut
Nutmeg on Walnut
Hardrock Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR
Hardrock Maple	Formica 86992-58
Dune	Tafisa T491CR
Copper	Tafisa T521CR
Shiraz Cherry	Tafisa T472CR
Park Avenue Walnut	Wilsonart 7984–38
Chocolate	Tafisa T498CR
Nutmeg	Tafisa T477CR
Nightfall	Pionite WX421

Textured Wood Grain Laminates	High Pressure Laminate Supplier
Gingerbread	Tafisa T556UR
Portobello	Tafisa T557UR
Ash	Tafisa T535AT
Willow	Tafisa T543AT
Solid Laminates	
Designer White	Wilsonart D354-60
Platinum	Tafisa T202CR
Earth	Tafisa T767CR
Charcoal	Tafisa T228CR

PHASE OUT LAMINATES Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut


NON-STOCKED LAMINATES
For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

GIRA | TABLE CONFIGURATIONS & SEATING CAPACITIES


SAMPLE CONFIGURATIONS



Model	Qty	Thermofused Laminate W/ PVC Edge	High Pressure Laminate W/Self Edge	Maple Cherry Walnut
53THRT7230	4	1414	1541	1850
Total		**5657**	**6168**	**7403**



Model	Qty	Thermofused Laminate W/ PVC Edge	High Pressure Laminate W/Self Edge	Maple Cherry Walnut
53THRT7230	2	1414	1541	1850
53THRT7224	2	1337	1463	1795
Total		**5505**	**6012**	**7293**



Model	Qty	Thermofused Laminate W/ PVC Edge	High Pressure Laminate W/Self Edge	Maple Cherry Walnut
53THRT7230Y	4	1548	1875	1990
53THRT7224Y	2	1472	1796	1935
Total		**9141**	**11095**	**11835**


SEATING CAPACITY



DESCRIPTION	TOP SIZE LENGTH	TOP SIZE WIDTH	APPROX. SEATING FOR LONG SIDE
Rectangular	48	20	1
	60	20	2
	72	20	2
	48	24	1
	60	24	2
	72	24	2
	48	30	1
	60	30	2
	72	30	2

ORDERING NOTES

When modesty panels are required, there is no seating capacity on that side of the table. There is no seating on the ends due to base locations. To establish seating capacities, an outside chair dimension of 24" has been used, plus an allowance of 5" between chairs, for a total of 29". This is an approximation and based on seating with 5 prong bases. When using chairs with different specifications be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use this same seating formula, when a seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Krug Gira Training tables.

Description	Model	Thermofused Laminate W/ PVC Edge	High Pressure Laminate W/ PVC Edge	Maple Cherry Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Rectangular Table with Flip Top & Modesty Panel	53THRT4820Y	1115	1393	1537	47.75	19.85	29.15	37.85	57.5	5.0
	53THRT4824Y	1164	1442	1575	47.75	23.85	29.15	37.85	67	5.5
	53THRT4830Y	1219	1499	1614	47.75	29.85	29.15	37.85	77.5	6.0
	53THRT6020Y	1218	1517	1624	59.60	19.85	29.15	49.65	63	5.5
	53THRT6024Y	1288	1589	1681	59.60	23.85	29.15	49.65	74	6.0
	53THRT6030Y	1354	1659	1728	59.60	29.85	29.15	49.65	85.5	6.5
	53THRT7220Y	1391	1712	1778	71.60	19.85	29.15	61.50	71	6.0
	53THRT7224Y	1472	1796	1843	71.60	23.85	29.15	61.50	84	6.5
	53THRT7230Y	1548	1875	1896	71.60	29.85	29.15	61.50	98	7.50
Rectangular Table with Flip Top	53THRT4820	980	1060	1403	47.75	19.85	29.15	37.85	57.5	5.0
	53THRT4824	1030	1109	1441	47.75	23.85	29.15	37.85	67	5.5
	53THRT4830	1084	1165	1481	47.75	29.85	29.15	37.85	77.5	6.0
	53THRT6020	1083	1184	1491	59.60	19.85	29.15	49.65	63	5.5
	53THRT6024	1153	1256	1547	59.60	23.85	29.15	49.65	74	6.0
	53THRT6030	1220	1326	1594	59.60	29.85	29.15	49.65	85.5	6.5
	53THRT7220	1256	1379	1645	71.60	19.85	29.15	61.50	71	6.0
	53THRT7224	1337	1463	1710	71.60	23.85	29.15	61.50	84	6.5
	53THRT7230	1414	1541	1762	71.60	29.85	29.15	61.50	98	7.50

ORDERING NOTES:
Gira bases can be specified with cable manager clip, available in Grey or Black, mark clearly on the purchase order and add **$45** to list price above. Cable manager clip can be ordered separately, see page 9.

DIMENSION KEY
W – width
D – depth
H – height of worksurface
KW – kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

KRUG EXPRESS
See page 15 for Krug Express program.


STANDARD FINISHES
For a complete list of standard finishes, please see page 16 for Standard Wood Finishes or In-Stock Laminates.

MODESTY PANELS
Please see page 9 for options and upcharges.

VENEER TOPS
Please note when ordering wood veneer tables, these tables can only be ordered with a wood edge.

GIRA | MODESTY PANELS

Description	Model	Table	Price	Size	W	D	H	Shipping Weight	Cubic Feet
Laminate Modesty Panels	Y26	Rectangle	133	48”	46.5	4	10	8	0.5
				60”	58.5	4	10	10	0.6
				72”	70.5	4	10	12	0.7



ORDERING NOTES
On laminate modesty panels, the grain runs horizontally. To specify a laminate modesty panel, apply above pricing for the specific modesty panel and add “**Y26**” to the end of the tables model number; e.g. 53THRT4820**Y26**.

High Pressure Laminate Modesty Panels	Y23	Rectangle	332	48”	46.5	4	10	8	0.5
				60”	58.5	4	10	10	0.6
				72”	70.5	4	10	12	0.7



ORDERING NOTES
On laminate modesty panels, the grain runs horizontally. To specify a High Pressure Laminate modesty panel, apply above pricing for the specific modesty panel and add “**Y23**” to the end of the tables model number; e.g. 53THRT4820**Y23**.

Wood Modesty Panels	Y21	Rectangle	139	48”	46.5	5	10	8	0.5
				60”	58.5	5	10	10	0.6
				72”	70.5	5	10	12	0.7



ORDERING NOTES
On wood modesty panels, the grain runs vertically. To specify a wood modesty panel, apply above pricing for the specific modesty panel and add “**-21**” to the end of the tables model number; e.g. 53THRT4820**Y21**.

Ganging Brackets	53GANG		52					2	0.25



DIMENSION KEY


W – width
D – depth
H – height

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

STANDARD FINISHES
For a complete list of In-Stock Laminates, please see page 16..


KRUG EXPRESS
See page 15 for Krug Express program.

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
PowerPort 1 - 2 RJ45s (Category 5/6)	PORT1	305	7.5	3.75	-	-	-




Port Includes: 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.
NOTE: RJ45 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.

PowerPort 2 - USB-A & USB-C	PORT2	308	7.5	3.75	-	-	-



Port Includes: 2 accessible power outlets & 1 side utility outlet;1 USB-A & 1 USB-C charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.


PowerPort 3 - RJ11 & RJ45	PORT3	296	7.5	3.75	-	-	-



Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 RJ11 & 1 RJ45 (Category 5/6); 2 Velcro wire managers & PowerPort Shroud; 1 x 10 Foot Data Cords (T568A) & 1 x 14 Foot RJ11 (Telecomm); powered by a 10' plug-in cord.PortPort lid is Silver Metallic.


NOTE: RJ45 & RJ11 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.

PowerPort 4 - 2 USB-A	PORT4	315	7.5	3.75	-	-	-




Port Includes: 2 accessible power outlets & 1 side utility outlet; 2- USB-A charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PortPort shroud. PortPort lid is Silver Metallic.

PowerPort 5 - 4 Receptacles	PORT5	308	7.5	3.75	-	-	-




Port Includes: 4 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.

PowerPort 6 - USB-A, USB-C & RJ45	PORT6	507	7.5	3.75	-	-	-




Top View



Port Includes: 2 accessible power outlets & 1 side utility outlet 1 USB-A, 1 USB-C charging ports all powered by a 10' plug-in power cord. Includes 2 velcro wire managers and metal PortPort shroud with 2 data plate knock outs, 1 #M02 plate insert & 2 #S01W RJ45 female input, punch down terminal output snap in jacks. 2nd data plate knock out is blank for future use. PortPort lid is Silver Metallic.

POWERPORTS


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Port - no Powerbar	Port0	150	8	4	-	-	-



Port Includes: Port lid & Shroud only.

ORDERING NOTE: Velcro wire managers not included, see below for pricing. Port lid is Silver Metallic.


PowerPort Shroud with 2 Data Plate Knock-outs	SHROUD2KO		-	-	-	-	-



Angled PowerPort Shroud Includes: shroud with 2 data plate knock-outs in the bottom.

ORDERING NOTE: Please refer to data plate, data and AV integration options on page 12.

Velcro Wire Manager (qty 1)	WM-4	28	2	4.5	0.5	-	-




2 velcro wire managers are incuded with Ports 1-5.

Wire Management Trough	WM-72	200	72	3	1	-	-




Wire Management Trough is standard in a 72” length & can be cut to specific length; double-sided tape installation.

4-Channel Wire Management	CM-72	254	72	3	1	-	-



4-Channel Wire Management is standard in a 72” length & can be cut to specific length; double-sided tape installation.






Round Grommet	Round Grommet - Silver Metallic	166	-	-	-	-	-
	Round Grommet - Black	166	-	-	-	-	-



One 60mm Grommet in a standard position is available at no charge per table.

Cable Manager Clip	53WM - Grey	45	1.5	4.25	0.5	1	0.25
	53WM - Black	45					



SNAP IN PORTS	Reference Code	Description	List Price
		ADAPTOR PLATES	
	**M02**	**Adaptor Plate (2) -** accepts two snap in data ports	40
	M04	**Adaptor Plate (4) -** accepts four snap in data ports	40
	M06	**Adaptor Plate (6) -** accepts six snap in data ports	40
		ORDERING NOTES: Blank covers are required when port is not in use,	
		**RJ-45** - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	51
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		**RJ11** - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	34
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	**S04**	**HDMI -** High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	190
	**S08**	**USB-A -** Full size USB "A" style connection. Connector is a female-to-female pass through**.**	67

POWER & CABLE MANAGEMENT




POWERPORT
The PowerPort is made from aluminum and featuring a hinged lid, provides a functional and attractive solution for connectivity. The PowerPort comes standard with 3 receptacles, 2 RJ45 jacks and a 10' heavy duty power cord.

The PowerPort is a UL/CSA-approved power/data power bar, which includes three 115-volt electrical convenience outlets, and two charging USB-A ports - all easily accessed just under the worksurface. The PowerPort is Category 5/6 compatible.


PORT
The Port alone (without the powerbar) serves as a large grommet for cable management, or to enable future power-up of the tables. It is 7.5" wide by 4" long, and features an aluminum hinged lid that is designed to be in the closed position when cables pass through to the plug-in. The Port can accommodate multiple cables at once, as well as transformer plugs, through the worksurface.

PowerPorts and Ports can be specified in 3 different locations (left, right or center) depending on the size of the training table surface. On surfaces that are smaller than 60", PowerPorts and Ports are available only in the center position. Modesty Panels are located on the same side as the PowerPort/Ports/Surface Modules.

GIRA TRAINING TABLES SMALLER THAN 60".



GIRA TRAINING TABLES 60" OR LARGER



Position Code: AL – left corner
C – center
AR – right corner




ROUND GROMMET
A round grommet with an open and shut mousehole serves to provide cable passage for areas not requiring a large opening. Round grommets do not provide electrical service. One round grommet per table is provided at no charge, additional round grommets are available for an upcharge of **$166 list** per grommet.

Round grommet Silver Metallic & Black, 60 mm diameter. (2 3/8" approx.)

Grommets can be specified in 3 different locations (left, right or center) depending on the size of the meeting table surface. On surfaces that are smaller than 60", grommets are available only in the center position. Modesty Panels are located on the same side as the Round Grommets.

GIRA TRAINING TABLES SMALLER THAN 60"



GIRA TRAINING TABLES 60" OR LARGER



Position Code: AL – left corner
C – center
AR – right corner


Non-standard locations can be specified, although there are restrictions due to leg positions, and modesty panel positions. An upcharge of **$166 list** per non-standard grommet is applicable. Contact Customer Service for assistance.




CABLE MANAGEMENT
Optional cable manager clip attaches with strong adhesive tape. Extrusion is 4 1/4" long and offers 0.7 square inch wire capacity. Available in Black and Grey.

CONNECTIVITY SOLUTIONS

SCENARIO 1




This symbol refers to: Electrical, Fax, Modem, Telephone, and Network Data



Scenario 1 is the simplest of connectivity solutions. You simply run your electrical and data cables down through the round grommet or port and plug directly into the power source.

SCENARIO 2



Scenario 2 demonstrates when powerports are specified in the worksurfaces. Your electrical and data cables are plugged directly into these units. Both of these power options have 10’ electrical cords and 14’ data cables, that can be channeled through the cable management cavity in the leg and then plugged into the power source. Up to 10 powerports or surface modules can be daisy chained together from one power circuit, when the 14’ data cables are not enough to reach the power source, data cables can be linked together with the use of a data hub. Please check local electrical regulations before linking these units.

CHIT CHAT TABLES | TABLE OF CONTENTS


CHIT CHAT

175 Environmental Summary
176 Product Features & Options
177 Dimensions
178 Chit Chat Tables
179 Chit Chat Bar Tables
180 Chit Chat Counter Tables
181 Chit Chat Occasional Tables

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

		CONTRIBUTES TO
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Chit Chat products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Chit Chat products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.


AIR-EMISSIONS
All Chit Chat products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

FSC®
FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Chit Chat and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times..


In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CHIT CHAT | PRODUCT FEATURES & OPTIONS


TOP SHAPE & GRAIN DIRECTION



Square



Round




Rectangle

EDGE PROFILES




Flat Edge - T




Radius Edge - D

Chit Chat Table tops are 1-1/4” thick and available in two edge profiles. **Note**: Solid surface tops are 1" Solid surface, with .25” support, for a total thickness of 1.25". Solid Surface is only available in the D Radius edge profile. See page 364 for color options.


BASES



Chit Chat Table bases are available in Brushed Stainless Steel, Matte Black or White finishes with non-marring glides.



Cylindrical column with disc base




Square column with square base



Brushed Stainless Steel (-13)





Matte Black (-14)




White (-44)


Model	Width	Depth	Height	Shipping Weight	Cubes
Table					
Square Table -Rounded Corners					
7261242429	24	24	29.5	40	22.25
7261303029	30	30	29.5	45	30.5
7261363629	36	36	29.5	52	40.25
Rectangular Table -Rounded Corners					
7261233029	23	30	29.5	42	18.5
7261243029	24	30	29.5	42	18.5
7261463029	45.75	30	29.5	59	32.75
7261483029	48	30	29.5	85	33.25
7261693029	68.75	30	29.5	96	47.25
7261723029	72	30	29.5	117	49
Round Table					
72052429	24D		29.5	40	15
72053029	30D		29.5	45	22
72053629	36D		29.5	62	30.25
Bar					
Square Table -Rounded Corners					
7261242442	24	24	41.75	45	21.25
7261303042*	30	30	41.75	50	31
7261363642	36	36	41.75	67	42.75
Rectangular Table -Rounded Corners					
7261233042	23	30	41.75	47	25.75
7261243042	24	30	41.75	47	25.75
7261463042	45.75	30	41.75	65	45.25
7261483042	48	30	41.75	95	47
7261693042	68.75	30	41.75	101	65.75
7261723042	72	30	41.75	127	68.5
Round Table					
72052442	25D		41.75	45	21.25
72053042	30D		41.75	50	31
72053642	36D		41.75	67	42.75
Counter					
Square Table -Rounded Corners					
7261242436	24	24	36	45	21.25
7261303036*	30	30	36	50	31
7261363636	36	36	36	67	42.75
Rectangular Table -Rounded Corners					
7261233036	23	30	36	47	25.75
7261243036	24	30	36	47	25.75
7261463036	45.75	30	36	65	45.25
7261483036	48	30	36	95	47
7261693036	68.75	30	36	101	65.75
7261723036	72	30	36	127	68.5
Round Table					
72052436	25D		36	45	21.25
72053036	30D		36	50	31
72053636	36D		36	67	42.75
Occasional					
Square Table -Rounded Corners					
7261242416	24	24	16	35	10.25
7261303016	30	30	16	40	15
7261363616	36	36	16	47	20.5
Rectangular Table -Rounded Corners					
7261233016	23	30	16	37	12.5
7261243016	24	30	16	37	12.5
7261463016	45.75	30	16	54	21.75
7261483016	48	30	16	75	22.75
7261693016	68.75	30	16	91	31.5
7261723016	72	30	16	107	32.75
Round Table					
72052416	24D		16	35	10.25
72053016	30D		16	40	15
72053616	36D		16	57	20.5


CHIT CHAT | TABLE

DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Base						
	7261242429SQ	956	1147	1521	1614	1730	1907
	7261303029SQ	1032	1239	1729	1841	2022	2268
	7261363629SQ	1177	1415	2271	2426	2699	3061
Rectangular Table, -Rounded Corners	Square Plate Base						
	7261233029SQ	975	1170	1606	1709	1842	2045
	7261243029SQ	975	1170	1606	1709	1842	2045
	7261463029SQ	1527	1833	2619	2780	3061	3432
	7261483029SQ	1560	1872	2709	2875	3172	3561
	7261693029SQ	1691	2029	3479	3714	4124	4664
	7261723029SQ	1730	2076	3608	3859	4288	4855
	Round Disc Base						
	7261233029DB	937	1124	1567	1669	1808	2007
	7261243029DB	937	1124	1567	1669	1808	2007
	7261463029DB	1451	1744	2546	2705	2989	3358
	7261483029DB	1488	1786	2634	2801	3097	3487
	7261693029DB	1614	1937	3405	3642	4047	4589
	7261723029DB	1659	1988	3536	3784	4213	4780




ORDERING NOTES:
Rectangular Chit Chat Tables 46” (45.75) and longer include two bases. Please note table sizes 23”, 46” & 69” (68.75) coordinate with all Zola one, two and three-seat Benches.

Round Table	Round Disc Base						
	72052429DB	918	1104	1455	1548	1686	1879
	72053029DB	992	1191	1661	1773	1986	2240
	72053629DB	1148	1378	2202	2354	2548	2682

Model		Price	Shipping Weight	Cubes
Square Plate Base	72541828	379	39.5	1.3
	72542428	445	60 .5	1.6

ORDERING NOTES:
A single 18” base can be used with tops up to a maximum of 30 inches.

Round Disc Base	72141828	340	39.5	1.3
	72142428	418	60 .5	1.6

ORDERING NOTES:
A single 18” base can be used with tops up to a maximum of 30 inches.

ORDERING PROCEDURE

To order please specify the following:

1. Select model number
2. Select top material
3. Select a color for top
4. Select base finish
5. Select edge profile





BASE FINISH

Round Disc Base, Brushed Stainless- DB-13
Square Plate Base, Brushed Stainless- SQ-13
Round Disc Base, White- DB-44
Square Plate Base, White- SQ-44
Round Disc Base, Matte Black- DB-14
Square Plate Base, Matte Black- SQ-14



MATERIALS

For a complete list of Solid Surface colors please see page 348. Solid Surface is only available in the D Radius edge profile.

For a complete list of Laminate colors please see page 179.

DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Base						
	7261242442SQ	1006	1207	1573	1666	1781	1958
	7261303042SQ*	1084	1302	1779	1892	2073	2319
	7261363642SQ	1230	1477	2322	2479	2751	3113
Rectangular Table, -Rounded Corners	Square Plate Base						
	7261233042SQ	1025	1230	1657	1758	1894	2096
	7261243042SQ	1025	1230	1657	1758	1894	2096
	7261463042SQ	1631	1955	2723	2881	3163	3535
	7261483042SQ	1663	1996	2811	2977	3273	3663
	7261693042SQ	1793	2153	3580	3817	4226	4765
	7261723042SQ	1834	2201	3712	3961	4390	4958
	Round Disc Base						
	7261233042DB	963	1155	1593	1695	1833	2033
	7261243042DB	963	1155	1593	1695	1833	2033
	7261463042DB	1514	1815	2599	2760	3042	3411
	7261483042DB	1540	1848	2686	2854	3151	3539
	7261693042DB	1668	2003	3457	3696	4103	4644
	7261723042DB	1710	2051	3589	3839	4267	4834
							
Round Table	Round Disc Base						
	72052442DB	943	1136	1483	1576	1713	1905
	72053042DB	1018	1222	1686	1798	2011	2268
	72053642DB*	1173	1409	2235	2386	2579	2714

ORDERING NOTES:
Rectangular Chit Chat Tables 46” (45.75) and longer include two bases.
Please note table sizes 23”, 46” & 69” (68.75) coordinate with all Zola one, two and three-seat Benches.

Model		Price	Shipping Weight	Cubes
Square Plate Base	72541841	428	42.5	1.6
	72542441	496	63.5	1.9
Round Disc Base	72141841	366	42.5	1.6
	72142441	448	63.5	1.9

ORDERING NOTES:
A single 18” base can be used with tops up to a maximum of 30 inches.

ORDERING NOTES:
A single 18” base can be used with tops up to a maximum of 30 inches.

ORDERING PROCEDURE

To order please specify the following:

1. Select model number
2. Select top material
3. Select a color for top
4. Select base finish
5. Select edge profile

BASE FINISH





Round Disc Base, Brushed Stainless- DB-13
Square Plate Base, Brushed Stainless- SQ-13
Round Disc Base, White- DB-44
Square Plate Base, White- SQ-44
Round Disc Base, Matte Black- DB-14
Square Plate Base, Matte Black- SQ-14

MATERIALS



For a complete list of Solid Surface colors please see page 348. Solid Surface is only available in the D Radius edge profile.

For a complete list of Laminate colors please see page 363.

CHIT CHAT | COUNTER

DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Base						
	7261242436SQ	1006	1207	1573	1666	1781	1958
	7261303036SQ*	1084	1302	1779	1892	2073	2319
	7261363636SQ	1230	1477	2322	2479	2751	3113
Rectangular Table, -Rounded Corners	Square Plate Base						
	7261233036SQ	1025	1230	1657	1758	1894	2096
	7261243036SQ	1025	1230	1657	1758	1894	2096
	7261463036SQ	1631	1955	2723	2881	3163	3535
	7261483036SQ	1663	1996	2811	2977	3273	3663
	7261693036SQ	1793	2153	3580	3817	4226	4765
	7261723036SQ	1834	2201	3712	3961	4390	4958
	Round Disc Base						
	7261233036DB	963	1155	1593	1695	1833	2033
	7261243036DB	963	1155	1593	1695	1833	2033
	7261463036DB	1514	1815	2599	2760	3042	3411
	7261483036DB	1540	1848	2686	2854	3151	3539
	7261693036DB	1668	2003	3457	3696	4103	4644
	7261723036DB	1710	2051	3589	3839	4267	4834
							
Round Table	Round Disc Base						
	72052436DB	943	1136	1483	1576	1713	1905
	72053036DB	1018	1222	1686	1798	2011	2268
	72053636DB*	1173	1409	2235	2386	2579	2714

ORDERING NOTES:
Rectangular Chit Chat Tables 46” (45.75) and longer include two bases.
Please note table sizes 23”, 46” & 69” (68.75) coordinate with all Zola one, two and three-seat Benches.

Model		Price	Shipping Weight	Cubes
Square Plate Base	72541836	428	41.5	1.4
	72542436	496	62.5	1.7
Round Disc Base	72141836	366	41.5	1.4
	72142436	448	62.5	1.7

ORDERING NOTES:
A single 18” base can be used with tops up to a maximum of 30 inches.

ORDERING NOTES:
A single 18” base can be used with tops up to a maximum of 30 inches.

ORDERING PROCEDURE

To order please specify the following:

1. Select model number
2. Select top material
3. Select a color for top
4. Select base finish
5. Select edge profile





BASE FINISH

Round Disc Base, Brushed Stainless- DB-13
Square Plate Base, Brushed Stainless- SQ-13
Round Disc Base, White- DB-44
Square Plate Base, White- SQ-44
Round Disc Base, Matte Black- DB-14
Square Plate Base, Matte Black- SQ-14



MATERIALS & FINISHES

For a complete list of Solid Surface colors please see page 348. Solid Surface is only available in the D Radius edge profile.

For a complete list of Laminate colors please see page 363.

DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Base						
	7261242416SQ	956	1147	1521	1614	1730	1907
	7261303016SQ	1032	1239	1729	1841	2022	2268
	7261363616SQ	1177	1415	2271	2426	2699	3061
Rectangular Table, -Rounded Corners	Square Plate Base						
	7261233016SQ	975	1170	1606	1709	1842	2045
	7261243016SQ	975	1170	1606	1709	1842	2045
	7261463016SQ	1527	1833	2619	2780	3061	3432
	7261483016SQ	1560	1872	2709	2875	3172	3561
	7261693016SQ	1691	2029	3479	3714	4124	4664
	7261723016SQ	1730	2076	3608	3859	4288	4855
	Round Disc Base						
	7261233016DB	937	1124	1567	1669	1808	2007
	7261243016DB	937	1124	1567	1669	1808	2007
	7261463016DB	1451	1744	2546	2705	2989	3358
	7261483016DB	1488	1786	2634	2801	3097	3487
	7261693016DB	1614	1937	3405	3642	4047	4589
	7261723016DB	1659	1988	3536	3784	4213	4780
							
Round Table	Round Disc Base						
	72052416DB	918	1104	1455	1548	1686	1879
	72053016DB	992	1191	1661	1773	1986	2240
	72053616DB	1148	1378	2202	2354	2548	2682

ORDERING NOTES:
Rectangular Chit Chat Tables 46” (45.75) and longer include two bases. Please note table sizes 23”, 46” & 69” (68.75) coordinate with all Zola one, two and three-seat Benches.

Model		Price	Shipping Weight	Cubes
Square Plate Base	72541815	379	37	1.1
	72542415	445	58	1.4
Round Disc Base	72141815	340	37	1.1
	72142415	418	58	1.4

ORDERING NOTES:
A single 18” base can be used with tops up to a maximum of 30 inches.

ORDERING NOTES:
A single 18” base can be used with tops up to a maximum of 30 inches.

ORDERING PROCEDURE

To order please specify the following:

1. Select model number
2. Select top material
3. Select a color for top
4. Select base finish
5. Select edge profile

BASE FINISH

Round Disc Base, Brushed Stainless- DB-13
Square Plate Base, Brushed Stainless- SQ-13
Round Disc Base, White- DB-44
Square Plate Base, White- SQ-44
Round Disc Base, Matte Black- DB-14
Square Plate Base, Matte Black- SQ-14

MATERIALS & FINISHES

For a complete list of Solid Surface colors please see page 348. Solid Surface is only available in the D Radius edge profile.

For a complete list of Laminate colors please see page 363.

MILLENNIUM | TABLE OF CONTENTS

MILLENNIUM CONFERENCE TABLES

183 Environmental Summary
184 Features & Options
185 Special Pricing Guidlines
186 Tops
188 Bases
189 Base Requirements Chart
190 Power Box

CONNEXUS™ TABLETOP CONNECTIVITY SOLUTION

191 Connexus™
193 Preconfigured Standard Modules
195 Preconfigured Large Modules
196 Custom Connexus™
198 Port Options
202 Connexus™ Location Charts


MILLENNIUM MEDIA

207 Media

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 74%

POST-CONSUMER
RECYCLED CONTENT - 2.5%

		Contributes To
Credit 2.1 - 2.2	Construction Waste Management	1-2 point(s)
Credit 3.3	Resource Reuse	1 point
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (must be requested)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 6	Rapidly Renewable Materials (must be requested)	1 point
Credit 7	Certified Wood (must be requested)	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Millennium products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Millennium products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.

AIR-EMISSIONS
All Millennium products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

FSC
www.fsc.org
FSC® C021699
The mark of responsible forestry

FSC®
FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Millennium and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times..

In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

MILLENNIUM | FEATURES & OPTIONS

EDGE PROFILES

Millennium conference product is available in Oak, Maple, Walnut and Cherry with a 32° sheen and seven distinctive edge details. Millennium conference product edge profiles match those of Millennium casegoods. Please specify an edge profile for all Millennium conference tops, and bases where indicated.



Seville
- contrasting crisp and rounded sculpted edge



Madrid
- ribbon fluted edge



Zamora
- bull nose edge



Valen
- transitional beveled edge



Barcelona
- half round edge



Williamsburg
- traditional edge



Torrens
- softened square edge

DRAWER PULLS



Oyster



Luna



Eclipse



Crescent



Williamsburg

Pulls are available in Satin Nickel, Matte Black, Polished Chrome, Black Chrome, and Brushed Brass. Pull color must be mentioned clearly on the purchase order. Pulls are located on all drawer fronts, storage wood doors, and bookcase wood doors. Glass door bookcases feature the Luna knob in the same finish as pulls on the order. Glass door hutches and wood door hutches do not have pulls. If a pull style and finish is not provided, the Eclipse pull in Black Chrome will be applied to the product. A Williamsburg pull in polished brass finish is standard on all products specified with the Williamsburg edge detail.

BASES

All bases are shipped separately and require assembly to selected top. Refer to the base requirements chart on page 173 to select the appropriate bases and sizes for conference tops. Round drums and rectangular conference bases require an edge profile to be specified, please select from the drawings shown in the previous section. Metal bases are available in a choice of chrome or black powder coat epoxy.

FINISH

A five step catalyzed varnish finish that when dry has a sheen value of 32°, is applied to all cases.

CUSTOM CONFERENCE TABLES

Krug has extensive capabilities for customization of conference tables, including special sizes, finishes, veneers, and special features such as ganging or mobility options. Please contact Customer Service with specific requirements and a drawing for more information.

SEATING CAPABILITIES

To establish seating capabilities, an outside chair dimension of 24” has been used for this price list, plus an allowance of 5” between chairs, for a total of 29”. This is an approximation only. When using another chair, particularly seating with a 5 prong caster base, be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use this same formula, when a seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Krug Conference product.

BIRDSEYE MAPLE

Birdseye Maple veneer is available on 6800 Millennium conference tops at an upcharge of **$82 list** per square foot. Birdseye Maple is recommended in a clear finish only. This option could extend regular lead times.

LAMINATE WORKSURFACES

Laminate worksurfaces are available at an upcharge of 10% (a higher upcharge may apply to specially priced plastic laminates). Where there are wood profile edges on worksurface tops, they will remain as wood profiles on laminate tops. Krug will order and procure laminates. Purchase orders with a plastic laminate option must include Laminate Name.

Krug reserves the right to decline a laminate that may not be suitable for the application. Krug assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate. Laminates may extend the normal lead-time, check with Customer Service for current scheduling information. Please see page 363 for laminate information.

CONFERENCE
Custom sizing and additional customization is available on Krug Conference product.
For more information or to obtain quotations, please contact Krug Customer Service.

Other Customization Pricing Methods for Conference

One side square add **$261**

OTHER PRICING METHODS

6800 & 9800 - any case where tops are

Flush left/right or both add: **$132**

9800 storage units-flush **$218**

6800 glass tops on buffets add: **$2615** for 60", 72", & 84" cases

Grommets in non-standard positions **$166 list.**
Microphone cut outs per table for up to 7 microphone cut outs **$416 list**

EXCEPTIONS TO THE PRICING METHODS ABOVE

Sizes larger than largest shown in Price List.

Non-standard extension on drawer slides.

Non-standard drawer depths in standard depth pedestals.

Glass door – any style.

Curvilinear tops with non-standard radius.

A/V cabinets.

Any case with flipper doors.

Lecterns.

Conference tables with non-standard bases, power boxes or positions.

6200 conference tables – non-standard sizes.

Please contact Krug Customer Service at 1.888.578.KRUG if you require assistance.

PLEASE NOTE: Cases with non-standard features do not apply to the rules above.
Contact Krug Customer Service if you require assistance.

MILLENNIUM | TOPS

Description	Model	Cherry Maple Walnut	Approx. Seating	Sections	Shipping Weight	Cubes
Millennium Square and Rectangular Tops	6801-36-36	2342	4	1	52	3
	6801-42-42	2620	4	1	58	4
	6801-48-36	2688	4	1	65	3
	6801-48-42	2873	4	1	72	4
	6801-48-48	2956	4	1	84	4
	6801-60-30	3106	6	1	68	4
	6801-60-36	3176	6	1	78	4
	6801-60-60	4550	6	1	132	6
	6801-72-36	3461	6	1	100	5
	6801-84-42	4450	8	2	140	7
	6801-96-42	4875	8	2	180	8
	6801-96-48	5299	8	2	200	9
	6801-120-48	6400	10	3	240	11
	6801-120-54	6948	10	3	265	12
	6801-144-54	7965	12	3	310	14
	6801-168-54	9566	12	4	355	16
	6801-192-54	10442	12	4	400	18
	6801-216-60	11952	14	5	490	23
	6801-240-60	13282	16	5	560	25
	6801-264-60	14601	16	6	630	28
	6801-288-60	15943	18	6	700	30
Millennium Racetrack Tops	6802-72-36	4314	6	1	100	5
	6802-84-42	4608	8	2	140	7
	6802-96-42	4899	8	2	160	8
	6802-96-48	5289	8	2	185	9
	6802-120-48	6780	10	3	225	11
	6802-120-54	7269	10	3	255	14
	6802-144-54	8123	12	3	300	16
	6802-168-54	9768	12	4	345	16
	6802-192-54	10653	12	4	390	18
	6802-216-60	12584	14	5	480	23
	6802-240-60	13973	16	5	550	25
	6802-264-60	15375	16	6	620	28
	6802-288-60	16460	18	6	690	30

All Millennium Conference products are available on the Krug Express Program with a size limitation of up to and including 168” tables only.

ORDERING PROCEDURE

To order, please specify the following:

1) Krug product model number
2) Wood species and finish
3) Wood edge detail - S, V, T, M, B, Z or W see page 168

STANDARD FINISHES

For a complete list of standard finishes please see page 363.

BASE REQUIREMENTS

See Page 173 for the base requirements chart.

Description	Model	Cherry Maple Walnut	Approx. Seating	Sections	Shipping Weight	Cubes
Millennium Boat Shaped Tops	6804-96-48-42	5666	8	2	185	8
	6804-120-48-42	7779	10	2	255	10
	6804-144-48-42	8698	12	2	300	12
	6804-168-48-42	10454	12	3	345	12
	6804-192-54-48	11397	12	4	390	18
	6804-216-54-48	13462	14	5	480	23
	6804-240-54-48	14953	16	5	550	25
	6804-264-60-48	16453	16	6	620	28
	6804-288-60-48	17615	18	6	690	30
Millennium Arc Ended Tops	6806-72-36	4396	6	1	100	5
	6806-84-42	4694	8	2	140	7
	6806-96-42	4992	8	2	160	8
	6806-96-48	5390	8	2	185	9
	6806-120-48	6910	10	3	225	11
	6806-120-54	7404	10	3	255	14
	6806-144-54	8280	12	3	300	16
	6806-168-54	9952	12	4	345	16
	6806-192-54	10854	12	4	390	18
	6806-216-60	12823	14	5	480	23
	6806-240-60	14245	16	5	550	25
	6806-264-60	15669	16	6	620	28
	6806-288-60	16774	18	6	690	30
Millennium Round Tops	6805-36 dia.	2385	3	1	48	3
	6805-42 dia.	2794	4	1	54	4
	6805-48 dia.	3038	5	1	74	4
	6805-54 dia.	4029	6	1	100	6
	6805-60 dia.	5024	7	1	134	6

All Millennium Conference products are available on the Krug Express Program with a size limitation of up to and including 168” tables only.

ORDERING PROCEDURE

To order, please specify the following:

1) Krug product model number
2) Wood species and finish
3) Wood edge detail - S, V, T, M, B, Z or W
see page 168


See page 346 for *KrugExpress* program.

STANDARD FINISHES
For a complete list of standard finishes please see page 363.

WIRE ACCESS DOORS
Please specify wire access doors on bases when ordering tops in conjunction with wiring grommets.


MILLENNIUM | BASES

Description	Model	Cherry Maple Walnut	L	W	H	Shipping Weight	Cubes
Round Wood Drum Millennium Edge Detail	6810-18D-29 6810-24D-29 6810-30D-29	1345 1368 1788	18 Dia. 24 Dia. 30 Dia.	– – –	29 29 29	97 115 135	7 14 20



Please select a Millennium edge detail for this item.
Please add **WMD** to the end of the model number for wire management.
Wire management cavity for this base is:
6810-18D-29 – 18” diameter by 16” in height
6810-24D-29 – 24” diameter by 16” in height
6810-30D-29 – 30” diameter by 16” in height


Description	Model	Cherry Maple Walnut	L	W	H	Shipping Weight	Cubes
Half Round Wood Drum Millennium Edge Detail	6809-18-9-29 6809-24-12-29 6809-30-15-29	1081 1302 1420	18 Dia. 24 Dia. 30 Dia.	9 12 15	29 29 29	68 89 110	4 8 12



Please select a Millennium edge detail for this item.
Please add **WMD** to the end of the model number for wire management.
Wire management cavity for this base is:


6809-18-9-29 – 1/2 of 18” diameter by 13 1/4” in height
6809-24-12-29 – 1/2 of 24” diameter by 17 1/4” in height
6809-30-15-29 – 1/2 of 30” diameter by 17 1/4” in height

Description	Model	Cherry Maple Walnut	L	W	H	Shipping Weight	Cubes
Elliptical Wood Panel	6816-24-6-29 6816-30-6-29	1404 1509	24 30	6 6	29 29	25 35	4 6



Wire management cavity for this base is:
6816-24-6-29 – 24” elliptical shape width by 25” in height
6816-30-6-29 – 30” elliptical shape width by 25” in height

Description	Model	Cherry Maple Walnut	L	W	H	Shipping Weight	Cubes
Wood Panel	6815-28-6-29 6815-34-6-29	1215 1304	28 34	6 6	29 29	30 50	4 6



Wire management cavity for this base is:
6815-28-6-29 – 28” x 6” rectangular by 25” in height
6815-28-6-29 – 34” x 6” rectangular by 25” in height

DIMENSION KEY
L — length
W — width
H — height





Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

STANDARD FINISHES
For a complete list of standard finishes please see page 363.

BASE REQUIREMENTS
See page 173 for the base requirements chart.

POWER BOXES
See page 174 for information on conferencing power boxes.








MILLENNIUM | BASE REQUIREMENTS CHART

	Half Round Drum Base 6809		Round Drum Base 6810		Elliptical Wood Panel 6816		Wood Panel 6815	
								
Top Size	Quantity	Size	Quantity	Size	Quantity	Size		
36 diameter			1	18				
36 - 36			1	18				
42 diameter			1	18				
42 - 42			1	18				
48 - 36			1	18				
48 - 42			1	18				
48 diameter			1	18				
48 - 48			1	18				
54 diameter			1	24				
54 - 54			1	24				
60 - 30	2	18	2	18				
60 - 36	2	18	2	18	2	24	2	28
60 diameter			1	30				
60 - 60				1	30			
72 - 36	2	18	2	18	2	24	2	28
84 - 42	2	18	2	18	2	24	2	28
96 - 42	2	18	2	18	2	24	2	28
96 - 48	2	18	2	18	2	24	2	28
96-48-42	2	18	2	18	2	24	2	28
120 - 48	2**	18	2	18	3	24	3	28
120-48-42			2	18	3	24	3	28
120 - 54	2*	24	2	24	3	30	3	34
144 - 54	2*	24	2	24	3	30	3	34
144-48-42	2**	18	3	18	3	24	3	28
168 - 54	2*	24	3	24	4	30	4	34
168-48-42			3	18	3	24	3	28
192 - 54	2*	24	3	24	4	30	4	34
192-54-48			2	18	2	24	2	28
			1	24	2	30	2	34
216-54-48			2	18	2	24	2	28
			1	24	3	30	3	34
216 - 60			3	30	5	30	5	34
240-54-48			2	18	2	24	2	28
			2	24	3	30	3	34
240 - 60			4	30	5	30	5	34
264 - 60			4	30	6	30	6	34
264-60-48			2	18	2	24	2	28
			2	30	4	30	4	34
288 - 60			4	30	6	30	6	34
288-60-48			2	18	2	24	2	28
			2	30	4	30	4	34








*Add an additional 24” diameter drum base for center-support.
**Add an additional 18” diameter drum base for center-support.

MILLENNIUM POWER BOX UPCHARGES

This chart applies to Millennium & Stratford square/rectangular, racetrack, arc ended and round tops:


Single / Multi Section Tops	Standard Top Sizes	$ Upcharge per table
 68PB	36 diameter 36-36 42 diameter 42-42 48-36 48-42 48 diameter 48-48	1059
	54 diameter 54-54 60 diameter 60-60	2121
	60-30 60-36 72-36	2121
	84-42 96-42 96-48	2121
	120-48	2121
	120 - 54 *144 - 54	4454
	*168 - 54 *192 - 54	4454
	216 - 60	6784
	240 - 60 288 - 60	9111

This chart applies to Millennium & Stratford boat shaped tops: racetrack, arc ended and round tops:

Single / Multi Section Tops	Standard Top Sizes	$ Upcharge per table
	96-48-42 144-48-42	2121
	144-48-42	2121
	120-48-42	3178
	168-48-42 192-54-48	2121
	216 - 54 - 48	4454
	240 - 54 - 48	6784
	264-60-48 288-60-48	6784

* Stratford Conference tops only, feature single power box configuration.

Note: When specified with power boxes, standard tops sizes must be ordered in configurations shown above.
Upcharges shown are list prices.



Indicate 18” round and square drum bases with one power box facing ends of top.



Indicate 24” and 30” round and square bases with twin power box facing sides of top.

Connexus™ is Krug's proprietary tabletop connectivity solution. When opened, it presents power and data outlets on a convenient angle to the user and provides storage for wiring.


The faceplate of Connexus™ is available in either Glass or Aluminum and sits flush with the tabletop. It is designed to allow wiring to pass through the surface cover in both the open and closed positions. The faceplate opens to a 100˚ angle from the table top.

Connexus™ utilizes UL standard receptacle outlets. Connexus™ offers 11 pre-configured units with a wide selection of power, data and presentation system outlets, or alternatively can be purchased with just electrical ports with blank data ports. Connexus™ also can be designed and built specifically to meet your connectivity needs by using the snap-in or plate mounted port options.


All corded units can be modified to allow the units to be hard wired by an electrician and data ports can be reconfigured easily when desired. To facilitate this process, the Enclosure Box of each Connexus™ module is easily removable.

*All duplex outlets are contained within a metal box that is attached to the Partition Plate. If additional outlets need to be added in the future, these boxes need to be ordered from Krug to expand the enclosure. All modifications must be done by a qualified electrician.


The label drawing shown below illustrates the way a Connexus™ module is shipped to the user. The Partition Plate is mounted on-site to the underside of the top with the Enclosure Box over top to conceal the module. Please note, enclosure boxes are not required when modules are enclosed in a base. Enclosure boxes are not supplied with Connexus™ modules; they must be ordered separately when required.



Standard Connexus™ Components




Standard Connexus™ Module




Blank Connexus™ Module

CONNEXUS™ SIZES



Standard - 3 Gang



Large - 4 Gang

Connexus™ modules may be specified in Standard or Large sizes.

Standard modules are available in 7 standard configurations or custom configurations. Connexus™ modules in Standard configurations are 6 1/8" x 7 3/8". Depth on Standard module is 4.5".

Large modules are available in 4 standard configurations or custom configurations. Connexus™ modules in Large configurations are 8 1/4" x 7 3/8". Depth on Large module is 4.5".

CONNEXUS™

Connexus™ modules are wired independently of each other to maximize the amount of electrical devices serviced. All Connexus™ modules may sustain individual loads of 15 amps or 12 amps of continuous load. Each Connexus™ module will require a single isolated circuit to maximize its service capabilities. An optional utility a/c power outlet is available on the back surface of the outlet box.
Connexus™ components are UL and CSA US approved and manufactured in accordance to the National Electrical Code. Hardwiring Connexus™ modules on-site must be performed by a licensed electrician. Connexus™ units can be ordered with an optional utility outlet, which is located on the bottom side of the Connexus™ unit and underneath the work surface. Other Connexus™ products could employ these utility outlets as a source of power. In this scenario, it is solely the responsibility of the end user to assure that proper circuit protection is in place that never exceeds the 15 Ampere Circuit Breaker Rating.

ELECTRICAL CORD LENGTHS
Connexus™ modules come with pre-determined electrical cord lengths that are suited to the size and configuration of each table (16' & 25'). Each will plug into a standard floor monument power source. However, in situations where a table length exceeds our maximum cord length, a second power entry is necessary to avoid daisy-chaining of electrical power. To determine when a second power entry is required follow these steps:


1. Select your Connexus™ locations.
2. Select your Floor Monument Location(s) if they do not already exist in the room.
3. If the number of Connexus™ modules exceed three consecutive positions left or right of the power entry, then an additional power entry will be required.


Note: Connexus™ modules in pairs count as one position.


HARDWIRING ON SITE

For hardwiring on-site by electricians, please use the following schematic:

1. Power Supply Cord
2. Strain Relief
3. Fork Terminals
4. Duplex Receptacles
5. Outlets with Circuit Breaker Assembly
6. Handy Box








Standard - 3 GANG

Port Options	Model #	List Price Aluminum	List Price Glass
BASIC DATA	62 CON BD	1172	1297




A (2) Blanks (for future use)

B (2) RJ45 port (Category 6)

C (2) AC power ports

BASIC VOICE DATA	62 CON BV	1137	1260




A (2) Blanks (for future use)

B (1) RJ11 port
(1) RJ45 port (Category 6)

C (2) AC power ports

EXPANDED DATA	62 CON ED	1440	1563




A (4) RJ45 port (Category 6)

B (2) AC power ports

C (2) AC power ports / with 15 amp circuit breaker

EXPANDED VOICE/DATA	62 CON	1474	1599




A (2) RJ11 port
(4) RJ45 port (Category 6)

B (2) AC power ports

C (2) AC power ports / with 15 amp circuit breaker

BASIC MULTIMEDIA	62 CON BM	1332	1453



A (1) RJ11 port
(1) RJ45 port (Category 6)


B (1) 3.5 mm Mini
(1) VGA Type 15 pin HD

C (2) AC power ports


ORDERING NOTE: Enclosure box is only required only when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your purchase order and add the $332 per Connexus™.

CONNEXUS™ | PRECONFIGURED STANDARD MODULES

Standard - 3 GANG




Port Options	Model #	List Price Aluminum	List Price Glass
DATA & MULTIMEDIA	62 CON DM	1832	1954
A: (1) RJ11 (1) RJ45 (1) Fiber Optic LC Duplex (1) 3.5mm Stereo Mini (1) USB “A” (1) HDMI			
B: (1) DVI-I (1) VGA			
C: (2) AC power ports			





BASIC FIBRE OPTIC & MULTIMEDIA	62 CON BF	1758	1882
A: (2) Fibre Optic SC Simplex (2) Fiber Optic LC Duplex (1) RJ11 (1) RJ45			
B: (1) HDMI (1) 3.5mm Stereo Mini (2) USB “A” (2) Blanks			
C: (2) AC power ports			

ORDERING NOTE: Enclosure box is only required only when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your purchase order and add the $332 per Connexus™.



STANDARD BLANK MODULE Blank Modules does not include the Connexus™ lid.	62 CON X1	141





DUPLEX OUTLET ENCLOSURE To be used when adding duplex outlets to existing Connexus™ Modules.	62 CON OUTBOX-1 62 CON OUTBOX-2 62 CON OUTBOX-3	53 72 90

Large - 4 GANG

Port Options	Model #	List Price Aluminum	List Price Glass
NETWORK AND POWER CENTRE (A) (6) RJ-45 ports (B) (2) AC power ports (C) (2) AC power ports (D) (2) AC power ports/with 15 amp circuit breaker	62 CON NP	1795	1903
BASIC MULTIMEDIA WITH 2X POWER (A) (1) RJ11 port (1) RJ45 port (B) (1) 3.5 mm Mini with 2x Power (1) VGA type 15 pin HD (C) (2) AC power ports (D) (2) AC power ports/with 15 amp circuit breaker	62 CON B2	1643	1749
DATA & MULTIMEDIA WITH 2X POWER (A) (1) RJ11 port (1) RJ45 port (1) 1 Fiber Optic LC Duplex (1) 1 3.5mm Stereo Mini (1) 1 USB “A” (1) 1 HDMI (B) (1) DVI-I (1) VGA (C) (2) AC power ports (D) (2) AC power ports/with 15 amp circuit breaker	62 CON DM2	2150	2255
EXPANDED FIBRE OPTIC AND MULTIMEDIA (A) (2) Fibre Optic SC Simplex (4) Fiber Optic LC Duplex (B) (1) HDMI, (1) Stereo 3.5 Mini (2) USB “A”, (1) RJ45 (1) RJ11 (C) (2) AC power port (D) (2) AC power ports/with 15 amp circuit breaker	62 CON EF	2238	2346
LARGE BLANK MODULE	62 CON X2		162

Blank Modules does not include the Connexus™ lid.

ORDERING NOTE: Enclosure box is only required when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your purchase order and add the $332 per Connexus™.






CONNEXUS™ | CUSTOM CONNEXUS™







Planning a custom Connexus™ unit is easy when following these 6 simple steps.

STEP ONE: Select the quantity of AC power ports or AC power ports with USB Charging (select configurations only) that are required.


Power modules must always be positioned starting from the right side of the unit. For example, 3 gang Connexus™ can have a power module located in position C with data ports in position A and B, or power can be located in position B and C with data port in position A, or position A,B and C can have all power ports or all data ports. Please note, 4 gang Connexus™ are not available with power ports located in position A.

On select configurations shown below, USB charging outlets are available. These charging outlets allow a user to charge most personal electronic devices without the need for any special power adapter or a computer - simply plug in your device with any compatible USB cable. This component has 2 USB charging slots that supply 5V DC at 700mA. Comes with a charging indicator light, as well as a standard 120 volt simplex receptacle on the bottom portion of the component.


Standard Connexus™		List Price
	3 Gang: Data ports only	
	E300 - Standard Data Ports	90
	3 Gang: AC Power Port	
	E31S - Standard Outlet	622
	E31U - Standard & Utility Outlets	666
	3 Gang: AC Power Port / AC Power Port with 15 amp circuit breaker	
	E32S -Standard Outlet	815
	E32U - Standard & Utility Outlet	862
	3 Gang: AC Power Port Simplex with USB Charging/AC Power Port with 15 amp circuit breaker	
	E32SC - Standard Outlet	1084
	E32UC - Standard & Utility Outlet	1130
	3 Gang: (2) AC Power Port / AC Power Port with 15 amp circuit breaker	
	E33S - Standard Outlet	996
	E33U - Standard & Utility Outlet	1038

Large Connexus™		List Price
	4 Gang: Data Ports only	
	E400 - Large Data Ports	186
	4 Gang: AC Power Port	
	E41S - Large Outlet	701
	E41U - Large & Utility Outlets	745
	4 Gang: AC Power Port / AC Power Port with 15 amp circuit breaker	
	E42S - Large Outlet	916
	E42U - Large & Utility Outlets	959
	4 Gang: AC Power Port Simplex with USB Charging/AC Power Port with 15 amp circuit breaker	
	E42SC - Standard Outlet	1180
	E42UC - Standard & Utility Outlet	1227
	4 Gang: (2) AC Power Port / AC Power Port with 15 amp circuit breaker	
	E43S - Large Outlet	977
	E43U - Large & Utility Outlets	1022
	4 Gang: (2) AC Power Port Simplex with USB Charging/AC Power Port with 15 amp circuit breaker	
	E43SC - Standard Outlet	1242
	E43UC - Standard & Utility Outlet	1287

STEP TWO : There are two cord end options available; Plug In and Conduit. The standard Plug In option will connect with any standard floor monument power source. The Conduit option is Liquatite® (a steel inner conduit with a PVC overlay) by Anamet, meant for specific hard wiring applications. Units can come in cord lengths of 16’ or 25’. Not Applicable if no power is selected.




EP
Electrical Plug In
No Upcharge



EC
Electrical Conduit
Add upcharge

16’	150
25’	239


STEP THREE: There are two data options available; Plate mounted ports or Snap-in ports. Snap-in ports are available in configurations of two, four or six. Choose the faceplate below that meets your data requirements. If an odd number of Snap-in ports are required, a blank port needs to be selected when the opening is not in use.



M02

Mounting Plate (2)
accepts two snap in data ports


Add $40 list



M06

Mounting Plate (6)
accepts six snap in data ports


Add $40 list



M04

Mounting Plate (4)
accepts four snap in data ports

Add $40 list




M00

Mounting Plates


Add $39 list

STEP FOUR: Choose the Plate mounted port or Snap-in ports options for non-powered positions. As an aid, use the chart below to help design and build your Connexus™ to meet the rooms needs. Use the check boxes and list the components on the lines below.

Standard Connexus™




Large Connexus™



STEP FIVE: Select the Connexus™ Cover (Aluminum or Glass)


Standard Connexus™



3 GANG

3CCA	Aluminum	$379 list
3CFG	Glass	$468 list
3C00	No Lid	

Large Connexus™



4 GANG

4CCA	Aluminum	$391 list
4CFG	Glass	$483 list
4C00	No Lid	

STEP SIX: Enclosure box is only required only when the Connexus™ is not positioned over a base.
If an enclosure box is required, please clearly state this requirement on your order and add the $332 per Connexus™.

STEP SEVEN: Calculate the total list price for the custom Connexus™ by adding the following prices:

- Connexus™ Box with required AC Power Ports
- Faceplate (Snap-in Ports Only)
- Snap-In Ports or Plate Mounted Data Ports
- Enclosure Box (if required)
- Connexus™ Lid (Aluminum or Glass)

CONNEXUS™ | PORT OPTIONS



























PLATE MOUNTED PORTS	Reference Code	Description	List Price
	**P01**	**VGA & 3.5 STEREO MINI -** Use for VGA (DB15) connections and for 3.5mm stereo connections. Connector is a female input with screw terminal output (back side of Console interface).	157
	**P02**	**DVI-I DUAL (DIGITAL/ANALOG) & 3.5 STEREO MINI -** Use for DVI Integrated - Digital and Analog connections and for 3.5mm stereo connection. The DVI connector is a Dual Link. DVI-I connector is a female-to-female pass through and the 3.5 Mini is a female input with screw terminal output (back side of Console interface).	233
	**P03**	**DVI-D DUAL (DIGITAL) -** Use for DVI-D Digital only connection. The connector is a Dual Link. Connector is a female-to-female pass through.	150
	**P04**	**DVI-I DUAL (DIGITAL/ANALOG) & VGA -** Use for DVI Integrated - Digital and Analog and for VGA (DB15) connections. The DVI connector is a Dual Link. Both connectors are female-to-female pass through.	298
	**P05**	**DVI-I DUAL (DIGITAL/ANALOG) -** Use for DVI Integrated -Digital and Analog connections. DVI connector is a Dual Link. Connector is a female-to-female pass through.	190
	**P06**	**VGA-2 -** Use for two VGA (DB15) connections. Both connectors are female-to-female pass through.	184
	**P07**	**DISPLAYPORT -** Use for DisplayPort connection. This connector is primarily used to connect a video source to a display device and also carries audio signals, Connector is a female input to a 3’ corded output (back side of Console interface) with a male Display Port termination.	184

PLATE MOUNTED PORTS	Reference Code	Description	List Price
	**P08**	**MICROPHONE XLR STANDARD -** Use for standard size XLR microphone connection. Connector is a female input with a 3 pin screw terminal output (back side of Console interface).	250
	**P09**	**MICROPHONE STANDARD XLR -2 -** Use for two standard size XLR microphone connections. Each connector is a female input with a 3 pin screw terminal output (back side of Console interface).	366
	**P10**	**3 HOLE CABLE PASS THROUGH -** Use for running loose cables from the under side of the table up into the Console interface cavity. Often used with running wires for PolyCom™ devices.	58
	**P11**	**VGA-to-BNCx2 -** Use for two VGA (DB15) connections that are input female pass through and are terminated on the output (back side of Console interface) with 5 BNC female pigtail connections, for each VGA connector.	597
	**P12**	**INPUT VGA & 3.5 Stereo (POWERED) -** VGA + Audio Line Driver designed for VGA (DB15) connections and for 3.5mm stereo connections. This unit provides a method of transmitting signals to a remote display and audio receiver or amplifier. VGA connector is a female input and comes with cabling for either VGA output, or 5 BNC output and the 3.5 Mini is a female input with screw terminal output (back side of Console interface). A 9 volt DC 500mA power supply is required to power this unit.	1462

PORT ACCESSORIES	Reference Code	Description	List Price
	**DVIR**	**DVI-REPEATER -** Is a cable equalizer that automatically compensates for long DVI cable runs. This unit extends the canadable cable distance up to 130ft depending on the quality of the cable and the resolution of the video signal. Additionally, it is capable of extending dual link signals allowing for much greater resolutions and refresh rates. This unit comes with a power supply and is generally mounted underneath a table.	1152

CONNEXUS™ | PORT OPTIONS


SNAP IN PORTS	Reference Code	Description	List Price
		**RJ-45** - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	51
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		**RJ11** - Telephone type connection. Connector is a female input with a#110 punch -down terminal block output (back side of Console interface) for on-site hard wire connection.	34
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	**S03**	**3.5 STEREO MINI -** 3.5mm stereo connection. Connector is a female input with screw terminal output (back side of Console interface).	100
	**S04**	**HDMI -** High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	190
	**S05**	**RCA-LEFT -** RCA left audio channel connection. Color coded with black. Connector is a female-to-female pass through.	40
	**S06**	**RCA-RIGHT -**RCA right audio channel connection. Color coded with red. Connector is a female-to-female pass through.	40
	**S07**	**RCA- VIDEO -** RCA video channel connection. Color coded with yellow. Connector is a female-to-female pass through.	40
	**S08**	**USB-A -** Full size USB “A” style connection. Connector is a female-to-female pass through.	67

SNAP IN PORTS	Reference Code	Description	List Price
	**S09**	**3 PIN MINI XLR** - 3 Pin Mini XLR microphone connection. Connector is a female input to a 6' corded output (back side of Console interface) with a 3 Pin Mini XLR male termination.	813
	**S10**	**S-VIDEO -** S-Video connection. Connector is a female-to-female pass through.	74
	**S11**	**PS/2 (6 PIN MINI DIN) -** PS/2 (mouse, keyboard, other input devices) connections. Connector is a female-to-female pass through.	93
	**S12**	**BNC -** BNC style data connection for use with co-axial cable. Connector is a female-to-female pass through.	51
	**S13**	**F-TYPE -** F-Type (DSL,Cable) connections, generally for high speed Internet or video applications. Connector is a female-to-female threaded pass through.	40
	**S14**	**FIBER OPTIC SC -** Fibre Optic SC Simplex connection. Connector is a female-to-female pass through. Please note that two of these connectors are required to complete the data transmissions to and from the source and destination units.	51
	**S15**	**FIBER OPTIC LC -** Fibre Optic LC Duplex connection. Connector is a female-to-female pass through. One connector only is required to complete the data transmissions to and from source and destination units.	100
	**S16**	**USB–B –** USB "B" type connection. Connector is a female "B" input to a female "A" output (back side of Console interface). This connector is reversible.	150
	**S17**	**RJ12** (White) - RJ12 style PolyCom™ connection. Connector is a female input with a 6' corded output (back side) of Console interface) with a male RJ12 termination.	324
	**S00**	**BLANK COVER -** Blank covers are required when port is not in use.	16

NOTE: Up to 6 snap-in data ports can be ordered for open data positions. Snap-in adaptors can accept 2, 4 or 6 snap-in data ports. Please order a blank port when an odd number of snap-in ports are specified.


MILLENNIUM | CONNEXUS™ LOCATIONS CHARTS

TOP STYLES






BASE STYLES



Round Drum Base


The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules. Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it.
Note: One Connexus™ module is available where two modules are shown. Please refer to location code above the drawing for single center location in which case the Connexus™ unit will face West if on the left end of the top, and East if on the right end of the top.
For large Connexus™ units please replace “3” in location code with “4”.

ACN3




Represents 42” and 48” top locations

ACN3




Represents 42”, 48” and 54” top locations

ACN3



Represents 60” top locations

ACN3



Represents 60” top locations

18” Drum bases will accommodate single standard Connexus™ units only.
24” Drum bases will accommodate single standard or large Connexus™ units only.
30” Drum bases will accommodate single or double standard or large Connexus™ units.

REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE

REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE


TOP STYLES








BASE STYLES




The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules. Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it.
Note: One Connexus™ module is available where two modules are shown. Please refer to location code above the drawing for single center location in which case the Connexus™ unit will face West if on the left end of the top, and East if on the right end of the top.
For large Connexus™ units please replace “3” in location code with “4”.


48″




60″




72″




84″




96″




120″




144″




168″ & 192″




216″




240″



264″



288″



18” Drum bases will accommodate single standard Connexus™ units only.
24” Drum bases will accommodate single standard or large Connexus™ units only.
30” Drum bases will accommodate single or double standard or large Connexus™ units.




REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE




REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

MILLENNIUM | CONNEXUS™ LOCATIONS CHARTS

TOP STYLES




BASE STYLES




The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules. Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it.
Note: One Connexus™ module is available where two modules are shown. Please refer to location code above the drawing for single center location in which case the Connexus™ unit will face West if on the left end of the top, and East if on the right end of the top.
For large Connexus™ units please replace “3” in location code with “4”.


96″ & 120″




144″




168″




192″




216″




240″



264″



288″



18” Drum bases will accommodate single standard Connexus™ units only.
24” Drum bases will accommodate single standard or large Connexus™ units only.
30” Drum bases will accommodate single or double standard or large Connexus™ units.



REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE



REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE


TOP STYLES








BASE STYLES




Wood Panel




Elliptical
Wood Panel

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.
Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it.
Note: One Connexus™ module is available where two modules are shown. Please refer to location code above the drawing for single center location in which case the Connexus™ unit will face West if on the left end of the top, and East if on the right end of the top.
For large Connexus™ units please replace “3” in location code with “4”.


72″




84″ & 96″




120″ & 144″




168″ & 192″




216″




240″



264″



288″





REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE




REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

MILLENNIUM | CONNEXUS™ LOCATIONS CHARTS


TOP STYLES

Boat

BASE STYLES




Wood Panel




Elliptical
Wood Panel

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.
Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it.
Note: One Connexus™ module is available where two modules are shown. Please refer to location code above the drawing for single center location in which case the Connexus™ unit will face West if on the left end of the top, and East if on the right end of the top.
For large Connexus™ units please replace “3” in location code with “4”.


96″




120″
&
144″




168″




192″



216″
&
240″




264″
&
288″



REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE


REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

Description	Model	Cherry Maple Walnut	W	D	H	Shipping Weight	Cubes
Visual Boards	68VB-3632	3767	36.25	5.25	32	89	4
	68VB-4832	4104	48	5.25	32	105	6
	68VB-4848	4317	48	5.25	48	143	9




Includes an upholstered tackboard or optional cork surface. Please specify a tackboard fabric when ordering.
Visual boards also include a flip chart and four dry erase markers.
An optional pull down screen is also available at **$305 list**.

Full Height Lectern	68LN-272348	5382	27.25	23	48.5	194	21




Includes one open shelf and one closed shelf, an electrical plug-in and four casters.
An adjustable reading light is also available at an upcharge of **$287 list.**
Please select hardware pull and finish.

Table Top Lectern	68LN-272320	2002	27.2	22.8	19.6	30	7



Buffet	68BU-712036	6862	71	20.25	36	380	55




Includes one cutlery tray in drawer and an adjustable shelf in each of the three storage compartments.
Please select hardware pull and finish.

Audio Visual Mobile Cabinet	68TV-362461	7210	36	24.25	61	210	44



Cabinet has pocket doors on top and hinged doors on bottom.
Includes a pull-out swivel T.V. shelf, a VCR shelf, grommets for wire management and air vents in back panel.

Mobile Cart	68PS-362436	4267	36.25	24.25	36	145	20



Interior shelf is adjustable. Cart comes with a 2” grommet in back center located 8 1/2” below the top.

ORDERING PROCEDURE
To order, please specify the following:

1) Krug product model number
2) Wood species and finish
3) Wood edge detail - S, V, T, M, B, Z or W see page 168
4) Pull style and finish, see page 168

STANDARD FINISHES
For a complete list of standard finishes please see page 363.

BASE REQUIREMENTS
See page 173 for the base requirements chart.

STRATFORD | TABLE OF CONTENTS

STRATFORD | CONFERENCE TABLES

209 Environmental Summary
210 Features & Options
211 Tops
212 Bases
213 Base Requirements Chart
214 Power Box

CONNEXUS™ TABLETOP CONNECTIVITY SOLUTION

215 Connexus™
217 Preconfigured Standard Modules
219 Preconfigured Large Modules
220 Custom Connexus™
222 Port Options
226 Connexus™ Location Charts


STRATFORD | MEDIA

231 Media

LEED CERTIFICATION



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 74%

POST-CONSUMER
RECYCLED CONTENT - 2.5%

		CONTRIBUTES TO
Credit 2.1 - 2.2	Construction Waste Management	1-2 point(s)
Credit 3.3	Resource Reuse	1 point
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
Credit 7	Certified Wood (MUST BE REQUESTED)	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Stratford products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Stratford products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.

AIR-EMISSIONS
All Stratford products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

FSC
www.fsc.org
FSC® C021699
he mark of responsible forest

FSC®
FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Stratford and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times..

In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

STRATFORD | FEATURES & OPTIONS

PROFILES
Stratford conference product is available in all standard Cherry and Walnut, profile is shown below:



top profile




base profile

BASES
All bases are shipped separately and require assembly to selected top.
Refer to the base requirement chart on page 197 to select the appropriate bases and sizes for conference tops.

FINISH
A five step catalyzed varnish finish that when dry has a sheen value of 52°, is applied to all finished cases.

DRAWER PULLS
Stratford traditional series offers a choice of three pull combinations as described below.
Please indicate a pull designation for every Stratford product on your order. There is no default selection and orders will not be processed until a pull selection is received.



DEVON
Drawers are furnished with an arced Devon bail finished in antiqued brass and mounted with rosettes.
Bookcase doors and hutch doors are provided with an antiqued brushed brass knob.



CANTERBURY
Drawers are furnished with a Canterbury bail finished in antiqued brass and mounted with rosettes.
Bookcase doors are provided with an antiqued brushed brass knob.






AVON
All drawers, bookcase doors are provided with an antiqued brushed brass knob.

SEATING CAPABILITIES
To establish seating capabilities, an outside chair dimension of 24” has been used for this price list, plus an allowance of 5” between chairs, for a total of 29”. This is an approximation only. When using another chair, particularly seating with a 5 prong caster base, be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use this same formula, when a seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Krug Conference product.

DATA AND POWER OPTIONS
Data and power options can be specified on all Stratford conference product.
The power pod on page 215 has surface mounted electrical access and data or communication ports for ease of use of powered items on the conference table top. Standard location for this item is over a base to allow cable management to the floor.
Please specify location on the purchase order or provide a drawing at time of order.
The power box on page 215 features two power outlets, one RJ-11 phone line coupler and one RJ-45 data coupler. Power boxes are finished in a black sand-tex powder coat, and when closed is lowered to a flush table top position.

LAMINATE WORKSURFACES
Laminate worksurfaces are available at an upcharge of 10% (a higher upcharge may apply to specially priced plastic laminates). Where there are wood profile edges on worksurface tops, they will remain as wood profiles on laminate tops. Krug will order and procure laminates. Purchase orders with a plastic laminate option must include Laminate Name.
Krug reserves the right to decline a laminate that may not be suitable for the application. Krug assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate. Laminates may extend the normal lead-time, check with Customer Service for current scheduling information. Please see page 363 for laminate information.

CUSTOM CONFERENCE TABLES
Krug has extensive capabilities for customization of conference tables, including special sizes, finishes, veneers, and special features such as ganging or mobility options. Please contact Customer Service with specific requirements and a drawing for more information.

Description	Model	Cherry Walnut	Approx. Seating	Sections	Shipping Weight	Cubes
Stratford square and rectangular tops	9801-36-36	2251	4	1	40	3
	9801-42-42	2514	4	1	44	4
	9801-48-36	2580	4	1	50	4
	9801-48-42	2761	4	1	55	4
	9801-48-48	2842	4	1	64	5
	9801-60-30	2984	6	1	52	8
	9801-60-36	3050	6	1	60	8
	9801-72-36	3324	6	1	80	10
	9801-84-42	4277	8	2	107	12
	9801-96-42	4681	8	2	138	14
	9801-96-48	5088	8	2	152	14
	9801-120-48	6143	10	3	183	18
	9801-120-54	6673	10	3	202	18
	9801-144-54	7646	12	3	237	21
	9801-168-54	9190	12	4	271	26
	9801-192-54	10026	12	4	305	28
	9801-216-60	11476	14	5	374	28
	9801-240-60	12751	16	5	428	39
	9801-264-60	14023	16	6	481	44
	9801-288-60	15311	18	6	534	47
Stratford racetrack tops	9802-96-42	4704	8	2	122	10
	9802-96-48	5082	8	2	142	14
	9802-120-48	6515	10	3	172	18
	9802-120-54	6980	10	3	195	18
	9802-144-54	7802	12	3	229	21
	9802-168-54	9380	12	4	264	26
	9802-192-54	10236	12	4	298	29
	9802-216-60	12083	14	5	366	36
	9802-240-60	13421	16	5	420	39
	9802-264-60	14766	16	6	473	41
	9802-288-60	15807	18	6	527	47
Stratford boat-shaped tops	9804-96-48-42	5340	8	2	142	14
	9804-120-48-42	7329	10	3	195	18
	9804-144-48-42	8198	12	3	229	21
	9804-168-48-42	9853	12	3	263	26
	9804-192-54-48	10742	12	4	298	29
	9804-216-54-48	12691	14	5	366	36
	9804-240-54-48	14092	16	5	420	39
	9804-264-60-48	15505	16	6	473	41
	9804-288-60-48	16603	18	6	527	47

All Stratford Conference products are available on the Krug Express Program with a size limitation of up to and including 168" tables only.

ORDERING PROCEDURE

To order, please specify the following:

1) Krug product model number
2) Wood species and finish

STANDARD FINISHES
For a complete list of standard finishes please see page 363.


WIRE ACCESS DOORS
Please specify wire access doors on round bases when specifying conference product with power boxes or wiring grommets.

BASE REQUIREMENTS
See page 197 for the base requirements chart.

POWER BOXES
See page 198 for information on conferencing power boxes.


STRATFORD | TOPS AND BASES

Description	Model	Cherry Walnut	Approx. Seating	Sections	Shipping Weight	Cubes
Stratford round tops	9805-36D	2102	3	1	42	3
	9805-42D	2460	4	1	48	4
	9805-48D	2675	5	1	54	5
	9805-54D	3551	6	1	74	7
	9805-60D	4421	7	1	100	8




All Stratford Conference products are available on the Krug Express Program with a size limitation of up to and including 168” tables only.

Round drum base	9810-18D-30	1072	18 diameter	29	97	7
	9810-24D-30	1088	24 diameter	29	115	14
	9810-30D-30	1361	30 diameter	29	180	19




Wire management cavity for this base is:
9810-18D-30 – 18” diameter by 16” in height
9810-24D-30 – 24” diameter by 16” in height
9810-24D-30 – 30” diameter by 16” in height
Please add **WMD** to the end of the model number for wire management.

Description	Model	Cherry Walnut	W	D	H	Shipping Weight	Cubes
Square base	9818-1818-30	1285	17.75	17.75	29	99	7
	9818-2424-30	1306	23.75	23.75	29	117	14




The square drum base has a removable side panel to allow access to the hidden cable management cavity.
Wire management cavity for this base is:
9818-1818-30 – 18” square by 25” in height
9818-2424-30 – 24” square by 25” in height

Panel base	9815-28-6-30	967	27.75	5.75	29	30	4
	9815-34-6-30	1037	33.75	5.75	29	50	6



The panel base has a removable side panel to allow access to the hidden cable management cavity.
Wire management cavity for this base is:
9815-28-6-30 – 28” x 6” rectangular by 25” in height
9815-34-6-30 – 28” x 6” rectangular by 25” in height

Pedestal base	9817	1059	26.5	26.5	29	40	10



48” and 54” diameter tops come standard with a larger pedestal base.

DIMENSION KEY
W — width
D — depth
H — height





Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

See page 346 for *KrugExpress* program.

STANDARD FINISHES
For a complete list of standard finishes please see page 363.

BASE REQUIREMENTS
See page 197 for the base requirements chart.








POWER BOXES
See page 198 for information on conferencing power boxes.

	Round Drum 9810		Square drum 9818		Panel base 9815		Pedestal panel 9817	
								
Top Size	Quantity	Size	Quantity	Size	Quantity	Size	Quantity	Size
36 diameter	1	18					1	
36 - 36	1	18	1	18				
42 diameter	\						1	
42 - 42	1	18	1	18				
48 - 36	1	18	1	18				
48 - 42	1	18	1	18				
48 diameter	1	18	1	18			1	
48 - 48	1	18	1	18				
54 diameter	1	24					1	
60 - 30	2	18	2	18				
60 - 36	2	18	2	18				
60 diameter	1	30						
72 - 36	2	18	2	18				
84 - 42	2	18	2	18	2	28		
96 - 42	2	18	2	18	2	28		
96 - 48	2	18	2	18	2	28		
96-48-42	2	18	2	18	2	28		
120 - 48	2	18	2	18	3	28		
120-48-42	2	18	2	18	3	28		
120 - 54	2	18	2	18	3	34		
144 - 54	2	24	2	24	3	34		
144-48-42	3	18	3	18	3	28		
168 - 54	3	18	3	18	4	34		
168-48-42	3	18	3	18	3	28		
192 - 54	3	18	3	18	4	34		
192-54-48	3	18	3	18	4	34		
216-54-48	2	18	2	18	5	34		
	1	24	1	24				
216 - 60	3	24	3	24	5	34		
240-54-48	4	24	4	24	5	34		
240 - 60	4	24	4	24	5	34		
264 - 60	4	24	4	24	6	34		
264-60-48	4	24	4	24	6	34		
288 - 60	4	24	4	24	6	34		
288-60-48	4	24	4	24	6	34		








*Add an additional 24” diameter drum base for center-support.
**Add an additional 18” diameter drum base for center-support.

STRATFORD POWER BOX UPCHARGES

This chart applies to Stratford square/rectangular, racetrack, arc ended and round tops:

Single / Multi Section Tops	Standard Top Sizes	$ Upcharge per table
 68PB	36 diameter 36-36 42 diameter 42-42 48-36 48-42 48 diameter 48-48	1059
	54 diameter 54-54 60 diameter 60-60	2121
	60-30 60-36 72-36	2121
	84-42 96-42 96-48	2121
	120-48	2121
	120 - 54 *144 - 54	4454
	*168 - 54 *192 - 54	4454
	216 - 60	6784
	240 - 60 288 - 60	9111

This chart applies to Stratford boat shaped tops: racetrack, arc ended and round tops:

Single / Multi Section Tops	Standard Top Sizes	$ Upcharge per table
	96-48-42 144-48-42	2121
	144-48-42	2121
	120-48-42	3178
	168-48-42 192-54-48	2121
	216 - 54 - 48	4454
	240 - 54 - 48	6784
	264-60-48 288-60-48	6784

* Stratford Conference tops only, feature single power box configuration.

Note: When specified with power boxes, standard tops sizes must be ordered in configurations shown above.
Upcharges shown are list prices.



Indicate 18” round and square drum bases with one power box facing ends of top.



Indicate 24” and 30” round and square bases with twin power box facing sides of top.

Connexus™ is Krug's proprietary tabletop connectivity solution. When opened, it presents power and data outlets on a convenient angle to the user and provides storage for wiring.


The faceplate of Connexus™ is available in either Glass or Aluminum and sits flush with the tabletop. It is designed to allow wiring to pass through the surface cover in both the open and closed positions. The faceplate opens to a 100˚ angle from the table top.

Connexus™ utilizes UL standard receptacle outlets. Connexus™ offers 11 pre-configured units with a wide selection of power, data and presentation system outlets, or alternatively can be purchased with just electrical ports with blank data ports. Connexus™ also can be designed and built specifically to meet your connectivity needs by using the snap-in or plate mounted port options.


All corded units can be modified to allow the units to be hard wired by an electrician and data ports can be reconfigured easily when desired. To facilitate this process, the Enclosure Box of each Connexus™ module is easily removable.

*All duplex outlets are contained within a metal box that is attached to the Partition Plate. If additional outlets need to be added in the future, these boxes need to be ordered from Krug to expand the enclosure. All modifications must be done by a qualified electrician.


The label drawing shown below illustrates the way a Connexus™ module is shipped to the user. The Partition Plate is mounted on-site to the underside of the top with the Enclosure Box over top to conceal the module. Please note, enclosure boxes are not required when modules are enclosed in a base. Enclosure boxes are not supplied with Connexus™ modules; they must be ordered separately when required.



Standard Connexus™ Components




Standard Connexus™ Module




Blank Connexus™ Module

CONNEXUS™ SIZES



Standard - 3 Gang



Large - 4 Gang

Connexus™ modules may be specified in Standard or Large sizes.

Standard modules are available in 7 standard configurations or custom configurations. Connexus™ modules in Standard configurations are 6 1/8" x 7 3/8". Depth on Standard module is 4.5".

Large modules are available in 4 standard configurations or custom configurations. Connexus™ modules in Large configurations are 8 1/4" x 7 3/8". Depth on Large module is 4.5".

CONNEXUS™

Connexus™ modules are wired independently of each other to maximize the amount of electrical devices serviced. All Connexus™ modules may sustain individual loads of 15 amps or 12 amps of continuous load. Each Connexus™ module will require a single isolated circuit to maximize its service capabilities. An optional utility a/c power outlet is available on the back surface of the outlet box.
Connexus™ components are UL and CSA US approved and manufactured in accordance to the National Electrical Code. Hardwiring Connexus™ modules on-site must be performed by a licensed electrician. Connexus™ units can be ordered with an optional utility outlet, which is located on the bottom side of the Connexus™ unit and underneath the work surface. Other Connexus™ products could employ these utility outlets as a source of power. In this scenario, it is solely the responsibility of the end user to assure that proper circuit protection is in place that never exceeds the 15 Ampere Circuit Breaker Rating.

ELECTRICAL CORD LENGTHS
Connexus™ modules come with pre-determined electrical cord lengths that are suited to the size and configuration of each table (16' & 25'). Each will plug into a standard floor monument power source. However, in situations where a table length exceeds our maximum cord length, a second power entry is necessary to avoid daisy-chaining of electrical power. To determine when a second power entry is required follow these steps:


1. Select your Connexus™ locations.
2. Select your Floor Monument Location(s) if they do not already exist in the room.
3. If the number of Connexus™ modules exceed three consecutive positions left or right of the power entry, then an additional power entry will be required.


Note: Connexus™ modules in pairs count as one position.


HARDWIRING ON SITE

For hardwiring on-site by electricians, please use the following schematic:

1. Power Supply Cord
2. Strain Relief
3. Fork Terminals
4. Duplex Receptacles
5. Outlets with Circuit Breaker Assembly
6. Handy Box








Standard - 3 GANG

Port Options	Model #	List Price Aluminum	List Price Glass
BASIC DATA	62 CON BD	1137	1260




A — (2) Blanks (for future use)

B — (2) RJ45 port (Category 6)

C — (2) AC power ports

BASIC VOICE DATA	62 CON BV	1440	1563




A — (2) Blanks (for future use)

B — (1) RJ11 port
(1) RJ45 port (Category 6)

C — (2) AC power ports

EXPANDED DATA	62 CON ED	1474	1599




A — (4) RJ45 port (Category 6)

B — (2) AC power ports

C — (2) AC power ports / with 15 amp circuit breaker

EXPANDED VOICE/DATA	62 CON	1332	1453




A — (2) RJ11 port
(4) RJ45 port (Category 6)

B — (2) AC power ports

C — (2) AC power ports / with 15 amp circuit breaker

BASIC MULTIMEDIA	62 CON BM	1830	1954



A — (1) RJ11 port
(1) RJ45 port (Category 6)


B — (1) 3.5 mm Mini
(1) VGA Type 15 pin HD

C — (2) AC power ports


ORDERING NOTE: Enclosure box is only required only when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your purchase order and add the $332 per Connexus™.

CONNEXUS™ | PRECONFIGURED STANDARD MODULES

Standard - 3 GANG




Port Options	Model #	List Price Aluminum	List Price Glass
DATA & MULTIMEDIA	62 CON DM	1832	1954
A: (1) RJ11 (1) RJ45 (1) Fiber Optic LC Duplex (1) 3.5mm Stereo Mini (1) USB “A” (1) HDMI			
B: (1) DVI-I (1) VGA			
C: (2) AC power ports			





BASIC FIBRE OPTIC & MULTIMEDIA	62 CON BF	1758	1882
A: (2) Fibre Optic SC Simplex (2) Fiber Optic LC Duplex (1) RJ11 (1) RJ45			
B: (1) HDMI (1) 3.5mm Stereo Mini (2) USB “A” (2) Blanks			
C: (2) AC power ports			

ORDERING NOTE: Enclosure box is only required only when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your purchase order and add the $332 per Connexus™.




STANDARD BLANK MODULE Blank Modules does not include the Connexus™ lid.	62 CON X1	141






DUPLEX OUTLET ENCLOSURE To be used when adding duplex outlets to existing Connexus™ Modules.	62 CON OUTBOX-1 62 CON OUTBOX-2 62 CON OUTBOX-3	53 72 90


Large - 4 GANG




Port Options	Model #	List Price Aluminum	List Price Glass
NETWORK AND POWER CENTRE	62 CON NP	1795	1903
A (6) RJ-45 ports			
B (2) AC power ports			
C (2) AC power ports			
D (2) AC power ports/with 15 amp circuit breaker			




BASIC MULTIMEDIA WITH 2X POWER	62 CON B2	1643	1749
A (1) RJ11 port (1) RJ45 port			
B (1) 3.5 mm Mini with 2x Power (1) VGA type 15 pin HD			
C (2) AC power ports			
D (2) AC power ports/with 15 amp circuit breaker			



DATA & MULTIMEDIA WITH 2X POWER	62 CON DM2	2150	2255
A (1) RJ11 port (1) RJ45 port (1) 1 Fiber Optic LC Duplex (1) 1 3.5mm Stereo Mini (1) 1 USB “A” (1) 1 HDMI			
B (1) DVI-I (1) VGA			
C (2) AC power ports			
D (2) AC power ports/with 15 amp circuit breaker			



EXPANDED FIBRE OPTIC AND MULTIMEDIA	62 CON EF	2238	2346
A (2) Fibre Optic SC Simplex (4) Fiber Optic LC Duplex			
B (1) HDMI, (1) Stereo 3.5 Mini (2) USB “A”, (1) RJ45 (1) RJ11			
C (2) AC power port			
D (2) AC power ports/with 15 amp circuit breaker			



LARGE BLANK MODULE	62 CON X2	162	

Blank Modules does not include the Connexus™ lid.

ORDERING NOTE: Enclosure box is only required when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your purchase order and add the $332 per Connexus™.






CONNEXUS™ | CUSTOM CONNEXUS™







Planning a custom Connexus™ unit is easy when following these 6 simple steps.

STEP ONE: Select the quantity of AC power ports or AC power ports with USB Charging (select configurations only) that are required.


Power modules must always be positioned starting from the right side of the unit. For example, 3 gang Connexus™ can have a power module located in position C with data ports in position A and B, or power can be located in position B and C with data port in position A, or position A,B and C can have all power ports or all data ports. Please note, 4 gang Connexus™ are not available with power ports located in position A.

On select configurations shown below, USB charging outlets are available. These charging outlets allow a user to charge most personal electronic devices without the need for any special power adapter or a computer - simply plug in your device with any compatible USB cable. This component has 2 USB charging slots that supply 5V DC at 700mA. Comes with a charging indicator light, as well as a standard 120 volt simplex receptacle on the bottom portion of the component.


Standard Connexus™	List Price
 3 Gang: Data ports only	90
E300 - Standard Data Ports	
 3 Gang: AC Power Port	
E31S - Standard Outlet	622
E31U - Standard & Utility Outlets	666
 3 Gang: AC Power Port / AC Power Port with 15 amp circuit breaker	
E32S -Standard Outlet	815
E32U - Standard & Utility Outlet	862
 3 Gang: AC Power Port Simplex with USB Charging/AC Power Port with 15 amp circuit breaker	
E32SC - Standard Outlet	1084
E32UC - Standard & Utility Outlet	1130
 3 Gang: (2) AC Power Port / AC Power Port with 15 amp circuit breaker	
E33S - Standard Outlet	996
E33U - Standard & Utility Outlet	1038

Large Connexus™	List Price
 4 Gang: Data Ports only	
E400 - Large Data Ports	186
 4 Gang: AC Power Port	
E41S - Large Outlet	701
E41U - Large & Utility Outlets	745
 4 Gang: AC Power Port / AC Power Port with 15 amp circuit breaker	
E42S - Large Outlet	916
E42U - Large & Utility Outlets	959
 4 Gang: AC Power Port Simplex with USB Charging/AC Power Port with 15 amp circuit breaker	
E42SC - Standard Outlet	1180
E42UC - Standard & Utility Outlet	1227
 4 Gang: (2) AC Power Port / AC Power Port with 15 amp circuit breaker	
E43S - Large Outlet	977
E43U - Large & Utility Outlets	1022
 4 Gang: (2) AC Power Port Simplex with USB Charging/AC Power Port with 15 amp circuit breaker	
E43SC - Standard Outlet	1242
E43UC - Standard & Utility Outlet	1287

STEP TWO : There are two cord end options available; Plug In and Conduit. The standard Plug In option will connect with any standard floor monument power source. The Conduit option is Liquatite® (a steel inner conduit with a PVC overlay) by Anamet, meant for specific hard wiring applications. Units can come in cord lengths of 16’ or 25’. Not Applicable if no power is selected.




EP
Electrical Plug In
No Upcharge



EC
Electrical Conduit
Add upcharge
16’
25’


STEP THREE: There are two data options available; Plate mounted ports or Snap-in ports. Snap-in ports are available in configurations of two, four or six. Choose the faceplate below that meets your data requirements. If an odd number of Snap-in ports are required, a blank port needs to be selected when the opening is not in use.



M02

Mounting Plate (2)
accepts two snap in data ports


Add $39 list



M06

Mounting Plate (6)
accepts six snap in data ports


Add $39 list



M04

Mounting Plate (4)
accepts four snap in data ports

Add $39 list




M00

Mounting Plates


Add $39 list

STEP FOUR: Choose the Plate mounted port or Snap-in ports options for non-powered positions. As an aid, use the chart below to help design and build your Connexus™ to meet the rooms needs. Use the check boxes and list the components on the lines below.

Standard Connexus™




Large Connexus™



STEP FIVE: Select the Connexus™ Cover (Aluminum or Glass)


Standard Connexus™



3 GANG

3CCA	Aluminum	$416 list
3CFG	Glass	$515 list
3C00	No Lid	

Large Connexus™



4 GANG

4CCA	Aluminum	$430 list
4CFG	Glass	$532 list
4C00	No Lid	

STEP SIX: Enclosure box is only required only when the Connexus™ is not positioned over a base.
If an enclosure box is required, please clearly state this requirement on your order and add the $332 per Connexus™.

STEP SEVEN: Calculate the total list price for the custom Connexus™ by adding the following prices:

- Connexus™ Box with required AC Power Ports
- Faceplate (Snap-in Ports Only)
- Snap-In Ports or Plate Mounted Data Ports
- Enclosure Box (if required)
- Connexus™ Lid (Aluminum or Glass)

CONNEXUS™ | PORT OPTIONS



























PLATE MOUNTED PORTS	Reference Code	Description	List Price
	**P01**	**VGA & 3.5 STEREO MINI -** Use for VGA (DB15) connections and for 3.5mm stereo connections. Connector is a female input with screw terminal output (back side of Console interface).	157
	**P02**	**DVI-I DUAL (DIGITAL/ANALOG) & 3.5 STEREO MINI -** Use for DVI Integrated - Digital and Analog connections and for 3.5mm stereo connection. The DVI connector is a Dual Link. DVI-I connector is a female-to-female pass through and the 3.5 Mini is a female input with screw terminal output (back side of Console interface).	233
	**P03**	**DVI-D DUAL (DIGITAL) -** Use for DVI-D Digital only connection. The connector is a Dual Link. Connector is a female-to-female pass through.	150
	**P04**	**DVI-I DUAL (DIGITAL/ANALOG) & VGA -** Use for DVI Integrated - Digital and Analog and for VGA (DB15) connections. The DVI connector is a Dual Link. Both connectors are female-to-female pass through.	298
	**P05**	**DVI-I DUAL (DIGITAL/ANALOG) -** Use for DVI Integrated -Digital and Analog connections. DVI connector is a Dual Link. Connector is a female-to-female pass through.	190
	**P06**	**VGA-2 -** Use for two VGA (DB15) connections. Both connectors are female-to-female pass through.	184
	**P07**	**DISPLAYPORT -** Use for DisplayPort connection. This connector is primarily used to connect a video source to a display device and also carries audio signals, Connector is a female input to a 3’ corded output (back side of Console interface) with a male Display Port termination.	184

PLATE MOUNTED PORTS	Reference Code	Description	List Price
	**P08**	**MICROPHONE XLR STANDARD -** Use for standard size XLR microphone connection. Connector is a female input with a 3 pin screw terminal output (back side of Console interface).	250
	**P09**	**MICROPHONE STANDARD XLR -2 -** Use for two standard size XLR microphone connections. Each connector is a female input with a 3 pin screw terminal output (back side of Console interface).	366
	**P10**	**3 HOLE CABLE PASS THROUGH -** Use for running loose cables from the under side of the table up into the Console interface cavity. Often used with running wires for PolyCom™ devices.	58
	**P11**	**VGA-to-BNCx2 -** Use for two VGA (DB15) connections that are input female pass through and are terminated on the output (back side of Console interface) with 5 BNC female pigtail connections, for each VGA connector.	597
	**P12**	**INPUT VGA & 3.5 Stereo (POWERED) -** VGA + Audio Line Driver designed for VGA (DB15) connections and for 3.5mm stereo connections. This unit provides a method of transmitting signals to a remote display and audio receiver or amplifier. VGA connector is a female input and comes with cabling for either VGA output, or 5 BNC output and the 3.5 Mini is a female input with screw terminal output (back side of Console interface). A 9 volt DC 500mA power supply is required to power this unit.	1462

PORT ACCESSORIES	Reference Code	Description	List Price
	**DVIR**	**DVI-REPEATER -** Is a cable equalizer that automatically compensates for long DVI cable runs. This unit extends the canadable cable distance up to 130ft depending on the quality of the cable and the resolution of the video signal. Additionally, it is capable of extending dual link signals allowing for much greater resolutions and refresh rates. This unit comes with a power supply and is generally mounted underneath a table.	1152

CONNEXUS™ | PORT OPTIONS

SNAP IN PORTS	Reference Code	Description	List Price
		**RJ-45** - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	51
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		**RJ11** - Telephone type connection. Connector is a female input with a#110 punch -down terminal block output (back side of Console interface) for on-site hard wire connection.	34
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	**S03**	**3.5 STEREO MINI -** 3.5mm stereo connection. Connector is a female input with screw terminal output (back side of Console interface).	100
	**S04**	**HDMI -** High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	190
	**S05**	**RCA-LEFT -** RCA left audio channel connection. Color coded with black. Connector is a female-to-female pass through.	40
	**S06**	**RCA-RIGHT -**RCA right audio channel connection. Color coded with red. Connector is a female-to-female pass through.	40
	**S07**	**RCA- VIDEO -** RCA video channel connection. Color coded with yellow. Connector is a female-to-female pass through.	40
	**S08**	**USB-A -** Full size USB “A” style connection. Connector is a female-to-female pass through.	67

SNAP IN PORTS	Reference Code	Description	List Price
	**S09**	**3 PIN MINI XLR** - 3 Pin Mini XLR microphone connection. Connector is a female input to a 6' corded output (back side of Console interface) with a 3 Pin Mini XLR male termination.	813
	**S10**	**S-VIDEO -** S-Video connection. Connector is a female-to-female pass through.	74
	**S11**	**PS/2 (6 PIN MINI DIN) -** PS/2 (mouse, keyboard, other input devices) connections. Connector is a female-to-female pass through.	93
	**S12**	**BNC -** BNC style data connection for use with co-axial cable. Connector is a female-to-female pass through.	51
	**S13**	**F-TYPE -** F-Type (DSL,Cable) connections, generally for high speed Internet or video applications. Connector is a female-to-female threaded pass through.	40
	**S14**	**FIBER OPTIC SC -** Fibre Optic SC Simplex connection. Connector is a female-to-female pass through. Please note that two of these connectors are required to complete the data transmissions to and from the source and destination units.	51
	**S15**	**FIBER OPTIC LC -** Fibre Optic LC Duplex connection. Connector is a female-to-female pass through. One connector only is required to complete the data transmissions to and from source and destination units.	100
	**S16**	**USB–B –** USB "B" type connection. Connector is a female "B" input to a female "A" output (back side of Console interface). This connector is reversible.	150
	**S17**	**RJ12** (White) - RJ12 style PolyCom™ connection. Connector is a female input with a 6' corded output (back side) of Console interface) with a male RJ12 termination.	324
	**S00**	**BLANK COVER -** Blank covers are required when port is not in use.	16


NOTE: Up to 6 snap-in data ports can be ordered for open data positions. Snap-in adaptors can accept 2, 4 or 6 snap-in data ports. Please order a blank port when an odd number of snap-in ports are specified.

STRATFORD | CONNEXUS™ LOCATIONS CHARTS


TOP STYLES



BASE STYLES




Round Drum Base




Square Drum Base

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules. Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. For information on Connexus™ modules please see page 201.
Note: One Connexus™ module is available where two modules are shown. Please refer to location code above the drawing for single center location in which case the Connexus™ unit will face West if on the left end of the top, and East if on the right end of the top.
For large Connexus™ units please replace “3” in location code with “4”. Please see conditions at bottom of page.



Represents 42″,48″ and 54″ top locations



Represents 60″ top location

Connexus™ is not available on 36” square or round tops.
18” Drum bases will accommodate single standard Connexus™ units only.
24” Drum bases will accommodate single standard or large Connexus™ units only.
30” Drum bases will accommodate single or double standard or large Connexus™ units.



REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE




REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

TOP STYLES


Rectangle

Racetrack

BASE STYLES




Round Drum Base




Square Drum Base

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules. Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. For information on Connexus™ modules please see page 201.
Note: One Connexus™ module is available where two modules are shown. Please refer to location code above the drawing for single center location in which case the Connexus™ unit will face West if on the left end of the top, and East if on the right end of the top.
For large Connexus™ units please replace “3” in location code with “4”. Please see conditions at bottom of page.


48″




60″




72″




84″




96″




120″




144″




168″ & 192″




216″




240″



264″



288″



18” Drum bases will accommodate single standard Connexus™ units only.
24” Drum bases will accommodate single standard or large Connexus™ units only.




REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE




REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

STRATFORD | CONNEXUS™ LOCATIONS CHARTS


TOP STYLES	BASE STYLES
Rectangle Racetrack	 Wood Panel

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules. Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. For information on Connexus™ modules please see page 201.
Note: One Connexus™ module is available where two modules are shown. Please refer to location code above the drawing for single center location in which case the Connexus™ unit will face West if on the left end of the top, and East if on the right end of the top.
For large Connexus™ units please replace “3” in location code with “4”.


84″ & 96″




120″ & 144″




168″ & 192″




216″




240″



264″



288″





REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE

REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE


TOP STYLES

BASE STYLES






Round Drum Base




Square Drum Base

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules. Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. For information on Connexus™ modules please see page 201.
Note: One Connexus™ module is available where two modules are shown. Please refer to location code above the drawing for single center location in which case the Connexus™ unit will face West if on the left end of the top, and East if on the right end of the top.
For large Connexus™ units please replace “3” in location code with “4”. Please see conditions at bottom of page.


120″




240″




144″ & 168″




264″



192″



288″



18” Drum bases will accommodate single standard Connexus™ units only.
24” Drum bases will accommodate single standard or large Connexus™ units only.




REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE




REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

STRATFORD | CONNEXUS™ LOCATIONS CHARTS

TOP STYLES




BASE STYLES




Wood Panel

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules. Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. For information on Connexus™ modules please see page 201.
Note: One Connexus™ module is available where two modules are shown. Please refer to location code above the drawing for single center location in which case the Connexus™ unit will face West if on the left end of the top, and East if on the right end of the top.
For large Connexus™ units please replace “3” in location code with “4”.


96″




120″ & 144″




168″ & 192″



216″ & 240″



264″ & 288″





REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE




REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

Description	Model	Cherry Walnut	W	D	H	Shipping Weight	Cubes
Visual board	98VB-4848	3848	48	48	–	43	10




The visual board includes a standard tackboard in a grade 1 fabric or optional cork surface. Visual boards also include a flip chart, and four dry erase markers. An optional pull down screen is also available at **$222 list**.


Buffet	98BU722036	7134	72.25	19.75	36	380	55
	98BU722436	7722	72.25	23.75	36	390	60



Description	Model	Price	L	w	H	Shipping Weight	Cubes
Wire management cover	68WM-72	172	72	2.5	1	–	–
	68WM-4	58	3.4	1.75	–	–	–




Power pod	68PP-1	489	3.2Dia.	3.5	–	–	–



Power pod includes two power ports and two communication ports with RJ45 couplers as a standard.
Unit may also be ordered with 4 power ports or with RJ11 couplers.
Please specify at time of order.

Power box



Power boxes may be specified for use over round and square drum bases only.
18” bases accommodate boxes with ports facing the ends of the table. 24” and 30” bases house two power boxes in a back to back configuration with ports facing the sides of the table.

Power boxes include:
- 2 power outlets
- 1 RJ-11 phone line coupler
- 1 RJ-45 data coupler
- 1 six foot 14/3 power cord

Please see charts (page 198) for standard power box locations and their respective upcharges.
For more information on selecting base sizes for tops see base requirements charts on page 197.
To order tops with power boxes, please indicate clearly on purchase order.

ORDERING PROCEDURE

To order, please specify the following:

1) Krug product model number
2) Wood species and finish

STANDARD FINISHES
For a complete list of standard finishes please see page 363.

POWER BOXES
See page 198 for information on conferencing power boxes.

VIRTU | TABLE OF CONTENTS

VIRTU | CONFERENCE TABLES

233 Environmental Summary
234 Introduction & Overview
236 Features & Options
240 Sample Layouts
242 Table Pricing & Specifications
276 Power & Communication Planning

CONNEXUS™ TABLETOP CONNECTIVITY SOLUTION

283 Connexus™
285 Preconfigured Modules
288 Custom Connexus™
290 Port Options
294 Connexus™ Location Charts
306 Floor Monument Locations


VIRTU MEDIA

325 Cabinets
339 Wardrobes
340 Credenzas & Buffets
344 Server Cart & Media Cart
345 Visual Board
346 Lectern
348 Electrical Accessories
349 Installation Instructions

LEED CERTIFICATION



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 73%

POST-CONSUMER
RECYCLED CONTENT - 2.5%

		Contributes To
Credit 2.1 - 2.2	Construction Waste Management	1-2 point(s)
Credit 3.3	Resource Reuse	1 point
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
Credit 7	Certified Wood (MUST BE REQUESTED)	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Virtu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Virtu products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.

AIR-EMISSIONS
All Virtu products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

FSC®
FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Virtu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times..

In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FUELING CREATIVITY
As much as anything, the development of VIRTU reflects the growing importance of meeting space in virtually all organizations. Facilitating interaction and collaboration between people, and creating environments where relationships can be established and built, is both the challenge and the opportunity of office design.

This was the inspiration for creating VIRTU Conferencing – a collaborative process itself, between Hatch Design and Krug's in-house design team. Spending countless hours in meeting rooms was a pretty good way to develop a conferencing product – lots of firsthand knowledge was involved. But we also talked to facility managers, designers and architects about what their needs were, and what was lacking among available products. We talked to dealers and installers about what goes wrong when meeting rooms are ordered and installed, and to electricians about how we could create an interface with technology that would not become outdated by the constant advances in this area.

Most of all, VIRTU is about design that helps organizations reach their potential. In the words of principal designer John Edwards, "VIRTU has many attributes, but our primary goal was to create meeting rooms that would truly stimulate people. Many of the unique elements of VIRTU – such as the Verso Table, the Connexus™ module, the shapes and angles, the combinations of materials – are meant to allow a space to facilitate the creative process. Furnishings that can do this deliver tremendous value."

To this point, higher-end conference rooms have usually required the client or the designer to find a custom millwork house to make furniture. This can offer some advantages, but also some disadvantages: high cost, long lead times, the challenges of matching finishes and materials to other furniture, and perhaps most of all, the extensive work involved with designing custom furniture in the first place.

VIRTU changes all of that. All of these issues are turned into solutions. VIRTU is the most extensive product offering of its kind. Krug's industry-leading production system provides a huge array of options within this line, allowing for the specific needs and wants of each project to be addressed. But addressed with a product range that is already designed, engineered, and is manufactured with a process that takes a few days, rather than weeks. And when all is said and done, VIRTU provides the best value available today.

THE VERSO TABLE – PATENTED FOR PRESENTATIONS!
The Verso table offers a unique range of conferencing options in a single table. First, its tapered shape - like the Visio and Open Visio tables in VIRTU – provides a great solution for videoconferencing. Second, the Verso table incorporates leading-edge thinking on how to make the best in-person presentations. This thinking says that from the audience's perspective, the presenter should always be positioned to the left of the visuals at the front of the room. The Verso table is designed to orient the presenter and the audience in this correct positioning.
Third, Verso is designed to work well for meetings where participants are all seated at the table. Many videoconferencing tables, with a separation in the middle, do not work particularly well for sit-down meetings. The Verso table's effective accommodation of all three meeting room scenarios makes it the most versatile conference table on the market. And if there is one thing that is usually required of meeting rooms, it is the ability to accommodate many different uses.

OPTIONS, OPTIONS, AND MORE OPTIONS

Speaking of versatility – VIRTU Conferencing Tables offers a huge selection:

- 12 table top shapes, each in a large range of sizes.
- 4 edge profile options.
- 7 table base styles, each with built-in wire management.
- 4 wood species: Maple, Cherry, Walnut and Anigre.
- 15 wood finishes
- a large array of Connexus™ configurations, and the option to order as a Blank module and configure on-site.
- Connexus™ modules that can be specified in a range of locations on table tops, to provide the desirable location for, and quantity of, power interfaces.

VIRTU features numerous complimentary pieces, including Media Cabinets, Display Cabinets, Lecterns, Visual Boards, Buffets, Credenzas, Storage Cabinets, Bookcases, and Mobile Media and Server Carts.

VIRTU AND VIDEOCONFERENCING
VIRTU has been designed to accommodate all the latest in videoconference applications, and can be reconfigured with off-the-shelf components as needs and office technology change. The following are the fundamental principles of videoconferencing that were incorporated into the thinking of creating VIRTU – which we feel successfully supports a multitude of videoconferencing environments.

VIDEOCONFERENCING DEFINED
Videoconferencing is the use of audio, video and data communications to enable groups to interact without being in the same geographic location. Many companies have found they cannot afford the down time and considerable cost of mobilizing their staff for face-to-face meetings. To optimize the videoconferencing experience, the right environment must be created to support both the participants and the technology.

VISUAL COMPONENTS
Cameras that are used to convey images are very sensitive to movement. When too much motion is captured, it creates a backlog of images. These images are then compressed which causes the system to drop frames and/or compromise the spatial resolution in an effort to keep up with the participants. This leads to a disjointed broadcast and pixilated images.

To prevent this disruption several things can be done. First, ensure that the camera is situated on a flat, stable surface. Next, eliminate all extraneous motion. This means everything from clocks to people walking in the background. The only backdrop to videoconferencing should be a blank wall of neutral color.
Since eye contact is an important part of the videoconferencing experience it is vital that the camera not be placed too far away from the participants. In a group setting the technology being used today mandates that users not be more than 10 feet from the camera. This fact will limit the size of the room being used for group meetings: a 12 or 13 foot long room allows for optimal visuals and provides enough room for six or seven participants to be seated around a conference table. Furthermore, sitting too close to the source will lead to a fisheye effect and a distorted image.

All participants should be visible to the camera, so a traditional seating arrangement (rectangular, straight line) will not work. To ensure that all group members are included in the telecast, a table that staggers the sight line of the camera is suggested. The ideal shape has one end narrower than the other and is long enough to place the person seated at the back no more than 10 feet from the camera. To help simulate a more natural face-to-face meeting, it is typical to employ the use of two monitors in a videoconferencing room. The use of two monitors allows the participants to view not only those positioned off-site, but themselves. By placing these monitors side by side a focal point is created that keeps the group's attention.

To have all the participants focused on one point in the room is key. This allows for the camera to capture the faces of the assembled group. Face time is essential in videoconferencing so the speaker can be easily identified. Aside from simulating a natural "physical" environment it also keeps the pace of the conversation moving forward and eliminates the need for disruptive introductions throughout the conference.

The room's focal point should be the storage unit positioned at the head of the conference table. This unit should be able to house one or two monitors side by side and have a shelf above for the camera and speakers. To support these components, a PC is usually dedicated to the room to coordinate and document the meetings. Therefore, a well-ventilated storage unit that is high enough to position the camera correctly is as important as the technology itself.

To prevent poor visual tones the surroundings of the participants should be darker than they are. Darker finishes on the table and other furnishings will allow the camera to be more effective; walls should be neutral. Fluorescent lighting creates hot spots, so use incandescent lighting whenever possible. Furthermore, glare and reflections from windows and glass frames throw the image off. The room should have dark blinds for all windows; glass surfaces (dry erase boards, framed pictures) should be situated on side walls rather than the background.

AUDIO COMPONENTS
The audio portion of videoconferencing is comprised of two physical components: the microphone and speakers. The microphone picks up the voices of the participants and should be placed an equal distance from all group members to prevent a dominant voice from overwhelming the meeting. Tabletop microphones are the most common and can be easily moved to accommodate the number of participants in each meeting. Some form of surface wire management should be in place to facilitate the installation and removal of the microphone.

To eliminate sound distortion and echo, the conference room should have soft furnishings such as: upholstered seating, carpeting and ceiling tiles. Plastic and mesh chairs reduce acoustical quality and range. Acoustical panels are also suggested for rooms in constant use. The location of the room is also important. The ideal room is not located near a main thoroughfare where people will often stop and chat, creating unnecessary background noise. Moreover, all air ducts should be well insulated to avoid "white noise."

TECHNOLOGY SUPPORT FURNITURE
The table in use should adapt to the requirements of each conference by including tabletop access to power and data. These "ports" allow conference participants to position a microphone, telephone or laptop on the table without stringing wires from the table to the wall. This helps keep the focus on the meeting, allows information to be shared more readily, and protects wires from both feet and chair casters. Also, with plug and play ability, the room can be reconfigured to fit the requirements of each meeting and its participants.

The tabletop interface should provide power and data outlets beneath a removable, protective cover; this will prevent any spilled liquids or cleanser from entering the wiring cavity. The cover should provide enough room for the wires to enter the cavity below without force or threading. The interface itself should be placed at an angle to allow an ease of use and prevent data wires from crimping and denigrating their capacity to deliver information.
The faceplates that cover the interface should be universal and reconfigurable to adapt to frequent technology and network upgrades. The interface should be accessible from below so that the back panel and electrical module itself can be switched out as easily as the faceplates. Access to the bases through removable panels should allow for the easy management of wiring to the interface itself or the module into which it is wired. This not only keeps the wires hidden from view, but also protects wiring from exterior elements. Bases can provide an opening to the floor where wires can be routed to the underside of the table. A table leg with a channeling insert can make the same connection.

Any storage unit housing monitors, cameras, speakers and computers must have a wire management system in place. This should include oversized grommets leading from one level to another and ventilation to the back to promote air circulation and release the heat generated by electronics. The grommets should be easily accessible so that retrofits, upgrades and maintenance can take place on a regular basis. Access to the wall behind the housing is also advisable so that faceplates in the wall can be reached without moving the entire unit.

VIRTU | FEATURES & OPTIONS

METAL FINISH OPTIONS
Metal components of VIRTU are available in a Satin Aluminum finish. This encompasses all metal hardware with the exception of glass door frames, and Connexus™ Faceplate components which are only available in Satin Aluminum finish. Please specify Metal Finish Option on purchase order.

PULLS
Pulls are located on all drawer fronts and all wood or glass storage and display doors. Pulls are shipped installed on the interior of doors to prevent any damage.

SOLIDS
All Conference top edges, except Fino, have 1 3/8" wide laminated solid Maple or Cherry headers. Fino edges are 5/16" wide. Edges on casegoods are 5/16" wide as well. Where Anigre is the veneer species chosen, edges are of solid Maple. All solids used are Maple or Cherry, kiln dried by Krug to a 6% moisture content.

VENEER
Veneers are #1 grade flat sliced Anigre, Maple, Cherry or Walnut and of uniform color and grain pattern.

FINISH
All finished surfaces are well sanded before applying finishing materials. The procedure begins by applying a base color via an NGR stain. A wash coat follows to further enhance the color. Next is the glazing process, which provides the 3rd color step and fills the pores of the wood. A sealer coat is then applied, twice to the horizontal worksurfaces to enhance the finish. The product is then scuff sanded to prepare for the top coat. The top coat is a catalyzed varnish that when dry has a sheen value of 32˚. Krug's catalyzed varnish has been tested to be one of the industry's most durable and long lasting. Custom finishes are available at an upcharge of 10% list per unit.

GABLES
Gables are 3/4" thick – 45 lbs per cubic foot density particleboard core, 3 ply. Edges are banded with veneer.

GLASS SURFACES
All vertical and horizontal glass surfaces are tempered and frosted. For proper cleaning of all glass surfaces, Windex™ brand cleaning solution is recommended. Horizontal tempered and frosted glass surfaces are 10 mm thick.

HALOGEN LIGHTING
Halogen lighting is optional in both Small and Large Display Cabinets with glass shelving. The standard is one light per unit at a price of **$611 list**.

LOCKS
Locks are optional on a selection of cabinets and must be specified at time of order. Locks are only available on wood doors at **$166 list** per lock mechanism.

LEVELING LEG
Standard on all cabinets is a unique leveling leg – a metal casing moves up to allow for access to a glide, then neatly drops into place around the glide, concealing it from view. The glide can be adjusted 5/8".

GLIDES
Adjustable glides are installed on conference table bases at factory and allow for 5/8" of adjustment.

CASTERS
Locking casters are standard on the Server and Media Carts. Casters may be specified as an option on Dual Media Cabinets and on Small Media Cabinets at a price of **$228 list** per unit.

LAMINATES
Laminate worksurfaces are available at an upcharge of 10%. Specialty laminates may be priced higher.


HINGES
All hinges on VIRTU cases are European style chrome with 3-way adjustment and quick release. Openings on all doors are 95 degrees, with the exception of upper doors on Media Cabinets and Visual Boards, which feature an opening of 165 degrees (upper pocket doors on Media Cabinets open to 95 degrees). Synch doors are mounted on ball bearing slides and open to a 38" expanse. Bi-fold doors on Dual Media Cabinets are mounted on interior control arms which allow the doors to open in a 165 degree controlled arc. The small access door on the back of the Mobile Media Cart features a touch latch with a free swing hinge.

TESTING INFORMATION
All product has been tested in accordance with ANSI/BIFMA X5.5-2014 or X5.9-2012.

TABLE TOP STYLES



Round Square Arced Square Delta Rectangle Arced Rectangle Racetrack Boat



Oval Verso Visio Open Visio

Verso, Visio and Open Visio tops feature unique shapes that are ideal for presentations and videoconferencing. Presenters are easily seen and heard by those seated, and television monitors are unobstructed to the audience as well. The typical camera location, centered over the monitor at the front of the room, can easily scan all of the participants seated down the length of the table.

SEATING CAPABILITIES

Estimated seating capacity for each table top size can be found in the Conference Top section. To establish seating capacities, an outside chair dimension of 24" has been used, plus an allowance of 5" between chairs, for a total of 29". This is an approximation and based on seating with 5 prong bases. When using chairs with different specifications be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use this same seating formula, when a seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Krug Conference product.

EDGE PROFILES – CONFERENCE TOPS

VIRTU conference product offers 12 table tops in Anigre, Maple, Cherry and Walnut, with 4 distinct edge profiles, with a top thickness of 1 1/2". Please specify an edge profile for all VIRTU conference tops. Please note that the edge width (measurement from end of table veneer to the end of table edge) on Vita, Vero and Lineo is 1 3/8". Fino edge width is 3/8".




Vita Vero Lineo Fino

Edge Profiles – Casegoods

VIRTU casegood worksurfaces feature the Fino profile at 1 1/8" thickness.




BASE STYLES




Forza leg Forza Panel Forza Square Forza Rectangle Dais Oblique Verso

Seven base styles allow for numerous conference table configurations. The five enclosed bases allow for total concealment of wiring when floor monuments are located underneath. These bases also provide plenty of leg room around the perimeter of conference tables. Enclosed bases include 72 lbs. of ballast inside of the bases to provide enhanced table stability. Forza Panel and Forza Leg bases give users an abundance of space underneath the middle of the table, as these bases are positioned near to the table ends. Wood elements on bases will be finished in the same finish as the top if no finish is specified. Metal elements are available in Satin Aluminum finish. All bases are shipped separately and require assembly to the selected top.

VIRTU | FEATURES & OPTIONS






MEDIA CABINETS

- Media Cabinets are available in three sizes.
- Dual Media Cabinets accommodate two televisions up to 35" in width.
- Large cabinets accommodate televisions up to 35" in width. Small cabinets up to 27" in width.
- Cabinets may be specified with wood veneer doors or with frosted glass in aluminum frames.
- Large cabinets feature synchronized upper doors, pocket doors or hinged doors that open 170 degrees.
- Optional wood or glass doors.
- All horizontal levels of the cabinet interior are accessible through grommets in the rear of each shelf - additional holes are located in the case back for wall entry of power and cables.
- Locks are optional on wood doors only.
- Unique leveling glides adjust to uneven floors without exposing the glide.
- Optional Rollout Equipment Rack and Cable Carrier in the lower portion of the cabinet is available with the Large model at **$3514 list**.
- Dual Media Cabinets and Small Media Cabinets are available with heavy duty locking casters at a price of **$228 list** per unit.
- Upper shelf accommodates videoconferencing camera.





DISPLAY CABINETS

- Available as single or double widths.
- Some units come equipped with wardrobes located behind the front display cabinets.
- Wardrobes on 21" wide Display Cabinets are equipped with 3 coat hooks.
- Wardrobes on 42" wide Display Cabinets are equipped with a hanger bar.
- All wardrobes have a rubber floor mat.
- Available with open glass or wood veneer shelf options.
- Available with wood veneer doors or glass doors.
- Interior wood shelves are height adjustable in increments of 1 1/4".
- Glass shelved units feature a halogen light at a price of **$641**.
- Glass shelves are 7.8" deep. Wood shelves are 11.8" deep.
- Open shelves are glass.
- Closed shelves are wood veneer.
- Locks are optional on wood doors only.
- Unique leveling glides adjust to uneven floors without exposing the glide.
- Single and double wardrobe units are available.
- Glass shelves are shipped wrapped in foam and secured to the front of the case.




STORAGE CABINETS


- Available in single and double widths.
- Locks are optional on wood doors only.
- Available with wood veneer doors or glass doors.
- Shelves are height adjustable in increments of 1 1/4".
- Unique leveling glides adjust to uneven floors without exposing the glide.



SERVER CARTS

- A unique raised glass platform and rear overhang provide a guest "serving" area.
- The cart is mounted on heavy-duty locking casters.
- The top surface overhang and underside finger groove facilitate movement of the cart.
- The cart features a stainless steel refuse container and black felt cutlery insert.
- Glass shelves are shipped wrapped in foam and placed securely in the case.






CREDENZAS AND BUFFETS


- 3 styles of cabinet tops are available: wood top, glass top and glass and wood combination.
- Doors are available in glass and wood veneer.
- Storage sections feature one wooden shelf which is height adjustable in increments of 1 1/4".
- Unique leveling glides adjust without exposing the glide.
- Buffets with wood drawers feature a black felt cutlery insert.
- Buffet may be specified with optional Mini Refrigerator on 24" deep Buffets at a price of **$2907 list**.
- Mini refrigerator features volume of 1.1 cu. ft., 2 inner door racks, automatic defrost, and lock.
- Credenzas and Buffets with partial glass tops are shipped with glass installed.
- Credenzas and Buffets with full glass tops are shipped unattached with glass wrapped in foam.



MOBILE MEDIA CARTS


- The primary cart surface can accommodate a keyboard or laptop, which in turn can be connected to a TV or monitor on upper surface.
- The top surface overhang and underside finger groove facilitate movement of the cart.
- A built-in power bar and cable slot in the upper column provide ready access to power.
- The unit is oriented to provide the correct position for the presenter.
- The cart may be specified with one or two equipment shelves on the top of the unit.
- Media Carts will generally accommodate monitors up to 27" in size.






LECTERNS

- Glass shelf version has a wood upper flat shelf which provides a place for pens, pencils or a glass of water, and optional reference light at a price of **$512 list**. It will also accommodate a user-specified microphone.
- Angled wood shelf has a bottom lip to hold papers in place. The shelf lifts to reveal an optional power and data interface point – an Altinex box at a price of **$1402 list**.
- Glass shelf provides more surface area for equipment such as a laptop. A presenter's open laptop is not visible to the seated audience.
- Wires from the interface point, (or user supplied cables) are routed down through grommeted holes to the back of the unit - to facilitate routing and access to these cables, a hinged back access door opens to reveal a cableway and optional power bar at a price of **$228 list**.
- Full width shelf version is available.
- Lecterns are available with front hinged doors or open shelves.
- Mobile versions are available.
- Glass shelf is shipped installed.




VISUAL BOARDS

- Includes white board for use with four dry erase markers.
- Includes upholstered tackboard or optional cork surface on inside face of doors (except glass door version).
- Flip chart and four dry erase markers (except glass door version).
- Optional pull-down projector screen is available at a price of **$305 list**.
- Inclined top model features lower glass shelf.



VIRTU | CONFERENCE ROOM SAMPLE LAYOUTS


OPEN VISIO
This table is available with seating capacities ranging from 9 to 15. The example shows the table in relation to the Dual Media Cabinet and Display Cabinets (with wardrobes). This Media Cabinet accommodates two 35" monitors side by side and other audio/visual equipment for videoconferencing or other presentation requirements. The table bases are Forza Leg bases. Connexus™ modules are indicated in standard locations.



	Model Number	Cherry/Maple/Walnut	Anigre
1 Open Visio Top 14 Forza Leg Bases	6260-182-102-64 6238-29	26307	28535
5 Connexus™ - Aluminum	62CON	6302	6302
1 Dual Media Cabinet	62MC-75307614	14493	15638
1 Display Cabinet	62DC-21247672L	4841	5570
1 Display Cabinet	62DC-21247672R	4841	5570
TOTAL (totals do not include seating)		**56784**	**61615**

VERSO


This table is available with seating capacities ranging from 9 to 14. The example shows the table in relation to a Large Media Cabinet and Double Display Cabinets (with wardrobes) and Lectern. This Media Cabinet accommodates a 35" monitor and other audio/visual equipment for video-conferencing or other presentation requirements. The table bases are Forza Square and Verso bases. Connexus™ modules are indicated in standard locations.



Model Number		Cherry/Maple/Walnut	Anigre
1 Verso Top	6258-137-63-40	2520	2520
1 Forza Square Base	6234-14-14-29		
1 Verso Base	6231-18-19-29		
2 Connexus™ - Aluminum	62CON		
1 Large Media Cabinet	62MC-42308514A	9273	10664
1 Double Display Cabinet	62DC-42247671L	6815	7835
1 Double Display Cabinet	62DC-42247671R	6815	7835
1 Lectern	62LN-37225011	7688	8837
TOTAL (totals do not include seating)		**33111**	**37691**

ARCED RECTANGLE

This table is available with seating capacities ranging from 6 to 20. The example shows the table in relation to the Dual Media Cabinet. This Media Cabinet accommodates two 32" monitors side be side and other audio/visual equipment for videoconferencing or other presentation requirements. The table bases are Dais bases. Connexus™ modules are indicated in standard locations.



	Model Number	Cherry/Maple/Walnut	Anigre
1 Arced Rectangle Top	6256-192-54	17898	20524
3 Dais Bases	6230-24D-29		
4 Connexus™ - Aluminum	62CON	5903	5903
1 Dual Media Cabinet (bi-fold doors)	62MC-75307614	14493	15638
TOTAL (totals do not include seating)		**38294**	**42065**

VIRTU | CONFERENCE TABLE SPECIFICATIONS


Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Rectangle 6251	72-36	6	1	100	10.7
	84-42	6	1	140	15
	96-42	8	2	180	16.8
	96-48	8	2	200	18.8
	120-48	10	3	240	24.2
	120-54	10	3	265	26.5
	144-54	12	3	310	28.2
	168-54	12	4	355	36.8
	192-54	14	4	400	41.2
	216-60	16	5	490	53.2
	240-60	18	5	560	58
	264-60	20	6	630	64.8
	288-60	22	6	700	69.6





Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9
Forza Square 6234	14-14-29	14	14	28	177	6.5
Forza Panel Base 6232	24-29	24	n/a	28	54	5.5
	30-29	30	n/a	28	56	6.4
Forza Rectangle Base 6233	13-30-29	13	30	28	126	10.8









DIMENSION KEY






L — length
W — width
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list** per square foot.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 1					GROUP 2					
Rectangle Table Top 6251	FORZA LEG 6238 	FORZA SQUARE 6234 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	FORZA PANEL 6232 		FORZA SQUARE 6234 	FORZA RECT. 6233 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6238-29	6234-14-14-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6232-24-29	6232-30-29	6234-14-14-29	6233-13-30-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY	QTY			QTY	QTY	QTY	QTY		
6251-72 - 36	4		5390	602	2				6237	7171
6251-84 - 42	4		6606	7422	2				7448	8565
6251-96 - 42	4		7125	8012	2				7967	9158
6251-96 - 48	4		7640	8616	2				8485	9753
6251-120 - 48	4	+ 1	10401	11793	2		+ 1		11247	13028
6251-120 - 54	4	+ 1	11077	12572		2	+ 1		11999	13803
6251-144 - 54	4	+ 1	12313	13995		2		+ 1	13688	15745
6251-168 - 54	4	+ 2	15696	17882		2		+ 1	15657	18005
6251-192 - 54	4	+ 2	16765	19111		2		+ 2	18594	21383
6251-216 - 60	4	+ 3	20019	22862		2		+ 2	20437	23502
6251-240 - 60	4	+ 3	21646	24733		2		+ 2	22063	25374
6251-264 - 60	4	+ 4	24683	28232		2		+ 2	23684	27238
6251-288 - 60	4	+ 4	26318	30110		2		+ 3	27192	31267

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.


Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


VIRTU | CONFERENCE TABLE SPECIFICATIONS


Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Rectangle 6251	84-42	6	1	140	15
	96-42	8	2	180	16.8
	96-48	8	2	200	18.8
	120-48	10	3	240	24.2
	120-54	10	3	265	26.5
	144-54	12	3	310	28.2
	168-54	12	4	355	36.8
	192-54	14	4	400	41.2
	216-60	16	5	490	53.2
	240-60	18	5	560	58
	264-60	20	6	630	64.8
	288-60	22	6	700	69.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Square Base 6234	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6
Dais Base 6230	18D-29	18 dia.	n/a	28	149	6.5
	24D-29	24 dia.	n/a	28	171	10.9
	30D-29	30 dia.	n/a	28	196	17.6
Oblique Base 6237	18-18-29	18	18	28	149	6.5
	24-24-29	24	24	28	171	10.9
	30-30-29	30	30	28	196	17.6







DIMENSION KEY




L — length
W — width
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 3					GROUP 4					GROUP 5				
Rectangle Table Top 6251	FORZA SQUARE 6234 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6230 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	OBLIQUE 6237 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6234-14-14-29 QTY	6234-20-20-29 QTY	6234-26-26-29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE	6230-18D-29 QTY	6230-24D-29 QTY	6230-30D29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE	6237-18-18-29 QTY	6237-24-24-29 QTY	6237-30-30-29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE
6251-72 - 36	2			7064	8132				7161	8237					
6251-84 - 42	2			8276	8904	2			8376	9633	2			8184	9409
6251-96 - 42	2			8789	10118	2			8890	10222	2			8699	9495
6251-96 - 48	2			9310	10717	2			9409	10822	2			9223	10600
6251-120-48	2			10657	12265	2			10755	12367	2			10563	12146
6251-120-54		2		11554	13266		2		11526	13260		2		11334	13031
6251-144-54		2		12786	14691		2		12764	14683		2		12574	14455
6251-168-54		3		16277	18700		3		16240	18681		3		14539	18341
6251-192-54		3		17343	19923		3		17307	19912		3		15607	19569
6251-216-60			3	19468	22042			3	19293	22191			3	19008	21863
6251-240-60			4	22717	26122			4	22480	25860			4	22100	25414
6251-264-60			4	24335	27987			4	24098	27724			4	22165	27280
6251-288-60			4	25971	29866			4	25736	29603			4	23718	29159

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.


Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

VIRTU | CONFERENCE TABLE SPECIFICATIONS


Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Arced Rectangle 6256	72-36	6	1	100	10.7
	84-42	6	1	140	15
	96-42	8	2	180	16.8
	96-48	8	2	200	18.8
	120-48	10	3	240	24.2
	120-54	10	3	265	26.5
	144-54	12	3	310	28.2
	168-54	12	4	355	36.8
	192-54	14	4	400	41.2
	216-60	16	5	490	53.2
	240-60	18	5	560	58
	264-60	20	6	630	64.8
	288-60	22	6	700	69.6





Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9
Forza Square 6234	14-14-29	14	14	28	177	6.5
Forza Panel Base 6232	24-29	24	n/a	28	54	5.5
	30-29	30	n/a	28	56	6.4
Forza Rectangle Base 6233	13-30-29	13	30	28	126	10.8









DIMENSION KEY





L — length
W — width
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 1				GROUP 2						
Arced Rectangle Table Top 6256	FORZA LEG 6238 	FORZA SQUARE 6234 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	FORZA PANEL 6232 		FORZA SQUARE 6234 	FORZA RECT. 6233 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6238-29	6234-14-14-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6232-24-29	6232-30-29	6234-14-14-29	6233-13-30-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY	QTY			QTY	QTY	QTY	QTY		
6256-72 - 36	4		5571	6234	2				6409	7373
6256-84 - 42	4		6833	7687	2				7677	8827
6256-96 - 42	4		7371	8303	2				8215	9446
6256-96 - 48	4		7913	8922	2				8753	10066
6256-120 - 48	4	+ 1	10727	12167	2		+ 1		11569	13308
6256-120 - 54	4	+ 1	11430	12981		2	+ 1		12352	14210
6256-144 - 54	4	+ 1	12718	14462		2		+ 1	14100	16214
6256-168 - 54	4	+ 2	16184	18446		2		+ 1	16142	18559
6256-192 - 54	4	+ 2	17294	19723		2		+ 2	19125	21996
6256-216 - 60	4	+ 3	16363	23564		2		+ 2	21046	24205
6256-240 - 60	4	+ 3	22323	25516		2		+ 2	22739	26154
6256-264 - 60	4	+ 4	25425	29088		2		+ 2	24427	28087
6256-288 - 60	4	+ 4	27129	31048		2		+ 3	28000	32204

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.


Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.


Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


VIRTU | CONFERENCE TABLE SPECIFICATIONS


Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Arced Rectangle 6256	84-42	6	1	140	15
	96-42	8	2	180	16.8
	96-48	8	2	200	18.8
	120-48	10	3	240	24.2
	120-54	10	3	265	26.5
	144-54	12	3	310	28.2
	168-54	12	4	355	36.8
	192-54	14	4	400	41.2
	216-60	16	5	490	53.2
	240-60	18	5	560	58
	264-60	20	6	630	64.8
	288-60	22	6	700	69.6



Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Square Base 6234	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6
Dais Base 6230	18D-29	18 dia.	n/a	28	149	6.5
	24D-29	24 dia.	n/a	28	171	10.9
	30D-29	30 dia.	n/a	28	196	17.6
Oblique Base 6237	18-18-29	18	18	28	149	6.5
	24-24-29	24	24	28	171	10.9
	30-30-29	30	30	28	196	17.6







DIMENSION KEY

L — length
W — width
H — height




Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 3					GROUP 4					GROUP 5				
Arced Rectangle Table Top 6256	FORZA SQUARE 6234 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6230 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	OBLIQUE 6237 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6234-14-14-29 QTY	6234-20-20-29 QTY	6234-26-26-29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE	6230-18D-29 QTY	6230-24D-29 QTY	6230-30D29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE	6237-18-18-29 QTY	6237-24-24-29 QTY	6237-30-30-29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE
6256-72-36	2			7242	8341	2			7338	8439					
6256-84 - 42	2			8503	9790	2			8604	9894	2			8411	9666
6256-96 - 42	2			9036	10409	2			9139	10512	2			8949	10291
6256-96 - 48	2			9582	11026	2			9682	11130	2			9492	10908
6256-120-48	2			10983	12640	2			11079	12745	2			10892	12520
6256-120-54		2		11902	13676		2		11879	13665		2		11688	13440
6256-144-54		2		13193	15156		2		13168	15150		2		12982	14920
6256-168-54		3		16766	19258		3		16727	19244		3		16445	18900
6256-192-54		3		17875	20535		3		17898	20524		3		17558	20186
6256-216-60			3	20077	23089			3	19899	22894			3	19615	22560
6256-240-60			4	23396	26898			4	23159	26640			4	22778	26193
6256-264-60			4	25080	28842			4	24846	28578			4	24466	28133
6256-288-60			4	26784	30801			4	26549	30537			4	26171	30091

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.


Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Racetrack 6252	72-36	6	1	100	10.7
	84-42	6	1	140	15
	96-42	8	2	180	16.8
	96-48	8	2	200	18.8
	120-48	10	3	240	24.2
	120-54	10	3	265	26.5
	144-54	12	3	310	28.2
	168-54	12	4	355	36.8
	192-54	14	4	400	41.2
	216-60	16	5	490	53.2
	240-60	18	5	560	58
	264-60	20	6	630	64.8
	288-60	22	6	700	69.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.


Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9




Forza Square 6234	14-14-29	14	14	28	177	6.5



Forza Panel Base 6232	24-29	24	n/a	28	54	5.5
	30-29	30	n/a	28	56	6.4



Forza Rectangle Base 6233	13-30-29	13	30	28	126	10.8



DIMENSION KEY





L — length
W — width
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 1				GROUP 2					
Racetrack Table Top 6252	FORZA LEG 6238 	FORZA SQUARE 6234 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	FORZA PANEL 6232 		FORZA SQUARE 6234 	FORZA RECT. 6233 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6238-29	6234-14-14-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6232-24-29	6232-30-29	6234-14-14-29	6233-13-30-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY	QTY			QTY	QTY	QTY	QTY		
6252-72 - 36	4		6210	7226	2				7279	8371
6252-84 - 42	4		6789	7637	2				7637	8781
6252-96 - 42	4		7148	8045	2				7992	9188
6252-96 - 48	4		7636	8605	2				8477	9748
6252-120 - 48	4	+ 1	10871	12328	2		+ 1		11711	13474
6252-120 - 54	4	+ 1	11462	13015		2	+ 1		12380	14247
6252-144 - 54	4	+ 1	12510	14220		2		+ 1	13885	15970
6252-168 - 54	4	+ 2	15936	18163		2		+ 1	15900	18281
6252-192 - 54	4	+ 2	17018	19408		2		+ 2	18849	21679
6252-216 - 60	4	+ 3	20798	23757		2		+ 2	21212	24396
6252-240 - 60	4	+ 3	22499	25714		2		+ 2	22911	26356
6252-264 - 60	4	+ 4	25627	29317		2		+ 2	24626	28325
6252-288 - 60	4	+ 4	26953	30841		2		+ 3	27829	31999

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.


Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


VIRTU | CONFERENCE TABLE SPECIFICATIONS


Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Racetrack 6252	84-42	6	1	140	15
	96-42	8	2	180	16.8
	96-48	8	2	200	18.8
	120-48	10	3	240	24.2
	120-54	10	3	265	26.5
	144-54	12	3	310	28.2
	168-54	12	4	355	36.8
	192-54	14	4	400	41.2
	216-60	16	5	490	53.2
	240-60	18	5	560	58
	264-60	20	6	630	64.8
	288-60	22	6	700	69.6



Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Square Base 6234	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6
Dais Base 6230	18D-29	18 dia.	n/a	28	149	6.5
	24D-29	24 dia.	n/a	28	171	10.9
	30D-29	30 dia.	n/a	28	196	17.6





DIMENSION KEY

L — length
W — width
H — height



Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 3					GROUP 4				
Racetrack Table Top 6252	FORZA SQUARE 6234 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6230 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6234-14-14-29 QTY	6234-20-20-29 QTY	6234-26-26-29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE	6230-18d-29 QTY	6230-24d-29 QTY	6230-30d-29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE
6252-72 - 36	2			8108	9332	2			8207	9435
6252-84 - 42	2			8460	9740	2			8560	9847
6252-96 - 42	2			8816	10150	2			8917	10259
6252-96 - 48	2			9303	10710	2			9402	10815
6252-120-48	2			11123	12800	2			11224	12907
6252-120-54		2		11932	13715		2		11912	13703
6252-144-54		2		12984	14916		2		12958	14910
6252-168-54		3		16518	18975		3		16483	18956
6252-192-54		3		17596	20220		3		17565	20207
6252-216-60			3	20249	23285			3	20070	23088
6252-240-60			4	23572	27101			4	23334	26840
6252-264-60			4	25282	29071			4	25046	28808
6252-288-60			4	26607	30599			4	26373	30333

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.


Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

VIRTU | CONFERENCE TABLE SPECIFICATIONS


Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Boat 6254	96-48-42	8	2	185	18.8
	120-48-42	10	3	255	24.2
	144-48-42	12	3	300	28.2
	168-48-42	12	4	345	36.8
	192-54-48	14	4	390	41.2
	216-54-48	16	5	480	47.1
	240-54-48	18	5	550	51.5
	264-60-48	20	6	620	64.8
	288-60-48	22	6	690	69.6





Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9
Forza Square 6234	14-14-29	14	14	28	177	6.5
Forza Panel Base 6232	24-29	24	n/a	28	54	5.5
	30-29	30	n/a	28	56	6.4
Forza Rectangle Base 6233	13-30-29	13	30	28	126	10.8









DIMENSION KEY

L — length
W — width
H — height





Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$62 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 1				GROUP 2					
Boat Table Top 6254	FORZA LEG 6238 	FORZA SQUARE 6234 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	FORZA PANEL 6232 		FORZA SQUARE 6234 	FORZA RECT. 6233 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6238-29	6234-14-14-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6232-24-29	6232-30-29	6234-14-14-29	6233-13-30-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY	QTY			QTY	QTY	QTY	QTY		
6254-96-48-42	4		7961	8982	2				8804	10126
6254-120-48-42	4	+ 1	11912	13530	2		+ 1		12752	14672
6254-144-48-42	4	+ 1	13015	14795	2			+ 1	14312	16458
6254-168-48-42	4	+ 2	16535	18853	2			+ 1	16422	18883
6254-192-54-48	4	+ 2	17667	20156	2			+ 2	19426	22337
6254-216-54-48	4	+ 3	21567	24641	2			+ 2	21903	25191
6254-240-54-48	4	+ 3	23352	26697	2			+ 2	23694	27245
6254-264-60-48	4	+ 4	26567	30399	2			+ 2	25491	29313
6254-288-60-48	4	+ 4	27961	32007	2			+ 3	28759	33072

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.


Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


VIRTU | CONFERENCE TABLE SPECIFICATIONS


Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Boat 6254	96-48-42	8	2	185	18.8
	120-48-42	10	3	255	24.2
	144-48-42	12	3	300	28.2
	168-48-42	12	4	345	36.8
	192-54-48	14	4	390	41.2
	216-54-48	16	5	480	47.1
	240-54-48	18	5	550	51.5
	264-60-48	20	6	620	64.8
	288-60-48	22	6	690	69.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Square Base 6234	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6
Dais Base 6230	18D-29	18 dia.	n/a	28	149	6.5
	24D-29	24 dia.	n/a	28	171	10.9
	30D-29	30 dia.	n/a	28	196	17.6
Oblique Base 6237	18-18-29	18	18	28	149	6.5
	24-24-29	24	24	28	171	10.9
	30-30-29	30	30	28	196	17.6







DIMENSION KEY




L — length
W — width
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 3					GROUP 4					GROUP 5				
Boat Table Top 6254	FORZA SQUARE 6234 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6230 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	OBLIQUE 6237 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6234-14-14-29 QTY	6234-20-20-29 QTY	6234-26-26-29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE	6230-18d-29 QTY	6230-24d-29 QTY	6230-30d-29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE	6237-18-18-29 QTY	6237-24-24-29 QTY	6237-30-30-29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE
6254-96-48-42	2			9627	11089	2			9627	11089	2			9536	10966
6254-120-48-42	3			12166	14002	2			12166	14002	2			12076	13883
6254-144-48-42	3			14683	16901	3			14683	16901	3			14549	16724
6254-168-48-42	3			16791	19325	3			16791	19325	3			16655	19149
6254-192-54-48	2 + 1			18029	20739	2 + 1			18029	20739	2 + 1			17832	20503
6254-216-54-48	2 + 1			20512	23596	2 + 1			20512	23596		2 +	1	20314	23357
6254-240-54-48	2 + 2			23825	27394		2 +	2	23825	27394		2 +	2	23520	27042
6254-264-60-48	2	+	2	25812	29696	2	+	2	25812	29696	2	+	2	25414	29225
6254-288-60-48	2	+	2	27218	31302	2	+	2	27218	31302	2	+	2	26814	30832

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.


Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Oval 6259	96-48	8	2	165	18.8
	120-54	10	3	240	30.9
	144-60	12	3	290	34.8




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.


Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9




Forza Square 6234	14-14-29	14	14	28	177	6.5



Forza Panel Base 6232	24-29	24	n/a	28	54	5.5
	30-29	30	n/a	28	56	6.4



Forza Rectangle Base 6233	13-30-29	13	30	28	126	10.8



DIMENSION KEY





L — length
W — width
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 1				GROUP 2						
Oval Table Top 6259	FORZA LEG 6238 	FORZA SQUARE 6234 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	FORZA PANEL 6232 		FORZA SQUARE 6234 	FORZA RECT. 6233 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6238-29	6234-14-14-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6232-24-29	6232-30-29	6234-14-14-29	6233-13-30-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY	QTY			QTY	QTY	QTY	QTY		
6259-96-48	4		8524	9627	2				9369	10771
6259-120-54	4 +	1	12692	14425		2 +	1		13608	15659
6259-144-60	4 +	1**	14341	14625		2		+ 1	15262	17553

** REQUIRES RECTANGLE BASE

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.


Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Oval 6259	96-48	8	2	165	18.8
	120-54	10	3	240	30.9
	144-60	12	3	290	34.8



Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Dais Base 6230	18D-29	18 dia.	n/a	28	149	6.5
	24D-29	24 dia.	n/a	28	171	10.9
	30D-29	30 dia.	n/a	28	196	17.6



DIMENSION KEY

L — length
W — width
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.


SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

GROUP 3


Oval Table Top 6259	DAIS 6230 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6230-18D-29	6230-24D-29	6230-30D-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
6259-96-48	2			10294	11841
6259-120-54		2		13137	15115
6259-144-60	2	+	1	15798	18169

ORDERING PROCEDURE
Please specify the following:
1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.
Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	X	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Verso 6258	107-57-40	9	73	2	230	28.8
	137-63-40	12	78	3	310	35.5
	144-48-42	14	83	4	390	44.3




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Square Base 6234	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6



Verso Base 6231	18-19-29	18	19	28	178	13.5
	23-24-29	23	24	28	192	22.1



Forza Leg Base 6238	29	6	n/a	28	15	0.9



DIMENSION KEY

L — length
W — width
H — height



Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES



Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

GROUP 1

Verso Table Top 6258	FORZA SQUARE 6234 				VERSO 6231 		PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6234-14-14-29	6234-20-20-29	6234-26-26-29		6231-18-19-29	6231-23-24-29	MAPLE/ CHERRY/	
	QTY	QTY	QTY		QTY	QTY	WALNUT	ANIGRE
6258-107-57-40	1			+	1		13321	15314
6258-137-63-40	1			+	1		17172	19620
6258-167-70-40	1	1		+		1	19776	22725

GROUP 2

Verso Table Top 6258	FORZA LEG 6238 		FORZA SQUARE 6234 	PRICE FOR TOP	PRICE FOR TOP
MODEL #	6238-29		6234-14-14-29	MAPLE/ CHERRY/	
	QTY		QTY	WALNUT	ANIGRE
6258-107-57-40	4			11656	13335
6258-137-63-40	4	+	1	16878	19253
6258-167-70-40	4	+	2	19454	22208

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.


Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


VIRTU | CONFERENCE TABLE SPECIFICATIONS


Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Visio 6257	120-60-42	11	3	265	30.3
	144-60-42	13	3	310	31.3
	168-66-42	15	4	355	40.8
	192-69-42	17	4	400	43.8
	216-73-42	19	5	445	53.3
	240-76-42	21	5	490	58.6





Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9
Forza Square 6234	14-14-29	14	14	28	177	6.5
Forza Panel Base 6232	24-29	24	n/a	28	54	5.5
	30-29	30	n/a	28	56	6.4
	34-29	34	n/a	28	58	7.5
	41-29	41	n/a	28	63	9.1
	48-29	48	n/a	28	68	10.7
Forza Rectangle Base 6233	13-30-29	13	30	28	126	10.8









DIMENSION KEY





L — length
W — width
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$62 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 1				GROUP 2								
Visio Table Top 6257	FORZA LEG 6238 	FORZA SQUARE 6234 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	FORZA PANEL 6232 				FORZA SQUARE 6234 		FORZA RECT. 6233 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6238-29	6234-14-14-29	MAPLE/ CHERRY/ WALNUT	ANIGRE	6232-24-29	6232-30-29	6232 34-29	6232 41-29	6232-48-29	6234-14-14-29	6233-13-30-29	MAPLE/ CHERRY/ WALNUT	ANIGRE
	QTY	QTY			QTY	QTY	QTY	QTY	QTY	QTY	QTY		
6257-120-60-42	4 +	1	12825	14582	1	1			+	1		13713	15771
6257-144-60-42	4 +	1**	16937	19303	1		1			+	1	17876	20539
6257-168-66-42	4 +	2	20535	21653	1			1		+	1	19011	21836
6257-192-69-42	4 +	2	20168	23028	1			1		+	2	22077	25362
6257-216-72-42	4 +	3	22870	26149	1				1	+	2	23423	26928
6257-240-76-42	4 +	3	24274	24931	1				1	+	2	24829	28535

**Requires rectangle base

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.


Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


VIRTU | CONFERENCE TABLE SPECIFICATIONS


Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Visio 6257	120-60-42	11	3	265	30.3
	144-60-42	13	3	310	31.3
	168-66-42	15	4	355	40.8
	192-69-42	17	4	400	43.8
	216-73-42	19	5	445	53.3
	240-76-42	21	5	490	58.6




Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Square Base 6234	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6
Dais Base 6230	18D-29	18 dia.	n/a	28	149	6.5
	24D-29	24 dia.	n/a	28	171	10.9
	30D-29	30 dia.	n/a	28	196	17.6
Oblique Base 6237	18-18-29	18	18	28	149	6.5
	24-24-29	24	24	28	171	10.9
	30-30-29	30	30	28	196	17.6







DIMENSION KEY




L — length
W — width
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 3					GROUP 4					GROUP 5				
Visio Table Top 6257	FORZA SQUARE 6234 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6230 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	OBLIQUE 6237 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6234-14-14-29 QTY	6234-20-20-29 QTY	6234-26-26-29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE	6230-18d-29 QTY	6230-24d-29 QTY	6230-30d-29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE	6237-18-18-29 QTY	6237-24-24-29 QTY	6237-30-30-29 QTY	MAPLE/ CHERRY/ WALNUT	ANIGRE
6257-120-60-42	1	1		13189	15171	1	1		13230	15214	1	1		13037	14985
6257-144-60-42	1		1	16938	19485	1		1	16930	19468	1		1	16737	19250
6257-168-66-42	1	1	1	19538	22470	1	1	1	19520	22450	1	1	1	19231	22113
6257-192-69-42	1	1	1	20736	23843	1	1	1	20714	23826	1	1	1	20430	23488
6257-216-72-42	1	1	1	22023	25332	1	1	1	22005	25313	1	1	1	21719	24978
6257-240-76-42	1	1	2	25048	28797	1	1	2	24966	28716	1	1	2	24587	28270


-


ORDERING PROCEDURE
Please specify the following:
1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.
Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Open Visio with partial modesty panel* 6260	134-80-52	9	3	282	37.7
	134-92-64	9	3	317	40.3
	158-85-52	11	5	350	44.9
	158-96-64	11	5	395	47.5
	182-90-52	11	5	404	50.9
	182-102-64	11	5	459	53.5
	218-97-52	15	7	486	63.3
	218-109-64	15	7	551	65.9
	254-105-52	15	7	567	72.3
	254-117-64	15	7	629	74.9





Open Visio Conference tops feature a combination of three, five or seven pieces to make up the table surface:
6260-134-80-52 features 2 tops at 30 x 96” and 1 end top at 52 x 36”
6260-134-92-64 features 2 tops at 36 x 96” and 1 end top at 64 x 36”
6260-158-85-52 features 4 tops at 30 x 60” and 1 end top at 52 x 36”
6260-158-96-64 features 4 tops at 36 x 60” and 1 end top at 64 x 36”
6260-182-90-52 features 4 tops at 30 x 72” and 1 end top at 52 x 36”
6260-182-102-64 features 4 tops at 36 x 72” and 1 end top at 64 x 36”
6260-218-97-52 features 6 tops at 30 x 60” and 1 end top at 52 x 36”
6260-218-109-64 features 6 tops at 36 x 60” and 1 end top at 64 x 36”
6260-254-105-52 features 6 tops at 30 x 72” and 1 end top at 52 x 36”
6260-254-117-64 features 6 tops at 36 x 72” and 1 end top at 64 x 36”
***Wood modesty panel on Open Visio table is 8 3/4” in height and 3/4” thick.**

Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9



DIMENSION KEY

L — length
W — width
H — height

Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

GROUP 1


Open Visio Table Top (partial modesty) 6260	FORZA LEG 6238 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6238-29	MAPLE/ CHERRY/ WALNUT	
	QTY		ANIGRE
6260-134-80-52	10	19666	22449
6260-134-92-64	10	20171	22968
6260-158-85-52	14	22353	25151
6260-158-96-64	14	22833	25652
6260-182-90-52	14	24289	27322
6260-182-102-64	14	26307	28535
6260-218-97-52	18	29249	31647
6260-218-109-64	18	31170	33827
6260-254-105-52	18	33765	36618
6260-254-117-64	18	36047	39131

ORDERING PROCEDURE
Please specify the following:
1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.
Add pricing for the selected Connexus™ Module(s) to the table price.
5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.


Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Open Visio with full height modesty panel 6262	134-80-52	9	3	342	37.7
	134-92-64	9	3	377	40.3
	158-85-52	11	5	470	44.9
	158-96-64	11	5	515	47.5
	182-90-52*	11	5	524	50.9
	182-102-64	11	5	579	53.5
	218-97-52	15	7	665	63.3
	218-109-64	15	7	731	65.9
	254-105-52	15	7	747	72.3
	254-117-64	15	7	809	74.9



Open Visio Conference tops feature a combination of three, five or seven pieces to make up the table surface:
6262-134-80-52 features 2 tops at 30 x 96” and 1 end top at 52 x 36”
6262-134-92-64 features 2 tops at 36 x 96” and 1 end top at 64 x 36”
6262-158-85-52 features 4 tops at 30 x 60” and 1 end top at 52 x 36”
6262-158-96-64 features 4 tops at 36 x 60” and 1 end top at 64 x 36”
6262-182-90-52 features 4 tops at 30 x 72” and 1 end top at 52 x 36”
6262-182-102-64 features 4 tops at 36 x 72” and 1 end top at 64 x 36”
6262-218-97-52 features 6 tops at 30 x 60” and 1 end top at 52 x 36”
6262-218-109-64 features 6 tops at 36 x 60” and 1 end top at 64 x 36”
6262-254-105-52 features 6 tops at 30 x 72” and 1 end top at 52 x 36”
6262-254-117-64 features 6 tops at 36 x 72” and 1 end top at 64 x 36”
***wood modesty panel on Open Visio table is 28” in height and 3/4” thick.**



Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.

Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9



DIMENSION KEY

L — length
W — width
H — height


Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

GROUP 1

Open Visio Table Top (full modesty) 6262	FORZA LEG 6238 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6238-29	MAPLE/ CHERRY/ WALNUT	
	QTY		ANIGRE
6262-134-80-52	6	22024	25144
6262-134-92-64	6	22591	25728
6262-158-85-52	8	25034	28169
6262-158-96-64	8	25573	28726
6262-182-90-52	8	27198	30602
6262-182-102-64	8	29465	31960
6262-218-97-52	10	32760	35449
6262-218-109-64	10	34910	37884
6262-254-105-52	10	37817	41015
6262-254-117-64	10	40369	43823

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.

Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Delta 6253	36D	3	1	48	5.8
	42D	3	1	54	7.5
	48D	3	1	74	9.4
	54D	3	1	100	14.4
	60D	3	1	134	14.4



Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.


Conference Table Top – Arced Square 6256	36-36	4	1	50	5.8
	42-42	4	1	56	7.5
	48-48	4	1	82	9.4
	54-54	4	1	100	14.4
	60-60	4	1	132	14.4




Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9



Dais Base 6230	18D -29	18 Dia	n/a	28	149	6.5
	24D -29	24 Dia	n/a	28	171	10.9
	30D -29	30 Dia	n/a	28	196	17.6



Forza Square Base 6234	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6



DIMENSION KEY

L — length
W — width
H — height



Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
"Base Size" represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 1			GROUP 2					GROUP 3				
	FORZA LEG 6238 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	FORZA SQUARE 6234 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6230 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6238-29	MAPLE/ CHERRY/		6234-14 14-29	6234-20 20-29	6234-26 26-29	MAPLE/ CHERRY/		6230-18D-29	6230-24D-29	6230-30D-29	MAPLE/ CHERRY/	
	QTY	WALNUT	ANIGRE	QTY	QTY	QTY	WALNUT	ANIGRE	QTY	QTY	QTY	WALNUT	ANIGRE
Delta Table Top 6253													
6253-36									1			4583	5289
6253-42	3	4363	4885						1			4956	5700
6253-48	3	4668	5238						1			5261	6055
6253-54	3	5911	6664							1		6552	7535
6253-60	3	7148	8090								1	7837	9015
Arced Square Table Top 6256													
6256-36-36	4	4147	4588	1			4402	5065	1			4449	5116
6256-42-42	4	4498	4998	1			4752	5251	1			4800	5518
6256-48-48	4	4927	5494	1			5178	5965	1			5234	6015
6256-54-54	4	5118	5716		1		5481	6301		1		5469	6296
6256-60-60	4	6957	7827			1	7417	8524			1	7354	8459

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.


Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.


VIRTU | CONFERENCE TABLE SPECIFICATIONS

Description	Top Size	Approximate Seating	No. of Sections	Shipping Weight	Cubic Feet
Conference Table Top – Round 6255	36D	3	1	48	5.8
	42D	3	1	54	7.5
	48D	3	1	74	9.4
	54D	3	1	100	14.4
	60D	3	1	134	14.4



Conference tables up to and including 168" in length are available on the KrugExpress quick ship program.


Conference Table Top – Square 6251	36-36	4	1	50	5.8
	42-42	4	1	56	7.5
	48-48	4	1	82	9.4
	54-54	4	1	100	14.4
	60-60	4	1	132	14.4




Description	Base Size	W	D	H	Shipping Weight	Cubic Feet
Forza Leg Base 6238	29	6	n/a	28	15	0.9



Dais Base 6230	18D -29	18 Dia	n/a	28	149	6.5
	24D -29	24 Dia	n/a	28	171	10.9
	30D -29	30 Dia	n/a	28	196	17.6



Forza Square Base 6234	14-14-29	14	14	28	177	6.5
	20-20-29	20	20	28	199	10.9
	26-26-29	26	26	28	225	17.6



DIMENSION KEY

L — length
W — width
H — height




Model numbers represent nominal dimensions only. Contact Customer Service if dimensions are critical.

SPECIAL FEATURES

Conference tops are designed to accommodate microphones, which can be field installed. Please contact Customer Service for more information on where they can be positioned.
Custom table sizes are available. Please contact Customer Service or your local Krug representative.
“Base Size” represents wood dimensions and does not include metal accents. Please contact Customer Service if dimensions are critical.
Bookmatched Birdseye Maple veneer is available on VIRTU Conference Table Tops at an upcharge of **$82 list per square foot**.
Conference tops may be ordered with a reduced number of sections at an upcharge. Please contact Customer Service or your local Krug representative for details.

VIRTU | CONFERENCE TABLE PRICING AND MODEL NUMBERS

Shown below are model numbers and pricing for VIRTU conference tops and bases. The pricing is the combined price of the top and the base(s) that are cross-referenced in the chart. Please note that some bases are not available on all tops. Only the top and base combinations listed are available. When ordering, please specify the model number of the top, the model number(s) of the base(s), followed by their combined price. See bottom page for Conference Table Ordering Procedure.

	GROUP 1			GROUP 2					GROUP 3				
	FORZA LEG 6238 	PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	FORZA SQUARE 6234 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)	DAIS 6230 			PRICE FOR TOP AND BASE(S)	PRICE FOR TOP AND BASE(S)
MODEL #	6238-29	MAPLE/ CHERRY/		6234-14 14-29	6234-20 20-29	6234-26 26-29	MAPLE/ CHERRY/		6230- 18D-29	6230- 24D-29	6230- 30D-29	MAPLE/ CHERRY/	
	QTY	WALNUT	ANIGRE	QTY	QTY	QTY	WALNUT	ANIGRE	QTY	QTY	QTY	WALNUT	ANIGRE
Round Table Top 6255													
6255-36 dia.	3	3730	4158						1			4323	4971
6255-42 dia.	3	4222	4728	1			4767	5490	1			4817	5542
6255-48 dia.	4	4807	5351	1			5062	5825	1			5111	5877
6255-54 dia.	4	5998	6723		1		6357	7309		1		6350	7301
6255-60 dia.	4	7189	8090			1	7646	8789			1	7587	8725
Square Table Top 6251													
6251-36-36	4	4027	4455	1			4282	4927	1			4332	4983
6251-42-42	4	4362	4843	1			4617	5316	1			4668	5367
6251-48-48	4	4779	5322	1			5032	5793	1			5082	5843
6251-54-54	4	4959	5530		1		5324	6114		1		5310	7301
6251-60-60	4	6728	7561			1	7646	8260			1	7125	8725

ORDERING PROCEDURE

Please specify the following:

1. Select Table Top shape, size, model number and wood species.
2. Select Table Base(s), size, model number, quantity and wood species.
3. Obtain Table Price by cross-referencing selected top with selected base(s). The prices listed are the combined total of the top and base(s).
4. Select Connexus™ Module(s) and a Location Code for either a Glass or Satin Aluminum module.

Add pricing for the selected Connexus™ Module(s) to the table price.

5. Select Monument Location(s) and provide monument location code(s) on purchase order.
6. Select a Wood Finish
7. Select an Edge Profile.

Model numbers represent nominal dimensions only (in inches). Contact Customer Service if dimensions are critical.

OBJECTIVE
We have designed this section to help you determine the appropriate power and communications options for your specific application. This section is divided into two parts with the following objectives:

1. Provide detailed information on ConnexusTM, VIRTU's tabletop power and data module: what it is, its abilities and its applications.
2. Provide a description and specifications of VIRTU's wire management capabilities.

CONNEXUS™
Using technology and furniture together can be a challenge, and at worst can ruin a meeting or presentation. VIRTU is totally designed around the interface with office technology and equipment. The ConnexusTM power module in table tops provides an unlimited range of connectivity. Going way beyond electrical, ConnexusTM offers connections for voice, data, multimedia presentations, network and internet connections, and much more. ConnexusTM can be specified in any number of locations in a table, and features a substantial cavity for easy access and wire storage.
But the greatest innovation of patent-pending ConnexusTM is that it utilizes industry-standard receptacle outlets for this multitude of connection options. This provides huge advantages over the more limited interface found in other products. VIRTU offers 11 standard configurations for ConnexusTM, which will address almost any user need. And ConnexusTM can also be ordered as a Blank module, and configured by electricians on-site with off-the-shelf receptacles and wiring to a user's specific needs. This feature makes VIRTU exceptionally suited to customers where local codes require on-site configuring and installation of all electrical components.

There's more. ConnexusTM can be reconfigured on-site, with the same components used by electricians everywhere, and can be purchased wherever electrical components are sold. Likewise, Connexus™ faceplates are standard Decora style, which are also readily available. VIRTU is designed to allow this reconfiguration of wiring without having to take tables apart and re-install. VIRTU is the conferencing product that best addresses the inevitability of changing office technology, and the need for interfaces to change and evolve with it. This unique design philosophy means that VIRTU will never be outmoded or outdated by changing user needs.


CONNEXUS™
Connexus™ is Krug's proprietary tabletop and data module. When opened, it presents power and data outlets on a convenient angle to the user and provides storage for wiring.

The faceplate of Connexus™ can be either Glass or Aluminum, and sits flush with the tabletop. It is designed to allow wiring to pass through the surface cover in both the open and closed positions. The faceplate opens to a 100˚ angle from the table top.


Connexus™ utilizes standard receptacle outlets, which can be field converted and reconfigured at any time. Connexus™ comes with receptacles pre-wired, with a wide selection of power, data and presentation system outlets, or alternatively can be purchased as Blank modules that can be hard-wired on site by the user and reconfigured easily when this is desired. To facilitate this process, the Enclosure Box of each Connexus™ module is easily removable.

* All duplex outlets are contained within a metal box that is attached to the Partition Plate. If additional outlets need to be added in the future, these boxes need to be ordered from Krug to expand the enclosure. This modification should be done by a qualified electrician.


The labeled drawing shown below illustrates the way a Connexus™ module is shipped to the user. The Partition Plate is mounted on-site to the under side of the top and the Enclosure Box over top to conceal the module.




Standard Connexus™ components




Standard Connexus™ Module



Standard Connexus™ Module



Standard



Large


Connexus™ modules may be specified in **Standard** or **Large** sizes. Standard modules are available in 6 configurations. Large modules are available in 5 configurations.
As an alternative, **Blank** Connexus™ modules may be purchased for future use by the customer.

CONNEXUS™ PORT OPTIONS :

RJ11 port - Connection for Telephone/Modem
RJ45 port - Category 6 Connection for Network Connector
AC Power - Power Input
RCA ports - Female RCA type pass-through (left – black, right – red) cable connectors from stereo source to audio system
BNC port - High quality pass-through connector from broadcast video or computer video to display monitor
Stereo Mini - 3.5mm Mini pass-through connector from computer sound card to amplified sound system
Video pass-through port - Female RCA type pass-through cable connector for video signal from VCR or video camera source to video display or VCR
15 PIN HD - VGA type 15 pin pass-through connector from computer video to video display monitor
DB-9 (Serial) - Pass-through data connector from computer to switcher control for lights, blinds, projector screens, etc.

Please note: RJ11, RJ45 and Stereo Mini are not shipped pre-wired. A telephone IT or AV specialist should perform these connections.

ConnexusTM modules in **Standard** configurations are 6 1/8" x 7 3/8".
ConnexusTM modules in **Large** configurations are 8 1/4" x 7 3/8".
Depth on Standard and Large modules is 4.5".



As an alternative to Connexus™, a 60mm diameter round grommet, in a Satin Aluminum finish may be specified at a list price of **$166** per grommet.

CONNEXUS™ PLANNING
Connexus™ modules are wired independently of each other to maximize the amount of electrical devices serviced. All Connexus™ modules may sustain individual loads of 15 amps, or 12 amps of continuous load. Each Connexus™ module will require a single isolated circuit to maximize its service capabilities. Connexus™ modules are not daisy-chained together, thereby preserving the system's optimum performance. As an example, if four Connexus™ modules were specified, it will be necessary to provide two duplex outlets with a total of four circuits. Each Connexus™ module can then be plugged into each supplied outlet.
Connexus™ components are UL and CSA US approved and manufactured in accordance to the National Electrical Code.
Hardwiring Connexus™ modules on-site should be performed by a licensed electrician.
It is important to note that each Connexus™ module is rated for 15 amps and each should be connected to a single isolated circuit. Although each Connexus™ module is rated for 15 amps, please note that the National Electric Code restricts the amount of any known continuous load to 12 amps.
For maximum power utilization, it is recommended that each Connexus™ module be plugged directly into a single isolated circuit.

Below we have included a list of typical office equipment and their appropriate amp ratings to assist in planning your electrical requirements.

Typical Amp requirements of office equipment, when drawing full power.

GENERAL EQUIPMENT	AMP RATING
AC adapter	.05
Adding machine	.05
Answering machine	.08
Calculator	.25
Clock	.03
Coffee pot	10
Fan	1.0
Microwave	8 – 12
Pencil sharpener	.25
Polycom Conference Phone	.23
Radio	.05
Slide projector	2 – 6
Space heater, 1000 watts	8.6
Space heater, 1500 watts	13
Transcriber	.15

ELECTRONIC EQUIPMENT	AMP RATING
Desktop printer	1.2 – 5
Laptop	1.5 – 3.5
Modems	.15
VDTs and PCs	.08 – 4.8
Video projector	.67 – 3.47

ELECTRICAL CORD LENGTHS
Connexus™ modules come with pre-determined electrical cord lengths that are suited to the size and configuration of each table (6', 16', 25'). Each will plug into a standard floor monument power source. However, in situations where a table length exceeds our maximum cord length, a second power entry is necessary to avoid daisy-chaining of electrical power. To determine when a second power entry is required follow these steps:

1. Select your Connexus™ locations.

2. Select your Floor Monument Location(s) if they do not already exist in the room.


3. If the number of Connexus™ modules exceed three consecutive positions left or right of the power entry, then an additional power entry will be required.

Note: Connexus™ modules in pairs count as one position.
* Open Visio tables require 2 power sources, one per wing, or a single power source located at the apex of the two tables.


Example 1
If the designated **Floor Monument location** for the table scenario shown below is **1L**, the user would be able to power-up any or all of the following **Connexus™ locations: AL, BL**, and **CL**.

Example 2
If the designated **Floor Monument location** for the table scenario shown below is **2R**, the user would be able to power-up any or all of the following **Connexus™ locations: CL, CR, BR** and **AR**.

Monument Location Scenario





Connexus™ Location Scenario




HARDWIRING ON SITE
For hardwiring on-site by electricians, please use the following schematic:
1 Power Supply Cord
2 Strain Relief
3 Fork Terminals
4 Duplex Receptacles
5 Outlets with Circuit Breaker Assembly
6 Handy Box


TWO GANG BOX









.




WIRE MANAGEMENT
Wires are channeled behind the Forza Leg and Forza Panel bases, and concealed by design by a black PVC insert that runs the entire length of the base. The insert is 27" long and the channel opening is approximately 1.5" x 1.25" wide.




Wires are channeled through the center of Dais, Forza Rectangle, Forza Square, Oblique and Verso bases to floor monuments.




In the situation where the power source is outside of the table base, it will be necessary to pass the power supply cord underneath and into the table base. VIRTU bases are equipped with removable panels which makes access to the interior quick and easy. The Dais base (shown left) is the only exception. Dais bases are equipped with a small removable access panel, but may require a mouse-hole cut in the field.



All VIRTU conference tables except open Visio are designed to accommodate wiring channeled underneath the table top and into bases. A flexible PVC wire management channel is provided with all multi-section tables at no charge, and mounted on-site. It features dual channels to allow separation of fibre optic cables. Open Visio tables use the wire management cover . All VIRTU bases have access holes to allow this wiring to pass into or out of the bases. The channel is flexible and allows for wiring to be easily inserted or removed at the sides.







When power is being routed through Forza Leg or Forza Panel bases, velcro wire management straps are attached to the underside of the top to manage wiring from ConnexusTM modules to the floor monument. The velcro straps are supplied at no charge.



A metal cord spooler is standard on all bases with interior cavities and provided at no charge. The spooler provides for tidy wire management when there is an excessive amount of cord length.


WIRE MANAGEMENT - BASES

All VIRTU table bases feature wire management capabilities for routing wires between floor monuments and Connexus™ modules. Bases with interior cavities have openings in the top and a 5" recessed bottom panel which provides full access for wiring and cord plugs to the floor. Access doors are also provided on these bases to facilitate easy access to the interior. Forza Leg and Forza Panel bases use a black PVC insert to channel wires from the table top to the floor. Please see the chart below for specifications. All bases are 29" in height. Please note that all bases with interior cavities are weighted with 72 lbs. of ballast to ensure table stability.

Base Type	Base Size	Door Opening Dimensions	Interior Access Cavity Dimensions
Dais Base 	18" Dia. 24" Dia. 30" Dia. Note: Cylindrical wire cavity for this base is 12" in diameter.	11.8" x 11.4" 16" x 11.4" 20.3" x 11.4"	17.25 Dia. x 14.5" 23.25 Dia. x 14.5" 29.25 Dia. x 14.5"
Verso Base 	18" x 19" 23" x 24" Note: Used only with Verso table top. Note: Cylindrical wire cavity for this base is 6" in diameter.	17.75" x 27.9" 22.5" x 27.9"	17.75 x 18 x 12" 22.5 x 22.5 x 12"
Forza Rectangle Base 	13" x 30" Note: Cylindrical wire cavity for this base is 6" in diameter.	24.1" x 27.9"	28.5 x 8.25 x 8.5"
Forza Square Base 	14" x 14" 20" x 20" 26" x 26" Note: Cylindrical wire cavity for this base is 6" in diameter.	10.25" x 27.9" 16.25" x 27.9" 22.25" x 27.9"	13 x 11.5 x 13" 19 x 17.5 x 13" 25 x 23.5 x 13"
Oblique Base 	18" x 18" 24" x 24" 30" x 30" Note: Cylindrical wire cavity for this base is 6" in diameter.	17.6" x 27.6" 23.5" x 27.6" 29.5" x 27.6"	14.75 x 14.25 x 17.5" 20.75 x 20.25 x 17.5" 26.75 x 26.25 x 17.5"
Forza Leg Base 	Uses Black PVC Insert to channel wires. Insert is 27" in length. Channel opening is 1.5" x 1.25" wide.		
Forza Panel Base 	24" 30" 34" 41" 48" Uses Black PVC Insert to channel wires. Insert is 27" in length. Channel opening is 1.5" x 1.25" wide.		


SAMPLE CONFIGURATIONS
The following diagrams are samples of wire channeling for specific VIRTU table top and base configurations.

EXAMPLE #1 - ARCED RECTANGLE TOP WITH DAIS BASES




Also applicable for Forza Rectangle, Forza Square, and Oblique Bases.


EXAMPLE #2 - ARCED RECTANGLE TOP WITH FORZA PANEL BASES




EXAMPLE #3 - ARCED RECTANGLE TOP WITH FORZA LEG BASES




EXAMPLE # 4 - VERSO TOP WITH VERSO BASE AND FORZA SQUARE BASE




EXAMPLE #5 - OPEN VISIO TOP WITH FORZA LEG BASES




EXAMPLE #6 - VISIO TOP WITH FORZA LEG AND FORZA SQUARE BASES






MEDIA CABINET WIRING SAMPLE
VIRTU Media Cabinets feature 2" and 4" diameter vertical and horizontal grommets to accommodate all types of videoconferencing equipment. As well, large 4" diameter air vents are strategically located on the backs of each unit. Dual Media Cabinets can accommodate two television monitors up to 35" wide, Large Media Cabinets accommodate one 35" wide monitor, and Small Media Cabinets can accommodate television monitors up to 27" wide. Cabinets can also accommodate videoconferencing cameras and microphone systems, DVD and VCR players, and projectors. Below is an example of wire management on a VIRTU Media Cabinet.



MEDIA CART WIRING SAMPLE
VIRTU Media Carts accommodate laptops or keyboards on the primary surface of the cart, and television monitors up to 27" on the top shelf. DVD and VCR players can be accommodated on all surfaces. Media Carts, depending on the model, come equipped with several vertical and horizontal grommets to provide easy connection between equipment located on the interior and exterior of the cart. Media Carts also feature a standard power bar. Below is an example of wire management on the VIRTU Media Cart.



LECTERN WIRING SAMPLE
VIRTU Lecterns offer the presenter various media options. Notebook computers, paper notes, lighting, microphones, pens and pencils, a glass of water… everything for a presenter can be accommodated. The optional Altinex power and data interface system is concealed but easily accessed. The hinged rear door, which is standard on lecterns with front hinged doors, provides access to the interior for a computer CPU to run presentations. An optional power bar is available. Below is an example of wire management on a VIRTU Lectern.


ALTINEX
The Altinex box offers an ideal solution for the power and data requirements of a speaker using the VIRTU Lectern.

Altinex features the following power/data connectors:

A	(1) Stereo Mini	3.5 mm Mini pass-through connector from computer sound card to amplified sound system
B	(1) BNC port	High quality pass-through connector from broadcast video or computer video to video display monitor
C	(1) RJ11 port	Connection for Telephone / Modem
D	(1) RJ45 port	Connection for Network Connector
E	(2) RCA ports	Female RCA type pass-through (Left - Black, Right - Red) cable connectors from stereo audio source to audio system
F	(1) 15 Pin HD port	VGA type 15 pin pass-through connector from computer video to display monitor
G	(1) Simplex Power port	Power Input

For more information or questions regarding the Altinex Box, please contact Krug Customer Service or Altinex Technical Support at 1-800-258-4623.

This option is available on VIRTU lecterns at an upcharge of **$1402 list**.



Connexus™ is Krug's proprietary tabletop connectivity solution. When opened, it presents power and data outlets on a convenient angle to the user and provides storage for wiring.


The faceplate of Connexus™ is available in either Glass or Aluminum and sits flush with the tabletop. It is designed to allow wiring to pass through the surface cover in both the open and closed positions. The faceplate opens to a 100° angle from the table top.

Connexus™ utilizes UL standard receptacle outlets. Connexus™ offers 11 pre-configured units with a wide selection of power, data and presentation system outlets, or alternatively can be purchased with just electrical ports with blank data ports. Connexus™ also can be designed and built specifically to meet your connectivity needs by using the snap-in or plate mounted port options.


All corded units can be modified to allow the units to be hard wired by an electrician and data ports can be reconfigured easily when desired. To facilitate this process, the Enclosure Box of each Connexus™ module is easily removable.

*All duplex outlets are contained within a metal box that is attached to the Partition Plate. If additional outlets need to be added in the future, these boxes need to be ordered from Krug to expand the enclosure. All modifications must be done by a qualified electrician.


The label drawing shown below illustrates the way a Connexus™ module is shipped to the user. The Partition Plate is mounted on-site to the underside of the top with the Enclosure Box over top to conceal the module. Please note, enclosure boxes are not required when modules are enclosed in a base. Enclosure boxes are not supplied with Connexus™ modules; they must be ordered separately when required.



Standard Connexus™ Components




Standard Connexus™ Module




Blank Connexus™ Module

CONNEXUS™ SIZES



Standard - 3 Gang



Large - 4 Gang

Connexus™ modules may be specified in Standard or Large sizes.

Standard modules are available in 7 standard configurations or custom configurations. Connexus™ modules in Standard configurations are 6 1/8" x 7 3/8". Depth on Standard module is 4.5".

Large modules are available in 4 standard configurations or custom configurations. Connexus™ modules in Large configurations are 8 1/4" x 7 3/8". Depth on Large module is 4.5".

CONNEXUS™ | PLANNING

Connexus™ modules are wired independently of each other to maximize the amount of electrical devices serviced. All Connexus™ modules may sustain individual loads of 15 amps or 12 amps of continuous load. Each Connexus™ module will require a single isolated circuit to maximize its service capabilities. An optional utility a/c power outlet is available on the back surface of the outlet box.

Connexus™ components are UL and CSA US approved and manufactured in accordance to the National Electrical Code. Hardwiring Connexus™ modules on-site must be performed by a licensed electrician. Connexus™ units can be ordered with an optional utility outlet, which is located on the bottom side of the Connexus™ unit and underneath the work surface. Other Connexus™ products could employ these utility outlets as a source of power. In this scenario, it is solely the responsibility of the end user to assure that proper circuit protection is in place that never exceeds the 15 Ampere Circuit Breaker Rating.

CONNEXUS™

ELECTRICAL CORD LENGTHS

Connexus™ modules come with pre-determined electrical cord lengths that are suited to the size and configuration of each table (16' & 25'). Each will plug into a standard floor monument power source. However, in situations where a table length exceeds our maximum cord length, a second power entry is necessary to avoid daisy-chaining of electrical power. To determine when a second power entry is required follow these steps:


1. Select your Connexus™ locations.
2. Select your Floor Monument Location(s) if they do not already exist in the room.
3. If the number of Connexus™ modules exceed three consecutive positions left or right of the power entry, then an additional power entry will be required.


Note: Connexus™ modules in pairs count as one position.


HARDWIRING ON SITE

For hardwiring on-site by electricians, please use the following schematic:

1. Power Supply Cord
2. Strain Relief
3. Fork Terminals
4. Duplex Receptacles
5. Outlets with Circuit Breaker Assembly
6. Handy Box









Standard - 3 GANG

Port Options	Model #	List Price Aluminum	List Price Glass
BASIC DATA	62 CON BD	1172	1297




- A: (2) Blanks (for future use)
- B: (2) RJ45 port (Category 6)
- C: (2) AC power ports

Port Options	Model #	List Price Aluminum	List Price Glass
BASIC VOICE DATA	62 CON BV	1137	1260




- A: (2) Blanks (for future use)
- B: (1) RJ11 port; (1) RJ45 port (Category 6)
- C: (2) AC power ports

Port Options	Model #	List Price Aluminum	List Price Glass
EXPANDED DATA	62 CON ED	1440	1563




- A: (4) RJ45 port (Category 6)
- B: (2) AC power ports
- C: (2) AC power ports / with 15 amp circuit breaker

Port Options	Model #	List Price Aluminum	List Price Glass
EXPANDED VOICE/DATA	62 CON	1474	1599



- A: (2) RJ11 port; (4) RJ45 port (Category 6)
- B: (2) AC power ports
- C: (2) AC power ports / with 15 amp circuit breaker

Port Options	Model #	List Price Aluminum	List Price Glass
BASIC MULTIMEDIA	62 CON BM	1332	1453




- A: (1) RJ11 port; (1) RJ45 port (Category 6)
- B: (1) 3.5 mm Mini; (1) VGA Type 15 pin HD
- C: (2) AC power ports

ORDERING NOTE: Enclosure box is only required only when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your purchase order and add the $332 per Connexus™.

CONNEXUS™ | PRECONFIGURED STANDARD MODULES

Standard - 3 GANG

Port Options	Model #	List Price Aluminum	List Price Glass
DATA & MULTIMEDIA	62 CON DM	1832	1954




A
- (1) RJ11
- (1) RJ45
- (1) Fiber Optic LC Duplex
- (1) 3.5mm Stereo Mini
- (1) USB “A”
- (1) HDMI

B
- (1) DVI-I
- (1) VGA

C
- (2) AC power ports

BASIC FIBRE OPTIC & MULTIMEDIA	62 CON BF	1758	1882




A
- (2) Fibre Optic SC Simplex
- (2) Fiber Optic LC Duplex
- (1) RJ11
- (1) RJ45

B
- (1) HDMI
- (1) 3.5mm Stereo Mini
- (2) USB “A”
- (2) Blanks


C
- (2) AC power ports


ORDERING NOTE: Enclosure box is only required only when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your purchase order and add the $332 per Connexus™.



STANDARD BLANK MODULE	62 CON X1	141


Blank Modules does not include the Connexus™ lid.






DUPLEX OUTLET ENCLOSURE	62 CON OUTBOX-1	53
To be used when adding	62 CON OUTBOX-2	72
duplex outlets to existing	62 CON OUTBOX-3	90
Connexus™ Modules.		


Large - 4 GANG




Port Options	Model #	List Price Aluminum	List Price Glass
NETWORK AND POWER CENTRE	62 CON NP	1795	1903
A (6) RJ-45 ports			
B (2) AC power ports			
C (2) AC power ports			
D (2) AC power ports/with 15 amp circuit breaker			




BASIC MULTIMEDIA WITH 2X POWER	62 CON B2	1643	1749
A (1) RJ11 port (1) RJ45 port			
B (1) 3.5 mm Mini with 2x Power (1) VGA type 15 pin HD			
C (2) AC power ports			
D (2) AC power ports/with 15 amp circuit breaker			



DATA & MULTIMEDIA WITH 2X POWER	62 CON DM2	2150	2255
A (1) RJ11 port (1) RJ45 port (1) 1 Fiber Optic LC Duplex (1) 1 3.5mm Stereo Mini (1) 1 USB “A” (1) 1 HDMI			
B (1) DVI-I (1) VGA			
C (2) AC power ports			
D (2) AC power ports/with 15 amp circuit breaker			



EXPANDED FIBRE OPTIC AND MULTIMEDIA	62 CON EF	2238	2346
A (2) Fibre Optic SC Simplex (4) Fiber Optic LC Duplex			162
B (1) HDMI, (1) Stereo 3.5 Mini (2) USB “A”, (1) RJ45 (1) RJ11			
C (2) AC power port			
D (2) AC power ports/with 15 amp circuit breaker			



LARGE BLANK MODULE	62 CON X2		

Blank Modules does not include the Connexus™ lid.

ORDERING NOTE: Enclosure box is only required when the Connexus™ is not positioned over a base. If an enclosure box is required, please clearly state this requirement on your purchase order and add the $332 per Connexus™.






CONNEXUS™ | CUSTOM CONNEXUS™







Planning a custom Connexus™ unit is easy when following these 6 simple steps.

STEP ONE: Select the quantity of AC power ports or AC power ports with USB Charging (select configurations only) that are required.


Power modules must always be positioned starting from the right side of the unit. For example, 3 gang Connexus™ can have a power module located in position C with data ports in position A and B, or power can be located in position B and C with data port in position A, or position A,B and C can have all power ports or all data ports. Please note, 4 gang Connexus™ are not available with power ports located in position A.

On select configurations shown below, USB charging outlets are available. These charging outlets allow a user to charge most personal electronic devices without the need for any special power adapter or a computer - simply plug in your device with any compatible USB cable. This component has 2 USB charging slots that supply 5V DC at 700mA. Comes with a charging indicator light, as well as a standard 120 volt simplex receptacle on the bottom portion of the component.


Standard Connexus™	List Price
 3 Gang: Data ports only E300 - Standard Data Ports	90
 3 Gang: AC Power Port	
E31S - Standard Outlet	622
E31U - Standard & Utility Outlets	666
 3 Gang: AC Power Port / AC Power Port with 15 amp circuit breaker	
E32S -Standard Outlet	815
E32U - Standard & Utility Outlet	862
 3 Gang: AC Power Port Simplex with USB Charging/AC Power Port with 15 amp circuit breaker	
E32SC - Standard Outlet	1084
E32UC - Standard & Utility Outlet	1130
 3 Gang: (2) AC Power Port / AC Power Port with 15 amp circuit breaker	
E33S - Standard Outlet	996
E33U - Standard & Utility Outlet	1038

Large Connexus™	List Price
 4 Gang: Data Ports only E400 - Large Data Ports	186
 4 Gang: AC Power Port	
E41S - Large Outlet	701
E41U - Large & Utility Outlets	745
 4 Gang: AC Power Port / AC Power Port with 15 amp circuit breaker	
E42S - Large Outlet	916
E42U - Large & Utility Outlets	959
 4 Gang: AC Power Port Simplex with USB Charging/AC Power Port with 15 amp circuit breaker	
E42SC - Standard Outlet	1180
E42UC - Standard & Utility Outlet	1227
 4 Gang: (2) AC Power Port / AC Power Port with 15 amp circuit breaker	
E43S - Large Outlet	977
E43U - Large & Utility Outlets	1022
 4 Gang: (2) AC Power Port Simplex with USB Charging/AC Power Port with 15 amp circuit breaker	
E43SC - Standard Outlet	1242
E43UC - Standard & Utility Outlet	1287

STEP TWO : There are two cord end options available; Plug In and Conduit. The standard Plug In option will connect with any standard floor monument power source. The Conduit option is Liquatite® (a steel inner conduit with a PVC overlay) by Anamet, meant for specific hard wiring applications. Units can come in cord lengths of 16’ or 25’. Not Applicable if no power is selected.




EP
Electrical Plug In
No Upcharge



EC
Electrical Conduit
Add upcharge
16’
25’


STEP THREE: There are two data options available; Plate mounted ports or Snap-in ports. Snap-in ports are available in configurations of two, four or six. Choose the faceplate below that meets your data requirements. If an odd number of Snap-in ports are required, a blank port needs to be selected when the opening is not in use.



M02

Mounting Plate (2)
accepts two snap in data ports


Add $39 list



M06

Mounting Plate (6)
accepts six snap in data ports


Add $39 list



M04

Mounting Plate (4)
accepts four snap in data ports

Add $39 list




M00

Mounting Plates


Add $39 list

STEP FOUR: Choose the Plate mounted port or Snap-in ports options for non-powered positions. As an aid, use the chart below to help design and build your Connexus™ to meet the rooms needs. Use the check boxes and list the components on the lines below.

Standard Connexus™




Large Connexus™



STEP FIVE: Select the Connexus™ Cover (Aluminum or Glass)


Standard Connexus™



3 GANG

3CCA	Aluminum	$416 list
3CFG	Glass	$515 list
3C00	No Lid	

Large Connexus™



4 GANG

4CCA	Aluminum	$430 list
4CFG	Glass	$532 list
4C00	No Lid	

STEP SIX: Enclosure box is only required only when the Connexus™ is not positioned over a base.
If an enclosure box is required, please clearly state this requirement on your order and add the $332 per Connexus™.

STEP SEVEN: Calculate the total list price for the custom Connexus™ by adding the following prices:

- Connexus™ Box with required AC Power Ports
- Faceplate (Snap-in Ports Only)
- Snap-In Ports or Plate Mounted Data Ports
- Enclosure Box (if required)
- Connexus™ Lid (Aluminum or Glass)

CONNEXUS™ | PORT OPTIONS



























PLATE MOUNTED PORTS	Reference Code	Description	List Price
	**P01**	**VGA & 3.5 STEREO MINI -** Use for VGA (DB15) connections and for 3.5mm stereo connections. Connector is a female input with screw terminal output (back side of Console interface).	157
	**P02**	**DVI-I DUAL (DIGITAL/ANALOG) & 3.5 STEREO MINI -** Use for DVI Integrated - Digital and Analog connections and for 3.5mm stereo connection. The DVI connector is a Dual Link. DVI-I connector is a female-to-female pass through and the 3.5 Mini is a female input with screw terminal output (back side of Console interface).	233
	**P03**	**DVI-D DUAL (DIGITAL) -** Use for DVI-D Digital only connection. The connector is a Dual Link. Connector is a female-to-female pass through.	150
	**P04**	**DVI-I DUAL (DIGITAL/ANALOG) & VGA -** Use for DVI Integrated - Digital and Analog and for VGA (DB15) connections. The DVI connector is a Dual Link. Both connectors are female-to-female pass through.	298
	**P05**	**DVI-I DUAL (DIGITAL/ANALOG) -** Use for DVI Integrated -Digital and Analog connections. DVI connector is a Dual Link. Connector is a female-to-female pass through.	190
	**P06**	**VGA-2 -** Use for two VGA (DB15) connections. Both connectors are female-to-female pass through.	184
	**P07**	**DISPLAYPORT -** Use for DisplayPort connection. This connector is primarily used to connect a video source to a display device and also carries audio signals, Connector is a female input to a 3' corded output (back side of Console interface) with a male Display Port termination.	184

PLATE MOUNTED PORTS	Reference Code	Description	List Price
	**P08**	**MICROPHONE XLR STANDARD -** Use for standard size XLR microphone connection. Connector is a female input with a 3 pin screw terminal output (back side of Console interface).	250
	**P09**	**MICROPHONE STANDARD XLR -2 -** Use for two standard size XLR microphone connections. Each connector is a female input with a 3 pin screw terminal output (back side of Console interface).	366
	**P10**	**3 HOLE CABLE PASS THROUGH -** Use for running loose cables from the under side of the table up into the Console interface cavity. Often used with running wires for PolyCom™ devices.	58
	**P11**	**VGA-to-BNCx2 -** Use for two VGA (DB15) connections that are input female pass through and are terminated on the output (back side of Console interface) with 5 BNC female pigtail connections, for each VGA connector.	597
	**P12**	**INPUT VGA & 3.5 Stereo (POWERED) -** VGA + Audio Line Driver designed for VGA (DB15) connections and for 3.5mm stereo connections. This unit provides a method of transmitting signals to a remote display and audio receiver or amplifier. VGA connector is a female input and comes with cabling for either VGA output, or 5 BNC output and the 3.5 Mini is a female input with screw terminal output (back side of Console interface). A 9 volt DC 500mA power supply is required to power this unit.	1462

PORT ACCESSORIES	Reference Code	Description	List Price
	**DVIR**	**DVI-REPEATER -** Is a cable equalizer that automatically compensates for long DVI cable runs. This unit extends the canadable cable distance up to 130ft depending on the quality of the cable and the resolution of the video signal. Additionally, it is capable of extending dual link signals allowing for much greater resolutions and refresh rates. This unit comes with a power supply and is generally mounted underneath a table.	1152


CONNEXUS™ | PORT OPTIONS


SNAP IN PORTS	Reference Code	Description	List Price
		**RJ-45** - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	51
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		**RJ11** - Telephone type connection. Connector is a female input with a#110 punch -down terminal block output (back side of Console interface) for on-site hard wire connection.	34
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	**S03**	**3.5 STEREO MINI -** 3.5mm stereo connection. Connector is a female input with screw terminal output (back side of Console interface).	100
	**S04**	**HDMI -** High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	190
	**S05**	**RCA-LEFT -** RCA left audio channel connection. Color coded with black. Connector is a female-to-female pass through.	40
	**S06**	**RCA-RIGHT -**RCA right audio channel connection. Color coded with red. Connector is a female-to-female pass through.	40
	**S07**	**RCA- VIDEO -** RCA video channel connection. Color coded with yellow. Connector is a female-to-female pass through.	40
	**S08**	**USB-A -** Full size USB “A” style connection. Connector is a female-to-female pass through.	67


SNAP IN PORTS	Reference Code	Description	List Price
	**S09**	**3 PIN MINI XLR** - 3 Pin Mini XLR microphone connection. Connector is a female input to a 6' corded output (back side of Console interface) with a 3 Pin Mini XLR male termination.	813
	**S10**	**S-VIDEO -** S-Video connection. Connector is a female-to-female pass through.	74
	**S11**	**PS/2 (6 PIN MINI DIN) -** PS/2 (mouse, keyboard, other input devices) connections. Connector is a female-to-female pass through.	93
	**S12**	**BNC -** BNC style data connection for use with co-axial cable. Connector is a female-to-female pass through.	51
	**S13**	**F-TYPE -** F-Type (DSL,Cable) connections, generally for high speed Internet or video applications. Connector is a female-to-female threaded pass through.	40
	**S14**	**FIBER OPTIC SC -** Fibre Optic SC Simplex connection. Connector is a female-to-female pass through. Please note that two of these connectors are required to complete the data transmissions to and from the source and destination units.	51
	**S15**	**FIBER OPTIC LC -** Fibre Optic LC Duplex connection. Connector is a female-to-female pass through. One connector only is required to complete the data transmissions to and from source and destination units.	100
	**S16**	**USB–B –** USB "B" type connection. Connector is a female "B" input to a female "A" output (back side of Console interface). This connector is reversible.	150
	**S17**	**RJ12** (White) - RJ12 style PolyCom™ connection. Connector is a female input with a 6' corded output (back side) of Console interface) with a male RJ12 termination.	324
	**S00**	**BLANK COVER -** Blank covers are required when port is not in use.	16


NOTE: Up to 6 snap-in data ports can be ordered for open data positions. Snap-in adaptors can accept 2, 4 or 6 snap-in data ports. Please order a blank port when an odd number of snap-in ports are specified.







Dais


Oblique



Forza Square

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section for more information. For large Connexus™ units, please replace "3" in location code with "4". Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.


72"




84"




96"




120"




144"




168" & 192"




216"




240"



264"





288"





REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE


REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE




Forza Leg



Forza Square

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section for more information. For large Connexus™ units, please replace "3" in location code with "4". Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.


72"




84"




96"




120" & 144"




168" & 192"



216" & 240"




264" & 288"




REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE



REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

VIRTU | CONNEXUS™ LOCATIONS CHARTS




The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section for more information. For large Connexus™ units, please replace "3" in location code with "4". Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.


72"




84"




96"




120"




144"




168"




192"




216" & 240"



264"





288"




REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE

REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE






Dais




Oblique




Forza Square

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section for more information. For large Connexus™ units, please replace "3" in location code with "4". Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.


96"




120"




144"




168"




192"




216"




240"



264"



288"







REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE



REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE


VIRTU | CONNEXUS™ LOCATIONS CHARTS






Dais


The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section for more information. For large Connexus™ units, please replace "3" in location code with "4". Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.




96"




120"




144"







Forza Leg




Forza Square




Forza Rectangle



96"




120"





144"


REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE

REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE





Forza Panel



Forza Square


Forza Rectangle


The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section for more information. For large Connexus™ units, please replace "3" in location code with "4". Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.



96"



120"





144"

REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS


REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES

VIRTU | CONNEXUS™ LOCATIONS CHARTS






Verso




Forza Square


The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section for more information. For large Connexus™ units, please replace "3" in location code with "4". Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.




107"



137"




168"







Forza Leg




Forza Square



107"



137"




168"





REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE




REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE





Dais


Oblique



Forza Square

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section for more information. For large Connexus™ units, please replace "3" in location code with "4". Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.


120"




192"




144"




216"



168"




240"






REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE



REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

VIRTU | CONNEXUS™ LOCATIONS CHARTS





Forza Panel


Forza Square



Forza Rectangle

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section for more information. For large Connexus™ units, please replace "3" in location code with "4". Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.


120"




192"




144"




216"



168"




240"






REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE


REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE





Forza Leg


Forza Square



Forza Rectangle

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section for more information. For large Connexus™ units, please replace "3" in location code with "4". Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.


120"




192"




144"




216"



168"




240"




REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE


REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

VIRTU | CONNEXUS™ LOCATIONS CHARTS







Forza

The Connexus™ Locations diagrams below show the available Connexus™ locations for only the top and base configurations shown above. **Please note that the maximum allowable Connexus™ modules per top are shown, and tops may be specified with fewer modules.** Each Connexus™ module has a code to represent its location on the table surface. To specify a Connexus™ module in a particular location, please use the code listed above it. Note that Large Connexus™ modules can only be specified on the outside sections of tops. **Connexus™ locations and quantities may be limited if Floor Monuments already exist at installation site. Please see Floor Monuments section for more information. For large Connexus™ units, please replace "3" in location code with "4". Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top.** Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.


134"




158"




182"



218"





254"




REPRESENTS MODULES THAT WHEN OPENED FACE THE ENDS OF THE TABLE

REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE





Dais


Forza Leg


Forza Square

The Connexus™ Location , “C”, is the only code required when specifying a Connexus™ module on a Round, Square, Arced Square or Delta table. For large Connexus™ units, please replace “3” in location code with “4”. Codes that appear above table illustrations represent single center locations, in which unit will face West if on left end of top, and East if on right end of top. Note: For Connexus™ locations other than those shown below, contact Customer Service for upcharge.



Note: It is recommended that Connexus™ Modules not be specified on 36" and 42" Delta tops and 42" Arced Square, Round and Square tops when used in conjunction with Forza Leg bases due to leg room constraints.

REPRESENTS MODULES THAT WHEN OPENED FACE THE SIDES OF THE TABLE

VIRTU | FLOOR MONUMENT LOCATIONS

FLOOR MONUMENT LOCATIONS

All VIRTU table bases and casegoods designed for use with office equipment provide wire management with easy door access to floor and wall monuments. This allows for change and updating of wiring throughout the product without having to take furniture apart and re-install it. We've provided in this guide helpful information on the optimum locations of floor monuments in relation to the table base locations, so that you can position each appropriately. Follow the New Monument Locations guidelines to determine these positions. We've also given you steps for determining what locations and quantities of Connexus™ modules are available if floor monuments already exist at the installation site. Follow the Existing Monument Locations guidelines if this applies.

NEW MONUMENT LOCATIONS

Steps to Determine Recommended Floor Monument Location Codes for Tables

1. In the "Chart A" section, locate the page which represents the Base(s) and Top Shape for your table, which are listed at the top of each page.
2. Locate your "Top Size" and "Top Shape" from the chart on that page.
3. On the left, you will see a diagram with "Codes" indicated for Recommended Monument Locations.
4. Select the Code(s) for your preferred Monument Locations(s) and note for ordering purposes.

Note: Some restrictions apply in selecting Monument Locations, due to pre-determined electrical cord lengths. See Electrical Cord Lengths details.

Steps to Determine Recommended Monument Location Measurements

1. In the "Chart B" section, locate the page which represents the Bases(s) and Top Shape for your table, which are located at the top of each chart.
2. Locate your "Top Size".
3. Cross reference your table size with the "Codes" that you have selected for your table.

Note: The measurements listed represent the distance in inches that a particular "Code" is from the left edge of your table. The shaded columns, ML and MR, represent the distance in inches that a particular "Code" is from the center line (lengthwise) of the table.

EXISTING MONUMENT LOCATIONS

If your VIRTU Conference Table is to be installed in a room with existing floor monuments, please use the following steps to determine the available location(s) and quantity of Connexus™ modules.

1. Create an overhead view of the room in which your conference table is to be located, including measurements of floor space.
2. Sketch in an outline of your conference table in the position you would like it to be located in the room.
3. Measure the exact positions of the existing floor monuments in relation to the perimeter of your conference table.
4. Follow the steps outlined in Electrical Cord Lengths to determine the available locations(s) and quantity of Connexus™ modules.
5. Submit the overhead view of the room with your purchase order so that Krug can provide the proper electrical cord lengths with your order.

It is recommended that a flush floor mounted monument is specified to best facilitate access into all VIRTU bases. Monument locations listed within "Chart B" provide dimensional information as it relates to the position of the monuments and bases. Enclosed bases have been designed to be placed over top of the monument, while tables supported with Forza Leg and Forza Panel bases have the monuments located offset to the leg. Please note that the measurements listed are the optimum location for Floor Monuments so that wiring does not interfere with the users. The monument will require a minimum of one dedicated receptacle and provision for communication wire passage as well. Monuments with combined electrical capabilities will restrict the number of communication cables for use. For situations requiring large amounts of communication wiring, we highly recommend entering the table through another base from a monument designed for communication wires only. The Floor Monument charts and diagrams are also designed to help determine the proper cord length designations. In order for Krug to supply the proper length of electrical cords for VIRTU Conference tops specified with Connexus™ modules, the user must specify Monument Location Codes which can be found in these drawings. If floor monuments already exist, please provide an overhead room layout, with exact measurements of your conference table and monuments positions, as outlined in Existing Monument Locations.

ELECTRICAL CORD LENGTHS

Connexus™ Modules come with pre-determined electrical cord lengths that are suited to the size and configuration of each table. Each will plug into a standard floor monument power source. However, in situations where a table length exceeds our maximum cord length, a second power entry is necessary to avoid daisy-chaining of electrical power. To determine when a second power entry is required please follow these steps.

1. Select your Connexus™ Location(s).
2. Select your Floor Monument Location(s) if they do not already exist in the room.
3. If the number of Connexus™ Modules exceed three consecutive positions left or right of the power entry, then an additional power entry will be required. Refer to the Connexus™ Diagrams that illustrate the base and tabletop combination of your selection.

Note: Connexus™ Modules in pairs count as one position.

* Open Visio tables require 2 power sources, one per wing, or a single power source located at the apex of the two tables.


Example 1

If the designated Floor Monument location for the table scenario shown below is 1L, the user would be able to power-up any or all of the following Connexus™ locations: ACW3, BCW3 and CCW3.


Example 2

If the designated Floor Monument location for the table scenario shown below is 2R, the user would be able to power-up any or all of the following Connexus™ locations: CCW3, DCE3, ECE3 and FCE3.

Monument Location Scenario








Connexus™ Location Scenario



1L 2L 3L 3 3R 2R 1R
ACW3 BCW3 CCW3 DCE3 ECE3 FCE3

Chart A

Top Shapes:	• Rectangle • Boat • Square	• Arced Rectangle • Round • Arced Square	• Racetrack • Delta
Bases:	• Dais	• Forza Square	• Oblique

CODES	TOP SIZE	TOP SHAPES
		Round, Delta, Square, Arced Square
	72-36 84-42	Rectangle, Arced Rectangle, Racetrack
	96-42 96-48-42 96-48	Rectangle, Arced Rectangle, Racetrack, Boat
	120-48 20-48-42 120-54 144-54	Rectangle, Arced Rectangle, Racetrack, Boat
	144-48-42 168-42-42 168-54 192-54 192-54-48	Rectangle, Arced Rectangle, Racetrack, Boat
	216-54-48 216-60	Rectangle, Arced Rectangle, Racetrack, Boat
	240-54-48 240-60	Rectangle, Arced Rectangle, Racetrack, Boat
	264-60 264-60-48 288-60 288-60-48	Rectangle, Arced Rectangle, Racetrack, Boat

VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart A

Top Shapes:	• Rectangle • Boat • Square	• Arced Rectangle • Round • Arced Square	• Racetrack • Delta
Bases:	• Forza Leg	• Forza Leg with Forza Square	• Forza Leg with Forza Rectangle













CODES	TOP SIZE	TOP SHAPES
		Round, Delta, Square, Arced Square
	72-36 84-42	Rectangle, Arced Rectangle, Racetrack
	72-36 84-42 96-42 96-48 96-48-42	Rectangle, Arced Rectangle, Racetrack, Boat
	120-48 120-48-42 120-54 144-48-42 144-54	Rectangle, Arced Rectangle, Racetrack, Boat
	168-48-42 168-54 192-54 192-54-48	Rectangle, Arced Rectangle, Racetrack, Boat
	216-54-48 16-60 240-54-48 240-60	Rectangle, Arced Rectangle, Racetrack, Boat
	264-60 64-60-48 288-60 288-60-48	Rectangle, Arced Rectangle, Racetrack, Boat

Chart A

Top Shapes:	• Rectangle	• Arced Rectangle	• Racetrack	• Boat
Bases:	• Forza Panel	• Forza Panel with Forza Square	• Forza Panel with Forza Rectangle	




CODES	TOP SIZE	TOP SHAPES
	72-36 84-42	Rectangle, Arced Rectangle, Racetrack
	96-42 96-48-42 96-48	Rectangle, Arced Rectangle, Racetrack, Boat
	120-48 120-48-42 120-54 144-48-42 144-54	Rectangle, Arced Rectangle, Racetrack, Boat
	168-48-42 168-54	Rectangle, Arced Rectangle, Racetrack, Boat
	192-54 192-54-48	Rectangle, Arced Rectangle, Racetrack, Boat
	216-54-48 216-60 240-54-48 240-60	Rectangle, Arced Rectangle, Racetrack, Boat
	264-60 264-60-48	Rectangle, Arced Rectangle, Racetrack, Boat
	288-60 88-60-48	Rectangle, Arced Rectangle, Racetrack, Boat

VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart A

Top Shapes: • Oval

Bases: • Dais

CODES	TOP SIZE
	96-48
	120-54
	

Top Shape: • Oval

Bases: • Forza Leg • Forza Leg with Forza Square • Forza Leg with Forza Rectangle
• Forza Panel with Forza Square • Forza Panel • Forza Panel with Forza Rectangle







CODES	TOP SIZE
	96-48
	120-54
	144-60

Chart A




Top Shapes: • Verso

Bases: • Forza Square • Verso

CODES	TOP SIZE
	107-57-40
	137-63-40
	167-70-40

Top Shapes: • Verso

Bases: • Forza Leg • Forza Leg with Forza Square

CODES	TOP SIZE
	107-57-40
	137-63-40
	167-70-40

VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart A

Top Shapes: • Visio

Bases: • Forza Square • Oblique • Dais












CODES	TOP SIZE
	120-60-42 144-60-42
	168-60-42
	192-66-42
	216-73-42
	240-76-42

Chart A

Top Shapes: • Visio

Bases:
- Forza Leg with Forza Square
- Forza Panel with Forza Square
- Forza Leg with Forza Rectangle
- Forza Panel with Rectangle

CODES	TOP SIZE
	120-60-42
	144-60-42
	168-60-42
	192-69-42
	216-73-42
	240-76-42

VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart A

Top Shapes: • Open Visio

Bases: • Forza Leg




CODES	TOP SIZE
	134-80-52 134-92-64
	158-85-52 158-96-64 182-90-52 182-102-64
	218-97-52 218-109-64 254-105-52 254-117-64

Chart B

Top Shapes:	• Rectangle • Delta	• Arced Rectangle • Square	• Racetrack • Arced Square	• Boat • Round
Bases:	• Dais	• Forza Square	• Oblique	

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
42 dia				21					
42-42 square				21					
42-42 arched square				21					
42 delta				18					
48 dia				24					
48-48 square				24					
48-48 arched square				21					
48 delta									
54 dia				21					
54-54 square				21					
54-54 arched square				21					
54 delta				18					
60 dia				21					
60-60 square				21					
60-60 arched square				21					
60 delta				18					
72-36	18						54		
84-42	24						59		
96-42	26						70		
96-48	26						70		
96-48-42	26						70		
120-48	27						93		
120-48-42	27						93		
120-54	27						93		
144-54	27						117		
144-48-42	27			72			117		
168-54	27			84			141		
168-48-42	27			84			141		
192-54	27			96			165		
192-54-48	27			96			165		
216-54-48	29			108			186		
216-60	29			108			186		
240-54-48	30		90		150		210		
240-60	30		90		150		210		
264-60	30		98		166		234		
264-60-48	30		98		166		234		
288-60	30		107		181		258		
288-60-48	30		107		181		258		

VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart B

Top Shapes:	• Rectangle • Delta	• Arced Rectangle • Square	• Racetrack • Arced Square	• Boat • Round
Bases:	• Dais	• Forza Square	• Oblique	

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
42 dia.	13								
42-42 square	12							12	
42-42 arched square	13							13	
42 delta	14								
48 dia.	13								
48-48 square	12							12	
48-48 arched square	13							13	
48 delta	14								
54 dia.	13								
54-54 square	12							12	
54-54 arched square	13							13	
54 delta	14								
60 dia.	13								
60-60 square	12							12	
60-60 arched square	13							13	
60 delta	14								
72-36	12						59	8	8
84-42	12						71	11	11
96-42	12						83	11	11
96-48	12						83	13	13
120-48	12			60			107	13	13
120-54	12			60			107	17	17
144-54	12			72			131	17	17
168-54	12		63		105		155	17	17
192-54	12		72		120		179	17	17
216-60	12		65	108	151		203	20	20
240-60	12		72	120	168		227	20	20
264-60	12	67	120		144	197	251	20	20
288-60	12	73	120		168	215	275	20	20

Chart B

Top Shape: • Arched Rectangle

Bases: • Forza Leg with Forza Square • Forza Leg with Forza Rectangle

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
72-36	18						53	8	8
84-42	18						66	11	11
96-42	18						77	11	11
96-48	18						77	13	13
120-48	18			60			101	13	13
120-54	18			60			101	17	17
144-54	18			72			125	17	17
168-54	18		63		105		149	17	17
192-54	18		72		120		173	17	17
216-60	18		65	108	151		197	20	20
240-60	18		73	120	167		221	20	20
264-60	18	67	110		154	197	245	20	20
288-60	18	73	120		168	215	269	20	20

Top Shape: • Boat

Bases: • Forza Leg with Forza Square • Forza Leg with Forza Rectangle

	1L	2L	3L	3	3R	2R	1R	ML	MR
96-48-42	12						83	11	11
120-48-42	12			60			107	11	11
144-48-42	12			72			131	11	11
168-48-42	12		63		105		155	11	11
192-54-48	12		72		120		179	14	14
216-54-48	12		65	108	151		203	14	14
240-54-48	12		73	120	167		227	14	14
264-60-48	12	67	110		154	197	251	14	14
288-60-48	12	73	120		168	215	275	14	14

VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart B

Top Shape: • Arched Rectangle

Bases: • Forza Leg with Forza Square • Forza Leg with Forza Rectangle

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
72-36	17						55	6	6
84-42	17						67	8	8
96-42	17						79	8	8
96-48	19						77	11	11
120-48	19			60			101	11	11
120-54	21			60			99	14	14
144-54	21			72			123	14	14
168-54	21		63		105		147	14	14
192-54	21		72		120		171	14	14
216-60	23		65	108	151		193	17	17
240-60	23		73	120	167		217	17	17
264-60	23	67	110		154	197	241	17	17
288-60	23	73	120		168	215	265	17	17

Chart B

Top Shape: • Rectangle • Arched Rectangle • Racetrack • Boat

Bases:
• Forza Panel
• Forza Leg with Forza Square • Forza Leg with Forza Rectangle

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
72-36	19						53	7	7
84-42	19						65	7	7
96-42	20						76	10	10
96-48	20						76	10	10
96-48-42	20						76	10	10
120-48	20			60			100	10	10
120-48-42	20			60			100	10	10
120-54	20			60			100	13	13
144-54	20			72			123	13	13
144-48-42	20			72			123	13	13
168-54	20			84			148	13	13
168-48-42	20			84			148	13	13
192-54	20		72		120		172	13	13
192-54-48	20		72		120		172	13	13
216-54-48	20		87		129		196	13	13
216-60	20		65		150		196	13	13
240-54-48	20		78		162		220	13	13
240-60	20		78		162		220	13	13
264-60	20		88		175		244	13	13
264-60-48	20		88		175		244	13	13
288-60	20		73	144	215		268	13	13
288-60-48	20		73	144	215		268	13	13

VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart B

Top Shape: • Oval

Bases: • Dais

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
96-48	25						70		
120-54	28						92		
144-60	27			72			117		

Top Shape: • Oval

Bases: • Forza Leg
• Forza Leg with Forza Square • Forza Leg with Forza Rectangle

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
96-48	24						71	7	7
120-54	27			60			93	10	10
144-60	26			72			118	10	10

Top Shape: • Oval

Bases: • Forza Panel
• Forza Panel with Forza Square • Forza Panel with Forza Rectangle

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
96-48	24						71	7	7
120-54	27			60			93	10	10
144-60	26			72			118	10	10

Chart B

Top Shape: • Verso

Bases: • Forza Square • Verso

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
107-57-40	26						71		5
137-63-40	27						102		6
167-70-40	27			79			130		8

Top Shape: • Verso

Bases: • Forza Leg • Forza Square

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
107-57-40	14				61		95	10 & 13	10 & 20
137-63-40	14			68	91		125	10 & 16	10 & 23
167-70-40	14		60		98	120	154	10 & 19	10 & 27

VIRTU | RECOMMENDED FLOOR MONUMENT LOCATIONS

Chart B

Top Shape: • Visio

Bases: • Dais • Forza Square • Oblique

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
102-60-42	26						93		
144-60-42	26						114		
168-66-42	26			79			138		
192-66-42	24			96			164		
216-73-42	24			108			188		
240-76-42	24		76		144		212		

Top Shape: • Visio

Bases: • Forza Leg with Forza Square • Forza Leg with Forza Square

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
102-60-42	12			60			107	10	10
144-60-42	12			72			131	10	10
168-66-42	12		63		104		155	10	10
192-66-42	12		72		120		179	10	10
216-73-42	12		65	108	151		203	10	10
240-76-42	12		72	120	168		227	10	10

Top Shape: • Visio

Bases: • Forza Panel with Forza Square • Forza Panel with Forza Square

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES								
	1L	2L	3L	3	3R	2R	1R	ML	MR
102-60-42	21			60			99	7	7
144-60-42	21			72			122	7	7
168-66-42	21			84			147	7	7
192-66-42	21		72		120		170	7	7
216-73-42	21		65		151		194	7	7
240-76-42	21		72		168		218	7	7

Chart B

Top Shape: • Arched Rectangle

Bases: • Forza Leg with Forza Square • Forza Leg with Forza Rectangle

Indicates distance in inches from the left end of table to center of monument

Indicates distance in inches from center line (*lengthwise*) of table to center of monument

	CODES														
	1L	ML	MR	3L	ML	MR	3	ML	MR	3R	ML	MR	1R	ML	MR
134-80-52 (30-96)	13	17	17	37	15	15							124	24	24
134-92-64 (36-96)	13	23	23	38	18	18							124	27	27
158-85-52 (30-60)	13	17	17	37	15	15				97	21	21	148	27	27
158-96-64 (36-60)	13	23	23	38	18	18				97	24	24	148	30	30
179-90-52 (30-72)	13	17	17	37	15	15				109	22	22	172	29	29
179-102-64 (36-72)	13	23	23	38	18	18				109	25	25	172	32	32
218-97-52 (30-60)	13	17	17	37	15	15	97	21	21	157	27	27	208	33	33
218-109-64 (36-60)	13	23	23	38	18	18	97	24	24	157	30	30	208	36	36
254-105-52 (30-72)	13	17	17	37	15	15	109	22	22	180	30	30	243	37	37
254-117-64 (36-72)	13	23	23	38	18	18	109	25	25	180	33	33	243	40	40

Due to the unique shape of Open Visio tables, this Monument Location Chart differs from the other charts

VIRTU | CONFERENCE TABLE ORDERING CHART SAMPLE

Conference Table Ordering Chart Samples
To assist in the specification of VIRTU conference tables we have provided an ordering chart. Shown first is a completed sample chart. This sample chart shows exactly what information is needed to complete an order. The exception is the Connexus™ and Floor Monument areas, as they are not required if Connexus™ modules are not included in the order. You may photocopy the blank chart on bottom of the page and use it exclusively for ordering VIRTU conference tables, attach the charts to the rest of your order, or simply use the chart as a reference to what information is required to complete your conference table order.

SAMPLE

VIRTU Conferencing Table Configuration

Conference Top Model # Base Model #'s	Base Qty	Price for Top and Base(s)
6258-167-70-40		$2159
6234-14-14-29	1	
6234-20-20-29	1	
6231-23-24-29	1	

Species	Finish	Edge Profile	Metal Finish
Anigre	Clear	Fino	Satin Aluminum

Connexus™ Location	Connexus™ Model #(s)	Price	Monument Locations	Other
AL	62 CON ED - Alum.	1414	1L	
C	62 CON BD - Alum.	1149	1L	
AR	62 CON BD - Alum	1149	1R	

	Total List $	$**26,947**

VIRTU Conferencing Table Configuration

Conference Top Model # Base Model #'s	Base Qty	Price for Top and Base(s)

Species	Finish	Edge Profile	Metal Finish

Connexus™ Location	Connexus™ Model #(s)	Price	Monument Locations	Other

	Total List $	

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Dual Media Cabinet full height upper bi-fold wood doors lower hinged wood doors	62MC-75307614	14493	15638	75	30	76	645	116




ORDERING NOTES
Locks are optional on upper and lower wood doors at a price of **$166 list** per set of two doors.
Interior dimensions for monitor shelf on this unit are: Width=73 1/4" Depth=27 3/4"
Height with camera shelf=30 3/4" Height without camera shelf=39"

Description	Model							
Dual Media Cabinet full height upper bi-fold wood doors lower hinged glass doors	62MC-75307614GW	15231	16409	75	30	76	645	116




ORDERING NOTES
Locks are optional on upper doors at a price of **$166 list** per set of two doors.
Interior dimensions for monitor shelf on this unit are: Width=73 1/4" Depth=27 3/4"
Height with camera shelf=30 3/4" Height without camera shelf=39"

Description	Model							
Dual Media Cabinet full height open top cabinet lower hinged wood doors	62MC-75307613 Media Cabinet full height	12549	13713	75	30	76	570	116



ORDERING NOTES
Locks are optional on lower wood doors at a price of **$166 list** per set of two doors.
Interior dimensions for monitor shelf on this unit are: Width=73 1/4" Depth=27 3/4"
Height with camera shelf=30 3/4" Height without camera shelf=39"

Description	Model							
Dual Media Cabinet full height open top cabinet lower hinged glass doors	62MC-75307613G	13307	14564	75	30	76	570	116



ORDERING NOTES
Interior dimensions for monitor shelf on this unit are: Width=73 1/4" Depth=27 3/4"
Height with camera shelf=30 3/4" Height without camera shelf=39"

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION


MC - media cabinet
G - glass doors
W - wood doors

SPECIAL FEATURES

- Dual Media Cabinets will accommodate 2 monitors up to 35" each in width. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of **$166 list** per lock.
- Casters are optional on Dual Media Cabinets at a price of **$228 list**.
- Dual Media Cabinets feature removable shelf and grommet for CPU storage.

VIRTU | MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Dual Media Cabinet buffet height hinged wood doors	62MC-75303511	7985	9139	75	30	34.5	345	49




ORDERING NOTES
Locks are optional on wood doors at a price of **$166 list** per set of two doors.
Casters are optional on Dual Media Cabinets at a price of **$228 list**.

Description	Model							
Dual Media Cabinet buffet height hinged glass doors	62MC-75303511G	8731	9988	75	30	34.5	345	49




ORDERING NOTES
Casters are optional on Dual Media Cabinets at a price of **$228 list**.ordering procedure

Description	Model							
Large Media Cabinet hinged wood doors lower hinged wood doors (2 Piece Assembly)	62MC-42308514	8343	9593	42	30	85	455	59



ORDERING NOTES
Upper and lower doors have an optional lock at a price of **$166 list** per set of two doors.
Interior dimensions for monitor shelf on this unit are:
Width=40 3/16" Depth=28 3/8" Height=33 3/8"
An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of $3347 list**.**

Description	Model							
Large Media Cabinet hinged glass doors lower hinged glass doors (2 Piece Assembly)	62MC-42308514GW	8631	9924	42	30	85	455	59



ORDERING NOTES
Upper and lower doors have an optional lock at a price of **$166 list** per set of two doors.
Interior dimensions for monitor shelf on this unit are:
Width=40 3/16" Depth=28 3/8" Height=33 3/8"
An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of **$3514 list**.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features


CODE DESCRIPTION

MC - media cabinet
G - glass doors


SPECIAL FEATURES

- Dual Media Cabinets will accommodate 2 monitors up to 35" each in width. Please contact Customer Service if dimensions are critical
- Locks are optional on wood doors at a price of **$155 list** per lock mechanism.
- Bookmatched Birdseye Maple veneer is available on work surfaces of VIRTU cases at an upcharge of **$82 list** per square foot.

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Large Media Cabinet hinged glass doors lower hinged wood doors (2 Piece Assembly)	62MC-42308514WG	9545	10851	42	30	85	455	59




Large Media Cabinet hinged glass doors lower hinged glass doors (2 Piece Assembly)	62MC-42308514G	10018	11315	42	30	85	455	59




ORDERING NOTES
Interior dimensions for monitor shelf on this unit are:
Width=40 3/16" Depth=28 3/8" Height=33 3/8"
An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of **$3514 list**.

Large Media Cabinet gabled top hinged wood doors lower hinged wood doors (2 Piece Assembly)	.62MC-42308514A	8482	9751	42	30	85	455	61



ORDERING NOTES
For security reasons, upper doors have an optional lock at a price of **$166 list**.
Interior dimensions for monitor shelf on this unit are:
Width=40 3/16" Depth=28 3/8" Height=33 3/8"
An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of **$3514 list**.

Large Media Cabinet gabled top hinged wood doors lower hinged wood doors (2 Piece Assembly)	62MC-42308514GWA	8767	10083	42	30	85	455	61



ORDERING NOTES
For security reasons, upper doors have an optional lock at a price of **$166 list**.
Interior dimensions for monitor shelf on this unit are:
Width=40 3/16" Depth=28 3/8" Height=33 3/8"
An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of **$3514 list**.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION


MC - media cabinet
G - glass doors

SPECIAL FEATURES

- Large Media Cabinets will accommodate monitors up to 35" in width. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pullout swivel shelf (which accommodates up to 250 lbs.).


VIRTU | LARGE MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Large Media Cabinet wood pocket doors wood lower hinged doors (2 Piece Assembly)	62MC-42308502	9897	11383	42	30	85	455	59




ORDERING NOTES
For security reasons, upper pocket doors have an optional lock at a price of **$166 list.**
Lower doors feature an optional lock at a price of **$166 list**.
Interior dimensions for monitor shelf on this unit are:
Width=36 15/16" Depth=28 7/16" Height=30 3/8"

Description	Model							
Large Media Cabinet wood pocket doors glass lower hinged doors (2 Piece Assembly)	62MC-42308502GW	10177	11703	42	30	85	455	59




ORDERING NOTES
For security reasons, upper pocket doors have an optional lock at a price of **$166 list**.
Interior dimensions for monitor shelf on this unit are:
Width=36 15/16" Depth=28 7/16" Height=30 3/8"

Description	Model							
Large Media Cabinet glass pocket doors wood lower hinged doors (2 Piece Assembly)	62MC-42308502WG	10987	12747	42	30	85	455	59



ORDERING NOTES
For security reasons, lower doors have an optional lock at a price of **$166 list**.
Interior dimensions for monitor shelf on this unit are:
Width=36 15/16" Depth=28 7/16" Height=30 3/8"
Locks are optional on wood doors at a price of **$166 list** per lock mechanism.

Description	Model							
Large Media Cabinet glass pocket doors glass lower hinged doors (2 Piece Assembly)	62MC-42308502G	11271	12958	42	30	85	455	59



ORDERING NOTES
Interior dimensions for monitor shelf on this unit are:
Width=36 15/16" Depth=28 7/16" Height=30 3/8"
Locks are optional on wood doors at a price of **$166 list** per lock mechanism.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features


CODE DESCRIPTION

MC - media cabinet
G - glass doors
W - wood doors
A - gabled doors

SPECIAL FEATURES


- Large Media Cabinets will accommodate monitors up to 35" in width. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pullout swivel shelf (which accommodates up to 250 lbs.).

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Large Media Cabinet open monitor shelf (2 Piece Assembly)	62MC-42308517	7833	9010	42	30	85	440	59




ORDERING NOTES
Interior dimensions for monitor shelf on this unit are:
Width=40 3/16" Depth=28 5/16" Height=35 7/16"
Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of **$3347 list.**

Large Media Cabinet open monitor shelf lower hinged wood doors (2 Piece Assembly)	62MC-42308507	8013	9217	42	30	85	445	59




ORDERING NOTES
For security reasons, lower hinged doors have an optional lock at a price of **$166 list**.
Interior dimensions for monitor shelf on this unit are:
Width=40 3/16" Depth=28 5/16" Height=35 7/16"
An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of **$3514 list..**

Large Media Cabinet open monitor shelf lower hinged glass doors (2 Piece Assembly)	62MC-42308507G	8253	9488	42	30	85	445	59



ORDERING NOTES
Interior dimensions for monitor shelf on this unit are:
Width=40 3/16" Depth=28 5/16" Height=35 7/16"
An optional pull-out equipment rack and cable carrier are available on Media Cabinets at a price of **$3514 list..**

Small Media Cabinet hinged wood doors lower hinged doors - wood (casters optional)	62MC-36247614	6727	7736	36	24	75	235	40



ORDERING NOTES
For security reasons, upper and lower doors have an optional lock at a price of **$166 list** per set of two doors.
Interior dimensions for monitor shelf on this unit are:
Width=34 5/16" Depth=22 15/16" Height=28 9/16"
Casters are optional on Small Media Cabinets at a price of **$218 list**.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION


MC - media cabinet
G - glass doors
W - wood doors

SPECIAL FEATURES

- Large Media Cabinets will accommodate monitors up to 35" in width. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pullout swivel shelf (which accommodates up to 250 lbs.).


VIRTU | MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Small Media Cabinet hinged wood doors glass lower hinged doors	62MC-36247614GW	7402	8513	36	24	75	235	40




ORDERING NOTES
For security reasons, upper doors have an optional lock at a price of **$166 list**.
Interior dimensions for monitor shelf on this unit are:
Width=34 5/16" Depth=22 15/16" Height=28 9/16"
Casters are optional on Small Media Cabinets at a price of **$228 list**.

Small Media Cabinet hinged glass doors wood lower hinged doors (casters optional)	62MC-36247614WG	7665	8650	36	24	75	235	40




ORDERING NOTES
For security reasons, lower doors have an optional lock at a price of **$166 list.**
Interior dimensions for monitor shelf on this unit are:
Width=34 5/16" Depth=22 15/16" Height=28 9/16"
Casters are optional on Small Media Cabinets at a price of **$228 list**.

Small Media Cabinet hinged glass doors glass lower hinged doors (casters optional)	62MC-36247614G	8073	9062	36	24	75	235	40



ORDERING NOTES
Interior dimensions for monitor shelf on this unit are:
Width=34 5/16" Depth=22 15/16" Height=28 9/16"

Small Media Cabinet gabled doors hinged wood doors wood lower hinged doors (casters optional)	62MC-36247614A	7075	8134	36	24	75	235	40



ORDERING NOTES
For security reasons, upper and lower doors have an optional lock at a price of **$166 list** per set of two doors.
Interior dimensions for monitor shelf on this unit are:
Width=34 5/16" Depth=22 15/16" Height=28 9/16"

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features


CODE DESCRIPTION

MC - media cabinet
G - glass doors
W - wood doors
A - gabled doors

SPECIAL FEATURES


- Large Media Cabinets will accommodate monitors up to 35" in width. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pullout swivel shelf (which accommodates up to 250 lbs.).

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Small Media Cabinet gabled doors hinged wood doors glass lower hinged doors (casters optional)	62MC-36247614GA	7618	8763	36	24	75	235	40




ORDERING NOTES
For security reasons, upper hinged doors have an optional lock at a price of **$166 list.**
Interior dimensions for monitor shelf on this unit are:
Width=34 5/16" Depth=22 15/16" Height=28 9/16"

Small Media Cabinet wood pocket doors wood lower hinged doors (casters optional)	62MC-36247602	8114	9328	36	24	75	235	40




ORDERING NOTES
For security reasons, upper and lower doors have an optional lock at a price of **$166 list** per set of two doors.
Interior dimensions for monitor shelf on this unit are:
Width=30 15/16" Depth=22 15/16" Height=26"

Small Media Cabinet hinged glass doors glass lower hinged doors (casters optional)	62MC-36247602GW	8716	10021	36	24	75	235	40



ORDERING NOTES
For security reasons, upper pocket doors have an optional lock at a price of **$166 list.**
Interior dimensions for monitor shelf on this unit are:
Width=30 15/16" Depth=22 15/16" Height=26"

Small Media Cabinet glass pocket doors wood lower hinged doors (casters optional)	62MC-36247602WG	9184	10580	36	24	75	235	40



ORDERING NOTES
For security reasons, lower doors have an optional lock at a price of **$166 list.**
Interior dimensions for monitor shelf on this unit are:
Width=30 15/16" Depth=22 15/16" Height=26"

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION


MC - media cabinet
G - glass doors

SPECIAL FEATURES

- Casters are optional on Small Media Cabinets at a price of **$228 list**.
- Small Media Cabinets are suitable for use with 27" wide monitors. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pull-out swivel shelf (which can accommodate up to 250 lbs.).


VIRTU | SMALL MEDIA CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Small Media Cabinet glass pocket doors glass lower hinged doors (casters optional)	62MC-36247602G	9799	11214	36	24	75	235	40




ORDERING NOTES
Interior dimensions for monitor shelf on this unit are:
Width=30 15/16" Depth=22 15/16" Height=26"

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Small Media Cabinet Small open shelf (casters optional)	62MC-36247617	6313	7261	36	24	75	225	40




ORDERING NOTES
Interior dimensions for monitor shelf on this unit are:
Width=34 5/16" Depth=22 7/8" Height=30 5/8"

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Small Media Cabinet open monitor shelf wood lower hinged doors (casters optional)	62MC-36247607	6546	7544	36	24	75	230	40



ORDERING NOTES
For security reasons, lower doors have an optional lock at a price of **$166 list**.
Interior dimensions for monitor shelf on this unit are:
Width=34 5/16" Depth=22 7/8" Height=30 5/8"

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Small Media Cabinet open monitor shelf glass lower hinged doors (casters optional)	62MC-36247607G	7088	8149	36	24	75	230	40



ORDERING NOTES
Interior dimensions for monitor shelf on this unit are:
Width=34 5/16" Depth=22 7/8" Height=30 5/8"

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION

MC - media cabinet
G - glass doors
W - wood doors

SPECIAL FEATURES

- Casters are optional on Small Media Cabinets at a price of **$228 list**.
- Small Media Cabinets are suitable for use with 27" wide monitors. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pull-out swivel shelf (which can accommodate up to 250 lbs.).

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Monitor cabinet lower hinged wood doors	62MC-36243011	3954	5148	36	24	29.5	170	19




ORDERING NOTES
For security reasons, a lock is optional for this unit at a price of **$166 list**.

Monitor cabinet lower hinged glass doors	62MC-36243011G	4236	4874	36	24	29.5	170	19




Display Cabinet with wardrobe fixed glass shelves lower wood door	62DC-21247671L	4901	5638	21	24	76	190	24
	62DC-21247671R	4901	5638	21	24	76	190	24




ORDERING NOTES
Locks are optional on both lower door and wardrobe door at a price of **$166 list** each.
Glass shelves are not fixed to shelf supports.
We recommend that halogen lights be specified on Display Cabinets with glass shelves only.
Available at a price of **$611 list** each.

Display Cabinet with wardrobe fixed glass shelves lower glass door	62DC-21247671GL	5220	6006	21	24	76	190	24
	62DC-21247671GR	5220	6006	21	24	76	190	24



ORDERING NOTES
Wardrobe door features an optional lock at a price of **$166 list** each.
Glass shelves are not fixed to shelf supports.
We recommend that halogen lights be specified on Display Cabinets with glass shelves only.
Available at a price of **$611 list** each.

Display Cabinet with wardrobe fixed wood shelves lower wood door	62DC-21247672L	4841	5570	21	24	76	190	24
	62DC-21247672R	4841	5570	21	24	76	190	24



ORDERING NOTES
Locks are optional on both lower door and wardrobe door at a price of **$174 list** each.
This item is available on the KrugExpress quickship program.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION


MC - media cabinet
G - glass doors
W - wood doors
A - gabled doors

SPECIAL FEATURES

- Casters are optional on Small Media Cabinets at a price of **$228 list**.
- Small Media Cabinets are suitable for use with 27" wide monitors. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pull-out swivel shelf (which can accommodate up to 250 lbs.).


VIRTU | SMALL DISPLAY CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Display Cabinet with wardrobe fixed wood shelves lower glass door	62DC-21247672GL	5162	5936	21	24	76	190	24
	62DC-21247672GR	5162	5936	21	24	76	190	24




ORDERING NOTES
Wardrobe door features an optional lock at a price of **$166 list** each.

Display Cabinet with wardrobe upper glass door lower wood door	62DC-21247674WGL	5766	6629	21	24	76	195	24
	62DC-21247674WGR	5766	6629	21	24	76	195	24




ORDERING NOTES
Lower and wardrobe doors feature an optional lock at a price of $166 **list** each.

Display Cabinet with wardrobe upper glass door lower glass door	62DC-21247674GL	6039	6949	21	24	76	195	24
	62DC-21247674GR	6039	6949	21	24	76	195	24



ORDERING NOTES
Lower and wardrobe doors feature an optional lock at a price of **$166 list** each.

Display Cabinet with wardrobe adjust. wood shelves lower wood door	62ST-21207613L	4984	5730	21	20	76	145	20
	62ST-21207613R	4984	5730	21	20	76	145	20



ORDERING NOTES
Wardrobe door features an optional lock at a price of **$166 list** each.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features


CODE DESCRIPTION

MC - media cabinet
G - glass doors
W - wood doors

SPECIAL FEATURES


- Casters are optional on Small Media Cabinets at a price of **$228 list.**
- Small Media Cabinets are suitable for use with 27" wide monitors. Please contact Customer Service if dimensions are critical.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- Media Cabinets with hinged or pocket doors come equipped with a pull-out swivel shelf (which can accommodate up to 250 lbs.).

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Display Cabinet with wardrobe adjust. wood shelves lower glass door	62ST-21207613GL	5306	6102	21	20	76	145	20
	62ST-21207613GR	5306	6102	21	20	76	145	20




ORDERING NOTES
Lower door features an optional lock at a price of **$166 list.**
This item is available on the KrugExpress quickship program.

Display/Storage Cabinet upper wood door lower wood door	62ST-21207614L	5514	6344	21	20	76	150	20
	62ST-21207614R	5514	6344	21	20	76	150	20



ORDERING NOTES
Upper and lower doors feature an optional lock at a price of **$166 list** each.
This item is available on the KrugExpress quickship program.

Display/Storage Cabinet upper glass door lower wood door	62ST-21207614WGL	5911	6794	21	20	76	150	20
	62ST-21207614WGR	5911	6794	21	20	76	150	20



ORDERING NOTES
Lower door features an optional lock at a price of **$166 list**.

Display/Storage Cabinet upper glass door lower glass door	62ST-21207614GL	6187	7123	21	20	76	150	20
	62ST-21207614GR	6187	7123	21	20	76	150	20



ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION


DC - display cabinet
G - glass doors
L - door hinged left
R - door hinged right

SPECIAL FEATURES

- We recommend that halogen lights be specified on Display Cabinets with glass shelves only. Available at a price of **$611 list** each.
- Interior wood shelves are removable.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- 21" Display Cabinets feature wardrobes with coat hooks behind the front display.

VIRTU | DISPLAY CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Display Cabinet with wardrobe fixed glass shelves lower wood doors	62DC-42247671L	6815	7835	42	24	76	270	42
	62DC-42247671R	6815	7835	42	24	76	270	42




ORDERING NOTES
Lower doors and wardrobe doors feature an optional lock at a price of **$166 list** each.
Glass shelves are not fixed to shelf supports.
We recommend that halogen lights be specified on Display Cabinets with glass shelves only. Available at a price of **$611 list** each.

Display Cabinet with wardrobe fixed wood shelves lower wood doors	62DC-42247672L	6534	7516	42	24	76	270	42
	62DC-42247672R	6534	7516	42	24	76	270	42



ORDERING NOTES
Lower doors and wardrobe doors feature an optional lock at a price of **$166 list** each.
This item is available on the KrugExpress quickship program.

Display Cabinet with wardrobe fixed glass shelves lower glass doors	62DC-42247671GL	7108	8181	42	24	76	270	42
	62DC-42247671GR	7108	8181	42	24	76	270	42



ORDERING NOTES
Wardrobe doors feature an optional lock at a price of **$166 list**.
Glass shelves are not fixed to shelf supports.
We recommend that halogen lights be specified on Display Cabinets with glass shelves only. Available at a price of **$611 list** each.

Display Cabinet with wardrobe fixed wood shelves lower glass doors	62DC-42247672GL	6750	7764	42	24	76	270	42
	62DC-42247672GR	6750	7764	42	24	76	270	42



ORDERING NOTES
Wardrobe doors feature an optional lock at a price of **$166 list.**

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION

DC - display cabinet
W - wood doors
G - glass doors
L - door hinged left
R - door hinged right
ST - storage cabinet

SPECIAL FEATURES

- We recommend that halogen lights be specified on Display Cabinets with glass shelves only. Available at a price of **$611 list** each.
- Interior wood shelves are removable.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- 21" Display Cabinets feature wardrobes with coat hooks behind the front display.

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Storage Cabinet adjust. wood shelves lower wood doors	62ST-42207613	6563	7544	42	24	76	220	39




ORDERING NOTES
Lower doors feature an optional lock at a price of **$166 list**.
This item is available on the KrugExpress quickship program.

Storage Cabinet adjust. wood shelves lower glass doors	62ST-42207613G	7131	7962	42	24	76	220	39




Storage Cabinet with shelves wood doors (42”)	62ST-42207611	6516	7490	42	20	76	225	39
	62ST-42247611	6732	7735	42	24	76	265	47



ORDERING NOTES
Wood doors feature an optional lock at a price of **$166 list**.
This item is available on the KrugExpress quickship program.

Storage Cabinet upper glass shelves lower wood doors	62ST-42207614WG	7220	8305	42	20	76	225	39
	62ST-42247614WG	7653	8804	42	24	76	265	47



ORDERING NOTES
Lower doors feature an optional lock at a price of **$166 list**.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION


ST - storage cabinet
G - glass doors
L - door hinged left
R - door hinged right
W - wood doors

SPECIAL FEATURES

- Locks are available on wood doors at a price of **$166 list** per lock mechanism.
- Interior shelves are height adjustable in increments of 1 1/4".
- Interior wood shelves are removable.

VIRTU | STORAGE CABINETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Storage Cabinet upper wood shelves lower wood doors	62ST-42207614	6879	8305	42	20	76	225	39
	62ST-42247614	7289	8804	42	24	76	265	47




ORDERING NOTES
Upper and lower doors feature an optional combined lock at a price of **$166 list**.
This item is available on the KrugExpress quickship program.

Storage Cabinet upper glass doors lower glass doors	62ST-42207614G	8119	9337	42	20	76	225	39
	62ST-42247614G	8606	9898	42	24	76	265	47




Storage Cabinet open bookcase	62ST-36207617	4809	5530	36	20	76	190	34



ORDERING NOTES
This item is available on the KrugExpress quickship program.

Storage Cabinet closed bookcase wood doors (36")	62ST-36207611	5238	6022	36	20	76	220	34



ORDERING NOTES
Wood doors feature an optional lock at a price of **$166 list**
This item is available on the KrugExpress quickship program.

ORDERING PROCEDURE

To order, please specify the following:


1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION

ST - storage cabinet
G - glass doors


SPECIAL FEATURES

- Locks are available on wood doors at a price of **$166 list** per lock mechanism.
- Interior shelves are height adjustable in increments of 1 1/4".
- Interior wood shelves are removable.

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Storage Cabinet with shelves wood door	62ST-21207611L	4185	4816	21	20	76	150	20
	62ST-21207611R	4185	4816	21	20	76	150	20
	62ST-21247611L	4404	5066	21	24	76	174	24
	62ST-21247611R	4404	5066	21	24	76	174	24


ORDERING NOTES
Wood door features an optional lock at a price of **$166 list**.
This item is available on the KrugExpress quickship program.

Wardrobe wood doors	62WR-42247601	6469	7440	42	24	76	265	47



ORDERING NOTES
Wood doors feature an optional lock at a price of **$166 list**.
Interior is identical to wardrobe with glass doors.
This item is available on the KrugExpress quickship program.

Wardrobe wood door	62WR-21247602L	4105	4726	21	24	76	170	24
	62WR-21247602R	4105	4726	21	24	76	170	24



ORDERING NOTES
Wood door features an optional lock at a price of **$166 list**.
This item is available on the KrugExpress quickship program.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION

ST - storage cabinet


SPECIAL FEATURES

- Locks are available on wood doors at a price of **$166 list** per lock mechanism.
- Interior shelves are height adjustable in increments of 1 1/4".
- Interior wood shelves are removable.


VIRTU | CREDENZAS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Credenza Standard Height wood drawers, wood doors partial glass top	62C-75202901*	9951	11445	75	20	29.5	217	27
	62C-75242901*	10173	11700	75	24	29.5	255	32
	62C-75202902**	9951	11445	75	20	29.5	217	27
	62C-75242902**	10173	11700	75	24	29.5	255	32

*




**




ORDERING NOTES
Wood doors feature an optional lock at a price of **$166 list**.
Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$82 list per square foot**.

Credenza Standard Height wood doors partial glass top	62C-75202903*	9184	10563	75	20	29.5	217	27
	62C-75242903*	9409	10821	75	24	29.5	255	32
	62C-75202904**	9184	10563	75	20	29.5	217	27
	62C-75242904**	9409	10821	75	24	29.5	255	32




**




ORDERING NOTES
Wood doors feature an optional lock at a price of **$166 list**.
Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$82 list per square foot**.

Credenza Standard Height wood doors full wood top	62C-75202905	7452	8569	75	20	29.5	217	27
	62C-75242905	7688	8837	75	24	29.5	255	32



ORDERING NOTES
Wood doors feature an optional lock at a price of **$166 list.**
Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$82 list** per square foot.
This item is available on the KrugExpress quickship program.

Credenza Standard Height wood doors full glass top	62C-75202906	8785	10099	75	20	29.5	217	27
	62C-75242906	8983	10330	75	24	29.5	255	32



ORDERING NOTES
Wood doors feature an optional lock at a price of **$174 list**.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features


CODE DESCRIPTION

C - credenza


SPECIAL FEATURES

- Horizontal glass surfaces on Credenzas feature 10 mm thick frosted tempered glass.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- Wooden shelves are height adjustable in increments of 1 1/4".
- Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$82 list** per square foot.

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Credenza Standard Height glass doors partial glass top	62C-75202903G* 62C-75242903G* 62C-75202904G** 62C-75242904G**	9854 10070 9854 10070	11330 11573 11330 11573	75 75 75 75	20 24 20 24	29.5 29.5 29.5 29.5	217 255 217 255	27 32 27 32



*



**

ORDERING NOTES
Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$82 list per square foot**.


Credenza Standard Height glass doors full wood top	62C-75202905G 62C-75242905G	8123 8346	9345 9601	75 75	20 24	29.5 29.5	217 255	27 32

ORDERING NOTES
Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$82 list per square foot**.



Credenza Standard Height glass doors full glass top	62C-75202906G 62C-75242906G	9394 9618	10804 11059	75 75	20 24	29.5 29.5	217 255	27 32

1



ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION

C - credenza
G - glass doors


SPECIAL FEATURES

- Horizontal glass surfaces on Credenzas feature 10 mm thick frosted tempered glass.
- Wooden shelves are height adjustable in increments of 1 1/4".
- Bookmatched Birdseye Maple veneer is available on work surfaces of VIRTU cases at an upcharge of **$82 list** per square foot.


VIRTU | BUFFETS

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Buffet wood drawers wood doors partial glass top	62BU-75203501* 62BU-75243501* 62BU-75203502** 62BU-75243502**	7810 10464 10241 10464	11774 12033 11774 12033	75 75 75 75	20 24 20 24	34.5 34.5 34.5 34.5	245 295 245 295	31 37 31 37

*




**




ORDERING NOTES
Wood doors feature an optional lock at a price of **$166 list**.
Buffets ordered with mini refrigerators have different interior dimensions than those ordered without.
Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.
Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$62 list per square foot**.

Description	Model							
Buffet wood doors partial glass top	62BU-75203503* 62BU-75243503* 62BU-75203504** 62BU-75243504**	9474 9697 9474 9697	10895 11152 10895 11152	75 75 75 75	20 24 20 24	34.5 34.5 34.5 34.5	245 295 245 295	31 37 31 37




**




ORDERING NOTES
Wood doors feature an optional lock at a price of **$166 list** per set of two doors.
Buffets ordered with mini refrigerators have different interior dimensions than those ordered without.
Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.
Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$82 list per square foot**.

Description	Model							
Buffet wood doors full wood top	62BU-75203505 62BU-75243505	7746 7974	8900 9173	75 75	20 24	34.5 34.5	245 295	31 37



ORDERING NOTES
Wood doors feature an optional lock at a price of **$166 list** per set of two doors.
Buffets ordered with mini refrigerators have different interior dimensions than those ordered without.
Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.
Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$82 list per square foot**.
This item is available on the KrugExpress quickship program.

Description	Model							
Buffet wood doors full glass top	62BU-75203506 62BU-75243506	9075 9275	10435 10661	75 75	20 24	34.5 34.5	245 295	31 37



ORDERING NOTES
Wood doors feature an optional lock at a price of **$166 list** per set of two doors.
Buffets ordered with mini refrigerators have different interior dimensions than those ordered without.
Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION


BU - buffet

SPECIAL FEATURES


- Buffets with wood drawers feature a cutlery drawer for serving needs.
- Horizontal glass surfaces on Buffets feature 10 mm thick frosted tempered glass.
- Optional Mini Refrigerators are available on 24" deep units at a price of **$2907 list**. Please contact Customer Service for specific information.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$82 list** per square foot.

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Buffet glass doors partial glass top	62BU-75203503G*	10144	11660	75	20	34.5	245	31
	62BU-75243503G*	10357	11909	75	24	34.5	295	37
	62BU-75203504G**	10144	11660	75	20	34.5	245	31
	62BU-75243504G**	10357	11909	75	24	34.5	295	37

*




**




ORDERING NOTES
Buffets ordered with mini refrigerators have different interior dimensions than those ordered without. Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.
Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$62 list per square foot**.

Buffet glass doors full wood top	62BU-75203505G	8427	9688	75	20	34.5	245	31
	62BU-75243505G	8637	9933	75	24	34.5	295	37



ORDERING NOTES
Buffets ordered with mini refrigerators have different interior dimensions than those ordered without. Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.
Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$82 list per square foot**.

Buffet glass doors full glass top	62BU-75203506G	9685	11133	75	20	34.5	245	31
	62BU-75243506G	9903	11388	75	24	34.5	295	37



ORDERING NOTES
Buffets ordered with mini refrigerators have different interior dimensions than those ordered without. Refrigerators cannot be retrofitted into a unit shipped without a refrigerator.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION

BU - buffet
G - glass doors

SPECIAL FEATURES

- Buffets with wood drawers feature a cutlery drawer for serving needs.
- Horizontal glass surfaces on Buffets feature 10 mm thick frosted tempered glass.
- Optional Mini Refrigerators are available on 24" deep units at a price of **$2907 list**. Please contact Customer Service for specific information.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- Bookmatched Birdseye Maple veneer is available on worksurfaces of VIRTU cases at an upcharge of **$82 list** per square foot.

VIRTU | SERVER CART AND MEDIA CART

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Server Cart refuse container cutlery drawer glass serving shelf	62MSC-422435	5421	6233	42.25	23.5	34.5	180	23



Mobile Media Cart wood top wood doors	62MMC-402438	4953	5697	40	24.25	38.5	188	22



ORDERING NOTES
It is recommended that Media Carts be moved by 2 people when A/V equipment is attached.

Mobile Media Cart wood top, wood shelf wood doors	62MMC-402447	5204	5985	40	24.25	46.5	190	28



ORDERING NOTES
It is recommended that Media Carts be moved by 2 people when A/V equipment is attached.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features


CODE DESCRIPTION

MSC - Mobile Carts
MMC - Mobile Media Cart

SPECIAL FEATURES


- Locks are available on wood doors at a price of **$166 list** per lock mechanism.
- Interior shelves are height adjustable in increments of 1 1/4".
- Interior wood shelves are removable.

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Visual Board inclined doors wood doors glass shelf	62VB-3632IGS	4679	5328	36	–	32	73	5
	62VB-4832IGS	5089	5793	48	–	32	93	6.5
	62VB-4848IGS	5393	6136	48	–	48	128	10




ORDERING NOTES
Includes an upholstered tackboard in grade 1 fabric or optional cork surface. Please specify a tackboard fabric when ordering. Visual Boards also include a flip chart, eraser and four dry erase markers. An optional pull down screen is also available at **$269 list**.

Visual Board glass doors	62VB-3632G	5244	5893	36	–	32	68	5
	62VB-4832G	5827	6529	48	–	32	88	6.5
	62VB-4848G	6304	7044	48	–	48	123	10




ORDERING NOTES
Visual Board includes four dry erase markers. An optional pull down screen is also available at **$269 list.** Flip chart and tackboard are not available on this model.

Visual Board gabled doors wood doors	62VB-3632A	4477	5147	36	–	32	73	5.5
	62VB-4832A	4825	5549	48	–	32	93	7
	62VB-4848A	5106	5872	48	–	48	128	10.5



ORDERING NOTES
Includes an upholstered tackboard in grade 1 fabric or optional cork surface. Please specify a tackboard fabric when ordering. Visual Boards also include a flip chart, eraser and four dry erase markers. An optional pull down screen is also available at **$269 list.**

Visual Board wood doors	62VB-3632	4339	4991	36	–	32	71	5
	62VB-4832	4694	5393	48	–	32	90	6.5
	62VB-4848	4944	5681	48	–	48	125	10



ORDERING NOTES
Includes an upholstered tackboard in grade 1 fabric or optional cork surface. Please specify a tackboard fabric when ordering. Visual Boards also include a flip chart, eraser and four dry erase markers. An optional pull down screen is also available at **$269 list.**

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION


VB - Visual boards
A - gabled Doors
G - glass doors
GS - glass shelf
IGS - inclined glass shelf

SPECIAL FEATURES

- Server Carts come with a cutlery drawer and refuse container.
- Media Carts feature built in a power bar and cable slot for wire management.
- Locks are optional on wood doors at a price of **$166 list** per lock mechanism.
- Mobile Media Carts will generously accommodate monitors up to 27" in size. Please contact Customer Service if dimensions are critical.
- Server Cart and Media Cart top surface overhang and underside finger groove facilitate movement.


VIRTU | LECTERN

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Lectern - floor lectern hardware storage with hinged access door hinged doors glass laptop shelf	62LN-37225011	7688	8837	37	22	50	215	25



ORDERING NOTES
Lectern features grommets for wire management.
Left side shelf is adjustable on this version. Right side of this version is open.

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Lectern - mobile lectern hardware storage with hinged access door hinged doors glass laptop shelf	62LNM-37225011	7879	9062	37	22	50	215	25



ORDERING NOTES
Lectern features grommets for wire management.
Left side shelf is adjustable on this version. Right side of this version is open.

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Lectern - floor lectern hardware storage hinged doors full width worksurface	62LNX-37225011	7271	8413	37	22	50	215	25



ORDERING NOTES
Lectern features grommets for wire management.
Center shelf on this version is adjustable.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features


CODE DESCRIPTION

LN - Lectern
LNM - Lectern (mobile)
LNX - Lectern with full width shelf

SPECIAL FEATURES


- See above for special features specific to each Visual board. tackboard fabrics
- Please contact Customer Service for information on Grade 1 fabrics suitable for use on Visual Board tackboards.
- COM and other in-stock fabrics may be specified at an upcharge. Please contact Customer Service for details.

Description	Model	Cherry/Maple/ Walnut	Anigre	W	D	H	Shipping Weight	Cubic Feet
Lectern - floor lectern open shelves full width worksurface	62LNX-37225017	6978	8119	37	22	50	205	25




ORDERING NOTES
Lectern features grommets for wire management.
Both shelves on this version are adjustable.

Lectern - mobile lectern hardware storage with hinged access door hinged doors full width worksurface	62LNXM-37225011	7532	8679	37	22	50	215	25



ORDERING NOTES
Lectern features grommets for wire management.

Lectern - mobile lectern open shelves full width worksurface	62LNXM-37225017	7239	8386	37	22	50	205	25



ORDERING NOTES
Lectern features grommets for wire management.

Logo Plate	62-LOGO-14-7	907		14	0.4	6.3		



The Satin Aluminum Logo Plate comes unattached to the Lectern. It is designed to be provided to a signage company for application of the company logo, with either a vinyl transfer or silk screening. After the signage is complete, the Logo Plate can be attached to the Lectern surface. First, determine the position that the Logo Plate is to be positioned. Remove the black plastic end caps and attach via wood screws. Once secure, snap the Logo Plate over top of the end caps to complete the installation.

ORDERING PROCEDURE

To order, please specify the following:

1. Product model number
2. Wood species and finish
3. Metal finish
4. Special options/features

CODE DESCRIPTION

LNXM - Lectern with full length shelf (mobile)


SPECIAL FEATURES

- Lecterns are designed to accommodate microphones which can be field installed. Please contact Customer Service for more information.
- All hinged doors on Lecterns feature standard locks.

Lectern options
- Altinex Box : price of **$1402 list**.
- Power Bar : price of **$228 list**.
- Reference Light : price of **$488 list.**

VIRTU | ELECTRICAL ACCESSORIES

Description	Model	Price
Altinex Box		1402




ORDERING NOTES
Please note clearly on order if Altinex is to be added to lectern

Whip Cord	62EX	224




ORDERING NOTES
A short extension cord with standard male/female 3 prong head at either end. Enables Connexus™ use with large transformers, such as the Polycom conference phone, to connect externally from the module.

Power Bar	62PWR01	266



ORDERING NOTES
Power bars feature a 6' long cord, 6 AC power outlets and a circuit breaker.
Power bars can be added to table bases, Media Cabinets and Lecterns.
Power bars are standard on Media Carts.

Wire Management Trough	62WM-48	101



ORDERING PROCEDURE


To order, please specify the following:

1. Product model number

CODE DESCRIPTION

EX - Whip cord
PWR - Power bar

SINGLE SECTION WITH DAIS, FORZA SQUARE & OBLIQUE



COMPONENTS
3/4" Hex drive bolt (112164)
- 8 per Dais/Oblique base
- 12 per Verso/Forza Square base


TOOLS REQUIRED
5/32" Allen Key or driver

IMPORTANT: If table has ConnexusTM modules, install them using their instructions before proceeding.


PROCEDURE
1. Unpack table and all base(s). Find all of the hardware listed. Fasteners are in a bag on the bottom of one section (some fasteners may be shipped with the bases).
MAKE SURE THE CORRECT SIZE AND QUANTITY OF COMPONENTS ARE INCLUDED WITH THE TABLE.

2. Put base(s) in the approximate place where the table will be located in the room. Place over base(s). Align the metal base plates with the inserts in the underside of the top.


3. To fasten bases to the top, insert the 3/4" bolts through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with Allen key or power driver.



Forza




Dais




Oblique

4. Attach wire management components to bottom of assembled table. For additional help please contact Customer Service.



cut outs face towards
center of table



door faces towards
center of table

CAUTION: TABLES CAN BE EXTREMELY HEAVY. MAKE SURE THERE ARE SUFFICIENT PEOPLE AVAILABLE TO FLIP TABLE UPRIGHT. DO NOT SUBSTITUTE HARDWARE. IF HARDWARE IS MISSING, CONTACT CUSTOMER SERVICE.

VIRTU | INSTALLATION INSTRUCTIONS

OPEN VISIO



COMPONENTS
A) 3/4" hex drive bolt (112164)
• 6 per Forza Leg
+ 16 per joint

TOOLS REQUIRED
5/32" Allen Key or driver



B) Tite-joint fastener (10637)
• 3 per joint



C) Fastener rod (11687)

IMPORTANT: If table has Connexus™ modules, install them using their instructions before proceeding.

PROCEDURE

1. Unpack all table sections and bases. Find all the hardware listed. Fasteners are in a bag on the bottom of one section (some fasteners may be shipped with the bases). MAKE SURE THE CORRECT SIZE AND QUANTITY OF COMPONENTS ARE INCLUDED WITH THE TABLE.

2. Place single end section table upside down onto a soft surface. See figure 1.




Figure 1

3. Fasten six bases to the top, insert the 3/4" bolts (A) through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.

4. Stand end section upright.

5. Place center table sections upside down onto a soft surface. Identify top section number coding on bottom of sections that is the same as the single end section.

6. Fasten two bases to the top on the other end from the location found in step 5. See figure 2. Insert the 3/4" bolts (A) through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.





Figure 2

Sections that attach will have same coding underside


7. Stand centre section upright and attach to appropriate side of single end section. Insert the 3/4" bolts (A) through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.

8. Repeat steps 5-7 for double end sections.

9. Assemble the tite-joint fastener as shown in figure 3. Install assembled tite-joint with machining in table sections.



correctly installed



incorrectly installed

10. Flush the edge of the sections and tighten fasteners with rod provided (C). Do not over tighten.

11. Adjust top alignment, if required by slightly loosening tite-joint fasteners and base plate bolts, making the adjustment and re-tightening fasteners and bolts.


12. Attach modesty panels with L-brackets and screws provided.

13. Attach wire management extrusion to modesty panels with screws provided.

For additional help please contact Customer Service.

CAUTION: TABLES CAN BE EXTREMELY HEAVY. MAKE SURE THERE ARE SUFFICIENT PEOPLE AVAILABLE TO FLIP TABLE UPRIGHT. DO NOT SUBSTITUTE HARDWARE. IF HARDWARE IS MISSING, CONTACT CUSTOMER SERVICE.

SINGLE SECTION WITH FORZA LEGS OR PANELS



COMPONENTS
3/4" Hex drive bolt (112164)
• 6 per leg/12 per panel

TOOLS REQUIRED
5/32" Allen Key or driver

IMPORTANT: If table has Connexus™ modules, install them using their instructions before proceeding.

PROCEDURE

1. Unpack table and all bases. Find all the hardware listed. Fasteners are in a bag on the bottom of one section (some fasteners may be shipped with the bases.) MAKE SURE THE CORRECT SIZE AND QUANTITY OF COMPONENTS ARE INCLUDED WITH THE TABLE.

2. Place table upside down onto a soft surface. As shown in Figure 1, invert and position the bases onto the underside of the table and align the metal base plates with the inserts in the underside of the top.
   THE BLACK PLASTIC EXTRUSION FACES TOWARDS THE CENTER OF THE TABLE.




Figure 1

3. To fasten bases to the top, insert the 3/4" bolts through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.

4. Flip assembled table over.

5. Attach wire management components to bottom of assembled table.

For additional help please contact Customer Service.

CAUTION: TABLES CAN BE EXTREMELY HEAVY. MAKE SURE THERE ARE SUFFICIENT PEOPLE AVAILABLE TO FLIP TABLE UPRIGHT. DO NOT SUBSTITUTE HARDWARE. IF HARDWARE IS MISSING, CONTACT CUSTOMER SERVICE.

MULTI-SECTION WITH FORZA LEGS OR PANELS

COMPONENTS




A) 3/4" Hex drive bolt (112164)
- 16 per joint
+ (8 per Dais/Oblique)/(12 per Verso/Forza)



B) Tite-joint fastener (10637)
- 3 per joint



C) Fastener rod (11687)



D) Channel bracket
- per joint

TOOLS REQUIRED

5/32" Allen Key or driver



IMPORTANT: If table has Connexus™ components, install them using their instructions before proceeding.

PROCEDURE


1. Unpack all table sections and bases. Find all the hardware listed. Fasteners are in a bag on the bottom of one section and the channels are wrapped together (some fasteners may be shipped with the bases.) MAKE SURE THE CORRECT SIZE AND QUANTITY OF COMPONENTS ARE INCLUDED WITH THE TABLE.

2. Place table upside down onto a soft surface. Arrange top sections by the number coding on bottom of sections.


3. For tables with four (4) or more sections refer to chart for assembly detail. Align the machining in one section with the machining in the adjacent section. Bring the sections tight together.

Top	Top Lengths	Assembly Order	
		Before Flipping	After Flipping
	168 192	ACW3-BCW3 CCE3-DCE3	ACW3/BCW3-CCE3/DCE3
	216 240	ACW3-BCW3 DCE3-ECE3	ACW3/BCW3-CCW3 CCW3-DCE3/ECE3
	264 288	ACW3-BCW3 ECE3-FCE3 CCW3-DCE3	ACW3/BCW3-CCW3/DCE3 CCW3/DCE3-ECE3/FCE3

4. Assemble the tite-joint fastener as shown in figure 1. Install assembled tite-joint with machining in table sections.



correctly installed




incorrectly installed

5. Flush the edge of the sections and tighten fasteners with rod provided (C). Do not over tighten

6. As shown in Figure 2, align holes in the channel brackets (D) with threaded inserts in the top sections. To fasten the channel brackets, start threading the 3/4" bolts (A) by hand. This will prevent cross-threading the bolt into the inserts, which may cause damage to the table tops.

Figure 2



gure 2

7. As shown in Figure 3, invert and position the bases onto the underside of the outer table sections and align the metal base plates with the inserts in the underside of the top. To fasten bases to the top, insert the 3/4" bolts (A) through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.






Figure 3



8. If table has center bases put bases in the approximate place where the table will be located in the room. Flip all assembled table sections over and place over center bases (if required). Repeat steps 4-6 (if required) for sections not already attached.



cut outs face towards center of table

9. Adjust top alignment, if required by slightly loosening tite-joint fasteners and channel bracket bolts, making the adjustment and re-tightening fasteners and bolts.

10. Attach wire management extrusion to bottom of assembled table with screw provided.

For additional help please contact Customer Service.

CAUTION: TABLES CAN BE EXTREMELY HEAVY. MAKE SURE THERE ARE SUFFICIENT PEOPLE AVAILABLE TO FLIP TABLE UPRIGHT. DO NOT SUBSTITUTE HARDWARE. IF HARDWARE IS MISSING, CONTACT CUSTOMER SERVICE.

VIRTU | INSTALLATION INSTRUCTIONS

MULTI-SECTION WITH DAIS, VERSO, FORZA SQUARE & RECTANGLE AND OBLIQUE

COMPONENTS **TOOLS REQUIRED**

A) 3/4" Hex drive bolt (112164) 5/32" Allen Key or driver
• 16 per joint
+ (8 per Dais/Oblique)/(12 per Verso/Forza)

B) Tite-joint fastener (10637)
• 3 per joint

C) Fastener rod (11687)

D) Channel bracket
• per joint




IMPORTANT: If table has Connexus™ modules, install them using their instructions before proceeding.

PROCEDURE


1. Unpack all table sections and bases. Find all the hardware listed. Fasteners are in a bag on the bottom of one section and the channels are wrapped together (some fasteners may be shipped with the bases.)
   MAKE SURE THE CORRECT SIZE AND QUANTITY OF COMPONENTS ARE INCLUDED WITH THE TABLE.

2. Place table upside down onto a soft surface. Arrange top sections by the number coding on bottom of sections.


3. For tables with four (4) or more sections refer to chart for assembly detail. Align the machining in one section with the machining in the adjacent section. Bring the sections tight together.

Top	Top Lengths	Assembly Order	
		Before Flipping	After Flipping
	168 192	ACW3-BCW3 CCE3-DCE3	ACW3/BCW3-CCE3/DCE3
	216 240	ACW3-BCW3 DCE3-ECE3	ACW3/BCW3-CCW3 CCW3-DCE3/ECE3
	264 288	ACW3-BCW3 ECE3-FCE3	ACW3/BCW3-CCW3/DCE3 CCW3/DCE3-ECE3/FCE3

4. Assemble the tite-joint fastener as shown in figure 1. Install assembled tite-joint with machining in table sections.



correctly installed



incorrectly installed

5. Flush the edge of the sections and tighten fasteners with rod provided (C). Do not over tighten

6. As shown in Figure 2, align holes in the channel brackets (D) with threaded inserts in the top sections. To fasten the channel brackets, start threading the 3/4" bolts (A) by hand. This will prevent cross-threading the bolt into the inserts, which may cause damage to the table tops.






Figure 2


Multi-Section with Dais, Verso, Forza Square & Rectangle and Oblique

7. As shown in Figure 3, invert and position the bases onto the underside of the outer table sections and align the metal base plates with the inserts in the underside of the top. To fasten bases to the top, insert the 3/4" bolts (A) through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.







8. To fasten bases to the top, insert the 3/4" bolts (A) through the plate on the base and into the inserts. Start threading the bolts by hand to prevent cross-threading. Tighten with allen key or power driver.



Forza Square
Forza Rectangle
Verso



Dais



Oblique

9. Adjust top alignment, if required by slightly loosening tite-joint fasteners and channel bracket bolts, making the adjustment and re-tightening fasteners and bolts.

10. Attach wire management extrusion to bottom of assembled table with screw provided.

For additional help please contact Customer Service.

CAUTION: TABLES CAN BE EXTREMELY HEAVY. MAKE SURE THERE ARE SUFFICIENT PEOPLE AVAILABLE TO FLIP TABLE UPRIGHT. DO NOT SUBSTITUTE HARDWARE. IF HARDWARE IS MISSING, CONTACT CUSTOMER SERVICE.

CONNEXUS™ INTERFACE INSTALLATION


We recommend that you place the table on a soft surface
SAVE THESE INSTRUCTIONS


Tools Required:
Drill with driver bits or screwdriver
Utility Knife (if required)

INSTALLATION

1. Identify ALL the connexus locations on the top sections and connexus cartons. (They will be labeled with a green tag to indicate the location within the table. For example, ACW3. See Figure 1. Place the cartons (containing the connexus Interface) with the same coded top section carton.
2. Open the top carton that corresponds with the carton that these instructions came from and then remove protective packaging from both top and interface. Do each interface and top section one at a time to prevent mixing interfaces.
3. After unpacking, place the top section with the bottom facing up on a soft surface as to not damage the top.
4. Place the tongue of the corresponding interface into aluminum extrusion in top, see Fig. 2a. Aligning the electrical components in the interface over the door hinge on the aluminum components in the top. The door hinge side of the connexus is labeled with the location code, see Fig. 2b. Screw interface to inserts in the table top with screws shown in Fig. 3.
5. Align the u-shaped cutouts in the cover-box with the electrical components in the interface. Pass the power cord thru one of the u-shaped cutouts. The large flat face of the interface should line up flush with the large opening in the cover-box. Screw cover box to table top with screws shown in Fig. 3.
6. Repeat steps 3 to 5 for each location.
7. Assemble top according to Assembly instructions provided.
8. Attach wire management extrusion to bottom of assembled table. Trough may need to be cut to length. Align the extrusion with the bases and/or the cutout in the cover-box as required with screws provided.

For additional help please contact Customer Service








Figure 2b




Figure 3

On-site RJ45 wire instructions


Category 6 Snap-In Connector Installation Instructions


INTRODUCTION: Leviton Telcom eXtreme 6 products are designed to work as a system to achieve proposed Category 6 component level performance. The Leviton eXtreme 6 Cabling System consists of eXtreme 6 connectors and eXtreme patch cords, as well as “gigabit-rated”
cable from a Leviton eXtreme cable partner. If Category 5 components are substituted for eXtreme components, a lesser performance level can be expected.


SAFETY INFORMATION
1. Never install communications wiring or components during a lightning storm.
2. Never install communications components in wet locations unless the components are designed specifically for use in wet locations.
3. Never touch uninsulated wires or terminals unless the wiring has been disconnected at the network interface.
4. Use caution when installing or modifying communications wiring or components.
5. To prevent electrical shock, each opening must be filled with a module or blank filler.


IMPORTANT INSTRUCTIONS
1. Read and understand all instructions.
2. Follow all warnings and instructions marked on the product.
3. Do not use this product near water—e.g., near a tub, wash bowl, kitchen sink or laundry tub, in a wet basement, or near a swimming pool.
4. Never push objects of any kind into this product through cabinet slots, as they may touch dangerous voltages.


SAVE THESE INSTRUCTIONS
1. Remove connector from Connexus interface panel by inserting a small flat screw into top of connector/ faceplate and twist slightly.
   Connector should pop out.
2. Remove about 2” of jacket from cable.
3. Determine which wiring scheme (T568A or T568B) and note the associated color codes on the label located between the IDC connector slots. The label also includes connector pin numbers. Refer to Fig 2-1 & 2-2.
4. Route the wires for termination as shown in Fig 3-1. Terminate one pair at a time starting from the side of cable entry. Terminating each pair after placement will prevent crushing the inside pairs with a punch-down tool (not supplied). Lay cable in so that jacket touches edge of connector as shown.*
5. Using a 110 style impact tool set to “low” impact (not supplied), seat the wires into the IDC slots. Maintain wire pair twisting as close as possible to the IDC contact (Must be 1⁄4” or closer). Use the cutting side of the tool to trim the excess wire flush with the connector body. See Fig 4-1.











On site RJ11 wire instructions

Voice grade Snap-In Connector Installation Instructions

SAFETY INFORMATION


1. Never install communications wiring or components during a lightning storm.
2. Never install communications components in wet locations unless the components are designed specifically for use in wet locations.
3. Never touch uninsulated wires or terminals unless the wiring has been disconnected at the network interface.
4. Use caution when installing or modifying communications wiring or components.
5. To prevent electrical shock, each opening must be filled with a module or blank filler.


IMPORTANT INSTRUCTIONS


1. Read and understand all instructions.
2. Follow all warnings and instructions marked on the product.
3. Do not use this product near water—e.g., near a tub, wash bowl, kitchen sink or laundry tub, in a wet basement, or near a swimming pool.
4. Never push objects of any kind into this product through cabinet slots, as they may touch dangerous voltages.


SAVE THESE INSTRUCTIONS

1. Remove connector from Connexus interface panel by inserting a small flat screw into top of connector/ faceplate and twist slightly. Connector should pop out.
2. Remove jacket from cable.
3. Check jack termination label (located on sides of jack) for wiring standard and associated color codes. The label also includes jack pin numbers. (Figure 1)
4. Route the wires for termination as shown in Figure 2.
5. Using a 110 style punch-down tool (not supplied), seat the wires into the IDC slots. With the cutting edge of the tool to the outside, trim the excess wire flush with the jack body. (Figure 3)
6. Place the cap over the termination wires for secure connection and added strain relief. (Figure 4)
7. Insert connector assembly into Connexus interface. Note the “UP” position of the connector.










On site electrical outlet wire schematic

1. Power supply
2. Strain relief
3. Fork terminal
4. Duplex receptacles
5. Outlet with breaker assembly
6. Handy box

HARDWIRING ON SITE

For hardwiring on-site by electricians, please use the following schematic:

1. Power Supply Cord
2. Strain Relief
3. Fork Terminals
4. Duplex Receptacles
5. Outlets with Circuit Breaker Assembly
6. Handy Box



On site RCA cable hookup

1. Determine the correct length of cord (RCA cable is not supplied).
2. Attach appropriate end of cable to the back of Connexus interface connector.
3. Route cable through appropriate wire management.

On site BNC cable hookup

1. Determine the correct length of cord (BNC cable is not supplied).
2. Attach appropriate end of cable to the back of Connexus interface connector.
3. Route cable through appropriate wire management.

On site 15 PIN HD cable hookup


1. Determine the correct length of cord (VGA cable is not supplied).
2. Attach appropriate end of cable to the back of Connexus interface connector. Tighten fasteners if equipped.
3. Route cable through appropriate wire management.


On site DB-9 cable hookup


1. Determine the correct length of cord (Serial cable is not supplied).
2. Attach appropriate end of cable to the back of Connexus interface connector. Tighten fasteners if equipped.
3. Route cable through appropriate wire management.


On site MINI STEREO wiring hookup


1. Determine the correct length of cord (shielded 2 conductor cable is not supplied).
2. Remove about 1” of the wire jacket and about 1⁄4” of insulation from each wire.
3. Insert wire into terminal block and tighten with a 3/32” flat screw driver. See Fig. 1.
4. Route cable through appropriate wire management.














Wire Trough. Used when two or more connexus boxes are installed and with all bases. Trough may need to be cut.




Velcro wire management strap. Used with 6232 & 6238 bases.



Example of wire management routing for table with 6230 bases using wire trough. Similar routing will work for tables 6234 and 6237 bases.



Example of wire management routing for tables with 6232 bases using both the wire trough and Velcro straps.



Example of wire management routing for Open Visio tables using the wire trough

Terms and Conditions
Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information
Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177
Purchase Order Fax: 1.888.236.4783
Purchase Order E-mail: orders@krug.ca
Web: www.krug.ca E-mail: solutions@krug.ca
Customer Service Hours
Please note customer service hours are:
8:30 am to 5:00 pm est

Customer Satisfaction
It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments
Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation
Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a $367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing
Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges
Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty
Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.
This warranty does not apply to defects or damage resulting from:
- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Export Packaging
Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:
(A) all shipments outside of the lower 48 states and Canada.
(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions
Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support
For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Custom Capabilities
Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

1) Dimensional customization of standard size products

2) Custom wood finishes

3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times.
Contact Customer Service for more information.

GENERAL INFORMATION

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of $262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of $262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of $525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of $131/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is $131/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is $131/hour. Direct deliveries to site for large orders are possible, (must exceed $63,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.

BIFMA INTERNATIONAL

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Care and Maintenance

Wood Finishes - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

Krug Panel Fabric Program

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca PRODUCTS / FABRICS / PANEL
The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.
If memo samples are required please call Momentum at 1-800-366-6839.

KRUG EXPRESS

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

Standard Wood Finishes:
(See product pages for individual species availability)

SPECIES	FINISH
Cherry	Light Cherry Natural Cherry American Cherry Medium Cherry Standard Cherry Imperial Cherry Appalachian Cherry Sable Cherry
Maple	Clear Maple Honey Maple Wheat Maple
Oak	Light Oak SilverGrey on Oak Harvest Oak Mahogany Oak Medium Cherry on Oak Mellow Oak Walnut on Oak Espresso on Oak
Walnut	Natural Walnut Regular Walnut Mahogany on Walnut Dark Walnut Cordovan Walnut SilverGrey on Walnut
Anigre	Clear Anigre Medium Anigre
Palette	Black White Sand Soft Green Steel Blue Slate

NATURAL CHARACTERISTICS OF WOOD
Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES
Add 10% list to your order for special finishes, minimum upcharge is $661 list per finish per order. (For example, on all orders up to $6615 list, an upcharge of $661 will apply, on orders $6615 and up add 10% list to your order.) For orders with special finishes, a sample that is a minimum 3” by 3” must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

FINISH
Conference products feature Krug’s finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

WOOD FINISHES TO MATCH STANDARD LAMINATES
Willow on Rift Oak
Dune on Rift Oak
Portobello on Rift Oak
Ash on Rift Oak
Copper on Cherry
Shiraz Cherry
Park Avenue Walnut
Chocolate on Walnut
Nutmeg on Walnut
Hardrock Maple

LAMINATES

Krug’s in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug’s previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR
Hardrock Maple	Formica 86992-58
Dune	Tafisa T491CR
Copper	Tafisa T521CR
Shiraz Cherry	Tafisa T472CR
Park Avenue Walnut	Wilsonart 7984–38
Chocolate	Tafisa T498CR
Nutmeg	Tafisa T477CR
Nightfall	Pionite WX421

Textured Wood Grain Laminates	High Pressure Laminate Supplier
Gingerbread	Tafisa T556UR
Portobello	Tafisa T557UR
Ash	Tafisa T535AT
Willow	Tafisa T543AT
Solid Laminates	
Designer White	Wilsonart D354-60
Platinum	Tafisa T202CR
Earth	Tafisa T767CR
Charcoal	Tafisa T228CR

PHASE OUT LAMINATES Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

NON-STOCKED LAMINATES
For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

DUAL LAMINATES
Two laminate colors can be combined on the same unit, with one laminate color on the worksurface and another laminate on the rest of the unit, at an upcharge of 5%. Combinations of more than one laminate in the body of the unit are not available.

SOLID SURFACE

SOLID SURFACE
The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

GROUP GRADE A - WHITE

Glacier White

Cameo White

GROUP GRADE A - COLOR


Bisque



Linen

GROUP GRADE B

Antarctica




Savannah

GROUP GRADE C



Dove



Deep Night Sky



FSC
www.fsc.org
FSC® C021699
The mark of responsible forest

All products are air emissions certified and are available as FSC®

krug

solutions@krug.ca | www.krug.ca | **1.888.578.KRUG**