

Contour
Price and Specification Guide
GSA
GS-03F-084DA



krug

Advancing Design Through Innovation

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

General Services Administration Federal Supply Schedule

FSC Groups 7110, 7125
Subcategory: Furniture
CONTRACT NUMBER: GS-03F-084DA
CONTRACT PERIOD: April 1, 2016 through March 31, 2026
CONTRACTOR/ ADMINISTRATOR: Mira Jaksic-Husic
Krug Inc.
421 Manitou Drive
Kitchener, Ontario, Canada
Tel: 1-800-265-2796
Fax: 1-800-265-2798

1. List of Special Item Numbers on Contract

33721P Packaged Office Furniture w Ancillary Installation Services
33721 Office Furniture w Ancillary Installation Services
339113H Healthcare Furniture w Ancillary Installation Services
OLM Order Level Materials

2. SPECIAL ITEM NUMBER	MAXIMUM ORDER
33721P	\$5,000,000
33721	\$250,000
339113H	\$500,000
OLM	\$250,000

3. SPECIAL ITEM NUMBER	MINIMUM ORDER
33721P	\$100.00
33721	\$100.00
339113H	\$100.00
OLM	NA

4. Geographic Coverage

48 contiguous States and Washington, DC

5. Point of Production

Krug Inc.
421 Manitou Drive
Kitchener, Ontario, CANADA
N2C 15L

6. Discount from List Prices

33721P Package Office Furniture Krug Product Discounts As Below
GSA Teaming Partner Products at their
Approved GSA Discount Terms. Krug
Installation Charge 12.75% of Net Order
(Max.). No Charge for Project Mgt Services.

33721 Office Furniture	
Executive Office Furniture	56.6%
Executive Conference Furniture	56.6%
Tables and Accessories	56.6%
Fully Upholstered Lounge Furniture	56.6%
Multiple Seating	56.6%
Multi-Purpose Seating	56.6%
Stacking Chairs	56.6%
Installation Ancillary to these products	12.75% Charge of Net Order (Max.)

339113H Healthcare Furniture	
Hospital Patient Room Furniture	56.6%
Hospital Geriatric Chairs & Lounge Seating	56.6%
Patient Service Systems	56.6%
Installation Ancillary to these products	12.75% Charge of Net Order (Max.)

7. Quantity Discounts (off Net pricing)

Multiple Seating, Multipurpose Seating, Stacking
Chairs

25,001 – 50,000	1%
50,001 – 100,000	2%
100,001 – 150,000	3%
150,001 – 250,000	4%

Lounge Seating, Tables & Accessories

25,000 – 50,000	1%
50,001 – 75,000	2%
75,001 – 100,000	3%
100,001 – 180,000	4%
180,001 – 200,000	5%
200,001 – 250,000	6%

Hosp/Geriatric Chairs and Lounge, Patient Room
Furniture, Patient Service Systems

\$100,000 - \$200,000	1%
\$200,000.01 - \$300,000	1.5%
\$300,000.01 - \$400,000	2%
\$400,000.01 - \$500,000	2.5%

Quantity Discounts for Executive Office and
Executive Conference are no longer applicable
based on the MAS Consolidation revisions to
Maximum Order Limits.

8. Prompt Payment Terms

Net 30 Days

9. Visa and MasterCard are accepted above and below the micro-purchase threshold.

NOTE: No additional discount will be offered on
orders placed using credit cards.

10. Foreign Items

All items manufactured in Canada.

11a. Time of Delivery

60-90 Days ARO for all items.

11b. Expedited Delivery

Please contact Krug GSA Customer Service for
information on Expedited Delivery/Krug Express
Program. 1-800-265-2796

11c. Overnight & 2 day Delivery

N/A

11d. Urgent Requirements

Please contact Krug for urgent requirements.

12. F.O.B. Point

Destination

13. Payment Address

Same as above

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

14. Warranty

For commercial products, Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. For Krug Healthcare products (as outlined in the US Healthcare price and specification Guide dated March 1, 2019), Krug warrants the construction and finish of all Healthcare products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug.

Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug: Height Adjustable Mechanism Warranty Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase: a) Electronic components such as control boxes, hand switches and motors – two (2) years b) Mechanical components such as crank drives, spindles – five (5) years c) Structural components such as J-channels, feet and top supports – ten (10) years. The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced. Juno and Trevisa Overbed Tables have a 2-year warranty.

15. Export Packing Charges

Quoted upon request

16. Terms and Conditions of Government Commercial Credit Card

ACCEPTANCE: KRUG will accept the government commercial credit card but will not Offer any additional discount for orders placed using the credit card

17. Term and Conditions of Rental Maintenance and Repair.

N/A

18. Term and Conditions of Installation

N/A

19. Term and Conditions of Repair

N/A

20a. Term and Conditions for any other services

N/A

20. Service and Distribution points

Call contractor

21. Participating Dealers

Call contractor

22. Preventative Maintenance

N/A

23. Environmental Attributes

Krug maintains a program to reduce the impact on the environment of our products and operations.

24. Data Universal Number System (DUNS) number

251476669

25. Notification regarding registration in SAM.

Krug Inc.'s registration in SAM is current, accurate and valid.

26 Cage Code: 37310

CONTOUR | TABLE OF CONTENTS

2	Environmental Summary
3	Finishes & Laminates
4	Features & Options
11	Installation Instructions
13	Sample Configurations
15	Desks
17	Curvilinear Desks
21	Returns
29	Linking & Corner Units
31	Credenzas
39	Overheads
40	Hutches
43	Pedestals
46	Bookcases
47	Storage
51	Wardrobes
53	Modular -Tops
54	Modular - Pedestals, Supports & Bases
55	Reception
56	Power & Cable Management

General Information


59	General Information, Warranty
61	Custom Pricing Methods
61	KrugExpress Programs
62	Panel, COM, Graded-In Upholstery Programs

CONTOUR | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (MUST BE REQUESTED) Systems Furniture & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Contour products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Contour products can be supplied with air emissions-certification. Contact customer service for information and upcharges.



FSC®

FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Millennium and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



CONTOUR FINISHES & LAMINATES

WOOD FINISHES

Standard wood finishes are:
SPECIES

	FINISH
Cherry	Light Cherry Natural Cherry American Cherry Medium Cherry Standard Cherry Imperial Cherry Appalachian Cherry Sable Cherry
Maple	Clear Maple Honey Maple Wheat Maple
Oak*	Light Oak SilverGrey on Oak Harvest Oak
* Oak veneers are rift cut	Mahogany Oak Medium Cherry on Oak Mellow Oak Walnut on Oak Espresso on Oak

WOOD FINISHES TO
MATCH STANDARD LAMINATES

Hardrock Maple
Willow on Rift Oak
Dune on Rift Oak
Portobello on Rift Oak
Ash on Rift Oak
Copper on Cherry
Shiraz Cherry

Natural Characteristics of Wood

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38	Designer White	Wilsonart D354-60
Chocolate	Tafisa T498CR	Platinum	Tafisa T202CR
Nutmeg	Tafisa T477CR	Earth	Tafisa T767CR
Nightfall	Pionite WX421	Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

NON-STOCKED LAMINATES

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

CONTOUR | FEATURES & OPTIONS

WORKSURFACES

Tops are 1 5/16" thick veneered particle board core. Desks have profiled edges front and back, ends are flat.

Credenzas, have a profiled front edge only, end and back edges are flat. Returns and Link units have profiled front edge only and flat back edge. The ends are coved to mate with the profiles on the connecting cases.

MODESTY PANELS

Modesty panels are standard on all desks, and optional on returns, link units, credenzas, as well as on curvilinear tops with wood post legs. Modesty panels are not available in conjunction with curvilinear tops that have metal post legs.

Desks, credenzas, and curvilinear top modesty panels are 3/4" thick, and link unit modesty panels are 1 1/8" thick.

Optional wire management cut-outs are available on credenzas, returns, and link units.

VENEER

External face veneers are Rift Oak, Cherry or Maple bookmatched veneer.

FINISH

A five step catalyzed varnish finish that when dry has a sheen value of 32°, is applied to all finished cases.

LOCKS

Locks are standard on all pedestals and storage unit lateral file drawers.

Locks are optional on door fronts and must be specified at time of order.

DRAWERS

Drawer slides have ball bearing movement with positive outstep and hold in catch.

File drawers and box drawers have a load bearing capacity of 90 lbs.

Drawer interiors have Birch veneer sides with matching bottoms.

File drawers are available 15" for letter filing and 18" for legal filing.

All box/box/file pedestals in desks, corner credenzas and modular pedestals are supplied with matching pencil tray.

GLIDES

Adjustable glides are 1 1/4" long and allow for a range of adjustment of 3/4". Glide inserts are installed at factory, glides need to be field installed.

HINGES

Hinges on all hutch, overhead and bookcase doors are European style with a 95° opening.

All hinges are fully adjustable.

PULLS

Two types of pulls are available; Elliptical Pull with Matte Black finish and the Sweep Pull with Satin Nickel, Polished Chrome and Matte Black finish.

Also available is a brushed brass traditional Westminster Pull with the traditional profile.

Pulls are supplied on all drawers.

TESTING INFORMATION

Contour meets or exceeds the testing requirements of ANSI/BIFMA X5.5-2014 and/or X5.9 - 2012..



CONTOUR | EDGE DETAIL PROFILES



Profiles do not appear on all edges of all products, please refer to this summary for locations.

KEY:


 Profile Edge
  Flush Edge



DESKS
 Desks have profiles on front and back edges, ends are flat.
 Plan view of a desk shown left.



CREDENZAS
 Credenzas have profile on the user's side, ends and back are flat.
 Plan view of a credenza shown left.




CURVILINEAR DESKS
 Curvilinear desks have profile around the curved section, and a flat end above the end panel.
 Plan view of bullet top and P top shown left.



RETURNS, AND LINK UNITS
 Returns and link units have profile on the front edge and are flat on the back edge.
 Connecting ends of returns and link units, except "Berkshire" profile are coved.
 Plan view of a return and link unit shown left.



Plan view of a corner credenza shown left.



CORNER UNITS
 Corner units have profile on three sides, all other sides are flat.
 Plan view of a corner unit shown left.


CONTOUR | BOOKCASE, GRAIN DIRECTION, PULLS, LOCKS



BOOKCASE AND STORAGE UNITS

Bookcase and storage units have profile on the front edge only.

Drawing of 29" high bookcase shown left.



GRAIN DIRECTION

Contour products are designed such that the grain direction is as shown in the diagram to the left.



PULLS

Pulls are located on all drawer fronts, wood storage doors, and wood bookcase doors. The Elliptical pull is available in Matte Black only.



The Sweep pull is available in Matte Black, Satin Nickel, and Polished Chrome. Pull color must be mentioned clearly in the purchase order.



A Westminster pull in an antiqued brass finish is standard on all products specified with the Westminster edge detail.

LOCKS

Locks are provided as standard features on all pedestals, except bookcase pedestals, including those in desks, credenzas and lateral file storage units. Lock plugs on desks are located in the kneespace on the pedestal side panel.


Locks are available on the bookcase doors at an upcharge of \$152 list per set of (2) doors, please specify at time of order. If a hutch or overhead has an uneven amount of doors the single lock required is also \$152.

Lock plugs for bookcase doors are generally located on the top inside corner of door front.

Lock plugs for hutch and overhead doors are generally located on the lower inside corners.

Suites can be keyed alike at no upcharge, please specify on your purchase order.

CONTOUR | GROMMETS



RECTANGULAR GROMMETS

All cases may be specified with one grommet in a standard position at no upcharge. A \$152 list upcharge will apply to additional grommets in standard positions and for grommets requested in non-standard positions a \$152 list upcharge will apply.

The grommet position must be indicated for each case on the order.

Standard Grommet
Black, rectangular, 4 1/8" x 2 11/16".


Grommets can also be field installed with a power drill, a 2 1/4" hole saw and a rasp or saber saw. Template for drilling is available.

Please keep in mind the location of grommets when specifying paper managers for use with work surfaces.

For example, a paper manager on the left hand side may be used with a "C", "BR" or "AR" grommet.


STANDARD GROMMET POSITIONS

Desks



36" deep Desks:

Position Code:
AL - left corner
BL - left end beside pedestal gable
C - center
BR - right end beside pedestal gable
AR - right corner




CURVILINEAR TOPS

Position Code:
C - center

This key applies to all bullet and P-shaped tops
The support panel is notched out to accommodate wire management.

CONTOUR | GROMMETS & POWERPORTS



POWER / DATA / VOICE MODULE (SUPPLIED WITH WIRED HUTCHES)


Black, rectangular with flip down cover. Includes two power outlets, one voice port, and one data port.

Power Details:

two Simplex outlets
15 Amp, 10 ft. cord


Communication Details:

one 6-pin and one 8-pin connector




POWERPORT

A PowerPort is a unique worksurface mounted module that can be specified to a location that best serves the user's needs. It includes a UL approved electrical, voice and data power bar, containing two 115 - volt electrical simplex outlets which are accessible from the work surface, plus a utility outlet at the end for daisy chaining purposes.



PORT

A service module having no power bar will serve as a large grommet. A hinged lid easily enables the passage of several cables and devices.




UNDER MOUNT POWER DATA MODULE

The Power Data Module is mounted under the worksurface to provide connectivity to the user. The unit contains 2 simplex receptacles, 1 RJ11, 1 RJ45 and 1 USB Type A/B port. This power data module can be used for charging with a USB patch cord connected to a transformer. This provides the user a simple and convenient way to charge their electronic devices. Patch cords and transformer are conveniently available at most local electronic stores.

ROUND GROMMETS - Optional (Top Only)

All cases may be specified with one grommet in a standard position at no upcharge. A \$152 list upcharge will apply to additional grommets in standard positions and for grommets requested in non-standard positions a \$152 list upcharge will apply.

The grommet position must be indicated for each case on the order. Please specify location of grommet when ordering.



GROMMETS - Round

A round grommet in an aluminum finish with an open and shut mouse hole serves to provide cable passage for areas not requiring a large opening. The grommet position must be indicated for each case on the order. Please specify location of grommet when ordering.

Grommets can be field installed with a power drill, 60 mm hole saw. Please keep in mind the location of the grommets when specifying pier hatches for use with worksurfaces. For example, a paper manager on the left-hand side may be used with a "C", "BR" or "AR" grommet.


CONTOUR | LAMINATE WORKSURFACES

LAMINATE WORKSURFACES

Laminate worksurfaces are available for the Contour product line at no upcharge. Please see page 356 for complete laminate information. An upcharge may apply to specially priced plastic laminates.


Where there are wood profile edges on worksurface tops, they will remain as wood profiles on laminate tops.
Where there are flush edges, as in the backs of link units, there will be laminate self edges.
Please reference the illustration at the bottom of this page.

Krug will order and procure laminates. Purchase orders with a plastic laminate option must include laminate name




When specifying laminate worksurfaces, the grain direction is such that the grain pattern runs the length of each surface, as shown.

The grain direction exhibited above is different than the direction of the grain on veneered worksurfaces. Please contact Krug Customer Service for questions pertaining to laminate grain direction.




The diagram above illustrates the placement of laminate on Krug worksurfaces. The shaded areas represent laminate, while the non-shaded area indicates the profiled wood edge.

CONTOUR | CREDENZAS



CREDENZAS


Contour offers a wide variety of credenzas for use as stand alone storage pieces, part of a connected worksurface configuration, or behind a desk. Choose from single or double pedestal options, with or without fixed or hinged modesty panels.



MODESTY PANELS

Credenzas without modesty panels provide easy access to wall mounted electrical sources without wiring difficulties, and are also a satisfying solution for the cost-minded customer.


Credenzas with modesty panels have an added finished look, and all cases are available with a wiring grommet in a standard position for added cable management, please specify on your order. Wiring grommets cannot be specified above the pedestal location.



PEDESTALS

Contour credenzas are available with single, lateral file or bookcase pedestals.

CONTOUR | LINKING UNITS & CORNER UNITS




Contour linking units and corner units are available in a range of sizes for ease of use in configuring a connected work-surface.

Linking units have coved ends, with grain direction running front to back.

Linking Units

Linking units are for use between desks and credenzas in creating a U-shaped configuration, and must be supported at both ends. They are available with or without modesty panels.




Corner Units

A corner unit can also be used on a U-shaped configuration, or it can be an integral part of a L-shaped work area with returns linked to either side.

Corner units have a standard grommet included in the back corner for ease of cable management, and have additional wire management access grommets in the half gables so that cable can be run to other areas of the connected worksurface. This can be assisted by a cut length of wire management cover.

CONTOUR | HUTCHES, OVERHEADS & TACKBOARDS



HUTCHES & OVERHEADS

Contour offers hutch and overhead options for use in a work area configuration.

All hutches and overheads include tasklights that are factory installed and require no field adjustment. Tasklights are mounted beneath the cabinet and hidden from view.

Selected hutches and overheads are available with wood framed frosted glass doors.

DOORS

Doors are equipped with fully adjustable European style hinges.


Locks are optional and can be specified at time of order for an upcharge of \$152 per set of (2) doors. If an uneven amount of doors require locks, the lock on the single door is also \$152.

Locks are not available on glass doors.



HUTCH POWER / DATA / VOICE MODULE

Access to power and data is made simple by using a hutch with a power/data/voice module built right into the tack-board. The module is fully installed at the factory but can be removed to connect data links on site. It features a flip door that retracts into the case of the unit when open.




TACKBOARDS

A tackboard in Krug panel fabric is included with every hutch. Upcharges for higher graded fabrics are listed on page. 493. Please note, not all fabrics are suitable for tackboard application. Tackboard fabric selections should be supplied with the order information. See page 6 of this price guide.

Tackboards are not included with overheads and must be ordered separately, see page 490 for pricing. Overhead tackboards include wall mounting hardware and instructions. Tackboards for hutches are installed at the factory and require no additional set up on site.

Only hutches and overhead tackboards in Krug panel fabrics are available on *KrugExpress*.

CONTOUR | TASKLIGHTS & INSTALLATION



TASKLIGHTS

Tasklights are included with hutches and overheads and are installed before shipment. On hutches, the tasklight cord is threaded behind the hutch through a standard access grommet on the upper right hand side of the back panel.

Tasklights are installed on the underside of overhead units. Cords run down the right hand side of the tasklight to the worksurface where they can be routed behind the worksurface top. The use of a wall mounted Overhead tackboard conceals the cord from view.

INSTALLATION

Hutch and overhead installation instructions are included with every case or can be found in this guide on page 459. All mounting hardware required is included with the product.

CONTOUR | FILING INSTRUCTIONS

Drawers will be offered for letter and legal size filing. All units are equipped with file bars that are fixed in place for shipping.




DESK PEDESTAL FILE DRAWERS


Filing Capacity:

15" drawers:
21" of letter filing front to back, or
12" of legal filing side to side
15" pedestal drawer depths allow only one row of side to side files.

18" drawers:
21" of legal filing front to back
15" of legal filing side to side, one row and 15" of letter filing from side to side, one row and 9" of legal filing front to back.



Weight capacity of pedestal file drawers is 90 lbs.



CREDENZA AND RETURN PEDESTAL FILE DRAWERS

Filing Capacity:

15" drawers:
15" of letter filing front to back, or
12" of legal filing side to side
15" pedestal drawer depths allow only one row of side to side files.



18" drawers:
15" of legal filing front to back
15" of legal filing side to side
15" of letter size filing side to side, one row and 3" of legal filing front to back

Weight capacity of pedestal file drawers is 90 lbs.



CREDENZA, RETURN OR STORAGE LATERAL FILE DRAWERS

Filing Capacity:

30" wide drawers:
30" letter filing front to back, or
25" legal filing side to side, or
15" of legal filing front to back.

When filing front to back, 30" lateral file drawer widths allow two rows of letter filing, but only one row of legal file width.

Filing Capacity:

36" wide drawers:
30" letter filing front to back, or
36" legal filing side to side, or
30" legal filing front to back.

Weight capacity of lateral file drawers is 135 lbs.

CONTOUR | INSTALLATION

LINKING UNITS, TOPS AND RETURNS

It is important that the main units (desk, credenza) to which the linking unit or return is being attached be in their final position and leveled.

Units are connected with mending plates under worksurface and wood screws on modesty and end panels. Locate connections and attach the mending plate under the worksurface. Level pieces if necessary by adjusting the glides to achieve flush and firm joints before completing installation of hardware.


DRAWER REMOVAL

Pull drawer and slide out to the full extension position. With index finger, lift up the release lever on left side and press down the release lever on right side of the drawer (as shown).

Make sure that you do this to each side at the same time.

Pull out the drawer with the attached drawer channel from the cabinet member.

To re-assemble, insert the drawer through the guide of the stop bumper.




GLIDE ADJUSTMENT

Raise one corner of the unit at a time and adjust the glide to the desired height by turning the glide in the hole. Make sure unit is level after adjusting the glides.

Please note that the maximum adjustment range of the glides is 3/4".

When moving units after glides have been inserted, dial the glides to the lowest position to prevent damage.



HUTCH INSTALLATION


Before installing the hutch, ensure that the worksurface has been placed in the final position and leveled. The worksurface should then be moved out a sufficient distance to allow access to the back. It is recommended that the minimum amount of movement be used with the leveling glides extended to prevent damage to the glides.

The hutch comes with self-adhesive foam strips that must be applied to the bottom edge prior to placing the hutch on the credenza. The foam is best applied with the hutch lying on its back. Do not leave any gaps in the foam strip, in order to prevent scratches to the credenza top while placing the hutch.

Place the hutch securely on the worksurface. Try to minimize any movement of the hutch to prevent scratching. Use of a blanket on the front portion of the credenza is recommended.

Using the supplied hardware, screw the flat bracket to the credenza back panel at each end, using the 3/4" screws provided. Swing the bracket up to approximately 60° and screw through the bracket into the hutch back with the 1/2" screws. Tighten all screws. Move combined hutch and credenza back to final location. Check for level again and adjust as required.


Please note that hutches are shipped with tackboards and tasklights already installed.



DOOR ADJUSTMENTS

Hinges on all bookcase, overhead and hutch doors are designed to be adjusted for depth, horizontal and vertical alignment. This is easily done by adjusting the appropriate screw. See drawing.

To remove a door, push the release button and pull out the door, disconnecting the hinges.



OVERHEAD UNITS



The wall mount overhead storage units must be installed on wall studs. The first step for installation is to locate the studs in the wall where the overhead is to be mounted.

Position the overhead hanger rail on the wall to ensure studs line up with pre-drilled holes in the hanger rail and mark the location on the wall.




Drill holes at the marked hole locations. Fasteners are to be provided by the installer, so hole size will be determined by size of fastener chosen. If studs cannot be accessed, then appropriate drywall plugs or butterfly bolts should be used. If the end of the wall rail is further than 3" from a stud, toggle bolts must be fastened through holes 1 and 3. Fasten the mounting rail to the wall ensuring that it is level.

Remove the black plugs located on the inside face of the back panel to gain access to the adjusting screws on the hanging brackets. Hang the overhead on the mounting rail. The hanging brackets provide vertical and plumb adjusting screws. Level the cabinet by using these screws. All brackets must be adjusted so that they all support the cabinet. When leveling of the overhead is complete, insert the black plugs in the holes to cover the adjusting screws.

CONTOUR | SAMPLE CONFIGURATIONS





	Model	Rift Oak	Cherry Maple
Desk	97D72364L0R0*	2650	2789
Hutch	97HT721540	3494	3677
Credenza	97CY72244LDRF	4299	4510
TOTAL		\$10,443	\$10,976





	Model	Rift Oak	Cherry Maple
Desk	97D72304L0RF	3638	3830
Overhead	97OH7215	2190	2306
Tackboard	97TBOH72	567	567
Credenza	97CY72244LDRF	4299	4510
Flush Right	option	119	119
Storage	97ST19246911R	2642	2774
TOTAL		\$13,455	\$14,106

CONTOUR | SAMPLE CONFIGURATIONS




Model		Rift Oak	Cherry Maple
Desk	97BD72363LGM	2927	3219
Link Unit	97LU4224HX	1394	1466
Hutch	97HT721540	3494	3677
Credenza	97CY72244LDR0	4000	4209
TOTAL		\$11,815	\$12,571



Model		Rift Oak	Cherry Maple
Return Credenza	97BR6030	1756	1844
Flush Left	97C7220XL3602R0	3360	3696
option		119	119
Storage	97ST19206990	3645	3827
TOTAL		\$8,880	\$9,486

CASEGOODS | USA | 12

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
	97D60304LDRD	4540	4778	59.75	30.25	29.5	28.5	218	39.5
	97D60304LDRF	4540	4778	59.75	30.25	29.5	28.5	218	39.5
	97D60304LFRD	4540	4778	59.75	30.25	29.5	28.5	218	39.5
	97D60304LFRF	4540	4778	59.75	30.25	29.5	28.5	218	39.5
	97D66304LDRD	4570	4813	65.75	30.25	29.5	34.25	224	43.25
	97D66304LDRF	4570	4813	65.75	30.25	29.5	34.25	224	43.25
	97D66304LFRD	4570	4813	65.75	30.25	29.5	34.25	224	43.25
	97D66304LFRF	4570	4813	65.75	30.25	29.5	34.25	224	43.25
	97D66364LDRD	4594	4834	65.75	36.25	29.5	34.25	236	51
	97D66364LDRF	4594	4834	65.75	36.25	29.5	34.25	236	51
	97D66364LFRD	4594	4834	65.75	36.25	29.5	34.25	236	51
	97D66364LFRF	4594	4834	65.75	36.25	29.5	34.25	236	51
	97D72304LDRD*	4598	4828	71.75	30.25	29.5	40.25	246	49.25
	97D72304LDRF	4598	4828	71.75	30.25	29.5	40.25	246	49.25
	97D72304LFRD	4598	4828	71.75	30.25	29.5	40.25	246	49.25
	97D72304LFRF	4598	4828	71.75	30.25	29.5	40.25	246	49.25
	97D72364LDRD	4656	4901	71.75	36.25	29.5	40.25	248	55.25
	97D72364LFRF	4656	4901	71.75	36.25	29.5	40.25	248	55.25
	97D72364LFRD	4656	4901	71.75	36.25	29.5	40.25	248	55.25
	97D72364LDRF	4656	4901	71.75	36.25	29.5	40.25	248	55.25
	97D78304LDRD	4686	4922	77.75	30.25	29.5	46.25	248	50.75
	97D78304LDRF	4686	4922	77.75	30.25	29.5	46.25	248	50.75
	97D78304LFRD	4686	4922	77.75	30.25	29.5	46.25	248	50.75
	97D78304LFRF	4686	4922	77.75	30.25	29.5	46.25	248	50.75
	97D78364LDRD	4716	4953	77.75	36.25	29.5	46.25	260	59.5
	97D78364LDRF	4716	4953	77.75	36.25	29.5	46.25	260	59.5
	97D78364LFRD	4716	4953	77.75	36.25	29.5	46.25	260	59.5
	97D78364LFRF	4716	4953	77.75	36.25	29.5	46.25	260	59.5
	97D84304LDRD	4727	4964	83.75	30.25	29.5	52.25	266	54.5
	97D84304LDRF	4727	4964	83.75	30.25	29.5	52.25	266	54.5
	97D84304LFRD	4727	4964	83.75	30.25	29.5	52.25	266	54.5
	97D84304LFRF	4727	4964	83.75	30.25	29.5	52.25	266	54.5
	97D84364LDRD	4734	4970	83.75	36.25	29.5	52.25	272	64
	97D84364LDRF	4734	4970	83.75	36.25	29.5	52.25	272	64
	97D84364LFRD	4734	4970	83.75	36.25	29.5	52.25	272	64
	97D84364LFRF	4734	4970	83.75	36.25	29.5	52.25	272	64

ORDERING NOTES:

Legal file pedestals are 18.75" wide. For legal sized drawers, please add LG- before "97" in model number and add \$58 list per pedestal. Widths above reflect letter size file drawers.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION


L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
BT - bow top
ML - optional metal leg
DB - drum base
DBM - drum base with full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
	97D60304LDR0	3574	3760	59.75	30.25	29.5	42.75	206	39.5
	97D60304LFR0	3574	3760	59.75	30.25	29.5	42.75	206	39.5
	97D60304LORD	3574	3760	59.75	30.25	29.5	42.75	206	39.5
	97D60304LORF	3574	3760	59.75	30.25	29.5	42.75	206	39.5
	97D66304LDR0	3604	3794	65.75	30.25	29.5	48.75	212	43.25
	97D66304LFR0	3604	3794	65.75	30.25	29.5	48.75	212	43.25
	97D66304LORD	3604	3794	65.75	30.25	29.5	48.75	212	43.25
	97D66304LORF	3604	3794	65.75	30.25	29.5	48.75	212	43.25
	97D66364LDR0	3636	3826	65.75	36.25	29.5	48.75	224	51
	97D66364LFR0*	3636	3826	65.75	36.25	29.5	48.75	224	51
	97D66364LORD	3636	3826	65.75	36.25	29.5	48.75	224	51
	97D66364LORF	3636	3826	65.75	36.25	29.5	48.75	224	51
	97D72304LDR0	3638	3830	71.75	30.25	29.5	54.75	224	49.25
	97D72304LFR0	3638	3830	71.75	30.25	29.5	54.75	224	49.25
	97D72304LORD	3638	3830	71.75	30.25	29.5	54.75	224	49.25
	97D72304LORF	3638	3830	71.75	30.25	29.5	54.75	224	49.25
	97D72364LDR0	3698	3891	71.75	36.25	29.5	54.75	236	55.25
	97D72364LFR0	3698	3891	71.75	36.25	29.5	54.75	236	55.25
	97D72364LORD	3698	3891	71.75	36.25	29.5	54.75	236	55.25
	97D72364LORF	3698	3891	71.75	36.25	29.5	54.75	236	55.25
	97D78304LDR0	3740	3927	77.75	30.25	29.5	60.75	236	50.75
	97D78304LFR0	3740	3927	77.75	30.25	29.5	60.75	236	50.75
	97D78304LORD	3740	3927	77.75	30.25	29.5	60.75	236	50.75
	97D78304LORF	3740	3927	77.75	30.25	29.5	60.75	236	50.75
	97D78364LDR0	3760	3949	77.75	36.25	29.5	60.75	248	59.5
	97D78364LFR0	3760	3949	77.75	36.25	29.5	60.75	248	59.5
	97D78364LORD	3760	3949	77.75	36.25	29.5	60.75	248	59.5
	97D78364LORF	3760	3949	77.75	36.25	29.5	60.75	248	59.5
	97D84304LDR0	3783	3982	83.75	30.25	29.5	65.75	250	54.5
	97D84304LFR0	3783	3982	83.75	30.25	29.5	65.75	250	54.5
	97D84304LORD	3783	3982	83.75	30.25	29.5	65.75	250	54.5
	97D84304LORF	3783	3982	83.75	30.25	29.5	65.75	250	54.5
	97D84364LDR0	3805	4007	83.75	36.25	29.5	65.75	260	64
	97D84364LFR0	3805	4007	83.75	36.25	29.5	65.75	260	64
	97D84364LORD	3805	4007	83.75	36.25	29.5	65.75	260	64
	97D84364LORF	3805	4007	83.75	36.25	29.5	65.75	260	64

ORDERING NOTES:

Legal file pedestals are 18.75" wide. For legal sized drawers, please add LG- before "97" in model number and add \$79 list per pedestal. Widths above reflect letter size file drawers.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) Pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
BT - bow top
ML - optional metal leg
DB - drum base
DBM - drum base with full height modesty panel


STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | DESKS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
	97D60304L0R0	2530	2663	59.75	30.25	29.5	57.25	187	39.5
	97D66304L0R0	2561	2696	65.75	30.25	29.5	63.25	198	43.5
	97D66364L0R0	2591	2726	65.75	36.25	29.5	63.25	215	51
	97D72304L0R0	2621	2759	71.75	30.25	29.5	69.25	210	49.25
	97D72364L0R0*	2650	2789	71.75	36.25	29.5	69.25	228	55.25
	97D78304L0R0	2696	2829	77.75	30.25	29.5	75.25	222	50.75
	97D78364L0R0	2714	2849	77.75	36.25	29.5	75.25	241	59.5
	97D84304L0R0	2731	2869	83.75	30.25	29.5	81.25	233	54.5
	97D84364L0R0	2756	2901	83.75	36.25	29.5	81.25	254	64

ORDERING NOTES:

Please specify a 24" deep pedestal for 30" shells and a 30" deep pedestal for 36" shells.

	BT97D6030	430	452	-	-	-	-	-	-
	BT97D6630	450	476	-	-	-	-	-	-
	BT97D6636	474	496	-	-	-	-	-	-
	BT97D7230	490	518	-	-	-	-	-	-
	BT97D7236	507	533	-	-	-	-	-	-
	BT97D7830*	519	545	-	-	-	-	-	-
	BT97D7836	525	552	-	-	-	-	-	-
	BT97D8430	527	555	-	-	-	-	-	-
	BT97D8436	533	559	-	-	-	-	-	-

ORDERING NOTES:

Add BT at the end of any standard model number and apply the size appropriate upcharge. The bow front adds 6" to the depth of the top at it's widest point. Add 15 lbs. to standard desk weight for bow top option.

	97BD6030	2529	2781	59.75	30.25	29.5	40	102	40
	97BD6630	2712	2847	65.75	30.25	29.5	46	115	43
	97BD6636*	2738	2876	65.75	36.25	29.5	43	128	51
	97BD7230	2763	2909	71.75	30.25	29.5	52	128	47
	97BD7236	2821	2970	71.75	36.25	29.5	49	136	55
	97BD7836	3006	3308	77.75	36.25	29.5	55	144	60
	97BD8436	3061	3367	83.25	36.25	29.5	61	152	64.5

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
BT - bow top
ML - optional metal leg
DB - drum base
DBM - drum base with full height modesty panel


STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | CURVILINEAR DESKS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Bullet Desk Wood Leg 3/4 Modesty 	97BD60303LGM	2756	3032	59.75	30.25	29.5	40	180	40
	97BD66303LGM	2817	3100	65.5	30.25	29.5	46	190	43.5
	97BD66363LGM*	2843	3127	65.5	36.25	29.5	43	205	51
	97BD72303LGM	2867	3153	71.5	30.25	29.5	52	200	47
	97BD72363LGM	2927	3219	71.5	36.25	29.5	49	215	55.5
	97BD78303LGM	3225	3548	77.75	30.25	29.5	58	203	51
	97BD78363LGM	3277	3605	77.75	36.25	29.5	55	225	59.5
	97BD84303LGM	3270	3597	83.25	30.25	29.5	64	212	54.5
	97BD84363LGM	3339	3673	83.25	36.25	29.5	61	236	64
Bullet Desk, Half Drum Base 	97BD6630DB	3046	3199	65.75	30.25	29.5	49.25	120	43
	97BD6636DB*	3072	3225	65.75	36.25	29.5	46.5	132	51
	97BD7230DB	3093	3247	71.75	30.25	29.5	55.25	132	47
	97BD7236DB	3159	3316	71.75	36.25	29.5	52.5	140	55
	97BD7830DB	3181	3341	77.75	30.25	29.5	61.25	161	51
	97BD7836DB	3246	3408	77.75	36.25	29.5	58.5	178	60
	97BD8430DB	3286	3450	83.75	30.25	29.5	67.25	166	55
	97BD8436DB	3324	3491	83.75	36.25	29.5	64.5	183	64
	97BD9636DB	3432	3775	96	36.25	29.5	76.5	200	72.5
Bullet Desk, Half Drum Base and Full Modesty Panel 	97BD6630LDBM	3437	3619	65.75	30.25	29.5	49.25	132	43
	97BD6630RDBM	3437	3619	65.75	30.25	29.5	49.25	132	43
	97BD6636LDBM	3457	3630	65.75	36.25	29.5	46.5	144	51
	97BD6636RDBM*	3457	3630	65.75	36.25	29.5	46.5	144	51
	97BD7230LDBM	3483	3667	71.75	30.25	29.5	55.25	144	47
	97BD7230RDBM	3483	3667	71.75	30.25	29.5	55.25	144	47
	97BD7236LDBM	3508	3683	71.75	36.25	29.5	52.5	152	55
	97BD7236RDBM	3508	3683	71.75	36.25	29.5	52.5	152	55
	97BD7830LDBM	3539	3717	77.75	30.25	29.5	61.25	144	51
	97BD7830RDBM	3539	3717	77.75	30.25	29.5	61.25	144	51
	97BD7836LDBM	3565	3743	77.75	36.25	29.5	58.5	152	60
	97BD7836RDBM	3565	3743	77.75	36.25	29.5	58.5	152	60
	97BD8430LDBM	3599	3779	83.75	30.25	29.5	67.25	152	55
	97BD8430RDBM	3599	3779	83.75	30.25	29.5	67.25	152	55
	97BD8436LDBM	3625	3805	83.75	36.25	29.5	64.5	176	64
	97BD8436RDBM	3625	3805	83.75	36.25	29.5	64.5	176	64
	97BD9636LDBM	3742	4115	96	36.25	29.5	76.5	265	72.5
	97BD9636RDBM	3742	4115	96	36.25	29.5	76.5	265	72.5

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) Pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
 R - right handed pedestal position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 BT - bow top
 ML - optional metal leg
 DB - drum base
 DBM - drum base with full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

GROMMETS


One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | CURVILINEAR DESKS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
 "P" Desk, Wood Post Leg	97PD6630L	3324	3491	65.75	36.25	29.5	43	145	51
	97PD6630R	3324	3491	65.75	36.25	29.5	43	145	51
	97PD6636L	3394	3565	65.75	41.75	29.5	40.25	145	58
	97PD6636R	3394	3565	65.75	41.75	29.5	40.25	145	58
	97PD7230L	3465	3638	71.75	36.25	29.5	49	160	56
	97PD7230R	3465	3638	71.75	36.25	29.5	49	160	56
	97PD7236L	3542	3720	71.75	41.75	29.5	46.25	160	63
	97PD7236R*	3542	3720	71.75	41.75	29.5	46.25	160	63
	97PD8430L	3612	3793	83.75	36.25	29.5	61	176	64
	97PD8430R	3612	3793	83.75	36.25	29.5	61	176	64
	97PD8436L	3684	3867	83.75	41.75	29.5	58.25	176	73
	97PD8436R	3684	3877	83.75	41.75	29.5	58.25	176	73

ORDERING NOTES:

For optional metal post leg instead of wood post leg, please add ML- at the end of the model number and note on the purchase order.

 "P" Desk, Wood Post Leg and Full Modesty Panel	97PD6636L4LGM	3698	3882	65.75	41.75	29.5	40.25	245	58
	97PD6636R4LGM	3698	3882	65.75	41.75	29.5	40.25	245	58
	97PD7236L4LGM	3852	4044	71.75	41.75	29.5	46.25	255	63
	97PD7236R4LGM*	3852	4044	71.75	41.75	29.5	46.25	255	63
	97PD7836L4LGM	3889	4082	77.75	41.75	29.5	52.25	263	68
	97PD7836R4LGM	3889	4082	77.75	41.75	29.5	52.25	263	68
	97PD8436L4LGM	4016	4216	83.75	41.75	29.5	58.25	269	73
	97PD8436R4LGM	4016	4216	83.75	41.75	29.5	58.25	269	73

ORDERING NOTES:

For optional metal post leg instead of wood post leg, please add ML- at the end of the model number and note on the purchase order.

 "P" Desk, Half Drum Base	97PD6630L4DB	3866	4059	65.75	36.25	29.5	46	232	54
	97PD6630R4DB	3866	4059	65.75	36.25	29.5	46	232	54
	97PD6636L4DB	3913	4107	65.75	41.75	29.5	43.75	238	62
	97PD6636R4DB	3913	4107	65.75	41.75	29.5	43.75	238	62
	97PD7230L4DB	3951	4148	71.75	36.25	29.5	52.5	232	54
	97PD7230R4DB	3951	4148	71.75	36.25	29.5	52.5	232	54
	97PD7236L4DB	3975	4175	71.75	41.75	29.5	49.5	238	62
	97PD7236R4DB*	3975	4175	71.75	41.75	29.5	49.5	238	62
	97PD7830L4DB	4004	4205	77.75	36.25	29.5	58.5	156	60
	97PD7830R4DB	4004	4205	77.75	36.25	29.5	58.5	156	60
	97PD7836L4DB	4040	4242	77.75	41.75	29.5	55.75	176	68
	97PD7836R4DB	4040	4242	77.75	41.75	29.5	55.75	176	68
	97PD8430L4DB	4069	4273	83.75	36.25	29.5	64.5	238	63
	97PD8430R4DB	4069	4273	83.75	36.25	29.5	64.5	238	63
	97PD8436L4DB	4114	4321	83.75	41.75	29.5	61.5	246	72
	97PD8436R4DB	4114	4321	83.75	41.75	29.5	61.5	246	72

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
 R - right handed pedestal position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 BT - bow top
 ML - optional metal leg
 DB - drum base
 DBM - drum base with full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | CURVILINEAR DESKS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
 "P" Desk, Half Drum Base and Full Modesty Panel	97PD6630L4DBM	4183	4392	65.75	36.25	29.5	46	232	54
	97PD6630R4DBM	4183	4392	65.75	36.25	29.5	46	232	54
	97PD6636L4DBM	4226	4437	65.75	41.75	29.5	43.75	238	62
	97PD6636R4DBM	4226	4437	65.75	41.75	29.5	43.75	238	62
	97PD7230L4DBM	4264	4478	71.75	36.25	29.5	52.5	232	54
	97PD7230R4DBM	4264	4478	71.75	36.25	29.5	52.5	232	54
	97PD7236L4DBM	4295	4510	71.75	41.75	29.5	49.5	238	62
	97PD7236R4DBM*	4295	4510	71.75	41.75	29.5	49.5	238	62
	97PD7830L4DBM	4332	4548	77.75	36.25	29.5	58.5	156	60
	97PD7830R4DBM	4332	4548	77.75	36.25	29.5	58.5	156	60
	97PD7836L4DBM	4362	4580	77.75	41.75	29.5	55.75	176	68
	97PD7836R4DBM	4362	4580	77.75	41.75	29.5	55.75	176	68
	97PD8430L4DBM	4401	4620	83.75	36.25	29.5	64.5	238	63
	97PD8430R4DBM	4401	4620	83.75	36.25	29.5	64.5	238	63
	97PD8436L4DBM	4438	4658	83.75	41.75	29.5	61.5	246	72
	97PD8436R4DBM	4438	4658	83.75	41.75	29.5	61.5	246	72
 Curved Corner Desk	97CCD723042L24RF*	3294	3625	72	30	29.5	32	269	60
	97CCD723042R24LF	3294	3625	72	30	29.5	32	269	60
	97CCD783042L24RF	3343	3677	78	30	29.5	38	279	68
	97CCD783042R24LF	3343	3677	78	30	29.5	38	279	68
	97CCD843042L24RF	3394	3735	84	30	29.5	44	289	73
	97CCD843042R24LF	3394	3735	84	30	29.5	44	289	73

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
BT - bow top
ML - optional metal leg
DB - drum base
DBM - drum base with full height modesty panel



STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | RETURNS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Open Return with L-Support 	97RH3620L	1266	1392	36	20	29.5	34.75	64	17.5
	97RH3620R	1266	1392	36	20	29.5	34.75	64	17.5
	97RH3624L	1302	1432	36	24	29.5	34.75	72	20
	97RH3624R	1302	1432	36	24	29.5	34.75	72	20
	97RH4220L	1410	1480	42	20	29.5	40.75	72	21
	97RH4220R	1410	1480	42	20	29.5	40.75	72	21
	97RH4224L	1447	1518	42	24	29.5	40.75	80	24.25
	97RH4224R	1447	1518	42	24	29.5	40.75	80	24.25
	97RH4820L	1487	1560	48	20	29.5	46.75	80	23.5
	97RH4820R	1487	1560	48	20	29.5	46.75	80	23.5
	97RH4824L	1525	1603	48	24	29.5	46.75	88	27.5
	97RH4824R	1525	1603	48	24	29.5	46.75	88	27.5
	97RH5420L	1547	1625	53.75	20	29.5	52.5	88	26
	97RH5420R	1547	1625	53.75	20	29.5	52.5	88	26
	97RH5424L	1572	1656	53.75	24	29.5	52.5	96	30.5
	97RH5424R	1572	1656	53.75	24	29.5	52.5	96	30.5
	97RH6020L	1597	1677	59.75	20	29.5	58.5	96	28.75
	97RH6020R	1597	1677	59.75	20	29.5	58.5	96	28.75
	97RH6024L	1625	1711	59.75	24	29.5	58.5	104	33.5
	97RH6024R	1625	1711	59.75	24	29.5	58.5	104	33.5
	97RH6620L	1652	1735	65.75	20	29.5	64.5	104	32.25
	97RH6620R	1652	1735	65.75	20	29.5	64.5	104	32.25
	97RH6624L*	1674	1762	65.75	24	29.5	64.5	112	36.5
	97RH6624R	1674	1762	65.75	24	29.5	64.5	112	36.5
	97RH7220L	1703	1789	71.75	20	29.5	70.5	112	33.75
	97RH7220R	1703	1789	71.75	20	29.5	70.5	112	33.75
	97RH7224L	1718	1805	71.75	24	29.5	70.5	120	39.5
	97RH7224R	1718	1805	71.75	24	29.5	70.5	120	39.5
Open Return with Full Modesty Panel 	97RH3624XL	1450	1594	36	24	29.5	34.75	88	20.5
	97RH3624XR	1450	1594	36	24	29.5	34.75	88	20.5
	97RH4224XL	1622	1706	42	24	29.5	40.75	98	24.25
	97RH4224XR	1622	1706	42	24	29.5	40.75	98	24.25
	97RH4824XL*	1724	1812	48	24	29.5	46.75	108	27.5
	97RH4824XR	1724	1812	48	24	29.5	46.75	108	27.5
	97RH5424XL	1798	1888	53.75	24	29.5	52.5	118	30.5
	97RH5424XR	1798	1888	53.75	24	29.5	52.5	118	30.5
	97RH6024XL	1873	1965	59.75	24	29.5	58.5	120	33.5
	97RH6024XR	1873	1965	59.75	24	29.5	58.5	120	33.5

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
 R - right handed pedestal position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 X - includes modesty panel
 LF - lateral file
 Y - hinged modesty panel

STANDARD FINISHES


For a complete list of standard wood finishes, please see page 454.

WIRE MANAGEMENT CUT-OUTS

A wire management cut-out is optional on full modesty panels. Note clearly on Purchase Order and add \$194 list upcharge.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping	
								Weight	Cubes
Single Pedestal Return with Full Modesty Panel 	97RH3620XL4D	2550	2817	36	20	29.5	20.25	96	17.5
	97RH3620XR4D	2550	2817	36	20	29.5	20.25	96	17.5
	97RH3620XL4F	2550	2817	36	20	29.5	20.25	96	17.5
	97RH3620XR4F	2550	2817	36	20	29.5	20.25	96	17.5
	97RH3624XL4D	2585	2843	36	24	29.5	20.25	100	20.5
	97RH3624XR4D	2585	2843	36	24	29.5	20.25	100	20.5
	97RH3624XL4F	2585	2843	36	24	29.5	20.25	100	20.5
	97RH3624XR4F	2585	2843	36	24	29.5	20.25	100	20.5
	97RH4220XL4D	2738	2876	42	20	29.5	26.25	100	21
	97RH4220XR4D	2738	2876	42	20	29.5	26.25	100	21
	97RH4220XL4F	2738	2876	42	20	29.5	26.25	100	21
	97RH4220XR4F	2738	2876	42	20	29.5	26.25	100	21
	97RH4224XL4D	2777	2924	42	24	29.5	26.25	104	21
	97RH4224XR4D	2777	2924	42	24	29.5	26.25	104	24.5
	97RH4224XL4F	2777	2924	42	24	29.5	26.25	104	24.5
	97RH4224XR4F	2777	2924	42	24	29.5	26.25	104	24.5
	97RH4820XL4D	2800	2945	48	20	29.5	32.25	104	23.5
	97RH4820XR4D	2800	2945	48	20	29.5	32.25	104	23.5
	97RH4820XL4F	2800	2945	48	20	29.5	32.25	104	23.5
	97RH4820XR4F	2800	2945	48	20	29.5	32.25	104	23.5
	97RH4824XL4D	2810	2959	48	24	29.5	32.25	108	23.5
	97RH4824XR4D	2810	2959	48	24	29.5	32.25	108	27.5
	97RH4824XL4F	2810	2959	48	24	29.5	32.25	108	27.5
	97RH4824XR4F	2810	2959	48	24	29.5	32.25	108	27.5
	97RH5420XL4D	2835	2977	53.75	20	29.5	38	108	26
	97RH5420XR4D	2835	2977	53.75	20	29.5	38	108	26
	97RH5420XL4F	2835	2977	53.75	20	29.5	38	108	26
	97RH5420XR4F	2835	2977	53.75	20	29.5	38	108	26
	97RH5424XL4D	2869	3021	53.75	24	29.5	38	120	26
	97RH5424XR4D	2869	3021	53.75	24	29.5	38	120	30.5
	97RH5424XL4F	2869	3021	53.75	24	29.5	38	120	30.5
	97RH5424XR4F	2869	3021	53.75	24	29.5	38	120	30.5
	97RH6020XL4D	2929	3075	59.75	20	29.5	44	120	28.75
	97RH6020XR4D*	2929	3075	59.75	20	29.5	44	120	28.75
	97RH6020XL4F	2929	3075	59.75	20	29.5	44	120	28.75
	97RH6020XR4F	2929	3075	59.75	20	29.5	44	120	28.75
	97RH6024XL4D	2982	3131	59.75	24	29.5	44	128	28.75
	97RH6024XR4D	2982	3131	59.75	24	29.5	44	128	33.5
	97RH6024XL4F	2982	3131	59.75	24	29.5	44	128	33.5
	97RH6024XR4F	2982	3131	59.75	24	29.5	44	128	33.5

ORDERING NOTES:

Legal size pedestals are 18.75" wide. For legal sized file drawers, please add LG- before "97" in model number and add \$79 list per pedestal. Widths above reflect letter size file drawers. A wire management cut-out is standard on hinged modesty panels.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - knee-hole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
X - includes modesty panel
LF - lateral file
Y - hinged modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

WIRE MANAGEMENT CUT-OUTS

A wire management cut-out is optional on full modesty panels. Note clearly on Purchase Order and add \$194 list upcharge.

GROMMETS


One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | RETURNS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal Return with Full Modesty Panel, Continued	97RH6620XL4D	3133	3288	65.75	20	29.5	50	128	32.25
	97RH6620XR4D*	3133	3288	65.75	20	29.5	50	128	31.25
	97RH6620XL4F	3133	3288	65.75	20	29.5	50	128	31.25
	97RH6620XR4F	3133	3288	65.75	20	29.5	50	128	31.25
	97RH6624XL4D	3167	3324	65.75	24	29.5	50	136	31.25
	97RH6624XR4D	3167	3324	65.75	24	29.5	50	136	36.5
	97RH6624XL4F	3167	3324	65.75	24	29.5	50	136	36.5
	97RH6624XR4F	3167	3324	65.75	24	29.5	50	136	36.5
	97RH7220XL4D	3233	3393	71.75	20	29.5	56	136	33.75
	97RH7220XR4D	3233	3393	71.75	20	29.5	56	136	33.75
	97RH7220XL4F	3233	3393	71.75	20	29.5	56	136	33.75
	97RH7220XR4F	3233	3393	71.75	20	29.5	56	136	33.75
	97RH7224XL4D	3273	3436	71.75	24	29.5	56	144	33.75
	97RH7224XR4D	3273	3436	71.75	24	29.5	56	144	39.5
	97RH7224XL4F	3273	3436	71.75	24	29.5	56	144	39.5
	97RH7224XR4F	3273	3436	71.75	24	29.5	56	144	39.5
	97RH7820XL4D	3131	3444	78	20	29.5	62	120	28
	97RH7820XR4D	3131	3444	78	20	29.5	62	120	28
	97RH7820XL4F	3131	3444	78	20	29.5	62	120	28
	97RH7820XR4F	3131	3444	78	20	29.5	62	120	28
	97RH7824XL4D	3167	3484	78	24	29.5	62	165	41.5
	97RH7824XR4D	3167	3484	78	24	29.5	62	165	41.5
	97RH7824XL4F	3167	3484	78	24	29.5	62	165	41.5
	97RH7824XR4F	3167	3484	78	24	29.5	62	165	41.5
	97RH8420XL4D	3341	3508	83.75	20	29.5	68	152	39
	97RH8420XR4D	3341	3508	83.75	20	29.5	68	152	39
	97RH8420XL4F	3341	3508	83.75	20	29.5	68	152	39
	97RH8420XR4F	3341	3508	83.75	20	29.5	68	152	39
	97RH8424XL4D	3378	3546	83.75	24	29.5	68	160	39
	97RH8424XR4D	3378	3546	83.75	24	29.5	68	160	45.75
	97RH8424XL4F	3378	3546	83.75	24	29.5	68	160	45.75
	97RH8424XR4F	3378	3546	83.75	24	29.5	68	160	45.75

ORDERING NOTES:

Legal size pedestals are 18.75" wide. For legal sized file drawers, please add LG- before "97" in model number and add \$79 list per pedestal. Widths above reflect letter size file drawers. A wire management cut-out is standard on hinged modesty panels.

Single Pedestal with Lateral File and Full Modesty Panel 	97RH6020XLLF36	3601	3782	59.75	20	29.5	24	160	28.75
	97RH6020XRLLF36	3601	3782	59.75	20	29.5	24	160	28.75
	97RH6024XLLF36*	3626	3807	59.75	24	29.5	24	168	33.5
	97RH6024XRLLF36	3626	3807	59.75	24	29.5	24	168	33.5
	97RH6620XLLF36	3672	3855	65.75	20	29.5	30	172	31.25
	97RH6620XRLLF36	3672	3855	65.75	20	29.5	30	172	31.25
	97RH6624XLLF36	3698	3882	65.75	24	29.5	30	176	36.5
	97RH6624XRLLF36	3698	3882	65.75	24	29.5	30	176	36.5

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
 R - right handed pedestal position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 X - includes modesty panel
 LF - lateral file
 Y - hinged modesty panel

STANDARD FINISHES


For a complete list of standard wood finishes, please see page 454.

WIRE MANAGEMENT CUT-OUTS

A wire management cut-out is optional on full modesty panels. Note clearly on Purchase Order and add \$194 list upcharge.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal with Lateral File and Full Modesty Panel, Continued 	97RH7220XLLF36*	3742	3940	71.75	20	29.5	36	184	33.75
	97RH7220XRLF36	3767	3965	71.75	20	29.5	36	184	33.75
	97RH7224XLLF36	3767	3965	71.75	24	29.5	36	188	39.5
	97RH7224XRLF36	3815	4005	71.75	24	29.5	36	188	39.5
	97RH7820XLLF36	3815	4005	77.75	20	29.5	42	192	36.5
	97RH7820XRLF36	3840	4031	77.75	20	29.5	42	192	36.5
	97RH7824XLLF36	3840	4031	77.75	24	29.5	42	196	42.75
	97RH7824XRLF36	3885	4078	77.75	24	29.5	42	196	42.75
	97RH8420XLLF36	3885	4078	83.75	20	29.5	48	200	39
	97RH8420XRLF36	3913	4107	83.75	20	29.5	48	200	39
	97RH8424XLLF36	3913	4107	83.75	24	29.5	48	204	45.75
	97RH8424XRLF36			83.75	24	29.5	48	204	45.75
Single Pedestal Return with Hinged Modesty Panel 	97RHY4220L4D	3014	3164	42	20	29.5	26.25	104	21
	97RHY4220R4D	3014	3164	42	20	29.5	26.25	104	21
	97RHY4220L4F	3014	3164	42	20	29.5	26.25	104	21
	97RHY4220R4F	3014	3164	42	20	29.5	26.25	104	21
	97RHY4224L4D	3054	3206	42	24	29.5	26.25	108	24.5
	97RHY4224R4D	3054	3206	42	24	29.5	26.25	108	24.5
	97RHY4224L4F	3054	3206	42	24	29.5	26.25	108	24.5
	97RHY4224R4F	3054	3206	42	24	29.5	26.25	108	24.5
	97RHY4820L4D	3077	3232	48	20	29.5	32.25	108	23.5
	97RHY4820R4D*	3077	3232	48	20	29.5	32.25	108	23.5
	97RHY4820L4F	3077	3232	48	20	29.5	32.25	108	23.5
	97RHY4820R4F	3077	3232	48	20	29.5	32.25	108	23.5
	97RHY4824L4D	3098	3259	48	24	29.5	32.25	112	27.5
	97RHY4824R4D	3098	3259	48	24	29.5	32.25	112	27.5
	97RHY4824L4F	3098	3259	48	24	29.5	32.25	112	27.5
	97RHY4824R4F	3098	3259	48	24	29.5	32.25	112	27.5
	97RHY5420L4D	3120	3276	53.75	20	29.5	38	112	26
	97RHY5420R4D	3120	3276	53.75	20	29.5	38	112	26
	97RHY5420L4F	3120	3276	53.75	20	29.5	38	112	26
	97RHY5420R4F	3120	3276	53.75	20	29.5	38	112	26
	97RHY5424L4D	3157	3315	53.75	24	29.5	38	116	30.5
	97RHY5424R4D	3157	3315	53.75	24	29.5	38	116	30.5
	97RHY5424L4F	3157	3315	53.75	24	29.5	38	116	30.5
	97RHY5424R4F	3157	3315	53.75	24	29.5	38	116	30.5
	97RHY6020L4D	3221	3382	59.75	20	29.5	44	116	28.75
	97RHY6020R4D	3221	3382	59.75	20	29.5	44	116	28.75
	97RHY6020L4F	3221	3382	59.75	20	29.5	44	116	28.75
	97RHY6020R4F	3221	3382	59.75	20	29.5	44	116	28.75

ORDERING NOTES:

Legal size pedestals are 18.75" wide. For legal sized file drawers, please add LG- before "97" in model number and add \$79 list per pedestal. Widths above reflect letter size file drawers. A wire management cut-out is standard on hinged modesty panels.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
X - includes modesty panel
LF - lateral file
Y - hinged modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 450.

WIRE MANAGEMENT CUT-OUTS

A wire management cut-out is optional on full modesty panels. Note clearly on Purchase Order and add \$194 list upcharge.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | RETURNS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal Return with Hinged Modesty Panel, Continued	97RHY6024L4D	3280	3444	59.75	24	29.5	44	128	33.5
	97RHY6024R4D*	3280	3444	59.75	24	29.5	44	128	33.5
	97RHY6024L4F	3280	3444	59.75	24	29.5	44	128	33.5
	97RHY6024R4F	3280	3444	59.75	24	29.5	44	128	33.5
	97RHY6620L4D	3448	3619	65.75	20	29.5	50	128	31.25
	97RHY6620R4D	3448	3619	65.75	20	29.5	50	128	31.25
	97RHY6620L4F	3448	3619	65.75	20	29.5	50	128	31.25
	97RHY6620R4F	3448	3619	65.75	20	29.5	50	128	31.25
	97RHY6624L4D	3483	3658	65.75	24	29.5	50	136	36.5
	97RHY6624R4D	3483	3658	65.75	24	29.5	50	136	36.5
	97RHY6624L4F	3483	3658	65.75	24	29.5	50	136	36.5
	97RHY6624R4F	3483	3658	65.75	24	29.5	50	136	36.5
	97RHY7220L4D	3559	3736	71.75	20	29.5	56	124	33.75
	97RHY7220R4D	3559	3736	71.75	20	29.5	56	124	33.75
	97RHY7220L4F	3559	3736	71.75	20	29.5	56	124	33.75
	97RHY7220R4F	3559	3736	71.75	20	29.5	56	124	33.75
	97RHY7224L4D	3601	3790	71.75	24	29.5	56	144	39.5
	97RHY7224R4D	3601	3790	71.75	24	29.5	56	144	39.5
	97RHY7224L4F	3601	3790	71.75	24	29.5	56	144	39.5
	97RHY7224R4F	3601	3790	71.75	24	29.5	56	144	39.5
	97RHY7820L4D	3446	3789	77.75	20	29.5	62	150	28
	97RHY7820R4D	3446	3789	77.75	20	29.5	62	150	28
	97RHY7820L4F	3446	3789	77.75	20	29.5	62	150	28
	97RHY7820R4F	3446	3789	77.75	20	29.5	62	150	28
	97RHY7824L4D	3488	3837	77.75	24	29.5	62	165	41.5
	97RHY7824R4D	3488	3837	77.75	24	29.5	62	165	41.5
	97RHY7824L4F	3488	3837	77.75	24	29.5	62	165	41.5
	97RHY7824R4F	3488	3837	77.75	24	29.5	62	165	41.5
	97RHY8420L4D	3676	3859	83.75	20	29.5	68	165	39
	97RHY8420R4D	3676	3859	83.75	20	29.5	68	165	39
	97RHY8420L4F	3676	3859	83.75	20	29.5	68	165	39
	97RHY8420R4F	3676	3859	83.75	20	29.5	68	165	39
	97RHY8424L4D	3723	3910	83.75	24	29.5	68	183	45.75
	97RHY8424R4D	3723	3910	83.75	24	29.5	68	183	45.75
	97RHY8424L4F	3723	3910	83.75	24	29.5	68	183	45.75
	97RHY8424R4F	3723	3910	83.75	24	29.5	68	183	45.75

ORDERING NOTES:

Legal size pedestals are 18.75" wide. For legal sized file drawers, please add LG- before "97" in model number and add \$79 list per pedestal. Widths above reflect letter size file drawers. A wire management cut-out is standard on hinged modesty panels.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
 R - right handed pedestal position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 X - includes modesty panel
 LF - lateral file
 Y - hinged modesty panel

STANDARD FINISHES


For a complete list of standard wood finishes, please see page 454.

WIRE MANAGEMENT CUT-OUTS

A wire management cut-out is optional on full modesty panels. Note clearly on Purchase Order and add \$194 list upcharge.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal Return with Lateral File and Hinged Modesty Panel 	97RHY6020LLF36	3961	4161	59.75	20	29.5	24	160	28.75
	97RHY6020RLF36	3961	4161	59.75	20	29.5	24	160	28.75
	97RHY6024LLF36	3986	4184	59.75	24	29.5	24	168	33.5
	97RHY6024RLF36	3986	4184	59.75	24	29.5	24	168	33.5
	97RHY6620LLF36	4037	4239	65.75	20	29.5	30	172	31.25
	97RHY6620RLF36	4037	4239	65.75	20	29.5	30	172	31.25
	97RHY6624LLF36	4067	4271	65.75	24	29.5	30	176	36.5
	97RHY6624RLF36*	4067	4271	65.75	24	29.5	30	176	36.5
	97RHY7220LLF36	4117	4324	71.75	20	29.5	36	184	33.75
	97RHY7220RLF36	4117	4324	71.75	20	29.5	36	184	33.75
	97RHY7224LLF36	4144	4352	71.75	24	29.5	36	188	39.5
	97RHY7224RLF36	4144	4352	71.75	24	29.5	36	188	39.5
	97RHY7820LLF36	4195	4403	77.75	20	29.5	42	192	36.5
	97RHY7820RLF36	4195	4403	77.75	20	29.5	42	192	36.5
	97RHY7824LLF36	4223	4434	77.75	24	29.5	42	196	42.75
	97RHY7824RLF36	4223	4434	77.75	24	29.5	42	196	42.75
	97RHY8420LLF36	4274	4488	83.75	20	29.5	48	200	39
	97RHY8420RLF36	4274	4488	83.75	20	29.5	48	200	39
	97RHY8424LLF36	4303	4518	83.75	24	29.5	48	204	45.75
	97RHY8424RLF36	4303	4518	83.75	24	29.5	48	204	45.75

ORDERING NOTES:

A wire management cut-out is standard on hinged modesty panels.

Bullet Return with Wood Column Leg 	97BR6030	1756	1844	59.75	29.75	29.5	42	67	6
	97BR6630	1782	1871	65.75	29.75	29.5	48	71	6
	97BR6636	1804	1893	65.75	35.75	29.5	45	82	7
	97BR7230	1852	1946	71.75	29.75	29.5	54	90	7
	97BR7236*	1895	1990	71.75	35.75	29.5	51	95	8
	97BR8436	1990	2089	83.75	35.75	29.5	63	99	9

ORDERING NOTES:

For optional metal leg please add "ML-" at the end of the model number and note on the purchase order.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
X - includes modesty panel
LF - lateral file
Y - hinged modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.




WIRE MANAGEMENT CUT-OUTS

A wire management cut-out is optional on full modesty panels. Note clearly on Purchase Order and add \$194 list upcharge.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | CURVILINEAR RETURNS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Bullet Return with Half Drum Base 	97BR6030DB	2035	2137	59.75	29.75	29.5	43.5	117	10
	97BR6036DB	2051	2153	59.75	35.75	29.5	52.5	126	11
	97BR6630DB	2064	2168	65.75	29.75	29.5	40.5	121	11
	97BR6636DB	2081	2183	65.75	35.75	29.5	61.5	132	12
	97BR7230DB	2129	2237	71.75	29.75	29.5	49.5	126	11
	97BR7236DB*	2173	2282	71.75	35.75	29.5	58.5	138	12
	97BR7830DB	2216	2328	77.75	29.75	29.5	46.5	131	12
	97BR7836DB	2263	2376	77.75	35.75	29.5	67.5	144	13
	97BR8430DB	2306	2421	83.75	29.75	29.5	55.5	136	12
	97BR8436DB	2347	2464	83.75	35.75	29.5	64.5	149	13
Bullet Return with Half Drum Base and Full Modesty Panel 	97BR6030LDBM	2351	2476	59.75	29.75	29.5	44.5	166	40
	97BR6030RDBM	2351	2476	59.75	29.75	29.5	44.5	166	40
	97BR6036LDBM	2369	2488	59.75	35.75	29.5	41.5	176	47
	97BR6036RDBM	2369	2488	59.75	35.75	29.5	41.5	176	47
	97BR6630LDBM	2381	2500	65.75	29.75	29.5	50.5	177	43
	97BR6630RDBM	2381	2500	65.75	29.75	29.5	50.5	177	43
	97BR6636LDBM	2398	2519	65.75	35.75	29.5	47.5	189	51
	97BR6636RDBM	2398	2519	65.75	35.75	29.5	47.5	189	51
	97BR7230LDBM	2496	2621	71.75	29.75	29.5	56.5	188	49
	97BR7230RDBM	2496	2621	71.75	29.75	29.5	56.5	188	49
	97BR7236LDBM	2539	2665	71.75	35.75	29.5	53.5	200	55
	97BR7236RDBM*	2539	2665	71.75	35.75	29.5	53.5	200	55
	97BR7830LDBM	2585	2714	77.75	29.75	29.5	62.5	193	51
	97BR7830RDBM	2585	2714	77.75	29.75	29.5	62.5	193	51
	97BR7836LDBM	2627	2756	77.75	35.75	29.5	59.5	211	60
	97BR7836RDBM	2627	2756	77.75	35.75	29.5	59.5	211	60
	97BR8430LDBM	2705	2840	83.75	29.75	29.5	68.5	203	55
	97BR8430RDBM	2705	2840	83.75	29.75	29.5	68.5	203	55
	97BR8436LDBM	2748	2886	83.75	35.75	29.5	65.5	223	64
	97BR8436RDBM	2748	2886	83.75	35.75	29.5	65.5	223	64
"P" Return with Wood Column Leg 	97PR6636L	2791	2931	65.75	41.75	29.5	42	128	8
	97PR6636R	2791	2931	65.75	41.75	29.5	42	128	8
	97PR7230L	2839	2981	71.75	35.75	29.5	52	120	8
	97PR7230R	2839	2981	71.75	35.75	29.5	52	120	8
	97PR7236L	2884	3029	71.75	41.75	29.5	48	136	9
	97PR7236R*	2884	3029	71.75	41.75	29.5	48	136	9
	97PR8436L	2977	3126	83.75	41.75	29.5	60	144	10
	97PR8436R	2977	3126	83.75	41.75	29.5	60	144	10

ORDERING NOTES:

For optional metal leg please add "ML-" at the end of the model number and note on the purchase order.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
X - includes modesty panel
Y - hinged modesty panel
LF - lateral file
ML - optional metal leg
DB - drum base
DBM - drum base with full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.



WIRE MANAGEMENT CUT-OUTS

A wire management cut-out is optional on full modesty panels. Note clearly on Purchase Order and add \$194 list upcharge.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | CURVILINEAR RETURNS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
"P" Return with Half Drum Base 	97PR6030LDB	2982	3131	59.75	35.75	29.5	40.75	114	11
	97PR6030RDB	2982	3131	59.75	35.75	29.5	40.75	114	11
	97PR6036LDB	3006	3157	59.75	41.75	29.5	49.75	123	12
	97PR6036RDB	3006	3157	59.75	41.75	29.5	49.75	123	12
	97PR6630LDB	3026	3177	65.75	35.75	29.5	37.75	118	12
	97PR6630RDB	3026	3177	65.75	35.75	29.5	37.75	118	12
	97PR6636LDB	3071	3224	65.75	41.75	29.5	58.75	129	13
	97PR6636RDB	3071	3224	65.75	41.75	29.5	58.75	129	13
	97PR7230LDB	3151	3309	71.75	35.75	29.5	46.75	122	12
	97PR7230RDB	3151	3309	71.75	35.75	29.5	46.75	122	12
	97PR7236LDB	3195	3353	71.75	41.75	29.5	55.75	134	13
	97PR7236RDB*	3195	3353	71.75	41.75	29.5	55.75	134	13
	97PR7830LDB	3239	3400	77.75	35.75	29.5	43.75	126	13
	97PR7830RDB	3239	3400	77.75	35.75	29.5	43.75	126	13
	97PR7836LDB	3281	3446	77.75	41.75	29.5	64.75	137	14
	97PR7836RDB	3281	3446	77.75	41.75	29.5	64.75	137	14
	97PR8430LDB	3324	3491	83.75	35.75	29.5	52.75	130	13
	97PR8430RDB	3324	3491	83.75	35.75	29.5	52.75	130	13
	97PR8436LDB	3390	3561	83.75	41.75	29.5	61.75	140	14
	97PR8436RDB	3390	3561	83.75	41.75	29.5	61.75	140	14
"P" Return with Half Drum Base and Full Modesty Panel 	97PR6030L4DBM	3291	3455	59.75	35.75	29.5	40.75	164	47
	97PR6030R4DBM	3291	3455	59.75	35.75	29.5	40.75	164	47
	97PR6036L4DBM	3316	3483	59.75	41.75	29.5	49.75	178	53
	97PR6036R4DBM	3316	3483	59.75	41.75	29.5	49.75	178	53
	97PR6630L4DBM	3337	3503	65.75	35.75	29.5	37.75	174	51
	97PR6630R4DBM	3337	3503	65.75	35.75	29.5	37.75	174	51
	97PR6636L4DBM	3379	3548	65.75	41.75	29.5	58.75	189	58
	97PR6636R4DBM	3379	3548	65.75	41.75	29.5	58.75	189	58
	97PR7230L4DBM	3534	3710	71.75	35.75	29.5	46.75	184	55
	97PR7230R4DBM	3534	3710	71.75	35.75	29.5	46.75	184	55
	97PR7236L4DBM	3570	3749	71.75	41.75	29.5	55.75	201	63
	97PR7236R4DBM*	3570	3749	71.75	41.75	29.5	55.75	201	63
	97PR7830L4DBM	3623	3804	77.75	35.75	29.5	43.75	194	60
	97PR7830R4DBM	3623	3804	77.75	35.75	29.5	43.75	194	60
	97PR7836L4DBM	3680	3863	77.75	41.75	29.5	64.75	212	68
	97PR7836R4DBM	3680	3863	77.75	41.75	29.5	64.75	212	68
	97PR8430L4DBM	3740	3927	83.75	35.75	29.5	52.75	204	64
	97PR8430R4DBM	3740	3927	83.75	35.75	29.5	52.75	204	64
	97PR8436L4DBM	3819	4009	83.75	41.75	29.5	61.75	224	73
	97PR8436R4DBM	3819	4009	83.75	41.75	29.5	61.75	224	73

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
 R - right handed pedestal position
 X - includes modesty panel
 Y - hinged modesty panel
 LF - lateral file
 ML - optional metal leg
 DB - drum base
 DBM - drum base with full height modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.



WIRE MANAGEMENT CUT-OUTS

A wire management cut-out is optional on full modesty panels. Note clearly on Purchase Order and add \$194 list upcharge.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | LINKING UNITS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Linking Top 	97LU3020H	576	632	30	20	29.5		20	2
	97LU3024H	580	636	30	24	29.5		23	2.25
	97LU3620H	635	667	36	20	29.5		15	2.25
	97LU3624H	645	680	36	24	29.5		16	2.5
	97LU4220H	667	702	42	20	29.5		20	2.5
	97LU4224H	686	720	42	24	29.5		24	2.75
	97LU4820H	696	730	48	20	29.5		29	2.75
	97LU4824H	715	752	48	24	29.5		36	3.25
	97LU5420H	730	766	53.75	20	29.5		32	3
	97LU5424H	749	787	53.75	24	29.5		40	3.5
	97LU6020H	769	807	59.75	20	29.5		36	3.25
	97LU6024H	785	824	59.75	24	29.5		45	4
	97LU6620H*	807	847	65.75	20	29.5		40	3.75
	97LU6624H	820	860	65.75	24	29.5		50	4.25
	97LU7220H	840	882	71.75	20	29.5		43	4
	97LU7224H	853	894	71.75	24	29.5		54	4.5
	97LU7820H	875	918	77.75	20	29.5		47	4.25
	97LU7824H	886	929	77.75	24	29.5		58	5
	97LU8420H	909	955	83.75	20	29.5		50	4.5
	97LU8424H	922	970	83.75	24	29.5		63	5.25
Linking Unit with Modesty Panel 	97LU3020HX	1115	1226	30	20	29.5		46	3
	97LU3024HX	1206	1365	30	24	29.5		50	3
	97LU3620HX	1270	1334	36	20	29.5		59	3.5
	97LU3624HX	1331	1400	36	24	29.5		64	3.5
	97LU4220HX	1372	1441	42	20	29.5		67	4
	97LU4224HX	1394	1466	42	24	29.5		72	4
	97LU4820HX	1432	1510	48	20	29.5		78	4.5
	97LU4824HX	1451	1525	48	24	29.5		80	4.5
	97LU5420HX	1495	1569	53.75	20	29.5		88	4.75
	97LU5424HX*	1512	1586	53.75	24	29.5		101	4.75
	97LU6020HX	1561	1640	59.75	20	29.5		98	5.25
Linking Unit with Modesty Panel, Continued 	97LU6024HX*	1571	1651	59.75	24	29.5		113	5.25
	97LU6620HX	1630	1711	65.75	20	29.5		108	5.75
	97LU6624HX	1688	1772	65.75	24	29.5		124	5.75
	97LU7220HX	1747	1836	71.75	20	29.5		118	6.25
	97LU7224HX	1807	1896	71.75	24	29.5		135	6.25
	97LU7820HX	1863	1957	77.75	20	29.5		127	6.75
	97LU7824HX	1922	2019	77.75	24	29.5		146	6.75
	97LU8420HX	1983	2082	83.75	20	29.5		137	7.25
	97LU8424HX	2041	2143	83.75	24	29.5		130	7.25

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

H - desk height
Y - hinged modesty panel
X - includes modesty panel


STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge on \$152 list.

CONTOUR | LINKING UNITS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Linking Unit with Hinged Modesty Panel 	97LUY3020H	1226	1349	30	20	29.5	46	3	
	97LUY3024H	1328	1461	30	24	29.5	50	3	
	97LUY3620H	1397	1466	36	20	29.5	59	3.5	
	97LUY3624H	1463	1536	36	24	29.5	64	3.5	
	97LUY4220H	1512	1586	42	20	29.5	67	4	
	97LUY4224H	1534	1616	42	24	29.5	72	4	
	97LUY4820H	1575	1660	48	20	29.5	78	4.5	
	97LUY4824H	1593	1678	48	24	29.5	80	4.5	
	97LUY5420H	1644	1728	53.75	20	29.5	88	4.75	
	97LUY5424H	1662	1745	53.75	24	29.5	101	4.75	
	97LUY6020H	1717	1804	59.75	20	29.5	98	5.25	
	97LUY6024H	1729	1815	59.75	24	29.5	113	5.25	
	97LUY6620H	1787	1877	65.75	20	29.5	108	5.75	
	97LUY6624H*	1845	1938	65.75	24	29.5	124	5.75	
	97LUY7220H	1904	1998	71.75	20	29.5	118	6.25	
	97LUY7224H	1962	2060	71.75	24	29.5	135	6.25	
	97LUY7820H	2022	2122	77.75	20	29.5	127	6.75	
	97LUY7824H	2081	2183	77.75	24	29.5	146	6.75	
	97LUY8420H	2139	2246	83.75	20	29.5	137	7.25	
	97LUY8424H	2199	2310	83.75	24	29.5	157	7.25	
Corner Unit 	97CU363620	2526	2652	-	36	29.5	22.5	106	30
	97CU363624*	2526	2658	-	36	29.5	16.75	106	30
	97CU424220	2777	2916	-	42	29.5	31	131	38
	97CU424224	2777	2924	-	42	29.5	25.25	131	38

ORDERING NOTES:

One rectangular grommet comes standard at the back corner in "C" position. Additional grommets are not available.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

H - desk height
Y - hinged modesty panel
X - includes modesty panel


STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

WIRING GROMMETS

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge on \$152 list.

CONTOUR | CREDENZAS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Credenza Shell with L-Supports 	97C60204L0R0	1689	1774	59.75	20	29.5	57.5	88	37.75
	97C60244L0R0	1779	1874	59.75	24	29.5	69.5	96	32.25
	97C66204L0R0	1860	1954	65.75	20	29.5	57.5	96	30.25
	97C66244L0R0*	1957	2059	65.75	24	29.5	75.5	104	35.5
	97C72204L0R0	1984	2084	71.75	20	29.5	63.5	104	32.75
	97C72244L0R0	2078	2188	71.75	24	29.5	75.5	112	38.5
	97C78204L0R0	2103	2209	77.75	20	29.5	63.5	112	35.5
	97C78244L0R0	2186	2303	77.75	24	29.5	81.5	120	41.5
	97C84204L0R0	2221	2335	83.75	20	29.5	69.5	120	38
	97C84244L0R0	2431	2310	83.75	24	29.5	81.5	128	44.5


ORDERING NOTES:

20" Shells can not be specified with free standing pedestals. Please see page 493 for modular pedestals to be used in conjunction with shells.

Credenza Shell with Full Modesty Panel 	97C60204XL0R0	2004	2104	59.75	20	29.5	57.5	88	37.75
	97C60244XL0R0	2023	2124	59.75	24	29.5	69.5	96	32.25
	97C66204XL0R0	2204	2314	65.75	20	29.5	57.5	96	30.25
	97C66244XL0R0*	2221	2335	65.75	24	29.5	75.5	104	35.5
	97C72204XL0R0	2348	2465	71.75	20	29.5	63.5	104	32.75
	97C72244XL0R0	2374	2499	71.75	24	29.5	75.5	112	38.5
	97C78204XL0R0	2482	2605	77.75	20	29.5	63.5	112	35.5
	97C78244XL0R0	2505	2631	77.75	24	29.5	81.5	120	41.5
	97C84204XL0R0	2625	2755	83.75	20	29.5	69.5	120	38
	97C84244XL0R0	2654	2792	83.75	24	29.5	81.5	128	44.5

ORDERING NOTES:

20" Shells can not be specified with free standing pedestals. Please see page 505 for modular pedestals to be used in conjunction with shells.

Single Pedestal Credenza with Full Modesty Panel 	97C60204XLDRO	3517	3694	59.75	20	29.5	43	116	27.75
	97C60204XLFR0	3517	3694	59.75	20	29.5	43	116	27.75
	97C60204XLORD	3517	3694	59.75	20	29.5	43	116	27.75
	97C60204XLORF	3517	3694	59.75	20	29.5	43	116	27.75
	97C60244XLDRO	3542	3720	59.75	20	29.5	43	124	32.25
	97C60244XLFR0	3542	3720	59.75	20	29.5	43	124	32.25
	97C60244XLORD	3542	3720	59.75	20	29.5	43	124	32.25
	97C60244XLORF	3542	3720	59.75	20	29.5	43	124	32.25
	97C66204XLDRO	3574	3753	65.75	20	29.5	49	124	30.25
	97C66204XLFR0*	3574	3753	65.75	20	29.5	49	124	30.25

ORDERING NOTES:

Legal file pedestals are 18.75" wide. For legal sized drawers, please add LG- before "97" in model number and add \$58 list per pedestal. Widths above reflect letter size file drawers.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
X - includes modesty panel
Y - includes hinged modesty panel
BC - bookcase

STANDARD FINISHES


For a complete list of standard wood finishes, please see page 454.

LOCKS

Locks are standard on all pedestals and lateral file drawers.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal Credenza with Full Modesty Panel, Continued 	97C66204XL0RD	3574	3753	65.75	20	29.5	49	124	30.25
	97C66204XL0RF	3574	3753	65.75	20	29.5	49	124	30.25
	97C66244XLDR0	3590	3769	65.75	24	29.5	49	128	35.5
	97C66244XLFR0	3590	3769	65.75	24	29.5	49	128	35.5
	97C66244XL0RD	3590	3769	65.75	24	29.5	49	128	35.5
	97C66244XL0RF	3590	3769	65.75	24	29.5	49	128	35.5
	97C72204XLDR0	3604	3785	71.75	24	29.5	55	128	32.75
	97C72204XLFR0*	3604	3785	71.75	24	29.5	55	128	32.75
	97C72204XL0RD	3604	3785	71.75	24	29.5	55	128	32.75
	97C72204XL0RF	3604	3785	71.75	24	29.5	55	128	32.75
	97C72244XLDR0	3636	3826	71.75	24	29.5	55	132	38.5
	97C72244XLFR0	3636	3826	71.75	24	29.5	55	132	38.5
	97C72244XL0RD	3636	3826	71.75	24	29.5	55	132	38.5
	97C72244XL0RF	3636	3826	71.75	24	29.5	55	132	38.5
	97C78204XLDR0	3638	3820	77.75	20	29.5	61	132	35.5
	97C78204XLFR0	3638	3820	77.75	20	29.5	61	132	35.5
	97C78204XL0RD	3638	3820	77.75	20	29.5	61	132	35.5
	97C78204XL0RF	3638	3820	77.75	20	29.5	61	132	35.5
	97C78244XLDR0	3648	3830	77.75	24	29.5	61	136	41.5
	97C78244XLFR0	3648	3830	77.75	24	29.5	61	136	41.5
	97C78244XL0RD	3648	3830	77.75	24	29.5	61	136	41.5
	97C78244XL0RF	3648	3830	77.75	24	29.5	61	136	41.5
	97C84204XLDR0	3659	3842	83.75	20	29.5	67	136	38
	97C84204XLFR0	3659	3842	83.75	20	29.5	67	136	38
	97C84204XL0RD	3659	3842	83.75	20	29.5	67	136	38
	97C84204XL0RF	3659	3842	83.75	20	29.5	67	136	38
	97C84244XLDR0	3669	3852	83.75	24	29.5	67	140	44.5
	97C84244XLFR0	3669	3852	83.75	24	29.5	67	140	44.5
	97C84244XL0RD	3669	3852	83.75	24	29.5	67	140	44.5
	97C84244XL0RF	3669	3852	83.75	24	29.5	67	140	44.5

ORDERING NOTES:

Legal size pedestals are 18.75" wide. For legal sized file drawers, please add LG- before "97" in model number and add \$79 list per pedestal. Widths above reflect letter size file drawers. A wire management cut-out is standard on hinged modesty panels.

Lateral File or Bookcase Credenza with Full Modesty Panel 	97C6020XLBR0	3098	3408	59.75	20	29.5	30	107	28
	97C6020XL0RB	3098	3408	59.75	20	29.5	24	107	28
	97C6020XLFR0	3516	3866	59.75	20	29.5	24	140	28
	97C6020XL0RF	3516	3866	59.75	20	29.5	24	140	28
	97C6024XLBR0	3217	3538	59.75	24	29.5	24	113	33
	97C6024XL0RB	3217	3538	59.75	24	29.5	24	113	33
	97C6024XLFR0*	3574	3931	59.75	24	29.5	24	147	33
	97C6024XL0RF	3574	3931	59.75	24	29.5	24	147	33
	97C7220XLBR0	3352	3520	71.75	20	29.5	36	128	33
	97C7220XL0RB	3352	3520	71.75	20	29.5	36	128	33

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
X - includes modesty panel
Y - includes hinged modesty panel
BC - bookcase

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

LOCKS

Locks are standard on all pedestals and lateral file drawers.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Lateral File or Bookcase Credenza with Full Modesty Panel, Continued	97C7220XLFR0	3790	3980	71.75	20	29.5	36	168	33
	97C7220XL0RF	3790	3980	71.75	20	29.5	36	168	33
	97C7224XLBR0	3479	3652	71.75	24	29.5	36	136	38.5
	97C7224XL0RB	3479	3652	71.75	24	29.5	36	136	38.5
	97C7224XLFR0*	3852	4056	71.75	24	29.5	36	176	38.5
	97C7224XL0RF	3852	4056	71.75	24	29.5	36	176	38.5
	97C7820XLBR0	3240	3564	77.75	20	29.5	42	155	35.5
	97C7820XL0RB	3240	3564	77.75	20	29.5	42	155	35.5
	97C7820XLFR0	3658	4023	77.75	20	29.5	42	195	35.5
	97C7820XL0RF	3658	4023	77.75	20	29.5	42	195	35.5
	97C7824XLBR0	3359	3695	77.75	24	29.5	42	174	41.5
	97C7824XL0RB	3359	3695	77.75	24	29.5	42	174	41.5
	97C7824XLFR0	3716	4088	77.75	24	29.5	42	210	41.5
	97C7824XL0RF	3716	4088	77.75	24	29.5	42	210	41.5
	97C8420XLBR0	3452	3626	83.75	20	29.5	48	181	38
	97C8420XL0RB	3452	3626	83.75	20	29.5	48	181	38
	97C8420XLFR0	4037	4239	83.75	20	29.5	48	221	38
	97C8420XL0RF	4037	4239	83.75	20	29.5	48	221	38
	97C8424XLBR0	3532	3709	83.75	24	29.5	48	212	44.5
	97C8424XL0RB	3532	3709	83.75	24	29.5	48	212	44.5
	97C8424XLFR0	4135	4380	83.75	24	29.5	48	252	44.5
	97C8424XL0RF	4135	4380	83.75	24	29.5	48	252	44.5
Single Pedestal Credenza Combination Pedestal	97C6020XL3602R0	2869	3156	60	20	29.5	24	140	28
	97C6020XL0R3604	2869	3156	60	20	29.5	24	140	28
	97C6024XL3602R0	3286	3614	60	24	29.5	24	147	33
	97C6024XL0R3604	3286	3614	60	24	29.5	24	147	33
	97C7220XL3602R0*	3360	3696	72	20	29.5	36	195	33
	97C7220XL0R3604	3360	3696	72	20	29.5	36	195	33
	97C7224XL3602R0	3426	3769	72	24	29.5	36	195	38.5
	97C7224XL0R3604	3426	3769	72	24	29.5	36	195	38.5
	97C8420XL3602R0	3604	3964	84	20	29.5	48	252	38
	97C8420XL0R3604	3604	3964	84	20	29.5	48	252	38
	97C8424XL3602R0	3698	4067	84	24	29.5	48	252	44.5
	97C8424XL0R3604	3698	4067	84	24	29.5	48	252	44.5
Double Pedestal Credenza with Full Modesty Panel	97C60204XLDRD	3783	3972	59.75	20	29.5	28.25	220	27.75
	97C60204XLDRF	3783	3972	59.75	20	29.5	28.25	220	27.75
	97C60204XLFRD	3783	3972	59.75	20	29.5	28.25	220	27.75
	97C60204XLFRF	3783	3972	59.75	20	29.5	28.25	220	27.75
	97C60244XLDRD*	3812	4002	59.75	24	29.5	28.25	220	32.25
	97C60244XLDRF	3812	4002	59.75	24	29.5	28.25	220	32.25
	97C60244XLFRD	3812	4002	59.75	24	29.5	28.25	220	32.25
	97C60244XLFRF	3812	4002	59.75	24	29.5	28.25	220	32.25

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
X - includes modesty panel
Y - includes hinged modesty panel
BC - bookcase

STANDARD FINISHES


For a complete list of standard wood finishes, please see page 454.

LOCKS

Locks are standard on all pedestals and lateral file drawers.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping	
								Weight	Cubes
Double Pedestal Credenza with Full Modesty Panel, Continued 	97C66204XLDRD	3840	4031	65.75	20	29.5	34.25	228	30.25
	97C66204XLDRF	3840	4031	65.75	20	29.5	34.25	228	30.25
	97C66204XLFRD	3840	4031	65.75	20	29.5	34.25	228	30.25
	97C66204XLFRF	3840	4031	65.75	20	29.5	34.25	228	30.25
	97C66244XLDRD	3848	4040	65.75	24	29.5	34.25	228	35.5
	97C66244XLDRF	3848	4040	65.75	24	29.5	34.25	228	35.5
	97C66244XLFRD	3848	4040	65.75	24	29.5	34.25	228	35.5
	97C66244XLFRF	3848	4040	65.75	24	29.5	34.25	228	35.5
	97C72204XLDRD	3877	4070	71.75	24	29.5	40.25	228	32.75
	97C72204XLDRF	3877	4070	71.75	24	29.5	40.25	228	32.75
	97C72204XLFRD	3877	4070	71.75	24	29.5	40.25	228	32.75
	97C72204XLFRF	3877	4070	71.75	24	29.5	40.25	228	32.75
	97C72244XLDRD*	3910	4104	71.75	24	29.5	40.25	236	38.5
	97C72244XLDRF	3910	4104	71.75	24	29.5	40.25	236	38.5
	97C72244XLFRD	3910	4104	71.75	24	29.5	40.25	236	38.5
	97C72244XLFRF	3910	4104	71.75	24	29.5	40.25	236	38.5
	97C78204XLDRD	3913	4107	77.75	20	29.5	46.25	236	35.5
	97C78204XLDRF	3913	4107	77.75	20	29.5	46.25	236	35.5
	97C78204XLFRD	3913	4107	77.75	20	29.5	46.25	236	35.5
	97C78204XLFRF	3913	4107	77.75	20	29.5	46.25	236	35.5
	97C78244XLDRD	3917	4111	77.75	24	29.5	46.25	240	41.5
	97C78244XLDRF	3917	4111	77.75	24	29.5	46.25	240	41.5
	97C78244XLFRD	3917	4111	77.75	24	29.5	46.25	240	41.5
	97C78244XLFRF	3917	4111	77.75	24	29.5	46.25	240	41.5
	97C84204XLDRD	3921	4115	83.75	20	29.5	52.25	240	38
	97C84204XLDRF	3921	4115	83.75	20	29.5	52.25	240	38
	97C84204XLFRD	3921	4115	83.75	20	29.5	52.25	240	38
	97C84204XLFRF	3921	4115	83.75	20	29.5	52.25	240	38
	97C84244XLDRD	3939	4137	83.75	24	29.5	52.25	248	44.5
	97C84244XLDRF	3939	4137	83.75	24	29.5	52.25	248	44.5
	97C84244XLFRD	3939	4137	83.75	24	29.5	52.25	248	44.5
	97C84244XLFRF	3939	4137	83.75	24	29.5	52.25	248	44.5

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
 R - right handed pedestal position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 X - includes modesty panel
 Y - includes hinged modesty panel
 BC - bookcase

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.


LOCKS

Locks are standard on all pedestals and lateral file drawers.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | CREDENZAS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Single Pedestal Credenza with Hinged Modesty Panel	97CY60204LDR0	3869	4062	59.75	20	29.5	43	120	27.75
	97CY60204LFR0	3869	4062	59.75	20	29.5	43	120	27.75
	97CY60204LORD	3869	4062	59.75	20	29.5	43	120	27.75
	97CY60204LORF	3869	4062	59.75	20	29.5	43	120	27.75
	97CY60244LDR0	3896	4091	59.75	24	29.5	43	128	32.25
	97CY60244LFR0	3896	4091	59.75	24	29.5	43	128	32.25
	97CY60244LORD	3896	4091	59.75	24	29.5	43	128	32.25
	97CY60244LORF	3896	4091	59.75	24	29.5	43	128	32.25
	97CY66204LDR0	3929	4125	65.75	20	29.5	49	136	30.25
	97CY66204LFR0	3929	4125	65.75	20	29.5	49	136	30.25
	97CY66204LORD	3929	4125	65.75	20	29.5	49	136	30.25
	97CY66204LORF	3929	4125	65.75	20	29.5	49	136	30.25
	97CY66244LDR0	3949	4146	65.75	24	29.5	49	144	35.5
	97CY66244LFR0	3949	4146	65.75	24	29.5	49	144	35.5
	97CY66244LORD	3949	4146	65.75	24	29.5	49	144	35.5
	97CY66244LORF	3949	4146	65.75	24	29.5	49	144	35.5
	97CY72204LDR0*	3965	4165	71.75	20	29.5	55	152	32.75
	97CY72204LFR0	3965	4165	71.75	20	29.5	55	152	32.75
	97CY72204LORD	3965	4165	71.75	20	29.5	55	152	32.75
	97CY72204LORF	3965	4165	71.75	20	29.5	55	152	32.75
	97CY72244LDR0	4000	4209	71.75	24	29.5	55	160	38.5
	97CY72244LFR0	4000	4209	71.75	24	29.5	55	160	38.5
	97CY72244LORD	4000	4209	71.75	24	29.5	55	160	38.5
	97CY72244LORF	4000	4209	71.75	24	29.5	55	160	38.5
	97CY78204LDR0	4004	4205	77.75	20	29.5	61	168	35.5
	97CY78204LFR0	4004	4205	77.75	20	29.5	61	168	35.5
	97CY78204LORD	4004	4205	77.75	20	29.5	61	168	35.5
	97CY78204LORF	4004	4205	77.75	20	29.5	61	168	35.5
	97CY78244LDR0	4016	4216	77.75	24	29.5	61	176	41.5
	97CY78244LFR0	4016	4216	77.75	24	29.5	61	176	41.5
	97CY78244LORD	4016	4216	77.75	24	29.5	61	176	41.5
	97CY78244LORF	4016	4216	77.75	24	29.5	61	176	41.5
	97CY84204LDR0	4023	4224	83.75	20	29.5	67	184	38
	97CY84204LFR0	4023	4224	83.75	20	29.5	67	184	38
	97CY84204LORD	4023	4224	83.75	20	29.5	67	184	38
	97CY84204LORF	4023	4224	83.75	20	29.5	67	184	38
	97CY84244LDR0	4035	4246	83.75	24	29.5	67	192	44.5
	97CY84244LFR0	4035	4246	83.75	24	29.5	67	192	44.5
	97CY84244LORD	4035	4246	83.75	24	29.5	67	192	44.5
	97CY84244LORF	4035	4246	83.75	24	29.5	67	192	44.5

ORDERING NOTES:

Legal size pedestals are 18.75" wide. For legal sized file drawers, please add LG- before "97" in model number and add \$79 list per pedestal. Widths above reflect letter size file drawers. A wire management cut-out is standard on hinged modesty panels.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
X - includes modesty panel
Y - includes hinged modesty panel
BC - bookcase

STANDARD FINISHES




For a complete list of standard wood finishes, please see page 454.

LOCKS

Locks are standard on all pedestals and lateral file drawers.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Lateral File or Bookcase Credenza with Hinged Modesty Panel 	97CY6020LBR0	3408	3749	59.75	20	29.5	30	107	28
	97CY6020L0RB	3408	3749	59.75	20	29.5	24	107	28
	97CY6020LFR0	3866	4253	59.75	20	29.5	24	140	28
	97CY6020L0RF	3866	4253	59.75	20	29.5	24	140	28
	97CY6024LBR0	3538	3892	59.75	24	29.5	24	113	33
	97CY6024L0RB	3538	3892	59.75	24	29.5	24	113	33
	97CY6024LFR0	3931	4324	59.75	24	29.5	24	147	33
	97CY6024L0RF	3931	4324	59.75	24	29.5	24	147	33
	97CY7220LBR0	3688	3873	71.75	20	29.5	36	116	33
	97CY7220L0RB	3688	3873	71.75	20	29.5	36	116	33
	97CY7220LFR0*	4168	4376	71.75	20	29.5	36	156	33
	97CY7220L0RF	4168	4376	71.75	20	29.5	36	156	33
	97CY7224LBR0	3823	4013	71.75	24	29.5	36	120	38.5
	97CY7224L0RB	3823	4013	71.75	24	29.5	36	120	38.5
	97CY7224LFR0	4237	4449	71.75	24	29.5	36	160	38.5
	97CY7224L0RF	4237	4449	71.75	24	29.5	36	160	38.5
Single Pedestal Credenza Hinged Modesty Panel Combination Pedestal 	97CY6020L3602R0	3156	3470	60	20	29.5	24	140	28
	97CY6020L0R3604	3156	3470	60	20	29.5	24	140	28
	97CY6024L3602R0*	3614	3975	60	24	29.5	24	147	28
	97CY6024L0R3604	3614	3975	60	24	29.5	24	147	28
	97CY7220L3602R0	3696	4066	72	20	29.5	36	168	36
	97CY7220L0R3604	3696	4066	72	20	29.5	36	168	32.5
	97CY7224L3602R0	3769	4146	72	24	29.5	36	176	36
	97CY7224L0R3604	3769	4146	72	24	29.5	36	176	38.5
	97CY8420L3602R0	3964	4361	84	20	29.5	48	252	38
	97CY8420L0R3604	3964	4361	84	20	29.5	48	252	38
	97CY8424L3602R0	4067	4474	84	24	29.5	48	252	44.5
	97CY8424L0R3604	4067	4474	84	24	29.5	48	252	44.5
Double Pedestal Credenza with Hinged Modesty Panel 	97CY60204LDRD	4162	4369	59.75	20	29.5	28.75	220	27.75
	97CY60204LDRF	4162	4369	59.75	20	29.5	28.75	220	27.75
	97CY60204LFRD	4162	4369	59.75	20	29.5	28.75	220	27.75
	97CY60204LFRF	4162	4369	59.75	20	29.5	28.75	220	27.75
	97CY60244LDRD	4191	4401	59.75	24	29.5	28.75	220	32.25
	97CY60244LDRF	4191	4401	59.75	24	29.5	28.75	220	32.25
	97CY60244LFRD	4191	4401	59.75	24	29.5	28.75	220	32.25
	97CY60244LFRF	4191	4401	59.75	24	29.5	28.75	220	32.25
	97CY66204LDRD*	4223	4434	65.75	20	29.5	34.25	228	30.25
	97CY66204LDRF	4223	4434	65.75	20	29.5	34.25	228	30.25

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
 R - right handed pedestal position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 X - includes modesty panel
 Y - includes hinged modesty panel
 BC - bookcase

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

LOCKS

Locks are standard on all pedestals and lateral file drawers.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | CREDENZAS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Double Pedestal Credenza with Hinged Modesty Panel, Continued	97CY66204LFRD	4223	4434	65.75	20	29.5	34.25	228	30.25
	97CY66204LFRF	4223	4434	65.75	20	29.5	34.25	228	30.25
	97CY66244LDRD*	4233	4443	65.75	24	29.5	34.25	228	35.5
	97CY66244LDRF	4233	4443	65.75	24	29.5	34.25	228	35.5
	97CY66244LFRD	4233	4443	65.75	24	29.5	34.25	228	35.5
	97CY66244LFRF	4233	4443	65.75	24	29.5	34.25	228	35.5
	97CY72204LDRD	4264	4478	71.75	20	29.5	40.25	228	32.75
	97CY72204LDRF	4264	4478	71.75	20	29.5	40.25	228	32.75
	97CY72204LFRD	4264	4478	71.75	20	29.5	40.25	228	32.75
	97CY72204LFRF	4264	4478	71.75	20	29.5	40.25	228	32.75
	97CY72244LDRD	4299	4510	71.75	24	29.5	40.25	236	38.5
	97CY72244LDRF	4299	4510	71.75	24	29.5	40.25	236	38.5
	97CY72244LFRD	4299	4510	71.75	24	29.5	40.25	236	38.5
	97CY72244LFRF	4299	4510	71.75	24	29.5	40.25	236	38.5
	97CY78204LDRD	4304	4514	77.75	20	29.5	46.25	236	35.5
	97CY78204LDRF	4304	4514	77.75	20	29.5	46.25	236	35.5
	97CY78204LFRD	4304	4514	77.75	20	29.5	46.25	236	35.5
	97CY78204LFRF	4304	4514	77.75	20	29.5	46.25	236	35.5
	97CY78244LDRD	4308	4519	77.75	24	29.5	46.25	240	41.5
	97CY78244LDRF	4308	4519	77.75	24	29.5	46.25	240	41.5
	97CY78244LFRD	4308	4519	77.75	24	29.5	46.25	240	41.5
	97CY78244LFRF	4308	4519	77.75	24	29.5	46.25	240	41.5
	97CY84204LDRD	4317	4528	83.75	20	29.5	52.25	240	38
	97CY84204LDRF	4317	4528	83.75	20	29.5	52.25	240	38
	97CY84204LFRD	4317	4528	83.75	20	29.5	52.25	240	38
	97CY84204LFRF	4317	4528	83.75	20	29.5	52.25	240	38
	97CY84244LDRD	4329	4545	83.75	24	29.5	52.25	248	44.5
	97CY84244LDRF	4329	4545	83.75	24	29.5	52.25	248	44.5
	97CY84244LFRD	4329	4545	83.75	24	29.5	52.25	248	44.5
	97CY84244LFRF	4329	4545	83.75	24	29.5	52.25	248	44.5

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal
X - includes modesty panel
Y - includes hinged modesty panel
BC - bookcase

STANDARD FINISHES



For a complete list of standard wood finishes, please see page 454.

LOCKS

Locks are standard on all pedestals and lateral file drawers.

GROMMETS

One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Lateral File/Bookcase Full Face Credenza 	97C7220LBRB	4082	4297	71.75	20	29.5		208	33
	97C7220LFRB*	4795	5047	71.75	20	29.5		228	33
	97C7220LBRF	4795	5035	71.75	20	29.5		228	33
	97C7220LFRF	5255	5532	71.75	20	29.5		248	33
	97C7224LBRB	4136	4343	71.75	24	29.5		224	39
	97C7224LBRF	4885	5129	71.75	24	29.5		236	39
	97C7224LFRB	4885	5129	71.75	24	29.5		236	39
	97C7224LFRF	5323	5603	71.75	24	29.5		256	39
Full Face Storage Credenza 	97C66244DBCD	4781	5021	65.75	24	29.5		242	36
	97C66244DBCF	4781	5021	65.75	24	29.5		242	36
	97C66244FBCD	4781	5021	65.75	24	29.5		242	36
	97C66244FBCF	4781	5021	65.75	24	29.5		242	36
	97C72244DBCD*	5007	5257	71.75	24	29.5		256	38.5
	97C72244DBCF	5007	5257	71.75	24	29.5		256	38.5
	97C72244FBCD	5007	5257	71.75	24	29.5		256	38.5
	97C72244FBCF	5007	5257	71.75	24	29.5		256	38.5
	97C84244DBCD	5213	5473	83.75	24	29.5		271	44.5
	97C84244DBCF	5213	5473	83.75	24	29.5		271	44.5
	97C84244FBCD	5213	5473	83.75	24	29.5		271	44.5
	97C84244FBCF	5213	5473	83.75	24	29.5		271	44.5
Corner Credenzas 	97CC7220XL4D*	3077	3232	71.75	32	29.5	32	184	43.25
	97CC7220XR4D	3077	3232	71.75	32	29.5	32	184	43.25
	97CC7220XL4F	3077	3232	71.75	32	29.5	32	184	43.25
	97CC7220XR4F	3077	3232	71.75	32	29.5	32	184	43.25
	97CC7224XL4D	3139	3295	71.75	36	29.5	32	192	52.75
	97CC7224XR4D	3139	3295	71.75	36	29.5	32	192	52.75
	97CC7224XL4F	3139	3295	71.75	36	29.5	32	192	52.75
	97CC7224XR4F	3139	3295	71.75	36	29.5	32	192	52.75
	97CC8420XL4D	3178	3338	83.75	32	29.5	44	200	50.25
	97CC8420XR4D	3178	3338	83.75	32	29.5	44	200	50.25
	97CC8420XL4F	3178	3338	83.75	32	29.5	44	200	50.25
	97CC8420XR4F	3178	3338	83.75	32	29.5	44	200	50.25
	97CC8424XL4D	3207	3366	83.75	36	29.5	44	208	61
	97CC8424XR4D	3207	3366	83.75	36	29.5	44	208	61
	97CC8424XL4F	3207	3366	83.75	36	29.5	44	208	61
	97CC8424XR4F	3207	3366	83.75	36	29.5	44	208	61

ORDERING NOTES:

Corner Credenzas accept 24" deep run-off units. Legal size pedestals are 18.75" wide. For legal sized file drawers, please add LG- before "97" in model number and add \$79 list per pedestal. Above widths reflect letter size file drawers. Please see page 117 when ordering a keyboard for use with corner credenza.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
 R - right handed pedestal position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 0 - no pedestal
 X - includes modesty panel
 Y - includes hinged modesty panel
 BC - bookcase

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.


LOCKS


Locks are standard on all pedestals and lateral file drawers.

GROMMETS


One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR | OVERHEADS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Overhead with Wood Doors 	97OH3615	1525	1607	36	14.75	16	2	53	7
	97OH4215	1619	1703	42	14.75	16	2	57	8
	97OH4815	1680	1765	48	14.75	16	3	77	9.5
	97OH6015	1975	2081	59.75	14.75	16	4	88	11.5
	97OH6615*	2082	2191	65.75	14.75	16	4	94	13
	97OH7215	2190	2306	71.75	14.75	16	4	99	14

Double Height Overhead with Wood Doors 	97OH361530*	1904	2095	36	14.75	30	2	53	7
	97OH421530	1993	2193	42	14.75	30	2	57	8
	97OH481530	2052	2190	48	14.75	30	8	77	9.5

TACKBOARD Fabric Grades

		1	2	3	4	5	6	7	8	9	W	H	COM	WT
Tackboards for Overheads 	97TBOH36	336	373	412	471	612	749	884	1029	1208	38	24	1.5	10
	97TBOH42	373	504	533	661	795	916	1051	1210	1428	44	24	1.5	12
	97TBOH48	416	516	541	680	814	935	1079	1239	1491	50	24	1.75	13
	97TBOH60	472	631	661	822	989	1173	1356	1541	1833	62	24	2	15
	97TBOH66	516	702	752	918	1145	1306	1487	1699	2023	69	24	2	16
	97TBOH72	567	871	908	1203	1479	1496	1717	1960	2285	75	24	2.25	18

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

G - wood framed glass doors
W - power/data/voice module
11 - wood door pier
TB - tackboard

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

TACKBOARDS


See page 6 for tackboard fabric options.

OVERHEADS

All overheads include installed tasklights and mounting hardware.


HUTCHES

Hutches over 84" in length will be made in two pieces.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
5 Hi Hutch with Wood Doors 	97HT601540	2749	2894	59.75	14.75	39.25	23.25	117	23
	97HT661540	3057	3217	65.75	14.75	39.25	23.25	126	26
	97HT721540	3494	3677	71.75	14.75	39.25	23.25	135	28
	97HT781540*	3763	3962	77.75	14.75	39.25	23.25	146	30
	97HT841540	4035	4246	83.75	14.75	39.25	23.25	154	32
	97HT961540	5851	6157	95.5	14.75	39.25	23.25	211	39


ORDERING NOTES:

Hutches come standard with Krug panel grade 1 fabric. Please see page 6 for color options. Voice/Power/Data modules can be specified by placing a "W" at the end of the hutch model number and applying a \$252 list upcharge.

5 Hi Hutch with Frosted Glass Doors 	97HT601540G	3077	3232	59.75	14.75	39.25	23.25	117	23
	97HT661540G	3422	3594	65.75	14.75	39.25	23.25	126	26
	97HT721540G	3913	4107	71.75	14.75	39.25	23.25	135	28
	97HT781540G*	4216	4427	77.75	14.75	39.25	23.25	146	30
	97HT841540G	4519	4745	83.75	14.75	39.25	23.25	154	32
	97HT961540G	6552	6880	95.5	14.75	39.25	23.25	222	39


ORDERING NOTES:

Hutches come standard with Krug panel grade 1 fabric. Please see page 6 for color options. Voice/Power/Data modules can be specified by placing a "W" at the end of the hutch model number and applying a \$252 list upcharge.

5 Hi Hutch with Wood Doors and Paper Management 	97HTPM661540	3765	3953	65.75	14.75	39.25	20.25	126	26
	97HTPM721540	4304	4530	71.75	14.75	39.25	20.25	135	28
	97HTPM781540*	4372	4591	77.75	14.75	39.25	20.25	146	30
	97HTPM841540	4438	4674	83.75	14.75	39.25	20.25	154	32
	97HTPM961540	6439	6762	95.5	14.75	39.25	20.25	260	39

ORDERING NOTES:

Hutches come standard with Krug panel grade 1 fabric. Please see page 6 for color options. Voice/Power/Data modules can be specified by placing a "W" at the end of the hutch model number and applying a \$252 list upcharge.

5 Hi Hutch with Frosted Glass Doors and Paper Management 	97HTPM661540G	4217	4428	65.75	14.75	39.25	20.25	126	26
	97HTPM721540G	4821	5062	71.75	14.75	39.25	20.25	135	28
	97HTPM781540G*	4897	5155	77.75	14.75	39.25	20.25	146	30
	97HTPM841540G	4973	5221	83.75	14.75	39.25	20.25	154	32
	97HTPM961540G	7213	7574	95.5	14.75	39.25	20.25	260	39

ORDERING NOTES:

Hutches come standard with Krug panel grade 1 fabric. Please see page 6 for color options. Voice/Power/Data modules can be specified by placing a "W" at the end of the hutch model number and applying a \$252 list upcharge.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 450
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

G - wood framed glass doors
W - power/data/voice module
11 - wood door pier
TB - tackboard

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

TACKBOARDS

See page 6 for tackboard fabric options. See page 492 for hutch fabric upcharges.


OVERHEADS

All overheads include installed tasklights and mounting hardware.

HUTCHES


Hutches over 84" in length will be made in two pieces.

CONTOUR | HUTCHES

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
5 Hi Hutch with Single Wood Door Pier 	97HTPR661540L11OHR0	3667	3851	65.75	14.75	39.25	23.25	183	26
	97HTPR661540L0OHR11	3667	3851	65.75	14.75	39.25	23.25	183	26
	97HTPR721540L11OHR0	4191	4401	71.75	14.75	39.25	23.25	196	28
	97HTPR721540L0OHR11	4191	4401	71.75	14.75	39.25	23.25	196	28
	97HTPR781540L11OHR0*	4518	4744	77.75	14.75	39.25	23.25	215	30
	97HTPR781540L0OHR11	4518	4744	77.75	14.75	39.25	23.25	215	30
	97HTPR841540L11OHR0	4842	5083	83.75	14.75	39.25	23.25	221	33
	97HTPR841540L0OHR11	4842	5083	83.75	14.75	39.25	23.25	221	33
	97HTPR961540L11OHR0	7020	7371	95.5	14.75	39.25	23.25	245	38.5
	97HTPR961540L0OHR11	7020	7371	95.5	14.75	39.25	23.25	245	38.5


ORDERING NOTES:


Hutches come standard with Krug panel grade 1 fabric. Please see page 6 for color options. Voice/Power/Data modules can be specified by placing a "W" at the end of the hutch model number and applying a \$252 list upcharge.

5 Hi Hutch with Left and Right Wood Door Piers 	97HTPR661540L11OHR11	4033	4235	65.75	14.75	39.25	23.25	197	26
	97HTPR721540L11OHR11	4610	4842	71.75	14.75	39.25	23.25	210	28
	97HTPR781540L11OHR11*	4969	5217	77.75	14.75	39.25	23.25	223	30
	97HTPR841540L11OHR11	5327	5594	83.75	14.75	39.25	23.25	236	33
	97HTPR961540L11OHR11	7724	8111	95.5	14.75	39.25	23.25	261	38.5

ORDERING NOTES:

Hutches come standard with Krug panel grade 1 fabric. Please see page 6 for color options. Voice/Power/Data modules can be specified by placing a "W" at the end of the hutch model number and applying a \$252 list upcharge.

6 Hi Hutch with Wood Doors 	97HT601553	2774	3053	59.75	14.75	53		117	23.5
	97HT661553	3058	3363	65.75	14.75	53		126	25.5
	97HT721553	3483	3830	71.75	14.75	53		135	28
	97HT781553*	3739	4113	77.75	14.75	53		146	30
	97HT841553	3998	4398	83.75	14.75	53		154	32.5
	97HT961553	5727	6300	95.5	14.75	53		211	38.5

6 Hi Hutch with Paper Manager 	97HTPM601553	3399	3739	59.75	14.75	53		146	33
	97HTPM661553	3736	4110	65.75	14.75	53		162	36
	97HTPM721553	4249	4674	71.75	14.75	53		174	39
	97HTPM781553*	4165	4581	77.75	14.75	53		186	42
	97HTPM841553	4379	4816	83.75	14.75	53		200	45
	97HTPM961553	6284	6911	95.5	14.75	53		240	54

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

G - wood framed glass doors
 W - power/data/voice module
 11 - wood door pier
 TB - tackboard

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

TACKBOARDS

See page 6 for tackboard fabric options. See page 492 for hutch fabric upcharges.

OVERHEADS


All overheads include installed tasklights and mounting hardware.

HUTCHES

Hutches over 84" in length will be made in two pieces.

HUTCH TACKBOARD UPCHARGES

Tackboard
Upcharges for
Standard Hutches



All hutches include a tackboard in Krug panel grade 1 fabric. Use this chart to find the upcharges for tackboard fabrics graded 2-9 and add it to the cost of the hutch. Grading information can be found on page 5 of the price guide.

	FABRIC GRADES									
	2	3	4	5	6	7	8	9	COM	
60" hutch tackboard*	165	350	512	683	849	1010	1174	1463	2	
66" hutch tackboard	183	396	581	774	962	1145	1331	1652	2	
72" hutch tackboard	220	472	691	927	1152	1372	1593	1917	2.25	
78" hutch tackboard	260	554	816	1082	1341	1603	1863	2224	2.5	
84" hutch tackboard	308	642	953	1261	1569	1601	2183	2578	2.5	
96" hutch tackboard	381	792	1175	1556	1938	2318	2696	3128	3	
66" single pier door hutch tackboard	165	350	512	683	849	1010	1174	1428	1.5	
72" single pier door hutch tackboard	165	350	512	683	849	1010	1174	1428	1.5	
78" single pier door hutch tackboard	165	350	512	683	849	1010	1174	1428	1.75	
84" single pier door hutch tackboard	183	396	581	774	962	1145	1331	1652	2	
96" single pier door hutch tackboard	308	642	953	1261	1569	1877	2139	2583	2.5	
66" double pier door hutch tackboard	165	350	512	683	849	1010	1174	1428	1.5	
72" double pier door hutch tackboard	165	350	512	683	849	1010	1174	1428	1.5	
78" double pier door hutch tackboard	165	350	512	683	849	1010	1174	1428	1.75	
84" double pier door hutch tackboard	165	350	512	683	849	1010	1174	1428	2	
96" double pier door hutch tackboard	183	396	581	774	962	1145	1331	1652	2.5	

ORDERING NOTES

Only Krug panel fabrics are available on *KrugExpress*.

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

G - wood framed glass doors
W - power/data/voice module
11 - wood door pier
TB - tackboard

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

TACKBOARDS

See page 6 for tackboard fabric options. See page 492 for hutch fabric upcharges.


OVERHEADS

All overheads include installed tasklights and mounting hardware.

HUTCHES

Hutches over 84" in length will be made in two pieces.

CONTOUR | PAPER MANAGERS & MODULAR PEDESTALS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
	97PM18122002	1170	1232	17	12.5	19.75		50	3.5
	97PM18122003	1170	1232	17	12.5	19.75		50	3.5

	97P16184F*	1778	1870	15.75	18	28		61	7
	97P16284F	2073	2176	15.75	18	28		66	10

ORDERING NOTES:

Legal file pedestals are 18.75" wide. For legal sized drawers, please add LG- before "97" in model number and add \$79 list per pedestal. Widths above reflect letter size file drawers.

	97P16184D*	1565	1647	15.75	27.5	28		61	7
	97P16284D	1826	1921	15.75	27.5	28		66	10

ORDERING NOTES:

Legal file pedestals are 18.75" wide. For legal sized drawers, please add LG- before "97" in model number and add \$79 list per pedestal. Widths above reflect letter size file drawers.

	97P361802	2016	2217	36	18	28		112	13.5
	97P361804*	2016	2217	36	18	28		112	13.5

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
LF - lateral file
BC - bookcase
MP - mobile pedestal

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

PEDESTALS


Pedestal tops and backs are unfinished.

LOCKS

Locks on bookcase pedestal doors are available at \$152 list. Please specify at time of order. All other pedestals include a standard lock.

CONTOUR | PAPER MANAGERS & MODULAR PEDESTALS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Bookcase Pedestal	97PBC3018	1768	1856	29.75	18	28		96	12



Bookcase Pedestal Finished Back	97PBC3020FB* 97PBC3024FB	1924 1958	2117 2155	29.75 29.75	20 24	28 28		96 104	12 14
------------------------------------	-----------------------------	--------------	--------------	----------------	----------	----------	--	-----------	----------



Lateral File Pedestal	97PLF3018 97PLF3618*	2085 2190	2194 2306	29.75 35.75	18 18	28 28		96 104	12 14
-----------------------	-------------------------	--------------	--------------	----------------	----------	----------	--	-----------	----------



Lateral File Pedestal Finished Back	97PLF3020FB 97PLF3620FB*	2227 2261	2449 2488	29.75 35.75	20 20	28 28		104 112	12 14
--	-----------------------------	--------------	--------------	----------------	----------	----------	--	------------	----------



ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
 R - right handed pedestal position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 LF - lateral file
 BC - bookcase
 MP - mobile pedestal

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

PEDESTALS

Pedestal tops and backs are unfinished.

LOCKS

Locks on bookcase pedestal doors are available at \$152 list. Please specify at time of order. All other pedestals include a standard lock.

CONTOUR | PAPER MANAGERS & MODULAR PEDESTALS

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	Shipping Weight	Cubes
Mobile Pedestal 	97MP1620284F	1801	1895	15.75	20	27.75	110	6.25
Mobile Computer Cart 	97THC362129	3082	3236	35.75	20	29	105	16.25
Round Meeting Table 	970536	1455	1527	36	36	1.25	50	2.5
	970542	1694	1778	42	42	1.25	62	3.25
	970548*	1853	1947	48	48	1.25	80	4.25
Drum Base 	971018D29	785	824	18	18	28.75	97	4

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
LF - lateral file
BC - bookcase
MP - mobile pedestal

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 450.

PEDESTALS

Pedestal tops and backs are unfinished.

LOCKS

Locks on bookcase pedestal doors are available at \$152 list. Please specify at time of order. All other pedestals include a standard lock.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	Shipping Weight	Cubes
2- Hi Open Bookcase 	97BC301629*	1633	1714	30	15.75	29.5	48	9.5
	97BC361629	1677	1767	36	15.75	29.5	56	11.25
	97BC721629**	2213	2379	72	15.75	29.5	102	24
4- Hi Open Bookcase 	97BC301656	2085	2194	30	15.75	55.5	64	17.75
	97BC361656*	2129	2242	36	15.75	55.5	72	21.25
5- Hi Open Bookcase 	97BC301669	2257	2377	30	15.75	69.5	100	22
	97BC361669*	2306	2428	36	15.75	69.5	112	26.25
6 Hi Open Bookcase 	97BC361683	2420	2663	36	15.75	83	132	34

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

BC - bookcase
L - door hinged left
R - door hinged right
ST - storage unit
G - wood framed frosted glass doors
WR - wardrobe



STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

BOOKCASES

Bookcases do not have finished backs. 5-Hi bookcases require fastening to a wall for safety. Locks are optional on all wood doors at an upcharge of \$152 list per set of (2) doors. Locks are not available on wood framed frosted glass doors.

CONTOUR | STORAGE

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	Shipping Weight	Cubes
	97STCE20202917L	2257	2372	20	20	29.5	56	8
	97STCE20202917R	2257	2372	20	20	29.5	56	8
	97STCE24242917L	2363	2482	24	24	29.5	65	12
	97STCE24242917R	2363	2482	24	24	29.5	65	12
	97STCE20206917L	2822	2964	20	20	69.5	130	19
	97STCE20206917R*	2822	2964	20	20	69.5	130	19
	97STCE24246917L	2951	3098	24	24	69.5	138	27
	97STCE24246917R	2951	3098	24	24	69.5	138	27
	97ST30202901	2519	2771	30	20	29.5	112	13
	97ST30242901	2554	2809	30	24	29.5	116	15
	97ST36202901*	2748	2893	36	20	29.5	116	15
	97ST36242901	2785	2933	36	24	29.5	120	18
	97ST30202911	1889	2078	30	20	29.5	96	13
	97ST30242911	1927	2119	30	24	29.5	104	15
	97ST36202911*	2088	2201	36	20	29.5	104	15
	97ST36242911	2128	2235	36	24	29.5	108	18
	97ST36204201	2909	3200	36	20	42	140	23

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION


BC - bookcase
 L - door hinged left
 R - door hinged right
 ST - storage unit
 G - wood framed frosted glass doors
 WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

BOOKCASES

Bookcases do not have finished backs. 5-Hi bookcases require fastening to a wall for safety. Locks are optional on all wood doors at an upcharge of \$152 list per set of (2) doors. Locks are not available on wood framed frosted glass doors.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	Shipping Weight	Cubes
4- Hi Lateral File 	97ST36205501	3774	3969	36	20	55.5	176	26
	97ST36245501*	4013	4226	36	24	55.5	196	30
5- Hi Single Door Closed Shelves 	97ST19246911L*	2642	2774	18.75	24	69.5	132	20
	97ST19246911R	2642	2774	18.75	24	69.5	132	20
5- Hi 2 File, 3 Open 	97ST19206990	3645	3827	18.75	20	69.5	110	18
	97ST19246990*	3698	3882	18.75	24	69.5	132	21.75
5- Hi 2 File, 3 Closed 	97ST19206991L	3797	3987	18.75	24	69.5	123	17
	97ST19206991R	3797	3987	18.75	24	69.5	123	17
	97ST19246991L*	3852	4044	18.75	24	69.5	132	20
	97ST19246991R	3852	4044	18.75	24	69.5	132	20

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

BC - bookcase
L - door hinged left
R - door hinged right
ST - storage unit
G - wood framed frosted glass doors
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

BOOKCASES

Bookcases do not have finished backs. 5-Hi bookcases require fastening to a wall for safety. Locks are optional on all wood doors at an upcharge of \$152 list per set of (2) doors. Locks are not available on wood framed frosted glass doors.

CONTOUR | STORAGE

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	Shipping Weight	Cubes
5- Hi 2 Lateral File, 3 Open 	97ST36206903	4115	4332	36	20	69.5	180	31.5
	97ST36246903*	4165	4384	36	24	69.5	188	37.5
5- Hi 2 Lateral File, 3 Closed 	97ST36206904	4595	4835	36	20	69.5	192	31.5
	97ST36246904*	4646	4890	36	24	69.5	200	37.5
5- Hi 2 Lateral Files, 3 Closed Glass 	97ST36206904G	4869	5113	36	20	69.5	192	31.5
	97ST36246904G*	4926	5185	36	24	69.5	200	37.5
5- Hi 3 Lateral, 2 Closed 	97ST36206908	4452	4868	36	20	69.5	184	33.5
	97ST36246908*	4501	4923	36	24	69.5	192	39.75

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION


BC - bookcase
L - door hinged left
R - door hinged right
ST - storage unit
G - wood framed frosted glass doors
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

BOOKCASES

Bookcases do not have finished backs. 5-Hi bookcases require fastening to a wall for safety. Locks are optional on all wood doors at an upcharge of \$152 list per set of (2) doors. Locks are not available on wood framed frosted glass doors.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	Shipping	
							Weight	Cubes
5- Hi 2 Closed, 3 Open 	97ST36206913	3291	3455	36	20	69.5	104	31.5
	97ST36246913*	3331	3499	36	24	69.5	116	37.5
5- Hi 2 Closed, 3 Closed 	97ST36206914	3797	3987	36	20	69.5	184	31.5
	97ST36246914*	3852	4044	36	24	69.5	192	37.5
5- Hi 2 Closed, 3 Closed Glass 	97ST36206914G	4253	4466	36	20	69.5	184	31.5
	97ST36246914G*	4315	4530	36	24	69.5	192	37.5
5- Hi Wardrobe 	97WR19246902L*	2278	2398	18.75	24	69.5	138	20
	97WR19246902R	2278	2398	18.75	24	69.5	138	20

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

BC - bookcase
L - door hinged left
R - door hinged right
ST - storage unit
G - wood framed frosted glass doors
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.


BOOKCASES

Bookcases do not have finished backs. 5-Hi bookcases require fastening to a wall for safety. Locks are optional on all wood doors at an upcharge of \$152 list per set of (2) doors. Locks are not available on wood framed frosted glass doors.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	Shipping Weight	Cubes
5- Hi 2 File, 3 Closed	97WR19246922L*	4168	4584	18.75	24	69.5	188	20
	97WR19246922R	4216	4638	18.75	24	69.5	188	20



5- Hi 5 Closed	97WR30246901	3073	3381	30	24	69.5	156	33
	97WR30246903	3073	3381	30	24	69.5	156	33
	97WR36246901	3443	3625	36	24	69.5	164	38
	97WR36246903*	3443	3625	36	24	69.5	164	38




ORDERING NOTES:

(01) Indicates closed left shelves and closed right wardrobe

(03) Indicates closed right shelves and closed left wardrobe

5- Hi 5 Closed, Center Hinged	97WR30246918	3443	3625	29.5	24	69.5	164	32
	97WR30246919*	3443	3625	29.5	24	69.5	164	32



ORDERING NOTES:

(18) Indicates closed left shelves, closed right wardrobe.

(19) Indicates closed right shelves, closed left wardrobe.

Closed shelves are center hinged.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

BC - bookcase
L - door hinged left
R - door hinged right
ST - storage unit
G - wood framed frosted glass doors
WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

LOCKS

Locks are optional on all wood doors at an upcharge of \$152 list per lock. Contour wardrobes require 2 locks. Locks are not available on wood framed frosted glass doors.

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	Shipping	
							Weight	Cubes
6- Hi 6 Closed 	97WR30248301	3527	3892	30	24	83	198	40
	97WR30248303*	3527	3892	30	24	83	198	40
	97WR36248301	3661	4026	36	24	83	212	47.5
	97WR36248303	3661	4026	36	24	83	212	47.5

ORDERING NOTES:

(01) Indicates closed left shelves and closed right wardrobe

(03) Indicates closed right shelves and closed left wardrobe

DIMENSION KEY

W - width

D - depth

H - height of worksurface

KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

BC - bookcase

L - door hinged left

R - door hinged right

ST - storage unit

G - wood framed frosted glass doors

WR - wardrobe

STANDARD FINISHES

For a complete list of standard wood finishes,
please see page 454.

LOCKS

Locks are optional on all wood doors at an
upcharge of \$152 list per lock. Contour
wardrobes require 2 locks. Locks are not
available on wood framed frosted glass doors.

CONTOUR | MODULAR TOPS, PEDESTALS & BASES

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	KW	Shipping Weight	Cubes
Tops 	97TP4820	700	734	47.75	20	1.25	30	2.25	
	97TP4824	744	781	47.75	24	1.25	37	2.75	
	97TP4830	765	802	47.75	30	1.25	44	3.25	
	97TP5420	773	811	53.75	20	1.25	34	2.5	
	97TP5424	792	831	53.75	24	1.25	42	3	
	97TP5430	807	847	53.75	30	1.25	52	3.75	
	97TP6020	895	942	59.75	20	1.25	39	2.75	
	97TP6024	942	991	59.75	24	1.25	46	3.75	
	97TP6030	977	1025	59.75	30	1.25	56	4	
	97TP6620	1139	1197	65.75	20	1.25	43	3	
	97TP6624	1178	1237	65.75	24	1.25	50	3.5	
	97TP6630	1224	1284	65.75	30	1.25	64	4.5	
	97TP7220	1302	1367	71.75	20	1.25	44	3.25	
	97TP7224	1348	1416	71.75	24	1.25	55	4	
	97TP7230	1385	1454	71.75	30	1.25	65	4.75	
	97TP7820	1465	1538	77.75	20	1.25	49	3.5	
	97TP7824	1496	1571	77.75	24	1.25	59	4.25	
	97TP7830	1547	1625	77.75	30	1.25	73	5.25	
	97TP8420	1620	1702	83.75	20	1.25	52	3.75	
	97TP8424	1660	1743	83.75	24	1.25	63	4.5	
	97TP8430	1710	1797	83.75	30	1.25	77	5.5	
Return Top 	97TP4220L	600	661	42	20	1.25	28	1.75	
	97TP4220R	600	661	42	20	1.25	28	1.75	
	97TP4224L	642	707	42	24	1.25	33	2.25	
	97TP4224R	642	707	42	24	1.25	33	2.25	
	97TP4820L*	667	734	48	20	1.25	31	3	
	97TP4820R	667	734	48	20	1.25	31	3	
	97TP4824L	708	778	48	24	1.25	36	3.5	
	97TP4824R	708	778	48	24	1.25	36	3.5	
Pedestals 	97PFB16204F	1710	1797	15.75	20	28.25	55	6	
	97PFB16204D	1507	1604	15.75	20	28.25	55	6	
	97PFB16244F	1834	1925	15.75	24	28.25	66	7	
	97PFB16244D	1616	1698	15.75	24	28.25	66	7	
	97PFB16304F	1947	2045	15.75	30	28.25	101	9	
	97PFB16304D	1727	1812	15.75	30	28.25	101	9	

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left handed pedestal position
 R - right handed pedestal position
 4 - full height pedestal
 D - 2 file drawers
 F - 2 box, 1 file drawer
 X41- full height modesty panel
 Y - hinged modesty panel





STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

OPEN SPANS

Modular units with an open span greater than 48" require the support of a half gable.

CONTOUR | MODULAR TOPS, PEDESTALS & BASES

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	Shipping Weight	Cubes
Combination Pedestal 	97PFB362002*	2253	2380	36	20	29.5	112	14
	97PFB362004	2253	2380	36	20	29.5	112	14
	97PFB362402	2293	2423	36	24	29.5	112	14
	97PFB362404	2293	2423	36	24	29.5	112	14
Lateral File Pedestal 	97PFB362001	2048	2162	36	20	29.5	112	14
	97PFB362401	2085	2201	36	24	29.5	112	14
L - Support 	97LB2029L	686	720	16	20	28.25	55	2
	97LB2029R*	686	720	16	20	28.25	55	2
	97LB2429L	727	762	16	24	28.25	60	3
	97LB2429R	727	762	16	24	28.25	60	3
	97LB3029L	773	807	16	30	28.25	70	4
	97LB3029R	773	807	16	30	28.25	70	4
Half Gable 	97HG2029	398	419	19.75	-	28.25	18	1
Hinged Modesty Panels 	97MPY48X41	605	635	16	-	28.25	19	2
	97MPY54X41	620	651	22	-	28.25	22	3
	97MPY60X41	632	664	28	-	28.25	26	4
	97MPY66X41	643	675	34	-	28.25	29	4
	97MPY72X41	672	705	40	-	28.25	32	5
	97MPY78X41	689	723	46	-	28.25	35	5
	97MPY84X41	700	734	52	-	28.25	38	6

DIMENSION KEY

W - width
D - depth
H - height of worksurface
KW - kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left handed pedestal position
R - right handed pedestal position
4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
X41- full height modesty panel
Y - hinged modesty panel





STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

OPEN SPANS

Modular units with an open span greater than 48" require the support of a half gable.

CONTOUR | GALLERY

DESCRIPTION	MODEL	Rift Oak	Cherry Maple	W	D	H	Shipping Weight	Cubes
Gallery Desk Shell 	97GSD7230	3725	4099	72	30	29.5	216	65
	97GSD7830	3816	4198	78	30	29.5	229	68
	97GSD8430	3906	4297	84	30	29.5	241	75.5
Gallery Credenza Shell 	97GSC7224	3712	4082	72	24	29.5	197	53.75
	97GSC7824	3803	4182	78	24	29.5	209	58
	97GSC8424	3893	4284	84	24	29.5	221	62
Gallery Return Shell 	97GSRH4224L	2771	3049	72	24	29.5	118	32.5
	97GSRH4224R	2771	3049	72	24	29.5	118	32.5
	97GSRH4824L*	2878	3166	78	24	29.5	128	36.75
	97GSRH4824R	2878	3166	78	24	29.5	128	36.75
Gallery Linking Unit 	97GLU4224	1592	1750	42	24	29.5	76	32.5
	97GLU4824*	1643	1808	48	24	29.5	87	36.75

ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 454
- 3) Edge profile, see page 456
- 4) pull style and finish, see page 457
- 5) Grommet location and style if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

SD - desk shell
 SC - credenza shell
 SRH - return shell
 LU - linking unit








STANDARD FINISHES

For a complete list of standard wood finishes, please see page 454.

GROMMETS


One grommet in standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$152 list.

CONTOUR POWERPORTS

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
PowerPort 1 - 2 RJ45s (Category 5/6)	PORT1	278	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic. NOTE: RJ45 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.						
PowerPort 2 - USB-A & USB-C	PORT2	280	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 USB-A & 1 USB-C charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.						
PowerPort 3 - RJ11 & RJ45	PORT3	270	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 RJ11 & 1 RJ45 (Category 5/6); 2 Velcro wire managers & PowerPort Shroud; 1 x 10 Foot Data Cords (T568A) & 1 x 14 Foot RJ11 (Telecomm); powered by a 10' plug-in cord. PortPort lid is Silver Metallic. NOTE: RJ45 & RJ11 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.						
PowerPort 4 - 2 USB-A	PORT4	287	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 2- USB-A charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PortPort shroud. PortPort lid is Silver Metallic.						
PowerPort 5 - 4 Receptacles	PORT5	280	8	4	-	-	-
	Port Includes: 4 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.						
PowerPort 6 - USB-A, USB-C & RJ45	PORT6	406	8	4	-	-	-
 	Port Includes: 2 accessible power outlets & 1 side utility outlet 1 USB-A, 1 USB-C charging ports all powered by a 10' plug-in power cord. Includes 2 velcro wire managers and metal PortPort shroud with 2 data plate knock outs, 1 #M02 plate insert & 2 #S01W RJ45 female input, punch down terminal output snap in jacks. 2nd data plate knock out is blank for future use. PortPort lid is Silver Metallic.						

CONTOUR POWERPORTS


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Port - no Powerbar	Port0	137	8	4	-	-	-



Port Includes: Port lid & Shroud only.

ORDERING NOTE: Velcro wire managers not included, see below for pricing. Port lid is Silver Metallic.





PowerPort Shroud with 2 Data Plate Knock-outs	SHROUD2KO	Must be requested - no upcharge	-	-	-	-	-
---	-----------	------------------------------------	---	---	---	---	---



Angled PowerPort Shroud Includes: shroud with 2 data plate knock-outs in the bottom.

SNAP IN PORTS	Reference Code	Description	List Price
ADAPTOR PLATES			
	M02	Adaptor Plate (2) - accepts two snap in data ports	38
	M04	Adaptor Plate (4) - accepts four snap in data ports	38
	M06	Adaptor Plate (6) - accepts six snap in data ports	38
ORDERING NOTES: Blank covers are required when port is not in use,			
		RJ-45 - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	47
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		RJ11 - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	32
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	S04	HDMI - High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	173
	S08	USB-A - Full size USB "A" style connection. Connector is a female-to-female pass through.	61

CONTOUR WIRE MANAGEMENT & ACCESSORIES

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Round Grommet	Round Grommet - Silver Metallic	152	-	-	-	-	-
	Round Grommet - Black	152	-	-	-	-	-
	One 60mm Grommet in a standard position is available at no charge per table.						
Velcro Wire Manager (qty 1)	WM-4	26	2	4.5	0.5	-	-
	2 velcro wire managers are included with Ports 1-5.						
Wire Management Trough	WM-72	182	72	3	1	-	-
	Wire Management Trough is standard in a 72" length & can be cut to specific length; double-sided tape installation.						
4-Channel Wire Management	CM-72	231	72	3	1	-	-
	4-Channel Wire Management is standard in a 72" length & can be cut to specific length; double-sided tape installation.						
Articulating Keyboard with Palm Rest & Mouse Tray	97KBMT1912	694	27	-	7	20	2
	97KBAMT1912X	694	27	-	7	20	2
	ORDERING NOTES: This unit comes with a lever-free arm keyboard support. This unit is granite in color. Order for 24" tops or deeper.						
Wood Pencil Drawer	97PD2116	611	21.25	21.25	1	2	1
	ORDERING NOTE: Wood pencil drawer is available in Oak, Cherry, Maple, please clearly mark P.O. with species and finish selection.						

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgment is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers,

if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Height Adjustable Mechanism Warranty

Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase:

- a) Electronic components such as control boxes, hand switches and motors – two (2) years
- b) Mechanical components such as crank drives, spindles – five (5) years
- c) Structural components such as J-channels, feet and top supports – ten (10) years.

The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Testing

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.



Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments.

Export Packaging is **STRONGLY RECOMMENDED** for:

(A) all shipments outside of the lower 48 states and Canada

(B) all shipments that will be held in storage for an extended period prior to installation. Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after

5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Care and Maintenance

Wood Finishes - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
 - 2) Custom wood finishes
 - 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.
- Custom orders may require additional production lead times. Contact Customer Service for more information.

Krug Panel Fabric Program

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca The Momentum panel fabrics pass ASTM-E84-87 Fire Codes. If memo samples are required please call Momentum at 1-800-366-6839.

KrugExpress Program Details

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of **KrugExpress** orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for **KrugExpress** is filled by orders received on a "first come, first serve" basis. If the normal **KrugExpress** lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a **KrugExpress** order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. **KrugExpress** orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to **KrugExpress** orders are not allowed under any circumstances. Orders for product on **KrugExpress** must clearly state: "**KrugExpress**".

CUSTOM PRICING METHODS

CUSTOM PRICING METHODS

Custom widths: Apply the price that is one standard size larger than the desired case size (but same depth).

Example: The required custom dimension is 74" x 30". The first standard size above this is 78" x 30", so in this case you would apply the price of the 78" x 30" unit.

Custom depths: Apply the price of the same unit one size deeper (but same width).

Example: The required custom dimension is 72" x 26". The first standard size above this is 72" x 30", so in this case you would apply the price of the 72" x 30" unit.

Custom width & depth: Apply the price of the same unit both one size wider and one size deeper.

Example: The required custom dimension is 74" x 26". The first standard size above this is 84" x 30", so in this case you would apply the price of the 84" x 30" unit.

Custom height of desk height cases: Add 18% (31-32" hi)

Grommets in non-standard positions, add: \$152 list

To remove hutch or overhead doors, deduct: 4% list

Convert 5-hi hutch to 6-hi hutch, add: 20%

Bookcases with optional pull out printer shelf at standard shelf height, add: \$238 List

Bookcase with optional vent in back (includes 2 vents and 1 grommet), add: \$302 list

Cases where tops are flush left/right or both, add \$120 list

2 lateral files and 3 or 4 closed shelves - convert to half open, half closed shelves, add: 15%

2 lateral files and 3 or 4 closed shelves - convert to half open, half wardrobe, add: 15%

To remove storage doors for open shelves, deduct: 4%

EXCEPTIONS TO THE PRICING METHODS ABOVE

Sizes larger than the largest shown Price List.

Non-standard extension on drawer slides.

Non-standard drawer depths in standard depth pedestals.

Glass door - any style.

Glass - face mounted modesty panels.

Perforated modesty panels.

Cases with curvilinear tops where the radius becomes non-standard.

A/V cabinets.

Any case with flipper doors

PLEASE NOTE: Cases with non-standard features do not apply to the rules above.

Contact Krug Customer Service if you require assistance.

KRUGEXPRESS CASEGOODS

CASEGOODS PROGRAM DETAILS*

*(In addition to previous page)

Orders for casegood products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information. Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Only actual casegood pieces and conference tables tops and bases are considered "units". Items such as tasklights, tackboards, keyboard trays and drawers, electrical and wire management components, etc., are not considered under the quantity restrictions.

For example, a typical office configuration that includes a desk, linking unit, credenza and hutch/overhead, equals a total of four units for the purposes of the quantity maximum. Only Krug In-stock panel fabric is available on the KrugExpress program. Only standard wood finishes are available for KrugExpress orders. Grommets can be specified in standard positions only. KrugExpress also includes all Krug seating and occasional tables as well as Krug conference products to complement this casegoods offering. Please note PALETTE finishes are not available on KrugExpress.

TACKBOARD, C.O.M. & GRADED-IN UPHOLSTERY PROGRAMS

KRUG PANEL FABRIC PROGRAM

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The in-stock Momentum fabrics are priced at Grade 1 and are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca If memo samples are required please call Momentum at 1-800-366-6839. The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM)

COM must be received three weeks prior to the acknowledged ship date. Orders with COM not received by the required deadline will be delayed.

A description of the fabric, including supplier name, fabric name and color number must be included with the purchase order. When the COM fabric is received at Krug, it must be clearly identified with the fabric name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM fabric when received to determine if it will be suitable for upholstery. Where Krug feels that the fabric or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM fabrics or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material. Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine fabric required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. As fabric is applied horizontally, non-directional fabrics are recommended. COM fabrics are applied as they come off the roll unless otherwise specified. All striped fabrics will be applied vertically unless otherwise stated by the customer and after approval by Krug. It is the customer's responsibility to advise Krug if the upholstery is to be applied otherwise, and to advise Krug of any special upholstery instructions. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the fabric. Krug is not responsible for instructions sent with the fabric rolls, or for the method of upholstery if no instructions have been provided. COM fabrics for tackboards may be specified in either Maharam or

Momentum panel fabrics. Krug is not responsible for determining if a fabric is not ideal for tackboard application.

Please contact Maharam at 1-800-645-3943 or Momentum at

COM Shipping Procedures

For tackboard COM fabrics, please send fabrics to:

Krug Inc.

111 Ahrens Street

Kitchener, Ontario

Canada N2H 4C2

Attention: RECEIVER

All packages must be clearly marked "For Customs Clearance by Willson International Custom Brokers". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico. Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the fabric shipment. The Commercial Invoice must clearly state the description of the fabric, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change. When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Resources, to view the upholstery. Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is

particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.



All products are air emissions certified and are available as FSC® certified

krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG