CRESSIDA Price and Specification Guide GSA GS-03F-084DA



krug healthcare∛

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

General Services Administration Federal Supply Schedule

FSC Groups 7110, 7125 Subcategory: Furniture CONTRACT NUMBER: GS-03F-084DA
CONTRACT PERIOD: April 1, 2016 through March 31, 2026 CONTRACTOR/ ADMINISTRATOR: Mira Jaksic-Husic
Krug Inc. 421 Manitou Drive
Kitchener, Ontario, Canada Tel: 1-800-265-2796
Fax: 1-800-265-2798

1. List of Special Item Numbers on Contract

33721P Packaged Office Furniture w Ancillary Installation Services Office Furniture w Ancillary Installation Services 33721 339113H Healthcare Furniture w Ancillary Installation Services OLM Order Level Materials

2. SPECIAL ITEM	MAXIMUM
NUMBER	ORDER
33721P	\$5,000,000
33721	\$250,000
339113H	\$500,000
OLM	\$250,000
3. SPECIAL ITEM	MINIMUM

3. SPECIAL ITEM	MINIMU
NUMBER	ORDER
33721P	\$100.00
33721	\$100.00
339113H	\$100.00
OLM	NA

4. Geographic Coverage

48 contiguous States and Washington, DC

5. Point of Production

Krug Inc. 421 Manitou Drive Kitchener, Ontario, CANADA N2C 15L

6. Discount from List Prices

33721P Package Office Furniture Krug Product Discounts As Below GSA Teaming Partner Products at their Approved GSA Discount Terms. Krug Installation Charge 12.75% of Net Order (Max.). No Charge for Project Mgt Services.

33721 Office Furniture	
Executive Office Furniture	56.6%
Executive Conference Furniture	56.6%
Tables and Accessories	56.6%
Fully Upholstered Lounge Furniture	56.6%
Multiple Seating	56.6%
Multi-Purpose Seating	56.6%
Stacking Chairs	56.6%
Installation Ancillary to these products	12.75% Charge of Net Order (Max.)
339113H Healthcare Furniture	
Hospital Patient Room Furniture	56.6%
Hospital Geriatric Chairs & Lounge Seating	56.6%
Patient Service Systems	56.6%
Installation Ancillary to these products	12.75% Charge of Net Order (Max.)

7. Quantity Discounts (off Net pricing)

Multiple Seating, Multipurpose Seating, Stacking Chairs

25,001 – 50,000	1%
50,001 – 100,000	2%
100,001 – 150,000	3%
150,001 – 250,000	4%

Lounge Seating, Tables & Accessories

25,000 - 50,000	1%
50,001 – 75,000	2%
75,001 – 100,000	3%
100,001 – 180,000	4%
180,001 – 200,000	5%
200,001 – 250,000	6%

Hosp/Geriatric Chairs and Lounge, Patient Room Furniture, Patient Service Systems

\$100,000 - \$200,000	1%
\$200,000.01 - \$300,000	1.5%
\$300,000.01 - \$400,000	2%
\$400,000.01 - \$500,000	2.5%

Quantity Discounts for Executive Office and Executive Conference are no longer applicable based on the MAS Consolidation revisions to Maximum Order Limits.

8. **Prompt Payment Terms** Net 30 Days

9. Visa and MasterCard are accepted above and below the micro-purchase threshold. NOTE: No additional discount will be offered on orders placed using credit cards.

10. Foreign Items

All items manufactured in Canada.

11a. Time of Delivery

60-90 Days ARO for all items.

11b. Expedited Delivery

Please contract Krug GSA Customer Service for information on Expedited Delivery/Krug Express Program. 1-800-265-2796

11c. Overnight & 2 day Delivery N/A

11d. Urgent Requirements

Please contact Krug for urgent requirements.

12. F.O.B. Point

Destination

13. Payment Address Same as above

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

14. Warranty

For commercial products, Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. For Krug Healthcare products (as outlined in the US Healthcare price and specification Guide dated March 1, 2019), Krug warrants the construction and finish of all Healthcare products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug.

Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from: • normal wear and tear occurring with the use of the product

- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug: Height Adjustable Mechanism Warranty Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase: a) Electronic components such as control boxes, hand switches and motors - two (2) years b) Mechanical components such as crank drives, spindles - five (5) years c) Structural components such as J-channels, feet and top supports - ten (10) years. The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced. Juno and Trevisa Overbed Tables have a 2-year warranty.

15. Export Packing Charges

Quoted upon request

16. Terms and Conditions of Government Commercial Credit Card ACCEPTANCE: KRUG will accept the government

commercial credit card but will not Offer any additiona discount for orders placed using the credit card

- 17. Term and Conditions of Rental Maintenance and Repair. $N\!/\!A$
- 18. Term and Conditions of Installation N/A
- 19. Term and Conditions of Repair N/A
- 20a. Term and Conditions for any other services N/A
- 20. Service and Distribution points Call contractor
- 21. Participating Dealers Call contractor
- 22. Preventative Maintenance N/A

23. Environmental Attributes

Krug maintains a program to reduce the impact on the environment of our products and operations.

24. Data Universal Number System (DUNS) number 251476669

25. Notification regarding registration in SAM.

Krug Inc.'s registration in SAM is current, accurate and valid.

26 Cage Code: 37310

TABLE OF CONTENTS

i TERMS & CONDITIONS

CRESSIDA | GUEST BACK

- 2 Cressida Environmental Summary
- 3 Cressida Features
- 4 Cressida Options
- 4 Cressida Dimensions & COM Requirements
- 5 Cressida Guest Pricing

CRESSIDA | PATIENT BACK

- 7 Cressida Environmental Summary
- 3 Cressida Features
- 4 Cressida Options
- 8 Cressida Dimensions, COM Requirements & Option Upcharges
- 9 Cressida Patient Pricing

CRESSIDA | MULTIPLE GUEST & PATIENT SEATING

- 10 Cressida Multiple Seating Instructions
- 12 Cressida Dimensions & COM Requirements Pre-Configured Units
- 13 Cressida Multiple Seating Pre-Configured Units Pricing
- 15 Cressida Dimensions & COM Requirements Start, Center & End
- 16 Cressida Multiple Seating Start, Center & End Units Pricing
- 21 Cressida Freespan Dimensions & COM Requirements
- 22 Cressida Freespan Multiple Seating Pricing

CRESSIDA | LOUNGE

- 26 Cressida Environmental Summary
- 27 Cressida Lounge Features & Options
- 28 Cressida Dimensions, COM Requirements & Option Upcharges
- 29 Cressida Lounge Pricing

CRESSIDA | TABLES


- 36 Cressida Environmental Summary
- 37 Cressida Box-Style Tables
- 38 Cressida Box-Style Linking Tables
- 39 Cressida Slab-Style Linking Tables
- 40 Cressida Light-Style Tables
- 40 Cressida Light-Style Linking Tables

GENERAL INFORMATION

- 42 Terms & Conditions
- 42 Warranty
- 44 KRUG Textiles Upholstery Fabrics
- 46 KRUG Textiles Leather & Faux Leather
- 48 Customer's Own Material (COM/COL)
- 48 CAL 133 & Moisture Barrier
- 49 Graded-In Upholstery Programs
- 49 KRUGEXPRESS Program
- 50 Wood Finishes
- 50 Standard Laminates
- 51 Solid Surface Program
- 51 Metal Finishes
- 51 Urethane Color Options

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER RECYCLED CONTENT = 6.66%

POST-CONSUMER RECYCLED CONTENT = 22.07%

Up to 53.26% of this Cressida product is recyclable at the end of its useful life.

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level[®] CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SIN 339113H - Hospital Geriatric Chairs & Lounge CRESSIDA | GUEST, PATIENT & MULTIPLE FEATURES & OPTIONS



CLEAN OUT

All Cressida seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



POLYMER ARM CAP

The optional arm cap provides enhanced durability and protection for the arms. Arm cap is available in Grey or Black and is field replaceable if it becomes damaged or degraded.



WOOD ARM

Wood Arms are available in either beech or maple hardwood and in 22 Krug standard finishes.

WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



METAL BACK LEGS

Cressida's metal back legs are built from structural rectangular steel tubing for exceptional strength and appealing design. Silver Metallic is offered as Krug's standard finish, additional metal finish colors are available at an upcharge - please contact Customer Service for pricing and more information.



METAL TO METAL CONNECTIONS

Steel seat frames are joined to other components, and to each other in the multiple seating products, with hardened steel bolts and inserts, ensuring exceptional durability and strength, and easy reconfigurability, as well as on-site replacement of damaged or degraded components.

STEEL SEAT FRAME

Seats are constructed of high strength plywood with suspension webbing. The upholstered seat assembly is then further supported by steel frame construction running below the plywood

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

PLUS UPGRADE

Cressida 30" and 44" models feature Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 350 lbs Plus Chairs (30" & 44") - 750 lbs Multiple Seating & Pre-configured - 350 lbs per seat 2-Seat Freespan - 525 lbs per unit 3-Seat Freespan - 750 lbs per unit

REPLACEABLE COMPONENTS

Cressida chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

ADDITIONAL FEATURES

• Lifetime warranty

Available CAL 133 option

OPTIONS

CLEANABLE UNDER-SEAT SPLASHGUARD

All Cressida seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table. Additional Frame Finishes, which include antimicrobial finish, are available for an upcharge of **\$64 list** per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

GANGING

All Cressida freestanding chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame.

ADJUSTABLE HEADREST

The adjustable headrest uses dual density foam providing excellent support and comfort. The headrest is securely fastened using an innovative clip allowing the headrest to be easily removed for cleaning and/or replacement. The headrest is easily adjusted by sliding the headrest vertically allowing the user to maximize their comfort.



COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$33 list** per unit and **\$64 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

REPLACEMENT / REMOVABLE COVER OPTION

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

CRESSIDA | GUEST

Height of Width Overall Overall Overall Seat Arms from Between Seat Shipping Width Depth Height Height Floor Weight Arms Depth Cube 21" Seat 24.5 28.5 33.75 18.5 26 21 18.75 42 14 24" Seat 27.5 28.5 33.75 18.5 26 24 18.75 46 19 30" Seat 33.5 28.5 33.75 18.5 26 30 18.75 57 20 44" Seat 47.5 28.5 33.75 18.5 26 44 18.75 69 28

COM - YARDAGE REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" - One Chair	1.4	0.8	0.7	.8
21" - Two Chairs	2.59	1.19	1.4	.8
21" - Three Chairs	4.08	2	2.08	.8
21" - Four Chairs	5.18	2.38	2.8	.8
24" - One Chair	1.75	0.8	1.4	.8
24" - Two Chairs	3.3	1.19	2.08	.8
24" - Three Chairs	5.05	2	3.48	.8
24" - Four Chairs	6.6	2.38	4.16	.8
30" - One Chair	2.5	1.1	1.4	.8
30" - Two Chairs	5	2.2	2.8	.8
30" - Three Chairs	7.5	3.3	4.2	.8
30" - Four Chairs	10	4.4	5.6	.8
44" - One Chair	2.5	1.1	1.4	.8
44" - Two Chairs	5	2.2	2.8	.8
44" - Three Chairs	7.5	3.3	4.2	.8
44" - Four Chairs	10	4.4	5.6	.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.


2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

CRESSIDA | GUEST

			COM		COL	FAE	FABRIC GRADES		LEATHER		R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	21" Open Arm CRE2-G21OPS 21" Open Arm wit	Beech, Maple	1033	1086	1141	1244	1346	1439	1547	1657	1858
	CRE2-G21OPP		1058	1108	1165	1267	1369	1461	1568	1677	1881
	21" Closed Arm CRE2-G21CLS	Beech, Maple	1318	1412	1495	1633	1774	1905	2055	2214	2466
T T	21" Closed Arm v CRE2-G21CLP	vith arm cap	1342	1434	1518	1657	1797	1926	2077	2237	2491
	24" Open Arm CRE2-G24OPS	Beech, Maple	1092	1141	1194	1294	1403	1504	1606	1714	1915
	24" Open Arm wit CRE2-G24OPP	th arm cap	1116	1165	1215	1316	1423	1527	1629	1736	1938
	24" Closed Arm CRE2-G24CLS	Beech, Maple	1378	1467	1545	1683	1833	1968	2112	2271	2526
	24" Closed Arm v CRE2-G24CLP	vith arm cap	1402	1492	1567	1703	1855	1991	2135	2294	2549

\$ List
64
84
85
54
59
33
64



CRESSIDA | GUEST

DESCRIPTION	MODEL	SPECIES	COM	0	COL	FABRIC GRADES		LEATHEF 7 8			
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	1	8	9
	30" Open Arm CRE2-G30OPS	Beech, Maple	1272	1311	1387	1534	1755	1915	2011	2170	2479
	30" Open Arm wit CRE2-G30OPP	th arm cap	1295	1333	1411	1557	1778	1938	2033	2194	2502
	30" Closed Arm CRE2-G30CLS	Beech, Maple	1559	1678	1782	1970	2188	2382	2584	2800	3166
	30" Closed Arm w CRE2-G30CLP	vith arm cap	1583	1703	1808	1993	2210	2405	2607	2822	3189
	44" Open Arm										
	CRE2-G44OPS	Beech, Maple	1538	1619	1706	1863	2017	2185	2348	2507	2833
	44" Open Arm wit CRE2-G44OPP	th arm cap	1562	1642	1729	1886	2039	2206	2373	2531	2857
	44" Closed Arm CRE2-G44CLS	Beech, Maple	1825	1946	2059	2254	2445	2649	2857	3067	3444
H	44" Closed Arm w CRE2-G44CLP	vith arm cap	1846	1967	2083	2278	2466	2671	2880	3090	3465

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	64
Ganging Bracket	84
Removable Seat Cover	85
Guest Removeable 30" & 44" Back Covers	85
30" Cleanable Under-Seat Splashguard	67
44" Cleanable Under-Seat Splashguard	80
Combination Upholstery - Dual Fabrics	33
Combination Upholstery - Three Fabrics	64

Line	Series	Chair Style	Size	Arm Style
CRE	2	G	21	OPS
Cressida	Chair	Guest		Open Arm
			24	OPP Open Arm Polymer Arm Cap
			30	CLS Closed Arm
			44	CLP Closed Arm Polymer Arm Cap

SIN 339113H - Hospital Geriatric Chairs & Lounge CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

R	PRE-CONSUMER
4.35% Fabric	ECYCLED CONTENT = 6.66%
35.87% Plywood	POST-CONSUMER
6.52% Cardboard	RECYCLED CONTENT = 22.07%
8	Up to 53.26% of this Cressida product is
6.52% Urethane Foam	ecyclable at the end of its useful life.

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | PATIENT

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	24.5	28.5	43.5	18.5	26	21	18.75	45	17
24" Seat	27.5	28.5	43.5	18.5	26	24	18.75	51	22
30" Seat	33.5	28.5	43.5	18.5	26	30	18.75	60	28

COM - YARDAGE REQUIREMENTS

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Seats & Backs Only	Seat Only	Back Only	Closed Arm Pane
21" - One Chair	2.2	0.95	1.25	.8
21" - Two Chairs	4.25	1.3	2.95	.8
21" - Three Chairs	6.45	2.25	4.2	.8
21" - Four Chairs	8.5	4.6	3.9	.8
4" - One Chair	2.1	0.8	1.95	.8
4" - Two Chairs	4.14	1.19	2.95	.8
4" - Three Chairs	6.45	2	4.9	.8
4" - Four Chairs	8.28	2.38	5.9	.8
0" Plus - One Chair	3.15	1.2	1.95	.8
30" Plus - Two Chairs	6.3	2.4	3.9	.8
0" Plus - Three Chairs	9.21	3.6	5.85	.8
30" Plus - Four Chairs	12.6	4.8	7.8	.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: Patient Chairs (21" & 24") - 350 lbs Patient Plus Chair (30") - 750 lbs

Cressida Option Upcharges	\$ List	
Moisture Barrier (per yard)	64	
Removable Seat Cover (per seat)	85	
Patient Removeable 21" & 24" Back Covers (per back)	85	
Patient Removeable 30" Back Covers (per back)	142	
Combination Upholstery - dual fabrics (per chair)	33	
Combination Upholstery - Three fabrics (per chair)	64	
21" & 24" Cleanable Under-Seat Splashguard	59	
30" Cleanable Under-Seat Splashguard	67	

Additional features and options information see page 19.

ORDERING NOTES:

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

CRESSIDA | PATIENT

DESCRIPTION	MODEL	SPE	CIES	COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	R 9
	21" Open Arm CRE2-P21OPS	Beed	ch, Maple	1137	1207	1272	1411	1547	1624	1815	1953	2219
	21" Open Arm w CRE2-P21OPP		cap ch, Maple	1158	1230	1295	1433	1568	1646	1837	1976	2241
	21" Closed Arm CRE2-P21CLS		ch, Maple	1421	1535	1624	1798	1977	2143	2322	2508	2829
	21" Closed Arm CRE2-P21CLP		n cap ch, Maple	1445	1558	1646	1819	1998	2166	2345	2532	2852
	24" Open Arm CRE2-P24OPS	Beed	ch, Maple	1194	1266	1331	1466	1606	1735	1871	2010	2278
	24" Open Arm w CRE2-P24OPP		cap ch, Maple	1215	1288	1354	1488	1629	1756	1894	2031	2299
	24" Closed Arm CRE2-P24CLS		ch, Maple	1480	1592	1683	1857	2034	2198	2381	2567	2886
	24" Closed Arm CRE2-P24CLP		n cap ch, Maple	1503	1615	1705	1880	2058	2221	2403	2590	2910
	30" Open Arm CRE2-P30OPS	Beed	ch, Maple	1417	1512	1609	1781	1982	2164	2347	2549	2896
AA	30" Open Arm w CRE2-P30OPP		cap ch, Maple	1440	1535	1632	1806	2004	2186	2346	2569	2920
	30" Closed Arm CRE2-P30CLS		ch, Maple	1704	1839	1932	2170	2411	2629	2854	3104	3507
	30" Closed Arm CRE2-P30CLP		n cap ch, Maple	1727	1861	1955	2194	2433	2650	2879	3129	3530
DESCRIPTION	MODEL	COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	ا 7	LEATHEI 8	R 9	WEIGH	T CUBE
	Adjustable Heac CRE2-RH	drest for 159	21", 24" 172	& 30" 187	208	231	253	273	295	338	3	0.9

FEATURES:

For a complete list of features see **page** 3.

Line	Series	Chair Style	Size	Arm Style
CRE	2	Р	21	OPS
Cressida	Chair	Patient		Open Arm
			24	OPP
				Open Arm Polymer Arm Cap
			30	
				Closed Arm
			44	CLP
				Closed Arm
				Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING INSTRUCTIONS

To aid you in the process of specifying and ordering Cressida Multiple Seating, we have compiled the following summary. It explains the three different types of Cressida Multiple Seating – (a) Pre-Configured, (b) Start, Center & End Units and (c) the Freespan Multiple Units – including the features and considerations of each type, to assist in selecting the one that best suits each application. It is a requirement for all Cressida Multiple Seating orders, a drawing or plan view layout must accompany the order, so that we can verify that the specification is correct.

When building your multiple seating layout, please note that your order should start from left to right as you are facing the configuration.

Pre-Configured Multiple Units

Pre-Configured Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size (see picture below). Two-Seat






Considerations if choosing to use Pre-Configured Units:

- Linking tables can be joined to either end of a Pre-Configured Multiple Unit, but not in-between
- There are no limitations to the number of Pre-Configured Multiple units that can be ganged together with the Cressida Linking Tables
- Pre-Configured Multiple Units are not available in 30" or 44" plus widths
- Pre-Configured Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Cressida Linking Table or linking brackets are used in-between the different types of multiple seating.

• Pre-Configured Multiple Units are built from Start, Center and End Units and therefore, can be reconfigured to singular or two-seat units. However, you may have to purchase additional components (arms, etc...) to be able to do this. See line drawings below for possible configurations that can be made from taking apart the Pre-Configured Multiple Units.



*Please note:

Example #1-A requires an additional end unit arm for chair A, and a start unit arm for chair B.


Example #1-B requires an additional end unit arm for chair A, a start and end unit arm for chair B, and a start unit arm for chair C.

Start, Center and End Multiple Seating Units

Start, Center and End Multiple Units are designed to be used when you have seating configurations that are greater than three chair units in size, and/or include 30" or 44" units (see picture below). Also, before you start to build your multiple seating layout, please note that your order should start from left to right as you are facing the chair, therefore begin the configuration with a Start Unit, then move to a Center Unit and finish with an End Unit.


Considerations if choosing to use Start, Center and End Multiple Units:

- Start, Center and End units are available in widths Guest (21", 24", 30" & 44") and Patient (21", 24" & 30")
- There are no limitations to the amount of center units that can be ganged to a start or an end unit
- Cressida Linking Tables can be joined to any Cressida Start or End unit only (this is because the units are engineered with the finished arms)



CRESSIDA | MULTIPLE SEATING INSTRUCTIONS

See below for sample configurations of when you would use Start, Center and End Multiple Units.



Freespan Multiple Units


Freespan Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size and a reduced number of legs are desirable. (see picture below).



Considerations if choosing to use Freespan Multiple Units:

- The unit with the center arm increases the overall width of the unit by 1" per arm
- Linking tables can be joined to either side of a Freespan Multiple Unit, but not in-between
- There are no limitations to the number of Freespan Multiple units that can be ganged together with the Cressida Linking Tables or linking
- brackets. See page 25 for pricing.
 Freespan Multiple Units are not available in 30" or 44" plus widths
- Freespan Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Cressida Linking Table or linking brackets are used in-between the different types of multiple seating.

Below illustrates possible configurations when you could use all three types of Cressida Multiple Seating together.



For more information on how to specify Cressida Multiple Seating, please contact Customer Service directly at 1-888-578-5784.

SIN 339113H - Hospital Geriatric Chairs & Lounge CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

DIMENSIONS & COM REQUIREMENTS

	Overall	Overall	Overall	Seat	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
		28.5 28.5	33.75 43.5	18.5	26 26	21 21	18.75 18.75	82 88	30 38	2.6 3.2	1.2	1.4 2	0.4
				18.5							1.2	-	0.4
PCG21X3		28.5	33.75	18.5	26	21	18.75	117	44	4.08	2	2.08	0.4
PCP21X3		28.5	43.5	18.5	26	21	18.75	125	56	5	2	3	0.4
PCG24X2		28.5	33.75	18.5	26	24	18.75	85	34	3.3	1.2	2.08	0.4
PCP24X2		28.5	43.5	18.5	26	24	18.75	95	43	4.14	1.2	3	0.4
PCG24X3	79	28.5	33.75	18.5	26	24	18.75	121	50	5.05	2	3.48	0.4
PCP24X3	79	28.5	43.5	18.5	26	24	18.75	135	63	6.25	2	4.9	0.4

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to **page** 48 for C.O.M approval process.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	64
Removable Seat Cover (per seat)	85
Guest Removeable 21" & 24" Back Covers (per back)	54
Patient Removeable 21" & 24" Back Covers (per back)	85
21" & 24" Cleanable Under-Seat Splashguard (per seat)	59
Combination Upholstery - dual fabrics (per chair)	33
Combination Upholstery - Three fabrics (per chair)	64

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Patient backs are available on multiple units, please change the model number CRE2-PC**G** to CRE2-PC**P**, CRE2-PC**G** to CRE2-PC**P**, CRE2-P

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
21" Chairs	82	95	108	126	148	164	186	213	239	
24" Chairs	94	107	120	138	159	178	199	226	250	

WEIGHT CAPACITIES


Cressida weight capacities are as follows: Pre-configured - 350 lbs per seat

PRE-CONFIGURED MULTIPLE UNITS

Two-Seat



Three-Seat



FEATURES: For a complete list of features see <u>page</u> 3.

CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

	COM				COL FABRIC GRADES				LEATHER		
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	2 Seat - 21" Open Arm	Pre-configured	Unit, G	uest Bac	ks						
	CRE2-PCG21X2OPS	Beech, Maple	2024	2126	2227	2368	2529	2670	2831	3035	3236
A	CRE2-PCG21X2OPP		2059	2161	2261	2403	2563	2705	2866	3069	3270
	2 Sect 21" Closed Ar	m Dro, configura		Quest Pa							
	2 Seat - 21" Closed Ar CRE2-PCG21X2CLS	Beech, Maple	-		2753	2949	3172	3369	3592	3873	4152
	CRE2-PCG21X2CLP		2487	2650	2789	2985	3208	3404	3627	3907	4185
	3 Seat - 21" Open Arm	Pro configurad	Linit Ci	loct Rac	ke						
TT B	CRE2-PCG21X3OPS	Beech, Maple			3217	3439	3697	3919	4173	4491	4813
	CRE2-PCG21X3OPP		2946	3104	3265	3488	3742	3965	4219	4539	4859
	3 Seat - 21" Closed Ar	m Pre-configured	d Unit, (Guest Ba	icks						
	CRE2-PCG21X3CLS	Beech, Maple	-		3921	4216	4555	4848	5187	5609	6031



3 Seat - 21" Closed Arm Pre-configured Unit, Guest Backs										
CRE2-PCG21X3CLS	Beech, Maple	3469	3711	3921	4216	4555	4848	5187	5609	6031
CRE2-PCG21X3CLP		3516	3759	3969	4264	4602	4898	5233	5657	6078

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	64	21" & 24" Cleanable Under-Seat Splashguard (per seat)	59
Removable Seat Cover (per seat)	85	Combination Upholstery - dual fabrics (per chair)	33
Guest Removeable 21" & 24" Back Covers (per back)	54	Combination Upholstery - Three fabrics (per chair)	64
Patient Removeable 21" & 24" Back Covers (per back)	85		

Additional features and options information see page 19.

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCG	21x2	OPS
Cressida	Chair	Pre-configured Guest		Open Arm
		PCP Pre-configured Patient	21x3	OPP Open Arm Polymer Arm Cap
			24x2	CLS Closed Arm
			24x3	CLP Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

			COM		COL		BRIC GF			LEATHE			
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9		
	2 Seat - 24" Open Arm				ks								
5 h h	CRE2-PCG24X2OPS	Beech, Maple	2088	2191	2293	2433	2593	2736	2896	3099	3303		
	2 Seat - 24" Open Arm with arm cap Pre-configured Unit, Guest Backs												
	CRE2-PCG24X2OPP		2126	2223	2326	2466	2629	2769	2932	3134	3339		
	2 Seat - 24" Closed Ar	m Pre-configure	d Unit,	Guest Ba	icks								
	CRE2-PCG24X2CLS	Beech, Maple	2517	2681	2819	3015	3238	3433	3661	3936	4215		
	2 Seat - 24" Closed Ar	m with arm cap	Pre-cor	nfigured l	Jnit, Gue	est Back	s						
	CRE2-PCG24X2CLP		2552	2715	2853	3052	3271	3469	3693	3972	4249		
	3 Seat - 24" Open Arm	Pre-configured	Unit, G	uest Bac	ks								
r 6 h h	CRE2-PCG24X3OPS	Beech, Maple	3021	3181	3341	3562	3817	4040	4294	4614	4931		
	3 Seat - 24" Open Arm	with arm cap P	re-confi	gured Ur	nit, Gues	t Backs							
	CRE2-PCG24X3OPP		3068	3224	3385	3608	3864	4088	4341	4663	4978		
	3 Seat - 24" Closed Ar	m Pre-configure	d Unit.	Guest Ba	icks								
r C h h	CRE2-PCG24X3CLS	Beech, Maple			4042	4339	4678	4971	5309	5730	6154		
	3 Seat - 24" Closed Ar	m with arm cap	Pre-cor	nfiaured l	Jnit. Gue	est Back	s						
	CRE2-PCG24X3CLP		3639	3880	4090		4723	5017	5359	5649	6199		

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	64	21" & 24" Cleanable Under-Seat Splashguard (per seat)	59
Removable Seat Cover (per seat)	85	Combination Upholstery - dual fabrics (per chair)	33
Guest Removeable 21" & 24" Back Covers (per back)	54	Combination Upholstery - Three fabrics (per chair)	64
Patient Removeable 21" & 24" Back Covers (per back)	85		

Additional features and options information see page 19.

Patient backs are available on multiple units, please change the model number CRE2-PCG to CRE2-PCP, CRE2-PCG to CRE2-PCG to CRE2-PCP, CRE2-PCP, CRE2-PCP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9		
21" Chairs	82	95	108	126	148	164	186	213	239		
24" Chairs	94	107	120	138	159	178	199	226	250		
PRODUCT CODE KEY											
Line		Series		c	hair Style		s	ize		Arm Style	

_	Line	Series	Chair Style	Size	Arm Style
	CRE	2	PCG	21x2	OPS
	Cressida	Chair	Pre-configured Guest		Open Arm
			PCP	21x3	OPP
			Pre-configured Patient		Open Arm
					Polymer Arm Cap
				24x2	CLS
					Closed Arm
				24x3	CLP
					Closed Arm

Polymer Arm Cap

DIMENSIONS & COM REQUIREMENTS

CRESSIDA START UNITS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel (1 Arm) Yardage	COM Fabric Closed Arm Panel (2 Arms) Yardage
SG21	24.5	28.5	33.75	18.5	26	21	18.75	47	14	1.4	0.8	0.7	0.4	0.8
SP21	24.5	28.5	43.75	18.5	26	21	18.75	49	17	1.8	0.8	1	0.4	0.8
SG24	27.5	28.5	33.75	18.5	26	24	18.75	52	19	1.4	0.8	0.7	0.4	0.8
SP24	27.5	28.5	43.75	18.5	26	24	18.75	55	22	1.8	0.8	1.95	0.4	0.8
SG30	33.5	28.5	33.75	18.5	26	30	18.75	61	20	2.5	1.1	1.4	0.4	0.8
SP30	33.5	28.5	43.75	18.5	26	30	18.75	64	28	3.15	1.1	1.95	0.4	0.8
SG44	47.5	28.5	33.75	18.5	26	44	18.75	73	28	2.5	1.1	1.4	0.4	0.8

CRESSIDA CENTER UNITS

CRES	SIDA CEI	NTER U	NITS		Height of	Width				COM Seat &	COM Fabric	COM Fabric	COM Fabric
	Overall Width	Overall Depth	Overall Height		Arms from Floor	Between	Seat Depth	Shipping Weight	Cube	Back Yardage	Seat Yardage	Back Yardage	Closed Arm Panel Yardage
CG21	22.75	28.5	33.75	18.5	26	21	18.75	41	14	1.4	0.8	0.7	0.4
CP21	22.75	28.5	43.75	18.5	26	21	18.75	44	17	1.8	0.8	1	0.4
CG24	25.75	28.5	33.75	18.5	26	24	18.75	45	19	1.4	0.8	0.7	0.4
CP24	25.75	28.5	43.75	18.5	26	24	18.75	50	22	1.8	0.8	1.95	0.4
CG30	31.75	28.5	33.75	18.5	26	30	18.75	54	20	2.5	1.1	1.4	0.4
CP30	31.75	28.5	43.75	18.5	26	30	18.75	56	28	3.15	1.1	1.95	0.4
CG44	45.75	28.5	33.75	18.5	26	44	18.75	67	28	2.5	1.1	1.4	0.4

CRESSIDA END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
EG21	22.75	28.5	33.75	18.5	26	21	18.75	38	14	1.4	0.8	0.7	0.4
EP21	22.75	28.5	43.75	18.5	26	21	18.75	41	17	1.8	0.8	1	0.4
EG24	25.75	28.5	33.75	18.5	26	24	18.75	41	19	1.4	0.8	0.7	0.4
EP24	25.75	28.5	43.75	18.5	26	24	18.75	46	22	1.8	0.8	1.85	0.4
EG30	31.75	28.5	33.75	18.5	26	30	18.75	51	20	2.5	1.1	1.4	0.4
EP30	31.75	28.5	43.75	18.5	26	30	18.75	53	28	3.15	1.1	1.95	0.4
EG44	45.75	28.5	33.75	18.5	26	44	18.75	63	28	2.5	1.1	1.4	0.4

When ordering more than one Start, Center or End unit, please refer to page 4 for COM yardage requirements for guest chairs or page 8 for COM yardage requirements for patient chairs.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: Multiple Seating & Pre-configured - 350 lbs per seat

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List	Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	64	Patient Removeable 21" & 24" Back Covers	85
Removable Seat Cover (per seat)	85	Patient Removeable 30" Back Covers	137
Guest Removeable 21" & 24" Back Covers (per back) 54	21" & 24" Cleanable Under-Seat Splashguard	59
Guest Removeable 30" & 44" Back Covers (per back) 85	30" Cleanable Under-Seat Splashguard	67
Combination Upholstery - dual fabrics (per chair)	33	44" Cleanable Under-Seat Splashguard	80
Combination Upholstery - Three fabrics (per chair)	64		


Additional features and options information see page 19.

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	82	95	108	126	148	164	186	213	239
24" Chairs	94	107	120	138	159	178	199	226	250
30" Chairs	134	151	168	190	217	240	268	302	336


DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FABI 4	RIC GR/ 5	ADES 6	L 7	EATHEF 8	۲ 9
Start	21" Open Arm Start L CRE2-SG21OPS	Jnit, Guest Back Beech, Maple	1106	1164	1222	1304	1394	1479	1569	1688	1804
	21" Open Arm with an CRE2-SG210PP	rm cap Start Unit	, Guest I 1126	Back 1185	1268	1327	1417	1501	1593	1709	1827
	21" Closed Arm Start CRE2-SG21CLS	Unit, Guest Bac Beech, Maple		1488	1570	1691	1825	1944	2079	2244	2413
	21" Closed Arm with CRE2-SG21CLP	arm cap Start Ur	'	t Back 1512	1594	1714	1846	1965	2103	2268	2436
	21" Closed Arm / Op CRE2-SG21COS	Beech, Maple	1246	1327	1395	1497		1712	1823	1966	2109
	21" Closed Arm with CRE2-SG21COP	arm cap / Open (rm with 1348	arm cap 1419	Start Ur 1519	iit, Gues 1632		1845	1989	2133
	24" Open Arm Start L CRE2-SG24OPS	Jnit, Guest Back Beech, Maple	1152	1210	1268	1351	1443	1527	1618	1735	1854
	24" Open Arm with a CRE2-SG24OPP	rm cap Start Unit	-	Back 1232	1290	1374	1465	1548	1640	1756	1875
	24" Closed Arm Start CRE2-SG24CLS	Unit, Guest Bac Beech, Maple		1536	1620	1741	1872	1990	2126	2295	2462
	24" Closed Arm with CRE2-SG24CLP	arm cap Start Ur		t Back 1559	1643	1764	1896	2014	2149	2318	2486
	24" Closed Arm / Ope CRE2-SG24COS	en Center Arm Si Beech, Maple		Guest E 1374	ack 1445	1545	1660	1756	1871	2014	2247
	24" Closed Arm with CRE2-SG24COP	arm cap / Open		rm with 1395	arm cap 1466	Start Ur 1567	iit, Gues 1680		1894	2035	2269

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.




DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR 5	ADES 6	ا 7	EATHE	R 9
	30" Open Arm Start U CRE2-SG30OPS	nit, Guest Back Beech, Maple	1391	1474	1559	1667	1796	1908	2037	2196	2359
	30" Open Arm with an CRE2-SG30OPP	m cap Start Unit,		ack 1495	1581	1690	1817	1929	2031	2219	2383
	30" Closed Arm Start CRE2-SG30CLS	Unit, Guest Back Beech, Maple	1678	1801	1907	2056	2223	2374	2545	2757	2969
	30" Closed Arm with a CRE2-SG30CLP	arm cap Start Unit		Back 1822	1928	2079	2247	2396	2567	2779	2991
	30" Closed Arm/Open CRE2-SG30COS	Beech, Maple	1536	1638	1730	1861	2011	2140	2291	2478	2637
	30" Closed Arm with a CRE2-SG30COP	arm cap/Open Ce	nter Arn 1559	1 with ar 1661	m cap Si 1752		, Guest 2033		2313	2500	2659
	44" Open Arm Start U CRE2-SG440PS	nit, Guest Back Beech, Maple	1905	2010	2098	2196	2361	2486	2625	2802	2978
	44" Open Arm with an CRE2-SG44OPP	m cap Start Unit,	Guest E 1926	ack 2031	2119	2219	2385	2506	2646	2823	2999
	44" Closed Arm Start CRE2-SG44CLS	Unit, Guest Back Beech, Maple	2209	2337	2449	2610	2791	2949	3133	3358	3588
	44" Closed Arm with a CRE2-SG44CLP	arm cap Start Unit	t, Guest 2230	Back 2357	2472	2632	2815	2971	3156	3382	3609
	44" Closed Arm/Open CRE2-SG44COS	Center Arm Starl Beech, Maple	-		ck 2274	2577	2560	2717	2880	3080	3280
	44" Closed Arm with a CRE2-SG44COP	arm cap/Open Ce	nter Arn 2087		m cap Si 2297		, Guest 2584		2902	3103	3304

Please see **page** 15 for Ordering Notes and Yardage requirements. PRODUCT CODE KEY



Center 21° Open Arm Center Unit, Guest Back CRE2-CG21OPS Beech, Maple 1039 1096 1155 1239 1331 1414 1505 1622 1741 21° Open Arm with arm cap Center Unit, Guest Back CRE2-CG21OPP 1053 1110 1168 1251 1342 1423 1515 1634 1751 21° Closed Arm Center Unit, Guest Back CRE2-CG21CLS Beech, Maple 1180 1262 1332 1431 1545 1644 1758 1899 2043 21° Closed Arm Center Unit, Guest Back CRE2-CG21CLP 1194 1272 1345 1443 1558 1659 1772 1913 2056 24° Open Arm Center Unit, Guest Back CRE2-CG24OPS Beech, Maple 1093 1151 1209 1290 1384 1465 1559 1676 1792 24° Open Arm With arm cap Center Unit, Guest Back CRE2-CG24OPP 1107 1164 1223 1304 1395 1479 1569 1689 1804 CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698<	DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR 5	ADES 6	L 7	EATHEI 8	R 9
21" Open Arm with arm cap Center Unit, Guest Back CRE2-CG21OPP 1168 1251 1342 1423 1515 1634 1751 21" Closed Arm Center Unit, Guest Back CRE2-CG21CLS Beech, Maple 1180 1262 1332 1431 1545 1644 1758 1899 2043 21" Closed Arm With arm cap Center Unit, Guest Back CRE2-CG21CLP 1194 1272 1345 1443 1558 1659 1772 1913 2056 24" Open Arm Center Unit, Guest Back CRE2-CG24OPS Eech, Maple 1093 1151 1209 1290 1384 1465 1559 1676 1792 24" Open Arm With arm cap Center Unit, Guest Back CRE2-CG24OPS Beech, Maple 1093 1151 1209 1290 1384 1465 1559 1676 1792 24" Open Arm With arm cap Center Unit, Guest Back CRE2-CG24OPP 1107 1164 1223 1304 1395 1479 1569 1689 1804 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLP Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm With arm cap Center Uni	Center	21" Open Arm Center	Unit, Guest Back									
CRE2-CG21OPP 1053 1110 1168 1251 1342 1423 1515 1634 1751 21" Closed Arm Center Unit, Guest Back CRE2-CG21CLS Beech, Maple 1180 1262 1332 1431 1545 1644 1758 1899 2043 21" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG21CLP 1194 1272 1345 1443 1558 1659 1772 1913 2056 24" Open Arm Center Unit, Guest Back CRE2-CG24OPS Beech, Maple 1093 1151 1209 1280 1384 1465 1559 1676 1792 24" Open Arm With arm cap Center Unit, Guest Back CRE2-CG24OPS Beech, Maple 1236 1315 1304 1395 1479 1569 1689 1804 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm With arm cap Center Unit, Guest Back CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 196		CRE2-CG210PS	Beech, Maple	1039	1096	1155	1239	1331	1414	1505	1622	1741
CRE2-CG21OPP 1053 1110 1168 1251 1342 1423 1515 1634 1751 21" Closed Arm Center Unit, Guest Back CRE2-CG21CLS Beech, Maple 1180 1262 1332 1431 1545 1644 1758 1899 2043 21" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG21CLP 1194 1272 1345 1443 1558 1659 1772 1913 2056 24" Open Arm Center Unit, Guest Back CRE2-CG24OPS Beech, Maple 1093 1151 1209 1280 1384 1465 1559 1676 1792 24" Open Arm With arm cap Center Unit, Guest Back CRE2-CG24OPS Beech, Maple 1236 1315 1304 1395 1479 1569 1689 1804 CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm With arm cap Center Unit, Guest Back CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 2		21" Open Arm with arr	m cap Center Uni	t, Guest	Back							
CRE2-CG21CLS Beech, Maple 1180 1262 1332 1431 1545 1644 1758 1899 2043 21" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG21CLP 1194 1272 1345 1443 1558 1659 1772 1913 2056 24" Open Arm Center Unit, Guest Back CRE2-CG24OPS Beech, Maple 1093 1151 1209 1284 1465 1559 1676 1792 24" Open Arm with arm cap Center Unit, Guest Back CRE2-CG24OPP CRE2-CG24OPP 1107 1164 1223 1304 1395 1479 1569 1689 1804 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLP CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm Center Unit						1168	1251	1342	1423	1515	1634	1751
CRE2-CG21CLS Beech, Maple 1180 1262 1332 1431 1545 1644 1758 1899 2043 21" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG21CLP 1194 1272 1345 1443 1558 1659 1772 1913 2056 24" Open Arm Center Unit, Guest Back CRE2-CG24OPS Beech, Maple 1093 1151 1209 1284 1465 1559 1676 1792 24" Open Arm with arm cap Center Unit, Guest Back CRE2-CG24OPP CRE2-CG24OPP 1107 1164 1223 1304 1395 1479 1569 1689 1804 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLP CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm Center Unit												
21" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG21CLP 1194 1272 1345 1443 1558 1659 1772 1913 2056 24" Open Arm Center Unit, Guest Back CRE2-CG24OPS 24" Open Arm center Unit, Guest Back CRE2-CG24OPS 1209 1290 1384 1465 1559 1676 1792 24" Open Arm with arm cap Center Unit, Guest Back CRE2-CG24OPP 1107 1164 1223 1304 1395 1479 1569 1689 1804 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLP 246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back												
CRE2-CG21CLP 1194 1272 1345 1443 1558 1659 1772 1913 2056 24" Open Arm Center Unit, Guest Back CRE2-CG24OPS Beech, Maple 1093 1151 1209 1290 1384 1465 1559 1676 1792 24" Open Arm with arm cap Center Unit, Guest Back CRE2-CG24OPP 1107 1164 1223 1304 1395 1479 1569 1689 1804 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm With arm cap Center Unit, Guest Back CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm With arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back 1305 136		CRE2-CG21CLS	Beech, Maple	1180	1262	1332	1431	1545	1644	1758	1899	2043
24" Open Arm Center Unit, Guest Back CRE2-CG24OPS 24" Open Arm Center Unit, Guest Back CRE2-CG24OPS 1290 1384 1465 1559 1676 1792 24" Open Arm with arm cap Center Unit, Guest Back CRE2-CG24OPP 1107 1164 1223 1304 1395 1479 1569 1689 1804 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm With arm cap Center Unit, Guest Back CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG300OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG300OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Cente		21" Closed Arm with a	arm cap Center U	nit, Gue	st Back							
CRE2-CG24OPS Beech, Maple 1093 1151 1209 1384 1465 1559 1676 1792 24" Open Arm with arm cap Center Unit, Guest Back CRE2-CG24OPP 1107 1164 1223 1304 1395 1479 1569 1689 1804 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Eech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm With arm cap Center Unit, Guest Back CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Cente		CRE2-CG21CLP		1194	1272	1345	1443	1558	1659	1772	1913	2056
CRE2-CG24OPS Beech, Maple 1093 1151 1209 1384 1465 1559 1676 1792 24" Open Arm with arm cap Center Unit, Guest Back CRE2-CG24OPP 1107 1164 1223 1304 1395 1479 1569 1689 1804 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Eeech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Gue	2 (
CRE2-CG24OPS Beech, Maple 1093 1151 1209 1384 1465 1559 1676 1792 24" Open Arm with arm cap Center Unit, Guest Back CRE2-CG24OPP 1107 1164 1223 1304 1395 1479 1569 1689 1804 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Eech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm With arm cap Center Unit, Guest Back CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Cente		24" Open Arm Center	Unit. Guest Back									
CRE2-CG24OPP 1107 1164 1223 1304 1395 1479 1569 1689 1804 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271					1151	1209	1290	1384	1465	1559	1676	1792
CRE2-CG24OPP 1107 1164 1223 1304 1395 1479 1569 1689 1804 24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271		24" Open Arm with arr	m can Center I Ini	t Guart	Back							
CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back 30" Closed Arm Center Unit, Guest Back			in cap center on			1223	1304	1395	1479	1569	1689	1804
CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back OCC 300 PP 1305 1384 1465 1579 1706 1818 1947 2109 2271	U U											
CRE2-CG24CLS Beech, Maple 1236 1315 1386 1484 1598 1698 1813 1955 2098 24" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back 30" Closed Arm Center Unit, Guest Back												
24" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back 0" Closed Arm Center Unit, Guest Back 1305 1384 1465 1579 1706 1818 1947 2109 2271			,		1315	1386	1/8/	1508	1608	1813	1055	2008
CRE2-CG24CLP 1246 1328 1396 1497 1612 1712 1825 1966 2109 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS 30" Open Arm Center Unit, Guest Back CRE2-CG30OPS 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back 30" Closed Arm Center Unit, Guest Back 30" Closed Arm Center Unit, Guest Back 1465 1579 1706 1818 1947 2109 2271			Becon, Maple	1200	1010	1000	1404	1550	1030	1010	1900	2030
30" Open Arm Center Unit, Guest Back CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back 30" Closed Arm Center Unit, Guest Back			arm cap Center U			1000	1407	1010	1710	1005	1000	0100
CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back 30" Closed Arm Center Unit, Guest Back	U	UNE2-UG24ULF		1246	1328	1390	1497	1612	1712	1825	1966	2109
CRE2-CG30OPS Beech, Maple 1292 1373 1453 1566 1693 1808 1935 2098 2257 30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back 30" Closed Arm Center Unit, Guest Back	U											
30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back												
CRE2-CG30OPP 1305 1384 1465 1579 1706 1818 1947 2109 2271 30" Closed Arm Center Unit, Guest Back 30" Closed Arm Center Unit, Guest Back </td <td></td> <td>CRE2-CG30OPS</td> <td>Beech, Maple</td> <td>1292</td> <td>1373</td> <td>1453</td> <td>1566</td> <td>1693</td> <td>1808</td> <td>1935</td> <td>2098</td> <td>2257</td>		CRE2-CG30OPS	Beech, Maple	1292	1373	1453	1566	1693	1808	1935	2098	2257
30" Closed Arm Center Unit, Guest Back		30" Open Arm with arr	m cap Center Uni	t, Guest	Back							
		CRE2-CG30OPP		1305	1384	1465	1579	1706	1818	1947	2109	2271
	U											
		30" Closed Arm Cente	er Unit. Guest Bac	k								
			,		1536	1631	1760	1909	2040	2191	2377	2505
30" Closed Arm with arm cap Center Unit, Guest Back		30" Closed Arm with a	arm can Center II	nit Gua	st Back							
CRE2-CG30CLP 1447 1548 1642 1773 1922 2054 2201 2387 2518			and oup Contor C	-		1642	1773	1922	2054	2201	2387	2518
	υIJ											

Please see **page** 15 for Ordering Notes and Yardage requirements. PRODUCT CODE KEY



CRESSIDA | HEALTHCARE | USA | 18

	44" Open Arm Center L CRE2-CG44OPS	Beech, Maple			1753	1880	2019	2143	2282	2460	2636
	44" Open Arm with arm CRE2-CG44OPP	ı cap Center Unit		Back 1680	1768	1892	2031	2157	2295	2471	2646
	44" Closed Arm Center CRE2-CG44CLS	Unit, Guest Bac Beech, Maple		1833	1932	2073	2236	2376	2536	2739	2942
	44" Closed Arm with ar CRE2-CG44CLP	m cap Center Ur	nit, Gue 1735		1945	2086	2247	2386	2551	2747	2954
End	21" Open Arm End Unit CRE2-EG210PS	t, Guest Back Beech, Maple	989	1046	1107	1187	1283	1360	1456	1570	1689
					1107	1107	1200	1500	1450	1570	1003
	21" Open Arm with arm CRE2-EG210PP	ı cap End Unit, G		ack 1060	1118	1199	1294	1374	1467	1585	1699
	21" Closed Arm End Ur CRE2-EG21CLS		1135	1209	1284	1383	1495	1594	1709	1852	1993
		<i>,</i> ,			.20.						
	21" Closed Arm with ar CRE2-EG21CLP	m cap End Unit,	1143		1295	1394	1508	1607	1720	1862	2006
	24" Open Arm End Unit CRE2-EG24OPS		1043	1102	1162	1241	1334	1416	1509	1624	1744
		<i>,</i> ,			1102	1241	1334	1410	1509	1024	1744
	24" Open Arm with arm CRE2-EG24OPP	i cap End Unit, G	iuest Ba 1056		1171	1253	1347	1428	1522	1638	1753
	24" Closed Arm End Ur CRE2-EG24CLS	,	1185	1265	1335	1434	1548	1646	1764	1905	2046
	24" Closed Arm with ar CRE2-EG24CLP	m cap End Unit,	Guest I 1198		1348	1446	1560	1661	1774	1915	2059


Please see <u>page</u> 15 for Ordering Notes and Yardage requirements. PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2 Chair	SG Start Unit Guest Multiple Seating	21	OPS Open Arm
		CG Center Unit Multiple Seating	24	OPP Open Arm Polymer Arm Cap
		EG End Unit Multiple Seating	30	COS Closed Arm/Open Center Arm
			44	COP Closed Arm/Open Center Arm
				Polymer Arm Cap
				CLS Closed Arm
				CLP
				Closed Arm Polymer Arm Cap

SIN 339113H - Hospital Geriatric Chairs & Lounge

CRESSIDA | MULTIPLE SEATING - START, CENTER & END UNITS

30" Open Arm End Unit, Gu CRE2-EG30OPS Bee 30" Open Arm with arm cap CRE2-EG30OPP	ech, Maple 1243		1404 1416	1515 1529	1644 1659	1756 1771	1886 1898	2046 2034	2210 2220
30" Closed Arm End Unit, G CRE2-EG30CLS Bee 30" Closed Arm with arm ca CRE2-EG30CLP	ech, Maple 1386	1485 Back 1499	1579 1590	1712 1723	1860 1871	1990 2003	2139 2149	2326 2340	2513 2526
44" Open Arm End Unit, Gu CRE2-EG44OPS Bee 44" Open Arm with arm cap CRE2-EG44OPP	ech, Maple 1530	1618 ack 1631	1706 1717	1828 1840	1968 1982	2090 2105	2234 2244	2408 2419	2585 2595




44" Closed Arm End CRE2-EG44CLS	Unit, Guest Back Beech, Maple	1672	1780	1883	2023	2186	2326	2487	2688	2890
44" Closed Arm with CRE2-EG44CLP	arm cap End Unit,	Guest E 1686	Back 1795	1894	2034	2196	2340	2497	2701	2902

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	82	95	108	126	148	164	186	213	239
24" Chairs	94	107	120	138	159	178	199	226	250
30" Chairs	134	151	168	190	217	240	268	302	336



CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS

DIMENSIONS & COM REQUIREMENTS

UNIT WITH CENTER ARM

	• "				Height of	Width				COM Seat &	COM Fabric	COM Fabric
	Overall Width	Overall Depth		Seat Height	Arms from Floor	Between Arms	Seat Depth	Shipping Weight	Cube	Back Yardage	Seat Yardage	Back Yardage
PCFG21X2B	47.25	28.5	33.75	18.5	26	21	18.75	97	30	2.6	1.2	1.4
PCFP21X2B	47.25	28.5	43.5	18.5	26	21	18.75	103	38	3.19	1.2	2
PCFG21X3B	70	28.5	33.75	18.5	26	21	18.75	135	44	4.08	2	2.08
PCFP21X3B	70	28.5	43.5	18.5	26	21	18.75	145	56	5	2	3
PCFG24X2B	53.25	28.5	33.75	18.5	26	24	18.75	104	34	3.3	1.2	2.08
PCFP24X2B	53.25	28.5	43.5	18.5	26	24	18.75	111	43	4.2	1.2	2.95
PCFG24X3B	79	28.5	33.75	18.5	26	24	18.75	147	50	5.1	2	3.48
PCFP24X3B	79	28.5	43.5	18.5	26	24	18.75	157	63	6.24	2	4.9

UNIT WITH CENTER ARM, GUEST AND PATIENT BACKS

Unit With Center Arm (Continued)	COM Fabric Closed Arm Panels (2 Arms)	COM Fabric Closed Arm Panels (3 Arms)	COM Fabric Closed Arm Panels (4 Arms)	
PCF21X2B	.8	1.2	1.6	
PCF21X3B	.8	1.2	1.6	
PCF24X2B	.8	1.2	1.6	
PCF24X3B	.8	1.2	1.6	

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard) Removable Seat Cover (per seat) Guest Removeable 21" & 24" Back Covers (per back) Patient Removeable 21" & 24" Back Covers (per back)	64 85 54 85	Combination Upholstery - dual fabrics (per chair) Combination Upholstery - Three fabrics (per chair) 21" & 24" Cleanable Under-Seat Splashguard	33 64 59

Additional features and options information see page 19.

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	82	95	108	126	148	164	186	213	239
24" Chairs	94	107	120	138	159	178	199	226	250

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

			COL	FABF	RIC GRA	DES	L	LEATHER			
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	21" Pre-Configured Free CRE2-PCFG21X2OPS				Arm 2 Sea 2488	·	t Backs 2837		3187	3423	3654
A	21" Pre-Configured Free CRE2-PCFG21X2OPP	espan Center A	rm Unit 2291	- Open A 2407	Arm with 2523	arm cap 2685		, Gues t 3036	Backs 3221	3456	3688
	21" Pre-Configured Free	•			I Arm 2 S	eat, Gue	est Back	ĸs			
	CRE2-PCFG21X2CLS	Beech, Maple	e 2683	2861	3016	3235	3484	3701	3950	4258	4570
	21" Pre-Configured Free CRE2-PCFG21X2CLP	espan Center A	rm Unit 2717		l Arm witl 3053	n arm ca 3269	ap 2 Sea 3517		t Backs 3983	4292	4604
	21" Pre-Configured Free	espan Center A	rm Unit	- Open A	Arm 3 Sea	at, Gues	t Backs	;			
	CRE2-PCFG21X3OPS	Beech, Maple	€ 3390	3564	3740	3984	4265	4509	4789	5140	5490
	21" Pre-Configured Free CRE2-PCFG21X3OPP	espan Center A	rm Unit 3435	- Open A 3610	Arm with 3787	arm cap 4033	3 Seat , 4312		Backs 4837	5187	5536
	21" Pre-Configured Free	espan Center A	rm Unit	- Closed	Arm 3 S	eat Gue	est Back	s			
	CRE2-PCFG21X3CLS	•			4444		5122		5802	6255	6709
	21" Pre-Configured Free	espan Center A	rm Unit	- Closed	Arm wit		ap 3 Sea	at, Gues	t Backs		
	CRE2-PCFG21X3CLP		4007	4265	4490	5110	5170	5488	5849	6300	6754

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	64	Combination Upholstery - dual fabrics (per chair)	33
Removable Seat Cover (per seat)	85	Combination Upholstery - Three fabrics (per chair)	64
Guest Removeable 21" & 24" Back Covers (per back)	54	21" & 24" Cleanable Under-Seat Splashquard	59
Patient Removeable 21" & 24" Back Covers (per back)	85		

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
21" Chairs	82	95	108	126	148	164	186	213	239	
24" Chairs	94	107	120	138	159	178	199	226	250	

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCFG	21x2	OPS
Cressida	Chair	Pre-configured Freespan Guest		Open Arm
			21x3	OPP
				Open Arm Polymer Arm Cap
			24x2	CLS Closed Arm
			24x3	CLP Closed Arm

Polymer Arm Cap

CRE2-PCFG24X2OPP

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

24" Pre-Configured Freespan Center Arm Unit - Open Arm 2 Seat, Guest Backs
CRE2-PCFG24X2OPS Beech, Maple 2357 2476 2590 2753 2942 3103 3290 3522
24" Pre-Configured Freespan Center Arm Unit - Open Arm with arm cap 2 Seat, Guest Backs

2508

2625


2789 2973 3137

2391

3559

3323

24" Pre-Configured Freespan Center Arm Unit - Closed Arm 2 Seat, Guest Backs CRE2-PCFG24X2CLS Beech, Maple 2787 2964 3120 3340 3583 3803 4053 4361 24" Pre-Configured Freespan Center Arm Unit - Closed Arm with arm cap 2 Seat, Guest Backs 4395 2820 2999 3156 3373 3619 3839 4086 CRE2-PCFG24X2CLP 24" Pre-Configured Freespan Center Arm Unit - Open Arm 3 Seat, Guest Backs 5292 CRE2-PCFG24X3OPS Beech, Maple 3542 3715 3892 4138 4418 4663 4942 24" Pre-Configured Freespan Center Arm Unit - Open Arm with arm cap 3 Seat, Guest Backs CRE2-PCEC24X3OPP 3589 3763 3937 4184 4462 4708 4988 5338 4988 CRE2-PCFG24X3OPP



24" Pre-Configured Freespan Center Arm Unit - Closed Arm 3 Seat, Guest BacksCRE2-PCFG24X3CLSBeech, Maple 4113437045964915527555935955640824" Pre-Configured Freespan Center Arm Unit - Closed Arm with arm cap 3 Seat, Guest BacksCRE2-PCFG24X3CLP41604418464349615322563860006454

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List
Cressida Option Upcharges	64	Combination Upholstery - dual fabrics (per chair)	33
Moisture Barrier (per yard)	85	Combination Upholstery - Three fabrics (per chair)	64
Removable Seat Cover (per seat)	54	21" & 24" Cleanable Under-Seat Splashguard	59
Guest Removeable 21" & 24" Back Covers (per back)	85		
Patient Removeable 21" & 24" Back Covers (per back)			

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	82	95	108	126	148	164	186	213	239
24" Chairs	94	107	120	138	159	178	199	226	250

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCFG	21x2	OPS
Cressida	Chair	Pre-configured Freespan Guest		Open Arm
			21x3	OPP
				Open Arm
				Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	CLP
				Closed Arm
				Polymer Arm Cap

2

0.8

.5

8

CRESSIDA | GUEST & PATIENT REPLACEMENT COMPONENTS

397

454 512

309 350





\Box	

CRE2-RBCG24	195	224	265	309	350	397	454	513	2.3	0.8
30" Replacement CRE2-RBCG30	Guest E 276	Back Cov 328	er 399	481	555	634	737	840	2.6	0.8
44" Replacement CRE2-RBCG44	Guest E 290	3ack Cov 339	er 411	492	565	648	751	852	3.5	0.8
 21" Replacement	Patient	Back Co	ver							
CRE2-RBCP21	291	340	411	493	567	648	751	852	1.9	1.0
24" Replacement CRE2-RBCP24	Patient 302	Back Co 353	ver 424	509	580	661	763	868	2.7	1.0
30" Replacement CRE2-RBCP30	Patient 345	Back Co 412	ver 509	614	708	815	952	1084	3	1.0
21" Replacement CRE2-RS21	Guest & 408	& Patient 438	Seat 485	536	580	630	695	759	9.5	2.7
24" Replacement	Guest &	& Patient	Seat							

CRE2-RS21	408	438	485	536	580	630	695	759	9.5	2.7
24" Replacement CRE2-RS24	Guest & 441	& Patien [.] 473	t Seat 516	567	613	664	727	791	10	2.7
30" Replacement CRE2-RS30	Guest & 487	& Patien [.] 517	t Seat 564	614	659	710	774	838	11.5	3.4
44" Replacement CRE2-RS44	Guest 8 598	& Patien 637	t Seat 695	760	815	879	959	1042	16.5	4.8



21" Replacement CRE2-RSC21	Guest 8 198	& Patien 229	t Seat Co 273	ver 322	368	420	483	546	1.6	0.8
24" Replacement CRE2-RSC24					000	400	405	540	17	0.0
30" Replacement	198 Guest 8	229 & Patien	273 t Seat Co	326 ver	368	420	485	546	1.7	0.8
CRE2-RSC30	199	231	274	327	369	422	485	547	2	1.0
44" Replacement CRE2-RSC44	Guest 8 228	& Patien 268	t Seat Co 322	ver 388	444	510	590	669	2.5	1.0

468

511

564

589



Replacement Guest & Patient Closed Arm Panel

CRE2-RCAL 322 350 386 429

21" Replacement Guest Back Cover

24" Replacement Guest Back Cover

193 224

264

CRE2-RBCG21

CRE2-RCAR CRE2-RCAC CRE2-RCACPCF


SIN 339113H - Hospital Geriatric Chairs & Lounge

CRESSIDA | GUEST & PATIENT REPLACEMENT COMPONENTS

DESCRIPTION	MODEL S	SPECIES	PRICE	WEIGHT	CUBE
	Open Arm	& Patient Front Start A Beech, Maple	Arm & Leg 169	4.0	1.3
	Open Arm Polymer C CRE2-RLFSOPP	Cap Beech, Maple	193	4.0	1.3
	Closed arm CRE2-RLFSCLS	Beech, Maple,	173	4.0	1.3
	Closed Arm Polymer CRE2-RLFSCLP	Cap Beech, Maple,	201	4.0	1.3
	Open Arm	& Patient Front Center Beech, Maple	r Arm & Leg 169	4.0	1.3
	Open Arm Polymer C		193	4.0	1.3
	Closed arm CRE2-RLFCCLS	Beech, Maple	173	4.0	1.3
	Closed Arm Polymer CRE2-RLFCCLP	Cap Beech, Maple	201	4.0	1.3
		& Patient Front End A	rm & Leg		
	Open Arm CRE2-RLFEOPS	Beech, Maple	169	4.0	1.3
	Open Arm Polymer C CRE2-RLFEOPP	Cap Beech, Maple	193	4.0	1.3
\bigcup		Beech, Maple	173	4.0	1.3
	Closed Arm Polymer CRE2-RLFECLP	Cap Beech, Maple	201	4.0	1.3
	Replacement Polyme CRE2-RACB	er Arm Cap Black	26	1.0	.3
0	Replacement Polyme CRE2-RACG	er Arm Cap Grey	26		
		& Patient Center Free	span Arm		
	Open Arm CRE2-FFLOA I	Beech, Maple	173	3.0	1.0
	Replacement Guest CRE2-RLBS - Start CRE2-RLBC - Cente CRE2-RLBE -End	-	96	6.0	1.2
	Replaceable Glide - I CRE2-RGF	Front* (1)	18	.25	.2
ط **	Replaceable Glide - I CRE2-RGB	Back** (1)	19	.25	.2
	Replaceable Glide - S CRE2-RG4	Set of 4	22	1.0	.3
	Chair to Chair Linking CRE2-RCCLKB	g Bracket	67	1.5	5

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level[®] CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | LOUNGE FEATURES & OPTIONS



CLEAN OUT

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



TABLETS

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$33 list** per unit and **\$64 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of **\$64 list** per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with removable seat and back covers.

ARMS AND ARMLESS Cressida features five arm options; Armless,

Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.

GLIDES

Cressida Lounge arm and armless versions are standard with nylon glides.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: One-Seat-350 lbs One-Seat (Plus) -750 lbs One-Seat Wide - 350lbs One-Seat Wide (Plus) - 750lbs Two-Seat - 525 lbs Two-Seat (Plus) - 975lbs Three-Seat - 850 lbs Three-Seat (Plus) - 1200 lbs

REPLACEABLE COMPONENTS

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.



OPTIONS CASTERS

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



PUSH BAR

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar is powder-coated steel in Silver Metallic finish.

PLUS UPGRADE

Cressida seating is available with optional Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight Open Arm	Shipping Weight Closed Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Wide	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Wide	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida plus two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

COM - YARDAGE REQUIREMENTS

	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Wide - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Wide - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Wide - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Wide - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to page 48 for C.O.M approval process.

Cressida Lounge Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	64	One-Seat Removable Back Covers	152
Push Bar	64	One-Seat Wide Removable Back Covers	228
Caster Combination (2 legs & 2 rear casters)	152	Two-Seat Removable Back Covers	302
Casters (set of 4)	228	Three-Seat Removable Back Covers	453
One-Seat Removable Seat Covers	152	One-Seat - Plus Upgrade	92
One-Seat Wide Removable Seat Covers	228	One-Seat Wide - Plus Upgrade	121
Two-Seat Removable Seat Covers	302	Two-Seat - Plus Upgrade	199
Three-Seat Removable Seat Covers	453	Three-Seat - Plus Upgrade	228

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

CRESSIDA | LOUNGE

		COM		COL		BRIC GRA			LEATHER	
DESCRIPTION/M	ODEL/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat, Armless CRE3-F1ALS1 n/a	1566	1647	1747	1875	2018	2145	2287	2470	2650
	One-Seat, Open Arm CRE3-F1OPS1 Beech, Map Palette One-Seat, Open Arm with a CRE3-F1OPP1 Beech, Map Palette	rm cap	1897 1974	1988 2063	2103 2174	2252 2326	2394 2470	2536 2612	2703 2778	2891 2966
	One-Seat, Closed Arm CRE3-F1CLS1 Beech, Map Palette One-Seat, Closed Arm with CRE3-F1CLP1 Beech, Map	arm cap	2686 2764	2853 2928	3088 3162	3357 3432	3591 3666	3862 3936	4203 4277	4532 4608
U U			2764	2928	3162	3432	3666	3936	4277	460

ORDERING NOTES:

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	64	One-Seat Removable Seat Covers	152	
Push Bar	64	One-Seat Removable Back Covers	152	
Caster Combination (2 legs & 2 rear casters)	152	One-Seat - Plus Upgrade	92	
Casters (set of 4)	228			
Combination Upholstery - dual fabrics	33			
Combination Upholstery -Three fabrics	64			

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3 Lounge	F	 One-Seat	ALS	1 Legs
		FB	1.5	OPS	2
		Freestanding	One-Seat Wide	Open Arm	Casters
		Plus	2 Two-Seat	OPP Open Arm Polymer Arm Cap	3 Caster Combination 2 legs & 2 Rear Casters
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

CRESSIDA | LOUNGE

		COM		COL	FAI	BRIC GR	ADES		LEATHE	R
DESCRIPTION/MODE	L/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat Wide, Armless CRE3-FB1.5ALS1 n/a	1657	1765	1872	2026	2198	2353	2527	2744	2963
	One-Seat Wide, Open Arm CRE3-FB1.5OPS1 Beech, Maple Palette One-Seat Wide, Open Arm with ar CRE3-FB1.5OPP1 Beech, Maple Palette	m cap	2031 2107	2140 2217	2294 2369	2466 2542	2620 2705	2794 2870	3013 3090	3232 3307
	One-Seat Wide, Closed Arm CRE3-FB1.5CLS1 Beech, Maple Palette One-Seat Wide, Closed Arm with a		2824	3011	3271	3568	3829	4128	4494	5159

One-Seat Wide, Closed Arm with arm cap CRE3-FB1.5CLP1 Beech, Maple 2715 2899 3088 3346 3644 3906 4204 4570 5235 Palette


ORDERING NOTES:

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	64
One-Seat Wide - Plus Upgrade	121
One-Seat Wide Removable Seat Covers	228
One-Seat Wide Removable Back Covers	228
Combination Upholstery - dual fabrics	33
Combination Upholstery -Three fabrics	64

NOTE: One-Seat Wide Lounge is not available with caster options.



CRESSIDA | LOUNGE

		COM	0	COL				7	LEATHER	0
DESCRIPTION/MODEL/S		I	2	3	4	5	6	7	8	9
	Two-Seat, Armless CRE3-F2ALS1 n/a	2590	2726	2853	3049	3260	3448	3666	3931	4203
	Two-Seat, Open Arm CRE3-F2OPS1 Beech, Mapl Palette	e 2823	2958	3095	3283	3499	3688	3899	4171	4442
	Two-Seat, Open Arm with arm o CRE3-F2OPP1 Beech, Mapl Palette	•	3035	3167	3357	3577	3763	3975	4245	4515
	Two-Seat, Closed Arm CRE3-F2CLS1 Beech, Mapl Palette	e 3545	3757	3966	4261	4600	4893	5232	5660	6081
	Two-Seat, Closed Arm with arm CRE3-F2CLP1 Beech, Mapl	•	3830	4041	4336	4675	4968	5307	5738	6158

ORDERING NOTES:

T

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Palette

\$ List
64
199
290
290
33
64

NOTE: Two-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F	 One-Seat	ALS	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

CRESSIDA | LOUNGE

		COM		COL				_	LEATHER	-
DESCRIPTION/MODEL/S	PECIES	1	2	3	4	5	6	7	8	9
	Three-Seat, Armless CRE3-F3ALS1 n/a	3516	3706	3885	4141	4442	4697	4992	5361	5727
	Three-Seat, Open Arm CRE3-F3OPS1 Beech, Maple Palette Three-Seat, Open Arm with arm CRE3-F3OPP1 Beech, Maple Palette	сар	3936 4011	4127 4203	4381 4381	4675 4750	4939 5012	5232 5307	5602 5677	5969 6045
	Three-Seat, Closed Arm CRE3-F3CLS1 Beech, Mapl Palette		4735	4998	5361	5782	6149	6565	7091	7611
	Three-Seat, Closed Arm with arr CRE3-F3CLP1 Beech, Mapl Palette	•	4812	5075	5436	5857	6225	6640	7164	7684

ORDERING NOTES:

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	64
Three-Seat - Plus Upgrade	228
Three-Seat Removable Seat Covers	453
Three-Seat Removable Back Covers	453
Combination Upholstery - dual fabrics	33
Combination Upholstery -Three fabrics	64

NOTE: Three-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3 Lounge	F	 One-Seat	ALS	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm CLP Closed Arm Polymer Arm Cap	

CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet CRE3 T1	Beech/Maple	589	12	2
	Tablet with Palette Fini CRE3 T2	sh n/a	437	12	2
	Laminate Tablet CRE3 T4	n/a	589	12	2
	ORDERING NOTES: 1 be specified right or le		blet comes standard with a polymer edge. Please note Cre g.	essida Table	ts need to

Online Ourface, Tablet	A-White	Grades A-Color	В	С	
Solid Surface Tablet CRE3 RT3	673	686	721	781	12

SIN 33721 - Lounge Seating

CRESSIDA | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FA 4	BRIC GI 5	RADES 6	7	LEATHE 8		WEIGHT	CUBE
LOUNGE	One-Seat Replacement Back CRE3-RB1	715	778	837	922	1021	1108	1205	1330	1451	23	4.2
Π	One-Seat Wide Replacement B CRE3-RB1.5B	ack 808	872	935	1026	1126	1215	1317	1446	1570	28	5.7
	Two-Seat Replacement Back CRE3-RB2	1058	1146	1237	1363	1509	1636	1779	1962	2143	38	8.8
	Three-Seat Replacement Back CRE3-RB3	1414	1528	1642	1802	1984	2143	2324	2554	2780	52	12
$\bigcap $	One-Seat Replacement Back C CRE3-RBC1	over 290	348	410	494	595	679	780	901	1026	2.0	1.0
	One-Seat Wide Replacement B CRE3-RBC1.5	ack Co 302	over 365	428	517	620	710	810	939	1065	2.5	1.2
	Two-Seat Replacement Back C CRE3-RBC2	over 403	492	584	710	853	982	1126	1307	1487	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 463	577	693	851	1033	1194	1376	1604	1833	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	603	648	693	752	821	883	954	1039	1126	28	9.5
	One-Seat Wide Replacement S CRE3-RS1.5	eat 782	838	892	971	1060	1137	1226	1334	1446	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	939	995	1054	1135	1224	1304	1394	1509	1622	53	18
	Three-Seat Replacement Seat CRE3-RS3	1257	1345	1431	1555	1691	1813	1954	2130	2302	79	24
	One-Seat Replacement Seat Co CRE3-RSC1	over 208	253	007	057	407	407	550	044	701	2.0	1.0
\bigwedge	One-Seat Wide Replacement S			297	357	427	487	559	644	731	2.0	1.0
	CRE3-RSC1.5	259	313	369	448	536	613	701	811	922	2.5	1.2
	Two-Seat Replacement Seat Co CRE3-RSC2	over 276	334	390	471	561	641	732	846	959	3.5	1.8
	Three-Seat Replacement Seat (CRE3-RSC3	Cover 352	438	527	648	785	909	1048	1224	1396	5.0	2.5
	Replacement Lounge Front Arn	n & Leg)									
	Open Arm CRE3-LROPS Beech, Maple Palette	185									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	223										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	406	454	502	569	648	716	794	892	988	20	3.8
6	Lounge Replacement Push-Bar CRE3-RPB	61									2	0.3

SIN 33721 - Lounge Seating

CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	PRICE				WEIGH	TCUBE
\square	Replacement Polymer Arm Cap Black CRE3-RACB	38				1.0	0.5
0	Replacement Polymer Arm Cap Grey CRE3-RACB	38					
*	Lounge Replacement Front Leg (for armles CRE3-RLAF*	ss version) 59				0.5	0.5
8**	Lounge Replacement Front Leg (for armles CRE3-RGAF**	ss version) G 18	ilide			0.1	0.2
*	Lounge Replacement Plus Upgrade Cente CRE3-RLC*	r Leg 54				0.5	0.5
**	Lounge Replacement Plus Upgrade Center CRE3-RCG**	r Leg Glide 23				0.5	0.5
*	Lounge Replacement Back Leg CRE3-RLB*	78				1.8	0.5
**	Lounge Replacement Glide CRE3-RGB**	19				0.1	0.2
	Lounge Replacement Front Leg (for caster CRE3-RLCF*	version) 54				0.5	0.5
*	Lounge Replacement Back Leg (for caster CRE3-RLCB**	version) 54				0.5	0.5
<u> </u>	Replacement Casters Non-Locking CRE3-RC1*	74				.75	0.3
	Replacement Casters Locking CRE3-RC2**	74				.75	0.3
	Wood Tablet & Mounting Plate Only CRE3 RT1 Beech/Maple	397				5	0.32
	Tablet with Palette finish & Mounting Plate CRE3 RT2 n/a	Only 278				5	0.32
	Tablet & Mounting Plate Only - Solid Surfac CRE3 RT3 n/a	e A-White	Grades A-Color	В	с	7	0.32
U		539	547	577	624		
	Laminate Tablet & Mounting Plate Only CRE3 RT4 n/a	397				5	0.32

LEED CI CREDITS

MATERIAL CONTENT:			
MATERIAL CONTENT:		MATERIAL CONTENT:	
1.5% Aluminum 1% Plastic 2.17% Cardboard	PRE-CONSUMER RECYCLED CONTENT - 36.34%	4.5% Plywood 2% Hardwood 11.5% Particle Board	PRE-CONSUMER RECYCLED CONTENT - 30.77%
7% Steel 1.33% Hardwood Veneer 20.67% Particle Board	POST-CONSUMER RECYCLED CONTENT - 26.4%	-75% Hardwood Veneer 2.5% Cardboard -3.5% Steel	POST-CONSUMER RECYCLED CONTENT - 25.68%
	Up to 31.25% of this Cressida product is recyclable at the end of its useful life.		Up to 27.88% of this Cressida product is recyclable at the end of its useful life.
	CONTRIBUTES TO	I	
CREDIT 2.1 - 2.2	Construction Waste Manager	ment	1-2 point(s)
CREDIT 3.3	Resource Reuse		1 point
CREDIT 4.1	Recycled Content		1 point
CREDIT 4.2	Recycled Content		1 point
CREDIT 4.5	Low Emitting Materials,		
	Systems & Seating		1 point
CREDIT 5.1	Regional Materials*		1 point
CREDIT 7	Certified Wood		1 point(s)
	(MUST BE REQUESTED)		

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level[®] CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



ANTI-MICROBIAL FINISH

Cressida wood surfaces include an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>page</u> 50. Cressida tables are available in 22 standard finishes.

CRESSIDA | BOX-STYLE TABLES

LAMINATE


Cressida Box-style tables are available in laminate with wood side or laminate side. See **page** 50 for laminate information.


SOLID SURFACE


Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote.

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	Laminate top I W/Beech Sides	LAMINATE TOP W/ MAPLE SIDES	W	D	нι	NEIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	1179 1458	1227 1515	1224 1508	1271 1567	18 24	18 24	15.75 15.75	24 34	3 5
	Rectangular Table CRE4A 241816 CRE4A 482416	es 1295 2085	1347 2167	1338 2158	1393 2241	24 48		15.75 15.75	28 56	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	973 1187 2079	1012 1236 2163	1003 1338 2272	1044 1393 2361	18 24 30	- - -	15.75 15.75 15.75	16 23 34	3 5 8
	Rectangular Rour CRE4 B181816 CRE4 B241816 CRE4 B242416 CRE4 B482416	nd Corner 1265 1425 1583 2299	1315 1483 1644 2390	1311 1485 1686 2461	1361 1545 1752 2559	18 24 24 48	18 24	15.75 15.75 15.75 15.75 15.75	21 25 30 51	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1312 1620 2058	1363 1686 2139	1443 1753 2201	1501 1825 2287	24 32 48	24	15.75 15.75 15.75	23 34 56	4 7 12
	Triangular Round CRE4B T1618-45 CRE4B T2124-45 CRE4B T2529-45 CRE4B T2818-90 CRE4B T3624-90 CRE4B T4429-90	5 1187 5 1359 5 1666 0 1477 0 1758	1236 1415 1732 1534 1832 2198	1205 1411 1760 1534 1841 2135	1253 1465 1833 1594 1915 2220	16 21 25 28 36 44	18 24 29 18 24 29	 15.75 15.75 15.75 15.75 15.75 	5 23 5 28 5 24 5 30	2.5 4.5 7 3 7.5 11










QU,

36 1/4"

GRAN

R 3




37 | USA | HEALTHCARE | 2025

CRESSIDA | BOX-STYLE LINKING TABLES

		BEECH PALETTE		AMINATE TOP LAM W/BEECH	MAPLE					
DESCRIPTION	MODEL	LAMINATE	MAPLE	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
\sim	Middle Linking Table									
	CRE4 LKI12	939	977	961	1002	12	16	-	22 24	2.5
	CRE4 LKI18 CRE4 LKI24	1065 1192	1109 1240	1116 1265	1162 1315	18 24	16 16	-	24 29	2.9 3.7
		1192	1240	1205	1315	24	10		23	5.7
	ORDERING NOTE:	Middle Linking	Modular Table	ships with 2 KB1 b	rackets.					
	End Table Square C	orners								
	CRE4A LKE12	976	1015	1001	1042	12	16	15.75		2.3
	CRE4A LKE18	1103	1146	1153	1201	18	16	15.75		2.9
	CRE4A LKE24	1228	1276	1304	1356	24	10	15.75	28	3.7
	ORDERING NOTE:	End Linking Mo	odular Table shi	ps with 1 KB1 brac	cket.					
	End Table Rounded	Corner								
	CRE4B LKH12	1194	1241	1246	1297	12		15.75		2.3
	CRE4B LKH18	1298	1349	1356	1411	18	16	15.75	23	2.9
\mathbb{T}										
	Curvilinear 30° Table	9								
	CRE4A LKC30	1102	1143	1177	1224	16	16.5	-	15	2.3
	Curvilinear 45° Table	9								
	CRE4A LKC45	1279	1331	1358	1414	16	17	-	17	2.9
	Curvilinear 60° Table									
	CRE4A LKC60	, 1455	1513	1555	1615	16	17.5	-	20	3.7
8 <u>.</u>		1100	1010	1000	1010					
	Curvilinear 90° Table CRE4A LKC90	, 1689	1755	1810	1883	16	19	_	24	5.4
8		1009	1755	1810	1003	10	10		27	0.4
	Curvilinear 90°x2 Ta	ble								
	CRE4A LKC90X2	3182	3311	3412	3552	16	19	15.75	55	10
	J									
\bigcirc	Curvilinear End Rou								10	
	CRE4A LKH12	1212	1262	1265	1315	12		15.75	18	2.3
·	CRE4A LKH18	1317	1372	1377	1433	18	10	15.75	21	3.6
u										

ORDERING NOTES: When fastening two linking tables together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Cressida Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

CURVILINEAR TABLE DIMENSIONS



CRESSIDA | SLAB-STYLE LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	Laminate top l W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	н	WEIGH	T CUBE
	Square and Recta CRE4C LKI1818 CRE4C LKI2418	ngular Slab Ta 703 769	ble 732 803	679 811	706 845	18 24	18 18	-	23 26	1.5 2.0
	Curvilinear Slab Ta CRE4C LKCRF45 CRE4C LKCRF90	1029	ont 1066 1230	1045 1251	1088 1302	28 38	24 24	16 16	25 45	1.8 3.0
	Curvilinear Slab Ta CRE4C LKCRR45 CRE4C LKCRR90	1029	1066 1230	1045 1251	1088 1302	28 38	24 24	16 16	23 42	1.8 3.0
	Rectilinear Corner CRE4C LKCSF90	table 1360	1416	1505	1565	30	30	16	52	3.5

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Krug Multiple Seating. Linking tables are connected to the Multiple Seating via Linking brackets. Hardware for tables can be used left or right handed.

The design of the tables for Cressida Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration - or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.

Linking Tables also feature a universal, non-handed design:

They can be moved to reverse position in almost any configuration, providing a high level of flexibility for reconfiguring.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of **\$64 list** per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black.

For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

CRESSIDA | LIGHT-STYLE TABLES

SIN 33721 - Tables & Accessories

DESCRIPTION	MODEL	LAMINATE	MAPLE	SIDES	SIDES	W	D	Н	WEIGH	T CUBE
M	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	589 601 832	613 626 865	672 687 997	699 714 1036	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
$\overline{\mathbb{M}}$	Soft Square Tables CRE4D 181816S CRE4D 242416S CRE4D 363616S	533 591 845	555 615 878	596 688 1014	620 715 1054	18 24 36	18 24 36	16 16 16	22 33 65	3 5 12
	CRE4D 181821S CRE4D 242421S	543 603	565 628	610 699	633 729	18 24	18 24	21 21	25 35	4 5

LAMINATE

TOP


W/BEECH

BEECH

PALETTE

LAMINATE

CRESSIDA | LIGHT-STYLE LINKING TABLES



CRESSIDA | LIGHT-STYLE LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH	T CUBE
	Center Square Table CRE4D LKI2222	592	617	676	703	22	22	-	23	1.5
	End Square Table CRE4D LKE2222	586	611	670	697	22	22	16	34	1.5
	Curvilinear Connector	r Table 45° with 703	n flat edge 732	670	697	28	24	16	27	2.2
	Curvilinear Connector CRE4D LKCRR45	7 Table 45° 703	732	670	697	28	24	16	26	2.2
	Curvilinear Connector CRE4D LKCRF90	r Table 90° with 765	n flat edge 795	967	1006	38	24	16	32	2.2
	Curvilinear Connector CRE4D LKCRR90	^r Table 90° 765	795	967	1006	38	24	16	32	2.2
	Rectilinear Corner Co CRE4D LKCSF90	nnector Table 811	90° 845	973	1012	30	30	16	42	2.2
	Curvilinear Connector CRE4D LKCRR180	r Table 180° 1192	1239	1387	1443	55	29	16	60	4.4

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Cressida Multiple Seating.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Rectilinear Corner Connector table 90° include a support leg in the outer corner. All end linking tables include 2 legs. All Curvilinear tables include one supporting center leg.

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177 Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca **Customer Service Hours** Please note customer service hours are: 8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather

• exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

Juno and Trevisa Overbed Tables have a 2-year warranty.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination – please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

GENERAL INFORMATION

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard.

Specific test results and documentation are available on request.



Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address <u>engquotes@krug.ca</u>.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Textiles - Upholstery Program

 Passes State of California Technical Bulletin CAL 117-2013



Krug Textiles - Stocked Fabric Program

Grade 1

ARLO

ARLO				
	306 PETROL	908 CHARCOAL	93 SEAL	601 PEARL
308 MIDNIGHT	84 NUTMEG	62 OATMEAL	90 LIMESTONE	
FRANKLIN				
	3009 MIDNIGHT	67 FAWN	97 CINDER	94 METAL
47 CAMEL	909 BLACK	9004 CHARCOAL	308 PETROL	108 ORCHID
COMRADE				
	84 TEAK	63 LINEN	24 ALPINE	905 IRON
309 MIDNIGHT	601 SNOW	57 MARIGOLD	31 DUCK EGG	
FELICITY				
	305 SKY	603 TAUPE	93 COAL	405 HENNA

62 FAWN

601 IVORY

64 PUTTY

CRESSIDA | HEALTHCARE | USA | 44

36 BLUEBERRY



Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY 31 SKY 604 FLAX 901 CHAR 93 GRAY 25 CAPER 34 SLATE 84 TEAK 98 NICKLE **YATES** 44 CLAY 87 TAUPE 25 JUNIPER 305 INDIGO 109 CRANBERRY 84 BIRCH 803 TOAST 92 ZINC 91 SILVER 908 CHARCOAL MCCOY 601 CREME 908 CHARCOAL 62 COPPER 108 CORDOVAN 608 TUNDRA 32 ROBIN'S EGG 94 MERCURY 84 BARK ORIS 604 BARK 306 DELFT 902 ZINC 601 CREAM

908 DOMINO 45 | USA | HEALTHCARE | 2025 305 MIDNIGHT

64 PUTTY

205 CHARTREUSE



KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

Grade 3



302 CAPRI

INTRIGUE



601 OYSTER

805 PECAN

608 STUCCO

605 STRAW

2025 | HEALTHCARE | USA | 46

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Faux Leather Program - Grade 2

White FL3822	Cream FL6003					
Parchment FL0605	Sandstone FL0608	Vanilla FL0061				
Taupe	Mocha	Tan	Chestnut	Bisque	Chocolate	Black
FL3948	FL0808	FL0802	FL0087	FL0805	FL8020	FL9009
Earth	Brick	Wine	Garnet	Rust	Citron	Sprig
FL0084	FL0011	FL0108	FL0017	FL0014	FL0054	FL0205
Chinchilla	Steel	Grey	Lagoon	Pacific Blue	Navy	Plum
FL6009	FL0905	FL9003	FL0037	FL3003	FL3006	FL1009

Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$22

Grade 2 \$34

Grade 3 \$46

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover rolls, or for the method of upholstery in on instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a <u>NAFTA Certificate of Origin</u> and a <u>Commercial Invoice</u> be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is <u>not</u> available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry Natural Cherry Sable Cherry Standard Cherry Light Oak Harvest Oak Mahogany Mellow Oak Espresso Cordovan Walnut Natural Walnut **Regular Walnut** SilverGrey on Walnut Dark Walnut Clear Beech Medium Anigre

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984–38		
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut


Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

CRESSIDA | FINISHES

SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



METAL FINISHES



Silver Metallic

URETHANE COLOR OPTIONS







All products are air emissions certified and are available as FSC® certified

krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG