CRESSIDA

Price and Specification Guide **USA**

vizient



Effective July 10, 2023

TABLE OF CONTENTS

CRESSIDA | GUEST BACK

- 2 Cressida Environmental Summary
- 3 Cressida Features
- 4 Cressida Options
- 4 Cressida Dimensions & COM Requirements
- 5 Cressida Guest Pricing

CRESSIDA | PATIENT BACK

- 7 Cressida Environmental Summary
- 3 Cressida Features
- 4 Cressida Options
- 8 Cressida Dimensions, COM Requirements & Option Upcharges
- 9 Cressida Patient Pricing

CRESSIDA | MULTIPLE GUEST & PATIENT SEATING

- 3 Cressida Features
- 4 Cressida Options
- 10 Cressida Multiple Seating Instructions
- 12 Cressida Dimensions & COM Requirements Pre-Configured Units
- 13 Cressida Multiple Seating Pre-Configured Units Pricing
- 15 Cressida Dimensions & COM Requirements Start, Center & End
- 16 Cressida Multiple Seating Start, Center & End Units Pricing
- 21 Cressida Freespan Dimensions & COM Requirements
- 22 Cressida Freespan Multiple Seating Pricing

CRESSIDA | LOUNGE

- 26 Cressida Environmental Summary
- 27 Cressida Lounge Features & Options
- 28 Cressida Dimensions, COM Requirements & Option Upcharges
- 29 Cressida Lounge Pricing

CRESSIDA | TABLES

- 36 Cressida Environmental Summary
- 37 Cressida Box-Style Tables
- 38 Cressida Box-Style Linking Tables
- 39 Cressida Slab-Style Linking Tables
- 40 Cressida Light-Style Tables
- 40 Cressida Light-Style Linking Tables

GENERAL INFORMATION


- 42 Terms & Conditions
- 42 Warranty
- 44 KRUG Textiles Upholstery Fabrics
- 46 KRUG Textiles Leather & Faux Leather
- 48 Customer's Own Material (COM/COL)
- 48 CAL 133 & Moisture Barrier
- 49 Graded-In Upholstery Programs
- 49 KRUGEXPRESS Program
- 50 Wood Finishes
- 50 Standard Laminates
- 51 Solid Surface Program
- 51 Metal Finishes
- 51 Urethane Color Options

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS







PRE-CONSUMER
RECYCLED CONTENT = 6.66%

POST-CONSUMER
RECYCLED CONTENT = 22.07%

Up to 53.26% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR-EMISSIONS

All Cressida products are supplied air-emissions certified. Contact customer service for information.

FSC[®]

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | GUEST, PATIENT & MULTIPLE FEATURES & OPTIONS



CLEAN OUT

All Cressida seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



POLYMER ARM CAP

The optional arm cap provides enhanced durability and protection for the arms. Arm cap is available in Grey or Black and is field replaceable if it becomes damaged or degraded.



WOOD ARM

Wood Arms are available in either beech or maple hardwood and in 22 Krug standard finishes.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



METAL BACK LEGS

Cressida's metal back legs are built from structural rectangular steel tubing for exceptional strength and appealing design. Silver Metallic is offered as Krug's standard finish, additional metal finish colors are available at an upcharge - please contact Customer Service for pricing and more information.



METAL TO METAL CONNECTIONS

Steel seat frames are joined to other components, and to each other in the multiple seating products, with hardened steel bolts and inserts, ensuring exceptional durability and strength, and easy reconfigurability, as well as on-site replacement of damaged or degraded components.

STEEL SEAT FRAME

Seats are constructed of high strength plywood with suspension webbing. The upholstered seat assembly is then further supported by steel frame construction running below the plywood

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

PLUS UPGRADE

Cressida 30" and 44" models feature Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 350 lbs Plus Chairs (30" & 44") - 750 lbs Multiple Seating & Pre-configured - 350 lbs per seat 2-Seat Freespan - 525 lbs per unit 3-Seat Freespan - 750 lbs per unit

REPLACEABLE COMPONENTS

Cressida chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

ADDITIONAL FEATURES

- Lifetime warranty
- Available CAL 133 option

OPTIONS

CLEANABLE UNDER-SEAT SPLASHGUARD

All Cressida seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$59 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$59 list per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

GANGING

All Cressida freestanding chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Bracket kit is available for an upcharge of \$78 list per chair.

ADJUSTABLE HEADREST

The adjustable headrest uses dual density foam providing excellent support and comfort. The headrest is securely fastened using an innovative clip allowing the headrest to be easily removed for cleaning and/or replacement. The headrest is easily adjusted by sliding the headrest vertically allowing the user to maximize their comfort.



CRESSIDA | GUEST, PATIENT & MULTIPLE OPTIONS

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$852 per

item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for \$60 list per yard

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Cressida chair (all sizes) are available with Removeable Seat Covers for an upcharge of \$79 list per chair. Cressida chairs with Guest Backs (21", 24") are available with Removeable Back Covers for an upcharge of \$51 list per chair. Cressida 30" and 44" chairs with Guest Backs are also available with Removeable back cover option for an upcharge of \$79 list per chair. Cressida chairs with Patient Backs (21", 24") are available with Removeable Back Covers for an upcharge of \$75 list per chair. Cressida 30" chairs with Patient Backs are also available with removeable back cover option for an upcharge of \$127 list per chair.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

CRESSIDA | GUEST

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	24.5	28.5	33.75	18.5	26	21	18.75	42	14
24" Seat	27.5	28.5	33.75	18.5	26	24	18.75	46	19
30" Seat	33.5	28.5	33.75	18.5	26	30	18.75	57	20
44" Seat	47.5	28.5	33.75	18.5	26	44	18.75	69	28

COM - YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel	
21" - One Chair	1.4	0.8	0.7	.8	
21" - Two Chairs	2.59	1.19	1.4	.8	
21" - Three Chairs	4.08	2	2.08	.8	
21" - Four Chairs	5.18	2.38	2.8	.8	
24" - One Chair	1.75	0.8	1.4	.8	
24" - Two Chairs	3.3	1.19	2.08	.8	
24" - Three Chairs	5.05	2	3.48	.8	
24" - Four Chairs	6.6	2.38	4.16	.8	
30" - One Chair	2.5	1.1	1.4	.8	
30" - Two Chairs	5	2.2	2.8	.8	
30" - Three Chairs	7.5	3.3	4.2	.8	
30" - Four Chairs	10	4.4	5.6	.8	
44" - One Chair	2.5	1.1	1.4	.8	
44" - Two Chairs	5	2.2	2.8	.8	
44" - Three Chairs	7.5	3.3	4.2	.8	
44" - Four Chairs	10	4.4	5.6	.8	

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

CRESSIDA | GUEST

DECORPORTION.	14005	0050150	СОМ		COL		BRIC GR			LEATHE	
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	21" Open Arm CRE2-G21OPS	Beech, Maple	959	1008	1059	1154	1249	1336	1436	1538	1724
	21" Open Arm wit CRE2-G21OPP	h arm cap	982	1029	1082	1176	1270	1356	1455	1557	1746
	21" Closed Arm	Dasah Manla	1224	1310	1388	1516	1647	1768	1907	2055	2289
	CRE2-G21CLS 21" Closed Arm w	Beech, Maple	1224	1310	1300	1310	1047	1700	1907	2000	2209
	CRE2-G21CLP		1247	1330	1409	1538	1668	1788	1928	2076	2311
	24" Open Arm CRE2-G24OPS	Beech, Maple	1013	1059	1108	1202	1303	1396	1491	1591	1777
	24" Open Arm wit CRE2-G24OPP	h arm cap	1036	1082	1128	1222	1321	1417	1513	1612	1799
	24" Closed Arm CRE2-G24CLS	Beech, Maple	1279	1362	1434	1562	1701	1827	1961	2107	2344
	24" Closed Arm w CRE2-G24CLP	vith arm cap	1302	1385	1454	1580	1721	1848	1982	2128	2366

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	60
Removable Seat Covers	79
Guest Removeable 21" & 24" Back Covers	51
21" & 24" Cleanable Under-Seat Splashguard	56

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2	G	21	OPS
Cressida	Chair	Guest		Open Arm
			24	OPP
				Open Arm
				Polymer Arm Cap
				CLS
				Closed Arm
				CLP
				Closed Arm

Polymer Arm Cap

CRESSIDA | GUEST

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	ا 7	EATHEI	R 9
	30" Open Arm CRE2-G30OPS 30" Open Arm wit CRE2-G30OPP	Beech, Maple	1181	1217	1287 1309	1424	1629 1651	1777 1799	1866	2014	2300
	30" Closed Arm CRE2-G30CLS 30" Closed Arm v CRE2-G30CLP	Beech, Maple vith arm cap	1447 1470	1558 1580	1655 1677	1829 1850	2030	2210 2232	2397 2419	2598 2618	2939 2960
	44" Open Arm CRE2-G44OPS 44" Open Arm wit CRE2-G44OPP	Beech, Maple th arm cap	1428 1450	1502 1524	1583 1605	1729 1751	1872 1892	2027	2180 2202	2327 2349	2630 2651
	44" Closed Arm CRE2-G44CLS 44" Closed Arm v CRE2-G44CLP	Beech, Maple vith arm cap	1695 1714	1806 1826	1910 1933	2092 2114	2270 2289	2458 2478	2651 2673	2845 2867	3195 3215

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.


Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	60
Removable Seat Covers	79
Guest Removeable 30" & 44" Back Covers	79
30" Cleanable Under-Seat Splashguard	62
44" Cleanable Under-Seat Splashguard	75

Line	Series	Chair Style	Size	Arm Style
CRE	2	G	21	OPS
Cressida	Chair	Guest		Open Arm
			24	OPP Open Arm Polymer Arm Cap
			30	CLS Closed Arm
			44	CLP Closed Arm Polymer Arm Cap

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 6.66%

POST-CONSUMER
RECYCLED CONTENT = 22.07%

Up to 53.26% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR-EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION BIFMA's e3 Furniture Sus

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR-EMISSIONS

All Cressida products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	24.5	28.5	43.5	18.5	26	21	18.75	45	17
24" Seat	27.5	28.5	43.5	18.5	26	24	18.75	51	22
30" Seat	33.5	28.5	43.5	18.5	26	30	18.75	60	28

COM - YARDAGE REQUIREMENTS										
	COM Yardage	COM Yardage	COM Yardage	COM Yardage						
	Seats & Backs Only	Seat Only	Back Only	Closed Arm Panel						
21" - One Chair	2.2	0.95	1.25	.8						
21" - Two Chairs	4.25	1.3	2.95	.8						
21" - Three Chairs	6.45	2.25	4.2	.8						
21" - Four Chairs	8.5	4.6	3.9	.8						
4" - One Chair	2.1	0.8	1.95	.8						
4" - Two Chairs	4.14	1.19	2.95	.8						
4" - Three Chairs	6.45	2	4.9	.8						
4" - Four Chairs	8.28	2.38	5.9	.8						
0" Plus - One Chair	3.15	1.2	1.95	.8						
80" Plus - Two Chairs	6.3	2.4	3.9	.8						
0" Plus - Three Chairs	9.21	3.6	5.85	.8						
80" Plus - Four Chairs	12.6	4.8	7.8	.8						

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

ORDERING NOTES:

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	60
Removable Seat Covers	79
Patient Removeable 21" & 24" Back Covers	79
Patient Removeable 30" Back Covers	132
Combination Upholstery - dual fabrics (per chair)	31
Combination Upholstery - Three fabrics (per chair)	60
21" & 24" Cleanable Under-Seat Splashguard	56
30" Cleanable Under-Seat Splashguard	62

WEIGHT CAPACITIES

Cressida weight capacities are as follows: Patient Chairs (21" & 24") - 350 lbs Patient Plus Chair (30") - 750 lbs

^{1.} A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

^{2.} The sample will be reviewed and the customer advised if the fabric is unsuitable.

^{3.} The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

CRESSIDA | PATIENT

DESCRIPTION	MODEL	SPE	CIES	COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	R 9
	21" Open Arm CRE2-P21OPS			1055	1121	1181	1309	1436	1507	1684	1812	2060
	21" Open Arm v CRE2-P21OPP	vith arm	cap	1075	1142	1203	1329	1455	1528	1705	1834	2080
	21" Closed Arm CRE2-P21CLS			1319	1425	1507	1669	1835	1988	2155	2328	2626
	21" Closed Arm CRE2-P21CLP	with arn	n cap	1342	1446	1528	1688	1854	2010	2176	2350	2647
	24" Open Arm CRE2-P24OPS			1108	1175	1235	1361	1491	1611	1737	1865	2114
	24" Open Arm v CRE2-P24OPP	vith arm	cap	1128	1195	1257	1382	1513	1630	1758	1885	2133
	24" Closed Arm CRE2-P24CLS			1373	1478	1562	1723	1888	2040	2209	2382	2679
	24" Closed Arm CRE2-P24CLP	with arn	n cap	1395	1499	1582	1745	1909	2062	2230	2404	2700
	30" Open Arm CRE2-P30OPS			1315	1403	1493	1654	1840	2008	2178	2366	2688
	30" Open Arm v CRE2-P30OPP	vith arm	сар	1337	1425	1515	1676	1860	2028	2177	2384	2709
	30" Closed Arm CRE2-P30CLS			1581	1707	1793	2014	2238	2439	2649	2881	3254
	30" Closed Arm CRE2-P30CLP	with arn	n cap	1603	1727	1814	2036	2258	2459	2672	2904	3275
DESCRIPTION	MODEL	COM 1	2	COL 3	FABF 4	RIC GRAI	DES 6	ا 7	EATHEI	R 9	WEIGH ⁻	Γ CUBE
	Adjustable Head				•			-				
	CRE2-RH	148	160	174	194	214	235	253	274	314	3	0.9

Line	Series	Chair Style	Size	Arm Style
CRE	2	Р	21	OPS
Cressida	Chair	Patient		Open Arm
			24	OPP
				Open Arm
				Polymer Arm Cap
			30	CLS
				Closed Arm
			44	CLP
				Closed Arm
				Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING INSTRUCTIONS

To aid you in the process of specifying and ordering Cressida Multiple Seating, we have compiled the following summary. It explains the three different types of Cressida Multiple Seating – (a) Pre-Configured, (b) Start, Center & End Units and (c) the Freespan Multiple Units – including the features and considerations of each type, to assist in selecting the one that best suits each application. It is a requirement for all Cressida Multiple Seating orders, a drawing or plan view layout must accompany the order, so that we can verify that the specification is correct.

When building your multiple seating layout, please note that your order should start from left to right as you are facing the configuration.


Pre-Configured Multiple Units

Pre-Configured Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size (see picture below).



Considerations if choosing to use Pre-Configured Units:

- Linking tables can be joined to either end of a Pre-Configured Multiple Unit, but not in-between
- There are no limitations to the number of Pre-Configured Multiple units that can be ganged together with the Cressida Linking Tables
- Pre-Configured Multiple Units are not available in 30" or 44" plus widths
- Pre-Configured Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Cressida Linking Table or linking brackets are used in-between the different types of multiple seating.
- Pre-Configured Multiple Units are built from Start, Center and End Units and therefore, can be reconfigured to singular or two-seat units. However, you may have to purchase additional components (arms, etc...) to be able to do this. See line drawings below for possible configurations that can be made from taking apart the Pre-Configured Multiple Units.



*Please note:

Example #1-A requires an additional end unit arm for chair A, and a start unit arm for chair B.


Example #1-B requires an additional end unit arm for chair A, a start and end unit arm for chair B, and a start unit arm for chair C.

Start, Center and End Multiple Seating Units

Start, Center and End Multiple Units are designed to be used when you have seating configurations that are greater than three chair units in size, and/or include 30" or 44" units (see picture below). Also, before you start to build your multiple seating layout, please note that your order should start from left to right as you are facing the chair, therefore begin the configuration with a Start Unit, then move to a Center Unit and finish with an End Unit.


Considerations if choosing to use Start, Center and End Multiple Units:

- Start, Center and End units are available in widths Guest (21", 24", 30" & 44") and Patient (21", 24" & 30")
- There are no limitations to the amount of center units that can be ganged to a start or an end unit
- Cressida Linking Tables can be joined to any Cressida Start or End unit only (this is because the units are engineered with the finished arms)



CRESSIDA | MULTIPLE SEATING INSTRUCTIONS

See below for sample configurations of when you would use Start, Center and End Multiple Units.



Freespan Multiple Units


Freespan Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size and a reduced number of legs are desirable. (see picture below).



Considerations if choosing to use Freespan Multiple Units:

- The unit with the center arm increases the overall width of the unit by 1" per arm
- Linking tables can be joined to either side of a Freespan Multiple Unit, but not in-between
- There are no limitations to the number of Freespan Multiple units that can be ganged together with the Cressida Linking Tables or linking brackets.
- Freespan Multiple Units are not available in 30" or 44" plus widths
- Freespan Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Cressida Linking Table or linking brackets are used in-between the different types of multiple seating.

Below illustrates possible configurations when you could use all three types of Cressida Multiple Seating together.



For more information on how to specify Cressida Multiple Seating, please contact Customer Service directly at 1-888-578-5784.

CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

DIMENSIONS & COM REQUIREMENTS

		Overall Depth			Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	Fabric Back Yardage	Fabric Closed Arm Panel Yardage
PCG21X2	47.25	28.5	33.75	18.5	26	21	18.75	82	30	2.6	1.2	1.4	0.4
PCP21X2	47.25	28.5	43.5	18.5	26	21	18.75	88	38	3.2	1.2	2	0.4
PCG21X3	. •	28.5	33.75	18.5	26	21	18.75	117	44	4.08	2	2.08	0.4
PCP21X3	70	28.5	43.5	18.5	26	21	18.75	125	56	5	2	3	0.4
PCG24X2		28.5	33.75	18.5	26	24	18.75	85	34	3.3	1.2	2.08	0.4
PCP24X2	53.25	28.5	43.5	18.5	26	24	18.75	95	43	4.14	1.2	3	0.4
PCG24X3		28.5	33.75	18.5	26	24	18.75	121	50	5.05	2	3.48	0.4
PCP24X3	79	28.5	43.5	18.5	26	24	18.75	135	63	6.25	2	4.9	0.4

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to <u>page</u> 544 for C.O.M approval process.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	60
Removable Seat Covers	79
Guest Removeable 21" & 24" Back Covers	51
Patient Removeable 21" & 24" Back Covers	79
21" & 24" Cleanable Under-Seat Splashquard	56

Patient backs are available on multiple units, please change the model number CRE2-PC**G** to CRE2-PC**G** to CRE2-PC**G** to CRE2-PC**G** to CRE2-PC**P** and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
21" Chairs	77	89	101	117	138	153	173	198	223	
24" Chairs	87	100	112	128	148	165	185	210	233	

WEIGHT CAPACITIES

Cressida weight capacities are as follows:

Pre-configured - 350 lbs per seat

PRE-CONFIGURED MULTIPLE UNITS

Two-Seat



CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

			COM		COL	FAE	RIC GF	ADES	L	EATHER	3
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	2 Seat - 21" Open Arm	Pre-configured l	Jnit, Gu	est Back	S						
	CRE2-PCG21X2OPS	Beech, Maple	1879	1973	2066	2198	2347	2477	2628	2817	3003
	CRE2-PCG21X2OPP		1910	2006	2099	2230	2378	2511	2659	2848	3035
	2 Seat - 21" Closed Ar	m Pre-configured	l Unit, G	iuest Bad	cks						
	CRE2-PCG21X2CLS	Beech, Maple	2275	2426	2555	2737	2944	3127	3333	3594	3853
	CRE2-PCG21X2CLP		2308	2459	2589	2770	2977	3159	3366	3625	3884
	3 Seat - 21" Open Arm CRE2-PCG21X3OPS CRE2-PCG21X3OPP	Pre-configured l Beech, Maple	,			3191	3431	3637 3680	3873 3916	4168	4466 4509
	ONEZ-FOGZ IASOFF		2734	2881	3030	3230	3473	3680	3916	4212	4509
	3 Seat - 21" Closed Ar	•				0046	1000	4500	4046	5005	5506
	CRE2-PCG21X3CLS	Beech, Maple	3219	3444	3639	3912	4228	4500	4813	5205	5596
	CRE2-PCG21X3CLP		3263	3488	3682	3956	4271	4545	4856	5250	5640

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	60
Removable Seat Covers	79
Guest Removeable 21" & 24" Back Covers	51
Patient Removeable 21" & 24" Back Covers	79
21" & 24" Cleanable Under-Seat Splashguard	56
PRODUCT CODE KEY	

DOCT CODE RET				
Line	Series	Chair Style	Size	Arm Style
CRE	2	PCG	21x2	OPS
Cressida	Chair	Pre-configured Guest		Open Arm
		PCP	21x3	OPP
		Pre-configured Patient		Open Arm
				Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	CLP
				Closed Arm
				Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

			COM		COL	FAE	BRIC GE	RADES		LEATHE	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	2 Seat - 24" Open Arm	n Pre-configured	Unit, G	uest Bac	ks						
	CRE2-PCG24X2OPS	Beech, Maple	1938	2033	2127	2258	2407	2539	2688	2876	3065
	2 Seat - 24" Open Arm CRE2-PCG24X2OPP	n with arm cap P		gured Ur 2064	,	t Backs 2289	2439	2570	2721	2908	3098
	2 Seat - 24" Closed Ar	m Pre-configure	d Unit	Guest Ba	ncks						
	CRE2-PCG24X2CLS	Beech, Maple			2616	2798	3005	3186	3397	3653	3911
	2 Seat - 24" Closed Ar	m with arm cap		_							
	CRE2-PCG24X2CLP		2369	2519	2648	2832	3036	3219	3428	3685	3943
	3 Seat - 24" Open Arm	n Pre-configured	Unit, G	uest Bac	ks						
	CRE2-PCG24X3OPS	Beech, Maple	2804	2952	3100	3306	3542	3749	3985	4282	4576
	0.0 1 0.47 0 4	5									
	3 Seat - 24" Open Arm CRE2-PCG24X3OPP	n with arm cap Pi	re-confi 2847	-		t Backs 3349	3585	3794	4029	4327	4619
	UNEZ-FUGZ4X3UFF		2047	2992	3141	3349	3363	3794	4029	4327	4619
U											
	3 Seat - 24" Closed Ar					4007	40.44	4010	1007	E010	F710
	CRE2-PCG24X3CLS	beech, Maple	3333	3005	3751	4027	4341	4613	4927	5318	5/10
	3 Seat - 24" Closed Ar	m with arm cap	Pre-cor	nfiaured l	Jnit. Gue	est Back	(S				
	CRE2-PCG24X3CLP	554	3376	3600	3796	4071	4383	4656	4972	5241	5752
<i>-</i>											

A drawing showing the configuration of the multiple seating and tables is required with each purchase order. ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	60
Removable Seat Covers	79
Guest Removeable 21" & 24" Back Covers	51
Patient Removeable 21" & 24" Back Covers	79
21" & 24" Cleanable Under-Seat Splashguard	56

Patient backs are available on multiple units, please change the model number CRE2-PCG to CRE2-PCG to CRE2-PCG to CRE2-PCG to CRE2-PCG to CRE2-PCG and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	77	89	101	117	138	153	173	198	223
24" Chairs	87	100	112	128	148	165	185	210	233

SBOOT GODE NET				
Line	Series	Chair Style	Size	Arm Style
CRE	2	PCG	21x2	OPS
Cressida	Chair	Pre-configured Guest		Open Arm
		PCP	21x3	OPP
		Pre-configured Patient		Open Arm
				Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	CLP
				Closed Arm
				Polymer Arm Cap

DIMENSIONS & COM REQUIREMENTS

CRESSIDA START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	Fabric Closed Arm Panel (1 Arm) Yardage	Fabric Closed Arm Panel (2 Arms) Yardage
SG21	24.5	28.5	33.75	18.5	26	21	18.75	47	14	1.4	0.8	0.7	0.4	0.8
SP21	24.5	28.5	43.75	18.5	26	21	18.75	49	17	1.8	0.8	1	0.4	0.8
SG24	27.5	28.5	33.75	18.5	26	24	18.75	52	19	1.4	0.8	0.7	0.4	0.8
SP24	27.5	28.5	43.75	18.5	26	24	18.75	55	22	1.8	0.8	1.95	0.4	0.8
SG30	33.5	28.5	33.75	18.5	26	30	18.75	61	20	2.5	1.1	1.4	0.4	0.8
SP30	33.5	28.5	43.75	18.5	26	30	18.75	64	28	3.15	1.1	1.95	0.4	0.8
SG44	47.5	28.5	33.75	18.5	26	44	18.75	73	28	2.5	1.1	1.4	0.4	0.8

COM

COM

CRESSIDA	CENITED	LIMITO

	Overall Width	Overall Depth	Overall Height		Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	Fabric Seat Yardage	Fabric Back Yardage	Fabric Closed Arm Panel Yardage
CG21	22.75	28.5	33.75	18.5	26	21	18.75	41	14	1.4	0.8	0.7	0.4
CP21	22.75	28.5	43.75	18.5	26	21	18.75	44	17	1.8	0.8	1	0.4
CG24	25.75	28.5	33.75	18.5	26	24	18.75	45	19	1.4	0.8	0.7	0.4
CP24	25.75	28.5	43.75	18.5	26	24	18.75	50	22	1.8	0.8	1.95	0.4
CG30	31.75	28.5	33.75	18.5	26	30	18.75	54	20	2.5	1.1	1.4	0.4
CP30	31.75	28.5	43.75	18.5	26	30	18.75	56	28	3.15	1.1	1.95	0.4
CG44	45.75	28.5	33.75	18.5	26	44	18.75	67	28	2.5	1.1	1.4	0.4

CRESS	IDA	END	UNITS
-------	-----	-----	-------

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
EG21	22.75	28.5	33.75	18.5	26	21	18.75	38	14	1.4	0.8	0.7	0.4
EP21	22.75	28.5	43.75	18.5	26	21	18.75	41	17	1.8	0.8	1	0.4
EG24	25.75	28.5	33.75	18.5	26	24	18.75	41	19	1.4	8.0	0.7	0.4
EP24	25.75	28.5	43.75	18.5	26	24	18.75	46	22	1.8	8.0	1.85	0.4
EG30	31.75	28.5	33.75	18.5	26	30	18.75	51	20	2.5	1.1	1.4	0.4
EP30	31.75	28.5	43.75	18.5	26	30	18.75	53	28	3.15	1.1	1.95	0.4
EG44	45.75	28.5	33.75	18.5	26	44	18.75	63	28	2.5	1.1	1.4	0.4

When ordering more than one Start, Center or End unit, please refer to <u>page</u> 19 for COM yardage requirements for guest chairs or <u>page</u> 58 for COM yardage requirements for patient chairs.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List	Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	60	Patient Removeable 21" & 24" Back Covers	79
Removable Seat Covers	79	Patient Removeable 30" Back Covers	127
Guest Removeable 21" & 24" Back Covers	51	21" & 24" Cleanable Under-Seat Splashguard	556
Guest Removeable 30" & 44" Back Covers	79	30" Cleanable Under-Seat Splashguard	62
		44" Cleanable Under-Seat Splashquard	75


Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	77	89	101	117	138	153	173	198	223
24" Chairs	87	100	112	128	148	165	185	210	233
30" Chairs	124	141	156	176	202	224	249	281	312

WEIGHT CAPACITIES

Cressida weight capacities are as follows: Multiple Seating & Pre-configured - 350 lbs per seat

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FABI 4	RIC GRA	ADES 6	7	EATHEF 8	9
Start	21" Open Arm Start L CRE2-SG21OPS	Jnit, Guest Back Beech, Maple	1027	1081	1134	1210	1294	1372	1456	1567	1675
	21" Open Arm with an CRE2-SG21OPP	rm cap Start Unit		Back 1100	1177	1231	1315	1393	1479	1586	1696
	21" Closed Arm Start CRE2-SG21CLS	Unit, Guest Bacl Beech, Maple		1382	1457	1570	1695	1804	1929	2083	2240
	21" Closed Arm with CRE2-SG21CLP	arm cap Start Un	-	t Back 1403	1480	1591	1714	1824	1951	2105	2260
	21" Closed Arm / Ope CRE2-SG21COS	en Center Arm St Beech, Maple			ack 1295	1390	1493	1589	1693	1825	1958
	21" Closed Arm with CRE2-SG21COP	arm cap / Open (Center A 1179	rm with a	arm cap 1317		iit, Gues 1515		1713	1846	1980
	24" Open Arm Start U CRE2-SG24OPS	Jnit, Guest Back Beech, Maple	1070	1124	1177	1254	1340	1417	1501	1611	1720
	24" Open Arm with an CRE2-SG24OPP	rm cap Start Unit	, Guest I 1089	Back 1144	1197	1275	1360	1437	1522	1630	1740
	24" Closed Arm Start CRE2-SG24CLS	Unit, Guest Bacl Beech, Maple		1426	1503	1616	1738	1847	1973	2129	2285
	24" Closed Arm with CRE2-SG24CLP	arm cap Start Un	it, Gues 1356	t Back 1447	1525	1636	1759	1870	1994	2151	2307
	24" Closed Arm / Ope CRE2-SG24COS	en Center Arm St Beech, Maple			ack 1342	1434	1540	1630	1737	1870	2085
	24" Closed Arm with CRE2-SG24COP	arm cap / Open (rm with a	arm cap 1361		it, Gues 1559		1758	1889	2106



OT CODE ILL				
Line	Series	Chair Style	Size	Arm Style
CRE	2	SG	21	OPS
Cressida	Chair	Start Unit Guest Multiple Seating		Open Arm
		CG	24	OPP
		Center Unit Multiple Seating		Open Arm Polymer Arm Cap
		EG	30	cos
		End Unit Multiple Seating		Closed Arm/Open Center Arm
			44	COP
				Closed Arm/Open Center Arm Polymer Arm Cap
				CLS
				Closed Arm
				CLP
				Closed Arm Polymer Arm Cap

			COM		COL	FAB	RIC GR	RADES	L	EATHE	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	30" Open Arm Start U CRE2-SG30OPS	nit, Guest Back Beech, Maple	1291	1368	1447	1547	1667	1771	1890	2038	2189
	30" Open Arm with an CRE2-SG30OPP	m cap Start Unit,	Guest E 1313	3ack 1388	1468	1569	1686	1791	1885	2060	2211
	30" Closed Arm Start CRE2-SG30CLS	Beech, Maple	1558	1672	1770	1908	2064	2203	2362	2558	2755
	30" Closed Arm with a CRE2-SG30CLP	arm cap Start Un	it, Guest 1580	1692	1790	1929	2085	2224	2382	2578	2776
	30" Closed Arm/Open		-			4707	1000	1000	0400		
	CRE2-SG30COS	Beech, Maple	1426	1520	1606	1727	1866	1986	2126	2299	2448
	30" Closed Arm with a CRE2-SG30COP	arm cap/Open Ce	enter Arr 1447	n with ai 1541	m cap S [.] 1626	tart Unit 1749	, Guest 1887		2147	2320	2468
	44" Open Arm Start U	nit Guest Back									
	CRE2-SG44OPS	Beech, Maple	1768	1865	1947	2038	2191	2307	2435	2600	2764
	44" Open Arm with an	m cap Start Unit,	Guest E	Back							
	CRE2-SG44OPP		1788	1885	1967	2060	2213	2326	2455	2619	2783
	44" Closed Arm Start	Unit Guest Back	•								
	CRE2-SG44CLS	Beech, Maple		2168	2273	2422	2591	2737	2907	3117	3330
	44" Closed Arm with a CRE2-SG44CLP	arm cap Start Un	-	Back 2188	2294	2442	2612	2758	2928	3138	3350
	44" Closed Arm/Open	Center Arm Sta	rt Unit. G	Guest Ba	.ck						
	CRE2-SG44COS	Beech, Maple	1916		2110	2392	2376	2521	2673	2859	3044
	44" Closed Arm with a CRE2-SG44COP	arm cap/Open Ce	enter Arr 1937	n with ai	m cap S ⁻ 2131	tart Unit 2411	, Guest 2397	Back 2544	2693	2880	3066
<i>Ш</i>	51 LL 0044001		1301	2001	2131	<u> </u>	2391	ZJ44	2030	2000	3000

Line	Series	Chair Style	Size	Arm Style
CRE Cressida	2 Chair	SG Start Unit Guest Multiple Seating	21	OPS Open Arm
		CG	24	OPP
		Center Unit Multiple Seating EG	30	Open Arm Polymer Arm Cap
		End Unit Multiple Seating		Closed Arm/Open Center Arm
			44	COP Closed Arm/Open Center Arm
				Polymer Arm Cap
				Closed Arm
				CLP Closed Arm Polymer Arm Cap

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR. 5	ADES 6	7 L	₹ 9	
Center	21" Open Arm Center CRE2-CG21OPS	Unit, Guest Back Beech, Maple	964	1017	1072	1149	1235	1312	1397	1505	1616
	21" Open Arm with arr CRE2-CG21OPP	n cap Center Uni	t, Guest 977	Back 1031	1084	1162	1247	1321	1406	1517	1625
	21" Closed Arm Cente CRE2-CG21CLS	er Unit, Guest Bac Beech, Maple	k 1095	1171	1236	1328	1434	1526	1632	1762	1896
	21" Closed Arm with a CRE2-CG21CLP	ırm cap Center U	nit, Gues 1108		1248	1340	1446	1539	1644	1775	1908
	24" Open Arm Center CRE2-CG24OPS	Unit, Guest Back Beech, Maple	1014	1069	1123	1197	1285	1360	1447	1555	1663
	24" Open Arm with arr CRE2-CG24OPP	n cap Center Uni		Back 1081	1135	1210	1295	1372	1456	1568	1675
	24" Closed Arm Cente CRE2-CG24CLS	er Unit, Guest Bac Beech, Maple	ck 1147	1221	1286	1377	1483	1576	1682	1814	1947
	24" Closed Arm with a CRE2-CG24CLP	ırm cap Center U	nit, Gue: 1157		1296	1390	1496	1589	1695	1825	1958
	30" Open Arm Center CRE2-CG30OPS	Unit, Guest Back Beech, Maple	1199	1274	1349	1453	1572	1677	1796	1947	2095
	30" Open Arm with arr CRE2-CG30OPP	m cap Center Uni	t, Guest 1211		1360	1465	1583	1687	1807	1958	2107
	30" Closed Arm Cente CRE2-CG30CLS	er Unit, Guest Bac Beech, Maple	1333	1426	1514	1634	1772	1893	2033	2206	2325
	30" Closed Arm with a CRE2-CG30CLP	ırm cap Center U	nit, Gue 1344	st Back 1437	1524	1646	1784	1906	2043	2215	2337

OCT CODE KEY				
Line	Series	Chair Style	Size	Arm Style
CRE Cressida	2 Chair	SG Start Unit Guest Multiple Seating	21	OPS Open Arm
		CG Center Unit Multiple Seating	24	OPP Open Arm Polymer Arm Cap
		EG End Unit Multiple Seating	30	COS Closed Arm/Open Center Arm
			44	COP Closed Arm/Open Center Arm
				Polymer Arm Cap CLS
				Closed Arm

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR 5	ADES 6	ا 7	_EATHE 8	R 9
	44" Open Arm Center CRE2-CG44OPS	Unit, Guest Bac Beech, Maple		1548	1627	1745	1874	1988	2118	2283	2447
	44" Open Arm with an CRE2-CG44OPP	m cap Center Ur		t Back 1559	1640	1756	1885	2003	2129	2293	2455
	44" Closed Arm Cente CRE2-CG44CLS	er Unit, Guest Ba Beech, Maple		1701	1793	1924	2075	2205	2353	2542	2730
	44" Closed Arm with a CRE2-CG44CLP	arm cap Center l		est Back 1710	1805	1936	2085	2214	2368	2550	2741
End	21" Open Arm End Ur CRE2-EG21OPS	nit, Guest Back Beech, Maple	918	971	1028	1102	1190	1263	1351	1457	1568
	21" Open Arm with an CRE2-EG21OPP	m cap End Unit,	Guest B 930	ack 984	1038	1113	1202	1275	1362	1472	1577
	21" Closed Arm End L CRE2-EG21CLS	Jnit, Guest Back Beech, Maple	1053	1123	1191	1284	1388	1480	1586	1718	1850
	21" Closed Arm with a CRE2-EG21CLP	arm cap End Uni		Back 1135	1203	1294	1400	1492	1596	1728	1861
	24" Open Arm End Ur CRE2-EG24OPS	nit, Guest Back Beech, Maple	968	1023	1079	1151	1238	1314	1401	1507	1618
	24" Open Arm with an CRE2-EG24OPP	m cap End Unit,	Guest B 981	ack 1034	1087	1164	1250	1325	1412	1520	1627
	24" Closed Arm End L CRE2-EG24CLS	Jnit, Guest Back Beech, Maple	1100	1174	1239	1330	1437	1528	1636	1768	1899
	24" Closed Arm with a CRE2-EG24CLP	arm cap End Uni		Back 1184	1251	1343	1448	1541	1647	1777	1910

OOT OODL KLT				
Line	Series	Chair Style	Size	Arm Style
CRE	2	SG	21	OPS
Cressida	Chair	Start Unit Guest Multiple Seating		Open Arm
		CG	24	OPP
		Center Unit Multiple Seating		Open Arm Polymer Arm Cap
		EG	30	cos
		End Unit Multiple Seating	<u> </u>	Closed Arm/Open Center Arm
			44	COP
				Closed Arm/Open Center Arm
				Polymer Arm Cap
				CLS
				Closed Arm
				CLP
				Closed Arm Polymer Arm Cap

		COM				COL FABRIC GRADES				LEATHER		
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9	
	30" Open Arm End Uni CRE2-EG30OPS 30" Open Arm with arm CRE2-EG30OPP	Beech, Maple		1226 ck 1238	1304 1314	1406 1419	1526 1539	1630 1643	1751 1761	1899 1888	2051	
	30" Closed Arm End Un CRE2-EG30CLS 30" Closed Arm with ar CRE2-EG30CLP	Beech, Maple	1286 Guest E 1296	1379 Back 1391	1465 1476	1589 1598	1726 1737	1847 1859	1985 1994	2159 2171	2332	
	44" Open Arm End Unit CRE2-EG44OPS 44" Open Arm with arm CRE2-EG44OPP	Beech, Maple		1501 ck 1514	1583 1594	1697 1708	1827 1840	1940 1953	2073	2235 2245	2398	
	44" Closed Arm End Un CRE2-EG44CLS 44" Closed Arm with ar CRE2-EG44CLP	Beech, Maple	1552 Guest E 1565		1748 1758	1878 1888	2028	2159 2171	2308 2318	2495 2507	2682	

Patient backs are available on multiple units, please change the model number CRE2-S**G** to CRE2-S**P**, CRE2-C**G** to CRE2-C**P**, CRE2-E**G** to CRE2-E**P** and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	77	89	101	117	138	153	173	198	223
24" Chairs	87	100	112	128	148	165	185	210	233
30" Chairs	124	141	156	176	202	224	249	281	312

Line	Series	Chair Style	Size	Arm Style
CRE Cressida	2 Chair	SG Start Unit Guest Multiple Seating	21	OPS Open Arm
		CG	24	OPP
		Center Unit Multiple Seating		Open Arm Polymer Arm Cap
		EG	30	cos
		End Unit Multiple Seating		Closed Arm/Open Center Arm
			44	COP
				Closed Arm/Open Center Arm Polymer Arm Cap
				CLS
				Closed Arm
				CLP
				Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS

DIMENSIONS & COM REQUIREMENTS

UNIT WITH (CENTER	ARM										
	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage
PCFG21X2B	47.25	28.5	33.75	18.5	26	21	18.75	97	30	2.6	1.2	1.4
PCFP21X2B	47.25	28.5	43.5	18.5	26	21	18.75	103	38	3.19	1.2	2
PCFG21X3B	70	28.5	33.75	18.5	26	21	18.75	135	44	4.08	2	2.08
PCFP21X3B	70	28.5	43.5	18.5	26	21	18.75	145	56	5	2	3
PCFG24X2B	53.25	28.5	33.75	18.5	26	24	18.75	104	34	3.3	1.2	2.08
PCFP24X2B	53.25	28.5	43.5	18.5	26	24	18.75	111	43	4.2	1.2	2.95
PCFG24X3B	79	28.5	33.75	18.5	26	24	18.75	147	50	5.1	2	3.48
PCFP24X3B	79	28.5	43.5	18.5	26	24	18.75	157	63	6.24	2	4.9

UNIT WITH CENTER ARM, GUEST AND PATIENT BACKS										
Unit	COM	COM	COM							
With	Fabric	Fabric	Fabric							
Center Arm	Closed Arm	Closed Arm	Closed Arm							
(Continued)	Panels (2 Arms)	Panels (3 Arms)	Panels (4 Arms)							
PCF21X2B PCF21X3B	.8 .8	1.2 1.2	1.6							
PCF24X2B	.8	1.2	1.6							
PCF24X3B	.8	1.2	1.6							

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

ORDERING NOTES

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	60
Removable Seat Covers	79
Guest Removeable 21" & 24" Back Covers	51
Patient Removeable 21" & 24" Back Covers	79
21" & 24" Cleanable Under-Seat Splashguard	56

Patient backs are available on multiple units, please change the model number CRE2-S**G** to CRE2-S**P**, CRE2-C**G** to CRE2-C**P**, CRE2-E**G** to CRE2-E**P** and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
21" Chairs	77	89	101	117	138	153	173	198	223	
24" Chairs	87	100	112	128	148	165	185	210	233	

WEIGHT CAPACITIES

Cressida weight capacities are as follows:

- 2-Seat Freespan 525 lbs per unit
- 3-Seat Freespan 750 lbs per unit

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

		COM			COL	FABF	RIC GRA	DES	LEATHER		
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	21" Pre-Configured Free CRE2-PCFG21X2OPS				Arm 2 Sea 2309	at, Gues 2461	t Backs 2633	2785	2958	3176	3391
	21" Pre-Configured Free CRE2-PCFG21X2OPP	espan Center Ar	m Unit 2126	- Open <i>A</i> 2234	Arm with a 2341	arm cap 2493	2 Seat, 2665	Guest I 2818	Backs 2989	3208	3422
	21" Pre-Configured Free	espan Center Ar	m Unit	- Closed	Arm 2 S	eat, Gue	est Back	(S			
	CRE2-PCFG21X2CLS	Beech, Maple	2491	2655	2799	3002	3233	3435	3665	3951	4241
	21" Pre-Configured Free CRE2-PCFG21X2CLP	espan Center Ar	m Unit 2521	- Closed 2688	Arm with 2833	n arm ca 3034	ap 2 Sea 3264	at, Gues 3467	t Backs 3697	3983	4273
	21" Pre-Configured Free	espan Center Ar	m Unit	- Open A	Arm 3 Sea	at. Gues	t Backs				
	CRE2-PCFG21X3OPS	•		•	3471	3698		4185	4443	4770	5094
	21" Pre-Configured Free CRE2-PCFG21X3OPP	espan Center Ar	m Unit	- Open <i>A</i> 3351	Arm with	arm cap 3743	3 Seat, 4001	Guest I	Backs 4488	4813	5137
	OTILE I OF GETAGOTT		3100	3331	0010	3743	4001	4223	4400	4010	3137
	21" Pre-Configured Free	espan Center Ar	m Unit	- Closed	Arm 3 S	eat, Gue	est Back	(S			
	CRE2-PCFG21X3CLS	Beech, Maple			4124		4753		5384	5805	6225
	21" Pre-Configured Free	espan Center Ar	m Unit	- Closed	Arm with	n arm ca	ıp 3 Sea	at, Gues	t Backs		
	CRE2-PCFG21X3CLP		3719	3957	4167	4742	4797	5093	5428	5846	6267

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	60
Removable Seat Covers	79
Guest Removeable 21" & 24" Back Covers	51
Patient Removeable 21" & 24" Back Covers	79
21" & 24" Cleanable Under-Seat Splashguard	56

Patient backs are available on Freespan units, please change the model number CRE2-PCFG to CRE2-PCFP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	77	89	101	117	138	153	173	198	223
24" Chairs	87	100	112	128	148	165	185	210	233

PRODU	JCT	CODE	KEY

, o . o o b z . n z .				
Line	Series	Chair Style	Size	Arm Style
CRE	2	PCFG	21x2	OPS
Cressida	Chair	Pre-configured Freespan Guest		Open Arm
			21x3	OPP
				Open Arm Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	CLP
				Closed Arm
				Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

		COM				FABR	IC GRA		LEATHER		
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	24" Pre-Configured Free	espan Center Ar	m Unit	- Open A	rm 2 Se	at, Gues	t Backs	;			
	CRE2-PCFG24X2OPS	Beech, Maple	2188	2298	2404	2555	2730	2880	3053	3269	3487
	24" Pre-Configured Free	espan Center Ar									
<i>U</i> - 0	CRE2-PCFG24X2OPP		2219	2328	2435	2589	2760	2911	3084	3303	3518
U											
	24" Pre-Configured Free	espan Center Ar	m Unit	- Closed	Arm 2 S	Seat. Gue	est Back	(S			
	CRE2-PCFG24X2CLS	•			2896	3099	3325		3761	4048	4334
		,									
	24" Pre-Configured Free	espan Center Ar	m Unit	- Closed	Arm wit	h arm ca	ap 2 Sea	at, Gues	t Backs		
<i>u</i>	CRE2-PCFG24X2CLP		2617	2783	2928	3130	3358	3563	3792	4078	4368
	24" Pre-Configured Free	•				,					
	CRE2-PCFG24X3OPS	Beech, Maple	3287	3448	3612	3840	4100	4327	4586	4910	5239
	04" Due Configurad Fra	Ot A-	1 1	0			0.0	0	Daala		
	24" Pre-Configured Free CRE2-PCFG24X3OPP	espan Center Ar	3331	- Open <i>A</i> 3492	3654	arm cap 3883	4141	, Guest 1 4369	4629	4953	5281
<i>"</i>	UNEZ-FUFGZ4X3UFF			0.02		0000		.000	.020	.000	020.
	24" Pre-Configured Free	espan Center Ar	m Unit	- Closed	Arm 3 S	eat, Gue	est Bacl	KS .			
	CRE2-PCFG24X3CLS	Beech, Maple	3817	4055	4265	4561	4895	5190	5526	5946	6367
	24" Pre-Configured Free	espan Center Ar					•	,			
<i>U</i>	CRE2-PCFG24X3CLP		3860	4100	4308	4603	4939	5232	5568	5989	6410

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	60
Removable Seat Covers	79
Guest Removeable 21" & 24" Back Covers	51
Patient Removeable 21" & 24" Back Covers	79
21" & 24" Cleanable Under-Seat Splashguard	56

Patient backs are available on Freespan units, please change the model number CRE2-PCFG to CRE2-PCFP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	77	89	101	117	138	153	173	198	223
24" Chairs	87	100	112	128	148	165	185	210	233

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCFG	21x2	OPS
Cressida	Chair	Pre-configured Freespan Guest		Open Arm
			21x3	OPP Open Arm
				Polymer Arm Cap
			24x2	CLS Closed Arm
			24x3	CLP
				Closed Arm

Polymer Arm Cap

CRESSIDA | GUEST & PATIENT REPLACEMENT COMPONENTS

		COM		COL	FAE	BRIC GR	ADES		LEATHER	3		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	WEIGHT	CUBE
	21" Replacem CRE2-RBCG2		Back Co 180	vers 208	245	287	326	369	422	475	2	0.8
	24" Replacem CRE2-RBCG2		Back Co 182	vers 208	246	287	326	369	422	476	2.3	0.8
	30" Replacem CRE2-RBCG3		Back Co 256	vers 305	370	448	515	589	684	779	2.6	0.8
	44" Replacem CRE2-RBCG4		Back Co 270	vers 315	382	457	525	602	697	791	3.5	0.8
	21" Replacem CRE2-RBCP2		Back Co 271	overs 316	382	458	526	602	697	791	1.9	1.0
_ \	24" Replacem CRE2-RBCP2		Back Co 281	overs 328	393	472	539	613	708	806	2.7	1.0
	30" Replacem CRE2-RBCP3		Back Co 321	overs 383	472	570	657	757	883	1006	3	1.0
	21" Replacem CRE2-RS21	ent Guest 8 349	& Patient 379	t Seat 408	450	498	539	585	645	704	9.5	2.7
	24" Replacem CRE2-RS24	ent Guest 8 380	& Patient 409	t Seat 439	479	526	569	616	675	735	10	2.7
	30" Replacem CRE2-RS30	423	452	480	524	570	612	659	719	778	11.5	3.4
	44" Replacem CRE2-RS44	ent Guest 8 519	& Patient 555	t Seat 592	645	705	757	817	891	967	16.5	4.8
	21" Replacem CRE2-RSC21	ent Guest 8	& Patient	t Seat Co 213	ver 253	299	342	389	449	507	1.6	0.8
	24" Replacem CRE2-RSC24	ent Guest 8 153	& Patient 184	t Seat Co 213	ver 253	303	342	389	450	507	1.7	0.8
	30" Replacem CRE2-RSC30	ent Guest 8 156	& Patient 185	t Seat Co 214	ver 254	304	343	391	450	508	2	1.0
	44" Replacem CRE2-RSC44	ent Guest 8 173	& Patient 212	t Seat Co 249	ver 299	361	412	473	548	621	2.5	1.0
	Replacement CRE2-RCAL CRE2-RCAR CRE2-RCAC CRE2-RCACF	276	tient Clo 299	osed Arm 326	Panel 359	398	434	474	524	547	8	.5

CRESSIDA | GUEST & PATIENT REPLACEMENT COMPONENTS


DESCRIPTION	MODEL SPECIES	PRICE	WEIGHT CUBE			
	Replacement Guest & Patient Fron Open Arm CRE2-RLFSOPS Beech, Maple	t Start Arm & Leg 157	4.0 1.3			
	Open Arm Polymer Cap CRE2-RLFSOPP Beech, Maple	180	4.0 1.3			
	Closed arm CRE2-RLFSCLS Beech, Maple,	161	4.0 1.3			
	Closed Arm Polymer Cap CRE2-RLFSCLP Beech, Maple,	187	4.0 1.3			
	Replacement Guest & Patient Fron Open Arm CRE2-RLFCOPS Beech, Maple	t Center Arm & Leg	4.0 1.3			
	Open Arm Polymer Cap CRE2-RLFCOPP Beech, Maple	180	4.0 1.3			
	Closed arm CRE2-RLFCCLS Beech, Maple	161	4.0 1.3			
	Closed Arm Polymer Cap CRE2-RLFCCLP Beech, Maple	187	4.0 1.3			
	Replacement Guest & Patient Fron	t End Arm & Leg				
	Open Arm CRE2-RLFEOPS Beech, Maple	157	4.0 1.3			
	Open Arm Polymer Cap CRE2-RLFEOPP Beech, Maple	180	4.0 1.3			
	Closed arm CRE2-RLFECLS Beech, Maple	161	4.0 1.3			
	Closed Arm Polymer Cap CRE2-RLFECLP Beech, Maple	187	4.0 1.3			
	Replacement Polymer Arm Cap Bla CRE2-RACB	ack 24	1.0 .3			
	Replacement Polymer Arm Cap Gr CRE2-RACG	ey 24				
	Replacement Guest & Patient Cent Open Arm	er Freespan Arm				
	CRE2-FFLOA Beech, Maple	161	3.0 1.0			
	Replacement Guest & Patient Back CRE2-RLBS - Start CRE2-RLBC - Center CRE2-RLBE -End	k Leg 90	6.0 1.2			
*	Replaceable Glide - Front* (1) CRE2-RGF	18	.25 .2			
b	Replaceable Glide - Back** (1) CRE2-RGB	19	.25 .2			
	Replaceable Glide - Set of 4 CRE2-RG4	20	1.0 .3			
	Chair to Chair Linking Bracket CRE2-RCCLKB	62	1.5 5			

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 4.22%

POST-CONSUMER RECYCLED CONTENT - 14.49%

Up to 24.32% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Cressida products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | LOUNGE FEATURES & OPTIONS



CLEAN OUT

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.

ARMS AND ARMLESS

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.



GLIDES

Cressida Lounge arm and armless versions are standard with nylon glides.

WEIGHT CAPACITIES

Cressida weight capacities are as follows:
One-Seat-350 lbs
One-Seat (Plus) -750 lbs
One-Seat Wide - 350lbs
One-Seat Wide (Plus) - 750lbs
Two-Seat - 525 lbs
Two-Seat (Plus) - 975lbs
Three-Seat - 850 lbs
Three-Seat (Plus) - 1200 lbs

REPLACEABLE COMPONENTS

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.





CASTERS

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



PUSH BAR

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar is powder-coated steel in Silver Metallic finish.

PLUS UPGRADE

Cressida seating is available with optional Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

TABLETS

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

COMBINATION UPHOLSTERY

More than one upholstery cover within the same unit, is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$60 list per arm frame pair or table. Additional Frame Finishes, which include antimicrobial finish, are available for an upcharge of \$60 list per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8

REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with removable seat and back covers.

DIMENSIONS & COM REQUIREMENTS

					Height of	Width		Shipping Weight	Shipping Weight	
	Overall	Overall	Overall	Seat	Arms from	Between	Seat	Open	Closed	
	Width	Depth	Height	Height	Floor	Arms	Depth	Arm	Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Wide	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Wide	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida plus two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Seat, Back & Arms	Seat & Back	Seat Only	Back Only	Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Wide - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Wide - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Wide - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Wide - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to **page** 544 for C.O.M approval process.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Lounge Option Upcharges	\$ List	\$ List					
Moisture Barrier (per yard)	60	One-Seat Removable Back Covers	142				
Push Bar	60	One-Seat Wide Removable Back Covers	212				
Caster Combination (2 legs & 2 rear casters)	142	Two-Seat Removable Back Covers	281				
Casters (set of 4)	212	Three-Seat Removable Back Covers	421				
One-Seat Removable Seat Covers	142	One-Seat - Plus Upgrade	85				
One-Seat Wide Removable Seat Covers	212	One-Seat Wide - Plus Upgrade	113				
Two-Seat Removable Seat Covers	281	Two-Seat - Plus Upgrade	185				
Three-Seat Removable Seat Covers	421	Three-Seat - Plus Upgrade	212				

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

		COM	COM		FAE	BRIC GRAI	DES	LEATHER		
DESCRIPTION/MO	ODEL/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat, Armless CRE3-F1ALS1 n/a	1421	1495	1585	1701	1831	1946	2076	2241	2404
	One-Seat, Open Arm CRE3-F10PS1 Beech, Ma Palette One-Seat, Open Arm with a CRE3-F10PP1 Beech, Ma Palette	arm cap	1721 1791	1804	1908 1973	2043	2172	2301	2453 2520	2623
	One-Seat, Closed Arm CRE3-F1CLS1 Beech, Ma Palette One-Seat, Closed Arm with CRE3-F1CLP1 Beech, Ma Palette	arm cap	2438 2508	2589 2657	2801 2869	3046 3114	3258 3326	3504 3571	3813 3880	4112

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	60	One-Seat Removable Seat Covers	142	
Push Bar	60	One-Seat Removable Back Covers	142	
Caster Combination (2 legs & 2 rear casters)	142	One-Seat - Plus Upgrade	85	
Casters (set of 4)	212			

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	Casters 3 Caster Combination 2 legs & 2 Rear Caster
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

DESCRIPTION/MODE	I /CDECIEC	COM	2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHER 8	9
DESCRIPTION/MODE	L/3PEGIES	'		<u> </u>	4	5	0	- 1	0	9
	One-Seat Wide, Armless CRE3-FB1.5ALS1 n/a	1538	1637	1738	1881	2040	2184	2345	2547	2749
	One-Seat Wide, Open Arm CRE3-FB1.5OPS1 Beech, Maple Palette One-Seat Wide, Open Arm with arm CRE3-FB1.5OPP1 Beech, Maple Palette	1785 n cap 1854	1885 1955	1986 2058	2128 2199	2289 2359	2432 2511	2593 2663	2796 2867	3000
	One-Seat Wide, Closed Arm CRE3-FB1.5CLS1 Beech, Maple Palette One-Seat Wide, Closed Arm with an CRE3-FB1.5CLP1 Beech, Maple Palette	2450 m cap 2519	2620 2690	2794 2865	3036 3105	3312 3382	3553 3624	3831 3901	4170 4241	4787 4858

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	60
One-Seat Wide - Plus Upgrade	113
One-Seat Wide Removable Seat Covers	212
One-Seat Wide Removable Back Covers	212

NOTE: One-Seat Wide Lounge is not available with caster options.

Line Series Chair Style Size Arm Style Leg Style CRE 3 F 1 ALS 1 Cressida Lounge Freestanding One-Seat Armless Legs FB 1.5 OPS Freestanding One-Seat Wide Open Arm Polymer Arm Cap	CRE 3 F 1 ALS 1 Cressida Lounge Freestanding One-Seat Armless Legs FB 1.5 OPS Freestanding One-Seat Wide Open Arm Plus 2 OPP Two-Seat Open Arm						
Cressida Lounge Freestanding One-Seat Armless Legs FB 1.5 OPS Freestanding One-Seat Wide Open Arm Plus 2 OPP Two-Seat Open Arm	Cressida Lounge Freestanding One-Seat Armless Legs FB 1.5 OPS Freestanding One-Seat Wide Open Arm Plus 2 OPP Two-Seat Open Arm Polymer Arm Cap 3 CLS	Line	Series	Chair Style	Size	Arm Style	Leg Style
Freestanding One-Seat Wide Open Arm Plus 2 OPP Two-Seat Open Arm	Freestanding One-Seat Wide Open Arm Plus 2 OPP Two-Seat Open Arm Polymer Arm Cap 3 CLS			<u>.</u>	1 One-Seat		1 Legs
				Freestanding	One-Seat Wide	Open Arm OPP Open Arm	

DECODIDITION/MODEL/O	DEOLEO		COM	0	COL		RIC GRA		7	LEATHER	0
DESCRIPTION/MODEL/S	Two-Seat, Armless		ı	2	3	4	5	6	- 1	8	9
	· ·	n/a	2404	2530	2648	2829	3026	3199	3402	3648	3900
	Two-Seat, Open Arn										
		Beech, Maple Palette	2619	2745	2872	3047	3248	3422	3619	3871	4122
	Two-Seat, Open Arn										
		Beech, Maple Palette	2689	2817	2940	3116	3319	3492	3688	3939	4190
	Two-Seat, Closed A			0.407	0004	0054	4000	45.44	4055	5050	5040
		Beech, Maple Palette	3290	3487	3681	3954	4268	4541	4855	5253	5643
	Two-Seat, Closed A		•								
		Beech, Maple Palette	3359	3554	3750	4024	4338	4610	4925	5324	5714

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

\$ List
60
185
270
270

NOTE: Two-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Styl
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

			COM		COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MODEL/S	PECIES		1	2	3	4	5	6	7	8	9
	Three-Seat, Armles CRE3-F3ALS1	ss n/a	3263	3439	3605	3843	4122	4359	4633	4974	5315
	Three-Seat, Open CRE3-F3OPS1 Three-Seat, Open CRE3-F3OPP1	Beech, Maple Palette		3653 3722	3830 3900	4066 4066	4338 4408	4583 4651	4855 4925	5198 5268	5539 5610
	Three-Seat, Closed CRE3-F3CLS1 Three-Seat, Closed CRE3-F3CLP1	Beech, Maple Palette	сар	4394 4465	4638 4709	4974 5045	5365 5436	5707 5776	6092 6161	6580 6648	7062 7131

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$31 list per unit and \$60 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	60
Three-Seat - Plus Upgrade	212
Three-Seat Removable Seat Covers	421
Three-Seat Removable Back Covers	421

NOTE: Three-Seat Lounge is not available with caster options

JOI CODE REI					
Line	Series	Chair Style	Size	Arm Style	Leg Styl
CRE	3	F	1	ALS	1
Cressida	Lounge	Freestanding	One-Seat	Armless	Legs
		FB	1.5	OPS	
		Freestanding	One-Seat Wide	Open Arm	
		Plus	2	OPP	
			Two-Seat	Open Arm	
				Polymer Arm Cap	
			3	CLS	
			Three-Seat	Closed Arm	
				CLP	
				Closed Arm	
				Polymer Arm Cap	

CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE				WEIGHT	CUBE
	Wood Tablet CRE3 T1	Beech/Maple	547				12	2
	Tablet with Palette Fin CRE3 T2	ish n/a	407				12	2
	Laminate Tablet CRE3 T4 ORDERING NOTES: be specified right or le			andard with a	polymer ec	ge. Please no	12 te Cressida Table	2 ets need to
	Solid Surface Tablet CRE3 RT3		A-White	Grades A-Color	B 670	C 725	12	2

CRESSIDA | REPLACEMENT LOUNGE COMPONENTS

		СОМ		COL	FAI	FABRIC GRADES		LEATHER				
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	WEIGHT	CUBE
LOUNGE	One-Seat Replacement Back CRE3-RB1	663	722	777	857	948	1029	1119	1234	1347	23	4.2
	One-Seat Wide Replacement Backers CRE3-RB1.5B	ack 750	810	868	953	1045	1128	1223	1343	1457	28	5.7
	Two-Seat Replacement Back CRE3-RB2	982	1063	1148	1266	1401	1519	1652	1820	1988	38	8.8
	Three-Seat Replacement Back CRE3-RB3	1312	1418	1524	1673	1841	1988	2157	2371	2580	52	12
	One-Seat Replacement Back C CRE3-RBC1	over 270	324	381	459	552	631	724	837	953	2.0	1.0
	One-Seat Wide Replacement Backers-RBC1.5	ack Co 281	ver 339	397	480	575	659	752	872	989	2.5	1.2
	Two-Seat Replacement Back Co CRE3-RBC2	over 374	457	543	659	792	912	1045	1213	1381	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 429	536	643	790	959	1108	1277	1489	1701	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	560	602	643	698	762	819	885	964	1045	28	9.5
	One-Seat Wide Replacement Se CRE3-RS1.5	eat 726	778	828	901	984	1055	1138	1238	1343	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	872	923	979	1053	1136	1210	1294	1401	1505	53	18
	Three-Seat Replacement Seat CRE3-RS3	1167	1248	1328	1443	1570	1682	1813	1977	2137	79	24
	One-Seat Replacement Seat Co CRE3-RSC1	over 194	235	276	331	396	452	519	598	679	2.0	1.0
	One-Seat Wide Replacement Se CRE3-RSC1.5	eat Co 241	ver 291	343	416	498	569	651	753	857	2.5	1.2
*	Two-Seat Replacement Seat Co CRE3-RSC2	over 256	310	363	437	521	595	680	785	891	3.5	1.8
	Three-Seat Replacement Seat CCRE3-RSC3	Cover 327	408	490	602	729	843	973	1136	1296	5.0	2.5
	Replacement Lounge Front Arm	ı & Leg										
	Open Arm CRE3-LROPS Beech, Maple Palette	172									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	207										
	Replacement Closed Arm Panel CRE3-RCA Beech, Maple	I 377	422	467	528	602	664	737	828	917	20	3.8
	Lounge Replacement Push-Bar CRE3-RPB	58									2	0.3



CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	ODEL PRICE					TCUBE
	Replacement Polymer Arm Cap Black CRE3-RACB	36				1.0	0.5
	Replacement Polymer Arm Cap Grey CRE3-RACB	36					
*	Lounge Replacement Front Leg (for arm CRE3-RLAF*	nless version)				0.5	0.5
8**	Lounge Replacement Front Leg (for arn CRE3-RGAF**		lide			0.1	0.0
	CHES-HGAF	18				0.1	0.2
*	Lounge Replacement Plus Upgrade Ce CRE3-RLC*	0.5	0.5				
	Lounge Replacement Plus Upgrade Ce	51 nter Leg Glide					
**	CRE3-RCG**	21				0.5	0.5
*	Lounge Replacement Back Leg CRE3-RLB*					1.8	0.5
	Lounge Replacement Glide	73					
**	CRE3-RGB**	19				0.1	0.2
	Lounge Replacement Front Leg (for case	ster version)				0.5	
*	CRE3-RLCF*	51				0.5	0.5
**	Lounge Replacement Back Leg (for cas CRE3-RLCB**	51				0.5	0.5
	Replacement Casters Non-Locking CRE3-RC1*	69				.75	0.3
	Replacement Casters Locking CRE3-RC2**	69				.75	0.3
	Wood Tablet & Mounting Plate Only CRE3 RT1 Beech/Maple	369				5	0.32
		333					
	Tablet with Palette finish & Mounting Pla	Tablet with Palette finish & Mounting Plate Only CRE3 RT2 n/a					
	5/125 11/2 11/4	258				5	0.32
	Tablet & Mounting Plate Only - Solid Sur CRE3 RT3 n/a	face A-White	Grades A-Color	В	С	7	0.32
U		501	508	536	580		
	Laminate Tablet & Mounting Plate Only						
	CRE3 RT4 n/a	369				5	0.32

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:




PRE-CONSUMER RECYCLED CONTENT - 36.34%

POST-CONSUMER **RECYCLED CONTENT - 26.4%**

Up to 31.25% of this Cressida product is recyclable at the end of its useful life.



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 30.77%

POST-CONSUMER RECYCLED CONTENT - 25.68%

Up to 27.88% of this Cressida product is recyclable at the end of its useful life

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





FSC* C021699

The mark of responsible forestry



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Cressida products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Cressida and other Krug products can be specified with one of two types of FSC® Certification:

- (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
- (b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | TABLE FEATURES

ANTI-MICROBIAL FINISH

Cressida wood surfaces include an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>page</u> 546. Cressida tables are available in 22 standard finishes.

LAMINATE

Cressida Box-style tables are available in laminate with wood side or laminate side. See <u>page</u> 547 for laminate information.

SOLID SURFACE

Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote.


CRESSIDA | BOX-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	H W	/EIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	1094 1353	1139 1406	1136 1400	1180 1454	18 24		15.75 15.75	24 34	3 5
	Rectangular Table CRE4A 241816 CRE4A 482416	es 1203 1935	1250 2011	1242 2004	1293 2080	24 48		15.75 15.75	28 56	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	903 1102 1929	940 1147 2007	931 1242 2108	969 1293 2191	18 24 30	- - -	15.75 15.75 15.75	16 23 34	3 5 8
	Rectangular Rour CRE4 B181816 CRE4 B241816 CRE4 B242416 CRE4 B482416	nd Corner 1174 1323 1470 2133	1221 1376 1526 2218	1217 1379 1565 2284	1264 1434 1626 2375	18 24 24 48	18 24	15.75 15.75 15.75 15.75	21 25 30 51	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1218 1503 1909	1266 1565 1985	1340 1627 2043	1393 1695 2123	24 32 48	24	15.75 15.75 15.75	23 34 56	4 7 12
	Triangular Round CRE4B T1618-45 CRE4B T2124-45 CRE4B T2529-45 CRE4B T2818-90 CRE4B T3624-90 CRE4B T4429-90	1102 1262 1546 1370 1632	1147 1313 1608 1424 1700 2040	1119 1309 1634 1424 1709 1982	1164 1360 1701 1480 1777 2061	16 21 25 28 36 44	18 24 29 18 24 29	15.75 15.75 15.75 15.75	18 23 28 24 30 36	2.5 4.5 7 3 7.5


TRIANGULAR TABLE DIMENSIONS















CRESSIDA | BOX-STYLE LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH	T CUBE
	Middle Linking Table CRE4 LKI12) 872	907	893	930	12	16		22	2.5
	CRE4 LKI12	989	1030	1036	1079	18	16	_	24	2.5
	CRE4 LKI24	1106	1150	1174	1221	24	16	_	29	3.7
	ORDERING NOTE:					2-7	10		20	0.7
	Frad Table Courses C									
\sim	End Table Square Co		0.40	000	007	12	16	15.75	19	2.3
	CRE4A LKE18	906 1024	942	929	967	18	16	15.75		2.9
	CRE4A LKE24	1140	1063 1185	1071 1210	1115 1259	24		15.75		3.7
						27	10	10.70	20	0.7
-	ORDERING NOTE:	End Linking N	/lodular Table	ships with 1 KB1 b	racket.					
	End Table Rounded	Corner								
	CRE4B LKH12	1108	1151	1157	1205	12	16	15.75	19	2.3
	CRE4B LKH18	1206	1252	1259	1309	18	16	15.75	23	2.9
	Curvilinear 30° Table	7								
	CRE4A LKC30	1023	1061	1092	1136	16	16.5	-	15	2.3
	Curvilinear 45° Table	•								
	CRE4A LKC45	1187	1235	1261	1312	16	17	-	17	2.9
	Curvilinear 60° Table	<i>i</i>								
1	CRE4A LKC60	1350	1404	1443	1499	16	17.5	_	20	3.7
	O 'l' 000 T-1-1-									
	Curvilinear 90° Table CRE4A LKC90		1000	4070	4740	16	19		24	5.4
1	CRE4A LNC90	1568	1629	1679	1748	10	19	-	24	5.4
	Curvilinear 90°x2 Tal	hle								
	CRE4A LKC90X2	2953	3073	3167	3296	16	19	15.75	55	10
	OTTE IN CERCOOKE	2000	0070	0101	0200	10	10	10.70	00	10
	Curvilinear End Rou	nd Table								
	CRE4A LKH12	1125	1171	1174	1221	12	16	15.75	18	2.3
	CRE4A LKH18	1223	1273	1278	1329	18		15.75		3.6
	J. IL II (LIVI 110		.2.0	.270	1020	.0	1.5			0.0

ORDERING NOTES: When fastening two linking tables together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Cressida Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



CRESSIDA | SLAB-STYLE LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH ⁻	Γ CUBE
	Square and Recta CRE4C LKI1818 CRE4C LKI2418	ngular Slab Ta 653 715	ble 680 745	631 753	655 784	18 24	18 18	-	23 26	1.5 2.0
	Curvilinear Slab Ta CRE4C LKCRF45 CRE4C LKCRF90	955	ont 990 1142	970 1162	1010 1208	28 38	24 24	16 16		1.8
	Curvilinear Slab T CRE4C LKCRR45 CRE4C LKCRR90	955	990 1142	970 1162	1010 1208	28 38	24 24	16 16	23 42	1.8 3.0
	Rectilinear Corner CRE4C LKCSF90		1314	1397	1452	30	30	16	52	3.5

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Krug Multiple Seating. Linking tables are connected to the Multiple Seating via Linking brackets. Hardware for tables can be used left or right handed.

The design of the tables for Cressida Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration - or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.

Linking Tables also feature a universal, non-handed design:

They can be moved to reverse position in almost any configuration, providing a high level of flexibility for reconfiguring.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$60 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$60 list per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black.

For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

CRESSIDA | LIGHT-STYLE TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH	T CUBE
	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	547 558 773	569 582 803	624 638 925	649 662 961	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Tables CRE4D 181816S CRE4D 242416S CRE4D 363616S	495 549 784	515 571 816	553 639 941	575 663 979	18 24 36	18 24 36	16 16 16	22 33 65	3 5 12
	CRE4D 181821S CRE4D 242421S	505 560	525 584	566 649	588 677	18 24	18 24	21 21	25 35	4 5

CRESSIDA | LIGHT-STYLE LINKING TABLES

Linked Table -Center	Linked Table - Corner/Radius 45	Linked Table - Corner/Flat 45	Linked Table - Corner/Radius 90	Linked Table - Corner/Flat 90	Linked Table - Corner Rounded Flat	Curvilinear Connector Table 180°
CRE4-LKE-22-22	CRE4-LKCRR45	CRE4-LCRF45	CRE4-LKCRR90	CRE4-LKCRF90	CRE4-LKCSF90	
† †						
Linked Table - End CRE4-LKI-22-22						
			ţ			

CRESSIDA | LIGHT-STYLE LINKING TABLES

CHESSIDI	A LIGITI-ST	LL LIM	MING IF		LANAINIATE					
		BEECH		LAMINATE TOP	LAMINATE TOP W/					
DESCRIPTION	MODEL	PALETTE LAMINATE	MAPLE	W/BEECH SIDES	MAPLE SIDES	W	D	Н	WEIGH	T CUBE
	Center Square Table CRE4D LKI2222	550	572	628	653	22	22	-	23	1.5
	End Square Table CRE4D LKE2222	545	567	623	647	22	22	16	34	1.5
	Curvilinear Connecto CRE4D LKCRF45	r Table 45° with 653	n flat edge 680	623	647	28	24	16	27	2.2
	Curvilinear Connecto CRE4D LKCRR45	r Table 45° 653	680	623	647	28	24	16	26	2.2
	Curvilinear Connecto CRE4D LKCRF90	r Table 90° with 710	n flat edge 738	898	935	38	24	16	32	2.2
	Curvilinear Connecto CRE4D LKCRR90	r Table 90° 710	738	898	935	38	24	16	32	2.2
	Rectilinear Corner Co CRE4D LKCSF90	onnector Table 753	90° 784	903	940	30	30	16	42	2.2
	Curvilinear Connecto CRE4D LKCRR180	r Table 180° 1106	1149	1287	1340	55	29	16	60	4.4

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Cressida Multiple Seating.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Rectilinear Corner Connector table $90^\circ\,$ include a support leg in the outer corner. All end linking tables include 2 legs. All Curvilinear tables include one supporting center leg.

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$350 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

Juno and Trevisa Overbed Tables have a 2-year warranty.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$250/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$250/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard.

Specific test results and documentation are available on request.



Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or

storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Textiles - Upholstery Program

 Passes State of California Technical Bulletin CAL 117-2013



KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

601 IVORY

64 PUTTY

Grade 1



62 FAWN

36 BLUEBERRY

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program



45 | USA | HEALTHCARE



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ













82 CLAY

304 CAPRI

LORENZO













106 HENNA



32 MIST

BISCOTTI









91 GRANITE

302 CAPRI

INTRIGUE











27 OLIVE



608 STUCCO



KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$21 Grade 2 \$33 Grade 3 \$44

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).









Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$852 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in - 17 square feet in a yard square footage.

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate vardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
		2 -14	15 -19	20 -21	20 -30
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry American Cherry Imperial Cherry Light Cherry

Medium Cherry

Natural Cherry

Sable Cherry

Standard Cherry Light Oak

Harvest Oak

Mahogany

Mellow Oak

Espresso

Cordovan Walnut

Natural Walnut

Regular Walnut

SilverGrey on Walnut

Dark Walnut

Clear Beech

Medium Anigre

Finishes on Maple

Clear Maple

Honey Maple

Wheat Maple

PALETTE

Palette finishes available for applicable products.

Black

White

Soft Green

Steel Blue

Slate

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$525 list per finish per order. (For example, on all orders up to \$5250 list, an upcharge of \$525 will apply, on orders \$5000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

LAMINATE PROGRAM

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES			
Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry Park Avenue Walnut	Tafisa T472CR Wilsonart 7984–38	Solid Laminates	
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR

PHASE OUT LAMINATES


Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

















All products are air emissions certified and are available as FSC® certified

krug