CRESSIDA Price and Specification Guide USA



krug healthcare∛

TABLE OF CONTENTS

CRESSIDA | GUEST BACK

- 2 Cressida Environmental Summary
- 3 Cressida Features
- 4 Cressida Options
- 4 Cressida Dimensions & COM Requirements
- 5 Cressida Guest Pricing

CRESSIDA | PATIENT BACK

- 7 Cressida Environmental Summary
- 3 Cressida Features
- 4 Cressida Options
- 8 Cressida Dimensions, COM Requirements & Option Upcharges
- 9 Cressida Patient Pricing

CRESSIDA | MULTIPLE GUEST & PATIENT SEATING

- 3 Cressida Features
- 4 Cressida Options
- 10 Cressida Multiple Seating Instructions
- 12 Cressida Dimensions & COM Requirements Pre-Configured Units
- 13 Cressida Multiple Seating Pre-Configured Units Pricing
- 15 Cressida Dimensions & COM Requirements Start, Center & End
- 16 Cressida Multiple Seating Start, Center & End Units Pricing
- 21 Cressida Freespan Dimensions & COM Requirements
- 22 Cressida Freespan Multiple Seating Pricing

CRESSIDA | LOUNGE

- 26 Cressida Environmental Summary
- 27 Cressida Lounge Features & Options
- 28 Cressida Dimensions, COM Requirements & Option Upcharges
- 29 Cressida Lounge Pricing

CRESSIDA | TABLES


- 36 Cressida Environmental Summary
- 37 Cressida Box-Style Tables
- 38 Cressida Box-Style Linking Tables
- 39 Cressida Slab-Style Linking Tables
- 40 Cressida Light-Style Tables
- 40 Cressida Light-Style Linking Tables

GENERAL INFORMATION

- 42 Terms & Conditions
- 42 Warranty
- 44 KRUG Textiles Upholstery Fabrics
- 46 KRUG Textiles Leather & Faux Leather
- 48 Customer's Own Material (COM/COL)
- 48 CAL 133 & Moisture Barrier
- 49 Graded-In Upholstery Programs
- 49 KRUGEXPRESS Program
- 50 Wood Finishes
- 50 Standard Laminates
- 51 Solid Surface Program
- 51 Metal Finishes
- 51 Urethane Color Options

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER RECYCLED CONTENT = 6.66%

POST-CONSUMER RECYCLED CONTENT = 22.07%

Up to 53.26% of this Cressida product is recyclable at the end of its useful life.

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | GUEST, PATIENT & MULTIPLE FEATURES & OPTIONS



CLEAN OUT

All Cressida seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



POLYMER ARM CAP

The optional arm cap provides enhanced durability and protection for the arms. Arm cap is available in Grey or Black and is field replaceable if it becomes damaged or degraded.



WOOD ARM

Wood Arms are available in either beech or maple hardwood and in 22 Krug standard finishes.

WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



METAL BACK LEGS

Cressida's metal back legs are built from structural rectangular steel tubing for exceptional strength and appealing design. Silver Metallic is offered as Krug's standard finish, additional metal finish colors are available at an upcharge - please contact Customer Service for pricing and more information.



METAL TO METAL CONNECTIONS

Steel seat frames are joined to other components, and to each other in the multiple seating products, with hardened steel bolts and inserts, ensuring exceptional durability and strength, and easy reconfigurability, as well as on-site replacement of damaged or degraded components.

STEEL SEAT FRAME

Seats are constructed of high strength plywood with suspension webbing. The upholstered seat assembly is then further supported by steel frame construction running below the plywood

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

PLUS UPGRADE

Cressida 30" and 44" models feature Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 350 lbs Plus Chairs (30" & 44") - 750 lbs Multiple Seating & Pre-configured - 350 lbs per seat 2-Seat Freespan - 525 lbs per unit 3-Seat Freespan - 750 lbs per unit

REPLACEABLE COMPONENTS

Cressida chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

ADDITIONAL FEATURES

• Lifetime warranty

Available CAL 133 option

OPTIONS

CLEANABLE UNDER-SEAT SPLASHGUARD

All Cressida seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table. Additional Frame Finishes, which include antimicrobial finish, are available for an upcharge of **\$61 list** per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

GANGING

All Cressida freestanding chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Bracket kit is available for an upcharge of **\$80 list** per chair.

ADJUSTABLE HEADREST

The adjustable headrest uses dual density foam providing excellent support and comfort. The headrest is securely fastened using an innovative clip allowing the headrest to be easily removed for cleaning and/or replacement. The headrest is easily adjusted by sliding the headrest vertically allowing the user to maximize their comfort.



CRESSIDA | GUEST, PATIENT & MULTIPLE OPTIONS

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$61list** per yard

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Cressida chair (all sizes) are available with Removeable Seat Covers for an upcharge of **\$81** list per chair. Cressida chairs with Guest Backs (21", 24") are available with Removeable Back Covers for an upcharge of **\$52** list per chair. Cressida 30" and 44" chairs with Guest Backs are also available with Removeable back cover option for an upcharge of **\$81** list per chair. Cressida chairs with Patient Backs (21", 24") are available with Removeable Back Covers for an upcharge of **\$77** list per chair. Cressida 30" chairs with Patient Backs are also available with removeable back cover option for an upcharge of **\$131** list per chair.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

CRESSIDA | GUEST

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	24.5	28.5	33.75	18.5	26	21	18.75	42	14
24" Seat	27.5	28.5	33.75	18.5	26	24	18.75	46	19
30" Seat	33.5	28.5	33.75	18.5	26	30	18.75	57	20
44" Seat	47.5	28.5	33.75	18.5	26	44	18.75	69	28

COM - YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel	
21" - One Chair	1.4	0.8	0.7	.8	
21" - Two Chairs	2.59	1.19	1.4	.8	
21" - Three Chairs	4.08	2	2.08	.8	
21" - Four Chairs	5.18	2.38	2.8	.8	
24" - One Chair	1.75	0.8	1.4	.8	
24" - Two Chairs	3.3	1.19	2.08	.8	
24" - Three Chairs	5.05	2	3.48	.8	
24" - Four Chairs	6.6	2.38	4.16	.8	
30" - One Chair	2.5	1.1	1.4	.8	
30" - Two Chairs	5	2.2	2.8	.8	
30" - Three Chairs	7.5	3.3	4.2	.8	
30" - Four Chairs	10	4.4	5.6	.8	
44" - One Chair	2.5	1.1	1.4	.8	
44" - Two Chairs	5	2.2	2.8	.8	
44" - Three Chairs	7.5	3.3	4.2	.8	
44" - Four Chairs	10	4.4	5.6	.8	

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

CRESSIDA | GUEST

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	21" Open Arm CRE2-G21OPS 21" Open Arm wit CRE2-G21OPP	Beech, Maple th arm cap	984 1008	1035 1056	1087 1110	1185 1207	1282 1304	1371 1392	1474 1494	1579 1598	1770 1792
	21" Closed Arm CRE2-G21CLS 21" Closed Arm v CRE2-G21CLP	Beech, Maple vith arm cap		1345 1366	1424 1446	1556 1579	1690 1712	1815 1835	1958 1979	2109 2131	2349 2373
	24" Open Arm CRE2-G24OPS 24" Open Arm wit CRE2-G24OPP	Beech, Maple th arm cap	1040 1063	1087 1110	1138 1158	1233 1254	1337 1356	1433 1455	1530 1552	1633 1654	1824 1846
	24" Closed Arm CRE2-G24CLS 24" Closed Arm v CRE2-G24CLP	Beech, Maple vith arm cap		1398 1421	1472 1493	1603 1622	1746 1767	1875 1897	2012 2034	2163 2185	2406 2428

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product). Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option.

Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	61
Removable Seat Covers	81
Guest Removeable 21" & 24" Back Covers	52
21" & 24" Cleanable Under-Seat Splashguard	57

Line	Series	Chair Style	Size	Arm Style
CRE	2 Chair	G Guest	21	OPS Open Arm
			24	OPP Open Arm Polymer Arm Cap CLS Closed Arm
				CLP Closed Arm Polymer Arm Cap

CRESSIDA | GUEST

			COM		COL	FAB	RIC GR	ADES	L	EATHEI	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	30" Open Arm CRE2-G30OPS 30" Open Arm wit CRE2-G30OPP	Beech, Maple h arm cap		1249 1270	1321 1344	1461 1483	1672 1694	1824 1846	1916 1937	2067 2090	2361 2383
	30" Closed Arm CRE2-G30CLS 30" Closed Arm v CRE2-G30CLP	Beech, Maple vith arm cap	1485 1508	1599 1622	1698 1722	1877 1899	2084 2105	2269 2291	2461 2483	2667 2688	3016 3038
	44" Open Arm CRE2-G44OPS 44" Open Arm wit CRE2-G44OPP	Beech, Maple h arm cap		1542 1564	1625 1647	1775 1797	1921 1942	2081 2101	2237 2260	2388 2411	2699 2721
	44" Closed Arm CRE2-G44CLS 44" Closed Arm v CRE2-G44CLP	Beech, Maple vith arm cap	1739 1759	1854 1874	1961 1984	2147 2170	2329 2349	2523 2544	2721 2743	2921 2943	3280 3300

ORDERING NOTES: COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	61
Removable Seat Covers	81
Guest Removeable 30" & 44" Back Covers	81
30" Cleanable Under-Seat Splashguard	64
44" Cleanable Under-Seat Splashguard	77


PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2	G	21	OPS
Cressida	Chair	Guest		Open Arm
			24	OPP Open Arm Polymer Arm Cap
			30	CLS Closed Arm
			44	CLP Closed Arm Polymer Arm Cap

CRESSIDA | HEALTHCARE | USA | 6

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | PATIENT

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	24.5	28.5	43.5	18.5	26	21	18.75	45	17
24" Seat	27.5	28.5	43.5	18.5	26	24	18.75	51	22
30" Seat	33.5	28.5	43.5	18.5	26	30	18.75	60	28

COM - YARDAGE REQUIREMENTS

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Seats & Backs Only	Seat Only	Back Only	Closed Arm Panel
21" - One Chair	2.2	0.95	1.25	.8
21" - Two Chairs	4.25	1.3	2.95	.8
1" - Three Chairs	6.45	2.25	4.2	.8
21" - Four Chairs	8.5	4.6	3.9	.8
4" - One Chair	2.1	0.8	1.95	.8
4" - Two Chairs	4.14	1.19	2.95	.8
4" - Three Chairs	6.45	2	4.9	.8
4" - Four Chairs	8.28	2.38	5.9	.8
0" Plus - One Chair	3.15	1.2	1.95	.8
30" Plus - Two Chairs	6.3	2.4	3.9	.8
0" Plus - Three Chairs	9.21	3.6	5.85	.8
0" Plus - Four Chairs	12.6	4.8	7.8	.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32** list per unit and **\$61** list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	61
Removable Seat Covers	81
Patient Removeable 21" & 24" Back Covers	81
Patient Removeable 30" Back Covers	136
21" & 24" Cleanable Under-Seat Splashguard	57
30" Cleanable Under-Seat Splashguard	64

WEIGHT CAPACITIES

Cressida weight capacities are as follows: Patient Chairs (21" & 24") - 350 lbs Patient Plus Chair (30") - 750 lbs

FEATURES:

For a complete list of features see page 3.

CRESSIDA | PATIENT

DESCRIPTION	MODEL	SPE	CIES	COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	R 9
	21" Open Arm CRE2-P21OPS			1083	1150	1212	1344	1474	1547	1729	1860	2114
	21" Open Arm CRE2-P21OPP	with arm	сар	1103	1172	1234	1365	1494	1568	1750	1882	2135
	21" Closed Arm CRE2-P21CLS	1		1354	1462	1547	1713	1883	2041	2212	2389	2695
	21" Closed Arm CRE2-P21CLP	n with arr	n cap	1377	1484	1568	1733	1903	2063	2234	2412	2717
	24" Open Arm CRE2-P24OPS			1138	1206	1268	1397	1530	1653	1782	1915	2170
	24" Open Arm CRE2-P24OPP	with arm	сар	1158	1227	1290	1418	1552	1673	1804	1935	2190
	24" Closed Arm CRE2-P24CLS	1		1410	1517	1603	1769	1938	2094	2268	2445	2749
	24" Closed Arm CRE2-P24CLP	n with arr	n cap	1432	1539	1624	1791	1960	2116	2289	2467	2772
	30" Open Arm CRE2-P30OPS			1350	1440	1533	1697	1888	2061	2236	2428	2759
	30" Open Arm CRE2-P30OPP	with arm	сар	1372	1462	1555	1720	1909	2082	2235	2447	2781
	30" Closed Arm CRE2-P30CLS	1		1623	1752	1840	2067	2297	2504	2719	2957	3340
A	30" Closed Arm CRE2-P30CLP	n with arr	n cap	1645	1773	1862	2090	2318	2524	2742	2980	3362
DESCRIPTION	MODEL	COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	ا 7	_EATHEI 8	R 9	WEIGH	T CUBE
	Adjustable Hea CRE2-RH	drest for 152	21", 24 164	" & 30" 179	199	220	241	260	281	322	3	0.9

FEATURES:

For a complete list of features see **page** 3.

Line	Series	Chair Style	Size	Arm Style
CRE	2	Р	21	OPS
Cressida	Chair	Patient		Open Arm
			24	OPP
				Open Arm Polymer Arm Cap
			30	
				Closed Arm
			44	CLP
				Closed Arm
				Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING INSTRUCTIONS

To aid you in the process of specifying and ordering Cressida Multiple Seating, we have compiled the following summary. It explains the three different types of Cressida Multiple Seating – (a) Pre-Configured, (b) Start, Center & End Units and (c) the Freespan Multiple Units – including the features and considerations of each type, to assist in selecting the one that best suits each application. It is a requirement for all Cressida Multiple Seating orders, a drawing or plan view layout must accompany the order, so that we can verify that the specification is correct.

When building your multiple seating layout, please note that your order should start from left to right as you are facing the configuration.

Pre-Configured Multiple Units

Pre-Configured Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size (see picture below). Two-Seat






Considerations if choosing to use Pre-Configured Units:

- Linking tables can be joined to either end of a Pre-Configured Multiple Unit, but not in-between
- There are no limitations to the number of Pre-Configured Multiple units that can be ganged together with the Cressida Linking Tables
- Pre-Configured Multiple Units are not available in 30" or 44" plus widths
- Pre-Configured Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Cressida Linking Table or linking brackets are used in-between the different types of multiple seating.

• Pre-Configured Multiple Units are built from Start, Center and End Units and therefore, can be reconfigured to singular or two-seat units. However, you may have to purchase additional components (arms, etc...) to be able to do this. See line drawings below for possible configurations that can be made from taking apart the Pre-Configured Multiple Units.



*Please note:

Example #1-A requires an additional end unit arm for chair A, and a start unit arm for chair B.


Example #1-B requires an additional end unit arm for chair A, a start and end unit arm for chair B, and a start unit arm for chair C.

Start, Center and End Multiple Seating Units

Start, Center and End Multiple Units are designed to be used when you have seating configurations that are greater than three chair units in size, and/or include 30" or 44" units (see picture below). Also, before you start to build your multiple seating layout, please note that your order should start from left to right as you are facing the chair, therefore begin the configuration with a Start Unit, then move to a Center Unit and finish with an End Unit.


Considerations if choosing to use Start, Center and End Multiple Units:

- Start, Center and End units are available in widths Guest (21", 24", 30" & 44") and Patient (21", 24" & 30")
- There are no limitations to the amount of center units that can be ganged to a start or an end unit
- Cressida Linking Tables can be joined to any Cressida Start or End unit only (this is because the units are engineered with the finished arms)



CRESSIDA | MULTIPLE SEATING INSTRUCTIONS

See below for sample configurations of when you would use Start, Center and End Multiple Units.



Freespan Multiple Units


Freespan Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size and a reduced number of legs are desirable. (see picture below).



Considerations if choosing to use Freespan Multiple Units:

- The unit with the center arm increases the overall width of the unit by 1" per arm
- Linking tables can be joined to either side of a Freespan Multiple Unit, but not in-between
- There are no limitations to the number of Freespan Multiple units that can be ganged together with the Cressida Linking Tables or linking
- brackets. See <u>page</u> 25 for pricing. • Freespan Multiple Units are not available in 30" or 44" plus widths
- Freespan Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Cressida Linking Table or linking brackets are used in-between the different types of multiple seating.

Below illustrates possible configurations when you could use all three types of Cressida Multiple Seating together.



For more information on how to specify Cressida Multiple Seating, please contact Customer Service directly at 1-888-578-5784.

CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

DIMENSIONS & COM REQUIREMENTS

			Overall Height		Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
PCG21X2	47.25	28.5	33.75	18.5	26	21	18.75	82	30	2.6	1.2	1.4	0.4
PCP21X2	47.25	28.5	43.5	18.5	26	21	18.75	88	38	3.2	1.2	2	0.4
PCG21X3	70	28.5	33.75	18.5	26	21	18.75	117	44	4.08	2	2.08	0.4
PCP21X3	70	28.5	43.5	18.5	26	21	18.75	125	56	5	2	3	0.4
PCG24X2	53.25	28.5	33.75	18.5	26	24	18.75	85	34	3.3	1.2	2.08	0.4
PCP24X2	53.25	28.5	43.5	18.5	26	24	18.75	95	43	4.14	1.2	3	0.4
PCG24X3	79	28.5	33.75	18.5	26	24	18.75	121	50	5.05	2	3.48	0.4
PCP24X3	79	28.5	43.5	18.5	26	24	18.75	135	63	6.25	2	4.9	0.4

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to **page** 48 for C.O.M approval process.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32** list per unit and **\$61** list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product). Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option.

Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	61
Removable Seat Cover	81
Guest Removeable 21" & 24" Back Cover	52
Patient Removeable 21" & 24" Back Cover	81
21" & 24" Cleanable Under-Seat Splashguard	57

NOTE: Option upcharges are per back/seat.

Patient backs are available on multiple units, please change the model number CRE2-PCG to CRE2-PCP, CRE2-PCG to CRE2-PCP, CRE2-PCP, CRE2-PCP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
21" Chairs	79	91	103	120	141	157	178	203	228	
24" Chairs	90	102	115	132	152	170	190	216	239	

WEIGHT CAPACITIES

Cressida weight capacities are as follows: Pre-configured - 350 lbs per seat


PRE-CONFIGURED MULTIPLE UNITS

Two-Seat



FEATURES:

For a complete list of features see **page** 3.



CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAE 4	BRIC GF 5	RADES 6	ا 7	EATHEI 8	۲ 9
	2 Seat - 21" Open Arm CRE2-PCG21X2OPS	Pre-configured Beech, Maple	-		ks 2121	2256	2409	2543	2697	2891	3082
	CRE2-PCG21X2OPP		1961	2059	2154	2289	2441	2577	2730	2923	3115
	2 Seat - 21" Closed Ar	m Pre-configured	d Unit, G	Guest Ba	cks						
	CRE2-PCG21X2CLS	Beech, Maple		2490	2622	2809	3021	3209	3421	3689	3955
	CRE2-PCG21X2CLP		2369	2524	2657	2843	3056	3242	3455	3721	3986
	3 Seat - 21" Open Arm	Pre-configured	Unit Gu	lest Back	(S						
	CRE2-PCG21X3OPS	Beech, Maple		2913	3064	3276	3521	3733	3975	4278	4584
	CRE2-PCG21X3OPP		2806	2957	3110	3322	3564	3777	4019	4323	4628
	3 Seat - 21" Closed Ar	m Pre-configured	d Unit, G	uest Ba	cks						
	CRE2-PCG21X3CLS	Beech, Maple	3304	3535	3735	4016	4339	4618	4940	5342	5744

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

CRE2-PCG21X3CLP

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32** list per unit and **\$61** list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

3349 3580

3780 4061 4383 4665 4984

5388 5789

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List	
Moisture Barrier (per yard)	61	
Removable Seat Cover	81	
Guest Removeable 21" & 24" Back Cover	52	NOTE: Option upcharges are per back/seat.
Patient Removeable 21" & 24" Back Cover	81	
21" & 24" Cleanable Under-Seat Splashguard	57	

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCG	21x2	OPS
Cressida	Chair	Pre-configured Guest		Open Arm
		PCP	21x3	OPP
		Pre-configured Patient		Open Arm Polymer Arm Cap
			24x2	
				Closed Arm
			24x3	CLP
				Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

DESCRIPTION	MODEL	SPECIES	COM	2	COL 3	FAE 4	BRIC GF	RADES 6	ا 7	LEATHEI 8	R 9
					-	-	0	0	1	0	
	2 Seat - 24" Open Arm CRE2-PCG24X2OPS	0			ks 2184	2318	2470	2606	2759	2952	3146
AAA	2 Seat - 24" Open Arm	with arm cap P	re-confi	aured Ur	nit. Gues	t Backs					
	CRE2-PCG24X2OPP			2118		2349	2504	2638	2793	2985	3180
	2 Seat - 24" Closed Ar	m Pre-configure	d Unit,	Guest Ba	icks						
	CRE2-PCG24X2CLS	Beech, Maple	2398	2554	2685	2872	3084	3270	3487	3749	4015
	2 Seat - 24" Closed Ar	m with arm cap		0	,						
	CRE2-PCG24X2CLP		2431	2586	2718	2907	3116	3304	3518	3783	4047
U *											
	3 Seat - 24" Open Arm	Pre-configured	Unit, G	uest Bac	ks						
TE h h	CRE2-PCG24X3OPS	Beech, Maple	2878	3030	3182	3393	3636	3848	4090	4395	4697
	3 Seat - 24" Open Arm	n with arm cap Pi	re-confi	aured Ur	nit, Gues	t Backs					
	CRE2-PCG24X3OPP		2922	3071	3224	3437	3680	3894	4135	4441	4741
	2 Coot 04" Closed Ar	m Dro configuro	d L loit	Cupat Da							
	3 Seat - 24" Closed Ar CRE2-PCG24X3CLS	0			іскs 3850	4133	4456	4735	5057	5458	5861
	3 Seat - 24" Closed Ar CRE2-PCG24X3CLP	m with arm cap	Pre-cor 3466	0	Jnit, Gue 3896		ks 4499	4779	5104	5380	5904
			0-00	0030	0090	4175		-115	0104	5500	0004

A drawing showing the configuration of the multiple seating and tables is required with each purchase order. ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

Cressida Option Upcharges	\$ List	
Moisture Barrier (per yard)	61	
Removable Seat Cover	81	
Guest Removeable 21" & 24" Back Cover	52	NOTE: Op
Patient Removeable 21" & 24" Back Cover	81	
21" & 24" Cleanable Under-Seat Splashguard	57	

NOTE: Option upcharges are per back/seat.

Patient backs are available on multiple units, please change the model number CRE2-PCG to CRE2-PCP, CRE2-PCG to CRE2-PCP, CRE2-PCG to CRE2-PCP, CRE2-PCP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	79	91	103	120	141	157	178	203	228
24" Chairs	90	102	115	132	152	170	190	216	239

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCG	21x2	OPS
Cressida	Chair	Pre-configured Guest		Open Arm
		PCP	21x3	OPP
		Pre-configured Patient		Open Arm Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	CLP
				Closed Arm

Polymer Arm Cap

DIMENSIONS & COM REQUIREMENTS

CRESSIDA START UNITS

01120	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel (1 Arm) Yardage	COM Fabric Closed Arm Panel (2 Arms) Yardage
SG21	24.5	28.5	33.75	18.5	26	21	18.75	47	14	1.4	0.8	0.7	0.4	0.8
SP21	24.5	28.5	43.75	18.5	26	21	18.75	49	17	1.8	0.8	1	0.4	0.8
SG24	27.5	28.5	33.75	18.5	26	24	18.75	52	19	1.4	0.8	0.7	0.4	0.8
SP24	27.5	28.5	43.75	18.5	26	24	18.75	55	22	1.8	0.8	1.95	0.4	0.8
SG30	33.5	28.5	33.75	18.5	26	30	18.75	61	20	2.5	1.1	1.4	0.4	0.8
SP30	33.5	28.5	43.75	18.5	26	30	18.75	64	28	3.15	1.1	1.95	0.4	0.8
SG44	47.5	28.5	33.75	18.5	26	44	18.75	73	28	2.5	1.1	1.4	0.4	0.8

CRESSIDA CENTER UNITS

CRES	SIDA CEI	NTER U	NITS		Height of	Width				COM Seat &	COM Fabric	COM Fabric	COM Fabric
	Overall Width	Overall Depth	Overall Height		Arms from Floor	Between	Seat Depth	Shipping Weight	Cube	Back Yardage	Seat Yardage	Back Yardage	Closed Arm Panel Yardage
CG21	22.75	28.5	33.75	18.5	26	21	18.75	41	14	1.4	0.8	0.7	0.4
CP21	22.75	28.5	43.75	18.5	26	21	18.75	44	17	1.8	0.8	1	0.4
CG24	25.75	28.5	33.75	18.5	26	24	18.75	45	19	1.4	0.8	0.7	0.4
CP24	25.75	28.5	43.75	18.5	26	24	18.75	50	22	1.8	0.8	1.95	0.4
CG30	31.75	28.5	33.75	18.5	26	30	18.75	54	20	2.5	1.1	1.4	0.4
CP30	31.75	28.5	43.75	18.5	26	30	18.75	56	28	3.15	1.1	1.95	0.4
CG44	45.75	28.5	33.75	18.5	26	44	18.75	67	28	2.5	1.1	1.4	0.4

CRESSIDA END UNITS

oneo	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
EG21	22.75	28.5	33.75	18.5	26	21	18.75	38	14	1.4	0.8	0.7	0.4
EP21	22.75	28.5	43.75	18.5	26	21	18.75	41	17	1.8	0.8	1	0.4
EG24	25.75	28.5	33.75	18.5	26	24	18.75	41	19	1.4	0.8	0.7	0.4
EP24	25.75	28.5	43.75	18.5	26	24	18.75	46	22	1.8	0.8	1.85	0.4
EG30	31.75	28.5	33.75	18.5	26	30	18.75	51	20	2.5	1.1	1.4	0.4
EP30	31.75	28.5	43.75	18.5	26	30	18.75	53	28	3.15	1.1	1.95	0.4
EG44	45.75	28.5	33.75	18.5	26	44	18.75	63	28	2.5	1.1	1.4	0.4

When ordering more than one Start, Center or End unit, please refer to page 4 for COM yardage requirements for guest chairs or page 8 for COM yardage requirements for patient chairs.

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List	Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	61	Patient Removeable 21" & 24" Back Cover	81
Removable Seat Cover	81	Patient Removeable 30" Back Cover	131
Guest Removeable 21" & 24" Back Cover	52	21" & 24" Cleanable Under-Seat Splashguard	57
Guest Removeable 30" & 44" Back Cover	81	30" Cleanable Under-Seat Splashguard	64
NOTE: Option upsharges are par back/as	. +	44" Cleanable Under-Seat Splashguard	77

NOTE: Option upcharges are per back/seat.

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	79	91	103	120	141	157	178	203	228
24" Chairs	90	102	115	132	152	170	190	216	239
30" Chairs	128	144	160	181	207	229	256	288	320

WEIGHT CAPACITIES

Cressida weight capacities are as follows:


Multiple Seating & Pre-configured - 350 lbs per seat

FEATURES:


For a complete list of features see page 3.

15 | USA | HEALTHCARE | CRESSIDA


DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FABI 4	RIC GR/ 5	ADES 6	L 7	EATHEF 8	۲ 9
Start	21" Open Arm Start CRE2-SG21OPS	Unit, Guest Back Beech, Maple		1109	1164	1242	1328	1409	1495	1608	1719
	21" Open Arm with CRE2-SG21OPP	arm cap Start Uni	t, Guest E 1073		1208	1264	1350	1430	1518	1628	1740
	21" Closed Arm Sta CRE2-SG21CLS	rt Unit, Guest Bac Beech, Maple		1418	1496	1611	1739	1852	1980	2138	2299
	21" Closed Arm wit CRE2-SG21CLP	h arm cap Start Ui	nit, Guest 1345		1519	1633	1759	1872	2003	2160	2320
	21" Closed Arm / O CRE2-SG21COS	pen Center Arm S Beech, Maple			Back 1329	1426	1533	1631	1737	1873	2009
	21" Closed Arm with CRE2-SG21COP	h arm cap / Open	Center A 1210		arm cap 1352		nit, Gues 1555		1758	1895	2032
	24" Open Arm Start CRE2-SG24OPS	Unit, Guest Back Beech, Maple		1153	1208	1287	1375	1455	1541	1653	1766
	24" Open Arm with CRE2-SG24OPP	arm cap Start Uni	t, Guest E 1118		1229	1309	1396	1475	1562	1673	1786
	24" Closed Arm Sta CRE2-SG24CLS	rt Unit, Guest Bac Beech, Maple		1463	1543	1659	1783	1896	2025	2186	2345
	24" Closed Arm with CRE2-SG24CLP	h arm cap Start Ui	nit, Guest 1392		1565	1680	1806	1919	2047	2208	2368
	24" Closed Arm / O CRE2-SG24COS				Back 1377	1472	1581	1673	1782	1919	2140
	24" Closed Arm wit CRE2-SG24COP	h arm cap / Open		rm with	arm cap 1397		iit, Gues 1600		1804	1939	2161
PRODUCT CODE KEY											
Line	Series	Chair Style		:	Size			Arr	n Style		
CRE	2 Chair Start Uni	SG t Guest Multiple Sea	tina		21				OPS en Arm		



DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR 5	ADES 6	ا 7	EATHE	R 9
	30" Open Arm Start Ur CRE2-SG30OPS	nit, Guest Back Beech, Maple	1325	1404	1485	1588	1711	1818	1940	2092	2247
	30" Open Arm with arn CRE2-SG30OPP	n cap Start Unit,		3ack 1424	1506	1610	1731	1838	1935	2114	2270
	30" Closed Arm Start U CRE2-SG30CLS	Jnit, Guest Back Beech, Maple	1599	1716	1817	1959	2118	2261	2424	2626	2828
	30" Closed Arm with a CRE2-SG30CLP	rm cap Start Uni		Back 1736	1837	1980	2140	2282	2445	2647	2849
	30" Closed Arm/Open CRE2-SG30COS	Center Arm Star Beech, Maple			ack 1648	1773	1916	2039	2182	2360	2512
	30" Closed Arm with a CRE2-SG30COP					art Unit		Back	2203	2381	
	44" Open Arm Start Ur CRE2-SG440PS	nit, Guest Back Beech, Maple	1815	1915	1999	2092	2249	2368	2500	2669	2837
	44" Open Arm with arn CRE2-SG44OPP	n cap Start Unit,	Guest E 1835	3ack 1935	2019	2114	2272	2387	2520	2689	2857
	44" Closed Arm Start U CRE2-SG44CLS	Jnit, Guest Back Beech, Maple	2104	2226	2333	2486	2659	2809	2984	3199	3418
	44" Closed Arm with a CRE2-SG44CLP	rm cap Start Uni		Back 2245	2355	2507	2681	2830	3006	3221	3438
	44" Closed Arm/Open CRE2-SG44COS	Center Arm Star Beech, Maple	t Unit, G 1966		ack 2166	2455	2439	2588	2743	2934	3124
	44" Closed Arm with a CRE2-SG44COP	rm cap/Open Ce		n with a	rm cap St 2188		, Guest 2461		2764	2956	3147
Please see page 15 for Ord PRODUCT CODE KEY	dering Notes and Yardage	e requirements.									



DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR	ADES 6	L 7	EATHEI 8	R 9
Center	21" Open Arm Center I CRE2-CG21OPS	Unit, Guest Back Beech, Maple	990	1044	1100	1180	1268	1347	1434	1545	1659
	21" Open Arm with arn CRE2-CG21OPP	n cap Center Uni		Back 1058	1113	1192	1279	1356	1443	1557	1668
	21" Closed Arm Center CRE2-CG21CLS	r Unit, Guest Bac Beech, Maple		1202	1269	1363	1472	1566	1675	1809	1946
	21" Closed Arm with a CRE2-CG21CLP	rm cap Center U	-	st Back 1212	1281	1375	1484	1580	1688	1822	1959
	24" Open Arm Center I CRE2-CG24OPS	Unit, Guest Back Beech, Maple	1041	1097	1152	1229	1319	1396	1485	1597	1707
	24" Open Arm with arn CRE2-CG24OPP	n cap Center Uni		Back 1109	1165	1242	1329	1409	1495	1609	1719
	24" Closed Arm Center CRE2-CG24CLS	r Unit, Guest Bao Beech, Maple		1253	1320	1414	1522	1618	1727	1862	1999
	24" Closed Arm with a CRE2-CG24CLP	rm cap Center U	nit, Gue 1187		1330	1426	1536	1631	1739	1873	2009
	30" Open Arm Center I CRE2-CG30OPS	Unit, Guest Back Beech, Maple		1308	1384	1492	1613	1722	1843	1999	2150
	30" Open Arm with arn CRE2-CG30OPP	n cap Center Uni		Back 1319	1396	1504	1625	1732	1855	2009	2163
	30" Closed Arm Center CRE2-CG30CLS	r Unit, Guest Bao Beech, Maple	ck 1369	1463	1554	1677	1819	1943	2087	2264	2386
	30" Closed Arm with a CRE2-CG30CLP	rm cap Center U	nit, Gue 1379		1564	1689	1831	1957	2097	2274	2399
Please see <u>page</u> 15 for Ord PRODUCT CODE KEY	lering Notes and Yardage	e requirements.									



CRESSIDA | HEALTHCARE | USA | 18

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR	ADES 6	ا 7	LEATHE 8	R 9
	44" Open Arm Center CRE2-CG44OPS	Unit, Guest Bac Beech, Maple		1589	1670	1791	1923	2041	2174	2343	2511
	44" Open Arm with an CRE2-CG44OPP	m cap Center Ur	nit, Gues 1499	t Back 1600	1684	1802	1935	2055	2186	2354	2520
	44" Closed Arm Cente CRE2-CG44CLS	er Unit, Guest Ba Beech, Maple		1746	1840	1975	2130	2263	2416	2609	2802
	44" Closed Arm with a CRE2-CG44CLP	arm cap Center l	Jnit, Gue 1653	est Back 1755	1853	1987	2140	2273	2430	2617	2814
End	21" Open Arm End Ur CRE2-EG21OPS	nit, Guest Back Beech, Maple	942	997	1055	1131	1222	1296	1387	1496	1609
	21" Open Arm with an CRE2-EG21OPP	m cap End Unit,	Guest B 955	ack 1010	1065	1142	1233	1309	1398	1510	1619
	21" Closed Arm End L CRE2-EG21CLS	Jnit, Guest Back Beech, Maple		1152	1223	1318	1424	1519	1628	1764	1899
	21" Closed Arm with a CRE2-EG21CLP	arm cap End Uni	t, Guest 1089	Back 1165	1234	1328	1437	1531	1639	1774	1911
	24" Open Arm End Ur CRE2-EG24OPS	nit, Guest Back Beech, Maple	994	1050	1107	1182	1271	1349	1438	1547	1661
	24" Open Arm with an CRE2-EG24OPP	m cap End Unit,	Guest B 1006	ack 1061	1116	1194	1283	1360	1450	1560	1670
	24" Closed Arm End L CRE2-EG24CLS	Jnit, Guest Back Beech, Maple		1205	1272	1366	1475	1568	1680	1815	1949
	24" Closed Arm with a CRE2-EG24CLP	arm cap End Uni	-	Back 1215	1284	1378	1486	1582	1690	1824	1961
Please see page 15 for Ord	dering Notes and Yardag	je requirements.									

Please see <u>page</u> 15 for Ordering Notes and Yardage requirements. PRODUCT CODE KEY

Size Arm Style Line Series **Chair Style** CRE 2 SG OPS 21 Cressida Chair Start Unit Guest Multiple Seating Open Arm CG 24 OPP Center Unit Multiple Seating Open Arm Polymer Arm Cap EG COS 30 End Unit Multiple Seating Closed Arm/Open Center Arm 44 COP Closed Arm/Open Center Arm Polymer Arm Cap CLS Closed Arm CLP

19 | USA | HEALTHCARE | CRESSIDA

Closed Arm Polymer Arm Cap

			COM		COL	FAB	RIC GRA	ADES	L	EATHEF	{
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	30" Open Arm End Uni CRE2-EG30OPS 30" Open Arm with arn CRE2-EG30OPP	Beech, Maple	1184 Guest Ba 1195	1258 ack 1271	1338 1349	1443 1457	1566 1580	1673 1687	1797 1808	1949 1938	2105 2115
	30" Closed Arm End U CRE2-EG30CLS 30" Closed Arm with an CRE2-EG30CLP	Beech, Maple	1320 , Guest E 1330	1415 3ack 1428	1504 1515	1631 1641	1772 1782	1896 1908	2038 2047	2216 2229	2394 2406
	44" Open Arm End Uni CRE2-EG44OPS 44" Open Arm with arn CRE2-EG44OPP	Beech, Maple	1458 Guest Ba 1467	1541 ack 1554	1625 1636	1741 1753	1875 1888	1991 2005	2128 2138	2294 2304	2462 2472




44" Closed Arm End CRE2-EG44CLS	Unit, Guest Back Beech, Maple	1593	1696	1794	1927	2082	2216	2369	2560	2753
44" Closed Arm with CRE2-EG44CLP	arm cap End Unit,		Back 1710	1804	1938	2092	2229	2379	2573	2764

Please see **page** 15 for Ordering Notes and Yardage requirements.

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	79	91	103	120	141	157	178	203	228
24" Chairs	90	102	115	132	152	170	190	216	239
30" Chairs	128	144	160	181	207	229	256	288	320



DIMENSIONS & COM REQUIREMENTS

UNIT WITH CENTER ARM

	Overall Width	• • • • • • •	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage
PCFG21X2B	47.25	28.5	33.75	18.5	26	21	18.75	97	30	2.6	1.2	1.4
PCFP21X2B	47.25	28.5	43.5	18.5	26	21	18.75	103	38	3.19	1.2	2
PCFG21X3B	70	28.5	33.75	18.5	26	21	18.75	135	44	4.08	2	2.08
PCFP21X3B	70	28.5	43.5	18.5	26	21	18.75	145	56	5	2	3
PCFG24X2B	53.25	28.5	33.75	18.5	26	24	18.75	104	34	3.3	1.2	2.08
PCFP24X2B	53.25	28.5	43.5	18.5	26	24	18.75	111	43	4.2	1.2	2.95
PCFG24X3B	79	28.5	33.75	18.5	26	24	18.75	147	50	5.1	2	3.48
PCFP24X3B	79	28.5	43.5	18.5	26	24	18.75	157	63	6.24	2	4.9

UNIT WITH CENTER ARM, GUEST AND PATIENT BACKS

Unit With Center Arm (Continued)	COM Fabric Closed Arm Panels (2 Arms)	COM Fabric Closed Arm Panels (3 Arms)	COM Fabric Closed Arm Panels (4 Arms)	
PCF21X2B	.8	1.2	1.6	
PCF21X3B	.8	1.2	1.6	
PCF24X2B	.8	1.2	1.6	
PCF24X3B	.8	1.2	1.6	

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32** list per unit and **\$61** list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product). Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option.

Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List	
Moisture Barrier (per yard)	61	
Removable Seat Cover	81	
Guest Removeable 21" & 24" Back Cover	52	NOTE: Option upcharges are per back/seat.
Patient Removeable 21" & 24" Back Cover	81	
21" & 24" Cleanable Under-Seat Splashguard	57	

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	79	91	103	120	141	157	178	203	228
24" Chairs	90	102	115	132	152	170	190	216	239

WEIGHT CAPACITIES

Cressida weight capacities are as follows:

2-Seat Freespan - 525 lbs per unit

3-Seat Freespan - 750 lbs per unit

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

DECODIDEION	MODEL	0050/50	COM		COL					EATHER	
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
566	21" Pre-Configured Free CRE2-PCFG21X2OPS	•		•	Arm 2 Sea 2370	-	t Backs 2702		3036	3260	3480
A	21" Pre-Configured Free	espan Center A	rm Unit	- Open A	Arm with a	arm cap	2 Seat	Guest	Backs		
	CRE2-PCFG21X2OPP		2182	•	2403	2558	2736		3068	3292	3513
	21" Pre-Configured Free	espan Center A	rm Unit	- Closed	Arm 2 S	eat, Gue	est Back	٢S			
	CRE2-PCFG21X2CLS	Beech, Maple	2556	2725	2873	3081	3319	3525	3762	4056	4353
	21" Pre-Configured Free	espan Center A					•	-	t Backs		
	CRE2-PCFG21X2CLP		2588	2759	2908	3114	3350	3559	3794	4088	4385
	21" Pre-Configured Free	espan Center A	rm Unit	- Open A	Arm 3 Sea	at, Gues	t Backs	;			
	CRE2-PCFG21X3OPS	Beech, Maple	3229	3395	3562	3795	4062	4295	4561	4896	5229
b b a a	21" Pre-Configured Free	espan Center A	rm Unit	- Open A	Arm with a	arm cap	3 Seat	, Guest I	Backs		
	CRE2-PCFG21X3OPP		3272	3439	3607	3841	4107	4340	4607	4940	5273
	21" Pre-Configured Free	espan Center A	rm Unit	- Closed	Arm 3 S	eat, Gue	est Back	ś			
	CRE2-PCFG21X3CLS	Beech, Maple	3773	4017	4233	4822	4879	5182	5526	5958	6390
h h h h	21" Pre-Configured Free	espan Center A	rm Unit	- Closed	l Arm with	n arm ca	ap 3 Sea	at, Gues	t Backs		

ORDERING NOTES:

CRE2-PCFG21X3CLP

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

COMBINATION UPHOLSTERY OPTION

U

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

3817 4062

4277

4867 4924 5227

5571

6000 6433

Cressida Option Upcharges	\$ List	
Moisture Barrier (per yard)	61	
Removable Seat Cover	81	
Guest Removeable 21" & 24" Back Cover	52	NOTE: Option upcharges are per back/seat.
Patient Removeable 21" & 24" Back Cover	81	
21" & 24" Cleanable Under-Seat Splashguard	57	
Patient backs are available on Freespan units, ple	ase change t	he model number CRE2-PCFG to CRE2-PCFP and add the

Patient backs are available on Freespan units, please change the model number CRE2-PCFG to CRE2-PCFP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade /	Grade 8	Grade 9	
21" Chairs	79	91	103	120	141	157	178	203	228	
24" Chairs	90	102	115	132	152	170	190	216	239	

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCFG	21x2	OPS
Cressida	Chair	Pre-configured Freespan Guest		Open Arm
			21x3	OPP
				Open Arm Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	

Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

DESCRIPTION	MODEL	SPECIES	COM	2	COL 3	FABR 4	IC GRA 5	DES 6	۲ ۲	EATHEI	R 9
DESCRIPTION	MODEL	SFLUILS	1	2	3	4	5	0	1	0	9
	24" Pre-Configured Free	•		•	Arm 2 Se	at, Gues	st Backs	3			
	CRE2-PCFG24X2OPS	Beech, Maple	2245	2359	2467	2622	2802	2956	3134	3355	3579
	24" Pre-Configured Free	espan Center A	rm Unit	- Open A	Arm with	arm cap	2 Seat	, Guest	Backs		
	CRE2-PCFG24X2OPP		2278	2389	2500	2657	2832	2988	3165	3390	3610
U											
	24" Pre-Configured Free	espan Center A	rm Unit	- Closed	Arm 2 S	eat. Gu	est Bacl	ks			
	CRE2-PCFG24X2CLS				2972	3181			3860	4154	4448
	0.111 . 0. 01	2000., mapie	2000	2020	2012	0.01	00	0011			
	24" Pre-Configured Free	espan Center A	rm Unit	- Closed	Arm wit	h arm ca	an 2 Se	at Gues	t Backs		
<u> </u>	CRE2-PCFG24X2CLP	oopan oontoi /	2686	2857	3006		3447	,	3892	4186	4483
U			2000	2001	0000	0210	0447	0007	0002	4100	4400
	24" Pre-Configured Free	espan Center A	rm Unit	- Open A	Arm 3 Se	at, Gues	st Backs	6			
	CRE2-PCFG24X3OPS	Beech, Maple	3374	3539	3707	3941	4208	4441	4707	5040	5378
5 5 9 1											
	24" Pre-Configured Free	espan Center A	rm Unit	- Open A	Arm with	arm cap	3 Seat	, Guest	Backs		
	CRE2-PCFG24X3OPP		3419	3584	3750	3985	4250	4484	4751	5084	5421
U											
	24" Pre-Configured Free	espan Center A	rm Unit	- Closed	Arm 3 S	eat, Gu	est Bacl	ks			
	CRE2-PCFG24X3CLS				4378	4681			5672	6103	6535
		•									
	24" Pre-Configured Free	espan Center A	rm Unit	- Closed	Arm wit	h arm ca	ap 3 Sea	at, Gues	t Backs		
	CRE2-PCFG24X3CLP	-	3962	4208	4422	4725	5069	5370	5715	6147	6579

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order. COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

Cressida Option Upcharges	\$ List	
Moisture Barrier (per yard)	61	
Removable Seat Cover	81	
Guest Removeable 21" & 24" Back Cover	52	NOTE: Option upcharges are per back/seat.
Patient Removeable 21" & 24" Back Cover	81	
21" & 24" Cleanable Under-Seat Splashguard	57	

Patient backs are available on Freespan units, please change the model number CRE2-PCFG to CRE2-PCFP and add the following upcharges per back: ~ ~ ~ ~ ~ . . . ~

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
21" Chairs	79	91	103	120	141	157	178	203	228	
24" Chairs	90	102	115	132	152	170	190	216	239	

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCFG	21x2	OPS
Cressida	Chair	Pre-configured Freespan Guest		Open Arm
			21x3	OPP
				Open Arm Polymer Arm Cap
			24x2	CLS Closed Arm
			24x3	CLP
				Closed Arm Polymer Arm Cap

CRESSIDA | GUEST & PATIENT REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	COM 1	2	COL 3	FAE 4	BRIC GR	ADES 6	7	LEATHEF 8	۲ 9	WEIGHT	CUBE
	21" Replacer CRE2-RBCG		Back Co 184	overs 214	252	295	334	379	433	488	2	0.8
	24" Replacer CRE2-RBCG		Back Co 186	overs 214	253	295	334	379	433	489	2.3	0.8
	30" Replacer CRE2-RBCG		Back Co 263	overs 313	380	459	529	604	702	800	2.6	0.8
	44" Replacer CRE2-RBCG		Back Co 277	overs 323	392	469	539	618	716	812	3.5	0.8
	21" Replacer CRE2-RBCP		Back C 278	overs 324	392	470	540	618	716	812	1.9	1.0
	24" Replacer CRE2-RBCP		Back C 288	overs 337	404	485	553	630	727	827	2.7	1.0
	30" Replacer CRE2-RBCP		Back C 329	overs 393	485	585	675	777	907	1033	3	1.0
	21" Replacer CRE2-RS21	nent Guest 359	& Patien 389	t Seat 418	462	511	553	600	662	723	9.5	2.7
	24" Replacer CRE2-RS24	nent Guest 390	& Patien 420	t Seat 451	492	540	584	633	693	754	10	2.7
	30" Replacer CRE2-RS30	nent Guest 434	& Patien 464	t Seat 493	538	585	628	677	738	799	11.5	3.4
	44" Replacer CRE2-RS44	ment Guest 533	& Patien 570	t Seat 607	662	724	777	838	914	993	16.5	4.8
\square	21" Replacer CRE2-RSC2		& Patien 189	t Seat Co 219	ver 260	307	351	400	460	520	1.6	0.8
	24" Replacer CRE2-RSC24		& Patien 189	t Seat Co 219	ver 260	311	351	400	462	520	1.7	0.8
	30" Replacer CRE2-RSC30	-	& Patien 190	t Seat Co 220	ver 261	312	352	402	462	521	2	1.0
	44" Replacer CRE2-RSC44	nent Guest				370	423	486	562	638	2.5	1.0
	Replacement CRE2-RCAL CRE2-RCAR CRE2-RCAC CRE2-RCAC	283	atient Clo 307	osed Arm 334	Panel 368	409	446	487	538	561	8	.5

CRESSIDA | GUEST & PATIENT REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Replacement Gues Open Arm CRE2-RLFSOPS	t & Patient Front Start Beech, Maple	Arm & Leg 161	4.0	1.3
	Open Arm Polymer CRE2-RLFSOPP	Cap Beech, Maple	184	4.0	1.3
	Closed arm CRE2-RLFSCLS	Beech, Maple,	165	4.0	1.3
	Closed Arm Polymo CRE2-RLFSCLP	er Cap Beech, Maple,	192	4.0	1.3
	Replacement Gues Open Arm CRE2-RLFCOPS	t & Patient Front Cente Beech, Maple	er Arm & Leg 161	4.0	1.3
	Open Arm Polymer CRE2-RLFCOPP		184	4.0	1.3
	Closed arm CRE2-RLFCCLS	Beech, Maple	165	4.0	1.3
	Closed Arm Polymore CRE2-RLFCCLP	er Cap Beech, Maple	192	4.0	1.3
	•	t & Patient Front End A	Arm & Leg		
	Open Arm CRE2-RLFEOPS	Beech, Maple	161	4.0	1.3
	Open Arm Polymer CRE2-RLFEOPP	Cap Beech, Maple	184	4.0	1.3
	Closed arm CRE2-RLFECLS	Beech, Maple	165	4.0	1.3
	Closed Arm Polymo CRE2-RLFECLP	er Cap Beech, Maple	192	4.0	1.3
	Replacement Polyr CRE2-RACB	ner Arm Cap Black	25	1.0	.3
0	Replacement Polyr CRE2-RACG	ner Arm Cap Grey	25		
		t & Patient Center Free	espan Arm		
	Open Arm CRE2-FFLOA	Beech, Maple	165	3.0	1.0
	Replacement Gues CRE2-RLBS - Star CRE2-RLBC - Cen CRE2-RLBE -End		92	6.0	1.2
	Replaceable Glide CRE2-RGF	- Front* (1)	18	.25	.2
ط ۲۰۰ **	Replaceable Glide CRE2-RGB	- Back** (1)	19	.25	.2
	Replaceable Glide CRE2-RG4	- Set of 4	21	1.0	.3
	Chair to Chair Linki CRE2-RCCLKB	ing Bracket	64	1.5	5

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level[®] CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | LOUNGE FEATURES & OPTIONS



CLEAN OUT

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



TABLETS

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

METAL FINISH OPTIONS


Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$61 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of **\$61 list** per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with removable seat and back covers.



ARMS AND ARMLESS

Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.

GLIDES

Cressida Lounge arm and armless versions are standard with nylon glides.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: One-Seat-350 lbs One-Seat (Plus) -750 lbs One-Seat Wide - 350lbs One-Seat Wide (Plus) - 750lbs Two-Seat - 525 lbs Two-Seat (Plus) - 975lbs Three-Seat - 850 lbs Three-Seat (Plus) - 1200 lbs

REPLACEABLE COMPONENTS

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.



OPTIONS CASTERS

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



PUSH BAR

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar is powder-coated steel in Silver Metallic finish.

PLUS UPGRADE

Cressida seating is available with optional Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight Open Arm	Shipping Weight Closed Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Wide	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Wide	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida plus two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

COM - YARDAGE REQUIREMENTS

	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Wide - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Wide - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Wide - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Wide - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to page 48 for C.O.M approval process.

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32** list per unit and **\$61** list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	61	One-Seat Removable Back Covers	145	
Push Bar	61	One-Seat Wide Removable Back Covers	218	
Caster Combination (2 legs & 2 rear casters)	145	Two-Seat Removable Back Covers	288	
Casters (set of 4)	218	Three-Seat Removable Back Covers	432	
One-Seat Removable Seat Covers	145	One-Seat - Plus Upgrade	88	
One-Seat Wide Removable Seat Covers	218	One-Seat Wide - Plus Upgrade	116	
Two-Seat Removable Seat Covers	288	Two-Seat - Plus Upgrade	190	
Three-Seat Removable Seat Covers	432	Three-Seat - Plus Upgrade	218	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

	COM		COL	FABRIC GRADES		DES	LEATHER		
ODEL/SPECIES	1	2	3	4	5	6	7	8	9
One-Seat, Armless CRE3-F1ALS1 n/a	1492	1569	1664	1786	1922	2043	2179	2353	2524
Palette One-Seat, Open Arm with an	т сар	1807 1880	1894 1965	2003 2071	2145 2216	2280 2353	2416 2488	2575 2646	2754 2825
Palette One-Seat, Closed Arm with a CRE3-F1CLP1 Beech, Mapl	ırm cap	2559 2633	2718 2789	2941 3012	3198 3269	3420 3492	3679 3749	4003 4074	4317 4389
	One-Seat, Armless CRE3-F1ALS1 n/a One-Seat, Open Arm CRE3-F1OPS1 Beech, Mapl Palette One-Seat, Open Arm with arr CRE3-F1OPP1 Beech, Mapl Palette One-Seat, Closed Arm CRE3-F1CLS1 Beech, Mapl Palette One-Seat, Closed Arm with a CRE3-F1CLS1 Beech, Mapl Palette	ODEL/SPECIES1One-Seat, Armless CRE3-F1ALS1 n/a1492One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple Palette1716 PaletteOne-Seat, Open Arm with arm cap CRE3-F1OPP1 Beech, Maple Palette1786 PaletteOne-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple Palette2403 PaletteOne-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple Palette2403 Palette	ODEL/SPECIES12One-Seat, Armless CRE3-F1ALS1 n/a14921569One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple Palette17161807One-Seat, Open Arm with arm cap CRE3-F1OPP1 Beech, Maple Palette17861880One-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple Palette2559 Palette2559One-Seat, Closed Arm with arm cap25592559One-Seat, Closed Arm with arm cap25592559	ODEL/SPECIES123One-Seat, Armless CRE3-F1ALS1 n/a149215691664One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple Palette171618071894One-Seat, Open Arm with arm cap CRE3-F1OPP1 Beech, Maple Palette178618801965One-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple Palette240325592718One-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple Palette240325592718One-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple Palette240325592718	ODEL/SPECIES 1 2 3 4 One-Seat, Armless CRE3-F1ALS1 n/a 1492 1569 1664 1786 One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple Palette 1716 1807 1894 2003 One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple CRE3-F1OPP1 Beech, Maple 1786 1880 1965 2071 One-Seat, Open Arm with arm cap CRE3-F1OPP1 Beech, Maple 1786 1880 1965 2071 One-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple 2403 2559 2718 2941 One-Seat, Closed Arm CRE3-F1CLP1 Beech, Maple 2473 2633 2789 3012	ODEL/SPECIES 1 2 3 4 5 One-Seat, Armless CRE3-F1ALS1 n/a 1492 1569 1664 1786 1922 One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple Palette 1716 1807 1894 2003 2145 One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple CRE3-F1OPP1 Beech, Maple 1786 1880 1965 2071 2216 One-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple 2403 2559 2718 2941 3198 One-Seat, Closed Arm CRE3-F1CLP1 Beech, Maple 2403 2559 2718 2941 3198 One-Seat, Closed Arm CRE3-F1CLP1 Beech, Maple 2473 2633 2789 3012 3269	ODEL/SPECIES 1 2 3 4 5 6 One-Seat, Armless CRE3-F1ALS1 n/a 1492 1569 1664 1786 1922 2043 One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple Palette 1716 1807 1894 2003 2145 2280 One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple CRE3-F1OPP1 Beech, Maple 1776 1807 1894 2003 2145 2280 One-Seat, Open Arm with arm cap CRE3-F1OPP1 Beech, Maple 1786 1880 1965 2071 2216 2353 One-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple 2403 2559 2718 2941 3198 3420 One-Seat, Closed Arm CRE3-F1CLP1 Beech, Maple 2473 2633 2789 3012 3269 3492	ODEL/SPECIES 1 2 3 4 5 6 7 One-Seat, Armless CRE3-F1ALS1 n/a 1492 1569 1664 1786 1922 2043 2179 One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple 1716 1807 1894 2003 2145 2280 2416 One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple 1716 1807 1894 2003 2145 2280 2416 One-Seat, Open Arm with arm cap CRE3-F1OPP1 Beech, Maple 1786 1965 2071 2216 2353 2488 Palette 0ne-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple 2403 2559 2718 2941 3198 3420 3679 One-Seat, Closed Arm CRE3-F1CLP1 Beech, Maple 2403 2559 2718 2941 3198 3420 3679 One-Seat, Closed Arm with arm cap CRE3-F1CLP1 Beech, Maple 2473 2633 2789 3012 3269 3492 3749	ODEL/SPECIES 1 2 3 4 5 6 7 8 One-Seat, Armless CRE3-F1ALS1 n/a 1492 1569 1664 1786 1922 2043 2179 2353 One-Seat, Open Arm CRE3-F1OPS1 1492 1569 1664 1786 1922 2043 2179 2353 One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple 1716 1807 1894 2003 2145 2280 2416 2575 One-Seat, Open Arm CRE3-F1OPP1 Beech, Maple 1786 1880 1965 2071 2216 2353 2488 2646 One-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple 2403 2559 2718 2941 3198 3420 3679 4003 One-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple 2403 2559 2718 2941 3198 3420 3679 4003 One-Seat, Closed Arm with arm cap CRE3-F1CLP1 Beech, Maple 2473 2633 2789 3012 3269 3492 3749

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32** list per unit and **\$61** list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	61	One-Seat Removable Seat Covers	145	
Push Bar	61	One-Seat Removable Back Covers	145	
Caster Combination (2 legs & 2 rear casters) Casters (set of 4)	145 218	One-Seat - Plus Upgrade	88	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3 Lounge	F	 One-Seat	ALS	1 Legs
		FB	1.5	OPS	2
		Freestanding	One-Seat Wide	Open Arm	Casters
		Plus	2	OPP	3
			Two-Seat	Open Arm Polymer Arm Cap	Caster Combination 2 legs & 2 Rear Casters
			3	CLS	
			Three-Seat	Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

		COM		COL					2	
DESCRIPTION/MODE	L/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat Wide, Armless CRE3-FB1.5ALS1 n/a	1579	1681	1783	1930	2094	2241	2407	2614	2822
	One-Seat Wide, Open Arm CRE3-FB1.5OPS1 Beech, Maple Palette One-Seat Wide, Open Arm with arm CRE3-FB1.5OPP1 Beech, Maple Palette	1832 n cap 1903	1935 2007	2039 2112	2185 2257	2349 2421	2496 2577	2661 2734	2870 2943	3079 3150
	One-Seat Wide, Closed Arm CRE3-FB1.5CLS1 Beech, Maple Palette One-Seat Wide, Closed Arm with ar CRE3-FB1.5CLP1 Beech, Maple Palette	2514 m cap 2586	2690 2761	2868 2941	3116 3187	3399 3471	3647 3720	3932 4004	4280 4353	4914 4986

ORDERING NOTES: COMBINATION UPHOLSTERY OPTION


When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32** list per unit and **\$61** list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	61
One-Seat Wide - Plus Upgrade	116
One-Seat Wide Removable Seat Covers	218
One-Seat Wide Removable Back Covers	218

NOTE: One-Seat Wide Lounge is not available with caster options.



DESCRIPTION/MODEL/S		COM	2	COL 3	FAB 4	RIC GRA	DES 6	7	LEATHER 8	9
	Two-Seat, Armless CRE3-F2ALS1 n/a	2467	2597	2718	2904	3105	3284	3492	3744	4003
	Two-Seat, Open Arm CRE3-F2OPS1 Beech, Map Palette Two-Seat, Open Arm with arm CRE3-F2OPP1 Beech, Map Palette	сар	2818 2891	2948 3017	3127 3198	3333 3407	3513 3584	3714 3786	3973 4043	4231 4300
	Two-Seat, Closed Arm CRE3-F2CLS1 Beech, Map Palette Two-Seat, Closed Arm with arm CRE3-F2CLP1 Beech, Map Palette	1 сар	3579 3648	3778 3849	4059 4130	4381 4453	4660 4732	4983 5055	5391 5465	5792 5865

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge	Option Upcharges	\$ List
-----------------	------------------	---------

Moisture Barrier (per yard)	61
Two-Seat - Plus Upgrade	190
Two-Seat Removable Seat Covers	277
Two-Seat Removable Back Covers	277

NOTE: Two-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3 Lounge	F	 One-Seat	ALS	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm CLP Closed Arm Polymer Arm Cap	

		COM	2	COL 3				7	LEATHER	
DESCRIPTION/MODEL/S	Three-Seat, Armless CRE3-F3ALS1 n/a	3349	3530	3700	<u>4</u> 3944	5 4231	6 4474	4755	8 5106	9 5455
	Three-Seat, Open Arm CRE3-F3OPS1 Beech, Maple Palette Three-Seat, Open Arm with arm CRE3-F3OPP1 Beech, Maple Palette	сар	3749 3820	3931 4003	4173 4173	4453 4524	4704 4774	4983 5055	5336 5407	5685 5758
	Three-Seat, Closed Arm CRE3-F3CLS1 Beech, Maple Palette Three-Seat, Closed Arm with arm CRE3-F3CLP1 Beech, Maple Palette	1 сар	4510 4583	4760 4834	5106 5178	5507 5579	5857 5929	6253 6324	6754 6823	7249 7319

ORDERING NOTES:

Three-Seat Removable Seat Covers

Three-Seat Removable Back Covers

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32** list per unit and **\$61** list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

432

432

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	61
Three-Seat - Plus Upgrade	218

NOTE: Three-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F	1 One-Seat	ALS	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm CLP Closed Arm Polymer Arm Cap	

CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet CRE3 T1	Beech/Maple	561	12	2
	Tablet with Palette Fini CRE3 T2	sh n/a	417	12	2
	Laminate Tablet CRE3 T4	n/a	561	12	2
	ORDERING NOTES: 1 be specified right or le		olet comes standard with a polymer edge. Please note Cro g.	essida Table	ts need to

Colid Quefoce Tablet	A-White	Grades A-Color	В	С		
Solid Surface Tablet CRE3 RT3	641	654	687	744	12	

CRESSIDA | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FAI 4	BRIC GI 5	RADES 6	7	LEATHE 8		WEIGHT	CUBE
LOUNGE	One-Seat Replacement Back CRE3-RB1	681	741	798	879	973	1056	1148	1267	1382	23	4.2
Π	One-Seat Wide Replacement E CRE3-RB1.5B	Back 770	831	891	978	1073	1158	1255	1378	1496	28	5.7
	Two-Seat Replacement Back CRE3-RB2	1008	1092	1179	1299	1438	1559	1695	1869	2041	38	8.8
	Three-Seat Replacement Back CRE3-RB3	1347	1456	1564	1717	1890	2041	2214	2433	2648	52	12
$\int \int \int dx = \int dx$	One-Seat Replacement Back C CRE3-RBC1	Cover 277	332	391	471	567	647	743	859	978	2.0	1.0
	One-Seat Wide Replacement E CRE3-RBC1.5	Back Co 288	over 348	408	493	591	677	772	895	1015	2.5	1.2
	Two-Seat Replacement Back C CRE3-RBC2	over 384	469	557	677	813	936	1073	1245	1417	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 441	550	660	811	984	1138	1311	1528	1746	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	575	618	660	717	782	841	909	990	1073	28	9.5
	One-Seat Wide Replacement S CRE3-RS1.5	Seat 745	799	850	925	1010	1083	1168	1271	1378	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	895	948	1004	1081	1166	1242	1328	1438	1545	53	18
	Three-Seat Replacement Seat CRE3-RS3	1198	1281	1363	1481	1611	1727	1861	2029	2193	79	24
	One-Seat Replacement Seat C	over										
	CRE3-RSC1	199	241	283	340	407	464	533	614	697	2.0	1.0
	One-Seat Wide Replacement S CRE3-RSC1.5	eat Co 247	ver 299	352	427	511	584	668	773	879	2.5	1.2
	Two-Seat Replacement Seat Co CRE3-RSC2	over 263	319	372	449	535	611	698	806	914	3.5	1.8
	Three-Seat Replacement Seat CRE3-RSC3	Cover 336	418	502	618	748	866	999	1166	1330	5.0	2.5
	Replacement Lounge Front Arn	n & Lec	1									
	Open Arm CRE3-LROPS Beech, Maple Palette	177	2								4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	213										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	əl 387	433	479	542	618	682	757	850	941	20	3.8
6	Lounge Replacement Push-Ba CRE3-RPB	r 59									2	0.3

CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	PRICE				WEIGH	TCUBE
\sim	Replacement Polymer Arm Cap Black CRE3-RACB	37				1.0	0.5
0	Replacement Polymer Arm Cap Grey CRE3-RACB	37					
*	Lounge Replacement Front Leg (for armle CRE3-RLAF*	ess version) 57				0.5	0.5
8**	Lounge Replacement Front Leg (for armle CRE3-RGAF**	ess version) G 18	lide			0.1	0.2
*	Lounge Replacement Plus Upgrade Cente CRE3-RLC*	er Leg 52				0.5	0.5
**	Lounge Replacement Plus Upgrade Cente CRE3-RCG**	er Leg Glide 22				0.5	0.5
*	Lounge Replacement Back Leg CRE3-RLB*	75				1.8	0.5
**	Lounge Replacement Glide CRE3-RGB**	19				0.1	0.2
	Lounge Replacement Front Leg (for caste CRE3-RLCF*	r version) 52				0.5	0.5
× **	Lounge Replacement Back Leg (for caste CRE3-RLCB**	r version) 52				0.5	0.5
 	Replacement Casters Non-Locking CRE3-RC1*	71				.75	0.3
	Replacement Casters Locking CRE3-RC2**	71				.75	0.3
	Wood Tablet & Mounting Plate Only CRE3 RT1 Beech/Maple	379				5	0.32
	Tablet with Palette finish & Mounting Plate CRE3 RT2 n/a	Only 265				5	0.32
	Tablet & Mounting Plate Only - Solid Surfa CRE3 RT3 n/a	ce A-White	Grades A-Color	В	с	7	0.32
U		514	521	550	595		
	Laminate Tablet & Mounting Plate Only CRE3 RT4 n/a	379				5	0.32

LEED CI CREDITS

MATERIAL CONTENT:			
MATERIAL CONTENT:		MATERIAL CONTENT:	
1.5% Aluminum 1% Pleatic 2.17% Cardboard 7% Steel 1.33% Hardwood Veneer 20.67% Particle Board	PRE-CONSUMER RECYCLED CONTENT - 36.34%	4.5% Plywood 2% Hardwood 11.5% Particle Board	PRE-CONSUMER RECYCLED CONTENT - 30.77%
	POST-CONSUMER RECYCLED CONTENT - 26.4%	-75% Hardwood Veneer 2.5% Cardboard -3.5% Steel	POST-CONSUMER RECYCLED CONTENT - 25.68%
	Up to 31.25% of this Cressida product is recyclable at the end of its useful life.		Up to 27.88% of this Cressida product is recyclable at the end of its useful life.
	CONTRIBUTES TO	I	
CREDIT 2.1 - 2.2	Construction Waste Manager	ment	1-2 point(s)
CREDIT 3.3	Resource Reuse		1 point
CREDIT 4.1	Recycled Content		1 point
CREDIT 4.2	Recycled Content		1 point
CREDIT 4.5	Low Emitting Materials,		
	Systems & Seating		1 point
CREDIT 5.1	Regional Materials*		1 point
CREDIT 7	Certified Wood		1 point(s)
	(MUST BE REQUESTED)		

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level[®] CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | TABLE FEATURES

ANTI-MICROBIAL FINISH

Cressida wood surfaces include an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>page</u> 50. Cressida tables are available in 22 standard finishes.

CRESSIDA | BOX-STYLE TABLES

LAMINATE


Cressida Box-style tables are available in laminate with wood side or laminate side. See **page** 50 for laminate information.

SOLID SURFACE

Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote.

30'

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP I W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	н	WEIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	1123 1389	1169 1443	1166 1437	1211 1493	18 24	18 24	15.75 15.75	24 34	3 5
	Rectangular Tabl CRE4A 241816 CRE4A 482416	es 1234 1986	1283 2064	1275 2056	1327 2135	24 48		15.75 15.75	28 56	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	927 1131 1980	964 1178 2060	956 1275 2164	995 1327 2249	18 24 30	- -	15.75 15.75 15.75	16 23 34	3 5 8
	Rectangular Rou CRE4 B181816 CRE4 B241816 CRE4 B242416 CRE4 B482416	nd Corner 1205 1358 1508 2190	1253 1413 1566 2277	1249 1415 1606 2344	1297 1472 1669 2438	18 24 24 48	18 24	15.75 15.75 15.75 15.75	21 25 30 51	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1543	1299 1606 2038	1375 1670 2097	1430 1739 2179	24 32 48	24	15.75 15.75 15.75	23 34 56	4 7 12
	Triangular Round CRE4B T1618-4! CRE4B T2124-4! CRE4B T2529-4! CRE4B T2818-90 CRE4B T3624-90 CRE4B T4429-90	5 1131 5 1295 5 1587 0 1407 0 1675	1178 1348 1650 1461 1745 2094	1148 1344 1677 1461 1754 2034	1194 1396 1746 1519 1824 2115	16 21 25 28 36 44	18 24 29 18 24 29	4 15.7 9 15.7 3 15.7	5 23 5 28 5 24 5 30	2.5 4.5 7 3 7.5 11




37 | USA | HEALTHCARE | CRESSIDA

CRESSIDA | BOX-STYLE LINKING TABLES

		BEECH PALETTE		LAMINATE TOP L W/BEECH	AMINATE TOP W/ MAPLE					
DESCRIPTION	MODEL	LAMINATE	MAPLE	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
~	Middle Linking Table									
\sim	CRE4 LKI12	895	931	916	955	12	16	-	22	2.5
	CRE4 LKI18	1015	1057 1181	1063	1107	18	16	-	24	2.9
	CRE4 LKI24	1136	1101	1205	1253	24	16	-	29	3.7
		Middle Linking	g Modular Tab	ble ships with 2 KB	1 brackets.					
	End Table Square Co									
	CRE4A LKE12	930	967	954	993	12		15.75	19	2.3
	CRE4A LKE18 CRE4A LKE24	1051 1170	1092 1216	1099 1242	1144 1292	18 24	16 16	15.75 15.75	23 28	2.9 3.7
	GRE4A LKE24	1170	1210	1242	1292	24	10	15.75	20	3.7
-	ORDERING NOTE:	End Linking M	odular Table	ships with 1 KB1 b	oracket.					
\sim	End Table Rounded	Corner								
$\left \right\rangle$	CRE4B LKH12	1138	1182	1187	1236	12		15.75	19	2.3
	CRE4B LKH18	1237	1285	1292	1344	18	16	15.75	23	2.9
ΤU										
~	Curvilinear 30° Table									
	CRE4A LKC30	1050	1089	1121	1166	16	16.5	-	15	2.3
\										
\square	Curvilinear 45° Table					10				
	CRE4A LKC45	1219	1268	1294	1347	16	17	-	17	2.9
	Curvilinear 60° Table									
	CRE4A LKC60	1386	1441	1481	1539	16	17.5	-	20	3.7
	Curvilinear 90° Table									
	CRE4A LKC90	1609	1672	1724	1794	16	19	-	24	5.4
8 · · · · ·										
	Curvilinear 90°x2 Tat									
	CRE4A LKC90X2	3031	3154	3250	3383	16	19	15.75	55	10
	J									
\square	Curvilinear End Rour					10	10		10	
	CRE4A LKH12 CRE4A LKH18	1155	1202	1205	1253	12 18		15.75 15.75	18 21	2.3 3.6
~		1255	1307	1312	1365	10	10	15.75	21	3.0
4										

ORDERING NOTES: When fastening two linking tables together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Cressida Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

CURVILINEAR TABLE DIMENSIONS



CRESSIDA | HEALTHCARE | USA | 38

CRESSIDA | SLAB-STYLE LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	Laminate top l W/Beech Sides	AMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH	T CUBE
	Square and Recta CRE4C LKI1818 CRE4C LKI2418	ngular Slab Ta 670 733	ble 698 765	647 773	673 805	18 24	18 18	-	23 26	1.5 2.0
	Curvilinear Slab Ta CRE4C LKCRF45 CRE4C LKCRF90	uble with flat fr 980 1127	ont 1016 1172	996 1192	1037 1240	28 38	24 24	16 16	25 45	1.8 3.0
	Curvilinear Slab Ta CRE4C LKCRR45 CRE4C LKCRR90	980	1016 1172	996 1192	1037 1240	28 38	24 24	16 16	23 42	1.8 3.0
	Rectilinear Corner CRE4C LKCSF90	table 1296	1349	1434	1491	30	30	16	52	3.5

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Krug Multiple Seating. Linking tables are connected to the Multiple Seating via Linking brackets. Hardware for tables can be used left or right handed.

The design of the tables for Cressida Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration - or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.

Linking Tables also feature a universal, non-handed design:

They can be moved to reverse position in almost any configuration, providing a high level of flexibility for reconfiguring.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$62 list** per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of **\$62 list** per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black.


For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

CRESSIDA | LIGHT-STYLE TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH	Г CUBE
M	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	561 573 793	584 597 824	640 655 950	666 680 987	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
\mathbf{R}	Soft Square Tables CRE4D 181816S CRE4D 242416S CRE4D 363616S	508 563 805	529 586 837	568 656 966	591 681 1004	18 24 36	18 24 36	16 16 16	22 33 65	3 5 12
	CRE4D 181821S CRE4D 242421S	518 575	539 599	581 666	603 695	18 24	18 24	21 21	25 35	4 5

CRESSIDA | LIGHT-STYLE LINKING TABLES



CRESSIDA | LIGHT-STYLE LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	н	WEIGH ⁻	T CUBE
	Center Square Table CRE4D LKI2222	564	588	644	670	22	22	-	23	1.5
	End Square Table CRE4D LKE2222	559	582	639	664	22	22	16	34	1.5
	Curvilinear Connector	r Table 45° with 670	h flat edge 698	639	664	28	24	16	27	2.2
	Curvilinear Connector CRE4D LKCRR45	r Table 45° 670	698	639	664	28	24	16	26	2.2
	Curvilinear Connector CRE4D LKCRF90	r Table 90° witl 729	h flat edge 758	921	959	38	24	16	32	2.2
	Curvilinear Connector CRE4D LKCRR90	r Table 90° 729	758	921	959	38	24	16	32	2.2
	Rectilinear Corner Co CRE4D LKCSF90	nnector Table 773	90° 805	927	964	30	30	16	42	2.2
	Curvilinear Connector CRE4D LKCRR180	r Table 180° 1136	1180	1321	1375	55	29	16	60	4.4

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Cressida Multiple Seating.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Rectilinear Corner Connector table 90° include a support leg in the outer corner. All end linking tables include 2 legs. All Curvilinear tables include one supporting center leg.

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177 Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca **Customer Service Hours** Please note customer service hours are: 8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather

• exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

Juno and Trevisa Overbed Tables have a 2-year warranty.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination – please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

GENERAL INFORMATION

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$78/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$78/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$78/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard.

Specific test results and documentation are available on request.



Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address <u>engquotes@krug.ca</u>.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Textiles - Upholstery Program

 Passes State of California Technical Bulletin CAL 117-2013



Krug Textiles - Stocked Fabric Program

Grade 1

ARLO

ARLO				
	306 PETROL	908 CHARCOAL	93 SEAL	601 PEARL
308 MIDNIGHT	84 NUTMEG	62 OATMEAL	90 LIMESTONE	
FRANKLIN				
	3009 MIDNIGHT	67 FAWN	97 CINDER	94 METAL
47 CAMEL	909 BLACK	9004 CHARCOAL	308 PETROL	108 ORCHID
COMRADE				
	84 TEAK	63 LINEN	24 ALPINE	905 IRON
309 MIDNIGHT	601 SNOW	57 MARIGOLD	31 DUCK EGG	
FELICITY				
	305 SKY	603 TAUPE	93 COAL	405 HENNA

62 FAWN

601 IVORY

64 PUTTY

CRESSIDA | HEALTHCARE | USA | 44

36 BLUEBERRY



Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY 31 SKY 604 FLAX 901 CHAR 93 GRAY 25 CAPER 34 SLATE 84 TEAK 98 NICKLE **YATES** 44 CLAY 87 TAUPE 25 JUNIPER 305 INDIGO 109 CRANBERRY 84 BIRCH 803 TOAST 92 ZINC 91 SILVER 908 CHARCOAL MCCOY 601 CREME 908 CHARCOAL 62 COPPER 108 CORDOVAN 608 TUNDRA 32 ROBIN'S EGG 94 MERCURY 84 BARK ORIS 604 BARK 306 DELFT 902 ZINC 601 CREAM

64 PUTTY

205 CHARTREUSE

908 DOMINO 305 MIDNIGHT 45 | USA | HEALTHCARE | CRESSIDA



KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

Grade 3





302 CAPRI

INTRIGUE



601 OYSTER

805 PECAN

608 STUCCO

605 STRAW

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Faux Leather Program - Grade 2

White FL3822	Cream FL6003					
Parchment FL0605	Sandstone FL0608	Vanilla FL0061				
Taupe	Mocha	Tan	Chestnut	Bisque	Chocolate	Black
FL3948	FL0808	FL0802	FL0087	FL0805	FL8020	FL9009
Earth	Brick	Wine	Garnet	Rust	Citron	Sprig
FL0084	FL0011	FL0108	FL0017	FL0014	FL0054	FL0205
Chinchilla	Steel	Grey	Lagoon	Pacific Blue	Navy	Plum
FL6009	FL0905	FL9003	FL0037	FL3003	FL3006	FL1009

Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$21

Grade 2 \$33

Grade 3 \$44

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover rolls, or for the method of upholstery in on instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a <u>NAFTA Certificate of Origin</u> and a <u>Commercial Invoice</u> be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is <u>not</u> available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry Natural Cherry Sable Cherry Standard Cherry Light Oak Harvest Oak Mahogany Mellow Oak Espresso Cordovan Walnut Natural Walnut **Regular Walnut** SilverGrey on Walnut Dark Walnut Clear Beech Medium Anigre

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$525 list per finish per order. (For example, on all orders up to \$5250 list, an upcharge of \$525 will apply, on orders \$5000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984–38		
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut


Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.


CRESSIDA | FINISHES

SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



METAL FINISHES



Silver Metallic

URETHANE COLOR OPTIONS







All products are air emissions certified and are available as FSC® certified

krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG