

CRESSIDA
Price and Specification Guide
USA



TABLE OF CONTENTS

CRESSIDA | GUEST BACK

- 2 Cressida Environmental Summary
- 3 Cressida Features
- 4 Cressida Options
- 4 Cressida Dimensions & COM Requirements
- 5 Cressida Guest Pricing

CRESSIDA | PATIENT BACK

- 7 Cressida Environmental Summary
- 3 Cressida Features
- 4 Cressida Options
- 8 Cressida Dimensions, COM Requirements & Option Upcharges
- 9 Cressida Patient Pricing

CRESSIDA | MULTIPLE GUEST & PATIENT SEATING

- 10 Cressida Multiple Seating Instructions
- 12 Cressida Dimensions & COM Requirements Pre-Configured Units
- 13 Cressida Multiple Seating Pre-Configured Units Pricing
- 15 Cressida Dimensions & COM Requirements Start, Center & End
- 16 Cressida Multiple Seating Start, Center & End Units Pricing
- 21 Cressida Freespan Dimensions & COM Requirements
- 22 Cressida Freespan Multiple Seating Pricing

CRESSIDA | LOUNGE

- 26 Cressida Environmental Summary
- 27 Cressida Lounge Features & Options
- 28 Cressida Dimensions, COM Requirements & Option Upcharges
- 29 Cressida Lounge Pricing

CRESSIDA | TABLES

- 36 Cressida Environmental Summary
- 37 Cressida Box-Style Tables
- 38 Cressida Box-Style Linking Tables
- 39 Cressida Slab-Style Linking Tables
- 40 Cressida Light-Style Tables
- 40 Cressida Light-Style Linking Tables


GENERAL INFORMATION

- 42 Terms & Conditions
- 42 Warranty
- 44 KRUG Textiles - Upholstery Fabrics
- 46 KRUG Textiles - Leather & Faux Leather
- 48 Customer's Own Material (COM/COL)
- 48 CAL 133 & Moisture Barrier
- 49 Graded-In Upholstery Programs
- 49 *KRUGEXPRESS* Program
- 50 Wood Finishes
- 50 Standard Laminates
- 51 Solid Surface Program
- 51 Metal Finishes
- 51 Urethane Color Options

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER

RECYCLED CONTENT = 6.66%

POST-CONSUMER

RECYCLED CONTENT = 22.07%

Up to 53.26% of this Cressida product is recyclable at the end of its useful life.

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | GUEST, PATIENT & MULTIPLE FEATURES & OPTIONS



CLEAN OUT

All Cressida seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



POLYMER ARM CAP

The optional arm cap provides enhanced durability and protection for the arms. Arm cap is available in Grey or Black and is field replaceable if it becomes damaged or degraded.



WOOD ARM

Wood Arms are available in either beech or maple hardwood and in 22 Krug standard finishes.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



METAL BACK LEGS

Cressida's metal back legs are built from structural rectangular steel tubing for exceptional strength and appealing design. Silver Metallic is offered as Krug's standard finish, additional metal finish colors are available at an upcharge - please contact Customer Service for pricing and more information.



METAL TO METAL CONNECTIONS

Steel seat frames are joined to other components, and to each other in the multiple seating products, with hardened steel bolts and inserts, ensuring exceptional durability and strength, and easy reconfigurability, as well as on-site replacement of damaged or degraded components.

STEEL SEAT FRAME

Seats are constructed of high strength plywood with suspension webbing. The upholstered seat assembly is then further supported by steel frame construction running below the plywood.

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

PLUS UPGRADE

Cressida 30" and 44" models feature Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Cressida weight capacities are as follows:

Guest & Patient Chairs (21" & 24") - 350 lbs

Plus Chairs (30" & 44") - 750 lbs

Multiple Seating & Pre-configured - 350 lbs per seat

2-Seat Freespan - 525 lbs per unit

3-Seat Freespan - 750 lbs per unit

REPLACEABLE COMPONENTS

Cressida chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

ADDITIONAL FEATURES

- Lifetime warranty
- Available CAL 133 option

OPTIONS

CLEANABLE UNDER-SEAT SPLASHGUARD

All Cressida seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of **\$64 list** per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

GANGING

All Cressida freestanding chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame.

ADJUSTABLE HEADREST

The adjustable headrest uses dual density foam providing excellent support and comfort. The headrest is securely fastened using an innovative clip allowing the headrest to be easily removed for cleaning and/or replacement. The headrest is easily adjusted by sliding the headrest vertically allowing the user to maximize their comfort.



CRESSIDA | GUEST, PATIENT & MULTIPLE OPTIONS

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$33 list** per unit and **\$64 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per

item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

REPLACEMENT / REMOVABLE COVER OPTION

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

CRESSIDA | GUEST

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	24.5	28.5	33.75	18.5	26	21	18.75	42	14
24" Seat	27.5	28.5	33.75	18.5	26	24	18.75	46	19
30" Seat	33.5	28.5	33.75	18.5	26	30	18.75	57	20
44" Seat	47.5	28.5	33.75	18.5	26	44	18.75	69	28

COM - YARDAGE REQUIREMENTS





	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" - One Chair	1.4	0.8	0.7	.8
21" - Two Chairs	2.59	1.19	1.4	.8
21" - Three Chairs	4.08	2	2.08	.8
21" - Four Chairs	5.18	2.38	2.8	.8
24" - One Chair	1.75	0.8	1.4	.8
24" - Two Chairs	3.3	1.19	2.08	.8
24" - Three Chairs	5.05	2	3.48	.8
24" - Four Chairs	6.6	2.38	4.16	.8
30" - One Chair	2.5	1.1	1.4	.8
30" - Two Chairs	5	2.2	2.8	.8
30" - Three Chairs	7.5	3.3	4.2	.8
30" - Four Chairs	10	4.4	5.6	.8
44" - One Chair	2.5	1.1	1.4	.8
44" - Two Chairs	5	2.2	2.8	.8
44" - Three Chairs	7.5	3.3	4.2	.8
44" - Four Chairs	10	4.4	5.6	.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.





CRESSIDA | GUEST

DESCRIPTION	MODEL	SPECIES	COM		COL	FABRIC GRADES			LEATHER		
			1	2	3	4	5	6	7	8	9
	21" Open Arm CRE2-G21OPS	Beech, Maple	1033	1086	1141	1244	1346	1439	1547	1657	1858
	21" Open Arm with arm cap CRE2-G21OPP		1058	1108	1165	1267	1369	1461	1568	1677	1881
	21" Closed Arm CRE2-G21CLS	Beech, Maple	1318	1412	1495	1633	1774	1905	2055	2214	2466
	21" Closed Arm with arm cap CRE2-G21CLP		1342	1434	1518	1657	1797	1926	2077	2237	2491
	24" Open Arm CRE2-G24OPS	Beech, Maple	1092	1141	1194	1294	1403	1504	1606	1714	1915
	24" Open Arm with arm cap CRE2-G24OPP		1116	1165	1215	1316	1423	1527	1629	1736	1938
	24" Closed Arm CRE2-G24CLS	Beech, Maple	1378	1467	1545	1683	1833	1968	2112	2271	2526
	24" Closed Arm with arm cap CRE2-G24CLP		1402	1492	1567	1703	1855	1991	2135	2294	2549

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	64
Ganging Bracket	84
Removable Seat Cover	85
Guest Removeable 21" & 24" Back Covers	54
21" & 24" Cleanable Under-Seat Splashguard	59
Combination Upholstery - Dual Fabrics	33
Combination Upholstery - Three Fabrics	64

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
<div>CRE</div> Cressida	<div>2</div> Chair	<div>G</div> Guest	<div>21</div>	<div>OPS</div> Open Arm
			<div>24</div>	<div>OPP</div> Open Arm Polymer Arm Cap
				<div>CLS</div> Closed Arm
				<div>CLP</div> Closed Arm Polymer Arm Cap

DESCRIPTION	MODEL	SPECIES	COM		COL	FABRIC GRADES			LEATHER		
			1	2	3	4	5	6	7	8	9
	30" Open Arm CRE2-G30OPS	Beech, Maple	1272	1311	1387	1534	1755	1915	2011	2170	2479
	30" Open Arm with arm cap CRE2-G30OPP		1295	1333	1411	1557	1778	1938	2033	2194	2502
	30" Closed Arm CRE2-G30CLS	Beech, Maple	1559	1678	1782	1970	2188	2382	2584	2800	3166
	30" Closed Arm with arm cap CRE2-G30CLP		1583	1703	1808	1993	2210	2405	2607	2822	3189
	44" Open Arm CRE2-G44OPS	Beech, Maple	1538	1619	1706	1863	2017	2185	2348	2507	2833
	44" Open Arm with arm cap CRE2-G44OPP		1562	1642	1729	1886	2039	2206	2373	2531	2857
	44" Closed Arm CRE2-G44CLS	Beech, Maple	1825	1946	2059	2254	2445	2649	2857	3067	3444
	44" Closed Arm with arm cap CRE2-G44CLP		1846	1967	2083	2278	2466	2671	2880	3090	3465

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	64
Ganging Bracket	84
Removable Seat Cover	85
Guest Removeable 30" & 44" Back Covers	85
30" Cleanable Under-Seat Splashguard	67
44" Cleanable Under-Seat Splashguard	80
Combination Upholstery - Dual Fabrics	33
Combination Upholstery - Three Fabrics	64

PRODUCT CODE KEY


Line	Series	Chair Style	Size	Arm Style
<div>CRE</div> Cressida	<div>2</div> Chair	<div>G</div> Guest	<div>21</div>	<div>OPS</div> Open Arm
			<div>24</div>	<div>OPP</div> Open Arm Polymer Arm Cap
			<div>30</div>	<div>CLS</div> Closed Arm
			<div>44</div>	<div>CLP</div> Closed Arm Polymer Arm Cap

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.66%

POST-CONSUMER
RECYCLED CONTENT = 22.07%

Up to 53.26% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	24.5	28.5	43.5	18.5	26	21	18.75	45	17
24" Seat	27.5	28.5	43.5	18.5	26	24	18.75	51	22
30" Seat	33.5	28.5	43.5	18.5	26	30	18.75	60	28

COM - YARDAGE REQUIREMENTS

	COM Yardage Seats & Backs Only	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" - One Chair	2.2	0.95	1.25	.8
21" - Two Chairs	4.25	1.3	2.95	.8
21" - Three Chairs	6.45	2.25	4.2	.8
21" - Four Chairs	8.5	4.6	3.9	.8
24" - One Chair	2.1	0.8	1.95	.8
24" - Two Chairs	4.14	1.19	2.95	.8
24" - Three Chairs	6.45	2	4.9	.8
24" - Four Chairs	8.28	2.38	5.9	.8
30" Plus - One Chair	3.15	1.2	1.95	.8
30" Plus - Two Chairs	6.3	2.4	3.9	.8
30" Plus - Three Chairs	9.21	3.6	5.85	.8
30" Plus - Four Chairs	12.6	4.8	7.8	.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

WEIGHT CAPACITIES

Cressida weight capacities are as follows:

Patient Chairs (21" & 24") - 350 lbs

Patient Plus Chair (30") - 750 lbs








Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	64
Removable Seat Cover (per seat)	85
Patient Removeable 21" & 24" Back Covers (per back)	85
Patient Removeable 30" Back Covers (per back)	142
Combination Upholstery - dual fabrics (per chair)	33
Combination Upholstery - Three fabrics (per chair)	64
21" & 24" Cleanable Under-Seat Splashguard	59
30" Cleanable Under-Seat Splashguard	67

Additional features and options information see page 19.

ORDERING NOTES:

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

CRESSIDA | PATIENT

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	4	FABRIC GRADES 5	6	7	LEATHER 8	9	
	21" Open Arm CRE2-P21OPS	Beech, Maple	1137	1207	1272	1411	1547	1624	1815	1953	2219	
	21" Open Arm with arm cap CRE2-P21OPP	Beech, Maple	1158	1230	1295	1433	1568	1646	1837	1976	2241	
	21" Closed Arm CRE2-P21CLS	Beech, Maple	1421	1535	1624	1798	1977	2143	2322	2508	2829	
	21" Closed Arm with arm cap CRE2-P21CLP	Beech, Maple	1445	1558	1646	1819	1998	2166	2345	2532	2852	
	24" Open Arm CRE2-P24OPS	Beech, Maple	1194	1266	1331	1466	1606	1735	1871	2010	2278	
	24" Open Arm with arm cap CRE2-P24OPP	Beech, Maple	1215	1288	1354	1488	1629	1756	1894	2031	2299	
	24" Closed Arm CRE2-P24CLS	Beech, Maple	1480	1592	1683	1857	2034	2198	2381	2567	2886	
	24" Closed Arm with arm cap CRE2-P24CLP	Beech, Maple	1503	1615	1705	1880	2058	2221	2403	2590	2910	
	30" Open Arm CRE2-P30OPS	Beech, Maple	1417	1512	1609	1781	1982	2164	2347	2549	2896	
	30" Open Arm with arm cap CRE2-P30OPP	Beech, Maple	1440	1535	1632	1806	2004	2186	2346	2569	2920	
	30" Closed Arm CRE2-P30CLS	Beech, Maple	1704	1839	1932	2170	2411	2629	2854	3104	3507	
	30" Closed Arm with arm cap CRE2-P30CLP	Beech, Maple	1727	1861	1955	2194	2433	2650	2879	3129	3530	
DESCRIPTION	MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9	WEIGHT	CUBE
	Adjustable Headrest for 21", 24" & 30" CRE2-RH	159	172	187	208	231	253	273	295	338	3	0.9

FEATURES:
For a complete list of features see [page 3](#).

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
<div>CRE</div> <div>Cressida</div>	<div>2</div> <div>Chair</div>	<div>P</div> <div>Patient</div>	<div>21</div>	<div>OPS</div> <div>Open Arm</div>
			<div>24</div>	<div>OPP</div> <div>Open Arm Polymer Arm Cap</div>
			<div>30</div>	<div>CLS</div> <div>Closed Arm</div>
			<div>44</div>	<div>CLP</div> <div>Closed Arm Polymer Arm Cap</div>

CRESSIDA | MULTIPLE SEATING INSTRUCTIONS


To aid you in the process of specifying and ordering Cressida Multiple Seating, we have compiled the following summary. It explains the three different types of Cressida Multiple Seating – (a) Pre-Configured, (b) Start, Center & End Units and (c) the Freespan Multiple Units – including the features and considerations of each type, to assist in selecting the one that best suits each application. It is a requirement for all Cressida Multiple Seating orders, a drawing or plan view layout must accompany the order, so that we can verify that the specification is correct.

When building your multiple seating layout, please note that your order should start from left to right as you are facing the configuration.

Pre-Configured Multiple Units


Pre-Configured Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size (see picture below).

Two-Seat



Considerations if choosing to use Pre-Configured Units:

- Linking tables can be joined to either end of a Pre-Configured Multiple Unit, but not in-between
- There are no limitations to the number of Pre-Configured Multiple units that can be ganged together with the Cressida Linking Tables
- Pre-Configured Multiple Units are not available in 30" or 44" plus widths
- Pre-Configured Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Cressida Linking Table or linking brackets are used in-between the different types of multiple seating.
- Pre-Configured Multiple Units are built from Start, Center and End Units and therefore, can be reconfigured to singular or two-seat units. However, you may have to purchase additional components (arms, etc...) to be able to do this. See line drawings below for possible configurations that can be made from taking apart the Pre-Configured Multiple Units.



*Please note:

Example #1-A requires an additional end unit arm for chair A, and a start unit arm for chair B.


Example #1-B requires an additional end unit arm for chair A, a start and end unit arm for chair B, and a start unit arm for chair C.

Start, Center and End Multiple Seating Units

Start, Center and End Multiple Units are designed to be used when you have seating configurations that are greater than three chair units in size, and/or include 30" or 44" units (see picture below). Also, before you start to build your multiple seating layout, please note that your order should start from left to right as you are facing the chair, therefore begin the configuration with a Start Unit, then move to a Center Unit and finish with an End Unit.


Considerations if choosing to use Start, Center and End Multiple Units:

- Start, Center and End units are available in widths - Guest (21", 24", 30" & 44") and Patient - (21", 24" & 30")
- There are no limitations to the amount of center units that can be ganged to a start or an end unit
- Cressida Linking Tables can be joined to any Cressida Start or End unit only (this is because the units are engineered with the finished arms)




CRESSIDA | MULTIPLE SEATING INSTRUCTIONS

See below for sample configurations of when you would use Start, Center and End Multiple Units.



Freespan Multiple Units


Freespan Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size and a reduced number of legs are desirable. (see picture below).



Considerations if choosing to use Freespan Multiple Units:

- The unit with the center arm increases the overall width of the unit by 1" per arm
- Linking tables can be joined to either side of a Freespan Multiple Unit, but not in-between
- There are no limitations to the number of Freespan Multiple units that can be ganged together with the Cressida Linking Tables or linking brackets. See [page 25](#) for pricing.
- Freespan Multiple Units are not available in 30" or 44" plus widths
- Freespan Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Cressida Linking Table or linking brackets are used in-between the different types of multiple seating.

Below illustrates possible configurations when you could use all three types of Cressida Multiple Seating together.



For more information on how to specify Cressida Multiple Seating, please contact Customer Service directly at 1-888-578-5784.

CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
PCG21X2	47.25	28.5	33.75	18.5	26	21	18.75	82	30	2.6	1.2	1.4	0.4
PCP21X2	47.25	28.5	43.5	18.5	26	21	18.75	88	38	3.2	1.2	2	0.4
PCG21X3	70	28.5	33.75	18.5	26	21	18.75	117	44	4.08	2	2.08	0.4
PCP21X3	70	28.5	43.5	18.5	26	21	18.75	125	56	5	2	3	0.4
PCG24X2	53.25	28.5	33.75	18.5	26	24	18.75	85	34	3.3	1.2	2.08	0.4
PCP24X2	53.25	28.5	43.5	18.5	26	24	18.75	95	43	4.14	1.2	3	0.4
PCG24X3	79	28.5	33.75	18.5	26	24	18.75	121	50	5.05	2	3.48	0.4
PCP24X3	79	28.5	43.5	18.5	26	24	18.75	135	63	6.25	2	4.9	0.4

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to [page 48](#) for C.O.M approval process.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	64
Removable Seat Cover (per seat)	85
Guest Removeable 21" & 24" Back Covers (per back)	54
Patient Removeable 21" & 24" Back Covers (per back)	85
21" & 24" Cleanable Under-Seat Splashguard (per seat)	59
Combination Upholstery - dual fabrics (per chair)	33
Combination Upholstery - Three fabrics (per chair)	64

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Patient backs are available on multiple units, please change the model number CRE2-PCG to CRE2-PCP, CRE2-PCG to CRE2-PCP, CRE2-PCG to CRE2-PCP and add the following upcharges per back:


	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	82	95	108	126	148	164	186	213	239
24" Chairs	94	107	120	138	159	178	199	226	250

WEIGHT CAPACITIES


Cressida weight capacities are as follows:
Pre-configured - 350 lbs per seat

PRE-CONFIGURED MULTIPLE UNITS

Two-Seat







Three-Seat



FEATURES:

For a complete list of features see [page 3](#).

CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

DESCRIPTION	MODEL	SPECIES	COM		COL	FABRIC GRADES				LEATHER	
			1	2	3	4	5	6	7	8	9
	2 Seat - 21" Open Arm Pre-configured Unit, Guest Backs										
	CRE2-PCG21X2OPS	Beech, Maple	2024	2126	2227	2368	2529	2670	2831	3035	3236
	CRE2-PCG21X2OPP		2059	2161	2261	2403	2563	2705	2866	3069	3270
	2 Seat - 21" Closed Arm Pre-configured Unit, Guest Backs										
	CRE2-PCG21X2CLS	Beech, Maple	2451	2614	2753	2949	3172	3369	3592	3873	4152
	CRE2-PCG21X2CLP		2487	2650	2789	2985	3208	3404	3627	3907	4185
	3 Seat - 21" Open Arm Pre-configured Unit, Guest Backs										
	CRE2-PCG21X3OPS	Beech, Maple	2898	3058	3217	3439	3697	3919	4173	4491	4813
	CRE2-PCG21X3OPP		2946	3104	3265	3488	3742	3965	4219	4539	4859
	3 Seat - 21" Closed Arm Pre-configured Unit, Guest Backs										
	CRE2-PCG21X3CLS	Beech, Maple	3469	3711	3921	4216	4555	4848	5187	5609	6031
	CRE2-PCG21X3CLP		3516	3759	3969	4264	4602	4898	5233	5657	6078

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	64	21" & 24" Cleanable Under-Seat Splashguard (per seat)	59	
Removable Seat Cover (per seat)	85	Combination Upholstery - dual fabrics (per chair)	33	
Guest Removeable 21" & 24" Back Covers (per back)	54	Combination Upholstery - Three fabrics (per chair)	64	
Patient Removeable 21" & 24" Back Covers (per back)	85			

Additional features and options information see page 19.

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCG	21x2	OPS
Cressida	Chair	Pre-configured Guest		Open Arm
		PCP	21x3	OPP
		Pre-configured Patient		Open Arm Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	CLP
				Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	4	FABRIC GRADES 5	6	7	LEATHER 8	9
	2 Seat - 24" Open Arm Pre-configured Unit, Guest Backs										
	CRE2-PCG24X2OPS	Beech, Maple	2088	2191	2293	2433	2593	2736	2896	3099	3303
	2 Seat - 24" Open Arm with arm cap Pre-configured Unit, Guest Backs										
	CRE2-PCG24X2OPP		2126	2223	2326	2466	2629	2769	2932	3134	3339
	2 Seat - 24" Closed Arm Pre-configured Unit, Guest Backs										
	CRE2-PCG24X2CLS	Beech, Maple	2517	2681	2819	3015	3238	3433	3661	3936	4215
	2 Seat - 24" Closed Arm with arm cap Pre-configured Unit, Guest Backs										
	CRE2-PCG24X2CLP		2552	2715	2853	3052	3271	3469	3693	3972	4249
	3 Seat - 24" Open Arm Pre-configured Unit, Guest Backs										
	CRE2-PCG24X3OPS	Beech, Maple	3021	3181	3341	3562	3817	4040	4294	4614	4931
	3 Seat - 24" Open Arm with arm cap Pre-configured Unit, Guest Backs										
	CRE2-PCG24X3OPP		3068	3224	3385	3608	3864	4088	4341	4663	4978
	3 Seat - 24" Closed Arm Pre-configured Unit, Guest Backs										
	CRE2-PCG24X3CLS	Beech, Maple	3592	3831	4042	4339	4678	4971	5309	5730	6154
	3 Seat - 24" Closed Arm with arm cap Pre-configured Unit, Guest Backs										
	CRE2-PCG24X3CLP		3639	3880	4090	4387	4723	5017	5359	5649	6199

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List	\$ List
Moisture Barrier (per yard)	64	21" & 24" Cleanable Under-Seat Splashguard (per seat) 59
Removable Seat Cover (per seat)	85	Combination Upholstery - dual fabrics (per chair) 33
Guest Removeable 21" & 24" Back Covers (per back)	54	Combination Upholstery - Three fabrics (per chair) 64
Patient Removeable 21" & 24" Back Covers (per back)	85	

Additional features and options information see page 19.

Patient backs are available on multiple units, please change the model number CRE2-PCG to CRE2-PCP, CRE2-PCG to CRE2-PCP, CRE2-PCG to CRE2-PCP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	82	95	108	126	148	164	186	213	239
24" Chairs	94	107	120	138	159	178	199	226	250

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCG	21x2	OPS
Cressida	Chair	Pre-configured Guest		Open Arm
		PCP	21x3	OPP
		Pre-configured Patient		Open Arm Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	CLP
				Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - START, CENTER & END UNITS

DIMENSIONS & COM REQUIREMENTS

CRESSIDA START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel (1 Arm) Yardage	COM Fabric Closed Arm Panel (2 Arms) Yardage
SG21	24.5	28.5	33.75	18.5	26	21	18.75	47	14	1.4	0.8	0.7	0.4	0.8
SP21	24.5	28.5	43.75	18.5	26	21	18.75	49	17	1.8	0.8	1	0.4	0.8
SG24	27.5	28.5	33.75	18.5	26	24	18.75	52	19	1.4	0.8	0.7	0.4	0.8
SP24	27.5	28.5	43.75	18.5	26	24	18.75	55	22	1.8	0.8	1.95	0.4	0.8
SG30	33.5	28.5	33.75	18.5	26	30	18.75	61	20	2.5	1.1	1.4	0.4	0.8
SP30	33.5	28.5	43.75	18.5	26	30	18.75	64	28	3.15	1.1	1.95	0.4	0.8
SG44	47.5	28.5	33.75	18.5	26	44	18.75	73	28	2.5	1.1	1.4	0.4	0.8

CRESSIDA CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
CG21	22.75	28.5	33.75	18.5	26	21	18.75	41	14	1.4	0.8	0.7	0.4
CP21	22.75	28.5	43.75	18.5	26	21	18.75	44	17	1.8	0.8	1	0.4
CG24	25.75	28.5	33.75	18.5	26	24	18.75	45	19	1.4	0.8	0.7	0.4
CP24	25.75	28.5	43.75	18.5	26	24	18.75	50	22	1.8	0.8	1.95	0.4
CG30	31.75	28.5	33.75	18.5	26	30	18.75	54	20	2.5	1.1	1.4	0.4
CP30	31.75	28.5	43.75	18.5	26	30	18.75	56	28	3.15	1.1	1.95	0.4
CG44	45.75	28.5	33.75	18.5	26	44	18.75	67	28	2.5	1.1	1.4	0.4

CRESSIDA END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
EG21	22.75	28.5	33.75	18.5	26	21	18.75	38	14	1.4	0.8	0.7	0.4
EP21	22.75	28.5	43.75	18.5	26	21	18.75	41	17	1.8	0.8	1	0.4
EG24	25.75	28.5	33.75	18.5	26	24	18.75	41	19	1.4	0.8	0.7	0.4
EP24	25.75	28.5	43.75	18.5	26	24	18.75	46	22	1.8	0.8	1.85	0.4
EG30	31.75	28.5	33.75	18.5	26	30	18.75	51	20	2.5	1.1	1.4	0.4
EP30	31.75	28.5	43.75	18.5	26	30	18.75	53	28	3.15	1.1	1.95	0.4
EG44	45.75	28.5	33.75	18.5	26	44	18.75	63	28	2.5	1.1	1.4	0.4

When ordering more than one Start, Center or End unit, please refer to [page 4](#) for COM yardage requirements for guest chairs or [page 8](#) for COM yardage requirements for patient chairs.

WEIGHT CAPACITIES

Cressida weight capacities are as follows:

Multiple Seating & Pre-configured - 350 lbs per seat

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.







Cressida Option Upcharges	\$ List	Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	64	Patient Removeable 21" & 24" Back Covers	85
Removable Seat Cover (per seat)	85	Patient Removeable 30" Back Covers	137
Guest Removeable 21" & 24" Back Covers (per back)	54	21" & 24" Cleanable Under-Seat Splashguard	59
Guest Removeable 30" & 44" Back Covers (per back)	85	30" Cleanable Under-Seat Splashguard	67
Combination Upholstery - dual fabrics (per chair)	33	44" Cleanable Under-Seat Splashguard	80
Combination Upholstery - Three fabrics (per chair)	64		

Additional features and options information see page 19.

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	82	95	108	126	148	164	186	213	239
24" Chairs	94	107	120	138	159	178	199	226	250
30" Chairs	134	151	168	190	217	240	268	302	336

CRESSIDA | MULTIPLE SEATING - START, CENTER & END UNITS







DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
	21" Open Arm Start Unit, Guest Back CRE2-SG21OPS	Beech, Maple	1106	1164	1222	1304	1394	1479	1569	1688	1804
	21" Open Arm with arm cap Start Unit, Guest Back CRE2-SG21OPP		1126	1185	1268	1327	1417	1501	1593	1709	1827
	21" Closed Arm Start Unit, Guest Back CRE2-SG21CLS	Beech, Maple	1389	1488	1570	1691	1825	1944	2079	2244	2413
	21" Closed Arm with arm cap Start Unit, Guest Back CRE2-SG21CLP		1412	1512	1594	1714	1846	1965	2103	2268	2436
	21" Closed Arm / Open Center Arm Start Unit, Guest Back CRE2-SG21COS	Beech, Maple	1246	1327	1395	1497	1609	1712	1823	1966	2109
	21" Closed Arm with arm cap / Open Center Arm with arm cap Start Unit, Guest Back CRE2-SG21COP		1270	1348	1419	1519	1632	1734	1845	1989	2133
	24" Open Arm Start Unit, Guest Back CRE2-SG24OPS	Beech, Maple	1152	1210	1268	1351	1443	1527	1618	1735	1854
	24" Open Arm with arm cap Start Unit, Guest Back CRE2-SG24OPP		1173	1232	1290	1374	1465	1548	1640	1756	1875
	24" Closed Arm Start Unit, Guest Back CRE2-SG24CLS	Beech, Maple	1439	1536	1620	1741	1872	1990	2126	2295	2462
	24" Closed Arm with arm cap Start Unit, Guest Back CRE2-SG24CLP		1461	1559	1643	1764	1896	2014	2149	2318	2486
	24" Closed Arm / Open Center Arm Start Unit, Guest Back CRE2-SG24COS	Beech, Maple	1295	1374	1445	1545	1660	1756	1871	2014	2247
	24" Closed Arm with arm cap / Open Center Arm with arm cap Start Unit, Guest Back CRE2-SG24COP		1317	1395	1466	1567	1680	1779	1894	2035	2269

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE Cressida	2 Chair	SG Start Unit Guest Multiple Seating	21	OPS Open Arm
		CG Center Unit Multiple Seating	24	OPP Open Arm Polymer Arm Cap
		EG End Unit Multiple Seating	30	COS Closed Arm/Open Center Arm
			44	COP Closed Arm/Open Center Arm Polymer Arm Cap
				CLS Closed Arm
				CLP Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - START, CENTER & END UNITS







DESCRIPTION	MODEL	SPECIES	COM		COL	FABRIC GRADES			LEATHER		
			1	2		4	5	6	7	8	9
	30" Open Arm Start Unit, Guest Back CRE2-SG30OPS	Beech, Maple	1391	1474	1559	1667	1796	1908	2037	2196	2359
	30" Open Arm with arm cap Start Unit, Guest Back CRE2-SG30OPP		1415	1495	1581	1690	1817	1929	2031	2219	2383
	30" Closed Arm Start Unit, Guest Back CRE2-SG30CLS	Beech, Maple	1678	1801	1907	2056	2223	2374	2545	2757	2969
	30" Closed Arm with arm cap Start Unit, Guest Back CRE2-SG30CLP		1703	1822	1928	2079	2247	2396	2567	2779	2991
	30" Closed Arm/Open Center Arm Start Unit, Guest Back CRE2-SG30COS	Beech, Maple	1536	1638	1730	1861	2011	2140	2291	2478	2637
	30" Closed Arm with arm cap/Open Center Arm with arm cap Start Unit, Guest Back CRE2-SG30COP		1559	1661	1752	1884	2033	2165	2313	2500	2659
	44" Open Arm Start Unit, Guest Back CRE2-SG44OPS	Beech, Maple	1905	2010	2098	2196	2361	2486	2625	2802	2978
	44" Open Arm with arm cap Start Unit, Guest Back CRE2-SG44OPP		1926	2031	2119	2219	2385	2506	2646	2823	2999
	44" Closed Arm Start Unit, Guest Back CRE2-SG44CLS	Beech, Maple	2209	2337	2449	2610	2791	2949	3133	3358	3588
	44" Closed Arm with arm cap Start Unit, Guest Back CRE2-SG44CLP		2230	2357	2472	2632	2815	2971	3156	3382	3609
	44" Closed Arm/Open Center Arm Start Unit, Guest Back CRE2-SG44COS	Beech, Maple	2064	2172	2274	2577	2560	2717	2880	3080	3280
	44" Closed Arm with arm cap/Open Center Arm with arm cap Start Unit, Guest Back CRE2-SG44COP		2087	2195	2297	2597	2584	2741	2902	3103	3304

Please see [page 15](#) for Ordering Notes and Yardage requirements.

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
<div>CRE</div> Cressida	<div>2</div> Chair	<div>SG</div> Start Unit Guest Multiple Seating	<div>21</div>	<div>OPS</div> Open Arm
		<div>CG</div> Center Unit Multiple Seating	<div>24</div>	<div>OPP</div> Open Arm Polymer Arm Cap
		<div>EG</div> End Unit Multiple Seating	<div>30</div>	<div>COS</div> Closed Arm/Open Center Arm
			<div>44</div>	<div>COP</div> Closed Arm/Open Center Arm Polymer Arm Cap
				<div>CLS</div> Closed Arm
				<div>CLP</div> Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - START, CENTER & END UNITS



DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
	21" Open Arm Center Unit, Guest Back CRE2-CG21OPS	Beech, Maple	1039	1096	1155	1239	1331	1414	1505	1622	1741
	21" Open Arm with arm cap Center Unit, Guest Back CRE2-CG21OPP		1053	1110	1168	1251	1342	1423	1515	1634	1751
	21" Closed Arm Center Unit, Guest Back CRE2-CG21CLS	Beech, Maple	1180	1262	1332	1431	1545	1644	1758	1899	2043
	21" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG21CLP		1194	1272	1345	1443	1558	1659	1772	1913	2056
	24" Open Arm Center Unit, Guest Back CRE2-CG24OPS	Beech, Maple	1093	1151	1209	1290	1384	1465	1559	1676	1792
	24" Open Arm with arm cap Center Unit, Guest Back CRE2-CG24OPP		1107	1164	1223	1304	1395	1479	1569	1689	1804
	24" Closed Arm Center Unit, Guest Back CRE2-CG24CLS	Beech, Maple	1236	1315	1386	1484	1598	1698	1813	1955	2098
	24" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG24CLP		1246	1328	1396	1497	1612	1712	1825	1966	2109
	30" Open Arm Center Unit, Guest Back CRE2-CG30OPS	Beech, Maple	1292	1373	1453	1566	1693	1808	1935	2098	2257
	30" Open Arm with arm cap Center Unit, Guest Back CRE2-CG30OPP		1305	1384	1465	1579	1706	1818	1947	2109	2271
	30" Closed Arm Center Unit, Guest Back CRE2-CG30CLS	Beech, Maple	1437	1536	1631	1760	1909	2040	2191	2377	2505
	30" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG30CLP		1447	1548	1642	1773	1922	2054	2201	2387	2518

Please see **page 15** for Ordering Notes and Yardage requirements.

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2	SG	21	OPS
Cressida	Chair	Start Unit Guest Multiple Seating		Open Arm
		CG	24	OPP
		Center Unit Multiple Seating		Open Arm Polymer Arm Cap
		EG	30	COS
		End Unit Multiple Seating		Closed Arm/Open Center Arm
			44	COP
				Closed Arm/Open Center Arm Polymer Arm Cap
				CLS
				Closed Arm
				CLP
				Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - START, CENTER & END UNITS

	44" Open Arm Center Unit, Guest Back CRE2-CG44OPS Beech, Maple	1563	1668	1753	1880	2019	2143	2282	2460	2636
	44" Open Arm with arm cap Center Unit, Guest Back CRE2-CG44OPP	1573	1680	1768	1892	2031	2157	2295	2471	2646
	44" Closed Arm Center Unit, Guest Back CRE2-CG44CLS Beech, Maple	1723	1833	1932	2073	2236	2376	2536	2739	2942
	44" Closed Arm with arm cap Center Unit, Guest Back CRE2-CG44CLP	1735	1842	1945	2086	2247	2386	2551	2747	2954
	21" Open Arm End Unit, Guest Back CRE2-EG21OPS Beech, Maple	989	1046	1107	1187	1283	1360	1456	1570	1689
	21" Open Arm with arm cap End Unit, Guest Back CRE2-EG21OPP	1002	1060	1118	1199	1294	1374	1467	1585	1699
	21" Closed Arm End Unit, Guest Back CRE2-EG21CLS Beech, Maple	1135	1209	1284	1383	1495	1594	1709	1852	1993
	21" Closed Arm with arm cap End Unit, Guest Back CRE2-EG21CLP	1143	1223	1295	1394	1508	1607	1720	1862	2006
	24" Open Arm End Unit, Guest Back CRE2-EG24OPS Beech, Maple	1043	1102	1162	1241	1334	1416	1509	1624	1744
	24" Open Arm with arm cap End Unit, Guest Back CRE2-EG24OPP	1056	1114	1171	1253	1347	1428	1522	1638	1753
	24" Closed Arm End Unit, Guest Back CRE2-EG24CLS Beech, Maple	1185	1265	1335	1434	1548	1646	1764	1905	2046
	24" Closed Arm with arm cap End Unit, Guest Back CRE2-EG24CLP	1198	1275	1348	1446	1560	1661	1774	1915	2059

Please see **page 15** for Ordering Notes and Yardage requirements.

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
<div>CRE</div> Cressida	<div>2</div> Chair	<div>SG</div> Start Unit Guest Multiple Seating	<div>21</div>	<div>OPS</div> Open Arm
		<div>CG</div> Center Unit Multiple Seating	<div>24</div>	<div>OPP</div> Open Arm Polymer Arm Cap
		<div>EG</div> End Unit Multiple Seating	<div>30</div>	<div>COS</div> Closed Arm/Open Center Arm
			<div>44</div>	<div>COP</div> Closed Arm/Open Center Arm Polymer Arm Cap
				<div>CLS</div> Closed Arm
				<div>CLP</div> Closed Arm Polymer Arm Cap


CRESSIDA | MULTIPLE SEATING - START, CENTER & END UNITS




30" Open Arm End Unit, Guest Back CRE2-EG30OPS Beech, Maple	1243	1320	1404	1515	1644	1756	1886	2046	2210
30" Open Arm with arm cap End Unit, Guest Back CRE2-EG30OPP	1254	1334	1416	1529	1659	1771	1898	2034	2220



30" Closed Arm End Unit, Guest Back CRE2-EG30CLS Beech, Maple	1386	1485	1579	1712	1860	1990	2139	2326	2513
30" Closed Arm with arm cap End Unit, Guest Back CRE2-EG30CLP	1396	1499	1590	1723	1871	2003	2149	2340	2526



44" Open Arm End Unit, Guest Back CRE2-EG44OPS Beech, Maple	1530	1618	1706	1828	1968	2090	2234	2408	2585
44" Open Arm with arm cap End Unit, Guest Back CRE2-EG44OPP	1540	1631	1717	1840	1982	2105	2244	2419	2595



44" Closed Arm End Unit, Guest Back CRE2-EG44CLS Beech, Maple	1672	1780	1883	2023	2186	2326	2487	2688	2890
44" Closed Arm with arm cap End Unit, Guest Back CRE2-EG44CLP	1686	1795	1894	2034	2196	2340	2497	2701	2902

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	82	95	108	126	148	164	186	213	239
24" Chairs	94	107	120	138	159	178	199	226	250
30" Chairs	134	151	168	190	217	240	268	302	336

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE Cressida	2 Chair	SG Start Unit Guest Multiple Seating	21	OPS Open Arm
		CG Center Unit Multiple Seating	24	OPP Open Arm Polymer Arm Cap
		EG End Unit Multiple Seating	30	COS Closed Arm/Open Center Arm
			44	COP Closed Arm/Open Center Arm Polymer Arm Cap
				CLS Closed Arm
				CLP Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS

DIMENSIONS & COM REQUIREMENTS

UNIT WITH CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage
PCFG21X2	47.25	28.5	33.75	18.5	26	21	18.75	97	30	2.6	1.2	1.4
PCFP21X2	47.25	28.5	43.5	18.5	26	21	18.75	103	38	3.19	1.2	2
PCFG21X3	70	28.5	33.75	18.5	26	21	18.75	135	44	4.08	2	2.08
PCFP21X3	70	28.5	43.5	18.5	26	21	18.75	145	56	5	2	3
PCFG24X2	53.25	28.5	33.75	18.5	26	24	18.75	104	34	3.3	1.2	2.08
PCFP24X2	53.25	28.5	43.5	18.5	26	24	18.75	111	43	4.2	1.2	2.95
PCFG24X3	79	28.5	33.75	18.5	26	24	18.75	147	50	5.1	2	3.48
PCFP24X3	79	28.5	43.5	18.5	26	24	18.75	157	63	6.24	2	4.9

UNIT WITH CENTER ARM, GUEST AND PATIENT BACKS

Unit With Center Arm (Continued)	COM Fabric Closed Arm Panels (2 Arms)	COM Fabric Closed Arm Panels (3 Arms)	COM Fabric Closed Arm Panels (4 Arms)
PCF21X2	.8	1.2	1.6
PCF21X3	.8	1.2	1.6
PCF24X2	.8	1.2	1.6
PCF24X3	.8	1.2	1.6

Note: Some vinyls, leathers & upholsterys are not suitable for application on Cressida seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.





Cressida Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	64	Combination Upholstery - dual fabrics (per chair)	33
Removable Seat Cover (per seat)	85	Combination Upholstery - Three fabrics (per chair)	64
Guest Removeable 21" & 24" Back Covers (per back)	54	21" & 24" Cleanable Under-Seat Splashguard	59
Patient Removeable 21" & 24" Back Covers (per back)	85		

Additional features and options information see page 19.

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	82	95	108	126	148	164	186	213	239
24" Chairs	94	107	120	138	159	178	199	226	250

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

DESCRIPTION	MODEL	SPECIES	COM		COL	FABRIC GRADES				LEATHER		
			1	2	3	4	5	6	7	8	9	
	21" Pre-Configured Freespan Center Arm Unit - Open Arm 2 Seat, Guest Backs											
	CRE2-PCFG21X2OPS	Beech, Maple	2255	2373	2488	2652	2837	3001	3187	3423	3654	
	21" Pre-Configured Freespan Center Arm Unit - Open Arm with arm cap 2 Seat, Guest Backs											
	CRE2-PCFG21X2OPP		2291	2407	2523	2685	2872	3036	3221	3456	3688	
	21" Pre-Configured Freespan Center Arm Unit - Closed Arm 2 Seat, Guest Backs											
	CRE2-PCFG21X2CLS	Beech, Maple	2683	2861	3016	3235	3484	3701	3950	4258	4570	
	21" Pre-Configured Freespan Center Arm Unit - Closed Arm with arm cap 2 Seat, Guest Backs											
	CRE2-PCFG21X2CLP		2717	2896	3053	3269	3517	3736	3983	4292	4604	
	21" Pre-Configured Freespan Center Arm Unit - Open Arm 3 Seat, Guest Backs											
	CRE2-PCFG21X3OPS	Beech, Maple	3390	3564	3740	3984	4265	4509	4789	5140	5490	
	21" Pre-Configured Freespan Center Arm Unit - Open Arm with arm cap 3 Seat, Guest Backs											
	CRE2-PCFG21X3OPP		3435	3610	3787	4033	4312	4557	4837	5187	5536	
	21" Pre-Configured Freespan Center Arm Unit - Closed Arm 3 Seat, Guest Backs											
	CRE2-PCFG21X3CLS	Beech, Maple	3961	4217	4444	5063	5122	5441	5802	6255	6709	
	21" Pre-Configured Freespan Center Arm Unit - Closed Arm with arm cap 3 Seat, Guest Backs											
	CRE2-PCFG21X3CLP		4007	4265	4490	5110	5170	5488	5849	6300	6754	

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	64		Combination Upholstery - dual fabrics (per chair)	33
Removable Seat Cover (per seat)	85		Combination Upholstery - Three fabrics (per chair)	64
Guest Removeable 21" & 24" Back Covers (per back)	54		21" & 24" Cleanable Under-Seat Splashguard	59
Patient Removeable 21" & 24" Back Covers (per back)	85			


Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	82	95	108	126	148	164	186	213	239
24" Chairs	94	107	120	138	159	178	199	226	250

PRODUCT CODE KEY


Line	Series	Chair Style	Size	Arm Style
CRE	2	PCFG	21x2	OPS
Cressida	Chair	Pre-configured Freespan Guest		Open Arm
			21x3	OPP
				Open Arm Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	CLP
				Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS




24" Pre-Configured Freespan Center Arm Unit - Open Arm 2 Seat, Guest Backs
 CRE2-PCFG24X2OPS Beech, Maple 2357 2476 2590 2753 2942 3103 3290 3522

24" Pre-Configured Freespan Center Arm Unit - Open Arm with arm cap 2 Seat, Guest Backs
 CRE2-PCFG24X2OPP 2391 2508 2625 2789 2973 3137 3323 3559




24" Pre-Configured Freespan Center Arm Unit - Closed Arm 2 Seat, Guest Backs
 CRE2-PCFG24X2CLS Beech, Maple 2787 2964 3120 3340 3583 3803 4053 4361

24" Pre-Configured Freespan Center Arm Unit - Closed Arm with arm cap 2 Seat, Guest Backs
 CRE2-PCFG24X2CLP 2820 2999 3156 3373 3619 3839 4086 4395



24" Pre-Configured Freespan Center Arm Unit - Open Arm 3 Seat, Guest Backs
 CRE2-PCFG24X3OPS Beech, Maple 3542 3715 3892 4138 4418 4663 4942 5292

24" Pre-Configured Freespan Center Arm Unit - Open Arm with arm cap 3 Seat, Guest Backs
 CRE2-PCFG24X3OPP 3589 3763 3937 4184 4462 4708 4988 5338



24" Pre-Configured Freespan Center Arm Unit - Closed Arm 3 Seat, Guest Backs
 CRE2-PCFG24X3CLS Beech, Maple 4113 4370 4596 4915 5275 5593 5955 6408

24" Pre-Configured Freespan Center Arm Unit - Closed Arm with arm cap 3 Seat, Guest Backs
 CRE2-PCFG24X3CLP 4160 4418 4643 4961 5322 5638 6000 6454

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.
 Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List
Cressida Option Upcharges	64	Combination Upholstery - dual fabrics (per chair)	33
Moisture Barrier (per yard)	85	Combination Upholstery - Three fabrics (per chair)	64
Removable Seat Cover (per seat)	54	21" & 24" Cleanable Under-Seat Splashguard	59
Guest Removeable 21" & 24" Back Covers (per back)	85		
Patient Removeable 21" & 24" Back Covers (per back)			


Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	82	95	108	126	148	164	186	213	239
24" Chairs	94	107	120	138	159	178	199	226	250


PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE Cressida	2 Chair	PCFG Pre-configured Freespan Guest	21x2	OPS Open Arm
			21x3	OPP Open Arm Polymer Arm Cap
			24x2	CLS Closed Arm
			24x3	CLP Closed Arm Polymer Arm Cap

CRESSIDA | GUEST & PATIENT REPLACEMENT COMPONENTS



21" Replacement Guest Back Cover CRE2-RBCG21	193	224	264	309	350	397	454	512	2	0.8
24" Replacement Guest Back Cover CRE2-RBCG24	195	224	265	309	350	397	454	513	2.3	0.8
30" Replacement Guest Back Cover CRE2-RBCG30	276	328	399	481	555	634	737	840	2.6	0.8
44" Replacement Guest Back Cover CRE2-RBCG44	290	339	411	492	565	648	751	852	3.5	0.8



21" Replacement Patient Back Cover CRE2-RBCP21	291	340	411	493	567	648	751	852	1.9	1.0
24" Replacement Patient Back Cover CRE2-RBCP24	302	353	424	509	580	661	763	868	2.7	1.0
30" Replacement Patient Back Cover CRE2-RBCP30	345	412	509	614	708	815	952	1084	3	1.0



21" Replacement Guest & Patient Seat CRE2-RS21	408	438	485	536	580	630	695	759	9.5	2.7
24" Replacement Guest & Patient Seat CRE2-RS24	441	473	516	567	613	664	727	791	10	2.7
30" Replacement Guest & Patient Seat CRE2-RS30	487	517	564	614	659	710	774	838	11.5	3.4
44" Replacement Guest & Patient Seat CRE2-RS44	598	637	695	760	815	879	959	1042	16.5	4.8
















21" Replacement Guest & Patient Seat Cover CRE2-RSC21	198	229	273	322	368	420	483	546	1.6	0.8
24" Replacement Guest & Patient Seat Cover CRE2-RSC24	198	229	273	326	368	420	485	546	1.7	0.8
30" Replacement Guest & Patient Seat Cover CRE2-RSC30	199	231	274	327	369	422	485	547	2	1.0
44" Replacement Guest & Patient Seat Cover CRE2-RSC44	228	268	322	388	444	510	590	669	2.5	1.0



Replacement Guest & Patient Closed Arm Panel CRE2-RCAL CRE2-RCAR CRE2-RCAC CRE2-RCACPCF	322	350	386	429	468	511	564	589	8	.5
---	-----	-----	-----	-----	-----	-----	-----	-----	---	----


CRESSIDA | GUEST & PATIENT REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT CUBE	
	Replacement Guest & Patient Front Start Arm & Leg				
	Open Arm				
	CRE2-RLFSOPS	Beech, Maple	169	4.0	1.3
	Open Arm Polymer Cap				
	CRE2-RLFSOPP	Beech, Maple	193	4.0	1.3
	Closed arm				
	CRE2-RLFSCLS	Beech, Maple,	173	4.0	1.3
	Closed Arm Polymer Cap				
	CRE2-RLFCLP	Beech, Maple,	201	4.0	1.3
	Replacement Guest & Patient Front Center Arm & Leg				
	Open Arm				
	CRE2-RLFCOPS	Beech, Maple	169	4.0	1.3
	Open Arm Polymer Cap				
	CRE2-RLFCOPP	Beech, Maple	193	4.0	1.3
	Closed arm				
	CRE2-RLFCCLS	Beech, Maple	173	4.0	1.3
	Closed Arm Polymer Cap				
	CRE2-RLFCCLP	Beech, Maple	201	4.0	1.3
	Replacement Guest & Patient Front End Arm & Leg				
	Open Arm				
	CRE2-RLFEOPS	Beech, Maple	169	4.0	1.3
	Open Arm Polymer Cap				
	CRE2-RLFEOPP	Beech, Maple	193	4.0	1.3
	Closed arm				
	CRE2-RLFECLS	Beech, Maple	173	4.0	1.3
	Closed Arm Polymer Cap				
	CRE2-RLFECCLP	Beech, Maple	201	4.0	1.3
	Replacement Polymer Arm Cap Black				
	CRE2-RACB		26	1.0	.3
	Replacement Polymer Arm Cap Grey				
	CRE2-RACG		26		
	Replacement Guest & Patient Center Freespan Arm				
	Open Arm				
	CRE2-FFLOA	Beech, Maple	173	3.0	1.0
	Replacement Guest & Patient Back Leg				
	CRE2-RLBS - Start		96	6.0	1.2
	CRE2-RLBC - Center				
	CRE2-RLBE -End				
	Replaceable Glide - Front* (1)				
	CRE2-RGF		18	.25	.2
	Replaceable Glide - Back** (1)				
	CRE2-RGB		19	.25	.2
	Replaceable Glide - Set of 4				
	CRE2-RG4		22	1.0	.3
	Chair to Chair Linking Bracket				
	CRE2-RCCLKB		67	1.5	5

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 4.22%

POST-CONSUMER
RECYCLED CONTENT - 14.49%

Up to 24.32% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO		
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | LOUNGE FEATURES & OPTIONS



CLEAN OUT

Cressida lounge seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



TABLETS

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



ARMS AND ARMLESS

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field-replaceable if necessary.

GLIDES

Cressida Lounge arm and armless versions are standard with nylon glides.

WEIGHT CAPACITIES

Cressida weight capacities are as follows:

One-Seat-350 lbs
One-Seat (Plus) -750 lbs
One-Seat Wide - 350lbs
One-Seat Wide (Plus) - 750lbs
Two-Seat - 525 lbs
Two-Seat (Plus) - 975lbs
Three-Seat - 850 lbs
Three-Seat (Plus) - 1200 lbs

REPLACEABLE COMPONENTS

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.

OPTIONS



CASTERS

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



PUSH BAR

This is an option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar is powder-coated steel in Silver Metallic finish.

PLUS UPGRADE

Cressida seating is available with optional Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of **\$64 list** per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with removable seat and back covers.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight Open Arm	Shipping Weight Closed Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Wide	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Wide	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida plus two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

COM - YARDAGE REQUIREMENTS






	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Wide - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Wide - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Wide - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Wide - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to [page 48](#) for C.O.M approval process.

Cressida Lounge Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	64	One-Seat Removable Back Covers	152
Push Bar	64	One-Seat Wide Removable Back Covers	228
Caster Combination (2 legs & 2 rear casters)	152	Two-Seat Removable Back Covers	302
Castors (set of 4)	228	Three-Seat Removable Back Covers	453
One-Seat Removable Seat Covers	152	One-Seat - Plus Upgrade	92
One-Seat Wide Removable Seat Covers	228	One-Seat Wide - Plus Upgrade	121
Two-Seat Removable Seat Covers	302	Two-Seat - Plus Upgrade	199
Three-Seat Removable Seat Covers	453	Three-Seat - Plus Upgrade	228

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

CRESSIDA | LOUNGE

DESCRIPTION/MODEL/SPECIES		COM		COL	FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8	9
	One-Seat, Armless									
	CRE3-F1ALS1 n/a	1566	1647	1747	1875	2018	2145	2287	2470	2650
	One-Seat, Open Arm									
	CRE3-F1OPS1 Beech, Maple Palette	1801	1897	1988	2103	2252	2394	2536	2703	2891
	One-Seat, Open Arm with arm cap									
	CRE3-F1OPP1 Beech, Maple Palette	1875	1974	2063	2174	2326	2470	2612	2778	2966
	One-Seat, Closed Arm									
	CRE3-F1CLS1 Beech, Maple Palette	2523	2686	2853	3088	3357	3591	3862	4203	4532
	One-Seat, Closed Arm with arm cap									
	CRE3-F1CLP1 Beech, Maple Palette	2596	2764	2928	3162	3432	3666	3936	4277	4608

ORDERING NOTES:

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a “B” after the 4th digit / before the size, and add appropriate upcharge below.
Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a “B” = CRE3-FB10PS1






Cressida Lounge Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	64	One-Seat Removable Seat Covers	152
Push Bar	64	One-Seat Removable Back Covers	152
Caster Combination (2 legs & 2 rear casters)	152	One-Seat - Plus Upgrade	92
Casters (set of 4)	228		
Combination Upholstery - dual fabrics	33		
Combination Upholstery -Three fabrics	64		

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style	Leg Style
<div>CRE</div> Cressida	<div>3</div> Lounge	<div>F</div> Freestanding	<div>1</div> One-Seat	<div>ALS</div> Armless	<div>1</div> Legs
		<div>FB</div> Freestanding Plus	<div>1.5</div> One-Seat Wide	<div>OPS</div> Open Arm	<div>2</div> Casters
			<div>2</div> Two-Seat	<div>OPP</div> Open Arm Polymer Arm Cap	<div>3</div> Caster Combination 2 legs & 2 Rear Casters
			<div>3</div> Three-Seat	<div>CLS</div> Closed Arm	
				<div>CLP</div> Closed Arm Polymer Arm Cap	

CRESSIDA | LOUNGE

DESCRIPTION/MODEL/SPECIES			COM 1	2	COL 3	FABRIC GRADES			LEATHER		
			4	5	6	7	8	9			
	One-Seat Wide, Armless										
	CRE3-FB1.5ALS1	n/a	1657	1765	1872	2026	2198	2353	2527	2744	2963
<hr/>											
	One-Seat Wide, Open Arm										
	CRE3-FB1.5OPS1	Beech, Maple Palette	1923	2031	2140	2294	2466	2620	2794	3013	3232
	One-Seat Wide, Open Arm with arm cap										
	CRE3-FB1.5OPP1	Beech, Maple Palette	1998	2107	2217	2369	2542	2705	2870	3090	3307
<hr/>											
	One-Seat Wide, Closed Arm										
	CRE3-FB1.5CLS1	Beech, Maple Palette	2639	2824	3011	3271	3568	3829	4128	4494	5159
	One-Seat Wide, Closed Arm with arm cap										
	CRE3-FB1.5CLP1	Beech, Maple Palette	2715	2899	3088	3346	3644	3906	4204	4570	5235

ORDERING NOTES:

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges \$ List






Moisture Barrier (per yard)	64
One-Seat Wide - Plus Upgrade	121
One-Seat Wide Removable Seat Covers	228
One-Seat Wide Removable Back Covers	228
Combination Upholstery - dual fabrics	33
Combination Upholstery -Three fabrics	64

NOTE: One-Seat Wide Lounge is not available with caster options.

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3	F	1	ALS	1
Cressida	Lounge	Freestanding	One-Seat	Armless	Legs
		FB	1.5	OPS	
		Freestanding Plus	One-Seat Wide	Open Arm	
			2	OPP	
			Two-Seat	Open Arm Polymer Arm Cap	
			3	CLS	
			Three-Seat	Closed Arm	
				CLP	
				Closed Arm Polymer Arm Cap	

CRESSIDA | LOUNGE

DESCRIPTION/MODEL/SPECIES			COM 1	2	COL 3	4	FABRIC GRADES 5		6	7	LEATHER 8		9
	Two-Seat, Armless												
	CRE3-F2ALS1	n/a	2590	2726	2853	3049	3260	3448	3666	3931	4203		
	Two-Seat, Open Arm												
	CRE3-F2OPS1	Beech, Maple	2823	2958	3095	3283	3499	3688	3899	4171	4442		
		Palette											
	Two-Seat, Open Arm with arm cap												
	CRE3-F2OPP1	Beech, Maple	2898	3035	3167	3357	3577	3763	3975	4245	4515		
		Palette											
	Two-Seat, Closed Arm												
	CRE3-F2CLS1	Beech, Maple	3545	3757	3966	4261	4600	4893	5232	5660	6081		
		Palette											
	Two-Seat, Closed Arm with arm cap												
	CRE3-F2CLP1	Beech, Maple	3620	3830	4041	4336	4675	4968	5307	5738	6158		
		Palette											

ORDERING NOTES:
All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a “B” after the 4th digit / before the size, and add appropriate upcharge below.
Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a “B” = CRE3-FB10PS1




Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	64
Two-Seat - Plus Upgrade	199
Two-Seat Removable Seat Covers	290
Two-Seat Removable Back Covers	290
Combination Upholstery - dual fabrics	33
Combination Upholstery -Three fabrics	64

NOTE: Two-Seat Lounge is not available with caster options

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style	Leg Style
<div>CRE</div> Cressida	<div>3</div> Lounge	<div>F</div> Freestanding	<div>1</div> One-Seat	<div>ALS</div> Armless	<div>1</div> Legs
		<div>FB</div> Freestanding Plus	<div>1.5</div> One-Seat Wide	<div>OPS</div> Open Arm	
			<div>2</div> Two-Seat	<div>OPP</div> Open Arm Polymer Arm Cap	
			<div>3</div> Three-Seat	<div>CLS</div> Closed Arm	
				<div>CLP</div> Closed Arm Polymer Arm Cap	

CRESSIDA | LOUNGE

DESCRIPTION/MODEL/SPECIES			COM		COL	FABRIC GRADES			LEATHER		
			1	2	3	4	5	6	7	8	9
	Three-Seat, Armless										
	CRE3-F3ALS1	n/a	3516	3706	3885	4141	4442	4697	4992	5361	5727
	Three-Seat, Open Arm										
	CRE3-F3OPS1	Beech, Maple Palette	3757	3936	4127	4381	4675	4939	5232	5602	5969
	Three-Seat, Open Arm with arm cap										
	CRE3-F3OPP1	Beech, Maple Palette	3830	4011	4203	4381	4750	5012	5307	5677	6045
	Three-Seat, Closed Arm										
	CRE3-F3CLS1	Beech, Maple Palette	4471	4735	4998	5361	5782	6149	6565	7091	7611
	Three-Seat, Closed Arm with arm cap										
	CRE3-F3CLP1	Beech, Maple Palette	4546	4812	5075	5436	5857	6225	6640	7164	7684

ORDERING NOTES:

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a “B” after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a “B” = CRE3-FB10PS1

Cressida Lounge Option Upcharges \$ List





Moisture Barrier (per yard)	64
Three-Seat - Plus Upgrade	228
Three-Seat Removable Seat Covers	453
Three-Seat Removable Back Covers	453
Combination Upholstery - dual fabrics	33
Combination Upholstery -Three fabrics	64

NOTE: Three-Seat Lounge is not available with caster options








PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3	F	1	ALS	1
Cressida	Lounge	Freestanding	One-Seat	Armless	Legs
		FB	1.5	OPS	
		Freestanding Plus	One-Seat Wide	Open Arm	
			2	OPP	
			Two-Seat	Open Arm Polymer Arm Cap	
			3	CLS	
			Three-Seat	Closed Arm	
				CLP	
				Closed Arm Polymer Arm Cap	











CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE										
	Wood Tablet CRE3 T1	Beech/Maple	589	12	2										
	Tablet with Palette Finish CRE3 T2	n/a	437	12	2										
	Laminate Tablet CRE3 T4	n/a	589	12	2										
ORDERING NOTES: The laminate tablet comes standard with a polymer edge. Please note Cressida Tablets need to be specified right or left when ordering.															
	Solid Surface Tablet CRE3 RT3	<table><tr><th>A-White</th><th>Grades A-Color</th><th>B</th><th>C</th></tr><tr><td>673</td><td>686</td><td>721</td><td>781</td></tr></table>				A-White	Grades A-Color	B	C	673	686	721	781	12	2
A-White	Grades A-Color	B	C												
673	686	721	781												

CRESSIDA | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL	COM		COL	FABRIC GRADES			LEATHER			WEIGHT	CUBE
		1	2		4	5	6	7	8	9		
	One-Seat Replacement Back CRE3-RB1	715	778	837	922	1021	1108	1205	1330	1451	23	4.2
	One-Seat Wide Replacement Back CRE3-RB1.5B	808	872	935	1026	1126	1215	1317	1446	1570	28	5.7
	Two-Seat Replacement Back CRE3-RB2	1058	1146	1237	1363	1509	1636	1779	1962	2143	38	8.8
	Three-Seat Replacement Back CRE3-RB3	1414	1528	1642	1802	1984	2143	2324	2554	2780	52	12
	One-Seat Replacement Back Cover CRE3-RBC1	290	348	410	494	595	679	780	901	1026	2.0	1.0
	One-Seat Wide Replacement Back Cover CRE3-RBC1.5	302	365	428	517	620	710	810	939	1065	2.5	1.2
	Two-Seat Replacement Back Cover CRE3-RBC2	403	492	584	710	853	982	1126	1307	1487	3.5	1.8
	Three-Seat Replacement Back Cover CRE3-RBC3	463	577	693	851	1033	1194	1376	1604	1833	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	603	648	693	752	821	883	954	1039	1126	28	9.5
	One-Seat Wide Replacement Seat CRE3-RS1.5	782	838	892	971	1060	1137	1226	1334	1446	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	939	995	1054	1135	1224	1304	1394	1509	1622	53	18
	Three-Seat Replacement Seat CRE3-RS3	1257	1345	1431	1555	1691	1813	1954	2130	2302	79	24
	One-Seat Replacement Seat Cover CRE3-RSC1	208	253	297	357	427	487	559	644	731	2.0	1.0
	One-Seat Wide Replacement Seat Cover CRE3-RSC1.5	259	313	369	448	536	613	701	811	922	2.5	1.2
	Two-Seat Replacement Seat Cover CRE3-RSC2	276	334	390	471	561	641	732	846	959	3.5	1.8
	Three-Seat Replacement Seat Cover CRE3-RSC3	352	438	527	648	785	909	1048	1224	1396	5.0	2.5
	Replacement Lounge Front Arm & Leg Open Arm CRE3-LROPS Beech, Maple Palette	185									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	223										
	Replacement Closed Arm Panel CRE3-RCA Beech, Maple	406	454	502	569	648	716	794	892	988	20	3.8
	Lounge Replacement Push-Bar CRE3-RPB	61									2	0.3


CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	PRICE	WEIGHT CUBE				
	Replacement Polymer Arm Cap Black CRE3-RACB	38	1.0	0.5			
	Replacement Polymer Arm Cap Grey CRE3-RACB	38					
	Lounge Replacement Front Leg (for armless version) CRE3-RLAF*	59	0.5	0.5			
	Lounge Replacement Front Leg (for armless version) Glide CRE3-RGAF**	18	0.1	0.2			
	Lounge Replacement Plus Upgrade Center Leg CRE3-RLC*	54	0.5	0.5			
	Lounge Replacement Plus Upgrade Center Leg Glide CRE3-RCG**	23	0.5	0.5			
	Lounge Replacement Back Leg CRE3-RLB*	78	1.8	0.5			
	Lounge Replacement Glide CRE3-RGB**	19	0.1	0.2			
	Lounge Replacement Front Leg (for caster version) CRE3-RLCF*	54	0.5	0.5			
	Lounge Replacement Back Leg (for caster version) CRE3-RLCB**	54	0.5	0.5			
	Replacement Casters Non-Locking CRE3-RC1*	74	.75	0.3			
	Replacement Casters Locking CRE3-RC2**	74	.75	0.3			
	Wood Tablet & Mounting Plate Only CRE3 RT1 Beech/Maple	397	5	0.32			
	Tablet with Palette finish & Mounting Plate Only CRE3 RT2 n/a	278	5	0.32			
	Tablet & Mounting Plate Only - Solid Surface CRE3 RT3 n/a	A-White	Grades A-Color	B	C	7	0.32
		539	547	577	624		
	Laminate Tablet & Mounting Plate Only CRE3 RT4 n/a	397	5	0.32			

LEED CI CREDITS



MATERIAL CONTENT:




PRE-CONSUMER
RECYCLED CONTENT - 36.34%

POST-CONSUMER
RECYCLED CONTENT - 26.4%

Up to 31.25% of this Cressida product is recyclable at the end of its useful life.



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 30.77%

POST-CONSUMER
RECYCLED CONTENT - 25.68%

Up to 27.88% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | TABLE FEATURES

ANTI-MICROBIAL FINISH

Cressida wood surfaces include an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

STANDARD FINISHES

For a complete list of standard wood finishes, please see [page 50](#). Cressida tables are available in 22 standard finishes.







LAMINATE

Cressida Box-style tables are available in laminate with wood side or laminate side. See [page 50](#) for laminate information.


SOLID SURFACE

Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote.


CRESSIDA | BOX-STYLE TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	H	WEIGHT	CUBE
	Square Tables									
	CRE4A 181816	1179	1227	1224	1271	18	18	15.75	24	3
	CRE4A 242416	1458	1515	1508	1567	24	24	15.75	34	5
	Rectangular Tables									
	CRE4A 241816	1295	1347	1338	1393	24	18	15.75	28	4
	CRE4A 482416	2085	2167	2158	2241	48	24	15.75	56	10
	Round Tables									
	CRE4A 18D16	973	1012	1003	1044	18	-	15.75	16	3
	CRE4A 24D16	1187	1236	1338	1393	24	-	15.75	23	5
	CRE4A 30D16	2079	2163	2272	2361	30	-	15.75	34	8
	Rectangular Round Corner									
	CRE4 B181816	1265	1315	1311	1361	18	18	15.75	21	3
	CRE4 B241816	1425	1483	1485	1545	24	18	15.75	25	4
	CRE4 B242416	1583	1644	1686	1752	24	24	15.75	30	5
	CRE4 B482416	2299	2390	2461	2559	48	24	15.75	51	10
	Oval Tables									
	CRE4A E241816	1312	1363	1443	1501	24	18	15.75	23	4
	CRE4A E322416	1620	1686	1753	1825	32	24	15.75	34	7
	CRE4A E482916	2058	2139	2201	2287	48	29	15.75	56	12
	Triangular Round Corner									
	CRE4B T1618-45	1187	1236	1205	1253	16	18	15.75	18	2.5
	CRE4B T2124-45	1359	1415	1411	1465	21	24	15.75	23	4.5
	CRE4B T2529-45	1666	1732	1760	1833	25	29	15.75	28	7
	CRE4B T2818-90	1477	1534	1534	1594	28	18	15.75	24	3
	CRE4B T3624-90	1758	1832	1841	1915	36	24	15.75	30	7.5
	CRE4B T4429-90	2114	2198	2135	2220	44	29	15.75	36	11


TRIANGULAR TABLE DIMENSIONS



CRESSIDA | BOX-STYLE LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE	MAPLE	LAMINATE TOP W/BEECH	LAMINATE TOP W/ MAPLE	W	D	H	WEIGHT	CUBE
		LAMINATE		SIDES	SIDES					
	Middle Linking Table									
	CRE4 LKI12	939	977	961	1002	12	16	-	22	2.5
	CRE4 LKI18	1065	1109	1116	1162	18	16	-	24	2.9
	CRE4 LKI24	1192	1240	1265	1315	24	16	-	29	3.7


ORDERING NOTE: Middle Linking Modular Table ships with 2 KB1 brackets.


	End Table Square Corners									
	CRE4A LKE12	976	1015	1001	1042	12	16	15.75	19	2.3
	CRE4A LKE18	1103	1146	1153	1201	18	16	15.75	23	2.9
	CRE4A LKE24	1228	1276	1304	1356	24	16	15.75	28	3.7

ORDERING NOTE: End Linking Modular Table ships with 1 KB1 bracket.


	End Table Rounded Corner									
	CRE4B LKH12	1194	1241	1246	1297	12	16	15.75	19	2.3
	CRE4B LKH18	1298	1349	1356	1411	18	16	15.75	23	2.9


	Curvilinear 30° Table									
	CRE4A LKC30	1102	1143	1177	1224	16	16.5	-	15	2.3

	Curvilinear 45° Table									
	CRE4A LKC45	1279	1331	1358	1414	16	17	-	17	2.9

	Curvilinear 60° Table									
	CRE4A LKC60	1455	1513	1555	1615	16	17.5	-	20	3.7


	Curvilinear 90° Table									
	CRE4A LKC90	1689	1755	1810	1883	16	19	-	24	5.4

	Curvilinear 90°x2 Table									
	CRE4A LKC90X2	3182	3311	3412	3552	16	19	15.75	55	10





	Curvilinear End Round Table									
	CRE4A LKH12	1212	1262	1265	1315	12	16	15.75	18	2.3
	CRE4A LKH18	1317	1372	1377	1433	18	16	15.75	21	3.6

ORDERING NOTES: When fastening two linking tables together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Cressida Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

CURVILINEAR TABLE DIMENSIONS



CRESSIDA | SLAB-STYLE LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	H	WEIGHT	CUBE
	Square and Rectangular Slab Table									
	CRE4C LKI1818	703	732	679	706	18	18	-	23	1.5
	CRE4C LKI2418	769	803	811	845	24	18	-	26	2.0
	Curvilinear Slab Table with flat front									
	CRE4C LKCRF45	1029	1066	1045	1088	28	24	16	25	1.8
	CRE4C LKCRF90	1183	1230	1251	1302	38	24	16	45	3.0
	Curvilinear Slab Table									
	CRE4C LKCRR45	1029	1066	1045	1088	28	24	16	23	1.8
	CRE4C LKCRR90	1183	1230	1251	1302	38	24	16	42	3.0
	Rectilinear Corner table									
	CRE4C LKCSF90	1360	1416	1505	1565	30	30	16	52	3.5

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Krug Multiple Seating. Linking tables are connected to the Multiple Seating via Linking brackets. Hardware for tables can be used left or right handed.

The design of the tables for Cressida Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration - or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.

Linking Tables also feature a universal, non-handed design:

They can be moved to reverse position in almost any configuration, providing a high level of flexibility for reconfiguring.





METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of **\$64 list** per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black.

































For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

CRESSIDA | LIGHT-STYLE TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	H	WEIGHT	CUBE
	Square Tables									
	CRE4D 222216	589	613	672	699	22	22	16	32	5
	CRE4D 222221	601	626	687	714	22	22	21	34	7
	CRE4D 422216	832	865	997	1036	42	22	16	55	9
										
 	Soft Square Tables									
	CRE4D 181816S	533	555	596	620	18	18	16	22	3
	CRE4D 242416S	591	615	688	715	24	24	16	33	5
	CRE4D 363616S	845	878	1014	1054	36	36	16	65	12
	CRE4D 181821S	543	565	610	633	18	18	21	25	4
	CRE4D 242421S	603	628	699	729	24	24	21	35	5

CRESSIDA | LIGHT-STYLE LINKING TABLES

Linked Table -Center	Linked Table - Corner/Radius 45	Linked Table - Corner/Flat 45	Linked Table - Corner/Radius 90	Linked Table - Corner/Flat 90	Linked Table - Corner Rounded Flat	Curvilinear Connector Table 180°
						
CRE4-LKE-22-22	CRE4-LKCRR45	CRE4-LCRF45	CRE4-LKCRR90	CRE4-LKCRF90	CRE4-LKCSF90	
						
						
Linked Table - End						
						
CRE4-LKI-22-22						
						

CRESSIDA | LIGHT-STYLE LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	H	WEIGHT	CUBE
 Center Square Table CRE4D LKI2222		592	617	676	703	22	22	-	23	1.5
 End Square Table CRE4D LKE2222		586	611	670	697	22	22	16	34	1.5
 Curvilinear Connector Table 45° with flat edge CRE4D LKCRF45		703	732	670	697	28	24	16	27	2.2
 Curvilinear Connector Table 45° CRE4D LKCRR45		703	732	670	697	28	24	16	26	2.2
 Curvilinear Connector Table 90° with flat edge CRE4D LKCRF90		765	795	967	1006	38	24	16	32	2.2
 Curvilinear Connector Table 90° CRE4D LKCRR90		765	795	967	1006	38	24	16	32	2.2
 Rectilinear Corner Connector Table 90° CRE4D LKCSF90		811	845	973	1012	30	30	16	42	2.2
 Curvilinear Connector Table 180° CRE4D LKCRR180		1192	1239	1387	1443	55	29	16	60	4.4

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Cressida Multiple Seating.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Rectilinear Corner Connector table 90° include a support leg in the outer corner.

All end linking tables include 2 legs. All Curvilinear tables include one supporting center leg.

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgment is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

Juno and Trevisa Overbed Tables have a 2-year warranty.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

GENERAL INFORMATION

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard. Specific test results and documentation are available on request.



Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or

storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.


Flammability Standards for Krug Textiles - Upholstery Program

- Passes State of California Technical Bulletin CAL 117-2013

Krug Textiles - Stocked Fabric Program

Grade 1

ARLO



308 MIDNIGHT



306 PETROL



908 CHARCOAL



93 SEAL



601 PEARL



84 NUTMEG



62 OATMEAL



90 LIMESTONE

FRANKLIN




47 CAMEL



3009 MIDNIGHT



67 FAWN




97 CINDER



94 METAL



909 BLACK



9004 CHARCOAL




308 PETROL



108 ORCHID

COMRADE




309 MIDNIGHT



84 TEAK



63 LINEN



24 ALPINE



905 IRON



601 SNOW



57 MARIGOLD



31 DUCK EGG

FELICITY



601 IVORY



305 SKY




603 TAUPE



93 COAL



405 HENNA



64 PUTTY



62 FAWN



36 BLUEBERRY

KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY




25 CAPER



31 SKY



604 FLAX



901 CHAR



93 GRAY



34 SLATE



84 TEAK



98 NICKLE

YATES




84 BIRCH



44 CLAY



87 TAUPE



25 JUNIPER



305 INDIGO



109 CRANBERRY



803 TOAST



92 ZINC



91 SILVER



908 CHARCOAL

MCCOY



608 TUNDRA



601 CREME



908 CHARCOAL



62 COPPER



108 CORDOVAN



32 ROBIN'S EGG




94 MERCURY



84 BARK

ORIS




908 DOMINO




604 BARK



601 CREAM



306 DELFT




902 ZINC



305 MIDNIGHT



64 PUTTY




205 CHARTREUSE


Krug Textiles - Stocked Fabric Program

Grade 3


MORITZ




205 SPEARMINT



61 OYSTER




306 CADET




104 MULBERRY



31 AEGEAN



9008 CHARCOAL



82 CLAY



304 CAPRI

LORENZO



306 INDIGO



24 ALPINE




64 LINEN



91 FLANNEL




32 MIST



601 CREAM



106 HENNA



604 STUCCO

BISCOTTI



302 CAPRI



45 SPICE



61 DESERT



91 GRANITE

INTRIGUE



601 OYSTER



27 OLIVE



4003 OCHRE



908 CHARCOAL



3009 MIDNIGHT



805 PECAN



608 STUCCO



605 STRAW

KRUG TEXTILES - UPHOLSTERY FABRICS




Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1	\$22
Grade 2	\$34
Grade 3	\$46

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).



Standard-Cut
"up the roll"



Non-Standard-Cut
across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to:

Krug Inc.
111 Ahrens Street
Kitchener, Ontario
Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a [NAFTA Certificate of Origin](#) and a [Commercial Invoice](#) be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances.

Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for *KrugExpress* orders. Laminates are not available on *KrugExpress*.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry
American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry
Light Oak
Harvest Oak
Mahogany
Mellow Oak
Espresso
Cordovan Walnut
Natural Walnut
Regular Walnut
SilverGrey on Walnut
Dark Walnut
Clear Beech
Medium Anigre

Finishes on Maple

Clear Maple
Honey Maple
Wheat Maple

PALETTE

Palette finishes available for applicable products.

Black
White
Soft Green
Steel Blue
Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38	Designer White	Wilsonart D354-60
Chocolate	Tafisa T498CR	Platinum	Tafisa T202CR
Nutmeg	Tafisa T477CR	Earth	Tafisa T767CR
Dark Walnut	Tafisa T469CR	Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut









Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.


CRESSIDA | FINISHES

SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

GROUP GRADE A - WHITE		
	Glacier White	Cameo White
GROUP GRADE A - COLOR		
	Bisque	Linen
GROUP GRADE B		
	Antarctica	Savannah
GROUP GRADE C		
	Dove	Deep Night Sky

METAL FINISHES



URETHANE COLOR OPTIONS





The mark of responsible forestry



All products are air emissions certified and are available as FSC® certified

krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG