CRESSIDA

Price and Specification Guide **USA**



krug HEALTHCARE ∛

TABLE OF CONTENTS

CRESSIDA | GUEST BACK

- 2 Cressida Environmental Summary
- 3 Cressida Features
- 4 Cressida Options
- 4 Cressida Dimensions & COM Requirements
- 5 Cressida Guest Pricing

CRESSIDA | PATIENT BACK

- 7 Cressida Environmental Summary
- 3 Cressida Features
- 4 Cressida Options
- 8 Cressida Dimensions, COM Requirements & Option Upcharges
- 9 Cressida Patient Pricing

CRESSIDA | MULTIPLE GUEST & PATIENT SEATING

- 10 Cressida Multiple Seating Instructions
- 12 Cressida Dimensions & COM Requirements Pre-Configured Units
- 13 Cressida Multiple Seating Pre-Configured Units Pricing
- 15 Cressida Dimensions & COM Requirements Start, Center & End
- 16 Cressida Multiple Seating Start, Center & End Units Pricing
- 21 Cressida Freespan Dimensions & COM Requirements
- 22 Cressida Freespan Multiple Seating Pricing

CRESSIDA | LOUNGE

- 26 Cressida Environmental Summary
- 27 Cressida Lounge Features & Options
- 28 Cressida Dimensions, COM Requirements & Option Upcharges
- 29 Cressida Lounge Pricing

CRESSIDA | TABLES

- 36 Cressida Environmental Summary
- 37 Cressida Box-Style Tables
- 38 Cressida Box-Style Linking Tables
- 39 Cressida Slab-Style Linking Tables
- 40 Cressida Light-Style Tables
- 40 Cressida Light-Style Linking Tables


GENERAL INFORMATION

- 42 Terms & Conditions
- 42 Warranty
- 44 KRUG Textiles Upholstery Fabrics
- 46 KRUG Textiles Leather & Faux Leather
- 48 Customer's Own Material (COM/COL)
- 48 CAL 133 & Moisture Barrier
- 49 Graded-In Upholstery Programs
- 49 KRUGEXPRESS Program
- 50 Wood Finishes
- 50 Standard Laminates
- 51 Solid Surface Program
- 51 Metal Finishes
- 51 Urethane Color Options

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 6.66%

POST-CONSUMER
RECYCLED CONTENT = 22.07%

Up to 53.26% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

	00	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | GUEST, PATIENT & MULTIPLE FEATURES & OPTIONS



CLEAN OUT

All Cressida seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



POLYMER ARM CAP

The optional arm cap provides enhanced durability and protection for the arms. Arm cap is available in Grey or Black and is field replaceable if it becomes damaged or degraded.



WOOD ARM

Wood Arms are available in either beech or maple hardwood and in 22 Krug standard finishes.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



METAL BACK LEGS

Cressida's metal back legs are built from structural rectangular steel tubing for exceptional strength and appealing design. Silver Metallic is offered as Krug's standard finish, additional metal finish colors are available at an upcharge - please contact Customer Service for pricing and more information. Cressida legs feature floorsaver nylon glides.



METAL TO METAL CONNECTIONS

Steel seat frames are joined to other components, and to each other in the multiple seating products, with hardened steel bolts and inserts, ensuring exceptional durability and strength, and easy reconfigurability, as well as on-site replacement of damaged or degraded components.

STEEL SEAT FRAME

Seats are constructed of high strength plywood with suspension webbing. The upholstered seat assembly is then further supported by steel frame construction running below the plywood

FINISH DURABILITY

The Krug finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

PLUS UPGRADE

Cressida 30" and 44" models feature Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 350 lbs Plus Chairs (30" & 44") - 750 lbs Multiple Seating & Pre-configured - 350 lbs per seat 2-Seat Freespan - 525 lbs per unit 3-Seat Freespan - 750 lbs per unit

REPLACEABLE COMPONENTS

Cressida chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

OPTIONS

CLEANABLE UNDER-SEAT SPLASHGUARD

All Cressida seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$67 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$67 list per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

GANGING

All Cressida freestanding chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame.

ADJUSTABLE HEADREST

The adjustable headrest uses dual density foam providing excellent support and comfort. The headrest is securely fastened using an innovative clip allowing the headrest to be easily removed for cleaning and/or replacement. The headrest is easily adjusted by sliding the headrest vertically allowing the user to maximize their comfort.



CRESSIDA | GUEST, PATIENT & MULTIPLE OPTIONS

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per

item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

REPLACEMENT / REMOVABLE COVER OPTION

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

CRESSIDA | GUEST

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	24.5	28.5	33.75	18.5	26	21	18.75	42	14
24" Seat	27.5	28.5	33.75	18.5	26	24	18.75	46	19
30" Seat	33.5	28.5	33.75	18.5	26	30	18.75	57	20
44" Seat	47.5	28.5	33.75	18.5	26	44	18.75	69	28

COM - YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel	
21" - One Chair	1.4	0.8	0.7	.8	
21" - Two Chairs	2.59	1.19	1.4	.8	
21" - Three Chairs	4.08	2	2.08	.8	
21" - Four Chairs	5.18	2.38	2.8	.8	
24" - One Chair	1.75	0.8	1.4	.8	
24" - Two Chairs	3.3	1.19	2.08	.8	
24" - Three Chairs	5.05	2	3.48	.8	
24" - Four Chairs	6.6	2.38	4.16	.8	
30" - One Chair	2.5	1.1	1.4	.8	
30" - Two Chairs	5	2.2	2.8	.8	
30" - Three Chairs	7.5	3.3	4.2	.8	
30" - Four Chairs	10	4.4	5.6	.8	
44" - One Chair	2.5	1.1	1.4	.8	
44" - Two Chairs	5	2.2	2.8	.8	
44" - Three Chairs	7.5	3.3	4.2	.8	
44" - Four Chairs	10	4.4	5.6	.8	

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

CRESSIDA | GUEST

			COM		COL		BRIC GR			LEATHE	
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	21" Open Arm CRE2-G21OPS	Beech, Maple	1084	1140	1198	1306	1413	1510	1624	1739	1950
	21" Open Arm wit CRE2-G21OPP	h arm cap	1110	1163	1223	1330	1437	1534	1646	1760	1975
	21" Closed Arm CRE2-G21CLS	Beech, Maple	1383	1482	1569	1714	1862	2000	2157	2324	2589
	21" Closed Arm w CRE2-G21CLP	vith arm cap	1409	1505	1593	1739	1886	2022	2180	2348	2615
	24" Open Arm CRE2-G24OPS	Beech, Maple	1146	1198	1253	1358	1473	1579	1686	1799	2010
	24" Open Arm wit CRE2-G24OPP	h arm cap	1171	1223	1275	1381	1494	1603	1710	1822	2034
	24" Closed Arm CRE2-G24CLS	Beech, Maple	1446	1540	1622	1767	1924	2066	2217	2384	2652
	24" Closed Arm w CRE2-G24CLP	vith arm cap	1472	1566	1645	1788	1947	2090	2241	2408	2676

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	67
Ganging Bracket	88
Removable Seat Cover	89
Guest Removeable 21" & 24" Back Covers	56
21" & 24" Cleanable Under-Seat Splashguard	61
Combination Upholstery - Dual Fabrics	34
Combination Upholstery - Three Fabrics	67

Line	Series	Chair Style	Size	Arm Style
CRE	2	G	21	OPS
Cressida	Chair	Guest		Open Arm
			24	OPP Open Arm Polymer Arm Cap CLS
				Closed Arm CLP Closed Arm Polymer Arm Cap

CRESSIDA | GUEST

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	ا 7	EATHEI	R 9
	30" Open Arm CRE2-G30OPS 30" Open Arm wit CRE2-G30OPP	Beech, Maple	1335	1376	1456	1610	1842	2010	2111	2278	2602
	30" Closed Arm CRE2-G30CLS 30" Closed Arm w CRE2-G30CLP	Beech, Maple vith arm cap	1636 1662	1761 1788	1871 1898	2068	2297 2320	2501 2525	2713 2737	2940 2963	3324
	44" Open Arm CRE2-G44OPS 44" Open Arm wit CRE2-G44OPP	Beech, Maple h arm cap		1699 1724	1791 1815	1956 1980	2117 2140	2294 2316	2465 2491	2632 2657	2974 2999
	44" Closed Arm CRE2-G44CLS 44" Closed Arm w CRE2-G44CLP	Beech, Maple	1916 1938	2043 2065	2161 2187	2366 2391	2567 2589	2781 2804	2999 3024	3220 3244	3616 3638


Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	67
Ganging Bracket	88
Removable Seat Cover	89
Guest Removeable 30" & 44" Back Covers	89
30" Cleanable Under-Seat Splashguard	70
44" Cleanable Under-Seat Splashguard	84
Combination Upholstery - Dual Fabrics	34
Combination Upholstery - Three Fabrics	67

Line	Series	Chair Style	Size	Arm Style
CRE	2	G	21	OPS
Cressida	Chair	Guest		Open Arm
			24	OPP Open Arm Polymer Arm Cap
			30	CLS Closed Arm
			44	CLP Closed Arm Polymer Arm Cap

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 6.66%

POST-CONSUMER
RECYCLED CONTENT = 22.07%

Up to 53.26% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	24.5	28.5	43.5	18.5	26	21	18.75	45	17
24" Seat	27.5	28.5	43.5	18.5	26	24	18.75	51	22
30" Seat	33.5	28.5	43.5	18.5	26	30	18.75	60	28

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Seats & Backs Only	Seat Only	Back Only	Closed Arm Pane
1" - One Chair	2.2	0.95	1.25	.8
1" - Two Chairs	4.25	1.3	2.95	.8
1" - Three Chairs	6.45	2.25	4.2	.8
1" - Four Chairs	8.5	4.6	3.9	.8
4" - One Chair	2.1	0.8	1.95	.8
4" - Two Chairs	4.14	1.19	2.95	.8
4" - Three Chairs	6.45	2	4.9	.8
4" - Four Chairs	8.28	2.38	5.9	.8
0" Plus - One Chair	3.15	1.2	1.95	.8
0" Plus - Two Chairs	6.3	2.4	3.9	.8
0" Plus - Three Chairs	9.21	3.6	5.85	.8
0" Plus - Four Chairs	12.6	4.8	7.8	.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: Patient Chairs (21" & 24") - 350 lbs Patient Plus Chair (30") - 750 lbs

Cressida Option Upcharges	\$ List	
Moisture Barrier (per yard)	67	
Removable Seat Cover (per seat)	89	
Patient Removeable 21" & 24" Back Covers (per back)	89	
Patient Removeable 30" Back Covers (per back)	149	
Combination Upholstery - dual fabrics (per chair)	34	
Combination Upholstery - Three fabrics (per chair)	67	
21" & 24" Cleanable Under-Seat Splashguard	61	
30" Cleanable Under-Seat Splashguard	70	

Additional features and options information see page 19.

ORDERING NOTES:

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

CRESSIDA | PATIENT

DESCRIPTION	MODEL	SPEC	SIES	COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	R 9
	21" Open Arm CRE2-P21OPS		h, Maple	1193	1267	1335	1481	1624	1705	1905	2050	2329
	21" Open Arm w CRE2-P21OPP		cap h, Maple	1215	1291	1359	1504	1646	1728	1928	2074	2353
	21" Closed Arm CRE2-P21CLS	Beec	h, Maple	1492	1611	1705	1887	2075	2250	2438	2633	2970
	21" Closed Arm CRE2-P21CLP		n cap h, Maple	1517	1635	1728	1909	2097	2274	2462	2658	2994
	24" Open Arm CRE2-P24OPS	Beec	h, Maple	1253	1329	1397	1539	1686	1821	1964	2110	2391
	24" Open Arm w CRE2-P24OPP		cap h, Maple	1275	1352	1421	1562	1710	1843	1988	2132	2413
	24" Closed Arm CRE2-P24CLS	Beec	h, Maple	1554	1671	1767	1949	2135	2307	2500	2695	3030
	24" Closed Arm CRE2-P24CLP		n cap h, Maple	1578	1695	1790	1974	2160	2332	2523	2719	3055
	30" Open Arm CRE2-P30OPS	Beec	h, Maple	1487	1587	1689	1870	2081	2272	2464	2676	3040
	30" Open Arm w CRE2-P30OPP		cap h, Maple	1512	1611	1713	1896	2104	2295	2463	2697	3066
	30" Closed Arm CRE2-P30CLS	Beec	h, Maple	1789	1930	2028	2278	2531	2760	2996	3259	3682
	30" Closed Arm CRE2-P30CLP		n cap h, Maple	1813	1954	2052	2303	2554	2782	3022	3285	3706
DESCRIPTION	MODEL	COM 1	2	COL 3	FABI 4	RIC GRAI	DES 6	ا 7	_EATHEF 8	₹ 9	WEIGH ⁻	Γ CLIRE
2233111 11014					7			•			TTEIGHT	. 5000
	Adjustable Head CRE2-RH	rest for 166	21", 24" 180	& 30" 196	218	242	265	286	309	354	3	0.9

Additional features and options information see page 19. Option upcharges page 58.

Line	Series	Chair Style	Size	Arm Style
CRE	2	Р	21	OPS
Cressida	Chair	Patient		Open Arm
			24	OPP
				Open Arm Polymer Arm Cap
			30	CLS Closed Arm
			44	CLP
			44	Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING INSTRUCTIONS

To aid you in the process of specifying and ordering Cressida Multiple Seating, we have compiled the following summary. It explains the three different types of Cressida Multiple Seating – (a) Pre-Configured, (b) Start, Center & End Units and (c) the Freespan Multiple Units – including the features and considerations of each type, to assist in selecting the one that best suits each application. It is a requirement for all Cressida Multiple Seating orders, a drawing or plan view layout must accompany the order, so that we can verify that the specification is correct.

When building your multiple seating layout, please note that your order should start from left to right as you are facing the configuration.


Pre-Configured Multiple Units

Pre-Configured Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size (see picture below).



Considerations if choosing to use Pre-Configured Units:

- Linking tables can be joined to either end of a Pre-Configured Multiple Unit, but not in-between
- There are no limitations to the number of Pre-Configured Multiple units that can be ganged together with the Cressida Linking Tables
- Pre-Configured Multiple Units are not available in 30" or 44" plus widths
- Pre-Configured Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Cressida Linking Table or linking brackets are used in-between the different types of multiple seating.
- Pre-Configured Multiple Units are built from Start, Center and End Units and therefore, can be reconfigured to singular or two-seat units. However, you may have to purchase additional components (arms, etc...) to be able to do this. See line drawings below for possible configurations that can be made from taking apart the Pre-Configured Multiple Units.



*Please note:

Example #1-A requires an additional end unit arm for chair A, and a start unit arm for chair B.


Example #1-B requires an additional end unit arm for chair A, a start and end unit arm for chair B, and a start unit arm for chair C.

Start, Center and End Multiple Seating Units

Start, Center and End Multiple Units are designed to be used when you have seating configurations that are greater than three chair units in size, and/or include 30" or 44" units (see picture below). Also, before you start to build your multiple seating layout, please note that your order should start from left to right as you are facing the chair, therefore begin the configuration with a Start Unit, then move to a Center Unit and finish with an End Unit.


Considerations if choosing to use Start, Center and End Multiple Units:

- Start, Center and End units are available in widths Guest (21", 24", 30" & 44") and Patient (21", 24" & 30")
- There are no limitations to the amount of center units that can be ganged to a start or an end unit
- Cressida Linking Tables can be joined to any Cressida Start or End unit only (this is because the units are engineered with the finished arms)



CRESSIDA | MULTIPLE SEATING INSTRUCTIONS

See below for sample configurations of when you would use Start, Center and End Multiple Units.



Freespan Multiple Units


Freespan Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size and a reduced number of legs are desirable. (see picture below).



Considerations if choosing to use Freespan Multiple Units:

- The unit with the center arm increases the overall width of the unit by 1" per arm
- Linking tables can be joined to either side of a Freespan Multiple Unit, but not in-between
- There are no limitations to the number of Freespan Multiple units that can be ganged together with the Cressida Linking Tables or linking brackets.
- Freespan Multiple Units are not available in 30" or 44" plus widths
- Freespan Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Cressida Linking Table or linking brackets are used in-between the different types of multiple seating.

Below illustrates possible configurations when you could use all three types of Cressida Multiple Seating together.



For more information on how to specify Cressida Multiple Seating, please contact Customer Service directly at 1-888-578-5784.

CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

DIMENSIONS & COM REQUIREMENTS

	Overall	Overall	Overall	Seat	Height of Arms	Width Between	Seat	Shipping		COM Seat & Back	COM Fabric Seat	COM Fabric Back	COM Fabric Closed Arm
	Width	Depth	Height	Height	from Floor	Arms	Depth	Weight	Cube	Yardage	Yardage	Yardage	Panel Yardage
		28.5	33.75	18.5	26	21	18.75	82	30	2.6	1.2	1.4	0.4
PCP21X2	47.25	28.5	43.5	18.5	26	21	18.75	88	38	3.2	1.2	2	0.4
PCG21X3	70	28.5	33.75	18.5	26	21	18.75	117	44	4.08	2	2.08	0.4
PCP21X3	70	28.5	43.5	18.5	26	21	18.75	125	56	5	2	3	0.4
PCG24X2	53.25	28.5	33.75	18.5	26	24	18.75	85	34	3.3	1.2	2.08	0.4
PCP24X2	53.25	28.5	43.5	18.5	26	24	18.75	95	43	4.14	1.2	3	0.4
PCG24X3	79	28.5	33.75	18.5	26	24	18.75	121	50	5.05	2	3.48	0.4
PCP24X3	79	28.5	43.5	18.5	26	24	18.75	135	63	6.25	2	4.9	0.4

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to page 628 for C.O.M approval process.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	67
Removable Seat Cover (per seat)	89
Guest Removeable 21" & 24" Back Covers (per back)	56
Patient Removeable 21" & 24" Back Covers (per back)	89
21" & 24" Cleanable Under-Seat Splashguard (per seat)	61
Combination Upholstery - dual fabrics (per chair)	34
Combination Upholstery - Three fabrics (per chair)	67

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Patient backs are available on multiple units, please change the model number CRE2-PC**G** to CRE2-PC**G** to CRE2-PC**G** to CRE2-PC**G** and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	86	99	113	132	155	172	195	223	250
24" Chairs	98	112	126	144	166	186	208	237	262

WEIGHT CAPACITIES

Cressida weight capacities are as follows:

Pre-configured - 350 lbs per seat

PRE-CONFIGURED MULTIPLE UNITS

Two-Seat



Three-Seat

CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

			COM		COL	FAE	RIC GF	RADES	L	EATHER	3
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	2 Seat - 21" Open Arm	Pre-configured l	Jnit, Gu	est Back	S						
	CRE2-PCG21X2OPS	Beech, Maple	2125	2232	2338	2486	2655	2803	2972	3186	3397
	CRE2-PCG21X2OPP		2161	2269	2374	2523	2691	2840	3009	3222	3433
	2 Seat - 21" Closed Ar	0	,		cks						
	CRE2-PCG21X2CLS	Beech, Maple	2573	2744	2890	3096	3330	3537	3771	4066	4359
	CRE2-PCG21X2CLP		2611	2782	2928	3134	3368	3574	3808	4102	4394
	3 Seat - 21" Open Arm CRE2-PCG21X3OPS	Pre-configured l Beech, Maple	,		:s 3377	3610	3881	4114	4381	4715	5053
	OTTLE TOGETAGOTO	Booon, mapio	0042	0210	0077	0010	0001	7117	4001	4713	5050
	CRE2-PCG21X3OPP		3093	3259	3428	3662	3929	4163	4429	4765	5101
	3 Seat - 21" Closed Ar	m Pro configuros	I I Init C	Supet Bar	oke						
	CRE2-PCG21X3CLS	Beech, Maple		3896	4117	4426	4782	5090	5446	5889	6332
	CRE2-PCG21X3CLP		3691	3946	4167	4477	4832	5142	5494	5939	6381

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	67	21" & 24" Cleanable Under-Seat Splashguard (per seat)	61
Removable Seat Cover (per seat)	89	Combination Upholstery - dual fabrics (per chair)	34
Guest Removeable 21" & 24" Back Covers (per back)	56	Combination Upholstery - Three fabrics (per chair)	67
Patient Removeable 21" & 24" Back Covers (per back)	89		
Additional features and options information see page 19.			

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCG	21x2	OPS
Cressida	Chair	Pre-configured Guest		Open Arm
		PCP Pre-configured Patient	21x3	OPP Open Arm Polymer Arm Cap
			24x2	CLS Closed Arm
			24x3	CLP Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - PRE-CONFIGURED UNITS

			COM		COL	FAE	BRIC GE	RADES		LEATHE	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	2 Seat - 24" Open Arm	n Pre-configured	Unit, G	uest Bac	ks						
	CRE2-PCG24X2OPS	Beech, Maple	2192	2300	2407	2554	2722	2872	3040	3253	3468
	2 Seat - 24" Open Arn CRE2-PCG24X2OPP	n with arm cap P		gured Ur 2334		t Backs 2589	2760	2907	3078	3290	3505
	2 Seat - 24" Closed Ar	rm Pro configuro	d Lloit	Guest Re	noke						<u></u>
	CRE2-PCG24X2CLS	Beech, Maple	,			3165	3399	3604	3844	4132	4425
		, .,									
	2 Seat - 24" Closed A	rm with arm cap		•	-						
	CRE2-PCG24X2CLP		2679	2850	2995	3204	3434	3642	3877	4170	4461
U											
	3 Seat - 24" Open Arm	n Pre-configured	Linit G	uest Rac	ke						
	CRE2-PCG24X3OPS		,		3508	3740	4007	4242	4508	4844	5177
	3 Seat - 24" Open Arm CRE2-PCG24X3OPP	n with arm cap Pi	re-confi 3221	gured Ur 3385		t Backs 3788	4057	4292	4558	4896	5226
	ONLZ-FOGZ4XJOFF		3221	3363	3334	3/00	4037	4292	4556	4090	5220
v											
	3 Seat - 24" Closed A	rm Pre-configure	d Unit	Guest Ba	ncks						
	CRE2-PCG24X3CLS					4555	4911	5219	5574	6016	6461
	2 Coot 04" Closed A	ma with arms	Dua a - :-	efian waal l	Init C	ant Do-I					
	3 Seat - 24" Closed Ar	mi with arm cap	rre-cor	ılıgurea t	Jilit, Gue	est back	S				
	CRE2-PCG24X3CLP		3820	4074	4294	4606	4959	5267	5626	5931	6508

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	67	21" & 24" Cleanable Under-Seat Splashguard (per seat)	61
Removable Seat Cover (per seat)	89	Combination Upholstery - dual fabrics (per chair)	34
Guest Removeable 21" & 24" Back Covers (per back)	56	Combination Upholstery - Three fabrics (per chair)	67
Patient Removeable 21" & 24" Back Covers (per back)	89		

Additional features and options information see page 19.

Patient backs are available on multiple units, please change the model number CRE2-PCG to CRE2-PCG to CRE2-PCG to CRE2-PCG to CRE2-PCG to CRE2-PCG and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	86	99	113	132	155	172	195	223	250
24" Chairs	98	112	126	144	166	186	208	237	262

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCG	21x2	OPS
Cressida	Chair	Pre-configured Guest		Open Arm
		PCP	21x3	OPP
		Pre-configured Patient		Open Arm
				Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	CLP
				Closed Arm
				Polymer Arm Cap

DIMENSIONS & COM REQUIREMENTS

CRESSIDA START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	Fabric Closed Arm Panel (1 Arm) Yardage	Fabric Closed Arm Panel (2 Arms) Yardage
SG21	24.5	28.5	33.75	18.5	26	21	18.75	47	14	1.4	0.8	0.7	0.4	0.8
SP21	24.5	28.5	43.75	18.5	26	21	18.75	49	17	1.8	0.8	1	0.4	0.8
SG24	27.5	28.5	33.75	18.5	26	24	18.75	52	19	1.4	0.8	0.7	0.4	0.8
SP24	27.5	28.5	43.75	18.5	26	24	18.75	55	22	1.8	0.8	1.95	0.4	0.8
SG30	33.5	28.5	33.75	18.5	26	30	18.75	61	20	2.5	1.1	1.4	0.4	0.8
SP30	33.5	28.5	43.75	18.5	26	30	18.75	64	28	3.15	1.1	1.95	0.4	0.8
SG44	47.5	28.5	33.75	18.5	26	44	18.75	73	28	2.5	1.1	1.4	0.4	0.8

COM

COM

CRESSIDA	CENTED	LIMITO

	Overall Width	Overall Depth	Overall Height		Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	Seat & Back Yardage	Fabric Seat Yardage	Fabric Back Yardage	Fabric Closed Arm Panel Yardage
CG21	22.75	28.5	33.75	18.5	26	21	18.75	41	14	1.4	0.8	0.7	0.4
CP21	22.75	28.5	43.75	18.5	26	21	18.75	44	17	1.8	0.8	1	0.4
CG24	25.75	28.5	33.75	18.5	26	24	18.75	45	19	1.4	0.8	0.7	0.4
CP24	25.75	28.5	43.75	18.5	26	24	18.75	50	22	1.8	0.8	1.95	0.4
CG30	31.75	28.5	33.75	18.5	26	30	18.75	54	20	2.5	1.1	1.4	0.4
CP30	31.75	28.5	43.75	18.5	26	30	18.75	56	28	3.15	1.1	1.95	0.4
CG44	45.75	28.5	33.75	18.5	26	44	18.75	67	28	2.5	1.1	1.4	0.4

	ITC.
CRESSIDA FND UN	

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
EG21	22.75	28.5	33.75	18.5	26	21	18.75	38	14	1.4	0.8	0.7	0.4
EP21	22.75	28.5	43.75	18.5	26	21	18.75	41	17	1.8	0.8	1	0.4
EG24	25.75	28.5	33.75	18.5	26	24	18.75	41	19	1.4	8.0	0.7	0.4
EP24	25.75	28.5	43.75	18.5	26	24	18.75	46	22	1.8	8.0	1.85	0.4
EG30	31.75	28.5	33.75	18.5	26	30	18.75	51	20	2.5	1.1	1.4	0.4
EP30	31.75	28.5	43.75	18.5	26	30	18.75	53	28	3.15	1.1	1.95	0.4
EG44	45.75	28.5	33.75	18.5	26	44	18.75	63	28	2.5	1.1	1.4	0.4

When ordering more than one Start, Center or End unit, please refer to COM yardage requirements for guest chairs or COM yardage requirements for patient chairs.

WEIGHT CAPACITIES

Cressida weight capacities are as follows:

Multiple Seating & Pre-configured - 350 lbs per seat

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List	Cressida Option Upcharges	\$ List	
Moisture Barrier (per yard)	67	Patient Removeable 21" & 24" Back Covers	89	
Removable Seat Cover (per seat)	89	Patient Removeable 30" Back Covers	143	
Guest Removeable 21" & 24" Back Covers (per back)) 56	21" & 24" Cleanable Under-Seat Splashguard	61	
Guest Removeable 30" & 44" Back Covers (per back)	89	30" Cleanable Under-Seat Splashguard	70	
Combination Upholstery - dual fabrics (per chair)	34	44" Cleanable Under-Seat Splashguard	84	
Combination Upholstery - Three fabrics (per chair)	67			

Additional features and options information see page 19.

Patient backs are available on multiple units, please change the model number CRE2-S**G** to CRE2-S**P**, CRE2-C**G** to CRE2-C**P**, CRE2-E**G** to CRE2-E**P** and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
21" Chairs	86	99	113	132	155	172	195	223	250	
24" Chairs	98	112	126	144	166	186	208	237	262	
30" Chairs	140	158	176	199	227	252	281	317	352	

			COM		COL	FABI	RIC GR	ADES	L	EATHEF	3
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
Start	21" Open Arm Start I	Jnit, Guest Back									
	CRE2-SG21OPS	Beech, Maple	1161	1222	1283	1369	1463	1552	1647	1772	1894
	21" Open Arm with a	rm cap Start Unit	Guest I	Back							
	CRE2-SG21OPP	oup otal t o		1244	1331	1393	1487	1576	1672	1794	1918
U U											
	21" Closed Arm Start	t Unit. Guest Back	·								
	CRE2-SG21CLS	Beech, Maple		1562	1648	1775	1916	2041	2182	2356	2533
	21" Closed Arm with	arm cap Start Un	it. Gues	t Back							
	CRE2-SG21CLP	a sup start s	•	1587	1673	1799	1938	2063	2208	2381	2557
	21" Closed Arm / Op CRE2-SG21COS	en Center Arm St Beech, Maple			3ack 1464	1571	1689	1797	1914	2064	2214
									1014	2004	2217
	21" Closed Arm with CRE2-SG21COP	arm cap / Open (rm with	arm cap 1489	Start Ur 1594	nit, Gues 1713		1937	2088	2239
	0.122 002.00.		1000	1415	1400	1004	17 10	1020	1507	2000	2200
	24" Open Arm Start I										
	CRE2-SG24OPS	Beech, Maple	1209	1270	1331	1418	1515	1603	1698	1821	1946
	24" Open Arm with a	rm cap Start Unit									
	CRE2-SG24OPP		1231	1293	1354	1442	1538	1625	1722	1843	1968
	24" Closed Arm Start	Unit. Guest Back	ζ								
	CRE2-SG24CLS	Beech, Maple	1510	1612	1701	1828	1965	2089	2232	2409	2585
	24" Closed Arm with	arm cap Start Un	it. Gues	t Back							
	CRE2-SG24CLP		-	1636	1725	1852	1990	2114	2256	2433	2610
ш ш											
	04" Class - 1 A / O -	on Contain Aires Of	المالاسم	Oue = + 5	Dool:						
	24" Closed Arm / Op CRE2-SG24COS	en Center Arm St Beech, Maple			заск 1517	1622	1743	1843	1964	2114	2359
	0.42 Olassal Assess 21									,	
	24" Closed Arm with CRE2-SG24COP	arm cap / Open (rm with	arm cap 1539		nt, Gues 1764		1988	2136	2382
<u> </u>			1302	0-	.500	1340		. 507	. 500		2002
U U											

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Additional features and options information see page 19, options upcharges page 85.

Line	Series	Chair Style	Size	Arm Style
CRE	2	SG	21	OPS
Cressida	Chair	Start Unit Guest Multiple Seating		Open Arm
		CG	24	OPP
		Center Unit Multiple Seating		Open Arm Polymer Arm Cap
		EG	30	cos
		End Unit Multiple Seating		Closed Arm/Open Center Arm
			44	COP
				Closed Arm/Open Center Arm Polymer Arm Cap
				CLS
				Closed Arm
				CLP
				Closed Arm Polymer Arm Cap

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR	RADES 6	7	EATHE	R 9
DESCRIPTION			'			4					
	30" Open Arm Start U CRE2-SG30OPS	Init, Guest Back Beech, Maple	1460	1547	1636	1750	1885	2003	2138	2305	2476
	30" Open Arm with ar	m cap Start Unit,	Guest E	Back							
	CRE2-SG30OPP		1485	1569	1660	1774	1907	2025	2132	2329	2502
	30" Closed Arm Start	Unit, Guest Back									
	CRE2-SG30CLS	Beech, Maple	1761	1891	2002	2158	2334	2492	2672	2894	3117
	30" Closed Arm with	arm cap Start Uni	it, Guest	Back							
	CRE2-SG30CLP		1788	1913	2024	2182	2359	2515	2695	2917	3140
- U											
	30" Closed Arm/Oper	n Center Arm Star	t Unit, G	uest Ba	ck						
	CRE2-SG30COS	Beech, Maple	1612	1719	1816	1954	2111	2247	2405	2601	2768
	30" Closed Arm with	arm cap/Open Ce									
	CRE2-SG30COP		1636	1744	1839	1978	2134	2273	2428	2625	2791
	44" Open Arm Start U	,	0000	0440	0000	0005	0.470	2010	0750	00.40	0.100
	CRE2-SG44OPS	Beech, Maple		2110	2202	2305	2479	2610	2756	2942	3126
	44" Open Arm with ar CRE2-SG44OPP	m cap Start Unit,		3ack 2132	2224	2329	2504	2631	2778	2964	3148
	ONEZ OGTTOLL		2022	2102	2224	2029	2304	2001	2110	2904	3140
	44" Closed Arm Start CRE2-SG44CLS	Unit, Guest Back Beech, Maple	2319	2453	2571	2740	2930	3096	3289	3525	3767
		•			2071	2140	2000	0000	0200	0020	0101
	44" Closed Arm with a CRE2-SG44CLP	arm cap Start Uni	it, Guest 2341	2474	2595	2763	2955	3119	3313	3551	3789
	44" Closed Arm/Ones	Contor Arm Ctor	+ Linit C	Yugot Po	ok.						
	44" Closed Arm/Oper CRE2-SG44COS	Beech, Maple	2167		ск 2387	2705	2688	2852	3024	3234	3444
	44" Closed Arm with	arm cap/Open Ce	enter Arr	n with ar	m cap Si	tart Unit	. Guest	Back			
	CRE2-SG44COP	oap, opon oc	2191	2304	2411		2713		3047	3258	3469
<i>"</i> U											

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Additional features and options information see page 19, options upcharges page 85.

Line	Series	Chair Style	Size	Arm Style
CRE	2	SG	21	OPS
Cressida	Chair	Start Unit Guest Multiple Seating		Open Arm
		CG	24	OPP
		Center Unit Multiple Seating		Open Arm Polymer Arm Cap
		EG	30	COS
		End Unit Multiple Seating		Closed Arm/Open Center Arm
			44	COP
				Closed Arm/Open Center Arm Polymer Arm Cap
				CLS
				Closed Arm
				CLP
				Closed Arm Polymer Arm Cap

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR. 5	ADES 6	7	EATHER 8	R 9
Center	21" Open Arm Center I CRE2-CG21OPS	Unit, Guest Back Beech, Maple	1090	1150	1212	1300	1397	1484	1580	1703	1828
	21" Open Arm with arn CRE2-CG21OPP	n cap Center Uni	t, Guest 1105		1226	1313	1409	1494	1590	1715	1838
	21" Closed Arm Center CRE2-CG21CLS	r Unit, Guest Bac Beech, Maple		1325	1398	1502	1622	1726	1845	1993	2145
	21" Closed Arm with a CRE2-CG21CLP	rm cap Center Uı	nit, Gue 1253	st Back 1335	1412	1515	1635	1741	1860	2008	2158
	24" Open Arm Center CRE2-CG24OPS	Beech, Maple	1147		1269	1354	1453	1538	1636	1759	1881
	24" Open Arm with arn CRE2-CG24OPP	n cap Center Uni	t, Guest 1162		1284	1369	1464	1552	1647	1773	1894
	24" Closed Arm Center CRE2-CG24CLS	r Unit, Guest Bac Beech, Maple		1380	1455	1558	1677	1782	1903	2052	2202
	24" Closed Arm with a CRE2-CG24CLP	rm cap Center Ui	nit, Gue 1308	st Back 1394	1465	1571	1692	1797	1916	2064	2214
	30" Open Arm Center C CRE2-CG30OPS	Unit, Guest Back Beech, Maple		1441	1525	1644	1777	1898	2031	2202	2369
	30" Open Arm with arm CRE2-CG30OPP	n cap Center Uni	t, Guest 1370		1538	1657	1791	1908	2044	2214	2384
	30" Closed Arm Center CRE2-CG30CLS	r Unit, Guest Bac Beech, Maple		1612	1712	1848	2004	2142	2300	2495	2630
	30" Closed Arm with a CRE2-CG30CLP	rm cap Center Uı	nit, Gue 1519	st Back 1625	1724	1861	2018	2156	2311	2506	2643

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Additional features and options information see page 19, options upcharges page 85.

JCT CODE KEY				
Line	Series	Chair Style	Size	Arm Style
CRE Cressida	2 Chair	SG Start Unit Guest Multiple Seating	21	OPS Open Arm
		CG Center Unit Multiple Seating	24	OPP Open Arm Polymer Arm Cap
		EG End Unit Multiple Seating	30	Closed Arm/Open Center Arm
		·	44	COP Closed Arm/Open Center Arm Polymer Arm Cap
				CLS Closed Arm
				CLP Closed Arm Polymer Arm Cap

			СОМ		COL	FAB	RIC GR	ADES	I	EATHE	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	44" Open Arm Center CRE2-CG44OPS	Unit, Guest Back Beech, Maple		1751	1840	1974	2119	2250	2396	2583	2767
	44" Open Arm with an CRE2-CG44OPP	m cap Center Un		t Back 1764	1856	1986	2132	2264	2409	2594	2778
	44" Closed Arm Cente CRE2-CG44CLS	er Unit, Guest Ba Beech, Maple		1924	2028	2176	2347	2494	2662	2875	3089
	44" Closed Arm with a CRE2-CG44CLP	arm cap Center U	Init, Gue 1821	est Back 1934	2042	2190	2359	2505	2678	2884	3101
End	21" Open Arm End Un CRE2-EG21OPS	nit, Guest Back Beech, Maple	1038	1098	1162	1246	1347	1428	1528	1648	1773
	21" Open Arm with an CRE2-EG21OPP	m cap End Unit, (ack 1113	1173	1258	1358	1442	1540	1664	1783
	21" Closed Arm End L CRE2-EG21CLS	Jnit, Guest Back Beech, Maple	1191	1269	1348	1452	1569	1673	1794	1944	2092
	21" Closed Arm with a CRE2-EG21CLP	arm cap End Unit		Back 1284	1359	1463	1583	1687	1806	1955	2106
	24" Open Arm End Ur CRE2-EG24OPS	nit, Guest Back Beech, Maple	1095	1157	1220	1303	1400	1486	1584	1705	1831
	24" Open Arm with art CRE2-EG24OPP	m cap End Unit,	Guest B 1108		1229	1315	1414	1499	1598	1719	1840
	24" Closed Arm End L CRE2-EG24CLS	Jnit, Guest Back Beech, Maple	1244	1328	1401	1505	1625	1728	1852	2000	2148
	24" Closed Arm with a CRE2-EG24CLP	arm cap End Unit	, Guest 1257	Back 1338	1415	1518	1638	1744	1862	2010	2161

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Additional features and options information see page 19, options upcharges page 85.

JOT GODE KET				
Line	Series	Chair Style	Size	Arm Style
CRE Cressida	2 Chair	SG Start Unit Guest Multiple Seating	21	OPS Open Arm
		CG	24	OPP
		Center Unit Multiple Seating		Open Arm Polymer Arm Cap
		EG	30	COS
		End Unit Multiple Seating		Closed Arm/Open Center Arm
			44	COP
				Closed Arm/Open Center Arm
				Polymer Arm Cap
				CLS
				Closed Arm
				CLP
				Closed Arm Polymer Arm Cap

			COM		COL	FABF	RIC GRA	ADES	L	EATHER	}
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	30" Open Arm End Uni CRE2-EG30OPS 30" Open Arm with arm CRE2-EG30OPP	Beech, Maple		1386 .ck 1400	1474 1486	1590 1605	1726 1741	1843 1859	1980 1992	2148 2135	2320
	30" Closed Arm End U CRE2-EG30CLS 30" Closed Arm with a CRE2-EG30CLP	Beech, Maple	1455 Guest E 1465	1559 Back 1573	1657 1669	1797 1809	1953 1964	2089	2245 2256	2442 2457	2638 2652
	44" Open Arm End Uni CRE2-EG44OPS 44" Open Arm with arm CRE2-EG44OPP	Beech, Maple	1606 Guest Ba 1617		1791 1802	1919 1932	2066	2194 2210	2345	2528 2539	2714
	44" Closed Arm End U CRE2-EG44CLS 44" Closed Arm with a CRE2-EG44CLP	Beech, Maple	1755 Guest E 1770	1869 Back 1884	1977	2124 2135	2295 2305	2442 2457	2611	2822	3034

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Additional features and options information see page 19, options upcharges page 85.

Patient backs are available on multiple units, please change the model number CRE2-S**G** to CRE2-S**P**, CRE2-C**G** to CRE2-C**P**, CRE2-E**G** to CRE2-E**P** and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	86	99	113	132	155	172	195	223	250
24" Chairs	98	112	126	144	166	186	208	237	262
30" Chairs	140	158	176	199	227	252	281	317	352

Line	Series	Chair Style	Size	Arm Style
CRE	2	SG	21	OPS
Cressida	Chair	Start Unit Guest Multiple Seating		Open Arm
		CG	24	OPP
		Center Unit Multiple Seating		Open Arm Polymer Arm Cap
		EG	30	COS
		End Unit Multiple Seating		Closed Arm/Open Center Arm
			44	COP
				Closed Arm/Open Center Arm Polymer Arm Cap
				CLS
				Closed Arm
				CLP
				Closed Arm Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS

DIMENSIONS & COM REQUIREMENTS

	Overall Width	• • • • • • • • • • • • • • • • • • • •	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage
PCFG21X2	47.25	28.5	33.75	18.5	26	21	18.75	97	30	2.6	1.2	1.4
PCFP21X2	47.25	28.5	43.5	18.5	26	21	18.75	103	38	3.19	1.2	2
PCFG21X3	70	28.5	33.75	18.5	26	21	18.75	135	44	4.08	2	2.08
PCFP21X3	70	28.5	43.5	18.5	26	21	18.75	145	56	5	2	3
PCFG24X2	53.25	28.5	33.75	18.5	26	24	18.75	104	34	3.3	1.2	2.08
PCFP24X2	53.25	28.5	43.5	18.5	26	24	18.75	111	43	4.2	1.2	2.95
PCFG24X3	79	28.5	33.75	18.5	26	24	18.75	147	50	5.1	2	3.48
PCFP24X3	79	28.5	43.5	18.5	26	24	18.75	157	63	6.24	2	4.9

UNIT WITH CENTER	ADM	CHEST A	ND DAT	IENT BACKS
OMIT WITH CENTER	ANIVI.	GUESIF	AND PAI	IENI DAGNO

Unit With Center Arm (Continued)	COM Fabric Closed Arm Panels (2 Arms)	COM Fabric Closed Arm Panels (3 Arms)	COM Fabric Closed Arm Panels (4 Arms)	
PCF21X2	.8	1.2	1.6	
PCF21X3	.8	1.2	1.6	
PCF24X2	.8	1.2	1.6	
PCF24X3	.8	1.2	1.6	

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

WEIGHT CAPACITIES

Cressida weight capacities are as follows:

Multiple Seating & Pre-configured - 350 lbs per seat

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard) Removable Seat Cover (per seat) Guest Removeable 21" & 24" Back Covers (per back) Patient Removeable 21" & 24" Back Covers (per back)	67 89 56 89	Combination Upholstery - dual fabrics (per chair) Combination Upholstery - Three fabrics (per chair) 21" & 24" Cleanable Under-Seat Splashguard	34 67 61

Additional features and options information see page 19.

Patient backs are available on multiple units, please change the model number CRE2-S**G** to CRE2-S**P**, CRE2-C**G** to CRE2-C**P**, CRE2-E**G** to CRE2-E**P** and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
21" Chairs	86	99	113	132	155	172	195	223	250	
24" Chairs	98	112	126	144	166	186	208	237	262	

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

			COM		COL FABRIC (EATHER	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	21" Pre-Configured Free CRE2-PCFG21X2OPS	•			Arm 2 Sea 2612	-	t Backs 2978		3346	3594	3836
	21" Pre-Configured Free CRE2-PCFG21X2OPP	espan Center A	rm Unit 2405		Arm with 2649		2 Seat, 3015		Backs 3382	3628	3872
	21" Pre-Configured Free	espan Center A	rm Unit	- Closed	d Arm 2 S	eat, Gue	est Back	(S			
	CRE2-PCFG21X2CLS	Beech, Maple	e 2817	3004	3166	3396	3658	3886	4147	4470	4798
	21" Pre-Configured Fre	espan Center A					•			4500	100.1
	CRE2-PCFG21X2CLP		2852	3040	3205	3432	3692	3922	4182	4506	4834
	21" Pre-Configured Free	espan Center A	rm Unit	- Open /	Arm 3 Sea	at, Gues	t Backs	i			
	CRE2-PCFG21X3OPS	Beech, Maple	3559	3742	3927	4183	4478	4734	5028	5397	5764
	21" Pre-Configured Fre	espan Center A	rm Unit	- Open /	Arm with	arm cap	3 Seat.	Guest	Backs		
	CRE2-PCFG21X3OPP	•	3606	3790	3976	4234	4527	4784	5078	5446	5812
V											
	21" Pre-Configured Free	espan Center A	rm Unit	- Closed	d Arm 3 S	eat, Gue	est Back	(S			
	CRE2-PCFG21X3CLS	Beech, Maple	4159	4427	4666	5316	5378	5713	6092	6567	7044
	21" Pre-Configured Free	espan Center A	rm Unit	- Closed	d Arm with	n arm ca	p 3 Sea	at, Gues	t Backs		
	CRE2-PCFG21X3CLP	•	4207	4478	4714	5365	5428	5762	6141	6615	7091

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	67	Combination Upholstery - dual fabrics (per chair)	34
Removable Seat Cover (per seat)	89	Combination Upholstery - Three fabrics (per chair)	67
Guest Removeable 21" & 24" Back Covers (per back)	56	21" & 24" Cleanable Under-Seat Splashguard	61
Patient Removeable 21" & 24" Back Covers (per back)	89	, ,	

Additional features and options information see page 19.

Patient backs are available on multiple units, please change the model number CRE2-S**G** to CRE2-S**P**, CRE2-C**G** to CRE2-C**P**, CRE2-E**G** to CRE2-E**P** and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
21" Chairs	86	99	113	132	155	172	195	223	250	
24" Chairs	98	112	126	144	166	186	208	237	262	

, o . o o b z . n z .				
Line	Series	Chair Style	Size	Arm Style
CRE	2	PCFG	21x2	OPS
Cressida	Chair	Pre-configured Freespan Guest		Open Arm
			21x3	OPP
				Open Arm Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	CLP
				Closed Arm
				Polymer Arm Cap

CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

			COM			FABRI	C GRAI	DES	LEATHER		
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	24" Pre-Configured Freespan Center Arm Unit - Open Arm 2 Seat, Guest Backs										
	CRE2-PCFG24X2OPS	Beech, Maple	2474	2599	2719	2890	3089	3258	3454	3698	
	24" Pre-Configured Free CRE2-PCFG24X2OPP	espan Center Aı	m Unit - 2510		arm with a 2756		2 Seat, 3121		Backs 3489	3736	
	24" Pre-Configured Free	espan Center A	m Unit	- Closed	Arm 2 S	eat, Gue	st Back	(S			
	CRE2-PCFG24X2CLS	Beech, Maple	2926	3112	3276	3507	3762	3993	4255	4579	
	24" Pre-Configured Free CRE2-PCFG24X2CLP	espan Center Ai	m Unit - 2961	- Closed 3148	Arm with 3313	n arm ca 3541	p 2 Sea 3799	it, Guest 4030	Backs 4290	4614	
	24" Pre-Configured Free	espan Center A	m Unit	- Open A	rm 3 Sea	at, Gues	t Backs				
	CRE2-PCFG24X3OPS	•		•	4086		4638		5189	5556	
	24" Pre-Configured Free CRE2-PCFG24X3OPP	espan Center Ar	m Unit - 3768	- Open A 3951	arm with a 4133	arm cap 4393	3 Seat, 4685	Guest E 4943	Backs 5237	5604	
	24" Pre-Configured Free	espan Center A	m Unit	- Closed	Arm 3 S	eat Gue	est Back	rs.			
	CRE2-PCFG24X3CLS	•			4825	,	5538		6252	6728	
	24" Pre-Configured Free CRE2-PCFG24X3CLP	espan Center Ar	m Unit - 4368	- Closed 4638	Arm with 4875	n arm ca 5209	p 3 Sea 5588		Backs 6300	6776	

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List		\$ List
Cressida Option Upcharges	67	Combination Upholstery - dual fabrics (per chair)	34
Moisture Barrier (per yard)	89	Combination Upholstery - Three fabrics (per chair)	67
Removable Seat Cover (per seat)	56	21" & 24" Cleanable Under-Seat Splashguard	61
Guest Removeable 21" & 24" Back Covers (per back)	89		
Patient Removeable 21" & 24" Back Covers (per back)			

Additional features and options information see page 19.

Patient backs are available on multiple units, please change the model number CRE2-S**G** to CRE2-S**P**, CRE2-C**G** to CRE2-C**P**, CRE2-E**G** to CRE2-E**P** and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	86	99	113	132	155	172	195	223	250
24" Chairs	112	126	144	166	186	208	237	262	262

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCFG	21x2	OPS
Cressida	Chair	Pre-configured Freespan Guest		Open Arm
			21x3	OPP Open Arm Polymer Arm Cap
			24x2	CLS Closed Arm
			24x3	CLP Closed Arm Polymer Arm Cap

CRESSIDA | GUEST & PATIENT REPLACEMENT COMPONENTS

		COM		COL	FAE	RIC GR	ADES		LEATHER	3		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	WEIGHT	CUBE
	21" Replacemer CRE2-RBCG21	nt Guest I 172	Back Cov 202	/er 235	277	324	367	416	476	537	2	0.8
	24" Replacemer CRE2-RBCG24	nt Guest I 176	Back Cov 204	/er 235	278	324	367	416	476	538	2.3	0.8
	30" Replacemer CRE2-RBCG30	nt Guest I 235	Back Cov 289	er 344	418	505	582	665	773	882	2.6	0.8
	44" Replacemer CRE2-RBCG44	nt Guest I 249	Back Cov 304	/er 355	431	516	593	680	788	894	3.5	0.8
	21" Replacemer CRE2-RBCP21	nt Patient 249	Back Co	over 357	431	517	595	680	788	894	1.9	1.0
	24" Replacemer CRE2-RBCP24	nt Patient 262	Back Co 317	over 370	445	534	609	694	801	911	2.7	1.0
	30" Replacemer CRE2-RBCP30	nt Patient 292	Back Co 362	ver 432	534	644	743	855	999	1138	3	1.0
\												
	21" Replacemer CRE2-RS21	nt Guest a	& Patient 428	Seat 459	509	562	609	661	729	796	9.5	2.7
	24" Replacemer CRE2-RS24	nt Guest a 429	& Patient 463	Seat 496	541	595	643	697	763	830	10	2.7
	30" Replacemer CRE2-RS30	nt Guest a 477	& Patient 511	Seat 542	592	644	691	745	812	879	11.5	3.4
	44" Replacemer CRE2-RS44	nt Guest a 586	& Patient 627	Seat 668	729	798	855	922	1006	1094	16.5	4.8
	21" Replacemer CRE2-RSC21	nt Guest a	& Patient 207	Seat Co 240	ver 286	338	386	441	507	573	1.6	0.8
	24" Replacemer CRE2-RSC24	nt Guest a 172	& Patient 207	Seat Co 240	ver 286	342	386	441	509	573	1.7	0.8
	30" Replacemer CRE2-RSC30	nt Guest a 176	& Patient 208	Seat Co 242	ver 287	343	387	443	509	574	2	1.0
	44" Replacemer CRE2-RSC44	nt Guest a 195	& Patient 239	Seat Co 281	ver 338	407	466	535	619	702	2.5	1.0
	Replacement Gu CRE2-RCAL CRE2-RCAR CRE2-RCAC CRE2-RCACPC	311	tient Clos 338	sed Arm 367	Panel 405	450	491	536	592	618	8	.5

CRESSIDA | GUEST & PATIENT REPLACEMENT COMPONENTS


DESCRIPTION	MODEL S	SPECIES	PRICE	WEIGH	HT CUBE
	Open Arm	& Patient Front Start Beech, Maple	Arm & Leg 177	4.0	1.3
	Open Arm Polymer (CRE2-RLFSOPP	Cap Beech, Maple	202	4.0	1.3
	Closed arm CRE2-RLFSCLS	Beech, Maple,	181	4.0	1.3
	Closed Arm Polymer CRE2-RLFSCLP	Cap Beech, Maple,	211	4.0	1.3
	Open Arm	& Patient Front Cente Beech, Maple	er Arm & Leg 177	4.0	1.3
	Open Arm Polymer (202	4.0	
	Closed arm CRE2-RLFCCLS	Beech, Maple	181	4.0	1.3
	Closed Arm Polymer CRE2-RLFCCLP	Cap Beech, Maple	211	4.0	1.3
		& Patient Front End A	Arm & Leg		
	Open Arm CRE2-RLFEOPS	Beech, Maple	177	4.0	1.3
	Open Arm Polymer (CRE2-RLFEOPP	Cap Beech, Maple	202	4.0	1.3
		Beech, Maple	181	4.0	1.3
	Closed Arm Polymer CRE2-RLFECLP	· Cap Beech, Maple	211	4.0	1.3
	Replacement Polymore CRE2-RACB	er Arm Cap Black	27	1.0	.3
	Replacement Polymore CRE2-RACG	er Arm Cap Grey	27		
	'	& Patient Center Free	espan Arm		
	Open Arm CRE2-FFLOA	Beech, Maple	181	3.0	1.0
	Replacement Guest CRE2-RLBS - Start CRE2-RLBC - Cente CRE2-RLBE -End		100	6.0	1.2
*	Replaceable Glide - CRE2-RGF	Front* (1)	18	.25	.2
.	Replaceable Glide - CRE2-RGB	Back** (1)	19	.25	.2
	Replaceable Glide - CRE2-RG4	Set of 4	23	1.0	.3
	Chair to Chair Linkin CRE2-RCCLKB	g Bracket	70	1.5	5

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 4.22%

POST-CONSUMER RECYCLED CONTENT - 14.49%

Up to 24.32% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | LOUNGE FEATURES & OPTIONS



CLEAN OUT

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.

ARMS AND ARMLESS

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.



GLIDES

Cressida Lounge arm and armless versions feature floor-saver nylon glides.

WEIGHT CAPACITIES

Cressida weight capacities are as follows:

One-Seat-350 lbs

One-Seat (Plus) -750 lbs

One-Seat Wide - 350lbs

One-Seat Wide (Plus) - 750lbs

Two-Seat - 525 lbs

Two-Seat (Plus) - 975lbs

Three-Seat - 850 lbs

Three-Seat (Plus) - 1200 lbs

REPLACEABLE COMPONENTS

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.





CASTERS

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



PUSH BAR

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain the caregiver. The push bar is powder-coated steel in Silver Metallic finish.

PLUS UPGRADE

Cressida seating is available with optional Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

TABLETS

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

COMBINATION UPHOLSTERY

More than one upholstery cover within the same unit, is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$67 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$67 list per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8

REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with removable seat and back covers.

DIMENSIONS & COM REQUIREMENTS

	Overall	Overall	Overall	Seat	Height of Arms from	Width Between	Seat	Shipping Weight Open	Shipping Weight Closed	
	Width	Depth	Height	Height	Floor	Arms	Depth	Arm	Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Wide	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Wide	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida plus two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Wide - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Wide - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Wide - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Wide - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to page 628 for C.O.M approval process.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	67	One-Seat Removable Back Covers	159	
Push Bar	67	One-Seat Wide Removable Back Covers	239	
Caster Combination (2 legs & 2 rear casters)	159	Two-Seat Removable Back Covers	317	
Casters (set of 4)	239	Three-Seat Removable Back Covers	475	
One-Seat Removable Seat Covers	159	One-Seat - Plus Upgrade	96	
One-Seat Wide Removable Seat Covers	239	One-Seat Wide - Plus Upgrade	127	
Two-Seat Removable Seat Covers	317	Two-Seat - Plus Upgrade	208	
Three-Seat Removable Seat Covers	475	Three-Seat - Plus Upgrade	239	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

		COM		COL	FAB	FABRIC GRADES			LEATHER	
DESCRIPTION/M	ODEL/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat, Armless CRE3-F1ALS1 n/a	1644	1729	1834	1968	2118	2252	2401	2593	2782
	One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple Palette One-Seat, Open Arm with arr CRE3-F1OPP1 Beech, Maple Palette	п сар	1991	2087	2208	2364	2513 2593	2662 2742	2838 2916	3035
	One-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple Palette One-Seat, Closed Arm with a CRE3-F1CLP1 Beech, Maple Palette	rm cap	2820 2902	2995 3074	3242 3320	3524 3603	3770 3849	4055 4132	4413 4490	4758 4838

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List	\$ List
Moisture Barrier (per yard)	67	One-Seat Removable Seat Covers 159
Push Bar	67	One-Seat Removable Back Covers 159
Caster Combination (2 legs & 2 rear casters)	159	One-Seat - Plus Upgrade 96
Casters (set of 4)	239	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	Casters 3 Caster Combination 2 legs & 2 Rear Caster
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

		COM		COL	FAB	RIC GRA	ADES	LEATHER		
DESCRIPTION/MODE	L/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat Wide, Armless CRE3-FB1.5ALS1 n/a	1739	1853	1965	2127	2307	2470	2653	2881	3111
	One-Seat Wide, Open Arm CRE3-FB1.5OPS1 Beech, Maple Palette One-Seat Wide, Open Arm with arn CRE3-FB1.5OPP1 Beech, Maple Palette	n cap	2132 2212	2247	2408 2487	2589 2669	2751 2840	2933 3013	3163 3244	3393 3472
	One-Seat Wide, Closed Arm CRE3-FB1.5CLS1 Beech, Maple Palette One-Seat Wide, Closed Arm with ar CRE3-FB1.5CLP1 Beech, Maple Palette	т сар	2965 3043	3161 3242	3434 3513	3746 3826	4020 4101	4334 4414	4718 4798	5416 5496

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	67
One-Seat Wide - Plus Upgrade	127
One-Seat Wide Removable Seat Covers	239
One-Seat Wide Removable Back Covers	228

NOTE: One-Seat Wide Lounge is not available with caster options.

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F Freestanding	1 One-Seat	ALS	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm	

Polymer Arm Cap

DECORIDE ON MADEL (ODEO)		2	COL 3	FAE 4	RIC GRA	ADES 6	7	LEATHER 8	9
DESCRIPTION/MODEL/SPECIES	- 1		<u> </u>	4	5	0		0	
Two-Seat, Armless CRE3-F2ALS1 n/a	2719	2862	2995	3201	3423	3620	3849	4127	4413
Two-Seat, Open Arm CRE3-F2OPS1 Beech, Maple Palette Two-Seat, Open Arm with arm ca CRE3-F2OPP1 Beech, Maple Palette	ıp	3105 3186	3249 3325	3447 3524	3673 3755	3872 3951	4093 4173	4379 4457	4664 4740
Two-Seat, Closed Arm CRE3-F2CLS1 Beech, Maple Palette Two-Seat, Closed Arm with arm of CRE3-F2CLP1 Beech, Maple Palette	cap	3944 4021	4164 4243	4474 4552	4830 4908	5137 5216	5493 5572	5943 6024	6385

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	67
Two-Seat - Plus Upgrade	208
Two-Seat Removable Seat Covers	304
Two-Seat Removable Back Covers	304

NOTE: Two-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Styl
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
		3 Three-Seat	CLS Closed Arm		
				CLP Closed Arm Polymer Arm Cap	

			COM COL			FABI	RIC GRA	DES	LEATHER		
DESCRIPTION/MODEL/S	PECIES		1	2	3	4	5	6	7	8	9
	Three-Seat, Armles CRE3-F3ALS1	es n/a	3691	3891	4079	4348	4664	4931	5241	5629	6013
	Three-Seat, Open A CRE3-F3OPS1 Three-Seat, Open A CRE3-F3OPP1	Beech, Maple Palette	3944 ap 4021	4132 4211	4333 4413	4600 4600	4908 4987	5185 5262	5493 5572	5882 5960	6267
	Three-Seat, Closed CRE3-F3CLS1 Three-Seat, Closed CRE3-F3CLP1	Beech, Maple Palette	4694 cap 4773	4971 5052	5247 5328	5629 5707	6071 6149	6456 6536	6893 6972	7445 7522	7991 8068

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	67
Three-Seat - Plus Upgrade	239
Three-Seat Removable Seat Covers	475
Three-Seat Removable Back Covers	475
Combination Upholstery - dual fabrics	34
Combination Upholstery -Three fabrics	67

NOTE: Three-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Styl
CRE	3	F	1	ALS	1
Cressida	Lounge	Freestanding	One-Seat	Armless	Legs
		FB	1.5	OPS	
		Freestanding	One-Seat Wide	Open Arm	
		Plus	2	OPP	
			Two-Seat	Open Arm	
				Polymer Arm Cap	
			3	CLS	
			Three-Seat	Closed Arm	
				CLP	
				Closed Arm	
				Polymer Arm Cap	

CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE				WEIGHT	CUBE		
	Wood Tablet CRE3 T1	Beech/Maple	618				12	2		
	Tablet with Palette Fini CRE3 T2	sh n/a	458				12	2		
	Laminate Tablet CRE3 T4	n/a	618				12	2		
	ORDERING NOTES : The laminate tablet comes standard with a polymer edge. Please note Cressida Tablets need to be specified right or left when ordering.									
	Solid Surface Tablet		A-White	Grades A-Color	В	С				
	CRE3 RT3		706	720	757	820	12	2		

CRESSIDA | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FAI 4	BRIC GF 5	RADES 6	7	LEATHE 8		WEIGHT	CUBE
LOUNGE	One-Seat Replacement Back CRE3-RB1	750	816	878	968	1072	1163	1265	1396	1523		4.2
	One-Seat Wide Replacement B CRE3-RB1.5B		915	981	1077	1182	1275	1382	1518	1648		5.7
	Two-Seat Replacement Back CRE3-RB2		1203	1298	1431	1584	1717	1867	2060	2250		8.8
	Three-Seat Replacement Back CRE3-RB3	1484	1604	1724	1892	2083	2250	2440	2681	2919	52	12
	One-Seat Replacement Back C CRE3-RBC1	over 304	365	430	518	624	712	819	946	1077	2.0	1.0
	One-Seat Wide Replacement B CRE3-RBC1.5	ack Co 317	ver 383	449	542	651	745	850	985	1118		1.2
	Two-Seat Replacement Back C CRE3-RBC2	over 423	516	613	745	895	1031	1182	1372	1561	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 486	605	727	893	1084	1253	1444	1684	1924	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	633	680	727	789	862	927	1001	1090	1182	28	9.5
	One-Seat Wide Replacement S CRE3-RS1.5	eat 821	879	936	1019	1113	1193	1287	1400	1518	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	985	1044	1106	1191	1285	1369	1463	1584	1703	53	18
	Three-Seat Replacement Seat CRE3-RS3	1319	1412	1502	1632	1775	1903	2051	2236	2417	79	24
	One-Seat Replacement Seat Co	over 218	265	311	374	448	511	586	676	767	2.0	1.0
	One-Seat Wide Replacement S			311	374	440	311	300	070	707	2.0	1.0
	CRE3-RSC1.5	271	328	387	470	562	643	736	851	968	2.5	1.2
	Two-Seat Replacement Seat Co CRE3-RSC2	over 289	350	409	494	589	673	768	888	1006	3.5	1.8
	Three-Seat Replacement Seat (CRE3-RSC3	Cover 369	459	553	680	824	954	1100	1285	1465	5.0	2.5
	Replacement Lounge Front Arm	n & Leg										
	Open Arm CRE3-LROPS Beech, Maple Palette	194									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	234										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	l 426	476	527	597	680	751	833	936	1037	20	3.8
6	Lounge Replacement Push-Bar CRE3-RPB	64									2	0.3

CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	PRICE		WEIGHTCUBE			
7	Replacement Polymer Arm Cap Black CRE3-RACB	39				1.0	0.5
	Replacement Polymer Arm Cap Grey CRE3-RACB	39					
*	Lounge Replacement Front Leg (for armle CRE3-RLAF*	ss version) 61				0.5	0.5
8 **	Lounge Replacement Front Leg (for armle CRE3-RGAF**	ss version) Gl 18	ide			0.1	0.2
*	Lounge Replacement Plus Upgrade Cente CRE3-RLC*	er Leg 56				0.5	0.5
**	Lounge Replacement Plus Upgrade Cente CRE3-RCG**	er Leg Glide 24				0.5	0.5
*	Lounge Replacement Back Leg CRE3-RLB*	81				1.8	0.5
**	Lounge Replacement Glide CRE3-RGB**	19				0.1	0.2
	Lounge Replacement Front Leg (for castel CRE3-RLCF*	r version) 56				0.5	0.5
**	Lounge Replacement Back Leg (for caster CRE3-RLCB**	r version) 56				0.5	0.5
* **	Replacement Casters Non-Locking CRE3-RC1*	77				.75	0.3
	Replacement Casters Locking CRE3-RC2**	77				.75	0.3
	Wood Tablet & Mounting Plate Only CRE3 RT1 Beech/Maple	416				5	0.32
	Tablet with Palette finish & Mounting Plate CRE3 RT2 n/a	Only 291				5	0.32
	Tablet & Mounting Plate Only - Solid Surfac	ce A-White	Grades A-Color	В	С	7	0.32
U		565	574	605	655		
	Laminate Tablet & Mounting Plate Only CRE3 RT4 n/a	416				5	0.32

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:




PRE-CONSUMER RECYCLED CONTENT - 36.34%

POST-CONSUMER RECYCLED CONTENT - 26.4%

Up to 31.25% of this Cressida product is recyclable at the end of its useful life.



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 30.77%

POST-CONSUMER RECYCLED CONTENT - 25.68%

Up to 27.88% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | TABLE FEATURES

ANTI-MICROBIAL FINISH

Cressida wood surfaces include an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

STANDARD FINISHES

For a complete list of standard wood finishes, please see Page 642. Cressida tables are available in 22 standard finishes.

LAMINATE

Cressida Box-style tables are available in laminate with wood side or laminate side. See Page 643 for laminate information.

SOLID SURFACE

Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote.


CRESSIDA | BOX-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	H V	VEIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	1237 1530	1288 1590	1285 1583	1334 1645	18 24		15.75 15.75	24 34	3 5
	Rectangular Table CRE4A 241816 CRE4A 482416	s 1359 2189	1414 2275	1404 2265	1462 2353	24 48	18 24	15.75 15.75	28 56	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	1021 1246 2182	1062 1297 2271	1053 1404 2385	1096 1462 2479	18 24 30	- - -	15.75 15.75 15.75	16 23 34	3 5 8
	Rectangular Roun CRE4 B181816 CRE4 B241816 CRE4 B242416 CRE4 B482416	d Corner 1328 1496 1662 2413	1380 1557 1726 2509	1376 1559 1770 2584	1429 1622 1839 2686	18 24 24 48	18 24	15.75 15.75 15.75 15.75	21 25 30 51	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1377 1701 2160	1431 1770 2245	1515 1840 2311	1576 1916 2401	24 32 48		15.75 15.75 15.75	23 34 56	4 7 12
	Triangular Round (CRE4B T1618-45 CRE4B T2124-45 CRE4B T2529-45 CRE4B T2818-90 CRE4B T3624-90 CRE4B T4429-90	Corner 1246 1426 1749 1550 1845 2219	1297 1485 1818 1610 1923 2307	1265 1481 1848 1610 1933 2241	1315 1538 1924 1673 2010 2331	16 21 25 28 36 44	18 24 29 18 24 29	15.75 15.75 15.75 15.75 15.75	23 28 28 24 30	2.5 4.5 7 3 7.5


TRIANGULAR TABLE DIMENSIONS















CRESSIDA | BOX-STYLE LINKING TABLES

		BEECH PALETTE		LAMINATE TOP L W/BEECH	AMINATE TOP W/ MAPLE					
DESCRIPTION	MODEL	LAMINATE	MAPLE	SIDES	SIDES	W	D	Н	WEIGH	Γ CUBE
_	Middle Linking Table)								
\leq	CRE4 LKI12	985	1025	1009	1052	12	16	-	22	2.5
	CRE4 LKI18	1118	1164	1171	1220	18	16	-	24	2.9
	CRE4 LKI24	1251	1302	1328	1380	24	16	-	29	3.7
	ORDERING NOTE:	Middle Linking	g Modular Tab	ole ships with 2 KB	1 brackets.					
	End Table Square Co	orners								
	CRE4A LKE12	1024	1065	1051	1094	12	16	15.75		2.3
	CRE4A LKE18	1158	1203	1210	1261	18	16	15.75		2.9
	CRE4A LKE24	1289	1339	1369	1423	24	16	15.75	28	3.7
U -	ORDERING NOTE:	End Linking M	1odular Table	ships with 1 KB1 b	racket.					
	End Table Rounded	Corner								
	CRE4B LKH12	1253	1303	1308	1361	12	16	15.75	19	2.3
	CRE4B LKH18	1362	1416	1423	1481	18	16	15.75	23	2.9
~	Curvilinear 30° Table	<u> </u>								
	CRE4A LKC30	1157	1200	1235	1285	16	16.5		15	2.3
	Curvilinear 45° Table									
	CRE4A LKC45	1342	1397	1425	1484	16	17	-	17	2.9
	Curvilinear 60° Table)								
	CRE4A LKC60	1527	1588	1632	1695	16	17.5	-	20	3.7
	O ilia a au 000 Table									
	Curvilinear 90° Table CRE4A LKC90	9 1773	1842	1900	1977	16	19	_	24	5.4
9	CHL4A LNC90	1773	1042	1900	1977	10	19	-	24	5.4
	Curvilinear 90°x2 Table									
	CRE4A LKC90X2	3341	3476	3582	3729	16	19	15.75	55	10
	Curvilinear End Rou	nd Table								
	CRE4A LKH12	1272	1325	1328	1380	12	16	15.75	18	2.3
	CRE4A LKH18	1382	1440	1445	1504	18	16	15.75	21	3.6

ORDERING NOTES: When fastening two linking tables together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Cressida Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



CRESSIDA | SLAB-STYLE LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGHT	CUBE
	Square and Recta CRE4C LKI1818 CRE4C LKI2418	ngular Slab Ta 738 807	ble 768 843	712 851	741 887	18 24	18 18	-	23 26	1.5 2.0
	Curvilinear Slab Ta CRE4C LKCRF45 CRE4C LKCRF90	able with flat fr 1080 1242	ont 1119 1291	1097 1313	1142 1367	28 38	24 24	16 16	25 45	1.8 3.0
	Curvilinear Slab Ta CRE4C LKCRR45 CRE4C LKCRR90	1080	1119 1291	1097 1313	1142 1367	28 38	24 24	16 16	23 42	1.8 3.0
	Rectilinear Corner CRE4C LKCSF90	table 1428	1486	1580	1643	30	30	16	52	3.5

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Krug Multiple Seating. Linking tables are connected to the Multiple Seating via Linking brackets. Hardware for tables can be used left or right handed.

The design of the tables for Cressida Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration - or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.

Linking Tables also feature a universal, non-handed design:

They can be moved to reverse position in almost any configuration, providing a high level of flexibility for reconfiguring.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$67 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$67 list per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black.

For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

CRESSIDA | LIGHT-STYLE TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH ⁻	Γ CUBE
	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	618 631 873	643 657 908	705 721 1046	733 749 1087	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Tables CRE4D 181816S CRE4D 242416S CRE4D 363616S CRE4D 181821S CRE4D 242421S	559 620 887 570 633	582 645 921 593 659	625 722 1064 640 733	651 750 1106 664 765	18 24 36 18 24	18 24 36 18 24	16 16 16 21 21	22 33 65 25 35	3 5 12 4 5

CRESSIDA | LIGHT-STYLE LINKING TABLES

Linked Table -Center	Linked Table - Corner/Radius 45	Linked Table - Corner/Flat 45	Linked Table - Corner/Radius 90	Linked Table - Corner/Flat 90	Linked Table - Corner Rounded Flat	Curvilinear Connector Table 180°
CRE4-LKE-22-22	CRE4-LKCRR45	CRE4-LCRF45	CRE4-LKCRR90	CRE4-LKCRF90	CRE4-LKCSF90	
Û Û						
Linked Table - End CRE4-LKI-22-22						
Ţ.						

CRESSIDA | LIGHT-STYLE LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGHT	r Cube
DESCRIPTION	Center Square Table CRE4D LKI2222	621	647	709	738	22	22	-	23	1.5
	End Square Table CRE4D LKE2222	615	641	703	731	22	22	16	34	1.5
	Curvilinear Connecto CRE4D LKCRF45	r Table 45° with 738	n flat edge 768	703	731	28	24	16	27	2.2
	Curvilinear Connecto CRE4D LKCRR45	r Table 45° 738	768	703	731	28	24	16	26	2.2
	Curvilinear Connecto CRE4D LKCRF90	r Table 90° with 803	n flat edge 834	1015	1056	38	24	16	32	2.2
	Curvilinear Connecto CRE4D LKCRR90	r Table 90° 803	834	1015	1056	38	24	16	32	2.2
	Rectilinear Corner Co CRE4D LKCSF90	onnector Table 851	90° 887	1021	1062	30	30	16	42	2.2
	Curvilinear Connecto CRE4D LKCRR180	r Table 180° 1251	1300	1456	1515	55	29	16	60	4.4

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Cressida Multiple Seating.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Rectilinear Corner Connector table 90° include a support leg in the outer corner. All end linking tables include 2 legs. All Curvilinear tables include one supporting center leg.

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

Juno and Trevisa Overbed Tables have a 2-year warranty.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$275/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$275/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$551/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$131/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$131/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$131/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard.

Specific test results and documentation are available on request.



Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or

storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Textiles - Upholstery Program

 Passes State of California Technical Bulletin CAL 117-2013



Krug Textiles - Stocked Fabric Program

601 IVORY

64 PUTTY

Grade 1



62 FAWN

36 BLUEBERRY



Krug Textiles - Stocked Fabric Program Grade 2

GRADDY



46 | USA | HEALTHCARE | 2025

908 DOMINO

305 MIDNIGHT

64 PUTTY

205 CHARTREUSE



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ













9008 CHARCOAL

82 CLAY

304 CAPRI

LORENZO













601 CREAM

106 HENNA



604 STUCCO

32 MIST

BISCOTTI









91 GRANITE

302 CAPRI

INTRIGUE











27 OLIVE



805 PECAN

608 STUCCO



2025 | HEALTHCARE | USA | 47



Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$23 Grade 2 \$36 Grade 3 \$48

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate vardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry

Natural Cherry Sable Cherry

Standard Cherry

Light Oak Harvest Oak

Mahogany

Mellow Oak

Espresso

Cordovan Walnut

Natural Walnut Regular Walnut

SilverGrey on Walnut

Dark Walnut

Clear Beech

Medium Aniare

Finishes on Maple

Clear Maple

Honey Maple

Wheat Maple

PALETTE

Palette finishes available for applicable products. Black

White

Soft Green

Steel Blue

Slate

WOOD FINISHES TO MATCH STANDARD **LAMINATES**

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$630 list per finish per order. (For example, on all orders up to \$6300 list, an upcharge of \$630 will apply, on orders \$6300 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

LAMINATE PROGRAM

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES			
Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry Park Avenue Walnut	Tafisa T472CR Wilsonart 7984–38	Solid Laminates	
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Nightfall	Pionite WX421	Earth	Tafisa T767CR
S		Charcoal	Tafisa T228CR

PHASE OUT LAMINATES


Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



METAL FINISHES



Silver Metallic

URETHANE COLOR OPTIONS



GLIDE SELECTION CHART

Product	Floor Sav Nylon	ver Felt	Non-Slip Rubber	Metal	Plastic
Guest, Patient, Multiple & Multi-Pur	pose Seating				
Mobi	standard	optional	optional	n/a	optional
Karma	optional	optional	optional	optional	standard
Cressida	standard	n/a	n/a	n/a	n/a
Solis	optional	optional	optional	optional	standard
Faeron Wood	standard	optional	n/a	optional	optional
Faeron Metal	optional	optional	optional	optional	standard
Jordan	standard	optional	optional	optional	optional
Corfu	standard	n/a	n/a	optional	n/a
Easy Access and Stools				•	
Karma	optional	optional	optional	optional	standard
Solis	optional	optional	optional	optional	standard
Faeron Wood	standard	optional	n/a	optional	optional
Faeron Metal	optional	optional	optional	optional	standard
Jordan	standard	optional	optional	optional	optional
Corfu	standard	n/a	n/a	n/a	n/a
	Staridard	11/4	17 α	11/4	11/4
Lounge Seating					
Cressida	standard	n/a	n/a	n/a	n/a
Leyton	optional	n/a	n/a	n/a	standard
Zola	standard	optional	optional	optional	n/a
Zola Privacy	standard	optional	optional	optional	n/a
Faeron Wood	standard	n/a	n/a	optional	optional
Faeron Metal	standard	optional	optional	optional	n/a
Faeron Upholstered - Wood leg	standard	n/a	n/a	optional	optional
Faeron Upholstered - Metal leg	standard	optional	optional	optional	n/a
Jordan	standard	optional	n/a	optional	optional
Carlyle-wood base	standard	optional	n/a	optional	optional
Carlyle-metal base	n/a	n/a	n/a	n/a	standard
Benches					
Tate	optional	n/a	n/a	n/a	standard
Zola	standard	optional	optional	optional	n/a
Jordan	standard	optional	n/a	optional	optional
Carlyle	n/a	n/a	n/a	n/a	standard
Recliners					
Jordan	standard	optional	optional	optional	optional
Jordan Recliner Plus	standard	optional	optional	optional	optional
Jordan Sleep Recliner	standard	optional	optional	optional	optional
Sleepers					
Amelio Sofa Sleeper & Modular Sofa	standard	optional	optional	optional	optional
Amelio Bench Sleeper	optional	optional	optional	optional	standard
Jordan Lounge Sleeper	n/a	n/a	standard	n/a	n/a
Behavioral Health					
Solis	optional	optional	optional	optional	standard
Solis - Sled Base	standard	n/a	n/a	n/a	n/a
Zola	standard	n/a	n/a	n/a	n/a

ORDERING NOTES: Glides options marked "n/a" are not available for that product due to leg style. Please see product pricing pages for optional glide upcharges.

GLIDE RECOMMENDATION BY FLOORING TYPE

Glide Material	Carpet	Vinyl/Linoleum	VCT	Rubber	LVT/LVP	Ceramic Tile	Concrete	Hardwood
Nylon - Floor Saver	**	*	*	*	NR	*	*	NR
Felt - Floor Saver	NR	*	**	NR	**	**	*	**
Rubber - Non-slip	**	**	*	*	NR	*	**	NR
Metal	*	*	NR	NR	NR	*	**	NR
Plastic	**	*	*	*	NR	*	**	NR

** = Best Solution

★ = Acceptable

NR = Not Recommended

ORDERING NOTES: The above chart shows our recommendation based on a clean, professionally finished floor without dust or debris between the glides and the flooring.















All products are air emissions certified and are available as FSC® certified

