FALL MANAGEMENT TECHNOLOGY RECLINERS & GLIDERS

Price and Specification Guide Addendum

USA & CANADA



Effective, October 2026

krug HEALTHCARE

TABLE OF CONTENTS

PRICING & SPECIFICATIONS

Recliners

3 Ascend Exam Recliner
11 Ascend 3 Position Recliner
17 Ascend Sleep Recliner
22 Ascend Recliner Plus
29 Jordan Active Patient Recliner
38 Jordan Compact Recliner
45 Jordan 3 Position Recliner
56 Jordan Sleep Recliner
64 Jordan Recliner Plus
71 Jordan Glider

General Information

75 Terms & Conditions
75 Warranty
77 Krug Textiles - Upholstery Fabrics
80 Krug Textiles - Luxe Faux Leather
80 Krug Textiles - Leather
81 Customer's Own Material - C.O.M.
81 CAL 133 & Moisture Barrier
82 Graded-In Upholstery Programs
82 *KrugExpress* Program
83 Laminate & Solid Surface
84 Wood Finishes

ASCEND EXAM RECLINER | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 22.89%

POST-CONSUMER
RECYCLED CONTENT =11.25%

Up to 47.49% of this Ascend Exam Recliner product is recyclable at the end of its useful life.

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Ascend products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS
All Ascend products are supplied with air-emissions certified. Contact customer service for information.

FSC®
In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Ascend and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ASCEND EXAM RECLINER | FEATURES & OPTIONS

FEATURES



UPHOLSTERED ARM & ARM CAPS
Ascend Upholstered Arms are available fully upholstered with the option of being trimmed with flat Polymer Arm Caps, Urethane Arm Caps or Solid Surface Arm Caps.



LIFT CONTROLS
Lift Control button provides height adjustment with a range of a 19” seat height up to a 32” exam height. Buttons are located in a fixed location at the back left of the side arm (facing). Exception: when the Swing Away Tablet option is specified the Lift Control buttons will be located on back right of the side arm (facing).



RECLINE CONTROL
The corded Recline Control can operate the back recline and footrest independently or simultaneously. The Control is housed in a holder at the back left of the side arm (facing) and can be accessed by the patient for position adjustment.



PUSH BAR
This is a standard feature on the Ascend Exam Recliner. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, as well as promote reduced back strain on the care-giver.



HIGH DURABILITY MECHANISM
Ascend mechanisms are designed for high-traffic, intensive use in caregiving environments. They are built with high-strength steel and the electronics are IEC 60601-1 compliant.



REMOVEABLE COVER
Ascend Back covers can be field removed for replacement. The continuous seat/footrest pad can be removed for replacement or detached from the seat assembly for ease of cleaning.



CASTERS
4” twin wheel locking swivel casters provide quiet and smooth motion when moving Ascend. The lock feature locks both the wheel and swivel.



SPRING SEAT CONSTRUCTION
Spring seat construction combined with dual density foam offers exceptional comfort, durability and increased longevity.

OPTIONS



ARM CAPS
Arm Caps provide enhanced durability and protection and are field replaceable if damaged or degraded. Polymer & Urethane Arm Caps are Grey. Solid Surface is available in 8 finishes.



PROFILE ARM
Profile Arm features a recess under the armrest and inset profile to aid in ingress/egress and serve as a grab rail to assist the patient during transfer. The Profile Arm provides enhanced durability and protection and is field replaceable if damaged or degraded. Polymer Profile Arm are Grey. Solid Surface is available in 8 finishes.



PATIENT TRANSFER ARM
Patient Transfer Arms are designed to fold down where the arm is level with the chair seat. This design allows the caregiver to move the patient from the recliner to a bed, or other transport.



CENTRAL CASTER LOCKING SYSTEM
Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The color-coded external foot pedal indicates, Red for the locked position (when lowered) and Green for the unlocked position. The standard position for the foot pedal is at the rear, outside of the left (facing) arm panel. It can optionally be located at the front, left or right of the arm panel or at rear of right (facing) arm panel. The foot pedal and IV Pole cannot be placed on the same side. Casters are 4” diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option, note the requested location, and include the upcharge.



SWING AWAY TABLET
The tablet has the ability to slide up and fold over and rotate 180º. The break-away design allows for the tablet to be pushed away from the patient quickly in case of an emergency. Tablets cannot mount to Patient Transfer Arms.



FLIP UP TABLET
The tablet is 18" x 14" x 3/4", and it can be located on either side of the recliner. Please clearly specify whether a right-handed or left-handed position (facing) is needed when ordering. It is available Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Tablets cannot mount to Patient Transfer Arms.



POWER DOC
The pop-up Power doc offers convenient power and USB charging access on demand. Flush with the arm when closed and pos open with a simple touch to the cover. Located at the rear of the arm, opposite side of recliner controls. Include a hospital grade electrical outlet rated 15A/125VAC and a two USB port (A+C) for USB powered devices.

ASCEND EXAM RECLINER | OPTIONS CONTINUED, DIMENSIONS & C.O.M.



IV POLE & HOLDER
The Ascend IV pole is height adjustable and can be added in the field. It can be located on either the left or right side (facing) at the back of the recliner. The location must be specified at time of order.



FOLEY HOOK
This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard. It can be located on either the left or right side (facing) at the front of the recliner. Opposite to Flip up Tablet or Patient Transfer Arm.



STIRRUPS
Stirrups attach to extending rails accessible when the seat is in the exam position and can be positioned at different settings according to leg length.



STIRRUP STORAGE
When not in use, the stirrups are conveniently stored on the back of the recliner arm.



PAPER ROLL HOLDER
The Paper Roll is located on the back side of the recliner and will accept 18” standard width rolls.



HEIGHT ADJUSTABLE FOOT PEDAL
The Ascend Exam Recliner height adjustable foot pedal option enables you to adjust the exam surface height hands-free. With this option, the lift function can be operated with either the height adjustable foot pedal or the lift control button on the chair arm. When not in use, the foot pedal is stored in the convenient, easy to access holder mounted on the chair.



COMBINATION UPHOLSTERY OPTION
When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is $34 list per unit and $67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).



TRENDELENBURG OPTION
The Ascend Trendelenburg option offers full recline with footrest fully extended. While in Trendelenburg mode the seat-back angle remains at 180 degrees but the back goes from 0 degrees to -10 from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the chair.



FALL MANAGEMENT SENSOR
Through a sensor installed in the seat cushion of any Krug recliner, an alert is transmitted directly to the nurse station instantly, through the nurse call system, and audibly through the monitor mounted on the recliner, when a patient deemed a fall risk exits the chair without help from a caregiver- enabling staff to quickly intervene and prevent a potential fall from occurring. Not available with Thermal Comfort option**.**



PATIENT VITALS SENSOR
A wireless patient monitoring innovation, with state-of-the-art integrated patient monitoring technology. Through an imperceptible sensor installed in the back of the chair, critical data, including heart rate and respiratory rate, are tracked, trended and wirelessly transmitted to the care team, enabling quick intervention if a patient is deteriorating. Not available with Thermal Comfort option**.**

MOISTURE BARRIER & CAL 133 OPTION
California Technical Bulletin 133 is a flamm ability test for seating. Krug offers a compliance method that, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits.the cost of the product to be tested. See page 80 for more information on certification and testing.

DIMENSIONS

	Overall Width	Overall Depth	Overall Depth Reclined	Overall Seated Height (Min Lift)	Overall Height Seated (Max Lift)	Overall Height Exam (Max Lift)	Seat Height (Min Lift)	Seat Height (Max Lift)	Seat Width	Seat Depth	Arm Height	Shipping Weight	Cubes
Recliner	33	39.7	71.7	49	62.7	32	19.3	32	24	20	27.8	281	38

COM YARDAGES

	COM Yardage for Complete Unit	COM Yardage Seat & Footrest Only	COM Yardage Back Only	COM Yardage Standard Arm Only	Transfer Arm Only
Recliner without transfer arms	6.3	1.4	2.4	2.8	-
Recliner with one transfer arm	6.9	1.4	2.4	-	3.75
Recliner with dual transfer arms	7.5	1.4	2.4	-	3.75

WEIGHT CAPACITIES
Ascend Exam Recliner is load rated to 400 lbs



RECLINE CONTROLS
Located on the side of the arm, the Ascend hand wand is used to control both the back recline and the footrest. The top two buttons control the back, the middle two buttons control the ottoman and the lower two buttons control the back and ottoman simultaneously.



LIFT CONTROLS
Located on the side of the arm, the Ascend lift control is used to move the unit up and down. Simply press on the up or down button until you reach your desired height. Do not operate the lift while the unit is in Trendelenburg mode. If applicable stow the swing tablet before use.



POWERDOC (Optional)
Press down on the inner front edge to pop the unit out. Once you are done using it press back down until an audible click is heard.



STIRRUPS (Optional Feature)
The stirrup bars are located just below the seat. Using one finger, pull them out to the desired length. Remove the stirrups from the holder on the side of the arm and slide the stirrup onto the stirrup bar.



SWING AWAY TABLET (Optional Feature)
To use, rotate the tablet up to a minimum of 90 from it's resting position and lower it in front of the patient so it is sitting parallel to the floor. To stow the tablet flip it up so the tablet surface is parallel to the side of the arm and rotate it back to it's resting position. Care should be taken when stowing the tablet. Do not allow it to fall freely as this may cause damage to both the unit and the tablet.



FLIP TABLET (Optional Feature)
To raise the tablet, pull up on it until it is horizontal and "clicks" into place. To lower, depress both safety latches located on the tablet bracket and slowly lower the tablet into it's resting position.



TRENDELENBURG LEVER (Optional Feature)
Ensure the unit is in it's lowest position before operating the Trendelenburg feature. To convert the unit into Trendelenburg mode press down on the red foot activated pedal below the arms. Once the pedal is pressed gently push down on the back. Releasing the foot pedal will engage the lock and ensure that the chair stays in place. To get the chair back into the standard position press down on the foot pedal again and gently press down on the seat until it is horizontal.



PAPER ROLL HOLDER (Optional Feature)
This feature excepts an 18" wide roll of exam paper. To load/unload rolls untighten the black knobs found on either end of the bar. Remove the bar, and slide it thru the roll of paper. Re install the bar ensuring that the thumbscrews are tight.



PATIENT TRANSFER ARM (Optional Feature)
To activate this feature pull down on the lever located at the front of the arm. This will un lock the arm and allow you to swing the upper portion of the arm down and out of the way. Once you are done using it lift the arm back into the upright position and pull up on the locking lever. When the arm has been re locked gently wiggle it back and forth to ensure it is secure. If the transfer arm is excessively loose or is very hard to lock adjust the built in adjustment screw located inside the upper portion of the arm. Loosening the screw will make the arm easier to open while tightening it will make it lock more firmly. Please specify right or left handed (facing) on the purchase order.





ASCEND EXAM RECLINER

DESCRIPTION/MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Standard Arm with Upholstered Arm and Standard Seat ASC8RVLSAUPH11	9741	9931	10120	10385	10687	10952	11254	11632	12009
 Standard Arm with Polymer Arm Cap and Standard Seat ASC8RVLSAPAC11	9880	10068	10258	10523	10824	11091	11392	11770	12147
Standard Arm with Urethane Arm Cap and Standard Seat ASC8RVLSAUAC11	9880	10068	10258	10523	10824	11091	11392	11770	12147
 Standard Arm with Polymer Profile Arm and Standard Seat ASC8RVLSAPPA11	10131	10321	10510	10775	11076	11342	11645	12022	12400

Ascend Exam Recliner Option Upcharges

	A - White	A - Color	Grades B	C
Solid Surface Arm Cap (pair)	228	238	255	266
Solid Surface Profile Arm (pair)	628	666	777	790

	$ List
Stirrups (2)	1930
Paper Roll Holder	222
PowerDoc	647
Fall Management Sensor	1421
Patient Vitals Sensor	1683

	$ List
Moisture Barrier & CAL 133 (per yard)	67
Combination Upholstery - Dual	34
Combination Upholstery - Triple	67
Patient Transfer Arm - Left (facing unit)	974
Patient Transfer Arm - Right (facing unit)	974
Patient Transfer Arm - Dual (both)	1947
IV Pole and Holder	382
Swing Away Tablet	457
Flip Up Tablet	415
Foley Catheter Hook	214
Central Caster Locking System (CCLS)	1643
Height Adjustable Foot Pedal	309

ORDERING NOTES: To specify Patient Transfer Arm(s) add upcharge above and change “SA” in the model number to the required Arm Type selection in the Product Code Key below. Example for Patient Transfer Arm Left - ASC8RVL**PL**SSP11.
To specify Stirrup Seat Style change the 1 to a 2 and add upcharge above.

PRODUCT CODE KEY

Line	Series	Chair Type	Arm Type	Arm Style	Base	Seat Style
ASC Ascend	8 Motion	RVL Recliner w/Vertical Lift	SA Standard Arm	UPH Upholstered Arm	1 Casters	1 Standard
		RVLT Recliner w/Vertical Lift & Trendelenburg	PL Patient Transfer Arm - Left	PAC Polymer Arm Cap	3 CCLS	2 Stirrup
			PR Patient Transfer Arm - Right	UAC Urethane Arm Cap		
			PD Patient Transfer Arm - Dual	SSC Solid Surface Arm Cap		
				PPA Polymer Profile Arm		

Solid Surface Profile Arm

ASCEND EXAM RECLINER | WITH TRENDELENBURG

DESCRIPTION/MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Standard Arm with Upholstered Arm, Standard Seat and Trendelenburg ASC8RVLTSAUPH11	10332	10521	10708	10975	11277	11541	11845	12222	12600
 Standard Arm with Polymer Arm Cap, Standard Seat and Trendelenburg ASC8RVLTSAPAC11	10469	10658	10848	11114	11414	11679	11981	12358	12738
Standard Arm with Urethane Arm Cap, Standard Seat and Trendelenburg ASC8RVLTSAUAC11	10469	10658	10848	11114	11414	11679	11981	12358	12738
 Standard Arm with Polymer Profile Arm, Standard Seat and Trendelenburg ASC8RVLTSAPPA11	10722	10910	11099	11364	11666	11932	12232	12612	12990

Ascend Exam Recliner Option Upcharges

	Grades A - White	A - Color	B	C
Solid Surface Arm Cap (pair)	228	238	255	266
Solid Surface Profile Arm (pair)	628	666	777	790

	$ List
Stirrups (2)	1930
Paper Roll Holder	222
PowerDoc	647
Fall Management Sensor	1421
Patient Vitals Sensor	1683

	$ List
Moisture Barrier & CAL 133 (per yard)	67
Combination Upholstery - Dual	34
Combination Upholstery - Triple	67
Patient Transfer Arm - Left (facing unit)	974
Patient Transfer Arm - Right (facing unit)	974
Patient Transfer Arm - Dual (both)	1947
IV Pole and Holder	382
Swing Away Tablet	457
Flip Up Tablet	415
Foley Catheter Hook	214
Central Caster Locking System (CCLS)	1643
Height Adjustable Foot Pedal	309

ORDERING NOTES: To specify Patient Transfer Arm(s) add upcharge above and change “SA” in the model number to the required Arm Type selection in the Product Code Key below. Example for Patient Transfer Arm Left - ASC8RVL**PL**SSP11.
To specify Stirrup Seat Style change the 1 to a 2 and add upcharge above.

PRODUCT CODE KEY

Line	Series	Chair Type	Arm Type	Arm Style	Base	Seat Style
ASC Ascend	8 Motion	RVL Recliner w/Vertical Lift	SA Standard Arm	UPH Upholstered Arm	1 Casters	1 Standard
		RVLT Recliner w/Vertical Lift & Trendelenburg	PL Patient Transfer Arm - Left	PAC Polymer Arm Cap	3 CCLS	2 Stirrup
			PR Patient Transfer Arm - Right	UAC Urethane Arm Cap		
			PD Patient Transfer Arm - Dual	SSC Solid Surface Arm Cap		
				PPA Polymer Profile Arm		
				SSP Solid Surface Profile Arm		

ASCEND EXAM RECLINER | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9	Weight	Cubes
 Seat with Continuous Footrest Cover ASC8-RVLRFS	442	471	501	542	592	634	680	742	802	8	1.6
 Back Cover ASC8-RVLRBC	617	689	761	862	977	1078	1193	1335	1481	3	0.8

DESCRIPTION/MODEL	Polymer	Urethane	Gr A- White	Solid Surface Gr A- Color	Gr B- Color	Gr C- Color	Weight	Cubes
 Profile Arm ASC8-RVLRCP	204	n/a	360	380	432	442	8	1
 Arm Cap ASC8-RVLRCF	115	115	161	164	173	178	3	0.5

DESCRIPTION/MODEL	Price	Weight	Cubes
 Recline Control ASC8-RVLRRC	113	1	0.3
 Paper Roll Holder ASC8-RVLRPH	268	4	0.5
 Stirrup ASC8-RVLRS	294	5	0.5
 Caster ASC8-RVLRCR	222	2	0.3
 Push Bar ASC8-RVLRPB	204	2	0.3

ASCEND EXAM RECLINER | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	Price	Weight	Cubes
 Swing Away Tablet & Mechanism ASC8-RVLRSC	457	20	1
 Swing Away Tablet only ASC8-RVLRSO 24”w x 14.75”d x .75”h	237	7	0.8
 Swing Away Tablet Mechanism only ASC8-RVLRSM	300	13	0.3
 Flip-up Tablet & Bracket ASC8-RVLRFC	415	6.6	1.6
 Flip-up Tablet ASC8-RVLRFO 18”w x 14”d x .75”h	333	5.8	1.4
 Flip-up Tablet Bracket ASC8-RVLRFB	118	0.8	0.3
 Foley Hook ASC8-RVLRFH	214	1	0.8
 IV Pole ASC8-RVLRIP	291	3.8	1.4
IV Pole Holder ASC8-RVLRIPH	89	2	0.3

ASCEND RECLINER ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.5%

POST-CONSUMER
RECYCLED CONTENT =13%

Up to 35.4% of this Ascend Recliner Plus product is recyclable at the end of its useful life.

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Ascend products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS
All Ascend products are supplied with air-emissions certified. Contact customer service for information.

FSC®
In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Ascend and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ASCEND 3 POSITION RECLINER FEATURES & OPTIONS

FEATURES



UPHOLSTERED ARM
Ascend standard arms are fully upholstered with the option of being trimmed with Polymer or Urethane Arm Caps and Solid Surface Arm Caps.



SPRING SEAT CONSTRUCTION
Spring seat construction combined with dual density foam offers exceptional comfort, durability and increased longevity.



HIGH DURABILITY MECHANISM
Ascend Recliner mechanisms are designed for high-traffic, intensive use in care-giving environments. They are built with high-strength steel, and include Delrin™ wear pads between moving components for added smoothness and longevity.



3-POSITION RECLINER MECHANISM
Provides 3 distinct user positions:
Position A - Seated with feet on the floor, footrest in down (closed) position. Seat-back angle is 104 degrees, and the back is reclined 20 degrees from vertical.
Position B - Footrest is fully extended, back is in mid-position. Seat-back angle remains at 104 degrees, and the back is 25 degrees from vertical.
Position C - Full recline with footrest fully extended. Seat-back angle is opened to 125 degrees, and the back is 45 degrees from vertical.



PUSH BAR
This is a standard feature on Ascend Recliners. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, as well as promote reduced back strain on the care-giver.



FIXED CONTINUOUS FOOTREST COVER
The continuous footrest cover provides an easily cleanable surface. It also provides additional safety when in the upright position. Seat and cover can be replaced if worn or degraded.



CASTERS
4” dual wheel locking swivel casters provide a quiet and smooth motion when moving the Ascend Recliner. The lock feature locks both the wheel and swivel.

OPTIONS



ARM CAPS
Arm caps provide enhanced durability and protection and are field replaceable if damaged or degraded. Polymer arm caps are Grey. Solid Surface is available in 8 finishes.



PROFILE ARM
The profile arm features a recess under the armrest and inset profile to aid in ingress/egress and serve as a grab rail to assist the patient. The Profile Arm provides enhanced durability and protection and is field replaceable if damaged or degraded. Polymer profile arms are Grey. Solid Surface is available in 8 finishes.



FOLDING PATIENT TRANSFER ARM
Patient transfer arms are designed to fold down where the arm is level with the chair seat. This design allows the caregiver to move the patient from the recliner to a bed, or other transport.



PIVOT PATIENT TRANSFER ARM
The Pivot Patient Transfer Arms feature a polymer arm cap, with the option of solid surface, and are designed to fold up where the arm is in line with the back of the chair. This design allows the caregiver to move the patient from the recliner to a bed, or other transport. Available on the left, right (facing) or dual arms.



MECHANISM WITH TRENDELENBURG
This mechanism provides the same positions as the 3 position mechanism, as well as the additional Trendelenburg position: full recline with footrest fully extended, seat-back angle remains at 125 degrees, now the back is 65 degrees from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the recliner.



POWER CONTROL MECHANISM
Optional motorized recline is available on Ascend Recliners. This option features independent back and ottoman control. Motorized power control can also be specified with a 10 foot cord or lithium battery pack able to run 200 cycles on a full charge.



POWER DOC
The Powerdoc offers convenient power and USB charging access on demand. Flush with the arm when closed and pops open with a simple touch to the cover. Located at the top rear of the arm, opposite side of recliner controls. Includes a Hospital grade electrical outlet rated 15A/125VAC and USB-A and USB-C charging ports.

ASCEND 3 POSITION RECLINER OPTIONS CONTINUED



THERMAL COMFORT
Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is an option available on all Ascend Recliners and features a controls located on the inside arm of the recliner (please specify right hand side or left hand side -facing). It provides two heat zones: one in the seat and one in the back. Back and seat zones are controlled independently, to one of two heat settings. Controls include a safety time-out feature after 30 minutes. Access to a 110/120 volt, 15 amp(min) electrical outlet is required. Cord is 10 feet long



SWING AWAY TABLET
This tablet option has the ability to slide up, fold over and rotate 180º. The break-away design allows for the tablet to be pushed away from the patient quickly in case of an emergency. Tablets cannot mount to patient transfer arms.



FLIP-UP TABLET
The flip-up tablet is 18" x 14" x 3/4", and it can be located on either side of the recliner. Please specify whether a right-handed or left-handed position (facing) is needed when ordering. It is available Laminate with a polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Tablets cannot mount to patient transfer arms.



IV POLE & HOLDER
The IV pole is height adjustable and can be added in the field. It can be located on either the left or right side (facing) at the back of the recliner. The location must be specified at time of order.



FOLEY HOOK
This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard. It can be located on either the left or right side (facing) at the front of the recliner. Opposite to flip-up tablet or patient transfer arms.



CENTRAL CASTER LOCKING SYSTEM
Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The color-coded external foot pedal indicates Red for the locked position (when lowered) and Green for the unlocked position (when level). The standard position for the foot pedal is located at the rear outside of the left (facing) arm panel. It can optionally be located at the front or at the rear on either side. Central locking casters are 4”diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option, note the requested foot petal location, and include the upcharge



FOOT TRAY
This option provides a concealed, pull-out tray to assist patients with ingress and egress. It features a non-slip tread and dedicated casters that prevent tipping when standing on the tray.



REMOVABLE COVERS
Ascend Recliners are available with removable seat, back and footrest covers for an upcharge. Removable covers can also be installed on products that were not originally ordered with the removable cover option, with some simple staple removal.



COMBINATION UPHOLSTERY OPTION
When combination upholstery is specified with fabric of the same grade or COM, an upcharge for two fabrics (or three fabrics) is applied per unit When graded in upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide all information for fabrics specified and location of where each fabric is to be applied on the product).



FALL MANAGEMENT SENSOR
Through a sensor installed in the seat cushion of any Krug recliner, an alert is transmitted directly to the nurse station instantly, through the nurse call system, and audibly through the monitor mounted on the recliner, when a patient deemed a fall risk exits the chair without help from a caregiver- enabling staff to quickly intervene and prevent a potential fall from occurring. Not available with Thermal Comfort option**.**



PATIENT VITALS SENSOR
A wireless patient monitoring innovation, with state-of-the-art integrated patient monitoring technology. Through an imperceptible sensor installed in the back of the chair, critical data, including heart rate and respiratory rate, are tracked, trended and wirelessly transmitted to the care team, enabling quick intervention if a patient is deteriorating. Not available with Thermal Comfort option**.**

MOISTURE BARRIER & CAL 133 OPTION
California Technical Bulletin 133 is a flamm ability test for seating. Krug offers a compliance method that, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits.the cost of the product to be tested. See page 80 for more information on certification and testing.

DIMENSIONS

	Overall Width with 3 Position Mechanism	Overall Width with Trendelenberg	Overall Width with Accessories	Overall Depth	Overall Depth when Reclined	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
Recliner	30	32	35	35	64	45.5	19.5	28.25	23	20	175	27

COM YARDAGES

	COM Yardage for Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	COM Yardage Footrest Cover Only
One Chair	6	1.0	2.5	2.8	0.6
Two Chairs	12	2.0	5	5.6	1.2
Three Chairs	18	3.0	7.5	8.4	1.8
Four Chairs	24	4.0	10	11.2	2.4

WEIGHT CAPACITIES

Ascend Recliner is load rated to 400 lbs

ASCEND 3 POSITION RECLINER

DESCRIPTION/MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Upholstered Arm, 3-Position Mechanism, with casters ASC8-RCUPHSA1	3959	4201	4443	4685	4987	5290	5652	6015	6469
 Upholstered Arm with Polymer Arm Cap, 3-Position Mechanism, with casters ASC8RCPACSA1	4097	4339	4581	4823	5126	5428	5791	6154	6608
 Upholstered Arm with Polymer Profile Arm, 3-Position Mechanism, with casters ASC8RCPPASA1	4349	4591	4833	5075	5378	5680	6043	6406	6860

Ascend Recliner Option Upcharges	**$ List**
Folding Patient Transfer Arm - Left (facing unit)	978
Folding Patient Transfer Arm - Right (facing unit)	978
Trendelenburg Mechanism	331
Power Mechanism - Corded	859
Power Mechanism - Battery	1227
Power Trendelenburg Mechanism - Corded	1257
Power Trendelenburg Mechanism - Battery	1625
Replacement Battery	651
Thermal Comfort	973
Powerdoc - (Hospital Grade)	647
Central Caster Locking System	1127
Fall Management Sensor	1421
Patient Vitals Sensor	1683

	$ List
Swing Away Tablet	480
Flip Up Tablet	436
IV Pole and Holder	399
Foley Catheter Hook	225
Foot Tray	474
Removable Seat & Footrest Cover	123
Removeable Back Cover	135
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Moisture Barrier & CAL 133 (per yard)	67

	Grades A- White	**A- Color**	**B**	**C**
Solid Surface Arm Cap (pair)	228	238	255	266
Solid Surface Profile Arm (pair)	628	666	777	790

ORDERING NOTES: To specify a Patient Transfer Arm add upcharge above and change “SA” in the model number to the required Arm Type selection in the Product Code Key below. Example for Patient Transfer Arm Left - ASC8-RCSSC**PL**1

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Style**	**Arm Type**	**Mechanism**	**Casters**
ASC Ascend	8 Motion	RC Recliner	UPH Upholstered Arm	SA Standard Arm	1 Standard	1 Casters
		PRC Power Recliner	PAC Polymer Arm Cap	PL Patient Transfer Arm - Left	3 Trendelenburg	3 CCLS
			SSC Solid Surface Arm Cap	PR Patient Transfer Arm - Right		
			PPA Polymer Profile Arm			
			SSP Solid Surface Profile Cap			

ASCEND 3 POSITION RECLINER

DESCRIPTION/MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Left Pivot Arm Polymer Arm Cap, 3-Position Mechanism, with casters ASC8-RCPPACLP11	5062	5304	5546	5788	6091	6393	6756	7119	7573
 Right Pivot Arm Polymer Arm Cap, 3-Position Mechanism, with casters ASC8-RCPPACRP11	5062	5304	5546	5788	6091	6393	6756	7119	7573
 Dual Pivot Arm Polymer Arm Cap, 3-Position Mechanism, with casters ASC8-RCPPACDP11	6027	6269	6511	6753	7056	7358	7721	8084	8538

Ascend Recliner Option Upcharges	**$ List**
Trendelenburg Mechanism	331
Power Mechanism - Corded	859
Power Mechanism - Battery	1227
Power Trendelenburg Mechanism - Corded	1257
Power Trendelenburg Mechanism - Battery	1625
Replacement Battery	651
Thermal Comfort	973
Powerdoc - (Hospital Grade)	647
Central Caster Locking System	1127
Fall Management Sensor	1421
Patient Vitals Sensor	1683

	$ List
Swing Away Tablet	480
Flip Up Tablet	436
IV Pole and Holder	399
Foley Catheter Hook	225
Foot Tray	474
Removable Seat & Footrest Cover	123
Removeable Back Cover	135
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Moisture Barrier & CAL 133 (per yard)	67

	Grades			
	A- White	**A- Color**	**B**	**C**
Solid Surface Arm Cap (pair)	228	238	255	266

ORDERING NOTES: To specify a Central Caster Locking System add upcharge above and change “1” in the model number to a”3”. Example for Patient Transfer Arm Left - ASC8-RCPPACLP1**3**

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Style**	**Arm Type**	**Mechanism**	**Casters**
ASC Ascend	8 Motion	RCP Recliner w/ Pivot Arm	PAC Polymer Arm Cap	LP Left Pivot Arm	1 Standard	1 Casters
		PRCP Power Recliner w/ Pivot Arm	SSC Solid Surface Arm Cap	RP Right Pivot Arm	3 Trendelenburg	3 CCLS
				DP Dual Pivot Arm		

ASCEND SLEEP RECLINER FEATURES & OPTIONS

FEATURES



UPHOLSTERED ARM
Ascend standard arms are fully upholstered with the option of being trimmed with Polymer or Urethane Arm Caps and Solid Surface Arm Caps.



SPRING SEAT CONSTRUCTION
Spring seat construction combined with dual density foam offers exceptional comfort, durability and increased longevity.



HIGH DURABILITY MECHANISM
Ascend Sleep Recliner mechanisms are designed for high-traffic, intensive use in care-giving environments. They are built with high-strength steel, and include Delrin™ wear pads between moving components for added smoothness and longevity.



ASCEND SLEEP RECLINER MECHANISM
Provides Infinitely Adjustable positions:
Position A - Seated with feet on the floor, footrest in down (closed) position. Seat-back angle is 102 degrees.
Position B - Footrest is fully extended, without compromising the upright position of the back. The seat-back angle remains at 102 degrees.
Position C - is the range of infinite adjustability from the seated position of 102 degrees back angle to the fully reclined position at 133 degrees. The Infinitely Adjustable Back angle can be locked in any position with the back adjustment lever that goes to a maximum of 175 degrees when fully extended.



PUSH BAR
This is a standard feature on Ascend Recliners. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, as well as promote reduced back strain on the care-giver.



FIXED CONTINUOUS FOOTREST COVER
The Continuous Footrest Cover provides an easily cleanable surface. It also provides additional safety when in the upright position. Seat and cover can be replaced if worn or degraded.



CASTERS
4” dual wheel locking swivel casters provide quiet and smooth motion when moving the Ascend Sleep Recliner. The lock feature locks both the wheel and swivel.

OPTIONS



ARM CAPS
Optional arm caps provide enhanced durability and protection and are field replaceable if damaged or degraded. Polymer arm caps are Grey. Solid Surface is available in 8 finishes.



PROFILE ARM
The profile arm features a recess under the armrest and inset profile to aid in ingress/egress and serve as a grab rail to assist the patient. The Profile Arm provides enhanced durability and protection and is field replaceable if damaged or degraded. Polymer profile arms are Grey. Solid Surface is available in 8 finishes.



FOLDING PATIENT TRANSFER ARM
Patient transfer arms are designed to fold down where the arm is level with the chair seat. This design allows the caregiver to move the patient from the recliner to a bed, or other transport.



PIVOT PATIENT TRANSFER ARM
The Pivot Patient Transfer Arms feature a polymer arm cap, with the option of solid surface, and are designed to fold up where the arm is in line with the back of the chair. This design allows the caregiver to move the patient from the recliner to a bed, or other transport. Available on the left, right or dual arms.



MECHANISM WITH TRENDELENBURG
This mechanism provides the same positions as the Sleep Recliner mechanism, as well as the additional Trendelenburg position: full recline with footrest fully extended, seat-back angle remains at 125 degrees, now the back is 65 degrees from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the recliner.



POWER CONTROL MECHANISM
Optional motorized recline is available on Ascend Recliners. This option features independent back and ottoman control. Motorized power control can also be specified with a 10 foot cord or lithium battery pack able to run 200 cycles on a full charge.



POWER DOC
The Powerdoc offers convenient power and USB charging access on demand. Flush with the arm when closed and pops open with a simple touch to the cover. Located at the top rear of the arm, opposite side of recliner controls. Includes a Hospital grade electrical outlet rated 15A/125VAC and USB-A and USB-C charging ports.

ASCEND SLEEP RECLINER OPTIONS



THERMAL COMFORT
Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is an option available on all Ascend Recliners and features a controls located on the inside arm of the recliner (please specify right hand side or left hand side -facing). It provides two heat zones: one in the seat and one in the back. Back and seat zones are controlled independently, to one of two heat settings. Controls include a safety time-out feature after 30 minutes. Access to a 110/120 volt, 15 amp(min) electrical outlet is required. Cord is 10 feet long



SWING AWAY TABLET
This tablet option has the ability to slide up, fold over and rotate 180º. The break-away design allows for the tablet to be pushed away from the patient quickly in case of an emergency. Tablets cannot mount to patient transfer arms.



FLIP-UP TABLET
The flip-up tablet is 18" x 14" x 3/4", and it can be located on either side of the recliner. Please specify whether a right-handed or left-handed position (facing) is needed when ordering. It is available Laminate with a polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Tablets cannot mount to patient transfer arms.



IV POLE & HOLDER
The IV pole is height adjustable and can be added in the field. It can be located on either the left or right side (facing) at the back of the recliner. The location must be specified at time of order.



FOLEY HOOK
This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard. It can be located on either the left or right side (facing) at the front of the recliner. Opposite to flip-up tablet or patient transfer arms.



CENTRAL CASTER LOCKING SYSTEM
Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The color-coded external foot pedal indicates Red for the locked position (when lowered) and Green for the unlocked position (when level). The standard position for the foot pedal is located at the rear outside of the left (facing) arm panel. It can optionally be located at the front or at the rear on either side. Central locking casters are 4” diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option, note the requested foot petal location, and include the upcharge



FOOT TRAY
This option provides a concealed, pull-out tray to assist patients with ingress and egress. It features a non-slip tread and dedicated casters that prevent tipping when standing on the tray.



REMOVABLE COVERS
Ascend Recliners are available with removable seat, back and footrest covers for an upcharge. Removable covers can also be installed on products that were not originally ordered with the removable cover option, with some simple staple removal.



COMBINATION UPHOLSTERY OPTION
When combination upholstery is specified with fabric of the same grade or COM, an upcharge for two fabrics (or three fabrics) is applied per unit When graded in upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide all information for fabrics specified and location of where each fabric is to be applied on the product).



FALL MANAGEMENT SENSOR
Through a sensor installed in the seat cushion of any Krug recliner, an alert is transmitted directly to the nurse station instantly, through the nurse call system, and audibly through the monitor mounted on the recliner, when a patient deemed a fall risk exits the chair without help from a caregiver- enabling staff to quickly intervene and prevent a potential fall from occurring. Not available with Thermal Comfort option**.**



PATIENT VITALS SENSOR
A wireless patient monitoring innovation, with state-of-the-art integrated patient monitoring technology. Through an imperceptible sensor installed in the back of the chair, critical data, including heart rate and respiratory rate, are tracked, trended and wirelessly transmitted to the care team, enabling quick intervention if a patient is deteriorating. Not available with Thermal Comfort option**.**

MOISTURE BARRIER & CAL 133 OPTION
California Technical Bulletin 133 is a flamm ability test for seating. Krug offers a compliance method that, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits.the cost of the product to be tested. See page 80 for more information on certification and testing.

ASCEND SLEEP RECLINER DIMENSIONS & C.O.M.

DIMENSIONS

	Overall Width with Plus Mechanism	Overall Width with Trendelenberg	Overall Width with Accessories	Overall Depth	Overall Depth when Reclined	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
Sleep Recliner	30	32	35	35	64	45.5	19.5	28.25	23	20	175	27

COM YARDAGES

	COM Yardage for Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	COM Yardage Footrest Cover Only
One Chair	6	1.0	2.5	2.8	0.6
Two Chairs	12	2.0	5	5.6	1.2
Three Chairs	18	3.0	7.5	8.4	1.8
Four Chairs	24	4.0	10	11.2	2.4

WEIGHT CAPACITIES

Ascend Recliner Plus is load rated to 750 lbs

ASCEND SLEEP RECLINER

DESCRIPTION/MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Upholstered Arm, with casters ASC8-SRUPHSA1	4831	5065	5299	5533	5825	6117	6468	6819	7258
 Upholstered Arm with Polymer Arm Cap, with casters ASC8SRPACSA1	4970	5204	5437	5671	5964	6256	6607	6958	7396
 Upholstered Arm with Polymer Profile Arm, with casters ASC8SRPPASA1	5222	5456	5689	5923	6216	6508	6859	7210	7648

Ascend Recliner Option Upcharges	**$ List**
Folding Patient Transfer Arm - Left (facing unit)	978
Folding Patient Transfer Arm - Right (facing unit)	978
Trendelenburg Mechanism	1004
Power Mechanism - Corded	1166
Power Mechanism - Battery	1534
Power Trendelenburg Mechanism - Corded	1636
Power Trendelenburg Mechanism - Battery	2003
Replacement Battery	651
Thermal Comfort	973
Powerdoc - (Hospital Grade)	647
Central Caster Locking System	1127
Fall Management Sensor	1492
Patient Vitals Sensor	1767

	$ List
Swing Away Tablet	480
Flip Up Tablet	436
IV Pole and Holder	399
Foley Catheter Hook	225
Foot Tray	614
Removable Seat & Footrest Cover	123
Removeable Back Cover	135
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Moisture Barrier & CAL 133 (per yard)	67

	Grades A- White	**A- Color**	**B**	**C**
Solid Surface Arm Cap (pair)	228	238	255	266
Solid Surface Profile Arm (pair)	628	666	777	790

ORDERING NOTES: To specify a Patient Transfer Arm add upcharge above and change “SA” in the model number to the required Arm Type selection in the Product Code Key below. Example for Patient Transfer Arm Left - ASC8-SRSSC**PL**1

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Style**	**Arm Type**	**Casters**
ASC Ascend	8 Motion	SR Sleep Recliner	UPH Upholstered Arm	SA Standard Arm	1 Casters
		PSR Power Sleep Recliner	PAC Polymer Arm Cap	PL Patient Transfer Arm - Left	3 CCLS
		SRT Sleep Recliner with Trendelenburg	SSC Solid Surface Arm Cap	PR Patient Transfer Arm - Right	
		PSRT Powered Sleep Recliner with Trendelenburg	PPA Polymer Profile Arm		
			SSP Solid Surface Profile Cap		

ASCEND SLEEP RECLINER

DESCRIPTION/MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Left Pivot Arm Polymer Arm Cap, with casters									
ASC8-SRPPACLP1	5935	6169	6402	6636	6929	7221	7572	7923	8361
 Right Pivot Arm Polymer Arm Cap, with casters									
ASC8-SRPPACRP1	5935	6169	6402	6636	6929	7221	7572	7923	8361
 Dual Pivot Arm Polymer Arm Cap, with casters									
ASC8-SRPPACDP1	6900	7134	7367	7601	7894	8186	8537	8888	9326

Ascend Recliner Option Upcharges	**$ List**
Trendelenburg Mechanism	1004
Power Mechanism - Corded	1166
Power Mechanism - Battery	1534
Power Trendelenburg Mechanism - Corded	1636
Power Trendelenburg Mechanism - Battery	2003
Replacement Battery	651
Thermal Comfort	973
Powerdoc - (Hospital Grade)	647
Central Caster Locking System	1127
Fall Management Sensor	1492
Patient Vitals Sensor	1767

	$ List
Swing Away Tablet	480
Flip Up Tablet	436
IV Pole and Holder	399
Foley Catheter Hook	225
Foot Tray	614
Removable Seat & Footrest Cover	123
Removeable Back Cover	135
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Moisture Barrier & CAL 133 (per yard)	67

	Grades A- White	**A- Color**	**B**	**C**
Solid Surface Arm Cap (pair)	228	238	255	266

ORDERING NOTES: To specify a Central Caster Locking System add upcharge above and change “1” in the model number to a”3”. Example for Patient Transfer Arm Left - ASC8-SRPPACLP**3**

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Style**	**Arm Type**	**Casters**
ASC Ascend	8 Motion	SRP Sleep Recliner w/Pivot Arm	PAC Polymer Arm Cap	LP Left Pivot Arm	1 Casters
		PSRP Power Sleep Recliner w/Pivot Arm	SSC Solid Surface Arm Cap	RP Right Pivot Arm	3 CCLS
		SRTP Sleep Recliner with Trendelenburg & Pivot Arm		DP Dual Pivot Arms	
		PSRTP Powered Sleep Recliner with Trendelenburg & Pivot Arm			

ASCEND RECLINER PLUS FEATURES & OPTIONS

FEATURES



UPHOLSTERED ARM
Ascend standard arms are fully upholstered with the option of being trimmed with Polymer or Urethane Arm Caps and Solid Surface Arm Caps.



SPRING SEAT CONSTRUCTION
Spring seat construction combined with dual density foam offers exceptional comfort, durability and increased longevity.



HIGH DURABILITY MECHANISM
Ascend Recliner Plus mechanisms are designed for high-traffic, intensive use in care-giving -environments. They are built with high-strength steel, and include Delrin™ wear pads between moving components for added smoothness and longevity.



ASCEND RECLINER PLUS MECHANISM
Provides infinitely adjustable positions:
Position A - Seated with feet on the floor, footrest in down (closed) position. Seatback angle is 102 degrees.
Position B - Footrest is fully extended, without compromising the upright position of the back. The seat-back angle remains at 102 degrees.
Position C - is the range of infinite adjustability from the seated position of 102 degrees back angle to the fully reclined position at 133 degrees. The infinitely adjustable back angle can be locked in any position with the back adjustment lever that goes to a maximum of 133 degrees when fully extended.



PUSH BAR
This is a standard feature on Ascend Recliners. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, as well as promote reduced back strain on the care-giver.



FIXED CONTINUOUS FOOTREST COVER
The continuous footrest cover provides an easily cleanable surface. It also provides additional safety when in the upright position. Seat and cover can be replaced if worn or degraded.



CASTERS
4” dual wheel locking swivel casters provide a quiet and smooth motion when moving Ascend Recliner Plus. The lock feature locks both the wheel and swivel.

OPTIONS



ARM CAPS
Optional arm caps provide enhanced durability and protection and are field replaceable if damaged or degraded. Polymer arm caps are Grey. Solid Surface is available in 8 finishes.



PROFILE ARM
The profile arm features a recess under the armrest and inset profile to aid in ingress/egress and serve as a grab rail to assist the patient. The Profile Arm provides enhanced durability and protection and is field replaceable if damaged or degraded. Polymer profile arms are Grey. Solid Surface is available in 8 finishes.



FOLDING PATIENT TRANSFER ARM
Patient transfer arms are designed to fold down where the arm is level with the chair seat. This design allows the caregiver to move the patient from the recliner to a bed, or other transport.



PIVOT PATIENT TRANSFER ARM
The Pivot Patient Transfer Arms feature a polymer arm cap, with the option of solid surface, and are designed to fold up where the arm is in line with the back of the chair. This design allows the caregiver to move the patient from the recliner to a bed, or other transport. Available on the left, right or dual arms.



MECHANISM WITH TRENDELENBURG
This mechanism provides the same positions as the Recliner Plus mechanism, as well as the additional Trendelenburg position: full recline with footrest fully extended, seat-back angle remains at 125 degrees, now the back is 65 degrees from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the recliner.



POWER CONTROL MECHANISM
Motorized recline is available on Ascend Recliners. This option features independent back and ottoman control. Motorized power control can also be specified with a 10 foot cord or lithium battery pack able to run 200 cycles on a full charge.



POWER DOC
The Powerdoc offers convenient power and USB charging access on demand. Flush with the arm when closed and pops open with a simple touch to the cover. Located at the top rear of the arm, opposite side of recliner controls. Includes a Hospital grade electrical outlet rated 15A/125VAC and USB-A and USB-C charging ports.

ASCEND RECLINER PLUS OPTIONS



THERMAL COMFORT
Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is an option available on all Ascend Recliners and features a controls located on the inside arm of the recliner (please specify right hand side or left hand side -facing). It provides two heat zones: one in the seat and one in the back. Back and seat zones are controlled independently, to one of two heat settings. Controls include a safety time-out feature after 30 minutes. Access to a 110/120 volt, 15 amp(min) electrical outlet is required. Cord is 10 feet long



SWING AWAY TABLET
This tablet option has the ability to slide up, fold over and rotate 180º. The break-away design allows for the tablet to be pushed away from the patient quickly in case of an emergency. Tablets cannot mount to patient transfer arms.



FLIP-UP TABLET
The flip-up tablet is 18" x 14" x 3/4", and it can be located on either side of the recliner. Please specify whether a right-handed or left-handed position (facing) is needed when ordering. It is available Laminate with a polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Tablets cannot mount to patient transfer arms.



IV POLE & HOLDER
The IV pole is height adjustable and can be added in the field. It can be located on either the left or right side (facing) at the back of the recliner. The location must be specified at time of order.



FOLEY HOOK
This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard. It can be located on either the left or right side (facing) at the front of the recliner. Opposite to flip-up tablet or patient transfer arms.



CENTRAL CASTER LOCKING SYSTEM
Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The color-coded external foot pedal indicates Red for the locked position (when lowered) and Green for the unlocked position (when level). The standard position for the foot pedal is located at the rear outside of the left (facing) arm panel. It can optionally be located at the front or at the rear on either side. Central locking casters are 4”diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option, note the requested foot petal location, and include the upcharge



FOOT TRAY
This option provides a concealed, pull-out tray to assist patients with ingress and egress. It features a non-slip tread and dedicated casters that prevent tipping when standing on the tray.



REMOVABLE COVERS
Ascend Recliners are available with removable seat, back and footrest covers for an upcharge. Removable covers can also be installed on products that were not originally ordered with the removable cover option, with some simple staple removal.



COMBINATION UPHOLSTERY OPTION
When combination upholstery is specified with fabric of the same grade or COM, an upcharge for two fabrics (or three fabrics) is applied per unit When graded in upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide all information for fabrics specified and location of where each fabric is to be applied on the product).



FALL MANAGEMENT SENSOR
Through a sensor installed in the seat cushion of any Krug recliner, an alert is transmitted directly to the nurse station instantly, through the nurse call system, and audibly through the monitor mounted on the recliner, when a patient deemed a fall risk exits the chair without help from a caregiver- enabling staff to quickly intervene and prevent a potential fall from occurring. Not available with Thermal Comfort option**.**



PATIENT VITALS SENSOR
A wireless patient monitoring innovation, with state-of-the-art integrated patient monitoring technology. Through an imperceptible sensor installed in the back of the chair, critical data, including heart rate and respiratory rate, are tracked, trended and wirelessly transmitted to the care team, enabling quick intervention if a patient is deteriorating. Not available with Thermal Comfort option**.**

MOISTURE BARRIER & CAL 133 OPTION
California Technical Bulletin 133 is a flamm ability test for seating. Krug offers a compliance method that, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits.the cost of the product to be tested. See page 80 for more information on certification and testing.

DIMENSIONS

	Overall Width with Plus Mechanism	Overall Width with Trendelenberg	Overall Width with Accessories	Overall Depth	Overall Depth when Reclined	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
Recliner Plus	39	41	44	37	72.5	45.5	19.5	28.25	28.75	20	202	36

COM YARDAGES

	COM Yardage for Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	COM Yardage Footrest Cover Only
One Chair	6	1.0	2.5	2.8	0.6
Two Chairs	12	2.0	5	5.6	1.2
Three Chairs	18	3.0	7.5	8.4	1.8
Four Chairs	24	4.0	10	11.2	2.4

WEIGHT CAPACITIES

Ascend Recliner Plus is load rated to 750 lbs









ASCEND RECLINER PLUS

DESCRIPTION/MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Upholstered Arm, with casters ASC8-BSRUPHSA1	5842	6153	6463	6774	7162	7550	8016	8482	9064
 Upholstered Arm with Polymer Arm Cap, with casters ASC8BSRPACSA1	5981	6291	6602	6912	7301	7689	8155	8620	9202
 Upholstered Arm with Polymer Profile Arm, with casters ASC8BSRPPASA1	6233	6543	6854	7164	7553	7941	8407	8872	9454

Ascend Recliner Option Upcharges	**$ List**
Folding Patient Transfer Arm - Left (facing unit)	978
Folding Patient Transfer Arm - Right (facing unit)	978
Trendelenburg Mechanism	1004
Power Mechanism - Corded	1166
Power Mechanism - Battery	1534
Power Trendelenburg Mechanism - Corded	1636
Power Trendelenburg Mechanism - Battery	2003
Replacement Battery	651
Thermal Comfort	973
Powerdoc - (Hospital Grade)	647
Central Caster Locking System	1127
Fall Management Sensor	1492
Patient Vitals Sensor	1767

	$ List
Swing Away Tablet	480
Flip Up Tablet	436
IV Pole and Holder	399
Foley Catheter Hook	225
Foot Tray	614
Removable Seat & Footrest Cover	123
Removeable Back Cover	135
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Moisture Barrier & CAL 133 (per yard)	67

	Grades A- White	**A- Color**	**B**	**C**
Solid Surface Arm Cap (pair)	228	238	255	266
Solid Surface Profile Arm (pair)	628	666	777	790

ORDERING NOTES: To specify a Patient Transfer Arm add upcharge above and change “SA” in the model number to the required Arm Type selection in the Product Code Key below.

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Style**	**Arm Type**	**Casters**
ASC Ascend	8 Motion	BSR Recliner Plus	UPH Upholstered Arm	SA Standard Arm	1 Casters
		PBSR Power Recliner Plus	PAC Polymer Arm Cap	PL Patient Transfer Arm - Left	3 CCLS-
		BSRT Recliner Plus with Trendelenburg	SSC Solid Surface Arm Cap	PR Patient Transfer Arm - Right	
		PBSRT Powered Recliner Plus with Trendelenburg	PPA Polymer Profile Arm		
			SSP Solid Surface Profile Cap		

ASCEND RECLINER PLUS

DESCRIPTION/MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Left Pivot Arm Polymer Arm Cap, with casters									
ASC8-BSRPPACLP1	6946	7256	7567	7877	8266	8654	9120	9585	10167
 Right Pivot Arm Polymer Arm Cap, with casters									
ASC8-BSRPPACRP1	6946	7256	7567	7877	8266	8654	9120	9585	10167
 Dual Pivot Arm Polymer Arm Cap, with casters									
ASC8-BSRPPACDP1	7911	8221	8532	8842	9231	9619	10085	10550	11132

Ascend Recliner Option Upcharges	**$ List**
Trendelenburg Mechanism	1004
Power Mechanism - Corded	1166
Power Mechanism - Battery	1534
Power Trendelenburg Mechanism - Corded	1636
Power Trendelenburg Mechanism - Battery	2003
Replacement Battery	651
Thermal Comfort	973
Powerdoc - (Hospital Grade)	647
Central Caster Locking System	1127
Fall Management Sensor	1492
Patient Vitals Sensor	1767

	$ List
Swing Away Tablet	480
Flip Up Tablet	436
IV Pole and Holder	399
Foley Catheter Hook	225
Foot Tray	614
Removable Seat & Footrest Cover	123
Removeable Back Cover	135
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Moisture Barrier & CAL 133 (per yard)	67

	Grades			
	A- White	**A- Color**	**B**	**C**
Solid Surface Arm Cap (pair)	228	238	255	266

ORDERING NOTES: To specify a Central Caster Locking System add upcharge above and change “1” in the model number to a”3”. Example for Patient Transfer Arm Left - ASC8-BSRPPACLP**3**

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Style**	**Arm Type**	**Casters**
ASC Ascend	8 Motion	BSRP Recliner Plus w/Pivot Arm	PAC Polymer Arm Cap	LP Left Pivot Arm	1 Casters
		PBSRP Power Recliner Plus w/Pivot Arm	SSC Solid Surface Arm Cap	RP Right Pivot Arm	3 CCLS-
		BSRTP Recliner Plus with Trendelenburg & Pivot Arm		DP Dual Pivot Arms	
		PBSRTP Powered Recliner Plus with Trendelenburg & Pivot Arm			

ASCEND RECLINER REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	Price	Weight	Cubes
 Swing Away Tablet & Mechanism ASC8-RVLRSC	457	20	1
 Swing Away Tablet only ASC8-RVLRSO 24”w x 14.75”d x .75”h	237	7	0.8
 Swing Away Tablet Mechanism only ASC8-RVLRSM	300	13	0.3
 Flip-up Tablet & Bracket ASC8-RVLRFC	415	6.6	1.6
 Flip-up Tablet ASC8-RVLRFO 18”w x 14”d x .75”h	333	5.8	1.4
 Flip-up Tablet Bracket ASC8-RVLRFB	118	0.8	0.3
 Foley Hook ASC8-RVLRFH	214	1	0.8
 IV Pole ASC8-RVLRIP	291	3.8	1.4
IV Pole Holder ASC8-RVLRIPH	89	2	0.3

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR
Hardrock Maple	Formica 86992-58
Dune	Tafisa T491CR
Copper	Tafisa T521CR
Shiraz Cherry	Tafisa T472CR
Park Avenue Walnut	Wilsonart 7984–38
Chocolate	Tafisa T498CR
Nutmeg	Tafisa T477CR
Dark Walnut	Tafisa T469CR

Textured Wood Grain Laminates	High Pressure Laminate Supplier
Gingerbread	Tafisa T556UR
Portobello	Tafisa T557UR
Ash	Tafisa T535AT
Willow	Tafisa T543AT

Solid Laminates	
Designer White	Wilsonart D354-60
Platinum	Tafisa T202CR
Earth	Tafisa T767CR
Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

GROUP GRADE A - WHITE

Glacier White

Cameo White

GROUP GRADE A - COLOR

Bisque



Linen

GROUP GRADE B

Antarctica



Savannah

GROUP GRADE C



Dove



Deep Night Sky

POLYMER COLOR

Grey



JORDAN | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.21%

POST-CONSUMER
RECYCLED CONTENT = 15.06%

Up to 49.5% of this Jordan product is recyclable at the end of its useful life.

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS
All Jordan products are supplied with air-emissions certified. Contact customer service for information.

FSC®
In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN | ACTIVE PATIENT RECLINER - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width (incl. handle)	Overall Width (incl. handle) w/ Accessories	Overall Depth (upright)	Overall Depth when Reclined	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21”	30.5	34.5	27	57	43.5	18.5	26	20.5	19	92	19
24”	33.5	37.5	27	57	43.5	18.5	26	23.5	19	99	24

COM REQUIREMENTS

	COM Yardage Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Seat & Back	COM Yardage Arm Panel Only	COM Yardage Ottoman
21”						
One Chair	4.88	0.9	1.3	2	2.7	0.5
Two Chair	9.8	1.3	2	3.2	4.3	0.5
Three Chair	14.7	2.1	3	5.2	5.9	0.9
Four Chair	19.6	2.5	5.1	6.9	8	0.9
24”						
One Chair	5.14	0.9	2	2	2.7	0.7
Two Chair	4.9	1.3	3.1	3.9	4.3	0.9
Three Chair	14.7	2.1	4.2	6	5.9	1.4
Four Chair	19.6	2.5	5.3	7.5	8	1.8

ORDERING NOTES: Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is $35 list per unit and $70 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Active Patient Recliner Option Upcharges	**$ List**
Moisture Barrier & CAL 133 (per yard)	67
Ottoman Poly Cover	80
Push Bar	217
Removable Seat Cover (per seat)	127
Removable Back Cover	143
IV Pole and Holder	399
Flip Up Tablet	436
Swing Away Tablet	480
Fall Management Sensor	1421
Patient Vitals Sensor	1683

	$ List
Solid Surface Arm Cap (per pair) - Gr A White	474
Solid Surface Arm Cap (per pair) - Gr A Color	480
Solid Surface Arm Cap (per pair) - Gr B	505
Solid Surface Arm Cap (per pair) - Gr C	532
Patient Transfer Arm	933
Thermal Comfort	973
Combination Upholstery - dual fabrics	34
Combination Upholstery -Three fabrics	67

JORDAN | ACTIVE PATIENT RECLINER - FEATURES & OPTIONS



INDEPENDENT MECHANISMS
Two independent mechanisms provide a greater range of function and positions for the Active Patient Recliner: the back can be upright or reclined, independent of the ottoman which can be closed or extended separately from the back.



OTTOMAN ACTIVATION
The adjustment lever is situated to allow both the user and the caregiver to safely operate the ottoman function of the mechanism. The ottoman is generously padded for comfort, and can be given added protection with the optional Ottoman Protective Cover.



BACK ACTIVATION LEVER
The Active Patient Recliner comes with the back adjustment lever which creates an infinite number of back adjustments within the chair. The back adjustment lever comes in a black plastic finish, and is located on the left hand side (when facing the chair) and on the caregiver side of the arm.



ARM OPTIONS
Arms have urethane arm caps. The textured urethane provides enhanced durability and protection for the arms and is available in three color options; Black, Grey and Taupe. Please specify color when ordering. The urethane arm cap is field replaceable if damaged or degraded.



CASTERS
The Jordan Active Patient Recliner features four heavy-duty 3" diameter soft wheel casters. The front casters are inline and locking; the rear non-locking casters are swivel and not visible. It is also available with the option of all four casters locking, with a shorter valance allowing access to the rear caster brake. Casters are field-replaceable if damaged.

REPLACEABLE COMPONENTS
Jordan is designed to allow major components to be field replaced, providing a very cost effective means to significantly extend the life of the product.

LATEX FREE
Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

WEIGHT RATINGS
The Active Patient Recliner has a maximum weight rating of 350 lbs, under normal use (i.e. no excessive force in the use of the product). The ottoman mechanism itself will accept weight to a maximum of 60 lbs (above which it will drop down). The ottoman is designed as a leg rest only, and not designed to accept sitting or standing.



PUSH BAR
The optional push bar is ergonomically designed to assist care-giving staff in the movement and operation of the recliner, and reduce back strain on the caregiver.



SOLID SURFACE ARM CAP
The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



SWING AWAY TABLET
The Swing Away Tablet (24” x 14 3/4” x 3/4”) is designed to be easily operated by the caregiver or user. The break away design allows for the tablet to be easily pushed away from the user in an emergency to gain quick access to the patient. The tablet has the ability to swing up and fold over and rotates 180 degrees. The kidney-shaped design is ideal for use as an eating, writing or work surface. The Swing Away Tablet is specified right (RHF) or left handed (LHF) based on a position facing the unit and requires to be mounted on the opposite side of the activation lever. The swing away tablet and patient transfer arm options cannot be installed together on an active patient recliner.



FLIP UP TABLET
The Flip Up Tablet's size is 18" x 14" x 3/4", and is specified right (RHF) or left handed (LHF) based on a position facing the unit and requires to be mounted on the opposite side of the activation lever. The tablet and patient transfer arm options cannot be installed together on an active patient recliner. It is available in Beech and Maple Veneer, as well as Plastic Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat).



THERMAL COMFORT
Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is operated with a hand-held controller located on the inside of the arm (please specify right hand side or left hand side -facing). It provides two heat zones: one in the seat and one in the back. Back and seat zones can be controlled independently, at a high or low heat setting. Thermal Comfort features a safety time-out that automatically shuts off heat after 30 minutes of use. Access to a 110/120 volt, 15 amp(min) electrical outlet is required.



OTTOMAN PROTECTIVE COVER
This optional clear protective cover is sewn into (and over top of) the lower portion of the upholstered ottoman, providing a layer of protection from marring and damage caused by footwear, cleaning and medical equipment, etc. It has an anti-fog additive to maintain clarity, and is resistant to cleaning solutions.



IV POLE & HOLDER
The IV Pole is height adjustable (in a range of 27"), and can be added in the field. It can be located in three locations (left front only or right front or back as facing) - if ordered with the recliner, the location must be specified at time of order.



PATIENT TRANSFER ARM
The Patient Transfer Arm is designed to fold down where the arm is level with the chair seat. This design allows the caregiver to easily transport patients from the chair to bed or wheelchair. The arm is folded down by accessing the adjustment lever at the side of the chair. The Patient Transfer Arm can only specified in a right handed position based on facing the unit.



FALL MANAGEMENT SENSOR
Through a sensor installed in the seat cushion of any Krug recliner, an alert is transmitted directly to the nurse station instantly, through the nurse call system, and audibly through the monitor mounted on the recliner, when a patient deemed a fall risk exits the chair without help from a caregiver- enabling staff to quickly intervene and prevent a potential fall from occurring. Not available with Thermal Comfort option.



PATIENT VITALS SENSOR
A wireless patient monitoring innovation, with state-of-the-art integrated patient monitoring technology. Through an imperceptible sensor installed in the back of the chair, critical data, including heart rate and respiratory rate, are tracked, trended and wirelessly transmitted to the care team, enabling quick intervention if a patient is deteriorating. Not available with Thermal Comfort option.



COMBINATION UPHOLSTERY OPTIONS
When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is $35 list per unit and $70 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).



REMOVABLE COVERS
Removable seat and back covers can be quickly installed on products that were originally ordered with the Removable Cover Option. Removable seat and back covers can also be installed on products that were not originally ordered with the Removable Cover Option, with some simple staple removal on the original seats and backs.

MOISTURE BARRIER & CAL 133
California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of $1010 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

JORDAN | ACTIVE PATIENT RECLINER

DESCRIPTION	MODEL	COM 1	2	COL 3	4	FABRIC GRADES 5	6	7	LEATHER 8	9
	Active Patient Recliner, 21", no options JOR6APR21UURSA00002L	3131	3299	3473	3712	3986	4229	4503	4846	5191
	Active Patient Recliner, 21", with Ottoman Poly Cover JOR6APR21UURSA00102L	3207	3379	3552	3790	4067	4308	4583	4926	5272
	Active Patient Recliner, 21", with Push bar JOR6APR21UURSA00012L	3345	3516	3690	3929	4205	4446	4720	5063	5407

ORDERING NOTE: Options can be selected and added to the pre-configured models, using the pricing below



ORDERING NOTE: Options can be selected and added to the pre-configured models, using the pricing below

Active Patient Recliner Option Upcharges	**$ List**
Moisture Barrier & CAL 133 (per yard)	67
Ottoman Poly Cover	80
Push Bar	217
Removable Seat Cover	127
Removable Back Cover	143
IV Pole and Holder	399
Flip Up Tablet	436
Swing Away Tablet	480
Patient Transfer Arm	933
Thermal Comfort	973
Fall Management Sensor	1421
Patient Vitals Sensor	1683

	$ List
Solid Surface Arm Cap (per pair) - Gr A White	474
Solid Surface Arm Cap (per pair) - Gr A Color	480
Solid Surface Arm Cap (per pair) - Gr B	505
Solid Surface Arm Cap (per pair) - Gr C	532

Note: To change Urethane arm cap to Solid Surface option add an "USS" to the model number and the upcharge above.

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Size**	**Arm Type**	**Arm Style**	**Tablets**	**Thermal Comfort**	**Ottoman**	**Push bar**	**Caster**
JOR Jordan	6 Motion	APR Recliner	21	UUR Urethane Cap	SA Standard Arm	0 None	0 None	0 No Cover	0 None	2L Front Locking
			24	USS Solid Surface Cap	PR Transfer Arm Right	1 Swing	1 Thermal Comfort	1 Poly Cover	1 Push Bar Included	4L All Locking
					PL Transfer Arm Left	2 Flip Up Tablet				

DESCRIPTION	MODEL	COM 1	2	COL 3	4	FABRIC GRADES 5	6	7	LEATHER 8	9
	Active Patient Recliner, 21", with Flip up Tablet JOR6APR21UURSA20002L	3565	3738	3909	4150	4424	4665	4942	5284	5629
										
	ORDERING NOTE: Options can be selected and added to the pre-configured models, using the pricing below									
	Active Patient Recliner, 21", with Swing Away Tablet JOR6APR21UURSA10002L	3610	3784	3955	4195	4470	4710	4986	5331	5673
										
	ORDERING NOTE: Options can be selected and added to the pre-configured models, using the pricing below									
	Active Patient Recliner, 21", with Thermal Comfort JOR6APR21UURSA01002L	4038	4208	4381	4621	4898	5137	5411	5756	6100
	ORDERING NOTE: Options can be selected and added to the pre-configured models, using the pricing below									

Active Patient Recliner Option Upcharges	**$ List**
Moisture Barrier & CAL 133 (per yard)	67
Ottoman Poly Cover	80
Push Bar	217
Removable Seat Cover	127
Removable Back Cover	143
IV Pole and Holder	399
Flip Up Tablet	436
Swing Away Tablet	480
Patient Transfer Arm	933
Thermal Comfort	973
Fall Management Sensor	1421
Patient Vitals Sensor	1683

	$ List
Solid Surface Arm Cap (per pair) - Gr A White	474
Solid Surface Arm Cap (per pair) - Gr A Color	480
Solid Surface Arm Cap (per pair) - Gr B	505
Solid Surface Arm Cap (per pair) - Gr C	532

Note: To change Urethane arm cap to Solid Surface option add an "USS" to the model number and the upcharge above.

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Size**	**Arm Type**	**Arm Style**	**Tablets**	**Thermal Comfort**	**Ottoman**	**Push bar**	**Caster**
JOR Jordan	6 Motion	APR Recliner	21	UUR Urethane Cap	SA Standard Arm	0 None	0 None	0 No Cover	0 None	2L Front Locking
			24	USS Solid Surface Cap	PR Transfer Arm Right	1 Swing	1 Thermal Comfort	1 Poly Cover	1 Push Bar Included	4L All Locking
					PL Transfer Arm Left	2 Flip Up Tablet				

JORDAN | ACTIVE PATIENT RECLINER

DESCRIPTION	MODEL	COM 1	2	COL 3	4	FABRIC GRADES 5	6	7	LEATHER 8	9
	Active Patient Recliner, 24", no options JOR6APR24UURSA00002L	3181	3363	3542	3797	4086	4338	4627	4992	5352
	Active Patient Recliner, 24", with Ottoman Poly Cover JOR6APR24UURSA00102L	3259	3441	3624	3875	4164	4418	4709	5071	5432
	Active Patient Recliner, 24", with Push bar JOR6APR24UURSA00012L	3397	3579	3759	4013	4302	4555	4845	5209	5570

ORDERING NOTE: Options can be selected and added to the pre-configured models, using the pricing below

ORDERING NOTE: Options can be selected and added to the pre-configured models, using the pricing below

Active Patient Recliner Option Upcharges	**$ List**
Moisture Barrier & CAL 133 (per yard)	67
Ottoman Poly Cover	80
Push Bar	217
Removable Seat Cover	127
Removable Back Cover	143
IV Pole and Holder	399
Flip Up Tablet	436
Swing Away Tablet	480
Patient Transfer Arm	933
Thermal Comfort	973
Fall Management Sensor	1421
Patient Vitals Sensor	1683

	$ List
Solid Surface Arm Cap (per pair) - Gr A White	474
Solid Surface Arm Cap (per pair) - Gr A Color	480
Solid Surface Arm Cap (per pair) - Gr B	505
Solid Surface Arm Cap (per pair) - Gr C	532

Note: To change Urethane arm cap to Solid Surface option add an "USS" to the model number and the upcharge above.

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Size**	**Arm Type**	**Arm Style**	**Tablets**	**Thermal Comfort**	**Ottoman**	**Push bar**	**Caster**
JOR Jordan	6 Motion	APR Recliner	21	UUR Urethane Cap	SA Standard Arm	0 None	0 None	0 No Cover	0 None	2L Front Locking
			24	USS Solid Surface Cap	PR Transfer Arm Right	1 Swing	1 Thermal Comfort	1 Poly Cover	1 Push Bar Included	4L All Locking
					PL Transfer Arm Left	2 Flip Up Tablet				

DESCRIPTION	MODEL	COM 1	2	COL 3	4	FABRIC GRADES 5	6	7	LEATHER 8	9
	Active Patient Recliner, 24", with Flip up Tablet JOR6APR24UURSA20002L	3617	3798	3978	4234	4524	4774	5064	5428	5788
										
	ORDERING NOTE: Options can be selected and added to the pre-configured models, using the pricing below									
	Active Patient Recliner, 24", with Swing Away Tablet JOR6APR24UURSA10002L	3663	3846	4022	4277	4569	4821	5111	5474	5836
										
	ORDERING NOTE: Options can be selected and added to the pre-configured models, using the pricing below									
	Active Patient Recliner, 24", with Thermal Comfort JOR6APR24UURSA01002L	4088	4270	4450	4707	4994	5247	5538	5899	6263
	ORDERING NOTE: Options can be selected and added to the pre-configured models, using the pricing below									

Active Patient Recliner Option Upcharges	**$ List**
Moisture Barrier & CAL 133 (per yard)	67
Ottoman Poly Cover	80
Push Bar	217
Removable Seat Cover	127
Removable Back Cover	143
IV Pole and Holder	399
Flip Up Tablet	436
Swing Away Tablet	480
Patient Transfer Arm	933
Thermal Comfort	973
Fall Management Sensor	1421
Patient Vitals Sensor	1683

	$ List
Solid Surface Arm Cap (per pair) - Gr A White	474
Solid Surface Arm Cap (per pair) - Gr A Color	480
Solid Surface Arm Cap (per pair) - Gr B	505
Solid Surface Arm Cap (per pair) - Gr C	532

Note: To change Urethane arm cap to Solid Surface option add an "USS" to the model number and the upcharge above.

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Size**	**Arm Type**	**Arm Style**	**Tablets**	**Thermal Comfort**	**Ottoman**	**Push bar**	**Caster**
JOR Jordan	6 Motion	APR Recliner	21	UUR Urethane Cap	SA Standard Arm	0 None	0 None	0 No Cover	0 None	2L Front Locking
			24	USS Solid Surface Cap	PR Transfer Arm Right	1 Swing	1 Thermal Comfort	1 Poly Cover	1 Push Bar Included	4L All Locking
					PL Transfer Arm Left	2 Flip Up Tablet				

JORDAN | ACTIVE PATIENT RECLINER ACCESSORIES & REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	PRICE		WEIGHT	CUBES
	IV Pole JOR8-RCRIP	306		3.8	1.4
	IV Pole Holder JOR8-RCRIPB	95		2	0.2
	Flip Up Tablet with brackets JOR8-RCRTK (wood or laminate)	436		6.6	1.6
	Flip Up Tablet JOR8-RCRT (wood or laminate)	350	18”w x 14”d x .75”h	5.8	1.4
	Flip Up Tablet Bracket JOR8-RCRTH	124		0.8	0.2
	Swing Away Tablet with Mechanism JOR8-SRST (wood or laminate)	480	24”w x 14.75”d x .75”h	20	1.2
	Swing Away Tablet Only JOR8-SRRT (wood or laminate)	249		7	0.8
	Swing Away Tablet Mechanism Only JOR8-SRRTH	316		13	1
	Push Bar JOR8-SRRPB	215		2	0.3
	In-line Front caster – Locking JOR6-APRRCASFL	49		2	0.2
	Swivel Rear caster – Locking JOR6-APRRCASRL	105		2	0.2
	Swivel Rear caster – Non-locking JOR6-APRRCASRN	99		2	0.2

LEED CI CREDITS



MATERIAL CONTENT:



Pre-Consumer
Recycled Content = 22.49%

Post-Consumer
Recycled Content = 10.46%

Up to 34.65% of this Jordan Compact Recliner product is recyclable at the end of its useful life.

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS
All Jordan products are supplied with air-emissions certified. Contact customer service for information.

FSC®
In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN COMPACT RECLINER | FEATURES & OPTIONS



ENHANCED CUSHIONING
The Jordan Compact Recliners have been designed with a softer seat, a more pronounced headrest, and contoured back shaping for improved support. These enhancements, along with the addition of dual-density foam, make these recliners the leader in patient comfort.



ARM OPTIONS
Arms are available fully upholstered and can also be trimmed with urethane arm caps or solid surface arm caps. The arm cap provides enhanced durability and protection for the arms and is field replaceable if damaged or degraded. Urethane is available in three color options; Black, Grey and Taupe and Solid Surface is available in 8 finishes.



HIGH DURABILITY MECHANISM
Jordan Compact Recliner mechanisms are designed for high-traffic, intensive use in care-giving environments. They are built with high-strength steel, and include Delrin™ wear pads between moving components for added smoothness and longevity.



BACK & FOOTREST MECHANISMS
This mechanism provides Infinitely Adjustable positions: Position A - Seated with feet on the floor, footrest in down (closed) position. Seat-back angle is 102 degrees.
Position B - Footrest is fully extended, without compromising the upright position of the back. The seat-back angle remains at 102 degrees.
Position C - is the range of infinite adjustability from the seated position of 102 degrees back angle to the fully flat position at a maximum of 175 degrees. The Infinitely Adjustable Back angle can be locked in any position with the back adjustment lever. The Jordan Compact Recliner Infinitely Adjustable Mechanism is warrantied for one year after purchase.



MECHANISM WITH TRENDELENBERG
This mechanism provides the same positions described above, as well as the additional Trendelenberg position: full recline with footrest fully extended, seat-back angle remains at 125 degrees, but the back is now 65 degrees from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the recliner.



BACK ADJUSTMENT LEVER
The Jordan Compact Recliner comes with the back adjustment lever which creates an infinite number of back adjustments within the chair. The back adjustment lever comes in a black plastic finish on the care-giver side of the arm. The standard position when ordering is left hand based on a position facing, the unit, unless specified otherwise.



FOOTREST LEVER
Jordan Compact Recliner comes with the footrest lever, which extends and closes the built-in footrest. The footrest lever comes in a powder-coated finish to match the casters. The standard position when ordering is a left hand position based on facing the unit, unless specified otherwise.



CASTERS
The standard caster is 4" in diameter, soft wheel, full swivel, with a lock that in a single action locks both the swivel and rotation of the caster.



CENTRAL CASTER LOCKING SYSTEM
Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The color-coded external foot pedal indicates Red for the locked position (when lowered) and Green for the unlocked position (when unlowered). The standard position for the foot pedal is located at the rear outside of the left (facing) arm panel. It can optionally be located at the front outside of the arm panel (either side) or at rear of right (facing) arm panel. Central locking casters are 4”diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option, note the requested position, and include the upcharge



PUSH BAR
This is a standard feature on the Jordan Compact Recliner. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, and reduce back strain on the care-giver.



FOLDING PATIENT TRANSFER ARM
The Patient Transfer Arm is designed to fold down where the arm is level with the chair seat. This design allows the caregiver to easily transport patients from the chair to bed. The arm is folded down by accessing the adjustment lever at the side of the chair. The Patient Transfer Arm is specified in a right or left handed position based on facing the unit. Please note, the Patient Transfer Arm cannot be located on the same side as IV Poles or the footrest lever or tablets.



PIVOT PATIENT TRANSFER ARM
The Pivot Patient Transfer Arms feature a polymer arm cap, with the option of solid surface, and are designed to fold up where the arm is in line with the back of the chair. This design allows the caregiver to move the patient from the recliner to a bed, or other transport. Available on the left, right (facing) or dual arms.



COMBINATION UPHOLSTERY OPTION
When combination upholstery is specified with upholstery of the same grade or COM, an upcharge for dual fabrics is **$34 list** per unit and **$67 list** per unit for three fabrics. When graded-in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



POWER CONTROL
Optional motorized recline is available on the Jordan Compact Recliner. The motorized power features independent back and ottoman control. The control location is standard on the inside left (facing) of the arm, alternately can be specified on the right if required, must be clearly noted on the purchase order. Power can also be specified with a lithium battery pack able to run 200 cycles on a full charge.



THERMAL COMFORT
Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is an option available on all Jordan Compact Recliners, and features a recessed controller located on the inside left arm(facing) of the recliner, unless specified otherwise (or opposite the Patient Transfer Arm option). It provides two heat zones: one in the seat and one in the back. Back and seat zones can be controlled independently, to one of two heat settings. Controls are conveniently placed for the user to access and include a safety time-out feature after 30 minutes. Access to a 110/120 volt, 15 amp(min) electrical outlet is required.



SWING AWAY TABLET
The Swing Away Tablet (24” x 14 3/4” x 3/4”) is designed to be easily operated by the caregiver or user. The Break Away design allows for the tablet to be easily pushed away from the user in an emergency to gain quick access to the patient. The tablet has the ability to slide up and fold over and rotates 180 degrees. The kidney-shaped design is ideal for use as an eating, writing or work surface. The tablet must be specified on the arm opposite the Footrest Lever.



FLIP UP TABLET
The tablet's size is 18" x 14" x 3/4", and it can be located on either side of the recliner (must be specified if being ordered with the recliner). It is available in Beech and Maple Veneer, as well as Plastic Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Please specify whether a right-handed or left-handed (facing)position is needed when ordering. Tablet must be mounted on the opposite side when a Patient Transfer Arm is ordered.



FOLEY HOOK
This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard. The standard location of the Foley Hook is on the front of the arm opposite the Footrest Lever. When Swing Away Tablet is specified Foley Hook would move to the back.



IV POLE & HOLDER
The Jordan IV Pole is height adjustable (in a range of 27"), and can be added in the field. It can be located on either the left or right side (facing) at the back of the recliner. The location must be specified at time of order.



FALL MANAGEMENT SENSOR
Through a sensor installed in the seat cushion of any Krug recliner, an alert is transmitted directly to the nurse station instantly, through the nurse call system, and audibly through the monitor mounted on the recliner, when a patient deemed a fall risk exits the chair without help from a caregiver- enabling staff to quickly intervene and prevent a potential fall from occurring. Not available with Thermal Comfort option.



PATIENT VITALS SENSOR
A wireless patient monitoring innovation, with state-of-the-art integrated patient monitoring technology. Through an imperceptible sensor installed in the back of the chair, critical data, including heart rate and respiratory rate, are tracked, trended and wirelessly transmitted to the care team, enabling quick intervention if a patient is deteriorating. Not available with Thermal Comfort option.



FOOTREST PROTECTIVE COVER
This optional clear protective cover is sewn into (and over top of) the lower portion of the upholstered ottoman, providing a layer of protection from marring and damage caused by footwear, cleaning and medical equipment, etc. It has an anti-fog additive to maintain clarity, and is resistant to cleaning solutions.



REMOVABLE COVERS OPTION
Jordan Compact Recliner are available with Removable Seat Covers & Removable Back Covers. Removable seat and back covers can be quickly installed on Jordan products that were originally ordered with the Removable cover option



CONTINUOUS FOOTREST
The optional continuous footrest cover provides an easily cleanable surface. It also provides additional safety when in the upright position. Seat and cover can be replaced if worn or degraded. See pricing pages for upcharges.



FOOT TRAY
This option provides a concealed, pull-out tray to assist patients with ingress and egress. It features a non-slip tread and dedicated casters that prevent tipping when standing on the tray.



MOISTURE BARRIER & CAL 133
California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. See Page 80 for details.

JORDAN COMPACT RECLINER | FEATURES & OPTIONS

DIMENSIONS

	Overall Width w/ 4 Position Mechanism	Overall Width w/ Accessories both sides	Overall Depth	Overall Depth w/ Footrest Reclined	Overall Depth w/ Sleep Recline	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
Compact Sleep Recliner	28	31	34	51	72.5	45.5	19.5	28.25	21	20	165	27

COM YARDAGES

	COM Yardage for Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	Ottoman	COM Yardage Seat Only	COM Yardage Continuous Footrest
One Chair	5.8	1.0	2.5	2.7	0.40	0.9	1.06

WEIGHT CAPACITIES

Compact Recliner Weight Rating 750 lbs.
Meets or Exceeds ANSI/BIFMA X5.41

JORDAN COMPACT RECLINER

DESCRIPTION/MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
Upholstered Arm JOR8-CSRUPHS1	4528	4723	4917	5190	5502	5772	6083	6472	6863



ORDERING NOTE: To specify Solid Surface Arm Caps on Upholstered Arms, please add upcharge below and change UPH in the model number to USS.

Upholstered Arm with Urethane Arm Cap JOR8-CSRUURS1	4632	4825	5019	5293	5605	5875	6187	6576	6965



ORDERING NOTES: To specify Patient Transfer Arm option, please change the last "S" in the model number to "T" and add upcharge below.
To specify Central Caster Locking System please change "1" to "3" and add upcharge below.
Shipping note: Jordan Compact Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Compact Recliner Option Upcharges	**$ List**
Removable Seat Cover	123
Removable Back Cover	135
Footrest Poly Cover	76
Combination Upholstery - Two fabrics	34
Combination Upholstery - Three fabrics	67
Moisture Barrier & CAL 133 (per yard)	67
Patient Transfer Arm	978
Thermal Comfort	973
Flip Up Tablet	436
Swing Away Tablet	480
Foley Catheter Hook	225
IV Pole and Holder	399
Foot Tray	585
Central Caster Locking System	1127

	$ List
Non Powered -Trendelenburg	1004
Power Control -Trendelenburg -Corded	1636
Power Control -Trendelenburg - Battery	2003
Power Control -Corded	1166
Power Control -Battery	1534
Replacement Battery	651
Fall Management Sensor	1421
Patient Vitals Sensor	1683
Solid Surface Arm Cap (per pair) - A White	542
Solid Surface Arm Cap (per pair) - Gr A Color	553
Solid Surface Arm Cap (per pair) - Gr B	575
Solid Surface Arm Cap (per pair) - Gr C	605

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	Series	Chair Type	Arm Type	Arm Option	Base
JOR Jordan	8 Motion	CSR Compact Recliner	UPH Upholstered Arm	S Standard Arm	1 Casters
		PCSR Power Compact Recliner	UUR Upholstered Arm with Urethane Cap	T Patient Transfer Arm	3 Central Locking Casters
		CSRT Compact Recliner with Trendelenburg	USS Upholstered Arm with Solid Surface Cap		
		PCSRT Power Compact Recliner with Trendelenburg			

JORDAN COMPACT RECLINER

DESCRIPTION/MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
Left Pivot Arm with Urethane Arm Cap									
JOR8-CSRPUURLA1*	5597	5790	5984	6258	6570	6840	7152	7541	7930
Right Pivot Arm with Urethane Arm Cap									
JOR8-CSRPUURRA1	5597	5790	5984	6258	6570	6840	7152	7541	7930



ORDERING NOTES:
To specify **Dual Pivot** arms change the **"LA" to "DA"** and add **$965 list,** example JJOR8-CSRPUUR**DA**1.
To specify Power and CCLS options, please see Product Code Key and add upcharge below.
All Jordan Recliners components are specified either left or right handed based on a position facing the unit.
Shipping note: Jordan Compact Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Compact Recliner Option Upcharges	**$ List**
Removable Seat Cover	123
Removable Back Cover	135
Footrest Poly Cover	76
Combination Upholstery - Two fabrics	34
Combination Upholstery - Three fabrics	67
Moisture Barrier & CAL 133 (per yard)	67
Patient Transfer Arm	978
Thermal Comfort	973
Flip Up Tablet	436
Swing Away Tablet	480
Foley Catheter Hook	225
IV Pole and Holder	399
Foot Tray	585
Central Caster Locking System	1127

	$ List
Non Powered -Trendelenburg	1004
Power Control -Trendelenburg -Corded	1636
Power Control -Trendelenburg - Battery	2003
Power Control -Corded	1166
Power Control -Battery	1534
Replacement Battery	651
Fall Management Sensor	1421
Patient Vitals Sensor	1683
Solid Surface Arm Cap (per pair) - A White	542
Solid Surface Arm Cap (per pair) - Gr A Color	553
Solid Surface Arm Cap (per pair) - Gr B	575
Solid Surface Arm Cap (per pair) - Gr C	605

NOTE: To specify Solid Surface Arm Caps, please add upcharge above and change UUR in the model number to USS.

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Pivot**	**Base**
JOR Jordan	8 Motion	CSRP Compact Recliner with Pivot Arm	UUR Upholstered Arm with	LA Left Pivot Arm	1 Casters
		PCSRP Power Compact Recliner with Pivot Arm	UUS Upholstered Arm with Solid Surface Cap	RA Right Pivot Arm	3 Central Locking Casters
		CSRTP Compact Recliner with Trendelenburg & Pivot Arm		DA Dual Pivot Arm	
		PCSRTP Power Compact Recliner with Trendelenburg & Pivot Arm			

JORDAN COMPACT RECLINER | REPLACEMENT COMPONENTS

	DESCRIPTION/MODEL	Price	Shipping Weight	Cubes
	IV Pole JOR8-RCRIP	305	3.8	1.4
	IV Pole Holder JOR8-CSRRIPB	92	2	0.2
	Flip Up Tablet with brackets JOR8-RCRTK (wood or laminate)	436	6.6	1.6
	Flip Up Tablet - 18”w x 14”d x .75”h JOR8-RCRT (wood or laminate)	350	5.8	1.4
	Flip Up Tablet Bracket JOR8-RCRTH	124	0.8	0.2
	Swing Away Tablet with Mechanism - 24”w x 14.75”d x .75”h JOR8-CSRST (wood or laminate)	480	20	1.2
	Swing Away Tablet Only JOR8-SRRT (wood or laminate)	249	7	0.8
	Swing Away Tablet Mechanism Only JOR8-CSRRTH	316	13	1
	Push Bar JOR8-SRRPB	215	2	0.3
	Replacement Foley Catheter Hook JOR8-RHK	225	1	0.2
	Locking Rubber Wheel Caster JOR8-RCRCASRL -Back Left	99	2	0.2
	JOR8-RCRCASRR -Back Right JOR8-RCRCASFL -Front JOR8-RCRCASFR -Front	49	2	0.2
	Sleep Recliner Foot Tray JOR8-CSRRFT	585	2.8	15

JORDAN | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:

Systems & Seating

Regional Materials*

Certified Wood
(MUST BE REQUESTED)

ıpplicable if in total 20% of the combined value
ı radius of 500 miles. This credit will apply if the insta

PRE-CONSUMER
RECYCLED CONTENT = 6.5%

POST-CONSUMER
RECYCLED CONTENT = 13%

Up to 35.4% of this Jordan product is recyclable at the end of its useful life.

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS
All Jordan products are supplied with air-emissions certified. Contact customer service for information.

FSC®
In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN | 3-POSITION RECLINER - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width with 3-Position Mechanism	Overall Width with 3-Position Mechanism with Trendelenburg	Overall Width with Cushioned Armrest	Overall Width with Accessories	Overall Depth	Overall Depth when Reclined	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
3-Position Recliner	29.5	31.5	32	34.5	35	64	45.5	19.5	28.25	23	20	175	27

COM REQUIREMENTS

		COM Yardage Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	COM Yardage Footrest Upholstered Pad Only	Cushioned Armrest Only	COM Yardage Seat Only	COM Yardage Continuous Footrest
Recliner	One Chair	6	1.0	2.5	2.8	0.6	.75	0.9	1.06
	Two Chairs	12	2.0	5	5.6	1.2	1.5	1.8	2.12
	Three Chairs	18	3.0	7.5	8.4	1.8	2.25	2.7	3.18
	Four Chairs	24	4.0	10	11.2	2.4	3	3.6	4.24

WEIGHT CAPACITIES: 3-Position Recliner Weight Rating 400 lbs. Meets or Exceeds ANSI/BIFMA X5.41

JORDAN | 3-POSITION RECLINER - FEATURES & OPTIONS



ENHANCED CUSHIONING
The Jordan Recliners have been upgraded with a softer seat, a more pronounced headrest, and contoured back shaping for improved support. These enhancements, along with the addition of dual-density foam, make these recliners the leader in patient comfort.



ARM OPTIONS
Jordan features 8 arm style options; fully upholstered, fully upholstered with urethane or solid surface arm cap, wood, wood with urethane or solid surface arm cap, full urethane and cushioned arm rest. The arm cap option provides enhanced durability and protection for the arms. The arm cap is field replaceable if damaged or degraded.



HIGH DURABILITY MECHANISM
Jordan 3-Position Recliner mechanisms are designed for high-traffic, intensive use in care-giving environments. They are built with high-strength steel, and include Delrin™ wear pads between moving components for added smoothness and longevity.



RECLINER - 3-POSITION MECHANISM
This mechanism provides 3 distinct use positions:
Position A - Seated with feet on the floor, footrest in down (closed) position. Seat-back angle is 104 degrees, and the back is reclined 20 degrees from vertical.
Position B - Footrest is fully extended, back is in mid-position. Seat-back angle remains at 104 degrees, and the back is 25 degrees from vertical.
Position C - Full recline with footrest fully extended. Seat-back angle is opened to 125 degrees, and the back is 45 degrees from vertical.



MECHANISM WITH TRENDELENBURG
This mechanism provides the same positions described above, as well as the additional Trendelenburg position: full recline with footrest fully extended, seat-back angle remains at 125 degrees, but the back is now 65 degrees from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the recliner.



LEGS
Jordan Recliners are available with wood legs - in either Beech or Maple. Jordan recliner legs feature Metal glides. Floor-saver felt glides, non-slip rubber glides, Floor-saver nylon glides and plastic glides are also available, see pricing pages for upcharges.



CASTERS
The standard caster is 4" in diameter, soft-wheel, full swivel, with a lock that in a single action locks both the swivel and rotation of the caster. The Central Locking caster has the same features, with a hooded design.



CENTRAL CASTER LOCKING SYSTEM
Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The color-coded external foot pedal indicates Red for the locked position (when lowered) and Green for the unlocked position (when unlowered). The standard position for the foot pedal is located at the rear outside of the left (facing) arm panel. It can optionally be located at the front outside of the arm panel (either side) or at rear of right (facing) arm panel. Central locking casters are 4"diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option, note the requested position, and include the upcharge - see pricing pages for upcharge info.



PUSH BAR
This is a standard feature on the Jordan 3-Position Recliner when ordered with casters. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, and reduce back strain on the caregiver.



PATIENT TRANSFER ARM
The Patient Transfer Arm is designed to fold down where the arm is level with the chair seat. This design allows the caregiver to easily transport patients from the chair to bed. The arm is folded down by accessing the adjustment lever at the side of the chair. The Patient Transfer Arm is specified in a right or left handed position based on facing the unit. The Patient Transfer Arm cannot be located on the same side as footrest lever or accessories. Dual patient transfer arms cannot be specified with CCLS or accessories.



PIVOT PATIENT TRANSFER ARM
The Pivot Patient Transfer Arms feature a polymer arm cap, with the option of solid surface, and are designed to fold up where the arm is in line with the back of the chair. This design allows the caregiver to move the patient from the recliner to a bed, or other transport. Available on the left, right (facing) or dual arms.



CUSHIONED ARMREST
The Cushioned Armrest was designed to maximize patient comfort during infusion treatments. The extra padded and wider arms provide comfort and support over long periods of time. Arms can be ordered in Krug standard healthcare rated grey vinyl or in coordinating textiles.



POWER CONTROL
Optional motorized recline is available on the Jordan 3-Position Recliner. The control location is standard on the inside left (facing) of the arm, alternately can be specified on the right if required, must be clearly noted on the purchase order. Power can also be specified with a lithium battery pack able to run 200 cycles on a full charge.



THERMAL COMFORT
Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is an option available on all Jordan Recliners, and features a hand-held controller located on the inside arm of the recliner (please specify right hand side or left hand side -facing). It provides two heat zones: one in the seat and one in the back. Back and seat zones can be controlled independently, to one of two heat settings. Controls are conveniently placed for the user to access and include a safety time-out feature after 30 minutes. Access to a 110/120 volt, 15 amp(min) electrical outlet is required.



SWING AWAY TABLET
The Swing Away Tablet (24” x 14 3/4” x 3/4”) is designed to be easily operated by the caregiver or user. The Break Away design allows for the tablet to be easily pushed away from the user in an emergency to gain quick access to the patient. The tablet has the ability to slide up and fold over and rotates 180 degrees. The kidney-shaped design is ideal for use as an eating, writing or work surface. The Footrest activation lever is specified either left or right handed based on a position facing the unit and opposite to where the tablet appears



FLIP UP TABLET
The tablet's size is 18" x 14" x 3/4", and it can be located on either side of the recliner (must be specified if being ordered with the recliner). It is available in Beech and Maple Veneer, as well as Plastic Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Please specify whether a right-handed or left-handed position is needed when ordering. Tablet must be mounted on the opposite side when a Patient Transfer Arm is ordered.



IV POLE & HOLDER
The Jordan IV Pole is height adjustable (in a range of 27"), and can be added in the field. It can be located in any of four locations (left or right, front or back) -if ordered with the recliner, the location must be specified at time of order.



FOLEY HOOK
This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard.



FALL MANAGEMENT SENSOR
Through a small sensor installed in the seat cushion of any Krug recliner, an alert is transmitted directly to the nurse station within 5 seconds, through the nurse call system, when a patient deemed a fall risk exits the chair without help from a caregiver- enabling staff to quickly intervene and prevent a potential fall from occurring. Not available with Thermal Comfort option.



PATIENT VITALS SENSOR
A wireless patient monitoring innovation, with state-of-the-art integrated patient monitoring technology. Through an imperceptible sensor installed in the back of the chair, critical data, including heart rate and respiratory rate, are tracked, trended and wirelessly transmitted to the care team, enabling quick intervention if a patient is deteriorating. Not available with Thermal Comfort option.



COMBINATION UPHOLSTERY OPTIONS
When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **$34 list** per unit and **$67 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).



REMOVABLE COVERS
Jordan 3-Position Recliner chairs are available with removable seat and back covers for an upcharge. Removable seat and back covers can be quickly installed on Jordan products that were originally ordered with the removable cover option. Removable seat and back covers can also be installed on Jordan products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs..



CONTINUOUS FOOTREST
The optional continuous footrest cover provides an easily cleanable surface. It also provides additional safety when in the upright position. Seat and cover can be replaced if worn or degraded. See pricing pages for upcharges.



FOOT TRAY
This option provides a concealed, pull-out tray to assist patients with ingress and egress. It features a non-slip tread and dedicated casters that prevent tipping when standing on the tray.

JORDAN | 3-POSITION RECLINER

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Upholstered Arm, 3-Position Mechanism, with legs										
JOR8-RCUPH12	Beech	3664	3867	4066	4349	4669	4953	5274	5677	6078
(no push bar)	Maple	3688	3892	4089	4375	4693	4977	5297	5700	6102
 Upholstered Arm, 3-Position Mechanism, with casters										
JOR8-RCUPH11	n/a	3746	3950	4151	4433	4755	5035	5360	5762	6162

ORDERING NOTES:
All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges	**$ List**
Removable Seat Cover	123
Removeable Back Cover	135
Moisture Barrier (per yard)	67
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Thermal Comfort	973
Patient Transfer Arm	978
Foley Hook	225
IV Pole & Holder	399
Flip Up Tablet	436
Swing Away Tablet	480
Foot Tray	474
Central Caster Locking System	1127
Floor-saver Felt Glides	30
Non-slip Rubber Glides	18
Floor-saver Nylon Glides	38
Plastic Glides	8

	$ List
Non Powered -Trendelenburg	331
Power Control -Trendelenburg -Corded	1257
Power Control -Trendelenburg - Battery	1625
Power Control -Corded	859
Power Control -Battery	1227
Replacement Battery	651
Fall Management Sensor	1421
Patient Vitals Sensor	1683
Solid Surface Arm Cap (per pair) - Gr A White	542
Solid Surface Arm Cap (per pair) - Gr A Color	553
Solid Surface Arm Cap (per pair) - Gr B	575
Solid Surface Arm Cap (per pair) - Gr C	605

Note: For Solid Surface option replace arm type with “USS” in the model number and add the upcharge above.

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Mechanism**	**Base**
JOR Jordan	8 Motion	RC Recliner	UPH Upholstered Arm	1 3-Position Mechanism	1 Casters
		PRC Power Recliner	USS Upholstered Arm with Solid Surface Cap	2 3-Position with Trendelenburg Mechanism	2 Wood Legs
			TUP Transfer - Upholstered Arm		3 Central Locking Casters
			TUS Transfer - Upholstered Arm with Solid Surface Cap		

JORDAN | 3-POSITION RECLINER

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Upholstered Arm with Urethane Cap , 3-Position Mechanism, with legs										
JOR8-RCUUR12	Beech	3766	3970	4170	4452	4773	5056	5377	5780	6182
(no push bar)	Maple	3790	3995	4193	4478	4797	5079	5400	5803	6206
 Upholstered Arm with Urethane Cap, 3-Position Mechanism, with casters										
JOR8-RCUUR11	n/a	3850	4053	4253	4534	4858	5139	5463	5866	6265

ORDERING NOTES:
All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges	**$ List**		**$ List**
Removable Seat Cover	123	Non Powered -Trendelenburg	331
Removeable Back Cover	135	Power Control -Trendelenburg -Corded	1257
Moisture Barrier (per yard)	67	Power Control -Trendelenburg - Battery	1625
Combination Upholstery Option - 2 fabrics	34	Power Control -Corded	859
Combination Upholstery Option - 3 fabrics	67	Power Control -Battery	1227
Thermal Comfort	973	Replacement Battery	651
Patient Transfer Arm	978	Fall Management Sensor	1421
Foley Hook	225	Patient Vitals Sensor	1683
IV Pole & Holder	399		
Flip Up Tablet	436		
Swing Away Tablet	480		
Foot Tray	474		
Central Caster Locking System	1127		
Floor-saver Felt Glides	30		
Non-slip Rubber Glides	18		
Floor-saver Nylon Glides	38		
Plastic Glides	8		

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Mechanism**	**Base**
JOR Jordan	8 Motion	RC Recliner PRC Power Recliner	UUR Upholstered Arm with Urethane Cap TUU Transfer - Upholstered Arm with Urethane Cap	1 3-Position Mechanism 2 3-Position with Trendelenburg Mechanism	1 Casters 2 Wood Legs 3 Central Locking Casters

JORDAN | 3-POSITION RECLINER

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
										
Left Pivot Arm with Urethane Cap , 3-Position Mechanism, with legs (no push bar)										
JOR8-RCPUURLA12	Beech	4731	4935	5135	5417	5738	6021	6342	6745	7147
	Maple	4755	4960	5158	5443	5762	6044	6365	6768	7171
Right Pivot Arm with Urethane Cap , 3-Position Mechanism, with legs (no push bar)										
JOR8-RCPUURRA12*	Beech	4731	4935	5135	5417	5738	6021	6342	6745	7147
	Maple	4755	4960	5158	5443	5762	6044	6365	6768	7171
										
Left Pivot Arm with Urethane Cap, 3-Position Mechanism, with casters										
JOR8-RCPUURLA11*	n/a	4815	5018	5218	5499	5823	6104	6428	6831	7230
Right Pivot Arm with Urethane Cap, 3-Position Mechanism, with casters										
JOR8-RCPUURRA11	n/a	4815	5018	5218	5499	5823	6104	6428	6831	7230

ORDERING NOTES:
To specify **Dual Pivot** arms change the **"LA" to "DA"** and add **$965 list,** example JOR8-RCPUSS**DA**11.
All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges	**$ List**
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Removable Seat Cover	123
Removeable Back Cover	135
Moisture Barrier (per yard)	67
Thermal Comfort	973
Foley Hook	225
IV Pole & Holder	399
Flip Up Tablet	436
Swing Away Tablet	480
Central Caster Locking System	1127
Floor-saver Felt Glides	30
Non-slip Rubber Glides	18
Floor-saver Nylon Glides	38
Plastic Glides	8

	$ List
Non Powered -Trendelenburg	331
Power Control -Trendelenburg -Corded	1257
Power Control -Trendelenburg - Battery	1625
Power Control -Corded	859
Power Control -Battery	1227
Replacement Battery	651
Fall Management Sensor	1421
Patient Vitals Sensor	1683
Solid Surface Arm Cap (per pair) - Gr A White	542
Solid Surface Arm Cap (per pair) - Gr A Color	553
Solid Surface Arm Cap (per pair) - Gr B	575
Solid Surface Arm Cap (per pair) - Gr C	605

Note: For Solid Surface option replace UUR arm type with "USS" in the model number and add the upcharge above.

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Pivot**	**Mechanism**	**Base**
JOR Jordan	8 Motion	RCP Recliner with Pivot Arm PRCP Power Recliner with Pivot Arm	UUR Upholstered Arm with Urethane Cap USS Upholstered Arm with Solid Surface Cap	LA Left Pivot Arm RA Right Pivot Arm DA Dual Pivot Arm	1 3-Position Mechanism 2 3-Position with Trendelenburg Mechanism	1 Casters 2 Wood Legs 3 Central Locking Casters

JORDAN | 3-POSITION RECLINER

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Full Urethane Arm, 3-Position Mechanism, with legs										
JOR8-RCFUR12	Beech	3789	3993	4193	4476	4796	5079	5400	5803	6205
(no push bar)	Maple	3814	4018	4216	4501	4820	5103	5424	5826	6229
 Full Urethane Arm, 3-Position Mechanism, with casters										
JOR8-RCFUR11	n/a	3873	4076	4277	4558	4881	5162	5486	5889	6288

ORDERING NOTES:
All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges	**$ List**
Removable Seat Cover	123
Removeable Back Cover	135
Moisture Barrier (per yard)	67
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Thermal Comfort	973
Patient Transfer Arm	978
Foley Hook	225
IV Pole & Holder	399
Flip Up Tablet	436
Swing Away Tablet	480
Foot Tray	474
Central Caster Locking System	1127
Floor-saver Felt Glides	30
Non-slip Rubber Glides	18
Floor-saver Nylon Glides	38
Plastic Glides	8

	$ List
Non Powered -Trendelenburg	331
Power Control -Trendelenburg -Corded	1257
Power Control -Trendelenburg - Battery	1625
Power Control -Corded	859
Power Control -Battery	1227
Replacement Battery	651
Fall Management Sensor	1421
Patient Vitals Sensor	1683

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Mechanism**	**Base**
JOR	8	RC	FUR	1	1
Jordan	Motion	Recliner	Full Urethane	3-Position Mechanism	Casters
		PRC	TFU	2	2
		Power Recliner	Transfer - Full Urethane	3-Position with Trendelenburg Mechanism	Wood Legs
					3
					Central Locking Casters

JORDAN | 3-POSITION RECLINER

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Wood Arm, 3-Position Mechanism with legs (no push bar)										
JOR8-RCWOD12	Beech	3899	4103	4302	4586	4905	5190	5510	5913	6314
	Maple	3987	4191	4391	4672	4993	5278	5597	6001	6402
 Wood Arm, 3-Position Mechanism with Casters										
JOR8-RCWOD11	Beech	3983	4185	4387	4668	4991	5272	5595	5999	6398
	Maple	4008	4211	4413	4693	5016	5297	5620	6024	6423

ORDERING NOTES:
All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges	**$ List**
Removable Seat Cover	123
Removeable Back Cover	135
Moisture Barrier (per yard)	67
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Thermal Comfort	973
Patient Transfer Arm	978
Foley Hook	225
IV Pole & Holder	399
Flip Up Tablet	436
Swing Away Tablet	480
Foot Tray	474
Central Caster Locking System	1127
Floor-saver Felt Glides	30
Non-slip Rubber Glides	18
Floor-saver Nylon Glides	38
Plastic Glides	8

	$ List
Non Powered -Trendelenburg	331
Power Control -Trendelenburg -Corded	1257
Power Control -Trendelenburg - Battery	1625
Power Control -Corded	859
Power Control -Battery	1227
Replacement Battery	651
Fall Management Sensor	1421
Patient Vitals Sensor	1683
Solid Surface Arm Cap (per pair) - Gr A White	542
Solid Surface Arm Cap (per pair) - Gr A Color	553
Solid Surface Arm Cap (per pair) - Gr B	575
Solid Surface Arm Cap (per pair) - Gr C	605

Note: For Solid Surface option replace arm type with “USS” in the model number and add the upcharge above.

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Mechanism**	**Base**
JOR Jordan	8 Motion	RC Recliner	WOD Wood Arm	1 3-Position Mechanism	1 Casters
		PRC Power Recliner	SSC Wood Arm with Solid Surface Cap	2 3-Position with Trendelenburg Mechanism	2 Wood Legs
			TWD Transfer - Wood Arm		3 Central Locking Casters
			TSS Transfer - Wood Arm with Solid Surface Cap		

JORDAN | 3-POSITION RECLINER

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	4	FABRIC GRADES 5	6	7	LEATHER 8	9
 Wood Arm with Urethane Cap, 3-Position Mechanism with legs										
JOR8-RCURE12	Beech	4036	4238	4438	4720	5041	5325	5645	6049	6450
(no push bar)	Maple	4124	4326	4526	4809	5129	5412	5734	6137	6538
 Wood Arm with Urethane Cap, 3-Position Mechanism with casters										
JOR8-RCURE11	Beech	4118	4321	4523	4803	5127	5407	5730	6135	6534
	Maple	4145	4347	4548	4830	5152	5432	5757	6160	6559

ORDERING NOTES:
All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges	**$ List**		**$ List**
Removable Seat Cover	123	Non Powered -Trendelenburg	331
Removeable Back Cover	135	Power Control -Trendelenburg -Corded	1257
Moisture Barrier (per yard)	67	Power Control -Trendelenburg - Battery	1625
Combination Upholstery Option - 2 fabrics	34	Power Control -Corded	859
Combination Upholstery Option - 3 fabrics	67	Power Control -Battery	1227
Thermal Comfort	973	Replacement Battery	651
Patient Transfer Arm	978	Fall Management Sensor	1421
Foley Hook	225	Patient Vitals Sensor	1683
IV Pole & Holder	399		
Flip Up Tablet	436		
Swing Away Tablet	480		
Foot Tray	474		
Central Caster Locking System	1127		
Floor-saver Felt Glides	30		
Non-slip Rubber Glides	18		
Floor-saver Nylon Glides	38		
Plastic Glides	8		

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Mechanism**	**Base**
JOR Jordan	8 Motion	RC Recliner	URE Wood Arm with Urethane Cap	1 3-Position Mechanism	1 Casters
		PRC Power Recliner	TUR Transfer - Wood Arm with Urethane Cap	2 3-Position with Trendelenburg Mechanism	2 Wood Legs
					3 Central Locking Casters

JORDAN | 3-POSITION RECLINER

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Cushioned Armrest, 3-Position Mechanism with legs (no push bar)										
JOR8-RCINF12	Beech	4035	4237	4437	4719	5040	5324	5644	6048	6449
	Maple	4059	4263	4460	4746	5064	5347	5667	6071	6473
 Cushioned Armrest, 3-Position Mechanism with casters										
JOR8-RCINF11	n/a	4117	4319	4522	4802	5126	5406	5729	6133	6533

ORDERING NOTES:
All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges	**$ List**		**$ List**
Removable Seat Cover	123	Non Powered -Trendelenburg	331
Removeable Back Cover	135	Power Control -Trendelenburg -Corded	1257
Moisture Barrier (per yard)	67	Power Control -Trendelenburg - Battery	1625
Combination Upholstery Option - 2 fabrics	34	Power Control -Corded	859
Combination Upholstery Option - 3 fabrics	67	Power Control -Battery	1227
Thermal Comfort	973	Replacement Battery	651
Patient Transfer Arm	978	Fall Management Sensor	1421
Foley Hook	225	Patient Vitals Sensor	1683
IV Pole & Holder	399		
Flip Up Tablet	436	Floor-saver Felt Glides	30
Swing Away Tablet	480	Non-slip Rubber Glides	18
Foot Tray	474	Floor-saver Nylon	38
Central Caster Locking System	1127	Plastic Glides	8

COORDINATING CUSHIONED ARM OPTION - please add the following up charges for Cushioned Arm in coordinating fabric.

Fabric Grades	1	2	3	4	5	6	7	8	9
2 ARMS	23	49	73	127	179	231	282	334	438

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Mechanism**	**Base**
JOR Jordan	8 Motion	RC Recliner	INF Cushioned Armrest	1 3-Position Mechanism	1 Casters
		PRC Power Recliner	TIN Transfer - Cushioned Armrest	2 3-Position with Trendelenburg Mechanism	2 Wood Legs
					3 Central Locking Casters

DIMENSIONS

	Overall Width w/ 4 Position Mechanism	Overall Width with Cushioned Armrest	Overall Width w/ Accessories both sides	Overall Depth	Overall Depth w/ Footrest Reclined	Overall Depth w/ Sleep Recline	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
Sleep Recliner	32.25	34.5	38.25	37	54	72.5	45.5	19.5	28.25	23	20	175	27

COM REQUIREMENTS

	COM Yardage for Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	COM Yardage Footrest Upholstered Pad Only	Cushioned Armrest Only	COM Yardage Seat Only	COM Yardage Continuous Footrest
One Chair	5.8	1.0	2.5	2.8	0.4	.75	0.9	1.06
Two Chairs	11.6	2.0	5	5.6	0.8	1.5	1.8	2.12
Three Chairs	17.4	3.0	7.5	8.4	1.2	2.25	2.7	3.18
Four Chairs	23.2	4.0	10	11.2	1.6	3	3.6	4.24

WEIGHT CAPACITY: Sleep Recliner Weight Rating 750 lbs. Meets or Exceeds ANSI/BIFMA X5.41).

JORDAN | SLEEP RECLINER FEATURES & OPTIONS



ENHANCED CUSHIONING
The Jordan Recliners have been upgraded with a softer seat, a more pronounced headrest, and contoured back shaping for improved support. These enhancements, along with the addition of dual-density foam, make these recliners the leader in patient comfort.



ARM OPTIONS
Jordan features 8 arm style options; fully upholstered, fully upholstered with urethane or solid surface arm cap, wood, wood with urethane or solid surface arm cap, full urethane and cushioned arm rest. The arm cap option provides enhanced durability and protection for the arms. The arm cap is field replaceable if damaged or degraded.



HIGH DURABILITY MECHANISM
Jordan Sleep Recliner mechanisms are designed for high-traffic, intensive use in care-giving environments. They are built with high-strength steel, and include Delrin™ wear pads between moving components for added smoothness and longevity.



JORDAN SLEEP RECLINERS MECHANISM
This mechanism provides Infinitely Adjustable positions: Position A - Seated with feet on the floor, footrest in down (closed) position. Seat-back angle is 102 degrees. Position B - Footrest is fully extended, without compromising the upright position of the back. The seat-back angle remains at 102 degrees. Position C - is the range of infinite adjustability from the seated position of 102 degrees back angle to the fully reclined position at 133 degrees. The Infinitely Adjustable Back angle can be locked in any position with the back adjustment lever that goes to a maximum of 175 degrees when fully extended.



MECHANISM WITH TRENDELENBURG
This mechanism provides the same positions described above, as well as the additional Trendelenburg position: full recline with footrest fully extended, seat-back angle remains at 125 degrees, but the back is now 65 degrees from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the recliner.



BACK ADJUSTMENT LEVER
The Jordan Sleep Recliner comes with the back adjustment lever which creates an infinite number of back adjustments within the chair. The back adjustment lever comes in a black plastic finish on the caregiver side. The standard position when ordering is left hand based on a position facing, the unit, unless specified otherwise.



FOOTREST LEVER
Jordan Sleep Recliner comes with the footrest lever, which extends and closes the built-in footrest. The footrest lever comes in a powder-coated finish to match the casters. The standard position when ordering is a left hand position based on facing the unit, unless specified otherwise.



LEGS
Jordan Recliners are available with wood legs - in either Beech or Maple. Jordan recliner legs feature metal glides. Floor-saver felt glides, non-slip rubber glides, Floor-saver Nylon glides and plastic glides are also available, see pricing pages for upcharges.



CASTERS
The standard caster is 4" in diameter, soft-wheel, full swivel, with a lock that in a single action locks both the swivel and rotation of the caster. The Central Locking caster has the same features, with a hooded design.



CENTRAL CASTER LOCKING SYSTEM
Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The color-coded external foot pedal indicates Red for the locked position (when lowered) and Green for the unlocked position (when unlowered). The standard position for the foot pedal is located at the rear outside of the left (facing) arm panel. It can optionally be located at the front outside of the arm panel (either side) or at rear of right (facing) arm panel. Central locking casters are 4”diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option, note the requested position, and include the upcharge - see pricing pages for upcharge info.



PUSH BAR
This is a standard feature on the Jordan recliner when ordered with casters. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, and reduce back strain on the caregiver.



CUSHIONED ARMREST
The Cushioned Armrest was designed to maximize patient comfort during infusion treatments. The extra padded and wider arms provide comfort and support over long periods of time. Arms can be ordered in Krug standard healthcare rated grey vinyl or in coordinating textiles.



PATIENT TRANSFER ARM
The Patient Transfer Arm is designed to fold down where the arm is level with the chair seat. This design allows the caregiver to easily transport patients from the chair to bed. The arm is folded down by accessing the adjustment lever at the side of the chair. The Patient Transfer Arm is specified in a right or left handed position based on facing the unit. Please note, the Patient Transfer Arm cannot be located on the same side as IV Poles or the footrest lever or tablets.



PIVOT PATIENT TRANSFER ARM
The Pivot Patient Transfer Arms feature a polymer arm cap, with the option of solid surface, and are designed to fold up where the arm is in line with the back of the chair. This design allows the caregiver to move the patient from the recliner to a bed, or other transport. Available on the left, right (facing) or dual arms.



POWER CONTROL
Optional motorized recline is available on the Jordan 3-Position Recliner. The control location is standard on the inside left (facing) of the arm, alternately can be specified on the right if required, must be clearly noted on the purchase order. Power can also be specified with a lithium battery pack able to run 200 cycles on a full charge.



THERMAL COMFORT
Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is an option available on all Jordan Recliners, and features a hand-held controller located on the inside arm of the recliner (please specify right hand side or left hand side -facing). It provides two heat zones: one in the seat and one in the back. Back and seat zones can be controlled independently, to one of two heat settings. Controls are conveniently placed for the user to access and include a safety time-out feature after 30 minutes. Access to a 110/120 volt, 15 amp(min) electrical outlet is required.



SWING AWAY TABLET
The Swing Away Tablet (24” x 14 3/4” x 3/4”) is designed to be easily operated by the caregiver or user. The Break Away design allows for the tablet to be easily pushed away from the user in an emergency to gain quick access to the patient. The tablet has the ability to slide up and fold over and rotates 180 degrees. The kidney-shaped design is ideal for use as an eating, writing or work surface. The Footrest activation lever is specified either left or right handed based on a position facing the unit and opposite to where the tablet appears



FLIP UP TABLET
The tablet's size is 18" x 14" x 3/4", and it can be located on either side of the recliner (must be specified if being ordered with the recliner). It is available in Beech and Maple Veneer, as well as Plastic Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Please specify whether a right-handed or left-handed position is needed when ordering. Tablet must be mounted on the opposite side when a Patient Transfer Arm is ordered.



IV POLE & HOLDER
The Jordan IV Pole is height adjustable (in a range of 27"), and can be added in the field. It can be located in any of four locations (left or right, front or back) -if ordered with the recliner, the location must be specified at time of order.



FOLEY HOOK
This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard.



FALL MANAGEMENT SENSOR
Through a sensor installed in the seat cushion of any Krug recliner, an alert is transmitted directly to the nurse station instantly, through the nurse call system, and audibly through the monitor mounted on the recliner, when a patient deemed a fall risk exits the chair without help from a caregiver- enabling staff to quickly intervene and prevent a potential fall from occurring. Not available with Thermal Comfort option.



PATIENT VITALS SENSOR
A wireless patient monitoring innovation, with state-of-the-art integrated patient monitoring technology. Through an imperceptible sensor installed in the back of the chair, critical data, including heart rate and respiratory rate, are tracked, trended and wirelessly transmitted to the care team, enabling quick intervention if a patient is deteriorating. Not available with Thermal Comfort option.



COMBINATION UPHOLSTERY OPTIONS
When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **$34 list** per unit and **$67 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).



REMOVABLE COVERS
Jordan 3-Position Recliner chairs are available with removable seat and back covers for an upcharge. Removable seat and back covers can be quickly installed on Jordan products that were originally ordered with the removable cover option. Removable seat and back covers can also be installed on Jordan products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs..



CONTINUOUS FOOTREST
The optional continuous footrest cover provides an easily cleanable surface. It also provides additional safety when in the upright position. Seat and cover can be replaced if worn or degraded. See pricing pages for upcharges.



FOOT TRAY
This option provides a concealed, pull-out tray to assist patients with ingress and egress. It features a non-slip tread and dedicated casters that prevent tipping when standing on the tray.

JORDAN | SLEEP RECLINER

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Upholstered Arm, with legs										
JOR8-SRUPH24	Beech	4438	4634	4825	5099	5410	5682	5995	6382	6771
(no push bar)	Maple	4463	4657	4851	5126	5436	5708	6020	6409	6797
 Upholstered Arm, with casters										
JOR8-SRUPH13	n/a	4555	4751	4944	5216	5526	5801	6113	6499	6891
JOR8-SRUPH14 (no push bar)	n/a	4528	4723	4917	5190	5502	5772	6083	6472	6863
 Upholstered Arm with Urethane Cap, and legs										
JOR8-SRUUR24	Beech	4542	4736	4928	5201	5514	5785	6098	6486	6873
(no push bar)	Maple	4567	4759	4953	5229	5540	5812	6122	6513	6901
 Upholstered Arm with Urethane Cap, and casters										
JOR8-SRUUR13	n/a	4659	4854	5047	5319	5630	5904	6214	6603	6995
JOR8-SRUUR14 (no push bar)	n/a	4632	4825	5019	5293	5605	5875	6187	6576	6965

ORDERING NOTES: All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging. **Note:** For Solid Surface option replace UPH arm type with "USS" in the model number and add the upcharge below.

Jordan Sleep Recliner Option Upcharges	**$ List**
Removeable Back Cover	135
Removable Seat Cover	123
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Moisture Barrier (per yard)	67
Patient Transfer Arm	978
Thermal Comfort	973
Flip Up Tablet	436
Swing Away Tablet	480
Foley Catheter Hook	225
IV Pole & Holder	399
Foot Tray	585
Central Caster Locking System	1127
Floor-saver Felt Glides	30
Non-slip Rubber Glides	18
Floor-saver nylon	38
Plastic Glides	8

	$ List
Non Powered -Trendelenburg	1004
Power Control -Trendelenburg -Corded	1636
Power Control -Trendelenburg - Battery	2003
Power Control -Corded	1166
Power Control -Battery	1534
Replacement Battery	651
Fall Management Sensor	1421
Patient Vitals Sensor	1683
Solid Surface Arm Cap (per pair) - Gr A White	542
Solid Surface Arm Cap (per pair) - Gr A Color	553
Solid Surface Arm Cap (per pair) - Gr B	575
Solid Surface Arm Cap (per pair) - Gr C	605

Note: For Solid Surface option replace UPH arm type with "USS" in the model number and add the upcharge above.

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	Series	Chair Type	Arm Type	Base	Push Bar
JOR	8	SR	UPH	1	3
Jordan	Motion	Sleep Recliner	Upholstered Arm	Casters	Push Bar
		PSR	UUR	2	4
		Power Sleep Recliner	Upholstered Arm with Urethane Cap	Legs	No Push Bar
		SRT	USS	3	
		Sleep Recliner with Trendelenburg	Upholstered Arm Solid Surface Cap	Central Locking Casters	
		PSRT			
		Power Sleep Recliner with Trendelenburg			

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	LEATHER 7	8	9
										
Upholstered Left Pivot Arm with Urethane Cap, with legs (no push bar)										
JOR8-SRPUURLA14	Beech	5507	5701	5893	6166	6479	6750	7063	7451	7838
	Maple	5532	5724	5918	6194	6505	6777	7087	7478	7866
Upholstered Right Pivot Arm with Urethane Cap, with legs (no push bar)										
JOR8-SRPUURRA14	Beech	5507	5701	5893	6166	6479	6750	7063	7451	7838
	Maple	5532	5724	5918	6194	6505	6777	7087	7478	7866
										
Upholstered Left Pivot Arm with Urethane Cap, with casters										
JOR8-SRPUURLA13	n/a	5624	5819	6012	6284	6595	6869	7179	7568	7960
Upholstered Right Pivot Arm with Urethane Cap, with casters										
JOR8-SRPUURRA13	n/a	5624	5819	6012	6284	6595	6869	7179	7568	7960
Upholstered Left Pivot Arm with Urethane Cap, with casters (no push bar)										
JOR8-SRPUURLA14	n/a	5597	5790	5984	6258	6570	6840	7152	7541	7930
Upholstered Right Pivot Arm with Urethane Cap, with casters (no push bar)										
JOR8-SRPUURRA14	n/a	5597	5790	5984	6258	6570	6840	7152	7541	7930

ORDERING NOTES:
To specify **Dual Pivot** arms change the **"LA" to "DA"** and add **$965 list,** example JOR8-JOR8-SRPUUR**DA**13.
All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges	**$ List**
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Removable Seat Cover	123
Removeable Back Cover	135
Moisture Barrier (per yard)	67
Thermal Comfort	973
Foley Hook	225
IV Pole & Holder	399
Flip Up Tablet	436
Swing Away Tablet	480
Central Caster Locking System	1127
Floor-saver Felt Glides	30
Non-slip Rubber Glides	18
Floor-saver Nylon Glides	38
Plastic Glides	8

	$ List
Non Powered -Trendelenburg	331
Power Control -Trendelenburg -Corded	1257
Power Control -Trendelenburg - Battery	1625
Power Control -Corded	859
Power Control -Battery	1227
Replacement Battery	651
Fall Management Sensor	1421
Patient Vitals Sensor	1683
Solid Surface Arm Cap (per pair) - Gr A White	542
Solid Surface Arm Cap (per pair) - Gr A Color	553
Solid Surface Arm Cap (per pair) - Gr B	575
Solid Surface Arm Cap (per pair) - Gr C	605

Note: For Solid Surface option replace UUR arm type with "USS" in the model number and add the upcharge above.

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Pivot**	**Base**	**Push Bar**
JOR Jordan	8 Motion	SRP Sleep Recliner with Pivot Arm	UUR Upholstered Arm with Urethane Cap	LA Left Pivot Arm	1 Casters	3 Push Bar
		PSRP Power Sleep Recliner with Pivot Arm	USS Upholstered Arm with Solid Surface Cap	RA Right Pivot Arm	2 Wood Legs	4 No Push Bar
		SRT Sleep Recliner with Pivot Arm & Trendelenburg		DA Dual Pivot Arm	3 Central Locking Casters	
		PSRT Power Sleep Recliner with Pivot Arm & Trendelenburg				

JORDAN | SLEEP RECLINER

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Full Urethane Arm, with legs										
JOR8-SRFUR24 (no push bar)	Beech	4565	4759	4951	5225	5537	5808	6121	6510	6891
	Maple	4590	4782	4977	5252	5563	5835	6145	6536	6924
 Full Urethane Arm, with casters										
JOR8-SRFUR14 (no push bar)	n/a	4655	4848	5042	5316	5629	5898	6210	6599	6989
JOR8-SRFUR13	n/a	4683	4877	5071	5342	5653	5927	6238	6626	7018
 Wood Arm, with legs										
JOR8-SRWOD24 (no push bar)	Beech	4674	4869	5062	5336	5646	5918	6231	6619	7006
	Maple	4762	4958	5150	5424	5735	6007	6319	6707	7094
 Wood Arm, with casters										
JOR8-SRWOD14 (no push bar)	Beech	4764	4959	5152	5426	5738	6009	6321	6708	7100
	Maple	4790	4985	5177	5451	5764	6034	6346	6733	7125
JOR8-SRWOD13	Beech	4793	4987	5179	5452	5762	6036	6348	6736	7127
	Maple	4818	5012	5205	5477	5788	6061	6374	6762	7153

Jordan Sleep Recliner Option Upcharges	**$ List**
Removeable Back Cover	135
Removable Seat Cover	123
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Moisture Barrier (per yard)	67
Patient Transfer Arm	978
Thermal Comfort	973
Flip Up Tablet	436
Swing Away Tablet	480
Foley Catheter Hook	225
IV Pole & Holder	399
Foot Tray	585
Floor-saver Felt Glides	30
Non-slip Rubber Glides	18
Floor-saver nylon	38
Plastic Glides	8

	$ List
Central Caster Locking System	1127
Non Powered -Trendelenburg	1004
Power Control -Trendelenburg -Corded	1636
Power Control -Trendelenburg - Battery	2003
Power Control -Corded	1166
Power Control -Battery	1534
Replacement Battery	651
Fall Management Sensor	1421
Patient Vitals Sensor	1683
Solid Surface Arm Cap (per pair) - Gr A White	542
Solid Surface Arm Cap (per pair) - Gr A Color	553
Solid Surface Arm Cap (per pair) - Gr B	575
Solid Surface Arm Cap (per pair) - Gr C	605

Note: For Solid Surface option replace WOD arm type with “SSC” in the model number and add the upcharge above.

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Style**	**Push Bar**
JOR	8	SR	FUR	1	3
Jordan	Motion	Sleep Recliner	Full Urethane	Casters	Push Bar
		PSR	WOD	2	4
		Power Sleep Recliner	Wood Arm	Legs	No Push Bar
		SRT	SSC	3	
		Sleep Recliner with Trendelenburg	Wood Arm with Solid Surface Cap	Central Locking Casters	
		PSRT			
		Power Sleep Recliner with Trendelenburg			

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	LEATHER 7	8	9
										
Wood Arm with Urethane Cap, with legs										
JOR8-SRURE24	Beech	4810	5006	5197	5471	5782	6054	6367	6754	7142
(no push bar)	Maple	4898	5094	5285	5559	5870	6142	6454	6842	7230
										
Wood Arm with Urethane Cap, with casters										
JOR8-SRURE14	Beech	4927	5122	5316	5588	5897	6171	6484	6871	7262
(no push bar)	Maple	4953	5148	5341	5613	5923	6198	6510	6896	7288
JOR8-SRURE13	Beech	4945	5141	5332	5607	5917	6189	6501	6890	7278
	Maple	5033	5229	5421	5695	6006	6277	6589	6978	7366
										
Cushioned Armrest, with legs										
JOR8-SRINF24	Beech	4809	5005	5196	5470	5781	6053	6366	6753	7141
(no push bar)	Maple	4834	5028	5220	5496	5807	6079	6390	6779	7168
										
Cushioned Armrest, with casters										
JOR8-SRINF14 (no push bar)		4899	5094	5286	5560	5872	6143	6454	6842	7234
JOR8-SRINF13		4926	5121	5315	5587	5896	6170	6483	6870	7261

ORDERING NOTES: All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Sleep Recliner Option Upcharges	**$ List**		**$ List**
Removeable Back Cover	135	Non Powered -Trendelenburg	1004
Removable Seat Cover	123	Power Control -Trendelenburg -Corded	1636
Combination Upholstery Option - 2 fabrics	34	Power Control -Trendelenburg - Battery	2003
Combination Upholstery Option - 3 fabrics	67	Power Control -Corded	1166
Moisture Barrier (per yard)	67	Power Control -Battery	1534
Patient Transfer Arm	978	Replacement Battery	651
Thermal Comfort	973	Fall Management Sensor	1421
Flip Up Tablet	436	Patient Vitals Sensor	1683
Swing Away Tablet	480		
Foley Catheter Hook	225	Floor-saver Felt Glides	30
IV Pole & Holder	399	Non-slip Rubber Glides	18
Foot Tray	585	Floor-saver nylon	38
Central Caster Locking System	1127	Plastic Glides	8

COORDINATING CUSHIONED ARM OPTION - please add the following up charges for Cushioned Arm in coordinating fabric.

Fabric Grades	1	2	3	4	5	6	7	8	9
2 ARMS	23	49	73	127	179	231	282	334	438

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	Series	Chair Type	Arm Type	Style	Push Bar
JOR	8	SR	URE	1	3
Jordan	Motion	Sleep Recliner	Wood Arm with Urethane Cap	Casters	Push Bar
		PSR		2	4
		Power Sleep Recliner	INF	Legs	No Push Bar
		SRT	Cushioned Armrest	3	
		Sleep Recliner with Trendelenburg		Central Locking Casters	
		PSRT			
		Power Sleep Recliner with Trendelenburg			

JORDAN | RECLINER PLUS

DIMENSIONS

	Overall Width with 3-Position Mechanism	Overall Width with 3-Position Mechanism with Trendelenburg	Overall Width with Cushioned Armrest	Overall Width with Accessories	Overall Depth	Overall Depth when Reclined	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
Recliner Plus	39	-	41.5	44	35	72	45.5	19.5	28.25	28.75	20	202	36

COM REQUIREMENTS

		COM Yardage Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	COM Yardage Footrest Upholstered Pad Only	Cushioned Armrest Only	COM Yardage Seat Only	COM Yardage Continuous Footrest
Recliner	One Chair	6	1.0	2.5	2.8	0.6	.75	0.9	1.06
	Two Chairs	12	2.0	5	5.6	1.2	1.5	1.8	2.12
	Three Chairs	18	3.0	7.5	8.4	1.8	2.25	2.7	3.18
	Four Chairs	24	4.0	10	11.2	2.4	3	3.6	4.24

WEIGHT CAPACITIES : Recliner Plus Weight Rating 750 lbs. Meets or Exceeds ANSI/BIFMA X5.41



ENHANCED CUSHIONING
The Jordan Recliners have been upgraded with a softer seat, a more pronounced headrest, and contoured back shaping for improved support. These enhancements, along with the addition of dual-density foam, make these recliners the leader in patient comfort.



ARM OPTIONS
Arms are available in wood, wood with urethane arm cap, wood with solid surface arm cap or full urethane. The urethane provides enhanced durability and protection for the arms and is available in three color options; Black, Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded.



HIGH DURABILITY MECHANISM
Jordan Recliner Plus mechanisms are designed for high-traffic, intensive use in care-giving environments. They are built with high-strength steel, and include Delrin™ wear pads between moving components for added smoothness and longevity.



JORDAN RECLINER PLUS MECHANISM
This mechanism provides Infinitely Adjustable positions: Position A - Seated with feet on the floor, footrest in down (closed) position. Seat-back angle is 102 degrees. Position B - Footrest is fully extended, without compromising the upright position of the back. The seat-back angle remains at 102 degrees. Position C - is the range of infinite adjustability from the seated position of 102 degrees back angle to the fully reclined position at 133 degrees. The Infinitely Adjustable Back angle can be locked in any position with the back adjustment lever that goes to a maximum of 133 degrees when fully extended.



MECHANISM WITH TRENDELENBURG
This mechanism provides the same positions described above, as well as the additional Trendelenburg position: full recline with footrest fully extended, seat-back angle remains at 125 degrees, but the back is now 65 degrees from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the recliner.



BACK ADJUSTMENT LEVER
The Jordan Recliner Plus comes with the back adjustment lever which creates an infinite number of back adjustments within the chair. The back adjustment lever comes in a black plastic finish on the caregiver side. The standard position when ordering is left hand based on a position facing, the unit, unless specified otherwise.



FOOTREST LEVER
Jordan Recliner Plus comes with the footrest lever, which extends and closes the built-in footrest. The footrest lever comes in a powder-coated finish to match the casters. The standard position when ordering is a left hand position based on facing the unit, unless specified otherwise.



LEGS
Jordan Recliners are available with wood legs - in either Beech or Maple. Jordan recliner legs feature metal glides. Floor-saver felt glides, non-slip rubber glides, Floor-saver Nylon glides and plastic glides are also available, see pricing pages for upcharges.



CASTERS
The standard caster is 4" in diameter, soft-wheel, full swivel, with a lock that in a single action locks both the swivel and rotation of the caster. The Central Locking caster has the same features, with a hooded design.



CENTRAL CASTER LOCKING SYSTEM
Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The color-coded external foot pedal indicates Red for the locked position (when lowered) and Green for the unlocked position (when unlowered). The standard position for the foot pedal is located at the rear outside of the left (facing) arm panel. It can optionally be located at the front outside of the arm panel (either side) or at rear of right (facing) arm panel. Central locking casters are 4”diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option, note the requested position, and include the upcharge - see pricing pages for upcharge info.



PUSH BAR
This is a standard feature on the Jordan recliner when ordered with casters. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, and reduce back strain on the caregiver.



CUSHIONED ARMREST
The Cushioned Armrest was designed to maximize patient comfort during infusion treatments. The extra padded and wider arms provide comfort and support over long periods of time. Arms can be ordered in Krug standard healthcare rated grey vinyl or in coordinating textiles.



PATIENT TRANSFER ARM
The Patient Transfer Arm is designed to fold down where the arm is level with the chair seat. This design allows the caregiver to easily transport patients from the chair to bed. The arm is folded down by accessing the adjustment lever at the side of the chair. The Patient Transfer Arm is specified in a right or left handed position based on facing the unit. Please note, the Patient Transfer Arm cannot be located on the same side as IV Poles or the footrest lever or tablets.



PIVOT PATIENT TRANSFER ARM
The Pivot Patient Transfer Arms feature a polymer arm cap, with the option of solid surface, and are designed to fold up where the arm is in line with the back of the chair. This design allows the caregiver to move the patient from the recliner to a bed, or other transport. Available on the left, right (facing) or dual arms.

JORDAN | RECLINER PLUS FEATURES & OPTIONS



POWER CONTROL
Optional motorized recline is available on the Jordan Recliner. Plus. The motorized power features independent back and ottoman control. The control location is standard on the inside left (facing) of the arm, alternately can be specified on the right if required, must be clearly noted on the purchase order. Power can also be specified with a lithium battery pack able to run 200 cycles on a full charge.



THERMAL COMFORT
Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is an option available on all Jordan Recliners, and features a hand-held controller located on the inside arm of the recliner (please specify right hand side or left hand side -facing). It provides two heat zones: one in the seat and one in the back. Back and seat zones can be controlled independently, to one of two heat settings. Controls are conveniently placed for the user to access and include a safety time-out feature after 30 minutes. Access to a 110/120 volt, 15 amp(min) electrical outlet is required.



SWING AWAY TABLET
The Swing Away Tablet (24” x 14 3/4” x 3/4”) is designed to be easily operated by the caregiver or user. The Break Away design allows for the tablet to be easily pushed away from the user in an emergency to gain quick access to the patient. The tablet has the ability to slide up and fold over and rotates 180 degrees. The kidney-shaped design is ideal for use as an eating, writing or work surface. The Footrest activation lever is specified either left or right handed based on a position facing the unit and opposite to where the tablet appears.



FLIP UP TABLET
The tablet's size is 18" x 14" x 3/4", and it can be located on either side of the recliner (must be specified if being ordered with the recliner). It is available in Beech and Maple Veneer, as well as Plastic Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Please specify whether a right-handed or left-handed position is needed when ordering. Tablet must be mounted on the opposite side when a Patient Transfer Arm is ordered.



IV POLE & HOLDER
The Jordan IV Pole is height adjustable (in a range of 27"), and can be added in the field. It can be located in any of four locations (left or right, front or back) -if ordered with the recliner, the location must be specified at time of order.



FOLEY HOOK
This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard.



FALL MANAGEMENT SENSOR
Through a sensor installed in the seat cushion of any Krug recliner, an alert is transmitted directly to the nurse station instantly, through the nurse call system, and audibly through the monitor mounted on the recliner, when a patient deemed a fall risk exits the chair without help from a caregiver- enabling staff to quickly intervene and prevent a potential fall from occurring. Not available with Thermal Comfort option.



PATIENT VITALS SENSOR
A wireless patient monitoring innovation, with state-of-the-art integrated patient monitoring technology. Through an imperceptible sensor installed in the back of the chair, critical data, including heart rate and respiratory rate, are tracked, trended and wirelessly transmitted to the care team, enabling quick intervention if a patient is deteriorating. Not available with Thermal Comfort option.



COMBINATION UPHOLSTERY OPTIONS
When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **$34 list** per unit and **$67 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).



REMOVABLE COVERS
Jordan Recliner Plus chairs are available with removable seat and back covers. Removable seat and back covers can be quickly installed on Jordan products that were originally ordered with the Removable cover option. Removable seat and back covers can also be installed on Jordan products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs.



CONTINUOUS FOOTREST
The optional continuous footrest cover provides an easily cleanable surface. It also provides additional safety when in the upright position. Seat and cover can be replaced if worn or degraded. See pricing pages for upcharges.



FOOT TRAY
This option provides a concealed, pull-out tray to assist patients with ingress and egress. It features a non-slip tread and dedicated casters that prevent tipping when standing on the tray.

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Upholstered Arm, with legs										
JOR8-BSRUPH2	Beech	5400	5660	5917	6277	6692	7052	7465	7985	8500
(no push bar)	Maple	5426	5684	5941	6303	6716	7079	7490	8008	8524
Note: For Solid Surface option replace UPH arm type with "USS" in the model number and add the upcharge below.										
 Upholstered Arm, with casters										
JOR8-BSRUPH1	n/a	5610	5867	6125	6489	6901	7260	7675	8192	8707
Note: For Solid Surface option replace UPH arm type with "USS" in the model number and add the upcharge below.										
 Upholstered Arm with Urethane Cap, with legs										
JOR8-BSRUUR2	Beech	5503	5764	6021	6380	6795	7156	7568	8088	8603
(no push bar)	Maple	5528	5788	6045	6406	6819	7182	7594	8111	8627
 Upholstered Arm with Urethane Cap, with casters										
JOR8-BSRUUR1	n/a	5713	5969	6229	6590	7003	7364	7778	8296	8810

ORDERING NOTES: All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Plus Option Upcharges	**$ List**		**$ List**
Moisture Barrier (per yard)	67	Non Powered -Trendelenburg	1004
Removable Plus Seat Cover	143	Power Control -Trendelenburg -Corded	1636
Removeable Plus Back Cover	189	Power Control -Trendelenburg - Battery	2003
Swing Away Tablet	480	Power Control -Corded	1166
IV Pole & Holder	399	Power Control -Battery	1534
Flip Up Tablet	436	Replacement Battery	651
Foley Catheter Hook	225	Floor-saver Felt Glides	30
Thermal Comfort	973	Non-slip Rubber Glides	18
Patient Transfer Arm	978	Floor-saver Nylon	38
Central Caster Locking System	1127	Plastic Glides	8
Combination Upholstery Option - 2 fabrics	34	Foot Tray	585
Combination Upholstery Option - 3 fabrics	67	Solid Surface Arm Cap (per pair) - Gr A White	542
Fall Management Sensor	1421	Solid Surface Arm Cap (per pair) - Gr A Color	553
Patient Vitals Sensor	1683	Solid Surface Arm Cap (per pair) - Gr B	575
		Solid Surface Arm Cap (per pair) - Gr C	605

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Style**
JOR	8	BSR	UPH	1
Jordan	Motion	Recliner Plus	Upholstered Arm	Casters
		PBSR	UUR	2
		Power Recliner Plus	Upholstered Arm with Urethane Cap	Legs
		BSRT	USS	3
		Recliner Plus with Trendelenburg	Upholstered Arm Solid Surface Cap	Central Locking Casters
		PBSRT		
		Power Recliner Plus with Trendelenburg		

JORDAN | RECLINER PLUS

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
										
Left Pivot Arm with Urethane Cap , 3-Position Mechanism, with legs										
JOR8-RCUUR12	Beech	6468	6729	6986	7345	7760	8121	8533	9053	9568
(no push bar)	Maple	6493	6753	7010	7371	7784	8147	8559	9076	9592
Right Pivot Arm with Urethane Cap , 3-Position Mechanism, with legs										
JOR8-RCUUR12	Beech	6468	6729	6986	7345	7760	8121	8533	9053	9568
(no push bar)	Maple	6493	6753	7010	7371	7784	8147	8559	9076	9592
										
Left Pivot Arm with Urethane Cap, 3-Position Mechanism, with casters										
JOR8-RCUSS11	n/a	6678	6934	7194	7555	7968	8329	8743	9261	9775
Right Pivot Arm with Urethane Cap, 3-Position Mechanism, with casters										
JOR8-RCUSS11	n/a	6678	6934	7194	7555	7968	8329	8743	9261	9775

ORDERING NOTES:
All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges	**$ List**
Removable Seat Cover	123
Removeable Back Cover	135
Moisture Barrier (per yard)	67
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Thermal Comfort	973
Foley Hook	225
IV Pole & Holder	399
Flip Up Tablet	436
Swing Away Tablet	480
Central Caster Locking System	1127
Floor-saver Felt Glides	30
Non-slip Rubber Glides	18
Floor-saver Nylon Glides	38
Plastic Glides	8

	$ List
Non Powered -Trendelenburg	331
Power Control -Trendelenburg -Corded	1257
Power Control -Trendelenburg - Battery	1625
Power Control -Corded	859
Power Control -Battery	1227
Replacement Battery	651
Fall Management Sensor	1421
Patient Vitals Sensor	1683
Solid Surface Arm Cap (per pair) - Gr A White	542
Solid Surface Arm Cap (per pair) - Gr A Color	553
Solid Surface Arm Cap (per pair) - Gr B	575
Solid Surface Arm Cap (per pair) - Gr C	605

Note: For Solid Surface option replace UUR arm type with “USS” in the model number and add the upcharge above.

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
$ List	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Pivot**	**Mechanism**	**Base Style**
JOR Jordan	8 Motion	BSRP Recliner with Pivot Arm	UUR Upholstered Arm with Urethane Cap	LA Left Pivot Arm	1 3-Position Mechanism	1 Casters
		PBSRP Power Recliner with Pivot Arm	USS Upholstered Arm with Solid Surface Cap	RA Right Pivot Arm	2 3-Position with Trendelenburg Mechanism	2 Wood Legs
				DA Dual Pivot Arm		3 Central Locking Casters

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Full Urethane Arm, with legs JOR8-BSRFUR2 (no push bar)	Beech Maple	5526 5551	5787 5811	6044 6069	6403 6429	6818 6842	7179 7205	7591 7617	8111 8134	8626 8650
 Full Urethane Arm, with casters JOR8-BSRFUR1	n/a	5736	5992	6252	6615	7026	7387	7801	8319	8833
 Wood Arm, with legs JOR8-BSRWOD2 (no push bar)	Beech Maple	5636 5724	5896 5985	6154 6242	6514 6602	6928 7017	7289 7377	7701 7789	8221 8308	8737 8825
 Wood Arm, with casters JOR8-BSRWOD1	Beech Maple	5846 5871	6102 6127	6361 6387	6725 6750	7136 7162	7497 7522	7910 7935	8429 8454	8943 8969

ORDERING NOTES: All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Plus Option Upcharges	**$ List**
Moisture Barrier (per yard)	67
Removable Plus Seat Cover	143
Removeable Plus Back Cover	189
Swing Away Tablet	480
IV Pole & Holder	399
Flip Up Tablet	436
Foley Catheter Hook	225
Thermal Comfort	973
Patient Transfer Arm	978
Central Caster Locking System	1127
Combination Upholstery Option - 2 fabrics	34
Combination Upholstery Option - 3 fabrics	67
Foot Tray	585

	$ List
Non Powered -Trendelenburg	1004
Power Control -Trendelenburg -Corded	1636
Power Control -Trendelenburg - Battery	2003
Power Control -Corded	1166
Power Control -Battery	1534
Replacement Battery	651
Fall Management Sensor	1421
Patient Vitals Sensor	1683
Solid Surface Arm Cap (per pair) - Gr A White	542
Solid Surface Arm Cap (per pair) - Gr A Color	553
Solid Surface Arm Cap (per pair) - Gr B	575
Solid Surface Arm Cap (per pair) - Gr C	605

Note: For Solid Surface option replace WOD arm type with “SSC” in the model number and add the upcharge above.

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
List $	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
List $	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Style**
JOR Jordan	8 Motion	BSR Recliner Plus	FUR Full Urethane	1 Casters
		PBSR Power Recliner Plus	WOD Wood Arm	2 Legs
		BSRT Recliner Plus with Trendelenburg	SSC Wood Arm with Solid Surface Cap	3 Central Locking Casters
		PBSRT Power Recliner Plus with Trendelenburg		

JORDAN | RECLINER PLUS

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 Wood Arm with Urethane Cap, with legs										
JOR8-BSRURE2	Beech	5771	6032	6289	6649	7064	7424	7837	8358	8872
(no push bar)	Maple	5860	6120	6377	6737	7151	7512	7925	8445	8960
 Wood Arm with Urethane Cap, with casters										
JOR8-BSRURE1	Beech	5981	6238	6497	6860	7272	7632	8046	8563	9079
	Maple	6007	6264	6522	6885	7298	7657	8072	8590	9104
 Cushioned Armrest, with legs										
JOR8-BSRINF2	Beech	5770	6031	6288	6648	7063	7423	7836	8354	8871
(no push bar)	Maple	5796	6055	6312	6673	7087	7448	7861	8379	8895
 Cushioned Armrest, with casters										
JOR8-BSRINF1		5980	6237	6496	6859	7271	7631	8045	8562	9078

ORDERING NOTES: All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Plus Option Upcharges	**$ List**		$ List
Moisture Barrier (per yard)	67	Non Powered -Trendelenburg	1004
Removable Plus Seat Cover	143	Power Control -Trendelenburg -Corded	1636
Removeable Plus Back Cover	189	Power Control -Trendelenburg - Battery	2003
Swing Away Tablet	480	Power Control -Corded	1166
IV Pole & Holder	399	Power Control -Battery	1534
Flip Up Tablet	436	Replacement Battery	651
Foley Catheter Hook	225	Fall Management Sensor	1421
Thermal Comfort	973	Patient Vitals Sensor	1683
Patient Transfer Arm	978	Floor-saver Felt Glides	30
Central Caster Locking System	1127	Non-slip Rubber Glides	18
Combination Upholstery Option - 2 fabrics	34	Floor-saver Nylon	38
Combination Upholstery Option - 3 fabrics	67	Plastic Glides	8
Foot Tray	585		

COORDINATING CUSHIONED ARM OPTION - please add the following up charges for Cushioned Arm in coordinating fabric.

Fabric Grades	1	2	3	4	5	6	7	8	9
2 ARMS	23	49	73	127	179	231	282	334	438

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
List $	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
List $	366	392	417	443	475	507	545	584	632

PRODUCT CODE KEY

Line	**Series**	**Chair Type**	**Arm Type**	**Style**
JOR	8	BSR	URE	1
Jordan	Motion	Recliner Plus	Wood Arm with Urethane Cap	Casters
		PBSR	INF	2
		Power Recliner Plus	Cushioned Armrest	Legs
		BSRT		3
		Recliner Plus with Trendelenburg		Central Locking Casters
		PBSRT		
		Power Recliner Plus with Trendelenburg		

JORDAN | RECLINER ACCESSORIES & REPLACEMENT COMPONENTS

DESCRIPTION/MODEL		Price	Shipping Weight	Cubes
	IV Pole JOR8-RCRIP	305	3.8	1.4
	IV Pole Holder JOR8-RCRIPB	92	2	0.2
	Flip Up Tablet with brackets JOR8-RCRTK (wood or laminate)	436	6.6	1.6
	Flip Up Tablet 18”w x 14”d x .75”h JOR8-RCRT (wood or laminate)	350	5.8	1.4
	Flip Up Tablet Bracket JOR8-RCRTH	124	0.8	0.2
	Swing Away Tablet with Mechanism 24”w x 14.75”d x .75”h JOR8-SRST (wood or laminate)	480	20	1.2
	Swing Away Tablet Only JOR8-SRRT (wood or laminate)	249	7	0.8
	Swing Away Tablet Mechanism Only JOR8-SRRTH	316	13	1
	Push Bar JOR8-SRRPB	215	2	0.3
	Replacement Foley Catheter Hook JOR8-RHK	225	1	0.2
	Locking Rubber Wheel Caster JOR8-RCRCASRL -Back Left	99	2	0.2
	JOR8-RCRCASRR -Back Right JOR8-RCRCASFL -Front JOR8-RCRCASFR -Front	49	2	0.2
	Recliner Foot Tray JOR8-RRFT	474	2.8	15
	Sleep Recliner Foot Tray JOR8-SRRFT	585	2.8	15

JORDAN GLIDER | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 9.0%

POST-CONSUMER
RECYCLED CONTENT = 10.5%

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION

level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS
All Jordan products are supplied with air-emissions certified. Contact customer service for information.

FSC®
In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN | GLIDER - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Seat
21" Seat	25	28	43.5	18.5	26	20.5	20	126	17	0.9
24" Seat	28	28	43.5	18.5	26	23.5	20	131	22	0.9

COM REQUIREMENTS

	COM Yardage Complete Unit	Yardage Per Chair - Complete Unit	COM Yardage Back Only	Yardage Per Chair - Back Only	COM Yardage Seat Only	Yardage Per Chair - Seat Only	COM Yardage Inner Arm Panels (Pair)	Yardage Per Chair Inner Arm Panels (Pair)
One Chair	4.6	4.6	1.97	1.97	0.9	0.9	0.5	0.5
Two Chairs	9.2	4.6	3	1.5	1.3	0.63	1	0.5
Three Chairs	13.8	4.6	4	1.33	2.37	0.79	1.5	0.5
Four Chairs	18.4	4.6	6	1.5	2.6	0.65	2	0.5

COM REQUIREMENTS (Continued)

	COM Yardage Outer Arm Panels (Pair)	Yardage Per Chair Outer Arm Panels (Pair)	COM Yardage Front Recessed Kickplate Only	Yardage Per Chair - Front Recessed Kickplate Only	COM Yardage Back Kickplate Only	Yardage Per Chair Back Kickplate Only
One Chair	1.7	1.7	0.5	0.5	0.3	0.3
Two Chairs	3.4	1.7	1	0.5	0.6	0.3
Three Chairs	5.1	1.7	1.5	0.5	0.9	0.3
Four Chairs	6.8	1.7	2	0.5	1.2	0.3

Note: Some vinyls, leathers & upholsteries are not suitable for application on Jordan seating.
The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order. For Maharam or Momentum, Krug will obtain the upholstery cover sample.

2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.

3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

CONTRASTING BACKS, SEATS, ARM PANELS, RECESSED FRONT PANEL & BACK PANEL

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **$34 list per unit and $67 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

GLIDER	SEAT	BACK	INNER ARM PANEL	OUTER ARM PANEL	RECESSED FRONT PANEL	BACK KICKPLATE
21” & 24”	0.9	1.9	0.5	1.7	0.5	0.3

WEIGHT CAPACITIES

Jordan weight capacities are as follows:
Jordan Glider - 350 lbs

JORDAN | GLIDER - FEATURES & OPTIONS



CLEAN OUT
Jordan Glider seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



STEEL SEAT FRAME
The structural seat frame is made from welded steel with a powder-coated finish that allows Jordan Glider to well exceed ANSI/BIFMA standards.

METAL-TO-METAL CONNECTIONS
Steel seat frames are joined to other components, in Jordan Glider products, with hardened steel bolts and inserts, ensuring exceptional durability and strength, and easy reconfigurability, as well as on-site replacement of damaged or degraded components.



HORIZONTAL MOTION
The Jordan glider is designed to move the patient in a smooth, flat arc that is gentle, soothing and safe. The position of the feet is maintained on the floor throughout the glider motion, rather than being raised up down in a rocking motion.



WALL SAVER DESIGN
The angle of the back and the rear legs are designed to keep the back away from the wall, in a locked position, to prevent wear and damage to both the chairs and to the walls of the facility.



ARM CAPS
The optional arm cap provides enhanced durability and protection for the arms. Available in Urethane or Solid Surface, either is field removable if it becomes damaged or degraded.



HEADREST
The headrest has a dual density foam for both comfort and support, and can be upholstered in matching or contrasting material. It is removable to allow for cleaning and replacement.



RECESSED FRONT PANEL
The Glider's front panel has an attractive arc that serves an important function: to provide safer ingress and egress by allowing the patient to get their feet underneath their weight. This is augmented by arms that have been designed as softly rounded handholds, to safely and comfortably support the weight of the patient while entering and exiting the chair.

TWO WIDTHS
21" and 24" widths are offered, allowing flexibility in accommodating patients of different sizes, and providing for the comfortable use of bolsters, pillows and other means of support for the patient.

MECHANISM
The mechanism is both replaceable in the field, and features a locking function so the glider can be used as a fixed chair.

FALL MANAGEMENT SENSOR
Through a sensor installed in the seat cushion of any Krug recliner, an alert is transmitted directly to the nurse station instantly, through the nurse call system, and audibly through the monitor mounted on the recliner, when a patient deemed a fall risk exits the chair without help from a caregiver- enabling staff to quickly intervene and prevent a potential fall from occurring. Not available with Thermal Comfort option.

PATIENT VITALS SENSOR
A wireless patient monitoring innovation, with state-of-the-art integrated patient monitoring technology. Through an imperceptible sensor installed in the back of the chair, critical data, including heart rate and respiratory rate, are tracked, trended and wirelessly transmitted to the care team, enabling quick intervention if a patient is deteriorating. Not available with Thermal Comfort option.

REMOVABLE UPHOLSTERY COVERS
The seat and back covers can be specified to be removable, allowing for cleaning and repair, or replacement.

REMOVABLE AND REPLACEABLE COMPONENTS
All of the components - the seat, back, the arms, the arm cap, and the mechanism can be removed for cleaning, and replaced if damaged. Replacement Parts can be viewed on line at www.krug.ca.

COMBINATION UPHOLSTERY OPTIONS
When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **$34 list** per unit and **$67 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

MOISTURE BARRIER & CAL 133
California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.
The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of $962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

DESCRIPTION/MODEL	COM 1	2	COL 3	FABRIC GRADES 4	5	6	7	LEATHER 8	9
 21” Fully Upholstered Arm JOR6-GLUPH21	2496	2635	2772	2913	3097	3280	3463	3688	3916
 21” Fully Upholstered Arm with Urethane Cap JOR6-GLUUR21	2692	2830	2967	3109	3292	3475	3658	3882	4110
 24” Fully Upholstered Arm JOR6-GLUPH24	2616	2758	2896	3034	3220	3403	3582	3810	4038
 24” Fully Upholstered Arm with Urethane Cap JOR6-GLUUR24	2810	2951	3091	3228	3413	3597	3777	4005	4231
 21" Adjustable Headrest JOR2-RHR21	343	394	425	454	483	515	542	573	615
 24" Adjustable Headrest JOR2-RHR24	376	431	466	500	534	567	598	631	676

Jordan Glider Option Upcharges	**$ List**
CAL 133 & Moisture Barrier (per yard)	67
Removable Seat Cover	94
Removable Back Cover	108
Combination Upholstery - dual fabrics	34
Combination Upholstery -Three fabrics	67
Fall Management Sensor	1421
Patient Vitals Sensor	1683

	$ List
Solid Surface Arm Cap (per pair) - Gr A White	542
Solid Surface Arm Cap (per pair) - Gr A Color	553
Solid Surface Arm Cap (per pair) - Gr B	575
Solid Surface Arm Cap (per pair) - Gr C	605

Note: For Solid Surface option replace UPH arm type with “USS” in the model number and add the upcharge above.

PRODUCT CODE KEY

Line	Series	Chair Type	Arm Type	Size
JOR Jordan	6 Motion	GL Glider	UPH Fully Upholstered	21
			UUR Fully Upholstered with Urethane Arm Cap	24
			USS Fully Upholstered with Solid Surface Arm Cap	

GENERAL INFORMATION

Terms and Conditions
Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information
Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177
Purchase Order Fax: 1.888.236.4783
Purchase Order E-mail: orders@krug.ca
Web: www.krug.ca E-mail: solutions@krug.ca
Customer Service Hours
Please note customer service hours are:
8:30 am to 5:00 pm est

Customer Satisfaction
It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments
Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation
Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a $367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing
Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges
Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty
Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:
• normal wear and tear occurring with the use of the product
• negligence, misuse, excessive use, alteration, improper cleaning or repair
• substitution or use of incorrect or unauthorized components or material
• handling or installation that is incorrect, or that causes damage or defect
• damage incurred by a freight carrier other than Krug
• wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
• properties of natural materials, including wood and leather
• exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)
Note, specific warranties for components and materials not manufactured by Krug:

Ascend Recliner Plus Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.
Juno and Trevisa Overbed Tables have a 2-year warranty.

Blanket Wrapping
Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging
Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:
(A) all shipments outside of the lower 48 states and Canada.
(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions
Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Freight Terms and Conditions
1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of $262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of $262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of $525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of $125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is $125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is $125/hour. Direct deliveries to site for large orders are possible, (must exceed $60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing
All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard.
Specific test results and documentation are available on request.

BIFMA INTERNATIONAL

Installation Support
For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Damaged Shipments
All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization
Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns
No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities
Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:
1) Dimensional customization of standard size products
2) Custom finishes
3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather
Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery
Professional upholstery cleaning is recommended.

Flammability Standards for Krug Textiles - Upholstery Program

- Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

Grade 1

ARLO


308 MIDNIGHT


306 PETROL


908 CHARCOAL


93 SEAL


601 PEARL


84 NUTMEG


62 OATMEAL


90 LIMESTONE

FRANKLIN


47 CAMEL


3009 MIDNIGHT


67 FAWN


97 CINDER


94 METAL


909 BLACK


9004 CHARCOAL


308 PETROL


108 ORCHID

COMRADE


309 MIDNIGHT


84 TEAK


63 LINEN


24 ALPINE


905 IRON


601 SNOW


57 MARIGOLD


31 DUCK EGG

FELICITY


601 IVORY


305 SKY


603 TAUPE


93 COAL


405 HENNA


64 PUTTY


62 FAWN


36 BLUEBERRY

Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY


25 CAPER


31 SKY


604 FLAX


901 CHAR


93 GRAY


34 SLATE


84 TEAK


98 NICKLE

YATES


84 BIRCH


44 CLAY


87 TAUPE


25 JUNIPER


305 INDIGO


109 CRANBERRY


803 TOAST


92 ZINC


91 SILVER


908 CHARCOAL

MCCOY


608 TUNDRA


601 CREME


908 CHARCOAL


62 COPPER


108 CORDOVAN


32 ROBIN'S EGG


94 MERCURY


84 BARK

ORIS


908 DOMINO


604 BARK


601 CREAM


306 DELFT


902 ZINC


305 MIDNIGHT


64 PUTTY


205 CHARTREUSE

KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ


205 SPEARMINT


61 OYSTER


306 CADET


104 MULBERRY


31 AEGEAN


9008 CHARCOAL


82 CLAY


304 CAPRI

LORENZO


306 INDIGO


24 ALPINE


64 LINEN


91 FLANNEL


32 MIST


601 CREAM


106 HENNA


604 STUCCO

BISCOTTI


302 CAPRI


45 SPICE


61 DESERT


91 GRANITE

INTRIGUE


601 OYSTER


27 OLIVE


4003 OCHRE


908 CHARCOAL


3009 MIDNIGHT


805 PECAN


608 STUCCO


605 STRAW

Krug Textiles - Faux Leather Program - Grade 2


White
FL3822


Cream
FL6003


Vanilla
FL0061


Parchment
FL0605


Sandstone
FL0608


Taupe
FL3948


Mocha
FL0808


Tan
FL0802


Chestnut
FL0087


Bisque
FL0805


Chocolate
FL8020


Black
FL9009


Earth
FL0084


Brick
FL0011


Wine
FL0108


Garnet
FL0017


Rust
FL0014


Citron
FL0054


Sprig
FL0205


Chinchilla
FL6009


Steel
FL0905


Grey
FL9003


Lagoon
FL0037


Pacific Blue
FL3003


Navy
FL3006


Plum
FL1009

Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.


Black
K13.1000


Stone
K13.3000


Sand
K13.5000


Espresso
K13.8000


Graphite
K13.4000


White
K13.9000

Krug Textiles - Cut fabric NET price per yard

Grade 1	$23
Grade 2	$35
Grade 3	$48

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)
COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.
COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.
When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.
Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.
Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover
Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).


Standard-Cut
"up the roll"


Non-Standard-Cut
across the roll "railroad"

COM/COL Shipping Procedures
For seating COM/COL upholstery covers, please send upholstery covers to:
Krug Inc.
111 Ahrens Street
Kitchener, Ontario
Canada N2H 4C2
Attention: RECEIVER
COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked
"**For Customs Clearance by Willson International Custom Brokers**".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.
Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than $1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier
California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.
The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of $962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage
To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.
- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation
To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

FABRIC	Plain	2"-14" Repeat	15"-19" Repeat	20"-27" Repeat	28"-36" Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades
To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples
If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards
- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin 117-Section E

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions
Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUGEXPRESS PROGRAM

PROGRAM DETAILS
KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to *KrugExpress* orders are not allowed under any circumstances.

Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING PROGRAM
Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time.

Please note that the CAL 133 option is not available on *KrugExpress.*

LAMINATE PROGRAM

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR
Hardrock Maple	Formica 86992-58
Dune	Tafisa T491CR
Copper	Tafisa T521CR
Shiraz Cherry	Tafisa T472CR
Park Avenue Walnut	Wilsonart 7984–38
Chocolate	Tafisa T498CR
Nutmeg	Tafisa T477CR
Nightfall	Pionite WX421

Textured Wood Grain Laminates	High Pressure Laminate Supplier
Gingerbread	Tafisa T556UR
Portobello	Tafisa T557UR
Ash	Tafisa T535AT
Willow	Tafisa T543AT
Solid Laminates	
Designer White	Wilsonart D354-60
Platinum	Tafisa T202CR
Earth	Tafisa T767CR
Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

GROUP GRADE A - WHITE

Glacier White

Cameo White

GROUP GRADE A - COLOR

Bisque



Linen

GROUP GRADE B

Antarctica



Savannah

GROUP GRADE C



Dove



Deep Night Sky

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech
Appalachian Cherry
American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry
Light Oak
Harvest Oak
Mahogany
Mellow Oak
Espresso
Cordovan Walnut
Natural Walnut
Regular Walnut
SilverGrey on Walnut
Dark Walnut
Clear Beech
Medium Anigre

Finishes on Maple
Clear Maple
Honey Maple
Wheat Maple

PALETTE
Palette finishes available for applicable products.
Black
White
Soft Green
Steel Blue
Slate

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes
Add 10% list to your order for special finishes, minimum upcharge is $630 list per finish per order. (For example, on all orders up to $6300 list, an upcharge of $630 will apply, on orders $6300 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3” by 3” must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes
Add 10% list per item if specifying dual finish.

Standard Wood Finishes
No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.









FSC
www.fsc.org
FSC® C021699
The mark of responsible forestry

All products are air emissions certified and are available as FSC® certified

krug HEALTHCARE

solutions@krug.ca | www.krug.ca | **1.888.578.KRUG**