
FAERON | BEHAVIORAL HEALTH Price and Specification Guide USA



krug HealthCare 🖗

FAERON BEHAVIORAL HEALTH | TABLE OF CONTENTS

FAERON | GUEST BACK

- 2 Faeron LEED Credit Summary
- 3 Faeron Features
- 4 Faeron Options
- 5 Faeron Dimensions & COM Requirements
- 6 Faeron Guest Pricing

FAERON | PATIENT BACK

- 10 Faeron LEED Credit Summary
- 11 Faeron Dimensions & COM Requirements
- 12 Faeron Patient Pricing

FAERON | MULTIPLE GUEST & PATIENT SEATING

- 15 Faeron Dimensions & COM Requirements Start, Center & End
- 16 Faeron Multiple Seating Start, Center & End Units Pricing

FAERON METAL | LOUNGE

- 28 Faeron LEED Credit Summary
- 29 Faeron Lounge Features & Options
- 31 Faeron Dimensions, COM Requirements & Option Upcharges
- 32 Faeron Lounge Pricing


GENERAL INFORMATION

- 38 Terms & Conditions
- 38 Warranty
- 40 KRUG Textiles Upholstery Fabrics
- 43 KRUG Textiles Leather & Faux Leather
- 44 Customer's Own Material (COM/COL)
- 44 CAL 133 & Moisture Barrier
- 45 Graded-In Upholstery Programs
- 45 KRUGEXPRESS Program
- 46 Wood Finishes
- 47 Metal Finishes
- 47 Urethane Color Options
- 47 Solid Surface Program

FAERON BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

Guest Seating



*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

FSC®

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FAERON BEHAVIORAL HEALTH | GUEST & PATIENT SEATING | FEATURES



FLEX BACK

The ergonomically designed back has been designed with a slight flexing action for enhanced comfort and ease of ingress and egress.

WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and the walls of the facility.

SECURED GLIDES


Faeron Metal Behavioral Health seating features tamperresistant glides to minimize risk of removal and weaponization.

UNDERSEAT SHIELD

Faeron Metal Behavioral Health guest and patient chairs feature a metal under seat shield that minimizes the risk of access to the upholstery staples. It also minimizes the ability to hide contraband under the seat. The vented shield is compatible with ganging brackets and is installed with tamper-resistant hardware.

LATEX-FREE

Krug products are made with latex-free materials, to help prevent allergic reaction.



POLYMER ARM

Faeron Metal Behavioral Health guest and patient chairs are standard with tamper-resistant polymer arms that are durable, comfortable, and long lasting. Available in black, grey and taupe.



SPRING SEAT CONSTRUCTION

Faeron Metal Behavioral Health guest and patient chairs are designed with spring seat construction and dual density foam for superior longevity, comfort and performance.



STEEL SEAT FRAME

Side frames, backs and seats are attached to a heavyduty steel frame with tamper-resistant hardware. These components are removable and field replaceable.



CLEAN OUT

Faeron Metal Behavioral Health guest and patient chairs feature a clean out space that supports infection control by enabling debris and fluid to fall to the floor for easy cleaning.



TAMPER-RESISTANT HARDWARE

Tamper-resistant hardware is utilized in the construction of all Faeron Metal Behavioral Health seating. The specific tools needed to remove components for maintenance or replacement are available for purchase from Krug.



INACCESSIBLE STAPLES

An inaccessible galvanized steel band with vinyl edges covers the staples on the back upholstery cover. It is installed with tamper-resistant hardware.

WEIGHT CAPACITIES

Tested to meet or exceed the BIFMA X5.4 Standard Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs

FAERON BEHAVIORAL HEALTH | OPTIONS



KINETIC BACK

The optional Kinetic Back provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It is available on any Faeron Guest chair back with the exception of the Plus sizes (30" and 44").



SOLID SURFACE ARM

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard Corian colors, and custom colors (at an upcharge). Arms are replaceable as a full side frame if they become damaged or degraded. Solid Surface not recommended for lower acuity environments.



WOOD ARM

Faeron Wood Arm caps are fastened to the side frames. Wood arms are solid Beech and available in standard and custom finishes. Arms can be replaced if they do become damaged or degraded.

CLOSED ARM PANEL

The side frames on Faeron Metal Behavioral Health guest and patient chairs can be enclosed to the center rail.



FULLY CLOSED ARM (SLEIGH BASE ONLY)

The side frames on Faeron Metal Behavioral Health guest and patient chairs can be fully enclosed to the base rail. This can be achieved with 2 panels showing the center rail or a single panel enclosing the center rail. This option is only available with the sled base.



FLOOR ANCHOR BRACKETS

For additional security, tamper- resistant anchor brackets are available to bolt the sled base to the floor. The hardware to attach the brackets to the floor is not included. This option is only available with the sled base.



SPRINGLESS SEATS

The springs in the seats can be replaced with an optional plywood seat pan and dual density foam.

SLED BASE

The sled base ties the front and back legs together with a steel rail. This option minimizes the risk of the chair being weaponized. Optional anchor brackets are available to bolt the base to the floor for additional security.

SUPPLEMENTAL WEIGHT

In place of the standard Underseat shield, an optional weighted black coated steel shield is available. The steel shield is designed to add enough weight for the product to be a minimum of 80 lbs. The shield is also designed to allow standard ganging hardware, seat ventilation and covers all access to the upholstery staples under the seat. The weighted shield is fastened with tamper-resistant hardware.

TAMPER-RESISTANT GANGING BRACKET

Faeron Metal Behavioral Health guest and patient chairs can be ganged together with a tamper-resistant powder coated metal bracket.

COMBINATION UPHOLSTERY

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

REMOVABLE COVERS

Faeron Metal chairs are available with removeable seat and back covers. Replacement covers can be quickly field installed on Faeron products that were originally ordered with the removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS

DIVILIAS					Height of	Width			
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	62	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	67	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	75	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	96	28

COM- YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel	COM Yardage Fully Closed Arm
21" & 24" - One Chair	1.6	0.9	1.4	0.96	3.20
30" - One Chair	2.3	0.9	1.4	0.96	3.20
44" - One Chair	2.9	1.5	1.6	0.96	3.20

ORDERING NOTES:

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron Metal seating.

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32** list per unit and **\$61** list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

DESCRIPTION/MODE	EL	COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	LEATHER 8	9
_	Open Polymer Arm, Silver N 2M-GBH21OPAS1	/letallic Le 1436	eg Base 1482	1528	1620	1712	1804	1897	1988	2171
	Open Polymer Arm, Brushe 2M-GBH21OPAN1	d Nickel 1642	Leg Base 1687	1734	1826	1917	2010	2103	2194	2377
	Closed Polymer Arm, Silver 2M-GBH21CPAS1	Metallic 1880	Leg Base 1949	2018	2157	2295	2431	2571	2708	2984
<i>/// ///</i> ///	Closed Polymer Arm, Brush 2M-GBH21CPAN1	ed Nicke 2086	l Leg Base 2155	2224	2363	2500	2637	2777	2914	3190
	Open Polymer Arm, Silver N 2M-GBH21OPAS2	/letallic S 1571	led Base 1616	1662	1755	1846	1938	2032	2122	2306
	Open Polymer Arm, Brushe 2M-GBH21OPAN2	d Nickel 3 1777	Sled Base 1822	1868	1960	2052	2144	2238	2328	2512
~	Closed Polymer Arm, Silver 2M-GBH21CPAS2	Metallic 2014	Sled Base 2084	2153	2291	2429	2565	2705	2843	3119
	Closed Polymer Arm, Brush 2M-GBH21CPAN2	ed Nicke 2220	l Sled Base 2289	2359	2497	2635	2771	2911	3048	3325
	Two Panel Fully Closed Poly 2M-GBH212PFPAS2	ymer Arm 2120	i, Silver Met 2229	tallic Sled 2339	l Base 2496	2667	2839	3029	3215	3519
	Two Panel Fully Closed Poly 2M-GBH212PFPAN2	ymer Arm 2326	, Brushed N 2435	Nickel Sle 2545	ed Base 2701	2873	3045	3235	3421	3725
5	Single Panel Fully Closed P 2M-GBH211PFPAS2	olymer A 2482	rm, Silver M 2644	letallic Sl 2807	ed Base 3017	3254	3492	3762	4027	4431
	Single Panel Fully Closed P 2M-GBH211PFPAN2	olymer A 2688	rm, Brusheo 2850	d Nickel S 3013	Sled Base 3222	3460	3698	3968	4233	4637

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	115	Supplemental Weight - 21"	390
Solid Surface Arm (per pair) - Gr A White	546	Supplemental Weight - 24"	321
Solid Surface Arm (per pair) - Gr A Color	570	Ganging Bracket	56
Solid Surface Arm (per pair) - Gr B	615	Combination Upholstery - Dual	32
Solid Surface Arm (per pair) - Gr C	646	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M Chair	GBH Guest Seating	21	O Open Arm	PA Polymer Arm	S Silver Metallic	1 Leg Base
			24	C Closed Arm	WA Wood Arm	N Brushed	2 Sled Base
			30 Tv	2PF vo Panel Fully Closed Arm	SA Solid Surface Arm	Nickel	
			44 Sin	1PF gle Panel Fully Closed Arm			

DESCRIPTION	/MODEL	COM 1	2	COL 3	FABI 4	RIC GRA 5	DES 6	7	LEATHER 8	9
	24" Open Polymer Arm, Silver I FAE2M-GBH24OPAS1	Vetallic L 1540	eg Base 1587	1633	1724	1818	1907	2000	2092	2275
PP	24" Open Polymer Arm, Brushe FAE2M-GBH24OPAN1	ed Nickel 1746	Leg Base 1792	1839	1930	2023	2113	2206	2298	2481
	24" Closed Polymer Arm, Silve FAE2M-GBH24CPAS1	r Metallic 1985	Leg Base 2053	2122	2260	2398	2536	2675	2812	3088
H	24" Closed Polymer Arm, Brus FAE2M-GBH24CPAN1	ned Nicke 2191	el Leg Base 2259	2328	2466	2603	2742	2881	3018	3294
	24" Open Polymer Arm, Silver I FAE2M-GBH24OPAS2	Vetallic S 1675	led Base 1721	1767	1859	1952	2041	2135	2226	2410
	24" Open Polymer Arm, Brushe FAE2M-GBH24OPAN2	ed Nickel 1881	Sled Base 1927	1973	2064	2158	2247	2341	2432	2616
	24" Closed Polymer Arm, Silve FAE2M-GBH24CPAS2	r Metallic 2119	Sled Base 2187	2257	2394	2532	2670	2809	2947	3223
	24" Closed Polymer Arm, Brush FAE2M-GBH24CPAN2	ned Nicke 2325	el Sled Base 2393	2463	2600	2738	2876	3015	3152	3429
	24" Two Panel Fully Closed Pol FAE2M-GBH242PFPAS2	ymer Arn 2224	n, Silver Me 2334	tallic Sleo 2444	d Base 2600	2773	2942	3132	3319	3623
	24" Two Panel Fully Closed Pol FAE2M-GBH242PFPAN2	ymer Arn 2430	n, Brushed I 2540	Nickel Slo 2650	ed Base 2805	2979	3148	3338	3525	3829
	24" Single Panel Fully Closed F FAE2M-GBH241PFPAS2	Polymer A 2586	rm, Silver N 2749	1etallic S 2912	led Base 3121	3360	3595	3865	4131	4535
	24" Single Panel Fully Closed F FAE2M-GBH241PFPAN2	Polymer A 2792	rm, Brushe 2955	d Nickel 3118	Sled Base 3326	3566	3801	4071	4337	4741

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the Arm Style selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	115	Supplemental Weight - 21"	390
Solid Surface Arm (per pair) - Gr A White	546	Supplemental Weight - 24"	321
Solid Surface Arm (per pair) - Gr A Color	570	Ganging Bracket	56
Solid Surface Arm (per pair) - Gr B	615	Combination Upholstery - Dual	32
Solid Surface Arm (per pair) - Gr C	646	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M Chair	GBH Guest Seating	21	O Open Arm	PA Polymer Arm	S Silver Metallic	1 Leg Base
			24	C Closed Arm	WA Wood Arm	N Brushed	2 Sled Base
			30	2PF Two Panel Fully Closed Arm	SA Solid Surface Arm	Nickel	
			44	1PF Gingle Panel Fully Closed Arm			

		COM		COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MOI	DEL	1	2	3	4	5	6	7	8	9
	30" Open Polymer Arm, S	ilver Meta	llic Leg Ba	se						
	FAE2M-GBH300PAS1	1780	1845	1913	2044	2176	2310	2441	2573	2839
	30" Open Polymer Arm, B		ckel Leg B	ase						
	FAE2M-GBH30OPAN1	1986	2051	2118	2250	2382	2515	2647	2779	3045
¢										
	30" Closed Polymer Arm,	Silver Met	allic Lea P	lase						
	FAE2M-GBH30CPAS1	2225	2313	2403	2581	2758	2937	3114	3294	3651
		LLLO	2010	2400	2001	2100	2001	0114	0204	0001
	30" Closed Polymer Arm,	Brushed N	lickel Leg	Base						
	FAE2M-GBH30CPAN1	2431	2519	2609	2787	2964	3142	3320	3499	3856
u u										
~	30" Open Polymer Arm, S									
	FAE2M-GBH30OPAS2	1915	1980	2047	2178	2311	2444	2575	2708	2973
	30" Open Polymer Arm, B	ruphod Ni	akal Slad I	2000						
	FAE2M-GBH30OPAN2	2121	2186	2253	2384	2516	2650	2781	2913	3179
	TALZIVI-ODI 15001 ANZ	2121	2100	2200	2304	2010	2000	2701	2913	5175
	30" Closed Polymer Arm,	Silver Met	allic Sled I	Base						
	FAE2M-GBH30CPAS2	2359	2447	2538	2715	2893	3071	3248	3428	3785
	30" Closed Polymer Arm,									
	FAE2M-GBH30CPAN2	2565	2653	2743	2921	3098	3277	3454	3634	3991
	30" Two Panel Fully Close	d Polymor	· Arm Silv	or Motallia	Sled Race	2				
	FAE2M-GBH302PFPAS2	2464	2593	2724	2919	3132	3345	3572	3801	4186
		2404	2000	2127	2010	0102	0040	0012	0001	4100
	30" Two Panel Fully Close	d Polvmer	⁻ Arm. Brus	shed Nicke	el Sled Bas	se				
	FAE2M-GBH302PFPAN2	2669	2799	2930	3125	3337	3551	3778	4006	4392
\square	30" Single Panel Fully Clo									
	FAE2M-GBH301PFPAS2	2826	3008	3192	3440	3719	3998	4305	4613	5098
	20" Cingle Denal Fully Ola	and Dalim			Ind Clark F	2000				
	30" Single Panel Fully Clo FAE2M-GBH301PFPAN2	sea Polym 3031	ier Arm, В 3214	rusned Nic 3398	скеї Sied E 3646	3924 3924	4204	4511	4818	5304
		3031	3214	3390	3040	3924	4204	4311	4010	5304

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the Arm Style selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Solid Surface Arm (per pair) - Gr A White	546	Supplemental Weight - 30"	172
Solid Surface Arm (per pair) - Gr A Color	570	Ganging Bracket	56
Solid Surface Arm (per pair) - Gr B	615	Combination Upholstery - Dual	32
Solid Surface Arm (per pair) - Gr C	646	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
2M	GBH	21	0	PA	S	1
Chair	Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		24	С	WA	Ν	2
			Closed Arm	Wood Arm	Brushed	Sled Base
		30	2PF	SA	Nickel	
		Tw	o Panel Fully Closed Arm	Solid Surface Arm		
		44	1PF			
			Chair Guest Seating 24 30 Tw 44	Chair Guest Seating Open Arm 24 C Closed Arm 30 2PF Two Panel Fully Closed Arm	Chair Guest Seating Open Arm Polymer Arm 24 C WA Closed Arm Wood Arm 30 2PF SA Two Panel Fully Closed Arm Solid Surface Arm 44 1PF	Chair Guest Seating Open Arm Polymer Arm Silver Metallic 24 C WA N Closed Arm Wood Arm Brushed 30 2PF SA Two Panel Fully Closed Arm Solid Surface Arm 44 1PF


		COM		COL	FAB	RIC GRA	DES		LEATHER		
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9	
	44" Open Polymer Arm, Si	lver Meta	llic Leg Ba	se							
	FAE2M-GBH440PAS1	2203	2286	2370	2536	2703	2869	3036	3202	3536	
	44" On an Daluman Awa Dwished Nishel Lan Dasa										
	44" Open Polymer Arm, B		0		0744		0075	00.40	0.400	0740	
U U	FAE2M-GBH44OPAN1	2409	2491	2575	2741	2908	3075	3242	3408	3742	
ш 											
\sim	44" Closed Polymer Arm,	Silver Met	allic Leg E	lase							
	FAE2M-GBH44CPAS1	2646	2753	2859	3071	3284	3497	3710	3922	4348	
			Balval I. a.a.	Deee							
	44" Closed Polymer Arm, FAE2M-GBH44CPAN1	Brusned r 2852	2959	3065	3277	3490	3702	3915	4128	4554	
u ,		2002	2353	5005	5211	0490	57.02	0310	4120	4004	
	44" Open Polymer Arm, Si										
	FAE2M-GBH44OPAS2	2337	2420	2504	2670	2837	3004	3171	3337	3671	
	44" Open Polymer Arm, B	rushad Ni	ckal Slad F	Raco							
	FAE2M-GBH440PAN2	2543	2626	2710	2876	3043	3210	3377	3542	3876	
				_							
	44" Closed Polymer Arm, FAE2M-GBH44CPAS2				0000	0.440	0001	0044	4050	4400	
	FAEZIVI-GBH440PA52	2780	2888	2994	3206	3419	3631	3844	4056	4482	
	44" Closed Polymer Arm, Brushed Nickel Sled Base										
	FAE2M-GBH44CPAN2	2986	3093	3199	3411	3625	3837	4050	4262	4688	
	44" Two Donal Fully Class	d Dolymos		or Motallia	Slad Peac						
	44" Two Panel Fully Close FAE2M-GBH442PFPAS2	a Polymei 2886	3033 r Arm, Silve	3181	3411	, 3658	3905	4168	4430	4884	
		2000	0000	5101	0411	3030	0300	4100	4400	4004	
	44" Two Panel Fully Close	d Polymei	r Arm, Brus	shed Nicke	el Sled Bas	se					
	FAE2M-GBH442PFPAN2	3092	3239	3387	3617	3864	4111	4374	4635	5089	
	44" Single Panel Fully Clos	sed Polvm	her Arm. Si	lver Metall	ic Sled Ba	ise					
	FAE2M-GBH441PFPAS2	3248	3448	3649	3932	4245	4558	4901	5242	5796	
	44" Single Panel Fully Clos										
	FAE2M-GBH441PFPAN2	3454	3654	3855	4138	4451	4764	5107	5447	6001	

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Solid Surface Arm (per pair) - Gr A White	546	Ganging Bracket	56
Solid Surface Arm (per pair) - Gr A Color	570	Combination Upholstery - Dual	32
Solid Surface Arm (per pair) - Gr B	615	Combination Upholstery - Three	61
Solid Surface Arm (per pair) - Gr C	646	Removeable Seat Cover	86
Wood Arm (WA) - (per pair)	205	Removable Back Cover	56
Floor Anchor Brackets (Sleigh base only)	153	CAL 133 & Moisture Barrier (per yard)	61
Springless Seat	117		

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE Faeron	2M Chair	GBH Guest Seating	21	O Open Arm	PA Polymer Arm	S Silver Metallic	1 Leg Base
			24	C Closed Arm	WA Wood Arm	N Brushed	2 Sled Base
			30	2PF Two Panel Fully Closed Arm	SA Solid Surface Arm	Nickel	
			44	1PF Single Panel Fully Closed Arm			

FAERON BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY



*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level[®] CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

FSC®

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
21" Seat	25.0	26.3	45.0	19.0	25	21	19.5	67	17
24" Seat	28.0	26.3	45.0	19.0	25	24	19.5	72	22
30" Seat	34.0	26.3	45.0	19.0	25	30	19.5	85	28

COM - YARDAGE REQUIREMENTS

	COM Yardage Seats & Backs Only	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arm Panel	COM Yardage Fully Closed Arm Panel
21" & 24" - One Chair	2.0	0.9	2.0	0.96	3.20
30" Plus - One Chair	3.0	0.9	2.0	0.96	3.20

ORDERING NOTES:

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron Metal seating.

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32** list per unit and **\$61** list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

DESCRIPTION/	/MODEL	COM 1	2	COL 3	FABF 4	RIC GRAD	DES 6	L 7	EATHER 8	9
R	21" Open Polymer Arm, Silver M FAE2M-PBH21OPAS1	1493 Ietallic	eg Base 1550	1608	1724	1838	1953	2069	2183	2413
PA	21" Open Polymer Arm, Brushe FAE2M-PBH21OPAN1	d Nickel I 1699	_eg Base 1756	1813	1930	2043	2159	2274	2389	2619
R	21" Closed Polymer Arm, Silver FAE2M-PBH21CPAS1	Metallic I 1938	Leg Base 2017	2097	2259	2420	2581	2743	2901	3225
H	21" Closed Polymer Arm, Brush FAE2M-PBH21CPAN1	ed Nicke 2143	l Leg Base 2223	2303	2465	2625	2787	2949	3107	3431
R	21" Open Polymer Arm, Silver M FAE2M-PBH210PAS2	letallic SI 1628	ed Base 1684	1742	1859	1972	2087	2203	2317	2547
	21" Open Polymer Arm, Brushe FAE2M-PBH21OPAN2	d Nickel \$ 1833	Sled Base 1890	1948	2064	2178	2293	2409	2523	2753
R	21" Closed Polymer Arm, Silver FAE2M-PBH21CPAS2	Metallic 2072	Sled Base 2152	2232	2393	2554	2716	2877	3036	3359
	21" Closed Polymer Arm, Brush FAE2M-PBH21CPAN2	ed Nicke 2278	I Sled Base 2358	e 2437	2599	2760	2921	3083	3242	3565
R	21" Two Panel Fully Closed Poly FAE2M-PBH212PFPAS2	/mer Arm 2176	, Silver Me 2297	tallic Sled 2419	Base 2600	2793	2988	3200	3410	3760
	21" Two Panel Fully Closed Poly FAE2M-PBH212PFPAN2	/mer Arm 2382	, Brushed I 2503	Nickel Sle 2625	d Base 2805	2999	3194	3406	3616	3966
R	21" Single Panel Fully Closed P FAE2M-PBH211PFPAS2	olymer Aı 2538	rm, Silver M 2712	/letallic Sle 2887	ed Base 3121	3380	3641	3933	4222	4672
	21" Single Panel Fully Closed P FAE2M-PBH211PFPAN2	olymer Ar 2744	rm, Brushe 2918	d Nickel S 3093	iled Base 3326	3586	3847	4139	4428	4878

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the Arm Style selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	115	Supplemental Weight - 21"	390
Solid Surface Arm (per pair) - Gr A White	546	Supplemental Weight - 24"	321
Solid Surface Arm (per pair) - Gr A Color	570	Ganging Bracket	56
Solid Surface Arm (per pair) - Gr B	615	Combination Upholstery - Dual	32
Solid Surface Arm (per pair) - Gr C	646	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	PBH	21	0	PA	S	1
Faeron	Chair	Patient Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
			24	С	WA	N	2
				Closed Arm	Wood Arm	Brushed	Sled Base
			30	2PF	SA	Nickel	
			٦	Two Panel Fully Closed Arm	Solid Surface Arm		
				1PF			
			S	ingle Panel Fully Closed Arm			

		COM		COL	FABI	RIC GRAD	DES	L	EATHER	
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9
P	24" Open Polymer Arm, Silver N FAE2M-PBH24OPAS1	Metallic Le 1582	eg Base 1640	1698	1812	1927	2043	2158	2273	2502
	24" Open Polymer Arm, Brushe FAE2M-PBH24OPAN1	d Nickel I 1788	Leg Base 1846	1904	2018	2133	2249	2364	2479	2708
R	24" Closed Polymer Arm, Silver FAE2M-PBH24CPAS1	Metallic 2027	Leg Base 2109	2188	2349	2511	2671	2832	2993	3315
H	24" Closed Polymer Arm, Brush FAE2M-PBH24CPAN1	ned Nicke 2233	l Leg Base 2315	2393	2555	2717	2876	3038	3199	3521
R	24" Open Polymer Arm, Silver N FAE2M-PBH24OPAS2	1717	1775	1832	1947	2061	2178	2292	2408	2637
	24" Open Polymer Arm, Brushe FAE2M-PBH24OPAN2	d Nickel 1923	Sled Base 1980	2038	2153	2267	2384	2498	2614	2842
	24" Closed Polymer Arm, Silver	Metallic	Sled Base							
R	FAE2M-PBH24CPAS2	2161	2243	2322	2484	2645	2805	2967	3127	3450
	24" Closed Polymer Arm, Brush	ned Nicke	I Sled Bas	e						
HA	FAE2M-PBH24CPAN2	2367	2449	2528	2689	2851	3011	3172	3333	3655
	24" Two Panel Fully Closed Pol	ymer Arm	, Silver Me	tallic Sled	Base					
H	FAE2M-PBH242PFPAS2	2266	2388	2509	2688	2882	3079	3289	3501	3850
	24" Two Panel Fully Closed Pol	vmer Arm	. Brushed	Nickel Sle	d Base					
	FAE2M-PBH242PFPAN2	2472	2593	2715	2894	3088	3285	3495	3707	4055
	24" Single Panel Fully Closed P	olymer A	rm, Silver I	Metallic Sle	ed Base					
FL	FAE2M-PBH241PFPAS2	2628	2803	2977	3209	3469	3732	4022	4313	4762
	24" Single Panel Fully Closed P	olymer A	rm, Brushe	d Nickel S	Bled Base					
	FAE2M-PBH241PFPAN2	2834	3008	3183	3415	3675	3938	4228	4519	4967

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	115	Supplemental Weight - 21"	390
Solid Surface Arm (per pair) - Gr A White	546	Supplemental Weight - 24"	321
Solid Surface Arm (per pair) - Gr A Color	570	Ganging Bracket	56
Solid Surface Arm (per pair) - Gr B	615	Combination Upholstery - Dual	32
Solid Surface Arm (per pair) - Gr C	646	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

FAE 2M PBH 21 O PA S Faeron Chair Patient Seating Open Arm Polymer Arm Silver Metallic 24 C WA N Closed Arm Wood Arm Brushed 30 2PF SA								
Faeron Chair Patient Seating Open Arm Polymer Arm Silver Metallic 24 C WA N Closed Arm Wood Arm Brushed 30 2PF SA	Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
24 C WA N Closed Arm Wood Arm Brushed 30 2PF SA				21				1 Leg Base
30 2PF SA	deron	Unan	T attent Seating	24	С	WA	Ν	2
Two Panel Fully Closed Arm Solid Surface Arm				30				Sled Base
				Tw	vo Panel Fully Closed Arm	Solid Surface Arm		

DESCRIPTION/	MODEL	COM 1	2	COL 3	FABI 4	RIC GRAI	DES 6	7	LEATHER 8	9
	30" Open Polymer Arm, Silver M FAE2M-PBH300PAS1	1etallic L 1848	eg Base 1935	2020	2193	2366	2538	2711	2884	3227
	30" Open Polymer Arm, Brushe FAE2M-PBH30OPAN1	d Nickel 2053	Leg Base 2141	2226	2399	2572	2744	2916	3090	3433
R	30" Closed Polymer Arm, Silver FAE2M-PBH30CPAS1	Metallic 2292	Leg Base 2403	2510	2730	2946	3167	3385	3603	4039
AA	30" Closed Polymer Arm, Brush FAE2M-PBH30CPAN1	ed Nicke 2498	el Leg Base 2609	2716	2936	3152	3372	3591	3809	4245
	30" Open Polymer Arm, Silver M FAE2M-PBH30OPAS2	1etallic S 1982	led Base 2069	2154	2327	2501	2673	2845	3018	3362
	30" Open Polymer Arm, Brushe FAE2M-PBH30OPAN2	d Nickel 2188	Sled Base 2275	2360	2533	2706	2879	3051	3224	3567
\square	30" Closed Polymer Arm, Silver FAE2M-PBH30CPAS2	Metallic 2426	Sled Base 2538	2645	2864	3080	3301	3519	3738	4174
	30" Closed Polymer Arm, Brush FAE2M-PBH30CPAN2				3070	3286	3507	3725	3944	4379
	30" Two Panel Fully Closed Poly FAE2M-PBH302PFPAS2	/mer Arn 2531	n, Silver Me 2682	tallic Sled 2831	Base 3068	3322	3574	3842	4111	4575
	30" Two Panel Fully Closed Poly FAE2M-PBH302PFPAN2					3527	3780	4048	4317	4375
A	30" Single Panel Fully Closed P FAE2M-PBH301PFPAS2	olymer A 2893	rm, Silver N 3097	letallic Sl 3299	ed Base 3589	3909	4227	4575	4923	5487
	30" Single Panel Fully Closed P FAE2M-PBH301PFPAN2	olymer A 3099	rm, Brushe 3303	d Nickel S 3505	Sled Base 3795	4114	4433	4781	5129	5692

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Solid Surface Arm (per pair) - Gr A White	546	Supplemental Weight - 30"	172
Solid Surface Arm (per pair) - Gr A Color	570	Ganging Bracket	56
Solid Surface Arm (per pair) - Gr B	615	Combination Upholstery - Dual	32
Solid Surface Arm (per pair) - Gr C	646	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	PBH	21	Ο	PA	S	1
Faeron	Chair	Patient Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
			24	С	WA	Ν	2
				Closed Arm	Wood Arm	Brushed	Sled Base
			30	2PF	SA	Nickel	
			T	wo Panel Fully Closed Arm	Solid Surface Arm		
				1PF			
			Sir	ngle Panel Fully Closed Arm			

DIMENSIONS & COM REQUIREMENTS

FAERON METAL MULTIPLE START UNITS

	Overall Width		Overall Height	Seat	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel (Pair) Yardage	COM Fabric Fully Closed Arm Panel Yardage
SG21	25	26.3	34.5	19	25	21	19.5	62	14	1.6	0.9	1.4	0.96	3.20
SP21	25	26.3	45	19	25	21	19.5	67	17	2.0	0.9	2.0	0.96	3.20
SG24	28	26.3	34.5	19	25	24	19.5	67	19	1.6	0.9	1.4	0.96	3.20
SP24	28	26.3	45	19	25	24	19.5	72	22	2.0	0.9	2.0	0.96	3.20
SG30	34	26.3	34.5	19	25	30	19.5	75	20	2.3	0.9	1.4	0.96	3.20
SP30	34	26.3	45	19	25	30	19.5	85	28	3.0	0.9	2.0	0.96	3.20
SG44	48	26.3	34.5	19	25	44	19.5	96	28	2.9	0.9	1.6	0.96	3.20

FAERON METAL MULTIPLE CENTER UNITS

	Overall Width		ll Overall Height		Height of Arms from Floor	Width Between Arms		Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage	COM Fabric Fully Closed Arm Panel YDG
CG2	1 23	26.3	34.5	19	25	21	19.5	52	14	1.6	0.9	1.4	0.48	1.6
CP2	1 23	26.3	45	19	25	21	19.5	57	17	2.0	0.9	2.0	0.48	1.6
CG2	4 26	26.3	34.5	19	25	24	19.5	57	19	1.6	0.9	1.4	0.48	1.6
CP2	4 26	26.3	45	19	25	24	19.5	62	22	2.0	0.9	2.0	0.48	1.6
CG3	0 32	26.3	34.5	19	25	30	19.5	65	20	2.3	0.9	1.4	0.48	1.6
CP3	0 32	26.3	45	19	25	30	19.5	75	28	3.0	0.9	2.0	0.48	1.6
CG4	4 46	26.3	34.5	19	25	44	19.5	86	28	2.9	0.9	1.6	0.48	1.6

FAERON METAL MULTIPLE END UNITS

	Overall Width	Overall Depth	Overall Height		Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Ydg	COM Fabric Fully Closed Arm Panel YDG
EG21	23	26.3	34.5	19	25	21	19.5	52	14	1.6	0.9	1.4	0.48	1.6
EP21	23	26.3	45	19	25	21	19.5	57	17	2.0	0.9	2.0	0.48	1.6
EG24	26	26.3	34.5	19	25	24	19.5	57	19	1.6	0.9	1.4	0.48	1.6
EP24	26	26.3	45	19	25	24	19.5	62	22	2.0	0.9	2.0	0.48	1.6
EG30	32	26.3	34.5	19	25	30	19.5	65	20	2.3	0.9	1.4	0.48	1.6
EP30	32	26.3	45	19	25	30	19.5	75	28	3.0	0.9	2.0	0.48	1.6
EG44	46	26.3	34.5	19	25	44	19.5	86	28	2.9	0.9	1.6	0.48	1.6

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination Upholstery Option

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back Solid Surface Arm (each) - Gr A White Solid Surface Arm (each) - Gr A Color Solid Surface Arm (each) - Gr B Solid Surface Arm (each) - Gr C Wood Arm (WA) (each) Solid Surface Arm (per pair) - Gr A White Solid Surface Arm (per pair) - Gr A Color Solid Surface Arm (per pair) - Gr B Solid Surface Arm (per pair) - Gr C Wood Arm (WA) - (per pair)	115 274 285 306 323 103 546 570 615 646 205	Floor Anchor Brackets (Sleigh base only) Springless Seat Supplemental Weight - 21" Supplemental Weight - 24" Ganging Bracket Combination Upholstery - Dual Combination Upholstery - Three Removeable Seat Cover (per seat) Removable Back Cover (per back) CAL 133 & Moisture Barrier (per yard)	153 117 390 321 56 32 61 86 56 61

Patient backs are available on multiple units, please change the model number FAE2M-SGBH to FAE2M-SPBH, and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
21" Chair	61	71	86	109	132	158	181	206	253	
24" Chair	65	79	90	114	139	163	187	210	259	
30" Chair	80	91	105	129	152	177	201	225	273	

WEIGHT CAPACITIES

Faeron weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs

									_	_
		COM	0	COL		RIC GRA		7	LEATHER	
DESCRIPTION/M	ODEL	1	2	3	4	5	6	7	8	9
Start - Leg Base	21" Open Polymer Arm Start U FAE2M-SGBH210PAS1	Init, Guest 1436	t Back, Sil ⁱ 1482	ver Metalli 1528	c Leg Bas 1620	e 1712	1804	1897	1988	2171
	21" Open Polymer Arm Start U FAE2M-SGBH21OPAN1	Init, Guest 1642	t Back, Bru 1687	ushed Nicl 1734	kel Leg Ba 1826	se 1917	2010	2103	2194	2377
	21" Closed Polymer Arm Start FAE2M-SGBH21CPAS1	Unit, Gue 1880	st Back, S 1949	ilver Meta 2018	llic Leg Ba 2157	ise 2295	2431	2571	2708	2984
	21" Closed Polymer Arm Start FAE2M-SGBH21CPAN1	Unit, Gue 2086	st Back, E 2155	Brushed Ni 2224	ckel Leg E 2363	ase 2500	2637	2777	2914	3190
Start - Sled Base	21" Open Polymer Arm Start U FAE2M-SGBH21OPAS2	Init, Guest 1571	t Back, Sil ⁱ 1616	ver Metalli 1662	c Sled Bas 1755	se 1846	1938	2032	2122	2306
	21" Open Polymer Arm Start U FAE2M-SGBH21OPAN2	Init, Guest 1777	t Back, Bru 1822	ushed Nicl 1868	kel Sled Ba 1960	ase 2052	2144	2238	2328	2512
	21" Closed Polymer Arm Start FAE2M-SGBH21CPAS2	Unit, Gue 2014	st Back, S 2084	ilver Meta 2153	llic Sled B 2291	ase 2429	2565	2705	2843	3119
	21" Closed Polymer Arm Start FAE2M-SGBH21CPAN2	Unit, Gue 2220	st Back, E 2289	Brushed Ni 2359	ckel Sled 2497	Base 2635	2771	2911	3048	3325
	21" Two Panel Fully Closed Po FAE2M-SGBH212PFPAS2	lymer Arn 2120	n Start Uni 2229	t, Guest B 2339	ack, Silver 2496	Metallic 2667	Sled Base 2839	3029	3215	3519
	21" Two Panel Fully Closed Po FAE2M-SGBH212PFPAN2	lymer Arn 2326	n Start Uni 2435	t, Guest B 2545	ack, Brusl 2701	ned Nicke 2873	l Sled Bas 3045	se 3235	3421	3725
	21" Single Panel Fully Closed I FAE2M-SGBH211PFPAS2	Polymer A 2482	rm Start U 2644	Jnit, Guest 2807	Back, Silv 3017	ver Metalli 3254	ic Sled Ba 3492	se 3762	4027	4431
	21" Single Panel Fully Closed F FAE2M-SGBH211PFPAN2	Polymer A 2688	rm Start L 2850	Jnit, Guest 3013	Back, Bru 3222	ushed Nic 3460	kel Sled B 3698	ase 3968	4233	4637

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-SGBH to FAE2M-SPBH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	115	Supplemental Weight - 21"	390
Solid Surface Arm (per pair) - Gr A White	546	Supplemental Weight - 24"	321
Solid Surface Arm (per pair) - Gr A Color	570	Ganging Bracket	56
Solid Surface Arm (per pair) - Gr B	615	Combination Upholstery - Dual	32
Solid Surface Arm (per pair) - Gr C	646	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover (per seat)	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH Center-Guest Seating	24	C Closed Arm	WA Wood Arm	N Brushed	2 Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

DESCRIPTION/MC	DDEL	COM 1	2	COL 3	FAB 4	RIC GRAI 5	DES 6	7	LEATHER 8	9
Start - Leg Base	24" Open Polymer Arm Start U FAE2M-SGBH240PAS1	nit, Guest 1540	Back, Silv 1587	ver Metalli 1633	c Leg Base 1724	e 1818	1907	2000	2092	2275
	24" Open Polymer Arm Start U FAE2M-SGBH24OPAN1	nit, Guest 1746	Back, Bru 1792	ushed Nicl 1839	kel Leg Ba 1930	se 2023	2113	2206	2298	2481
	24" Closed Polymer Arm Start FAE2M-SGBH24CPAS1	Unit, Gue 1985	st Back, S 2053	ilver Meta 2122	llic Leg Ba 2260	se 2398	2536	2675	2812	3088
	24" Closed Polymer Arm Start FAE2M-SGBH24CPAN1	Unit, Gue 2191	st Back, B 2259	rushed Ni 2328	ckel Leg B 2466	ase 2603	2742	2881	3018	3294
Start - Sled Base	24" Open Polymer Arm Start U FAE2M-SGBH24OPAS2	nit, Guest 1675	Back, Silv 1721	ver Metalli 1767	c Sled Bas 1859	se 1952	2041	2135	2226	2410
	24" Open Polymer Arm Start U FAE2M-SGBH24OPAN2	nit, Guest 1881	Back, Bru 1927	ushed Nicl 1973	kel Sled Ba 2064	ase 2158	2247	2341	2432	2616
	24" Closed Polymer Arm Start FAE2M-SGBH24CPAS2	Unit, Gue 2119	st Back, S 2187	ilver Meta 2257	llic Sled Ba 2394	ase 2532	2670	2809	2947	3223
	24" Closed Polymer Arm Start FAE2M-SGBH24CPAN2	Unit, Gue 2325	st Back, B 2393	rushed Ni 2463	ckel Sled E 2600	Base 2738	2876	3015	3152	3429
	24" Two Panel Fully Closed Pol FAE2M-SGBH242PFPAS2	ymer Arm 2224	n Start Uni 2334	t, Guest B 2444	ack, Silver 2600	Metallic 3 2773	Sled Base 2942	3132	3319	3623
	24" Two Panel Fully Closed Pol FAE2M-SGBH242PFPAN2	ymer Arm 2430	n Start Uni 2540	t, Guest B 2650	ack, Brush 2805	ned Nicke 2979	l Sled Bas 3148	e 3338	3525	3829
	24" Single Panel Fully Closed F FAE2M-SGBH241PFPAS2	olymer A 2586	rm Start U 2749	Init, Guest 2912	Back, Silv 3121	er Metalli 3360	c Sled Ba 3595	se 3865	4131	4535
	24" Single Panel Fully Closed F FAE2M-SGBH241PFPAN2	Polymer A 2792	rm Start U 2955	Init, Guest 3118	Back, Bru 3326	ished Nicl 3566	kel Sled B 3801	ase 4071	4337	4741

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-S**G**BH to FAE2M-S**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	115	Supplemental Weight - 21"	390
Solid Surface Arm (per pair) - Gr A White	546	Supplemental Weight - 24"	321
Solid Surface Arm (per pair) - Gr A Color	570	Ganging Bracket	56
Solid Surface Arm (per pair) - Gr B	615	Combination Upholstery - Dual	32
Solid Surface Arm (per pair) - Gr C	646	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover (per seat)	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	C	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

DESCRIPTION/MODE	L	COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	LEATHER 8	9
Start - Leg Base	30" Open Polymer Arm Star FAE2M-SGBH30OPAS1	t Unit, G 1780	uest Back, 1845	Silver Me 1913	etallic Leg 2044	Base 2176	2310	2441	2573	2839
	30" Open Polymer Arm Star FAE2M-SGBH30OPAN1	t Unit, G 1986	uest Back, 2051	Brushed 2118	Nickel Leo 2250	g Base 2382	2515	2647	2779	3045
	30" Closed Polymer Arm Sta FAE2M-SGBH30CPAS1	art Unit, 2225	Guest Bacl 2313	k, Silver N 2403	/letallic Leo 2581	g Base 2758	2937	3114	3294	3651
	30" Closed Polymer Arm Sta FAE2M-SGBH30CPAN1	art Unit, 2431	Guest Bacl 2519	k, Brushe 2609	d Nickel Lo 2787	eg Base 2964	3142	3320	3499	3856
Start - Sled Base	30" Open Polymer Arm Star FAE2M-SGBH30OPAS2	t Unit, G 1915	uest Back, 1980	Silver Me 2047	etallic Sled 2178	Base 2311	2444	2575	2708	2973
	30" Open Polymer Arm Star FAE2M-SGBH30OPAN2	t Unit, G 2121	uest Back, 2186	Brushed 2253	Nickel Sle 2384	d Base 2516	2650	2781	2913	3179
	30" Closed Polymer Arm Sta FAE2M-SGBH30CPAS2	art Unit, 2359	Guest Bacl 2447	k, Silver N 2538	/letallic Sle 2715	ed Base 2893	3071	3248	3428	3785
	30" Closed Polymer Arm Sta FAE2M-SGBH30CPAN2	art Unit, 2565	Guest Bacl 2653	k, Brushe 2743	d Nickel S 2921	led Base 3098	3277	3454	3634	3991
	30" Two Panel Fully Closed FAE2M-SGBH302PFPAS2	Polymer 2464	Arm Start 2593	Unit, Gue 2724	st Back, S 2919	ilver Meta 3132	allic Sled E 3345	Base 3572	3801	4186
	30" Two Panel Fully Closed FAE2M-SGBH302PFPAN2	Polymer 2669	Arm Start 2799	Unit, Gue 2930	st Back, B 3125	Brushed N 3337	ickel Sled 3551	Base 3778	4006	4392
	30" Single Panel Fully Close FAE2M-SGBH301PFPAS2	ed Polym 2826	er Arm Sta 3008	rt Unit, G 3192	uest Back, 3440	, Silver Me 3719	etallic Sleo 3998	d Base 4305	4613	5098
	30" Single Panel Fully Close FAE2M-SGBH301PFPAN2	ed Polym 3031	er Arm Sta 3214	rt Unit, G 3398	uest Back, 3646	Brushed 3924	Nickel Sle 4204	ed Base 4511	4818	5304

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-S**G**BH to FAE2M-S**P**BH, and add the upcharges on page 15 per back.


Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Solid Surface Arm (per pair) - Gr A White	546	Supplemental Weight - 30"	172
Solid Surface Arm (per pair) - Gr A Color	570	Ganging Bracket	56
Solid Surface Arm (per pair) - Gr B	615	Combination Upholstery - Dual	32
Solid Surface Arm (per pair) - Gr C	646	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover (per seat)	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	C	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

DESCRIPTION/MODE	L	COM 1	2	COL 3	FABI 4	RIC GRA	DES 6	7	LEATHER 8	9
Start	44" Open Polymer Arm Star FAE2M-SGBH44OPAS1	t Unit, G 2203	uest Back, 3 2286	Silver Me 2370	tallic Leg E 2536	Base 2703	2869	3036	3202	3536
╞────┤⇒	44" Open Polymer Arm Star FAE2M-SGBH44OPAN1	t Unit, G 2409	uest Back, I 2491	Brushed 2575	Nickel Leg 2741	Base 2908	3075	3242	3408	3742
	44" Closed Polymer Arm Sta FAE2M-SGBH44CPAS1	art Unit, 2646	Guest Back 2753	, Silver M 2859	letallic Leg 3071	Base 3284	3497	3710	3922	4348
	44" Closed Polymer Arm St FAE2M-SGBH44CPAN1	art Unit, 2852	Guest Back 2959	, Brushed 3065	d Nickel Le 3277	g Base 3490	3702	3915	4128	4554
Start - Sled Base	44" Open Polymer Arm Star FAE2M-SGBH44OPAS2	t Unit, G 2337	uest Back, 2420	Silver Me 2504	tallic Sled 2670	Base 2837	3004	3171	3337	3671
	44" Open Polymer Arm Star FAE2M-SGBH44OPAN2	t Unit, G 2543	uest Back, I 2626	Brushed I 2710	Nickel Slec 2876	l Base 3043	3210	3377	3542	3876
	44" Closed Polymer Arm Sta FAE2M-SGBH44CPAS2	art Unit, 2780	Guest Back 2888	, Silver M 2994	letallic Sleo 3206	d Base 3419	3631	3844	4056	4482
	44" Closed Polymer Arm St FAE2M-SGBH44CPAN2	art Unit, 2986	Guest Back 3093	, Brushed 3199	d Nickel Sle 3411	ed Base 3625	3837	4050	4262	4688
	44" Two Panel Fully Closed FAE2M-SGBH442PFPAS2	Polymer 2886	Arm Start U 3033	Jnit, Gues 3181	st Back, Si 3411	lver Meta 3658	Ilic Sled B 3905	ase 4168	4430	4884
	44" Two Panel Fully Closed FAE2M-SGBH442PFPAN2	Polymer 3092	Arm Start L 3239	Jnit, Gues 3387	st Back, Br 3617	ushed Ni 3864	ckel Sled 4111	Base 4374	4635	5089
	44" Single Panel Fully Close FAE2M-SGBH441PFPAS2	ed Polym 3248	er Arm Star 3448	t Unit, Gu 3649	uest Back, 3932	Silver Me 4245	atallic Sled 4558	Base 4901	5242	5796
	44" Single Panel Fully Close FAE2M-SGBH441PFPAN2	ed Polym 3454	er Arm Star 3654	t Unit, Gu 3855	uest Back, 4138	Brushed 4451	Nickel Sle 4764	d Base 5107	5447	6001

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-S**G**BH to FAE2M-S**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Solid Surface Arm (per pair) - Gr A White	546	Ganging Bracket	56
Solid Surface Arm (per pair) - Gr A Color	570	Combination Upholstery - Dual	32
Solid Surface Arm (per pair) - Gr B	615	Combination Upholstery - Three	61
Solid Surface Arm (per pair) - Gr C	646	Removeable Seat Cover (per seat)	86
Wood Arm (WA) - (per pair)	205	Removable Back Cover (per back)	56
Floor Anchor Brackets (Sleigh base only)	153	CAL 133 & Moisture Barrier (per yard)	61
Springless Seat	117		



		COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/MC	DEL	1	2	3	4	5	6	7	8	9
Center - Leg Base	21" Open Polymer Arm Center FAE2M-CGBH210PAS1	Unit, Gue 1363	st Back, S 1409	ilver Meta 1457	Illic Leg Ba 1548	lse 1640	1733	1823	1916	2099
	21" Open Polymer Arm Center FAE2M-CGBH21OPAN1	Unit, Gue 1569	st Back, B 1615	rushed Ni 1663	ckel Leg E 1754	ase 1846	1939	2029	2121	2305
	21" Closed Polymer Arm Cente FAE2M-CGBH21CPAS1	r Unit, Gu 1624	est Back, 1683	Silver Met 1739	tallic Leg E 1855	Base 1970	2084	2199	2313	2544
	21" Closed Polymer Arm Cente FAE2M-CGBH21CPAN1	r Unit, Gu 1830	est Back, 1888	Brushed I 1945	Nickel Leg 2061	Base 2176	2290	2405	2518	2749
Center - Sled Base	21" Open Polymer Arm Center FAE2M-CGBH210PAS2	Unit, Gue 1435	st Back, S 1481	ilver Meta 1529	Ilic Sled B 1620	ase 1712	1805	1895	1988	2171
	21" Open Polymer Arm Center FAE2M-CGBH21OPAN2	Unit, Gue 1641	st Back, B 1687	rushed Ni 1735	ckel Sled I 1826	Base 1918	2011	2101	2193	2377
	21" Closed Polymer Arm Cente FAE2M-CGBH21CPAS2	r Unit, Gu 1696	est Back, 1755	Silver Met 1811	tallic Sled 1927	Base 2042	2156	2271	2385	2616
	21" Closed Polymer Arm Cente FAE2M-CGBH21CPAN2	r Unit, Gu 1902	est Back, 1960	Brushed I 2017	Nickel Sleo 2133	l Base 2248	2362	2477	2590	2821
	21" Two Panel Fully Closed Pol FAE2M-CGBH212PFPAS2	ymer Arm 1710	Center U 1788	nit, Guest 1867	Back, Silv 1991	er Metalli 2123	c Sled Bas 2255	se 2394	2534	2778
	21" Two Panel Fully Closed Pol FAE2M-CGBH212PFPAN2	ymer Arm 1916	Center U 1994	nit, Guest 2073	Back, Bru 2196	shed Nicł 2329	kel Sled Ba 2461	ase 2599	2740	2984
	21" Single Panel Fully Closed F FAE2M-CGBH211PFPAS2	olymer Ar 1891	rm Center 1995	Unit, Gue 2101	st Back, S 2251	ilver Meta 2416	allic Sled E 2582	ase 2760	2940	3234
	21" Single Panel Fully Closed P FAE2M-CGBH211PFPAN2	olymer Ar 2097	rm Center 2201	Unit, Gue 2307	st Back, B 2456	rushed N 2622	ickel Sled 2788	Base 2965	3146	3440

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-SGBH to FAE2M-SPBH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	115	Supplemental Weight - 21"	390
Solid Surface Arm (each) - Gr A White	274	Supplemental Weight - 24"	321
Solid Surface Arm (each) - Gr A Color	285	Ganging Bracket	56
Solid Surface Arm (each) - Gr B	306	Combination Upholstery - Dual	32
Solid Surface Arm (each) - Gr C	323	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover (per seat)	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH Center-Guest Seating	24	C Closed Arm	WA Wood Arm	N Brushed	2 Sled Base
		EGBH	30	2PF	SA	Nickel	Sied base
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

DESCRIPTION/MC	DEL	COM 1	2	COL 3	FAB 4	RIC GRA	DES 6	7	LEATHER 8	9
Center - Leg Base	24" Open Polymer Arm Center FAE2M-CGBH240PAS1	Unit, Gue 1468	st Back, S 1512	Silver Meta 1559	Illic Leg Ba 1652	ase 1742	1836	1927	2020	2203
	24" Open Polymer Arm Center FAE2M-CGBH24OPAN1	Unit, Gue 1674	st Back, E 1718	Brushed Ni 1764	ckel Leg E 1858	3ase 1948	2042	2133	2225	2409
	24" Closed Polymer Arm Cente FAE2M-CGBH24CPAS1	er Unit, Gu 1728	iest Back, 1785	Silver Me 1843	tallic Leg E 1959	Base 2073	2189	2303	2419	2647
	24" Closed Polymer Arm Cente FAE2M-CGBH24CPAN1	er Unit, Gu 1934	iest Back, 1990	Brushed I 2049	Nickel Leg 2165	Base 2279	2395	2509	2625	2852
Center - Sled Base	24" Open Polymer Arm Center FAE2M-CGBH24OPAS2	Unit, Gue 1540	st Back, S 1584	Silver Meta 1631	llic Sled B 1724	ase 1814	1908	1999	2092	2275
	24" Open Polymer Arm Center FAE2M-CGBH24OPAN2	Unit, Gue 1746	st Back, E 1790	Brushed Ni 1836	ckel Sled 1930	Base 2020	2114	2205	2297	2481
~	24" Closed Polymer Arm Cente FAE2M-CGBH24CPAS2	er Unit, Gu 1800	iest Back, 1857	Silver Met 1915	tallic Sled 2031	Base 2145	2261	2375	2491	2719
	24" Closed Polymer Arm Cente FAE2M-CGBH24CPAN2	er Unit, Gu 2006	iest Back, 2062	Brushed I 2121	Nickel Sleo 2237	d Base 2351	2467	2581	2697	2924
	24" Two Panel Fully Closed Po FAE2M-CGBH242PFPAS2	lymer Arm 1815	n Center U 1891	nit, Guest 1969	Back, Silv 2095	er Metalli 2225	c Sled Ba 2358	se 2498	2638	2882
	24" Two Panel Fully Closed Po FAE2M-CGBH242PFPAN2	lymer Arm 2021	n Center U 2097	nit, Guest 2175	Back, Bru 2300	shed Nicł 2431	kel Sled B 2564	ase 2703	2844	3088
	24" Single Panel Fully Closed F FAE2M-CGBH241PFPAS2	Polymer A 1996	rm Center 2098	Unit, Gue 2203	st Back, S 2355	ilver Meta 2518	allic Sled E 2685	3ase 2864	3044	3338
	24" Single Panel Fully Closed F FAE2M-CGBH241PFPAN2	Polymer A 2202	rm Center 2304	Unit, Gue 2409	st Back, B 2560	rushed N 2724	ickel Sled 2891	Base 3069	3250	3544

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-C**G**BH to FAE2M-C**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	115	Supplemental Weight - 21"	390
Solid Surface Arm (each) - Gr A White	274	Supplemental Weight - 24"	321
Solid Surface Arm (each) - Gr A Color	285	Ganging Bracket	56
Solid Surface Arm (each) - Gr B	306	Combination Upholstery - Dual	32
Solid Surface Arm (each) - Gr C	323	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover (per seat)	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	C	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

DESCRIPTION/MODEL		COM 1	2	COL 3	FABI 4	RIC GRAE	DES 6	7	LEATHER 8	9
Center - Leg Base	30" Open Polymer Arm Ce FAE2M-CGBH30OPAS1	enter Unit 1707	, Guest B 1774	ack, Silver 1839	Metallic L 1973	eg Base 2103	2235	2370	2501	2766
⇔└──┤⇒	30" Open Polymer Arm Ce FAE2M-CGBH30OPAN1	enter Unit 1913	, Guest B 1980	ack, Brush 2045	ed Nickel 2179	Leg Base 2309	2441	2576	2707	2971
	30" Closed Polymer Arm (FAE2M-CGBH30CPAS1	Center Ur 1967	nit, Guest 2045	Back, Silve 2123	er Metallic 2277	Leg Base 2434	2588	2744	2898	3210
	30" Closed Polymer Arm (FAE2M-CGBH30CPAN1	Center Ur 2172	nit, Guest 2251	Back, Brus 2329	shed Nicke 2483	el Leg Bas 2640	e 2794	2949	3104	3416
Center - Sled Base	30" Open Polymer Arm Ce FAE2M-CGBH30OPAS2	enter Unit 1779	, Guest B 1846	ack, Silver 1911	Metallic S 2045	led Base 2175	2307	2442	2573	2838
	30" Open Polymer Arm Ce FAE2M-CGBH30OPAN2	enter Unit 1851	, Guest B 1918	ack, Brush 1983	ed Nickel 2117	Sled Base 2247	2379	2514	2645	2910
-	30" Closed Polymer Arm (FAE2M-CGBH30CPAS2	Center Ur 2039	nit, Guest 2117	Back, Silve 2195	er Metallic 2349	Sled Base 2506	e 2660	2816	2970	3282
	30" Closed Polymer Arm (FAE2M-CGBH30CPAN2	Center Ur 2244	nit, Guest 2323	Back, Brus 2401	hed Nicke 2555	l Sled Ba 2712	se 2866	3021	3176	3488
	30" Two Panel Fully Close FAE2M-CGBH302PFPAS2		er Arm Cei 2153	nter Unit, G 2250	Guest Back 2415	k, Silver M 2586	etallic Sle 2758	ed Base 2940	3120	3444
	30" Two Panel Fully Close FAE2M-CGBH302PFPAN2		er Arm Cei 2225	nter Unit, G 2322	duest Back 2487	k, Brushed 2658	l Nickel S 2830	led Base 3012	3192	3516
	30" Single Panel Fully Clos FAE2M-CGBH301PFPAS2		ner Arm C 2360	Center Unit 2484	, Guest Ba 2675	ick, Silver 2879	Metallic S 3085	Gled Base 3306	3526	3900
	30" Single Panel Fully Clos FAE2M-CGBH301PFPAN2		ner Arm C 2432	Center Unit 2556	, Guest Ba 2747	ick, Brush 2951	ed Nickel 3157	Sled Base 3378	3598	3972

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-C**G**BH to FAE2M-C**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Solid Surface Arm (each) - Gr A White	274	Supplemental Weight - 30"	172
Solid Surface Arm (each) - Gr A Color	285	Ganging Bracket	56
Solid Surface Arm (each) - Gr B	306	Combination Upholstery - Dual	32
Solid Surface Arm (each) - Gr C	323	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover (per seat)	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	Ν	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

DESCRIPTION/MODEL		COM 1	2	COL 3	FABF 4	RIC GRAE 5	DES 6	ا 7	_EATHER 8	9
Center - Leg Base	44" Open Polymer Arm Ce FAE2M-CGBH44OPAS1	enter Unit 2129	, Guest Ba 2213	ack, Silver 2296	Metallic Le 2462	eg Base 2629	2797	2962	3129	3463
	44" Open Polymer Arm Ce FAE2M-CGBH44OPAN1	enter Unit 2335	, Guest Ba 2419	ack, Brush 2502	ed Nickel I 2668	₋eg Base 2835	3003	3168	3335	3669
	44" Closed Polymer Arm C FAE2M-CGBH44CPAS1	Center Un 2391	iit, Guest E 2485	Back, Silve 2578	er Metallic I 2769	Leg Base 2959	3147	3338	3527	3906
	44" Closed Polymer Arm C FAE2M-CGBH44CPAN1	Center Un 2597	iit, Guest E 2690	Back, Brus 2784	shed Nicke 2975	l Leg Bas 3165	e 3353	3544	3733	4112
Center - Sled Base	44" Open Polymer Arm Ce FAE2M-CGBH44OPAS2	nter Unit 2337	, Guest Ba 2420	ack, Silver 2504	Metallic SI 2670	ed Base 2837	3004	3171	3337	3671
	44" Open Polymer Arm Ce FAE2M-CGBH44OPAN2	nter Unit 2543	, Guest Ba 2626	ack, Brush 2710	ed Nickel S 2876	Sled Base 3043	3210	3377	3542	3876
	44" Closed Polymer Arm C FAE2M-CGBH44CPAS2	Center Un 2780	iit, Guest E 2888	Back, Silve 2994	er Metallic S 3206	Sled Base 3419	9 3631	3844	4056	4482
	44" Closed Polymer Arm C FAE2M-CGBH44CPAN2	Center Un 2986	iit, Guest E 3093	Back, Brus 3199	shed Nicke 3411	l Sled Ba 3625	se 3837	4050	4262	4688
	44" Two Panel Fully Closed FAE2M-CGBH442PFPAS2		r Arm Cen 2592	ter Unit, G 2707	Guest Back 2905	, Silver M 3112	letallic Sle 3320	d Base 3533	3748	4142
	44" Two Panel Fully Closed FAE2M-CGBH442PFPAN2		r Arm Cen 2798	ter Unit, G 2913	uest Back 3111	, Brusheo 3318	l Nickel Sl 3526	ed Base 3738	3953	4347
	44" Single Panel Fully Clos FAE2M-CGBH441PFPAS2		ner Arm C 2799	enter Unit 2941	, Guest Ba 3165	ck, Silver 3405	Metallic S 3647	led Base 3899	4154	4598
	44" Single Panel Fully Clos FAE2M-CGBH441PFPAN2		ner Arm C 3005	enter Unit 3147	, Guest Ba 3371	ck, Brush 3611	ed Nickel 3853	Sled Base 4104	4359	4803

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-C**G**BH to FAE2M-C**P**BH, and add the upcharges on page 15 per back.


Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Solid Surface Arm (each) - Gr A White	274	Ganging Bracket	56
Solid Surface Arm (each) - Gr A Color	285	Combination Upholstery - Dual	32
Solid Surface Arm (each) - Gr B	306	Combination Upholstery - Three	61
Solid Surface Arm (each) - Gr C	323	Removeable Seat Cover (per seat)	86
Wood Arm (WA) - (per pair)	205	Removable Back Cover (per back)	56
Floor Anchor Brackets (Sleigh base only)	153	CAL 133 & Moisture Barrier (per yard)	61
Springless Seat	117		

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	Ο	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	C	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF Single Panel Fully Closed Arm			

		СОМ		COL	FAB		DES		LEATHER	
DESCRIPTION/MO	ODEL	1	2	3	4	5	6	7	8	9
End - Leg Base	21" Open Polymer Arm End Uni FAE2M-EGBH210PAS1	it, Guest 1363	Back, Silve 1409	er Metallic 1457	Leg Base 1548	1640	1733	1823	1916	2099
	21" Open Polymer Arm End Un FAE2M-EGBH210PAN1	iit, Guest 1569	Back, Bru 1615	shed Nick 1663	kel Leg Bas 1754	se 1846	1939	2029	2121	2305
	21" Closed Polymer Arm End L FAE2M-EGBH21CPAS1	Jnit, Gues 1624	st Back, Si 1683	lver Metal 1739	llic Leg Ba 1855	se 1970	2084	2199	2313	2544
	21" Closed Polymer Arm End L FAE2M-EGBH21CPAN1	Jnit, Gues 1830	st Back, Br 1888	rushed Nic 1945	ckel Leg B 2061	ase 2176	2290	2405	2518	2749
End - Sled Base	21" Open Polymer Arm End Un FAE2M-EGBH21OPAS2	iit, Guest 1435	Back, Silv 1481	er Metallio 1529	c Sled Bas 1620	ie 1712	1805	1895	1988	2171
	21" Open Polymer Arm End Un FAE2M-EGBH210PAN2	iit, Guest 1641	Back, Bru 1687	shed Nick 1735	el Sled Ba 1826	ise 1918	2011	2101	2193	2377
	21" Closed Polymer Arm End L FAE2M-EGBH21CPAS2	Jnit, Gues 1696	st Back, Si 1755	lver Metal 1811	llic Sled Ba 1927	ase 2042	2156	2271	2385	2616
	21" Closed Polymer Arm End L FAE2M-EGBH21CPAN2	Jnit, Gues 1902	st Back, Br 1960	rushed Nic 2017	ckel Sled E 2133	Base 2248	2362	2477	2590	2821
	21" Two Panel Fully Closed Poly FAE2M-EGBH212PFPAS2	ymer Arm 1710	n End Unit, 1788	Guest Ba 1867	ack, Silver 1991	Metallic S 2123	led Base 2255	2394	2534	2778
	21" Two Panel Fully Closed Poly FAE2M-EGBH212PFPAN2	mer Arm/ 1916	n End Unit, 1994	Guest Ba 2073	ack, Brushe 2196	ed Nickel 2329	Sled Base 2461	2599	2740	2984
	21" Single Panel Fully Closed Pe FAE2M-EGBH211PFPAS2	olymer A 1891	rm End Un 1995	iit, Guest l 2101	Back, Silve 2251	er Metallic 2416	Sled Bas 2582	e 2760	2940	3234
	21" Single Panel Fully Closed Parel FAE2M-EGBH211PFPAN2	olymer A 2097	rm End Un 2201	iit, Guest I 2307	Back, Brus 2456	shed Nick 2622	el Sled Ba 2788	se 2965	3146	3440

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-EGBH to FAE2M-EPBH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	115	Supplemental Weight - 21"	390
Solid Surface Arm (each) - Gr A White	274	Supplemental Weight - 24"	321
Solid Surface Arm (each) - Gr A Color	285	Ganging Bracket	56
Solid Surface Arm (each) - Gr B	306	Combination Upholstery - Dual	32
Solid Surface Arm (each) - Gr C	323	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover (per seat)	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61



DESCRIPTION/MO	DDEL	COM 1	2	COL 3	FABF 4	RIC GRAE 5	DES 6	7	LEATHER 8	9
End - Leg Base	24" Open Polymer Arm End Un FAE2M-EGBH24OPAS1	it, Guest 1468	Back, Silv 1512	er Metallic 1559	Leg Base 1652	1742	1836	1927	2020	2203
	24" Open Polymer Arm End Un FAE2M-EGBH24OPAN1	it, Guest 1674	Back, Bru 1718	shed Nicke 1764	el Leg Base 1858	e 1948	2042	2133	2225	2409
	24" Closed Polymer Arm End L FAE2M-EGBH24CPAS1	Init, Gues 1728	t Back, Si 1785	lver Metall 1843	ic Leg Bas 1959	e 2073	2189	2303	2419	2647
	24" Closed Polymer Arm End L FAE2M-EGBH24CPAN1	Init, Gues 1934	t Back, Br 1990	ushed Nic 2049	kel Leg Ba 2165	se 2279	2395	2509	2625	2852
End - Sled Base	24" Open Polymer Arm End Un FAE2M-EGBH24OPAS2	it, Guest 1540	Back, Silv 1584	er Metallic 1631	Sled Base 1724	1814	1908	1999	2092	2275
	24" Open Polymer Arm End Un FAE2M-EGBH24OPAN2	it, Guest 1746	Back, Bru 1790	shed Nicke 1836	el Sled Bas 1930	e 2020	2114	2205	2297	2481
-	24" Closed Polymer Arm End L FAE2M-EGBH24CPAS2	Init, Gues 1800	t Back, Si 1857	lver Metall 1915	ic Sled Bas 2031	se 2145	2261	2375	2491	2719
	24" Closed Polymer Arm End L FAE2M-EGBH24CPAN2	Init, Gues 2006	t Back, Br 2062	ushed Nic 2121	kel Sled Ba 2237	ase 2351	2467	2581	2697	2924
	24" Two Panel Fully Closed Pol FAE2M-EGBH242PFPAS2	ymer Arm 1815	n End Unit 1891	, Guest Ba 1969	ack, Silver I 2095	Vetallic S 2225	led Base 2358	2498	2638	2882
	24" Two Panel Fully Closed Pol FAE2M-EGBH242PFPAN2	ymer Arm 2021	n End Unit 2097	, Guest Ba 2175	ack, Brushe 2300	ed Nickel 2431	Sled Base 2564	2703	2844	3088
	24" Single Panel Fully Closed F FAE2M-EGBH241PFPAS2	olymer A 1996	rm End Ur 2098	nit, Guest I 2203	Back, Silve 2355	r Metallic 2518	Sled Bas 2685	e 2864	3044	3338
	24" Single Panel Fully Closed F FAE2M-EGBH241PFPAN2	olymer A 2202	rm End Ur 2304	nit, Guest I 2409	Back, Brus 2560	hed Nick 2724	el Sled Ba 2891	se 3069	3250	3544

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-E**G**BH to FAE2M-E**P**BH, and add the upcharges on page 15 per back.


Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	115	Supplemental Weight - 21"	390
Solid Surface Arm (each) - Gr A White	274	Supplemental Weight - 24"	321
Solid Surface Arm (each) - Gr A Color	285	Ganging Bracket	56
Solid Surface Arm (each) - Gr B	306	Combination Upholstery - Dual	32
Solid Surface Arm (each) - Gr C	323	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover (per seat)	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	Ν	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF Single Panel Fully Closed Arm			

DESCRIPTION/MODEL		COM 1	2	COL 3	FABI 4	RIC GRAI	DES 6	7	LEATHER 8	9
End - Leg Base	30" Open Polymer Arm En FAE2M-EGBH30OPAS1	d Unit, G 1707	Guest Back 1774	k, Silver Mo 1839	etallic Leg 1973	Base 2103	2235	2370	2501	2766
⇒ −	30" Open Polymer Arm En FAE2M-EGBH30OPAN1	d Unit, G 1913	iuest Back 1980	k, Brushed 2045	Nickel Leg 2179	g Base 2309	2441	2576	2707	2971
L	30" Closed Polymer Arm E FAE2M-EGBH30CPAS1	nd Unit, 1967	Guest Bao 2045	ck, Silver N 2123	Vetallic Le 2277	g Base 2434	2588	2744	2898	3210
	30" Closed Polymer Arm E FAE2M-EGBH30CPAN1	nd Unit, 2172	Guest Bao 2251	ck, Brushe 2329	ed Nickel L 2483	eg Base 2640	2794	2949	3104	3416
End - Sled Base	30" Open Polymer Arm En FAE2M-EGBH30OPAS2	d Unit, G 1779	iuest Back 1846	k, Silver Mo 1911	etallic Slec 2045	l Base 2175	2307	2442	2573	2838
	30" Open Polymer Arm En FAE2M-EGBH30OPAN2	d Unit, G 1851	uest Back 1918	k, Brushed 1983	Nickel Sle 2117	ed Base 2247	2379	2514	2645	2910
	30" Closed Polymer Arm E FAE2M-EGBH30CPAS2	nd Unit, 2039	Guest Bao 2117	ck, Silver M 2195	Vetallic Sle 2349	ed Base 2506	2660	2816	2970	3282
	30" Closed Polymer Arm E FAE2M-EGBH30CPAN2	nd Unit, 2244	Guest Bao 2323	ck, Brushe 2401	ed Nickel S 2555	led Base 2712	2866	3021	3176	3488
	30" Two Panel Fully Closed FAE2M-EGBH302PFPAS2		er Arm Enc 2153	d Unit, Gue 2250	est Back, S 2415	Silver Met 2586	allic Sled 2758	Base 2940	3120	3444
	30" Two Panel Fully Closed FAE2M-EGBH302PFPAN2		er Arm Enc 2225	d Unit, Gue 2322	est Back, E 2487	Brushed N 2658	lickel Slec 2830	l Base 3012	3192	3516
	30" Single Panel Fully Clos FAE2M-EGBH301PFPAS2		mer Arm E 2360	nd Unit, G 2484	iuest Back 2675	, Silver M 2879	etallic Sle 3085	d Base 3306	3526	3900
	30" Single Panel Fully Clos FAE2M-EGBH301PFPAN2		mer Arm E 2432	nd Unit, G 2556	iuest Back 2747	, Brushec 2951	l Nickel Sl 3157	ed Base 3378	3598	3972

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-EGBH to FAE2M-EPBH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Solid Surface Arm (each) - Gr A White	274	Supplemental Weight - 30"	172
Solid Surface Arm (each) - Gr A Color	285	Ganging Bracket	56
Solid Surface Arm (each) - Gr B	306	Combination Upholstery - Dual	32
Solid Surface Arm (each) - Gr C	323	Combination Upholstery - Three	61
Wood Arm (WA) - (per pair)	205	Removeable Seat Cover (per seat)	86
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	56
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	61



DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAI 5	DES 6	7	LEATHER 8	9
End - Leg Base	44" Open Polymer Arm Er FAE2M-EGBH44OPAS1	nd Unit, G 2129	Guest Back 2213	, Silver M 2296	etallic Leg 2462	Base 2629	2797	2962	3129	3463
⇒	44" Open Polymer Arm Er FAE2M-EGBH44OPAN1	nd Unit, G 2335	Guest Back 2419	, Brushec 2502	Nickel Le 2668	g Base 2835	3003	3168	3335	3669
	44" Closed Polymer Arm FAE2M-EGBH44CPAS1	End Unit, 2391	Guest Bac 2485	k, Silver 2578	Metallic Le 2769	g Base 2959	3147	3338	3527	3906
	44" Closed Polymer Arm FAE2M-EGBH44CPAN1	End Unit, 2597	Guest Bac 2690	k, Brushe 2784	ed Nickel L 2975	eg Base 3165	3353	3544	3733	4112
End - Sled Base	44" Open Polymer Arm Er FAE2M-EGBH44OPAS2	nd Unit, G 2337	Guest Back 2420	, Silver M 2504	etallic Slec 2670	d Base 2837	3004	3171	3337	3671
	44" Open Polymer Arm Er FAE2M-EGBH44OPAN2	nd Unit, G 2543	uest Back 2626	, Brushec 2710	l Nickel Sle 2876	ed Base 3043	3210	3377	3542	3876
	44" Closed Polymer Arm FAE2M-EGBH44CPAS2	End Unit, 2780	Guest Bac 2888	k, Silver 2994	Metallic Sle 3206	ed Base 3419	3631	3844	4056	4482
	44" Closed Polymer Arm FAE2M-EGBH44CPAN2	End Unit, 2986	Guest Bac 3093	k, Brushe 3199	ed Nickel S 3411	led Base 3625	3837	4050	4262	4688
	44" Two Panel Fully Close FAE2M-EGBH442PFPAS2		er Arm End 2592	Unit, Gue 2707	est Back, S 2905	Silver Met 3112	allic Sled E 3320	Base 3533	3748	4142
	44" Two Panel Fully Close FAE2M-EGBH442PFPAN2		er Arm End 2798	Unit, Guo 2913	est Back, E 3111	Brushed N 3318	lickel Sled 3526	Base 3738	3953	4347
	44" Single Panel Fully Clo FAE2M-EGBH441PFPAS2		mer Arm Er 2799	nd Unit, G 2941	uest Back 3165	, Silver M 3405	etallic Sleo 3647	d Base 3899	4154	4598
	44" Single Panel Fully Clo FAE2M-EGBH441PFPAN2		mer Arm Er 3005	nd Unit, G 3147	uest Back 3371	, Brushec 3611	l Nickel Sle 3853	ed Base 4104	4359	4803

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-EGBH to FAE2M-EPBH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Solid Surface Arm (each) - Gr A White	274	Ganging Bracket	56
Solid Surface Arm (each) - Gr A Color	285	Combination Upholstery - Dual	32
Solid Surface Arm (each) - Gr B	306	Combination Upholstery - Three	61
Solid Surface Arm (each) - Gr C	323	Removeable Seat Cover (per seat)	86
Wood Arm (WA) - (per pair)	205	Removable Back Cover (per back)	56
Floor Anchor Brackets (Sleigh base only)	153	CAL 133 & Moisture Barrier (per yard)	61
Springless Seat	117		

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	Ο	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	Ν	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF Single Panel Fully Closed Arm			

FAERON LOUNGE BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

Lounge Seating

	Material Content:	
	25.26% Particle Board 13.68% Urethane Foam 5.26% Plastic 7.37% Cardboard 2.11% Steel Seat Springs 6.32% Fabric 8.42% Hardwood 3.16% Softwood 28.42% Plywood	PRE-CONSUMER RECYCLED CONTENT = 12.89% POST-CONSUMER RECYCLED CONTENT =7.84% Up to 14.95% of this Faeron Metal product is recyclable at the end of its useful life.
	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC[®]-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FAERON LOUNGE BEHAVIORAL HEALTH | FEATURES



ARM PANEL POLYMER BASE

Faeron Metal Behavioral Health lounge seating is available with a ligature-resistant, cleanable, Grey polymer base securely fastened to the arm panel.



PLINTH BASE

Faeron Metal Behavioral Health lounge seating is also available with an Grey polymer plinth base that restricts access to the interior of the chair and dirt and debris from accumulating under the chair.



WALL SAVER

Faeron Lounge models feature a wall saver feature. The angle of the back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



LIGATURE RISK REDUCTION

Faeron Metal Behavioral Health lounge seating has been designed with ligature-resistant features such as closed arm panels and legless base options to significantly reduce anchor points.



RESTRICTED ACCESS UPHOLSTERY

This feature provides complete closure and elimination of the standard clean out space between seat, back and arm panels in the - hindering the use of these areas for hiding contraband. This feature reduces the ability to utilize the product for ligature.



TAMPER-RESISTANT HARDWARE

Tamper-resistant hardware is utilized in the construction of all Faeron Metal Behavioral Health seating. The specific tools needed to remove components for maintenance and replacement can be purchased from Krug..



INACCESSIBLE STAPLES

All staples on this product are covered and made inaccessible with a use of polymer underseat shield, fastened with tamper-resistant hardware.



UNDERSEAT SHIELD

The polymer shield is attached with tamper-resistant hardware. It is designed to restrict access to the interior of the chair.

SECURED GLIDES

The glides are screwed in place using temper resistant screws to hinder their removal. They can be field-replaced with the use of tools.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

FINISH DURABILITY

The Krug finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

WEIGHT CAPACITIES

Tested to meet or exceed the BIFMA X5.4 Lounge Standard One-Seat - 500 lbs One-Seat - Plus - 750 lbs One-seat Wide - 500 lbs One-seat Wide Plus - 750 lbs Two-Seat - 625 lbs Two-Seat Plus- 975 lbs Three - Seat - 850 lbs Three - Seat Plus- 1200 lbs

FAERON LOUNGE BEHAVIORAL HEALTH | OPTIONS



POLYMER ARM CAP

The optional Polymer Arm cap provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in Black, Grey and Taupe, and is replaceable if it become damaged or degraded.



WOOD ARM CAP

The optional Wood Arm cap provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in all standard wood finishes, and are replaceable if they become damaged or degraded.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm cap provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard Corian colors, and custom colors (at an upcharge). Arms are replaceable if they become damaged or degraded. Solid Surface not recommended for lower acuity environments.

PANEL ARM METAL BASE

An optional powder coated steel panel base is available on Faeron Metal Behavioral Health lounge seating. The base is ligature resistant and installed with tamper-resistant hardware.

ANCHOR BRACKETS

Heavy duty tamper-resistant anchor brackets are available to secure the chair to the floor.



COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

SUPPLEMENTAL WEIGHT

Optional supplemental weight can be specified for additional safety and to minimize risk of weaponization. The standard polymer shield is replaced with a heavy gauge steel shield that increase the overall weight to at least 80 lbs.

REMOVABLE/REPLACEABLE UPHOLSTERY

Removable upholstery covers can be specified on this product, to facilitate cleaning and assist with infection control. They utilize tamper-resistant hardware, and inaccessible staples. Replacement upholstery covers have the same features, and can be field installed with tamper-resistant fastener tools.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

FAERON LOUNGE BEHAVIORAL HEALTH | DIMENSIONS & COM

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM YDG Entire	COM YDG Seat Only	COM YDG Back Only	COM YDG Arm Only (pair)
One Seat	- Armles	s Plinth	Base										
Lounge	23	28.5	31.5	17.8	-	-	21	74	20	3.2	1.4	1.8	-
High Bacl	k 23	28.5	41.5	17.8	-	-	21	80	24	3.8	1.4	2.4	-
One Seat	- Uphols	tered Arr	n, Plinth I	Base									
Lounge	28	30	31.5	17.8	24	23	21	114	20	6.3	1.4	1.8	3.1
High Bacl	k 28	30	41.5	17.8	24	23	21	120	24	6.9	1.4	2.4	3.1
One Seat	- Uphols	tered Arr	m Panel w	/ Polyme	r Base								
Lounge	28	31	31.5	17.8	24	23	21	95	20	6.2	1.3	1.7	3.2
High Bacl	k 28	31	41.5	17.8	24	23	21	100	24	6.8	1.3	2.3	3.2
One Seat	- Uphols	tered Arr	m Panel w	/ Metal B	ase								
Lounge	28	30	31.5	17.8	24	23	21	97	20	6.2	1.3	1.7	3.2
High Bacl	k 28	30	41.5	17.8	24	23	21	102	24	6.8	1.3	2.3	3.2
One Seat	Wide - A	rmless. F	Plinth Bas	e									
Lounge	30	28.5	31.5	17.8	-	-	21	88	23	3.4	1.6	1.8	-
High Bacl	k 30	28.5	41.5	17.8	-	-	21	94	27	4	1.6	2.4	-
One Cest	Wide I	Inholotor		linth Dee									
One Seat Lounge	35 vvide - U	phoister 30	ea Arm, F 31.5	11nth Bas	e 24	23	21	128	23	6.5	1.6	1.8	3.1
High Bacl		30	41.5	17.8	24	23	21	134	27	7.1	1.6	2.4	3.1
-													
					olymer Base	00	01	107	00	C 4	4 5	1 7	0.0
Lounge High Bacl	35 k 35	31 31	31.5 41.5	17.8 17.8	24 24	23 23	21 21	107 113	23 27	6.4 7	1.5 1.5	1.7 2.3	3.2 3.2
Tilgit Daoi	N 00	01	41.5	17.0	24	20	21	110	21	,	1.5	2.0	0.2
One Seat		•											
Lounge	35	30	31.5	17.8	24	23	21	109	23	6.4	1.5	1.7	3.2
High Bacl	k 35	30	41.5	17.8	24	23	21	114	27	7	1.5	2.3	3.2
Two Seat	- Armles	s, Plinth	Base										
Lounge	46	28.5	31.5	17.8	-	-	21	124	36	4.5	1.8	2.7	-
High Bacl	k 46	28.5	41.5	17.8	-	-	21	135	43	5.4	1.8	3.6	-
Two Seat	- Uphols	tered Arr	n. Plinth F	Base									
Lounge	51	30	31.5	17.8	24	23	21	164	36	7.6	1.8	2.7	3.1
High Bacl	k 51	30	41.5	17.8	24	23	21	175	43	8.5	1.8	3.6	3.1
Two Seat	Unholo	torod Arr	n Donol w		Paga								
Lounge	- Opnois 51	31	31.5	17.8 /	24	23	21	140	36	7.50	1.7	2.6	3.2
High Bacl		31	41.5	17.8	24	23	21	149	43	8.40	1.7	3.5	3.2
-													
Two Seat						00	01	- 4 -	00	7 50	4 7	0.0	0.0
Lounge High Bacl	51 k 51	30 30	31.5 41.5	17.8 17.8	24 24	23 23	21 21	141 150	36 43	7.50 8.40	1.7 1.7	2.6 3.5	3.2 3.2
	K JI	50	41.5	17.0	24	20	21	150	40	0.40	1.7	0.0	0.2
Three Sea													
Lounge	69 k 60	28.5	31.5	17.8	-	-	21	172	52 61	6.1	2.6	3.5	-
High Bacl	k 69	28.5	41.5	17.8	-	-	21	187	61	7.4	2.6	4.8	-
Three Sea			,										
Lounge	74	30	31.5	17.8	24	23	21	213	52	9.2	2.6	3.5	3.1
High Bacl	k 74	30	41.5	17.8	24	23	21	228	61	10.5	2.6	4.8	3.1
Three Sea	at - Upho	Istered A	rm Panel	w/ Polvm	er Base								
Lounge	74	31	31.5	17.8	24	23	21	183	52	9.1	2.5	3.4	3.2
High Bacl	k 74	31	41.5	17.8	24	23	21	196	61	10.4	2.5	4.7	3.2
Three Sea	at _ Llobo	letarad A	rm Danal	w/ Motol	Base								
Lounge	at - Oprio 74	30	31.5	17.8	24	23	21	185	52	9.1	2.5	3.4	3.2
High Bacl		30	41.5	17.8	24	23	21	198	61	10.4	2.5	4.7	3.2

FAERON BEHAVIORAL HEALTH | ARMLESS LOUNGE

DESCRIPTION/MODE	EL	COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	LEATHER 8	9
$\sum_{i=1}^{n}$	One-Seat, Armless, Plinth FAE3-APBHL1H	Base 2040	2163	2286	2409	2562	2716	2900	3085	3315
	One-Seat Plus, Armless, I FAE3-APBHLB1H	Plinth Bas 2105	se 2228	2351	2474	2627	2781	2965	3150	3380
	One-Seat Wide, Armless,	Plinth Ba	ase							
\square	FAE3-APBHL1+H	2243	2374	2504	2635	2798	2961	3157	3353	3598
	One-Seat Wide Plus, Arm FAE3-APBHLB1+H	less, Plin 2313	th Base 2444	2574	2705	2868	3031	3227	3423	3668
	Two-Seat, Armless, Plinth FAE3-APBHL2H	Base 3238	3411	3584	3756	3972	4188	4448	4707	5031
	Two-Seat Plus, Armless, F	Plinth Bas	se							
	FAE3-APBHLB2H	3316	3488	3661	3834	4050	4266	4525	4785	5109
-										
	Three-Seat, Armless, Plin FAE3-APBHL3H	th Base 4224	4458	4693	4927	5220	5513	5864	6215	6655
	Three-Seat Plus, Armless FAE3-APBHLB3H	, Plinth B 4357	ase 4592	4826	5060	5353	5646	5997	6349	6788

Option Upcharges	\$ List		\$ List
Floor Anchoring Hardware	90	One-Seat Removable Seat Cover	145
Combination Upholstery - Dual fabrics	32	One-Seat wide Removable Seat Cover	218
Combination Upholstery - Three fabrics	61	Two-Seat Removable Seat Cover	288
One-Seat Removable Back Cover	145	Three-Seat Removable Seat Cover	432
One-Seat wide Removable Back Cover	218	Supplemental Weight	52
Two-Seat Removable Back Cover	288	CAL 133 & Moisture Barrier (per yard)	61
Three-Seat Removable Back Cover	432	· · · · · · · · · · · · · · · · · · ·	

Line	Series	Chair Type	Size	Base
FAE Faeron	3-APBH Behavioral Health Lounge Seating Armless	L Lounge H High Back Lounge	1B1One-SeatOne-Seat Plus1+B1+One-SeatOne-SeatWideWide Plus2B2Two-SeatTwo-Seat Plus3B3Three-SeatThree-Seat Plus	H Plinth Base

FAERON BEHAVIORAL HEALTH | ARMLESS HIGH BACK LOUNGE

	COM			FABRIC GRADES			LEATHER			
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9	
One-Seat, Armless, FAE3-APBHH1H	Plinth Base 2245	2391	2536	2682	2865	3047	3266	3485	3759	
One-Seat Plus, Arm FAE3-APBHHB1H	nless, Plinth Ba 2310	se 2456	2602	2748	2930	3112	3331	3550	3824	
One-Seat Wide, Arr FAE3-APBHH1+H	2383	2537	2690	2844	3036	3228	3458	3689	3977	
One-Seat Wide Plu FAE3-APBHHB1+H		oth Base 2607	2760	2914	3106	3298	3529	3759	4047	
Two-Seat, Armless,										
FAE3-APBHH2H	3529	3737	3944	4152	4411	4670	4981	5292	5681	
Two-Seat Plus, Arm FAE3-APBHHB2H	iless, Plinth Ba 3607	se 3815	4022	4229	4489	4748	5059	5370	5759	
Three-Seat, Armles FAE3-APBHH3H	s, Plinth Base 4641	4926	5210	5494	5849	6205	6631	7057	7590	
Three-Seat Plus, Ar FAE3-APBHHB3H	mless, Plinth E 4775	Base 5059	5343	5627	5983	6338	6764	7191	7723	

Option Upcharges	\$ List		\$ List
Floor Anchoring Hardware	90	One-Seat Removable Seat Cover	145
Combination Upholstery - Dual fabrics	32	One-Seat wide Removable Seat Cover	218
Combination Upholstery - Three fabrics	61	Two-Seat Removable Seat Cover	288
One-Seat Removable Back Cover	145	Three-Seat Removable Seat Cover	432
One-Seat wide Removable Back Cover	218	Supplemental Weight	52
Two-Seat Removable Back Cover	288	CAL 133 & Moisture Barrier (per yard)	61
Three-Seat Removable Back Cover	432		

Line	Series	Chair Type	Size	Base
FAE	3-APBH Behavioral Health	Lounge	1B1One-SeatOne-Seat Plus	H Plinth Base
	Lounge Seating Armless	H High Back Lounge	1+B1+One-SeatOne-SeatWideWide Plus	
			2B2Two-SeatTwo-Seat Plus	
			3 B3 Three-Seat Three-Seat Plus	

FAERON BEHAVIORAL HEALTH | LOUNGE

		COM	0	COL		BRIC GRA			LEATHER	0
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	One-Seat, Upholstered									
\sim	FAE3-UPBHL1NCH	2865	3112	3360	3607	3916	4225	4596	4967	5431
					L D					
	One-Seat Plus, Uphols FAE3-UPBHLB1NCH	tered Arn 2930	n, No Arm 3178	3425	n Base 3672	3981	4291	4662	5033	5496
	FAE3-UPBRLD INCH	2930	3170	3425	3072	3901	4291	4002	5055	5490
	One-Seat Wide, Uphol	stered Ar	m, No Arm	ו Cap, Plin	th Base					
	FAE3-UPBHL1+NCH	3128	3383	3638	3893	4212	4531	4913	5296	5774
	One-Seat Wide Plus, U						1001	100.1	5000	5044
	FAE3-UPBHLB1+NCH	3198	3453	3709	3964	4282	4601	4984	5366	5844
	Two-Seat, Upholstered	l Arm, No	Arm Cap.	Plinth Bas	se					
	FAE3-UPBHL2NCH	4080	4378	4675	4972	5344	5715	6161	6607	7165
	Two-Seat Plus, Uphols									
	FAE3-UPBHLB2NCH	4158	4455	4753	5050	5421	5793	6239	6685	7242
	Three-Seat, Upholstere	ed Arm. N	lo Arm Ca	p. Plinth B	ase					
	FAE3-UPBHL3NCH	5084	5443	5801	6160	6608	7057	7595	8133	8805
	Three-Seat Plus, Upho									
	FAE3-UPBHLB3NCH	5217	5576	5935	6293	6742	7190	7728	8266	8939
*										

ORDERING NOTES: Faeron Lounge chairs can also be specified with a Polymer Arm Cap (PC), Wood Arm Cap (WC) or a Solid Surface Arm Cap (SC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed.

Option Upcharges	\$ List		\$ List
Floor Anchoring Hardware Combination Upholstery - Dual fabrics Combination Upholstery - Three fabrics One-Seat Removable Back Cover One-Seat wide Removable Back Cover Two-Seat Removable Back Cover One-Seat Removable Back Cover One-Seat Removable Seat Cover Two-Seat Removable Seat Cover Three-Seat Removable Seat Cover	90 32 61 145 218 288 432 145 218 288 432	Supplemental Weight CAL 133 & Moisture Barrier (per yard) Urethane Arm Cap Wood Arm Cap Solid Surface Arm Cap - Gr A White Solid Surface Arm Cap - Gr A Color Solid Surface Arm Cap - Gr B Solid Surface Arm Cap - Gr C See <u>page 47</u> for color selection.	52 61 146 185 366 379 402 416

PRODUCT CODE KEY

Line	Series	Chair Type	Si	ze	Arm Cap	Base
FAE Faeron	3-UPBH Behavioral Health	L Lounge	1 One-Seat	B1 One-Seat Plus	NC No Cap	H Plinth Base
	Lounge Seating Upholstered Arm	H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	PC Polymer Cap	
			2 Two-Seat	B2 Two-Seat Plus	SC Solid Surface Cap	
			3 Three-Seat	B3 Three-Seat Plus	WC Wood Cap	

BEHAVIORAL HEALTH | HEALTHCARE | USA | 34

FAERON BEHAVIORAL HEALTH | HIGH BACK LOUNGE

		COM		COL		RIC GRAD			EATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
One-Seat, Upholstered Arm, No Arm Cap, Plinth Base										
	FAE3-UPBHH1NCH	3070	3340	3611	3881	4219	4557	4962	5368	5875
L N										
	One-Seat Plus, Uphols			• •						
	FAE3-UPBHHB1NCH	3135	3405	3676	3946	4284	4622	5027	5433	5940
\sim	One-Seat Wide, Uphol	stered Ar	m, No Arn	n Cap, Plir	th Base					
	FAE3-UPBHH1+NCH	3268	3546	3824	4102	4450	4797	5214	5632	6153
			a al Assaa - Ni							
	One-Seat Wide Plus, L FAE3-UPBHHB1+NCH	•	3616	o Arm Cap 3895	, Plinth Ва 4173	4520	4868	5285	5702	6223
	TALS-OF DITID T+NOT	3330	3010	3095	4173	4520	4000	5265	5702	0223
	Two-Seat, Upholstered								-	
	FAE3-UPBHH2NCH	4372	4704	5036	5367	5782	6197	6695	7192	7815
	Two-Seat Plus, Uphols	tered Arn	n No Arm	Can Plint	h Base					
	FAE3-UPBHHB2NCH	4450	4781	5113	5445	5860	6275	6772	7270	7892
				0.10	0.10		02.0	02		
	Three Cost Unbeleter			n Dlinth D						
	Three-Seat, Upholstere FAE3-UPBHH3NCH	5500	5909	6318 p, Plinth B	6726	7237	7748	8361	8974	9740
THA		5500	2909	0310	0120	1201	1140	0001	03/4	3740
Three-Seat Plus, Upholstered Arm, No Arm Cap, Plinth Base										
	FAE3-UPBHHB3NCH	5634	6042	6451	6860	7370	7881	8494	9107	9873

ORDERING NOTES: Faeron Lounge chairs can also be specified with a Polymer Arm Cap (PC), Wood Arm Cap (WC) or a Solid Surface Arm Cap (SC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed.

\$ List		\$ List
90 32 61 145 218 288 432 145 218 288 432	Supplemental Weight CAL 133 & Moisture Barrier (per yard) Urethane Arm Cap Wood Arm Cap Solid Surface Arm Cap - Gr A White Solid Surface Arm Cap - Gr A Color Solid Surface Arm Cap - Gr B Solid Surface Arm Cap - Gr C See page 47 for color selection.	52 61 146 185 366 379 402 416
	90 32 61 145 218 288 432 145 218	90Supplemental Weight32CAL 133 & Moisture Barrier (per yard)61Urethane Arm Cap145Wood Arm Cap218Solid Surface Arm Cap - Gr A White288Solid Surface Arm Cap - Gr A Color432Solid Surface Arm Cap - Gr B145Solid Surface Arm Cap - Gr C218Solid Surface Arm Cap - Gr C288See page 47 for color selection.

Line	Series	Chair Type	S	ize	Arm Cap	Base
FAE Faeron	3-UPBH Behavioral Health Lounge Seating Upholstered Arm	L Lounge H High Back	1 One-Seat 1+ One-Seat Wide	B1 One-Seat Plus B1+ One-Seat Wide Plus	NC No Cap PC Polymer Cap	H Plinth Base
		Lounge	Two-Seat 3 Three-Seat	Two-Seat Plus B3 Three-Seat Plus	SC Solid Surface Cap WC Wood Cap	

FAERON LOUNGE BEHAVIORAL HEALTH | LOUNGE

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	9
	One-Seat Upholstered	Arm Do	nol with Do	wmor Bac	o No Arm	Can				
_	FAE3-UBHL1NCG	2790	2946	3101	3256	3450	3644	3876	4109	4400
	One-Seat Plus Uphols						3709	3942	4174	4465
	TALS-OBITLE TROO	2000	3011	3100	5521	5515	3709	3942	4174	4405
	One-Seat Wide Upho FAE3-UBHL1+NCG	stered A 3071	rm Panel w 3261	ith Polyme 3450	er Base, No 3640	o Arm Cap 3877	4114	4399	4684	5039
	One-Seat Wide Plus l	Jpholste	red Arm Pa	nel with P	olymer Bas	se, No Arm	Cap			
	FAE3-UBHLB1+NCG	3141	3331	3521	3710	3948	4185	4469	4754	5110
	Two-seat Upholstered	l Arm Pa	nel with Pol	ymer Base	e, No Arm (Сар				
	FAE3-UBHL2NCG	3837	4061	4286	4510	4790	5071	5407	5743	6164
	Two-seat Plus Uphols	tered Arı	m Panel wit	h Polymer	Base, No	Arm Cap				
	FAE3-UBHLB2NCG	3915	4139	4363	4588	4868	5148	5485	5821	6242
	Three-seat Upholstere			,	,		0450	<u> </u>	7000	7005
		4861	5150	5440	5730	6091	6453	6888	7322	7865
	Three-seat Plus Upho			,	,					
	FAE3-UBHLB3NCG	4994	5284	5573	5863	6225	6587	7021	7456	7999

ORDERING NOTES: Faeron Lounge chairs can also be specified with a Polymer Arm Cap (PC), Wood Arm Cap (WC) or a Solid Surface Arm Cap (SC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed. To specify the arm panel with metal base change the "G" to and "M" and upcharge below.

Option Upcharges	\$ List		\$ List
Floor Anchoring Hardware Combination Upholstery - Dual fabrics Combination Upholstery - Three fabrics One-Seat Removable Back Cover One-Seat wide Removable Back Cover Two-Seat Removable Back Cover Three-Seat Removable Back Cover One-Seat Removable Seat Cover One-Seat wide Removable Seat Cover Two-Seat Removable Seat Cover	90 32 61 145 218 288 432 145 218 288	Supplemental Weight CAL 133 & Moisture Barrier (per yard) Arm Panel Metal Base Urethane Arm Cap Wood Arm Cap Solid Surface Arm Cap - Gr A White Solid Surface Arm Cap - Gr A Color Solid Surface Arm Cap - Gr B Solid Surface Arm Cap - Gr C See page 47 for color selection.	52 61 438 146 185 366 379 402 416
Three-Seat Removable Seat Cover	432		

PRODUCT CODE KEY

Line	Series	Chair Type	Size	e	Arm Cap	Base
FAE	3-UBH Behavioral Health	L Lounge	 One-Seat	B1 One-Seat Plus	NC No Cap	G Arm Panel Polymer Base
	Lounge Seating Upholstered Arm	H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	PC Polymer Cap	M Arm Panel Metal Base
			2 Two-Seat	B2 Two-Seat Plus	WC Wood Cap	
			3 Three-Seat	B3 Three-Seat Plus	SC Solid Surface Ca	p

BEHAVIORAL HEALTH | HEALTHCARE | USA | 36

FAERON LOUNGE BEHAVIORAL HEALTH | HIGH BACK LOUNGE

		COM		COL		BRIC GRA			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	One-Seat Upholstered	Arm Pan	el with Polv	mer Base.	No Arm C	ap				
	FAE3-UBHH1NCG	2940	3103	3266	3429	3632	3836	4080	4325	4630
	One-Seat Plus Upholst	orod Arm	Panel with	Polymer F	Rasa No A	rm Can				
	FAE3-UBHHB1NCG	3005	3168	3331	3494	3698	3901	4145	4390	4695
	One-Seat Wide Uphols	tered Arr	n Panel wit	h Polymer	Base No.	Arm Can				
	FAE3-UBHH1+NCG	3197	3410	3623	3836	4101	4367	4687	5006	5405
E h										
	One-Seat Wide Plus Ur	holstara	d Arm Pan	al with Pol	umor Raso	No Arm (Can			
	FAE3-UBHHB1+NCG	3268	3480	3693	3906	4172	4438	4757	5076	5475
\rightarrow										
	Two-seat Upholstered	Arm Pane	l with Polyr	ner Base,	No Arm Ca	ар				
TH	FAE3-UBHH2NCG	4107	4370	4633	4895	5224	5552	5946	6340	6833
E D										
	Two-seat Plus Upholste	ered Arm	Panel with	Polymer E	Base, No Ai	rm Cap				
	FAE3-UBHHB2NCG	4185	4448	4710	4973	5301	5630	6024	6418	6910
\rightarrow										
	Three-seat Upholstered FAE3-UBHH3NCG	l Arm Pai 5241	nel with Pol 5577	ymer Base 5912	e, No Arm (6248	Cap 6668	7087	7591	8094	8724
FHR	I ALS-UDHIDINUG	5241	5577	3912	0240	0000	1001	1091	0094	0124
	Three-seat Plus Uphols FAE3-UBHHB3NCG	tered Arı 5374	m Panel wit 5710	h Polymer 6046	Base, No 6381	Arm Cap 6801	7001	7704	0000	0057
		5374	3710	0040	1000	1000	7221	7724	8228	8857
*										

ORDERING NOTES: Faeron Lounge chairs can also be specified with a Polymer Arm Cap (PC), Wood Arm Cap (WC) or a Solid Surface Arm Cap (SC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed. To specify the arm panel with metal base change the "G" to and "M" and upcharge below.

Option Upcharges	\$ List		\$ List
Floor Anchoring Hardware Combination Upholstery - Dual fabrics Combination Upholstery - Three fabrics One-Seat Removable Back Cover One-Seat wide Removable Back Cover Two-Seat Removable Back Cover Three-Seat Removable Back Cover One-Seat Removable Seat Cover One-Seat wide Removable Seat Cover Two-Seat Removable Seat Cover	90 32 61 145 218 288 432 145 218 288 288	Supplemental Weight CAL 133 & Moisture Barrier (per yard) Arm Panel Metal Base Urethane Arm Cap Wood Arm Cap Solid Surface Arm Cap - Gr A White Solid Surface Arm Cap - Gr A Color Solid Surface Arm Cap - Gr B Solid Surface Arm Cap - Gr C See page 47 for color selection.	52 61 438 146 185 366 379 402 416
		•	41

PRODUCT CODE KEY

Line	Series	Chair Type	Siz	е	Arm Cap	Base
FAE Faeron	3-UBH Behavioral Health	L	1 One-Seat	B1 One-Seat Plus	NC No Cap	G Arm Panel Polymer Base
	Lounge Seating Upholstered Arm	H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	PC Polymer Cap	M Arm Panel Metal Base
			2 Two-Seat	B2 Two-Seat Plus	WC Wood Cap	
			3 Three-Seat	B3 Three-Seat Plus	SC Solid Surface Ca	o
37 1 194						

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177 Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca **Customer Service Hours** Please note customer service hours are: 8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- · damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

Juno and Trevisa Overbed Tables have a 2-year warranty.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination – please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

GENERAL INFORMATION

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard.

Specific test results and documentation are available on request.



Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address <u>engquotes@krug.ca</u>.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Textiles - Upholstery Program

 Passes State of California Technical Bulletin CAL 117-2013



Krug Textiles - Stocked Fabric Program

Grade 1

ARLO



62 FAWN

601 IVORY

64 PUTTY

BEHAVIORAL HEALTH | HEALTHCARE | USA | 40

36 BLUEBERRY



Krug Textiles - Stocked Fabric Program

908 DOMINO

41 | USA | HEALTHCARE | BEHAVIORAL HEALTH

305 MIDNIGHT

64 PUTTY

205 CHARTREUSE

Grade 2

GRADDY 604 FLAX 31 SKY 901 CHAR 93 GRAY 25 CAPER **34 SLATE** 84 TEAK 98 NICKLE **YATES** 44 CLAY 87 TAUPE 25 JUNIPER 305 INDIGO 109 CRANBERRY 84 BIRCH 803 TOAST 92 ZINC 91 SILVER 908 CHARCOAL MCCOY 601 CREME 908 CHARCOAL 62 COPPER 108 CORDOVAN 608 TUNDRA 32 ROBIN'S EGG 94 MERCURY 84 BARK ORIS 604 BARK 601 CREAM 306 DELFT 902 ZINC



KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

Grade 3



302 CAPRI

INTRIGUE



601 OYSTER

805 PECAN

608 STUCCO

605 STRAW

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Faux Leather Program - Grade 2

White	Cream					
FL3822	FL6003					
Parchment FL0605	Sandstone FL0608	Vanilla FL0061				
Taupe FL3948	Mocha FL0808	Tan FL0802	Chestnut FL0087	Bisque FL0805	Chocolate FL8020	Black FL9009
Earth FL0084	Brick FL0011	Wine FL0108	Garnet FL0017	Rust FL0014	Citron FL0054	Sprig FL0205
Chinchilla FL6009	Steel FL0905	Grey FL9003	Lagoon FL0037	Pacific Blue FL3003	Navy FL3006	Plum FL1009

Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$21 Grade 2 \$33

Grade 3 \$44

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover rolls, or for the method of upholstery in no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2 Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a <u>NAFTA Certificate of Origin</u> and a <u>Commercial Invoice</u> be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

KRUGEXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to *KrugExpress* orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time.

Please note that the CAL 133 option is not available on KrugExpress.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

• Tunnel Test Surface Ratings Class A rating

- Class 1 UFAC
- Passes State of California Technical Bulletin 117-Section E

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

FAERON | FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry Natural Cherry Sable Cherry Standard Cherry Light Oak Harvest Oak Mahogany Mellow Oak Espresso Cordovan Walnut Natural Walnut **Regular Walnut** SilverGrey on Walnut Dark Walnut **Clear Beech** Medium Anigre

PALETTE

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$525 list per finish per order. (For example, on all orders up to \$5250 list, an upcharge of \$525 will apply, on orders \$5000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

FAERON | FINISHES

METAL FINISHES




URETHANE COLOR OPTIONS



SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.







All products are air emissions certified and are available as FSC® certified

krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG