FAERON BEHAVIORAL HEALTH

Price and Specification Guide **USA**



krug HEALTHCARE ﴾

FAERON BEHAVIORAL HEALTH | TABLE OF CONTENTS

FAERON | GUEST BACK

- 2 Faeron LEED Credit Summary
- 3 Faeron Features
- 4 Faeron Options
- 5 Faeron Dimensions & COM Requirements
- 6 Faeron Guest Pricing

FAERON | PATIENT BACK

- 10 Faeron LEED Credit Summary
- 11 Faeron Dimensions & COM Requirements
- 12 Faeron Patient Pricing

FAERON | MULTIPLE GUEST & PATIENT SEATING

- 15 Faeron Dimensions & COM Requirements Start, Center & End
- 16 Faeron Multiple Seating Start, Center & End Units Pricing

FAERON METAL | LOUNGE

- 28 Faeron LEED Credit Summary
- 29 Faeron Lounge Features & Options
- 31 Faeron Dimensions, COM Requirements & Option Upcharges
- 32 Faeron Lounge Pricing

GENERAL INFORMATION

- 38 Terms & Conditions
- 38 Warranty
- 40 KRUG Textiles Upholstery Fabrics
- 43 KRUG Textiles Leather & Faux Leather
- 44 Customer's Own Material (COM/COL)
- 44 CAL 133 & Moisture Barrier
- 45 Graded-In Upholstery Programs
- 45 KRUGEXPRESS Program
- 46 Wood Finishes
- 47 Metal Finishes
- 47 Urethane Color Options
- 47 Solid Surface Program


FAERON BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

Guest Seating



Material Content:



Pre-Consumer Recycled Content = 6.25% Post-Consumer

Recycled Content = 17.77%

Up to 55.77% of this Faeron Metal product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FAERON BEHAVIORAL HEALTH | GUEST & PATIENT SEATING | FEATURES




FLEX BACK

The ergonomically designed back has been designed with a slight flexing action for enhanced comfort and ease of ingress and egress.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and the walls of the facility.



POLYMER ARM

Faeron Metal Behavioral Health guest and patient chairs are standard with tamper-resistant polymer arms that are durable, comfortable, and long lasting. Available in black, grey and taupe.



SPRING SEAT CONSTRUCTION

Faeron Metal Behavioral Health guest and patient chairs are designed with spring seat construction and dual density foam for superior longevity, comfort and performance.



STEEL SEAT FRAME

Side frames, backs and seats are attached to a heavyduty steel frame with tamper-resistant hardware. These components are removable and field replaceable.



CLEAN OUT

Faeron Metal Behavioral Health guest and patient chairs feature a clean out space that supports infection control by enabling debris and fluid to fall to the floor for easy cleaning.



TAMPER-RESISTANT HARDWARE

Tamper-resistant hardware is utilized in the construction of all Faeron Metal Behavioral Health seating. The specific tools needed to remove components for maintenance or replacement are available for purchase from Krug.



INACCESSIBLE STAPLES

An inaccessible galvanized steel band with vinyl edges covers the staples on the back upholstery cover. It is installed with tamper-resistant hardware.

SECURED GLIDES

Faeron Metal Behavioral Health seating features tamperresistant glides to minimize risk of removal and weaponization.

UNDERSEAT SHIELD

Faeron Metal Behavioral Health guest and patient chairs feature a metal under seat shield that minimizes the risk of access to the upholstery staples. It also minimizes the ability to hide contraband under the seat. The vented shield is compatible with ganging brackets and is installed with tamper-resistant hardware.

LATEX-FREE

Krug products are made with latex-free materials, to help prevent allergic reaction.

WEIGHT CAPACITIES

Tested to meet or exceed the BIFMA X5.4 Standard Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs

FAERON BEHAVIORAL HEALTH | OPTIONS



KINETIC BACK

The optional Kinetic Back provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It is available on any Faeron Guest chair back with the exception of the Plus sizes (30" and 44").



SOLID SURFACE ARM

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard Corian colors, and custom colors (at an upcharge). Arms are replaceable as a full side frame if they become damaged or degraded. Solid Surface not recommended for lower acuity environments.



WOOD ARM

Faeron Wood Arm caps are fastened to the side frames. Wood arms are solid Beech and available in standard and custom finishes. Arms can be replaced if they do become damaged or degraded.



CLOSED ARM PANEL

The side frames on Faeron Metal Behavioral Health guest and patient chairs can be enclosed to the center rail.



FULLY CLOSED ARM (SLEIGH BASE ONLY)

The side frames on Faeron Metal Behavioral Health guest and patient chairs can be fully enclosed to the base rail. This can be achieved with 2 panels showing the center rail or a single panel enclosing the center rail. This option is only available with the sled base.



FLOOR ANCHOR BRACKETS

For additional security, tamper- resistant anchor brackets are available to bolt the sled base to the floor. The hardware to attach the brackets to the floor is not included. This option is only available with the sled base.



SPRINGLESS SEATS

The springs in the seats can be replaced with an optional plywood seat pan and dual density foam.



SI ED BASE

The sled base ties the front and back legs together with a steel rail. This option minimizes the risk of the chair being weaponized. Optional anchor brackets are available to bolt the base to the floor for additional security.

SUPPLEMENTAL WEIGHT

In place of the standard Underseat shield, an optional weighted black coated steel shield is available. The steel shield is designed to add enough weight for the product to be a minimum of 80 lbs. The shield is also designed to allow standard ganging hardware, seat ventilation and covers all access to the upholstery staples under the seat. The weighted shield is fastened with tamperresistant hardware.

TAMPER-RESISTANT GANGING BRACKET

Faeron Metal Behavioral Health guest and patient chairs can be ganged together with a tamper-resistant powder coated metal bracket.

COMBINATION UPHOLSTERY

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

REMOVABLE COVERS

Faeron Metal chairs are available with removeable seat and back covers. Replacement covers can be quickly field installed on Faeron products that were originally ordered with the removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	62	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	67	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	75	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	96	28

COM- YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel	COM Yardage Fully Closed Arm
21" & 24" - One Chair	1.6	0.9	1.4	0.96	3.20
30" - One Chair	2.3	0.9	1.4	0.96	3.20
44" - One Chair	2.9	1.5	1.6	0.96	3.20

ORDERING NOTES:

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability. Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron Metal seating.

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

		COM		COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9
	21" Open Polymer Arm, Silver I FAE2M-GBH210PAS1	Metallic L 1436	eg Base 1482	1528	1620	1712	1804	1897	1988	2171
	21" Open Polymer Arm, Brushe FAE2M-GBH210PAN1	ed Nickel 1642	Leg Base 1687	1734	1826	1917	2010	2103	2194	2377
	21" Closed Polymer Arm, Silver FAE2M-GBH21CPAS1	1880	1949	2018	2157	2295	2431	2571	2708	2984
	21" Closed Polymer Arm, Brusl FAE2M-GBH21CPAN1	ned Nicke 2086	el Leg Base 2155	2224	2363	2500	2637	2777	2914	3190
	21" Open Polymer Arm, Silver I FAE2M-GBH210PAS2	1571	1616	1662	1755	1846	1938	2032	2122	2306
	21" Open Polymer Arm, Brushe FAE2M-GBH21OPAN2	ed Nickel 1777	Sled Base 1822	1868	1960	2052	2144	2238	2328	2512
	21" Closed Polymer Arm, Silver FAE2M-GBH21CPAS2	r Metallic 2014	Sled Base 2084	2153	2291	2429	2565	2705	2843	3119
	21" Closed Polymer Arm, Brusl FAE2M-GBH21CPAN2	ned Nicke 2220	el Sled Base 2289	2359	2497	2635	2771	2911	3048	3325
	21" Two Panel Fully Closed Pol	ymer Arm	n, Silver Met	tallic Sled	d Base					
	FAE2M-GBH212PFPAS2	2120	2229	2339	2496	2667	2839	3029	3215	3519
	21" Two Panel Fully Closed Pol FAE2M-GBH212PFPAN2	ymer Arm 2326	n, Brushed N 2435	Nickel Sle 2545	ed Base 2701	2873	3045	3235	3421	3725
	21" Single Panel Fully Closed F FAE2M-GBH211PFPAS2	Polymer A 2482	rm, Silver M 2644	letallic S 2807	led Base 3017	3254	3492	3762	4027	4431
	21" Single Panel Fully Closed F FAE2M-GBH211PFPAN2	Polymer A 2688	rm, Brushed 2850	d Nickel 3 3013	Sled Base 3222	3460	3698	3968	4233	4637

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 21"	390
Solid Surface Arm (per pair) - Gr A White	573	Supplemental Weight - 24"	321
Solid Surface Arm (per pair) - Gr A Color	598	Ganging Bracket	58
Solid Surface Arm (per pair) - Gr B	645	Combination Upholstery - Dual	33
Solid Surface Arm (per pair) - Gr C	678	Combination Upholstery - Three	64
Wood Arm (WA) - (per pair)	215	Removeable Seat Cover	90
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover	58
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	64

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE Faeron	2M Chair	GBH Guest Seating	21	O Open Arm	PA Polymer Arm	Silver Metallic	1 Leg Base
			24	Closed Arm	WA Wood Arm	N Brushed	2 Sled Base
			30	2PF Two Panel Fully Closed Arm	SA Solid Surface Arm	Nickel	
			44 S	1PF Single Panel Fully Closed Arm			

		COM		COL	FABRIC GRADES		DES	LEATHER		
DESCRIPTION/I	MODEL	1	2	3	4	5	6	7	8	9
	24" Open Polymer Arm, Silver N FAE2M-GBH24OPAS1	/letallic Le 1540	eg Base 1587	1633	1724	1818	1907	2000	2092	2275
	24" Open Polymer Arm, Brushe FAE2M-GBH24OPAN1	d Nickel I 1746	Leg Base 1792	1839	1930	2023	2113	2206	2298	2481
	24" Closed Polymer Arm, Silver FAE2M-GBH24CPAS1	1985	2053	2122	2260	2398	2536	2675	2812	3088
	24" Closed Polymer Arm, Brush FAE2M-GBH24CPAN1	ed Nicke 2191	l Leg Base 2259	2328	2466	2603	2742	2881	3018	3294
	24" Open Polymer Arm, Silver N FAE2M-GBH24OPAS2	/letallic SI 1675	led Base 1721	1767	1859	1952	2041	2135	2226	2410
	24" Open Polymer Arm, Brushe FAE2M-GBH24OPAN2	d Nickel \$ 1881	Sled Base 1927	1973	2064	2158	2247	2341	2432	2616
	24" Closed Polymer Arm, Silver FAE2M-GBH24CPAS2	Metallic 2119	Sled Base 2187	2257	2394	2532	2670	2809	2947	3223
	24" Closed Polymer Arm, Brush FAE2M-GBH24CPAN2	ed Nicke 2325	l Sled Base 2393	2463	2600	2738	2876	3015	3152	3429
	24" Two Panel Fully Closed Poly FAE2M-GBH242PFPAS2	mer Arm 2224	, Silver Met 2334	allic Sled 2444	Base 2600	2773	2942	3132	3319	3623
	24" Two Panel Fully Closed Poly FAE2M-GBH242PFPAN2	mer Arm 2430	, Brushed N 2540	lickel Sle 2650	d Base 2805	2979	3148	3338	3525	3829
	24" Single Panel Fully Closed P FAE2M-GBH241PFPAS2	olymer Aı 2586	rm, Silver M 2749	etallic Sle 2912	ed Base 3121	3360	3595	3865	4131	4535
	24" Single Panel Fully Closed P FAE2M-GBH241PFPAN2	olymer Ai 2792	rm, Brushed 2955	l Nickel S 3118	Sled Base 3326	3566	3801	4071	4337	4741

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 21"	390
Solid Surface Arm (per pair) - Gr A White	573	Supplemental Weight - 24"	321
Solid Surface Arm (per pair) - Gr A Color	598	Ganging Bracket	58
Solid Surface Arm (per pair) - Gr B	645	Combination Upholstery - Dual	33
Solid Surface Arm (per pair) - Gr C	678	Combination Upholstery - Three	64
Wood Arm (WA) - (per pair)	215	Removeable Seat Cover	90
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover	58
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	64

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	GBH	21	0	PA	S	1
Faeron	Chair	Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
			24	С	WA	N	2
				Closed Arm	Wood Arm	Brushed	Sled Base
			30	2PF	SA	Nickel	
				Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			

		COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/MODE	EL	1	2	3	4	5	6	7	8	9
_	30" Open Polymer Arm, Sil	ver Metal	lic Leg Bas	se						
	FAE2M-GBH30OPAS1	1780	1845	1913	2044	2176	2310	2441	2573	2839
	30" Open Polymer Arm, Br		•		0050	0000	0545	00.47	0770	00.45
	FAE2M-GBH300PAN1	1986	2051	2118	2250	2382	2515	2647	2779	3045
Ш										
	30" Closed Polymer Arm, S	Silver Meta	allic Leg B	ase						
	FAE2M-GBH30CPAS1	2225	2313	2403	2581	2758	2937	3114	3294	3651
				_						
	30" Closed Polymer Arm, E		_		0707	0004	01.40	0000	0.400	0050
	FAE2M-GBH30CPAN1	2431	2519	2609	2787	2964	3142	3320	3499	3856
	30" Open Polymer Arm, Sil	ver Metal	lic Sled Ba	ise						
	FAE2M-GBH300PAS2	1915	1980	2047	2178	2311	2444	2575	2708	2973
	2011 0 D 1 A D									
	30" Open Polymer Arm, Br FAE2M-GBH30OPAN2				0004	0510	0050	0701	0010	0170
	FAEZIVI-GDHSUOFAINZ	2121	2186	2253	2384	2516	2650	2781	2913	3179
	30" Closed Polymer Arm, S	Silver Meta	allic Sled E	Base						
	FAE2M-GBH30CPAS2	2359	2447	2538	2715	2893	3071	3248	3428	3785
	00" Classel Delimera America)	lialaal Olaal	D						
	30" Closed Polymer Arm, E FAE2M-GBH30CPAN2	srusnea N 2565			0001	2000	2077	0454	0604	3991
	TALZIVI-GDI ISOGFANZ	2303	2653	2743	2921	3098	3277	3454	3634	3991
	30" Two Panel Fully Closed	l Polymer			Sled Base)				
	FAE2M-GBH302PFPAS2	2464	2593	2724	2919	3132	3345	3572	3801	4186
	20" Two Danal Fully Classes	l Dalumar	Λ wwo . Dww.	had Niaka	d Clad Dag					
	30" Two Panel Fully Closed FAE2M-GBH302PFPAN2	2669	2799	2930	3125	3337	3551	3778	4006	4392
	TALZIVI-ODI 130ZI TTANZ	2009	2199	2930	3123	3331	3331	3//0	4000	4392
	30" Single Panel Fully Clos	•	-							
	FAE2M-GBH301PFPAS2	2826	3008	3192	3440	3719	3998	4305	4613	5098
	30" Single Panel Fully Clos	od Polym	or Arm Dr	uchod Nic	kal Slad B	Raco				
	FAE2M-GBH301PFPAN2	3031	3214	3398	3646	3924	4204	4511	4818	5304
—		0001	J2 17	0000	3040	0024	7207	7011	7010	3004

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Solid Surface Arm (per pair) - Gr A White	573	Supplemental Weight - 30"	172
Solid Surface Arm (per pair) - Gr A Color	598	Ganging Bracket	58
Solid Surface Arm (per pair) - Gr B	645	Combination Upholstery - Dual	33
Solid Surface Arm (per pair) - Gr C	678	Combination Upholstery - Three	64
Wood Arm (WA) - (per pair)	215	Removeable Seat Cover	90
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover	58
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	64

	٠.	OI : T	0:		4 011		
Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	GBH	21	0	PA	S	1
Faeron	Chair	Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
			24	С	WA	N	2
				Closed Arm	Wood Arm	Brushed	Sled Base
			30	2PF	SA	Nickel	
			Tv	wo Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
			Sir	nale Panel Fully Closed Arm			

		COM		COL	FAB	FABRIC GRADES		LEATHER		
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	44" Open Polymer Arm, Si	Iver Metal	lic Lea Ba	se						
	FAE2M-GBH44OPAS1	2203	2286	2370	2536	2703	2869	3036	3202	3536
	44" Open Polymer Arm, Br		•							
	FAE2M-GBH44OPAN1	2409	2491	2575	2741	2908	3075	3242	3408	3742
ш										
	44" Closed Polymer Arm,	Silver Met	allic Leg B	lase						
	FAE2M-GBH44CPAS1	2646	2753	2859	3071	3284	3497	3710	3922	4348
	447.01			5						
	44" Closed Polymer Arm, FAE2M-GBH44CPAN1		-		2077	2400	2700	2015	4100	1551
" "	FAEZIVI-GDN44CPAN I	2852	2959	3065	3277	3490	3702	3915	4128	4554
	44" Open Polymer Arm, Si	Iver Metal	llic Sled Ba	ase						
	FAE2M-GBH44OPAS2	2337	2420	2504	2670	2837	3004	3171	3337	3671
	44" Open Polymer Arm, B	ruched Ni	akal Clad E	2000						
	FAE2M-GBH44OPAN2	2543	2626	2710	2876	3043	3210	3377	3542	3876
	TALLIN GDITTOTALVE	2040	2020	2710	2010	0040	0210	0011	0042	0070
	44" Closed Polymer Arm,									
	FAE2M-GBH44CPAS2	2780	2888	2994	3206	3419	3631	3844	4056	4482
	44" Closed Polymer Arm,	Brushed N	lickel Sled	Rase						
	FAE2M-GBH44CPAN2	2986	3093	3199	3411	3625	3837	4050	4262	4688
		2000	0000	0100	0111	0020	0001	1000	1202	1000
	44" Two Panel Fully Close	•					0005	44.00	4.400	4004
	FAE2M-GBH442PFPAS2	2886	3033	3181	3411	3658	3905	4168	4430	4884
	44" Two Panel Fully Close	d Polymer	Arm Brus	shed Nicke	el Sled Bas	se				
	FAE2M-GBH442PFPAN2	3092	3239	3387	3617	3864	4111	4374	4635	5089
	44" O' I - D I E - II - O'		A	1 N 4 . t U	r. Ol. J.D.					
	44" Single Panel Fully Clos FAE2M-GBH441PFPAS2	sed Polym 3248	ier Arm, Si 3448	lver Metall 3649			1550	4001	5040	E706
	I ALZIVI-UDN44 IFFPA52	3248	3440	3049	3932	4245	4558	4901	5242	5796
	44" Single Panel Fully Clos	sed Polym	ner Arm, Bı	rushed Nic	kel Sled E	Base				
	FAE2M-GBH441PFPAN2	3454	3654	3855	4138	4451	4764	5107	5447	6001

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Solid Surface Arm (per pair) - Gr A White	573	Ganging Bracket	58
Solid Surface Arm (per pair) - Gr A Color	598	Combination Upholstery - Dual	33
Solid Surface Arm (per pair) - Gr B	645	Combination Upholstery - Three	64
Solid Surface Arm (per pair) - Gr C	678	Removeable Seat Cover	90
Wood Arm (WA) - (per pair)	215	Removable Back Cover	58
Floor Anchor Brackets (Sleigh base only)	153	CAL 133 & Moisture Barrier (per yard)	64
Springless Seat	117	, , , , , , , , , , , , , , , , , , ,	

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	GBH	21	0	PA	S	1
Faeron	Chair	Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
			24	С	WA	N	2
				Closed Arm	Wood Arm	Brushed	Sled Base
			30	2PF	SA	Nickel	
			٦	wo Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
			Si	nale Panel Fully Closed Arm			


FAERON BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

Patient Seating



Material Content:



Pre-Consumer Recycled Content = 9.80%

Post-Consumer Recycled Content = 17.63%

Up to 47.06% of this Faeron Metal product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
21" Seat	25.0	26.3	45.0	19.0	25	21	19.5	67	17
24" Seat	28.0	26.3	45.0	19.0	25	24	19.5	72	22
30" Seat	34.0	26.3	45.0	19.0	25	30	19.5	85	28

COM - YARDAGE REQUIREMENTS

	COM Yardage Seats & Backs Only	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arm Panel	COM Yardage Fully Closed Arm Panel
21" & 24" - One Chair	2.0	0.9	2.0	0.96	3.20
30" Plus - One Chair	3.0	0.9	2.0	0.96	3.20

ORDERING NOTES:

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron Metal seating.

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

		СОМ		COL	FABF	RIC GRAD	DES	L	EATHER	
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9
	21" Open Polymer Arm, Silver N FAE2M-PBH21OPAS1	/letallic Le 1493	eg Base 1550	1608	1724	1838	1953	2069	2183	2413
	21" Open Polymer Arm, Brushe FAE2M-PBH21OPAN1	d Nickel I 1699	Leg Base 1756	1813	1930	2043	2159	2274	2389	2619
	21" Closed Polymer Arm, Silver FAE2M-PBH21CPAS1	Metallic 1938	Leg Base 2017	2097	2259	2420	2581	2743	2901	3225
	21" Closed Polymer Arm, Brush FAE2M-PBH21CPAN1	ed Nicke 2143	l Leg Base 2223	2303	2465	2625	2787	2949	3107	3431
	21" Open Polymer Arm, Silver N FAE2M-PBH21OPAS2	Metallic S 1628	led Base 1684	1742	1859	1972	2087	2203	2317	2547
	21" Open Polymer Arm, Brushe FAE2M-PBH21OPAN2	d Nickel 9 1833	Sled Base 1890	1948	2064	2178	2293	2409	2523	2753
	21" Closed Polymer Arm, Silver	Metallic	Sled Base							
	FAE2M-PBH21CPAS2	2072	2152	2232	2393	2554	2716	2877	3036	3359
	21" Closed Polymer Arm, Brush FAE2M-PBH21CPAN2	ed Nicke 2278	el Sled Base 2358	e 2437	2599	2760	2921	3083	3242	3565
$\overline{}$	21" Two Panel Fully Closed Poly	ymer Arm	, Silver Me	tallic Sled	Base					
	FAE2M-PBH212PFPAS2	2176	2297	2419	2600	2793	2988	3200	3410	3760
	21" Two Panel Fully Closed Poly FAE2M-PBH212PFPAN2	ymer Arm 2382	, Brushed 2503	Nickel Sle 2625	d Base 2805	2999	3194	3406	3616	3966
$\overline{\mathbb{R}}$	21" Single Panel Fully Closed P FAE2M-PBH211PFPAS2	olymer A 2538	rm, Silver N 2712	Metallic Sle 2887	ed Base 3121	3380	3641	3933	4222	4672
	21" Single Panel Fully Closed P FAE2M-PBH211PFPAN2	olymer A 2744	rm, Brushe 2918	d Nickel S 3093	Sled Base 3326	3586	3847	4139	4428	4878

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 21"	390
Solid Surface Arm (per pair) - Gr A White	573	Supplemental Weight - 24"	321
Solid Surface Arm (per pair) - Gr A Color	598	Ganging Bracket	58
Solid Surface Arm (per pair) - Gr B	645	Combination Upholstery - Dual	33
Solid Surface Arm (per pair) - Gr C	678	Combination Upholstery - Three	64
Wood Arm (WA) - (per pair)	215	Removeable Seat Cover	90
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover	58
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	64

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	PBH	21	0	PA	S	1
Faeron	Chair	Patient Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
			24	С	WA	N	2
				Closed Arm	Wood Arm	Brushed	Sled Base
			30	2PF	SA	Nickel	
				Two Panel Fully Closed Arm	Solid Surface Arm		

1PF
Single Panel Fully Closed Arm

		COM		COL	FABF	RIC GRAD	DES	L	EATHER	
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9
	24" Open Polymer Arm, Silver M	1etallic Le	eg Base							
	FAE2M-PBH24OPAS1	1582	1640	1698	1812	1927	2043	2158	2273	2502
	24" Open Polymer Arm, Brushe		U							
	FAE2M-PBH24OPAN1	1788	1846	1904	2018	2133	2249	2364	2479	2708
W [W										
24" Closed Polymer Arm, Silver Metallic Leg Base										
	FAE2M-PBH24CPAS1	2027	2109	2188	2349	2511	2671	2832	2993	3315
					20.0					00.0
	24" Closed Polymer Arm, Brush	ed Nicke	l Leg Base							
	FAE2M-PBH24CPAN1	2233	2315	2393	2555	2717	2876	3038	3199	3521
	24" Open Polymer Arm, Silver M	Matallia CI	ed Base							
	FAE2M-PBH24OPAS2	1717	1775	1832	1947	2061	2178	2292	2408	2637
	TALEM TENETOTAGE	17.17	1775	1002	1541	2001	2170	2232	2400	2001
	24" Open Polymer Arm, Brushe	d Nickel S	Sled Base							
	FAE2M-PBH24OPAN2	1923	1980	2038	2153	2267	2384	2498	2614	2842
	24" Classed Daluman Arms Cilver	Matallia	Clad Dags							
	24" Closed Polymer Arm, Silver FAE2M-PBH24CPAS2	2161	2243	2322	2484	2645	2805	2967	3127	3450
	I ALZIVI-FBI IZ4CFA3Z	2101	2243	2322	2404	2045	2003	2907	3121	3430
	24" Closed Polymer Arm, Brush	ed Nicke	I Sled Base	Э						
	FAE2M-PBH24CPAN2	2367	2449	2528	2689	2851	3011	3172	3333	3655
	0411 B 1 = 11 01 1 = 1		011 11							
	24" Two Panel Fully Closed Poly FAE2M-PBH242PFPAS2					0000	0070	0000	0501	0050
	FAEZIVI-PBHZ4ZPFPASZ	2266	2388	2509	2688	2882	3079	3289	3501	3850
	24" Two Panel Fully Closed Poly	mer Arm	Brushed	Nickel Sle	d Base					
	FAE2M-PBH242PFPAN2	2472	2593	2715	2894	3088	3285	3495	3707	4055
	24" Single Panel Fully Closed Po	-				0.455	0700	1000	40.10	4700
	FAE2M-PBH241PFPAS2	2628	2803	2977	3209	3469	3732	4022	4313	4762
	24" Single Panel Fully Closed Po	olymer Ai	m Brusha	d Nickel 9	Sled Rase					
	FAE2M-PBH241PFPAN2	2834	3008	3183	3415	3675	3938	4228	4519	4967
	· · = · · = · · · · · · · · · · · · · ·		5000	0.00	0					

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 21"	390
Solid Surface Arm (per pair) - Gr A White	573	Supplemental Weight - 24"	321
Solid Surface Arm (per pair) - Gr A Color	598	Ganging Bracket	58
Solid Surface Arm (per pair) - Gr B	645	Combination Upholstery - Dual	33
Solid Surface Arm (per pair) - Gr C	678	Combination Upholstery - Three	64
Wood Arm (WA) - (per pair)	215	Removeable Seat Cover	90
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover	58
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	64

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	PBH	21	О	PA	S	1
Faeron	Chair	Patient Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
			24	С	WA	N	2
				Closed Arm	Wood Arm	Brushed	Sled Base
			30	2PF	SA	Nickel	
				Two Panel Fully Closed Arm	Solid Surface Arm		
				1PF			

Single Panel Fully Closed Arm

		COM		COL				LEATHER			
DESCRIPTION/	/MODEL	1	2	3	4	5	6	7	8	9	
	30" Open Polymer Arm, Silver N FAE2M-PBH30OPAS1	/letallic L 1848	eg Base 1935	2020	2193	2366	2538	2711	2884	3227	
	30" Open Polymer Arm, Brushe	d Nickel	Leg Base								
	FAE2M-PBH30OPAN1	2053	2141	2226	2399	2572	2744	2916	3090	3433	
	30" Closed Polymer Arm, Silver	Metallic	Leg Base								
	FAE2M-PBH30CPAS1	2292	2403	2510	2730	2946	3167	3385	3603	4039	
	30" Closed Polymer Arm, Brush		•								
	FAE2M-PBH30CPAN1	2498	2609	2716	2936	3152	3372	3591	3809	4245	
	30" Open Polymer Arm, Silver N	/letallic S	led Base								
	FAE2M-PBH30OPAS2	1982	2069	2154	2327	2501	2673	2845	3018	3362	
	30" Open Polymer Arm, Brushe FAE2M-PBH30OPAN2			0000	0500	0700	0070	0051	0004	0507	
	FAEZIVI-PBH30OFAINZ	2188	2275	2360	2533	2706	2879	3051	3224	3567	
$\overline{}$	30" Closed Polymer Arm, Silver	Metallic	Sled Base								
	FAE2M-PBH30CPAS2	2426	2538	2645	2864	3080	3301	3519	3738	4174	
	30" Closed Polymer Arm, Brush	od Nieke	ol Slad Base								
	FAE2M-PBH30CPAN2	2632	2743	2851	3070	3286	3507	3725	3944	4379	
	TALEM I BRIGGOLAME	2002	2140	2001	0070	0200	0007	0720	0044	4070	
	30" Two Panel Fully Closed Poly	,	*								
	FAE2M-PBH302PFPAS2	2531	2682	2831	3068	3322	3574	3842	4111	4575	
	30" Two Panel Fully Closed Poly	vmer Arn	n. Brushed	Nickel Sle	ed Base						
	FAE2M-PBH302PFPAN2	2737	2888	3037	3274	3527	3780	4048	4317	4780	
	20" Cinale Band Fully Classed B	alı maaı: ^	una Cilve: N	Astallia C	ad Dags						
	30" Single Panel Fully Closed P FAE2M-PBH301PFPAS2	2893	3097	3299	3589	3909	4227	4575	4923	5487	
	.,	2000	5057	5255	5505	0000	7661	4070	7020	J-101	
	30" Single Panel Fully Closed P	olymer A	ırm, Brushe	d Nickel S	Sled Base						
	FAE2M-PBH301PFPAN2	3099	3303	3505	3795	4114	4433	4781	5129	5692	

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Solid Surface Arm (per pair) - Gr A White	573	Supplemental Weight - 30"	172
Solid Surface Arm (per pair) - Gr A Color	598	Ganging Bracket	58
Solid Surface Arm (per pair) - Gr B	645	Combination Upholstery - Dual	33
Solid Surface Arm (per pair) - Gr C	678	Combination Upholstery - Three	64
Wood Arm (WA) - (per pair)	215	Removeable Seat Cover	90
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover	58
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	64

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	PBH	21	0	PA	S	1
Faeron	Chair	Patient Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
			24	С	WA	N	2
				Closed Arm	Wood Arm	Brushed	Sled Base
			30	2PF	SA	Nickel	
				Two Panel Fully Closed Arm	Solid Surface Arm		
				1PF			

Single Panel Fully Closed Arm

FAERON METAL BEHAVIORAL HEALTH | MULTIPLE SEATING - START,

CENTER & END UNITS

DIMENSIONS & COM REQUIREMENTS

FAERON METAL MULTIPLE START UNITS

	Overall Width		Overall Height	Seat	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel (Pair) Yardage	COM Fabric Fully Closed Arm Panel Yardage
SG21	25	26.3	34.5	19	25	21	19.5	62	14	1.6	0.9	1.4	0.96	3.20
SP21	25	26.3	45	19	25	21	19.5	67	17	2.0	0.9	2.0	0.96	3.20
SG24	28	26.3	34.5	19	25	24	19.5	67	19	1.6	0.9	1.4	0.96	3.20
SP24	28	26.3	45	19	25	24	19.5	72	22	2.0	0.9	2.0	0.96	3.20
SG30	34	26.3	34.5	19	25	30	19.5	75	20	2.3	0.9	1.4	0.96	3.20
SP30	34	26.3	45	19	25	30	19.5	85	28	3.0	0.9	2.0	0.96	3.20
SG44	48	26.3	34.5	19	25	44	19.5	96	28	2.9	0.9	1.6	0.96	3.20

FAERON METAL MULTIPLE CENTER UNITS

	Overall Width		ll Overall Height		Height of Arms from Floor	Width Between Arms		Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage	Fabric Fully Closed Arm Panel YDG
CG21	23	26.3	34.5	19	25	21	19.5	52	14	1.6	0.9	1.4	0.48	1.6
CP21	23	26.3	45	19	25	21	19.5	57	17	2.0	0.9	2.0	0.48	1.6
CG24	26	26.3	34.5	19	25	24	19.5	57	19	1.6	0.9	1.4	0.48	1.6
CP24	26	26.3	45	19	25	24	19.5	62	22	2.0	0.9	2.0	0.48	1.6
CG30	32	26.3	34.5	19	25	30	19.5	65	20	2.3	0.9	1.4	0.48	1.6
CP30	32	26.3	45	19	25	30	19.5	75	28	3.0	0.9	2.0	0.48	1.6
CG44	46	26.3	34.5	19	25	44	19.5	86	28	2.9	0.9	1.6	0.48	1.6

FAERON METAL MULTIPLE END UNITS

	Overall Width	Overall Depth	Overall Height		Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Ydg	COM Fabric Fully Closed Arm Panel YDG
EG21	23	26.3	34.5	19	25	21	19.5	52	14	1.6	0.9	1.4	0.48	1.6
EP21	23	26.3	45	19	25	21	19.5	57	17	2.0	0.9	2.0	0.48	1.6
EG24	26	26.3	34.5	19	25	24	19.5	57	19	1.6	0.9	1.4	0.48	1.6
EP24	26	26.3	45	19	25	24	19.5	62	22	2.0	0.9	2.0	0.48	1.6
EG30	32	26.3	34.5	19	25	30	19.5	65	20	2.3	0.9	1.4	0.48	1.6
EP30	32	26.3	45	19	25	30	19.5	75	28	3.0	0.9	2.0	0.48	1.6
EG44	46	26.3	34.5	19	25	44	19.5	86	28	2.9	0.9	1.6	0.48	1.6

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination Upholstery Option

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back Solid Surface Arm (each) - Gr A White Solid Surface Arm (each) - Gr A Color Solid Surface Arm (each) - Gr B Solid Surface Arm (each) - Gr C Wood Arm (WA) (each) Solid Surface Arm (per pair) - Gr A White Solid Surface Arm (per pair) - Gr A Color Solid Surface Arm (per pair) - Gr B Solid Surface Arm (per pair) - Gr B	120 287 299 321 339 108 573 598 645 678	Floor Anchor Brackets (Sleigh base only) Springless Seat Supplemental Weight - 21" Supplemental Weight - 24" Ganging Bracket Combination Upholstery - Dual Combination Upholstery - Three Removeable Seat Cover (per seat) Removable Back Cover (per back)	153 117 390 321 58 33 64 90 58
Wood Arm (WA) - (per pair)	215	CAL 133 & Moisture Barrier (per yard)	64

Patient backs are available on multiple units, please change the model number FAE2M-SGBH to FAE2M-SPBH, and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	63	74	90	114	138	164	189	215	265
24" Chairs	68	81	94	119	144	170	195	220	271
30" Chairs	82	95	110	135	159	185	210	235	286

WEIGHT CAPACITIES

Faeron weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs

	COM		COL	FABI	RIC GRAI	DES		LEATHER		
DESCRIPTION/MO	DDEL	1	2	3	4	5	6	7	8	9
Start - Leg Base	21" Open Polymer Arm Start Ur FAE2M-SGBH21OPAS1	nit, Guest 1436	Back, Silv 1482	er Metallio 1528	c Leg Base 1620	1712	1804	1897	1988	2171
\Rightarrow	21" Open Polymer Arm Start Ur FAE2M-SGBH210PAN1	nit, Guest 1642	Back, Bru 1687	shed Nick 1734	kel Leg Bas 1826	se 1917	2010	2103	2194	2377
	21" Closed Polymer Arm Start L FAE2M-SGBH21CPAS1	Jnit, Gue: 1880	st Back, Si 1949	lver Metal 2018	lic Leg Bas 2157	se 2295	2431	2571	2708	2984
	21" Closed Polymer Arm Start L FAE2M-SGBH21CPAN1	Jnit, Gue 2086	st Back, Bi 2155	rushed Nic 2224	ckel Leg Ba 2363	ase 2500	2637	2777	2914	3190
Start - Sled Base	21" Open Polymer Arm Start Ur FAE2M-SGBH210PAS2	nit, Guest 1571	Back, Silv 1616	er Metallio 1662	Sled Bas 1755	e 1846	1938	2032	2122	2306
\Rightarrow	21" Open Polymer Arm Start Ur FAE2M-SGBH210PAN2	nit, Guest 1777	Back, Bru 1822	shed Nick 1868	el Sled Ba 1960	se 2052	2144	2238	2328	2512
	21" Closed Polymer Arm Start L FAE2M-SGBH21CPAS2	Jnit, Gue 2014	st Back, Si 2084	lver Metal 2153	lic Sled Ba 2291	ase 2429	2565	2705	2843	3119
	21" Closed Polymer Arm Start L FAE2M-SGBH21CPAN2	Jnit, Gue: 2220	st Back, Bi 2289	rushed Nic 2359	ckel Sled E 2497	3ase 2635	2771	2911	3048	3325
	21" Two Panel Fully Closed Poly FAE2M-SGBH212PFPAS2	mer Arm 2120	Start Unit 2229	, Guest Ba 2339	ack, Silver 2496	Metallic 9 2667	Sled Base 2839	3029	3215	3519
	21" Two Panel Fully Closed Poly FAE2M-SGBH212PFPAN2	mer Arm 2326	Start Unit 2435	, Guest Ba 2545	ack, Brush 2701	ed Nickel 2873	Sled Base 3045	9 3235	3421	3725
	21" Single Panel Fully Closed P FAE2M-SGBH211PFPAS2	olymer A 2482	rm Start U	nit, Guest 2807	Back, Silve 3017	er Metalli 3254	c Sled Bas 3492	e 3762	4027	4431
	21" Single Panel Fully Closed P FAE2M-SGBH211PFPAN2	olymer A 2688	rm Start Ui 2850	nit, Guest 3013	Back, Brus 3222	shed Nick 3460	kel Sled Ba 3698	se 3968	4233	4637

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-SGBH to FAE2M-SPBH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 21"	390
Solid Surface Arm (per pair) - Gr A White	573	Supplemental Weight - 24"	321
Solid Surface Arm (per pair) - Gr A Color	598	Ganging Bracket	58
Solid Surface Arm (per pair) - Gr B	645	Combination Upholstery - Dual	33
Solid Surface Arm (per pair) - Gr C	678	Combination Upholstery - Three	64
Wood Arm (WA) - (per pair)	215	Removeable Seat Cover (per seat)	90
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	58
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	64
PRODUCT CODE KEY			

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			

	COM		COL	FAB	RIC GRA	GRADES		LEATHER		
DESCRIPTION/MO	DDEL	1	2	3	4	5	6	7	8	9
Start - Leg Base	24" Open Polymer Arm Start Ur	nit, Guest	Back, Silv	er Metalli	c Leg Base					
	FAE2M-SGBH24OPAS1	1540	1587	1633	1724	1818	1907	2000	2092	2275
	24" Open Polymer Arm Start Ur	nit, Guest	Back, Bru	shed Nicl	kel Leg Bas	se				
	FAE2M-SGBH24OPAN1	1746	1792	1839	1930	2023	2113	2206	2298	2481
	24" Closed Polymer Arm Start U	Jnit, Gue	st Back, Si	lver Meta	llic Leg Ba	se				
	FAE2M-SGBH24CPAS1	1985	2053	2122	2260	2398	2536	2675	2812	3088
	24" Closed Polymer Arm Start L	Jnit, Gue	st Back, Bı	rushed Ni	ckel Leg B	ase				
	FAE2M-SGBH24CPAN1	2191	2259	2328	2466	2603	2742	2881	3018	3294
Start - Sled Base	24" Open Polymer Arm Start Ur	nit, Guest	Back, Silv	er Metalli	c Sled Bas	e				
	FAE2M-SGBH24OPAS2	1675	1721	1767	1859	1952	2041	2135	2226	2410
	24" Open Polymer Arm Start Un	nit Guact	Back Bru	ched Nicl	cal Slad Ba	100				
	FAE2M-SGBH24OPAN2	1881	1927	1973	2064	2158	2247	2341	2432	2616
	24" Closed Polymer Arm Start U	Jnit. Gue	st Back. Si	lver Meta	llic Sled Ba	ase				
	FAE2M-SGBH24CPAS2	2119	2187	2257	2394	2532	2670	2809	2947	3223
	24" Closed Polymer Arm Start U	Jnit. Gue	st Back. Bi	rushed Ni	ckel Sled E	Base				
	FAE2M-SGBH24CPAN2	2325	2393	2463	2600	2738	2876	3015	3152	3429
	04" Two Danel Fully Classed Dal		01	0 1 D		NA - L - III - I	01 I D			
	24" Two Panel Fully Closed Poly FAE2M-SGBH242PFPAS2	mer Arm 2224	2334	, Guest B 2444	ack, Silver 2600	2773	2942	3132	3319	3623
	TALENT GGBHZ421 TTAGE	2227	2004	2777	2000	2110	2542	0102	0010	0020
	24" Two Panel Fully Closed Poly	mer Arm	Start Unit	, Guest B	ack, Brush	ed Nicke	Sled Bas	e		
	FAE2M-SGBH242PFPAN2	2430	2540	2650	2805	2979	3148	3338	3525	3829
	24" Single Panel Fully Closed Pe	olymer A	rm Start U	nit, Guest	Back, Silv	er Metalli	c Sled Ba	se		
	FAE2M-SGBH241PFPAS2	2586	2749	2912	3121	3360	3595	3865	4131	4535
	24" Single Panel Fully Closed Pe	olymer A	rm Start U	nit, Guest	Back, Bru	shed Nic	kel Sled B	ase		
	FAE2M-SGBH241PFPAN2	2792	2955	3118	3326	3566	3801	4071	4337	4741

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-S**G**BH to FAE2M-S**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 21"	390
Solid Surface Arm (per pair) - Gr A White	573	Supplemental Weight - 24"	321
Solid Surface Arm (per pair) - Gr A Color	598	Ganging Bracket	58
Solid Surface Arm (per pair) - Gr B	645	Combination Upholstery - Dual	33
Solid Surface Arm (per pair) - Gr C	678	Combination Upholstery - Three	64
Wood Arm (WA) - (per pair)	215	Removeable Seat Cover (per seat)	90
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	58
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	64

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

		COM		COL		RIC GRA			LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
Start - Leg Base	30" Open Polymer Arm Star FAE2M-SGBH300PAS1	t Unit, G 1780	uest Back, 1845	Silver Me 1913	tallic Leg E 2044	Base 2176	2310	2441	2573	2839
$ \Longrightarrow$	30" Open Polymer Arm Star FAE2M-SGBH300PAN1	t Unit, G 1986	uest Back, 2051	Brushed 2118	Nickel Leg 2250	Base 2382	2515	2647	2779	3045
	30" Closed Polymer Arm Sta FAE2M-SGBH30CPAS1	art Unit, 2225	Guest Back 2313	x, Silver M 2403	1etallic Leg 2581	Base 2758	2937	3114	3294	3651
	30" Closed Polymer Arm Sta FAE2M-SGBH30CPAN1	art Unit, 2431	Guest Back 2519	x, Brushed 2609	d Nickel Le 2787	eg Base 2964	3142	3320	3499	3856
Start - Sled Base	30" Open Polymer Arm Star FAE2M-SGBH300PAS2	t Unit, G 1915	uest Back, 1980	Silver Me 2047	etallic Sled 2178	Base 2311	2444	2575	2708	2973
	30" Open Polymer Arm Star FAE2M-SGBH30OPAN2	t Unit, G 2121	uest Back, 2186	Brushed 2253	Nickel Sled 2384	d Base 2516	2650	2781	2913	3179
	30" Closed Polymer Arm Sta FAE2M-SGBH30CPAS2	art Unit, 0 2359	Guest Back 2447	x, Silver M 2538	letallic Slee 2715	d Base 2893	3071	3248	3428	3785
	30" Closed Polymer Arm Sta FAE2M-SGBH30CPAN2	art Unit, 0 2565	Guest Back 2653	, Brushed 2743	d Nickel Sl 2921	ed Base 3098	3277	3454	3634	3991
	30" Two Panel Fully Closed FAE2M-SGBH302PFPAS2	Polymer 2464	Arm Start U 2593	Jnit, Gue 2724	st Back, Si 2919	lver Meta 3132	allic Sled E 3345	3572	3801	4186
	30" Two Panel Fully Closed FAE2M-SGBH302PFPAN2	Polymer 2669	Arm Start I 2799	Jnit, Gue: 2930	st Back, Bi 3125	rushed N 3337	ickel Sled 3551	Base 3778	4006	4392
	30" Single Panel Fully Close FAE2M-SGBH301PFPAS2	ed Polym 2826	er Arm Star 3008	t Unit, Gu 3192	uest Back, 3440	Silver Me 3719	etallic Sled 3998	d Base 4305	4613	5098
	30" Single Panel Fully Close FAE2M-SGBH301PFPAN2	d Polym 3031	er Arm Star 3214	t Unit, Gu 3398	uest Back, 3646	Brushed 3924	Nickel Sle 4204	ed Base 4511	4818	5304

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the Arm Style selection below and add the upcharge listed. Patient backs are available on multiple units, please change the model number FAE2M-SGBH to FAE2M-SPBH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 30"	172
Solid Surface Arm (per pair) - Gr A White	573	Ganging Bracket	58
Solid Surface Arm (per pair) - Gr A Color	598	Combination Upholstery - Dual	33
Solid Surface Arm (per pair) - Gr B	645	Combination Upholstery - Three	64
Solid Surface Arm (per pair) - Gr C	678	Removeable Seat Cover (per seat)	90
Wood Arm (WA) - (per pair)	215	Removable Back Cover (per back)	58
Floor Anchor Brackets (Sleigh base only)	153	CAL 133 & Moisture Barrier (per yard)	64
Springless Seat	117	u , ,	

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			

		COM		COL	FABI	BRIC GRADES			LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
Start	44" Open Polymer Arm Star	t Unit, G	uest Back,	Silver Me	tallic Leg E	Base				
	FAE2M-SGBH44OPAS1	2203	2286	2370	2536	2703	2869	3036	3202	3536
						_				
\Rightarrow	44" Open Polymer Arm Star FAE2M-SGBH44OPAN1				Nickel Leg 2741		0075	0040	0.400	0740
	FAEZIVI-SGBH44UPAN I	2409	2491	2575	2741	2908	3075	3242	3408	3742
	44" Ole I Del A Ol		O I D I	0:1	4 - 1 - 11° - 1	D				
	44" Closed Polymer Arm Sta FAE2M-SGBH44CPAS1	art Unit, (2646	Guest Back 2753	k, Silver iv 2859	rietallic Leg 3071	3284	3497	3710	3922	4348
	TALZIVI-SGBI 1440FAST	2040	2753	2639	3071	3204	3497	3/10	3922	4346
	44" Closed Polymer Arm Sta	art Unit,	Guest Back	k, Brushe	d Nickel Le	g Base				
	FAE2M-SGBH44CPAN1	2852	2959	3065	3277	3490	3702	3915	4128	4554
Start - Sled Base	44" Open Polymer Arm Star	t Unit, G	uest Back,	Silver Me	tallic Sled	Base				
	FAE2M-SGBH44OPAS2	2337	2420	2504	2670	2837	3004	3171	3337	3671
	44" On an Dalama . A Ola		D	Donaloud	Ni alaal Olaa	L D				
	44" Open Polymer Arm Star FAE2M-SGBH44OPAN2	t Unit, G 2543	uest Back, 2626	2710	2876	3043	3210	3377	3542	3876
	TALZIVI-SGBI 1440FANZ	2343	2020	2/10	2010	3043	3210	3311	3342	3070
	44" Olasad Dalimaan Ama Ot	المتالية	O D	. C:I N	4 - 4 - III: - Ol - 4	d Dana				
-	44" Closed Polymer Arm Sta FAE2M-SGBH44CPAS2	art Unit, (2780	Guest Back 2888	2994	3206	3419	3631	3844	4056	4482
	TALZIVI GODITITTOTAGE	2100	2000	2334	3200	3413	3031	3044	4030	4402
	44" Closed Polymer Arm Sta	art Unit,	Guest Back	k, Brushe	d Nickel Sle	ed Base				
	FAE2M-SGBH44CPAN2	2986	3093	3199	3411	3625	3837	4050	4262	4688
	44" Two Panel Fully Closed	Polymer	Arm Start	Unit, Gue	st Back, Si	lver Meta	ıllic Sled E	Base		
	FAE2M-SGBH442PFPAS2	2886	3033	3181	3411	3658	3905	4168	4430	4884
	44" Two Panel Fully Closed	Polymor	Arm Ctart	Linit Cuo	ot Pools Pr	ushed Ni	iokal Slad	Poss		
	FAE2M-SGBH442PFPAN2	3092	3239	3387	3617	3864	4111	4374	4635	5089
	TALLIN GODITTILITY (1)	0002	0200	0001	0017	0004	7111	4074	4000	0000
	44" Single Panel Fully Close	d Polym	or Arm Sta	rt I Init 🕒	lest Back	Silver Ma	stallic Sloc	l Baca		
	FAE2M-SGBH441PFPAS2	3248	3448	3649	3932	4245	4558	4901	5242	5796
									J	2.00
	44" Single Panel Fully Close					Brushed		ed Base		
	FAE2M-SGBH441PFPAN2	3454	3654	3855	4138	4451	4764	5107	5447	6001

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-S**G**BH to FAE2M-S**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Ganging Bracket	58
Solid Surface Arm (per pair) - Gr A White	573	Combination Upholstery - Dual	33
Solid Surface Arm (per pair) - Gr A Color	598	Combination Upholstery - Three	64
Solid Surface Arm (per pair) - Gr B	645	Removeable Seat Cover (per seat)	90
Solid Surface Arm (per pair) - Gr C	678	Removable Back Cover (per back)	58
Wood Arm (WA) - (per pair)	215	CAL 133 & Moisture Barrier (per yard)	64
Floor Anchor Brackets (Sleigh base only)	153		
Springless Seat	117		

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

		COM		COL FAI		ABRIC GRADES		LEATHER		
DESCRIPTION/MC	DDEL	1	2	3	4	5	6	7	8	9
Center - Leg Base	21" Open Polymer Arm Center	Unit. Gue	st Back. S	ilver Meta	llic Lea Ba	se				
	FAE2M-CGBH21OPAS1	1363	1409	1457	1548	1640	1733	1823	1916	2099
	21" Open Polymer Arm Center	Unit Gue	st Back B	rushed Ni	ckel Lea B	lase				
$\Leftrightarrow $	FAE2M-CGBH210PAN1	1569	1615	1663	1754	1846	1939	2029	2121	2305
	21" Closed Polymer Arm Cente	r Unit, Gu	est Back,	Silver Met	tallic Leg E	Base				
	FAE2M-CGBH21CPAS1	1624	1683	1739	1855	1970	2084	2199	2313	2544
	21" Closed Polymer Arm Cente	r I Init Gu	est Back	Brushed N	Nickel Lea	Rase				
	FAE2M-CGBH21CPAN1	1830	1888	1945	2061	2176	2290	2405	2518	2749
Center - Sled Base	21" Open Polymer Arm Center	Unit, Gue	st Back, S	ilver Meta	llic Sled B	ase				
	FAE2M-CGBH210PAS2	1435	1481	1529	1620	1712	1805	1895	1988	2171
	O1" On an Dalumar Arm Cantar	Linit Cun	ot Dools D	w.obod NI:	alcal Clast I	7				
	21" Open Polymer Arm Center FAE2M-CGBH210PAN2	1641	1687	1735	1826	1918	2011	2101	2193	2377
	21" Closed Polymer Arm Cente	r Unit, Gu	est Back.	Silver Met	tallic Sled	Base				
	FAE2M-CGBH21CPAS2	1696	1755	1811	1927	2042	2156	2271	2385	2616
	21" Closed Polymer Arm Cente	r Unit. Gu	est Back.	Brushed N	Nickel Slec	l Base				
	FAE2M-CGBH21CPAN2	1902	1960	2017	2133	2248	2362	2477	2590	2821
	21" Two Panel Fully Closed Poly FAE2M-CGBH212PFPAS2	ymer Arm 1710	Center U 1788	nit, Guest 1867	Back, Silve 1991	er Metallio 2123	c Sled Ba 2255	se 2394	2534	2778
	FAEZIVI-OGBHZ IZFFFA3Z	1710	1700	1007	1991	2123	2233	2394	2554	2110
	21" Two Panel Fully Closed Pol	ymer Arm	Center U	nit, Guest	Back, Bru	shed Nick	cel Sled B	ase		
	FAE2M-CGBH212PFPAN2	1916	1994	2073	2196	2329	2461	2599	2740	2984
	01" Cingle Band Fully Closed B	lah maar A	m Cantar	Linit Cua	ot Dools C	: \	II:- ClI	2		
	21" Single Panel Fully Closed P FAE2M-CGBH211PFPAS2	1891	1995	2101	2251	2416	2582	2760	2940	3234
	21" Single Panel Fully Closed P	olvmer A	rm Center	Unit. Gue	st Back. B	rushed Ni	ickel Sled	Base		
	FAE2M-CGBH211PFPAN2	2097	2201	2307	2456	2622	2788	2965	3146	3440

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-S**G**BH to FAE2M-S**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 21"	390
Solid Surface Arm (each) - Gr A White	287	Supplemental Weight - 24"	321
Solid Surface Arm (each) - Gr A Color	299	Ganging Bracket	58
Solid Surface Arm (each) - Gr B	321	Combination Upholstery - Dual	33
Solid Surface Arm (each) - Gr C	339	Combination Upholstery - Three	64
Wood Arm (each)	108	Removeable Seat Cover (per seat)	90
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	58
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	64

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

		COM		COL	FAB	RIC GRAI	DES	LEATHER		
DESCRIPTION/MO	DEL	1	2	3	4	5	6	7	8	9
Center - Leg Base	24" Open Polymer Arm Center U	Jnit. Gue	st Back. S	ilver Meta	ıllic Lea Ba	ise				
•	FAE2M-CGBH24OPAS1	1468	1512	1559	1652	1742	1836	1927	2020	2203
	24" Open Polymer Arm Center L				•		0040	0100	0005	0.400
\Leftrightarrow	FAE2M-CGBH24OPAN1	1674	1718	1764	1858	1948	2042	2133	2225	2409
Ц	0.47 Oleses I Balance A Octob		D l	0:1 14	tallia Lasa E					
	24" Closed Polymer Arm Center FAE2M-CGBH24CPAS1	r Unit, Gu 1728	est Back, 1785	1843	tallic Leg E 1959	3ase 2073	2189	2303	2419	2647
	FAEZIVI-CGBHZ4CFAST	1720	1765	1043	1939	2073	2109	2303	2419	2047
	24" Closed Polymer Arm Center	r Unit, Gu	est Back,	Brushed I	Nickel Leg	Base				
	FAE2M-CGBH24CPAN1	1934	1990	2049	2165	2279	2395	2509	2625	2852
Center - Sled Base	04" On an Dalumar Arm Cantar I	Init Cun	at Dools C	ilvor Moto	ulia Clad D					
Octive Gled Base	24" Open Polymer Arm Center L FAE2M-CGBH24OPAS2	1540	1584	1631	1724	ase 1814	1908	1999	2092	2275
	TALLINI GGBI IL-4GI AGL	1040	1004	1001	1724	1014	1300	1000	2002	2210
	24" Open Polymer Arm Center l	Jnit, Gue	st Back, E	Brushed Ni	ickel Sled I	Base				
	FAE2M-CGBH24OPAN2	1746	1790	1836	1930	2020	2114	2205	2297	2481
	24" Closed Polymer Arm Center									
	FAE2M-CGBH24CPAS2	1800	1857	1915	2031	2145	2261	2375	2491	2719
	24" Closed Polymer Arm Center	r Unit Gu	est Back	Brushed I	Nickel Slec	l Rase				
	FAE2M-CGBH24CPAN2	2006	2062	2121	2237	2351	2467	2581	2697	2924
	24" Two Panel Fully Closed Poly	vmer Arm	Center U	nit. Guest	Back, Silve	er Metallio	c Sled Ba	se		
	FAE2M-CGBH242PFPAS2	1815	1891	1969	2095	2225	2358	2498	2638	2882
	24" Two Panel Fully Closed Poly FAE2M-CGBH242PFPAN2	mer Arm 2021	Center U 2097	nit, Guest 2175	Back, Brus 2300	shed Nick 2431	kel Sled B 2564	ase 2703	2844	3088
	TALZIVI-OGBI 1242FT FAINZ	2021	2097	2175	2300	2431	2304	2703	2044	3000
	24" Single Panel Fully Closed Po	olymor A	m Contor	Unit Gua	et Back S	ilvor Moto	الم حامط ا	2000		
	FAE2M-CGBH241PFPAS2	1996	2098	2203	2355	2518	2685	2864	3044	3338
		1000	_000	2200	2000	20.0	2000	200 /	0011	0000
	24" Single Panel Fully Closed Pe	-								
	FAE2M-CGBH241PFPAN2	2202	2304	2409	2560	2724	2891	3069	3250	3544

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-C**G**BH to FAE2M-C**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 21"	390
Solid Surface Arm (each) - Gr A White	287	Supplemental Weight - 24"	321
Solid Surface Arm (each) - Gr A Color	299	Ganging Bracket	58
Solid Surface Arm (each) - Gr B	321	Combination Upholstery - Dual	33
Solid Surface Arm (each) - Gr C	339	Combination Upholstery - Three	64
Wood Arm (each)	108	Removeable Seat Cover (per seat)	90
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	58
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	64

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

		COM		COL	FABI	RIC GRAD	DES		LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
Center - Leg Base	30" Open Polymer Arm Co	enter Unit	, Guest B	ack, Silver	Metallic L	eg Base					
	FAE2M-CGBH300PAS1	1707	1774	1839	1973	2103	2235	2370	2501	2766	
	30" Open Polymor Arm C	ontor I Init	Cuest P	ook Druch	ad Niekel	Log Poso					
	30" Open Polymer Arm Co FAE2M-CGBH30OPAN1	1913	., Guest Bi	2045	2179	2309	2441	2576	2707	2971	
,	TALZIVI GABITOGOTANI	1910	1900	2043	2173	2009	2441	2370	2101	2311	
-	30" Closed Polymer Arm Center Unit, Guest Back, Silver Metallic Leg Base										
	FAE2M-CGBH30CPAS1	1967	2045	2123	2277	2434	2588	2744	2898	3210	
	30" Closed Polymer Arm	Cantar I Ir	nit Guest	Back Brus	shed Nicke	al Lea Bas					
	FAE2M-CGBH30CPAN1	2172	2251	2329	2483	2640	2794	2949	3104	3416	
0 1 01 10											
Center - Sled Base	30" Open Polymer Arm C			-							
	FAE2M-CGBH300PAS2	1779	1846	1911	2045	2175	2307	2442	2573	2838	
	30" Open Polymer Arm Co	enter Unit	. Guest Ba	ack. Brush	ed Nickel	Sled Base	.				
	FAE2M-CGBH30OPAN2	1851	1918	1983	2117	2247	2379	2514	2645	2910	
	30" Closed Polymer Arm Center Unit, Guest Back, Silver Metallic Sled Base										
	FAE2M-CGBH30CPAS2	2039	2117	2195	2349	2506	2660	2816	2970	3282	
	30" Closed Polymer Arm Center Unit, Guest Back, Brushed Nickel Sled Base										
	FAE2M-CGBH30CPAN2	2244	2323	2401	2555	2712	2866	3021	3176	3488	
	30" Two Panel Fully Close	d Polyme	er Arm Cer	nter Unit, (Guest Back	k, Silver M	letallic Sle	ed Base			
	FAE2M-CGBH302PFPAS2	2 2054	2153	2250	2415	2586	2758	2940	3120	3444	
	30" Two Panel Fully Close	d Polyme	ar Δrm Cer	nter I Init (Fuest Back	Rrusha	d Nickal S	lad Rasa			
	FAE2M-CGBH302PFPAN		2225	2322	2487	2658	2830	3012	3192	3516	
	30" Single Panel Fully Clo	sed Polyr	ner Arm C	enter Unit	. Guest Ba	ıck, Silver	Metallic S	Sled Base			
	FAE2M-CGBH301PFPAS2	2 2235	2360	2484	2675	2879	3085	3306	3526	3900	
	00" Cinala Danal Fully Ola	a a al Dalum	A C		O D.	al. Davak	a al Nicales	l Clark Dana			
	30" Single Panel Fully Clo FAE2M-CGBH301PFPAN		ner Arm C 2432	enter Unit 2556	, Guest Ba 2747	ick, Brusr 2951	1еа іміскеі 3157	3378	3598	3972	
		_ 2001	2702	2000	2171	2001	0101	0070	5550	0012	

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-C**G**BH to FAE2M-C**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 30"	172
Solid Surface Arm (each) - Gr A White	287	Ganging Bracket	58
Solid Surface Arm (each) - Gr A Color	299	Combination Upholstery - Dual	33
Solid Surface Arm (each) - Gr B	321	Combination Upholstery - Three	64
Solid Surface Arm (each) - Gr C	339	Removeable Seat Cover (per seat)	90
Wood Arm (each)	108	Removable Back Cover (per back)	58
Floor Anchor Brackets (Sleigh base only)	153	CAL 133 & Moisture Barrier (per yard)	64
Springless Seat	117		

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			

		COM		COL	FABR	RIC GRAD	ES		LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9		
Center - Leg Base	44" Open Polymer Arm Ce	nter Unit	. Guest Ba	ck. Silver	Metallic Le	ea Base						
•	FAE2M-CGBH44OPAS1	2129	2213	2296	2462	2629	2797	2962	3129	3463		
	44" Open Polymer Arm Ce						0000	0400	0005	0000		
	FAE2M-CGBH44OPAN1	2335	2419	2502	2668	2835	3003	3168	3335	3669		
Ш												
	44" Closed Polymer Arm C					0		0000	0507	0000		
	FAE2M-CGBH44CPAS1	2391	2485	2578	2769	2959	3147	3338	3527	3906		
	44" Closed Polymer Arm C	enter Un	it, Guest B	ack. Brus	shed Nickel	Lea Bas	е					
	FAE2M-CGBH44CPAN1	2597	2690	2784	2975	3165	3353	3544	3733	4112		
Center - Sled Base												
Center - Sied Base	44" Open Polymer Arm Ce			-			0004	0474	0007	0074		
	FAE2M-CGBH44OPAS2	2337	2420	2504	2670	2837	3004	3171	3337	3671		
	44" Open Polymer Arm Ce	nter Unit	. Guest Ba	ck. Brush	ed Nickel S	Sled Base	<u> </u>					
	FAE2M-CGBH44OPAN2	2543	2626	2710	2876	3043	3210	3377	3542	3876		
	44" Closed Polymer Arm C	enter Un	it. Guest B	ack. Silve	er Metallic S	Sled Base)					
	FAE2M-CGBH44CPAS2	2780	2888	2994	3206	3419	3631	3844	4056	4482		
	44" Closed Polymer Arm Center Unit, Guest Back, Brushed Nickel Sled Base											
	FAE2M-CGBH44CPAN2	2986	3093	3199	3411	3625	3837	4050	4262	4688		
	44" Two Panel Fully Closed								0740	44.40		
	FAE2M-CGBH442PFPAS2	2476	2592	2707	2905	3112	3320	3533	3748	4142		
	44" Two Panel Fully Closed	d Polvme	r Arm Cent	ter Unit. G	uest Back	. Brushed	Nickel S	Sled Base				
	FAE2M-CGBH442PFPAN2		2798	2913	3111	3318	3526	3738	3953	4347		
	44" Single Panel Fully Clos	ed Polyn	ner Arm Ce	enter Unit	, Guest Bad	ck, Silver	Metallic S	Sled Base				
	FAE2M-CGBH441PFPAS2		2799	2941	3165	3405	3647	3899	4154	4598		
	44" Single Panel Fully Clos									4000		
	FAE2M-CGBH441PFPAN2	2863	3005	3147	3371	3611	3853	4104	4359	4803		

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-C**G**BH to FAE2M-C**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Ganging Bracket	58
Solid Surface Arm (each) - Gr A White	287	Combination Upholstery - Dual	33
Solid Surface Arm (each) - Gr A Color	299	Combination Upholstery - Three	64
Solid Surface Arm (each) - Gr B	321	Removeable Seat Cover (per seat)	90
Solid Surface Arm (each) - Gr C	339	Removable Back Cover (per back)	58
Wood Arm (each)	108	CAL 133 & Moisture Barrier (per yard)	64
Floor Anchor Brackets (Sleigh base only)	153		
Springless Seat	117		

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

	COM		COL FAB		BRIC GRADES		LEATHER			
DESCRIPTION/MC	DDEL	1	2	3	4	5	6	7	8	9
End - Leg Base	21" Open Polymer Arm End Unit FAE2M-EGBH21OPAS1	, Guest 1 1363	Back, Silver	Metallic 1457	Leg Base 1548	1640	1733	1823	1916	2099
←	21" Open Polymer Arm End Uni FAE2M-EGBH210PAN1	t, Guest 1569	Back, Brus 1615	hed Nick 1663	el Leg Bas 1754	e 1846	1939	2029	2121	2305
	21" Closed Polymer Arm End U FAE2M-EGBH21CPAS1	nit, Gues 1624	st Back, Silv 1683	er Metal 1739	lic Leg Bas 1855	e 1970	2084	2199	2313	2544
	21" Closed Polymer Arm End U FAE2M-EGBH21CPAN1	nit, Gues 1830	st Back, Bru 1888	ushed Nic 1945	ckel Leg Ba 2061	se 2176	2290	2405	2518	2749
End - Sled Base	21" Open Polymer Arm End Uni FAE2M-EGBH210PAS2	t, Guest 1435	Back, Silve 1481	r Metallic 1529	Sled Base 1620) 1712	1805	1895	1988	2171
	21" Open Polymer Arm End Uni FAE2M-EGBH21OPAN2	t, Guest 1641	Back, Brus 1687	hed Nick 1735	el Sled Bas 1826	se 1918	2011	2101	2193	2377
	21" Closed Polymer Arm End U FAE2M-EGBH21CPAS2	nit, Gues 1696	st Back, Silv 1755	ver Metal 1811	lic Sled Bas 1927	se 2042	2156	2271	2385	2616
	21" Closed Polymer Arm End U FAE2M-EGBH21CPAN2	nit, Gues 1902	st Back, Bru 1960	ushed Nic 2017	ckel Sled Ba 2133	ase 2248	2362	2477	2590	2821
	21" Two Panel Fully Closed Poly FAE2M-EGBH212PFPAS2	mer Arm 1710	End Unit, (Guest Ba 1867	ck, Silver N 1991	Metallic S 2123	led Base 2255	2394	2534	2778
	21" Two Panel Fully Closed Poly FAE2M-EGBH212PFPAN2	mer Arm 1916	End Unit, (1994	Guest Ba 2073	ck, Brushe 2196	d Nickel 2329	Sled Base 2461	2599	2740	2984
	21" Single Panel Fully Closed Po FAE2M-EGBH211PFPAS2	olymer A 1891	rm End Uni 1995	t, Guest E 2101	Back, Silver 2251	Metallic 2416	Sled Base 2582	e 2760	2940	3234
	21" Single Panel Fully Closed Po FAE2M-EGBH211PFPAN2	olymer A 2097	rm End Uni 2201	t, Guest E 2307	Back, Brush 2456	ned Nicko 2622	el Sled Bas 2788	se 2965	3146	3440

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-E**G**BH to FAE2M-E**PBH**, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 21"	390
Solid Surface Arm (each) - Gr A White	287	Supplemental Weight - 24"	321
Solid Surface Arm (each) - Gr A Color	299	Ganging Bracket	58
Solid Surface Arm (each) - Gr B	321	Combination Upholstery - Dual	33
Solid Surface Arm (each) - Gr C	339	Combination Upholstery - Three	64
Wood Arm (each)	108	Removeable Seat Cover (per seat)	90
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	58
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	64
PRODUCT CODE KEY			

	•						
Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

		COM		COL	FABR	IC GRAD	ES		LEATHER	
DESCRIPTION/MO	DEL	1	2	3	4	5	6	7	8	9
End - Leg Base	24" Open Polymer Arm End Unit FAE2M-EGBH24OPAS1	, Guest 1468	Back, Silver 1512	Metallic 1559	Leg Base 1652	1742	1836	1927	2020	2203
⇔ □ □	24" Open Polymer Arm End Unit FAE2M-EGBH24OPAN1	, Guest 1674	Back, Brush 1718	ned Nicke 1764	el Leg Base 1858	1948	2042	2133	2225	2409
	24" Closed Polymer Arm End Un FAE2M-EGBH24CPAS1	it, Gues 1728	st Back, Silv 1785	er Metalli 1843	c Leg Base 1959	2073	2189	2303	2419	2647
	24" Closed Polymer Arm End Un FAE2M-EGBH24CPAN1	it, Gues 1934	st Back, Bru	shed Nicl 2049	kel Leg Bas 2165	se 2279	2395	2509	2625	2852
End - Sled Base	24" Open Polymer Arm End Unit, FAE2M-EGBH24OPAS2	1540	1584	1631	1724	1814	1908	1999	2092	2275
	24" Open Polymer Arm End Unit, FAE2M-EGBH24OPAN2	, Guest 1746	Back, Brush 1790	ned Nicke 1836	el Sled Base 1930	e 2020	2114	2205	2297	2481
	24" Closed Polymer Arm End Un FAE2M-EGBH24CPAS2	it, Gues 1800	st Back, Silve 1857	er Metalli 1915	c Sled Base 2031	e 2145	2261	2375	2491	2719
	24" Closed Polymer Arm End Un FAE2M-EGBH24CPAN2	it, Gues 2006	st Back, Brus 2062	shed Nicl 2121	kel Sled Ba 2237	se 2351	2467	2581	2697	2924
	24" Two Panel Fully Closed Polyn FAE2M-EGBH242PFPAS2	mer Arn 1815	n End Unit, (1891	Guest Ba 1969	ck, Silver M 2095	letallic SI 2225	ed Base 2358	2498	2638	2882
	24" Two Panel Fully Closed Polyn FAE2M-EGBH242PFPAN2	mer Arn 2021	n End Unit, (2097	Guest Bad 2175	ck, Brushed 2300	d Nickel 9 2431	Sled Base 2564	2703	2844	3088
	24" Single Panel Fully Closed Po FAE2M-EGBH241PFPAS2	lymer A 1996	arm End Unit 2098	t, Guest E 2203	Back, Silver 2355	Metallic 2518	Sled Base 2685	2864	3044	3338
	24" Single Panel Fully Closed Po FAE2M-EGBH241PFPAN2	lymer A 2202	rm End Unit 2304	t, Guest E 2409	Back, Brush 2560	ned Nicke 2724	el Sled Bas 2891	e 3069	3250	3544

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-E**G**BH to FAE2M-E**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 21"	390
Solid Surface Arm (each) - Gr A White	287	Supplemental Weight - 24"	321
Solid Surface Arm (each) - Gr A Color	299	Ganging Bracket	58
Solid Surface Arm (each) - Gr B	321	Combination Upholstery - Dual	33
Solid Surface Arm (each) - Gr C	339	Combination Upholstery - Three	64
Wood Arm (each)	108	Removeable Seat Cover (per seat)	90
Floor Anchor Brackets (Sleigh base only)	153	Removable Back Cover (per back)	58
Springless Seat	117	CAL 133 & Moisture Barrier (per yard)	64

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

		COM		COL	FABR	IC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
End - Leg Base	30" Open Polymer Arm En	d Unit. G	uest Back.	Silver Me	etallic Lea E	Base				
· ·	FAE2M-EGBH300PAS1	1707	1774	1839	1973	2103	2235	2370	2501	2766
1	30" Open Polymer Arm En				_		0.4.4.4	0570	0707	0074
← — — — — — — — — — — — — — — — — — — —	FAE2M-EGBH30OPAN1	1913	1980	2045	2179	2309	2441	2576	2707	2971
						_				
	30" Closed Polymer Arm E			*		•	0500	0744	0000	0010
	FAE2M-EGBH30CPAS1	1967	2045	2123	2277	2434	2588	2744	2898	3210
	30" Closed Polymer Arm E	nd Unit.	Guest Bac	k. Brushe	d Nickel Le	ea Base				
	FAE2M-EGBH30CPAN1	2172	2251	2329	2483	2640	2794	2949	3104	3416
End - Sled Base	00110 D.I. A. F.			011 14						
End - Sied Base	30" Open Polymer Arm En	-					0007	0.4.40	0570	0000
	FAE2M-EGBH300PAS2	1779	1846	1911	2045	2175	2307	2442	2573	2838
	30" Open Polymer Arm En	d Unit. G	uest Back.	Brushed	Nickel Sled	d Base				
	FAE2M-EGBH30OPAN2	1851	1918	1983	2117	2247	2379	2514	2645	2910
	30" Closed Polymer Arm E	nd Unit.	Guest Bac	k, Silver N	/letallic Sle	d Base				
	FAE2M-EGBH30CPAS2	2039	2117	2195	2349	2506	2660	2816	2970	3282
	30" Closed Polymer Arm E	-		•			0000	0001	0.470	0.400
	FAE2M-EGBH30CPAN2	2244	2323	2401	2555	2712	2866	3021	3176	3488
	00" T - D F 0				- L D L - O:	L N A . L		_		
	30" Two Panel Fully Closed FAE2M-EGBH302PFPAS2		2153	2250	est Back, Si 2415	2586		2940	2100	0444
	TALZIVI-LGDI ISUZFI FASZ	2054	2133	2250	2415	2366	2758	2940	3120	3444
	30" Two Panel Fully Closed	d Polyme	r Arm End	Unit, Gue	st Back, B	rushed N	ickel Sled	Base		
	FAE2M-EGBH302PFPAN2	2126	2225	2322	2487	2658	2830	3012	3192	3516
	30" Single Panel Fully Clos	sed Polyr	ner Arm En	ıd Unit, G	uest Back,	Silver Me	etallic Sle	d Base		
	FAE2M-EGBH301PFPAS2	2235	2360	2484	2675	2879	3085	3306	3526	3900
	20" Cinale Denal Fulls Class	ad Dali		م بنما الم	west Decl-	Dwinbar	Niekal O	ad Dags		
	30" Single Panel Fully Clos FAE2M-EGBH301PFPAN2		ner Arm En 2432	2556	uest Back, 2747	2951	3157	ed Base 3378	3598	3972
	TALLIN EGDIOOTI ITANZ	2001	2402	2000	2171	2001	5157	0070	0000	3312

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-E**G**BH to FAE2M-E**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Supplemental Weight - 30"	172
Solid Surface Arm (each) - Gr A White	287	Ganging Bracket	58
Solid Surface Arm (each) - Gr A Color	299	Combination Upholstery - Dual	33
Solid Surface Arm (each) - Gr B	321	Combination Upholstery - Three	64
Solid Surface Arm (each) - Gr C	339	Removeable Seat Cover (per seat)	90
Wood Arm (each)	108	Removable Back Cover (per back)	58
Floor Anchor Brackets (Sleigh base only)	153	CAL 133 & Moisture Barrier (per yard)	64
Springless Seat	117		
PRODUCT CODE KEY			

JOOT GODE	IXL1						
Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			

		COM		COL	FABF	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
End - Leg Base	44" Open Polymer Arm En	d Unit. G	uest Back.	Silver Me	etallic Lea l	Base				
-	FAE2M-EGBH44OPAS1	2129	2213	2296	2462	2629	2797	2962	3129	3463
	44" O D. I				AP 1 11	5				
	44" Open Polymer Arm En FAE2M-EGBH44OPAN1	a Unit, G 2335	iuest Back, 2419	Brushed 2502	Nickel Leg 2668	1 Base 2835	3003	3168	3335	3669
	TALZIVI-LGDI 1440FAN I	2333	2419	2302	2000	2000	3003	3100	3333	3009
Ц	44" Closed Polymer Arm E	nd I Init	Guest Beel	c Silvor N	Actallic Loc	n Baco				
	FAE2M-EGBH44CPAS1	2391	2485	2578	2769	2959	3147	3338	3527	3906
	.,	2001	2100	2010	2700	2000	0117	0000	0027	0000
	44" Closed Polymer Arm E			*		0				
	FAE2M-EGBH44CPAN1	2597	2690	2784	2975	3165	3353	3544	3733	4112
End - Sled Base	44" Open Polymer Arm En	d Unit G	uest Back	Silver Me	etallic Sled	Rase				
	FAE2M-EGBH44OPAS2	2337	2420	2504	2670	2837	3004	3171	3337	3671
	44" Open Polymer Arm En									
	FAE2M-EGBH44OPAN2	2543	2626	2710	2876	3043	3210	3377	3542	3876
	44" Closed Polymer Arm E FAE2M-EGBH44CPAS2	2780 end Unit,	Guest Back 2888	k, Silver N 2994	vletallic Sle 3206	d Base 3419	3631	2044	4056	4482
	TALZIVI-LGDI 1440FA32	2700	2000	2994	3200	3419	3031	3844	4030	4402
	44" Closed Polymer Arm E	nd Unit,	Guest Bacl	k, Brushe	d Nickel SI	ed Base				
	FAE2M-EGBH44CPAN2	2986	3093	3199	3411	3625	3837	4050	4262	4688
	44" Two Panel Fully Closed	•			-					
	FAE2M-EGBH442PFPAS2	2476	2592	2707	2905	3112	3320	3533	3748	4142
	44" Two Panel Fully Closed	d Polyme	r Arm Fnd	Unit. Gue	est Back, B	rushed N	ickel Sled	d Base		
	FAE2M-EGBH442PFPAN2	•	2798	2913	3111	3318	3526	3738	3953	4347
	44" Single Panel Fully Clos	sed Polyr	ner Arm En	d Unit, G	uest Back,	Silver Me	etallic Sle	d Base		
	FAE2M-EGBH441PFPAS2	2657	2799	2941	3165	3405	3647	3899	4154	4598
	44" Cinala Danal Full Class	and Date	A	-111:4 0	Davil	Durahaal	Nialat O	lad Dass		
	44" Single Panel Fully Clos FAE2M-EGBH441PFPAN2		ner Arm En 3005	d Unit, G 3147	uest Back, 3371	3611	Nickel S 3853	led Base 4104	4359	4803
	TALLINI EQUITATII II ANZ	2003	3003	3141	3371	3011	3033	4104	4008	4003

ORDERING NOTES: Faeron Metal chairs can be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. **Patient backs** are available on multiple units, please change the model number FAE2M-E**G**BH to FAE2M-E**P**BH, and add the upcharges on page 15 per back.

Faeron Behavioral Health Option Upcharges	\$ List		\$ List
Kinetic Back	120	Ganging Bracket	58
Solid Surface Arm (each) - Gr A White	287	Combination Upholstery - Dual	33
Solid Surface Arm (each) - Gr A Color	299	Combination Upholstery - Three	64
Solid Surface Arm (each) - Gr B	321	Removeable Seat Cover (per seat)	90
Solid Surface Arm (each) - Gr C	339	Removable Back Cover (per back)	58
Wood Arm (each)	108	CAL 133 & Moisture Barrier (per yard)	64
Floor Anchor Brackets (Sleigh base only)	153		
Springless Seat	117		

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish	Base Type
FAE	2M	SGBH	21	0	PA	S	1
Faeron	Chair	Start-Guest Seating		Open Arm	Polymer Arm	Silver Metallic	Leg Base
		CGBH	24	С	WA	N	2
		Center-Guest Seating		Closed Arm	Wood Arm	Brushed	Sled Base
		EGBH	30	2PF	SA	Nickel	
		End-Guest Seating		Two Panel Fully Closed Arm	Solid Surface Arm		
			44	1PF			
				Single Panel Fully Closed Arm			


FAERON LOUNGE BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

Lounge Seating



Material Content:



PRE-CONSUMER
RECYCLED CONTENT = 12.89%

POST-CONSUMER RECYCLED CONTENT =7.84%

Up to 14.95% of this Faeron Metal product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FAERON LOUNGE BEHAVIORAL HEALTH | FEATURES



ARM PANEL POLYMER BASE

Faeron Metal Behavioral Health lounge seating is available with a ligature-resistant, cleanable, Grey polymer base securely fastened to the arm panel.



PLINTH BASE

Faeron Metal Behavioral Health lounge seating is also available with an Grey polymer plinth base that restricts access to the interior of the chair and dirt and debris from accumulating under the chair.



Faeron Lounge models feature a wall saver feature. The angle of the back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



LIGATURE RISK REDUCTION

Faeron Metal Behavioral Health lounge seating has been designed with ligature-resistant features such as closed arm panels and legless base options to significantly reduce anchor points.



RESTRICTED ACCESS UPHOLSTERY

This feature provides complete closure and elimination of the standard clean out space between seat, back and arm panels in the - hindering the use of these areas for hiding contraband. This feature reduces the ability to utilize the product for ligature.



TAMPER-RESISTANT HARDWARE

Tamper-resistant hardware is utilized in the construction of all Faeron Metal Behavioral Health seating. The specific tools needed to remove components for maintenance and replacement can be purchased from Krug..



INACCESSIBLE STAPLES

All staples on this product are covered and made inaccessible with a use of polymer underseat shield, fastened with tamper-resistant hardware.



UNDERSEAT SHIELD

The polymer shield is attached with tamper-resistant hardware. It is designed to restrict access to the interior of the chair.

SECURED GLIDES

The glides are screwed in place using temper resistant screws to hinder their removal. They can be field-replaced with the use of tools.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some

FINISH DURABILITY

The Krug finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

WEIGHT CAPACITIES

Tested to meet or exceed the BIFMA X5.4 Lounge Standard One-Seat - 500 lbs One-Seat - Plus - 750 lbs One-seat Wide - 500 lbs One-seat Wide Plus - 750 lbs Two-Seat - 625 lbs Two-Seat Plus- 975 lbs

Three - Seat - 850 lbs Three - Seat Plus- 1200 lbs

FAERON LOUNGE BEHAVIORAL HEALTH | OPTIONS



POLYMER ARM CAP

The optional Polymer Arm cap provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in Black, Grey and Taupe, and is replaceable if it become damaged or degraded.



WOOD ARM CAP

The optional Wood Arm cap provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in all standard wood finishes, and are replaceable if they become damaged or degraded.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm cap provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard Corian colors, and custom colors (at an upcharge). Arms are replaceable if they become damaged or degraded. Solid Surface not recommended for lower acuity environments.



PANEL ARM METAL BASE

An optional powder coated steel panel base is available on Faeron Metal Behavioral Health lounge seating. The base is ligature resistant and installed with tamper-resistant hardware.



ANCHOR BRACKETS

Heavy duty tamper-resistant anchor brackets are available to secure the chair to the floor.



COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

SUPPLEMENTAL WEIGHT

Optional supplemental weight can be specified for additional safety and to minimize risk of weaponization. The standard polymer shield is replaced with a heavy gauge steel shield that increase the overall weight to at least 80 lbs.

REMOVABLE/REPLACEABLE UPHOLSTERY

Removable upholstery covers can be specified on this product, to facilitate cleaning and assist with infection control. They utilize tamper-resistant hardware, and inaccessible staples. Replacement upholstery covers have the same features, and can be field installed with tamper-resistant fastener tools.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

FAERON LOUNGE BEHAVIORAL HEALTH | DIMENSIONS & COM

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM YDG Entire	COM YDG Seat Only	COM YDG Back Only	COM YDG Arm Only (pair)
One Seat	- Armles	s, Plinth	Base										
Lounge	23	28.5	31.5	17.8	-	-	21	74	20	3.2	1.4	1.8	-
High Bacl	k 23	28.5	41.5	17.8	-	-	21	80	24	3.8	1.4	2.4	-
One Seat	•				0.4	00	01	444	00	0.0	4.4	1.0	0.4
Lounge High Back	28 k 28	30 30	31.5 41.5	17.8 17.8	24 24	23 23	21 21	114 120	20 24	6.3 6.9	1.4 1.4	1.8 2.4	3.1 3.1
riigii baci	20	30	41.5	17.0	24	20	21	120	24	0.9	1.4	2.4	0.1
One Seat													
Lounge	28	31 31	31.5 41.5	17.8 17.8	24 24	23 23	21 21	95 100	20 24	6.2 6.8	1.3 1.3	1.7 2.3	3.2 3.2
High Back	k 28	31	41.5	17.0	24	23	۷۱	100	24	0.0	1.3	2.3	3.2
One Seat	- Uphols	tered Arr	m Panel w	// Metal B	lase								
Lounge	28	30	31.5	17.8	24	23	21	97	20	6.2	1.3	1.7	3.2
High Bacl	k 28	30	41.5	17.8	24	23	21	102	24	6.8	1.3	2.3	3.2
One Seat	Wide - A	rmless, f	Plinth Bas	e									
Lounge	30	28.5	31.5	17.8	-	-	21	88	23	3.4	1.6	1.8	-
High Back	k 30	28.5	41.5	17.8	-	-	21	94	27	4	1.6	2.4	-
One Seat	Wide - I	Inhaletar	ad Arm F	Plinth Rac	20								
Lounge	35	30	31.5	17.8	24	23	21	128	23	6.5	1.6	1.8	3.1
High Back		30	41.5	17.8	24	23	21	134	27	7.1	1.6	2.4	3.1
One Seat	Wide - I	Inhaletar	ed Arm P	anal w/ D	olymer Base								
Lounge	35	31	31.5	17.8	24	23	21	107	23	6.4	1.5	1.7	3.2
High Bacl	k 35	31	41.5	17.8	24	23	21	113	27	7	1.5	2.3	3.2
0 0	\\\ <i>(</i> := ===		l A D	/ N	latal Daga								
One Seat Lounge	wide - C	ipnoister 30	ed Arm P 31.5	anei w/ iv 17.8	letal Base 24	23	21	109	23	6.4	1.5	1.7	3.2
High Back		30	41.5	17.8	24	23	21	114	27	7	1.5	2.3	3.2
Two Seat Lounge	- Armles 46	s, Plinth 28.5	31.5	17.8	_	_	21	124	36	4.5	1.8	2.7	_
High Back		28.5	41.5	17.8	-	-	21	135	43	5.4	1.8	3.6	-
Two Seat			-		0.4	00	0.4	404	00	7.0	4.0	0.7	0.4
Lounge High Bacl	51 k 51	30 30	31.5 41.5	17.8 17.8	24 24	23 23	21 21	164 175	36 43	7.6 8.5	1.8 1.8	2.7 3.6	3.1 3.1
riigii baci	X 31	30	41.5	17.0	24	20	21	175	40	0.5	1.0	5.0	5.1
Two Seat	- Uphols	tered Arr	m Panel w	/ Polyme	r Base								
Lounge	51	31	31.5	17.8	24	23	21	140	36	7.50	1.7	2.6	3.2
High Back	K 51	31	41.5	17.8	24	23	21	149	43	8.40	1.7	3.5	3.2
Two Seat	- Uphols	tered Arr	m Panel w	/ Metal B	ase								
Lounge	51	30	31.5	17.8	24	23	21	141	36	7.50	1.7	2.6	3.2
High Back	k 51	30	41.5	17.8	24	23	21	150	43	8.40	1.7	3.5	3.2
Three Sea	at - Armle	ss. Plintl	h Base										
Lounge	69	28.5	31.5	17.8	-	-	21	172	52	6.1	2.6	3.5	-
High Back	k 69	28.5	41.5	17.8	-	-	21	187	61	7.4	2.6	4.8	-
Three Sea	at - Unho	Istered A	rm Plinth	n Rase									
Lounge	74	30	31.5	17.8	24	23	21	213	52	9.2	2.6	3.5	3.1
High Back		30	41.5	17.8	24	23	21	228	61	10.5	2.6	4.8	3.1
Th	d Hele	lataus I A		/ D-!	or Do								
Three Sea Lounge	at - Upho 74	Istered A	rm Panel	w/ Polym 17.8	ier Base 24	23	21	183	52	9.1	2.5	3.4	3.2
High Back		31	41.5	17.8	24	23	21	196	61	10.4	2.5	4.7	3.2
-						-							- · -
Three Sea	•												
Lounge	74	30	31.5	17.8	24	23	21	185	52 61	9.1 10.4	2.5	3.4	3.2
High Back	n /4	30	41.5	17.8	24	23	21	198	61	10.4	2.5	4.7	3.2

FAERON BEHAVIORAL HEALTH | ARMLESS LOUNGE

DESCRIPTION/MODE	EL	COM 1	2	COL 3	FAE 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
	One-Seat, Armless, Plintl FAE3-APBHL1H	h Base 2040	2163	2286	2409	2562	2716	2900	3085	3315
	One-Seat Plus, Armless, FAE3-APBHLB1H	Plinth Ba 2105	se 2228	2351	2474	2627	2781	2965	3150	3380
	One-Seat Wide, Armless FAE3-APBHL1+H	, Plinth Ba	ase 2374	2504	2635	2798	2961	3157	3353	3598
	One-Seat Wide Plus, Arn FAE3-APBHLB1+H	nless, Plin 2313	th Base 2444	2574	2705	2868	3031	3227	3423	3668
	Two-Seat, Armless, Plintl FAE3-APBHL2H Two-Seat Plus, Armless,	3238	3411	3584	3756	3972	4188	4448	4707	5031
	FAE3-APBHLB2H	3316	3488	3661	3834	4050	4266	4525	4785	5109
	Three-Seat, Armless, Plir	nth Base								
	FAE3-APBHL3H	4224	4458	4693	4927	5220	5513	5864	6215	6655
	Three-Seat Plus, Armless FAE3-APBHLB3H	s, Plinth B 4357	ase 4592	4826	5060	5353	5646	5997	6349	6788
Option Upcharges		\$ Lis	it							\$ List
Floor Anchoring Hard		9			ne-Seat R					152
Combination Upholsto		3			ne-Seat w					228
Combination Upholsto One-Seat Removable		6· 15:			vo-Seat R nree-Seat					302 453
One-Seat wide Remo		22			upplement					110
Two-Seat Removable	Back Cover	30			upplement	_				128
Three-Seat Removabl	le Back Cover	45	3		upplement					162
					upplement AL 133 & I	_				231 64

Line	Series	Chair Type	Size	Base
FAE	3-APBH	L	1 B1	Н
Faeron	Behavioral Health	Lounge	One-Seat One-Seat Plus	Plinth Base
	Lounge Seating Armless	H High Back	1+ B1+ One-Seat	
		Lounge	Wide Wide Plus	
			2 B2 Two-Seat Two-Seat Plus	
			3 B3	
			Three-Seat Three-Seat Plus	S

FAERON BEHAVIORAL HEALTH | ARMLESS HIGH BACK LOUNGE

		COM		COL		BRIC GRA			LEATHER	
DESCRIPTION/MODE	L	1	2	3	4	5	6	7	8	9
	One-Seat, Armless, Plinth FAE3-APBHH1H	Base 2245	2391	2536	2682	2865	3047	3266	3485	3759
	One-Seat Plus, Armless, F FAE3-APBHHB1H	Plinth Bas 2310	se 2456	2602	2748	2930	3112	3331	3550	3824
	One-Seat Wide, Armless, FAE3-APBHH1+H	Plinth Ba 2383	se 2537	2690	2844	3036	3228	3458	3689	3977
	One-Seat Wide Plus, Armi FAE3-APBHHB1+H	less, Plint 2453	th Base 2607	2760	2914	3106	3298	3529	3759	4047
	Two-Seat, Armless, Plinth FAE3-APBHH2H	Base 3529	3737	3944	4152	4411	4670	4981	5292	5681
	Two-Seat Plus, Armless, F FAE3-APBHHB2H	Plinth Bas 3607	se 3815	4022	4229	4489	4748	5059	5370	5759
	Three-Seat, Armless, Plint FAE3-APBHH3H Three-Seat Plus, Armless,	4641	4926 ase	5210	5494	5849	6205	6631	7057	7590
	FAE3-APBHHB3H	4775	5059	5343	5627	5983	6338	6764	7191	7723
Option Upcharges		\$ List								\$ List
Floor Anchoring Hardw Combination Upholster Combination Upholster One-Seat Removable E One-Seat wide Remova Two-Seat Removable E Three-Seat Removable	y - Dual fabrics y - Three fabrics ack Cover able Back Cover ack Cover	90 33 64 152 228 302 453		On Two Thr Sup Sup Sup Sup	e-Seat Re e-Seat wide p-Seat Re ree-Seat Foplementa oplementa oplementa oplementa L 133 & M	de Removemovable Semovable Semovable de Weight Gel Weig	vable Seat Seat Cove e Seat Co One-Seat One-Seat Two-seat Three-sea	: Cover er ver Plus		152 228 302 453 110 128 162 231 64

Line	Series	Chair Type	Size	Base
FAE Faeron	3-APBH Behavioral Health	L Lounge	1 B1 One-Seat One-Seat Plus	H Plinth Base
	Lounge Seating Armless	H High Back Lounge	1+ B1+ One-Seat Wide Wide Plus	
			2 B2 Two-Seat Two-Seat Plus	
			3 B3 Three-Seat Three-Seat Plus	

FAERON BEHAVIORAL HEALTH | LOUNGE

		COM		COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	One-Seat, Upholstered	Arm, No	Arm Cap,	Plinth Bas	se					
	FAE3-UPBHL1NCH	2865	3112	3360	3607	3916	4225	4596	4967	5431
	One-Seat Plus, Upholst					0001	1001	1000	5000	F 400
	FAE3-UPBHLB1NCH	2930	3178	3425	3672	3981	4291	4662	5033	5496
	One-Seat Wide, Uphols	stered Arı	m, No Arm							
	FAE3-UPBHL1+NCH	3128	3383	3638	3893	4212	4531	4913	5296	5774
	One-Seat Wide Plus, U		ed Arm, No 3453	Arm Cap 3709	, Plinth Ba 3964	ıse 4282	4601	4984	5366	5844
	FAE3-UPBHLB1+NCH	3190	3433	3709	3904	4202	4001	4904	5500	3044
	Two-Seat, Upholstered									
	FAE3-UPBHL2NCH	4080	4378	4675	4972	5344	5715	6161	6607	7165
	Two-Seat Plus, Upholst	arad Arm	a Na Arm (Can Dlint	a Paga					
	FAE3-UPBHLB2NCH	4158	4455	зар, Fiii ii 4753	5050	5421	5793	6239	6685	7242
	TALS-OF BITEBZINOTT	7100	4400	4730	3030	5721	0700	0200	0000	1272
	Three-Seat, Upholstere					0000	7057	7505	0400	0005
	FAE3-UPBHL3NCH	5084	5443	5801	6160	6608	7057	7595	8133	8805
	Three-Seat Plus, Uphol	starad A	rm No Arm	Can Plir	nth Base					
	FAE3-UPBHLB3NCH	5217	5576	5935	6293	6742	7190	7728	8266	8939

ORDERING NOTES: Faeron Lounge chairs can also be specified with a Polymer Arm Cap (PC), Wood Arm Cap (WC) or a Solid Surface Arm Cap (SC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed.

Option Upcharges	\$ List		\$ List
Floor Anchoring Hardware Combination Upholstery - Dual fabrics Combination Upholstery - Three fabrics One-Seat Removable Back Cover One-Seat wide Removable Back Cover Two-Seat Removable Back Cover	90 33 64 152 228 302	Supplemental Weight One-Seat Supplemental Weight One-Seat Plus Supplemental Weight Two-seat Supplemental Weight Three-seat CAL 133 & Moisture Barrier (per yard)	110 128 162 231 64
Three-Seat Removable Back Cover One-Seat Removable Seat Cover One-Seat wide Removable Seat Cover Two-Seat Removable Seat Cover Three-Seat Removable Seat Cover	453 152 228 302 453	Urethane Arm Cap Wood Arm Cap Solid Surface Arm Cap - Gr A White Solid Surface Arm Cap - Gr A Color Solid Surface Arm Cap - Gr B Solid Surface Arm Cap - Gr C See page 47 for color selection.	152 193 384 397 422 435

Line	Series	Chair Type	S	ize	Arm Cap	Base
FAE	3-UPBH	L	1	B1	NC	Н
Faeron	Behavioral Health	Lounge	One-Seat	One-Seat Plus	No Cap	Plinth Base
	Lounge Seating Upholstered Arm	Н	1+	B1+	PC	
	•	High Back	One-Seat	One-Seat	Polymer Cap	
		Lounge	Wide	Wide Plus		
			2	B2	SC	
			Two-Seat	Two-Seat Plus	Solid Surface Cap	
			3	B3	WC	
			Three-Seat	Three-Seat Plus	Wood Cap	

FAERON BEHAVIORAL HEALTH | HIGH BACK LOUNGE

		COM		COL	FABI	RIC GRAD	ES	L	EATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	One-Seat, Upholstered	ne-Seat, Upholstered Arm, No Arm Cap, Plinth Base								
	FAE3-UPBHH1NCH	3070	3340	3611	3881	4219	4557	4962	5368	5875
	0 0 . 5.									
	One-Seat Plus, Uphols FAE3-UPBHHB1NCH					4004	4000	5007	E 400	5040
	FAES-UPBRINGR	3135	3405	3676	3946	4284	4622	5027	5433	5940
	One-Seat Wide, Upho	Istered A	m. No Arn	n Cap. Plir	ıth Base					
	FAE3-UPBHH1+NCH	3268	3546	3824	4102	4450	4797	5214	5632	6153
	One-Seat Wide Plus, U				-					
	FAE3-UPBHHB1+NCH	1 3338	3616	3895	4173	4520	4868	5285	5702	6223
	Two-Seat, Upholstered	-		-						
	FAE3-UPBHH2NCH	4372	4704	5036	5367	5782	6197	6695	7192	7815
	Two-Seat Plus, Uphols	stered Arr	n No Arm	Can Plint	h Base					
	FAE3-UPBHHB2NCH	4450	4781	5113	5445	5860	6275	6772	7270	7892
	Three-Seat, Upholster	ed Arm. N	No Arm Ca	p, Plinth B	ase					
	FAE3-UPBHH3NCH	5500	5909	6318	6726	7237	7748	8361	8974	9740
	Three-Seat Plus, Upho									
	FAE3-UPBHHB3NCH	5634	6042	6451	6860	7370	7881	8494	9107	9873

ORDERING NOTES: Faeron Lounge chairs can also be specified with a Polymer Arm Cap (PC), Wood Arm Cap (WC) or a Solid Surface Arm Cap (SC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed.

Option Upcharges	\$ List		\$ List
Floor Anchoring Hardware	90	Supplemental Weight One-Seat	110
Combination Upholstery - Dual fabrics	33	Supplemental Weight One-Seat Plus	128
Combination Upholstery - Three fabrics	64	Supplemental Weight Two-seat	162
One-Seat Removable Back Cover	152	Supplemental Weight Three-seat	231
One-Seat wide Removable Back Cover	228		64
Two-Seat Removable Back Cover	302	CAL 133 & Moisture Barrier (per yard)	
Three-Seat Removable Back Cover	453	Urethane Arm Cap	152
		Wood Arm Cap	193
One-Seat Removable Seat Cover	152	Solid Surface Arm Cap - Gr A White	384
One-Seat wide Removable Seat Cover	228	Solid Surface Arm Cap - Gr A Color	397
Two-Seat Removable Seat Cover	302	Solid Surface Arm Cap - Gr B	422
Three-Seat Removable Seat Cover	453	Solid Surface Arm Cap - Gr C	435
		See page 47 for color selection.	

Line	Series	Chair Type	S	ize	Arm Cap	Base
FAE	3-UPBH	L	1	B1	NC	Н
Faeron	Behavioral Health	Lounge	One-Seat	One-Seat Plus	No Cap	Plinth Base
	Lounge Seating Upholstered Arm	Н	1+	B1+	PC	
	·	High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Polymer Cap	
			2	B2	SC	
			Two-Seat	Two-Seat Plus	Solid Surface Cap	
			3	B3	WC	
			Three-Seat	Three-Seat Plus	Wood Cap	

FAERON LOUNGE BEHAVIORAL HEALTH | LOUNGE

		COM COL FABRIC GRADES		LEATHER						
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
One-Seat Upholstered Arm Panel with Polymer Base, No Arm Cap										
	FAE3-UBHL1NCG	2790	2946	3101	3256	3450	3644	3876	4109	4400
	One-Seat Plus Uphols	torod Ar	m Panal wit	h Dolymor	· Basa No	Arm Can				
	FAE3-UBHLB1NCG	2855	3011	3166	3321	3515	3709	3942	4174	4465
		2000	0011	0.00	0021	0010	0,00	00 12		1100
	One-Seat Wide Uphols	atorod A	rm Danal wi	th Dolume	r Popo No	Arm Con				
	FAE3-UBHL1+NCG	3071	3261	3450	3640	3877	4114	4399	4684	5039
	TALO OBTILITATION	3071	3201	0400	3040	3077	4114	4000	4004	3009
	One-Seat Wide Plus U	•			•	-	•			
\rightarrow	FAE3-UBHLB1+NCG	3141	3331	3521	3710	3948	4185	4469	4754	5110
	Two-seat Upholstered		nel with Poly	mer Base	, No Arm (Cap				
	FAE3-UBHL2NCG	3837	4061	4286	4510	4790	5071	5407	5743	6164
	Two-seat Plus Upholst	ered Arr	n Panel with	n Polymer	Base, No.	Arm Cap				
	FAE3-UBHLB2NCG	3915	4139	4363	4588	4868	5148	5485	5821	6242
\rightarrow										
Three-seat Upholstered Arm Panel with Polymer Base, No Arm Cap										
	FAE3-UBHL3NCG	4861	5150	5440	5730	6091	6453	6888	7322	7865
	Thurs and Division	^	Dana!	the Debugg	Dana N	- A O				
	Three-seat Plus Uphol FAE3-UBHLB3NCG	stered A 4994	rm Panel w 5284	ith Polyme 5573	er Base, No 5863	o Arm Cap 6225	6587	7021	7456	7999
	ו אבט-טטרובטטווטט	4334	J204	3373	3003	0223	0001	1021	7430	1 999

ORDERING NOTES: Faeron Lounge chairs can also be specified with a Polymer Arm Cap (PC), Wood Arm Cap (WC) or a Solid Surface Arm Cap (SC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed. To specify the arm panel with metal base change the "G" to and "M" and upcharge below.

Option Upcharges	\$ List		\$ List
Floor Anchoring Hardware Combination Upholstery - Dual fabrics Combination Upholstery - Three fabrics One-Seat Removable Back Cover One-Seat wide Removable Back Cover Two-Seat Removable Back Cover Three-Seat Removable Back Cover	90 33 64 152 228 302 453	Supplemental Weight One-Seat Supplemental Weight One-Seat Plus Supplemental Weight Two-seat Supplemental Weight Three-seat CAL 133 & Moisture Barrier (per yard) Arm Panel Metal Base	110 128 162 231 64 438
One-Seat Removable Seat Cover One-Seat wide Removable Seat Cover Two-Seat Removable Seat Cover Three-Seat Removable Seat Cover Three-Seat Removable Seat Cover	152 228 302 453	Urethane Arm Cap Wood Arm Cap Solid Surface Arm Cap - Gr A White Solid Surface Arm Cap - Gr A Color Solid Surface Arm Cap - Gr B Solid Surface Arm Cap - Gr C See page 47 for color selection.	152 193 384 397 422 435

Arm Cap Line Series **Chair Type** Size **Base** FAE 3-UBH NC L 1 B1 G Faeron Behavioral Health Lounge One-Seat One-Seat Plus No Cap Arm Panel Polymer Base Lounge Seating Н 1+ B1+ PC M Upholstered Arm High Back One-Seat One-Seat Polymer Cap Arm Panel Metal Base Lounge Wide Wide Plus WC 2 B2 Two-Seat Two-Seat Plus Wood Cap SC 3 B3 Three-Seat Three-Seat Plus Solid Surface Cap

FAERON LOUNGE BEHAVIORAL HEALTH | HIGH BACK LOUNGE

		COM		COL	FABRIC GRADES		LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	One Cent Habeletowed	A Dava	al itha Dah	D	NI= A					
	One-Seat Upholstered FAE3-UBHH1NCG	2940	ei with Polyr 3103	ner Base, 3266	3429	•	3836	4080	4325	4630
	raes-ubhiniud	2940	3103	3200	3429	3632	3030	4000	4325	4630
	One-Seat Plus Upholst	ered Arm	Panel with	Polymer E	Base, No A	rm Cap				
	FAE3-UBHHB1NCG	3005	3168	3331	3494	3698	3901	4145	4390	4695
	On a Coat Wide Habale	haa. Λ	- Danalith	. Dal	Dana Na /	\ O				
	One-Seat Wide Uphols FAE3-UBHH1+NCG	tered Arn 3197	n Panei witr 3410	3623	3836	4101	4367	4687	5006	5405
	TALS-OBTITT+NOG	3197	3410	3023	3030	4101	4307	4007	3000	3403
	One-Seat Wide Plus Up	holstere	d Arm Pane	el with Poly	ymer Base	, No Arm (Сар			
	FAE3-UBHHB1+NCG	3268	3480	3693	3906	4172	4438	4757	5076	5475
~										
	Two-seat Upholstered	Arm Pane	l with Polvn	ner Base. I	No Arm Ca	ap				
	FAE3-UBHH2NCG	4107	4370	4633	4895	5224	5552	5946	6340	6833
	Two-seat Plus Upholste			•			5000	0004	0.440	0040
	FAE3-UBHHB2NCG	4185	4448	4710	4973	5301	5630	6024	6418	6910
~										
	Three-seat Upholstered			•						
	FAE3-UBHH3NCG	5241	5577	5912	6248	6668	7087	7591	8094	8724
	Three-seat Plus Uphols	tarad Arr	n Panal with	h Polymer	Rasa No	Δrm Can				
	FAE3-UBHHB3NCG	5374	5710	6046	6381	6801	7221	7724	8228	8857
		00. T	57.10	00.0	5551	0001			0220	0001

ORDERING NOTES: Faeron Lounge chairs can also be specified with a Polymer Arm Cap (PC), Wood Arm Cap (WC) or a Solid Surface Arm Cap (SC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed. To specify the arm panel with metal base change the "G" to and "M" and upcharge below.

Option Upcharges	\$ List		\$ List
Floor Anchoring Hardware Combination Upholstery - Dual fabrics Combination Upholstery - Three fabrics One-Seat Removable Back Cover One-Seat wide Removable Back Cover Two-Seat Removable Back Cover	90 33 64 152 228 302	Supplemental Weight One-Seat Supplemental Weight One-Seat Plus Supplemental Weight Two-seat Supplemental Weight Three-seat CAL 133 & Moisture Barrier (per yard) Arm Panel Metal Base	110 128 162 231 64 438
Three-Seat Removable Back Cover One-Seat Removable Seat Cover One-Seat wide Removable Seat Cover Two-Seat Removable Seat Cover Three-Seat Removable Seat Cover	453 152 228 302 453	Urethane Arm Cap Wood Arm Cap Solid Surface Arm Cap - Gr A White Solid Surface Arm Cap - Gr A Color Solid Surface Arm Cap - Gr B Solid Surface Arm Cap - Gr C See page 47 for color selection.	152 193 384 397 422 435

PRODUCT CODE KEY

Line	Series	Chair Type	Siz	е	Arm Cap	Base
FAE Faeron	3-UBH Behavioral Health	L Lounge	1 One-Seat	B1 One-Seat Plus	NC No Cap	G Arm Panel Polymer Base
	Lounge Seating Upholstered Arm	High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	PC Polymer Cap	M Arm Panel Metal Base
			2 Two-Seat	B2 Two-Seat Plus	WC Wood Cap	
			3 Three-Seat	B3 Three-Seat Plus	SC Solid Surface Ca	p

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- · damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

Juno and Trevisa Overbed Tables have a 2-year warranty.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard. Specific test results and documentation are available on request.



Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or

storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Textiles - Upholstery Program

 Passes State of California Technical Bulletin CAL 117-2013



Krug Textiles - Stocked Fabric Program

Grade '

ARLO





Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY





Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ













82 CLAY

304 CAPRI

31 AEGEAN

LORENZO











32 MIST



601 CREAM

106 HENNA



BISCOTTI









302 CAPRI

INTRIGUE















605 STRAW



Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$22 Grade 2 \$34 Grade 3 \$46

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).







Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin 117-Section E

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUGEXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time.

Please note that the CAL 133 option is not available on KrugExpress.

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry
American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry
Light Oak
Harvest Oak
Mahogany
Mellow Oak
Espresso

Cordovan Walnut Natural Walnut Regular Walnut SilverGrey on Walnut Dark Walnut

Clear Beech Medium Anigre

PALETTE

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

FAERON | FINISHES

METAL FINISHES




URETHANE COLOR OPTIONS



SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.











All products are air emissions certified and are available as FSC® certified

