JORDAN

Price and Specification Guide **CANADA**



krug healthcare §

JORDAN | TABLE OF CONTENTS

i TERMS & CONDITIONS

JORDAN | GUEST BACK

- 2 Jordan LEED Credit Summary
- 3 Jordan Features
- 4 Jordan Options
- 5 Jordan Dimensions & COM Requirements
- 6 Jordan Guest Pricing
- 8 Jordan Replacement Components

JORDAN | PATIENT BACK

- 10 Jordan LEED Credit Summary
- 11 Jordan Dimensions, COM Requirements & Option Upcharges
- 12 Jordan Patient Pricing
- 14 Jordan Replacement Components

JORDAN | MULTIPLE GUEST & PATIENT SEATING

- 16 Jordan Multiple Seating Instructions
- 18 Jordan Dimensions & COM Requirements Pre-Configured Units
- 19 Jordan Multiple Seating Pre-Configured Units Pricing
- 21 Jordan Dimensions & COM Requirements Start, Center & End
- 22 Jordan Multiple Seating Start, Center & End Units Pricing
- 27 Jordan Freespan Dimensions & COM Requirements
- 28 Jordan Freespan Multiple Seating Pricing

JORDAN | EASY ACCESS SEATING

- 32 Jordan LEED Credit Summary
- 33 Jordan Dimensions, COM Requirements & Option Upcharges
- 34 Jordan Easy Access Chair Pricing

JORDAN | LOUNGE

- 35 Jordan LEED Credit Summary
- 36 Jordan Dimensions, COM Requirements & Option Upcharges
- 37 Jordan Lounge Features & Options
- 38 Jordan Lounge Pricing

JORDAN | BENCHES

- 41 Jordan LEED Credit Summary
- 42 Jordan Dimensions, COM Requirements & Option Upcharges
- 43 Jordan Benches Pricing

JORDAN | ACTIVE PATIENT RECLINER

- 44 Jordan Active Patient Recliner LEED Credit Summary
- Jordan Active Patient Recliner Dimensions, COM Requirements
 & Option Upcharges
- 46 Jordan Active Patient Recliner Features
- 47 Jordan Active Patient Recliner Options
- 48 Jordan Active Patient Recliner Pricing

JORDAN | COMPACT RECLINER

- 51 Jordan Compact Recliner LEED Credit Summary
- 52 Jordan Compact Recliner Features & Options
- 53 Jordan Active Patient Recliner Dimensions, COM Requirements
- 54 Jordan Active Patient Recliner Pricing

JORDAN | 3-POSITION RECLINER

- 56 Jordan 3-Position Recliner LEED Credit Summary
- 57 Jordan 3-Position Recliner Dimensions, COM Requirements
- 57 Jordan 3-Position Recliner Features & Options
- 59 Jordan 3-Position Recliner Pricing

JORDAN | RECLINER PLUS

- 65 Jordan Recliner Plus Dimensions, COM Requirements
- 65 Jordan Recliner Plus Features & Options
- 67 Jordan Recliner Plus Pricing

JORDAN | SLEEP RECLINER

- 70 Jordan Sleep Recliner Dimensions, COM Requirements
- 71 Jordan Sleep Recliner Features & Options
- 72 Jordan Sleep Recliner Pricing

JORDAN | GLIDER

- 76 Jordan Glider LEED Credit Summary
- 77 Jordan Glider Dimensions, COM Requirements & Option Upcharges
- 78 Jordan Glider Features & Options
- 79 Jordan Recliner Pricing

JORDAN | LOUNGE SLEEPERS

- 80 Jordan Lounge Sleeper LEED Credit Summary
- 81 Jordan Lounge Sleeper Dimensions, COM Requirements& Option Upcharges
- 82 Jordan Lounge Sleeper Features & Options
- 84 Jordan Lounge Sleeper Pricing

JORDAN | TABLES

- 92 Jordan LEED Credit Summary
- 94 Jordan Linking Tables
- 94 Jordan Free Standing Tables


GENERAL INFORMATION

- 95 Terms & Conditions
- 95 Warranty
- 97 KRUG Textiles Upholstery Fabrics
- 100 KRUG Textiles Leather & Faux Leather
- 101 Customer's Own Material (COM/COL)
- 101 CAL 133 & Moisture Barrier
- 102 Graded-In Upholstery Programs
- 102 KRUGEXPRESS Program
- 103 Wood Finishes
- 103 Standard Laminates
- 104 Solid Surface Program
- 104 Urethane Color Options

JORDAN | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.0%

POST-CONSUMER RECYCLED CONTENT = 14.9%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN | GUEST - PATIENT, MULTIPLE & EASY ACCESS FEATURES



CLEAN OUT

All Jordan seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Jordan to well exceed ANSI/BIFMA standards



FLEX BACK

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



URETHANE ARM CAP

The optional arm cap provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.

METAL TO METAL CONNECTIONS

Steel seat frames are joined to other components, and to each other in the multiple seating products, with hardened steel bolts and inserts, ensuring exceptional durability and strength, and easy reconfigurability, as well as on-site replacement of damaged or degraded components.

WEIGHT CAPACITIES

Jordan weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 350 lbs Multiple Seating & Pre-configured - 500 lbs per seat

2-Seat Freespan - 525 lbs per unit 3-Seat Freespan = 750 lbs per unit

21" & 24" Bench - 350 lbs

30" Bench - 750 lbs

48" Bench - 525 lbs per unit

72" Bench - 750 lbs per unit

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

REPLACEABLE COMPONENTS

Jordan chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

GLIDES

Jordan guest and patient chairs feature floor-saver nylon glides. Floor-saver felt glides, non-slip rubber glides, metal glides and plastic glides are optional at an upcharge, please see glide chart for more information, Page 645.

EASY ACCESS ADJUSTABLE GLIDES

With the larger footprint of this chair and critical importance of stability of the user, we have included adjustable glides on the front legs - this allows the Easy Access chair to be perfectly leveled to any floor for maximum safety and stability.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

ADDITIONAL FEATURES

- · Lifetime warranty
- air-emissions Certified
- Spring seat construction, providing exceptional comfort and longer life for seat foam.
- Mortise and tenon frame construction, for optimal strength in wood joinery.
- Jordan sets a new standard for comfort and ergonomics in healthcare seating. Designed for ergonomically- correct posture and long-term sitting comfort, with contoured back and seat molds. Multi-density foam, provides lumbar, thoracic and pelvic support, while encouraging a healthy sitting posture.
- Large, rounded arms provide support for safe and easy ingress and egress.
- Certified to meet CTB 133/ ASTM E 1537 with appropriate fabrics

PLUS UPGRADE

Jordan 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

JORDAN | GUEST - PATIENT, MULTIPLE & EASY ACCESS OPTIONS



KINETIC BACK OPTION

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Jordan/Solis chair back - Guest, Patient and Multiple Seating - with the exception of the 30" and 44" sizes.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors. See Page 643 for color selection.

CLEANABLE UNDER-SEAT SPLASHGUARD

All Jordan seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

GANGING

All Jordan freestanding chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

REMOVABLE COVER OPTION

Jordan chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Jordan products that were originally ordered with the Removeable Cover option. Replacement seat and back covers can also be installed on Jordan products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs.

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

JORDAN | GUEST - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25	27	34.25	18.5	26	20.5	19	42	14
24" Seat	28	27	34.25	18.5	26	23.5	19	46	19
30" Seat	34	27	34.25	18.5	26	29.5	19	52	20
44" Seat	48	27	34.25	18.5	26	43.5	19	69	28

COM- YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.9
21" & 24" - Two Chairs	3.2	1.3	2.8	1.35
21" & 24" - Three Chairs	4.8	2.2	4.2	1.8
21" & 24" - Four Chairs	6.4	2.6	5.6	2.7
30" & 44" - One Chair	2.7	0.9	1.6	0.9
30" & 44" - Two Chairs	5.4	1.8	3.2	1.35
30" & 44" - Three Chairs	8.1	2.7	4.8	1.8
30" & 44" - Four Chairs	10.8	3.6	6.4	2.7

Note: Some vinyls, leathers & upholsteries are not suitable for application on Jordan seating.

The approval process is as follows:

- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

JORDAN | GUEST & GUEST PLUS









WEIGHT CAPACITIES

Jordan weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Guest Plus Chairs (30" & 44") - 750 lbs

Jordan Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm Cap (per pair) - Gr A White	474
Guest chair - Removable Seat Cover (per seat)	94	Solid Surface Arm Cap (per pair) - Gr A Color	480
21" & 24" - Removeable Back Covers (per back)	60	Solid Surface Arm Cap (per pair) - Gr B	505
30" & 44" - Removable Back Covers (per back)	94	Solid Surface Arm Cap (per pair) - Gr C	532
Combination Upholstery - Dual Fabrics	34	Kinetic Back option (not available for 30" & 44")	126
Combination Upholstery - Three Fabrics	67	Ganging Bracket	60
21" & 24" Cleanable Under-seat Splashguard	42		
30" Cleanable Under-seat Splashguard	50		
44" Cleanable Under-seat Splashguard	67		
Floor-saver Felt Glide	30		
Non-slip Rubber Glides	18		
Metal Glides	26		
Plastic Glides	8		

A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
 For Maharam or Momentum, Krug will obtain the fabric sample.

JORDAN | GUEST

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	F. 4	ABRIC GRA 5	DES 6	7	LEATHER 8	9
DESCRIPTION/WIC		Opecies	'								
	21" Open Arm JOR2-G21OPS JOR2-G21OPS	Beech Maple		1319 1409	1409 1501	1539 1632	1683 1782	1822 1945	1974 2104	2144 2253	2445 2555
	21" Open Arm Uretha JOR2-G210PU JOR2-G210PU	ne Cap Beech Maple		1465 1556	1556 1646	1689 1777	1830 1928	1971 2089	2119 2251	2291 2399	2593 2702
	21" Closed Arm JOR2-G21CLS JOR2-G21CLS	Beech Maple		1446 1537	1537 1631	1668 1759	1810 1909	1949 2072	2102 2235	2273 2382	2574 2684
	21" Closed Arm Ureth JOR2-G21CLU JOR2-G21CLU	nane Cap Beech Maple		1593 1684	1684 1775	1816 1906	1956 2056	2096 2217	2247 2379	2419 2530	2720 2831
	24" Open Arm JOR2-G24OPS JOR2-G24OPS	Beech Maple	1261 1359	1349 1449	1441 1539	1569 1671	1713 1822	1853 1981	2004 2144	2173 2297	2476 2595
	24" Open Arm Uretha JOR2-G24OPU JOR2-G24OPU	ne Cap Beech Maple		1494 1597	1587 1689	1717 1817	1859 1971	2000 2131	2150 2291	2321 2442	2621 2742
	24" Closed Arm JOR2-G24CLS JOR2-G24CLS	Beech Maple	1386 1487	1478 1578	1568 1668	1698 1799	1839 1949	1979 2111	2132 2273	2302 2423	2605 2724
	24" Closed Arm Ureth JOR2-G24CLU JOR2-G24CLU	nane Cap Beech Maple		1624 1724	1715 1816	1843 1946	1986 2096	2127 2255	2278 2419	2448 2570	2751 2872
	30" Open Arm JOR2-G300PS JOR2-G300PS	Beech Maple	1641 1761	1801 1925	1945 2086	2187 2325	2427 2569	2668 2806	2910 3051	3153 3291	3534 3673
	. 30" Open Arm Uretha JOR2-G30OPU JOR2-G30OPU	ne Cap Beech Maple	1788 1908	1948 2069	2089 2232	2331 2472	2573 2715	2816 2957	3056 3195	3298 3437	3680 3820
Jordan Guest C	option Upcharges		\$ L	₋ist						\$ Lis	st
CAL 133 & Moisture Barrier (per yard) Guest chair - Removable Seat Cover (per seat) 21" & 24" - Removable Back Covers 30" & 44" - Removable Back Covers (per back) Combination Upholstery - Dual Fabrics Combination Upholstery - Three Fabrics 21" & 24" Cleanable Under-seat Splashguard 30" Cleanable Under-seat Splashguard 44" Cleanable Under-seat Splashguard			9 6 9 6 4 5	67 94 60 94 84 67 42 60	Solid Su Solid Su Solid Su Kinetic I Ganging Floor-sa	rface Arm rface Arm rface Arm Back optic Bracket Ver Felt G Rubber (lides		pair) - Gr pair) - Gr pair) - Gr	A Color B C	3 1 2	0 5 2
PRODUCT CODE I	KEY										
Line	Series		Chair	Туре		Size			Arm Type	•	
JOR Jordan			Guest S			21		OPS Open A		CLS Closed Arm	
						24	l	OPU Open A Jrethane Ar	rm	CLU Closed Arm thane Arm C	ар
						30		OSC	_	CSC Classed Arms	
						44		Open A Solid Sur Arm Ca	face S	Closed Arm Solid Surface Arm Cap	

JORDAN | GUEST

			СОМ		COL	FAI	BRIC GRAD	DES LEATHER			
DESCRIPTION/MODEL		Species	1	2	3	4	5	6	7	8	9
	30" Closed Arm JOR2-G30CLS JOR2-G30CLS	Beech Maple	1770 1892	1930 2052	2072 2213	2315 2453	2554 2695	2797 2937	3037 3179	3282 3421	3662 3803
	30" Closed Arm JOR2-G30CLU JOR2-G30CLU	Urethane Beech Maple	Cap 1914 2038	2077 2196	2217 2359	2460 2602	2699 2842	2944 3082	3183 3323	3428 3566	3808 3949
	44" Open Arm JOR2-G44OPS JOR2-G44OPS	Beech Maple	1963 2112	2165 2316	2334 2496	2617 2789	2910 3080	3201 3371	3493 3663	3785 3946	4238 4407
	44" Open Arm L JOR2-G44OPU JOR2-G44OPU	Beech	2110 2262	2311 2462	2480 2642	2765 2933	3056 3226	3346 3519	3641 3809	3930 4090	4385 4553
	44" Closed Arm JOR2-G44CLS JOR2-G44CLS	Beech Maple	2090 2241	2294 2443	2463 2625	2744 2916	3037 3208	3327 3499	3621 3789	3913 4074	4365 4534
	44" Closed Arm JOR2-G44CLU JOR2-G44CLU	Urethane Beech Maple	Cap 2238 2387	2440 2588	2610 2769	2891 3064	3183 3353	3477 3645	3768 3939	4059 4221	4510 4681

Jordan Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm Cap (per pair) - Gr A White	474
Guest chair - Removable Seat Cover (per seat)	94	Solid Surface Arm Cap (per pair) - Gr A Color	480
21" & 24" - Removeable Back Covers	60	Solid Surface Arm Cap (per pair) - Gr B	505
30" & 44" - Removable Back Cover (per back)	94	Solid Surface Arm Cap (per pair) - Gr C	532
Combination Upholstery - Dual Fabrics	34	Kinetic Back option (not available for 30" & 44")	126
Combination Upholstery - Three Fabrics	67	Ganging Bracket	60
21" & 24" Cleanable Under-seat Splashguard	42		
30" Cleanable Under-seat Splashguard	50		
44" Cleanable Under-seat Splashguard	67		
Floor-saver Felt Glide	30		
Non-slip Rubber Glides	18		
Metal Glides	26		
Plastic Glides	8		

Line	Series	Chair Type	Size	Arm Type
JOR Jordan	2 Chair	G Guest Seating	21	OPS CLS Open Arm Closed Arm
			24	OPU CLU Open Arm Closed Arm Urethane Arm Cap Urethane Arm Cap
			30	OSC CSC
			44	Open Arm Closed Arm Solid Surface Solid Surface Arm Cap Arm Cap

JORDAN | REPLACEMENT COMPONENTS

		COM	COL		FΔR	RIC GRAD)FS	ı	_EATHER				
DESCRIPTION/MODE	EL	1	2	3	4	5	6	7	8	9	Yds	Weight	Cube
	21" Replacement JOR2-RBG21	Guest 445	Upholste 489	red Back 534	s 595	665	727	798	886	975	1.4	14	2.7
	24" Replacement JOR2-RBG24	Guest 458	Upholste 504	red Back 547	s 611	679	742	812	899	988	1.4	15	2.7
	30" Replacement JOR2-RBG30	Guest 542	Upholste 595	red Back 644	s 714	807	867	949	1048	1148	1.6	19	3.4
	44" Replacement JOR2-RBG44	Guest 684	Upholste 736	red Back 786	s 856	936	1008	1088	1190	1289	2.25	28	4.8
	21" Replacement JOR2-RBCG21	Guest 191	Upholste 235	red Back 280	Cover 342	410	474	542	632	721	1.5	2	.8
	24" Replacement JOR2-RBCG24	Guest 194	Upholste 238	red Back 282	Cover 344	413	476	546	635	723	1.5	2.3	.8
	30" Replacement JOR2-RBCG30	Guest 203	Upholste 255	red Back 304	Cover 376	455	526	609	707	807	1.6	2.6	.8
	44" Replacement JOR2-RBCG44	Guest 213	Upholste 265	red Back 313	Cover 383	465	536	673	719	819	2.25	3.5	.8
	21" Replacement JOR2-RS21	Guest 3 413	Seat 436	466	505	549	590	636	694	750	.9	9	2.7
	24" Replacement JOR2-RS24	Guest 3 430	Seat 458	488	527	571	613	658	714	771	.9	10	2.7
	30" Replacement JOR2-RS30	Guest 5 527	Seat 563	597	645	700	750	805	874	942	.9	12	3.4
	44" Replacement JOR2-RS44	Guest : 696	Seat 729	765	812	868	916	974	1041	1111	.9	14	4.8
	Replacement Spl JOR2-RSG21 JOR2-RSG24 JOR2-RSG30 JOR2-RSG44	ash Gua 94 115 161 174	ard									1 2 3 4	.3 .4 .5


JORDAN | REPLACEMENT COMPONENTS

		COM	COL			BRIC GRAI			LEATHER				
DESCRIPTION/MODEL	0.111 5	1	2	3	4	5	6	7	8	9	Yds	Weight	Cube
	21" Replacement JOR2-RSC21	t Seat C 81	over 52	191	228	274	316	361	416	474	1.0	1.6	.8
	24" Replacement JOR2-RSC24	t Guest 86	Seat Co 166	over 195	234	280	319	364	423	477	1.0	1.7	.8
	30" Replacement JOR2-RSC30	t Seat C 151	over 187	222	270	325	375	429	500	568	1.0	2	.8
	44" Replacement SOL2-RSC44	t Seat C 156	over 192	226	274	330	379	433	504	571	1.0	2.5	.8
	Replacement Clo JOR2-RCA	osed Arr 228	n Panel 243	257	278	300	320	343	371	427	0.9	6.0	.8
	Replacement Sid	le Frame	e - Start	- Beech								7.5	1.4
	Replacement Sid JOR2-RSFS		e - Start	- Maple								7.5	1.4
	Replacement Sid JOR2-RSFE Replacement Sid	277										7.5	1.4
	JOR2-RSFE	344	o Elia	Maple								7.5	1.4
	Replacement Cer JOR2-RSFC Replacement Cer	277										7.5	1.4
	JOR2-RSFC	344		771101 1710	дріо							7.5	1.4
	ordering not note clearly on the				ement fr	ames, the	e size of c	hair rece	iving the	replacen	nents is	required,	please
	Replacement Sid JOR2-RSFSAC Replacement Sid	323										7.5	1.4
	JOR2-RSFSAC	390		Totalario (oup or	are map						7.5	1.4
U	Replacement Sid JOR2-RSFEAC	323			·							7.5	1.4
	Replacement Sid JOR2-RSFEAC	390	e with O	remane (Jap - ⊑⊓	ій - імаріі	₹					7.5	1.4
	Replacement Cer JOR2-RSFCAC		me with	Urethan	e Cap -	Center - I	Beech					7.5	1.4
	Replacement Ce JOR2-RSFCAC	nter Fra	me with	Urethan	e Cap -	Center - I	Maple					7.5	1.4
	ORDERING NOT note clearly on th				ement fr	ames, the	size of c	hair rece	iving the	replacen	nents is	required,	please
	Replacement Arr JOR2-RUA	n Cap - 74	Urethar	ne								1.5	.2
A					Grade - White		Grade A- Color	G	rade- B	Gra	ade- C		
	Replacement Arr JOR2-RACSS	n Cap-S	Solid Su	rface	249		252		262	:	277	2	.2

JORDAN | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 5.9%

POST-CONSUMER RECYCLED CONTENT = 14.8%

CONTRIBUTES TO

	CONTRIBUTED TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN | PATIENT - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

					Height of	Width			
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	Shipping Weight	Cubes
21" Seat	25	27	43.5	18.5	26	20.5	19	47	17
24" Seat	28	27	43.5	18.5	26	23.5	19	51	22
30" Seat	34	27	43.5	18.5	26	29.5	19	62	28
Ottoman	20	18	11.5					14	5

COM - YARDAGE REQUIREMENTS

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Seats & Backs Only	Seat Only	Back Only	Closed Arm Panel
21" & 24" - One Chair	2.2	0.9	1.9	0.9
21" & 24" - Two Chairs	4.2	1.3	3.8	1.35
21" & 24" - Three Chairs	6.3	2.2	5.7	1.8
21" & 24" - Four Chairs	8.4	2.6	7.6	2.7
30" - One Chair	3.1	0.9	2.21	0.9
30" - Two Chairs	6.2	1.8	4.5	1.35
30" - Three Chairs	9.3	2.7	6.7	1.8
30" - Four Chairs	12.4	3.6	9	2.7
Ottoman	0.66			

Note: Some vinyls, leathers & upholsteries are not suitable for application on Jordan seating. The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order. For Maharam or Momentum, Krug will obtain the fabric sample.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

JORDAN | PATIENT



WEIGHT CAPACITIES

Jordan weight capacities are as follows: Patient Chairs (21" & 24") - 500 lbs Plus Chair (30") - 750 lbs

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm Cap (per pair) - Gr A White	474
Guest chair - Removable Seat Cover (per seat)	94	Solid Surface Arm Cap (per pair) - Gr A Color	480
21" & 24" - Removeable Back Covers (per back)	60	Solid Surface Arm Cap (per pair) - Gr B	505
30" & 44" - Removable Back Covers (per back)	94	Solid Surface Arm Cap (per pair) - Gr C	532
21" & 24" Cleanable Under-seat Splashquard	42	Kinetic Back option (not available for 30" & 44")	126
30" Cleanable Under-seat Splashguard	50	Ganging Bracket	60
Combination Upholstery - dual fabrics (per chair)	34		
Combination Upholstery - Three fabrics (per chair)	67		
Floor-saver Felt Glides	30		
Non-slip Rubber Glides	18		
Metal Glides	26		
Plastic Glides	8		

Additional features and options information see page 43.

JORDAN | PATIENT

DESCRIPTION/MOD	EL	Species	COM 1	2	COL 3	FAI 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
	21" Open Arm JOR2-P21OPS JOR2-P21OPS	Beech Maple	1510 1610	1648 1751	1791 1893	2034 2134	2274 2377	2515 2617	2759 2857	2999 3101	3363 3461
	21" Open Arm Ure JOR2-P21OPU JOR2-P21OPU	ethane Cap Beech Maple	1657 1754	1798 1898	1938 2039	2180 2280	2422 2523	2661 2765	2905 3004	3144 3246	3509 3606
	21" Closed Arm JOR2-P21CLS JOR2-P21CLS	Beech Maple	1638 1739	1779 1879	1923 2020	2161 2264	2401 2504	2643 2742	2884 2987	3129 3227	3488 3591
	21" Closed Arm U JOR2-P21CLU JOR2-P21CLU	rethane Cap Beech Maple	1783 1885	1926 2024	2066 2166	2305 2408	2550 2650	2790 2891	3032 3133	3272 3374	3636 3738
	24" Open Arm JOR2-P24OPS JOR2-P24OPS	Beech Maple	1556 1660	1699 1802	1843 1948	2094 2198	2343 2445	2589 2695	2840 2945	3090 3192	3459 3566
	24" Open Arm Ure JOR2-P24OPU JOR2-P24OPU	ethane Cap Beech Maple	1705 1810	1852 1954	1997 2101	2244 2349	2495 2596	2741 2848	2993 3094	3241 3345	3610 3715
	24" Closed Arm JOR2-P24CLS JOR2-P24CLS	Beech Maple	1689 1790	1833 1936	1978 2080	2224 2328	2474 2579	2723 2828	2972 3075	3221 3323	3595 3697
	24" Closed Arm U JOR2-P24CLU JOR2-P24CLU	rethane Cap Beech Maple	1836 1944	1981 2087	2129 2232	2378 2478	2627 2731	2874 2978	3121 3223	3370 3477	3744 3849
Jordan Option Up	ocharges		\$ Lis	t						\$ Lis	st
CAL 133 & Moisture Barrier (per yard) Guest chair - Removable Seat Cover (per seat) 21" & 24" - Removeable Back Covers 21" & 24" Cleanable Under-seat Splashguard Non-Marring Glide Combination Upholstery - dual fabrics (per chair) Combination Upholstery - Three fabrics (per chair) Floor-saver Felt Glides Non-slip Rubber Glides Metal Glides Plastic Glides			9 6 4 3 3 6 3 1 2	7 4 0 2 8 4 7 0 8 6	Solid Sur Solid Sur Solid Sur	face Arm face Arm face Arm ack optio	Cap (per Cap (per Cap (per	pair) - Gr pair) - Gr pair) - Gr pair) - Gr pair) - Gr ailable for	A Color B	47 48 50 53 12 6	0 5 2

Additional features and options information see page 43.

Line	Series	Chair Type	Size	Arm Type
JOR	2	Р	21	OPS CLS
Jordan	Chair	Patient Seating		Open Arm Closed Arm Solid Surface Arm Cap
			24	OPU CLU
				Open Arm Closed Arm Urethane Arm Cap Urethane Arm Cap
			30	OSC CSC
				Open Arm Closed Arm Solid Surface Solid Surface Arm Cap Arm Cap

JORDAN | PATIENT

DESCRIPTION/MOD	DEL	Species	COM 1	2	COL 3	FA 4	BRIC GRAD	DES 6	7	LEATHEF 8	R 9
	30" Open Arm JOR2-P30OPS JOR2-P30OPS	Beech Maple	1842 1944	1980 2084	2124 2223	2365 2465	2607 2707	2849 2948	3090 3189		3692 3793
	30" Open Arm Ure JOR2-P30OPU JOR2-P30OPU	thane Cap Beech Maple	1988 2088	2131 2230	2272 2368	2510 2612	2754 2852	2994 323 3095 333			3838 3940
	30" Closed Arm JOR2-P30CLS JOR2-P30CLS	Beech Maple	1972 2069	2111 2212	2252 2352	2494 2594	2737 2833	2976 3075	3220 3319		3820 3922
	30" Closed Arm U JOR2-P30CLU JOR2-P30CLU	rethane Cap Beech Maple	2117 2222	2255 2356	2397 2500	2640 2739	2881 2980	3120 3223	3366 3463		3970 4067
Jordan Option U	pcharges		\$ List							\$ Lis	t
CAL 133 & Moistu Guest chair - Rem 30" - Removable I 30" Cleanable Und Non-Marring Glide Combination Uphe Combination Uphe Additional features	67 94 94 50 38 34 67 ge 43.		Solid Surr Solid Surr Solid Surr Kinetic Ba Ganging I Floor-sav	face Arm (face Arm (face Arm (ack option Bracket er Felt Gli Rubber Gl		air) - Gr air) - Gr air) - Gr	A Color B C	6 3 1 2	0 5 2		
PRODUCT CODE KE											
Line	Series		Chair Ty	/pe		Size		(OPS	Arm Typ		
			Chair Ty Patient Se]		Size		OPS Open Ai	m	CLS Closed Arm	0
Line	Series 2		Р]				Open Ar Open Ar ethane Ar OSC Open Ar Solid Surf	Solid Solid Tm Cap Ure	CLS Closed Arm Surface Arm CLU Closed Arm Sthane Arm Ca CSC Closed Arm Solid Surface	•
Line	Series 2 Chair	COL 2 3	P Patient Se	ating	C GRADES 5 6	21		Open Ar OPU Open Ar ethane Ar OSC Open Ar Solid Surl Arm Ca	Solid Solid Tm Cap Ure	CLS Closed Arm Surface Arm CLU Closed Arm ethane Arm Ca CSC Closed Arm	•
Line JOR JOR Jordan DESCRIPTION/MOD 21" A	Series 2 Chair	COL	P Patient Se	PABRIC		21 24 30	LEATHEI	Open Ar OPU Open Ar ethane Ar OSC Open Ar Solid Surl Arm Ca	Solid Solid Tm Cap Ure	CLS Closed Arm Surface Arm CLU Closed Arm othane Arm Ca CSC Closed Arm Solid Surface Arm Cap Shipping	ap
Line JOR JOR Jordan DESCRIPTION/MOD 21" A JOR2 24" A	Series 2 Chair COM DEL 1 Adjustable Headrest	COL 2 3	P Patient Se	FABRIG	5 6	21 24 30 7 517	LEATHEI 8	Open Ar OPU Open Ar ethane Ar OSC Open Ar Solid Surl Arm Ca	Solid Solid Tm Cap Ure Tm Face Sp Fabric Yardage	CLS Closed Arm Surface Arm CLU Closed Arm ethane Arm Ca CSC Closed Arm Solid Surface Arm Cap Shipping Weight	Cubes
Line JOR JOR Jordan 21" A JOR 24" A JOR 30" F	Series 2 Chair COM DEL 1 Adjustable Headrest 2-RHR21 327 Adjustable Headrest	2 COL 2 3 376 405 411 444	P Patient Se	FABRIG	60 491	21 24 30 7 517 570	LEATHEI 8 546	Open Ar Open Ar Open Ar OSC Open Ar Solid Surl Arm Ca	Solid Solid Tm Cap Ure Tm race Sp Fabric Yardage	CLS Closed Arm Surface Arm CLU Closed Arm ethane Arm Ca CSC Closed Arm Solid Surface Arm Cap Shipping Weight 2.3	Cubes 0.9

ORDERING NOTE: Ottoman is not available on KrugExpress.

JORDAN | REPLACEMENT COMPONENTS

		СОМ	COL		FAB	RIC GRAD	DES	ı	LEATHER				
DESCRIPTION/MODE	L	1	2	3	4	5	6	7	8	9	Yds	Weight	Cube
	21" Replaceable F JOR2-RBP21	Patient I 588	Backs 647	707	791	887	973	1066	1187	1306	1.9	19	3.8
	24" Replaceable F JOR2-RBP24	Patient I 614	Backs 674	733	817	913	999	1093	1212	1332	1.9	21	3.8
	30" Replaceable F JOR2-RBP30	668	733	807	907	1016	1115	1226	1367	1505	2.21	24	4.8
	21" Replaceable F JOR2-RBCP21	Patient I 245	Back Co 305	ver 365	449	543	628	724	845	962	1.9	2.5	0.8
	24" Replaceable F JOR2-RBCP24	Patient I 249	Back Co 309	ver 369	453	468	633	729	849	975	1.9	2.7	0.8
	30" Replaceable F JOR2-RBCP30	Patient I 267	Back Co 336	ver 406	502	614	711	823	961	1100	2.21	3	0.8
	21" Replacement JOR2-RS21	Seat 413	436	466	505	549	590	636	694	750	.9	9	2.7
	24" Replacement JOR2-RS24	Seat 430	458	488	527	571	613	658	714	771	.9	10	2.7
	30" Replacement JOR2-RS30	Seat 527	563	597	645	700	750	805	874	942	.9	12	3.4
	44" Replacement JOR2-RS44	Seat 696	729	765	812	868	916	974	1041	1111	.9	14	4.8
	Replacement Spl. JOR2-RSG21 JOR2-RSG24 JOR2-RSG30 JOR2-RSG44	ash Gua 94 115 161 174	ard									1 2 3 4	.3 .4 .5

JORDAN | REPLACEMENT COMPONENTS

		COM	COL		FA	BRIC GRA	DES		LEATHER				
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	Yds	Weight	Cube
	21" Replacemer JOR2-RSC21	t Seat C 81	Cover 162	191	228	274	316	361	416	474	1.0	1.6	.8
	24" Replacemer JOR2-RSC24	t Guest 86	Seat Co 166	ver 195	234	280	319	364	423	477	1.0	1.7	.8
	30" Replacemer JOR2-RSC30	t Seat C 151	Cover 187	222	270	325	375	429	500	568	1.0	2	.8
	44" Replacemer JOR2-RSC44	it Seat C 156	Cover 192	226	274	330	379	433	504	571	1.0	2.5	.8
	Replacement Cl JOR2-RCA	osed Arr 228	m Panel 243	257	278	300	320	343	371	427	0.9	6.0	.8
	Replacement Signature Sign	277										7.5	1.4
	Replacement Signature JOR2-RSFS	344	e - Start	- імаріє)							7.5	1.4
	Replacement Signature Sign	277										7.5	1.4
	JOR2-RSFE	344	C LIIG	Mapic								7.5	1.4
	ORDERING NO note clearly on t				cement fr	ames, the	e size of o	chair recei	iving the re	eplacem	ents is	required,	please
	Replacement Signature JOR2-RSFSAC	323										7.5	1.4
	Replacement Signature JOR2-RSFSAC	de Fram 390	e with Ur	rethane	Cap - St	art - Map	ole					7.5	1.4
U	Replacement Signature JOR2-RSFEAC	de Fram 323	e with Ur	rethane	Cap - Er	ıd - Beec	h					7.5	1.4
	Replacement Signature Sign	de Fram 390	e with Ur	rethane	Cap - Er	id - Mapl	e					7.5	1.4
	ORDERING NO note clearly on t				cement fr	ames, the	e size of o	chair rece	iving the re	eplacem	ents is	required,	please
	Replacement Ar JOR2-RUA	m Cap - 74	Urethan	e								1.5	.2
	Replacement Ar JOR2-RACSS	m Cap-∜	Solid Sur		Grade A- White 249		Grade A- Color 252		Grade- B 262		ade- C 77	2	.2

JORDAN | MULTIPLE SEATING INSTRUCTIONS

To aid you in the process of specifying and ordering Jordan Multiple Seating, we have compiled the following summary. It explains the three different types of Jordan Multiple Seating – (a) Pre-Configured, (b) Start, Center & End Units and (c) the Freespan Multiple Units – including the features and considerations of each type, to assist in selecting the one that best suits each application. It is a requirement for all Jordan Multiple Seating orders, a drawing or plan view layout must accompany the order, so that we can verify that the specification is correct.

When building your multiple seating layout, please note that your order should start from left to right as you are facing the configuration.

Pre-Configured Multiple Units


Pre-Configured Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size (see picture below).

Two-Seat



Considerations if choosing to use Pre-Configured Units:

- Linking tables can be joined to either end of a Pre-Configured Multiple Unit, but not in-between
- There are no limitations to the number of Pre-Configured Multiple units that can be ganged together with the Jordan Linking Tables
- Pre-Configured Multiple Units are not available in 30" or 44" plus widths
- Pre-Configured Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Jordan Linking Table or linking brackets are used in-between the different types of multiple seating.
- Pre-Configured Multiple Units are built from Start, Center and End Units and therefore, can be reconfigured to singular or two-seater units.
 However, you may have to purchase additional components (arms, etc...) to be able to do this. See line drawings below for possible configurations that can be made from taking apart the Pre-Configured Multiple Units.



*Please note:

Example #1-A requires an additional end unit arm for chair A, and a start unit arm for chair B.

Example #1-B requires an additional end unit arm for chair A, a start and end unit arm for chair B, and a start unit arm for chair C.

Start, Center and End Multiple Seating Units

Start, Center and End Multiple Units are designed to be used when you have seating configurations that are greater than three chair units in size, and/or include 30" or 44" units (see picture below). Also, before you start to build your multiple seating layout, please note that your order should start from left to right as you are facing the chair, therefore begin the configuration with a Start Unit, then move to a Center Unit and finish with an End Unit.


Considerations if choosing to use Start, Center and End Multiple Units:

- Start, Center and End units are available in all widths (21", 24", 30" & 44")
- There are no limitations to the amount of center units that can be ganged to a start or an end unit
- Jordan Linking Tables can be joined to any Jordan Start or End unit only (this is because the units are engineered with the finished arms)



JORDAN | MULTIPLE SEATING INSTRUCTIONS

See below for sample configurations of when you would use Start, Center and End Multiple Units.



Freespan Multiple Units


Freespan Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size and a reduced number of legs are desirable. (see picture below).



Considerations if choosing to use Freespan Multiple Units:

- Freespan Multiple Units come with a choice of a pre-configured unit with or without a center arm
- The unit with the center arm increases the overall width of the unit by 1" per arm
- Linking tables can be joined to either side of a Freespan Multiple Unit, but not in-between
- There are no limitations to the number of Freespan Multiple units that can be ganged together with the Jordan Linking Tables or linking brackets.
- Freespan Multiple Units are not available in 30" or 44" plus widths
- Freespan Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Jordan Linking Table or linking brackets are used in-between the different types of multiple seating.

Below illustrates possible configurations when you could use all three types of Jordan Multiple Seating together.



For more information on how to specify Jordan Multiple Seating, please contact Customer Service directly at 1-888-578-5784.

JORDAN | MULTIPLE SEATING - PRECONFIGURED UNITS

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floo	Width Between r Arms	Seat Depth	Shipping Weight	Cube	Seat & Back Yardage	Fabric Seat Yardage	Fabric Back Yardage	Fabric Closed Arm Panel Yardage
PCG21X2	47.75	27	34.25	18.5	26	20.5	19	72	28	3.2	1.8	2.8	1.35
PCP21X2	47.75	27	43.5	18.5	26	20.5	19	82	38	4.2	1.8	3.8	1.35
PCG21X3	70.5	27	34.25	18.5	26	20.5	19	103	41	4.8	2.7	4.2	1.8
PCP21X3	70.5	27	43.5	18.5	26	20.5	19	118	56	6.3	2.7	5.7	1.8
PCG24X2	53.75	27	34.25	18.5	26	23.5	19	79	31	3.8	1.8	2.8	1.35
PCP24X2	53.75	27	43.5	18.5	26	23.5	19	89	43	4.8	1.8	3.8	1.35
PCG24X3	79.5	27	34.25	18.5	26	23.5	19	115	46	5.7	2.7	4.2	1.8
PCP24X3	79.5	27	43.5	18.5	26	23.5	19	130	63	7.2	2.7	5.7	1.8
PRE-CON	FIGURED	MULTIPLE	UNITS	SEA	AT (GUEST BACK	PAT	IENT BACK	CLOSE	D ARM PANE	EL		
PC21x2				1.8	3	2.8		3.8		1.35			
PC21x3				2.7	7	4.2		5.7		1.8			

COM

COM

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

2.8

4.2

1.8

2.7

WEIGHT CAPACITIES

Jordan Pre-configured weight capacities are 500 lbs per seat

PRE-CONFIGURED MULTIPLE UNITS

Two-Seat

PC24X2

PC24X3



Three-Seat



3.8

1.35

1.8

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm Cap (per arm) - Gr A White	249
Kinetic Back option	126	Solid Surface Arm Cap (per arm) - Gr A Color	252
Removable Seat Cover (per seat)	94	Solid Surface Arm Cap (per arm) - Gr B	262
21" & 24" Removeable Guest Back Covers (per back)	60	Solid Surface Arm Cap (per arm) - Gr C	277
21" & 24" Removeable Patient Back Covers (per back)	94	21" & 24" Cleanable Under-seat Splashguard	42
Combination Upholstery - dual fabrics (per chair)	34	Floor-saver Felt Glides	30
Combination Upholstery - Three fabrics (per chair)	67	Non-slip Rubber Glides	18
, ,		Metal Glides	26
Additional features and options information see page 4	13.	Plastic Glides	8

Patient backs are available on pre-configured units, please change the model number JOR2-PC**G** to JOR2-PC**P** and add the following upcharges per back: Fabric Grades (COM) 1 2 (COL) 3 4 5 6 7 8 9

rabile Grades	(COIVI) I	2	(COL) 3	4	3	O	1	O	9
21" Chair	282	333	383	500	597	664	746	830	913
24" Chair	298	357	403	534	620	712	798	895	988

JORDAN | MULTIPLE SEATING - PRECONFIGURED UNITS

DESCRIPTION/MO	DDEL	Species	COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	LEATHER 8	9
	2 Seat - 21" Open Ar	m Pre-config	gured Unit	t, Guest B	acks						
	JOR2-PCG21X2OPS JOR2-PCG21X2OPS		2236 2386	2395 2548	2555 2709	2798 2948	3038 3210	3301 3481	3564 3743	3866 4046	4407 4611
MI	21" Open Arm Uretha	ane Cap Pre-	-confiaure	ed Unit. Gu	uest Bacl	KS					
·	JOR2PCG21X2OPU JOR2PCG21X2OPU		2455 2607	2613 2767	2773 2928	3017 3172	3259 3431	3520 3704	3784 3962	4085 4266	4626 4828
	2 Seat - 21" Closed A	Arm Pre-con	figured Ur	nit. Guest	Backs						
	JOR2-PCG21X2CLS		2427	2587	2748	2990	3231	3493	3755	4058	4600
	JOR2-PCG21X2CLS	Maple	2579	2739	2901	3141	3404	3673	3933	4238	4801
	2 Seat - 21" Closed A	\rm Irethan	e Can Pre	-configure	ad I Init (Puest Back	(0				
	JOR2-PCG21X2CLU		2646	2805	2968	3209	3451	3712	3975	4275	4820
	JOR2-PCG21X2CLU		2798	2959	3119	3363	3625	3894	4156	4457	5021
	3 Seat - 21" Open Ar	m Dro confid	urod I Init	t Cuest P	noko						
	JOR2-PCG21X3OPS		3321	3564	3805	4158	4538	4911	5324	5785	6603
	JOR2-PCG21X3OPS		3553	3805	4046	4407	4810	5244	5677	6088	6903
	0.0 01" 0 1	I luatla a a	O D	C		D l					
w J u	3 Seat - 21" Open Ar JOR2-PCG21X3OPU		3613	3854	4097	uest Backs 4449	4833	5204	5618	6081	6895
	JOR2-PCG21X3OPU		3846	4097	4338	4700	5104	5537	5969	6382	7196
	0.0 1 04".01 1		<i>c</i>								
	3 Seat - 21" Closed JOR2-PCG21X3CLS		ifigured U 3578	Init, Guest 3819	4060	4415	4795	5167	5582	6044	6858
	JOR2-PCG21X3CLS		3809	4060	4302	4664	5067	5502	5931	6346	7159
w j u -	21" Closed Arm Ureti JOR2-PCG21X3CLU		e-configu 3870	red Unit, (4112	Guest Ba 4353	cks 4708	5087	5461	5874	6335	7153
	JOR2-PCG21X3CLU		4102	4353	4595	4957	5361	5793	6225	6638	7449
ORDERING NOTES:	A drawing showing the c	onfiguration	of the mult	tiple seatin	g and tab	les is requi	red with e	ach purchas	se order.		
Jordan Option Up	ocharges		\$ List							\$ List	
CAL 133 & Moistur	re Barrier (per yard)		67	Solid	I Surface	Arm Cap (per arm)	- Gr A Whit	e	249	
Kinetic Back optio	(1) /		126	Solid	l Surface	Arm Cap ((per arm)	- Gr A Cold		252	
Removable Seat C			94			Arm Cap (. ,			262	
	able Guest Back Cover able Patient Back Cove		60) 94			Arm Cap (anable I In	,	- Gr C Splashguar	Н	277 42	
	olstery - dual fabrics (pe	(1	34			elt Glides	der deat	opiasi igaai	u	30	
	olstery - Three fabrics (p		67	Non-	slip Rubl	ber Glides				18	
Additional features	and options information	n see nage	13		al Glides tic Glides					26 8	
	·						D0 D0 D o	ad add tha fa	llowing		o o o le
	vailable on pre-configured COM) 1 2 (CO		nange the 5	model num	iber JOR2:			nd add the fo 9	llowing u	pcnarges per i	раск:
21" Chair	282 333 38	33 500	597	664	. 74	16 83	80 9	13			
24" Chair	298 357 40		620					88			
PRODUCT CODE KE	Υ										
Line 5	Series Cha	ir Type	Ва	ck Type			Size			Arm Type	
JOR	2	PC		G			21X2			OPS	
Jordan	Chair Pre-co Multi	onfigured ple Unit	Gue	est Back						Open Arm	
				Р			21X3			OPU	
			Pati	ient Back					ı	Open Arm Jrethane Arm C	Сар
							24X2			CLS	7
										Closed Arm	

CLU Closed Arm Urethane Arm Cap

24X3

JORDAN | MULTIPLE SEATING - PRECONFIGURED UNITS

			COM		COL		ABRIC GRA			LEATHER	
DESCRIPTION/M		Spec		2	3	4	5	6	7	8	9
	2 Seat - 24" C					0070	0440	0.400	0040	00.40	4.407
	JOR2-PCG24 JOR2-PCG24			2476 2648	2638	2879	3119	3403	3643	3946	4487
	JUN2-FUG24	AZOFO IVIA	ple 2487	2040	2806	3051	3315	3582	3845	4147	4710
	24" Open Arm	n Urethane C	ap Pre-confi	gured Unit	, Guest E	Backs					
	JOR2-PCG24	X2OPU Be	ech 2535	2695	2854	3099	3340	3624	3864	4163	4709
v	JOR2-PCG24	X2OPU Ma	ple 2707	2870	3028	3269	3532	3803	4064	4368	4927
	2 Seat - 24" C	Closed Arm F	Pre-configure	d Unit Gu	est Back	s					
	JOR2-PCG24		ech 2506	2668	2829	3072	3315	3595	3836	4137	4680
	JOR2-PCG24	X2CLS Ma	ple 2679	2840	3000	3244	3505	3774	4037	4338	4902
w J	24" Closed Ar JOR2-PCG24			-			0500	0045	4055	4050	4000
	JOR2-PCG24 JOR2-PCG24		ech 2725 ple 2899	2885 3058	3049 3221	3290 3461	3532 3723	3815 3996	4055 4257	4356 4557	4900 5121
	00112 1 0024	ALOLO MA	.pic 2099	3036	3221	3401	3123	3990	4237	4337	3121
	3 Seat - 24" C									==	
	JOR2-PCG24 JOR2-PCG24			3683	3925	4277	4660	5032	5446	5910	6723
	30112-1 0024	7001 o Map	le 3694	3946	4187	4550	4950	5387	5815	6251	7045
	24" Open Arm	n Urethane C	ap Pre-confi	gured Unit	, Guest E	Backs					
	JOR2-PCG24		0,00	3977	4216	4570	4953	5324	5738	6200	7017
	JOR2-PCG24	X3OPU Map	le 3985	4238	4480	4841	5244	5678	6109	6543	7336
	3 Seat - 24" C									2.422	
	JOR2-PCG24 JOR2-PCG24		0001	3940 4201	4181 4444	4533 4804	4917 5209	5287 5638	5700 6073	6163 6505	6979 7301
	0011210021	MOOLO Map	.0 3930	4201	4444	4004	3209	3030	0073	0303	7301
	24" Closed Ar	m Urethane	Cap Pre-con	figured Ur	nit, Guest	Backs					
	JOR2-PCG24		0000	4231	4474	4825	5210	5582	5995	6456	7271
	JOR2-PCG24	X3CLU Map	le 4243	4496	4734	5099	5502	5932	6366	6798	7594
ORDERING NOTES:	A drawing showing	g the configu	ration of the m	ultiple sea	ting and t	ables is re	quired with	each purcl	nase order.		
Jordan Option Up	charges		\$ List							\$ List	
CAL 133 & Moistu	re Barrier (per yard	d)	67	Sol	lid Surfac	e Arm Ca	p (per arm)) - Gr A W	hite	249	
Kinetic Back optio		,	126				p (per arm)		olor	252	
Removable Seat C			94				p (per arm)			262	
21" & 24" Remove			,				p (per arm)		ard	277	
21" & 24" Remove Combination Upho						reanable (Felt Glide	Jnder-seat	Spiasrigu	aru	42 30	
Combination Upho						bber Glid				18	
		(po. 0	,		tal Glides					26	
Additional features	and options infor	mation see ہ	oage 43.	Pla	stic Glide	es				8	
Patient backs are av									following up	ocharges per	back:
Fabric Grades (0	COM) 1 2	(COL) 3	4 5	5 6	o .	7	8	9			
21" Chair	282 333	383	500 59					13			
24" Chair	298 357	403	534 62	0 71	2 7	'98	895 9	88			
PRODUCT CODE KE	· V										
		Chair T		Dook 7	D. co.			ize		Δ	T
Line	Series	Chair Ty	_	Back 1	туре					Arm	
JOR	2	PC		G	ᆜ.		21	X2		OF	
Jordan	Chair Pi	re-configured l	viuitipie Unit	Guest I	 					Oper	Arm
				Р			21	X3		OF	PU
				Patient	Back					Oper Urethane	Arm Can
							24	X2			_S
										Close	d Arm
							24	X3		CL	.U
										Close	d Arm
										Urethane	u Aiiii

DIMENSIONS & COM REQUIREMENTS

JORDAN MULTIPLE START UNITS

	Overall Width		Overall Height	Seat	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel (1 Arm) Yardage	COM Fabric Closed Arm Panel (2 Arms) Yardage
SG21	25	27	34.25	18.5	26	20.5	19	42	14	1.6	0.9	1.4	0.45	0.9
SP21	25	27	43.5	18.5	26	20.5	19	47	17	2.2	0.9	1.9	0.45	0.9
SG24	28	27	34.25	18.5	26	23.5	19	46	19	1.6	0.9	1.4	0.45	0.9
SP24	28	27	43.5	18.5	26	23.5	19	51	22	2.2	0.9	1.9	0.45	0.9
SG30	34	27	34.25	18.5	26	29.5	19	52	20	2.7	0.9	1.6	0.45	0.9
SP30	34	27	43.5	18.5	26	29.5	19	59	28	3.1	0.9	2.21	0.45	0.9
SG44	48	27	34.25	18.5	26	43.5	19	69	28	2.7	0.9	1.6	0.45	0.9

JORDAN MULTIPLE CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	Seat & Back Yardage	Fabric Seat Yardage	Fabric Back Yardage	Fabric Closed Arm Panel Yardage
CG21	22.75	27	34.25	18.5	26	20.5	19	40	14	1.6	0.9	1.4	0.45
CP21	22.75	27	43.5	18.5	26	20.6	19	42	17	2.2	0.9	1.9	0.45
CG24	25.75	27	34.25	18.5	26	23.5	19	45	19	1.6	0.9	1.4	0.45
CP24	25.75	27	43.5	18.5	26	23.5	19	46	22	2.2	0.9	1.9	0.45
CG30	31.75	27	34.25	18.5	26	29.5	19	50	20	2.7	0.9	1.6	0.45
CP30	31.75	27	43.5	18.5	26	29.5	19	54	28	3.1	0.9	2.21	0.45
CG44	45.75	27	34.25	18.5	26	43.5	19	69	28	2.7	0.9	1.6	0.45

JORDAN MULTIPLE END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
EG21	22.75	27	34.25	18.5	26	20.5	19	40	14	1.6	0.9	1.4	0.45
EP21	22.75	27	43.5	18.5	26	20.5	19	42	17	2.2	0.9	1.9	0.45
EG24	25.75	27	34.25	18.5	26	23.5	19	45	19	1.6	0.9	1.4	0.45
EP24	25.75	27	43.5	18.5	26	23.5	19	46	22	2.2	0.9	1.9	0.45
EG30	31.75	27	34.25	18.5	26	29.5	19	50	20	2.7	0.9	1.6	0.45
EP30	31.75	27	43.5	18.5	26	29.5	19	54	28	3.1	0.9	2.21	0.45
EG44	45.75	27	34.25	18.5	26	43.5	19	69	28	2.7	0.9	1.6	0.45

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

WEIGHT CAPACITIES

Jordan weight capacities are as follows:
Multiple Seating & Pre-configured - 500 lbs per seat

START, CENTER, & END MULTIPLE UNITS
Start Unit Center Unit

CONA

CON

CON







End Unit

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	21" & 24" Cleanable Under-seat Splashguard	40
Kinetic Back option (not available for 30" & 44")	120	30" Cleanable Under-seat Splashguard	48
Removable Seat Cover (per seat)	90	44" Cleanable Under-seat Splashguard	64
21" & 24" - Removeable Guest Back Covers (per back)	58	Solid Surface Arm Cap (per arm) - Gr A White	238
30" & 44" - Removable Guest Back Covers (per back)	90	Solid Surface Arm Cap (per arm) - Gr A Color	240
21" & 24" - Removeable Patient Back Covers (per back	k) 90	Solid Surface Arm Cap (per arm) - Gr B	250
30" - Removeable Patient Back Covers (per back)	142	Solid Surface Arm Cap (per arm) - Gr C	264
Combination Upholstery - dual fabrics (per chair)	33	Floor-saver Felt Glides	30
Combination Upholstery - Three fabrics (per chair)	64	Non-slip Rubber Glides	18
		Metal Glides	26
Additional features and options information see page 4	3.	Plastic Glides	8

Patient backs are available on pre-configured units, please change the model number JOR2-PC**G** to JOR2-PC**P** and add the following upcharges per back: Fabric Grades (COM) 1 2 (COL) 3 4 5 6 7 8 9

r abrie Grades	(00111)	-	(001)0		•	•	•		
21" Chair	282	333	383	500	597	664	746	830	913
24" Chair	298	357	403	534	620	712	798	895	988

			COM		COL	FAE	BRIC GRA	ADES		LEATHER	
DESCRIPTION/	MODEL	Species	1	2	3	4	5	6	7	8	9
Start	21" Open Arm Sta	rt Unit, Guest Ba	ack								
	JOR2-SG210PS	Beech	1228	1319	1409	1539	1683	1822	1974	2144	2445
	JOR2-SG210PS	Maple	1319	1409	1501	1632	1782	1945	2104	2253	2555
	01" On an Arma Llus		1 l= 14 O	at Daal							
	21" Open Arm Ure JOR2-SG21OPU	etnane Cap Start Beech	1375	1465	1556	1689	1830	1971	2119	2291	2593
	JOR2-SG210PU	Maple	1465	1556	1646	1777	1928	2089	2251	2399	2702
	21" Closed Arm S										
	JOR2-SG21CLS	Beech	1356	1446	1537	1668	1810	1949	2102	2273	2574
	JOR2-SG21CLS	Maple	1446	1537	1631	1759	1909	2072	2235	2382	2684
	21" Closed Arm U	rethane Cap Sta	rt Unit. G	uest Back							
0 0	JOR2-SG21CLU	Beech	1502	1593	1684	1816	1956	2096	2247	2419	2720
	JOR2-SG21CLU	Maple	1593	1684	1775	1906	2056	2217	2379	2530	2831
	0411 Oleses I Asses /	0 0 1 1 1	. 01111		Darel						
	21" Closed Arm / JOR2-SG21COS	Open Center Arr Beech		1381		1605	1747	1887	0000	0010	2510
	JOR2-SG21COS	Maple	1290 1381	1474	1474 1566	1605 1695	1845	2007	2038 2167	2210 2320	2620
	00112 0021000	Μαριο	1001	1474	1300	1033	1045	2001	2101	2020	2020
	21" Closed Arm /	Open Center Arr	n Urethan	e Cap Sta	art Unit, G	uest Back					
	JOR2-SG21COU	Beech	1440	1531	1620	1751	1893	2034	2184	2354	2657
	JOR2-SG21COU	Maple	1531	1620	1713	1840	1992	2156	2316	2464	2767
	24" Open Arm Sta	rt Unit Guest Ra	ack								
	JOR2-SG24OPS	Beech	1261	1349	1441	1569	1713	1853	2004	2173	2476
h h	JOR2-SG24OPS	Maple	1359	1449	1539	1671	1822	1981	2144	2297	2595
V V	24" Open Arm Ure										
	JOR2-SG24OPU	Beech	1407	1494	1587	1717	1859	2000	2150	2321	2621
	JOR2-SG24OPU	Maple	1505	1597	1689	1817	1971	2130	2291	2442	2742
	24" Closed Arm S	tart Unit. Guest I	Back								
	JOR2-SG24CLS	Beech	1386	1478	1568	1698	1839	1979	2132	2302	2605
	JOR2-SG24CLS	Maple	1487	1578	1668	1799	1949	2111	2273	2423	2724
	0.47.01	0 0.									
	24" Closed Arm U JOR2-SG24CLU	rethane Cap Sta Beech				1040	1000	0107	0070	0.4.40	0751
	JOR2-SG24CLU	Maple	1534 1635	1624 1725	1715 1816	1843 1946	1986 2096	2127 2255	2278 2419	2448 2570	2751 2872
	00112 0024020	Mapic	1000	1725	1010	1340	2030	2200	2413	2370	2012
	24" Closed Arm /		n Start Ur	nit, Guest	Back						
	JOR2-SG24COS	Beech	1325	1413	1504	1635	1775	1914	2068	2238	2539
	JOR2-SG24COS	Maple	1424	1513	1605	1735	1887	2048	2210	2359	2659
	24" Closed Arm /	Open Contor Arr	n I Irothan	o Can Sta	ort I Init C	Lucet Back					
U U	JOR2-SG24COU	Beech	1471	1558	1648	1781	1924	2063	2214	2385	2686
	JOR2-SG24COU	Maple	1569	1662	1751	1880	2034	2194	2354	2505	2805
	,										

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Additional features and options information see page 43, Option ucharges page 148.

PRODI	ICT	CODE	KFY

PRODUCT	CODE KEY				
Line	Series	Chair Type	Back Type	Size	Arm Type
JOR Jordan	2 Chair	S Start Unit Multiple Seating	G Guest Back	21	OPS Open Arm
			P Patient Back (21" & 24" only)	24	OPU Open Arm Urethane Arm Cap
				30	CLS Closed Arm
				44	CLU Closed Arm Urethane Arm Cap
					COS Closed Start Arm/ Open Center Arm
					Closed Start Arm/ Open Center Arm

COU

Closed Start Arm/ Open Center Arm Urethane Arm Cap

			COM		COL	FA	BRIC GR	ADES		LEATHER	?
DESCRIPTION/	MODEL	Species	1	2	3	4	5	6	7	8	9
	30" Open Arm Star	t Unit, Guest B	ack								
f h	JOR2-SG30OPS	Beech	1641	1801	1945	2187	2427	2668	2910	3153	3534
	JOR2-SG30OPS	Maple	1761	1925	2086	2325	2569	2806	3051	3291	3673
V	30" Open Arm Ure	thana Can Star	t Unit Cua	ot Pools							
	JOR2-SG30OPU	Beech	1788	1948	2089	2331	2573	2816	3056	3298	3680
	JOR2-SG30OPU	Maple	1908	2069	2009	2472	2715	2957	3195	3437	3820
		<u> </u>									
	30" Closed Arm St										
	JOR2-SG30CLS	Beech	1770	1930	2072	2315	2554	2797	3037	3282	3662
	JOR2-SG30CLS	Maple	1892	2052	2213	2455	2695	2937	3179	3421	3803
V	30" Closed Arm Ur	ethane Cap Sta	art Unit, Gu	uest Back							
	JOR2-SG30CLU	Beech	1914	2077	2217	2460	2699	2944	3183	3428	3808
	JOR2-SG30CLU	Maple	2038	2196	2359	2602	2842	3082	3323	3566	3949
	30" Closed Arm/O	oon Contor Arm	Start I Init	- Guest B	ack						
	JOR2-SG30COS	Beech	1705	1, Guest b 1866	2007	2250	2492	2735	2974	3215	3599
h h	JOR2-SG30COS	Maple	1828	1987	2148	2391	2630	2735 2874	3113	3215	3739
			1020	1507	2140	2001	2000	2014	0110	0004	0700
U U	30" Closed Arm/Op		Urethane	Cap Star	t Unit, Gu	est Back					
	JOR2-SG30COU	Beech	1853	2013	2156	2395	2638	2879	3119	3363	3743
	JOR2-SG30COU	Maple	1974	2134	2297	2537	2778	3020	3260	3502	3886
	44" Open Arm Star	t Unit. Guest B	ack								
	JOR2-SG44OPS	Beech	1963	2165	2334	2617	2910	3201	3493	3785	4238
4 4	JOR2-SG44OPS	Maple	2112	2316	2496	2789	3080	3371	3663	3946	4407
V V	44" Open Arm Uret		,								
	JOR2-SG44OPU JOR2-SG44OPU	Beech	2110	2311	2480	2765	3056	3346	3641	3930	4385
	JUR2-3G44UPU	Maple	2262	2462	2642	2933	3226	3519	3809	4090	4553
	44" Closed Arm St	art Unit, Guest	Back								
	JOR2-SG44CLS	Beech	2090	2294	2463	2744	3037	3327	3624	3913	4368
	JOR2-SG44CLS	Maple	2241	2443	2625	2916	3208	3499	3789	4074	4534
	44" Closed Arm Ur	othano Can Sta	ort Unit Cu	Jost Book							
•	JOR2-SG44CLU	Beech	2238	2440	2610	2891	3183	3477	3768	4059	4510
	JOR2-SG44CLU	Maple	2390	2588	2769	3064	3353	3645	3939	4059	4681
			2000	2000	2100	0004	0000	0040	0000	7221	
	44" Closed Arm/Op			-							
	JOR2-SG44COS	Beech	2028	2230	2397	2681	2974	3266	3557	3849	4302
	JOR2-SG44COS	Maple	2176	2379	2558	2852	3143	3434	3729	4009	4473
	44" Closed Arm/Op	oen Center Arm	Urethane	Cap Star	t Unit. Gu	est Back					
	JOR2-SG44COU	Beech	2173	2377	2544	2828	3119	3410	3705	3996	4448
	JOR2-SG44COU	Maple	2324	2526	2707	2999	3290	3582	3872	4155	4617

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Additional features and options information see page 43, Option ucharges page 148.

PRODUCT CODE KEY

PRODUCT	CODE KEY				
Line	Series	Chair Type	Back Type	Size	Arm Type
JOR Jordan	2 Chair	S Start Unit Multiple Seating	G Guest Back	21	OPS Open Arm
			Patient Back (21" & 24" only)	24	OPU Open Arm Urethane Arm Cap
				30	CLS Closed Arm
				44	CLU Closed Arm Urethane Arm Cap
					COS Closed Start Arm/ Open Center Arm

Coul

Closed Start Arm/ Open Center Arm Urethane Arm Cap

DECORUPTION (NAC			СОМ	0	COL		BRIC GRA		_	LEATHER	
DESCRIPTION/MO	DEL S	pecies	1	2	3	4	5	6	7	8	9
Center	21" Open Arm Cei	,	iest Back								
	JOR2-CG21OPS	Beech	1108	1198	1289	1422	1559	1701	1853	2023	2325
	JOR2-CG21OPS	Maple	1190	1289	1379	1510	1663	1822	1981	2134	2434
	21" Open Arm Ure	thane Cap (Center Uni	t, Guest E	Back						
U	JOR2-CG210PU	Beech	1180	1272	1361	1493	1635	1775	1926	2096	2397
	JOR2-CG21OPU	Maple	1262	1361	1453	1584	1735	1896	2056	2209	2509
	21" Closed Arm C	enter Unit. C	Guest Back	ς							
	JOR2-CG21CLS	Beech	1172	1263	1353	1485	1625	1767	1914	2088	2391
	JOR2-CG21CLS	Maple	1252	1353	1444	1573	1726	1887	2048	2196	2501
	21" Closed Arm U	rethane Cap	Center U	nit, Guest	t Back						
	JOR2-CG21CLU	Beech	1246	1336	1425	1557	1698	1839	1988	2161	2463
	JOR2-CG21CLU	Maple	1326	1425	1518	1646	1799	1960	2121	2272	2573
	24" Open Arm Cei	nter Unit, Gu	est Back								
	JOR2-CG24OPS	Beech	1140	1228	1319	1449	1589	1728	1881	2053	2354
	JOR2-CG24OPS	Maple	1237	1329	1422	1552	1701	1853	2023	2173	2476
	24" Open Arm Ure	thane Can (Center I Ini	t Guest F	Back						
	JOR2-CG24OPU	Beech	1212	1302	1394	1523	1664	1802	1956	2127	2428
	JOR2-CG24OPU	Maple	1311	1402	1493	1624	1775	1926	2096	2247	2550
			1011	1402	1430	1024	1775	1320	2000	2271	
	24" Closed Arm C	enter Unit, C	auest Back	<							
A	JOR2-CG24CLS	Beech	1200	1291	1381	1513	1656	1797	1947	2118	2419
	JOR2-CG24CLS	Maple	1303	1394	1485	1613	1767	1914	2088	2238	2539
	24" Closed Arm U	rethane Cap	Center U	nit, Guest	t Back						
	JOR2-CG24CLU	Beech	1275	1367	1458	1587	1727	1867	2020	2191	2494
	JOR2-CG24CLU	Maple	1376	1465	1557	1689	1839	1988	2161	2311	2612
	30" Open Arm Cei	atay I lait O									
	JOR2-CG30OPS	Beech									
	JOR2-CG300PS	Maple	1521	1683	1822	2065	2304	2548	2789	3030	3411
	00112 000001 0	Ινιαρίο	1641	1801	1963	2208	2445	2690	2929	3173	3553
U	30" Open Arm Ure		Center Uni	t, Guest I	Back						
	JOR2-CG30OPU	Beech	1593	1753	1896	2136	2379	2620	2862	3104	3486
	JOR2-CG30OPU	Maple	1715	1877	2038	2278	2521	2763	3001	3245	3627
	30" Closed Arm C	enter Unit, C	Guest Back	(-
	JOR2-CG30CLS	Beech	1585	1747	1887	2129	2368	2611	2852	3094	3478
	JOR2-CG30CLS	Maple	1705	1866	2028	2271	2510	2752	2994	3235	3618
V	30" Closed Arm U	rethane Cap	Center U	nit, Guest	t Back						
	JOR2-CG30CLU	Beech	1660	1818	1960	2200	2443	2684	2927	3166	3551
	JOR2-CG30CLU	Maple	1779	1941	2102	2343	2585	2825	3067	3305	3691

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Additional features and options information see page 43, Option ucharges page 148.

Line	Series	Chair Type	Back Type	Size	Arm Type
JOR	2	С	G	21	OPS
Jordan	Chair	Center Unit Multiple Seating	Guest Back		Open Arm
			Patient Back (21" & 24" only)	24	OPU Open Arm Urethane Arm Cap
				30	CLS Closed Arm
				44	CLU Closed Arm Urethane Arm Cap

			COM		COL	FA	BRIC GRA	ADES		LEATHER	
DESCRIPTION/MODEL	Spec	ies	1	2	3	4	5	6	7	8	9
	44" Open Arm Cer	nter Unit, (Guest Ba	ck							
	JOR2-CG44OPS	Beech	1842	2043	2214	2496	2789	3080	3371	3663	4117
	JOR2-CG44OPS	Maple	1992	2194	2377	2668	2959	3251	3542	3824	4287
	44" Open Arm Ure	thane Cap	Center I	Jnit, Gues	st Back						
	JOR2-CG44OPU	Beech	1914	2118	2285	2570	2862	3154	3447	3738	4192
	JOR2-CG44OPU	Maple	2066	2269	2448	2741	3032	3323	3617	3897	4360
	44" Closed Arm C	enter Unit,	Guest B	ack							
	JOR2-CG44CLS	Beech	1907	2107	2278	2558	2852	3143	3434	3729	4181
	JOR2-CG44CLS	Maple	2056	2255	2440	2735	3024	3318	3605	3891	4352
	44" Closed Arm U	rethane Ca	ap Cente	r Unit, Gu	est Back						
u	JOR2-CG44CLU	Beech	1979	2182	2352	2632	2927	3219	3511	3801	4255
	JOR2-CG44CLU	Maple	2131	2331	2511	2804	3095	3390	3680	3961	4424
End	21" Open Arm End	d Unit, Gue	est Back								
	JOR2-EG210PS	Beech	1108	1198	1289	1422	1559	1701	1853	2023	2325
FI.	JOR2-EG21OPS	Maple	1190	1289	1379	1510	1663	1822	1981	2134	2434
	21" Open Arm Ure	thane Car	End Uni	t, Guest E	Back						
	JOR2-EG210PU	Beech .	1180	1272	1361	1493	1635	1775	1926	2096	2397
	JOR2-EG21OPU	Maple	1262	1361	1453	1584	1735	1896	2056	2209	2509
	21" Closed Arm E	nd Unit, G	uest Bacl	k							
	JOR2-EG21CLS	Beech	1172	1263	1353	1485	1625	1767	1914	2088	2391
	JOR2-EG21CLS	Maple	1252	1353	1444	1573	1726	1887	2048	2196	2501
	21" Closed Arm U	rethane Ca	ap End U	nit, Guest	Back						
	JOR2-EG21CLU	Beech	1246	1336	1425	1557	1698	1839	1988	2161	2463
	JOR2-EG21CLU	Maple	1326	1425	1518	1646	1799	1960	2121	2272	2573
	24" Open Arm End	d Unit, Gue	est Back								
	JOR2-EG24OPS	Beech	1140	1228	1319	1449	1589	1729	1881	2053	2354
	JOR2-EG24OPS	Maple	1237	1329	1422	1552	1701	1853	2023	2173	2476
U	24" Open Arm Ure	thane Cap	End Uni	t, Guest E	Back						
	JOR2-EG24OPU	Beech	1212	1302	1394	1523	1664	1802	1956	2127	2428
	JOR2-EG24OPU	Maple	1311	1402	1493	1624	1775	1926	2096	2247	2550
	24" Closed Arm E										
	JOR2-EG24CLS	Beech	1200	1291	1381	1513	1656	1797	1947	2118	2419
	JOR2-EG24CLS	Maple	1303	1394	1485	1613	1767	1914	2088	2238	2539
	24" Closed Arm U	rethane Ca	ap End U	nit, Guest	Back						
	JOR2-EG24CLU	Beech	1275	1367	1458	1587	1727	1867	2020	2191	2494
	JOR2-EG24CLU	Maple	1376	1465	1557	1689	1839	1988	2161	2311	2612
	30" Open Arm End										
	JOR2-EG30OPS	Beech	1521	1683	1822	2065	2304	2548	2789	3030	3411
	JOR2-EG30OPS	Maple	1641	1801	1963	2208	2445	2690	2929	3173	3553
	30" Open Arm Ure	thane Cap	End Uni		Back						
-	JOR2-EG30OPU	Beech	1593	1753	1896	2136	2379	2620	2862	3104	3486
	JOR2-EG30OPU	Maple	1715	1877	2038	2278	2521	2763	3001	3245	3627

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Additional features and options information see page 43, Option ucharges page 148.

Line	Series	Chair Type	Back Type	Size	Arm Type
JOR	2	С	G	21	OPS
Jordan	Chair	Center Unit Multiple Seating	Guest Back		Open Arm
		Е	P Patient Back (21" & 24" only)	24	OPU Open Arm Urethane Arm Cap
				30	CLS Closed Arm
				44	CLU
					Closed Arm Urethane Arm Cap

			COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MC	DDEL	Species	1	2	3	4	5	6	7	8	9
	30" Closed Arm E	End Unit, Guest	Back								
	JOR2-EG30CLS	Beech	1585	1747	1887	2129	2368	2611	2852	3094	3478
	JOR2-EG30CLS	Maple	1705	1866	2028	2271	2510	2752	2994	3235	3618
ш	30" Closed Arm l	Jrethane Cap E	nd Unit, (Guest Bac	k						
	JOR2-EG30CLU	Beech	1660	1818	1960	2200	2443	2684	2927	3166	3551
	JOR2-EG30CLU	Maple	1779	1941	2102	2343	2585	2825	3067	3305	3691
	44" Open Arm En	nd Unit, Guest E	Back								
	JOR2-EG44OPS	Beech	1842	2043	2214	2496	2789	3080	3371	3663	4117
	JOR2-EG44OPS	Maple	1992	2194	2377	2668	2959	3251	3542	3824	4288
	44" Open Arm Ur	ethane Cap End	d Unit, Gu	iest Back							
	JOR2-EG44OPU	Beech	1914	2118	2285	2570	2862	3154	3447	3738	4192
	JOR2-EG44OPU	Maple	2066	2269	2448	2741	3032	3323	3617	3897	4360
	44" Closed Arm E	End Unit, Guest	Back								
	JOR2-EG44CLS	Beech	1907	2107	2278	2558	2852	3143	3434	3729	4181
	JOR2-EG44CLS	Maple	2056	2255	2440	2735	3024	3318	3605	3891	4352
	44" Closed Arm l	Jrethane Cap E	nd Unit, (Guest Bac	k						
	JOR2-EG44CLU	Beech	1979	2182	2352	2632	2927	3219	3511	3801	4255
	JOR2-EG44CLU	Maple	2131	2331	2511	2804	3095	3390	3680	3961	4424

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Jordan Guest Option Upcharges	List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	21" & 24" Cleanable Under-seat Splashguard	42
Kinetic Back option (not available for 30" & 44")	126	30" Cleanable Under-seat Splashguard	50
Removable Seat Cover (per seat)	94	44" Cleanable Under-seat Splashguard	67
21" & 24" - Removeable Guest Back Covers (per back)	60	Solid Surface Arm Cap (per arm) - Gr A White	249
30" & 44" - Removable Guest Back Covers (per back)	94	Solid Surface Arm Cap (per arm) - Gr A Color	252
21" & 24" - Removeable Patient Back Covers (per back) 94	Solid Surface Arm Cap (per arm) - Gr B	262
30" - Removeable Patient Back Covers (per back)	149	Solid Surface Arm Cap (per arm) - Gr C	277
Combination Upholstery - dual fabrics (per chair)	34	Floor-saver Felt Glides	30
Combination Upholstery - Three fabrics (per chair)	67	Non-slip Rubber Glides	18
Additional features and options information see page 45	3.	Metal Glides Plastic Glides	26 8

Patient backs are available on pre-configured units, please change the model number JOR2-PCG to JOR2-PCP and add the following upcharges per back: Fabric Grades (COM) 1 2 (COL) 3 4 5 6 7 8 9

rablic Grades	(COIVI) I	2	(COL) 3	4	5	0	7	0	9
21" Chair	282	333	383	500	597	664	746	830	913
24" Chair	298	357	403	534	620	712	798	895	988

Line	Series	Chair Type	Back Type	Size	Arm Type
JOR Jordan	2 Chair	End Unit Multiple Seating	G Guest Back	21	OPS Open Arm
			P Patient Back (21" & 24" only)	24	OPU Open Arm Urethane Arm Cap
				30	CLS Closed Arm
				44	CLU Closed Arm Urethane Arm Can

JORDAN | MULTIPLE SEATING - FREESPAN UNITS

DIMENSIONS & COM REQUIREMENTS

UNIT WITH NO CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardag
PCFG21X2A	46.5	27	34.25	18.5	26	42	19	70	28	3.2	1.8	2.8	0.9
PCFP21X2A	46.5	27	43.5	18.5	26	42	19	80	37	4.2	1.8	3.8	0.9
PCFG21X3A	68	27	34.25	18.5	26	63.5	19	99	40	4.8	2.7	4.2	0.9
PCFP21X3A	68	27	43.5	18.5	26	63.5	19	114	54	6.3	2.7	5.7	0.9
PCFG24X2A	52.5	27	34.25	18.5	26	48	19	77	30	3.8	1.8	2.8	0.9
PCFP24X2A	52.5	27	43.5	18.5	26	48	19	87	42	4.8	1.8	3.8	0.9
PCFG24X3A	77	27	34.25	18.5	26	72.5	19	111	45	5.7	2.7	4.2	0.9
PCFP24X3A	77	27	43.5	18.5	26	72.5	19	126	61	7.2	2.7	5.7	0.9

UNIT WITH CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage
PCFG21X2B	47.5	27	34.5	18.5	26	20.5	19	73	28	3.2	1.8	2.4
PCFP21X2B	47.5	27	43.5	18.5	26	20.5	19	83	38	4.2	1.8	3.8
PCFG21X3B	70.5	27	34.5	18.5	26	20.5	19	105	40	4.8	2.7	3.8
PCFP21X3B	70.5	27	43.5	18.5	26	20.5	19	120	56	6.3	2.7	5.7
PCFG24X2B	53.5	27	34.5	18.5	26	23.5	19	80	30	3.8	1.8	2.4
PCFP24X2B	53.5	27	43.5	18.5	26	23.5	19	90	43	4.8	1.8	3.8
PCFG24X3B	79.5	27	34.5	18.5	26	23.5	19	117	45	5.7	2.7	3.8
PCFP24X3B	79.5	27	43.5	18.5	26	23.5	19	132	63	7.2	2.7	5.7

UNIT WITH CENTER ARM (CONTINUED), GUEST AND PATIENT BACKS

Unit With Center Arm (Continued)	COM Fabric Closed Arm Panels (2 Arms)	COM Fabric Closed Arm Panels (3 Arms)	COM Fabric Closed Arm Panels (4 Arms)	
PCF21X2B	0.9	1.35		
PCF21X3B	0.9		1.8	
PCF24X2B	0.9	1.35		
PCF24X3B	0.9		1.8	

Note: Some vinyls, leathers & upholsteries are not suitable for application on Jordan seating.

The approval process is as follows:

ORDERING NOTES:

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

WEIGHT CAPACITIES

Jordan weight capacities are as follows:

2-Seat Freespan - 525 lbs per unit

3-Seat Freespan - 750 lbs per unit

Jordan Option Upcharges	List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm Cap (per arm) - Gr A White	249
Removable Seat Cover (per seat)	94	Solid Surface Arm Cap (per arm) - Gr A Color	252
21" & 24" - Removeable Back Covers (per back)	60	Solid Surface Arm Cap (per arm) - Gr B	262
21" & 24" - Removeable Patient Back Covers (per back	94	Solid Surface Arm Cap (per arm) - Gr C	277
21" & 24" Cleanable Under-seat Splashguard (per seat)	42	Solid Surface Arm Cap (per pair) - Gr A White	474
Kinetic Back option (not available for 30" & 44")	126	Solid Surface Arm Cap (per pair) - Gr A Color	480
Combination Upholstery - dual fabrics (per chair)	34	Solid Surface Arm Cap (per pair) - Gr B	505
Combination Upholstery - Three fabrics (per chair)	67	Solid Surface Arm Cap (per pair) - Gr C	532
Ganging Bracket	60	Floor-saver Felt Glides	30
		Non-slip Rubber Glides	18
Additional features and options information see page 4	3.	Metal Glides	26
		Plastic Glides	8

Patient backs are available on pre-configured units, please change the model number JOR2-PC**G** to JOR2-PC**P** and add the following upcharges per back:

rablic Grades	(COIVI) I	2	(COL) 3	4	J	O	,	0	9
21" Chair	282	333	383	500	597	664	746	830	913
24" Chair	298	357	403	534	620	712	798	895	988

^{1.} A sample of the COM must be provided to Krug Customer Service prior to or at the time of order. For Maharam or Momentum, Krug will obtain the fabric sample.

^{2.} The sample will be reviewed and the customer advised if the fabric is unsuitable.

^{3.} The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

JORDAN | MULTIPLE SEATING - FREESPAN UNITS WITHOUT CENTER ARMS

			COM		COL		ABRIC GF	ADEC		LEATHER)
DESCRIPTION/MO	DDEL	Species	1	2	3	4	ADNIC GE	6	7	8	۱ 9
	21" Pre-Configured Free	espan Uni	t - Open .	Arm 2 Se	eat, Guest	Back					
	JOR2-PCFG21X2AOPS	Beech	2112	2274	2434	2678	2917	3180	3442	3743	4288
	JOR2-PCFG21X2AOPS	Maple	2268	2427	2587	2829	3091	3363	3625	3925	4487
		·									
	21" Pre-Configured Free	espan Uni	t - Open	Arm Ure	thane Cap	2 Seat, C	Guest Back	(
	JOR2-PCFG21X2AOPL		2262	2422	2583	2822	3066	3324	3588	3892	4433
	JOR2-PCFG21X2AOPL		2412	2573	2736	2976	3236	3509	3770	4070	4636
	21" Pre-Configured Free	espan Uni	t - Closed	d Arm 2 S	Seat, Gues	st Back					
	JOR2-PCFG21X2ACLS	Beech	2241	2401	2565	2804	3048	3305	3568	3871	4416
l h	JOR2-PCFG21X2ACLS	Maple	2394	2554	2716	2958	3220	3488	3752	4051	4616
	21" Pre-Configured Fre	espan Uni	t - Closed	d Arm Ur	ethane Ca	p 2 Seat,	Guest Ba	ck			
·	JOR2-PCFG21X2ACLU	Beech	2390	2550	2710	2950	3192	3455	3715	4018	4564
	JOR2-PCFG21X2ACLU	Maple	2539	2699	2862	3104	3366	3636	3897	4198	4762
	21" Pre-Configured Fre	espan Uni	t - Open .	Arm 3 Se	eat, Guest	Backs					
	JOR2-PCFG21X3AOPS	Beech	3080	3321	3564	3917	4297	4669	5084	5548	6359
	JOR2-PCFG21X3AOPS	Maple	3315	3564	3805	4164	4569	5002	5434	5849	6661
	21" Pre-Configured Fre	espan Uni	- Open	Arm Ure	thane Cap	3 Seat, C	Guest Back	S			
V	JOR2-PCFG21X3AOPL	•	3226	3468	3710	4063	4446	4816	5229	5693	6505
	JOR2-PCFG21X3AOPL	Maple	3458	3710	3950	4313	4714	5148	5582	5995	6807
	21" Pre-Configured Free	espan Uni	- Closed	d Arm 3 S	Seat, Gues	st Backs					
	JOR2-PCFG21X3ACLS	•	3208	3450	3691	4044	4425	4798	5213	5674	6490
I I J	JOR2-PCFG21X3ACLS		3440	3691	3931	4294	4696	5131	5563	5976	6789
	21" Pre-Configured Free	espan Uni	t - Closed	d Arm Ur	ethane Ca	p 3 Seat.	Guest Ba	cks			
	JOR2-PCFG21X3ACLU		3353	3596	3837	4192	4571	4944	5360	5821	6634
	JOR2-PCFG21X3ACLU	Maple	3587	3837	4079	4441	4843	5279	5710	6122	6937
RDERING NOTES											
A drawing showing	the configuration of the m	ultiple seat	ing and ta	ables is re	equired with	n each pui	rchase orde	r.			
Jordan Option U	pcharges		\$ List							\$ List	
J. Gail Option 0											
<u> </u>	ure Barrier (per yard)		67	S	olid Surfac	e Arm Ca	ap (per paiı	r) - Gr A Wl	nite	474	
CAL 133 & Moistu	ure Barrier (per yard)		67 94					r) - Gr A WI r) - Gr A Co		474 480	
CAL 133 & Moistu Removable Seat (ure Barrier (per yard)	back)		S	olid Surfac	e Arm Ca) - Gr A Co			
CAL 133 & Moistu Removable Seat (21" & 24" - Remo	ure Barrier (per yard) Cover (per seat)	,	94 60	S	olid Surfac olid Surfac	e Arm Ca e Arm Ca	ap (per paiı	r) - Gr A Co r) - Gr B		480	
CAL 133 & Moistu Removable Seat (21" & 24" - Remo 21" & 24" - Remo	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove	ers (per ba	94 60 ck) 94	S(S(olid Surfac olid Surfac	ce Arm Ca ce Arm Ca ce Arm Ca	ap (per paii ap (per paii	r) - Gr A Co r) - Gr B		480 505	
CAL 133 & Moistu Removable Seat (21" & 24" - Remo 21" & 24" - Remo 21" & 24" Cleanal	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove ble Under-seat Splashgua	ers (per ba ard (per se	94 60 ck) 94	S S G	olid Surfac olid Surfac olid Surfac	ce Arm Ca ce Arm Ca ce Arm Ca acket	ap (per pai ap (per pai ap (per pai	r) - Gr A Co r) - Gr B		480 505 532	
CAL 133 & Moistu Removable Seat (21" & 24" - Remo 21" & 24" - Remo 21" & 24" Cleanal Kinetic Back optic	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove ble Under-seat Splashgua on (not available for 30" &	ers (per ba ard (per se . 44")	94 60 ck) 94 at) 42	Si Si G Fl	olid Surfact olid Surfact olid Surfact anging Bra	e Arm Ca e Arm Ca e Arm Ca acket Felt Glide	ap (per pail ap (per pail ap (per pail es	r) - Gr A Co r) - Gr B		480 505 532 60	
CAL 133 & Moistu Removable Seat (11" & 24" - Remo 11" & 24" - Remo 11" & 24" Cleanal (inetic Back optic Combination Uph	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove ble Under-seat Splashgua on (not available for 30" & olstery - dual fabrics (per	ers (per ba ard (per se 44") chair)	94 60 ck) 94 at) 42 126 34	Si Si G FI N	olid Surfact olid Surfact olid Surfact anging Bra oor-saver	ce Arm Ca ce Arm Ca ce Arm Ca acket Felt Glide bber Glid	ap (per pail ap (per pail ap (per pail es	r) - Gr A Co r) - Gr B		480 505 532 60 30 18	
CAL 133 & Moistu Removable Seat (21" & 24" - Remo 21" & 24" - Remo 21" & 24" Cleanal Kinetic Back optic Combination Uph Combination Uph	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove ble Under-seat Splashgua on (not available for 30" & olstery - dual fabrics (per olstery - Three fabrics (per	ers (per ba ard (per se 44") chair) er chair)	94 60 ck) 94 at) 42 126 34 67	Si Si G FI N M	olid Surfactolid S	ce Arm Ca ce Arm Ca ce Arm Ca acket Felt Glide bber Glide	ap (per pail ap (per pail ap (per pail es	r) - Gr A Co r) - Gr B		480 505 532 60 30	
CAL 133 & Moistu Removable Seat (11" & 24" - Remo 11" & 24" - Remo 11" & 24" Cleanal Kinetic Back optic Combination Uph Combination Uph	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove ble Under-seat Splashgua on (not available for 30" & olstery - dual fabrics (per	ers (per ba ard (per se 44") chair) er chair)	94 60 ck) 94 at) 42 126 34 67	Si Si G FI N M	olid Surfactolid S	ce Arm Ca ce Arm Ca ce Arm Ca acket Felt Glide bber Glide	ap (per pail ap (per pail ap (per pail es	r) - Gr A Co r) - Gr B		480 505 532 60 30 18 26	
CAL 133 & Moistu Removable Seat (21" & 24" - Remo 21" & 24" - Remo 21" & 24" Cleanal Kinetic Back optic Combination Uph Combination Uph	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove ble Under-seat Splashgua on (not available for 30" & olstery - dual fabrics (per olstery - Three fabrics (per	ers (per ba ard (per se 44") chair) er chair)	94 60 ck) 94 at) 42 126 34 67	Si Si G FI N M Pl	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glide	ee Arm Ca ee Arm Ca ee Arm Ca acket Felt Glide bber Glide s es	ap (per pair ap (per pair ap (per pair es es) - Gr A Cc) - Gr B) - Gr C	olor	480 505 532 60 30 18 26 8	· back:
CAL 133 & Moisturement of the Cartest of the Cartes	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove ble Under-seat Splashgua on (not available for 30" & olstery - dual fabrics (per olstery - Three fabrics (per s and options information	ers (per ba ard (per se 44") chair) er chair) a see page	94 60 ck) 94 at) 42 126 34 67	Si Si G FI N M Pl	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glide	ee Arm Ca ee Arm Ca ee Arm Ca acket Felt Glide bber Glide s es	ap (per pair ap (per pair ap (per pair es es) - Gr A Cc) - Gr B) - Gr C	olor	480 505 532 60 30 18 26 8	· back:
CAL 133 & Moisturemovable Seat (11" & 24" - Remo (11" & 24" - Remo (11" & 24" Cleanal (3) (anetic Back optic Combination Uph (2) (and the combination Uph (3) (anetic Back) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove ole Under-seat Splashgua on (not available for 30" & olstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured un (COM) 1 2 (COL 282 333 383	ers (per ba ard (per se 44") chair) er chair) a see page hits, please) 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th	Si Si Si G FI N M Pl e model r	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ee Arm Ca ee Arm Ca ee Arm Ca acket Felt Glide bber Glide s es	ap (per pair ap (per pair ap (per pair ap (per pair es les) - Gr A Cc) - Gr B) - Gr C and add the 9 13	olor	480 505 532 60 30 18 26 8	· back:
CAL 133 & Moisturemovable Seat (11" & 24" - Remo (11" & 24" - Remo (11" & 24" Cleanal (inetic Back optic Combination Uph (combination Uph (dditional feature Patient backs are a Fabric Grades	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove ole Under-seat Splashgua on (not available for 30" & olstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured un (COM) 1 2 (COL	ers (per ba ard (per se 44") chair) er chair) a see page hits, please) 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th	Si Si Si G FI N M Pl e model r	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	te Arm Case	ap (per pair ap (per pair ap (per pair ap (per pair es les) - Gr A Cc) - Gr B -) - Gr C and add the	olor	480 505 532 60 30 18 26 8	· back:
CAL 133 & Moistu Removable Seat (21" & 24" - Remo 21" & 24" - Remo 21" & 24" Cleanal Kinetic Back optic Combination Uph Combination Uph Additional feature Patient backs are a Fabric Grades	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove ole Under-seat Splashgue on (not available for 30" & olstery - dual fabrics (per olstery - Three fabrics (per s and options information vailable on pre-configured un (COM) 1 2 (COL 282 333 383 298 357 403	ers (per ba ard (per se 44") chair) er chair) a see page hits, please) 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th	Si Si Si G FI N M Pl e model r	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	te Arm Case	ap (per pair ap (per pair ap (per pair ap (per pair es les) - Gr A Cc) - Gr B) - Gr C and add the 9 13	olor	480 505 532 60 30 18 26 8	back:
CAL 133 & Moisturemovable Seat (21" & 24" - Remo 21" & 24" - Remo 21" & 24" Cleanal Kinetic Back optic Combination Uph Combination Uph Additional feature Patient backs are a Fabric Grades (21" Chair PRODUCT CODE KI	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove ole Under-seat Splashgue on (not available for 30" & olstery - dual fabrics (per olstery - Three fabrics (per s and options information vailable on pre-configured un (COM) 1 2 (COL 282 333 383 298 357 403	ers (per ba ard (per se 44") chair) er chair) a see page hits, please) 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th	Si Si Si G FI N M Pl e model r	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	te Arm Case	ap (per pair ap (per pair ap (per pair ap (per pair es les) - Gr A Cc) - Gr B) - Gr C and add the 9 13	olor	480 505 532 60 30 18 26 8	back:
CAL 133 & Moisturemovable Seat (21" & 24" - Remo 21" & 24" - Remo 21" & 24" - Remo 21" & 24" Cleanal (sinetic Back optic Combination Uph Combination Uph Additional feature Patient backs are a Fabric Grades (21" Chair 24" Chair PRODUCT CODE KILine Seat (24" Code (24) Code (24) Code (25) Code (25) Code (26)	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove ble Under-seat Splashgua on (not available for 30" & olstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured un (COM) 1 2 (COL 282 333 383 298 357 403 EY Chair Type	ers (per ba ard (per se 44") chair) er chair) a see page hits, please) 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th	Si S	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca cacket Felt Glide bber Glide ses ces ces ces ces ces ces ces ces ce	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988	olor	480 505 532 60 30 18 26 8 pcharges per	back:
CAL 133 & Moisturemovable Seat (11" & 24" - Remo (11" & 24" - Remo (11" & 24" Cleanal (3 inetic Back optic) Combination Uph Combination Uph (2 inetic Back) are a fabric Grades (12" Chair 24" Chair (24" Chair (24" Chair (24" Chair (24" CDE KILLING (25) CDE KILLI	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove oble Under-seat Splashgua on (not available for 30" & olstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured un (COM) 1 2 (COL 282 333 383 298 357 403 298 357 403 298 357 403 298 357 403 298 298 357 403 298 298 357 403 298 298 357 403 298 298 357 403 298 298 357 403 298 298 357 403 298 298 357 403 298 298 357 403 298 298 298 298 298 298 298 298 298 298	ers (per ba ard (per se 44") chair) er chair) a see page nits, please) 3 4 3 500 3 534	94 60 ck) 94 at) 42 126 34 67 43. change th 59 62	Si S	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	te Arm Case	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988 Unit Style	following u	480 505 532 60 30 18 26 8 pcharges per	back:
CAL 133 & Moisturemovable Seat (11" & 24" - Remo (11" & 24" - Remo (11" & 24" Cleanal (3 inetic Back optic) Combination Uph Combination Uph (2 inetic Back) are a fabric Grades (12" Chair 24" Chair (24" Chair (24" Chair (24" Chair (24" CDE KILLING (25) CDE KILLI	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Back Covers (per veable Patient Back Cover) cle Under-seat Splashgua on (not available for 30" & colstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured unit (COM) 1 2 (COL 282 333 383 298 357 403 EY eries Chair Type	ers (per baard (per se 44") chair) chair) er chair) er chair) n see page hits, please) 3 4 5 5 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th 59 62	Si S	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca cacket Felt Glide bber Glide ses ces ces ces ces ces ces ces ces ce	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988 Unit Style	olor following u	480 505 532 60 30 18 26 8 pcharges per	back:
CAL 133 & Moisturemovable Seat (21" & 24" - Remo (21" & 24" - Remo (21" & 24" - Remo (21" & 24" Cleanal (3 inetic Back optic) Combination Uph (22" Combination Uph (24" Chair (2	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Patient Back Cove oble Under-seat Splashgua on (not available for 30" & olstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured un (COM) 1 2 (COL 282 333 383 298 357 403 298 357 403 298 357 403 298 357 403 298 298 357 403 298 298 357 403 298 298 357 403 298 298 357 403 298 298 357 403 298 298 357 403 298 298 357 403 298 298 357 403 298 298 298 298 298 298 298 298 298 298	ers (per baard (per se 44") chair) chair) er chair) er chair) n see page hits, please) 3 4 5 5 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th 59 62	Si S	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca cacket Felt Glide bber Glide ses 22-PCG to 7 746 798	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988 Unit Style Unit with no	olor following u	480 505 532 60 30 18 26 8 pcharges per	back:
CAL 133 & Moisturemovable Seat (11" & 24" - Remo (11" & 24" - Remo (11" & 24" Cleanal (3 inetic Back optic) Combination Uph Combination Uph (2 inetic Back) are a fabric Grades (12" Chair 24" Chair (24" Chair (24" Chair (24" Chair (24" CDE KILLING (25) CDE KILLI	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Back Covers (per veable Patient Back Cover) cle Under-seat Splashgua on (not available for 30" & colstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured unit (COM) 1 2 (COL 282 333 383 298 357 403 EY eries Chair Type	ers (per baard (per se 44") chair) chair) er chair) er chair) n see page hits, please) 3 4 5 5 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th 59 62	Si S	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca cacket Felt Glide bber Glide ses ces ces ces ces ces ces ces ces ce	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988 Unit Style	olor following u	480 505 532 60 30 18 26 8 pcharges per	· back:
CAL 133 & Moisturemovable Seat (11" & 24" - Remo (11" & 24" - Remo (11" & 24" Cleanal (3 inetic Back optic) Combination Uph Combination Uph (2 inetic Back) are a fabric Grades (12" Chair 24" Chair (24" Chair (24" Chair (24" Chair (24" CDE KILLING (25) CDE KILLI	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Back Covers (per veable Patient Back Cover) cle Under-seat Splashgua on (not available for 30" & colstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured unit (COM) 1 2 (COL 282 333 383 298 357 403 EY eries Chair Type	ers (per baard (per se 44") chair) chair) er chair) er chair) n see page hits, please) 3 4 5 5 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th 5 62 Bac	Si S	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca cacket Felt Glide bber Glide ses 22-PCG to 7 746 798	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988 Unit Style A Unit with no Center Arm	following u	480 505 532 60 30 18 26 8 pcharges per OPS Open Arm OPU Open Arm	
CAL 133 & Moisturemovable Seat (11" & 24" - Remo (11" & 24" - Remo (11" & 24" Cleanal (3 inetic Back optic) Combination Uph Combination Uph (2 inetic Back) are a fabric Grades (12" Chair 24" Chair (24" Chair (24" Chair (24" Chair (24" CDE KILLING (25) CDE KILLI	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Back Covers (per veable Patient Back Cover) cle Under-seat Splashgua on (not available for 30" & colstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured unit (COM) 1 2 (COL 282 333 383 298 357 403 EY eries Chair Type	ers (per baard (per se 44") chair) chair) er chair) er chair) n see page hits, please) 3 4 5 5 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th 5 62 Bac	Sing Sing Sing Sing Sing Sing Sing Sing	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca cacket Felt Glide bber Glide ses 22-PCG to 7 746 798	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988 Unit Style A Unit with no Center Arm	following u	480 505 532 60 30 18 26 8 pcharges per	
CAL 133 & Moisturemovable Seat (11" & 24" - Remo (11" & 24" - Remo (11" & 24" Cleanal (3 inetic Back optic) Combination Uph Combination Uph (2 inetic Back) are a fabric Grades (12" Chair 24" Chair (24" Chair (24" Chair (24" Chair (24" CDE KILLING (25) CDE KILLI	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Back Covers (per veable Patient Back Cover) cle Under-seat Splashgua on (not available for 30" & colstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured unit (COM) 1 2 (COL 282 333 383 298 357 403 EY eries Chair Type	ers (per baard (per se 44") chair) chair) er chair) a see page hits, please) 3 4 5 5 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th 5 62 Bac	Sing Sing Sing Sing Sing Sing Sing Sing	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ce Arm Case	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988 Unit Style A Unit with no Center Arm	following u	480 505 532 60 30 18 26 8 pcharges per OPS Open Arm OPU Open Arm	
CAL 133 & Moisturemovable Seat (21" & 24" - Remo 21" & 24" - Remo 21" & 24" - Remo 21" & 24" Cleanal (sinetic Back optic Combination Uph Combination Uph Additional feature Patient backs are affabric Grades (21" Chair 24" Chair PRODUCT CODE KILINE Seat 1998	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Back Covers (per veable Patient Back Cover) cle Under-seat Splashgua on (not available for 30" & colstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured unit (COM) 1 2 (COL 282 333 383 298 357 403 EY eries Chair Type	ers (per baard (per se 44") chair) chair) er chair) a see page hits, please) 3 4 5 5 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th 5 62 Bac	Sing Sing Sing Sing Sing Sing Sing Sing	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca cacket Felt Glide bber Glide ses 22-PCG to 7 746 798	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988 Unit Style A Unit with no Center Arm	following u	480 505 532 60 30 18 26 8 pcharges per OPS Open Arm OPU Open Arm CCLS	
CAL 133 & Moisturemovable Seat (21" & 24" - Remo (21" & 24" - Remo (21" & 24" - Remo (21" & 24" Cleanal (3 inetic Back optic) Combination Uph (22" Combination Uph (24" Chair (2	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Back Covers (per veable Patient Back Cover) cle Under-seat Splashgua on (not available for 30" & colstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured unit (COM) 1 2 (COL 282 333 383 298 357 403 EY eries Chair Type	ers (per baard (per se 44") chair) chair) er chair) a see page hits, please) 3 4 5 5 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th 5 62 Bac	Sing Sing Sing Sing Sing Sing Sing Sing	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ce Arm Case	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988 Unit Style A Unit with no Center Arm	following u	480 505 532 60 30 18 26 8 pcharges per OPS Open Arm OPU Open Arm OPU Open Arm	
CAL 133 & Moisturemovable Seat (21" & 24" - Remo (21" & 24" - Remo (21" & 24" - Remo (21" & 24" Cleanal (3 inetic Back optic) Combination Uph (22" Combination Uph (24" Chair (2	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Back Covers (per veable Patient Back Cover) cle Under-seat Splashgua on (not available for 30" & colstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured unit (COM) 1 2 (COL 282 333 383 298 357 403 EY eries Chair Type	ers (per baard (per se 44") chair) chair) er chair) a see page hits, please) 3 4 5 5 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th 5 62 Bac	Sing Sing Sing Sing Sing Sing Sing Sing	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca cacket Felt Glide bber Glide ces ces ces ces ces ces ces ces ces ce	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988 Unit Style A Unit with no Center Arm	following u	480 505 532 60 30 18 26 8 pcharges per OPS Open Arm OPU Open Arm CLS Closed Arm	
CAL 133 & Moisturemovable Seat (11 & 24" - Remo 11 & 24" - Remo 11 & 24" - Remo 12 & 24" - Remo 13 & 24" Cleanal (inetic Back optic Combination Uph Combination Uph (combination	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Back Covers (per veable Patient Back Cover) cle Under-seat Splashgua on (not available for 30" & colstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured unit (COM) 1 2 (COL 282 333 383 298 357 403 EY eries Chair Type	ers (per baard (per se 44") chair) chair) er chair) a see page hits, please) 3 4 5 5 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th 5 62 Bac	Sing Sing Sing Sing Sing Sing Sing Sing	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ce Arm Case	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988 Unit Style A Unit with no Center Arm	following u	480 505 532 60 30 18 26 8 pcharges per OPS Open Arm OPU Open Arm CLS Closed Arm CLU	
CAL 133 & Moisturemovable Seat (21" & 24" - Remo (21" & 24" - Remo (21" & 24" - Remo (21" & 24" Cleanal (3 inetic Back optic) Combination Uph (22" Combination Uph (24" Chair (2	ure Barrier (per yard) Cover (per seat) veable Back Covers (per veable Back Covers (per veable Patient Back Cover) cle Under-seat Splashgua on (not available for 30" & colstery - dual fabrics (per olstery - Three fabrics (per s and options information available on pre-configured unit (COM) 1 2 (COL 282 333 383 298 357 403 EY eries Chair Type	ers (per baard (per se 44") chair) chair) er chair) a see page hits, please) 3 4 5 5 3 4	94 60 ck) 94 at) 42 126 34 67 43. change th 5 62 Bac	Sing Sing Sing Sing Sing Sing Sing Sing	olid Surfac olid Surfac olid Surfac anging Bra oor-saver on-slip Ru letal Glides lastic Glides	ce Arm Ca ce Arm Ca ce Arm Ca ce Arm Ca cacket Felt Glide bber Glide ces ces ces ces ces ces ces ces ces ce	ap (per pair ap (per pair ap (per pair ap (per pair es les	and add the 9 913 988 Unit Style A Unit with no Center Arm	following u	480 505 532 60 30 18 26 8 pcharges per OPS Open Arm OPU Open Arm CLS Closed Arm	Cap

JORDAN | MULTIPLE SEATING - FREESPAN UNITS WITHOUT CENTER ARMS

				COM		COL	FΔI	BRIC GRA	DES		LEATHER	
DESCRIPTION/MC	DEL		Specie		2	3	4	5	6	7	8	9
		onfigured Fre	· · · · · · · · · · · · · · · · · · ·			, Guest B	acks					
	JOR2-PCF	G24X2AOPS	Beech	2194	2354	2515	2759	2999	3283	3522	3824	4369
	JOR2-PCF	G24X2AOPS	S Maple	2366	2528	2690	2929	3190	3461	3723	4027	4588
							_					
V		onfigured Fre	•	•		•						
		G24X2AOPU		2341	2502	2661	2905	3144		3669	3972	4511
	JURZ-PUR	-G24X2AOPl	J Maple	2511	2675	2833	3075	3339	3606	3870	4173	4734
	24" Pre-C	onfigured Fre	esnan I Init	- Closed	Arm 2 Se	at Guest	Backs					
		G24X2ACLS	•	2322	2482	2643	2884	3129	3409	3649	3951	4498
		G24X2ACLS		2495	2656	2817	3057	3320		3852	4155	4715
V	24" Pre-Co	onfigured Fre	espan Unit	- Closed	Arm Ureth	nane Cap	2 Seat, C	Guest Bac	ks			
		-G24X2ACLU		2469	2629	2790	3032	3272		3798	4099	4643
	JOR2-PCF	-G24X2ACLU	J Maple	2641	2802	2963	3205	3466	3738	4000	4301	4863
	0.411.D					0						
		onfigured Fre FG24X3AOPS						4440	4700	F00.4	F00.4	6.470
		-G24X3AOPS -G24X3AOPS		3201 3453	3442 3705	3683 3946	4037 4308	4419 4710		5204 5574	5664 6008	6479 6801
	00112-505	GLT/JOMUP (ινιαριε	3433	3703	3540	4308	4710	5145	3374	0000	0001
	24" Pre-Co	onfigured Fre	espan Unit	- Open A	rm Uretha	ine Cap 3	Seat. Gu	iest Backs	3			
·		G24X3AOPL		3346	3588	3830	4182	4566		5350	5813	6627
	JOR2-PCF	G24X3AOPL	J Maple	3600	3851	4090	4454	4857		5722	6156	6949
		onfigured Fre	•	- Closed	Arm 3 Se	at, Guest	Backs					
	L	G24X3ACLS		3327	3568	3812	4163	4548		5332	5794	6607
	JOR2-PCF	G24X3ACLS	6 Maple	3581	3833	4074	4434	4839	5273	5701	6138	6932
	04" Dra C	onfinius d Fra	oonon I Init	Classed	Awa I Ivati	ana Can	2 Coot C	Sugat Dag	lea.			
		onfigured Fre FG24X3ACLU		3477	3715	3958	4310	uest Bac 4693		5477	5941	6755
		G24X3ACLU		3729	3978	4221	4583	4985		5850	6284	7075
	00112 1 01	GZ-7707 TOEC	iviapic	0,20	00.0		1000	1000	0110	0000	0201	7070
ORDERING NOT				- Al A	-1-1 :							
A drawing showi	ng the config		multiple sea		ables is re	quired with	n each pur	rchase ord	er.		¢1:-+	
	ng the config		multiple sea	ating and ta	ables is re	quired with	n each pur	rchase ord	er.		\$ List	
A drawing showi	ng the config Upcharges		multiple sea						er. ir) - Gr A W	hite	\$ List	
A drawing showing Jordan Option CAL 133 & Moine Removable Sea	upcharges sture Barrier at Cover (per	(per yard) seat)		\$ List	Sc Sc	lid Surfac	e Arm Ca	ap (per pa ap (per pa	ir) - Gr A W ir) - Gr A Co		474 480	
A drawing showi Jordan Option CAL 133 & Moi Removable Sea 21" & 24" - Rer	Upcharges sture Barrier at Cover (per	(per yard) seat) ck Covers (p	er back)	\$ List 67 94 60	So So So	lid Surfac lid Surfac lid Surfac	e Arm Ca e Arm Ca	ap (per pa ap (per pa ap (per pa	ir) - Gr A W ir) - Gr A Co ir) - Gr B		474 480 505	
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" - Rer	upcharges sture Barrier at Cover (per noveable Bar noveable Par	(per yard) seat) ck Covers (potient Back Co	er back) overs (per b	\$ List 67 94 60 pack) 94	Sc Sc Sc	lid Surfac lid Surfac lid Surfac lid Surfac	e Arm Ca e Arm Ca e Arm Ca e Arm Ca	ap (per pa ap (per pa	ir) - Gr A W ir) - Gr A Co ir) - Gr B		474 480 505 532	
A drawing showi Jordan Option CAL 133 & Moi Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Par noveable Under-	(per yard) seat) ck Covers (pritient Back Co seat Splashg	er back) overs (per b juard (per s	\$ List 67 94 60 pack) 94 eat) 42	So So So Ga	lid Surfac lid Surfac lid Surfac lid Surfac anging Bra	e Arm Ca e Arm Ca e Arm Ca e Arm Ca acket	ap (per pa ap (per pa ap (per pa ap (per pa	ir) - Gr A W ir) - Gr A Co ir) - Gr B		474 480 505 532 60	
A drawing showi Jordan Option CAL 133 & Moi Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Par noveable Understein (not ava	(per yard) seat) ck Covers (potient Back Co seat Splashgailable for 30'	er back) overs (per b guard (per s ' & 44")	\$ List 67 94 60 eack) 94 eat) 42 126	So So So Ga Flo	lid Surfac lid Surfac lid Surfac lid Surfac anging Bra por-saver	e Arm Ca e Arm Ca e Arm Ca e Arm Ca acket Felt Glide	ap (per pa ap (per pa ap (per pa ap (per pa	ir) - Gr A W ir) - Gr A Co ir) - Gr B		474 480 505 532 60 30	
A drawing showi Jordan Option CAL 133 & Moi Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Pathable Understein (not avapholstery - d	(per yard) seat) ck Covers (pertient Back Covers Splashgailable for 30') lual fabrics (percentile)	er back) overs (per b guard (per s ' & 44") per chair)	\$ List 67 94 60 pack) 94 eat) 42 126 34	Sco Sco Sco Ga Flo	lid Surfactilid Surfactilid Surfactilid Surfacting Bracting Bracting Bracting Bracting Bracting Buttern Surfacting Ru	ee Arm Ca ee Arm Ca ee Arm Ca ee Arm Ca acket Felt Glide bber Glid	ap (per pa ap (per pa ap (per pa ap (per pa	ir) - Gr A W ir) - Gr A Co ir) - Gr B		474 480 505 532 60 30 18	
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" Clear Kinetic Back of Combination U Combination U	ng the configure Barrier at Cover (per noveable Barnable Understein (not avapholstery - d	(per yard) seat) ck Covers (petient Back Coseat Splashgailable for 30' lual fabrics (petiron)	er back) bvers (per b guard (per s ' & 44") ber chair) (per chair)	\$ List 67 94 60 back) 94 eat) 42 126 34 67	Sco Sco Sco Ga Flo No	lid Surfac lid Surfac lid Surfac lid Surfac anging Bra por-saver	ee Arm Ca ee Arm Ca ee Arm Ca ee Arm Ca acket Felt Glide bber Glid	ap (per pa ap (per pa ap (per pa ap (per pa	ir) - Gr A W ir) - Gr A Co ir) - Gr B		474 480 505 532 60 30	
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination Un Additional feature	ng the configure Barrier at Cover (per noveable Barrier noveable Par nable Understein (not avapholstery - dipholstery - Tures and optimize and optimize the configure and optimize the configure and optimize the configure and optimize and optimize and optimize and optimize the configure and optimize the configuration and optimize the c	(per yard) seat) ck Covers (pitient Back Co seat Splashg ailable for 30' lual fabrics (pitree fabrics)	er back) overs (per b guard (per s ' & 44") oer chair) (per chair) ion see pag	\$ List 67 94 60 pack) 94 42 126 34 67 ge 43.	So So So Ga Flo No Me	lid Surface lid Surface lid Surface lid Surface anging Brace por-saver por-slip Ru etal Glides astic Glides	e Arm Ca e Arm Ca e Arm Ca e Arm Ca acket Felt Glide bber Glid es	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A W ir) - Gr A Co ir) - Gr B ir) - Gr C	blor	474 480 505 532 60 30 18 26 8	
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U Combination U Additional feature Patient backs and Combine Sea 2012 - 10	ng the configuration of the co	(per yard) seat) ck Covers (pritient Back Coseat Splashg ailable for 30' lual fabrics (pritient fabrics) ons information pre-configured	er back) pvers (per b guard (per s ' & 44") per chair) (per chair) ion see pac d units, pleas	\$ List 67 94 60 pack) 94 42 126 34 67 ge 43. e change th	Sc Sc Sc Ga Flo No Me Pla	olid Surface lid Surface lid Surface lid Surface or-saver on-slip Ru etal Glides astic Glide	ee Arm Ca ee Arm Ca ee Arm Ca ee Arm Ca acket Felt Glide bbber Glide ses	ap (per pa ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A W ir) - Gr A Co ir) - Gr B ir) - Gr C	blor	474 480 505 532 60 30 18 26 8	r back:
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination Un Additional feature	ng the configure Barrier at Cover (per noveable Barrier noveable Par nable Understein (not avapholstery - dipholstery - Tures and optimize and optimize the configure and optimize the configure and optimize the configure and optimize and optimize and optimize and optimize the configure and optimize the configuration and optimize the c	(per yard) seat) ck Covers (pritient Back Coseat Splashg ailable for 30' lual fabrics (pritient fabrics) ons information pre-configured	er back) pvers (per b guard (per s ' & 44") per chair) (per chair) ion see pag d units, pleas	\$ List 67 94 60 pack) 94 42 126 34 67 ge 43. e change th	Sc Sc Sc Ga Flo No Me Pla	lid Surface lid Surface lid Surface lid Surface anging Brace por-saver por-slip Ru etal Glides astic Glides	e Arm Ca e Arm Ca e Arm Ca e Arm Ca acket Felt Glide bber Glid es	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A W ir) - Gr A Co ir) - Gr B ir) - Gr C	blor	474 480 505 532 60 30 18 26 8	r back:
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U Combination U Additional feature Patient backs and Combine Sea 2012 - 10	ng the configuration of the co	(per yard) seat) ck Covers (per yard) tient Back Covers (per yard) seat Splashgailable for 30' ual fabrics (per yard) und fabrics (per yard) und fabrics (per yard) und fabrics (per yard) und fabrics (per yard)	er back) pvers (per b guard (per s ' & 44") per chair) (per chair) ion see pac d units, pleas	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th	Sc Sc Sc Sc Flc Nc Me Pla ne model no	lid Surface lid Su	ee Arm Ca ee Arm Ca ee Arm Ca ee Arm Ca acket Felt Glide bbber Glide ses	ap (per pa ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A W ir) - Gr A Co ir) - Gr B ir) - Gr C	blor	474 480 505 532 60 30 18 26 8	r back:
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination Up Combination Up Additional feature Patient backs ar Fabric Grades	ng the configure Barrier at Cover (per noveable Barrier) able Understein (not avapholstery - dipholstery - Tures and optice available on (COM) 1	(per yard) seat) ck Covers (per yard) tient Back Covers (per yard) seat Splashgailable for 30' ual fabrics (per yard) und fabrics (per yard) und fabrics (per yard) yellow (cover yard) ye	er back) overs (per b guard (per s 3 & 44") er chair) (per chair) ion see pag d units, pleas DL) 3 4	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th	Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc S	lid Surface lid Su	ee Arm Ca ee Arm Ca ee Arm Ca ee Arm Ca acket Felt Glide bber Glide es 2-PC G to	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wi ir) - Gr A Co ir) - Gr B ir) - Gr C	blor	474 480 505 532 60 30 18 26 8	r back:
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" Clear Kinetic Back of Combination Un Combination Un Additional feature Patient backs ar Fabric Grades 21" Chair 24" Chair	sture Barrier at Cover (per noveable Barnable Understion (not avapholstery - dipholstery - Tures and optie e available on (COM) 1	(per yard) seat) ck Covers (per yard) tient Back Covers (per yard) seat Splashgailable for 30' ual fabrics (per yard) und fabrics (per yard) und fabrics (per yard) yellow (cover yard) ye	er back) overs (per b guard (per s ' & 44") her chair) (per chair) ion see pag d units, pleas DL) 3 4 83 50	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th 1 50 59	Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc S	lid Surface lid Su	ee Arm Case	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wi ir) - Gr A Co ir) - Gr B ir) - Gr C and add the	blor	474 480 505 532 60 30 18 26 8	r back:
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" Clear Kinetic Back option Combination Under Combi	ng the configure Barrier at Cover (per noveable Barrier and pholstery - dipholstery - Tures and optime available on (COM) 1 282 298 KEY	(per yard) seat) ck Covers (per yard) ck Covers (per yard) cheef Each Cove	er back) overs (per b guard (per s 3 & 44") her chair) (per chair) ion see pag d units, pleas DL) 3 4 183 50 103 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change the 4 100 59 34 62	Sc Sc Sc Sc Sc Sc Sc Sc No No Pla ne model no 5	lid Surface lid Su	ee Arm Case	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wi ir) - Gr A Co ir) - Gr B ir) - Gr C and add the 9 913 988	blor	474 480 505 532 60 30 18 26 8	r back:
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" Clear Kinetic Back of Combination Un Combination Un Additional feature Patient backs ar Fabric Grades 21" Chair 24" Chair	sture Barrier at Cover (per noveable Barnable Understion (not avapholstery - dipholstery - Tures and optie e available on (COM) 1	(per yard) seat) ck Covers (per yard) tient Back Covers (per yard) seat Splashgailable for 30' ual fabrics (per yard) und fabrics (per yard) und fabrics (per yard) yellow (cover yard) ye	er back) overs (per b guard (per s 3 & 44") her chair) (per chair) ion see pag d units, pleas DL) 3 4 183 50 103 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change the 4 100 59 34 62	Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc Sc S	lid Surface lid Su	ee Arm Case	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wi ir) - Gr A Co ir) - Gr B ir) - Gr C and add the	blor	474 480 505 532 60 30 18 26 8	r back:
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination Up Combination Up Additional feature Patient backs ar Fabric Grades 21" Chair 24" Chair PRODUCT CODE Line	ng the configuration of the co	(per yard) seat) ck Covers (pritent Back Covers (pritent Back Covers) character (pritent Back Covers) character (pritent Back Covers) consinformations informations (pre-configured 2 (CC) 333 357 4	er back) overs (per b guard (per s 3 & 44") her chair) (per chair) ion see pag d units, pleas DL) 3 4 183 50 103 53	\$ List 67 94 60 pack) 94 42 126 34 67 ge 43. e change the 4 50 84 62 Bac	So So So Ga Flo Me Pla ne model no 5 97 6 20 7	lid Surface lid Su	te Arm Ca te Arm	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A W ir) - Gr A Co ir) - Gr B ir) - Gr C and add the 9 913 988	blor	474 480 505 532 60 30 18 26 8	r back:
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U Combination U Additional feature Patient backs are Fabric Grades 21" Chair 24" Chair PRODUCT CODE Line	ng the configure Upcharges sture Barrier at Cover (per noveable Barnable Understender) and the configure of	(per yard) seat) ck Covers (per yard) ck Covers (per yard) tient Back Covers (per yard) seat Splashing till able for 30' dual fabrics (per yard) three fabrics (per yard) ons information pre-configured 2 (CCC) 333 3 357 4 Chair Typ	er back) overs (per b guard (per s ' & 44") over chair) (per chair) ion see pag d units, pleas DL) 3 2 883 50 03 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th 4 50 34 62 Bac	Sci Sci Sci Sci Sci Re Pla ine model nu 5	lid Surface lid Su	ee Arm Case	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wir) - Gr A Co ir) - Gr B ir) - Gr B and add the 9 913 988	following u	474 480 505 532 60 30 18 26 8 upcharges per	r back:
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination Up Combination Up Additional feature Patient backs ar Fabric Grades 21" Chair 24" Chair PRODUCT CODE Line	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Par noveable Understein (not available understein (not available on (COM) 1 282 298 KEY Series	(per yard) seat) ck Covers (pritent Back Covers (pritent Back Covers) character (pritent Back Covers) character (pritent Back Covers) consinformations informations (pre-configured 2 (CC) 333 357 4	er back) povers (per b guard (per s ' & 44") per chair) (per chair) (per chair) d units, pleas DL) 3 4 883 50 103 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th 4 50 34 62 Bac	So So So Ga Flo Me Pla ne model no 5 97 6 20 7	lid Surface lid Su	te Arm Ca te Arm	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A W ir) - Gr A Co ir) - Gr B ir) - Gr C and add the 9 913 988	following u	474 480 505 532 60 30 18 26 8	r back:
A drawing showing Jordan Option CAL 133 & Moine Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U Combination U Additional feature Patient backs are Fabric Grades 21" Chair 24" Chair PRODUCT CODE Line	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Par noveable Understein (not available understein (not available on (COM) 1 282 298 KEY Series	(per yard) seat) ck Covers (properties of the properties of the pr	er back) povers (per b guard (per s ' & 44") per chair) (per chair) (per chair) d units, pleas DL) 3 4 883 50 103 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th 4 50 34 62 Bac	Sc Sc Sc Ga Flo No Me Pla ane model no 5 20 7 6 20 7	lid Surface lid Su	ee Arm Case Arm Case Arm Case Arm Case Arm Case Arm Case Cacket Felt Glides been Glides Ses 2-PCG to 7	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wir) - Gr A Co ir) - Gr B ir) - Gr C and add the 9 913 988 Unit Style	following u	474 480 505 532 60 30 18 26 8 supcharges per	r back:
A drawing showi Jordan Option CAL 133 & Moi: Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U Combination U Additional featu Patient backs ar Fabric Grades 21" Chair 24" Chair PRODUCT CODE Line	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Par noveable Understein (not available understein (not available on (COM) 1 282 298 KEY Series	(per yard) seat) ck Covers (properties of the properties of the pr	er back) povers (per b guard (per s ' & 44") per chair) (per chair) (per chair) d units, pleas DL) 3 4 883 50 103 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th 1 5 00 59 84 62 Bac Guer	Sc Sc Sc Ga Flo No Me Pla ane model no 5 20 7 6 20 7	lid Surface lid Su	te Arm Ca te Arm	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wir) - Gr A Co ir) - Gr B ir) - Gr C and add the 9 913 988 Unit Style Unit with no Center Arm	following u	474 480 505 532 60 30 18 26 8 supcharges per	r back:
A drawing showi Jordan Option CAL 133 & Moi: Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U Combination U Additional featu Patient backs ar Fabric Grades 21" Chair 24" Chair PRODUCT CODE Line	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Par noveable Understein (not available understein (not available on (COM) 1 282 298 KEY Series	(per yard) seat) ck Covers (properties of the properties of the pr	er back) povers (per b guard (per s ' & 44") per chair) (per chair) (per chair) d units, pleas DL) 3 4 883 50 103 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th 1 5 00 59 84 62 Bac Guer	Sc Sc Sc Ga Flo No Me Pla ane model no 5 20 7 6 20 7	lid Surface lid Su	ee Arm Case Arm Case Arm Case Arm Case Arm Case Arm Case Cacket Felt Glides been Glides Ses 2-PCG to 7	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wir) - Gr A Co ir) - Gr B ir) - Gr C and add the 9 913 988 Unit Style	following u	474 480 505 532 60 30 18 26 8 appcharges per	
A drawing showi Jordan Option CAL 133 & Moi: Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U Combination U Additional featu Patient backs ar Fabric Grades 21" Chair 24" Chair PRODUCT CODE Line	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Par noveable Understein (not available understein (not available on (COM) 1 282 298 KEY Series	(per yard) seat) ck Covers (properties of the properties of the pr	er back) povers (per b guard (per s ' & 44") per chair) (per chair) (per chair) d units, pleas DL) 3 4 883 50 103 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th 1 5 00 59 84 62 Bac Guer	Sc Sc Sc Ga Flo No Me Pla ane model no 5 20 7 6 20 7	lid Surface lid Su	ee Arm Case Arm Case Arm Case Arm Case Arm Case Arm Case Cacket Felt Glides been Glides Ses 2-PCG to 7	ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wir) - Gr A Coir) - Gr B ir) - Gr C and add the 9 913 988 Unit Style A Unit with no Center Arm B Unit with	following u	474 480 505 532 60 30 18 26 8 upcharges per	
A drawing showi Jordan Option CAL 133 & Moi: Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U Combination U Additional featu Patient backs ar Fabric Grades 21" Chair 24" Chair PRODUCT CODE Line	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Par noveable Understein (not available understein (not available on (COM) 1 282 298 KEY Series	(per yard) seat) ck Covers (properties of the properties of the pr	er back) povers (per b guard (per s ' & 44") per chair) (per chair) (per chair) d units, pleas DL) 3 4 883 50 103 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th 1 5 00 59 84 62 Bac Guer	Sc Sc Sc Ga Flo No Me Pla ane model no 5 20 7 6 20 7	lid Surface lid Su	ee Arm Case Arm Case Arm Case Arm Case Arm Case Arm Case Cacket Felt Glides been Glides Ses 2-PCG to 7	ap (per pa ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wir) - Gr A Coir) - Gr B ir) - Gr C and add the 9 913 988 Unit Style A Unit with no Center Arm B Unit with	following u	474 480 505 532 60 30 18 26 8 supcharges per	
A drawing showi Jordan Option CAL 133 & Moi: Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U Combination U Additional featu Patient backs ar Fabric Grades 21" Chair 24" Chair PRODUCT CODE Line	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Par noveable Understein (not available understein (not available on (COM) 1 282 298 KEY Series	(per yard) seat) ck Covers (properties of the properties of the pr	er back) povers (per b guard (per s ' & 44") per chair) (per chair) (per chair) d units, pleas DL) 3 4 883 50 103 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th 1 5 00 59 84 62 Bac Guer	Sc Sc Sc Ga Flo No Me Pla ane model no 5 20 7 6 20 7	lid Surface lid Su	se Arm Case	ap (per pa ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wir) - Gr A Coir) - Gr B ir) - Gr C and add the 9 913 988 Unit Style A Unit with no Center Arm B Unit with	following u	474 480 505 532 60 30 18 26 8 upcharges per	
A drawing showi Jordan Option CAL 133 & Moi: Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U Combination U Additional featu Patient backs ar Fabric Grades 21" Chair 24" Chair PRODUCT CODE Line	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Par noveable Understein (not available understein (not available on (COM) 1 282 298 KEY Series	(per yard) seat) ck Covers (properties of the properties of the pr	er back) povers (per b guard (per s ' & 44") per chair) (per chair) (per chair) d units, pleas DL) 3 4 883 50 103 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th 1 5 00 59 84 62 Bac Guer	Sc Sc Sc Ga Flo No Me Pla ane model no 5 20 7 6 20 7	lid Surface lid Su	se Arm Case	ap (per pa ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wir) - Gr A Coir) - Gr B ir) - Gr C and add the 9 913 988 Unit Style A Unit with no Center Arm B Unit with	following u	474 480 505 532 60 30 18 26 8 appcharges per OPS Open Arm OPU Open Arm ethane Arm C CLS Closed Arm	
A drawing showi Jordan Option CAL 133 & Moi: Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U Combination U Additional featu Patient backs ar Fabric Grades 21" Chair 24" Chair PRODUCT CODE Line	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Par noveable Understein (not available understein (not available on (COM) 1 282 298 KEY Series	(per yard) seat) ck Covers (properties of the properties of the pr	er back) povers (per b guard (per s ' & 44") per chair) (per chair) (per chair) d units, pleas DL) 3 4 883 50 103 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th 1 5 00 59 84 62 Bac Guer	Sc Sc Sc Ga Flo No Me Pla ane model no 5 20 7 6 20 7	lid Surface lid Su	se Arm Case	ap (per pa ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wir) - Gr A Coir) - Gr B ir) - Gr C and add the 9 913 988 Unit Style A Unit with no Center Arm B Unit with	following u	474 480 505 532 60 30 18 26 8 appcharges per OPS Open Arm OPU Open Arm CLS Closed Arm	
A drawing showi Jordan Option CAL 133 & Moi: Removable Sea 21" & 24" - Rer 21" & 24" - Rer 21" & 24" Clear Kinetic Back op Combination U Combination U Additional featu Patient backs ar Fabric Grades 21" Chair 24" Chair PRODUCT CODE Line	ng the configure Upcharges sture Barrier at Cover (per noveable Barnoveable Par noveable Understein (not available understein (not available on (COM) 1 282 298 KEY Series	(per yard) seat) ck Covers (properties of the properties of the pr	er back) povers (per b guard (per s ' & 44") per chair) (per chair) (per chair) d units, pleas DL) 3 4 883 50 103 53	\$ List 67 94 60 pack) 94 leat) 42 126 34 67 ge 43. e change th 1 5 00 59 84 62 Bac Guer	Sc Sc Sc Ga Flo No Me Pla ane model no 5 20 7 6 20 7	lid Surface lid Su	se Arm Case	ap (per pa ap (per pa ap (per pa ap (per pa ap (per pa es les	ir) - Gr A Wir) - Gr A Coir) - Gr B ir) - Gr C and add the 9 913 988 Unit Style A Unit with no Center Arm B Unit with	following u	474 480 505 532 60 30 18 26 8 appcharges per OPS Open Arm OPU Open Arm ethane Arm C CLS Closed Arm	ар

JORDAN | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

			COM		COL	FA	ABRIC GR	ADES		LEATHER	
DESCRIPTION/MC	DEL	Species	1	2	3	4	5	6	7	8	9
	21" Pre-Configured Free			-							
	JOR2-PCFG21X2BOPS JOR2-PCFG21X2BOPS		2194 2347	2354 2506	2515 2668	2759 2910	2999	3260	3522 3705	3824 4005	4369
		·					3036	3442		4005	4569
	21" Pre-Configured Free		er Arm	Unit - Ope	n Arm Ur	ethane Ca	ap 2 Seat,	Guest Ba	cks		
U	JOR2-PCFG21X2BOPU JOR2-PCFG21X2BOPU		2413	2574	2737	2978	3220	3480	3742	4044	4587
			2566	2725	2885	3131	3392	3662	3924	4225	4789
	21" Pre-Configured Free	snan Cent	er Arm	Linit - Clos	sed Arm 2	Seat Gu	est Backs				
	JOR2-PCFG21X2BCLS		2386	2548	2709	2948	3190	3453	3713	4016	4560
	JOR2-PCFG21X2BCLS	Maple	2538	2698	2859	3103	3365	3634	3896	4196	4760
	21" Pre-Configured Free	span Cent	er Arm	Unit - Clos	sed Arm L	Jrethane (Cap 2 Seat	. Guest B	acks		
U V	JOR2-PCFG21X2BCLU	Beech	2607	2767	2928	3172	3410	3672	3932	4237	4780
	JOR2-PCFG21X2BCLU	Maple	2759	2917	3080	3321	3582	3853	4116	4417	4981
	21" Pre-Configured Free					,		4000	F0 : :	F700	050:
	JOR2-PCFG21X3BOPS JOR2-PCFG21X3BOPS		3242 3476	3481 3723	3723 3964	4076 4324	4459 4730	4832 5164	5244 5595	5708 6008	6521 6821
	JUN2-FUI GZ 1/JBUF3	Maple	3470	3723	3904	4324	4730	3104	3393	0000	0021
	21" Pre-Configured Free		er Arm	Unit - Ope	n Arm Ur	ethane Ca	ap 3 Seat,	Guest Ba	cks		
	JOR2-PCFG21X3BOPU JOR2-PCFG21X3BOPU		3534	3774	4016	4370	4753	5122	5537	6001	6816
	TOTAL TOTAL TROBOT O	Ινιαρίο	3767	4016	4260	4618	5023	5455	5889	6302	7117
	04" D O C 1 F		Δ	LI-di Ola		0 1 - 0 -	I D I				
	21" Pre-Configured Free JOR2-PCFG21X3BCLS		3496	3739	sed Arm 3 3979	4335 4335	iest Backs 4714	5086	5502	5962	6778
	JOR2-PCFG21X3BCLS		3730	3979	4222	4584	4986	5422	5851	6266	7080
	04" D		Δ	LL-ii Ol-			2 0 . 0	0			
U	21" Pre-Configured Free JOR2-PCFG21X3BCLU		3788	4033	sea Arm C 4271	retnane (4625	5009 5009	, Guest B 5378	5793	6255	7070
	JOR2-PCFG21X3BCLU		4020	4271	4511	4876	5281	5713	6144	6557	7371
ORDERING NOTES:											
	the configuration of the mu	Itiple seatir	ng and ta	ables is req	uired with	each purc	hase order				
Jordan Option Up	ocharges		\$ List							\$ List	
CAL 133 & Moistur	re Barrier (per yard)		67	Soli	d Surface	Δrm Can	(per arm)	- Gr A WI	nite	249	
Removable Seat C	. ,		94		d Surface		. ,			252	
	reable Back Covers (per b	ack)	60			: Arm Cap				202	
			00	3011			(per arm)			262	
	21" & 24" - Removeable Patient Back Cover			Soli	d Surface d Surface	Arm Cap Arm Cap	(per arm) (per arm)	- Gr B - Gr C		262 277	
17: 11: D 1 11:	le Under-seat Splashguare	d (per seat	k) 94 t) 42	Soli Soli	d Surface d Surface d Surface	Arm Cap Arm Cap Arm Cap	(per arm) (per arm) (per pair)	- Gr B - Gr C - Gr A Wh	nite	262 277 474	
	le Under-seat Splashguar n (not available for 30" & 4	d (per seat 44")	k) 94 t) 42 126	Soli Soli Soli	d Surface d Surface d Surface d Surface	Arm Cap Arm Cap Arm Cap Arm Cap	(per arm) (per arm) (per pair) (per pair)	- Gr B - Gr C - Gr A Wh - Gr A Co	nite	262 277 474 480	
Combination Upho	le Under-seat Splashguard n (not available for 30" & 4 olstery - dual fabrics (per c	d (per seat 44") chair)	k) 94 t) 42 126 34	Soli Soli Soli	d Surface d Surface d Surface d Surface d Surface	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap	(per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B	nite	262 277 474	
Combination Upho	le Under-seat Splashguar n (not available for 30" & 4	d (per seat 44") chair)	k) 94 t) 42 126	Soli Soli Soli Soli	d Surface d Surface d Surface d Surface d Surface	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap	o (per arm) o (per arm) o (per pair) o (per pair) o (per pair) o (per pair)	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B	nite	262 277 474 480 505	
Combination Upho Combination Upho Ganging Bracket	le Under-seat Splashguar n (not available for 30" & 4 olstery - dual fabrics (per c olstery - Three fabrics (per	d (per seat 44") chair) chair)	k) 94 t) 42 126 34 67 60	Soli Soli Soli Soli Floo Nor	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides	o (per arm) o (per arm) o (per pair) o (per pair) o (per pair) o (per pair)	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B	nite	262 277 474 480 505 532 30 18	
Combination Upho Combination Upho Ganging Bracket Additional features	le Under-seat Splashguar n (not available for 30" & 4 olstery - dual fabrics (per colstery - Three fabrics (per s and options information s	d (per seat 44") chair) chair)	k) 94 t) 42 126 34 67 60	Soli Soli Soli Soli Floo Nor Met	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	o (per arm) o (per arm) o (per pair) o (per pair) o (per pair) o (per pair)	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B	nite	262 277 474 480 505 532 30 18 26	
Combination Upho Combination Upho Ganging Bracket Additional features	le Under-seat Splashguar n (not available for 30" & 4 olstery - dual fabrics (per c olstery - Three fabrics (per	d (per seat 44") chair) chair)	k) 94 t) 42 126 34 67 60	Soli Soli Soli Soli Floo Nor Met	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	o (per arm) o (per arm) o (per pair) o (per pair) o (per pair) o (per pair)	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B	nite	262 277 474 480 505 532 30 18	
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option	le Under-seat Splashguar n (not available for 30" & 4 olstery - dual fabrics (per colstery - Three fabrics (per s and options information s n upcharges page 154.	d (per seat 44") chair) chair)	k) 94 t) 42 126 34 67 60	Soli Soli Soli Soli Floo Nor Met	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	o (per arm) o (per arm) o (per pair) o (per pair) o (per pair) o (per pair)	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B	nite	262 277 474 480 505 532 30 18 26	
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option	le Under-seat Splashguar n (not available for 30" & 4 blstery - dual fabrics (per colstery - Three fabrics (per s and options information on n upcharges page 154.	d (per seat 44") chair) chair)	k) 94 t) 42 126 34 67 60	Soli Soli Soli Soli Floc Nor Met Plas	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	o (per arm) o (per arm) o (per pair) o (per pair) o (per pair) o (per pair)	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B - Gr C	nite	262 277 474 480 505 532 30 18 26	
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option	le Under-seat Splashguar n (not available for 30" & 4 olstery - dual fabrics (per colstery - Three fabrics (per s and options information s n upcharges page 154.	d (per seat 44") chair) chair)	k) 94 t) 42 126 34 67 60	Soli Soli Soli Soli Floo Nor Met	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	o (per arm) o (per arm) o (per pair) o (per pair) o (per pair) o (per pair)	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B	nite	262 277 474 480 505 532 30 18 26	
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option PRODUCT CODE KE Line Sei	le Under-seat Splashguarin (not available for 30" & 4 olstery - dual fabrics (per colstery - Three fabrics (per sand options information in upcharges page 154.	d (per seat 44") chair) chair)	k) 94 t) 42 126 34 67 60	Soli Soli Soli Soli Floc Nor Met Plas	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	o (per arm) o (per arm) o (per pair) o (per pair) o (per pair) o (per pair)	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B - Gr C	nite	262 277 474 480 505 532 30 18 26	
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option PRODUCT CODE KE Line Sei	le Under-seat Splashguarin (not available for 30" & 4 blstery - dual fabrics (per colstery - Three fabrics (per sand options informations in upcharges page 154. Y Tries Chair Type PCF Three-Configured Pre-Configured	d (per seat 44") chair) chair) chair) see page 4	k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Floo Nor Met Plas	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Elt Glides Ber Glides	p (per arm) p (per arm) p (per pair) s	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B - Gr C	nite	262 277 474 480 505 532 30 18 26 8	
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option PRODUCT CODE KE Line Ser JOR	le Under-seat Splashguarin (not available for 30" & 4 blstery - dual fabrics (per colstery - Three fabrics (per sand options information sin upcharges page 154. Y Tries Chair Type PCF	d (per seat 44") chair) chair) chair) see page 4	k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Floo Nor Met Plas	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Elt Glides Ber Glides	p (per arm) p (per arm) p (per pair) s	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B - Gr C	nite	262 277 474 480 505 532 30 18 26 8	
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option PRODUCT CODE KE Line Ser JOR	le Under-seat Splashguarin (not available for 30" & 4 blstery - dual fabrics (per colstery - Three fabrics (per sand options informations in upcharges page 154. Y Tries Chair Type PCF Three-Configured Pre-Configured	d (per seat 44") chair) chair) chair) see page 4	k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Floo Nor Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Elt Glides Ber Glides	p (per arm) p (per arm) p (per pair) s	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B - Gr C Unit Style A Juit with no Center Arm	nite	262 277 474 480 505 532 30 18 26 8	
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option PRODUCT CODE KE Line Ser JOR	le Under-seat Splashguarin (not available for 30" & 4 blstery - dual fabrics (per colstery - Three fabrics (per sand options informations in upcharges page 154. Y Tries Chair Type PCF Three-Configured Pre-Configured	d (per seat 44") chair) chair) chair) see page 4	k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Soli Floc Nor Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Belt Glides Ber Glides	p (per arm) p (per arm) p (per pair) s	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B - Gr C Unit Style A Juit with no Center Arm B Unit with	nite	262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm OPU Open Arm	
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option PRODUCT CODE KE Line Ser JOR	le Under-seat Splashguarin (not available for 30" & 4 blstery - dual fabrics (per colstery - Three fabrics (per sand options informations in upcharges page 154. Y Tries Chair Type PCF Three-Configured Pre-Configured	d (per seat 44") chair) chair) chair) see page 4	k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Floo Nor Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Ber Glides Size	p (per arm) p (per arm) p (per pair) s	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B - Gr C Unit Style A Juit with no Center Arm	nite	262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm OPU Open Arm OPU Open Arm Cap	
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option PRODUCT CODE KE Line Ser JOR	le Under-seat Splashguarin (not available for 30" & 4 blstery - dual fabrics (per colstery - Three fabrics (per sand options informations in upcharges page 154. Y Tries Chair Type PCF Three-Configured Pre-Configured	d (per seat 44") chair) chair) chair) see page 4	k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Floo Nor Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Belt Glides Ber Glides	p (per arm) p (per arm) p (per pair) s	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B - Gr C Unit Style A Juit with no Center Arm B Unit with	nite	262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm OPU Open Arm Cap	
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option PRODUCT CODE KE Line Ser JOR	le Under-seat Splashguarin (not available for 30" & 4 blstery - dual fabrics (per colstery - Three fabrics (per sand options informations in upcharges page 154. Y Tries Chair Type PCF Three-Configured Pre-Configured	d (per seat 44") chair) chair) chair) see page 4	k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Floo Nor Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Ber Glides Size	p (per arm) p (per arm) p (per pair) s	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B - Gr C Unit Style A Juit with no Center Arm B Unit with	nite	262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm OPU Open Arm OPU Open Arm Cap	p
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option PRODUCT CODE KE Line Ser JOR	le Under-seat Splashguarin (not available for 30" & 4 blstery - dual fabrics (per colstery - Three fabrics (per sand options informations in upcharges page 154. Y Tries Chair Type PCF Three-Configured Pre-Configured	d (per seat 44") chair) chair) chair) see page 4	k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Floo Nor Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Ber Glides Size	p (per arm) p (per arm) p (per pair) s	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B - Gr C Unit Style A Juit with no Center Arm B Unit with	nite	262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm OPU Open Arm Cap	p
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option PRODUCT CODE KE Line Ser JOR	le Under-seat Splashguarin (not available for 30" & 4 blstery - dual fabrics (per colstery - Three fabrics (per sand options informations in upcharges page 154. Y Tries Chair Type PCF Three-Configured Pre-Configured	d (per seat 44") chair) chair) chair) see page 4	k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Floo Nor Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Ca	p (per arm) p (per arm) p (per pair) s	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B - Gr C Unit Style A Juit with no Center Arm B Unit with	o Ure	262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm OPU Open Arm Cap CLS Closed Arm CLU Closed Arm	
Combination Upho Combination Upho Ganging Bracket Additional features Patient back option PRODUCT CODE KE Line Sei	le Under-seat Splashguarin (not available for 30" & 4 blstery - dual fabrics (per colstery - Three fabrics (per sand options informations in upcharges page 154. Y Tries Chair Type PCF Three-Configured Pre-Configured	d (per seat 44") chair) chair) chair) see page 4	k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Floo Nor Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface or-saver F n-slip Rub al Glides	Arm Cap Arm Ca	p (per arm) p (per arm) p (per pair) s	- Gr B - Gr C - Gr A Wh - Gr A Co - Gr B - Gr C Unit Style A Juit with no Center Arm B Unit with	o Ure	262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm OPU Open Arm CLS Closed Arm CLU	

JORDAN | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

			COM		COL	FA	ABRIC GR			LEATHER	
DESCRIPTION/MOI	DEL	Species	1	2	3	4	5	6	7	8	9
	24" Pre-Configured Fre							0000	0000	0000	444
	JOR2-PCFG24X2BOPS			2434	2595	2838	3080	3363	3603	3903	444
	JOR2-PCFG24X2BOPS	s iviapie	2445	2609	2768	3010	3270	3542	3805	4106	466
	24" Pre-Configured Fre	espan Ce	enter Arm	n Unit - Or	en Arm L	Irethane (Cap 2 Sea	t. Guest Ba	icks		
V	JOR2-PCFG24X2BOPL		2495	2656	2817	3057	3299	3581	3823	4126	466
	JOR2-PCFG24X2BOPL	J Maple	2665	2828	2989	3229	3492	3761	4021	4323	488
				2020	2000	0220	0.02	0.0.	.02.	.020	
	24" Pre-Configured Fre	espan Ce	enter Arm	n Unit - Cl	osed Arm	2 Seat, G	uest Back	(S			
	JOR2-PCFG24X2BCLS		2465	2628	2789	3030	3270	3553	3794	4097	464
ı H h	JOR2-PCFG24X2BCLS	Maple	2640	2801	2961	3204	3463	3736	3999	4297	486
Ų	24" Pre-Configured Fre JOR2-PCFG24X2BCLU		enter Arm	n Unit - Cl	osed Arm	Urethane	Cap 2 Se	at, Guest E	Backs		
	JOR2-PCFG24X2BCLU		2686	2848	3009	3250	3492	3773	4014	4317	486
	OUNZ I OI GZ-AZBOLO	iviapic	2857	3020	3180	3423	3683	3955	4214	4520	508
	24" Pre-Configured Fre	ospan Co	ntor Arm	a l Init Or	on Arm 2	Soat Gu	oct Books				
	JOR2-PCFG24X3BOPS		3363	3603	3845	4196	4581	4950	5365	5826	664
	JOR2-PCFG24X3BOPS		3613	3866	4106	4469	4870	5305	5737	6169	696
	00.12 . 0. 0.2		3013	3000	4100	4403	4070	3303	3737	0103	030
	24" Pre-Configured Fre		enter Arm	n Unit - Op	oen Arm U	Jrethane C	Cap 3 Sea	t, Guest Ba	acks		
•	JOR2-PCFG24X3BOPU		3657	3896	4137	4491	4873	5244	5658	6121	693
	JOR2-PCFG24X3BOPL	J Maple	3906	4158	4398	4760	5164	5598	6029	6463	725
	24" Pre-Configured Fre								FC00	0000	CO
	JOR2-PCFG24X3BCLS		3618	3856	4101 4361	4454 4727	4838	5209	5620 5993	6083	689 721
	JOR2-PCFG24X3BCLS	iviapie	3870	4123	4301	4121	5129	5559	3993	6426	12
U	24" Pre-Configured Fre	espan Ce	enter Arm	n Unit - Cl	osed Arm	Urethane	Cap 3 Se	at. Guest E	Backs		
	JOR2-PCFG24X3BCLU		3909	4152	4393	4747	5130	5502	5914	6377	719
	JOR2-PCFG24X3BCLU	J Maple	4161	4415	4656	5019	5422	5854	6285	6718	751
					illed With	each purch	iase order.				
Jordan Option Upo	charges		\$ List		inea with	each puici	iase order.			\$ List	
				Soli					te.		
CAL 133 & Moisture	e Barrier (per yard)		67		d Surface	Arm Cap	(per arm)	- Gr A Whi		249	
CAL 133 & Moisture Removable Seat Co	e Barrier (per yard) over (per seat)	ack)		Soli	d Surface d Surface	Arm Cap Arm Cap	(per arm)	- Gr A Whi - Gr A Col			
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove	e Barrier (per yard)	,	67 94 60	Soli Soli	d Surface d Surface d Surface	Arm Cap Arm Cap Arm Cap	(per arm) (per arm)	- Gr A Whi - Gr A Col - Gr B		249 252	
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove	e Barrier (per yard) over (per seat) eable Back Covers (per ba	s (per bac	67 94 60 sk) 94	Soli Soli Soli Soli	d Surface d Surface d Surface d Surface d Surface	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap	(per arm) (per arm) (per arm) (per arm) (per pair)	- Gr A Whi - Gr A Col - Gr B - Gr C - Gr A Whi	or te	249 252 262	
CAL 133 & Moisture Removable Seat Co 11" & 24" - Remove 11" & 24" - Remove	e Barrier (per yard) over (per seat) eable Back Covers (per ba eable Patient Back Covers	s (per bac I (per sea	67 94 60 sk) 94	Soli Soli Soli Soli	d Surface d Surface d Surface d Surface d Surface	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap	(per arm) (per arm) (per arm) (per arm) (per pair)	- Gr A Whi - Gr A Colo - Gr B - Gr C	or te	249 252 262 277 474 480	
CAL 133 & Moisture Removable Seat Co 11" & 24" - Remove 11" & 24" - Remove 11" & 24" Cleanable Cinetic Back option Combination Uphols	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Patient Back Covers e Under-seat Splashguard (not available for 30" & 4 stery - dual fabrics (per cl	s (per bac I (per sea 4") hair)	67 94 60 8k) 94 t) 42 126 34	Soli Soli Soli Soli Soli	d Surface d Surface d Surface d Surface d Surface d Surface d Surface	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap	(per arm) (per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Cold - Gr B - Gr C - Gr A Whi - Gr A Cold - Gr B	or te	249 252 262 277 474 480 505	
CAL 133 & Moisture Removable Seat Co 11" & 24" - Remove 11" & 24" - Remove 11" & 24" Cleanable (inetic Back option Combination Uphols Combination Uphols	e Barrier (per yard) over (per seat) eable Back Covers (per be eable Patient Back Covers e Under-seat Splashguard (not available for 30" & 4	s (per bac I (per sea 4") hair)	67 94 60 6k) 94 t) 42 126 34 67	Soli Soli Soli Soli Soli Soli	d Surface d Surface d Surface d Surface d Surface d Surface d Surface	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap	(per arm) (per arm) (per arm) (per arm) (per pair) (per pair)	- Gr A Whi - Gr A Cold - Gr B - Gr C - Gr A Whi - Gr A Cold - Gr B	or te	249 252 262 277 474 480 505 532	
CAL 133 & Moisture Removable Seat Co 11" & 24" - Remove 11" & 24" - Remove 11" & 24" Cleanable Kinetic Back option Combination Uphols	e Barrier (per yard) over (per seat) eable Back Covers (per ba eable Patient Back Covers e Under-seat Splashguard (not available for 30" & 4 stery - dual fabrics (per cl	s (per bac I (per sea 4") hair)	67 94 60 8k) 94 t) 42 126 34	Soli Soli Soli Soli Soli Soli Floc	d Surface d Surface d Surface d Surface d Surface d Surface d Surface	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides	(per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Cold - Gr B - Gr C - Gr A Whi - Gr A Cold - Gr B	or te	249 252 262 277 474 480 505 532 30	
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable Kinetic Back option Combination Uphols Combination Uphols Canging Bracket	e Barrier (per yard) over (per seat) eable Back Covers (per ba eable Patient Back Covers e Under-seat Splashguarc (not available for 30" & 4 stery - dual fabrics (per cl stery - Three fabrics (per	s (per bac I (per sea 4") hair) chair)	67 94 60 k) 94 t) 42 126 34 67 60	Soli Soli Soli Soli Soli Soli Floc Non	d Surface	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap	(per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Cold - Gr B - Gr C - Gr A Whi - Gr A Cold - Gr B	or te	249 252 262 277 474 480 505 532 30 18	
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable 11" & 24" Cleanable Combination Uphols Combination Uphols Ganging Bracket	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Patient Back Covers eable Patient Back Covers e Under-seat Splashguard (not available for 30" & 4 stery - dual fabrics (per cl stery - Three fabrics (per	s (per bac I (per sea 4") hair) chair)	67 94 60 k) 94 t) 42 126 34 67 60	Soli Soli Soli Soli Soli Soli Floc Non Met	d Surface d Surface d Surface d Surface d Surface d Surface d Surface	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	(per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Cold - Gr B - Gr C - Gr A Whi - Gr A Cold - Gr B	or te	249 252 262 277 474 480 505 532 30	
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable Kinetic Back option Combination Uphols Combination Uphols Ganging Bracket Additional features a Patient back option	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Patient Back Covers e Under-seat Splashguard (not available for 30" & 4 stery - dual fabrics (per cl stery - Three fabrics (per and options information s upcharges page 154.	s (per bac I (per sea 4") hair) chair)	67 94 60 k) 94 t) 42 126 34 67 60	Soli Soli Soli Soli Soli Soli Floc Non Met	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For-saver For-sav	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	(per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Cold - Gr B - Gr C - Gr A Whi - Gr A Cold - Gr B	or te	249 252 262 277 474 480 505 532 30 18 26	
CAL 133 & Moisture Removable Seat Co 11" & 24" - Remove 11" & 24" - Remove 11" & 24" Cleanable Combination Uphols Combination Uphols Combination Uphols Combination Uphols Canging Bracket Additional features a Catient back option	e Barrier (per yard) over (per seat) eable Back Covers (per bacable Patient Back Covers e Under-seat Splashguard (not available for 30" & 4 stery - dual fabrics (per cl stery - Three fabrics (per and options information s upcharges page 154.	s (per bac I (per sea 4") hair) chair)	67 94 60 9k) 94 1) 42 126 34 67 60	Soli Soli Soli Soli Soli Soli Floc Non Met Plas	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For-saver For-sav	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	(per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Colo - Gr B - Gr C - Gr A Whi - Gr A Colo - Gr B - Gr C	or te	249 252 262 277 474 480 505 532 30 18 26 8	
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable Kinetic Back option Combination Uphols Combination Uphols Ganging Bracket Additional features a Patient back option	e Barrier (per yard) over (per seat) eable Back Covers (per bacable Patient Back Covers e Under-seat Splashguard (not available for 30" & 4 stery - dual fabrics (per cl stery - Three fabrics (per and options information s upcharges page 154.	s (per bac I (per sea 4") hair) chair)	67 94 60 9k) 94 1) 42 126 34 67 60	Soli Soli Soli Soli Soli Soli Floc Non Met	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For-saver For-sav	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	(per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Cold - Gr B - Gr C - Gr A Whi - Gr A Cold - Gr B	or te	249 252 262 277 474 480 505 532 30 18 26	
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable Kinetic Back option Combination Uphols Combination Uphols Canging Bracket Additional features a Patient back option PRODUCT CODE KEY	e Barrier (per yard) over (per seat) eable Back Covers (per bacable Patient Back Covers eable Patient Back Covers e Under-seat Splashguarc (not available for 30" & 4 stery - dual fabrics (per cl stery - Three fabrics (per and options information s upcharges page 154.	s (per bac I (per sea 4") hair) chair)	67 94 96 98) 94 11) 42 126 34 67 60	Soli Soli Soli Soli Soli Soli Floc Nor Met Plas	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For-saver For-sav	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	(per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Colo - Gr B - Gr C - Gr A Whi - Gr A Colo - Gr B - Gr C	or te	249 252 262 277 474 480 505 532 30 18 26 8	
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable Kinetic Back option Combination Uphols Combination Uphols Ganging Bracket Additional features a Patient back option PRODUCT CODE KEY Line Seri	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Back Covers (per baseble Patient Back Covers eable Indiana Splashguare (not available for 30" & 4 stery - dual fabrics (per clastery - Three fabrics (per and options information s upcharges page 154. (Chair Type	s (per bac I (per sea 4") hair) chair)	67 94 60 94 91 126 34 67 60	Soli Soli Soli Soli Soli Soli Floc Nor Met Plas	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For-saver For-sav	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	(per arm) (per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Cold - Gr B - Gr C - Gr A Whi - Gr A Cold - Gr B - Gr C	or te	249 252 262 277 474 480 505 532 30 18 26 8	
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable Kinetic Back option Combination Uphols Combination Uphols Ganging Bracket Additional features a Patient back option PRODUCT CODE KEY Line Seri	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Back Covers (per baseble Patient Back Covers eable Indiana Splashguare (not available for 30" & 4 stery - dual fabrics (per clastery - Three fabrics (per and options information s upcharges page 154. (Chair Type	s (per bac I (per sea 4") hair) chair)	67 94 60 94 10 94 126 34 67 60 43,	Soli Soli Soli Soli Soli Soli Floc Nor Met Plas	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For- salip Ruble al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	(per arm) (per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Colo - Gr B - Gr C - Gr A Whi - Gr A Colo - Gr B - Gr C	or te	249 252 262 277 474 480 505 532 30 18 26 8	
21" & 24" - Remove 21" & 24" Cleanable Kinetic Back option Combination Uphole Combination Uphole Ganging Bracket Additional features a Patient back option PRODUCT CODE KEY Line Seri JOR 2	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Back Covers (per baseble Patient Back Covers eable Indiana Splashguare (not available for 30" & 4 stery - dual fabrics (per clastery - Three fabrics (per and options information s upcharges page 154. (Chair Type	s (per bac I (per sea 4") hair) chair)	67 94 96 90 94 11 126 34 67 60 43,	Soli Soli Soli Soli Soli Soli Floc Nor Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For- salip Ruble al Glides	Arm Cap elt Glides Der Glides	(per arm) (per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Colo - Gr B - Gr C - Gr A Whi - Gr A Colo - Gr B - Gr C Unit Style	or te	249 252 262 277 474 480 505 532 30 18 26 8	
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable Kinetic Back option Combination Uphols Combination Uphols Ganging Bracket Additional features a Patient back option PRODUCT CODE KEY Line Seri	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Back Covers (per baseble Patient Back Covers eable Indiana Splashguare (not available for 30" & 4 stery - dual fabrics (per clastery - Three fabrics (per and options information s upcharges page 154. (Chair Type	s (per bac I (per sea 4") hair) chair)	67 94 60 60 6k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Soli Floc Non Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For- salip Ruble al Glides	Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap Arm Cap elt Glides ber Glides	(per arm) (per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Cold - Gr B - Gr C	te or	249 252 262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm Center Arm OPU	
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable Kinetic Back option Combination Uphols Combination Uphols Ganging Bracket Additional features a Patient back option PRODUCT CODE KEY Line Seri	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Back Covers (per baseble Patient Back Covers eable Indiana Splashguare (not available for 30" & 4 stery - dual fabrics (per clastery - Three fabrics (per and options information s upcharges page 154. (Chair Type	s (per bac I (per sea 4") hair) chair)	67 94 60 60 6k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Soli Soli Floc Nor Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For- salip Ruble al Glides	Arm Cap elt Glides Der Glides	(per arm) (per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Colo - Gr B - Gr C - Gr A Whi - Gr A Colo - Gr B - Gr C Unit Style	te or	249 252 262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm Center Arm OPU	ар
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable 21" & 24" Cleanable Combination Uphols Ganging Bracket Additional features a Patient back option PRODUCT CODE KEY Line Seri	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Back Covers (per baseble Patient Back Covers eable Indiana Splashguare (not available for 30" & 4 stery - dual fabrics (per clastery - Three fabrics (per and options information s upcharges page 154. (Chair Type	s (per bac I (per sea 4") hair) chair)	67 94 60 60 6k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Soli Floc Non Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For- salip Ruble al Glides	Arm Cap elt Glides ber Glides Size 21X2	(per arm) (per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Colo - Gr B - Gr A Whi - Gr A Colo - Gr B - Gr C Unit Style A Unit with no	te or	249 252 262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm Center Arm OPU Open Arm Center Arm	ар
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable Kinetic Back option Combination Uphols Combination Uphols Ganging Bracket Additional features a Patient back option PRODUCT CODE KEY Line Seri	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Back Covers (per baseble Patient Back Covers eable Indiana Splashguare (not available for 30" & 4 stery - dual fabrics (per clastery - Three fabrics (per and options information s upcharges page 154. (Chair Type	s (per bac I (per sea 4") hair) chair)	67 94 60 60 6k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Soli Floc Non Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For- salip Ruble al Glides	Arm Cap elt Glides Der Glides	(per arm) (per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Colo - Gr B - Gr A Whi - Gr A Colo - Gr B - Gr C Unit Style A Unit with no	te or	249 252 262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm Center Arm OPU	ар
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable Kinetic Back option Combination Uphols Combination Uphols Ganging Bracket Additional features a Patient back option PRODUCT CODE KEY Line Seri	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Back Covers (per baseble Patient Back Covers eable Indiana Splashguare (not available for 30" & 4 stery - dual fabrics (per clastery - Three fabrics (per and options information s upcharges page 154. (Chair Type	s (per bac I (per sea 4") hair) chair)	67 94 60 60 6k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Soli Floc Non Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For- salip Ruble al Glides	Arm Cap elt Glides ber Glides Size 21X2	(per arm) (per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Colo - Gr B - Gr A Whi - Gr A Colo - Gr B - Gr C Unit Style A Unit with no	te or	249 252 262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm Center Arm OPU Open Arm Center Arm	ар
CAL 133 & Moisture Removable Seat Co 11" & 24" - Remove 11" & 24" - Remove 11" & 24" Cleanable Combination Uphole Combination Uphole Canging Bracket Additional features a Patient back option PRODUCT CODE KEY Line Seri	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Back Covers (per baseble Patient Back Covers eable Indiana Splashguare (not available for 30" & 4 stery - dual fabrics (per clastery - Three fabrics (per and options information s upcharges page 154. (Chair Type	s (per bac I (per sea 4") hair) chair)	67 94 60 60 6k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Soli Floc Non Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For- salip Ruble al Glides	Arm Cap Edit Glides Size 21X2 21X3	(per arm) (per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Colo - Gr B - Gr A Whi - Gr A Colo - Gr B - Gr C Unit Style A Unit with no	te or	249 252 262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm Center Arm OPU OPD OPD Arm Center Arm Cent	ар
CAL 133 & Moisture Removable Seat Co 21" & 24" - Remove 21" & 24" - Remove 21" & 24" Cleanable Kinetic Back option Combination Uphols Combination Uphols Canging Bracket Additional features a Patient back option PRODUCT CODE KEY Line Seri	e Barrier (per yard) over (per seat) eable Back Covers (per baseble Back Covers (per baseble Patient Back Covers eable Indiana Splashguare (not available for 30" & 4 stery - dual fabrics (per clastery - Three fabrics (per and options information s upcharges page 154. (Chair Type	s (per bac I (per sea 4") hair) chair)	67 94 60 60 6k) 94 t) 42 126 34 67 60 43,	Soli Soli Soli Soli Soli Floc Non Met Plas k Type	d Surface d Surface d Surface d Surface d Surface d Surface d Surface or-saver For- salip Ruble al Glides	Arm Cap elt Glides ber Glides Size 21X2	(per arm) (per arm) (per arm) (per arm) (per pair) (per pair) (per pair)	- Gr A Whi - Gr A Colo - Gr B - Gr A Whi - Gr A Colo - Gr B - Gr C Unit Style A Unit with no	te or	249 252 262 277 474 480 505 532 30 18 26 8 Arm Type OPS Open Arm Center Arm OPU Open Arm Center Arm Center Arm Center Arm CELS	ар


Closed Arm Urethane Arm Cap

JORDAN | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER **RECYCLED CONTENT = 6%**

POST-CONSUMER RECYCLED CONTENT = 13%

Up to 28.7% of this Jordan product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN | EASY ACCESS CHAIR - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Footrest Height	Width Between Arms	Seat Depth	Shipping Weight	Cubes
21" Guest	25	28.25	40	24	32	6.75	20.5	19	49	21
24" Guest	28	28.25	40	24	32	6.75	23.5	19	53	21
21" Patient	25	28.25	49.25	24	32	6.75	20.5	19	54	26
24" Patient	28	28.25	49.25	24	32	6.75	23.5	19	58	26

COM YARDAGES - Guest Easy Access Chair

	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Seat & Back	
21" & 24" Guest - One Chair	0.9	1.4	1.6	
21" & 24" Guest - Two Chairs	1.3	2.8	3.2	
21" & 24" Guest - Three Chairs	2.2	4.2	4.8	
21" & 24" Guest - Four Chairs	2.6	5.6	6.4	

COM YARDAGES - Patient Guest Easy Access Chair

	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Seat & Back	
21" & 24" Patient - One Chair	0.9	1.9	2.2	
21" & 24" Patient - Two Chairs	1.3	3.8	4.2	
21" & 24" Patient - Three Chairs	2.2	5.7	6.3	
21" & 24" Patient - Four Chairs	2.6	7.6	8.4	

JORDAN | EASY ACCESS CHAIR

21" Guest

21" Patient





WEIGHT CAPACITIES

Jordan weight capacities are as follows: Easy Access Chairs (21" & 24") - 350 lbs

Jordan Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm Cap (per pair) - Gr A White	474
Removable Seat Cover (per seat)	94	Solid Surface Arm Cap (per pair) - Gr A Color	480
21" & 24" Removeable Back Cover	60	Solid Surface Arm Cap (per pair) - Gr B	505
21" & 24" Cleanable Under-seat Splashquard	42	Solid Surface Arm Cap (per pair) - Gr C	532
21" & 24" Removeable Patient Back Cover	94		
Combination upholstery - Dual	34		
Combination upholstery - Three	67		
Floor-saver Felt Glides	30		
Non-slip Rubber Glides	18		
Metal Glides	26		
Plastic Glides	8		

See page 43 for Features and Options information.

JORDAN | EASY ACCESS CHAIR

DESCRIPTION/MOI	DEL Species	COM 1	2	COL 3	FA 4	BRIC GRAD	ES 6	7	LEATHER 8	9
DESCRIPTION/MOD	21" Guest, Open Arm JOR2-HG21OPS Beech JOR2-HG21OPS Maple	1759 1877	1810 1926	1860 1976	1965 2084	2075 2191	2184 2300	2291 2408	2397 2513	2548 2664
	24" Guest, Open Arm JOR2-HG24OPS Beech JOR2-HG24OPS Maple	1817 1926	1866 1976	1916 2024	2024 2133	2133 2240	2240 2349	2349 2458	2458 2565	2607 2715
	21" Patient, Open Arm JOR2-HP21OPS Beech JOR2-HP21OPS Maple	1893 1981	1981 2075	2075 2166	2255 2349	2440 2531	2621 2715	2804 2898	2989 3079	3253 3345
	24" Patient, Open Arm JOR2-HP24OPS Beech JOR2-HP24OPS Maple	1944 2024	2034 2117	2125 2209	2305 2391	2491 2573	2672 2756	2853 2937	3037 3119	3302 3384
	DESCRIPTION/MODEL	Price								
	Metal Footrest Cap JOR2-RHFRC	84								

ORDERING NOTES:


For **Urethane Arm Caps**, Please change the "S" in the model number to a "U" an add an upcharge of \$142 list per chair. See page 43 for Features and Options information, page 172 for option upcharges.

Line	Series	Chair Type	Size	Arm Type	
JOR Jordan	2 Chair	HG Easy Access Guest Chair	21	OPS Open Arm	
		HP Easy Access Patient Chair	24	OPU Open Arm Urethane Arm Cap	

JORDAN | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 2%

POST-CONSUMER
RECYCLED CONTENT = 12%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN | LOUNGE - DIMENSIONS & COM REQUIREMENTS

18

24

7.6

15.2

22.8

30.4

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
One-Seater	29	30.5	34.5	17.25	26	23	20	78	22
Two-seater	52	30.5	34.5	17.25	26	46	20	106	34
Three-seater	75	30.5	34.5	17.25	26	69	20	131	49
COM - YARD	AGE REQUI		(audaaa	COM Verdene	COM Varda		M Vordono	COM Vardage	
			′ardage e Unit	COM Yardage Seat Only	COM Yarda Back Onl	0	M Yardage rms Only	COM Yardage Kickplate	
One-Seat - One	Chair	4	.6	1.1	1.7		2.9	0.3	
One-Seat - Two	Chairs	9	.2	1.9	2.6		5.8	0.3	
One-Seat - Thre	ee Chairs	13	3.8	2.9	4.3		8.7	0.6	
One-Seat - Fou	r Chairs	18	3.4	3.8	5.2		11.6	0.6	
Two-Seat - One	Chair		3	1.5	2.5		2.9	0.3	
Two-Seat - Two	Chairs	1	2	2.94	4.3		5.8	0.6	

6.8

8.6

3.4

6.1

9.5

12.2

8.7

11.6

2.9

5.8

8.7

11.6

0.9

1.2

0.6

0.9

1.4

1.7

Note: Some vinyls, leathers & upholsteries are not suitable for application on Jordan seating. Please refer to page 628 for C.O.M approval process.

4.38

5.9

2.1

4.2

6.3

8.4

WEIGHT CAPACITIES

Two-Seat - Three Chairs

Two-Seat - Four Chairs

Three-Seat - One Chair

Three-Seat - Two Chairs

Three-Seat - Three Chairs

Three-Seat - Four Chairs

Jordan weight capacities are as follows:

One -Seat - 350 lbs Two- Seat - 525 lbs Three - Seat - 750 lbs

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Removeable Back Covers - One Seat	166
Removable Seat Cover - one seat	166	Removeable Back Covers - Two Seat	333
Removable Seat Cover - two seat	333	Removeable Back Covers - Three Seat	500
Removable Seat Cover - three seat	500	Solid Surface Arm Cap (per pair) - Gr A White	542
Combination Upholstery - dual fabrics	34	Solid Surface Arm Cap (per pair) - Gr A Color	553
Combination Upholstery -Three fabrics	67	Solid Surface Arm Cap (per pair) - Gr B	575
Floor-saver Felt Glides	30	Solid Surface Arm Cap (per pair) - Gr C	605
Metal Glides	26	,	
Plastic Glides	8		

JORDAN | LOUNGE - FEATURES & OPTIONS



CLEAN OUT

Jordan lounge seating models have a built-in clean out feature: a space at the back of the seat that allows dirt debris and liquid to be forced through and fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



GLIDES

Jordan lounge chairs feature floor-saver nylon glides. Floor-saver felt glides, Metal glides and plastic glides are optional at an upcharge. See Page 645 for more information.



FULL URETHANE ARMS

Jordan full urethane arms have a soft outer skin that enhances comfort and provides excellent grip for safety of ingress and egress. They are highly durable, easy to clean and maintain, and will retain a like-new look even with intensive use. They are available in three colors; Taupe, Grey and Black.



LEGS

Jordan Lounge are available with wood legs - in either Beech or Maple, as well as in three urethane color options; Black, Grey and Taupe.

WEIGHT CAPACITIES

Jordan weight capacities are as follows:

One -Seat - 350 lbs Two- Seat - 525 lbs Three - Seat - 750 lbs

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

OPTIONS

SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors. See page-551 for color selection.

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks

REMOVABLE AND REPLACEABLE COVERS

Jordan Lounge Chairs are available with a Removable Seat & Back Covers.

JORDAN | LOUNGE

			COM		COL	FA	ABRIC GRA	ADES		LEATHER	
DESCRIPTION/M	IODEL	Species	1	2	3	4	5	6	7	8	9
	′ '	holstered Arm Beech/Urethane Maple	1992 2053	2194 2253	2458 2515	2917 2979	3403 3461	3886 3946	4369 4426	4851 4911	5635 5696
	′ '	holstered Arm with Beech/Urethane Maple	n Urethane 2095 2156	e Arm Ca 2298 2355	2560 2618	3020 3082	3505 3564	3988 4048	4471 4529	4953 5014	5738 5799
	One-Seat, Fu JOR3-1FUR JOR3-1FUR	II Urethane Arm Beech/Urethane Maple	2118 2166	2321 2378	2584 2641	3043 3105	3529 3587	4013 4071	4495 4552	4977 5037	5761 5822
	One-Seat, Wo JOR3-1WOD JOR3-1WOD	Beech/Urethane	2229 2289	2431 2488	2694 2751	3154 3215	3639 3697	4123 4182	4604 4663	5086 5148	5871 5932
	,	ood Arm with Ureth Beech/Urethane Maple		Cap 2566 2625	2829 2886	3289 3351	3774 3832	4257 4317	4740 4798	5221 5283	6007 6067
Jordan Option U	pcharges		\$ List	:						\$ List	
CAL 133 & Moistu Removable Seat (Cover (per seat	• ,	67 166				Cap (per p			542 553	

67 166 166 34 67 30 26	Solid Surface Arm Cap (per pair) - Gr A White Solid Surface Arm Cap (per pair) - Gr A Color Solid Surface Arm Cap (per pair) - Gr B Solid Surface Arm Cap (per pair) - Gr C	542 553 575 605
	166 166 34 67 30 26	Solid Surface Arm Cap (per pair) - Gr A White Solid Surface Arm Cap (per pair) - Gr A Color Solid Surface Arm Cap (per pair) - Gr B Solid Surface Arm Cap (per pair) - Gr C Solid Surface Arm Cap (per pair) - Gr C

ORDERING NOTES:

Jordan lounge chairs are available with Black, Grey or Taupe Urethane legs at no additional charge.

Line	Series	Size	Arm Ty	pes
JOR Jordan	3 Lounge Seating	1 One-Seat	UPH Upholstered Arm UUR Upholstered Arm with Urethane Arm Cap FUR Full Urethane Arm WOD Wood Arm URE Wood Arm with Urethane Arm Cap	USS Upholstered Arm with Solid Surface Arm Cap SSC Wood Arm with Solid Surface Arm Cap

JORDAN | LOUNGE

DESCRIPTION/MODEL Species	COM 1	2	COL 3	FA 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
Two-Seat, Upholstered Ar JOR3-2UPH Beech/Uret JOR3-2UPH Maple		3072 3111	3542 3582	4106 4147	4669 4710	5233 5274	5799 5836	6359 6401	7347 7387
Two-Seat, Upholstered Ar JOR3-2UUR Beech/Uret JOR3-2UUR Maple		Arm Ca 3176 3213	3645 3686	4208 4249	4773 4813	5336 5377	5901 5939	6463 6505	7449 7489
Two-Seat, Full Urethane A JOR3-2FUR Beech/Ureth JOR3-2FUR Maple		3199 3236	3668 3709	4231 4272	4796 4836	5359 5400	5924 5962	6486 6528	7472 7512
Two-Seat, Wood Arm JOR3-2WOD Beech/Uret JOR3-2WOD Maple	hane 3026 3066	3308 3346	3778 3819	4341 4382	4905 4946	5469 5510	6034 6073	6596 6638	7583 7623
Two-Seat, Wood Arm with JOR3-2URE Beech/Ureth JOR3-2URE Maple		Cap 3444 3481	3914 3954	4478 4518	5041 5082	5604 5645	6169 6208	6731 6773	7719 7758
Jordan Option Upcharges	\$ List							\$ List	
CAL 133 & Moisture Barrier (per yard) Removable Seat Cover - Two-seat Removeable Back Covers - Two-Seat Combination Upholstery - dual fabrics Combination Upholstery -Three fabrics Floor-saver Felt Glides Metal Glides Plastic Glides	67 333 333 34 67 30 26		Solid Surfa Solid Surfa Solid Surfa Solid Surfa	ce Arm Ca ce Arm Ca	p (per pair p (per pai	r) - Gr A Co r) - Gr B		542 553 575 605	

ORDERING NOTES:

Jordan lounge chairs are available with Black, Grey or Taupe Urethane legs at no additional charge.

Line	Series	Size	Arm Ty	rpes
JOR	3 Lounge Seating	Z Two-Seat	UPH Upholstered Arm UUR Upholstered Arm with Urethane Arm Cap FUR Full Urethane Arm WOD Wood Arm URE Wood Arm with	USS Upholstered Arm with Solid Surface Arm Cap SSC Wood Arm with Solid Surface Arm Cap

JORDAN | LOUNGE

		COM		COL		BRIC GRAD	DES		EATHER	
DESCRIPTION/MODE	EL Species	1	2	3	4	5	6	7	8	9
	Three-Seat, Upholstered Arm JOR3-3UPH Beech/Urethane JOR3-3UPH Maple	4016 4076	4407 4469	4870 4931	5677 5737	6521 6582	7367 7426	8211 8272	9055 9117	10444 10507
	Three-Seat, Upholstered Arm	with Uret	hane Arm	Cap						
	JOR3-3UUR Beech/Urethane JOR3-3UUR Maple	4118 4179	4510 4572	4973 5034	5780 5840	6625 6685	7469 7530	8314 8374	9158 9221	10547 10611
	Three-Seat, Full Urethane Arm JOR3-3FUR Beech/Urethane JOR3-3FUR Maple		4533 4595	4996 5057	5803 5863	6648 6708	7492 7553	8338 8397	9181 9244	10570 10634
	Three-Seat, Wood Arm JOR3-3WOD Beech/Urethane JOR3-3WOD Maple	4251 4312	4644 4706	5107 5168	5913 5973	6757 6818	7603 7663	8447 8508	9291 9354	10680 10744
	Three-Seat, Wood Arm with U	rethane A	rm Cap							
	JOR3-3URE Beech/Urethane		4779	5242	6049	6893	7739	8582	9426	10816
	JOR3-3URE Maple	4447	4841	5303	6108	6954	7798	8644	9488	10879

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm Cap (per pair) - Gr A White	542
Removable Seat Cover - Three-seat	500	Solid Surface Arm Cap (per pair) - Gr A Color	553
Removeable Back Covers - Three-Seat	500	Solid Surface Arm Cap (per pair) - Gr B	575
Combination Upholstery - dual fabrics	34	Solid Surface Arm Cap (per pair) - Gr C	605
Combination Upholstery -Three fabrics	67		
Floor-saver Felt Glides	30		
Metal Glides	26		
Plastic Glides	8		

ORDERING NOTES:

Jordan lounge chairs are available with Black, Grey or Taupe Urethane legs at no additional charge.


Line	Series	Size	Arm Ty	rpes
JOR Jordan	3 Lounge Seating	3 Three-Seat	UPH Upholstered Arm UUR Upholstered Arm with Urethane Arm Cap FUR Full Urethane Arm WOD Wood Arm URE Wood Arm with Urethane Arm Cap	USS Upholstered Arm with Solid Surface Arm Cap SSC Wood Arm with Solid Surface Arm Cap

JORDAN | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 8.08%

POST-CONSUMER
RECYCLED CONTENT = 18.15%

Up to 40% of this Jordan product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN | BENCHES - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

					Height of				
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
21" One-Seater	25	24	22	19	22	20.5	24	35	10
24" One-Seater	28	24	22	19	22	23.5	24	37	11
30" One-Seater Plus	34	24	22	19	22	29.5	24	42	13
48" Two-seater	52.5	24	22	19	22	48	24	65	19.5
72" Three-seater	77	24	22	19	22	72.75	24	91	28

COM YARDAGES

	COM Yardage Complete Unit	Yardage Per Bench - Per Complete Unit	COM Yardage Closed Arm Panel Only	Yardage Per Bench - Closed Arm Panel Only
21" One-Seater	1.1	1.1	0.5	0.5
21" One-Seater (2 units)	1.8	1.1	1	0.5
21" One-Seater (3 units)	2.1	1.1	1.5	0.5
21" One-Seater (4 units)	3.4	1.1	2	0.5
24" One-Seater	1.1	1.1	0.5	0.5
24" One-Seater (2 units)	1.8	1.1	1	0.5
24" One-Seater (3 units)	2.1	1.1	1.5	0.5
24" One-Seater (4 units)	3.4	1.1	2	0.5
30" One-Seater Plus	1.8	1.8	0.5	0.5
30" One-Seater Plus (2 units)	3.6	1.8	1	0.5
30" One-Seater Plus (3 units)	5.4	1.8	1.5	0.5
30" One-Seater Plus (4 units)	7.2	1.8	2	0.5
48" Two-seater	1.8	1.8	0.5	0.5
48" Two-seater (2 units)	3.6	1.8	1	0.5
48" Two-seater (3 units)	5.4	1.8	1.5	0.5
48" Two-seater (4 units)	7.2	1.8	2	0.5
72" Three-seater	2.1	2.1	0.5	0.5
72" Three-seater (2 units)	3.9	2.1	1	0.5
72" Three-seater (3 units)	5.4	2.1	1.5	0.5
72" Three-seater (4 units)	7.8	2.1	2	0.5

WEIGHT CAPACITIES

Jordan weight capacities are as follows:

21" & 24" Bench - 350 lbs 30" Bench - 750 lbs 48" Bench - 525 lbs per unit 72" Bench - 750 lbs per unit

Jordan Bench Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	
Removable Seat Cover (per seat) - 21"	108	
Removable Seat Cover (per seat) - 24"	120	
Removable Seat Cover (per seat) - 30"	150	
Removable Seat Cover (per seat) - 48"	163	
Removable Seat Cover (per seat) - 72"	281	
Floor-saver Felt Glides	30	
Metal Glides	18	
Plastic Glides	8	

Replacement seat covers can be quickly installed on Jordan products that were originally ordered with the Replaceable cover option. Replacement seat covers can also be installed on Jordan products that were not originally ordered with the Replaceable cover option, with some simple staple removal on the original seat.

JORDAN | BENCHES

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GR	ADES 6	7	LE 8	ATHER 9
	21" Open Arm JOR5-B21OPS JOR5-B21OPS		1195 1293	1246 1346	1293 1396	1396 1493	1493 1593	1593 1693	1693 1793	1793 1893	1944 2042
ų v	21" Closed Arm JOR5-B21CLS JOR5-B21CLS	Beech	1510 1610	1578 1676	1643 1745	1776 1877	1908 2008	2042 2140	2173 2274	2305 2408	2473 2607
	24" Open Arm JOR5-B24OPS JOR5-B24OPS		1262 1361	1311 1412	1361 1460	1460 1559	1559 1662	1662 1759	1759 1860	1860 1959	2008 2140
- IJ U	24" Closed Arm JOR5-B24CLS JOR5-B24CLS	Beech	1578 1676	1643 1745	1712 1810	1842 1944	1976 2075	2107 2209	2240 2341	2376 2473	2555 2656
	30" Plus Open A JOR5-B30OPS JOR5-B30OPS	Beech	1453 1559	1536 1643	1617 1726	1769 1877	1916 2024	2066 2173	2215 2324	2365 2473	2613 2739
	30" Plus Closed JOR5-B30CLS JOR5-B30CLS	Beech	1769 1877	1866 1976	1965 2075	2133 2240	2300 2408	2464 2573	2630 2739	2797 2905	3055 3172
	48" Two-seater JOR5-B48OPS JOR5-B48OPS	Beech	1693 1800	1776 1884	1860 1965	2008 2117	2158 2268	2305 2416	2458 2565	2607 2715	2853 2963
	48" Two-seater JOR5-B48CLS		2008	2107	2209	2376	2539	2705	2872	3037	3302
	JOR5-B48CLS 72" Three-seate	Maple	2117	2215	2316	2480	2648	2815	2979	3144	3410
	JOR5-B72OPS JOR5-B72OPS	Beech	2042 2140	2140 2240	2240 2341	2440 2539	2640 2739	2838 2937	3037 3137	3236 3337	3567 3668
	72" Three-seate JOR5-B72CLS JOR5-B72CLS	Beech	1 2356 2458	2491 2588	2621 2722	2885 2989	3154 3253	3419 3519	3685 3785	3950 4048	4316 4416


Line	Series	Chair Type	Size	Arm Type	
JOR Jordan	5	B Bench	21 24 30	OPS Open Arm CLS Closed Arm	
			72		

JORDAN | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 11.21%

POST-CONSUMER RECYCLED CONTENT = 15.06%

Up to 49.5% of this Jordan product is recyclable at the end of its useful life.

CONTRIBUTES TO

	661111111111111111111111111111111111111	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN | ACTIVE PATIENT RECLINER - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width (incl. handle)	Overall Width (incl. handle) w/ Accessories	Overall Depth (upright)	Overall Depth when Reclined	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21"	30.5	34.5	27	57	43.5	18.5	26	20.5	19	92	19
24"	33.5	37.5	27	57	43.5	18.5	26	23.5	19	99	24

COM REQUIREMENTS

	COM Yardage Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Seat & Back	COM Yardage Arm Panel Only	COM Yardage Ottoman	
21"							
One Chair	4.88	0.9	1.3	2	2.7	0.5	
Two Chair	9.8	1.3	2	3.2	4.3	0.5	
Three Chair	14.7	2.1	3	5.2	5.9	0.9	
Four Chair	19.6	2.5	5.1	6.9	8	0.9	
24"							
One Chair	5.14	0.9	2	2	2.7	0.7	
Two Chair	4.9	1.3	3.1	3.9	4.3	0.9	
Three Chair	14.7	2.1	4.2	6	5.9	1.4	
Four Chair	19.6	2.5	5.3	7.5	8	1.8	

ORDERING NOTES: Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Active Patient Recliner Option Upcharges	\$ List		\$ List	
Moisture Barrier & CAL 133 (per yard)	67	Solid Surface Arm Cap (per pair) - Gr A White	474	_
Ottoman Poly Cover	80	Solid Surface Arm Cap (per pair) - Gr A Color	480	
Push Bar	217	Solid Surface Arm Cap (per pair) - Gr B	505	
Removable Seat Cover (per seat)	127	Solid Surface Arm Cap (per pair) - Gr C	532	
Removable Back Cover	143	Patient Transfer Arm	933	
IV Pole and Holder	399	Thermal Comfort	973	
Flip Up Tablet	436	Combination Upholstery - dual fabrics	34	
Swing Away Tablet	480	Combination Upholstery -Three fabrics	67	

JORDAN | ACTIVE PATIENT RECLINER - FEATURES



INDEPENDENT BACK & OTTOMAN MECHANISMS

Two independent mechanisms provide a greater range of function and positions for the Active Patient Recliner: the back can be upright or reclined, independent of the ottoman which can be closed or extended separately from the back.



OTTOMAN ACTIVATION

The adjustment lever is situated to allow both the user and the caregiver to safely operate the ottoman function of the mechanism. The ottoman is generously padded for comfort, and can be given added protection with the optional Ottoman Protective Cover.



BACK ACTIVATION LEVER

The Active Patient Recliner comes with the back adjustment lever which creates an infinite number of back adjustments within the chair. The back adjustment lever comes in a black plastic finish, and is located on the left hand side (when facing the chair) and on the caregiver side of the arm.



ARM OPTIONS

Arms have urethane arm caps. The textured urethane provides enhanced durability and protection for the arms and is available in three color options; Black, Grey and Taupe. Please specify color when ordering. The urethane arm cap is field replaceable if damaged or degraded.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some

WEIGHT RATINGS

The Active Patient Recliner has a maximum weight rating of 350 lbs, under normal use (i.e. no excessive force in the use of the product). The ottoman mechanism itself will accept weight to a maximum of 60 lbs (above which it will drop down). The ottoman is designed as a leg rest only, and not designed to accept sitting or standing.



JORDAN | ACTIVE PATIENT RECLINER - OPTIONS



The optional push bar is ergonomically designed to assist care-giving staff in the movement and operation of the recliner, and reduce back strain on the caregiver.



PATIENT TRANSFER ARM

The Patient Transfer Arm is designed to fold down where the arm is level with the chair seat. This design allows the caregiver to easily transport patients from the chair to bed or wheelchair. The arm is folded down by accessing the adjustment lever at the side of the chair. The Patient Transfer Arm can only specified in a right handed position based on facing the unit.



IV POLE & HOLDER

The IV Pole is height adjustable (in a range of 27"), and can be added in the field. It can be located in three locations (left front only or right front or back as facing) - if ordered with the recliner, the location must be specified at time of order.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors. Please see Page 643 for color selections.



SWING AWAY TABLET

The Swing Away Tablet (24" x 14 3/4" x 3/4") is designed to be easily operated by the caregiver or user. The break away design allows for the tablet to be easily pushed away from the user in an emergency to gain quick access to the patient. The tablet has the ability to swing up and fold over and rotates 180 degrees. The kidney-shaped design is ideal for use as an eating, writing or work surface. The Swing Away Tablet is specified right handed based on a position facing the unit.



COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).



FLIP UP TABLET

The Flip Up Tablet's size is 18" x 14" x 3/4", and it is located on the right side based on a position facing the unit. It is available in Beech and Maple Veneer, as well as Plastic Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat).



REMOVABLE COVERS

Removable seat and back covers can be quickly installed on products that were originally ordered with the Removable Cover Option. Removable seat and back covers can also be installed on products that were not originally ordered with the Removable Cover Option, with some simple staple removal on the original seats and backs.



THERMAL COMFORT

Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is operated with a hand-held controller located on the inside of the arm (please specify right hand side or left hand side -facing). It provides two heat zones: one in the seat and one in the back. Back and seat zones can be controlled independently, at a high or low heat setting. Thermal Comfort features a safety time-out that automatically shuts off heat after 30 minutes of use. Access to a 110/120 volt, 15 amp(min) electrical outlet is required.



MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with nonflammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.



CASTERS

Four heavy-duty 3" diameter soft wheel casters are standard on the recliner. The front casters are inline and locking; the rear casters are swivel and not visible. This combination provides a noticeable and user-friendly ease of steering when the recliner is being moved. Casters are field-replaceable if damaged.



OTTOMAN PROTECTIVE COVER

This optional clear protective cover is sewn into (and over top of) the lower portion of the upholstered ottomán, providing a layer of protection from marring and damage caused by footwear, cleaning and medical equipment, etc. It has an anti-fog additive to maintain clarity, and is resistant to cleaning solutions.

JORDAN | ACTIVE PATIENT RECLINER

DESCRIPTION	MODEL	COM 1	2	COL 3	4	FABRIC GR 5	ADES 6	7	LEATHER 8	9
	Active Patient Rec JOR6APR210000			3473	3712	3986	4229	4503	4846	5191
	Active Patient Rec JOR6APR210010			n Poly Co 3552	3790	4067	4308	4583	4926	5272
"	ORDERING NOTE	: Options can	be selec	cted and a	added t	o the pre-co	onfigured m	odels, ı	using the pri	cing below
	Active Patient Rec JOR6APR210001			ar 3690	3929	4205	4446	4720	5063	5407
	ORDERING NOTE	: Options can	be selec	cted and	added t	o the pre-co	onfigured m	nodels, ı	using the pri	cing below
	Active Patient Rec JOR6APR212000			Tablet 3909	4150	4424	4665	4942	5284	5629
	ORDERING NOTE	∷ Options can	be selec	cted and	added t	o the pre-co	onfigured m	ıodels, ı	using the pri	cing below
	Active Patient Red JOR6APR211000			Away Tabl 3955	et 4195	4470	4710	4986	5331	5673
, <	ORDERING NOTE	∷ Options can	be selec	cted and	added t	o the pre-co	onfigured m	nodels, ı	using the pri	cing below
	Active Patient Rec JOR6APR210100			l Comfort 4381	4621	4898	5137	5411	5756	6100
	ORDERING NOTE	∷ Options can	be selec	cted and	added t	o the pre-co	onfigured m	nodels, ı	using the pri	cing below
	iner Option Upchar	ges	\$ List							List
Moisture Barrier & C Ottoman Poly Cover	" ,		67 80			ace Arm Car				474
Push Bar			217			ace Arm Cap ace Arm Cap				480 505
Removable Seat Co			127			ace Arm Cap				532
Removable Back Co	over		143	No	te: To cl	hange Ureth	ane arm ca	p to So	lid Surface	option
IV Pole and Holder			399				lel number a	and the	upcharge a	
Flip Up Tablet Swing Away Tablet			436			nsfer Arm				933
PRODUCT CODE KEY			480	The	ermal C	omtort				973
	Series Chair	Туре	Size		Tablets	Thern	nal Comfort	Ot	toman	Push bar
JOR	6 AI	PR	21		0	Г	0	Γ	0	0
lordan	Motion Pos				None	L	None	L Na	Caucar	None

2 Flip up Tablet

None

1

Swing

24

None

1

Thermal Comfort

No Cover

1

Poly Cover None 1

Push bar Included

Motion

Recliner

Jordan

JORDAN | ACTIVE PATIENT RECLINER

DESCRIPTION	MODEL	CO 1		2	COL 3	4	FABRIC GF	RADES 6	7	LEATHER 8	9
	Active Patie	ent Recline	r 24"		ns						
	JOR6APR2			3363	3542	3797	4086	4338	4627	4992	5352
<u> </u>	00110/11112	10000 01	01	3303	0042	3131	4000	4000	4021	4332	3332
	Active Patie	ent Recline	r. 24".	with Otto	oman Po	lv Cover					
\	JOR6APR2			3441	3624	3875	4164	4418	4709	5071	5432
\ _											
4	ORDERING	NOTE: O	ptions	can be s	selected	and adde	d to the pre-	-configured	d models	s. usina the	pricing below
										,	arranig aranan
	Active Patie	ent Recline	r, 24".	with Pus	h bar						
	JOR6APR2			3579	3759	4013	4302	4555	4845	5209	5570
\ _	A										
	C										
4	OPDERING	NOTE:	ntione	can be s	balactad	and adde	to the pre-	configured	l modele	using the	oricing below
	ONDENING	4 110 1 E. 0	ptiono		Delected		a to the pre			, doing the p	orionig bolow
	Active Patie	ent Recline	r, 24",	with Flip	up Table	et					
\——\	JOR6APR2	42000 36	17	3798	3978	4234	4524	4774	5064	5428	5788
0											
	ORDERING	NOTE: O	otions	can be s	selected a	and added	I to the pre-	configured	l models	, using the p	oricing below
	Active Patie	ant Recline	r 24"	with Swi	na Away	Tablet					
	JOR6APR2			3846	4022	4277	4569	4821	5111	5474	5836
	,										
4											
	ORDERING	NOTE: O	otions	can be s	selected	and added	to the pre-	configured	l models	, using the p	oricing below
	Active Patie	ent Recline	r. 24".	with The	rmal Cor	nfort					
	JOR6APR2	40100 40	88	4270	4450	4707	4994	5247	5538	5899	6263
\ \ _	00110/11 112	40100 40	00	7210	4400	4707	4004	OZTI	0000	0000	0200
	ORDERING	NOTE: O	ntions	can ha s	hataalaa	and adda	to the nre.	.configurec	d models	using the	pricing below
4	ONDERMIN	J 140 1 L. O	ptions	can be s	sciccica	and addo	a to the pie	comigaice	inoucis	, using the	pricing below
Active Patient Re				\$ Lis							List
Moisture Barrier &	"	ra)		6 8			ace Arm Ca				474
Ottoman Poly Cov Push Bar	C I			8 21			ace Arm Ca		,	Color	480
Removable Seat C	over			12			ace Arm Ca ace Arm Ca				505 532
Removable Back (14	_					olid Surface	
V Pole and Holder				39						e upcharge	
Flip Up Tablet				43	6		ansfer Arm			- 5p0.iaig0	933
Swing Away Tablet	t			48	0	Thermal (973
RODUCT CODE KE	Υ										
Line	Series	Chair Torre		Size	•	Table	. Th	rmal Comfo		Ottoman	Push ba
		Chair Type	-				o ine		,,,		
JOR	6	APR		21		0		0		0	0 None
lordan	Motion	Recliner				None		None		lo Cover	

2 Flip up Tablet

None

1

Swing

24

None

1

Thermal Comfort

Motion

Jordan

Recliner

None

1

Push bar

Included

No Cover

1

Poly Cover


JORDAN | ACTIVE PATIENT RECLINER ACCESSORIES & REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	PRICE	WEIGHT	CUBES
	IV Pole JOR8-RCRIP	306	3.8	1.4
	IV Pole Holder JOR8-RCRIPB	95	2	0.2
	Flip Up Tablet with brac JOR8-RCRTK (wood or laminate)	kets 436	6.6	1.6
	Flip Up Tablet JOR8-RCRT (wood or laminate)	350 18"w x 14"d x .75"h	5.8	1.4
	Flip Up Tablet Bracket JOR8-RCRTH	124	0.8	0.2
	Swing Away Tablet with JOR8-SRST (wood or laminate)	Mechanism 480 24"w x 14.75"d x .75"h	20	1.2
	Swing Away Tablet Only JOR8-SRRT (wood or laminate)	249	7	0.8
• •	Swing Away Tablet Mec JOR8-SRRTH	hanism Only 316	13	1
6	Push Bar JOR8-SRRPB	215	2	0.3
	In-line Front caster – Lo JOR6-APRRCASFL	cking 49	2	0.2
	Swivel Rear caster – Loc JOR6-APRRCASRL	cking 105	2	0.2
(4)	Swivel Rear caster – No JOR6-APRRCASRN	n-locking 99	2	0.2

JORDAN COMPACT RECLINER | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:



Pre-Consumer
Recycled Content = 22.49%

Post-Consumer Recycled Content = 10.46%

Up to 34.65% of this Jordan Compact Recliner product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN COMPACT RECLINER | FEATURES & OPTIONS



ENHANCED CUSHIONING

The Jordan Compact Recliners have been designed with a softer seat, a more pronounced headrest, and contoured back shaping for improved support. These enhancements, along with the addition of dual-density foam, make these recliners the leader in patient comfort.



ARM OPTIONS

Arms are available fully upholstered and can also be trimmed with urethane arm caps or solid surface arm caps. The arm cap provides enhanced durability and protection for the arms and is field replaceable if damaged or degraded. Urethane is available in three color options; Black, Grey and Taupe and Solid Surface is available in 8 finishes.



HIGH DURABILITY MECHANISM

Jordan Compact Recliner mechanisms are designed for high-traffic, intensive use in caregiving environments. They are built with high-strength steel, and include Delrin™ wear pads between moving components for added smoothness and longevity.



BACK & FOOTREST MECHANISMS

This mechanism provides Infinitely Adjustable positions: Position A - Seated with feet on the floor, footrest in down (closed) position. Seat-back angle is 102 degrees.

Position B - Footrest is fully extended, without compromising the upright position of the back. The seat-back angle remains at 102 degrees. Position C - is the range of infinite adjustability from the seated position of 102 degrees back angle to the fully flat position at a maximum of 175 degrees. The Infinitely Adjustable Back angle can be locked in any position with the back adjustment lever. The Jordan Compact Recliner Infinitely Adjustable Mechanism is warrantied for one year after purchase.



MECHANISM WITH TRENDELENBERG

This mechanism provides the same positions described above, as well as the additional Trendelenberg position: full recline with footrest fully extended, seat-back angle remains at 125 degrees, but the back is now 65 degrees from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the recliner.



BACK ADJUSTMENT LEVER

The Jordan Compact Recliner comes with the back adjustment lever which creates an infinite number of back adjustments within the chair. The back adjustment lever comes in a black plastic finish on the care-giver side of the arm. The standard position when ordering is left hand based on a position facing, the unit, unless specified otherwise.



FOOTREST LEVER

Jordan Compact Recliner comes with the footrest lever, which extends and closes the built-in footrest. The footrest lever comes in a powder-coated finish to match the casters. The standard position when ordering is a left hand position based on facing the unit, unless specified otherwise.



CASTERS

The standard caster is 4" in diameter, soft wheel, full swivel, with a lock that in a single action locks both the swivel and rotation of the caster.



CENTRAL CASTER LOCKING SYSTEM

Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The colorcoded external foot pedal indicates Red for the locked position (when lowered) and Green for the unlocked position (when unlowered). The standard position for the foot pedal is located at the rear outside of the left (facing) arm panel. It can optionally be located at the front outside of the arm panel (either side) or at rear of right (facing) arm panel. Central locking casters are 4"diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option, note the requested position, and include the upcharge



PUSH BAR

This is a standard feature on the Jordan Compact Recliner. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, and reduce back strain on the care-giver.



PATIENT TRANSFER ARM

The Patient Transfer Arm is designed to fold down where the arm is level with the chair seat. This design allows the caregiver to easily transport patients from the chair to bed. The arm is folded down by accessing the adjustment lever at the side of the chair. The Patient Transfer Arm is specified in a right or left handed position based on facing the unit. Please note, the Patient Transfer Arm cannot be located on the same side as IV Poles or the footrest lever or tablets.



POWER CONTROL

Optional motorized recline is available on the Jordan Compact Recliner. The motorized power features independent back and ottoman control. The control location is standard on the inside left (facing) of the arm, alternately can be specified on the right if required, must be clearly noted on the purchase order. Power can also be specified with a lithium battery pack able to run 200 cycles on a full charge.



THERMAL COMFORT

Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is an option available on all Jordan Compact Recliners, and features a recessed controller located on the inside left arm(facing) of the recliner, unless specified otherwise (or opposite the Patient Transfer Arm option). It provides two heat zones: one in the seat and one in the back. Back and seat zones can be controlled independently, to one of two heat settings. Controls are conveniently placed for the user to access and include a safety time-out feature after 30 minutes. Access to a 110/120 volt, 15 amp(min) electrical outlet is required.

JORDAN COMPACT RECLINER | FEATURES & OPTIONS



SWING AWAY TABLET

The Swing Away Tablet (24" x 14 3/4" x 3/4") is designed to be easily operated by the caregiver or user. The Break Away design allows for the tablet to be easily pushed away from the user in an emergency to gain quick access to the patient. The tablet has the ability to slide up and fold over and rotates 180 degrees. The kidney-shaped design is ideal for use as an eating, writing or work surface. The tablet must be specified on the arm opposite the Footrest Lever.



FOOTREST PROTECTIVE COVER

This optional clear protective cover is sewn into (and over top of) the lower portion of the upholstered ottoman, providing a layer of protection from marring and damage caused by footwear, cleaning and medical equipment, etc. It has an anti-fog additive to maintain clarity, and is resistant to cleaning solutions.



FLIP UP TABLET

The tablet's size is 18" x 14" x 3/4", and it can be located on either side of the recliner (must be specified if being ordered with the recliner). It is available in Beech and Maple Veneer, as well as Plastic Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Please specify whether a right-handed or left-handed (facing)position is needed when ordering. Tablet must be mounted on the opposite side when a Patient Transfer Arm is ordered.



FOOT TRAY

This option provides a concealed, pull-out tray to assist patients with ingress and egress. It features a non-slip tread and dedicated casters that prevent tipping when standing on the tray.



IV POLE & HOLDER

The Jordan IV Pole is height adjustable (in a range of 27"), and can be added in the field. It can be located on either the left or right side (facing) at the back of the recliner. The loca-



REMOVABLE COVERS OPTION

Jordan Compact Recliner are available with Removable Seat Covers & Removable Back Covers. Removable seat and back covers can be quickly installed on Jordan products that were originally ordered with the Removable cover option



tion must be specified at time of order.



COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded-in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



FOLEY HOOK

This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard. The standard location of the Foley Hook is on the front of the arm opposite the Footrest Lever. When Swing Away Tablet is specified Foley Hook would move to the back.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with nonflammable upholstery covers, may enable products to meet certification requirements for this test. See Page 640 for details.



CONTINUOUS FOOTREST

The optional continuous footrest cover provides an easily cleanable surface. It also provides additional safety when in the upright position. Seat and cover can be replaced if worn or degraded. See pricing pages for upcharges.

DIMENSIONS

	Overall Width w/ 4 Position Mechanism	Overall Width w/ Accessories both sides	Overall Depth	Overall Depth w/ Footrest Reclined	Overall Depth w/ Sleep Recline	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
Compact Sleep Recliner	28	31	34	51	72.5	45.5	19.5	28.25	21	20	165	27

COM YARDAGES

	COM Yardage for Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	Ottoman
One Chair	5.8	1.0	2.5	2.7	0.40

JORDAN COMPACT RECLINER

		COM		COL	FA	BRIC GRA	DES		LEATHER	3
DESCRIPTION/N	MODEL	1	2	3	4	5	6	7	8	9
	Upholstered Arm JOR8-CSRUPHS1	4528	4723	4917	5190	5502	5772	6083	6472	6863



ORDERING NOTE: To specify Solid Surface Arm Caps on Upholstered Arms, please add upcharge below and change UPH in the model number to USS.



Upholstered Arm with Urethane Arm Cap
JOR8-CSRUURS1 4632 4825 5019 5293 5605 5875 6187 6576 6965

ORDERING NOTES: To specify Patient Transfer Arm option, please change the last "S" in the model number to "T" and add upcharge below. To specify Central Caster Locking System please change "1" to "3" and add upcharge below.

Shipping note: Jordan Compact Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Compact Recliner Option Upcharges	\$ List		\$ List
Removable Seat Cover	123	Non Powered -Trendelenburg	1004
Removable Back Cover	135	Power Control -Trendelenburg -Corded	1636
Footrest Poly Cover	76	Power Control -Trendelenburg - Battery	2003
Combination Upholstery - Two fabrics	34	Power Control -Corded	1166
Combination Upholstery - Three fabrics	67	Power Control -Battery	1534
Moisture Barrier & CAL 133 (per yard)	67	Replacement Battery	651
Patient Transfer Arm	978		
Thermal Comfort	973	Solid Surface Arm Cap (per pair) - A White	542
Flip Up Tablet	436	Solid Surface Arm Cap (per pair) - Gr A Color	553
Swing Away Tablet	480	Solid Surface Arm Cap (per pair) - Gr B	575
Foley Catheter Hook	225	Solid Surface Arm Cap (per pair) - Gr C	605
IV Pole and Holder	399	N . O B 0404	
Foot Tray	585	Note: See Page 643 for color selection.	
Central Caster Locking System	1127		

CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9
List \$	243	269	294	320	352	384	422	461	509

REMOVABLE CONTINUOUS FOOTREST - please add the following up charges.

Fabric Grades	1	2	3	4	5	6	7	8	9	
List \$	366	392	417	443	475	507	545	584	632	

Line	Series	Chair Type	Arm Type	Arm Option	Style
JOR	8	CSR	UPH	S	1
Jordan	Motion	Compact Recliner	Upholstered Arm	Standard Arm	Casters
		PCSR	UUR	Т	3
		Power Compact Recliner	Upholstered Arm with Urethane Cap	Patient Transfer Arm	Central Locking Casters
		CSRT Compact Recliner	USS		
		with Trendelenburg	Upholstered Arm with Solid Surface Cap		
		PCSRT			
		Power Compact Recliner			

JORDAN COMPACT RECLINER | REPLACEMENT COMPONENTS


DESCRIPTION/MODEL	L	Price	Shipping Weight	Cubes
	IV Pole JOR8-RCRIP	305	3.8	1.4
	IV Pole Holder JOR8-CSRRIPB	92	2	0.2
	Flip Up Tablet with brackets JOR8-RCRTK (wood or laminate)	436	6.6	1.6
	Flip Up Tablet - 18"w x 14"d x .7 JOR8-RCRT (wood or laminate)	75"h 350	5.8	1.4
	Flip Up Tablet Bracket JOR8-RCRTH	124	0.8	0.2
	Swing Away Tablet with Mechar JOR8-CSRST (wood or laminate)	nism - 24"w x 14.75"d x .75"h 480	20	1.2
	Swing Away Tablet Only JOR8-SRRT (wood or laminate)	249	7	0.8
0 0	Swing Away Tablet Mechanism JOR8-CSRRTH	Only 316	13	1
B	Push Bar JOR8-SRRPB	215	2	0.3
	Replacement Foley Catheter Ho JOR8-RHK	ook 225	1	0.2
	Locking Rubber Wheel Caster JOR8-RCRCASRL -Back Left JOR8-RCRCASRR -Back Right JOR8-RCRCASFL -Front JOR8-RCRCASFR -Front		2 2	0.2
	Sleep Recliner Foot Tray JOR8-CSRRFT	585	2.8	15

JORDAN | ENVIRONMENTAL SUMMARY

LEED CLOREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.5%

POST-CONSUMER RECYCLED CONTENT = 13%

Up to 35.4% of this Jordan product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN | 3-POSITION RECLINER - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width with 3-Position Mechanism	Overall Width with 3-Position Mechanism with Trendelenburg	Overall Width with Cushioned Armrest		Overall Depth	Overall Depth when Reclined	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shippino Weight	g Cube
3-Position Recliner	29.5	31.5	32	34.5	35	64	45.5	19.5	28.25	23	20	175	27
COM REC	QUIREMENTS	6											
		COM Yarda Comp Unit	ge lete	COM Yardage Seat Only	COM Yardage Back Only	Ya Ar	OM rdage m inel Only	COM Yarda Footro Upho Pad C	ge est Istered	Cushioned Armrest Only			
Recliner	One Chair Two Chair Three Cha Four Chai	s 12 airs 18		1.0 2.0 3.0 4.0	2.5 5 7.5 10	2.8 5.6 8. ² 11	6 1	0.6 1.2 1.8 2.4		.75 1.5 2.25 3			

WEIGHT CAPACITIES: 3-Position Recliner Weight Rating 400 lbs. Meets or Exceeds ANSI/BIFMA X5.41

JORDAN | 3-POSITION RECLINER - FEATURES & OPTIONS



HIGH DURABILITY MECHANISM

Jordan 3-Position Recliner mechanisms are designed for high-traffic, intensive use in caregiving environments. They are built with high-strength steel, and include Delrin™ wear pads between moving components for added smoothness and longevity.



RECLINER - 3-POSITION MECHANISM

This mechanism provides 3 distinct user positions:

Position A - Seated with feet on the floor, footrest in down (closed) position. Seat-back angle is 104 degrees, and the back is reclined 20 degrees from vertical.

Position B - Footrest is fully extended, back is in mid-position. Seat-back angle remains at 104 degrees, and the back is 25 degrees from vertical. Position C - Full recline with footrest fully extended. Seat-back angle is opened to 125 degrees, and the back is 45 degrees from vertical.



MECHANISM WITH TRENDELENBURG

This mechanism provides the same positions described above, as well as the additional Trendelenburg position: full recline with footrest fully extended, seat-back angle remains at 125 degrees, but the back is now 65 degrees from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the recliner.



Specifically designed to ease the cleaning and disinfection of the recliner and the floor underneath. Upholstery covers can be made removable, and individual components are automatically removable, to enable thorough cleaning and disinfection.



ENHANCED CUSHIONING

The Jordan Recliners have been upgraded with a softer seat, a more pronounced headrest, and contoured back shaping for improved support. These enhancements, along with the addition of dual-density foam, make these recliners the leader in patient comfort.



PUSH BAR

This is a standard feature on the Jordan 3-Position Recliner when ordered with casters. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, and reduce back strain on the caregiver.



ARM OPTIONS

Jordan features 8 arm style options; fully upholstered, fully upholstered with urethane or solid surface arm cap, wood, wood with urethane or solid surface arm cap, full urethane and cushioned arm rest. The arm cap option provides enhanced durability and protection for the arms. The arm cap is field replaceable if damaged or degraded.



FGS

Jordan Recliners are available with wood legs - in either Beech or Maple. Jordan recliner legs feature floor-saver glides. Floor-saver felt glides, non-slip rubber glides, metal glides and plastic glides available at an upcharge. See Page 645 for more information.



CONTINUOUS FOOTREST

The optional continuous footrest cover provides an easily cleanable surface. It also provides additional safety when in the upright position. Seat and cover can be replaced if worn or degraded. See pricing pages for upcharges.

JORDAN | 3-POSITION RECLINER - OPTIONS



FOLEY HOOK

This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard.



THERMAL COMFORT

Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is an option available on all Jordan Recliners, and features a hand-held controller located on the inside arm of the recliner (please specify right hand side or left hand side -facing). It provides two heat zones: one in the seat and one in the back. Back and seat zones can be controlled independently, to one of two heat settings. Controls are conveniently placed for the user to access and include a safety time-out feature after 30 minutes. Access to a 110/120 volt, 15 amp(min) electrical outlet is required.



IV POLE & HOLDER

The Jordan IV Pole is height adjustable (in a range of 27"), and can be added in the field. It can be located in any of four locations (left or right, front or back) -if ordered with the recliner, the location must be specified at time of order.



POWER CONTROL

Optional motorized recline is available on the Jordan 3-Position Recliner. The control location is standard on the inside left (facing) of the arm, alternately can be specified on the right if required, must be clearly noted on the purchase order. Power can also be specified with a lithium battery pack able to run 200 cycles on a full charge.



CUSHIONED ARMREST

The Cushioned Armrest was designed to maximize patient comfort during infusion treatments. The extra padded and wider arms provide comfort and support over long periods of time. Arms can be ordered in Krug standard healthcare rated grey vinyl or in coordinating textiles.



CASTERS

The standard caster is 4" in diameter, soft-wheel, full swivel, with a lock that in a single action locks both the swivel and rotation of the caster. The Central Locking caster has the same features, with a hooded design.




FLIP UP TABLET

The tablet's size is 18" x 14" x 3/4", and it can be located on either side of the recliner (must be specified if being ordered with the recliner). It is available in Beech and Maple Veneer, as well as Plastic Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Please specify whether a right-handed or left-handed position is needed when ordering. Tablet must be mounted on the opposite side when a Patient Transfer Arm is ordered.



CENTRAL CASTER LOCKING SYSTEM

Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The color-coded external foot pedal indicates Red for the locked position (when lowered) and Green for the unlocked position (when unlowered). The standard position for the foot pedal is located at the rear outside of the left (facing) arm panel. It can optionally be located at the front outside of the arm panel (either side) or at rear of right (facing) arm panel. Central locking casters are 4"diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option, note the requested position, and include the upcharge - see pricing pages for upcharge info.



where the tablet appears. PATIENT TRANSFER ARM

The Patient Transfer Arm is designed to fold down where the arm is level with the chair seat. This design allows the caregiver to easily transport patients from the chair to bed. The arm is folded down by accessing the adjustment lever at the side of the chair. The Patient Transfer Arm is specified in a right or left handed position based on facing the unit. The Patient Transfer Arm cannot be located on the same side as footrest lever or accessories. Dual patient transfer arms cannot be specified with CCLS or accessories.

surface. The Footrest activation lever is

specified either left or right handed based on

a position facing the unit and opposite to



Jordan 3-Position Recliner chairs are available with removable seat and back covers for an upcharge. Removable seat and back covers can be quickly installed on Jordan products that were originally ordered with the removable cover option. Removable seat and back covers can also be installed on Jordan products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and



FOOT TRAY

This option provides a concealed, pull-out tray to assist patients with ingress and egress. It features a non-slip tread and dedicated casters that prevent tipping when standing on the trav.

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).



DESCRIPTION/MO	ODEL	Species	COM s 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHER 8	3 9
	Upholstered Arm, 3- JOR8-RCUPH12 (no push bar)	Position M Beech Maple	Mechanisn 3664 3688	n, with leg 3867 3892	4066 4089	4349 4375	4669 4693	4953 4977	5274 5297	5677 5700	6078 6102
	Upholstered Arm, 3- JOR8-RCUPH11	Position M n/a	lechanisn 3746	n, with cas 3950	sters 4151	4433	4755	5035	5360	5762	6162



All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner	Option	Upcharge	es	\$ L	.ist					\$ List	
Removable Seat (Cover			1	23	Non	Powered -	-Trendelen	burg	331	
Removeable Back	c Cover			1	35	Powe	er Control	-Trendele	nburg -Corded	1257	
Moisture Barrier (per yard)			67	Powe	1625				
Combination Uph	olstery (Option - 2	fabrics		34	Powe	er Control	-Corded		859	
Combination Uph	olstery (Option - 3	fabrics		67	Powe	er Control	-Battery		1227	
Thermal Comfort				9	73	Repla	acement E	Battery		651	
Patient Transfer A	rm			9	78	Solid	e 542				
Foley Hook				2	25	Solid	or 553				
IV Pole & Holder				3	199	Solid	Surface A	Arm Cap (per pair) - Gr B	575	
Flip Up Tablet						Solid	Surface A	Arm Cap (p	oer pair) - Gr C	605	
Swing Away Table	Swing Away Tablet					480					
Foot Tray	9										
Central Caster Lo	cking S	ystem		11	27						
Floor-saver Felt G	alides				29	Note: For Solid Surface option replace arm type with "U					
Non-slip Rubber	Glides				18	in the model number and add the upcharge above.					
Metal Glides					25				or arra ada irro apo		
Plastic Glides					8						
CONTINUOUS FO	OOTRE	ST - please	add the foll	owing up cl	narges.						
Fabric Grades	1	2	3	4	5	6	7	8	9		
List \$ 243 269 294					352	384	422	461	509		
REMOVABLE CO	NTINU	OUS FOO	TREST - pl	ease add th	ne following	up charges					

PRODUCT CODE KEY

Fabric Grades

List \$

PRODUCT CODE	T NET				
Line	Series	Chair Type	Arm Type	Mechanism	Style
JOR	8	RC	UPH	1	1
Jordan	Motion	Recliner	Upholstered Arm	3-Position Mechanism	Casters
		PRC	USS	2	2
		Power Recliner	Upholstered Arm with Solid Surface Cap TUP	3-Position with Trendelenburg Mechanism	Wood Legs
			Transfer - Upholstered Arm		Central Locking Casters
			TUS		
			Transfer - Upholstered Arm with Solid Surface Cap		

DESCRIPTION/MC	DDEL	Species	COM 1	2	COL 3	FAB 4	RIC GRAI	DES 6	7	LEATHER 8	9
	Upholstered Arm with JOR8-RCUUR12 (no push bar)					<u> </u>	4773 4797	5056 5079	5377 5400	5780 5803	6182 6206
	Upholstered Arm with JOR8-RCUUR11	n Urethane n/a	Cap, 3-P 3850	osition Me 4053	echanism, 4253	with caste 4534	rs 4858	5139	5463	5866	6265

ORDERING NOTES:

All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option	Upcharge	es	\$ L	ist					\$ List
Removable Seat Cover			1	23	Non I	Powered -	Trendelen	burg	331
Removeable Back Cover	•		1	35	Powe	er Control	-Trendeler	nburg -Corded	1257
Moisture Barrier (per yar	d)			67	Powe	er Control	-Trendeler	nburg - Battery	1625
Combination Upholstery	Option - 2	fabrics		34	Powe	er Control	-Corded	•	859
Combination Upholstery	Option - 3	fabrics		67	Powe	er Control	-Battery		1227
Thermal Comfort	-		9	73	Repla	acement E	Battery		651
Patient Transfer Arm			9	78	Solid	Surface A	Arm Cap (p	per pair) - Gr A White	542
Foley Hook			2	25	Solid	Surface A	Arm Cap (p	per pair) - Gr A Color	553
IV Pole & Holder			3	99				per pair) - Gr B	575
Flip Up Tablet			4	36	Solid	Surface A	Arm Cap (p	per pair) - Gr C	605
Swing Away Tablet			4	-80					
Foot Tray			4	74					
Central Caster Locking S	System		11	27					
Floor-saver Felt Glides	-			29	Note	: For Solid	d Surface	option replace arm ty	pe with "USS"
Non-slip Rubber Glides				18				per and add the upch	•
Metal Glides				25				o. aa aaa mo apon	a. 50 abovo.
Plastic Glides				8					
CONTINUOUS FOOTRE	:ST - please	add the foll	owing up ch	narges.					
Fabric Grades 1	2	3	4	5	6	7	8	9	
	2 269	3 294	4 320	5 352	6 384	7 422	8 461	9 509	
List \$ 243	269	294	320	352	384	422	-	-	
	269	294	320	352	384	422	-	-	

Line	Series	Chair Type	Arm Type	Mechanism	Style
JOR Jordan	8 Motion	RC Recliner	UUR Upholstered Arm	1 3-Position Mechanism	1 Casters
		PRC Power Recliner	with Urethane Cap	2 3-Position with	2 Wood Legs
			Transfer - Upholstered Arm with Urethane Cap	Trendelenburg Mechanism	3
					Central Locking Casters

DESCRIPTION/MO	ODEL	Species	COM 1	2	COL 3	FAI 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
	Full Urethane Arm, 3 JOR8-RCFUR12 (no push bar)	-Position N Beech Maple	Mechanis 3789 3814	m, with leç 3993 4018	gs 4193 4216	4476 4501	4796 4820	5079 5103	5400 5424	5803 5826	6205 6229
	Full Urethane Arm, 3 JOR8-RCFUR11	-Position N n/a	Mechanis 3873	m, with ca 4076	sters 4277	4558	4881	5162	5486	5889	6288

ORDERING NOTES:

All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges	\$ List						\$ List
Removable Seat Cover	123		Non I	Powered -	Trendelen	burg	331
Removeable Back Cover	135		Powe	r Control	-Trendelei	nburg -Corded	1257
Moisture Barrier (per yard)	67		Powe	r Control	-Trendelei	nburg - Battery	1625
Combination Upholstery Option - 2 fabrics	34		Powe	r Control	-Corded		859
Combination Upholstery Option - 3 fabrics	67		Powe	r Control	-Battery		1227
Thermal Comfort	973		Repla	cement E	attery		651
Patient Transfer Arm	978		Solid	Surface A	rm Cap (p	oer pair) - Gr A White	542
Foley Hook	225		Solid	Surface A	rm Cap (p	oer pair) - Gr A Color	553
IV Pole & Holder	399		Solid	Surface A	rm Cap(per pair) - Gr B	575
Flip Up Tablet	436		Solid	Surface A	rm Cap (p	per pair) - Gr C	605
Swing Away Tablet	480						
Foot Tray	474						
Central Caster Locking System	1127						
Floor-saver Felt Glides	29)	Note	: For Solid	Surface	option replace arm type	with "USS"
Non-slip Rubber Glides	18	3				per and add the upcharg	
Metal Glides	25	;			Jaor Harris	or and add the apenary	jo abovo.
Plastic Glides	8	3					
CONTINUOUS FOOTREST - please add the fo							
Fabric Grades 1 2 3	4	5	6	7	8	9	
List \$ 243 269 294	320	352	384	422	461	509	
REMOVABLE CONTINUOUS FOOTREST - p	olease add the fo	ollowing u	p charges.				
REMOVABLE CONTINUOUS FOOTREST - p	olease add the fo	ollowing u 5	p charges.	7	8	9	

Line	Series	Chair Type	Arm Type	Mechanism	Style
JOR Jordan	8 Motion	RC Recliner	FUR Full Urethane	1 3-Position Mechanism	1 Casters
		PRC Power Recliner	TFU Transfer - Full Urethane	2 3-Position with	2 Wood Legs
				Trendelenburg Mechanism	3
					Central Locking Casters

			COM		COL	FA	BRIC GRA	DES		LEATHER	
DESCRIPTION	/MODEL	Specie	s 1	2	3	4	5	6	7	8	9
	Wood Arm, 3-Positio	n Mechanism	with legs	(no push	bar)						
\vdash	JOR8-RCWOD12	Beech	3899	4103	4302	4586	4905	5190	5510	5913	6314
		Maple	3987	4191	4391	4672	4993	5278	5597	6001	6402
	Wood Arm, 3-Positio	n Mechanism	with Cas	ters							
\vdash	JOR8-RCWOD11	Beech	3983	4185	4387	4668	4991	5272	5595	5999	6398
		Maple	4008	4211	4413	4693	5016	5297	5620	6024	6423

ORDERING NOTES:

All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges \$ List	\$ Lis
Removable Seat Cover 123 Non Powered -Trendelenburg	33
Removeable Back Cover 135 Power Control -Trendelenburg -Corded	125
Moisture Barrier (per yard) 67 Power Control -Trendelenburg - Battery	162
Combination Upholstery Option - 2 fabrics 34 Power Control -Corded	859
Combination Upholstery Option - 3 fabrics 67 Power Control -Battery	122
Thermal Comfort 973 Replacement Battery	65 ⁻
Patient Transfer Arm 978 Solid Surface Arm Cap (per pair) - Gr A White	542
Foley Hook 225 Solid Surface Arm Cap (per pair) - Gr A Color	553
IV Pole & Holder 399 Solid Surface Arm Cap (per pair) - Gr B	57
Flip Up Tablet 436 Solid Surface Arm Cap (per pair) - Gr C	60
Swing Away Tablet 480	
Foot Tray 474	
Central Caster Locking System 1127	
Floor-saver Felt Glides 29 Note: For Solid Surface option replace arm ty	pe with "US
Non-slip Rubber Glides 18 in the model number and add the upch	
Non-slip Rubber Glides 18 in the model number and add the upch	arge above.
Metal Glides 25	arge above.
	arge above.
Metal Glides 25 Plastic Glides 8	arge above.
Metal Glides 25	arge above.
Metal Glides 25 Plastic Glides 8 CONTINUOUS FOOTREST - please add the following up charges.	arge above.
Metal Glides 25 Plastic Glides 8 CONTINUOUS FOOTREST - please add the following up charges. Fabric Grades 1 2 3 4 5 6 7 8 9 List \$ 243 269 294 320 352 384 422 461 509	arge above.
Metal Glides 25 Plastic Glides 8 CONTINUOUS FOOTREST - please add the following up charges. Fabric Grades 1 2 3 4 5 6 7 8 9	arge above.

PRODUCT CODE KEY

8				
1 0 1	RC	WOD	1	1
Motion	Recliner	Wood Arm	3-Position Mechanism	Casters
	PRC	SSC	2	2
	Power Recliner	Wood Arm with Solid Surface Cap	3-Position with Trendelenburg	Wood Legs
		TWD	Mechanism	3
		Transfer - Wood Arm		Central Locking Casters
		TSS		
	Motion	PRC	PRC SSC Power Recliner Wood Arm with Solid Surface Cap TWD Transfer - Wood Arm	PRC SSC 2 Power Recliner Wood Arm 3-Position with Trendelenburg Mechanism TWD Transfer - Wood Arm TSS

Transfer - Wood Arm with Solid Surface Cap

DESCRIPTION/M	ODEL	Species	COM 1	2	COL 3	FAI 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
	Wood Arm with Uret JOR8-RCURE12 (no push bar)	hane Cap, Beech Maple	3-Positio 4036 4124	n Mechan 4238 4326	ism with le 4438 4526	egs 4720 4809	5041 5129	5325 5412	5645 5734	6049 6137	6450 6538
	Wood Arm with Uret JOR8-RCURE11	hane Cap, Beech Maple	3-Positio 4118 4145	n Mechan 4321 4347	ism with c 4523 4548	asters 4803 4830	5127 5152	5407 5432	5730 5757	6135 6160	6534 6559



All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recline	er Option	Upcharge	es	\$ L	ist					\$ List
Removable Sea	t Cover			1	23	Non	Powered -	Trendelen	burg	331
Removeable Ba	ck Cover			1	35	Powe	er Control	-Trendele	nburg -Corded	1257
Moisture Barrier	r (per yard	d)			67	Powe	er Control	-Trendele	nburg - Battery	1625
Combination Up	pholstery	Option - 2	fabrics		34	Powe	er Control	-Corded		859
Combination Up	oholstery	Option - 3	fabrics		67	Powe	er Control	-Battery		1227
Thermal Comfo				9	73	Repla	acement E	Battery		651
Patient Transfer	Arm			9	78	Solid	Surface A	Arm Cap (p	per pair) - Gr A White	542
Foley Hook				2	25	Solid	Surface A	، ۱۲m Cap (۱	per pair) - Gr A Color	553
IV Pole & Holde	r			3	99	Solid	Surface A	Arm Cap (per pair) - Gr B	575
Flip Up Tablet				4	36	Solid	Surface A	Arm Cap (p	per pair) - Gr C	605
Swing Away Tak	blet			4	80					
Foot Tray				4	74					
Control Cooter I	a aldina C	· rotom		11	07					
Central Caster L	Locking 5	ystem		1.1	21					
Floor-saver Felt	•	ystem		11	29	Note	: For Solid	d Surface	option replace arm typ	oe with "USS
Floor-saver Felt	t Glides	ystem		11		Note			option replace arm typer and add the upcha	
	t Glides	ystem		11	29	Note			option replace arm typer and add the upcha	
Floor-saver Felt Non-slip Rubbe	t Glides	ystem		11	29 18	Note				
Floor-saver Felt Non-slip Rubbe Metal Glides Plastic Glides	t Glides er Glides	•	add the foll		29 18 25 8	Note				
Floor-saver Felt Non-slip Rubbe Metal Glides	t Glides er Glides	•	add the foll		29 18 25 8	Note				
Floor-saver Felt Non-slip Rubbe Metal Glides Plastic Glides	t Glides er Glides	ST - please		owing up ch	29 18 25 8 narges.		in the mo	odel numb	er and add the upcha	
Floor-saver Felt Non-slip Rubbe Metal Glides Plastic Glides CONTINUOUS Fabric Grades List \$	t Glides er Glides FOOTRE: 1 243	ST - please 2 269	3 294	owing up cl 4 320	29 18 25 8 narges. 5 352	6 384	7 422	odel numb	er and add the upcha	
Floor-saver Felt Non-slip Rubbe Metal Glides Plastic Glides CONTINUOUS Fabric Grades List \$	t Glides er Glides FOOTRE: 1 243	ST - please 2 269 OUS FOO	3 294 TREST - p	owing up cl 4 320 ease add th	29 18 25 8 narges. 5 352	6 384 up charges	7 422	odel numb 8 461	er and add the upcha	
Floor-saver Felt Non-slip Rubbe Metal Glides Plastic Glides CONTINUOUS Fabric Grades List \$	t Glides er Glides FOOTRE: 1 243	ST - please 2 269	3 294	owing up cl 4 320	29 18 25 8 narges. 5 352	6 384	7 422	odel numb	er and add the upcha	

PRODUCT CODE KEY

-HODOCT CODI	LKLI				
Line	Series	Chair Type	Arm Type	Mechanism	Style
JOR Jordan	8 Motion	RC Recliner	URE Wood Arm with Urethane Cap	1 3-Position Mechanism	1 Casters
		PRC Power Recliner	TUR Transfer - Wood Arm	2 3-Position with	2 Wood Legs
			with Urethane Cap	Trendelenburg Mechanism	3
					Central Locking Casters

			COM		COL	FAE	RIC GRAD	DES		LEATHER	
DESCRIPTION/MO	DEL	Species	1	2	3	4	5	6	7	8	9
	Cushioned Armrest, 3	B-Position	Mechanis	m with leg	ıs (no pusl	n bar)					
	JOR8-RCINF12	Beech	4035	4237	4437	4719	5040	5324	5644	6048	6449
		Maple	4059	4263	4460	4746	5064	5347	5667	6071	6473
	Cushioned Armrest, 3	3-Position	Mechanis	m with ca	sters						
	JOR8-RCINF11	n/a	4117	4319	4522	4802	5126	5406	5729	6133	6533

ORDERING NOTES:

All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Recliners ship with the back apart from the chair folded down inside the packaging.

	ordan Recliner Option Upcharges									\$ List	
Removable Seat Co	over			1	23	Non I	Powered -	Trendelen	burg	331	
Removeable Back	Cover			1	35				nburg -Corded	1257	
Moisture Barrier (pe	er yard)				67				nburg - Battery	1625	
Combination Upho	Istery Opt	tion - 2	fabrics		34	Powe	859				
Combination Upho	Istery Opt	tion - 3	fabrics		67	Powe		1227			
Thermal Comfort				9	73		acement B	,		651	
Patient Transfer Arr	m			9	78		-saver Felt	-		30	
Foley Hook				2	25		slip Rubbe			18	
IV Pole & Holder				3	99	Meta	26				
Flip Up Tablet							ic Glides			8	
Swing Away Tablet	• ,				480					0	
Foot Tray	• ,					474					
Central Caster Loci	king Syste	em		1127							
COORDINATING CUS Fabric Grades 2 ARMS	SHIONED A	ARM OF 2 49	PTION - plea 3 73	ase add the 4 127	following up 5 179	charges fo	or Cushioned 7 282	d Arm in co 8 334	oordinating fabric. 9 438		
Fabric Grades	1	2	3	4	5	6	7	8	9		
Fabric Grades 2 ARMS	23	49	73	127	5 179	6	7 282	8	9		
Fabric Grades 2 ARMS CONTINUOUS FOO	23	49	73	127	5 179	6	7	8	9		
Fabric Grades 2 ARMS CONTINUOUS FOO Fabric Grades	23	2 49 - please	3 73 add the foll	4 127 owing up ch	5 179 arges.	231	7 282	334	438		
Fabric Grades 2 ARMS CONTINUOUS FOO Fabric Grades	1 23 OTREST	2 49 - please 2	3 73 add the foll	4 127 owing up ch 4	5 179 arges. 5	6 231 6	7 282 7	8 334 8	9 438		
Fabric Grades 2 ARMS CONTINUOUS FOO Fabric Grades	1 23 OTREST 1 1 243	2 49 - please 2 269	3 73 add the foll 3 294	4 127 owing up ch 4 320	5 179 harges. 5 352	6 231 6 384	7 282 7 422	8 334 8	9 438		

PRODUCT CODE KEY

List \$

THOBOOT COBE					
Line	Series	Chair Type	Arm Type	Mechanism	Style
JOR	8	RC	INF	1	1
Jordan	Motion	Recliner	Cushioned Armrest	3-Position Mechanism	Casters
		PRC Power Recliner	TIN Transfer - Cushioned Armrest	2 3-Position with Trendelenburg Mechanism	Wood Legs
					3 Central Locking

507

545

584

632

Casters

366

392

417

443

475

DIMENSIONS

		Overall Width											
	Overall	with 3-Position	Overall	Overall		Overall							
	Width with	Mechanism	Width with	Width		Depth			Height of	Width			
	3-Position	with	Cushioned	with	Overall	when	Overall	Seat	Arms from	Between	Seat	Shipping	9
	Mechanism	Trendelenburg	Armrest	Accessories	Depth	Reclined	Height	Height	Floor	Arms	Depth	Weight	Cube
Recliner Plus	39	-	41.5	44	35	72	45.5	19.5	28.25	28.75	20	202	36

COM REQUIREMENTS

		COM Yardage Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	COM Yardage Footrest Upholstered Pad Only	Cushioned Armrest Only
Recliner Plus	One Chair	7.7	1.31	3.10	2.8	0.6	.75
	Two Chairs	15.4	2.62	5.6	5.6	1.2	1.5
	Three Chairs	23.1	3.93	8.4	8.4	1.8	2.25
	Four Chairs	30.8	4.12	11.2	11.2	2.4	3

WEIGHT CAPACITIES:

Recliner Plus Weight Rating 750 lbs. Meets or Exceeds ANSI/BIFMA X5.41

JORDAN | RECLINER PLUS FEATURES & OPTIONS



HIGH DURABILITY MECHANISM

Jordan Recliner Plus mechanisms are designed for high-traffic, intensive use in care-giving environments. They are built with high-strength steel, and include Delrin™ wear pads between moving components for added smoothness and longevity.



JORDAN RECLINER PLUS MECHANISM

This mechanism provides Infinitely Adjustable positions: Position A - Seated with feet on the floor, footrest in down (closed) position. Seat-back angle is 102 degrees. Position B - Footrest is fully extended, without compromising the upright position of the back. The seat-back angle remains at 102 degrees. Position C - is the range of infinite adjustability from the seated position of 102 degrees back angle to the fully reclined position at 133 degrees. The Infinitely Adjustable Back angle can be locked in any position with the back adjustment lever that goes to a maximum of 133 degrees when fully extended.



MECHANISM WITH TRENDELENBURG

This mechanism provides the same positions described above, as well as the additional Trendelenburg position: full recline with footrest fully extended, seat-back angle remains at 125 degrees, but the back is now 65 degrees from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the recliner.



LEGS

Jordan Recliners are available with wood legsin either Beech or Maple. Jordan recliner legs feature floor-saver glides. Floor-saver felt glides, non-slip rubber glides, metal glides and plastic glides available at an upcharge. See Page 645 for more information.



ENHANCED CUSHIONING

The Jordan Recliners have been upgraded with a softer seat, a more pronounced headrest, and contoured back shaping for improved support. These enhancements, along with the addition of dual-density foam, make these recliners the leader in patient comfort.



PUSH BAR

This is a standard feature on the Jordan recliner when ordered with casters. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, and reduce back strain on the caregiver.



BACK ADJUSTMENT LEVER

The Jordan Recliner Plus comes with the back adjustment lever which creates an infinite number of back adjustments within the chair. The back adjustment lever comes in a black plastic finish on the caregiver side. The standard position when ordering is left hand based on a position facing, the unit, unless specified otherwise.



FOOTREST LEVER

Jordan Recliner Plus comes with the footrest lever, which extends and closes the built-in footrest. The footrest lever comes in a powder-coated finish to match the casters. The standard position when ordering is a left hand position based on facing the unit, unless specified otherwise.



ARM OPTIONS

Arms are available in wood, wood with urethane arm cap, wood with solid surface arm cap or full urethane. The urethane provides enhanced durability and protection for the arms and is available in three color options; Black, Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded.

JORDAN | RECLINER PLUS FEATURES & OPTIONS



FOLEY HOOK

This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard.



THERMAL COMFORT

Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is an option available on all Jordan Recliners, and features a hand-held controller located on the inside arm of the recliner (please specify right hand side or left hand side -facing). It provides two heat zones: one in the seat and one in the back. Back and seat zones can be controlled independently, to one of two heat settings. Controls are conveniently placed for the user to access and include a safety time-out feature after 30 minutes. Access to a 110/120 volt, 15 amp(min) electrical outlet is required.



IV POLE & HOLDER

CUSHIONED ARMREST

The Jordan IV Pole is height adjustable (in a range of 27"), and can be added in the field. It can be located in any of four locations (left or right, front or back) -if ordered with the recliner, the location must be specified at time



CASTERS

The standard caster is 4" in diameter, softwheel, full swivel, with a lock that in a single action locks both the swivel and rotation of the caster. The Central Locking caster has the same features, with a hooded design.



The tablet's size is 18" x 14" x 3/4", and it can be located on either side of the recliner (must be specified if being ordered with the recliner). It is available in Beech and Maple Veneer, as well as Plastic Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Please specify whether a right-handed or left-handed position is needed when ordering. Tablet must be mounted on the opposite side when a Patient Transfer Arm is ordered.



CENTRAL CASTER LOCKING SYSTEM

Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The color-coded external foot pedal indicates Red for the locked position (when lowered) and Green for the unlocked position (when unlowered). The standard position for the foot pedal is located at the rear outside of the left (facing) arm panel. It can optionally be located at the front outside of the arm panel (either side) or at rear of right (facing) arm panel. Central locking casters are 4"diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option, note the requested position, and include the upcharge - see pricing pages for upcharge info.




SWING AWAY TABLET

The Swing Away Tablet (24" x 14 3/4" x 3/4") is designed to be easily operated by the caregiver or user. The Break Away design allows for the tablet to be easily pushed away from the user in an emergency to gain quick access to the patient. The tablet has the ability to slide up and fold over and rotates 180 degrees. The kidney-shaped design is ideal for use as an eating, writing or work surface. The Footrest activation lever is specified either left or right handed based on a position facing the unit and opposite to where the tablet appears.



FOOT TRAY

This option provides a concealed, pull-out tray to assist patients with ingress and egress. It features a non-slip tread and dedicated casters that prevent tipping when standing on the trav.



PATIENT TRANSFER ARM

The Patient Transfer Arm is designed to fold down where the arm is level with the chair seat. This design allows the caregiver to easily transport patients from the chair to bed. The arm is folded down by accessing the adjustment lever at the side of the chair. The Patient Transfer Arm is specified in a right or left handed position based on facing the unit. Please note, the Patient Transfer Arm cannot be located on the same side as IV Poles or the footrest lever or tablets.



REMOVABLE COVERS AND REPLACEMENT **COMPONENTS**

Jordan Recliner Plus chairs are available with removable seat and back covers. Removable seat and back covers can be quickly installed on Jordan products that were originally ordered with the Removable cover option. Removable seat and back covers can also be installed on Jordan products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs..



POWER CONTROL

Optional motorized recline is available on the Jordan Recliner. Plus. The motorized power features independent back and ottoman control. The control location is standard on the inside left (facing) of the arm, alternately can be specified on the right if required, must be clearly noted on the purchase order. Power can also be specified with a lithium battery pack able to run 200 cycles on a full charge.



CONTINUOUS FOOTREST

The optional continuous footrest cover provides an easily cleanable surface. It also provides additional safety when in the upright position. Seat and cover can be replaced if worn or degraded. See pricing pages for upcharges.

JORDAN | RECLINER PLUS

			COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MC	DEL	Species	1	2	3	4	5	6	7	8	9_
	Upholstered Arm, with JOR8-BSRUPH2 (no push bar)	legs Beech Maple	5400 5426	5660 5684	5917 5941	6277 6303	6692 6716	7052 7079	7465 7490	7985 8008	8500 8524
	Upholstered Arm, with JOR8-BSRUPH1	n casters n/a	5610	5867	6125	6489	6901	7260	7675	8192	8707
	Upholstered Arm with	Urethane	Cap, with	n legs							
	JOR8-BSRUUR2 (no push bar)	Beech Maple	5503 5528	5764 5788	6021 6045	6380 6406	6795 6819	7156 7182	7568 7594	8088 8111	8603 8627
	Upholstered Arm with	Urethane	Cap, with	casters							
	JOR8-BSRUUR1	n/a	5713	5969	6229	6590	7003	7364	7778	8296	8810

ORDERING NOTES: All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging. **Note:** For Solid Surface option replace UPH arm type with "USS" in the model number and add the upcharge below.

Jordan Recline	er Plus O	otion Upcl	harges	\$ Lis	st					\$ List
Moisture Barrie	r (per yard	d)		6	67	Non	Powered -	Trendelen	burg	1004
Removable Plus	s Seat Co	ver		14	13	Powe	er Control	-Trendeler	nburg -Corded	1636
Removeable Pla	us Back C	Cover		18	39	Powe	er Control	-Trendeler	nburg - Battery	2003
Swing Away Tal	blet			48	30	Powe	er Control	-Corded	0 ,	1166
IV Pole & Holde	er			39	99	Powe	er Control	-Batterv		1534
Flip Up Tablet				43	36		acement E	,		651
Foley Catheter	Hook			22	25		-saver Fel	,		30
Thermal Comfo	rt			97	73	Non-	slip Rubbe	er Glides		18
Patient Transfer	· Arm			97	78	Meta	26			
Central Caster	Locking S	ystem		112	27	Plast	8			
Combination Up	pholstery	Option - 2	fabrics	3	34	Solid	e 542			
Combination U	pholstery	Option - 3	fabrics	6	67	Solid				
Foot Tray				58	35				per pair) - Gr B	575
									per pair) - Gr C	605
CONTINUOUS	FOOTRE	ST - please	add the fol	lowing up cl	harges.					
Fabric Grades	1	2	3	4	5	6	7	8	9	
List \$	243	269	294	320	352	384	422	461	509	
REMOVABLE (CONTINU	OUS FOO	TREST - p	olease add t	he following	up charges	S.			
Eghria Crados	- 1	2	2	1		6	7	0	0	

Fabric Grades	1	2	3	4	5	6	7	8	9
List \$	366	392	417	443	475	507	545	584	632

Line	Series	Chair Type	Arm Type	Style
JOR	8	BSR	UPH	1
Jordan	Motion	Recliner Plus	Upholstered Arm	Casters
		PBSR	UUR	2
		Power Recliner Plus	Upholstered Arm	Legs
		BSRT Recliner Plus	with Urethane Cap USS	Central Locking Casters
		with Trendelenburg PBSRT	Upholstered Arm Solid Surface Cap	J
		Power Recliner Plus with Trendelenburg		2026 HEALTHCARE CANADA 68

JORDAN | RECLINER PLUS

DESCRIPTION/N	MODEL	Species	COM 1	2	COL 3	FAI 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
	Full Urethane Arm, wit JOR8-BSRFUR2 (no push bar)		5526 5551	5787 5811	6044 6069	6403 6429	6818 6842	7179 7205	7591 7617	8111 8134	8626 8650
	Full Urethane Arm, wit JOR8-BSRFUR1	h casters n/a	5736	5992	6252	6615	7026	7387	7801	8319	8833
	Wood Arm, with legs JOR8-BSRWOD2 (no push bar)	Beech Maple	5636 5724	5896 5985	6154 6242	6514 6602	6928 7017	7289 7377	7701 7789	8221 8308	8737 8825
	Wood Arm, with caster JOR8-BSRWOD1	rs Beech Maple	5846 5871	6102 6127	6361 6387	6725 6750	7136 7162	7497 7522	7910 7935	8429 8454	8943 8969

ORDERING NOTES:
All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recline	ordan Recliner Plus Option Upcharges										\$ List
Moisture Barrie	r (per yard)		6	57	Non	Powered -	Trendelen	burg		1004
Removable Plus	s Seat Cov	ver		14	.3	Powe	er Control	-Trendeler	burg -Cor	ded	1636
Removeable Plu	us Back C	over		18	9	Powe	er Control	-Trendeler	nburg - Ba	ttery	2003
Swing Away Tal	olet			48	0		er Control		Ü	•	1166
IV Pole & Holde	- Tower Control Battery								1534		
Flip Up Tablet				43	6	Repla		651			
Foley Catheter	Hook		Solid Surface Arm Cap (per pair) - Gr A White					Gr A White	542		
Thermal Comfo	rt			97	3	Solid Surface Arm Cap (per pair) - Gr A Color					553
Patient Transfer	Arm			97	8	Solid Surface Arm Cap (per pair) - Gr B					575
Central Caster I	entral Caster Locking System					Solid	Gr C	605			
Combination Up	Combination Upholstery Option - 2 fabrics										
Combination Up	oholstery (Option - 3	fabrics	67 Note: For Solid Surface option replace WOD arm type					OD arm type	with "SSC"	
Foot Tray				58					•	pcharge abov	
CONTINUOUS	FOOTRES	ST - please	add the foll	owing up ch	narges.						
Fabric Grades	1	2	3	4	5	6	7	8	9		
List \$	243	269	294	320	352	384	422	461	509		
REMOVABLE (CONTINU	ous Foo	TREST - p	lease add t	ne followin	g up charges	3.				
Fabric Grades	1	2	3	4	5	6	7	8	9		
List \$ 366 392 417				443	475	507	545	584	632		
PRODUCT CODE KEY											
Lina	0	_	Ob -in T			A T	_		04.4-		

Line	Series	Chair Type	Arm Type	Style
JOR	8	BSR	FUR	1
Jordan	Motion	Recliner Plus	Full Urethane	Casters
		PBSR	WOD	2
		Power Recliner Plus	Wood Arm	Legs
		BSRT	SSC	3
		Recliner Plus	Wood Arm with	Central Locking Casters
		with Trendelenburg	Solid Surface Cap	
		PBSRT		
		Power Recliner Plus		
		with Trendelenburg		

JORDAN | RECLINER PLUS

			COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/N	MODEL	Species	1	2	3	4	5	6	7	8	9
	Wood Arm with Uretha JOR8-BSRURE2 (no push bar)	ne Cap, with Beech Maple	1 legs 5771 5860	6032 6120	6289 6377	6649 6737	7064 7151	7424 7512	7837 7925	8358 8445	8872 8960
	Wood Arm with Uretha JOR8-BSRURE1	ne Cap, with Beech Maple	5981 6007	6238 6264	6497 6522	6860 6885	7272 7298	7632 7657	8046 8072	8563 8590	9079 9104
	Cushioned Armrest, wi JOR8-BSRINF2 (no push bar)	th legs Beech Maple	5770 5796	6031 6055	6288 6312	6648 6673	7063 7087	7423 7448	7836 7861	8354 8379	8871 8895
	Cushioned Armrest, wi JOR8-BSRINF1	th casters	5980	6237	6496	6859	7271	7631	8045	8562	9078

ORDERING NOTES: All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging.

Moisture Barrier (per yard)	\$ List						\$ List
	67 Non Powered -Trendelenburg				ourg	1004	
Removable Plus Seat Cover	143	43 Power Control -Trendelenburg -Corded			1636		
Removeable Plus Back Cover	189		Powe	r Control -	Trendelen	burg - Battery	2003
Swing Away Tablet	480			r Control -			1166
IV Pole & Holder	399			r Control -			1534
Flip Up Tablet	436			cement Ba	attery		651
Foley Catheter Hook	225		Foot ⁻	Гray			585
Thermal Comfort	973		Floor	saver Felt	Glides		30
Patient Transfer Arm	978		Non-	slip Rubbe	r Glides		18
Central Caster Locking System	1127			Glides			26
Combination Upholstery Option - 2 fabrics		34				8	
Combination Upholstery Option - 3 fabrics	67		riasii	c Glides			0
COORDINATING CUSHIONED ARM OPTION - plea	ase add the fo	ollowing up	charges fo	r Cushioned	d Arm in co	ordinating fabric.	
Fabric Grades 1 2 3	4	5	6	7	8	9	
2 ARMS 23 49 73	127	179	231	282	334	438	
CONTINUOUS FOOTREST - please add the foll	owing up cha	raes.					
CONTINUOUS FOOTREST - please add the foll Fabric Grades 1 2 3	lowing up cha 4	rges. 5	6	7	8	9	
			6 384	7 422	8 461		
Fabric Grades 1 2 3	320	5 352	384			9	
Fabric Grades 1 2 3 List \$ 243 269 294	320	5 352	384			9	

PRODUCT CODE KEY

Line	Series	Chair Type	Arm Type	Style	
JOR	8	BSR	URE	1	
Jordan	Motion	Recliner Plus	Wood Arm with Urethane Cap	Casters	
		PBSR	INF	2	
		Power Recliner Plus	Cushioned Armrest	Legs	
		BSRT		3	
		Recliner Plus with Trendelenburg		Central Locking Casters	
		PBSRT			
		Power Recliner Plus			

with Trendelenburg

JORDAN | SLEEP RECLINER

DIMENSIONS

	Overall Width w/ 4 Position Mechanism	Overall Width with Cushioned Armrest	Overall Width w/ Accessories both sides	Overall Depth	Overall Depth w/ Footrest Reclined	Overall Depth w/ Sleep Recline	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat	Shipping Weight) Cubes
	Mechanism	Allillest	DOIII SIGES	Бериі	rieciirieu	rtecime	rieigiit	rieigni	1 1001	AIIIIS	Бериі	vveigni	Oubes
Sleep Recliner	32.25	34.5	38.25	37	54	72.5	45.5	19.5	28.25	23	20	175	27

WEIGHT CAPACITY: Sleep Recliner Weight Rating 750 lbs. Meets or Exceeds ANSI/BIFMA X5.41).

COM REQUIREMENTS

	COM Yardage for Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	COM Yardage Footrest Upholstered Pad Only	Cushioned Armrest Only	
One Chair	5.8	1.0	2.5	2.8	0.4	.75	
Two Chairs	11.6	2.0	5	5.6	0.8	1.5	
Three Chairs	17.4	3.0	7.5	8.4	1.2	2.25	
Four Chairs	23.2	4.0	10	11.2	1.6	3	

JORDAN | SLEEP RECLINER FEATURES & OPTIONS



HIGH DURABILITY MECHANISM

Jordan Sleep Recliner mechanisms are designed for high-traffic, intensive use in care-giving environments. They are built with high-strength steel, and include Delrin™ wear pads between moving components for added smoothness and longevity.



PUSH BAR

This is a standard feature on the Jordan recliner when ordered with casters. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, and reduce back strain on the caregiver.



JORDAN SLEEP RECLINERS MECHANISM

This mechanism provides Infinitely Adjustable positions: Position A - Seated with feet on the floor, footrest in down (closed) position. Seat-back angle is 102 degrees. Position B - Footrest is fully extended, without compromising the upright position of the back. The seat-back angle remains at 102 degrees. Position C - is the range of infinite adjustability from the seated position of 102 degrees back angle to the fully reclined position at 133 degrees. The Infinitely Adjustable Back angle can be locked in any position with the back adjustment lever that goes to a maximum of 175 degrees when fully extended.



BACK ADJUSTMENT LEVER

The Jordan Sleep Recliner comes with the back adjustment lever which creates an infinite number of back adjustments within the chair. The back adjustment lever comes in a black plastic finish on the caregiver side. The standard position when ordering is left hand based on a position facing, the unit, unless specified otherwise.



MECHANISM WITH TRENDELENBURG

This mechanism provides the same positions described above, as well as the additional Trendelenburg position: full recline with footrest fully extended, seat-back angle remains at 125 degrees, but the back is now 65 degrees from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the recliner. Not available on Recliner Plus.



FOOTREST LEVER

Jordan Sleep Recliner comes with the footrest lever, which extends and closes the built-in footrest. The footrest lever comes in a powdercoated finish to match the casters. The standard position when ordering is a left hand position based on facing the unit, unless specified otherwise.



ARM OPTIONS

Jordan features 8 arm style options; fully upholstered, fully upholstered with urethane or solid surface arm cap, wood, wood with urethane or solid surface arm cap, full urethane and cushioned arm rest. The arm cap option provides enhanced durability and protection for the arms. The arm cap is field replaceable if damaged or degraded.



ENHANCED CUSHIONING

The Jordan Recliners have been upgraded with a softer seat, a more pronounced headrest, and contoured back shaping for improved support. These enhancements, along with the addition of dual-density foam, make these recliners the leader in patient comfort.



Jordan Recliners are available with wood legs - in either Beech or Maple. Jordan recliner legs feature floor-saver glides. Floor-saver felt glides, non-slip rubber glides, metal glides and plastic glides available at an upcharge. See Page 645 for more information.



CLEANING & INFECTION CONTROL

Specifically designed to ease the cleaning and disinfection of the recliner and the floor underneath. Upholstery covers can be made removable, and individual components are automatically removable, to enable thorough cleaning and disinfection.



CONTINUOUS FOOTREST

The optional continuous footrest cover provides an easily cleanable surface. It also provides additional safety when in the upright position. Seat and cover can be replaced if worn or degraded. See pricing pages for uncharges.

JORDAN | SLEEP RECLINER FEATURES & OPTIONS



FOLEY HOOK

This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard.



THERMAL COMFORT

Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is an option available on all Jordan Recliners, and features a hand-held controller located on the inside arm of the recliner (please specify right hand side or left hand side -facing). It provides two heat zones: one in the seat and one in the back. Back and seat zones can be controlled independently, to one of two heat settings. Controls are conveniently placed for the user to access and include a safety time-out feature after 30 minutes. Access to a 110/120 volt, 15 amp(min) electrical outlet is required.



IV POLE & HOLDER

CUSHIONED ARMREST

The Jordan IV Pole is height adjustable (in a range of 27"), and can be added in the field. It can be located in any of four locations (left or right, front or back) -if ordered with the recliner, the location must be specified at time of order.



POWER CONTROL

Optional motorized recline is available on the Jordan Sleep Recliner. The motorized power features independent back and ottoman control. The control location is standard on the inside left (facing) of the arm, alternately can be specified on the right if required, must be clearly noted on the purchase order. Power can also be specified with a lithium battery pack able to run 200 cycles on a full charge.



coordinating textiles. **FLIP UP TABLET**

The tablet's size is 18" x 14" x 3/4", and it can be located on either side of the recliner (must be specified if being ordered with the recliner). It is available in Beech and Maple Veneer, as well as Plastic Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Please specify whether a right-handed or left-handed position is needed when ordering. Tablet must be mounted on the opposite side when a Patient Transfer Arm is ordered.



CASTERS

The standard caster is 4" in diameter, soft-wheel, full swivel, with a lock that in a single action locks both the swivel and rotation of the caster. The Central Locking caster has the same features, with a hooded design.



SWING AWAY TABLET

The Swing Away Tablet (24" x 14 3/4" x 3/4") is designed to be easily operated by the caregiver or user. The Break Away design allows for the tablet to be easily pushed away from the user in an emergency to gain quick access to the patient. The tablet has the ability to slide up and fold over and rotates 180 degrees. The kidney-shaped design is ideal for use as an eating, writing or work surface. The Footrest activation lever is specified either left or right handed based on a position facing the unit and opposite to where the tablet appears.



CENTRAL CASTER LOCKING SYSTEM

Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The color-coded external foot pedal indicates Red for the locked position (when lowered) and Green for the unlocked position (when unlowered). The standard position for the foot pedal is located at the rear outside of the left (facing) arm panel. It can optionally be located at the front outside of the arm panel (either side) or at rear of right (facing) arm panel. Central locking casters are 4"diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option, note the requested position, and include the upcharge - see pricing pages for upcharge info.




PATIENT TRANSFER ARM

The Patient Transfer Arm is designed to fold down where the arm is level with the chair seat. This design allows the caregiver to easily transport patients from the chair to bed. The arm is folded down by accessing the adjustment lever at the side of the chair. The Patient Transfer Arm is specified in a right or left handed position based on facing the unit. Please note, the Patient Transfer Arm cannot be located on the same side as IV Poles or the footrest lever or tablets.



FOOT TRAY

This option provides a concealed, pull-out tray to assist patients with ingress and egress. It features a non-slip tread and dedicated casters that prevent tipping when standing on the



When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

REPLACEMENT & REMOVABLE COVERS

Jordan Sleep Recliners chairs are available with Removable Seat and Back Covers for an upcharge. Removable seat and back covers can be quickly installed on Jordan products that were originally ordered with the Removable cover option. Removable seat and back covers can also be installed on Jordan products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs.

JORDAN | SLEEP RECLINER

DESCRIPTION/MODEL			COM		COL	FAB	RIC GRAD	ES		EATHER.	
DESCRIPTION/MO	ODEL	Species	1	2	3	4	5	6	7	8	9
	Upholstered Arm, with JOR8-SRUPH24 (no push bar)	legs Beech Maple	4438 4463	4634 4657	4825 4851	5099 5126	5410 5436	5682 5708	5995 6020	6382 6409	6771 6797
	Upholstered Arm, with JOR8-SRUPH14 (no push bar)	casters n/a	4528	4723	4917	5190	5502	5772	6083	6472	6863
	JOR8-SRUPH13	n/a	4555	4751	4944	5216	5526	5801	6113	6499	6891
	Upholstered Arm with U	Jrethane (Cap, and I	egs							
	JOR8-SRUUR24 (no push bar)	Beech Maple	4542 4567	4736 4759	4928 4953	5201 5229	5514 5540	5785 5812	6098 6122	6486 6513	6873 6901
	Upholstered Arm with U JOR8-SRUUR14 (no push bar)	Jrethane (n/a	Cap, and (4632	casters 4825	5019	5293	5605	5875	6187	6576	6965
	JOR8-SRUUR13	n/a	4659	4854	5047	5319	5630	5904	6214	6603	6995

ORDERING NOTES: All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging .**Note:** For Solid Surface option replace UPH arm type with "USS" in the model number and add the upcharge below.

Jordan Sleep R	Jordan Sleep Recliner Option Upcharges									\$ List
Removeable Back Cover Removable Seat Cover Combination Upholstery Option - 2 fabrics Combination Upholstery Option - 3 fabrics Moisture Barrier (per yard) Patient Transfer Arm Thermal Comfort Flip Up Tablet Swing Away Tablet Foley Catheter Hook IV Pole & Holder Foot Tray Central Caster Locking System CONTINUOUS FOOTREST - please add the follow				135 123 34 67 67 978 973 436 480 225 399 585 1127	Powe Powe Powe Repla Floor Non- Meta Plast Solid Solid	er Control er Control er Control acement B -saver Fel slip Rubbe I Glides ic Glides Surface A Surface A	-Trendeler -Trendeler -Corded -Battery attery t Glides er Glides urm Cap (r urm Cap (r urm Cap (r	burg nburg - Corded nburg - Battery per pair) - Gr A Where pair) - Gr A Co per pair) - Gr B per pair) - Gr B		
CONTINUOUS I	FOOTRE	ST - please	add the foll	owing up cl	narges.				. ,	
Fabric Grades	1	2	3	4	5	6	7	8	9	
List \$	243	269	294	320	352	384	422	461	509	
REMOVABLE C	ONTINU	OUS FOO	TREST - p	lease add tl	ne following	up charges	i.			
Fabric Grades	1	2	3	4	5	6	7	8	9	
List \$	366	392	417	443	475	507	545	584	632	
PRODUCT CODE	KEY									

Line	Series	Chair Type	Arm Type	Style	
JOR	8	SR	UPH	1	3
Jordan	Motion	Sleep Recliner	Upholstered Arm	Casters	Push Bar
		PSR	UUR	2	4
		Power Sleep Recliner	Upholstered Arm	Legs	No Push Bar
		SRT Sleep Recliner with Trendelenburg PSRT	with Urethane Cap USS Upholstered Arm Solid Surface Cap	Central Locking Casters	
		Power Sleep Recliner with Trendelenburg			

JORDAN | SLEEP RECLINER

DESCRIPTION/MOD	nEI	Species	COM	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	Full Urethane Arm, w JOR8-SRFUR24 (no push bar)	'	4565 4590	4759 4782	4951 4977	5225 5252	5537 5563	5808 5835	6121 6145	6510 6536	6891 6924
	Full Urethane Arm, w JOR8-SRFUR14 (no push bar) JOR8-SRFUR13	ith casters n/a n/a	4655 4683	4848 4877	5042 5071	5316 5342	5629 5653	5898 5927	6210 6238	6599 6626	6989 7018
	Wood Arm, with legs JOR8-SRWOD24 (no push bar)	Beech Maple	4674 4762	4869 4958	5062 5150	5336 5424	5646 5735	5918 6007	6231 6319	6619 6707	7006 7094
	Wood Arm, with cast JOR8-SRWOD14 (no push bar) JOR8-SRWOD13	ers Beech Maple Beech Maple	4764 4790 4793 4818	4959 4985 4987 5012	5152 5177 5179 5205	5426 5451 5452 5477	5738 5764 5762 5788	6009 6034 6036 6061	6321 6346 6348 6374	6708 6733 6736 6762	7100 7125 7127 7153

ORDERING NOTES: All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging. **Note:** For Solid Surface option replace WOD arm type with "SSC" in the model number and add the upcharge below.

		Juon op	charges	· ·						\$ List
	Back Cover				135		Powered -			1004
Removable S			Caladaa		123				nburg -Corded nburg - Battery	1636
	upholstery O Upholstery O				34 67	Powe Powe	2003 1166			
Aoisture Bar	rier (per yard)	ption - o	labiles		67	Powe	1534			
Patient Trans	sfer Arm				978		cement B			651
hermal Con					973				per pair) - Gr A White	542
lip Up Table					436 480				per pair) - Gr A Color	553 575
Swing Away oley Cathet					480 Solid Surface Arm Cap (per pair) - Gr B 225 Solid Surface Arm Cap (per pair) - Gr C					605
/ Pole & Hol				399 Floor-saver Felt Glides					30	
oot Tray					585 Non-slip Pubber Glides					18
Central Cast	er Locking Sys	stem		1	1127		Glides	oi diideo		26
							c Glides			- {
CONTINUIO	UC FOOTBEC	. .				1 14011	o anaco			`
abric Grade	US FOOTRES	I - please 2	e add the foll 3	owing up ch 4	narges. 5	6	7	8	9	
									-	
ict ¢	2/13	260	201	320	352	384	122	461	500	
•	243	269	294	320	352	384	422	461	509	
REMOVABL	E CONTINUC	US FOC	TREST - p	lease add th	ne following	up charges.				
REMOVABL	E CONTINUC	OUS FOO	OTREST - p	lease add th	ne following	up charges.	7	8	9	
REMOVABL	E CONTINUC	US FOC	TREST - p	lease add th	ne following	up charges.				
REMOVABL	E CONTINUC	OUS FOO	OTREST - p	lease add th 4 443	ne following	up charges.	7	8	9	
REMOVABLE Fabric Grade RODUCT COD	E CONTINUC es 1 DE KEY 366	OUS FOO	3 417	lease add th 4 443	ne following	up charges. 6 507	7	8	9 632	3
REMOVABL abric Grade ODUCT COD ist \$ Line	E CONTINUC es 1 DE KEY 366 Series	OUS FOO	3 417 Chair Typ	lease add th 4 443 De	ne following 5 475	up charges. 6 507 Arm Type	7 545	8	9 632 Style	3 Push Bar
REMOVABLE abric Grade RODUCT COD	E CONTINUO es 1 DE KEY 366 Series	OUS FOO	3 417 Chair Typ	lease add th 4 443 De	ne following 5 475	up charges. 6 507 Arm Type FUR	7 545	8	9 632 Style	
Fabric Grade RODUCT COD List \$	E CONTINUO es 1 DE KEY 366 Series	2 392	3 417 Chair Typ SR Sleep Recl	dease add the 4 443 pe	ne following 5 475	up charges. 6 507 Arm Type FUR Full Urethane	7 545	8	9 632 Style 1 Casters	Push Bar
REMOVABLE abric Grade RODUCT CODLIST \$ Line JOR	E CONTINUO es 1 DE KEY 366 Series	2 392	OTREST - p 3 417 Chair Typ SR Sleep Recl PSR ower Sleep F	dease add the 4 443 pe	ne following 5 475	up charges. 6 507 Arm Type FUR Full Urethane WOD Wood Arm	7 545	8	9 632 Style 1 Casters 2 Legs	Push Bar
REMOVABLE abric Grade RODUCT CODUCT C	E CONTINUO es 1 DE KEY 366 Series	2 392	3 417 Chair Typ SR Sleep Recl PSR ower Sleep F	lease add the 4 443 pe 1	5 475	up charges. 6 507 Arm Type FUR Full Urethane WOD Wood Arm SSC	7 545	8 584	9 632 Style 1 Casters 2 Legs	Push Bar
REMOVABLE abric Grade RODUCT COD	E CONTINUO es 1 DE KEY 366 Series	2 392	OTREST - p 3 417 Chair Typ SR Sleep Recl PSR ower Sleep F	lease add the 4 443 De	se following 5 475	up charges. 6 507 Arm Type FUR Full Urethane WOD Wood Arm	7 545 e	8 584	9 632 Style 1 Casters 2 Legs	Push Bar
REMOVABLE abric Grade RODUCT CODUCT C	E CONTINUO es 1 DE KEY 366 Series	2 392	OTREST - p 3 417 Chair Typ SR Sleep Recl PSR ower Sleep F SRT Sleep Recl	lease add the 4 443 De	se following 5 475	up charges. 6 507 Arm Type FUR Full Urethane WOD Wood Arm SSC /ood Arm wi	7 545 e	8 584	9 632 Style 1 Casters 2 Legs	Push Bar
REMOVABL abric Grade ODUCT COD ist \$ Line	E CONTINUO es 1 DE KEY 366 Series	2 392	3 417 Chair Typ SR Sleep Recl PSR ower Sleep F SRT Sleep Recl	lease add the 4 443 one liner line line line line line line line line	se following 5 475	up charges. 6 507 Arm Type FUR Full Urethane WOD Wood Arm SSC /ood Arm wi	7 545 e	8 584	9 632 Style 1 Casters 2 Legs	Push Bar

JORDAN | SLEEP RECLINER

			COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/M	ODEL	Species	1	2	3	4	5	6	7	8	9
	Wood Arm with Ureth JOR8-SRURE24 (no push bar)	nane Cap, w Beech Maple	ith legs 4810 4898	5006 5094	5197 5285	5471 5559	5782 5870	6054 6142	6367 6454	6754 6842	7142 7230
	Wood Arm with Ureth JOR8-SRURE14 (no push bar) JOR8-SRURE13	aane Cap, w Beech Maple Beech Maple	ith caste 4927 4953 4945 5033	5122 5148 5141 5229	5316 5341 5332 5421	5588 5613 5607 5695	5897 5923 5917 6006	6171 6198 6189 6277	6484 6510 6501 6589	6871 6896 6890 6978	7262 7288 7278 7366
	Cushioned Armrest, v JOR8-SRINF24 (no push bar)	with legs Beech Maple	4809 4834	5005 5028	5196 5220	5470 5496	5781 5807	6053 6079	6366 6390	6753 6779	7141 7168
	Cushioned Armrest, v JOR8-SRINF14 (no push bar) JOR8-SRINF13	with casters	4899 4926	5094 5121	5286 5315	5560 5587	5872 5896	6143 6170	6454 6483	6842 6870	7234 7261

ORDERING NOTES: All Jordan Recliners components are specified either left or right handed based on a position facing the unit. Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Sleep R	Recliner Op	otion Up	charges	\$	List					\$ List
Removeable Back Cover Removable Seat Cover Combination Upholstery Option - 2 fabrics Combination Upholstery Option - 3 fabrics Moisture Barrier (per yard) Patient Transfer Arm Thermal Comfort Flip Up Tablet Swing Away Tablet Foley Catheter Hook IV Pole & Holder Foot Tray COORDINATING CUSHIONED ARM OPTION - plea					135 Non Powered -Trendelenburg 123 Power Control -Trendelenburg -Corded 34 Power Control -Trendelenburg - Battery 67 Power Control -Corded 67 Power Control -Battery 978 Replacement Battery 973 Central Caster Locking System 436 Floor-saver Felt Glides 480 Non-slip Rubber Glides 480 Metal Glides 585 Plastic Glides				1004 1636 2003 1166 1534 651 1127 30 18 26	
	CUSHIONE					_	or Cushione		•	
Fabric Grades	1	2	3	4	5	6	7	8	9	
2 ARMS	23	49	73	127	179	231	282	334	438	
CONTINUOUS	FOOTRES ¹	T - please	add the foll	owing up cl	narges.					
Fabric Grades	1	2	3	4	5	6	7	8	9	
List \$	243	269	294	320	352	384	422	461	509	
REMOVABLE C	OUNITNO	US FOO	TREST - p	lease add tl	ne following	up charges				
Fabric Grades	1	2	3	4	5	6	7	8	9	
List \$	366	392	417	443	475	507	545	584	632	
PRODUCT CODE	KEY									
Line	Series		Chair T	уре		Arm Type	е		Style	
JOR	8		SR			URE			1	3
Jordan	Motion		Sleep Rec	 cliner	1	Wood Arm with Casters				

Line	Series	Chair Type	Arm Type	Style	
JOR	8	SR	URE	1	3
Jordan	Motion	Sleep Recliner	Wood Arm with	Casters	Push Bar
		PSR	Urethane Cap	2	4
		Power Sleep Recliner	INF	Legs	No Push Bar
		SRT	Cushioned Armrest	3	
		Sleep Recliner with Trendelenburg		Central Locking Casters	
		PSRT			

Power Sleep Recliner with Trendelenburg


JORDAN | RECLINER ACCESSORIES & REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	-	Price	Shipping Weight	Cubes
	IV Pole JOR8-RCRIP	305	3.8	1.4
	IV Pole Holder JOR8-RCRIPB	92	2	0.2
	Flip Up Tablet with brackets JOR8-RCRTK (wood or laminate)	436	6.6	1.6
	Flip Up Tablet 18"w x 14"d x .75"h JOR8-RCRT (wood or laminate)	350	5.8	1.4
	Flip Up Tablet Bracket JOR8-RCRTH	124	0.8	0.2
	Swing Away Tablet with Mechanist JOR8-SRST (wood or laminate)	m 24"w x 14.75"d x .75"h 480	20	1.2
	Swing Away Tablet Only JOR8-SRRT (wood or laminate)	249	7	0.8
0 0	Swing Away Tablet Mechanism On JOR8-SRRTH	nly 316	13	1
	Push Bar JOR8-SRRPB	215	2	0.3
	Replacement Foley Catheter Hook JOR8-RHK	225	1	0.2
	Locking Rubber Wheel Caster JOR8-RCRCASRL -Back Left	99	2	0.2
	JOR8-RCRCASRR -Back Right JOR8-RCRCASFL -Front JOR8-RCRCASFR -Front	49	2	0.2
	Recliner Foot Tray JOR8-RRFT	474	2.8	15
	Sleep Recliner Foot Tray JOR8-SRRFT	585	2.8	15

JORDAN GLIDER | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 9.0%

POST-CONSUMER
RECYCLED CONTENT = 10.5%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN | GLIDER - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Seat
21" Seat	25	28	43.5	18.5	26	20.5	20	126	17	0.9
24" Seat	28	28	43.5	18.5	26	23.5	20	131	22	0.9

COM REQUIREMENTS

	COM Yardage Complete Unit	Yardage Per Chair - Complete Unit	COM Yardage Back Only	Yardage Per Chair - Back Only	COM Yardage Seat Only	Yardage Per Chair - Seat Only	COM Yardage Inner Arm Panels (Pair)	Yardage Per Chair Inner Arm Panels (Pai
One Chair	4.6	4.6	1.97	1.97	0.9	0.9	0.5	0.5
Two Chairs	9.2	4.6	3	1.5	1.3	0.63	1	0.5
Three Chairs	13.8	4.6	4	1.33	2.37	0.79	1.5	0.5
Four Chairs	18.4	4.6	6	1.5	2.6	0.65	2	0.5

COM REQUIREMENTS (Continued)

	COM Yardage Outer Arm Panels (Pair)	Yardage Per Chair Outer Arm Panels (Pair)	COM Yardage Front Recessed Kickplate Only	Yardage Per Chair - Front Recessed Kickplate Only	COM Yardage Back Kickplate Only	Yardage Per Chair Back Kickplate Onl	
One Chair	1.7	1.7	0.5	0.5	0.3	0.3	
Two Chairs	3.4	1.7	1	0.5	0.6	0.3	
Three Chairs	5.1	1.7	1.5	0.5	0.9	0.3	
Four Chairs	6.8	1.7	2	0.5	1.2	0.3	

Note: Some vinyls, leathers & upholsteries are not suitable for application on Jordan seating. The approval process is as follows:

- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

CONTRASTING BACKS, SEATS, ARM PANELS, RECESSED FRONT PANEL & BACK PANEL

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

GLIDER	SEAT	BACK	INNER ARM PANEL	OUTER ARM PANEL	RECESSED FRONT PANEL	BACK KICKPLATE
21" & 24"	0.9	1.9	0.5	1.7	0.5	0.3

WEIGHT CAPACITIES

Jordan weight capacities are as follows: Jordan Glider - 350 lbs

^{1.} A sample of the COM must be provided to Krug Customer Service prior to or at the time of order. For Maharam or Momentum, Krug will obtain the upholstery cover sample.

JORDAN | GLIDER - FEATURES & OPTIONS



CLEAN OUT

Jordan Glider seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Jordan Glider to well exceed ANSI/BIFMA standards.



Steel seat frames are joined to other components, in Jordan Glider products, with hardened steel bolts and inserts, ensuring exceptional durability and strength, and easy reconfigurability, as well as on-site replacement of damaged or degraded components.



HORIZONTAL MOTION

The Jordan glider is designed to move the patient in a smooth, flat arc that is gentle, soothing and safe. The position of the feet is maintained on the floor throughout the glider motion, rather than being raised up down in a rocking motion.



WALL SAVER DESIGN

The angle of the back and the rear legs are designed to keep the back away from the wall, in a locked position, to prevent wear and damage to both the chairs and to the walls of the facility.



ARM CAPS

The optional arm cap provides enhanced durability and protection for the arms. Available in Urethane or Solid Surface, either is field removable if it becomes damaged or degraded.



HEADREST

The headrest has a dual density foam for both comfort and support, and can be upholstered in matching or contrasting material. It is removable to allow for cleaning and replacement.



RECESSED FRONT PANEL

The Glider's front panel has an attractive arc that serves an important function: to provide safer ingress and egress by allowing the patient to get their feet underneath their weight. This is augmented by arms that have been designed as softly rounded handholds, to safely and comfortably support the weight of the patient while entering and exiting the chair.

TWO WIDTHS

21" and 24" widths are offered, allowing flexibility in accommodating patients of different sizes, and providing for the comfortable use of bolsters, pillows and other means of support for the patient.

MECHANISM

The mechanism is both replaceable in the field, and features a locking function so the glider can be used as a fixed chair.

REMOVABLE UPHOLSTERY COVERS

The seat and back covers can be specified to be removable, allowing for cleaning and repair, or replacement.

REMOVABLE AND REPLACEABLE COMPONENTS

All of the components - the seat, back, the arms, the arm cap, and the mechanism can be removed for cleaning, and replaced if damaged. Replacement Parts can be viewed on line at www.krug.ca.

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

JORDAN | GLIDER

DESCRIPTION/MODEL		COM	_	COL			RIC GRAD			LEATHER	
DESCRIPTION	I/MODEL	1	2	3		4	5	6	7	8	9
	21" Fully Upholstered Arm JOR6-GLUPH21	2496	2635	2772	29	13	3097	3280	3463	3688	3916
	21" Fully Upholstered Arm with	Jrethane Ca	ар								-
	JOR6-GLUUR21	2692	2830	2967	31	09	3292	3475	3658	3882	4110
	24" Fully Upholstered Arm										
	JOR6-GLUPH24	2616	2758	2896	30	34	3220	3403	3582	3810	4038
	24" Fully Upholstered Arm with U JOR6-GLUUR24	Jrethane Ca 2810	ар 2951	3091	32	28	3413	3597	3777	4005	4231
	21" Adjustable Headrest										
	JOR2-RHR21	343	394	425	454	483	515	542	573	615	
	24" Adjustable Headrest JOR2-RHR24	376	431	466	500	534	567	598	631	676	
Jordan Glide	r Option Upcharges	\$ List								\$ List	
	pisture Barrier (per yard)	67) - Gr A W		542	
Removable Se Removable Ba		94 108					(per pair (per pai	r) - Gr A C r) - Gr B	olor	553 575	
Combination l	Jpholstery - dual fabrics	34					(per pair			605	
Combination l	Jpholstery -Three fabrics	67		Note: Fo	or Solid	Surface	ontion r	enlace I II	PH arm tv	pe with "U	SS"
						Ju. 1400		- P. G. O.	a	, , , , , , ,	

6 Motion	GL Glider	UPH Fully Uphoistered	21
		UUR Fully Upholstered with Urethane Arm Cap	24
		USS	
	Motion	Motion Glider	UUR Fully Upholstered with Urethane Arm Cap


in the model number and add the upcharge above.

JORDAN LOUNGE SLEEPERS | LEED CI CREDIT SUMMARY

Jordan Lounge Sleepers



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 5.49%

POST-CONSUMER RECYCLED CONTENT = 40.69%

Up to 42.44% of this Jordan Lounge Sleepers product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DIMENSIONS

	Overall Width	Overall Depth Chair	Overall Depth Chaise	Overall Depth Bed	Overall Height	Seat Height	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	35	38	65	87	39	19	28.5	19.5	150	41
Two-Seat	54	38	65	87	39	19	48	19.5	205	63

COM REQUIREMENTS

	COM Yardage Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Low Outer Back (Panel) Only	COM Yardage Arm Panel Only	COM Yardage Kickplate Upholstery Only	COM Yardage Ottoman Upholstery Only	
One-Seat - One Chair	7.3	1.4	1.6	.8	2.9	.4	1	
One-Seat - Two Chairs	14.6	2.8	3.2	1.6	5.8	.8	2	
One-Seat - Three Chairs	22	4.3	4.8	2.4	8.7	1.2	3	
One-Seat - Four Chairs	29.3	5.7	6.4	3.2	11.6	1.6	4	
Two-Seat - One Chair	9.0	1.8	2.2	.8	2.9	.4	1.7	
Two-Seat - Two Chairs	17.4	3.6	3.8	1.6	5.8	.8	3.4	
Two-Seat - Three Chairs	26.4	5.4	6	2.4	8.7	1.2	5.1	
Two-Seat - Four Chairs	34.8	7.2	7.6	3.2	11.6	1.6	6.8	

NOTE: Some vinyls, leathers and upholsteries are not suitable for application on Jordan seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.



WEIGHT CAPACITIES

Jordan weight capacities are as follows:

Jordan One-Seat Lounge Sleepers is load rated to 350 lbs. Jordan Two-Seat Lounge Sleepers is load rated to 525 lbs.

Jordan Lounge Sleepers Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	67	Two-Seat Lounge Sleepers - Removable Seat Cover	333
One-Seat Lounge Sleepers - Removable Seat Cover	215	Two-Seat Lounge Sleepers - Removable Back Cover	301
One-Seat Lounge Sleepers - Removeable Back Covers	207	Two-Seat Lounge Sleepers - Removable Ottoman Covers	309
One-Seat Lounge Sleepers - Removable Ottoman Covers	s 199	Solid Surface Arm Cap (per pair) - Gr A White	542
Combination Upholstery - dual fabrics	34	Solid Surface Arm Cap (per pair) - Gr A Color	553
Combination Upholstery -Three fabrics	67	Solid Surface Arm Cap (per pair) - Gr B	575
		Solid Surface Arm Cap (per pair) - Gr C	605

JORDAN | LOUNGE SLEEPERS FEATURES & OPTIONS



HIGH DURABILITY MECHANISM

This product features a heavy-duty mechanism, made with heavy gauge steel and minimal moving parts - its designed to last, and is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.



COMFORTABLE SLEEP SURFACE

A new, enhanced sleep surface is 87" in length, providing exceptional range to stretch out in comfort, with supportive cushioning that is specifically designed for sleeping.



ARM STYLES

Jordan Lounge Sleepers feature 7 arm styles Upholstered Arm, Wood Arm, Full Urethane Arm, Wood Arm with Urethane Cap & Wood Arm with Solid Surface Cap, Upholstered Arm with Urethane Cap & Upholstered Arm with Solid Surface Cap. The optional arm caps and full urethane arm provide enhanced durability and protection for the arms. Urethane arm and arm cap are available in Black, Grey and Taupe colors. Solid Surface Arm caps are available in 8 colors shown on Page 643. The arm cap is field replaceable if it becomes damaged or degraded.

UPHOLSTERED ARM with URETHANE ARM CAP



CHAISE/OTTOMAN POSITION

In addition to the sitting and sleep positions, this position allows the user to sit (or even sleep) in comfort with legs elevated and supported.



UPHOLSTERED ARM with SOLID SURFACE ARM CAP



EASY OPEN AND CLOSE

The sleeper is extended easily to either position, using a pull handle that is neatly tucked away when not in use. The sleeper can be quickly closed by raising the back, and then lowering the ottoman cushion into the storage position. Instructions for operating the sleeper are located on the front of the ottoman cushion.



WOOD ARM



WALL SAVER DESIGN

The shape of the arm is designed to keep the back away from the wall (in a locked position), to prevent wear and damage to both the chairs and to the walls of the facility.



FULL URETHANE ARM



Enhanced accessibility of the casters allows the caregiver or visitor to easily lock and unlock them. The 3" casters are soft, with a premium lock function, which locks both the wheel rotation and the swivel rotation to rigidly hold the unit in position.



URETHANE ARM CAP



LEGS

Jordan Lounge Sleepers legs are available in Beech and Maple wood as well as Grey Urethane and feature a non-slip rubber glide.



WOOD ARM with SOLID SURFACE ARM CAP



CLEANING AND INFECTION CONTROL

Specifically designed to ease the cleaning and disinfection of the sleeper and the floor underneath them - in the first opening stage, open access is provided to the floor underneath so it can be cleaned without having to move the sleeper. Upholstery covers can be made removable, and individual components are automatically removable, to enable thorough cleaning and disinfection.

JORDAN | LOUNGE SLEEPERS OPTIONS & INSTRUCTIONS



REMOVABLE & REPLACEABLE UPHOLSTERY & COMPONENTS

Seat, back and ottoman upholstery covers can be specified as removable, so they can be removed for cleaning, or replacement. The mechanism, casters, front kickplate, arm panels and caps - as well as seat, back and ottoman cushions - are field-replaceable if damaged or degraded - so the life of this product can be extended indefinitely, and made to look good as new.

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

CONVERSION FROM CHAIR TO CHAISE TO SLEEPER (TO OPEN SLEEPER)

- 1. Chaise position lock the casters and using the hand pull, pull the ottoman out. Lift pull handle up and out to fully extend the ottoman.
- 2. Sleep position from chaise position, pull ottoman handle again away from chair to full extension. Lower the back manually forward into position.







CONVERSION FROM SLEEPER TO CHAISE TO CHAIR (TO CLOSE SLEEPER)

- 1. Chaise position Lift the Sleeper back into it's upright position and push (using the ottoman kick plate) inward.
- 2. Chair position Lower the ottoman into the tuck away position and continue to push the ottoman inward







			COM		COL	F	ABRIC GRA	DES		LEATHER	
Description	Model	Species	1	2	3	4	5	6	7	8	9
	One-Seat, uphologous JOR7-SL1UPH2		s and woo 4704 4728	od legs 4959 4985	5218 5242	5579 5602	5991 6013	6351 6377	6763 6789	7279 7304	7795 7818
	ORDERING NO	Γ Ε: Jordan	Lounge S	Sleepers a	re availab	e with Gre	ey Urethane	Legs, to o	rder chanç	ge the "2" t	оа"3".
	One-Seat, uphol: JOR7-SL1UPH1		s and cas 4772	ters 5029	5287	5651	6061	6420	6835	7350	7864
	One-Seat, uphol: JOR7-SL1UUR2		s with ure 4806 4831	thane cap 5062 5087	and woo 5321 5346	d legs 5681 5704	6095 6117	6453 6479	6865 6892	7381 7408	7899 7922
	One-Seat, uphol JOR7-SL1UUR1		s with ure 4875	thane cap 5131	and cast 5390	ers 5752	6165	6522	6937	7452	7968
	One-Seat, Full U JOR7-SL1FUR2		m, and wo 4859 4890	5113 5148	5371 5406	5733 5767	6145 6179	6505 6540	6916 6954	7434 7466	7950 7985
	ORDERING NO	Γ Ε: Jordan	Lounge S	Sleepers a	re availab	e with Gre	ey Urethane	e Legs, to o	rder chanç	ge the "2" t	oa "3".
	One-Seat, Full U JOR7-SL1FUR1		m, with ca 4926	asters 5185	5444	5805	6216	6577	6989	7505	8020
Jordan Lounge S	leepers Option Up	charges		\$ List						\$	List
One-Seat Lounge One-Seat Lounge Combination Upho	Sleepers - Remove Sleepers - Remove Sleepers - Remove olstery - dual fabric	eable Back able Ottom s	Cover	67 215 207 199 34	Solid	urface Arn urface Arn urface Arn	n Cap (per n Cap (per n Cap (per n Cap (per	pair) - Gr A pair) - Gr E pair) - Gr C	Color 3	;	542 553 575 605
PRODUCT CODE K	olstery -Three fabrio	æ		67			Surface opti el number a				J88″

Line	Series	Chair Type	Size	Arm Type	Base Type
JOR	7	SL	1	UPH	1
lordan	Motion	Sleeper	One-Seat	Upholstered Arm	Casters
				UUR	2
				Upholstered Arm with	Wood Legs
				Urethane Arm Cap	
				FUR	3
				Full Urethane Arm	Grey Urethane
					Legs
				USS	
				Upholstered Arm with	
				Solid Surface Arm Cap	

			COM		COL	FA	BRIC GRA	DES		LEATHER	
Description	Model	Species	1	2	3	4	5	6	7	8	9
	One-Seat, wood	arms and	wood legs	3							
	JOR7-SL1WOD2	Beech	4968	5225	5481	5844	6256	6615	7026	7544	8062
		Maple	5001	5258	5518	5877	6290	6650	7064	7578	8095
	ORDERING NOT	Γ Ε: Jordan	Lounge S	leepers ar	e availabl	e with Gre	y Urethane	Legs, to o	rder chang	e the "2" t	оа "3".
	One-Seat, wood	arms and	casters								
	JOR7-SL1WOD1	Beech	5035	5295	5553	5915	6329	6688	7101	7617	8130
		Maple	5057	5316	5573	5937	6348	6708	7120	7634	8151
	One-Seat, wood	arms with Beech	urethane 5167	cap and w	ood legs 5682	6043	6454	6817	7229	7742	8260
	OOTH OLIOTIEE	Maple	5206	5465	5722	6081	6494	6857	7270	7784	8301
	ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3".										
	One-Seat, wood	arms with	urethane	cap and c	asters						
	JOR7-SL1URE1	Beech	5237	5494	5752	6114	6524	6885	7300	7814	8330
		Maple	5260	5520	5778	6139	6553	6912	7325	7839	8353

Jordan Lounge Sleepers Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard) One-Seat Lounge Sleepers - Removable Seat Cover One-Seat Lounge Sleepers - Removable Back Cover One-Seat Lounge Sleepers - Removable Ottoman Cove		Solid Surface Arm Cap (per pair) - Gr A White Solid Surface Arm Cap (per pair) - Gr A Color Solid Surface Arm Cap (per pair) - Gr B Solid Surface Arm Cap (per pair) - Gr C	542 553 575 605	
Combination Upholstery - dual fabrics Combination Upholstery -Three fabrics	34 67	Note: For Solid Surface option replace WOD arm tylin the model number and add the upcharge all	, ı	

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Base Type
JOR	7	SL	1	WOD	1
Jordan	Motion	Sleeper	One-Seat	Wood Arm	Casters
				URE	2
				Wood Arm with	Wood Legs
				Urethane Arm Cap	
				SSC	3
				Wood Arm with Solid Surface Arm Cap	Grey Urethane Legs

Description	Model	Species	COM 1	2	COL 3	FA 4	ABRIC GRA	DES 6	7	LEATHER 8	9
<u> </u>	Two-Seat, uphol JOR7-SL2UPH2	stered arms			6524 6555	6972 6997	7480 7506	7924 7950	8432 8458	9065 9094	9699 9728
	ORDERING NO	TE: Jordan	Lounge SI	eepers ai	re availab	e with Gre	ey Urethane	e Legs, to o	order chan	ge the "2" ¹	to a "3"
	Two-Seat, uphol JOR7-SL2UPH1		s and caste 5965	ers 6279	6599	7043	7549	7993	8501	9135	9772
	Two-Seat, uphol JOR7-SL2UUR2	Beech Maple	5995 6022	6312 6339	6628 6657	7073 7100	7582 7609 ey Urethane	8027 8053 Legs, to o	8535 8561 order chan	9168 9198 ge the "2" t	9802 9830 to a "3"
	Two-Seat, uphol JOR7-SL2UUR1		s with ureth 6069	nane cap 6381	and caste 6701	ers 7146	7652	8096	8604	9238	9874
	Two-Seat, Full U JOR7-SL2FUR2		n, and woo 6048 6080	od legs 6364 6397	6681 6714	7126 7161	7633 7668	8080 8114	8586 8619	9221 9253	9854 9887
	Two-Seat, Full U JOR7-SL2FUR1		n, and cas 6119	ters 6435	6753	7197	7704	8149	8659	9289	9926
Jordan Lounge S	leepers Option Up	charges	:	\$ List						\$	List
Two-Seat Lounge Two-Seat Lounge Combination Upho	er yard) Sleepers - Remova Sleepers - Remove Sleepers - Remov olstery - dual fabric olstery - Three fabric	eable Back able Ottom s	Covers	67 333 301 309 34 67	Solid S Solid S Solid S Note: F	Surface Arr Surface Arr Surface Arr For Solid S	m Cap (per m Cap (per m Cap (per m Cap (per surface opti el number a	pair) - Gr A r pair) - Gr I pair) - Gr (on replace	A Color B C UPH arm		542 553 575 605 'USS"
PRODUCT CODE KE		Ol-	-i		0:						
JOR Jordan	Series 7 Motion		SL leeper		Size 2 Two-S			UPH olstered Arm	1	1 Casters]
						Ureth Full	stered Arm wane Arm Cap FUR Urethane Arr	p m	Wood Le 3 Grey Ureth Legs]	
							Uphols	Urethane Arr	rith		Grey Ureth

			COM		COL	FA	BRIC GRA	DES		LEATHER	
Description	Model	Species	1	2	3	4	5	6	7	8	9
	Two-Seat, wood	arms and	wood legs								
	JOR7-SL2WOD2	2 Beech	6159	6475	6792	7236	7743	8188	8697	9331	9964
		Maple	6190	6508	6826	7271	7778	8224	8728	9363	9997
	ORDERING NO	TE: Jordan	Lounge S	leepers ai	e availabl	e with Gre	y Urethane	Legs, to o	rder chang	e the "2" t	оа "3".
	Two-Seat, wood	arms and	casters								
	JOR7-SL2WOD1		6229	6544	6863	7308	7814	8258	8764	9400	10038
		Maple	6251	6566	6883	7329	7836	8278	8786	9420	10056
	Two-Seat, wood	arms with	urethane d	cap and w	ood legs						
	JOR7-SL2URE2	Beech	6356	6675	6991	7435	7945	8387	8895	9528	10167
		Maple	6395	6713	7030	7478	7985	8429	8936	9571	10204
	ORDERING NO	TE: Jordan	Lounge S	leepers ar	e availabl	e with Gre	y Urethane	Legs, to o	rder chang	e the "2" t	oa "3".
	Two-Seat, wood	arms with	urethane o	cap and c	asters						
	JOR7-SL2URE1		6428	6743	7061	7506	8013	8458	8967	9601	10236
		Maple	6451	6767	7086	7531	8037	8480	8989	9623	10259

rdan Lounge Sleepers Option Upcharges \$ List		\$ List
vo-Seat Lounge Sleepers - Removable Seat Covers 333 Solid Surfact Solid	Arm Cap (per pair) - Gr A White Arm Cap (per pair) - Gr A Color Arm Cap (per pair) - Gr B Arm Cap (per pair) - Gr C Iid Surface option replace WOD arm type with	
ombination Upholstery - dual fabrics 34 ombination Upholstery -Three fabrics 67 Note: For So	1 4 1 /	, ,

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Base Type
JOR	7	SL	2	WOD	1
Jordan	Motion	Sleeper	Two-Seat	Wood Arm	Casters
				URE	2
				Wood Arm with	Wood Legs
				Urethane Arm Cap	
				SSC	3
				Wood Arm with	Grey Urethane
				Solid Surface Arm Cap	Leas

JORDAN | LOUNGE SLEEPERS REPLACEMENT COMPONENTS

Description	Model	COM 1	2	COL 3	FA 4	BRIC GF 5	RADES 6	7	LEATHE 8	R 9	Yardage	Weight	Cubes
	One-Seat Back JOR7-SL1RB	745	801	856	936	1026	1106	1195	1307	1422	1.6	18	5.6
	Two-Seat Back JOR7-SL2RB	1008		1085	1164	1272	1397	1505	1631	1782	1937 2.2	30.1	9.3
	One-Seat Back JOR7-SL1RBC		313	369	448	538	618	706	820	933	1.6	2.6	1
	Two-Seat Back JOR7-SL2RBC		521	601	709	834	863	1067	1223	1377	2.2	3.5	1
	One-Seat Outba JOR7-SL1R0B	ack 361	384	409	445	483	517	558	609	657	.7	8	2.5
	Two-Seat Outba JOR7-SL2R0B	ack 475	500	525	559	597	632	672	722	769	.7	14	4

JORDAN | LOUNGE SLEEPERS REPLACEMENT PARTS

Description	Model	COM 1	2	COL 3	FA 4	BRIC GI 5	RADES 6	7	LEATHE 8	R 9	Yardage	Weight	Cubes
	One-Seat Seat JOR7-SL1RS	653	705	757	825	911	980	1064	1164	1266	1.4	18.5	4.1
	Two-Seat Seat JOR7-SL2RS	1008		1085	1164	1272	1397	1505	1631	1782	1937 1.8	31.4	6.8
	One-Seat Seat JOR7-SL1RSC		294	347	418	500	570	652	756	856	1.4	2.7	1
	Two-Seat Seat JOR7-SL2RSC		384	449	539	644	736	843	970	1100	1.8	3.6	1
	One-Seat Ottor JOR7-SL1RO	man 387	424	456	509	557	613	668	740	809	1	9.6	3
	Two-Seat Ottor JOR7-SL2RO	man 590	651	709	794	890	975	1068	1191	1308	1.7	17	5.3
	One-Seat Otto JOR7-SL1ROC			271	320	376	426	480	553	624	1	2.4	1
	Two-Seat Ottor JOR7-SL2ROC		er 357	418	502	596	680	777	895	1015	1.7	3.4	1

JORDAN | LOUNGE SLEEPERS REPLACEMENT COMPONENTS

			СОМ		COL	FA	BRIC (GRADES	S	LEATH	ER			
Description	Model	Species	1	2	3	4	5	6	7	8	9	Yardage	Weight	Cubes
	Upholstered Arm JOR7-SLRUPH2		741 746	845 848	946 951		1252 1256	1396 1399	1557 1561	1760 1767	1965 1972	2.9	32.8	4.9
	Upholstered Arm JOR7-SLRUUR2		hane (844 849	949	th legs 1050 1053	1190 1197	1355 1358	1499 1502	1660 1664	1863 1869	2068 2075	2.9	32.8	4.9
	Full Urethane Arm JOR7-SLRFUR2	n, with leg Beech Maple	909	1009 1015	1114 1117		1418 1423	1561 1567		1928 1933	2134 2138	2.9	32.8	4.9
	Wood Arm with le JOR7-SLRWOD2	gs Beech Maple	934 950	1037 1052		1284 1297	1445 1459	1588 1604	1751 1767	1955 1971	2161 2175	2.9	32.8	4.9
	Wood Arm with U JOR7-SLRURE2	rethane C Beech Maple	1039	th legs 1142 1152	1244	1384 1399		1693 1705		2060 2074	2268 2277	2.9	32.8	4.9
	ORDERING NOT	E: Jordar	Loun	ge Slee	epers ai	e avail	able wi	th Grey	Uretha	ane Leç	gs, to ord	der change	the "2"	to a "3".
	Upholstered Arm JOR7-SLRUPH1	with cast	ers 756	856	959	1104	1265	1409	1571	1775	1980	2.9	33.4	4.9
	Upholstered Arm JOR7-SLRUUR1	with Uret	hane (•	th caste		1369	1513	1675	1879	2084	2.9	33.4	4.9
	Full Urethane Arm JOR7-SLRFUR1	n, with cas		1033	1137	1276	1441	1584	1747	1950	2157	2.9	33.4	4.9

ORDERING NOTES:

Please note when ordering Jordan Sleeper replacement arms, you must specify either a right or left arm.

JORDAN | LOUNGE SLEEPERS REPLACEMENT PARTS

			COM		COL			GRADI		LEATH				
Description	Model	Species	1	2	3	4	5	6	7	8	9	Yardage	Weight	Cubes
	Wood Arm with of JOR7-SLRWOD1				1149 1161			1602 1609		1965 1975		2.9	33.4	4.9
	Wood Arm with U JOR7-SLRURE1		1062	21164	1266			1715 1724				2.9	33.4	4.9
	One-Seat Kickpla JOR7-SL1RUP	ate	222	237	250	270	291	312	334	362	390	.4	4.1	0.6
	Two-Seat Kickpla JOR7-SL2RUP	ate	284	298	313	333	354	375	399	426	454	.4	7.7	1.1
Description	Model	Р	rice										Weight	Cubes


Description	Model	Price	Weight	Cubes
	Locking Rubber Wheel JOR7-SLRCAS	l Caster 73	3.4	0.2
	Urethane Arm Cap JOR7-SLRURE	126	3.7	0.3
	Full Urethane Arm JOR7-SRRFUR	191	12	1

JORDAN SIDE-OPENING SLEEPER | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT =34.75%

POST-CONSUMER RECYCLED CONTENT =14.66%

Up to 35% of this Jordan Side-Opening Sleeper product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN SIDE-OPENING SLEEPER | FEATURES & OPTIONS



RECONFIGURABLE CUSHIONS

The side extending platform allows the seat and backrest cushions to transform the lounge unit into a full-length sleeper. When the unit is switched from sitting (chair) position into sleeping position, the back becomes an integral component of the sleep surface. This means the cushion does not need to be stored elsewhere. Cushions feature comfortable foam with moisture barrier, a PVC-free sleep surface and can be removed for cleaning or replacement.



TETHERED STRAP

The tethered strap feature is designed to keep the seat cushion securely in place, ensuring a tidy and comfortable seating experience. This durable strap is seamlessly integrated into the cushion design, allowing for effortless attachment to the lounge frame. The strap prevents slipping or shifting, even during extended use. The tethered strap offers long-lasting performance while maintaining the aesthetic appeal of the sleeper.



FULLY UPHOLSTERED ARM

Fully upholstered arm is field replaceable if it becomes damaged or degraded.



FULLY UPHOLSTERED ARM WITH URETHANE CAP

The optional urethane arm cap provides durability and protection for the arms. It is field replaceable if it becomes damaged or degraded. Urethane arm cap is available in three colors; Black, Grey and Taupe.



FULLY UPHOLSTERED ARM WITH SOLID SURFACE CAP

The optional solid surface arm cap provides enhanced durability, protection and cleanability for the arms. It is field replaceable if it becomes damaged or degraded. Solid surface arm cap is available in 8 standard colors. See page 11 for color selection.



LEGS

The standard base is a 3" tall round steel leg with nylon glides. Legs under the stationary arm have adjustable glides.



STEEL CONSTRUCTION

Welded steel interior framework provides exceptional strength and durability for extended product life and problem-free usage. The platform over the framework is covered in an attractive, durable upholstered cover to support infection control and ease of cleaning.



CASTERS

3" dual-wheel locking casters are optional. The low profile soft wheels offer quiet and smooth performance.



STORAGE COMPARTMENT

Optional under-seat storage compartment features a cleanable interior surface with a vented bottom and clean-out for debris and fluids. The spring assisted hinges hold the storage lid in the upright position to provide safe access.



LAMINATE FRONT PANEL

High pressure laminate can be specified for the front panel in Krug's in-stock laminates with matching 3mm edging.



COMBINATION UPHOLSTERY OPTION

Jordan upholstered products are available with the option of specifying more than one upholstery cover within the same unit. When specified with upholstery of the same grade (or COM), an upcharge for dual fabrics, \$34 list per unit is applied. \$67 list per unit is applied for three fabrics. When graded-in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



CENTRAL CASTER LOCKING SYSTEM

Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. The color-coded external foot pedal indicates Red for the locked position (when lowered) and Green for the unlocked position (when unlowered). The standard position of foot pedal is located at the rear outside of the stationary arm. Central locking casters are 4" diameter with soft wheel treads. Purchase orders must indicate Central Caster Locking System option and include the upcharge - see pricing pages for upcharge info.

JORDAN SIDE-OPENING SLEEPER DIMENSIONS & C.O.M.

DIMENSIONS	Overall Width in Seat Position	Overall Width Sleeper Position	Overall Depth	Overall Height	Sleep Surface Length	Seat Height	Width Between Arms in Seat Position	Arm Height	Seat Depth	Shipping Weight	Cubes
Side-Opening Sleeper	46	86	31.5	33.5	80	19	40	29	18.5	200	38
Storage Compartment	38.75	11	6								

WEIGHT CAPACITIES

Jordan Side-Opening Sleeper is load rated to 525 lbs.

COM REQUIREMENTS

	Ydg Complete Unit Grey Vinyl Outer Back (Standard)	Ydg Complete Unit with COM Uph. Outer Back	Arm Panels only (set of 2)	Yardage Seat Cushion only	Yardage Folding Back Cushion only	Yardage Uph. Front Panel	Yardage Inner Back	Yardage Outer Back
Side-Opening Sleeper	8.5	9.1	3.9	1.7	1.5	.5	1	1.7

Vinyl sleep surface is 1.6 yds

ORDERING NOTES:

NOTE: Some vinyls, leathers and upholsteries are not suitable for application on Jordan seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

COMBINATION/COM UPHOLSTERY OPTIONS

When ordering combination upholstery or using COM fabric, please use the following fabric placement reference guide. Simply make a copy, note the fabrics and send in with the order



The standard **Outer Back** upholstery supplied is a latex-free grey colored vinyl, a high-durability polyester fabric with a vinyl backer, designed to withstand impact and helps prevent the passage of moisture. The Sleep Surface is a hospital grade pvc free fabric.

EXTENDED SLEEP SURFACE

The Side-Opening Sleeper provides an effective sleep solution for tighter spaces: with a depth of less than 32" whether open or closed, it makes efficient use of wall space to provide a comfortable sleep-over function in patient rooms. The sleep surface extends to 80" in length in the standard size, and an optional storage area is provided underneath. The side opening is released with a hand activator at the side of the sleeper; The backrest cushion unfolds and converts into the sleep surface keeping all components with the unit when in the sleep position.

TO EXTEND SLEEP SURFACE



1. To activate side extending platform, release with the hand activator on the outside of the sleeper arm



3. Flip seat cushion over to sleep platform.



2. Pull arm to easily roll out sleep platform.



4. Unfold backrest cushion, converts into the extended sleep surface.

JORDAN SIDE-OPENING SLEEPER

Description	Model	COM 1	2	COL 3	4	FABRIC G 5	RADES 6	7	LEATHER 8	9
	Left Side-Opening, with Upho JOR6-SSLUFUPH2	lstered Fr 5060	ont, Uphol 5372	stered Arm 5684	and Legs 5996	6386	6776	7244	7712	8297
	Right Side-Opening, with Uph JOR6-SSRUFUPH2	olstered F 5060	Front , Uph 5372	olstered Ar 5684	m and Leg 5996	s 6386	6776	7244	7712	8297
	Left Side-Opening, Upholstere JOR6-SSLUSUPH2	ed Front, I 5675	Jpholstere 5987	d Arm with 6299	Storage a 6611	nd Legs 7001	7391	7859	8327	8912
	Right Side-Opening, Upholste JOR6-SSRUSUPH2	ered Front 5675	Upholster 5987	ed Arm with 6299	n Storage a 6611	and Legs 7001	7391	7859	8327	8912
	Left Side-Opening, Upholstere JOR6-SSLUFUUR2	ed Front, v 5503	with Uretha 5815	ane Arm Ca 6127	up and Leg 6439	s 6829	7219	7687	8155	8740
0	Right Side-Opening, Upholste JOR6-SSRUFUUR2	ered Front 5503	, with Ureth 5815	nane Arm 0 6127	Cap, and Le 6439	egs 6829	7219	7687	8155	8740
	Left Side-Opening, Upholstere JOR6-SSLUSUUR2	ed Front, I	Jrethane A 6430	rm Cap, w 6742	ith Storage 7054	and Legs 7444	7834	8302	8770	9355
0	Right Side-Opening, Upholste JOR6-SSRUSUUR2	ered Front 6118	Urethane 6430	Arm Cap, 6742	with Storaç 7054	e and Leg 7444	s 7834	8302	8770	9355
Jordan Side-O	pening Sleeper Option Upcha	rges	\$ List						\$ L	_ist
Solid Surface A Solid Surface A Solid Surface A	Locking System (CCLS) Arm Cap (per pair) - Gr A White Arm Cap (per pair) - Gr A Color Arm Cap (per pair) - Gr B Arm Cap (per pair) - Gr C		67 55 1163 517 527 548 550 295		tion Uphol tion Uphol			3		34 67

Jordan Side-Opening Sleepers are standard with a latex-free grey colored outer back. Upholstered outer backs are available for the following upcharges:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
\$ List	113	169	227	338	451	561	676	786	1015	

ORDERING NOTES: To specify caster version change the last digit in the model number from "2" to "1" for standard or "3" for Central Caster Locking System and add upcharge above.

RODUCT CODE	KEY					
Line	Series	Chair Type	Front Style	Storage	Arm Style	Base Style
JOR	6	SSL	U	S	UPH	1
Jordan	Motion	Side-Opening Sleeper Left Opening	Upholstered	Storage	Upholstered Arm	Casters
		SSR	L	F	UUR	2
		Side-Opening Sleeper Right Opening	Laminate	Without Storage	Urethane Arm Cap	Legs
					USS	3
					Solid Surface Arm Cap	CCLS

JORDAN SIDE-OPENING SLEEPER

		COM		COL		FABRIC G	RADES		LEATHER	
Description	Model	1	2	3	4	5	6	7	8	9
	Left Side-Opening, with Lami JOR6-SSLLFUPH2 Right Side-Opening, with Lan JOR6-SSRLFUPH2	4972	5254	5535 s 5535	5817 5817	6169 6169	6521 6521	6943 6943	7366 7366	7894 7894
					3017	0109	0321	0943	7300	7094
	Left Side-Opening, Laminate JOR6-SSLLSUPH2	Front, with 5587	n Storage a 5869	and Legs 6151	6432	6784	7136	7559	7981	8509
	Right Side-Opening, Laminat JOR6-SSRLSUPH2	e Front, wi 5587	th Storage 5869	and Legs 6151	6432	6784	7136	7559	7981	8509
	Left Side-Opening, Laminate	Front, with	urethane	Arm Cap a	and Leas					
	JOR6-SSLLFUUR2	5415	5697	5979	6260	6612	6964	7387	7809	8337
9	Right Side-Opening, Laminat	e Front. wi	th Urethan	e Arm Cap	. and Leas	3				
	JOR6-SSRLFUUR2	5415	5697	5979	6260	6612	6964	7387	7809	8337
	Left Side-Opening, Laminate JOR6-SSLLSUUR2	Front, Ure 6030	thane Arm 6312	Cap, with 6594	Storage ar 6875	nd Legs 7227	7579	8002	8424	8952
	Right Side-Opening, Laminate Front, Urethane Arm Cap, with Storage and Legs									
	JOR6-SSRLSUUR2	6030	6312	6594	6875	7227	7579	8002	8424	8952

Jordan Side-Opening Sleeper Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	67	Combination Upholstery - Two fabrics	34
Casters	55	Combination Upholstery - Three fabrics	67
Central Caster Locking System (CCLS)	1163		
Solid Surface Arm Cap (per pair) - Gr A White	517		
Solid Surface Arm Cap (per pair) - Gr A Color	527		
Solid Surface Arm Cap (per pair) - Gr B	548		
Solid Surface Arm Cap (per pair) - Gr C	550		
Removable Kick Plate Covers	295		

Jordan Side-Opening Sleepers are standard with a latex-free grey colored outer back. Upholstered outer backs are available for the following upcharges:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
\$ List	113	169	227	338	451	561	676	786	1015	

ORDERING NOTES: To specify caster version change the last digit in the model number from "2" to "1" for standard or "3" for Central Caster Locking System and add upcharge above.

PRODUCT CODE KEY

Line	Series	Chair Type	Front Style	Storage	Arm Style	Base Style
JOR	6	SSL	U	S	UPH	1
Jordan	Motion	Side-Opening Sleeper Left Opening	Upholstered	Storage	Upholstered Arm	Casters
		SSR	L	F	UUR	2
		Side-Opening Sleeper Right Opening	Laminate	Without Storage	Urethane Arm Cap	Legs
					USS	3
					Solid Surface Arm Cap	CCLS

JORDAN SIDE-OPENING SLEEPER | REPLACEMENT COMPONENTS


DESCRIPTION/MC	DDEL	1	2	Shipping 3	4	5	6	7	8	9	Yrd	Weight	Cubes
	Seat Cushion JOR6-SSRS	778	838	898	959	1034	1109	1200	1290	1404	1.65	14	5
	Seat Cushion Cover JOR6-SSRSC	349	410	470	530	606	681	772	862	976	1.65	2.4	1
	Backrest Cushion JOR6-SSRB	813	865	917	970	1035	1100	1179	1257	1355	1.43	8	2.5
	Backrest Cushion Cov JOR6-SSRBC	/er 385	437	489	541	607	672	751	829	927	1.43	3	1
0	Activation Arm JOR6-SSRAAUPH Activation Arm, Uretha	ane Arm	1225 Cap 1342	1366 1483	1506 1623	1682 1799	1858 1975	2070	2281	2545 2662	2.9	22.4	3
	Stationary Arm JOR6-SSRSAUPH	983	1124	1265	1405	1581	1757	1969	2180	2444	2.9	22.4	3
500 500 100	Stationary Arm, Uretha JOR6-SSRSAUUR		Cap 1241	1382	1522	1698	1874	2086	2297	2561	2.9	22.4	3
	Front Kick - Upholster JOR6-SSRFKU	ed 365	383	400	417	438	460	486	511	544	0.5	5	0.8
	Front Kick - Laminate JOR6-SSRFKL	279									0.5	5	0.8
	Urethane Arm Cap (pe JOR6-SSRACU	er cap) 137										10	1
V	Solid Surface Arm Cap JOR6-SSRACS Grade - A White Grade - Gr A Color Grade - Gr B Grade - Gr C	293 297 307 321	ap)									12	1
	Casters (each) JOR6-SSRC	45										1.2	0.3
(Legs (each) JOR6-SSRL	45										1	0.3

JORDAN | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





PRE-CONSUMER RECYCLED CONTENT = 71.25%

POST-CONSUMER RECYCLED CONTENT = 6.9%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

JORDAN | TABLES FEATURES

WOOD SPECIES

Solid Beech & Maple frames, and edges. Veneer tops.

STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>Page 642</u>. Jordan tables are available in 22 standard finishes.

LAMINATE AND POLYMER EDGE

Jordan tables are available in laminates with wood or laminates with Polymer edge.
See **page 643** for laminate information.
Please specify species, Beech or Maple, for the base frame under the laminate top.

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Krug Multiple Seating. Linking tables are connected to the Multiple Seating via U-Shaped brackets.

The design of the tables for Jordan Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration - or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.


Linking Tables also feature a universal, non-handed design:

They can be moved to reverse position in almost any configuration, providing a high level of flexibility for reconfiguring.

Please note Jordan Plastic Laminate Linking Tables are not available on *KrugExpress*. Please specify species, Beech or Maple, for the base frame under the laminate top.

Wood Tops with Wood Edges are available on KrugExpress but with a minimum order requirement of 5 tables per order.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.



JORDAN | LINKING & FREESTANDING TABLES

DESCRIPTION/MODEL	_	Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	W	D	Weight	Cubes
	Center Square Table JOR4-LKI-22-22	684	757	775	564	22	22	18	1.5
	End Square Table JOR4-LKE-22-22	908	1000	1027	784	22	22	20	1.5
	Curvilinear Connecto JOR4-LKCRF45	r Table 45° 784	with flat 864	edge 908	684	27.5	27.5	21	2.2
	Curvilinear Connecto JOR4-LKCRR45	r Table 45 ^c 784	864	908	684	27.5	27.5	21	2.2
	Curvilinear Connecto JOR4-LKCRR90	r Table 90° 864	958	987	766	30.5	30.5	27	2.2
	Curvilinear Connecto JOR4-LKCRF90	r Table 90° 824	with flat 916	edge 946	703	30.5	29	29	2.2
	Rectilinear Corner Co JOR4-LKCSF90	onnector Ta 1108	able 90° 1198	1250	967	30.5	30.5	32	2.2

ORDERING NOTES: Linking tables can be ordered in conjunction with any of the Jordan Multiple Seating. Linking tables are connected to the Multiple Seating via U-Shaped brackets.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Rectilinear Corner Connector table 90° include a support leg in the outer corner. When specifying Linking Tables please ensure that each unit has legs on either side of the table. Please note Jordan Plastic Laminate Linking Tables are not available on *KrugExpress*. Please specify species, Beech or Maple, for the base frame under the laminate top. Wood Tops with Wood Edges are available on KrugExpress but with a minimum order requirement of 5 tables per order.

				-						
DESCRIPTION/MO	DEL	Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edg	• •	D	Н	Weight	Cubes
	Square Tables JOR4-22-22-16 JOR4-42-22-16 JOR4-22-22-21	1058 1371 1087	1161 1510 1190	1163 1505 1195	983 1273 1009	22 42 22	22 22 22	16 16 21	26 46 28	5 9 7
	Circular Tables JOR4-18D-16 JOR4-24D-16 JOR4-36D-16 JOR4-18D-21 JOR4-24D-21	1267 1349 1791 1300 1389	1399 1471 1974 1428 1510	1396 1485 1972 1426 1528	1666 1209	18 Diameter 24 Diameter 36 Diameter 18 Diameter 24 Diameter	- - - -	16 16 16 21 21	20 32 43 22 35	3 5 12 4 7

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

Juno and Trevisa Overbed Tables have a 2-year warranty.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$275/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$275/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$551/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$131/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$131/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$131/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard.

Specific test results and documentation are available on request.



Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or

storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Textiles - Upholstery Program

 Passes State of California Technical Bulletin CAL 117-2013



Krug Textiles - Stocked Fabric Program

601 IVORY

64 PUTTY

Grade 1



62 FAWN

36 BLUEBERRY



Krug Textiles - Stocked Fabric Program Grade 2

GRADDY



64 PUTTY

205 CHARTREUSE



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ











9008 CHARCOAL

82 CLAY

104 MOLBERT

304 CAPRI

31 AEGEAN

LORENZO













106 HENNA



32 MIST

BISCOTTI









302 CAPRI

INTRIGUE











27 OLIVE



805 PECAN

CONTINUE OF

908 CHARCOAL

605 STRAW

601 OYSTER

608 STUCCO

2026 | HEALTHCARE | CANADA | 106



Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$23 Grade 2 \$36 Grade 3 \$48

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"



Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide - Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate vardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry Natural Cherry Sable Cherry Standard Cherry Light Oak Harvest Oak Mahogany Mellow Oak Espresso Cordovan Walnut Natural Walnut Regular Walnut SilverGrev on Walnut

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

Dark Walnut Clear Beech

Medium Anigre

WOOD FINISHES TO MATCH STANDARD **LAMINATES**

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$630 list per finish per order. (For example, on all orders up to \$6300 list, an upcharge of \$630 will apply, on orders \$6300 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

I AMINATE PROGRAM

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES					
Wood Grain Laminates High Pressure Laminate Supplier		Textured Wood Grain Laminates	High Pressure Laminate Supplier		
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR		
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR		
Dune	Tafisa T491CR	Ash	Tafisa T535AT		
Copper	Tafisa T521CR	Willow	Tafisa T543AT		
Shiraz Cherry	Tafisa T472CR	Solid Laminates			
Park Avenue Walnut	Wilsonart 7984-38				
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60		
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR		
Nightfall	Pionite WX421	Earth	Tafisa T767CR		
3		Charcoal	Tafisa T228CR		

PHASE OUT LAMINATES


Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



URETHANE COLOR OPTIONS



GLIDE SELECTION CHART

	Floor Sa	ver	Non-Slip		
Product	Nylon	Felt	Rubber	Metal	Plastic
Guest, Patient, Multiple & Multi-Pur	pose Seating				
Mobi	standard	optional	optional	n/a	optional
Karma	optional	optional	optional	optional	standard
Cressida	standard	n/a	n/a	n/a	n/a
Solis	optional	optional	optional	optional	standard
Faeron Wood	standard	optional	n/a	optional	optional
Faeron Metal	optional	optional	optional	optional	standard
Jordan	standard	optional	optional	optional	optional
Corfu	standard	n/a	n/a	optional	n/a
Easy Access and Stools					
Karma	optional	optional	optional	optional	standard
Solis	optional	optional	optional	optional	standard
Faeron Wood	standard	optional	n/a	optional	optional
Faeron Metal	optional	optional	optional	optional	standard
Jordan	standard	optional	optional	optional	optional
Corfu	standard	n/a	n/a	n/a	n/a
Laurana Cantina					
Lounge Seating	ot on doud	2/2	7/0	n/o	2/2
Cressida	standard	n/a	n/a	n/a	n/a
Leyton	optional	n/a	n/a	n/a	standard
Zola	standard	optional	optional	optional	n/a
Zola Privacy	standard	optional	optional	optional	n/a
Faeron Wood	standard	n/a	n/a	optional	optional
Faeron Metal	standard standard	optional n/a	optional n/a	optional optional	n/a optional
Faeron Upholstered - Wood leg Faeron Upholstered - Metal leg	standard	optional	optional	optional	n/a
Jordan	standard	optional	n/a	optional	optional
Carlyle-wood base	standard	•	n/a	·	
Carlyle-metal base		optional		optional	optional
Carryle-metal base	n/a	n/a	n/a	n/a	standard
Benches					
Tate	optional	n/a	n/a	n/a	standard
Zola	standard	optional	optional	optional	n/a
Jordan	standard	optional	n/a	optional	optional
Carlyle	n/a	n/a	n/a	n/a	standard
Recliners					
Jordan	standard	optional	optional	optional	optional
Jordan Recliner Plus	standard	optional	optional	optional	optional
Jordan Sleep Recliner	standard	optional	optional	optional	optional
Sleepers					
Amelio Sofa Sleeper & Modular Sofa	standard	optional	optional	optional	optional
Amelio Bench Sleeper	optional	optional	optional	optional	standard
Jordan Lounge Sleeper	n/a	n/a	standard	n/a	n/a
	.,,	177	Standard	11/4	. ι, α
Behavioral Health					
Solis	optional	optional	optional ,	optional	standard
Solis - Sled Base	standard	n/a	n/a	n/a	n/a
Zola	standard	n/a	n/a	n/a	n/a
Karma	n/a	n/a	n/a	n/a	standard

ORDERING NOTES: Glides options marked "n/a" are not available for that product due to leg style. Please see product pricing pages for optional glide upcharges.

GLIDE RECOMMENDATION BY FLOORING TYPE

Glide Material	Carpet	Vinyl/Linoleum	VCT	Rubber	LVT/LVP	Ceramic Tile	Concrete	Hardwood
Nylon - Floor Saver	**	*	*	*	NR	*	*	NR
Felt - Floor Saver	NR	*	**	NR	**	**	*	**
Rubber - Non-slip	**	**	*	*	NR	*	**	NR
Metal	*	*	NR	NR	NR	*	**	NR
Plastic	**	*	*	*	NR	*	**	NR


** = Best Solution

★ = Acceptable

NR = Not Recommended

ORDERING NOTES: The above chart shows our recommendation based on a clean, professionally finished floor without dust or debris between the glides and the flooring.















All products are air emissions certified and are available as FSC® certified

