KARMAPrice and Specification Guide **CANADA**



krug

Advancing Design Through Innovation

MOBI


DESCRIPTION/MODEL		COM 1	2	COL 3	FABI 4	RIC GR	ADES 6	7	LEATHE 8	R 9
	Mesh Back and Upholstere MOB231P	ed Seat, 590	with Arms 615	641	690	740	790	838	890	989
	Mesh Back and Polymer S MOB240P	eat, Arm 411	less							
	Mesh Back and Polymer S MOB241P	eat, with 463	Arms							
	Fully Upholstered Seat and MOB250P	Back, A 641	Armless 679	720	799	879	959	1038	1118	1281
	Fully Upholstered Seat and MOB251P	I Back, v 680	vith Arms 721	761	843	920	1002	1082	1162	1319
555	Caddie DOL6	879								
Mobi Option Upcharges		\$ List								
CAL 133 & Moisture Barric Removable Seat Covers Removeable Back Covers Floor-saver Felt Glides Non-slip Rubber Glides Plastic Glides	er (per yard)	67 74 74 30 18								
PRODUCT CODE KEY										
Line MOB Mobi	Series 2 Multi-Purpose		Chair Sty 1 Polymer S & Back 2 Polymer Ba Upholstered 3 Mesh Bac Upholstered 4 Mesh Bac	leat cck & l Seat k & l Seat			Arm Style 0 Armless 1 Armed		F	Metal Finish P colished Chrome
			Polymer S 5 Fully Uphols Seat & Ba	eat stered						

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 5.51%

POST-CONSUMER
RECYCLED CONTENT = 24.98%

Up to 73.47% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

KARMA | FEATURES & OPTIONS



DESIGNED FOR COMFORT

The seat features an enhanced standard foam thickness, combined with our proprietary webbing suspension system, to provide superior comfort and a longer life cycle. The back is contoured and angled to provide supportive sitting.



LIGHT GREY POLYMER BACK

Polypropylene backs are injection molded, with Light Grey pigment diffused throughout the mold, featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



POLYMER ARM

Karma arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey, Light Grey and Taupe.



STANDARD GLIDE

Karma's black domed polymer glides are nonadjustable, and field-replaceable if damaged or degraded. Ideal for carpeted flooring.



STACKING

Karma stacks 7 high on the floor, and 12 chairs on the Caddie. The optional Underseat Cover can be specified to help prevent indenting of seat upholstery on chairs that will be stacked. Karma chairs with the Sled Base option do not stack.



TANDEM SEATING

Karma chairs, and in-line tables, are designed to be instantly converted to (or ordered as) tandem seating. Armed and armless chairs can be connected -when joining arm chairs the positioning prevents a pinch point between the arms. In-line tables can be configured between chairs or as end tables. And the tandem components can be easily removed to convert to freestanding.



REPLACEABLE COMPONENTS

Karma is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



FRAME COLORS AVAILABLE

The Karma Leg is available in 2 standard finishes; Silver Metallic and Matte Black. Polished Chrome is also available for an upcharge.

WEIGHT CAPACITIES

Karma has been laboratory tested to meet a weight capacity of 500 lbs, in all versions: arm and armless, and all widths.

OPTIONS

SLED BASE OPTION

Optional Sled Base frames are available in Silver Metallic and Matte Black. The integrated steel rail spans between the front and rear legs which are fitted with black nylon glides. Karma chairs with the Sled Base option do not stack.



UNDERSEAT COVER

As an alternative to the standard dust cover under the seat, this option, in black polymer, closes off the underside of the chair, functioning as a cleanable Splashguard to protect the interior from moisture. It also assists in chair stacking, by distributing the weight to eliminate any indentations in the seat upholstery.



CASTERS OPTION

Karma features durable low profile 1 ½" diameter casters in black nylon offering an impressive 500lb load rating. Karma chairs with the caster option do not stack.



FLOOR-SAVER GLIDES

Karma's floor-saver glides are a larger, white, nylon glide incorporating a much larger surface area, and is a self-adjusting to help protect LVT, vinyl, tile, or hardwood where risk of marking might occur. Available in floor-saver felt as well. See pricing pages for upcharges.



NON-SLIP GLIDE

Features a much larger surface area and is also self-adjusting. It also features a softer outer coating to hold and prevent chair from sliding on LVT, vinyl, or tile flooring. Perfect for more slippery/smooth floor areas where prevention of chair movement is required.



COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



Optional Removeable covers can be quickly installed on Karma products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Karma products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. See page 339 for more information.

KARMA | DIMENSIONS & COM REQUIREMENTS

	0	0	0	01	Δ	Datasas	01		ing Wei	_	0014	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	1 Chair	2 Chairs	3 Chairs	COM YRD	Cubes
Leg Base Stac Armless	king Chair l	Jpholstered										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	24	44	64	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	1	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	27	50	73	1.7	21
Leg Base Stac Armless	king Chair \	Nood Back										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	0.7	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	24	44	64	0.7	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	0.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	27	50	73	0.7	21
Leg Base Stac Armless	king Chair F	Polymer Back	(
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	n/a	18
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	n/a	18
Caster Base C	hair Uphols	tered - With A	Arms									
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	1	18
Caster Base C	hair Wood E	Back - With A	ırms									
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
Caster Base C KAR2C-18.5	hair Polyme 24.5	er Back - With 21.9	n Arms 33.9	18	26.8	18.5	17	24	44	64	0.7	18
Sled Base Cha	air I Inholete	rad										
Armless	и орнови	100										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	-	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	-	-	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	-	-	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	28.5	-	-	1	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	30	-	-	1.7	21
Sled Base Cha Armless	air Wood Ba	ck										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	-	0.7	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	-	-	0.7	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	-	-	0.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	28.5	-	-	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	30	-	-	0.7	21
Sled Base Cha Armless	air Polymer I	Back										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	-	0.7	18
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	0.7	18
Yardage for Inc	dividual Cor	nponents	Back	Seat								
Fabric 18.5"			0.50	0.75								
Fabric 22"			0.50	0.75								
Fabric 26"			0.50	0.75								
DIMENSIONS												

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

KARMA | LEG BASE

		COI	М	COL	FABI	RIC GRAI	DES	1	LEATHER	₹
DESCRIPTION/MO	ODEL	1	2	3	4	5	6	7	8	9
	18.5" Leg Base, Ma KAR2C-18.5L_PNA		r Metallic - 500	Upholstere 526	d Seat & Po 567	lymer Ba 612	ck, No Arm 651	with Stan 695	dard Dus 751	st Cover 806
	18.5" Leg Base, Po KAR2C-18.5LCPN/		Upholstere 615	ed Seat & Po 643	olymer Back 683	, No Arm 728	with Standa 767	ard Dust (811	Cover 866	921
	18.5" Leg Base, Ma	atte Black or Silve	r Metallic -	Fully Uphol	stered. No A	Arm with	Standard Di	ıst Cover		
	KAR2C-18.5L_UNA	ND 510	538	564	604	649	688	731	788	845
	18.5" Leg Base, Po KAR2C-18.5LCUN		Fully Upho 653	lstered, No 680	Arm, and St 721	andard D 766	ust Cover 804	848	904	959
	18.5" Leg Base, Ma	atte Black or Silve	r Metallic -	Linhoistere	d Seat & Wo	ood Back	No Arm wit	th Standa	ırd Dust (Cover
	KAR2C-18.5L_WN		561	573	593	617	635	658	687	714
	18.5" Leg Base, Po	lished Chrome -	Upholstere	ed Seat & Wo	ood Back, N	lo Arm wi	th Standard	Dust Co	ver	
	KAR2C-18.5LCWN	AD 661	676	690	709	731	751	774	803	832
	18.5" Leg Base, Ma	atte Black or Silve	r Metallic -	Unholstere	d Seat & Po	lymer Ba	ck with Arm	and Sta	ndard Du	st Cover
	KAR2C-18.5L_PA_		538	568	609	651	690	736	790	847
	18.5" Leg Base, Po	lished Chrome -	Upholstere	ed Seat & Po	lymer Back	, with Arn	n and Stand	ard Dust	Cover	
	KAR2C-18.5LCPA_	D 628	656	684	724	767	806	850	909	962
	18.5" Leg Base, Ma	atte Black or Silve	r Metallic -	Fully Uphol	stered, with	Arm and	Standard D	ust Cove	r	
	KAR2C-18.5L_UA_		575	605	645	688	728	773	828	885
	18.5" Leg Base, Po KAR2C-18.5LCUA		Fully Upho 694	lstered, with 722	n Arm and S 761	tandard [804	Oust Cover 845	888	945	1001
	18.5" Leg Base, Ma KAR2C-18.5L WA		r Metallic - 590	Upholstere 604	d Seat & Wo	ood Back	, with Arm a	nd Stand 688	ard Dust	Cover 745
										7 10
	18.5" Leg Base, Po KAR2C-18.5LCWA		706	721	740	763	781	804	833	862
Ų	ORDERING NOTE	S: When selecting	Frame Co	olor and Arm	Style pleas	e see Pro	oduct Code	Key belov	w.	
Karma Option Up			List							\$ List
	re Barrier (per yard)		67		or-saver Nyl or-saver Felt		3			38 30
Removable Seat C			74 74		tal Glides	Glides				26
Polymer Undersea			49		n-slip Rubbe	er Glides				18
•	olstery - dual fabrics		34							
PRODUCT CODE K	EY									
Line	Series	Frame Size	Fran	ne Color	Style		Arm S	tyle	Unders	eat Shroud
KAR	2C	18.5L	Г	В	U		N/			S
Karma	Stacking Chair	18.5" Leg Base	∟ Mati	te Black	Fully Uphol	_ stered	No A		⊢ Polym	er Shroud
	-	•		S	W		AE	В		D
			Silver	Metallic	Beech Woo	d Back	Blac	ck		andard
				С	Р		AG	ì	Dus	t Cover
			Polishe	ed Chrome	Polymer I	- Back	Gre	У		
							ALC	G		
							Light (Grey		
							AT	•		

KARMA | LEG BASE

		СОМ		COL	EΔF	BRIC GRA	DES		LEATHER	2
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	22" Leg Base, Matte B	lack or Silv	ver Metalli	ic - Fully U	pholstered	, No Arm v	with Stand	ard Dust C	Cover	
	KAR2C-22L_UNAD	555	582	611	648	691	730	775	832	887
	22" Leg Base, Polished	d Chrome	- Fully Un	holstered	No Arm a	nd Standa	ard Dust Co	over		
	KAR2C-22LCUNAD	695	722	750	789	833	873	916	974	1030
	22" Leg Base, Matte Bl									
	KAR2C-22L_WNAD	595	611	624	644	665	686	707	736	765
	22" Leg Base, Polished	d Chrome	- Upholst	ered Seat	& Wood ba	ck, No Arı	m with Sta	ndard Dus	t Cover	
	KAR2C-22LCWNAD	737	750	766	784	806	825	849	876	907
	22" Leg Base, Matte B	lack or Silv	ver Metalli	ic - Fully U	Ipholstered	, with Arm	and Stand	dard Dust	Cover	
	KAR2C-22L_U_D	592	620	648	687	731	769	816	871	927
	22" Leg Base, Polished	d Chrome	- Fully Un	holstered.	with Arm a	and Stand	ard Dust C	Cover		
	KAR2C-22LCU_D	733	763	789	828	874	912	957	1010	1067
	22" Leg Base, Matte B KAR2C-22L_W_D	lack or Silv 625	er Metallio 640	c- Upholst 653	ered Seat 8 674	& Wood ba 697	ack, with A 714	rm and Sta 738	andard Du 766	ıst Cover 794
	22" Leg Base, Polished KAR2C-22LCW D	d Chrome 767	- Upholsto	ered Seat 796	& Wood ba 816	ack, with A 837	arm and Sta 856	andard Du 879	st Cover	934
//										

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option	n Upcharges	\$ L	ist			\$ List
CAL 133 & Moisture Barrier (per yard) Removable Seat Covers Removable Back Covers Polymer Underseat Shroud 22" Combination Upholstery - dual fabrics PRODUCT CODE KEY Line Series Fra			74 FI 74 M 66 N	oor-saver Nylon Glides oor-saver Felt Glides etal Glides on-slip Rubber Glides olymer Underseat Shrou	38 30 26 18 84	
		Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR Karma	2C Stacking Chair	22L 22" Leg Base	B Matte Black S Silver Metallic C Polished Chrome	U Fully Upholstered W Beech Wood Back	NA No Arm AB Black AG Grey ALG Light Grey	Polymer Shroud D Standard Dust Cover

Taupe

KARMA | LEG BASE

		COM		COL	FA	BRIC GRA	DES	LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	26" Leg Base, Matte Bl KAR2C-26L_UNAD	ack or Silv 663	ver Metalli 714	c - Fully U 769	Jpholstered 846	d, Armless 931	with Stand 1005	dard Dust 1090	Cover 1198	1306
	26" Leg Base, Polished KAR2C-26LCUNAD	Chrome 805	- Fully Up 859	holstered 913	, Armless, 988	with Stand 1073	dard Dust (1148	Cover 1235	1342	1449
	26" Leg Base, Matte Bla	ack or Silv	er Metallio	c - Uphols	tered Seat	& Wood b	ack. Armle	ss. with St	andard Di	ust Cover
	KAR2C-26L_WNAD	683	707	731	768	806	845	885	933	983
	26" Leg Base, Polished	Chrome	- Upholst	ered Seat	& Wood b	ack, Armle	ss, with S	tandard Du	ust Cover	
	KAR2C-26LCWNAD	824	850	875	912	951	987	1027	1078	1125
	26" Leg Base, Matte Bl	ack or Silv	ver Metalli	c - Fully L	Jpholstered	d, with Arn	n and Stan	dard Dust	Cover	
	KAR2C-26L_U_D	702	757	807	885	970	1044	1134	1237	1347
	26" Leg Base, Polished	Chrome	- Fully Up	holstered	with Arm ,	and Stand	ard Dust C	Cover		
	KAR2C-26LCU_D	846	898	953	1027	1114	1190	1273	1380	1489
	26" Leg Base, Matte Bla	ack or Silv	er Metallic	- Upholst	ered Seat 8	& Wood ba	ck, with Ar	m and Sta	ndard Dus	t Cover
	KAR2C-26L_W_D	711	738	763	799	837	874	914	962	1011
	26" Leg Base, Polished	Chrome	- Upholst	ered Seat	& Wood b	ack, with	Arm and Si	tandard Du	ıst Cover	
	KAR2C-26LCW_D	855	882	907	940	980	1016	1058	1108	1157

ORDERING NOTES:

When selecting Frame Color and Arm Style please see Product Code Key below. See following page for additional options. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add \$84 list.

Description/Model	P	Price
	Tandem Seating Bracket -Ma KAR2C-GB BA 84	
	Tandem Seating Bracket- Silk KAR2C-GB BSA 84	ver Metallic (for armed chair) 4
	Tandem Seating Bracket- Po KAR2C-GB BCA 99	olished Chrome (for armed chair) 5
	Tandem Seating Bracket-Ma KAR2C-GB BNA 74	tte Black (for chairs without arms) 4
	Tandem Seating Bracket- Silk KAR2C-GB BSNA 74	ver Metallic (for chairs without arms) 4
	Tandem Seating Bracket- Po KAR2C-GB BCNA 85	olished Chrome (for chairs without arms) 5
	Caddie DOL6 83	79
PRODUCT CODE KEY		

PRODUCT COD	DE KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26L	В	U	NA	S
Karma	Stacking Chair	26" Leg Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

KARMA | CASTER BASE

		COM		COL	FABF	RIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	18.5" Caster Base, Silv KAR2CS-18.5MSP_D	er Metallic 599	- Upholste 627	red Seat 656	: & Polymer B 695	ack, with 738	n Arm with Si 778	tandard 822	Dust Cove 876	934
	18.5" Caster Base, Silv KAR2CS-18.5MSU_D	er Metallic 636	- Fully Uph 664	nolstered 694	l, with Arm ar 731	nd Standa 775	ard Dust Cov 816	/er 861	914	973
	18.5" Caster Base, Silve KAR2CS-18.5MSW_D	er Metallic - 663	- Upholstere 677	ed Seat 8 691	& Wood back, 710	with Arm 733	n and Standa 752	rd Dust (775	Cover 804	832
	22" Caster Base, Silver KAR2C-22MSU_D	Metallic - 678	Fully Upho 707	lstered, 736	with Arm and 774	Standard 820	d Dust Cove 856	r 901	958	1011
	22" Caster Base, Silver KAR2C-22MSW_D	Metallic- l 711	Jpholstered 725	d Seat & 741	Wood back, 759	with Arm 783	and Standa 802	rd Dust (824	Cover 851	882
ø	ORDERING NOTES: W Karma chairs all include upcharge listed below.							ange "D	" to "S" ar	nd add
Karma Option Upcharg	ges	\$ L	ist							
CAL 133 & Moisture Bar Removable Seat Covers Removable Back Covers Polymer Underseat Shro Polymer Underseat Shro Combination Upholstery	s s oud 18.5" oud 22"	6 7 7 4 6 3	4 4 9 6							
PRODUCT CODE KEY	O-di-	0:		0-1-	0			Nt1 -		
KAR	Series Frame 2C [18.5] king Chair 18.5" Cas 22N 22" Cast	M ter Base	Frame S Silver M		Style U Fully Upho W Beech Woo	Istered	Arm S AB Blac AG Gre ALG	ck by	Polym	eat Shroud S er Shroud D undard t Cover

Light Grey

AT

Taupe

P Polymer Back

KARMA | SLED BASE

DESCRIPTION/MOD	DEL	COM 1	2	COL 3	FABRIC G		LE/	ATHER 8 9
	18.5" Sled Base, Ma KAR2C-18.5S_PNA		Metallic - L 630	Jpholstered 644	Seat & Polym 663 68		n with Stand 728	ard Dust Cover 757 784
	18.5" Sled Base, Ma KAR2C-18.5S_UNA		Metallic - F 666	ully Uphols 681	tered, No Arm 700 72			794 822
	18.5" Sled Base, Ma KAR2C-18.5S_WNA		Metallic - U _l 705	oholstered S 720	Seat & Wood b 738 76			Oust Cover 832 861
	18.5" Sled Base, Ma KAR2C-18.5S_P_D	atte Black or Silver 657	Metallic - L 684	Ipholstered 712	Seat & Polymond 753 79		n with Stand 879	ard Dust Cover 936 992
	18.5" Sled Base, Ma KAR2C-18.5S_U_D	atte Black or Silver 695	Metallic - F 722	ully Uphols 751	tered, with Arr 790 83			974 1030
	18.5" Sled Base, Ma KAR2C-18.5S_W_D		Лetallic - Up 736	pholstered S 750	eat & Wood ba 768 79			Oust Cover 863 890
	ORDERING NOTES Karma chairs all included charge listed below.	ude the Standard I	rame Color Dust Cover	and Arm S ("D"), for op	tyle please se otional Polyme	e Product Code r Shroud chang	Key below. e "D" to "S"	and add up-
Karma Option Upo	charges	\$ L	ist					
CAL 133 & Moisture	4 ,		67					
Removable Seat Co Removable Back C			74 74					
Polymer Underseat			49					
Combination Uphol PRODUCT CODE KEY			34					
Line	Series	Frame Size	Frame (Color	Style	Arm S	 Style	Underseat Shroud
				¬				S
KAR Karma	Chair	[18.5S] 18.5" Sled Base	Matte E S Silver M		Fully Upholstered W Beech Wood Back P Polymer Back	AE	Arm B Ck G G G Grey	Polymer Shroud D Standard Dust Cover

KARMA | SLED BASE

		СОМ		COL		C GRAD		_	LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	22" Sled Base, Matte KAR2C-22S_UNAD	Black or Silve 698	er Metallic 725	- Fully U 754	pholstered, No 793	o Arm wi 835	th Standa 875	rd Dust (Cover 977	1032
	22" Sled Base, Matte I	Black or Silve	r Metallic	- Upholst	ered Seat & W	ood bac	k. No Arm	with Sta	ndard Dust	Cover
	KAR2C-22S_WNAD	740	754	768	789	809	830	851	879	909
	22" Sled Base, Matte	Black or Silve	er Metallic	- Fully U	pholstered, wi	th Arm a	and Standa	ard Dust	Cover	
	KAR2C-22S_Ú_D	737	766	793	832	876	914	959	1016	1069
	22" Sled Base, Matte I KAR2C-22S_W_D	Black or Silve 769	er Metallic 783	- Upholst 799	ered Seat & W 819	ood bac 843	k, with Arı 861	m and Si 884	tandard Dus 911	t Cover 939
	ORDERING NOTES: Narma chairs all includupcharge listed below	de the Standa								d add
Karma Ontion Unchar	~~~	\$ Lis								
Karma Option Upcharg		•	57							
Removable Seat Covers Removable Back Cover Polymer Underseat Shru Combination Upholsten	s s pud 22"	7 7 6	74 74 66 34							
DDODUCT CODE VEV										
Line PRODUCT CODE KEY	Series Fram	e Size	Frame	Color	Style		Arm	Style	Underse	at Shrou
KAR Karma	2C 22" Sh	2S ed Base	Matte Silver M	Black	U Fully Upholst W Beech Wood		No A	Arm AB	Polyme Sta	S Ser Shroud D ndard Cover

AG
Grey
ALG
Light Grey
AT
Taupe

Dust Cover

KARMA | SLED BASE

DECODIDEION/MODE		COM	0	COL		BRIC GRA		7	LEATHER	
DESCRIPTION/MODEL	00" or +B - Malla Bla	I	2	3	4	5	6	7	8	9
	26" Sled Base, Matte Bla KAR2C-26S_UNAD			•						
	MARZO-205_UNAD	806	861	914	989	1077	1149	1236	1345	1450
	26" Sled Base, Matte Bla	ck or Silve	er Metallic	- Upholst	tered Seat	& Wood b	ack. Armle	ss. with St	andard Du	ust Cover
	KAR2C-26S_WNAD	828	851	876	913	953	988	1030	1080	1127
	26" Sled Base, Matte Bla	ck or Silv	er Metallic	: - Fully U	pholstered	, with Arm	and Stand	dard Dust (Cover	
	KAR2C-26S_U_D	847	901	954	1030	1115	1191	1276	1381	1491
	26" Sled Base, Matte Blad	ck or Silve	er Metallic-	- Upholste	ered Seat &	. Wood ba	ck, with Arr	m and Star	ndard Dus	t Cover
	KAR2C-26S_W_D	856	884	908	942	981	1019	1059	1110	1158

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List	t
CAL 133 & Moisture Barrier (per yard)	67	7
Removable Seat Covers	74	4
Removable Back Covers	74	4
Polymer Underseat Shroud 26"	84	4
Combination Upholstery - dual fabrics	34	4

PRODUCT CODE KEY


Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26S	В	U	NA	S
Karma	Chair	26" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG	Dust Cover
					Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

In

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.


KARMA | COUNTER STOOL

	EL		COM 1	COL 2 3	FAB 4	BRIC GRA 5	DES 6		LE 7	ATHER 8	9
	18.5" Leg Fra KAR2C-18.50	me, Matte Blac C_UNAD		Metallic - Fully 740 767	Upholstered, 805	No Arm, 850	with Sta 890			er 989	1044
	18.5" Leg Fra KAR2C-18.5C	me, Polished C CCUNAD		ılly Upholstered '94 821	d, No Arm, wi 861	th Standa 907	ard Dust 945		88 1	043	1098
	18.5" Leg Fra KAR2C-18.50	me, Matte Blac C_WNAD		Metallic- Uphol 763 775	stered Seat 8 796	k Wood ba	ack, No 837			lard Dus	st Cover 916
	18.5" Leg Fra KAR2C-18.50	me, Polished C CCWNAD		oholstered Sea 817 830	t & Wood bad 849	ck, No Arr 873	n, with : 891			Cover 942	973
	18.5" Leg Fra KAR2C-18.50	me, Matte Blac C_U_D		Metallic - Fully 773 806	Upholstered, 847	with Arm 890	, with S ²			ver 031	1085
	18.5" Leg Fra KAR2C-18.5C	me, Polished C CCU_D		ılly Upholstered 333 862	d, with Arm, v 899	vith Stand 945	dard Dus 983	st Cover 10		084	1141
	18.5" Leg Frar KAR2C-18.50	ne, Matte Black C_W_D		etallic- Upholste '93 805	ered Seat & W 824	ood back	, with Ar			l Dust C 918	over 949
	18.5" Leg Fra KAR2C-18.50	me, Polished C CCW_D		oholstered Sea 347 861	t & Wood bad 879	ck, with A 901	rm, with 921			Cover 974	1002
		OTES: When se Oust Cover (selec									
Karma Option Upo	charges		\$ List								\$ List
CAL 133 & Moisture Removable Seat Co Removable Back Co Polymer Underseat Combination Uphol	e Barrier (per yar overs overs Shroud 18.5"	,	\$ List 67 74 74 49 34	 	Floor-saver N Floor-saver Fo Metal Glides Non-slip Rubl See page 113	elt Glides ber Glides	S	ation on	options	and fea	38 30 26 18
CAL 133 & Moisture Removable Seat Co Removable Back Co Polymer Underseat	e Barrier (per yar overs overs Shroud 18.5" stery - dual fabr	ics	67 74 74 49 34	 	Floor-saver Fo Metal Glides Non-slip Rubl See page 113	elt Glides ber Glides I for more	s e informa omer Ser	vice if d	imensior		38 30 26 18 atures.
CAL 133 & Moisture Removable Seat Co Removable Back Co Polymer Underseat Combination Uphol DIMENSIONS: All dimensions are in	e Barrier (per yar overs overs Shroud 18.5" stery - dual fabr	ics roximate and ar I Overall	67 74 74 49 34	 	Floor-saver Fo Metal Glides Non-slip Rubl See page 113	elt Glides ber Glides I for more	s e informa omer Ser Shipp 1	vice if d ing Wei 2	imensior ght/box		38 30 26 18 atures.
CAL 133 & Moisture Removable Seat Co Removable Back Co Polymer Underseat Combination Uphol: DIMENSIONS: All dimensions are in Ove Wie Easy Access or Cou Armless KAR2-18.5	e Barrier (per yar overs overs Shroud 18.5" Istery - dual fabri n inches and appr erall Overal dth Depth	roximate and ar I Overall Height	67 74 74 49 34 e subject to	change withou	Floor-saver Fo Metal Glides Non-slip Rubl See page 113 t notice. Cont Between	elt Glides ber Glides B for more act Custo	s e informa omer Ser Shipp 1	vice if d ing Wei 2	imensior ght/box 3	ns are cr	38 30 26 18 atures.
CAL 133 & Moisture Removable Seat Co Removable Back Co Polymer Underseat Combination Upholo DIMENSIONS: All dimensions are in Ove Win Easy Access or Cou Armless KAR2-18.5 20 with Arms KAR2-18.5 24	e Barrier (per yar overs overs Shroud 18.5" Istery - dual fabri n inches and apprerall Overal dth Depth unter Seat Uphol 0.2 21.9	roximate and ar I Overall Height stered 39.9 39.9	67 74 74 49 34 e subject to Seat Height	change withou Arms From Floor	Floor-saver Fo Metal Glides Non-slip Rubl See page 113 t notice. Cont Between Arms	elt Glides ber Glides for more cact Custo Seat Depth	s e informa omer Ser Shipp 1 Chair	vice if d ing Wei 2	imensior ght/box 3	ns are cr COM YRD	38 30 26 18 atures. ritical.
CAL 133 & Moisture Removable Seat Co Removable Back Co Polymer Underseat Combination Uphole DIMENSIONS: All dimensions are in Ove Win Easy Access or Cou Armless KAR2-18.5 20 with Arms KAR2-18.5 24 Easy Access or Cou Armless KAR2-18.5 24	e Barrier (per yar overs overs Shroud 18.5" Istery - dual fabri n inches and apprerall Overal dth Depth unter Seat Uphol 0.2 21.9	roximate and ar I Overall Height stered 39.9 39.9	67 74 74 49 34 e subject to Seat Height	change withou Arms From Floor n/a	Floor-saver Fo Metal Glides Non-slip Rubi See page 113 t notice. Cont Between Arms	elt Glides ber Glides for more act Custo Seat Depth	s information omer Ser Shipp 1 Chair	vice if d ing Wei 2	imensior ght/box 3	COM YRD	38 30 26 18 atures. ritical.
CAL 133 & Moisture Removable Seat Co Removable Back Co Polymer Underseat Combination Uphole DIMENSIONS: All dimensions are in Ove Win Easy Access or Cou Armless KAR2-18.5 20 with Arms KAR2-18.5 20 Armless KAR2-18.5 20 With Arms KAR2-18.5 20	e Barrier (per yar overs overs overs Shroud 18.5" stery - dual fabria inches and apprendid the Depth on the Seat Upholon. 2 21.9 cunter Seat Wood 0.2 21.9 4.5 21.9 4.5 21.9	roximate and ar Overall Height stered 39.9 39.9 Back	67 74 74 49 34 e subject to Seat Height	change withou Arms From Floor n/a 32.8	Floor-saver For Metal Glides Non-slip Rubi See page 113 t notice. Cont Between Arms n/a 18.5	elt Glides ber Glides B for more cact Custo Seat Depth 17 17	s information information in informa	vice if d ing Wei 2	imensior ght/box 3	COM YRD	38 30 26 18 atures. ritical. Cubes
CAL 133 & Moisture Removable Seat Co Removable Back Co Polymer Underseat Combination Uphole DIMENSIONS: All dimensions are in Ove Win Easy Access or Cou Armless KAR2-18.5 20 with Arms KAR2-18.5 24 Easy Access or Cou Armless KAR2-18.5 25 With Arms KAR2-18.5 20 With Arms KAR2-18.5 20 With Arms	e Barrier (per yar overs overs overs Shroud 18.5" stery - dual fabria inches and apprendid the Depth on the Seat Upholon. 2 21.9 cunter Seat Wood 0.2 21.9 4.5 21.9 4.5 21.9	roximate and ar Overall Height stered 39.9 39.9 Back 39.9	67 74 74 49 34 e subject to Seat Height 24 24 24	change withou Arms From Floor n/a 32.8 n/a	Floor-saver For Metal Glides Non-slip Ruble See page 113 t notice. Content Between Arms n/a 18.5 n/a	elt Glides ber Glides for more act Custo Seat Depth 17 17 17	se information inf	vice if d ing Wei 2	imensior ght/box 3 Chairs - - -	COM YRD 1 1 1	38 30 26 18 atures. ritical. Cubes 20 20

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 29.17%

POST-CONSUMER
RECYCLED CONTENT = 42.67%

Up to 46.67% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

KARMA | FREE STANDING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ Polymer Edge	W	D	Н	Weight	Cube
	Square & Rectangular Tables, M	atte Black o	r Silver Metallic	: leas					
	KAR4C 18-18-18	783	949	631	17.5	17.5	17.5	15	2.6
	KAR4C 22-18-18	822	975	648	22		17.5	16.5	2.6
	KAR4C 42-18-18	1235	1530	1094	42	17.5	17.5	24.5	4.6
	KAR4C 18-18-21	801	960	648	17.5	17.5	21	17	3
-	KAR4C 22-18-21	838	989	663	22	17.5	21	18.5	3
	KAR4C 42-18-21	1252	1547	1108	42	17.5	21	26.5	4.6
	Square & Rectangular Tables, P	olished Chro	me leas						
	KAR4C 18-18-18	926	1087	771	17.5	17.5	17.5	15	2.6
	KAR4C 22-18-18	962	1115	788	22	17.5	17.5	16.5	2.6
	KAR4C 42-18-18	1375	1254	1231	42	17.5	17.5	24.5	4.6
	KAR4C 18-18-21	957	1117	803	17.5	17.5	21	17	3
	KAR4C 22-18-21	996	1146	820	22	17.5	21	16.5	2.6
	KAR4C 42-18-21	1408	1471	1263	42	17.5	21	24.5	4.6
	ORDERING NOTE: For leg fini C for Polished Chrome	sh add to th	ne end of the r	nodel number; I	B for Matte Blac	k, S f	or Silv	er Metal	lic and
	Round Tables, Matte Black or S	ilver Metallic	legs						
	KAR4C 24D-18	973	1328	761	24	-	17.5	19	3.5
	KAR4C 36D-18	1330	1496	835	36	-	17.5	31	7.3
	KAR4C 24D-21	987	1345	777	24	-	21	21	3.5
	KAR4C 36D-21	1346	1512	850	36	-	21	33	7.3
	Round Tables, Polished Chrome	legs							
	KAR4C 24D-18	1114	1467	899	24	-	17.5	19	3.5
	KAR4C 36D-18	1510	1676	1016	36	-	17.5	31	7.3
	KAR4C 24D-21	1143	1500	933	24	_	21	21	3.5
	KAR4C 36D-21	1540	1710	1048	36	-	21	33	7.3
					D (M D)		0.1		

ORDERING NOTE: For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome

KARMA | LINKING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	W	D	Н	Weight	Cube
•	Square Straight Linking Table	, Matte Black	or Silver Meta	allic, Left or Right h	anded (Same o	directio	n seat	ing)	
	KAR4C-LKII-18-18	758	920	604	17.5	17.5	-	15	2.5
	Square Straight Linking Table KAR4C-LKIL-18-18	, Matte Black 758	or Silver Meta 920	allic, Left handed as 604	`	sed se 17.5	ating) -	15	2.5
	Square Straight Linking Table KAR4C-LKIR-18-18	, Matte Black 758	or Silver Meta 920	allic, Right handed a 604	, , ,	osed s 17.5	seatino -	g) 15	2.5
	Square Straight Linking Table KAR4C-LKII-18-18	, Polished Ch 926	nrome, Left or 1087	Right handed (Sam 771		ating) 17.5	_	15	2.5
	Square Straight Linking Table KAR4C-LKIL-18-18	, Polished Ch 926	nrome, Left han 1087	nded as seated (Op 771) 17.5	-	15	2.5
	Square Straight Linking Table KAR4C-LKIR-18-18	, Polished Ch 926	nrome, Right h	anded as seated (C 771		ig) 17.5	-	15	2.5
•	Square Straight Linking End 1	able, Matte E	Black or Silver	Metallic legs, Left h	nanded as seat	ted			
*	KAR4C-LKEL-18-18*	768	930	615	17.5	17.5	17.5	15	2.5
	Square Straight Linking End TKAR4C-LKER-18-18	able, Matte E 768	Black or Silver 930	Metallic legs, Right 615		ated 17.5	17.5	15	2.5
U	Square Straight Linking End 1	able, Polishe	d Chrome legs	s, Left handed as s	eated				
	KAR4C-LKEL-18-18*	939	1104	788		17.5	17.5	15	2.5
	Square Straight Linking End T KAR4C-LKER-18-18	able, Polishe 939	ed Chrome legs 1104	s, Right handed as 788		17.5	17.5	15	2.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 308 for suggested configurations.

KARMA | LINKING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/ PVC				
Description	Model	Palette	Edge	Edge	W	D I	H Weight	Cube
	Rectangular Straight Linking			·	•		0,	•
	KAR4C-LKII-22-18 Rectangular Straight Linking KAR4C-LKIL-22-18	799 Table, Matte Bla 799	950 ack or Silver 950	620 Metallic, Left hand 620			0,	2.8
	Rectangular Straight Linking KAR4C-LKIR-22-18	Table, Matte Bla 799	ack or Silver 950	Metallic, Right ha 620		d (Oppose 17.5	d seating) - 16.5	2.8
	Rectangular Straight Linking KAR4C-LKII-22-18	Table, Polished 964	Chrome, Let	t or Right handed 788	(Same direction 22	on seating) 17.5) - 16.5	2.8
	Rectangular Straight Linking KAR4C-LKIL-22-18	Table, Polished 964	Chrome, Lef 1116	t handed as seate 788	ed (Opposed se 22		- 16.5	2.8
	Rectangular Straight Linking KAR4C-LKIR-22-18	Table, Polished 964	Chrome, Rig	ht handed as sea 788	ted (Opposed : 22	seating) 17.5	- 16.5	2.8
*	Rectangular Straight Linking KAR4C-LKEL-22-18*	End Table, Mat 806	te Black or S 958	lver Metallic, Left 631		ated (Oppo	-	2.8
	Rectangular Straight Linking KAR4C-LKER-22-18	End Table, Mat 806	te Black or S 958	lver Metallic, Righ 631	nt handed as se 22	eated (Opp 17.5 17		ng) 2.8
J	Rectangular Straight Linking KAR4C-LKEL-22-18*	End Table, Polis 978	shed Chrome 1127	, Left handed as s 803	`	ed seating 17.5 17	• •	2.8
	Rectangular Straight Linking KAR4C-LKER-22-18	End Table, Polis 978	shed Chrome 1127	, Right handed as 803	s seated (Oppo 22	sed seatir 17.5 17	0,	2.8
	Curvilinear Connector Table 4 KAR4C-LKCI-RF45	45°, Matte Black	k or Silver Me	etallic, Left or Righ 865	nt handed (Sam 28	ne directio	n, inward se - 19	eating)
	Curvilinear Connector Table 4 KAR4C-LKCO-RF45				handed (Same 28	direction, 24	outward sea	
	Curvilinear Connector Table 4 KAR4C-LKCL-RF45	15°, Matte Black 1090	k or Silver Me 1589	etallic, Left handed 865	d as seated (O) 28	oposed se 24	eating) - 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RF45	15°, Matte Black 1090	k or Silver Me 1589	tallic, Right hand 865	ed as seated (C 28	Opposed : 24	seating) - 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCI-RF45	15°, Polished Cl 1257	hrome, Left o 1609	r Right handed (S 1033	ame direction, 28	inward se	eating) - 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCO-RF45	1257	1609	1033	28	24	seating) - 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCL-RF45	1257	1609	1033	28	24	- 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RF45		_	handed as seated 1033		ating) 24	- 19	4.2
	Curvilinear Connector Table 4	15° Matte Black	or Silver Me	tallic,with Flat edg	ge, Left or Righ	t handed	(Same direct	tion,
	KAR4C-LKCI-RR45	1126	1636	908	28	24	- 19	4.2
	Curvilinear Connector Table 49 outward seating)	5° Matte Black	or Silver Meta	allic, with Flat edge	e, Left or Right	nanded (S	ame directio	n,
	KAR4C-LKCO-RR45	1126	1636	908	28	24	- 19	4.2
	Curvilinear Connector Table 45 KAR4C-LKCL-RR45	o Matte Black o 1126	or Silver Meta 1636	llic, with Flat edge 908	, Left handed as 28	s seated (C 24)pposed sea - 19	ting) 4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RR45	5° Matte Black o 1126	or Silver Meta 1636	llic, with Flat edge 908	e, Right handed 28	as seated 24	l (Opposed s - 19	seating) 4.2
	Curvilinear Connector Table 45 KAR4C-LKCI-RR45	o Polished Chro 1293	me, with Flat	edge, Left or Right 1073	handed (Same 28	direction, i 24	i nward seatir - 19	ng) 4.2
	Curvilinear Connector Table 45' KAR4C-LKCO-RR45	1293	1802	1073	28	24	- 19	ing) 4.2
	Curvilinear Connector Table 4 KAR4C-LKCL-RR45	1293	1802	1073	28	24	- 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RR45	15° Polished Ch 1293	rome, with F 1802	at edge, Right ha 1073	nded as seated 28	d (Oppose 24	ed seating) - 19	4.2


ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 308 for suggested configurations.

KARMA | LINKING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/ PVC				
Description	Model	Palette	Edge	Edge	W D	Н	Weight	Cube
	Curvilinear Connector Table 90	•			•			Ο,
	KAR4C-LKCI-RR90 Curvilinear Connector Table 90°	1418 Matte Black	2056 k or Silver Me	1138 tallic Teft or Right ha	38 2 nded (Same dire	•	22 outward se	5.5 eating)
	KAR4C-LKCO-RR90	1418	2056	1138	38 2		22	5.5
	Curvilinear Connector Table 90	o, Matte Blac						
	KAR4C-LKCL-RR90	1418	2056	1138	38 2		22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCR-RR90	1418	2056	etallic, Right handed a 1138	as seated (Oppo 38 2		eating) 22	5.5
	Curvilinear Connector Table 90			,			٠,	
	KAR4C-LKCI-RR90 Curvilinear Connector Table 90	1585	2223 Phrome Left (1305 or Right handed (San	38 2		22	5.5
	KAR4C-LKCO-RR90	1585	2223	1305	38 2		22	5.5
	Curvilinear Connector Table 90							0.0
	KAR4C-LKCL-RR90	1585	2223	1305	38 2	-	22	5.5
	Curvilinear Connector Table 90	*	, 0	,	• •	0,	00	
	KAR4C-LKCR-RR90	1585	2223	1305	38 2	4 -	22	5.5
	Curvilinear Connector Table 90 inward seating))° with Matte	Black or Silv	er Metallic, Flat edg	ge, Left or Right	handed	d (Same di	irection,
A STATE OF THE STA	KAR4C-LKCI-RF90	1336	2118	1172	38 2	4 -	22	5.5
	Curvilinear Connector Table 90	0°, Matte Bla	ck or Silver M	etallic, with Flat edg	je, Left or Right	handed	ל (Same di	irection,
	outward seating)							
	KAR4C-LKCO-RF90	1336	2118	1172	38 2	-	22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCL-RF90	', Matte Black 1336	k or Silver Mei 2118	tallic, with Flat edge,	Left handed as s	,	Opposed : 22	seating) 5.5
	Curvilinear Connector Table 90°,			=				
	KAR4C-LKCR-RF90	1336	2118	1172	38 2	•	22	5.5
	Curvilinear Connector Table 90°	Polished Ch	nrome, with Fl	at edge, Left or Right	handed (Same of	direction	n, inward s	seating)
	KAR4C-LKCI-RF90	1629	2282	1338	38 2		22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCO-RF90	1629	2282	1338	38 2	4 -	22	seating) 5.5
	Curvilinear Connector Table 90 KAR4C-LKCL-RF90	Polished C 1629	nrome, with 1 2282	-iat edge, Leπ nande 1338	a as seated (Up 38 2		seating) 22	5.5
	Curvilinear Connector Table 90					-		5.5
	KAR4C-LKCR-RF90	1629	2282	1338	38 2		22	5.5
	Rectilinear Corner Connector T direction, inward seating)	Table 90° Mat	tte Black or S	ilver Metallic, with Fla	t edge, Left or F	dight ha	ınded (San	ne
	KAR4C-LKCI-SF90	1587	2301	1272	30 3	0 -	26	5.5
	Rectilinear Connector Table 90	º Matte Blaci	k or Silver Me	tallic with Flat edge				
	outward seating) KAR4C-LKCO-SF90	1587	2301	1272	30 3	•	26	5.5
	Rectilinear Connector Table 90°	, Matte Black	k or Silver Me	tallic, with Flat edge L	eft handed as se	eated (Opposed s	
	KAR4C-LKCL-SF90	1587	2301	1272	30 3		26	5.5
	Rectilinear Connector Table 90°	Matte Black	or Silver Meta	allic, with Flat edge, R	ight handed as s	eated (Opposed s	seating)
	KAR4C-LKCR-SF90	1587	2301	1272	30 3	0 -	26	5.5
	Rectilinear Corner Connector T ward seating)	Table 90° Pol	ished Chrome	e, with Flat edge, Left	t or Right hande	d (Same	e direction	ı, in-
	KAR4C-LKCI-SF90	1821	2535	1508	30 3		26	5.5
	Rectilinear Connector Table 90° KAR4C-LKCO-SF90	1821	2535	1508	30 3	0 -	26	seating) 5.5
	Rectilinear Connector Table 90	•		•	, <u>-</u>	•	0,	
	KAR4C-LKCL-SF90 Rectilinear Connector Table 90	1821 ° Polished C	2535 hrome, with F	1508 Flat edge, Right hand	30 3 ed as seated (O		26 d seating)	5.5
	KAR4C-LKCR-SF90	1821	2535	1508	30 3		26	5.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 308 for suggested configurations.

KARMA | LINKING TABLES CONFIGURATIONS



ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$385 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warrantv

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$275/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$275/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$551/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$131/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$131/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$131/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.---

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and



documentation are available on request.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition

of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS



${\bf Krug\ Textiles\ -\ Stocked\ Fabric\ Program}$

Grade 1

ARLO



Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY











84 TEAK

98 NICKLE

YATES





34 SLATE











92 ZINC



908 CHARCOAL

MCCOY











608 TUNDRA



94 MERCURY

84 BARK

108 CORDOVAN

ORIS

















KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ













82 CLAY

304 CAPRI

31 AEGEAN

LORENZO











32 MIST





91 FLANNEL 604 STUCCO

306 INDIGO 601 CREAM 106 HENNA

BISCOTTI









91 GRANITE











805 PECAN







Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$23 Grade 2 \$35 Grade 3 \$48

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- 17 square feet in a yardApprox. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

KARMA | FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech Appalachian Cherry

American Cherry

Imperial Cherry

Light Cherry

Medium Cherry

Natural Cherry

Sable Cherry

Standard Cherry

Light Oak

Harvest Oak

Mahogany

Mellow Oak

Espresso

Cordovan Walnut

Natural Walnut

Regular Walnut

SilverGrey on Walnut Dark Walnut

Clear Beech

Medium Anigre

PALETTE

Palette finishes available for applicable products. Black

White Soft Green Steel Blue

Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

DUAL FINISHES

Add 10% list per item if specifying dual finish.

STANDARD WOOD FINISHES

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry Park Avenue Walnut	Tafisa T472CR Wilsonart 7984–38	Solid Laminates	
Chocolate Nutmeg Nightfall	Tafisa T498CR Tafisa T477CR Pionite WX421	Designer White Platinum Earth	Wilsonart D354-60 Tafisa T202CR Tafisa T767CR
DUACE OUT LANGUATE	•	Charcoal	Tafisa T228CR


PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

NON-STOCKED LAMINATES

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

METAL FINISHES




URETHANE COLOR OPTIONS



SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



GLIDE SELECTION CHART

	Floor S	aver	Non-Slip		
Product	Nylon	Felt	Rubber	Metal	Plastic
Management & Task Seating					
Aqua Stool	n/a	n/a	n/a	n/a	standard
Guest Seating					
Addison	standard	n/a	n/a	optional	optional
Blake	standard	optional	n/a	optional	optional
Dorso	n/a	optional	optional	optional	standard
Bali	standard	optional	n/a	optional	n/a
Kita	standard	optional	n/a	optional	optional
Spence	standard	optional	n/a	optional	optional
Cadence	standard	optional	n/a	optional	optional
Faeron Wood	standard	optional	n/a	optional	optional
Faeron Metal	optional	optional	optional	optional	standard
Multi-Purpose Seating					
Libra	standard	n/a	n/a	n/a	n/a
Mobi	standard	optional	optional	n/a	optional
Karma	optional	optional	optional	optional	standard
Corfu	standard	n/a	n/a	optional	n/a
Capri	n/a	n/a	n/a	n/a	standard
Bank of England	standard	optional	n/a	optional	optional
Barstools & Counter Height Seating	•				
Manolo	n/a	optional	n/a	n/a	standard
Karma	optional	optional	optional	optional	standard
Capri	n/a	n/a	n/a	n/a	standard
Corfu	standard	n/a	n/a	n/a	n/a
			.,		
Lounge Seating Avatar	standard	n/a	n/a	n/a	n/a
Cressida		n/a	n/a		n/a
	standard			n/a	
Leyton Zola	optional standard	n/a optional	n/a optional	n/a optional	standard
Zola Privacy	standard		·	optional	n/a n/a
Faeron Upholstered - Wood Leg	standard	optional n/a	optional n/a	optional	optional
Faeron Upholstered - Metal Leg	standard	optional	optional	optional	n/a
Sutton-wood base	optional	optional	optional	standard	optional
Sutton-metal base	standard	n/a	n/a	n/a	optional
Carlyle-wood base	standard	optional	n/a	optional	optional
Carlyle-metal base Brio	n/a standard	n/a optional	n/a optional	n/a optional	standard optional
Sloane	n/a	standard	n/a	n/a	n/a
	11/α	Staritaru	11/α	11/α	11/α
Benches		,	,	,	
Tate	optional	n/a	n/a	n/a	standard
Zola	standard	optional	optional ,	optional ,	n/a
Carlyle	n/a	n/a	n/a	n/a	standard

ORDERING NOTES: Glides options marked "n/a" are not available for that product due to leg style. Please see product pricing pages for optional glide upcharges.

GLIDE RECOMMENDATION BY FLOORING TYPE

Glide Material	Carpet	Vinyl/Linoleum	VCT	Rubber	LVT/LVP	Ceramic Tile	Concrete	Hardwood
Nylon - Floor Saver	**	*	*	*	NR	*	*	NR
Felt - Floor Saver	NR	*	**	NR	**	**	*	**
Rubber - Non-slip	**	**	*	*	NR	*	**	NR
Metal	*	*	NR	NR	NR	*	**	NR
Plastic	**	*	*	*	NR	*	**	NR

** = Best Solution

★ = Acceptable

NR = Not Recommended

ORDERING NOTES: The above chart shows our recommendation based on a clean, professionally finished floor without dust or debris between the glides and the flooring.

BASE STYLES

Base Styles	Description								
Black Nylon	5 blade glass re	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.							
Polished Aluminum	5 blade polished	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.)							
Seat Slider		Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.							
Wood	5 blade steel ba	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.							
Chrome	5 blade polished	5 blade polished chrome base with 2 1/4" dual wheel casters.							
Jury Bases	1 ,	Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning							
Jury Bases	height feature w	height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.							
Pan Am	Bank of England	Dorso	Cadence	C5	Aqua				
Pan1-M11 <u>J</u>	177- <u>J</u>	D0S1-H2011 <u>J</u>	CAD1-HW12 <u>J</u>	C5E1MB41A <u>J</u>	AQU1M33 <u>J</u>				









krug







All products are air emissions certified and are available as FSC® certified