

LATITUDE

Price and Specification Guide

GSA

GS-03F-084DA



krug

Advancing Design Through Innovation

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

General Services Administration Federal Supply Schedule

FSC Groups 7110, 7125
Subcategory: Furniture
CONTRACT NUMBER: GS-03F-084DA
CONTRACT PERIOD: April 1, 2016 through March 31, 2026
CONTRACTOR/ ADMINISTRATOR: Mira Jaksic-Husic
Krug Inc.
421 Manitou Drive
Kitchener, Ontario, Canada
Tel: 1-800-265-2796
Fax: 1-800-265-2798

1. List of Special Item Numbers on Contract

33721P Packaged Office Furniture w Ancillary Installation Services
33721 Office Furniture w Ancillary Installation Services
339113H Healthcare Furniture w Ancillary Installation Services
OLM Order Level Materials

2. SPECIAL ITEM NUMBER	MAXIMUM ORDER
33721P	\$5,000,000
33721	\$250,000
339113H	\$500,000
OLM	\$250,000

3. SPECIAL ITEM NUMBER	MINIMUM ORDER
33721P	\$100.00
33721	\$100.00
339113H	\$100.00
OLM	NA

4. Geographic Coverage

48 contiguous States and Washington, DC

5. Point of Production

Krug Inc.
421 Manitou Drive
Kitchener, Ontario, CANADA
N2C 15L

6. Discount from List Prices

33721P Package Office Furniture Krug Product Discounts As Below
GSA Teaming Partner Products at their
Approved GSA Discount Terms. Krug
Installation Charge 12.75% of Net Order
(Max.). No Charge for Project Mgt Services.

33721 Office Furniture	
Executive Office Furniture	56.6%
Executive Conference Furniture	56.6%
Tables and Accessories	56.6%
Fully Upholstered Lounge Furniture	56.6%
Multiple Seating	56.6%
Multi-Purpose Seating	56.6%
Stacking Chairs	56.6%
Installation Ancillary to these products	12.75% Charge of Net Order (Max.)

339113H Healthcare Furniture	
Hospital Patient Room Furniture	56.6%
Hospital Geriatric Chairs & Lounge Seating	56.6%
Patient Service Systems	56.6%
Installation Ancillary to these products	12.75% Charge of Net Order (Max.)

7. Quantity Discounts (off Net pricing)

Multiple Seating, Multipurpose Seating, Stacking
Chairs

25,001 – 50,000	1%
50,001 – 100,000	2%
100,001 – 150,000	3%
150,001 – 250,000	4%

Lounge Seating, Tables & Accessories

25,000 – 50,000	1%
50,001 – 75,000	2%
75,001 – 100,000	3%
100,001 – 180,000	4%
180,001 – 200,000	5%
200,001 – 250,000	6%

Hosp/Geriatric Chairs and Lounge, Patient Room
Furniture, Patient Service Systems

\$100,000 - \$200,000	1%
\$200,000.01 - \$300,000	1.5%
\$300,000.01 - \$400,000	2%
\$400,000.01 - \$500,000	2.5%

Quantity Discounts for Executive Office and
Executive Conference are no longer applicable
based on the MAS Consolidation revisions to
Maximum Order Limits.

8. Prompt Payment Terms

Net 30 Days

9. Visa and MasterCard are accepted above and

below the micro-purchase threshold.
NOTE: No additional discount will be offered on
orders placed using credit cards.

10. Foreign Items

All items manufactured in Canada.

11a. Time of Delivery

60-90 Days ARO for all items.

11b. Expedited Delivery

Please contract Krug GSA Customer Service for
information on Expedited Delivery/Krug Express
Program. 1-800-265-2796

11c. Overnight & 2 day Delivery

N/A

11d. Urgent Requirements

Please contact Krug for urgent requirements.

12. F.O.B. Point

Destination

13. Payment Address

Same as above

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

14. Warranty

For commercial products, Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. For Krug Healthcare products (as outlined in the US Healthcare price and specification Guide dated March 1, 2019), Krug warrants the construction and finish of all Healthcare products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug.

Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug: Height Adjustable Mechanism Warranty Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase: a) Electronic components such as control boxes, hand switches and motors – two (2) years b) Mechanical components such as crank drives, spindles – five (5) years c) Structural components such as J-channels, feet and top supports – ten (10) years. The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced. Juno and Trevisa Overbed Tables have a 2-year warranty.

15. Export Packing Charges

Quoted upon request

16. Terms and Conditions of Government Commercial Credit Card

ACCEPTANCE: KRUG will accept the government commercial credit card but will not Offer any additional discount for orders placed using the credit card

17. Term and Conditions of Rental Maintenance and Repair.

N/A

18. Term and Conditions of Installation

N/A

19. Term and Conditions of Repair

N/A

20a. Term and Conditions for any other services

N/A

20. Service and Distribution points

Call contractor

21. Participating Dealers

Call contractor

22. Preventative Maintenance

N/A

23. Environmental Attributes

Krug maintains a program to reduce the impact on the environment of our products and operations.

24. Data Universal Number System (DUNS) number

251476669

25. Notification regarding registration in SAM.

Krug Inc.'s registration in SAM is current, accurate and valid.

26 Cage Code: 37310

LATITUDE TABLE OF CONTENTS

292	Environmental Summary
293	Product Features & Options
294	Finishes & Veneer
295	Sample Configurations
296	Desks
303	Height Adjustable Worksurfaces
308	Desk Runoffs
314	Linking Tops & Corner Units
315	Credenzas
321	Overheads
324	Hutches
326	Wall Mounted Back-painted Glass
327	Piers & Pedestals
328	Bookcases
329	Storage
334	Wardrobes
336	Modular Components
341	PowerPorts, Cable Management & Data
344	Accessories

General Information


345	PowerPorts, Cable Management
346	Height Adjustable with Base Enclosure
347	Credenzas, Linking Units & Corner Units
348	Hutches, Overheads & Tackboards
349	Filing & Installation Instructions

LATITUDE ENVIRONMENTAL SUMMARY

LEED CERTIFICATION



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

		CONTRIBUTES TO
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (MUST BE REQUESTED) Systems Furniture & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Latitude products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



the mark of responsible forest

AIR EMISSIONS

All Latitude products can be supplied with air emissions-certification. Contact customer service for information and upcharges.

FSC®

FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Latitude and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

LATITUDE FEATURES & OPTIONS

WORK SURFACES

Tops are 1 1/4" thick veneered MDF core with face and back veneer. All Desks, Credenzas, Curvilinear Desks, Returns, Linking Units, Bookcases and 2Hi Storage unit tops have beveled profile edges on all sides.



LATITUDE EDGE PROFILE

MODESTY PANELS

Modesty panels are standard on all desks, and optional on shaped tops, returns, linking units and credenzas. Modesty panels on desks and Credenzas are 3/4" thick and 1 1/8" thick on returns and linking units.

veneer

Latitude veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is vertical.

FINISH

A five step catalyzed varnish finish that when dry has a sheen value of 32°, is applied to all finished cases. A lower sheen topcoat, 20°, can also be specified at standard pricing. All purchase orders must clearly note "lower sheen finish" in order to receive the optional selection.

BASES

The Latitude disc base has a Brushed Stainless finish, O-base and Square base have a Brushed Stainless finish.

LOCKS

Locks are provided as standard features on all pedestals, except bookcase pedestals, including those in desks, credenzas, and lateral file storage units. Satin Aluminum lock plugs are located on the fronts of all cases.

Locks are available on the bookcase doors at an upcharge of **\$159 list** per set of (2) doors, or one single door with an odd number of doors, please specify on the purchase order. Locks for bookcase doors are generally located on the top inside corner of the door front.

Locks for hutch and overhead doors are generally located on the lower inside corners. Suites can be keyed alike at no upcharge, please specify on purchase order. For Master key, note clearly on your purchase order and add **\$42 list**.

PULLS

Standard pulls on drawers are Gloss Aluminum. Latitude drawers have the option of finger pulls in the same finish as the drawer front. To order, note clearly on the purchase order and add **\$290 list** per pedestal. Doors feature touch latches.



LATITUDE STANDARD PULL



LATITUDE FINGER PULL OPTION

LATCHES

All hutch, overhead and bookcase hinged doors (above the worksurface height), are equipped with touch latches mounted inside the top edge of the door.

HINGES

Hinges on all hutch, overhead and bookcase doors are European style with 110 degree opening. All hinges are fully adjustable.

DRAWERS

Desk box and file drawers have fully progressive full extension slides and are load rated at 125 lbs per drawer. All drawer interiors are birch components. All file drawers are equipped for letter and legal filing. All box/box/file pedestals in desks are supplied with one molded black pencil tray.

GLIDES

Adjustable glides are 1 1/4" long and allow for a range of adjustment of 1". Glide inserts are installed at factory, glides need to be field installed.

TESTING INFORMATION

Latitude meets or exceeds the testing requirements of ANSI / BIFMA X5.5-2014 and/or X5.9-2012.



LATITUDE FINISHES & VENEER

WOOD FINISHES

Standard wood finishes are:

SPECIES	FINISH
OAK	Light Oak
	SilverGrey on Oak
	Espresso Oak
	Harvest Oak
	Mahogany Oak
	Medium Cherry on Oak
WALNUT	Mellow Oak
	Natural Walnut
	Walnut on Oak
	SilverGrey on Walnut
	Regular Walnut
PALETTE	Dark Walnut
	Cordovan Walnut
	Black
	White
	Sand
	Soft Green
	Steel Blue
	Slate

Note: Palette is available on door fronts, drawer fronts and 1/2 height modesty panels.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Rift Oak
Dune on Rift Oak
Portobello on Rift Oak
Ash on Rift Oak
Park Avenue Walnut
Chocolate on Walnut
Nutmeg on Walnut

VENEERS

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. The grain direction of the veneers on vertical faces is vertical - see below for grain direction specifications.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Latitude can be made with virtually any commercially available veneers. To specify Anigre, Mozambique or Zebrano add 5% List, for Sycamore add 10% list to Walnut list price. Anigre is available in clear or medium finish, Mozambique, Zebrano & Sycamore are available in clear finish only. Other veneers are also available on Latitude, please contact customer service for more information and pricing on additional wood species not included in Latitude's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)


FINISH

Latitude Casegoods feature Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.


GRAIN DIRECTION

Providing a consistent wood grain direction is important in maintaining consistent color on adjacent worksurface. The arrows on the illustrations below show the grain direction on typical worksurfaces and case fronts.


Desks




Open Desks




Runoffs



Drawer and Door Fronts




Credenza




Returns & Linking Units






Hutches and Overheads






Storage





LATITUDE SAMPLE CONFIGURATIONS





	Model	Rift Oak	Quarter Cut Walnut
Height Adj. Desk	65HA7236ETSGV21	7238	7600
Hutch	65HT721640	3919	4116
Credenza	65CY72244XLDRF	4821	5062
TOTAL		15978	16778



	Model	Rift Oak	Quarter Cut Walnut
Credenza	65CY72244XLDRF	4593	5062
Overhead	65OMW721718HD30	4861	5361
Tackboard	65TBOHW7224	590	620
Storage	65ST19247011R	3487	3845
Desk	65TD7230OBX21	6182	6491
TOTAL		19713	21379





	Model	Rift Oak	Quarter Cut Walnut
Desk	65D72364LORF	3959	4158
Link Unit	65LU4224HX41	1487	1561
Hutch	65HT721640	3732	3919
Credenza	65CY72244XLDR0	4270	4482
TOTAL		13448	14120



	Model	Rift Oak	Quarter Cut Walnut
Height Adj. Desk	65HA7230ETSO16V21	4331	4547
Storage	65ST19207090	3528	3706
Credenza	65CY72203XL3616R0	3732	3916
TOTAL		11591	12169

LATITUDE DESKS

		Rift						Shipping	Cubic	
Description	Model	Oak	Walnut	W	D	H	KW	Weight	Feet	
	Rectangular Desk, Double Pedestal	65D60304LDRF	4375	4591	59.75	30	29.5	27.5	218	39
		65D60304LFRD	4375	4591	59.75	30	29.5	27.5	218	39
		65D60304LFRF	4375	4591	59.75	30	29.5	27.5	218	39
		65D66304LDRF*	4403	4624	65.75	30	29.5	33.5	224	42.75
		65D66304LFRD	4403	4624	65.75	30	29.5	33.5	224	42.75
		65D66304LFRF	4403	4624	65.75	30	29.5	33.5	224	42.75
		65D66364LDRF	4427	4649	65.75	36	29.5	33.5	236	50
		65D66364LFRD	4427	4649	65.75	36	29.5	33.5	236	50
		65D66364LFRF	4427	4649	65.75	36	29.5	33.5	236	50
		65D72304LDRF	4442	4664	71.75	30	29.5	39.5	246	46.5
		65D72304LFRD	4442	4664	71.75	30	29.5	39.5	246	46.5
		65D72304LFRF	4442	4664	71.75	30	29.5	39.5	246	46.5
		65D72364LDRF	4490	4712	71.75	36	29.5	39.5	248	54.75
		65D72364LFRD	4490	4712	71.75	36	29.5	39.5	248	54.75
		65D72364LFRF	4490	4712	71.75	36	29.5	39.5	248	54.75
		65D78304LDRF	4511	4738	77.75	30	29.5	45.5	248	50
		65D78304LFRD	4511	4738	77.75	30	29.5	45.5	248	50
		65D78304LFRF	4511	4738	77.75	30	29.5	45.5	248	50
		65D78364LDRF	4539	4767	77.75	36	29.5	45.5	248	59
		65D78364LFRD	4539	4767	77.75	36	29.5	45.5	248	59
		65D78364LFRF	4539	4767	77.75	36	29.5	45.5	248	59
		65D84304LFRF	4649	4884	83.75	30	29.5	51.5	311	53.75
		65D84304LDRF	4649	4884	83.75	30	29.5	51.5	306	53.75
		65D84304LFRD	4649	4884	83.75	30	29.5	51.5	306	53.75
		65D84364LDRF	4677	4911	83.75	36	29.5	51.5	272	63
		65D84364LFRD	4677	4911	83.75	36	29.5	51.5	272	63
		65D84364LFRF	4677	4911	83.75	36	29.5	51.5	272	63
	Rectangular Desk, Single Pedestal	65D60304LFR0	3828	4019	59.75	30	29.5	43	206	39
		65D60304LORF	3828	4019	59.75	30	29.5	43	206	39
		65D66304LFR0	3855	4048	65.75	30	29.5	49	212	42.75
		65D66304LORF*	3855	4048	65.75	30	29.5	49	212	42.75
		65D66364LFR0	3892	4085	65.75	36	29.5	49	224	50
		65D66364LORF	3892	4085	65.75	36	29.5	49	224	50
		65D72304LFR0	3894	4088	71.75	30	29.5	55	224	46.5
		65D72304LORF	3894	4088	71.75	30	29.5	55	224	46.5
		65D72364LFR0	3959	4158	71.75	36	29.5	55	236	54.75
		65D72364LORF	3959	4158	71.75	36	29.5	55	236	54.75
		65D78304LFR0	3981	4181	77.75	30	29.5	61	236	50
		65D78304LORF	3981	4181	77.75	30	29.5	61	236	50
		65D78364LFR0	4028	4229	77.75	36	29.5	61	242	59
		65D78364LORF	4028	4229	77.75	36	29.5	61	242	59
		65D84304LFR0	4102	4308	83.75	30	29.5	67	251	53.75
		65D84304LORF	4102	4308	83.75	30	29.5	67	251	53.75
		65D84364LFR0	4149	4354	83.75	36	29.5	67	260	63
		65D84364LORF	4149	4354	83.75	36	29.5	67	260	63

ORDERING NOTES:

Drawer fronts are available in pallet at an upcharge of **\$374 list** per unit, add P at the end of the model number.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - full height pedestal
- L - left hand position
- R - right hand position
- D - 2 file drawers
- F - 2 box, 1 file drawer
- 0 - no pedestal



STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

LATITUDE DESK

		Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet	
	Rectangular Desk	65SD6030X41*	2710	2847	59.75	30	29.5	57.5	154	39
	Shell, Full Ht Modesty	65SD6630X41	2741	2879	65.75	30	29.5	63.5	198	42.75
		65SD6636X41	2772	2911	65.75	36	29.5	63.5	215	50
		65SD7230X41	2806	2947	71.75	30	29.5	69.5	210	46.5
		65SD7236X41	2836	2978	71.75	36	29.5	69.5	228	54.75
		65SD7830X41	2890	3035	77.75	30	29.5	75.5	241	59
		65SD7836X41	2907	3052	77.75	36	29.5	75.5	241	59
		65SD8430X41	2974	3125	83.75	30	29.5	81.5	254	63
		65SD8436X41	2994	3143	83.75	36	29.5	81.5	254	63
	Rectangular Desk	65SD6030X31	2657	2790	59.75	30	29.5	57.5	146	39
	Shell, 3/4 Ht Modesty	65SD6630X31*	2688	2822	65.75	30	29.5	63.5	198	42.75
		65SD6636X31	2716	2852	65.75	36	29.5	63.5	215	50
		65SD7230X31	2746	2884	71.75	30	29.5	69.5	210	46.5
		65SD7236X31	2778	2917	71.75	36	29.5	69.5	228	54.75
		65SD7830X31	2831	2973	77.75	30	29.5	75.5	228	54.75
		65SD7836X31	2852	2995	77.75	36	29.5	75.5	241	59
		65SD8430X31	2916	3062	83.75	30	29.5	81.5	254	63
		65SD8436X31	2937	3084	83.75	36	29.5	81.5	254	63
	Bow Top Option	BT65D6030	463	487	59.75	"_"	"_"	"_"	"_"	"_"
		BT65D6630	483	509	65.75	"_"	"_"	"_"	"_"	"_"
		BT65D6636	505	532	65.75	"_"	"_"	"_"	"_"	"_"
		BT65D7230	518	543	71.75	"_"	"_"	"_"	"_"	"_"
		BT65D7236	540	568	71.75	"_"	"_"	"_"	"_"	"_"
		BT65D7830	538	565	77.75	"_"	"_"	"_"	"_"	"_"
		BT65D7836	562	589	77.75	"_"	"_"	"_"	"_"	"_"
		BT65D8430	542	570	83.75	"_"	"_"	"_"	"_"	"_"
		BT65D8436	567	596	83.75	"_"	"_"	"_"	"_"	"_"

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.




CODE DESCRIPTION

X41 - full height wood modesty
X31 - 3/4 height wood modesty

VENEER

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE OPEN DESKS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Rectangular Top, 4" Diameter Metal Leg 	65DQ6030D8	2553	2680	59.75	30	29.5	42	117	39.25
	65DQ6630D8	2790	2929	65.75	30	29.5	48	126	42.75
	65DQ6636D8	2815	2955	65.75	36	29.5	48	146	50
	65DQ7230D8	2836	2978	71.75	30	29.5	54	132	46.5
	65DQ7236D8	2902	3048	71.75	36	29.5	54	155	54.75
	65DQ7830D8	2933	3080	77.75	30	29.5	60	141	50
	65DQ7836D8	2948	3096	77.75	36	29.5	60	163	59
	65DQ8430D8	2965	3113	83.75	30	29.5	66	154	53.75
	65DQ8436D8	3006	3158	83.75	36	29.5	66	178	63
Arc End Top, 4" Diameter Metal Leg 	65DA6030D8	2659	2793	59.75	30	29.5	42	117	39.25
	65DA6630D8	2906	3051	65.75	30	29.5	48	126	42.75
	65DA6636D8	2930	3078	65.75	36	29.5	48	146	50
	65DA7230D8	2956	3103	71.75	30	29.5	54	132	46.5
	65DA7236D8	3024	3175	71.75	36	29.5	54	155	54.75
	65DA7830D8	3055	3208	77.75	30	29.5	60	141	50
	65DA7836D8	3073	3226	77.75	36	29.5	60	163	59
	65DA8430D8	3089	3244	83.75	30	29.5	66	154	53.75
	65DA8436D8	3133	3289	83.75	36	29.5	66	178	63
Bullet Top, 4" Diameter Metal Leg 	65DB6030D8	2851	2994	59.75	30	29.5	42	117	39.25
	65DB6630D8	2906	3051	65.75	30	29.5	48	126	42.75
	65DB6636D8	2930	3078	65.75	36	29.5	54	146	50
	65DB7230D8	2956	3103	71.75	30	29.5	54	132	46.5
	65DB7236D8	3024	3175	71.75	36	29.5	60	155	54.75
	65DB7830D8	3055	3208	77.75	36	29.5	60	141	50
	65DB7836D8	3073	3226	77.75	30	29.5	66	163	59
	65DB8430D8	3089	3244	83.75	36	29.5	66	154	53.75
	65DB8436D8	3164	3322	83.75	30	29.5	66	178	63

ORDERING NOTES: Open Desks with 4" metal leg (D8) support are not stand alone cases. They must be used in conjunction with returns or linking units. To specify optional bases on Open Desks see option chart below, replace "D8" in the model number with suffix below and add list upcharge. See page 729 for Modesty Panel options. Left or right designation MUST be specified when specifying a modesty panel. Designate by adding left (L) or by adding right (R) after the item size in the item number. i.e. 65DQ6030D8**LV21**

OPEN DESK BASE OPTION UPCHARGES

Description	Model	List	Added Weight	Description	Model	Rift Oak	Walnut	Added Weight
Disc Base 	DB	198	30	Gable Base For Rectangular tops 	GB	505	532	20
Square Plate Base 	SQ	237	30	O-Base For Rectangular tops 	OB	675		18
2 - 2" Square Metal Legs For Rectangular tops 	M	593	19					

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.
- 4) Base option if applicable.
- 5) Modesty Panel option if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

D8 - 4" Metal Leg





STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

LATITUDE DESK

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight
1/2 Height Floating Wood Modesty 	V21-30	302	317	29.75	0.75	12	6
	V21-36	311	327	35.75	0.75	12	6
	V21-42	321	337	41.75	0.75	12	8
	V21-48	332	347	47.75	0.75	12	9
	V21-54	342	360	53.75	0.75	12	10
	V21-60	352	369	59.75	0.75	12	11
	V21-66	371	390	65.75	0.75	12	12
	V21-72	415	435	71.75	0.75	12	14
	V21-78	477	502	77.75	0.75	12	15
	V21-84	621	653	83.75	0.75	12	16
1/2 Height Floating Palette Modesty 	V22-30	302		29.75	0.75	12	6
	V22-36	311		35.75	0.75	12	6
	V22-42	321		41.75	0.75	12	8
	V22-48	332		47.75	0.75	12	9
	V22-54	342		53.75	0.75	12	10
	V22-60	352		59.75	0.75	12	11
	V22-66	371		65.75	0.75	12	12
	V22-72	415		71.75	0.75	12	14
	V22-78	477		77.75	0.75	12	15
	V22-84	621		83.75	0.75	12	16
1/2 Height Floating Back-painted Glass Modesty 	V24-30	964		29.75	0.75	12	10
	V24-36	995		35.75	0.75	12	11
	V24-42	1025		41.75	0.75	12	12
	V24-48	1056		47.75	0.75	12	13
	V24-54	1089		53.75	0.75	12	14
	V24-60	1121		59.75	0.75	12	15
	V24-66	1171		65.75	0.75	12	16
	V24-72	1220		71.75	0.75	12	18
	V24-78	1265		77.75	0.75	12	19
	V24-84	1329		83.75	0.75	12	20
1/2 Height Floating Acrylic Modesty 	V29-30	569		29.75	0.75	12	4
	V29-36	588		35.75	0.75	12	5
	V29-42	605		41.75	0.75	12	6
	V29-48	625		47.75	0.75	12	7
	V29-54	644		53.75	0.75	12	8
	V29-60	664		59.75	0.75	12	9
	V29-66	697		65.75	0.75	12	10
	V29-72	728		71.75	0.75	12	12
	V29-78	759		77.75	0.75	12	13
	V29-84	806		83.75	0.75	12	14
Full Height Fixed Wood Modesty 	X41-42	642	674	41.75	0.75	12	10
	X41-48	661	695	47.75	0.75	12	15
	X41-54	680	715	53.75	0.75	12	18
	X41-60	703	738	59.75	0.75	29	20
	X41-66	743	781	65.75	0.75	29	24
	X41-72	830	873	71.75	0.75	29	26
	X41-78	955	1003	77.75	0.75	29	30
	X41-84	1244	1307	83.75	0.75	29	36

ORDERING NOTES: Full height fixed wood modesty is available on Rectangular Open Desks with O-base.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.



CODE DESCRIPTION

V21 - 1/2 height floating wood modesty
V22 - 1/2 height floating palette modesty
V24 - 1/2 height floating back-painted glass modesty
V29 - 1/2 height floating acrylic modesty
X41 - full height fixed wood modesty


VENEER

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE DESKS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Table Desk with "O" Base	65TD6030OB	5010	5260	59.75	30	29.5	56	177	41
	65TD6036OB*	5139	5397	59.75	36	29.5	56	190	41
	65TD6630OB	5235	5496	65.75	30	29.5	64	198	45.75
	65TD6636OB	5573	5852	65.75	36	29.5	64	198	45.75
	65TD7230OB	5470	5743	71.75	30	29.5	70	228	54
	65TD7236OB	5812	6102	71.75	36	29.5	70	228	54
	65TD7830OB	5725	6012	77.75	30	29.5	76	241	58.5
	65TD7836OB	6074	6378	77.75	36	29.5	76	241	58.5
	65TD8430OB	5913	6208	83.75	30	29.5	82	254	63
	65TD8436OB	6270	6584	83.75	36	29.5	82	254	63
 Table Desk with Glass Top & "O" Base	65TDGP6030OB	7465		59.75	30	29.5	56	177	41
	65TDGP6036OB*	8038		59.75	36	29.5	56	190	41
	65TDGP6630OB	7910		65.75	30	29.5	64	198	45.75
	65TDGP6636OB	8741		65.75	36	29.5	64	198	45.75
	65TDGP7230OB	8412		71.75	30	29.5	70	228	54
	65TDGP7236OB	9287		71.75	36	29.5	70	228	54
	65TDGP7830OB	8893		77.75	30	29.5	76	211	58.5
	65TDGP7836OB	9818		77.75	36	29.5	76	211	58.5
	65TDGP8430OB	9307		83.75	30	29.5	82	254	63
	65TDGP8436OB	10280		83.75	36	29.5	82	254	63

ORDERING NOTES: To specify optional modesty panels on Table Desks see below, add the model suffix and list upcharge.

 1/2 Ht Fixed Wood Modesty	X21-60	352	369	59.75	0.75	12		17	
	X21-66	371	390	65.75	0.75	12		19	
	X21-72	415	435	71.75	0.75	12		21	
	X21-78	477	502	77.75	0.75	12		23	
	X21-84	621	653	83.75	0.75	12		24	
 Full Ht Fixed Wood Modesty	X41-60	703	738	59.75	0.75	29		41	
	X41-66	743	781	65.75	0.75	29		45	
	X41-72	830	873	71.75	0.75	29		50	
	X41-78	955	1003	77.75	0.75	29		54	
	X41-84	1244	1307	83.75	0.75	29		58	
 1/2 Ht Fixed Glass Modesty	X24-60	1121		59.75	0.75	12		34	
	X24-66	1171		65.75	0.75	12		38	
	X24-72	1220		71.75	0.75	12		42	
	X24-78	1265		77.75	0.75	12		46	
	X24-84	1329		83.75	0.75	12		48	
 Full Ht Fixed Glass Modesty	X44-60	2245		59.75	0.75	29		82	
	X44-66	2341		65.75	0.75	29		90	
	X44-72	2438		71.75	0.75	29		100	
	X44-78	2530		77.75	0.75	29		108	
	X44-84	2657		83.75	0.75	29		116	

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.
- 4) Modesty Panel option if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

OB - O base
 X21 - 1/2 height fixed wood modesty
 X41 - full height fixed wood modesty
 X24 - 1/2 height fixed glass Modesty
 X44 - full height fixed glass modesty


STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.



GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

LATITUDE DESK

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Table Desk with 4" Rectangular Gables	65TD6030	2525	2650	59.75	30	29.5	56	177	41
	65TD6036	3027	3180	59.75	30	29.5	56	190	41
	65TD6630	2775	2916	65.75	30	29.5	64	198	45.75
	65TD6636	3330	3496	65.75	36	29.5	64	198	45.75
	65TD7230	3027	3180	71.75	30	29.5	70	228	54
	65TD7236	3539	3715	71.75	36	29.5	70	228	54
	65TD7830	3195	3353	77.75	30	29.5	76	241	58.5
	65TD7836	3599	3777	77.75	36	29.5	76	241	58.5
	65TD8430	3544	3720	83.75	30	29.5	82	254	63
	65TD8436	3661	3844	83.75	36	29.5	82	254	63

ORDERING NOTES: To specify optional modesty panels on Table Desks see below, add the model suffix and list upcharge.

 1/2 Height Floating Wood Modesty	V21-60	352	369	59.75	0.75	12	11		
	V21-66	371	390	65.75	0.75	12	12		
	V21-72	415	435	71.75	0.75	12	14		
	V21-78	477	502	77.75	0.75	12	15		
	V21-84	621	653	83.75	0.75	12	16		
 1/2 Height Floating Palette Modesty	V22-60	352		59.75	0.75	12	11		
	V22-66	371		65.75	0.75	12	12		
	V22-72	415		71.75	0.75	12	14		
	V22-78	477		77.75	0.75	12	15		
	V22-84	621		83.75	0.75	12	16		
 1/2 Height Floating Back-painted Glass Modesty	V24-60	1121		59.75	0.75	12	15		
	V24-66	1171		65.75	0.75	12	16		
	V24-72	1220		71.75	0.75	12	18		
	V24-78	1265		77.75	0.75	12	19		
	V24-84	1329		83.75	0.75	12	20		
 1/2 Height Floating Acrylic Modesty	V29-60	664		59.75	0.75	12	9		
	V29-66	697		65.75	0.75	12	10		
	V29-72	728		71.75	0.75	12	12		
	V29-78	759		77.75	0.75	12	13		
	V29-84	806		83.75	0.75	12	14		

DIMENSION KEY

W — width
 D — depth
 H — height of worksurface
 KW — knee-hole width

Dimensions are in inches and approximate.
 Contact Customer Service if dimensions are critical.


CODE DESCRIPTION

V21 - 1/2 height floating wood modesty
 V22 - 1/2 height floating palette modesty
 V24 - 1/2 height floating back-painted glass modesty
 V29 - 1/2 height floating acrylic modesty


 veneer


Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.


LATITUDE DESKS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Table Desk with 2" Square Metal Leg	65TD6030M	2391	2510	59.75	30	29.5	56	177	41
	65TD6036M	2871	3013	59.75	30	29.5	56	190	41
	65TD6630M	2631	2763	65.75	30	29.5	64	198	45.75
	65TD6636M	3158	3315	65.75	36	29.5	64	198	45.75
	65TD7230M	2871	3013	71.75	30	29.5	70	228	54
	65TD7236M	3366	3534	71.75	36	29.5	70	228	54
	65TD7830M	3352	3521	77.75	30	29.5	76	241	58.5
	65TD7836M	3427	3598	77.75	36	29.5	76	241	58.5
	65TD8430M	3410	3581	83.75	30	29.5	82	254	63
	65TD8436M	3486	3660	83.75	36	29.5	82	254	63

ORDERING NOTES: To specify optional modesty panels on Table Desks see below, add the model suffix and list upcharge.

 1/2 Height Floating Wood Modesty	V21-60	352	369	59.75	0.75	12		11	
	V21-66	371	390	65.75	0.75	12		12	
	V21-72	415	435	71.75	0.75	12		14	
	V21-78	477	502	77.75	0.75	12		15	
	V21-84	621	653	83.75	0.75	12		16	

 1/2 Height Floating Palette Modesty	V22-60	352		59.75	0.75	12		11	
	V22-66	371		65.75	0.75	12		12	
	V22-72	415		71.75	0.75	12		14	
	V22-78	477		77.75	0.75	12		15	
	V22-84	621		83.75	0.75	12		16	

 1/2 Height Floating Back-painted Glass Modesty	V24-60	1121		59.75	0.75	12		15	
	V24-66	1171		65.75	0.75	12		16	
	V24-72	1220		71.75	0.75	12		18	
	V24-78	1265		77.75	0.75	12		19	
	V24-84	1329		83.75	0.75	12		20	

 1/2 Height Floating Acrylic Modesty	V29-60	664		59.75	0.75	12		9	
	V29-66	697		65.75	0.75	12		10	
	V29-72	728		71.75	0.75	12		12	
	V29-78	759		77.75	0.75	12		13	
	V29-84	806		83.75	0.75	12		14	

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.
- 4) Modesty Panel option if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- V21 - 1/2 height floating wood modesty
 V22 - 1/2 height floating palette modesty
 V24 - 1/2 height floating back-painted glass modesty
 V29 - 1/2 height floating acrylic modesty


STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

LATITUDE HEIGHT ADJUSTABLE DESK WORKSURFACES

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Electronic Height Adjustable Worksurfaces, T-Base	65HA3024ETS	3126	3283	29.75	24	-	17	108.5	11.5
	65HA3624ETS	3211	3374	35.75	24	-	23	109	14
	65HA4224ETS	3273	3436	41.75	24	-	29	109	16.5
	65HA4824ETS	3343	3509	47.75	24	-	35	109.5	19
	65HA5424ETS	3385	3555	53.5	24	-	41	110	21.5
	65HA6024ETS	3478	3651	59.75	24	-	47	111	24
	65HA6624ETS	3723	3910	65.75	24	-	53	114	26.5
	65HA7224ETS	3899	4097	71.75	24	-	59	119.5	29
	65HA7824ETS	4032	4231	77.75	24	-	65	122.5	31.5
	65HA8424ETS	4109	4315	83.75	24	-	71	127	34
	65HA3030ETS	3270	3433	29.75	30	-	17	121.5	36.75
	65HA3630ETS	3351	3520	35.75	30	-	23	122	14.25
	65HA4230ETS	3408	3579	41.75	30	-	29	122	17.5
	65HA4830ETS	3480	3655	47.75	30	-	35	122.5	20.5
	65HA5430ETS	3547	3724	53.5	30	-	41	123	23.5
	65HA6030ETS*	3627	3808	59.75	30	-	47	124	26.5
	65HA6630ETS	3807	3999	65.75	30	-	53	131	29.75
	65HA7230ETS	3977	4176	71.75	30	-	59	132.5	32.75
	65HA7830ETS	4116	4321	77.75	30	-	65	142.5	35.75
	65HA8430ETS	4196	4406	83.75	30	-	71	143.5	38.75
	65HA3036ETS	3472	3645	29.75	36	-	17	121.5	42
	65HA3636ETS	3528	3706	35.75	36	-	23	122	45.5
	65HA4236ETS	3579	3759	41.75	36	-	29	122	17.25
	65HA4836ETS	3680	3864	47.75	36	-	35	122.5	20.75
	65HA5436ETS	3755	3943	53.5	36	-	41	123	24.5
	65HA6036ETS	3826	4018	59.75	36	-	47	124	28.25
	65HA6636ETS	3975	4173	65.75	36	-	53	134	32
	65HA7236ETS	4106	4313	71.75	36	-	59	151.5	35.5
	65HA7836ETS	4429	4650	77.75	36	-	65	158.5	39.25
	65HA8436ETS	4526	4753	83.75	36	-	71	159.5	43

ORDERING NOTES:

Height adjustable worksurfaces, 48' or longer, are available with an optional 16" overhang at one end, add "O16" after "ETS" in the model number. e.g. 65HA8436ETS**O16**

Standard base is a T-base. To order a C-base on worksurfaces, up to 30" deep only, replace "T" with "C" e.g. 65HA8430**ECS**

To specify optional modesty panels add the model suffix and list upcharge shown on page 532.

To order dual stage height adjustable base replace "ETS" with "ETD" and add \$674 list. e.g. 65HA8436**ETD**

Height Adjustable bases come standard with a Silver up/down button. Please contact customer service for alternate color availability. A 4 position programmable display is available, see page 557 for list price.

Single stage height adjustable range 27 1/2"-46 1/4"

Dual stage height adjustable range 22 1/2"-48 1/4"

Power cord is 10 feet long.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION


E - electric
T - T-base
S - single stage
O16 - 16" overhang
C - C-base
D - dual stage

VENEER

Latitude Caseworks' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE HEIGHT ADJUSTABLE DESK WORKSURFACES

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Electronic Height Adjustable Worksurfaces with Base Enclosures	65HA4224ETSG	5434	5707	41.75	24	-	24	154	16.5
	65HA4824ETSG	5506	5782	47.75	24	-	30	154.5	19
	65HA5424ETSG	5553	5833	53.5	24	-	36	155	21.5
	65HA6024ETSG	5646	5928	59.75	24	-	42	156	24
	65HA6624ETSG	5901	6198	65.75	24	-	48	159	26.5
	65HA7224ETSG	6081	6385	71.75	24	-	54	164.5	29
	65HA7824ETSG	6213	6524	77.75	24	-	60	167.5	31.5
	65HA8424ETSG	6297	6611	83.75	24	-	66	172	34
	65HA4230ETSG	5823	6114	41.75	30	-	24	177	17.5
	65HA4830ETSG	5896	6191	47.75	30	-	30	177.5	20.5
	65HA5430ETSG	5962	6262	53.5	30	-	36	178	23.5
	65HA6030ETSG	6044	6347	59.75	30	-	42	179	26.5
	65HA6630ETSG	6232	6543	65.75	30	-	48	186	29.75
	65HA7230ETSG	6407	6726	71.75	30	-	54	187.5	32.75
	65HA7830ETSG	6548	6875	77.75	30	-	60	197.5	35.75
	65HA8430ETSG	6871	7214	83.75	30	-	66	198.5	38.75
	65HA4236ETSG	6235	6546	41.75	36	-	24	187	17.25
	65HA4836ETSG	6336	6653	47.75	36	-	30	187.5	20.75
	65HA5436ETSG	6414	6736	53.5	36	-	36	188	24.5
	65HA6036ETSG	6490	6814	59.75	36	-	42	189	28.25
	65HA6636ETSG	6644	6976	65.75	36	-	48	199	32
	65HA7236ETSG	6540	6868	71.75	36	-	54	216.5	35.5
	65HA7836ETSG	7110	7465	77.75	36	-	60	223.5	39.25
	65HA8436ETSG	7210	7570	83.75	36	-	66	224.5	43



ORDERING NOTES:

Height adjustable worksurfaces, 48' or longer, are available with an optional 16" overhang at one end, add "O16" after "ETS" in the model number. e.g. 65HA8436ETSG**O16G**

To order dual stage height adjustable base replace "ETS" with "ETD" and add \$674 list. e.g. 65HA8436**ETD**G

To specify optional modesty panels add the model suffix and list upcharge shown on page 532. To allow clearance for Base Enclosures order modesty 3 sizes smaller. e.g. 72" worksurface - order a 54" modesty.

Height Adjustable bases come standard with a Silver up/down button. Please contact customer service for alternate color availability. A 4 position programable display is available, see page 557 for list price.

Single stage height adjustable range 28 3/8"-47 1/4"

Dual stage height adjustable range 23 7/16"-49 7/16"

Power cord is 10 feet long.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

E - electric
T - T-base
S - single stage
G - base enclosure
O16 - 16" overhang
C - C-base
D - dual stage


STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

LATITUDE HEIGHT ADJUSTABLE RETURN WORKSURFACES

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Electronic Height Adjustable Worksurfaces, T-Base	65HA4824RHETS	3343	3509	47.75	24	-	35	109.5	19
	65HA5424RHETS	3385	3555	53.5	24	-	41	110	21.5
	65HA6024RHETS	3478	3651	59.75	24	-	47	111	24
	65HA6624RHETS	3723	3910	65.75	24	-	53	114	26.5
	65HA7224RHETS	3899	4097	71.75	24	-	59	119.5	29
	65HA7824RHETS	4032	4231	77.75	24	-	65	122.5	31.5
	65HA8424RHETS	4109	4315	83.75	24	-	71	127	34
	65HA4830RHETS	3480	3655	47.75	30	-	35	122.5	20.5
	65HA5430RHETS	3547	3724	53.5	30	-	41	123	23.5
	65HA6030RHETS*	3627	3808	59.75	30	-	47	124	26.5
	65HA6630RHETS	3807	3999	65.75	30	-	53	131	29.75
	65HA7230RHETS	3977	4176	71.75	30	-	59	132.5	32.75
	65HA7830RHETS	4116	4321	77.75	30	-	65	142.5	35.75
	65HA8430RHETS	4196	4406	83.75	30	-	71	143.5	38.75
	65HA4836RHETS	3680	3864	47.75	36	-	35	122.5	20.75
	65HA5436RHETS	3755	3943	53.5	36	-	41	123	24.5
	65HA6036RHETS	3826	4018	59.75	36	-	47	124	28.25
	65HA6636RHETS	3975	4173	65.75	36	-	53	134	32
	65HA7236RHETS	4106	4313	71.75	36	-	59	151.5	35.5
	65HA7836RHETS	4429	4650	77.75	36	-	65	158.5	39.25
	65HA8436RHETS	4526	4753	83.75	36	-	71	159.5	43

ORDERING NOTES:

Height adjustable worksurfaces, 48' or longer, are available with an optional 16" overhang at one end, add "O16" after "ETS" in the model number. e.g. 65HA8436ETS**O16**

Standard base is a T-base. To order a C-base on worksurfaces, up to 30" deep only, replace "T" with "C" e.g. 65HA8430**ECS**

To specify optional modesty panels add the model suffix and list upcharge shown on page 532.

To order dual stage height adjustable base replace "ETS" with "ETD" and add \$674 list. e.g. 65HA8436**ETD**

Height Adjustable bases come standard with a Silver up/down button. Please contact customer service for alternate color availability. A 4 position programmable display is available, see page 557 for list price.

Single stage height adjustable range 27 1/2"-46 1/4"

Dual stage height adjustable range 22 1/2"-48 1/4"

Power cord is 10 feet long.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.


CODE DESCRIPTION

RH - return (cross grain)
E - electric
T- T-base
S- single stage
O16 - 16" overhang
C - C-base
D - dual stage

VENEER

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE HEIGHT ADJUSTABLE RETURN WORKSURFACES

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Electronic Height Adjustable Worksurfaces, Base Enclosures 	65HA4824RHETSG	5506	5782	47.75	24	" - "	30	154.5	19
	65HA5424RHETSG	5553	5833	53.5	24	" - "	36	155	21.5
	65HA6024RHETSG	5646	5928	59.75	24	" - "	42	156	24
	65HA6624RHETSG	5901	6198	65.75	24	" - "	48	159	26.5
	65HA7224RHETSG	6081	6385	71.75	24	" - "	54	164.5	29
	65HA7824RHETSG	6213	6524	77.75	24	" - "	60	167.5	31.5
	65HA8424RHETSG	6297	6611	83.75	24	" - "	66	172	34
	65HA4830RHETSG	5896	6191	47.75	30	" - "	30	177.5	20.5
	65HA5430RHETSG	5962	6262	53.5	30	" - "	36	178	23.5
	65HA6030RHETSG	6044	6347	59.75	30	" - "	42	179	26.5
	65HA6630RHETSG	6232	6543	65.75	30	" - "	48	186	29.75
	65HA7230RHETSG	6407	6726	71.75	30	" - "	54	187.5	32.75
	65HA7830RHETSG	6548	6875	77.75	30	" - "	60	197.5	35.75
	65HA8430RHETSG	6871	7214	83.75	30	" - "	66	198.5	38.75
	65HA4836RHETSG	6336	6653	47.75	36	" - "	30	187.5	20.75
	65HA5436RHETSG	6414	6736	53.5	36	" - "	36	188	24.5
	65HA6036RHETSG	6490	6814	59.75	36	" - "	42	189	28.25
	65HA6636RHETSG	6644	6976	65.75	36	" - "	48	199	32
	65HA7236RHETSG	6540	6868	71.75	36	" - "	54	216.5	35.5
	65HA7836RHETSG	7110	7465	77.75	36	" - "	60	223.5	39.25
	65HA8436RHETSG	7210	7570	83.75	36	" - "	66	224.5	43

ORDERING NOTES:

Height adjustable worksurfaces, 48' or longer, are available with an optional 16" overhang at one end, add "O16" after "ETS" in the model number. e.g. 65HA8436ETSO16G

To order dual stage height adjustable base replace "ETS" with "ETD" and add \$674 list. e.g. 65HA8436ETD G

To specify optional modesty panels add the model suffix and list upcharge shown on page 532. To allow clearance for Base Enclosures order modesty 3 sizes smaller. e.g. 72" worksurface - order a 54" modesty.

Height Adjustable bases come standard with a Silver up/down button. Please contact customer service for alternate color availability. A 4 position programable display is available, see page 557 for list price.

Single stage height adjustable range 28 3/8"-47 1/4"

Dual stage height adjustable range 23 7/16"-49 7/16"

Power cord is 10 feet long.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.
- 4) Modesty Panel option if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

RH - return (cross grain)
 E - electric
 T - T- base
 C - C- base
 S - single stage
 D - dual stage






STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

LATITUDE MODESTY PANELS FOR HEIGHT ADJUSTABLE WORKSURFACES WITH BASE ENCLOSURES

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
	V21-48	311	327	47.75	0.75	12	9	
	V21-54	321	337	53.75	0.75	12	10	
	V21-60	332	347	59.75	0.75	12	11	
	V21-66	342	360	65.75	0.75	12	12	
	V21-72	352	369	71.75	0.75	12	14	
	V21-78	371	390	77.75	0.75	12	15	
	V21-84	415	435	83.75	0.75	12	16	
	V22-48	311		47.75	0.75	12	9	
	V22-54	321		53.75	0.75	12	10	
	V22-60	332		59.75	0.75	12	11	
	V22-66	342		65.75	0.75	12	12	
	V22-72	352		71.75	0.75	12	14	
	V22-78	371		77.75	0.75	12	15	
	V22-84	415		83.75	0.75	12	16	
	V24-42	995		47.75	0.75	12	13	
	V24-48	1025		53.75	0.75	12	14	
	V24-54	1056		59.75	0.75	12	15	
	V24-60	1089		65.75	0.75	12	16	
	V24-66	1121		71.75	0.75	12	18	
	V24-72	1171		77.75	0.75	12	19	
	V24-78	1220		83.75	0.75	12	20	
	V29-48	588		47.75	0.75	12	7	
	V29-54	605		53.75	0.75	12	8	
	V29-60	625		59.75	0.75	12	9	
	V29-66	644		65.75	0.75	12	10	
	V29-72	664		71.75	0.75	12	12	
	V29-78	697		77.75	0.75	12	13	
	V29-84	728		83.75	0.75	12	14	
	X41-48	621	653	47.75	0.75	12	15	
	X41-54	642	674	53.75	0.75	12	18	
	X41-60	661	695	59.75	0.75	29	20	
	X41-66	680	715	65.75	0.75	29	24	
	X41-72	703	738	71.75	0.75	29	26	
	X41-78	743	781	77.75	0.75	29	30	
	X41-84	830	873	83.75	0.75	29	36	

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.


CODE DESCRIPTION

V21 - 1/2 height floating wood modesty
V22 - 1/2 height floating palette modesty
V24 - 1/2 height floating back-painted glass modesty
V29 - 1/2 height floating acrylic modesty
X41 - full height fixed wood modesty

VENEER

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE DESK RUNOFFS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Rectangular Desk Runoffs, 4" Dia. Metal Leg 	65DR48304LD8	1820	1912	47.75	30	29.5	30.75	58	8.5
	65DR48304RD8	1820	1912	47.75	30	29.5	30.75	58	8.5
	65DR48364LD8	1835	1926	47.75	36	29.5	27.75	66	9.5
	65DR48364RD8	1835	1926	47.75	36	29.5	27.75	66	9.5
	65DR54304LD8	1849	1944	53.75	30	29.5	36.75	63	9
	65DR54304RD8	1849	1944	53.75	30	29.5	36.75	63	9
	65DR54364LD8	1861	1954	53.75	36	29.5	33.75	71	10.5
	65DR54364RD8	1861	1954	53.75	36	29.5	33.75	71	10.5
	65DR60304LD8	1877	1971	59.75	30	29.5	42.75	68	10
	65DR60304RD8	1877	1971	59.75	30	29.5	42.75	68	10
	65DR60364LD8	1891	1984	59.75	36	29.5	39.75	77	11.5
	65DR60364RD8	1891	1984	59.75	36	29.5	39.75	77	11.5
	65DR66304LD8	1901	1997	65.75	30	29.5	48.75	99	10.75
	65DR66304RD8	1901	1997	65.75	30	29.5	48.75	99	10.75
	65DR66364LD8	1927	2024	65.75	36	29.5	45.75	88	12.5
	65DR66364RD8	1927	2024	65.75	36	29.5	45.75	88	12.5
	65DR72304LD8	1978	2077	71.75	30	29.5	54.75	104	11.5
	65DR72304RD8	1978	2077	71.75	30	29.5	54.75	104	11.5
	65DR72364LD8	2028	2130	71.75	36	29.5	51.75	95	13.5
	65DR72364RD8	2028	2130	71.75	36	29.5	51.75	95	13.5
	65DR78304LD8	2038	2138	77.75	30	29.5	56.75	58	8.5
	65DR78304RD8	2038	2138	77.75	30	29.5	56.75	58	8.5
	65DR78364LD8	2088	2192	77.75	36	29.5	56.75	66	9.5
	65DR78364RD8	2088	2192	77.75	36	29.5	56.75	66	9.5
	65DR84304LD8	2098	2205	83.75	30	29.5	66.75	114	13
	65DR84304RD8	2098	2205	83.75	30	29.5	66.75	114	13
	65DR84364LD8	2150	2256	83.75	36	29.5	63.75	108	15
	65DR84364RD8	2150	2256	83.75	36	29.5	63.75	108	15

ORDERING NOTES: To specify optional bases on desk Runoffs see option chart, replace "D8" in the model number with model suffix below and add list upcharge. When specifying a modesty panel add -20 before modesty panel suffix when runoff is to be used with a 20" deep credenza, add -24 when runoff is to be used with a 24" deep credenza. See page 729 for Modesty Panel options.

DESK RUNOFF BASE OPTION UPCHARGES

Description	Model	List	Added Weight	Description	Model	Rift Oak	Walnut	Added Weight
Disc Base 	DB	198	30	BBF Pedestal 	4F	1755	1844	83
Square Plate Base 	SQ	237	30	FF Pedestal 	4D	1521	1598	78
O-Base 	OB	675	18	BF Pedestal 	3F	1441	1512	54
2- 2" Square Metal Leg M 	M	593	19	Gable Base 4" Gable Base 	GB 4G	505 540	532 567	20 28

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.
- 4) Base option if applicable.
- 5) Modesty Panel option if applicable.

CODE DESCRIPTION

4 - Full Height
L - left hand position
R - right hand position
D8 - 4" Metal Leg

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.


LATITUDE DESK RUNOFFS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Arc End Desk Runoffs, 4" Dia. Metal Leg	"65DRA48304LD8	1820	1912	47.75	30	29.5	30.75	58	8.5
	65DRA48304RD8	1820	1912	47.75	30	29.5	30.75	58	8.5
	65DRA48364LD8	1835	1926	47.75	36	29.5	27.75	66	9.5
	65DRA48364RD8	1835	1926	47.75	36	29.5	27.75	66	9.5
	65DRA54304LD8	1849	1944	53.75	30	29.5	36.75	63	9
	65DRA54304RD8	1849	1944	53.75	30	29.5	36.75	63	9
	65DRA54364LD8	1861	1954	53.75	36	29.5	33.75	71	10.5
	65DRA54364RD8	1861	1954	53.75	36	29.5	33.75	71	10.5
	65DRA60304LD8	1877	1971	59.75	30	29.5	42.75	68	10
	65DRA60304RD8	1877	1971	59.75	30	29.5	42.75	68	10
	65DRA60364LD8	1891	1984	59.75	36	29.5	39.75	77	11.5
	65DRA60364RD8	1891	1984	59.75	36	29.5	39.75	77	11.5
	65DRA66304LD8	1901	1997	65.75	30	29.5	48.75	99	10.75
	65DRA66304RD8	1901	1997	65.75	30	29.5	48.75	99	10.75
	65DRA66364LD8	1927	2024	65.75	36	29.5	45.75	88	12.5
	65DRA66364RD8	1927	2024	65.75	36	29.5	45.75	88	12.5
	65DRA72304LD8	1978	2077	71.75	30	29.5	54.75	104	11.5
	65DRA72304RD8	1978	2077	71.75	30	29.5	54.75	104	11.5
	65DRA72364LD8	2028	2130	71.75	36	29.5	51.75	95	13.5
	65DRA72364RD8	2028	2130	71.75	36	29.5	51.75	95	13.5
	65DRA78304LD8	2038	2138	77.75	30	29.5	56.75	58	8.5
	65DRA78304RD8	2038	2138	77.75	30	29.5	56.75	58	8.5
	65DRA78364LD8	2088	2192	77.75	36	29.5	56.75	66	9.5
	65DRA78364RD8	2088	2192	77.75	36	29.5	56.75	66	9.5
	65DRA84304LD8	2098	2205	83.75	30	29.5	66.75	114	13
	65DRA84304RD8	2098	2205	83.75	30	29.5	66.75	114	13
	65DRA84364LD8	2150	2256	83.75	36	29.5	63.75	108	15
	65DRA84364RD8"	2150	2256	83.75	36	29.5	63.75	108	15

ORDERING NOTES: To specify optional Disc base on desk Runoffs see option chart below, replace "D8" in the model number with model suffix below and add list upcharge. When specifying a modesty panel add -20 before modesty panel suffix when runoff is to be used with a 20" deep credenza, add -24 when runoff is to be used with a 24" deep credenza. See page 729 for Modesty Panel options.

OPEN DESK BASE OPTION UPCHARGES

Description	Model	List	Added Weight
Disc Base	DB	198	30



DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

4 - Full Height
L - left hand position
R - right hand position
D8 - 4" Metal Leg

VENEER

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.


LATITUDE DESK RUNOFFS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Rectangular Desk Runoffs, 4" Dia. Metal Leg 	65DRB48304LD8	1820	1912	47.75	30	29.5	30.75	58	8.5
	65DRB48304RD8	1820	1912	47.75	30	29.5	30.75	58	8.5
	65DRB48364LD8	1835	1926	47.75	36	29.5	27.75	66	9.5
	65DRB48364RD8	1835	1926	47.75	36	29.5	27.75	66	9.5
	65DRB54304LD8	1849	1944	53.75	30	29.5	36.75	63	9
	65DRB54304RD8	1849	1944	53.75	30	29.5	36.75	63	9
	65DRB54364LD8	1861	1954	53.75	36	29.5	33.75	71	10.5
	65DRB54364RD8	1861	1954	53.75	36	29.5	33.75	71	10.5
	65DRB60304LD8	1877	1971	59.75	30	29.5	42.75	68	10
	65DRB60304RD8	1877	1971	59.75	30	29.5	42.75	68	10
	65DRB60364LD8	1891	1984	59.75	36	29.5	39.75	77	11.5
	65DRB60364RD8	1891	1984	59.75	36	29.5	39.75	77	11.5
	65DRB66304LD8	1901	1997	65.75	30	29.5	48.75	99	10.75
	65DRB66304RD8	1901	1997	65.75	30	29.5	48.75	99	10.75
	65DRB66364LD8	1927	2024	65.75	36	29.5	45.75	88	12.5
	65DRB66364RD8	1927	2024	65.75	36	29.5	45.75	88	12.5
	65DRB72304LD8	1978	2077	71.75	30	29.5	54.75	104	11.5
	65DRB72304RD8	1978	2077	71.75	30	29.5	54.75	104	11.5
	65DRB72364LD8	2028	2130	71.75	36	29.5	51.75	95	13.5
	65DRB72364RD8	2028	2130	71.75	36	29.5	51.75	95	13.5
	65DRB78304LD8	2038	2138	77.75	30	29.5	56.75	58	8.5
	65DRB78304RD8	2038	2138	77.75	30	29.5	56.75	58	8.5
	65DRB78364LD8	2088	2192	77.75	36	29.5	56.75	66	9.5
	65DRB78364RD8	2088	2192	77.75	36	29.5	56.75	66	9.5
	65DRB84304LD8	2098	2205	83.75	30	29.5	66.75	114	13
	65DRB84304RD8	2098	2205	83.75	30	29.5	66.75	114	13
	65DRB84364LD8	2150	2256	83.75	36	29.5	63.75	108	15
	65DRB84364RD8"	2150	2256	83.75	36	29.5	63.75	108	15

ORDERING NOTES: To specify optional Disc base on desk Runoffs see option chart below, replace "D8" in the model number with model suffix below and add list upcharge. When specifying a modesty panel add -20 before modesty panel suffix when runoff is to be used with a 20" deep credenza, add -24 when runoff is to be used with a 24" deep credenza. See page 729 for Modesty Panel options.

OPEN DESK BASE OPTION UPCHARGES

Description	Model	List	Added Weight
Disc Base	DB	198	30



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

4 - Full Height
L - left hand position
R - right hand position
D8 - 4" Metal Leg

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

GROMMETS


One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

LATITUDE DESK RUNOFFS FOR 3/4 HEIGHT CREDENZAS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Rectangular Desk Runoffs, 4" Dia. Metal Leg 	65DR60303LD8	1907	2003	59.75	30	29.5	21.5	68	10
	65DR60303RD8	1907	2003	59.75	30	29.5	21.5	68	10
	65DR60363LD8	1923	2018	59.75	36	29.5	21.5	77	11.5
	65DR60363RD8	1923	2018	59.75	36	29.5	21.5	77	11.5
	65DR66303LD8	1937	2033	65.75	30	29.5	27.5	99	10.75
	65DR66303RD8	1937	2033	65.75	30	29.5	27.5	99	10.75
	65DR66363LD8	1980	2080	65.75	36	29.5	24.5	88	12.5
	65DR66363RD8	1980	2080	65.75	36	29.5	24.5	88	12.5
	65DR72303LD8	2017	2117	71.75	30	29.5	33	104	11.5
	65DR72303RD8	2017	2117	71.75	30	29.5	33	104	11.5
	65DR72363LD8	2042	2208	71.75	36	29.5	30	95	13.5
	65DR72363RD8	2042	2208	71.75	36	29.5	30	95	13.5
	65DR78303LD8	2125	2230	77.75	30	29.5	39	58	8.5
	65DR78303RD8	2125	2230	77.75	30	29.5	39	58	8.5
	65DR78363LD8	2453	2575	77.75	36	29.5	36	66	9.5
	65DR78363RD8	2453	2575	77.75	36	29.5	36	66	9.5
	65DR84303LD8	2816	2956	83.75	30	29.5	45	114	13
	65DR84303RD8	2816	2956	83.75	30	29.5	45	114	13
	65DR84363LD8	3404	3575	83.75	36	29.5	42	108	15
	65DR84363RD8	3404	3575	83.75	36	29.5	42	108	15

ORDERING NOTES: To specify optional bases on desk Runoffs see option chart, replace "D8" in the model number with model suffix below and add list upcharge. When specifying a modesty panel add -20 before modesty panel suffix when runoff is to be used with a 20" deep credenza, add -24 when runoff is to be used with a 24" deep credenza. See page 729 for Modesty Panel options.

DESK RUNOFF BASE OPTION UPCHARGES

Description	Model	List	Added Weight	Description	Model	Rift Oak	Walnut	Added Weight
Disc Base 	DB	198	30	BBF Pedestal 	4F	1755	1844	83
Square Plate Base 	SQ	237	30	FF Pedestal 	4D	1521	1598	78
O-Base 	OB	675	18	BF Pedestal 	3F	1441	1512	54
2- 2" Square Metal Leg M 		593	19	Gable Base 4" Gable Base 	GB 4G	505 540	532 567	20 28

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

3 - 3/4 Height Pedestal
L - left hand position
R - right hand position
D8 - 4" Metal Leg

veneer

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.


LATITUDE DESK RUNOFFS FOR 3/4 HEIGHT CREDENZAS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Arc End Desk Runoffs, 4" Dia. Metal Leg	65DRA60303LD8	1907	2003	59.75	30	29.5	21.5	68	10
	65DRA60303RD8	1907	2003	59.75	30	29.5	21.5	68	10
	65DRA60363LD8	1923	2018	59.75	36	29.5	21.5	77	11.5
	65DRA60363RD8	1923	2018	59.75	36	29.5	21.5	77	11.5
	65DRA66303LD8	1937	2033	65.75	30	29.5	27.5	99	10.75
	65DRA66303RD8	1937	2033	65.75	30	29.5	27.5	99	10.75
	65DRA66363LD8	1980	2080	65.75	36	29.5	24.5	88	12.5
	65DRA66363RD8	1980	2080	65.75	36	29.5	24.5	88	12.5
	65DRA72303LD8	2017	2117	71.75	30	29.5	33	104	11.5
	65DRA72303RD8	2017	2117	71.75	30	29.5	33	104	11.5
	65DRA72363LD8	2042	2208	71.75	36	29.5	30	95	13.5
	65DRA72363RD8	2042	2208	71.75	36	29.5	30	95	13.5
	65DRA78303LD8	2125	2230	77.75	30	29.5	39	58	8.5
	65DRA78303RD8	2125	2230	77.75	30	29.5	39	58	8.5
	65DRA78363LD8	2453	2575	77.75	36	29.5	36	66	9.5
	65DRA78363RD8	2453	2575	77.75	36	29.5	36	66	9.5
	65DRA84303LD8	2816	2956	83.75	30	29.5	45	114	13
	65DRA84303RD8	2816	2956	83.75	30	29.5	45	114	13
	65DRA84363LD8	3404	3575	83.75	36	29.5	42	108	15
	65DRA84363RD8	3404	3575	83.75	36	29.5	42	108	15
Bullet Desk Runoffs, 4" Dia. Metal Leg	65DRB60303LD8	1907	2003	59.75	30	29.5	21.5	68	10
	65DRB60303RD8	1907	2003	59.75	30	29.5	21.5	68	10
	65DRB60363LD8	1923	2018	59.75	36	29.5	21.5	77	11.5
	65DRB60363RD8	1923	2018	59.75	36	29.5	21.5	77	11.5
	65DRB66303LD8	1937	2033	65.75	30	29.5	27.5	99	10.75
	65DRB66303RD8	1937	2033	65.75	30	29.5	27.5	99	10.75
	65DRB66363LD8	1980	2080	65.75	36	29.5	24.5	88	12.5
	65DRB66363RD8	1980	2080	65.75	36	29.5	24.5	88	12.5
	65DRB72303LD8	2017	2117	71.75	30	29.5	33	104	11.5
	65DRB72303RD8	2017	2117	71.75	30	29.5	33	104	11.5
	65DRB72363LD8	2042	2208	71.75	36	29.5	30	95	13.5
	65DRB72363RD8	2042	2208	71.75	36	29.5	30	95	13.5
	65DRB78303LD8	2125	2230	77.75	30	29.5	39	58	8.5
	65DRB78303RD8	2125	2230	77.75	30	29.5	39	58	8.5
	65DRB78363LD8	2453	2575	77.75	36	29.5	36	66	9.5
	65DRB78363RD8	2453	2575	77.75	36	29.5	36	66	9.5
	65DRB84303LD8	2816	2956	83.75	30	29.5	45	114	13
	65DRB84303RD8	2816	2956	83.75	30	29.5	45	114	13
	65DRB84363LD8	3404	3575	83.75	36	29.5	42	108	15
	65DRB84363RD8	3404	3575	83.75	36	29.5	42	108	15

ORDERING NOTES: To specify optional Disc base on desk Runoffs see option chart below, replace "D8" in the model number with model suffix below and add list upcharge. When specifying a modesty panel add -20 before modesty panel suffix when runoff is to be used with a 20" deep credenza, add -24 when runoff is to be used with a 24" deep credenza. See page 729 for Modesty Panel options.

OPEN DESK BASE OPTION UPCHARGES

Description	Model	List	Added Weight
Disc Base	DB	198	30



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

3 - 3/4 Height Pedestal
L - left hand position
R - right hand position
D8 - 4" Metal Leg


STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

LATITUDE RETURNS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
	65SRH3024LX41	1383	1455	29.75	24	29.5	29	72.5	18.25
	65SRH3024RX41*	1383	1455	29.75	24	29.5	29	72.5	18
	65SRH3624LX41	1478	1552	35.75	24	29.5	35	87	21.5
	65SRH3624RX41	1478	1552	35.75	24	29.5	35	87	21.5
	65SRH4224LX41	1648	1730	41.75	24	29.5	41	98	24.5
	65SRH4224RX41	1648	1730	41.75	24	29.5	41	98	24.5
	65SRH4824LX41	1661	1744	47.75	24	29.5	47	108	27.5
	65SRH4824RX41	1661	1744	47.75	24	29.5	47	108	27.5
	65SRH5424LX41	1713	1798	53.75	24	29.5	53	114.5	30.75
	65SRH5424RX41	1713	1798	53.75	24	29.5	53	114.5	30.75
	65SRH6024LX41	1759	1848	59.75	24	29.5	65	124	33.75
	65SRH6024RX41	1759	1848	59.75	24	29.5	65	124	33.75
	65SRH6624LX41	1813	1903	65.75	24	29.5	65	133	37
	65SRH6624RX41	1813	1903	65.75	24	29.5	65	133	37
	65SRH7224LX41	1866	1960	71.75	24	29.5	71	142	40
	65SRH7224RX41	1866	1960	71.75	24	29.5	71	142	40
	65RH3620L4DX41	2291	2405	35.75	20	29.5	20	104	18.25
	65RH3620L4FX41*	2291	2405	35.75	20	29.5	20	104	18.25
	65RH3620R4DX41	2291	2405	35.75	20	29.5	20	108	18.25
	65RH3620R4FX41	2291	2405	35.75	20	29.5	20	108	18.25
	65RH3624L4DX41	2364	2482	35.75	24	29.5	20	115	21.5
	65RH3624L4FX41	2364	2482	35.75	24	29.5	20	115	21.5
	65RH3624R4DX41	2364	2482	35.75	24	29.5	20	119	21.5
	65RH3624R4FX41	2364	2482	35.75	24	29.5	20	119	21.5
	65RH4220L4DX41	2924	3070	41.75	20	29.5	26	100	21
	65RH4220L4FX41	2924	3070	41.75	20	29.5	26	100	21
	65RH4220R4DX41	2924	3070	41.75	20	29.5	26	100	21
	65RH4220R4FX41	2924	3070	41.75	20	29.5	26	100	21
	65RH4224L4DX41	2945	3093	41.75	24	29.5	26	104	24.5
	65RH4224L4FX41	2945	3093	41.75	24	29.5	26	104	24.5
	65RH4224R4DX41	2945	3093	41.75	24	29.5	26	104	24.5
	65RH4224R4FX41	2945	3093	41.75	24	29.5	26	104	24.5
	65RH4820L4DX41	2970	3118	48.75	20	29.5	32	104	23.75
	65RH4820L4FX41	2970	3118	48.75	20	29.5	32	104	23.75
	65RH4820R4DX41	2970	3118	48.75	20	29.5	32	104	23.75
	65RH4820R4FX41	2970	3118	48.75	20	29.5	32	104	23.75
	65RH4824L4DX41	2980	3132	48.75	24	29.5	32	108	27.5
	65RH4824L4FX41	2980	3132	48.75	24	29.5	32	108	27.5
	65RH4824R4DX41	2980	3132	48.75	24	29.5	32	108	27.5
	65RH4824R4FX41	2980	3132	48.75	24	29.5	32	108	27.5
	65RH5424L4DX41	3006	3158	53.75	24	29.5	38	138	30.75
	65RH5424L4FX41	3006	3158	53.75	24	29.5	38	138	30.75
	65RH5424R4DX41	3006	3158	53.75	24	29.5	38	142	30.75
	65RH5424R4FX41	3006	3158	53.75	24	29.5	38	142	30.75
	65RH6024L4DX41	3030	3182	59.75	24	29.5	38	146	33.75
	65RH6024L4FX41	3030	3182	59.75	24	29.5	38	146	33.75
	65RH6024R4DX41	3030	3182	59.75	24	29.5	38	150	33.75
	65RH6024R4FX41	3030	3182	59.75	24	29.5	38	150	33.75
	65RH6624L4DX41	3120	3277	65.75	24	29.5	50	158	37
	65RH6624L4FX41	3120	3277	65.75	24	29.5	50	158	37
	65RH6624R4DX41	3120	3277	65.75	24	29.5	50	162	37
	65RH6624R4FX41	3120	3277	65.75	24	29.5	50	162	37
	65RH7224L4DX41	3219	3377	71.75	24	29.5	50	166	40
	65RH7224L4FX41	3219	3377	71.75	24	29.5	50	166	40
	65RH7224R4DX41	3219	3377	71.75	24	29.5	50	170	40
	65RH7224R4FX41"	3219	3377	71.75	24	29.5	50	170	40

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

L - left hand position
R - right hand position
D - 2 file drawers
F - 2 box, 1 file drawer
X41 - full height fixed wood modesty


VENEER


Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.


LATITUDE LINKING UNITS AND CORNER UNITS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
	65RHTD4224L4DX41	2741	2879	42	24	29.5	26	61	24.5
	65RHTD4224L4FX41*	2741	2879	42	24	29.5	26	61	24.5
	65RHTD4224R4DX41	2741	2879	42	24	29.5	26	61	24.5
	65RHTD4224R4FX41	2741	2879	42	24	29.5	26	61	24.5
	65RHTD4824L4DX41	2769	2908	48	24	29.5	32	67	27.5
	65RHTD4824L4FX41	2769	2908	48	24	29.5	32	67	27.5
	65RHTD4824R4DX41	2769	2908	48	24	29.5	32	67	27.5
	65RHTD4824R4FX41	2769	2908	48	24	29.5	32	67	27.5
	65RHTD6024L4DX41	2798	2940	59.75	24	29.5	44	78	33.75
	65RHTD6024L4FX41	2798	2940	59.75	24	29.5	44	78	33.75
	65RHTD6024R4DX41	2798	2940	59.75	24	29.5	44	78	33.75
	65RHTD6024R4FX41	2798	2940	59.75	24	29.5	44	78	33.75


ORDERING NOTES: For the hinged modesty panel option add Y after RH and add a 10% upcharge. e.g. 65RHYTD6024L4DX41.

	65LU3024H	618	648	30	24	29.5	19.5	2
	65LU3620H	679	714	36	20	29.5	15	1.5
	65LU3624H	695	729	36	24	29.5	16	1.75
	65LU4220H	711	749	42	20	29.5	20	1.5
	65LU4224H	737	773	42	24	29.5	24	2
	65LU4820H	745	783	48	20	29.5	29	1.75
	65LU4824H	765	802	48	24	29.5	36	2
	65LU5424H	907	951	54	24	29.5	35	3.5
	65LU6024H	958	1005	59.75	24	29.5	38.5	3.75
	65LU6624H	1010	1062	65.75	24	29.5	42.5	4
	65LU7224H	1093	1147	71.75	24	29.5	46.5	4.5

	65LU3024HX41	1197	1256	30	24	29.5	46	3
	65LU3620HX41	1354	1423	36	20	29.5	59	3
	65LU3624HX41	1415	1486	36	24	29.5	64	3
	65LU4220HX41	1462	1536	42	20	29.5	67	3.75
	65LU4224HX41	1487	1561	42	24	29.5	72	3.75
	65LU4820HX41	1525	1603	48	20	29.5	78	4
	65LU4824HX41	1620	1701	48	24	29.5	80	4
	65LU5424HX41	1719	1802	54	24	29.5	81	4.75
	65LU6024HX41	1814	1905	59.75	24	29.5	89	5
	65LU6624HX41	1908	2004	65.75	24	29.5	97	5.5
	65LU7224HX41	2004	2104	71.75	24	29.5	105.5	6

	65LUTD4220HLX41	1354	1423	42	20	29.5	67	20
	65LUTD4220HRX41	1354	1423	42	24	29.5	67	20
	65LUTD4224HLX41	1375	1444	48	20	29.5	71	23
	65LUTD4224HRX41	1375	1444	48	24	29.5	71	23
	65LUTD4820HLX41	1412	1482	42	20	29.5	78	22.5
	65LUTD4820HRX41	1412	1482	42	24	29.5	78	22.5
	65LUTD4824HLX41	1430	1502	48	20	29.5	79	26
	65LUTD4824HRX41	1430	1502	48	24	29.5	79	26

ORDERING NOTES: For the hinged modesty panel option on linking units add Y after LU and add a 10% upcharge. e.g. 65LUYTD4824HRX41

	65CU363620	2698	2832	36	20	29.5	22.5	106	30.25
	65CU363624	2698	2832	36	24	29.5	17	106	30.25
	65CU424220	2965	3113	42	20	29.5	31	131	39.75
	65CU424224"	2965	3113	42	24	29.5	25.25	131	39.75

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
 R - right hand position
 4D - 2 file drawers
 4F - 2 box, 1 file drawer
 X21 - 1/2 height fixed wood modesty
 X41 - full height wood modesty panel



STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

LATITUDE FULL HEIGHT CREDENZAS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet	
	Credenza Shell	65SC5424	2060	2163	54	24	29.5	51.5	88	29
		65SC6024	2214	2325	59.75	24	29.5	57.5	109	27.75
		65SC6624	2369	2488	65.75	24	29.5	63.5	104	35
		65SC7224	2537	2664	71.75	24	29.5	69.5	112	38
		65SC7824	2684	2819	77.75	24	29.5	75.5	120	40
		65SC8424	2833	2976	83.75	24	29.5	81.5	128	44
		65SC9624	3242	3404	95.75	24	29.5	93.5	128	44
	Credenza Shell, Fixed Wood Modesty	65SC3624X41	1723	1809	36	24	29.5	39.5	84	20
		65SC4224X41	1862	1955	42	24	29.5	39.5	94	23
		65SC4824X41	2024	2127	48	24	29.5	45.5	106	26
		65SC5424X41	2184	2293	54	24	29.5	51.5	117	29
		65SC6024X41	2355	2473	59.75	24	29.5	57.5	116	27.75
		65SC6624X41	2515	2641	65.75	24	29.5	63.5	104	35
		65SC7224X41	2690	2824	71.75	24	29.5	69.5	112	38
		65SC7824X41	2849	2990	77.75	24	29.5	75.5	120	40
		65SC8424X41	3007	3159	83.75	24	29.5	81.5	128	44
	65SC9624X41	3436	3608	95.75	24	29.5	93.5	128	44	
	Single Pedestal Credenza, Fixed Wood Modesty	65C60204XLDR0	3757	3946	59.75	20	29.5	43	120	27.75
		65C60204XLFR0	3757	3946	59.75	20	29.5	43	120	27.75
		65C60204XLORD	3757	3946	59.75	20	29.5	43	120	27.75
		65C60204XLORF	3757	3946	59.75	20	29.5	43	120	27.75
		65C60244XLDR0	3786	3976	59.75	24	29.5	43	128	32
		65C60244XLFR0	3786	3976	59.75	24	29.5	43	128	32
		65C60244XLORD	3786	3976	59.75	24	29.5	43	128	32
		65C60244XLORF	3786	3976	59.75	24	29.5	43	128	32
		65C66204XLDR0	3814	4005	65.75	20	29.5	49	136	30
		65C66204XLFR0*	3814	4005	65.75	20	29.5	49	136	30
		65C66204XLORD	3814	4005	65.75	20	29.5	49	136	30
		65C66204XLORF	3814	4005	65.75	20	29.5	49	136	30
		65C66244XLDR0	3830	4021	65.75	24	29.5	49	144	35
		65C66244XLFR0	3830	4021	65.75	24	29.5	49	144	35
		65C66244XLORD	3830	4021	65.75	24	29.5	49	144	35
		65C66244XLORF	3830	4021	65.75	24	29.5	49	144	35
		65C72204XLDR0	3848	4040	71.75	20	29.5	55	152	32.75
		65C72204XLFR0	3848	4040	71.75	20	29.5	55	152	32.75
		65C72204XLORD	3848	4040	71.75	20	29.5	55	152	32.75
		65C72204XLORF	3848	4040	71.75	20	29.5	55	152	32.75
		65C72244XLDR0	3881	4075	71.75	24	29.5	55	160	38
		65C72244XLFR0	3881	4075	71.75	24	29.5	55	160	38
		65C72244XLORD	3881	4075	71.75	24	29.5	55	160	38
		65C72244XLORF	3881	4075	71.75	24	29.5	55	160	38
		65C78204XLDR0	3893	4086	77.75	20	29.5	61	168	35.5
		65C78204XLFR0	3893	4086	77.75	20	29.5	61	168	35.5
		65C78204XLORD	3893	4086	77.75	20	29.5	61	168	35.5
		65C78204XLORF	3893	4086	77.75	20	29.5	61	168	35.5
		65C78244XLDR0	3900	4098	77.75	24	29.5	61	172	41
		65C78244XLFR0"	3900	4098	77.75	24	29.5	61	172	41

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

X41 - full height fixed wood modesty
X - modesty panel
4 - full height pedestal
L - left hand position
R - right hand position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal

VENEER

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE FULL HEIGHT CREDENZAS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Single Pedestal Credenza, Fixed Wood Modesty cont. 	65C78244XLORD	3900	4098	77.75	24	29.5	61	172	41
	65C78244XLORF	3900	4098	77.75	24	29.5	61	172	41
	65C84204XLDR0	3907	4103	83.75	20	29.5	67	184	38
	65C84204XLFR0	3907	4103	83.75	20	29.5	67	184	38
	65C84204XLORD	3907	4103	83.75	20	29.5	67	184	38
	65C84204XLORF	3907	4103	83.75	20	29.5	67	184	38
	65C84244XLDR0	3917	4112	83.75	24	29.5	67	192	44
	65C84244XLFR0	3917	4112	83.75	24	29.5	67	192	44
	65C84244XLORD	3917	4112	83.75	24	29.5	67	192	44
	65C84244XLORF	3917	4112	83.75	24	29.5	67	192	44
Single Lateral File or Bookcase Pedestal Credenza, Fixed Wood Modesty 	65C6020XL3011R0	3375	3544	59.75	20	29.5	29	107	27.75
	65C6020XLOR3011	3375	3544	59.75	20	29.5	29	107	27.75
	65C6020XL3001R0	3661	3844	59.75	20	29.5	29	140	27.75
	65C6020XLOR3001	3661	3844	59.75	20	29.5	29	140	27.75
	65C6024XL3011R0	3500	3676	59.75	24	29.5	29	113	32
	65C6024XLOR3011	3500	3676	59.75	24	29.5	29	113	32
	65C6024XL3001R0	3788	3978	59.75	24	29.5	29	147	32
	65C6024XLOR3001	3788	3978	59.75	24	29.5	29	147	32
	65C6620XL3611R0	3520	3696	65.75	20	29.5	35	118	30
	65C6620XLOR3611	3520	3696	65.75	20	29.5	35	118	30
	65C6620XL3601R0	3807	3999	65.75	20	29.5	35	154	30
	65C6620XLOR3601	3807	3999	65.75	20	29.5	35	154	30
	65C6624XL3611R0	3537	3713	65.75	24	29.5	35	125	35
	65C6624XLOR3611	3537	3713	65.75	24	29.5	35	125	35
	65C6624XL3601R0	3824	4014	65.75	24	29.5	35	162	35
	65C6624XLOR3601	3824	4014	65.75	24	29.5	35	162	35
	65C7220XL3611R0	3581	3761	71.75	20	29.5	35	128	32.75
	65C7220XLOR3611	3581	3761	71.75	20	29.5	35	128	32.75
	65C7220XL3601R0	4046	4249	71.75	20	29.5	35	168	32.75
	65C7220XLOR3601	4046	4249	71.75	20	29.5	35	168	32.75
	65C7224XL3611R0	3714	3899	71.75	24	29.5	35	136	38
	65C7224XLOR3611	3714	3899	71.75	24	29.5	35	136	38
	65C7224XL3601R0	4114	4319	71.75	24	29.5	35	176	38
	65C7224XLOR3601	4114	4319	71.75	24	29.5	35	176	38
	65C7820XL3611R0	3730	3917	77.75	20	29.5	41	155	35.5
	65C7820XLOR3611	3730	3917	77.75	20	29.5	41	155	35.5
	65C7820XL3601R0	4180	4389	77.75	20	29.5	41	195	35.5
	65C7820XLOR3601	4180	4389	77.75	20	29.5	41	195	35.5
	65C7824XL3611R0	3743	3930	77.75	24	29.5	41	174	41
	65C7824XLOR3611	3743	3930	77.75	24	29.5	41	174	41
	65C7824XL3601R0	4266	4478	77.75	24	29.5	41	199	41
	65C7824XLOR3601	4266	4478	77.75	24	29.5	41	199	41
	65C8420XL3611R0	3759	3948	83.75	20	29.5	47	181	38
	65C8420XLOR3611	3759	3948	83.75	20	29.5	47	181	38
	65C8420XL3601R0	4315	4530	83.75	20	29.5	47	221	38
	65C8420XLOR3601	4315	4530	83.75	20	29.5	47	221	38
	65C8424XL3611R0	3771	3959	83.75	24	29.5	47	212	44
	65C8424XLOR3611	3771	3959	83.75	24	29.5	47	212	44
	65C8424XL3601R0	4417	4638	83.75	24	29.5	47	252	44
	65C8424XLOR3601"	4417	4638	83.75	24	29.5	47	252	44

ORDERING NOTES: For the hinged modesty panel option add Y after C and add a 10% upcharge. e.g. 65CY6020XL3011R0. Drawer fronts are available in pallet at an upcharge of **\$374 list** per unit, add P at the end of the model number. Drawer fronts are available in Palette at an up-charge of 357 per unit, add P at the end of the model number.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - full height pedestal
- X - modesty panel
- L - left hand position
- R - right hand position
- D - 2 file drawers
- F - 2 box, 1 file drawer
- 0 - no pedestal
- 01 - lateral file
- 11 - closed bookcase

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

LATITUDE FULL HEIGHT CREDENZAS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Single 36" Combination Pedestal Credenza, Fixed Wood Modesty	65C7220XL3602R0	3760	3949	71.75	20	29.5	35	168	32.75
	65C7220XL0R3604	3760	3949	71.75	20	29.5	35	168	32.75
	65C7224XL3602R0	3899	4097	71.75	24	29.5	35	165	38
	65C7224XL0R3604	3899	4097	71.75	24	29.5	35	165	38
	65C7820XL3602R0	3815	4006	77.75	20	29.5	41	174	35.5
	65C7820XL0R3604	3815	4006	77.75	20	29.5	41	174	35.5
	65C7824XL3602R0*	3931	4129	77.75	24	29.5	41	182	41
	65C7824XL0R3604	3931	4129	77.75	24	29.5	41	182	41
	65C8420XL3602R0	3870	4064	83.75	20	29.5	47	180	38
	65C8420XL0R3604	3870	4064	83.75	20	29.5	47	180	38
	65C8424XL3602R0	3962	4161	83.75	24	29.5	47	188	44
	65C8424XL0R3604	3962	4161	83.75	24	29.5	47	188	44
Double Pedestal Credenza, Fixed Wood Modesty	65C60204XLDRD	4038	4240	59.75	20	29.5	28.5	200	27.75
	65C60204XLDRF	4038	4240	59.75	20	29.5	28.5	200	27.75
	65C60204XLFRD	4038	4240	59.75	20	29.5	28.5	200	27.75
	65C60204XLFRF	4038	4240	59.75	20	29.5	28.5	200	27.75
	65C60244XLDRD	4067	4271	59.75	24	29.5	28.5	208	32
	65C60244XLDRF	4067	4271	59.75	24	29.5	28.5	208	32
	65C60244XLFRD	4067	4271	59.75	24	29.5	28.5	208	32
	65C60244XLFRF	4067	4271	59.75	24	29.5	28.5	208	32
	65C66204XLDRD	4102	4308	65.75	20	29.5	34.5	216	30
	65C66204XLDRF*	4102	4308	65.75	20	29.5	34.5	216	30
	65C66204XLFRD	4102	4308	65.75	20	29.5	34.5	216	30
	65C66204XLFRF	4102	4308	65.75	20	29.5	34.5	216	30
	65C66244XLDRD	4109	4315	65.75	24	29.5	34.5	224	35
	65C66244XLDRF	4109	4315	65.75	24	29.5	34.5	224	35
	65C66244XLFRD	4109	4315	65.75	24	29.5	34.5	224	35
	65C66244XLFRF	4109	4315	65.75	24	29.5	34.5	224	35
	65C72204XLDRD	4138	4347	71.75	20	29.5	40.5	232	32.75
	65C72204XLDRF	4138	4347	71.75	20	29.5	40.5	232	32.75
	65C72204XLFRD	4138	4347	71.75	20	29.5	40.5	232	32.75
	65C72204XLFRF	4138	4347	71.75	20	29.5	40.5	232	32.75
	65C72244XLDRD	4175	4381	71.75	24	29.5	40.5	240	38
	65C72244XLDRF	4175	4381	71.75	24	29.5	40.5	240	38
	65C72244XLFRD	4175	4381	71.75	24	29.5	40.5	240	38
	65C72244XLFRF	4175	4381	71.75	24	29.5	40.5	240	38
	65C78204XLDRD	4177	4385	77.75	20	29.5	46.5	248	35.5
	65C78204XLDRF	4177	4385	77.75	20	29.5	46.5	248	35.5
	65C78204XLFRD	4177	4385	77.75	20	29.5	46.5	248	35.5
	65C78204XLFRF	4177	4385	77.75	20	29.5	46.5	248	35.5
	65C78244XLDRD	4181	4391	77.75	24	29.5	46.5	256	41
	65C78244XLDRF	4181	4391	77.75	24	29.5	46.5	256	41
	65C78244XLFRD	4181	4391	77.75	24	29.5	46.5	256	41
	65C78244XLFRF	4181	4391	77.75	24	29.5	46.5	256	41
	65C84204XLDRD	4184	4395	83.75	20	29.5	52.5	264	38
	65C84204XLDRF	4184	4395	83.75	20	29.5	52.5	264	38
	65C84204XLFRD	4184	4395	83.75	20	29.5	52.5	264	38
	65C84204XLFRF	4184	4395	83.75	20	29.5	52.5	264	38
	65C84244XLDRD	4208	4418	83.75	24	29.5	52.5	272	44
	65C84244XLDRF	4208	4418	83.75	24	29.5	52.5	272	44
	65C84244XLFRD	4208	4418	83.75	24	29.5	52.5	272	44
	65C84244XLFRF	4208	4418	83.75	24	29.5	52.5	272	44

ORDERING NOTES: For the hinged modesty panel option add Y after C and add a 10% upcharge. e.g. 65CY60204XLDRD.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.



CODE DESCRIPTION

4 - full height pedestal
X - modesty panel
L - left hand position
R - right hand position
02 - 2 box right, 1 file left, lateral file
04 - 1 file right, 2 box left, lateral file
D - 2 file drawers
F - 2 box, 1 file drawer

VENEER

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE FULL HEIGHT & 3/4 HEIGHT CREDENZAS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
	65C6020L3001R3001	4291	4505	59.75	20	29.5	" - "	176	28
	65C6020L3001R3011	4102	4308	59.75	20	29.5	" - "	192	28
	65C6020L3011R3001	4102	4308	59.75	20	29.5	" - "	192	28
	65C6020L3011R3011	3909	4104	59.75	20	29.5	" - "	208	28
	65C6024L3001R3001	4423	4644	59.75	24	29.5	" - "	192	33
	65C6024L3001R3011	4194	4403	59.75	24	29.5	" - "	210	33
	65C6024L3011R3001	4194	4403	59.75	24	29.5	" - "	210	33
	65C6024L3011R3011	3961	4160	59.75	24	29.5	" - "	230	33
	65C7220L3601R3601	5613	5894	71.75	20	29.5	" - "	208	32.75
	65C7220L3601R3611	5120	5377	71.75	20	29.5	" - "	228	32.75
	65C7220L3611R3601	5120	5377	71.75	20	29.5	" - "	228	32.75
	65C7220L3611R3611	4361	4580	71.75	20	29.5	" - "	248	32.75
	65C7224L3601R3601	5686	5970	71.75	24	29.5	" - "	224	38
	65C7224L3601R3611	5216	5476	71.75	24	29.5	" - "	236	38
	65C7224L3611R3601	5216	5476	71.75	24	29.5	" - "	236	38
	65C7224L3611R3611	4418	4641	71.75	24	29.5	" - "	256	38
	65C60203XL0R3011	3183	3344	59.75	20	23	28	191	21
	65C60203XL0R3016	3258	3423	59.75	20	23	28	202	21
	65C60203XL3011R0	3183	3344	59.75	20	23	28	191	21
	65C60203XL3016R0	3258	3423	59.75	20	23	28	202	21
	65C60243XL0R3011	3642	3824	59.75	24	23	28	204	25
	65C60243XL0R3016	3730	3917	59.75	24	23	28	226	25
	65C60243XL3011R0	3642	3824	59.75	24	23	28	191	25
	65C60243XL3016R0	3730	3917	59.75	24	23	28	242	25
	65C66203XL0R3611	3247	3409	59.75	20	23	28.5	191	21
	65C66203XL0R3616	3322	3489	59.75	20	23	28.5	202	21
	65C66203XL3611R0	3247	3409	59.75	20	23	28.5	191	21
	65C66203XL3616R0	3322	3489	59.75	20	23	28.5	202	21
	65C66243XL0R3611	3715	3900	59.75	24	23	28.5	204	25
	65C66243XL0R3616	3803	3993	59.75	24	23	28.5	226	25
	65C66243XL3611R0	3715	3900	59.75	24	23	28.5	191	25
	65C66243XL3616R0	3803	3993	59.75	24	23	28.5	242	25
	65C72203XL0R3611	3315	3480	71.75	20	23	34.5	191	25.5
	65C72203XL0R3616	3392	3559	71.75	20	23	34.5	202	25.5
	65C72203XL3611R0	3315	3480	71.75	20	23	34.5	191	25.5
	65C72203XL3616R0	3392	3559	71.75	20	23	34.5	202	25.5
	65C72243XL0R3611	3790	3981	71.75	24	23	34.5	204	30
	65C72243XL0R3616	3881	4075	71.75	24	23	34.5	226	30
	65C72243XL3611R0	3790	3981	71.75	24	23	34.5	191	30
	65C72243XL3616R0	3881	4075	71.75	24	23	34.5	242	30
	65C84203XL0R3611	3777	3969	83.75	20	23	46.5	191	29.5
	65C84203XL0R3616	3853	4046	83.75	20	23	46.5	202	29.5
	65C84203XL3611R0	3777	3969	83.75	20	23	46.5	191	29.5
	65C84203XL3616R0	3853	4046	83.75	20	23	46.5	202	29.5
	65C84243XL0R3611	4274	4490	83.75	24	23	46.5	204	35
	65C84243XL0R3616	4211	4423	83.75	24	23	46.5	226	35
	65C84243XL3611R0	4274	4490	83.75	24	23	46.5	191	35
	65C84243XL3616R0	4211	4423	83.75	24	23	46.5	242	35
	65C96243XL0R3611	4534	4762	95.5	24	23	58.5	254	40
	65C96243XL0R3616	4469	4691	95.5	24	23	58.5	240	40
	65C96243XL3611R0	4534	4762	95.5	24	23	58.5	240	40
	65C96243XL3616R0	4469	4691	95.5	24	23	58.5	254	40

ORDERING NOTES: For the hinged modesty panel option add Y after RH and add a 10% upcharge. e.g. 65CY60203XL0R3011.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - full height pedestal
- 3 - 3/4 height pedestal
- X - modesty panel
- L - left hand position
- R - right hand position
- 01 - lateral file
- 11 - closed bookcase
- 16 - box, lateral file


STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

PALETTE FINISH

Storage unit door fronts are available in Palette finish at no upcharge. Drawer fronts are also available in Palette at an upcharge of **\$374 list** per unit, add P at the end of the model number.

LATITUDE 3/4 HEIGHT CREDENZAS

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
Full Face 3/4 Height Credenza	65C60203L3011R3011	4317	4532	59.75	20	23	186	21
	65C60203L3011R3016	4366	4586	59.75	20	23	191	21
	65C60203L3011R3017	3862	4055	59.75	20	23	171	21
	65C60203L3016R3011	4344	4560	59.75	24	23	191	21
	65C60203L3016R3016	4316	4531	59.75	20	23	202	21
	65C60203L3016R3017	4228	4440	59.75	20	23	179	21
	65C60203L3017R3011	3862	4055	59.75	20	23	171	21
	65C60203L3017R3016	4838	5079	59.75	20	23	179	21
	65C60203L3017R3017	3277	3441	59.75	20	23	156	21
	65C60243L3011R3011	4403	4624	59.75	24	23	193	25
	65C60243L3011R3016	4503	4729	59.75	24	23	204	25
	65C60243L3011R3017	3940	4135	59.75	24	23	178	25
	65C60243L3016R3011	4503	4729	59.75	24	23	204	25
	65C60243L3016R3016	4476	4700	59.75	24	23	226	25
	65C60243L3016R3017	4359	4578	59.75	24	23	216	25
	65C60243L3017R3011	3940	4135	59.75	24	23	178	25
	65C60243L3017R3016	4359	4578	59.75	24	23	216	25
	65C60243L3017R3017	3406	3576	59.75	24	23	163	25
	65C72203L3611R3611	4490	4712	71.5	24	23	197	25.5
	65C72203L3611R3616	4658	4891	71.75	20	23	213.5	25.5
	65C72203L3611R3617	4075	4280	71.5	20	23	182	25.5
	65C72203L3616R3611	4658	4891	71.75	20	23	213.5	25.5
	65C72203L3616R3616	4631	4863	71.75	20	23	218.5	25.5
	65C72203L3616R3617	4506	4732	71.75	20	23	218.5	25.5
	65C72203L3617R3611	4057	4259	71.5	20	23	182	25.5
	65C72203L3617R3616	4506	4732	71.75	20	23	199	25.5
	65C72203L3617R3617	3510	3685	71.5	20	23	167	25.5
	65C72243L3611R3611	4631	4863	71.5	24	23	200	30
	65C72243L3611R3616	4834	5076	71.75	24	23	240	30
	65C72243L3611R3617	4098	4302	71.5	24	23	185	30
	65C72243L3616R3611	4834	5076	71.75	24	23	240	30
	65C72243L3616R3616	4802	5043	71.75	24	23	237	30
	65C72243L3616R3617	4674	4905	71.75	24	23	224.5	30
	65C72243L3617R3611	4098	4302	71.5	24	23	185	30
	65C72243L3617R3616	4674	4905	71.75	24	23	224.5	30
	65C72243L3617R3617	3614	3794	71.5	24	23	170	30

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.



CODE DESCRIPTION

3 - 3/4 height pedestal
L - left hand position
R - right hand position
11 - closed bookcase
16 - box, lateral file
17 - open bookcase
15 - top open, lateral file
18 - top open, closed bookcase

VENEER

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE CORNER CREDENZAS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Corner Credenza Single Pedestal Fixed Wood Modesty Panel 	65CC7224XL4D	3353	3522	71.75	24	29.5	32	192	38
	65CC7224XL4F	3353	3522	71.75	24	29.5	32	192	38
	65CC7224XR4D	3353	3522	71.75	24	29.5	32	192	38
	65CC7224XR4F	3353	3522	71.75	24	29.5	32	192	38
	65CC7824XL4D	3388	3557	77.75	24	29.5	38	200	41
	65CC7824XL4F	3388	3557	77.75	24	29.5	38	200	41
	65CC7824XR4D	3388	3557	77.75	24	29.5	38	200	41
	65CC7824XR4F	3388	3557	77.75	24	29.5	38	200	41
	65CC8424XL4D	3424	3595	83.75	24	29.5	44	208	44
	65CC8424XL4F	3424	3595	83.75	24	29.5	44	208	44
	65CC8424XR4D	3424	3595	83.75	24	29.5	44	208	44
	65CC8424XR4F	3424	3595	83.75	24	29.5	44	208	44
Curved Corner Credenza Single Pedestal Fixed Wood Modesty Panel 	65CCC7224XL4D	3423	3594	71.75	24	29.5	32	192	38
	65CCC7224XL4F	3423	3594	71.75	24	29.5	32	192	38
	65CCC7224XR4D	3423	3594	71.75	24	29.5	32	192	38
	65CCC7224XR4F	3423	3594	71.75	24	29.5	32	192	38
	65CCC7824XL4D	3458	3631	77.75	24	29.5	38	200	41
	65CCC7824XL4F	3458	3631	77.75	24	29.5	38	200	41
	65CCC7824XR4D	3458	3631	77.75	24	29.5	38	200	41
	65CCC7824XR4F	3458	3631	77.75	24	29.5	38	200	41
	65CCC8424XL4D	3493	3668	83.75	24	29.5	44	208	44
	65CCC8424XL4F	3493	3668	83.75	24	29.5	44	208	44
	65CCC8424XR4D	3493	3668	83.75	24	29.5	44	208	44
	65CCC8424XR4F	3493	3668	83.75	24	29.5	44	208	44

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - full height pedestal
- L - left hand position
- R - right hand position
- D - 2 file drawers
- F - 2 box, 1 file drawer
- 0 - no pedestal





STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.

LATITUDE SINGLE HEIGHT OVERHEADS

Description	Model	Rift	Walnut	W	D	H	Doors	Shipping	Cubic	
		Oak						Weight	Feet	
	Single Height Overhead, Wood Doors	65OHW361616	1292	1358	35.75	15.75	16	2	64	7
		65OHW421616	1354	1423	41.75	15.75	16	2	71	8.5
		65OHW481616	1458	1530	47.75	15.75	16	3	82	9
		65OHW541616	1508	1583	54	16	16	4	89.5	10.75
		65OHW601616	1558	1636	59.75	15.75	16	4	96	11.5
		65OHW661616	1643	1725	65.75	15.75	16	4	102	12.75
		65OHW721616	1727	1815	71.75	15.75	16	4	109	13.75
		65OHW781616	1815	1906	77.75	15.75	16	4	109	13.75
		65OHW841616	2716	2852	83.75	16	16	4	129	16.25
		65OHW901616	2261	2374	89.5	15.75	16	6	109	13.75
	65OHW961616	2376	2494	95.5	16	16	6	129	16.25	
	Single Height Overhead, Wood Flip Doors	65OHFW361616	1439	1510	35.75	15.75	16	1	64	7
		65OHFW421616	1500	1576	41.75	15.75	16	1	71	8.5
		65OHFW481616	1603	1683	47.75	15.75	16	1	82	9
		65OHFW541616	1798	1886	54	16	16	2	89.5	10.75
		65OHFW601616	1848	1941	59.75	15.75	16	2	96	11.5
		65OHFW661616	1932	2030	65.75	15.75	16	2	102	12.75
		65OHFW721616	2018	2118	71.75	15.75	16	2	109	13.75
		65OHFW781616	2104	2211	77.75	15.75	16	2	109	13.75
		65OHFW841616	2551	2678	83.75	16	16	2	129	16.25
		65OHFW901616	2664	2797	89.5	15.75	16	2	109	13.75
	65OHFW961616	3006	3158	95.5	16	16	2	180	16.5	
	Single Height Overhead, Sliding 30" Hood, Metal Shelf	65OMW481718HD30*	4370	4589	47.75	17	18		95	10
		65OMW601718HD30	4627	4861	59.75	17	18		112	12
		65OMW661718HD30	4743	4981	65.75	17	18		121	13
		65OMW721718HD30	4861	5104	71.5	17	18		129	14.5
		65OMW781718HD30	4992	5241	77.5	17	18		148	15.5
		65OMW841718HD30	5088	5344	83.5	17	18		157	16.5
		65OMW901718HD30	5204	5465	89.5	17	18		166	17.5
		65OMW961718HD30	5292	5557	95.5	17	18		174	19
	Single Height Overhead, Sliding 36" Hood, Metal Shelf	65OMW481718HD36	4399	4618	47.75	17	18		95	10
		65OMW601718HD36	4654	4887	59.75	17	18		112	12
		65OMW661718HD36	4772	5010	65.75	17	18		121	13
		65OMW721718HD36	4887	5132	71.5	17	18		129	14.5
		65OMW781718HD36	5020	5271	77.5	17	18		148	15.5
		65OMW841718HD36	5117	5372	83.5	17	18		157	16.5
		65OMW901718HD36	5232	5494	89.5	17	18		166	17.5
		65OMW961718HD36	5319	5586	95.5	17	18		174	19
	Single Height Overhead, Open Metal Shelf	65OMW481718	3319	3486	47.75	16	16		95	10
		65OMW601718	3542	3719	59.75	16	16		112	12
		65OMW661718	3671	3854	65.75	16	16		121	13
		65OMW721718	3775	3962	71.5	16	16		129	14.5
		65OMW781718	3895	4089	77.5	16	16		148	15.5
		65OMW841718	3975	4173	83.5	16	16		157	16.5
		65OMW901718	4076	4282	89.5	16	16		166	17.5
		65OMW961718	4167	4376	95.5	16	16		174	19

ORDERING NOTES: Overheads come standard with LED lights. "90" and "96" Overheads are available with 2 hoods, add -2 to the end of the model number and **\$1778 list** for 30" and **\$1834 list** for 36".

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — knee-hole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.





CODE DESCRIPTION

HD - sliding hood

VENEER

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE DOUBLE HEIGHT OVERHEADS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Double Height, Wood Doors 	65OHFW361630	1814	1905	35.75	15.75	16	2	64	7
	65OHFW421630	1986	2086	41.75	15.75	16	2	71	8.5
	65OHFW481630	2130	2237	47.75	15.75	16	3	82	9
	65OHFW541630	2237	2348	53.75	15.75	16	4	89.5	10.75
	65OHFW601630	2348	2464	59.75	15.75	16	4	96	11.5
	65OHFW661630	2464	2587	65.75	15.75	16	4	102	12.75
	65OHFW721630	2587	2716	71.75	15.75	16	4	109	13.75
	65OHFW781630	2716	2852	83.75	15.75	16	4	129	16.25
	65OHFW841630	2852	2995	71.75	15.75	16	6	109	13.75
	65OHFW901630	2995	3145	83.75	15.75	16	6	129	16.25
	65OHFW961630	3145	3303	35.75	15.75	30	2	107	7
Double Height, Wood Flip Doors 	65OHFFW361630	1958	2056	41.75	15.75	30	2	117	8.5
	65OHFFW421630	2131	2238	47.75	15.75	30	2	132	9
	65OHFFW481630	2274	2387	53.75	15.75	30	4	143	10.75
	65OHFFW541630	2526	2652	59.75	15.75	30	4	153	11.5
	65OHFFW601630	2636	2768	65.75	15.75	30	4	163	12.75
	65OHFFW661630	2754	2891	71.75	15.75	30	4	174	13.75
	65OHFFW721630	2878	3021	83.75	15.75	30	4	177	16.25
	65OHFFW781630	3006	3158	71.75	15.75	30	4	185	13.75
	65OHFFW841630	3141	3299	83.75	15.75	30	4	201	16.25
	65OHFFW901630	3287	3451	95.75	1	30	4	209	17.75
	65OHFFW961630	3434	3606	35.75	15.75	16	1	64	7
Double Height, Wood Flip Doors/ Top, Open Below 	65OHFOW361630	2103	2210	41.75	15.75	16	1	71	8.5
	65OHFOW421630	2275	2390	47.75	15.75	16	1	82	9
	65OHFOW481630	2418	2539	53.75	15.75	16	2	89.5	10.75
	65OHFOW541630	2816	2956	59.75	15.75	16	2	96	11.5
	65OHFOW601630	2927	3073	65.75	15.75	16	2	102	12.75
	65OHFOW661630	3043	3195	71.75	15.75	16	2	109	13.75
	65OHFOW721630	3165	3323	83.75	15.75	16	2	129	16.25
	65OHFOW781630	3294	3459	71.75	15.75	16	2	109	13.75
	65OHFOW841630	3431	3603	83.75	15.75	16	2	129	16.25
	65OHFOW901630	3575	3755	95.75	15.75	16	2	250	46
	65OHFOW961630	3724	3913						
Double Height Overhead, Wood Sliding 30" Hood, Metal Shelf 	65OMW481731HD30	5633	5915	47.75	17	31		95	10
	65OMW601731HD30	5917	6212	59.75	17	31		112	12
	65OMW661731HD30	6024	6324	65.75	17	31		121	13
	65OMW721731HD30	6273	6586	71.5	17	31		129	14.5
	65OMW781731HD30	6302	6618	77.5	17	31		148	15.5
	65OMW841731HD30	6413	6734	83.5	17	31		157	16.5
	65OMW901731HD30	6541	6869	89.5	17	31		166	17.5
	65OMW961731HD30	6630	6961	95.5	17	31		174	19

ORDERING NOTES: Overheads come standard with LED lights. "90" and "96" Overheads are available with 2 hoods, add -2 to the end of the model number and **\$1866 list** for 30" and **\$1925 list** for 36".

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing


CODE DESCRIPTION


HD - sliding hood

STANDARD FINISHES



For a complete list of standard wood finishes please see page 4.

LATITUDE DOUBLE HEIGHT OVERHEADS & TACKBOARD OPTION

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Double Height Overhead, Wood Sliding 36" Hood, Metal Shelf	65OMW481731HD36	5667	5951	47.75	17	31	95	10	
	65OMW601731HD36	5954	6252	59.75	17	31	112	12	
	65OMW661731HD36	6058	6361	65.75	17	31	121	13	
	65OMW721731HD36	6309	6626	71.5	17	31	129	14.5	
	65OMW781731HD36	6336	6653	77.5	17	31	148	15.5	
	65OMW841731HD36	6448	6771	83.5	17	31	157	16.5	
	65OMW901731HD36	6579	6907	89.5	17	31	166	17.5	
	65OMW961731HD36	6665	6998	95.5	17	31	174	19	

 Double Height Overhead, Open Metal Shelf	65OMW481731	4648	4881	47.75	16	30	95	10	
	65OMW601731	4932	5178	59.75	16	30	112	12	
	65OMW661731	5038	5289	65.75	16	30	121	13	
	65OMW721731	5288	5553	71.5	16	30	129	14.5	
	65OMW781731	5318	5584	77.5	16	30	148	15.5	
	65OMW841731	5428	5700	83.5	16	30	157	16.5	
	65OMW901731	5557	5835	89.5	16	30	166	17.5	
	65OMW961731"	5646	5928	95.5	16	30	174	19	

ORDERING NOTES: Overheads come standard with LED lights. "90" and 96" Overheads are available with 2 hoods, add -2 to the end of the model number and **\$1866 list** for 30" and **\$1925 list** for 36".

GRADES													
Description	Model	1	2	3	4	5	6	7	8	9	W	H	COM WT
 Wall Mounted Tackboard 24" High	65TBOHW3624	349	387	427	488	635	778	918	1068	1257	35.75	24	1.5 1.5
	65TBOHW4224	387	521	555	686	824	953	1089	1258	1492	41.75	24	1.5 1.75
	65TBOHW4824	431	537	562	706	847	970	1119	1289	1551	47.75	24	1.75 2
	65TBOHW5424	455	563	589	741	888	1019	1176	1352	1628	53.75	24	2 2.25
	65TBOHW6024	491	655	687	856	1031	1221	1412	1603	1905	59.75	24	2 2.5
	65TBOHW6624	538	731	783	954	1143	1359	1546	1767	2106	65.75	24	2 2.75
	65TBOHW7224	590	907	942	1251	1537	1557	1787	2039	2377	71.75	24	2.25 3
	65TBOHW7824	649	996	1037	1376	1692	1714	1965	2241	2615	77.75	24	2.25 3.25
	65TBOHW8424	759	1164	1212	1610	1978	2003	2300	2625	3058	83.75	24	2.5 3.5
	65TBOHW9024	799	1223	1275	1691	2081	2104	2417	2760	3214	89.75	24	2.75 3.75
	65TBOHW9624	830	1272	1328	1759	2164	2191	2515	2872	3347	95.75	24	3 4
 Wall Mounted Tackboard 30" High	65TBOHW3630	418	466	512	586	763	932	1283	1283	1508	35.75	24	1.5 2
	65TBOHW4230	466	579	664	823	990	1142	1510	1510	1781	41.75	24	1.5 2.25
	65TBOHW4830	517	644	674	846	1015	1163	1546	1546	1859	47.75	24	1.75 2.5
	65TBOHW5430	546	676	707	890	1066	1223	1624	1624	1953	53.75	24	2 2.75
	65TBOHW6030	589	786	823	1027	1235	1463	1924	1924	2285	59.75	24	2 3
	65TBOHW6630	645	878	938	1144	1372	1632	2118	2118	2527	65.75	24	2 3.25
	65TBOHW7230	707	1084	1127	1499	1842	1866	2445	2445	2850	71.75	24	2.25 3.5
	65TBOHW7830	778	1194	1246	1650	2031	2054	2694	2694	3138	77.75	24	2.5 3.75
	65TBOHW8430	912	1397	1455	1933	2374	2401	3148	3148	3669	83.75	24	2.5 4
	65TBOHW9030	958	1467	1530	2030	2496	2527	3310	3310	3856	89.75	24	2.75 4.75
	65TBOHW9630	999	1528	1593	2114	2601	2631	3444	3444	4016	95.75	24	3 5

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.


CODE DESCRIPTION

HD - sliding hood


VENEER


Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.


LATITUDE HUTCHES

Description	Model	Rift Oak	Walnut	W	D	H	Doors	Shipping Weight	Cubic Feet
5 Hi Hutch with Wood Doors 	65HT601640	3068	3222	59.75	15.75	40	4	117	23
	65HT661640	3267	3430	65.75	15.75	40	4	126	26
	65HT721640	3732	3919	71.75	15.75	40	4	135	28
	65HT781640	4022	4224	77.75	15.75	40	4	146	30
	65HT841640	4313	4528	83.75	15.75	40	4	154	32
	65HT961640	4381	4600	95.5	15.75	40	6	211	39
	65HT1021640	5361	5629	102	15.75	40	6	296	43
	65HT1081640	5567	5844	108	15.75	40	6	310	58.5

ORDERING NOTES: Hutches 102" and longer are 2 piece units.

5 Hi Hutch with Wood Flip Doors 	65HTF601640	3356	3524	59.75	15.75	40	2	117	23
	65HTF661640	3555	3734	65.75	15.75	40	2	126	26
	65HTF721640	4021	4223	71.75	15.75	40	2	135	28
	65HTF781640	4313	4528	77.75	15.75	40	2	146	30
	65HTF841640	4601	4833	83.75	15.75	40	2	154	32
	65HTF961640	4671	4903	95.5	15.75	40	2	211	39

6 Hi Hutch with Wood Doors 	65HT601653	3162	3320	59.75	15.75	53.5	4	249	34.5
	65HT661653	3432	3604	65.75	15.75	53.5	4	269	37.75
	65HT721653	3899	4097	71.75	15.75	53.5	4	289	41
	65HT781653	4216	4427	77.75	15.75	53.5	4	298	44.5
	65HT841653	4530	4757	83.75	15.75	53.5	4	328	47.75
	65HT961653	4722	4957	95.5	15.75	53.5	6	358	52.5

6 Hi Hutch with Wood Flip Doors 	65HTFF601653	3453	3625	59.75	15.75	53.5	4	249	34.5
	65HTFF661653	3722	3909	65.75	15.75	53.5	4	269	37.75
	65HTFF721653	4190	4399	71.75	15.75	53.5	4	289	41
	65HTFF781653	4506	4732	77.75	15.75	53.5	4	298	44.5
	65HTFF841653	4819	5059	83.75	15.75	53.5	4	328	47.75
	65HTFF961653	5010	5260	95.5	15.75	53.5	4	358	52.5

ORDERING PROCEDURE

To order, please specify the following:


- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.


* Indicates model illustrated by line drawing

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

LATITUDE HUTCHES & TACKBOARD OPTION

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 6 Hi Hutch with Wood Flip Doors/Open	65HTFO601653	3741	3928	59.75	15.75	53.5	2	249	35.5
	65HTFO661653	4011	4213	65.75	15.75	53.5	2	269	37.75
	65HTFO721653	4479	4705	71.75	15.75	53.5	2	289	41
	65HTFO781653	4795	5035	77.75	15.75	53.5	2	298	44.5
	65HTFO841653	5109	5365	83.75	15.75	53.5	2	328	47.75
	65HTFO961653"	5301	5565	95.5	15.75	53.5	2	358	52.5

Description	Model	GRADES								COM
		2	3	4	5	6	7	8	9	
 Tackboard Fabric Upcharges for Hutches	60	150	324	491	664	838	1010	1187	1393	2
	66	173	376	547	731	912	1072	1258	1561	2
	72	208	447	653	878	1087	1297	1508	1813	2.25
	78	245	525	771	1022	1266	1515	1760	2103	2.5
	84	291	609	901	1192	1484	1774	2063	2438	2.5
	90	301	631	938	1237	1540	1842	2145	2535	2.75
	96	313	657	976	1289	1604	1918	2232	2765	3
	102	347	749	1100	1473	1830	2173	2554	3137	3
	108	381	820	1206	1612	2004	2384	2769	3436	3

DIMENSION KEY


W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.


VENEER

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.


LATITUDE WALL MOUNTED BACK-PAINTED GLASS

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
 Wall Mounted Back-painted Glass 23.5"	65GPW3624	1853	35.75	"_"	23.5	48	1.5
	65GPW4224	1944	41.75	"_"	23.5	56	1.75
	65GPW4824	2032	47.75	"_"	23.5	64	2
	65GPW5424	2124	53.75	"_"	23.5	72	2.25
	65GPW6024	2242	59.75	"_"	23.5	80	2.5
	65GPW6624	2409	65.75	"_"	23.5	88	2.75
	65GPW7224	2574	71.5	"_"	23.5	96	3
	65GPW7824	2769	77.5	"_"	23.5	104	3.25
	65GPW8424	2950	83.5	"_"	23.5	112	3.5
	65GPW9024	3417	89.5	"_"	23.5	120	3.75
	65GPW9624	3553	95.5	"_"	23.5	128	4


ORDERING NOTES: Use between wall mounted overheads and full height credenzas. Wall mounted Back-Painted glass panels 90" and longer are 2-pieces.

 Wall Mounted Back-painted Glass 30"	65GPW3630	2213	35.75	"_"	30	60	2
	65GPW4230	2332	41.75	"_"	30	70	2.25
	65GPW4830	2439	47.75	"_"	30	80	2.5
	65GPW5430	2530	53.75	"_"	30	90	2.75
	65GPW6030	2695	59.75	"_"	30	100	3.25
	65GPW6630	2906	65.75	"_"	30	110	3.5
	65GPW7230	3133	71.5	"_"	30	120	3.75
	65GPW7830	3343	77.5	"_"	30	130	4
	65GPW8430	3599	83.5	"_"	30	140	4.25
	65GPW9030	3809	89.5	"_"	30	150	4.75
	65GPW9630	3987	95.5	"_"	30	160	5

ORDERING NOTES: Use between wall mounted overheads and 3/4 height credenzas. Wall mounted Back-Painted glass panels 90" and longer are 2-pieces.

 Wall Mounted Magnetic Back-painted Glass 23.5"	65GPW3624M	2032	35.75	"_"	23.5	48	1.5
	65GPW4224M	2155	41.75	"_"	23.5	56	1.75
	65GPW4824M	2274	47.75	"_"	23.5	64	2
	65GPW5424M	2394	53.75	"_"	23.5	72	2.25
	65GPW6024M	2543	59.75	"_"	23.5	80	2.5
	65GPW6624M	2756	65.75	"_"	23.5	88	2.75
	65GPW7224M	2965	71.5	"_"	23.5	96	3
	65GPW7824M	3207	77.5	"_"	23.5	104	3.25
	65GPW8424M	3432	83.5	"_"	23.5	112	3.5
	65GPW9024M	3944	89.5	"_"	23.5	120	3.75
	65GPW9624M	4126	95.5	"_"	23.5	128	4

ORDERING NOTES: Use between wall mounted overheads and full height credenzas. Strong magnets (not supplied) are recommended. Wall mounted Back-Painted glass panels 90" and longer are 2-pieces.

 Wall Mounted Magnetic Back-painted Glass 30"	65GPW3630M	2439	35.75	"_"	30	60	2
	65GPW4230M	2588	41.75	"_"	30	70	2.25
	65GPW4830M	2724	47.75	"_"	30	80	2.5
	65GPW5430M	2859	53.75	"_"	30	90	2.75
	65GPW6030M	3056	59.75	"_"	30	100	3.25
	65GPW6630M	3313	65.75	"_"	30	110	3.5
	65GPW7230M	3582	71.5	"_"	30	120	3.75
	65GPW7830M	3838	77.5	"_"	30	130	4
	65GPW8430M	4138	83.5	"_"	30	140	4.25
	65GPW9030M	4395	89.5	"_"	30	150	4.75
	65GPW9630M"	4621	95.5	"_"	30	160	5

ORDERING NOTES: Use between wall mounted overheads and 3/4 height credenzas. Strong magnets (not supplied) are recommended. Wall mounted Back-Painted glass panels 90" and longer are 2-pieces.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing





CODE DESCRIPTION

M - Magnetic

STANDARD FINISHES

Standard finish is white.

LATITUDE PIERS & PEDESTALS

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet	
	Pier Closed, Hinged Wood Door	65PR24164011L	1288	1353	24	15.75	40	123	11.25
		65PR24164011R	1288	1353	24	15.75	40	123	11.25
		65PR24164611L	1349	1416	24	15.75	46	134	12.75
		65PR24164611R	1349	1416	24	15.75	46	134	12.75
		65PR24165311L	1412	1482	24	15.75	53	148	14.75
		65PR24165311R	1412	1482	24	15.75	53	148	14.75
		65PR24165911L	1473	1547	24	15.75	59	159	16.5
		65PR24165911R	1473	1547	24	15.75	59	159	16.5
	Pedestal Box/Box/File	65P16184F*	1446	1519	15.75	18	28.5	61	6.5
		65P16284F	1671	1754	15.75	27.5	28.5	66	9
	Pedestal File/File	65P16184D*	1335	1401	15.75	18	28.5	61	6.5
		65P16284D	1558	1636	15.75	27.5	28.5	66	9
	Pedestal Bookcase	65P301811*	1550	1628	30	18	28.5	104	11.5
		65P361811	1735	1821	36	18	28.5	112	13.5
	Pedestal Lateral File	65P301801*	1779	1869	30	18	28.5	104	11.5
		65P361801	1993	2094	36	18	28.5	112	13.5
	36" Combination Pedestal File/2 Box, Lateral File	65P361802	1959	2058	36	18	28.5	112	13.5
		65P361804*	1959	2058	36	18	28.5	112	13.5

ORDERING NOTES: When specifying modular pedestals please state left, center or right. For a pedestal in the left position add L to the end of the model number, for a pedestal in the center position add C to the end of the model number and for a pedestal in the right position add R to the end of the model number. Locks are available on all wood doors at **\$159 List** per lock.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

D - 2 file drawers
F - 2 box, 1 file drawer
11 - closed bookcase
01 - lateral file
02 - 2 box right, 1 file left, lateral file
04 - 1 file right, 2 box left, lateral file
L - left hand position
R - right hand position
C - center position

VENEER


Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE BOOKCASES


Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
2 Hi Open Bookcase	65BC301629	1800	1891	30	16	29	48	10
	65BC361629	1849	1944	36	16	29	56	12




3 Hi Bookcase, Open	65BC361643	2189	2299	36	16	42.75	72	21.75"
---------------------	------------	------	------	----	----	-------	----	--------




4 Hi Bookcase, Open	65BC301656	2228	2340	30	16	56	64	18
	65BC361656	2278	2394	36	16	56	120	20.75



5 Hi Bookcase, Open	65BC301670	2416	2535	30	16	69.5	100	22.5
	65BC361670	2464	2587	36	16	69.5	112	27



6 Hi Bookcase, Open	65BC301683	2833	2976	30	16	83	163	28.25
	65BC361683	2903	3049	36	16	83	178	33



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing


CODE DESCRIPTION

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

LATITUDE STORAGE

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
1.5 Hi Storage, Closed Bookcase	65ST30242311	2256	2367	30	24	23	96	11
	65ST36242311	2433	2554	36	24	23	98	13




1.5 Hi Storage, Box/Lateral File	65ST30242316	2635	2767	30	24	23	159	11
	65ST36242316*	2818	2961	36	24	23	165	13



1.5 Hi Storage, Open	65ST30242317	2023	2125	30	24	23	100	11
	65ST36242317	2188	2298	36	24	23	112	13



2 Hi Storage Unit Closed Bookcase	65ST36202911	2342	2458	36	20	29	163	13.75
	65ST36242911	2537	2664	36	24	29	175	16.25



2 Hi Storage Unit Lateral File	65ST30202901	2735	2872	30	20	29	112	11.5
	65ST30242901	2869	3012	30	24	29	116	13.75
	65ST36202901*	3087	3241	36	20	29	116	13.75
	65ST36242901	3131	3287	36	24	29	120	16.75



3 Hi Storage, Lateral Files	65ST36204301	4117	4322	36	20	42.75	175	19.75
	65ST36244301"	4384	4604	36	24	42.75	187	23.5

**DIMENSION KEY**

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

11 - closed bookcase
16 - box, lateral file
01 - lateral file

 veneer

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE STORAGE


Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
4 Hi Storage, Lateral Files	65ST30205601	3588	3768	30	20	56	151	21.75
	65ST36205601	4037	4238	36	20	56	176	25.75
	65ST36245601	4292	4506	36	24	56	196	30.75




5 Hi 19" Storage Closed Shelves	65ST19247011L	3487	3661	19	24	69.5	132	20
	65ST19247011R	3487	3661	19	24	69.5	132	20



5 Hi 19" Storage, 2 File, 3 Open Shelves	65ST19247090	3528	3706	19	24	69.5	132	20
--	--------------	------	------	----	----	------	-----	----



5 Hi 19" Storage, 2 File, 3 Closed Shelves	65ST19247091L	3784	3974	19	24	69.5	132	21.75
	65ST19247091R"	3784	3974	19	24	69.5	132	21.75



ORDERING NOTES: Locks are available on all wood doors at **\$159 list** per lock.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 01 - lateral file
- L - left hand position
- R - right hand position
- 11 - closed bookcase

STANDARD FINISHES


For a complete list of standard wood finishes please see page 4.

PALETTE FINISH


Storage full fronts are available in Palette finish. Door fronts only at no upcharge. Drawer fronts or combination Drawer/Door fronts at **\$374 list** per unit. Add a "P" to the end of the model number and include color selection.

LATITUDE 5 HI STORAGE


Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
5 Hi Storage, 2 Lateral File, 3 Open Shelves	65ST36207003	4401	4621	36	20	69.5	180	33.5
	65ST36247003	4450	4676	36	24	69.5	188	39.75




5 Hi Storage, 2 Lateral File, 3 Closed Shelves	65ST30247004	4244	4457	30	24	69.5	240	31.25
	65ST36207004	4911	5157	36	20	69.5	192	33.5
	65ST36247004	4969	5218	36	24	69.5	200	39.75



5 Hi Storage, 2 Closed, 3 Open Shelves	65ST36207013	3520	3696	36	20	69.5	192	33.5
	65ST36247013	3559	3739	36	24	69.5	200	39.75



5 Hi Storage, 3 Lateral file, 2 Closed Shelves	65ST36247008	5057	5311	36	24	69.5	192	39.75"
---	--------------	------	------	----	----	------	-----	--------



ORDERING NOTES: Locks are available on all wood doors at **\$159 list** per lock.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

PALETTE FINISH

Storage full fronts are available in Palette finish. Door fronts only at no upcharge. Drawer fronts or combination Drawer/Door fronts at **\$374 list** per unit. Add a "P" to the end of the model number and include color selection.

 veneer


Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE 6 HI STORAGE

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
6 Hi Storage, Closed Shelves	65ST19248311L	3807	3999	19	24	83	160	26
	65ST19248311R	3807	3999	19	24	83	160	26




6 Hi Storage, 2 File, 4 Open Shelves	65ST19248390	3847	4039	19	24	83	160	26"
--------------------------------------	--------------	------	------	----	----	----	-----	-----



6 Hi Storage, 2 File, 4 Closed Shelves	65ST19248391L	4116	4321	19	24	83	160	26
	65ST19248391R	4116	4321	19	24	83	160	26



6 Hi Storage, 2 Lateral File, 4 Open Shelves	65ST36208303	4501	4725	36	20	83	216	40
	65ST36248303	4572	4801	36	24	83	224	47.5



ORDERING NOTES: Locks are available on all wood doors at **\$159 list** per lock.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - left hand position
R - right hand position

STANDARD FINISHES


For a complete list of standard wood finishes please see page 4.

PALETTE FINISH

Storage full fronts are available in Palette finish. Door fronts only at no upcharge. Drawer fronts or combination Drawer/Door fronts at **\$374 list** per unit. Add a "P" to the end of the model number and include color selection.

LATITUDE 6 HI STORAGE


Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
6 Hi Storage, 2 Lateral File, 4 Closed Shelves	65ST30248304	4481	4707	30	24	83	279	37.5
	65ST36208304	4941	5189	36	20	83	220	40
	65ST36248304	4995	5245	36	24	83	228	47.5




3682 3866
3724 3913

5247 5509

6 Hi Storage, 2 Closed, 4 Open Shelves	65ST36208313			36	20	83	200	40
	65ST36248313			36	24	83	208	40



6 Hi Storage, 3 Lateral File, 3 Closed Shelves	65ST36248308			36	20	83	220	40
--	--------------	--	--	----	----	----	-----	----



ORDERING NOTES: Locks are available on all wood doors at **\$159 list** per lock.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.




PALETTE FINISH

Storage full fronts are available in Palette finish. Door fronts only at no upcharge. Drawer fronts or combination Drawer/Door fronts at **\$374 list** per unit. Add a "P" to the end of the model number and include color selection.

 veneer

Latitude Caseloads' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE 5 HI WARDROBES

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
5 Hi Wardrobe	65WR19247002L	2893	3037	19	24	69.5	172	20
	65WR19247002R	2893	3037	19	24	69.5	172	20
								
5 Hi Wardrobe, 2 Files	65WR24247014	4297	4511	24	24	69.5	260	25.25
3 Closed Shelves with	65WR24247015	4297	4511	24	24	69.5	260	25.25
Wood Door	65WR30247014	4658	4891	30	24	69.5	266	31.25
	65WR30247015*	4658	4891	30	24	69.5	266	31.25
	65WR36247014	4809	5050	36	24	69.5	272	39.75
	65WR36247015	4809	5050	36	24	69.5	272	39.75
								
5 Hi Wardrobe with	65WR30247001	3318	3484	30	24	69.5	240	31.25
Closed Shelves	65WR30247003*	3318	3484	30	24	69.5	240	31.25
	65WR36247001	3689	3872	36	24	69.5	164	39.75
	65WR36247003	3689	3872	36	24	69.5	164	39.75
								
5 Hi Full Width Wardrobe	65WR36247002	3082	3237	36	24	69.5	135	39.75"
								

ORDERING NOTES: Locks are available on all wood doors at **\$159 list** per lock. Center hinged storage units require 2 locks.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing


CODE DESCRIPTION

01 - left shelves, right wardrobe
 03 - right shelves, left wardrobe
 14 - left closed shelves, 2 file drawers & right closed wardrobe. Hinged center.
 15 - right closed shelves, 2 file drawers & left closed wardrobe. Hinged center.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

LATITUDE 6 HI WARDROBES

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
6 Hi Wardrobe	65WR19248302L	3067	3221	19	24	83	172	23.75
	65WR19248302R	3067	3221	19	24	83	172	23.75
	65WR30248301*	4627	4861	30	24	83	286	37.5
	65WR30248303	4627	4861	30	24	83	286	37.5
	65WR36248301	4910	5156	36	24	83	272	44.5
	65WR36248303	4910	5156	36	24	83	272	44.5
	65WR24248314	4697	4931	24	24	83	280	35
	65WR24248315	4697	4931	24	24	83	280	35
	65WR30248314	4833	5075	30	24	83	286	37.5
	65WR30248315*	4833	5075	30	24	83	286	37.5
	65WR36248314	4978	5227	36	24	83	292	44.5
	65WR36248315"	4978	5227	36	24	83	292	44.5

ORDERING NOTES: Locks are available on all wood doors at **\$159 list** per lock.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

01 - left shelves, right wardrobe
03 - right shelves, left wardrobe
14 - left closed shelves, 2 file drawers & right closed wardrobe. Hinged center.
15 - right closed shelves, 2 file drawers & left closed wardrobe. Hinged center.

 veneer

Latitude Caseloads' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE MODULAR COMPONENTS - TOPS

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
	Round Top							
	"650536	1556	1634	36	36	1.13	50	5.75
	650542	1814	1905	42	42	1.13	62	7.5
	650548	1980	2080	48	48	1.13	80	9.5
	650554	2153	2259	54	54	1.13	98	11.5
	Modular Tops							
	65TP3624	788	825	35.75	24	1.13	47	3
	65TP3630	886	931	35.75	30	1.13	57	3.75
	65TP3636	1064	1117	35.75	36	1.13	57	3.75
	65TP4224	828	870	41.75	24	1.13	47	3
	65TP4230	927	974	41.75	30	1.13	57	3.75
	65TP4236	1114	1168	41.75	36	1.13	57	3.75
	65TP4824	868	912	47.75	24	1.13	47	3
	65TP4830	974	1022	47.75	30	1.13	57	3.75
	65TP4836	1169	1227	47.75	36	1.13	57	3.75
	65TP5424	912	958	53.75	24	1.13	47	3
	65TP5430	1032	1084	53.75	30	1.13	57	3.75
	65TP5436	1239	1302	53.75	36	1.13	57	3.75
	65TP6020	933	979	59.75	20	1.13	40	3.25
	65TP6024	999	1046	59.75	24	1.13	47	3.75
	65TP6030	1089	1144	59.75	30	1.13	57	4.5
	65TP6036	1308	1374	59.75	36	1.13	57	3.75
	65TP6620	1187	1246	65.75	20	1.13	43	3.5
	65TP6624	1227	1288	65.75	24	1.13	50	4
	65TP6630	1270	1334	65.75	30	1.13	64	4.75
	65TP6636	1440	1512	65.75	36	1.13	77	5.5
	65TP7220	1354	1423	71.75	20	1.13	44	3.75
	65TP7224	1401	1472	71.75	24	1.13	55	4.25
	65TP7230	1441	1513	71.75	30	1.13	65	5.25
	65TP7236	1568	1646	71.75	36	1.13	84	6
	65TP7820	1482	1556	77.75	20	1.13	46	4
	65TP7824	1525	1603	77.75	24	1.13	58	4.75
	65TP7830	1571	1648	77.75	30	1.13	75	5.5
	65TP7836	1887	1981	77.75	36	1.13	91	6.5
	65TP8420	1557	1635	83.75	20	1.13	53.5	4.25
	65TP8424	1600	1677	83.75	24	1.13	62.5	5
	65TP8430	1645	1727	83.75	30	1.13	76	6
	65TP8436	1976	2074	83.75	36	1.13	76	5
	65TP9024	1713	1799	89.75	24	1.13	47	3
	65TP9030	1767	1855	89.75	30	1.13	57	3.75
	65TP9036	2117	2222	89.75	36	1.13	57	3.75
	65TP9620	1789	1879	95.75	20	1.13	60	5
	65TP9624	1838	1930	95.75	24	1.13	75	5.75
	65TP9630	1893	1987	95.75	30	1.13	85.5	6.75
	65TP9636"	2271	2382	95.75	36	1.13	85.5	7

ORDERING PROCEDURE

To order, please specify the following:


- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

LATITUDE MODULAR COMPONENTS - TOPS

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
Modular Return Tops	"65TPR3624L	788	825	35.75	24	1.13	43	2.75
	65TPR3624R	788	825	35.75	24	1.13	43	2.75
	65TPR3630L	886	931	35.75	30	1.13	43	2.75
	65TPR3630R	886	931	35.75	30	1.13	43	2.75
	65TPR3636L	1064	1117	35.75	36	1.13	43	2.75
	65TPR3636R	1064	1117	35.75	36	1.13	43	2.75
	65TPR4220L	723	759	41.75	20	1.13	28	1.75
	65TPR4220R	723	759	41.75	20	1.13	28	1.75
	65TPR4224L	828	870	41.75	24	1.13	33	2.25
	65TPR4224R	828	870	41.75	24	1.13	33	2.25
	65TPR4230L	927	974	41.75	30	1.13	43	2.75
	65TPR4230R	927	974	41.75	30	1.13	43	2.75
	65TPR4236L	1114	1168	41.75	36	1.13	43	2.75
	65TPR4236R	1114	1168	41.75	36	1.13	43	2.75
	65TPR4820L	749	786	47.75	20	1.13	31	2
	65TPR4820R	749	786	47.75	20	1.13	31	2
	65TPR4824L	868	912	47.75	24	1.13	36	2.5
	65TPR4824R	868	912	47.75	24	1.13	36	2.5
	65TPR4830L	974	1022	47.75	30	1.13	43	2.75
	65TPR4830R	974	1022	47.75	30	1.13	43	2.75
	65TPR4836L	1169	1227	47.75	36	1.13	43	2.75
	65TPR4836R	1169	1227	47.75	36	1.13	43	2.75
	65TPR5424L	912	958	53.75	24	1.13	43	2.75
	65TPR5424R	912	958	53.75	24	1.13	43	2.75
	65TPR5430L	1032	1084	53.75	30	1.13	43	2.75
	65TPR5430R	1032	1084	53.75	30	1.13	43	2.75
	65TPR5436L	1239	1302	53.75	36	1.13	43	2.75
	65TPR5436R	1239	1302	53.75	36	1.13	43	2.75
	65TPR6024L	999	1046	59.75	24	1.13	47	3
	65TPR6024R	999	1046	59.75	24	1.13	47	3
	65TPR6030L	1089	1144	59.75	30	1.13	47	3
	65TPR6030R	1089	1144	59.75	30	1.13	47	3
	65TPR6036L	1308	1374	59.75	36	1.13	47	3
	65TPR6036R	1308	1374	59.75	36	1.13	47	3
	65TPR6624L	1227	1288	65.75	24	1.13	50	3.25
	65TPR6624R	1227	1288	65.75	24	1.13	50	3.25
	65TPR6630L	1270	1334	65.75	30	1.13	50	3.25
	65TPR6630R	1270	1334	65.75	30	1.13	50	3.25
	65TPR6636L	1440	1512	65.75	36	1.13	50	3.25
	65TPR6636R	1440	1512	65.75	36	1.13	50	3.25
	65TPR7224L	1401	1472	71.75	24	1.13	55	3.5
	65TPR7224R	1401	1472	71.75	24	1.13	55	3.5
	65TPR7230L	1441	1513	71.75	30	1.13	55	3.5
	65TPR7230R	1441	1513	71.75	30	1.13	55	3.5
	65TPR7236L	1568	1646	71.75	36	1.13	55	3.5
	65TPR7236R	1568	1646	71.75	36	1.13	55	3.5
	65TPR8424L	1600	1677	83.75	24	1.13	65.5	4.25
	65TPR8424R	1600	1677	83.75	24	1.13	65.5	4.25
	65TPR8430L	1645	1727	83.75	30	1.13	65.5	4.25
	65TPR8430R	1645	1727	83.75	30	1.13	65.5	4.25
	65TPR8436L	1976	2074	83.75	36	1.13	65.5	4.25
	65TPR8436R"	1976	2074	83.75	36	1.13	65.5	4.25

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.




CODE DESCRIPTION

L - left hand position
R - right hand position

VENEER

Latitude Casegoods' standard veneers are Quarter Cut Walnut and Rift Cut Oak. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. See page xx for information on non-standard veneers.

LATITUDE MODULAR COMPONENTS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
	L Support 65LB2029L	738	775	17	20	29.5	55	2	
	65LB2029R	738	775	17	20	29.5	55	2	
	65LB2429L	781	821	17	24	29.5	60	3	
	65LB2429R	781	821	17	24	29.5	60	3	
	65LB3029L	828	870	17	30	29.5	70	3.5	
	65LB3029R	828	870	17	30	29.5	70	3.5	
	65LB3629L	874	916	17	36	29.5	76	4	
	65LB3629R	874	916	17	36	29.5	76	4	
	Half Gable, Desk Height, used with Modesty Panel 65HG0829	387	407	8	1.12	29	4	1.5	
	65HG1229	428	450	12	1.12	29	4	1.5	
	Without modesty panel 65HG1029NMP	553	580	10	1.12	29	4	1.5	
	Wood Modesty Panel 65MP60X41	703	738	28	0.75	28.5	22	1.5	
	65MP66X41	743	781	34	0.75	28.5	26	4.5	
	65MP72X41	830	873	40	0.75	28.5	30	5	
	65MP78X41	955	1003	46	0.75	28.5	30	5	
	65MP84X41	1244	1307	52	0.75	28.5	28.5	3.25	
	65MP90X41	1283	1347	58	0.75	28.5	29	3.75	
	65MP96X41	1320	1386	64	0.75	28.5	32	4	
	Pedestal, Finished Back 65PFB16204D*	1614	1695	15.75	20	28.5	59	6.5	
	65PFB16204F	1834	1925	15.75	20	28.5	61	6.5	
	65PFB16244D	1730	1818	15.75	24	28.5	70	6.5	
	65PFB16244F	1965	2065	15.75	24	28.5	72	6.5	
	65PFB16304D	2087	2191	15.75	30	28.5	78	9.5	
	65PFB16304F	2087	2191	15.75	30	28.5	83	9.5	
	Pedestal with Finished Back, 2 Lateral File 65PFB30202801*	2124	2228	29.75	20	28	187	11.25	
	65PFB30242801	2173	2281	29.75	24	28	190	13.5	
	65PFB36202801	2268	2379	35.75	20	28	187	11.25	
	65PFB36242801	2306	2423	35.75	24	28	190	13.5	
	Pedestal with Finished Back Closed Bookcase 65PFB30202811*	1869	1963	29.75	20	28	172	11.25	
	65PFB30242811	1933	2031	29.75	24	28	174	13.5	
	65PFB36202811	1981	2083	35.75	20	28	172	11.25	
	65PFB36242811	1996	2096	35.75	24	28	174	13.5	
	Combination Pedestal with Finished Back 65PFB36202802	2495	2619	29.75	20	28	178	11.25	
	65PFB36242802	2539	2668	29.75	24	28	178	13.5	
	65PFB36202804*	2495	2619	35.75	20	28	162	11.25	
	65PFB36242804"	2539	2668	35.75	24	28	162	13.5	

ORDERING NOTES: When specifying modular pedestals please state left, center or right. For a pedestal in the left position add L to the end of the model number, center position add C to the end of the model number and right position add R to the end of the model number.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
 R - right hand position
 4 - full height pedestal
 C - center position
 01 - lateral file
 11 - closed bookcase
 02 - 2 box right, 1 file left, lateral file
 04 - 1 file right, 2 box left, lateral file




STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.

LOCKS

Locks are available on all wood doors at **\$159 list** per lock.

LATITUDE MODULAR COMPONENTS

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
 L Support 3/4 Height	65LB2023L	667	700	16	20	23	55	2
	65LB2023R	667	700	16	20	23	55	2
	65LB2423L	730	767	16	24	23	60	3
	65LB2423R	730	767	16	24	23	60	3
	65LB3023L	633	665	16	30	23	70	3.5
	65LB3023R	633	665	16	30	23	70	3.5
	65LB3623L	672	703	16	36	23	76	4
	65LB3623R	672	703	16	36	23	76	4
 Wood Modesty Panel 3/4 Height	65MP60	688	723	60	1.16	23	22	1.5
	65MP66	729	766	66	1.16	23	26	4.5
	65MP72	816	855	72	1.16	23	30	5
	65MP78	936	981	78	1.16	23	30	5
	65MP84	1221	1282	84	1.16	23	28.5	3.25
	65MP90	1256	1318	90	1.16	23	29	3.75
	65MP96	1293	1359	96	1.16	23	32	4
 3/4 Height Pedestals Box/ Lateral File- Finished Back	65PFB24242316	2789	2928	24	24	23	148	9
	65PFB30202316	2877	3020	30	20	23	154	9.25
	65PFB30242316	2970	3118	30	24	23	185	11
	65PFB36202316	2986	3134	36	20	23	185	11
	65PFB36242316	3080	3234	36	24	23	222	13
 3/4 Height Pedestals Open/ Lateral File- Finished Back	65PFB24202315	2705	2840	24	20	23	136	7
	65PFB24242315	2789	2928	24	24	23	142	9
	65PFB30202315	2877	3020	30	20	23	148	9.25
	65PFB30242315	2970	3118	30	24	23	179	11
	65PFB36202315	2986	3134	36	20	23	179	11
	65PFB36242315	3080	3234	36	24	23	216	13
 3/4 Height Pedestals Bookcase- Finished Back	65PFB24202311	1635	1719	24	20	23	142	7
	65PFB24242311	1683	1767	24	24	23	146	9
	65PFB30202311	1756	1845	30	20	23	152	9.25
	65PFB30242311	1775	1864	30	24	23	183	11
	65PFB36202311	1814	1905	36	20	23	183	11
	65PFB36242311	1869	1963	36	24	23	219	13
 3/4 Height Pedestals Open/ Bookcase- Finished Back	65PFB24202318	1635	1719	24	20	23	133	7
	65PFB24242318	1683	1767	24	24	23	139	9
	65PFB30202318	1756	1845	30	20	23	145	9.25
	65PFB30242318	1775	1864	30	24	23	176	11
	65PFB36202318	1814	1905	36	20	23	176	11
	65PFB36242318	1869	1963	36	24	23	213	13
 3/4 Height Pedestals, Open Bookcase- Finished Back	65PFB24202317	1569	1647	24	20	23	128	7
	65PFB24242317	1614	1695	24	24	23	130	9
	65PFB30202317	1689	1772	30	20	23	136	9.25
	65PFB30242317	1704	1790	30	24	23	167	11
	65PFB36202317	1743	1830	36	20	23	167	11
	65PFB36242317	1794	1884	36	24	23	204	13

DIMENSION KEY

W — width
D — depth
H — height of worksurface

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION


L - left hand position
R - right hand position
C - center position
16 - box, lateral file
15 - top open, lateral file
11 - closed bookcase
18 - top open, closed bookcase

ORDERING NOTES


When specifying modular pedestals please state left, center or right. For a pedestal in the left position add L to the end of the model number, center position add C to the end of the model number and right position add R to the end of the model number.

LATITUDE MODULAR COMPONENTS

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Disc Base	65141828	328	18D"	-	28	25	7.5
	65142428	350	24D"	-	28	35	11.5
	65142828	507	28D"	-	28	40	14.5



Square Plate Base	65SQ1828	380	18	18	28	25	7.5
	65SQ2428	445	24	24	28	35	11.5



Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
Drum Base	65101829	845	886	18	18	28.5	97	7
	65101829WMD	1203	1263	18	18	28.5	97	7
	65102429	1307	1372	24	24	28.5	140	12
	65102429WMD	2018	2118	24	24	28.5	140	12



Mobile Pedestal	65MP161927F	1504	1580	15.75	19.75	28	61	7
	65MP161927D	1561	1640	15.75	19.75	28	61	7
	65MP162827F	1802	1893	15.75	28.5	28	76	8
	65MP162827D"	1886	1980	15.75	28.5	28	76	8



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - full height pedestal
- L - left hand position
- R - right hand position
- D - 2 file drawers
- F - 2 box, 1 file drawer
- 0 - no pedestal








STANDARD FINISHES

For a complete list of standard wood finishes please see page 4.





GROMMETS

One grommet in standard position is optional at no charge. Additional grommets are available at an upcharge of **\$159 List**.





LATITUDE POWERPORTS

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
PowerPort 1 - 2 RJ45s (Category 5/6)	PORT1	291	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic. NOTE: RJ45 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.						
PowerPort 2 - USB-A & USB-C	PORT2	294	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 USB-A & 1 USB-C charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.						
PowerPort 3 - RJ11 & RJ45	PORT3	283	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 RJ11 & 1 RJ45 (Category 5/6); 2 Velcro wire managers & PowerPort Shroud; 1 x 10 Foot Data Cords (T568A) & 1 x 14 Foot RJ11 (Telecomm); powered by a 10' plug-in cord. PortPort lid is Silver Metallic. NOTE: RJ45 & RJ11 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.						
PowerPort 4 - 2 USB-A	PORT4	301	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 2- USB-A charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PortPort shroud. PortPort lid is Silver Metallic.						
PowerPort 5 - 4 Receptacles	PORT5	294	8	4	-	-	-
	Port Includes: 4 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.						
PowerPort 6 - USB-A, USB-C & RJ45	PORT6	426	8	4	-	-	-
 	Port Includes: 2 accessible power outlets & 1 side utility outlet 1 USB-A, 1 USB-C charging ports all powered by a 10' plug-in power cord. Includes 2 velcro wire managers and metal PortPort shroud with 2 data plate knock outs, 1 #M02 plate insert & 2 #S01W RJ45 female input, punch down terminal output snap in jacks. 2nd data plate knock out is blank for future use. PortPort lid is Silver Metallic.						

LATITUDE CABLE MANAGEMENT


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Port - no Powerbar	Port0	143	8	4	-	-	-
	Port Includes: Port lid & Shroud only.						
	ORDERING NOTE: Velcro wire managers not included, see below for pricing. Port lid is Silver Metallic.						
PowerPort Shroud with 2 Data Plate Knock-outs	SHROUD2KO	Must be requested - no upcharge	-	-	-	-	-
	Angled PowerPort Shroud Includes: shroud with 2 data plate knock-outs in the bottom.						
	ORDERING NOTE: Please refer to data plate, data and AV integration options on page 60.						
	Round Grommet - Silver Metallic	159	-	-	-	-	-
	Round Grommet - Black	159	-	-	-	-	-
	One 60mm Grommet in a standard position is available at no charge per table.						
Velcro Wire Manager (qty 1)	WM-4	27	2	4.5	0.5	-	-
	2 velcro wire managers are included with Ports 1-5.						
Wire Management Trough	WM-72	191	72	3	1	-	-
	Wire Management Trough is standard in a 72" length & can be cut to specific length; double-sided tape installation.						
4-Channel Wire Management	CM-72	242	72	3	1	-	-
	4-Channel Wire Management is standard in a 72" length & can be cut to specific length; double-sided tape installation.						
	65CT36	61	30	2	" "	0.25	" "
	65CT42	77	36	2	" "	0.25	" "
	65CT48	95	36	2	" "	0.25	" "
	65CT54	110	48	2	" "	0.5	" "
	65CT60	127	48	2	" "	0.5	" "
	65CT66	143	52	2	" "	0.5	" "
	65CT72	159	60	2	" "	0.75	" "
	65CT84	176	60	2	" "	0.75	" "
Cable Manager for Height Adjustable WorkSurface	65HACM	93	4	3	21.5	5	.25
							

LATITUDE POWER/DATA


SNAP IN PORTS	Reference Code	Description	List Price
ADAPTOR PLATES			
	M02	Adaptor Plate (2) - accepts two snap in data ports	39
	M04	Adaptor Plate (4) - accepts four snap in data ports	39
	M06	Adaptor Plate (6) - accepts six snap in data ports	39
ORDERING NOTES: Blank covers are required when port is not in use,			
		RJ-45 - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	49
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		RJ11 - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	33
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	S04	HDMI - High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	181
	S08	USB-A - Full size USB "A" style connection. Connector is a female-to-female pass through.	64

LATITUDE ACCESSORIES


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Keyboard Tray for Standard Units	65KBAMT1912	431	27	20	7	20	2
	65KBAMT1912S	507	27	20	7	20	2




Keyboard Tray for Angled & Curved Units	76KBAMT1912X	449	27	20	7	20	2
---	--------------	-----	----	----	---	----	---



Pencil Drawer	76PD2119	309	21	19	2	2	1
---------------	----------	-----	----	----	---	---	---



Pencil Drawer with Spacer	76PD2119S	347	21	19	2	2	1
---------------------------	-----------	-----	----	----	---	---	---




Pencil Cup	65APH	202				1	0.25
------------	-------	-----	--	--	--	---	------



Power Data Module	72PDVM	237	-	-	-	-	-
-------------------	--------	-----	---	---	---	---	---



Height Adjustable Table Programmable Display-4 Position Memory	76HAPD	394	-	-	-	-	-
--	--------	-----	---	---	---	---	---




LATITUDE POWER & CABLE MANAGEMENT




Grommets - Round

The round grommet, available in a Silver or Black finish, features an open and shut mouse hole to provide cable passage for areas not requiring a large opening. Grommets can be field installed with a power drill, 60 mm hole saw. All cases may be specified with one grommet in a standard position at no upcharge. A an upcharge will apply to additional grommets in standard positions and for grommets requested in non-standard positions of **\$159 list**. Please clearly specify location(s) of grommet when ordering.



POWERPORT

A PowerPort is a unique worksurface mounted module that can be specified to a location that best serves the user's needs. It includes a UL approved electrical, voice and data power bar, containing 115 - volt electrical simplex outlets which are accessible from the work surface, plus a utility outlet at the end for daisy chaining purposes. 6 data versions are available, please see page 58.




PORT

A service module having no power bar will serve as a large grommet. A hinged lid easily enables the passage of several cables and devices.


STANDARD GROMMET & POWERPORT POSITIONS

Desks, Credenzas, Link Units & Returns

AL BL C BR AR



AL BL C BR AR




Position Code:

- AL – left corner
- BL – left end beside pedestal gable
- C – center
- BR – right end beside pedestal gable
- AR – right corner

“BR” and “BL” are only available on tops 60” or longer.

3/4 height Credenzas for Mounted Runoffs with Power/Data Option




Position Code:

- ML - Mounted Left
- MC - Mounted Center (applies to 90” and 96” tops only)
- MR - Mounted Right

Rectangular Runoff Top Grommet & PowerPort

Guest Side



Position code:

- AL – left corner on right hand runoff (“AL” grommet and PowerPort locations apply to **rectangular runoffs**.)
- AR – right corner on left hand runoff
- C – center

Curvilinear Top Grommets & PowerPorts

“AL” and “AR” are the only grommet and PowerPort locations that apply to curvilinear returns. Please note these locations are not applicable on the 36” deep top and fixed modesty panel.

Guest Side



Guest Side



Position code:

- AL - left corner on right hand return
- AR - right corner on left hand return

Curvilinear desk grommets and PowerPorts can only be specified in “C” position.



User Side




User Side


Position Code: C center

LATITUDE | CABLE MANAGEMENT

PEDESTAL ACCESS CABLE MANAGEMENT



All Latitude casegood desks, returns and credenzas allow for wire management behind the pedestal drawers. Pedestal gables feature a standard cable management opening allowing access to the rear of the pedestal cavity. By specifying a wiring grommet in a standard AL or AR position (see grommet locations above) cable can be conveniently threaded behind the pedestal drawers and through the wire management access grommet.



Velcro Cable Manager

A velcro wire management strip is available to assist in containing the cables



Cable Management PVC Trough

PVC Cable manager is used in credenzas, L and U workstations.





Cable Management for Runoffs

The Silver Metallic Trough is used to route cables from desk runoffs to credenza and out to the source.




HEIGHT ADJUSTABLE WORKSURFACE WITH BASE ENCLOSURE

Single Stage Mechanism With Base Enclosure



The Single Stage mechanism with Base Enclosure has an adjustable height range of 28 3/8 - 47 1/4 inches. When the worksurface is at the lowest stage - desk height, the space between underside of the worksurface and the top of the Base Enclosure is 1 1/2 inches.

Dual Stage Mechanism With Base Enclosure




The Dual Stage mechanism with Base Enclosure has an adjustable height range of 23 7/16 - 49 7/16 inches. When the worksurface is at the standard desk height setting of 29 1/2", the space between underside of the worksurface and the top of the Base Enclosure is 6 inches. This allows for the full range of height adjustments.

Custom Base Enclosures for the Dual Stage are available decreasing the gap below the worksurface to 1 1/2" inches.

Caution: this eliminates the ability to use the lower stage settings.

Custom Base Enclosures to further lower the minimum worksurface height are also available, removing the inside enclosure floor completely and allowing a minimum desk height of 22 7/16". Contact customer service for a quote.

LATITUDE CREDENZAS, LINKING & CORNER UNITS



CREDENZAS - Desk Height

Latitude offers a wide variety of credenzas for use as stand alone storage pieces, part of a connected worksurface configuration, or behind a desk.

Choose from single or double pedestal options, with fixed or hinged modesty panel.




Modesty Panels

Credenzas with modesty panels have an added finished look, and all cases are available with a wiring grommet in a standard position for added cable management, please specify on your order. Credenzas with hinged modesty panels provide easy access to wall mounted electrical sources without wiring difficulties.



Pedestals

Latitude credenzas are available with single, lateral file, combination pedestals or bookcase pedestals. 3/4 height credenzas are available with box/lateral file, open/lateral file, bookcase, open/bookcase and/or open bookcase pedestals.




Full Face Credenzas

Full face credenzas are available in a variety of lateral file/bookcase & open bookcase combinations in 3/4 and full height cases.



Credenzas - 3/4 Height

A large offering of Credenza sizes and configurations are available in single pedestal and full face versions.




LINKING UNITS

Latitude linking units are available in a range of sizes for ease of use in configuring a connected worksurface.

Linking Units are for use between desks and credenzas in creating a U-shaped configuration, and must be supported at both ends. They are available with or without modesty panels.

Linking Units, Tops and Returns

It is important that the main units (desk, credenza) to which the linking unit or return is being attached be in their final position and leveled. Units are connected with mending plates under the worksurface from the modesty to the end panels. Attach the mending plates under the worksurface, ensure cases are level and if necessary adjust the glides to achieve flush and firm joints before completing installation of mending plates to the modesty and end panels.




CORNER UNITS

A corner unit can also be used on a U-shaped configuration, or it can be an integral part of a L-shaped work area with returns linked to either side.

Corner units have a standard grommet included in the back corner for ease of cable management, and have additional wire management access grommets in the half gables so that cable can be run to other areas of the connected worksurface. This can be assisted by a cut length of wire management cover.

LATITUDE | HUTCHES, OVERHEADS, & TACKBOARDS



HUTCHES AND OVERHEADS

Latitude offers hutch and overhead options for use in a work area configuration.

All hutches and overheads include L.E.D. tasklights that are factory installed and require no field adjustment.

Tasklights are mounted beneath the cabinet and hidden from view.

All hutches are available with Palette doors at no upcharge.

Doors

Doors are equipped with fully adjustable European style hinges. Locks are optional and can be specified at time of order for an upcharge of \$110 per set of (2) doors. If an uneven amount of doors require locks, the lock on the single door is also \$110. Locks are not available on glass doors.

Flip-Up Doors

Flip-up doors include standard European style hinges and an additional lift and stay mechanism.



Hutch Power/ Data/ Voice Module

Access to power and data is made simple by using a hutch with a power/data/voice module built right into the tackboard. The module is fully installed at the factory but can be removed to connect data links on site. It features a flip door that retracts into the case of the unit when open.

Tackboards


All hutches come standard with grade 1 tackboards. For other tackboard grade pricing, see chart on page 753, please note, not all fabrics are suitable for tackboard application. Tackboard fabric selections should be supplied with the order information.

Tackboards are not included with overheads, see page 751 for pricing. Overhead tackboards include wall mounting hardware and instructions.

Only hutches and overhead tackboards in Krug panel fabrics are available on *KrugExpress*.

Wall Mounted Back-Painted Glass

Glass panels are 4mm tempered white back-painted glass with aluminum frame. Magnetic back-painted glass is also available.



Piers

Piers are used in conjunction with overhead/hutches, glass wall panels & tackboards

L.E.D. Tasklights

Tasklights are included with hutches and overheads. On hutches, the tasklight cord is threaded behind the hutch through a standard access grommet on the upper right hand side of the back panel.


Tasklights are installed on the underside of overhead units. Cords run down the right hand side of the tasklight to the worksurface where they can be routed behind the worksurface top. The use of a wall mounted Overhead tackboard, back-painted glass wall panel or wood wall panel conceals the cord from view.

Installation

Hutch and overhead installation instructions are included with every case.

LATITUDE | FILING CONFIGURATIONS

Drawers will be offered for letter and legal size filing. All units are equipped with file bars that are fixed in place for shipping.




DESK RUNOFFS & DESK PEDESTAL FILE DRAWERS

Filing Capacity

15" drawers:
 21" of letter filing front to back or
 12" of legal filing side to side
 22" pedestal drawer depths allow only one row of side to side files.

Weight capacity of pedestal file drawers is 100 lbs.




CREDENZA AND RETURN PEDESTAL FILE DRAWERS

Filing Capacity

15" drawers:
 15" of letter filing front to back or
 12" of legal filing side to side
 16" pedestal drawer depths allow only one row of side to side files.

Weight capacity of pedestal file drawers is 100 lbs.



CREDENZA, RETURN OR STORAGE LATERAL FILE DRAWERS

Filing Capacity


30" wide drawers:
 30" letter filing front to back, or
 25" legal filing side to side
 15" or legal filing front to back.

When filing front to back, 30" lateral file drawer widths allow two rows of letter filing, but only one row of legal file width.

Filing capacity

36" wide drawers:
 30" letter filing front to back, or
 36" legal filing side to side, or
 30" legal filing front to back.

Weight capacity of lateral file drawers is 130 lbs.




Drawer Removal

Pull drawer and slide out to the full extension position. With index finger, lift up the release lever on the left and press down the release lever on the right side of the drawer (as shown).

Pull out the drawer with the attached drawer channel from the cabinet member.

To re-assemble, insert the drawer through the guide.

LATITUDE | INSTALLATION




Glide Adjustment

Raise one corner of the unit at a time and adjust the glide to the desired height by turning the glide to the hole. Make sure unit is level after adjusting the glides.

Please note that the maximum adjustment range of the glide is 1 1/4".

When moving units after glides have been inserted, dial the glides to the lowest position to prevent damage.




Hutch Installation

Before installing the hutch, insure that the worksurface has been placed in the final position and leveled. The worksurface should then be moved out a sufficient distance to allow access to the back. It is recommended that the minimum amount of movement be used with the leveling glides extended to prevent damage to the glides.

The hutch comes with self-adhesive foam strips that must be applied to the bottom edge prior to placing the hutch on the credenza. The foam is best applied with the hutch lying on its back. Do not leave any gaps in the foam strip, in order to prevent scratches to the credenza top while placing the hutch.

Place the hutch securely on the worksurface. Try to minimize any movement of the hutch to prevent scratching. Use of a blanket on the front portion of the credenza is recommended.

Using the supplied hardware, screw the flat bracket to the top of the credenza at each end, using the 3/4" screws provided. Swing the bracket up to approximately 60° and screw through the bracket into the hutch back with the 1/2" screws. Tighten all screws. Move combined hutch and credenza back to final location. Check for level again and adjust as required.



Door Adjustments

Hinges on all bookcase, overhead and hutch doors are designed to be adjusted for depth, horizontal and vertical alignment. This is easily done by adjusting the appropriate screw. See drawing.

To remove a door, push the release button and pull out the door, disconnecting hinges.

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgment is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers,

if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Height Adjustable Mechanism Warranty

Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase:

- a) Electronic components such as control boxes, hand switches and motors – two (2) years
- b) Mechanical components such as crank drives, spindles – five (5) years
- c) Structural components such as J-channels, feet and top supports – ten (10) years.

The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Testing

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.



Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments.

Export Packaging is **STRONGLY RECOMMENDED** for:

(A) all shipments outside of the lower 48 states and Canada

(B) all shipments that will be held in storage for an extended period prior to installation. Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$275/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$275/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$551/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$131/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$131/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$131/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and

packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Care and Maintenance

Wood Finishes - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
 - 2) Custom wood finishes
 - 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.
- Custom orders may require additional production lead times. Contact Customer Service for more information.

Krug Panel Fabric Program

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca The Momentum panel fabrics pass ASTM-E84-87 Fire Codes. If memo samples are required please call Momentum at 1-800-366-6839.

KrugExpress Program Details

KrugExpress orders are **ready to ship** by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

CUSTOM PRICING METHODS

CUSTOM PRICING METHODS

Custom widths: Apply the price that is one standard size larger than the desired case size (but same depth).

Example: The required custom dimension is 74" x 30". The first standard size above this is 78" x 30", so in this case you would apply the price of the 78" x 30" unit.

Custom depths: Apply the price of the same unit one size deeper (but same width).

Example: The required custom dimension is 72" x 26". The first standard size above this is 72" x 30", so in this case you would apply the price of the 72" x 30" unit.

Custom width & depth: Apply the price of the same unit both one size wider and one size deeper.

Example: The required custom dimension is 74" x 26". The first standard size above this is 84" x 30", so in this case you would apply the price of the 84" x 30" unit.

Custom height of desk height cases: Add 18% (31-32" hi)

Grommets in non-standard positions, add: \$159 list

To remove hutch or overhead doors, deduct: 4% list

Convert 5-hi hutch to 6-hi hutch, add: 20%

Bookcases with optional pull out printer shelf at standard shelf height, add: \$249 List

Bookcase with optional vent in back (includes 2 vents and 1 grommet), add: \$317 list

Cases where tops are flush left/right or both, add \$126 list

Storage units flush, add: \$208 list

2 lateral files and 3 or 4 closed shelves - convert to half open, half closed shelves, add: 15%

2 lateral files and 3 or 4 closed shelves - convert to half open, half wardrobe, add: 15%

To remove storage doors for open shelves, deduct: 4%

EXCEPTIONS TO THE PRICING METHODS ABOVE

Sizes larger than the largest shown Price List.

Non-standard extension on drawer slides.

Non-standard drawer depths in standard depth pedestals.

Glass door - any style.

Glass - face mounted modesty panels.

Perforated modesty panels.

Cases with curvilinear tops where the radius becomes non-standard.

A/V cabinets.

Any case with flipper doors

PLEASE NOTE: Cases with non-standard features do not apply to the rules above.

Contact Krug Customer Service if you require assistance.

KRUGEXPRESS CASEGOODS

CASEGOODS PROGRAM DETAILS*

*(In addition to previous page)

Orders for casegood products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information. Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Only actual casegood pieces and conference tables tops and bases are considered "units". Items such as tasklights, tackboards, keyboard trays and drawers, electrical and wire management components, etc., are not considered under the quantity restrictions.

For example, a typical office configuration that includes a desk, linking unit, credenza and hutch/overhead, equals a total of four units for the purposes of the quantity maximum. Only Krug In-stock panel fabric is available on the KrugExpress program. Only standard wood finishes are available for KrugExpress orders. Grommets can be specified in standard positions only. KrugExpress also includes all Krug seating and occasional tables as well as Krug conference products to complement this casegoods offering. Please note PALETTE finishes are not available on KrugExpress.

TACKBOARD, C.O.M. & GRADED-IN UPHOLSTERY PROGRAMS

KRUG PANEL FABRIC PROGRAM

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The in-stock Momentum fabrics are priced at Grade 1 and are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca If memo samples are required please call Momentum at 1-800-366-6839. The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM)

COM must be received three weeks prior to the acknowledged ship date. Orders with COM not received by the required deadline will be delayed.

A description of the fabric, including supplier name, fabric name and color number must be included with the purchase order. When the COM fabric is received at Krug, it must be clearly identified with the fabric name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM fabric when received to determine if it will be suitable for upholstery. Where Krug feels that the fabric or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM fabrics or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material. Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine fabric required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. As fabric is applied horizontally, non-directional fabrics are recommended. COM fabrics are applied as they come off the roll unless otherwise specified. All striped fabrics will be applied vertically unless otherwise stated by the customer and after approval by Krug. It is the customer's responsibility to advise Krug if the upholstery is to be applied otherwise, and to advise Krug of any special upholstery instructions. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the fabric. Krug is not responsible for instructions sent with the fabric rolls, or for the method of upholstery if no instructions have been provided. COM fabrics for tackboards may be specified in either Maharam or

Momentum panel fabrics. Krug is not responsible for determining if a fabric is not ideal for tackboard application.

Please contact Maharam at 1-800-645-3943 or Momentum at

COM Shipping Procedures

**For tackboard COM fabrics, please send fabrics to:
Krug Inc.**

**111 Ahrens Street
Kitchener, Ontario
Canada N2H 4C2**

Attention: RECEIVER

All packages must be clearly marked "For Customs Clearance by Willson International Custom Brokers". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico. Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the fabric shipment. The Commercial Invoice must clearly state the description of the fabric, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change. When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Resources, to view the upholstery. Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is

particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.



All products are air emissions certified and are available as FSC® certified

krug