

CASEGOODS | USA

Price and Specification Guide

vizientTM



Effective July 10, 2023

krug

... Advancing Design Through Innovation

Updated February 2024

2 General Information

4 Krug Textiles

5 Graded-in Upholstery Program

5 Express Program

5 Tackboard Fabric

6 Laminates

516 Latitude

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgment is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$350 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers,

if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in material (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Height Adjustable Mechanism Warranty

Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase:

- a) Electronic components such as control boxes, hand switches and motors – two (2) years
- b) Mechanical components such as crank drives, spindles – five (5) years
- c) Structural components such as J-channels, feet and top supports – ten (10) years

The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Testing

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.



Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments.

Export Packaging is **STRONGLY RECOMMENDED** for:

- (A) all shipments outside of the lower 48 states and Canada
 - (B) all shipments that will be held in storage for an extended period prior to installation. Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions where export packaging has not been utilized.
- Please contact Customer Service for specifications or any other assistance regarding export packaging.

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled.
5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for net orders are possible, must exceed \$60,000 net, and accommodate 48-53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer. Additional costs for partial shipment of orders are the responsibility of the customer, and will be added to invoices. This includes any part shipment costs due to delays from textile suppliers. Additional costs for partial order shipments will normally not be assessed if there is a delay caused by Krug.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and

packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Care and Maintenance

Wood Finishes - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
 - 2) Custom wood finishes
 - 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.
- Custom orders may require additional production lead times. Contact Customer Service for more information.

Krug Panel Fabric Program

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca The Momentum panel fabrics pass ASTM-E84-87 Fire Codes. If memo samples are required please call Momentum at 1-800-366-6839.

Program Details

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. *KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".



Krug Textiles - Leather Program

Grade 8

Black	K13.1000	Graphite	K13.4000
Stone	K13.3000	Espresso	K13.8000
Sand	K13.5000	White	K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

Krug Textiles - Faux Leather Program

Grade 2

White	Taupe	Bisque	Wine	Sprig	Lagoon
Cream	Mocha	Chocolate	Garnet	Chinchilla	Pacific Blue
Parchment	Tan	Black	Rust	Steel	Navy
Sandstone	Chestnut	Earth	Citron	Grey	Plum
Vanilla		Brick			

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change. When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

TACKBOARD FABRICS

KRUG PANEL FABRIC PROGRAM

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The in-stock Momentum fabrics are priced at Grade 1 and are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca If memo samples are required please call Momentum at 1-800-366-6839. The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for KrugExpress is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a KrugExpress order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any

circumstances. Orders for product on KrugExpress must clearly state: "KrugExpress". *Some conditions apply. Please note PALETTE finishes are not available on KrugExpress.

CASEGOODS PROGRAM

Orders for casegood products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information. Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Only actual casegood pieces and conference tables tops and bases are considered "units". Items such as tasklights, tackboards, keyboard trays and drawers, electrical and wire management components, etc., are not considered under the quantity restrictions. For example, a typical office configuration that includes a desk, linking unit, credenza and hutch/overhead, equals a total of four units for the purposes of the quantity maximum. Only Krug In-stock panel fabric is available on the KrugExpress program. Only standard wood finishes are available for KrugExpress orders. Grommets can be specified in standard positions only. KrugExpress also includes all Krug seating and occasional tables as well as Krug conference products to complement this casegoods offering.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM)

COM must be received three weeks prior to the acknowledged ship date. Orders with COM not received by the required deadline will be delayed.

A description of the fabric, including supplier name, fabric name and color number must be included with the purchase order. When the COM fabric is received at Krug, it must be clearly identified with the fabric name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM fabric when received to determine if it will be suitable for upholstery. Where Krug feels that the fabric or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM fabrics or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine fabric required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. As fabric is applied horizontally, non-directional fabrics are recommended. COM fabrics are applied as they come off the roll unless otherwise specified. All striped fabrics will be applied vertically unless otherwise stated by the customer and after approval by Krug. It is the customer's responsibility to advise Krug if the upholstery is to be applied otherwise, and to advise Krug of any special upholstery instructions. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the fabric. Krug is not responsible for instructions sent with the fabric rolls, or for the method of upholstery if no instructions have been provided. COM fabrics for tackboards may be specified in either Maharam or Momentum panel fabrics. Krug is not responsible for determining if a fabric is not ideal for tackboard application.

Please contact Maharam at 1-800-645-3943 or Momentum at

COM Shipping Procedures

For tackboard COM fabrics, please send fabrics to:

Krug Inc.

111 Ahrens Street

Kitchener, Ontario

Canada N2H 4C2

Attention: RECEIVER

All packages must be clearly marked "For Customs Clearance by Willson International Custom Brokers". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and Commercial Invoice be completed and sent with the fabric shipment. The Commercial Invoice must clearly state the description of the fabric, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

LAMINATES

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38	Designer White	Wilsonart D354-60
Chocolate	Tafisa T498CR	Platinum	Tafisa T202CR
Nutmeg	Tafisa T477CR	Earth	Tafisa T767CR
Dark Walnut	Tafisa T469CR	Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

LATITUDE | TABLE OF CONTENTS


517	LEED CI Credit Summary
517	level® Certification, Air Emissions and FSC Certification
518	Veneer & Finishes
519	Non-Standard Product Guidelines for Pricing
520	General Product Specification
527	Sample Configuration
528	Desks
535	Height Adjustable Worksurfaces
540	Desk Runoffs
545	Returns
546	Linking
547	Credenzas
552	Overheads
555	Overhead Tackboards
556	Hutches
557	Hutch Tackboards
558	Wall Mounted Panels
559	Power & Cable Management
561	Pedestals
562	Bookcases
563	Storage
567	Wardrobes
569	Modular

LATITUDE | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 81%

POST-CONSUMER
RECYCLED CONTENT - 3%

		CONTRIBUTES TO
Credit 2.1 - 2.2	Construction Waste Management	1-
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 7	Certified Wood (MUST BE REQUESTED)	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Latitude products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Latitude products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.



FSC
www.fsc.org
FSC® C021699

the mark of responsible forest

AIR-EMISSIONS

All Latitude products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Latitude and other Krug products can be specified with one of two types of FSC® Certification: (a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material) (b)FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

LATITUDE | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

SPECIES	FINISH
OAK	Light Oak
	SilverGrey on Oak
	Espresso Oak
	Harvest Oak
	Mahogany Oak
	Medium Cherry on Oak
WALNUT	Mellow Oak
	Walnut on Oak
	Natural Walnut
	SilverGrey on Walnut
	Regular Walnut Dark
PALETTE	Walnut Cordovan Walnut
	Black
	White
	Sand
	Soft Green
	Steel Blue
	Slate

Note: Palette is available on door fronts, drawer fronts and 1/2 height modesty panels.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Rift Oak
Dune on Rift Oak
Portobello on Rift Oak
Ash on Rift Oak
Copper on Cherry
Shiraz Cherry
Park Avenue Walnut
Chocolate on Walnut
Nutmeg on Walnut
Dark Walnut
Hardrock Maple

VENEERS

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. The grain direction of the veneers on vertical faces is vertical - see below for grain direction specifications.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Latitude can be made with virtually any commercially available veneers. To specify Anigre, Mozambique or Zebrano add 5% List, for Sycamore add 10% list to Walnut list price. Anigre is available in clear or medium finish, Mozambique, Zebrano & Sycamore are available in clear finish only. Other veneers are also available on Latitude, please contact customer service for more information and pricing on additional wood species not included in Latitude's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is **\$552 list per finish** per order. (For example, on all orders up to \$5115 list, an **upcharge of \$552** will apply, on orders \$5115 and up add 10% list to your order.) For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

FINISH

Latitude Casegoods feature Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

VENEER GRAIN DIRECTION

Providing a consistent wood grain direction is important in maintaining consistent color on adjacent worksurface. The arrows on the illustrations below show the grain direction on typical worksurfaces and case fronts.

Desks



Open Desks



Runoffs



Drawer and Door Fronts



Credenza



Returns & Linking Units



Hutches and Overheads



Storage



LATITUDE | GUIDELINES AND PRICING METHODS

PRICING METHODS

Custom widths: Apply the price that is one standard size larger than the desired case size (but same depth).

Example: The required custom dimension is 74" x 30". The first standard size above this is 78" x 30", so in this case you would apply the price of the 78" x 30" unit.

Custom depths: Apply the price of the same unit one size deeper (but same width).

Example: The required custom dimension is 72" x 26". The first standard size above this is 72" x 30", so in this case you would apply the price of the 72" x 30" unit.

Custom width & depth: Apply the price of the same unit both one size wider and one size deeper.

Example: The required custom dimension is 74" x 26". The first standard size above this is 84" x 30", so in this case you would apply the price of the 84" x 30" unit.

LATITUDE | NON-STANDARD PRODUCT GUIDELINES FOR PRICING

OTHER PRICING METHODS

Custom height of desk height cases: Add 18% (31-32" hi)

Grommets in non-standard positions, add: **\$142 list**

To remove hutch or overhead doors, deduct: **4% list**

Bookcase with optional vent in back (includes 2 vents and 1 grommet), add: **\$281 list**

2 lateral files and 3 or 4 closed shelves - convert to half open, half closed shelves, add: **15% list**

2 lateral files and 3 or 4 closed shelves - convert to half open, half wardrobe, add: **15% list**

To remove storage doors for open shelves, deduct: **4% list**

EXCEPTIONS TO THE PRICING METHODS ABOVE

Sizes larger than largest shown in Price List.

Glass door – any style.

Cases with curvilinear tops where the radius becomes non-standard.

Please contact Krug Customer Service at 1.888.578.KRUG if you require assistance.

PLEASE NOTE: Cases with non-standard features do not apply to the rules above.

Contact Krug Customer Service if you require assistance.

LATITUDE | EDGE PROFILE & PULLS

LATITUDE EDGE PROFILE



Desks, Credenzas, Curvilinear Desks, Returns, Linking Units, Bookcases and 2Hi Storage units have profiles on all edges.

LATITUDE PULL STYLE



Latitude drawer pulls are Gloss Aluminum finish. Doors feature a touch latch operation.



Latitude drawers have the option of finger pulls in the same finish as the drawer front. To order, note clearly on the purchase order and add **\$256 list** per pedestal.

LATITUDE | GENERAL PRODUCT SPECIFICATIONS

WORK SURFACES

Tops are 1 1/4" thick veneered MDF core with face and back veneer. All worksurfaces height tops have beveled profile edges on all sides.

MODESTY PANELS

Modesty panels are standard on all desks, and optional on shaped tops, returns, linking units and credenzas. Modesty panels on desks and Credenzas are 3/4" thick and 1 1/8" thick on returns and linking units.

VENEER

Latitude veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is vertical.

FINISH

A five step catalyzed varnish finish that when dry has a sheen value of 32°, is applied to all finished cases. A lower sheen topcoat, 20°, can also be specified at standard pricing. All purchase orders must clearly note "lower sheen finish" in order to receive the optional selection.

BASES

The Latitude disc base has a Brushed Stainless finish, O-base and Square base have a Brushed Stainless finish.

LOCKS

Locks are provided as standard features on all pedestals, except bookcase pedestals, including those in desks, credenzas, and lateral file storage units. Satin Aluminum lock plugs are located on the fronts of all cases.

Locks are available on the bookcase doors at an upcharge of **\$142 list** per set of (2) doors, or one single door with an odd number of doors, please specify on the purchase order. Locks for bookcase doors are generally located on the top inside corner of the door front. Locks for hutch and overhead doors are generally located on the lower inside corners. Suites can be keyed alike at no upcharge, please specify on purchase order. For Master key, note clearly on your purchase order and add **\$38 list**.

PULLS

Standard pulls on drawers are Gloss Aluminum. Latitude drawers have the option of finger pulls in the same finish as the drawer front at an upcharge of **\$245 list** per pedestal. Doors feature touch latches.

LATCHES

All hutch, overhead and bookcase hinged doors (above the worksurface height), are equipped with touch latches mounted inside the top edge of the door.

HINGES

Hinges on all hutch, overhead and bookcase doors are European style with 110 degree opening. All hinges are fully adjustable.

DRAWERS

Desk box and file drawers have fully progressive full extension slides and are load rated at 125 lbs per drawer. All drawer interiors are birch components. All file drawers are equipped for letter and legal filing. All box/box/file pedestals in desks are supplied with one molded black pencil tray.

GLIDES

Adjustable glides are 1 1/4" long and allow for a range of adjustment of 1". Glide inserts are installed at factory, glides need to be field installed.

TESTING INFORMATION

Latitude meets or exceeds the testing requirements of ANSI / BIFMA X5.5-2014 and/or X5.9-2012.





POWERPORTS

A PowerPort is a unique worksurface mounted module that can be specified to a location that best serves the user's needs. It includes a UL approved electrical and data power bar, see page 521 for pricing.





ROUND GROMMETS

Round grommets are an aluminum finish with an open and shut mouse hole to provide cable passage for areas not requiring a large opening. Round grommets can be field installed with a power drill, 60 mm hole saw. All cases may be specified with one grommet in a standard position at no upcharge. A **\$142 list** upcharge will apply to additional grommets in standard positions and **\$142 list** for non-standard positions. The grommet position must be indicated for each case on the order. Please specify location of grommet when ordering. Please keep in mind the location of the grommets when specifying piers. For example, a pier on the left-hand side may be used with a "C", "BR" or "AR" grommet.

STANDARD GROMMET & POWERPORT POSITIONS

Desks, Credenzas, Link Units & Returns




Position Code:

- AL – left corner
- BL – left end beside pedestal gable
- C – center
- BR – right end beside pedestal gable
- AR – right corner

"BR" and "BL" are only available on tops 60" or longer.

3/4 height Credenzas for Mounted Runoffs with Power/Data Option



Position Code:

- ML - Mounted Left
- MC - Mounted Center (applies to 90" and 96" tops only)
- MR - Mounted Right

Rectangular Runoff Top Grommet & PowerPort

Guest Side



Position code:

- AL – left corner on right hand runoff ("AL" grommet and PowerPort locations apply to **rectangular runoffs**.)
- AR – right corner on left hand runoff
- C – center

Curvilinear Top Grommets & PowerPorts

"AL" and "AR" are the only grommet and PowerPort locations that apply to curvilinear returns. Please note these locations are not applicable on the 36" deep top and fixed modesty panel.

Guest Side




Guest Side




Position code:

- AL - left corner on right hand return
- AR - right corner on left hand return

Curvilinear desk grommets and PowerPorts can only be specified in "C" position.



User Side



User Side

Position Code: C center

LATITUDE | CABLE MANAGEMENT

PEDESTAL ACCESS CABLE MANAGEMENT



All Latitude casegood desks, returns and credenzas allow for wire management behind the pedestal drawers. Pedestal gables feature a standard cable management opening allowing access to the rear of the pedestal cavity. By specifying a wiring grommet in a standard AL or AR position (see grommet locations above) cable can be conveniently threaded behind the pedestal drawers and through the wire management access grommet.

Velcro Cable Manager

A velcro wire management strip is available to assist in containing the cables



Cable Management PVC Trough

PVC Cable manager is used in credenzas, L and U workstations.




Cable Management for Runoffs

The Silver Metallic Trough is used to route cables from desk runoffs to credenza and out to the source.


HEIGHT ADJUSTABLE WORKSURFACE WITH BASE ENCLOSURE

Single Stage Mechanism With Base Enclosure



The Single Stage mechanism with Base Enclosure has an adjustable height range of 28 3/8 - 47 1/4 inches. When the worksurface is at the lowest stage - desk height, the space between underside of the worksurface and the top of the Base Enclosure is 1/2 inch.

Dual Stage Mechanism With Base Enclosure




The Dual Stage mechanism with Base Enclosure has an adjustable height range of 23 7/16 - 49 7/16 inches. When the worksurface is at the standard desk height setting of 29 1/2", the space between underside of the worksurface and the top of the Base Enclosure is 6 inches. This allows for the full range of height adjustments.

Custom Base Enclosures for the Dual Stage are available decreasing the gap below the worksurface to 1/2 inch.

Caution: this eliminates the ability to use the lower stage settings.


Custom Base Enclosures to further lower the minimum worksurface height are also available, removing the inside enclosure floor completely and allowing a minimum desk height of 22 7/16". Contact customer service for a quote.



CREDENZAS - Desk Height

Latitude offers a wide variety of credenzas for use as stand alone storage pieces, part of a connected worksurface configuration, or behind a desk.

Choose from single or double pedestal options, with fixed or hinged modesty panel.




Modesty Panels

Credenzas with modesty panels have an added finished look, and all cases are available with a wiring grommet in a standard position for added cable management, please specify on your order. Credenzas with hinged modesty panels provide easy access to wall mounted electrical sources without wiring difficulties.




Pedestals

Latitude credenzas are available with single, lateral file, combination pedestals or bookcase pedestals. 3/4 height credenzas are available with box/lateral file, open/lateral file, bookcase, open/bookcase and/or open bookcase pedestals.



Full Face Credenzas

Full face credenzas are available in a variety of lateral file/bookcase & open bookcase combinations in 3/4 and full height cases.



Credenzas - 3/4 Height

A large offering of Credenza sizes and configurations are available in single pedestal and full face versions.

LINKING UNITS AND CORNER UNITS




Linking Units

Latitude linking units are available in a range of sizes for ease of use in configuring a connected worksurface.

Linking Units are for use between desks and credenzas in creating a U-shaped configuration, and must be supported at both ends. They are available with or without modesty panels.

Linking Units, Tops and Returns

It is important that the main units (desk, credenza) to which the linking unit or return is being attached be in their final position and leveled. Units are connected with mending plates under the worksurface from the modesty to the end panels. Attach the mending plates under the worksurface, ensure cases are level and if necessary adjust the glides to achieve flush and firm joints before completing installation of mending plates to the modesty and end panels.



Corner Units

A corner unit can also be used on a U-shaped configuration, or it can be an integral part of a L-shaped work area with returns linked to either side.

Corner units have a standard grommet included in the back corner for ease of cable management, and have additional wire management access grommets in the half gables so that cable can be run to other areas of the connected worksurface. This can be assisted by a cut length of wire management cover.

LATITUDE | HUTCHES, OVERHEADS, & TACKBOARDS



Hutches and Overheads

Latitude offers hutch and overhead options for use in a work area configuration.

All hutches and overheads include L.E.D. tasklights that are factory installed and require no field adjustment.

Tasklights are mounted beneath the cabinet and hidden from view.

All hutches are available with Palette doors at no upcharge.

Doors

Doors are equipped with fully adjustable European style hinges. Locks are optional and can be specified

at time of order for an **upcharge of \$142 per set** of (2) doors. If an uneven amount of doors require

locks, the lock on the single door is **also \$142**. Locks are not available on glass doors.

Flip-Up Doors

Flip-up doors include standard European style hinges and an additional lift and stay mechanism.



Hutch Power/ Data/ Voice Module

Access to power and data is made simple by using a hutch with a power/data/voice module built right into the tackboard. The module is fully installed at the factory but can be removed to connect data links on site. It features a flip door that retracts into the case of the unit when open.

Tackboards


All hutches come standard with grade 1 tackboards. For other tackboard grade pricing, see chart on page 557, please note, not all fabrics are suitable for tackboard application. Tackboard fabric selections should be supplied with the order information.

Tackboards are not included with overheads, see page 555 for pricing. Overhead tackboards include wall mounting hardware and instructions.

Only hutches and overhead tackboards in Krug panel fabrics are available on *KrugExpress*.

Wall Mounted Back-Painted Glass

Glass panels are 4mm tempered white back-painted glass with aluminum frame. Magnetic back-painted glass is also available.



Piers

Piers are used in conjunction with overhead/hutches, glass wall panels & tackboards

L.E.D. Tasklights

Tasklights are included with hutches and overheads. On hutches, the tasklight cord is threaded behind the hutch through a standard access grommet on the upper right hand side of the back panel.

Tasklights are installed on the underside of overhead units. Cords run down the right hand side of the tasklight to the worksurface where they can be routed behind the worksurface top. The use of a wall mounted Overhead tackboard, back-painted glass wall panel or wood wall panel conceals the cord from view.

Installation

Hutch and overhead installation instructions are included with every case.

LATITUDE | FILING CONFIGURATIONS

Drawers will be offered for letter and legal size filing. All units are equipped with file bars that are fixed in place for shipping.



DESK RUNOFFS & DESK PEDESTAL FILE DRAWERS

Filing Capacity

15" drawers:
21" of letter filing front to back or
12" of legal filling side to side
22" pedestal drawer depths allow only one row of side to side files.

Weight capacity of pedestal file drawers is 100 lbs.

CREDENZA AND RETURN PEDESTAL FILE DRAWERS

Filing Capacity

15" drawers:
15" of letter filing front to back or
12" of legal filling side to side
16" pedestal drawer depths allow only one row of side to side files.

Weight capacity of pedestal file drawers is 100 lbs.

CREDENZA, RETURN OR STORAGE LATERAL FILE DRAWERS

Filing Capacity


30" wide drawers:
30" letter filing front to back, or
25" legal filing side to side
15" or legal filing front to back.

When filing front to back, 30" lateral file drawer widths allow two rows of letter filing, but only one row of legal file width.

Filing capacity

36" wide drawers:
30" letter filing front to back, or
36" legal filing side to side, or
30" legal filing front to back.

Weight capacity of lateral file drawers is 130 lbs.




Drawer Removal

Pull drawer and slide out to the full extension position. With index finger, lift up the release lever on the left and press down the release lever on the right side of the drawer (as shown).

Pull out the drawer with the attached drawer channel from the cabinet member.

To re-assemble, insert the drawer through the guide.

LATITUDE | INSTALLATION



Glide Adjustment

Raise one corner of the unit at a time and adjust the glide to the desired height by turning the glide to the hole. Make sure unit is level after adjusting the glides.

Please note that the maximum adjustment range of the glide is 1 1/4".

When moving units after glides have been inserted, dial the glides to the lowest position to prevent damage.



Hutch Installation

Before installing the hutch, insure that the worksurface has been placed in the final position and leveled. The worksurface should then be moved out a sufficient distance to allow access to the back. It is recommended that the minimum amount of movement be used with the leveling glides extended to prevent damage to the glides.

The hutch comes with self-adhesive foam strips that must be applied to the bottom edge prior to placing the hutch on the credenza. The foam is best applied with the hutch lying on its back. Do not leave any gaps in the foam strip, in order to prevent scratches to the credenza top while placing the hutch.

Place the hutch securely on the worksurface. Try to minimize any movement of the hutch to prevent scratching. Use of a blanket on the front portion of the credenza is recommended.

Using the supplied hardware, screw the flat bracket to the top of the credenza at each end, using the 3/4" screws provided. Swing the bracket up to approximately 60° and screw through the bracket into the hutch back with the 1/2" screws. Tighten all screws. Move combined hutch and credenza back to final location. Check for level again and adjust as required.





Door Adjustments



Hinges on all bookcase, overhead and hutch doors are designed to be adjusted for depth, horizontal and vertical alignment. This is easily done by adjusting the appropriate screw. See drawing.

To remove a door, push the release button and pull out the door, disconnecting hinges.



LATITUDE | SAMPLE CONFIGURATIONS





Model	Rift Oak	Quarter Cut	
		Cherry Maple	Walnut*
Height Adj. Desk	65HA7236ETSGV21	6397	6718
Hutch	65HT721640	3464	3638
Credenza	65CY72244XLDRF	4261	4474
TOTAL		\$14,122	\$14,830



Model	Rift Oak	Quarter Cut	
		Cherry Maple	Walnut*
Credenza	65CY72244XLDRF	4060	4474
Overhead	65OMW721718HD30	4296	4738
Tackboard	65TBOHW7224	522	549
Storage	65ST19247011R	3082	3398
Desk	65TD7230OBX21	5463	5736
TOTAL		\$17,423	\$18,895



Model	Rift Oak	Quarter Cut	
		Cherry Maple	Walnut*
Desk	65D72364L0RF	3499	3675
Link Unit	65LU4224HX41	1315	1381
Hutch	65HT721640	3299	3464
Credenza	65CY72244XLDR0	3774	3962
TOTAL		\$11,887	\$12,482



Model	Rift Oak	Quarter Cut	
		Cherry Maple	Walnut*
Height Adj. Desk	65HA7230ETSO16V21	3828	4019
Storage	65ST19207090	3118	3275
Credenza	65CY72203XL3616R0	3299	3461
TOTAL		\$10,245	\$10,755

ORDERING NOTES:

*To specify Anigre, Mozambique or Zebrano add 5% List. For Sycamore add 10% list to Walnut list price. Tops and modesty panels are wood veneer. Work surfaces are shown with grommets at no upcharge.

LATITUDE | DESKS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Rectangular Desk, Double Pedestal	65D60304LDRF	3866	4058	59.75	30	29.5	27.5	218	39
	65D60304LFRD	3866	4058	59.75	30	29.5	27.5	218	39
	65D60304LFRF	3866	4058	59.75	30	29.5	27.5	218	39
	65D66304LDRF*	3892	4087	65.75	30	29.5	33.5	224	42.75
	65D66304LFRD	3892	4087	65.75	30	29.5	33.5	224	42.75
	65D66304LFRF	3892	4087	65.75	30	29.5	33.5	224	42.75
	65D66364LDRF	3913	4110	65.75	36	29.5	33.5	236	50
	65D66364LFRD	3913	4110	65.75	36	29.5	33.5	236	50
	65D66364LFRF	3913	4110	65.75	36	29.5	33.5	236	50
	65D72304LDRF	3927	4122	71.75	30	29.5	39.5	246	46.5
	65D72304LFRD	3927	4122	71.75	30	29.5	39.5	246	46.5
	65D72304LFRF	3927	4122	71.75	30	29.5	39.5	246	46.5
	65D72364LDRF	3969	4165	71.75	36	29.5	39.5	248	54.75
	65D72364LFRD	3969	4165	71.75	36	29.5	39.5	248	54.75
	65D72364LFRF	3969	4165	71.75	36	29.5	39.5	248	54.75
	65D78304LDRF	3988	4189	77.75	30	29.5	45.5	248	50
	65D78304LFRD	3988	4189	77.75	30	29.5	45.5	248	50
	65D78304LFRF	3988	4189	77.75	30	29.5	45.5	248	50
	65D78364LDRF	4012	4213	77.75	36	29.5	45.5	248	59
	65D78364LFRD	4012	4213	77.75	36	29.5	45.5	248	59
	65D78364LFRF	4012	4213	77.75	36	29.5	45.5	248	59
	65D84304LFRF	4110	4317	83.75	30	29.5	51.5	311	53.75
	65D84304LDRF	4110	4317	83.75	30	29.5	51.5	306	53.75
	65D84304LFRD	4110	4317	83.75	30	29.5	51.5	306	53.75
	65D84364LDRF	4133	4341	83.75	36	29.5	51.5	272	63
	65D84364LFRD	4133	4341	83.75	36	29.5	51.5	272	63
	65D84364LFRF	4133	4341	83.75	36	29.5	51.5	272	63
 Rectangular Desk, Single Pedestal	65D60304LFR0	3384	3552	59.75	30	29.5	43	206	39
	65D60304LORF	3384	3552	59.75	30	29.5	43	206	39
	65D66304LFR0	3408	3579	65.75	30	29.5	49	212	42.75
	65D66304LORF*	3408	3579	65.75	30	29.5	49	212	42.75
	65D66364LFR0	3440	3611	65.75	36	29.5	49	224	50
	65D66364LORF	3440	3611	65.75	36	29.5	49	224	50
	65D72304LFR0	3442	3614	71.75	30	29.5	55	224	46.5
	65D72304LORF	3442	3614	71.75	30	29.5	55	224	46.5
	65D72364LFR0	3499	3675	71.75	36	29.5	55	236	54.75
	65D72364LORF	3499	3675	71.75	36	29.5	55	236	54.75
	65D78304LFR0	3519	3696	77.75	30	29.5	61	236	50
	65D78304LORF	3519	3696	77.75	30	29.5	61	236	50
	65D78364LFR0	3561	3739	77.75	36	29.5	61	242	59
	65D78364LORF	3561	3739	77.75	36	29.5	61	242	59
	65D84304LFR0	3625	3807	83.75	30	29.5	67	251	53.75
	65D84304LORF	3625	3807	83.75	30	29.5	67	251	53.75
	65D84364LFR0	3667	3848	83.75	36	29.5	67	260	63
	65D84364LORF	3667	3848	83.75	36	29.5	67	260	63

ORDERING NOTES:

Drawer fronts are available in pallet at an upcharge of **\$331 list** per unit, add P at the end of the model number.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - full height pedestal
- L - left hand position
- R - right hand position
- D - 2 file drawers
- F - 2 box, 1 file drawer
- 0 - no pedestal


STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

GROMMETS

One grommet in a standard position is optional at no charge. See page 521 for more information.

LATITUDE | DESK SHELLS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
	Rectangular Desk 65SD6030X41*	2395	2516	59.75	30	29.5	57.5	154	39
	Shell, Full Ht Modesty 65SD6630X41	2423	2545	65.75	30	29.5	63.5	198	42.75
	65SD6636X41	2451	2573	65.75	36	29.5	63.5	215	50
	65SD7230X41	2480	2605	71.75	30	29.5	69.5	210	46.5
	65SD7236X41	2507	2633	71.75	36	29.5	69.5	228	54.75
	65SD7830X41	2555	2683	77.75	36	29.5	75.5	241	59
	65SD7836X41	2570	2698	77.75	36	29.5	75.5	241	59
	65SD8430X41	2630	2763	83.75	36	29.5	81.5	254	63
	65SD8436X41	2647	2779	83.75	36	29.5	81.5	254	63
	Rectangular Desk 65SD6030X31	2349	2467	59.75	30	29.5	57.5	146	39
	Shell, 3/4 Ht Modesty 65SD6630X31*	2376	2495	65.75	30	29.5	63.5	198	42.75
	65SD6636X31	2400	2521	65.75	36	29.5	63.5	215	50
	65SD7230X31	2428	2550	71.75	30	29.5	69.5	210	46.5
	65SD7236X31	2455	2578	71.75	36	29.5	69.5	228	54.75
	65SD7830X31	2503	2629	77.75	36	29.5	75.5	228	54.75
	65SD7836X31	2521	2648	77.75	36	29.5	75.5	241	59
	65SD8430X31	2577	2707	83.75	36	29.5	81.5	254	63
	65SD8436X31	2597	2727	83.75	36	29.5	81.5	254	63
	Bow Top Option BT65D6030	409	430	59.75	-	-	-	-	-
	BT65D6630*	428	450	65.75	-	-	-	-	-
	BT65D6636	448	470	65.75	-	-	-	-	-
	BT65D7230	459	481	71.75	-	-	-	-	-
	BT65D7236	478	503	71.75	-	-	-	-	-
	BT65D7830	476	501	77.75	-	-	-	-	-
	BT65D7836	498	521	77.75	-	-	-	-	-
	BT65D8430	480	505	83.75	-	-	-	-	-
	BT65D8436	502	527	83.75	-	-	-	-	-

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.


CODE DESCRIPTION

X41 - full height wood modesty
X31 - 3/4 height wood modesty
BT - bow top

VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | OPEN DESKS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet	
	Rectangular Top, 4" Diameter Metal Leg	65DQ6030D8	2257	2370	59.75	30	29.5	42	117	39.25
		65DQ6630D8	2467	2590	65.75	30	29.5	48	126	42.75
		65DQ6636D8	2488	2612	65.75	36	29.5	48	146	50
		65DQ7230D8	2507	2633	71.75	30	29.5	54	132	46.5
		65DQ7236D8	2565	2694	71.75	36	29.5	54	155	54.75
		65DQ7830D8	2593	2723	77.75	30	29.5	60	141	50
		65DQ7836D8	2606	2737	77.75	36	29.5	60	163	59
		65DQ8430D8	2620	2751	83.75	30	29.5	66	154	53.75
		65DQ8436D8	2657	2791	83.75	36	29.5	66	178	63
	Arc End Top, 4" Diameter Metal Leg	65DA6030D8	2351	2469	59.75	30	29.5	42	117	39.25
		65DA6630D8	2569	2697	65.75	30	29.5	48	126	42.75
		65DA6636D8	2591	2721	65.75	36	29.5	48	146	50
		65DA7230D8	2613	2743	71.75	30	29.5	54	132	46.5
		65DA7236D8	2673	2806	71.75	36	29.5	54	155	54.75
		65DA7830D8	2700	2836	77.75	30	29.5	60	141	50
		65DA7836D8	2717	2852	77.75	36	29.5	60	163	59
		65DA8430D8	2730	2867	83.75	30	29.5	66	154	53.75
		65DA8436D8	2769	2907	83.75	36	29.5	66	178	63
	Bullet Top, 4" Diameter Metal Leg	65DB6030D8	2520	2647	59.75	30	29.5	42	117	39.25
		65DB6630D8	2569	2697	65.75	30	29.5	48	126	42.75
		65DB6636D8	2591	2721	65.75	36	29.5	54	146	50
		65DB7230D8	2613	2743	71.75	30	29.5	54	132	46.5
		65DB7236D8	2673	2806	71.75	36	29.5	60	155	54.75
		65DB7830D8	2700	2836	77.75	36	29.5	60	141	50
		65DB7836D8	2717	2852	77.75	30	29.5	66	163	59
		65DB8430D8	2730	2867	83.75	36	29.5	66	154	53.75
		65DB8436D8	2797	2937	83.75	30	29.5	66	178	63

ORDERING NOTES: Open Desks with 4" metal leg (D8) support are not stand alone cases. They must be used in conjunction with returns or linking units. To specify optional bases on Open Desks see option chart below, replace "D8" in the model number with suffix below and add list upcharge. See page 531 for Modesty Panel options. Left or right designation MUST be specified when specifying a modesty panel. Designate by adding left (L) or by adding right (R) after the item size in the item number. i.e. 65DQ6030D8LV21

OPEN DESK BASE OPTION UPCHARGES

OPEN DESK BASE OPTION UPCHARGES									
Description	Model	List	Added Weight	Description	Model	Rift Oak	Walnut	Added Weight	
 Disc Base	DB	175	30	 Gable Base For Rectangular tops	GB	448	470	20	
 Square Plate Base	SQ	210	30	 O-Base For Rectangular tops	OB	597		18	
 2 - 2" Square Metal Legs For Rectangular tops	M	525	19						

ORDERING PROCEDURE

- To order, please specify the following:
- 1) Krug product model number
 - 2) Wood species and finish
 - 3) Grommet location and style if applicable.
 - 4) Base option if applicable.
 - 5) Modesty Panel option if applicable.

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- V21 - 1/2 height floating wood modesty
V24 - 1/2 height floating back-painted glass modesty
V29 - 1/2 height floating acrylic modesty


STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

GROMMETS

One grommet in a standard position is optional at no charge. See page 521 for more information.

LATITUDE | OPEN DESK MODESTY PANELS

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight
 1/2 Height Floating Wood Modesty	V21-30	268	281	29.75	0.75	12	6
	V21-36	276	290	35.75	0.75	12	6
	V21-42	285	298	41.75	0.75	12	8
	V21-48	294	307	47.75	0.75	12	9
	V21-54	303	319	53.75	0.75	12	10
	V21-60	312	327	59.75	0.75	12	11
	V21-66	329	346	65.75	0.75	12	12
	V21-72	368	386	71.75	0.75	12	14
	V21-78	423	446	77.75	0.75	12	15
	V21-84	550	577	83.75	0.75	12	16
 1/2 Height Floating Palette Modesty	V22-30	268		29.75	0.75	12	6
	V22-36	276		35.75	0.75	12	6
	V22-42	285		41.75	0.75	12	8
	V22-48	294		47.75	0.75	12	9
	V22-54	303		53.75	0.75	12	10
	V22-60	312		59.75	0.75	12	11
	V22-66	329		65.75	0.75	12	12
	V22-72	368		71.75	0.75	12	14
	V22-78	423		77.75	0.75	12	15
	V22-84	550		83.75	0.75	12	16
 1/2 Height Floating Back-painted Glass Modesty	V24-30	854		29.75	0.75	12	10
	V24-36	879		35.75	0.75	12	11
	V24-42	907		41.75	0.75	12	12
	V24-48	935		47.75	0.75	12	13
	V24-54	963		53.75	0.75	12	14
	V24-60	992		59.75	0.75	12	15
	V24-66	1036		65.75	0.75	12	16
	V24-72	1079		71.75	0.75	12	18
	V24-78	1119		77.75	0.75	12	19
	V24-84	1175		83.75	0.75	12	20
 1/2 Height Floating Acrylic Modesty	V29-30	504		29.75	0.75	12	4
	V29-36	520		35.75	0.75	12	5
	V29-42	536		41.75	0.75	12	6
	V29-48	553		47.75	0.75	12	7
	V29-54	570		53.75	0.75	12	8
	V29-60	588		59.75	0.75	12	9
	V29-66	616		65.75	0.75	12	10
	V29-72	644		71.75	0.75	12	12
	V29-78	672		77.75	0.75	12	13
	V29-84	714		83.75	0.75	12	14
 Full Height Fixed Wood Modesty	X41-42	568	596	41.75	0.75	12	10
	X41-48	585	614	47.75	0.75	12	15
	X41-54	602	633	53.75	0.75	12	18
	X41-60	623	653	59.75	0.75	29	20
	X41-66	657	691	65.75	0.75	29	24
	X41-72	735	773	71.75	0.75	29	26
	X41-78	844	887	77.75	0.75	29	30
	X41-84	1100	1155	83.75	0.75	29	36

ORDERING NOTES: Full height fixed wood modesty is available on Rectangular Open Desks with O-base.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

V21 - 1/2 height floating wood modesty
V22 - 1/2 height floating palette modesty
V24 - 1/2 height floating back-painted glass modesty
V29 - 1/2 height floating acrylic modesty
X41 - full height fixed wood modesty

VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | TABLE DESKS & MODESTY PANELS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Table Desk with "O" Base	65TD6030OB	4428	4649	59.75	30	29.5	56	177	41
	65TD6036OB*	4542	4770	59.75	30	29.5	56	190	41
	65TD6630OB	4627	4858	65.75	30	29.5	64	198	45.75
	65TD6636OB	4926	5173	65.75	36	29.5	64	198	45.75
	65TD7230OB	4834	5076	71.75	30	29.5	70	228	54
	65TD7236OB	5137	5394	71.75	36	29.5	70	228	54
	65TD7830OB	5060	5314	77.75	30	29.5	76	241	58.5
	65TD7836OB	5368	5637	77.75	36	29.5	76	241	58.5
	65TD8430OB	5226	5487	83.75	30	29.5	82	254	63
	65TD8436OB	5542	5819	83.75	36	29.5	82	254	63
 Table Desk with Glass Top & "O" Base	65TDGP6030OB	6598		59.75	30	29.5	56	177	41
	65TDGP6036OB*	7104		59.75	36	29.5	56	190	41
	65TDGP6630OB	6992		65.75	30	29.5	64	198	45.75
	65TDGP6636OB	7725		65.75	36	29.5	64	198	45.75
	65TDGP7230OB	7435		71.75	30	29.5	70	228	54
	65TDGP7236OB	8207		71.75	36	29.5	70	228	54
	65TDGP7830OB	7859		77.75	30	29.5	76	211	58.5
	65TDGP7836OB	8677		77.75	36	29.5	76	211	58.5
	65TDGP8430OB	8224		83.75	30	29.5	82	254	63
	65TDGP8436OB	9085		83.75	36	29.5	82	254	63

ORDERING NOTES: To specify optional modesty panels on Table Desks see below, add the model suffix and list upcharge.

 1/2 Ht Fixed Wood Modesty	X21-60	312	327	59.75	0.75	12	17
	X21-66	329	346	65.75	0.75	12	19
	X21-72	368	386	71.75	0.75	12	21
	X21-78	423	446	77.75	0.75	12	23
	X21-84	550	577	83.75	0.75	12	24
 Full Ht Fixed Wood Modesty	X41-60	623	653	59.75	0.75	29	41
	X41-66	657	691	65.75	0.75	29	45
	X41-72	735	773	71.75	0.75	29	50
	X41-78	844	887	77.75	0.75	29	54
	X41-84	1100	1155	83.75	0.75	29	58
 1/2 Ht Fixed Glass Modesty	X24-60	992		59.75	0.75	12	34
	X24-66	1036		65.75	0.75	12	38
	X24-72	1079		71.75	0.75	12	42
	X24-78	1119		77.75	0.75	12	46
	X24-84	1175		83.75	0.75	12	48
 Full Ht Fixed Glass Modesty	X44-60	1985		59.75	0.75	29	82
	X44-66	2069		65.75	0.75	29	90
	X44-72	2155		71.75	0.75	29	100
	X44-78	2237		77.75	0.75	29	108
	X44-84	2349		83.75	0.75	29	116

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable
- 4) Base option if applicable
- 5) Modesty Panel option if applicable

* Indicates model illustrated by line drawing

CODE DESCRIPTION

OB - O base
 X21 - 1/2 height fixed wood modesty
 X41 - full height fixed wood modesty
 X24 - 1/2 height fixed glass Modesty
 X44 - full height fixed glass modesty


STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.





GROMMETS

One grommet in a standard position is optional at no charge. See page 521 for more information.

LATITUDE | TABLE DESKS & MODESTY PANELS

Description	Model	Rift		W	D	H	KW	Shipping Weight	Cubic Feet
		Oak	Walnut						
 Table Desk with 4" Rectangular Gables	65TD6030	2232	2342	59.75	30	29.5	56	177	41
	65TD6036	2676	2811	59.75	30	29.5	56	190	41
	65TD6630	2454	2577	65.75	30	29.5	64	198	45.75
	65TD6636	2944	3090	65.75	36	29.5	64	198	45.75
	65TD7230	2676	2811	71.75	30	29.5	70	228	54
	65TD7236	3129	3284	71.75	36	29.5	70	228	54
	65TD7830	2824	2964	77.75	30	29.5	76	241	58.5
	65TD7836	3181	3339	77.75	36	29.5	76	241	58.5
	65TD8430	3133	3288	83.75	30	29.5	82	254	63
	65TD8436	3235	3397	83.75	36	29.5	82	254	63

ORDERING NOTES: To specify optional modesty panels on Table Desks see below, add the model suffix and list upcharge.

 1/2 Height Floating Wood Modesty	V21-60	312	327	59.75	0.75	12	11
	V21-66	329	346	65.75	0.75	12	12
	V21-72	368	386	71.75	0.75	12	14
	V21-78	423	446	77.75	0.75	12	15
	V21-84	550	577	83.75	0.75	12	16
 1/2 Height Floating Palette Modesty	V22-60	312		59.75	0.75	12	11
	V22-66	329		65.75	0.75	12	12
	V22-72	368		71.75	0.75	12	14
	V22-78	423		77.75	0.75	12	15
	V22-84	550		83.75	0.75	12	16
 1/2 Height Floating Back-painted Glass Modesty	V24-60	992		59.75	0.75	12	15
	V24-66	1036		65.75	0.75	12	16
	V24-72	1079		71.75	0.75	12	18
	V24-78	1119		77.75	0.75	12	19
	V24-84	1175		83.75	0.75	12	20
 1/2 Height Floating Acrylic Modesty	V29-60	588		59.75	0.75	12	9
	V29-66	616		65.75	0.75	12	10
	V29-72	644		71.75	0.75	12	12
	V29-78	672		77.75	0.75	12	13
	V29-84	714		83.75	0.75	12	14

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.


CODE DESCRIPTION

V21 - 1/2 height floating wood modesty
V22 - 1/2 height floating palette modesty
V24 - 1/2 height floating back-painted glass modesty
V29 - 1/2 height floating acrylic modesty





VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | TABLE DESKS & MODESTY PANELS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Table Desk with 2" Square Metal Leg	65TD6030M	2114	2219	59.75	30	29.5	56	177	41
	65TD6036M	2538	2663	59.75	30	29.5	56	190	41
	65TD6630M	2326	2442	65.75	30	29.5	64	198	45.75
	65TD6636M	2791	2930	65.75	36	29.5	64	198	45.75
	65TD7230M	2538	2663	71.75	30	29.5	70	228	54
	65TD7236M	2975	3124	71.75	36	29.5	70	228	54
	65TD7830M	2963	3112	77.75	30	29.5	76	241	58.5
	65TD7836M	3029	3180	77.75	36	29.5	76	241	58.5
	65TD8430M	3014	3166	83.75	30	29.5	82	254	63
	65TD8436M	3081	3234	83.75	36	29.5	82	254	63

ORDERING NOTES: To specify optional modesty panels on Table Desks see below, add the model suffix and list upcharge.

 1/2 Height Floating Wood Modesty	V21-60	312	327	59.75	0.75	12	11
	V21-66	329	346	65.75	0.75	12	12
	V21-72	368	386	71.75	0.75	12	14
	V21-78	423	446	77.75	0.75	12	15
	V21-84	550	577	83.75	0.75	12	16
 1/2 Height Floating Palette Modesty	V22-60	312		59.75	0.75	12	11
	V22-66	329		65.75	0.75	12	12
	V22-72	368		71.75	0.75	12	14
	V22-78	423		77.75	0.75	12	15
	V22-84	550		83.75	0.75	12	16
 1/2 Height Floating Back-painted Glass Modesty	V24-60	992		59.75	0.75	12	15
	V24-66	1036		65.75	0.75	12	16
	V24-72	1079		71.75	0.75	12	18
	V24-78	1119		77.75	0.75	12	19
	V24-84	1175		83.75	0.75	12	20
 1/2 Height Floating Acrylic Modesty	V29-60	588		59.75	0.75	12	9
	V29-66	616		65.75	0.75	12	10
	V29-72	644		71.75	0.75	12	12
	V29-78	672		77.75	0.75	12	13
	V29-84	714		83.75	0.75	12	14

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.
- 4) Base option if applicable.
- 5) Modesty Panel option if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- V21 - 1/2 height floating wood modesty
 V22 - 1/2 height floating palette modesty
 V24 - 1/2 height floating back-painted glass modesty
 V29 - 1/2 height floating acrylic modesty

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

GROMMETS

One grommet in a standard position is optional at no charge. See page 521 for more information.

LATITUDE | HEIGHT ADJUSTABLE DESK WORKSURFACES

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Electronic Height Adjustable Worksurfaces T-Base	65HA3024ETS	2764	2903	29.75	24	-	17	108.5	11.5
	65HA3624ETS	2839	2983	35.75	24	-	23	109	14
	65HA4224ETS	2894	3038	41.75	24	-	29	109	16.5
	65HA4824ETS	2955	3101	47.75	24	-	35	109.5	19
	65HA5424ETS	2992	3142	53.5	24	-	41	110	21.5
	65HA6024ETS	3075	3228	59.75	24	-	47	111	24
	65HA6624ETS	3292	3456	65.75	24	-	53	114	26.5
	65HA7224ETS	3447	3621	71.75	24	-	59	119.5	29
	65HA7824ETS	3564	3741	77.75	24	-	65	122.5	31.5
	65HA8424ETS	3632	3814	83.75	24	-	71	127	34
	65HA3030ETS	2890	3035	29.75	30	-	17	121.5	36.75
	65HA3630ETS	2962	3111	35.75	30	-	23	122	14.25
	65HA4230ETS	3012	3164	41.75	30	-	29	122	17.5
	65HA4830ETS	3077	3231	47.75	30	-	35	122.5	20.5
	65HA5430ETS	3136	3293	53.5	30	-	41	123	23.5
	65HA6030ETS*	3207	3366	59.75	30	-	47	124	26.5
	65HA6630ETS	3365	3535	65.75	30	-	53	131	29.75
	65HA7230ETS	3516	3692	71.75	30	-	59	132.5	32.75
	65HA7830ETS	3638	3819	77.75	30	-	65	142.5	35.75
	65HA8430ETS	3709	3895	83.75	30	-	71	143.5	38.75
	65HA3036ETS	3069	3222	29.75	36	-	17	121.5	42
	65HA3636ETS	3118	3275	35.75	36	-	23	122	45.5
	65HA4236ETS	3164	3322	41.75	36	-	29	122	17.25
	65HA4836ETS	3253	3415	47.75	36	-	35	122.5	20.75
	65HA5436ETS	3319	3486	53.5	36	-	41	123	24.5
	65HA6036ETS	3382	3551	59.75	36	-	47	124	28.25
	65HA6636ETS	3514	3688	65.75	36	-	53	134	32
	65HA7236ETS	3629	3812	71.75	36	-	59	151.5	35.5
	65HA7836ETS	3916	4111	77.75	36	-	65	158.5	39.25
	65HA8436ETS	4000	4201	83.75	36	-	71	159.5	43

ORDERING NOTES:

To order a Height Adjustable return or link unit worksurface (cross grain direction) add "RH" to the model number before the "ETS" e.g. 65HA8436RHETS

Height adjustable worksurfaces, 48' or longer, are available with an optional 16" overhang at one end, add "O16" after "ETS" in the model number. e.g. 65HA8436ETSO16

Standard base is a T-base. To order a C-base on worksurfaces, up to 30" deep only, replace "T" with "C" e.g. 65HA8430ECS

To specify optional modesty panels add the model suffix and list upcharge shown on page 532.

To order dual stage height adjustable base replace "ETS" with "ETD" and add **\$626 list.** e.g. 65HA8436ETD

Height Adjustable bases come standard with a Silver up/down button. Please contact customer service for alternate color availability. A 4 position programmable display is available, see page 557 for list price.

Single stage height adjustable range 27 1/2"-46 1/4"

Dual stage height adjustable range 22 1/2"-48 1/4"

Power cord is 10 feet long.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

E - electric
T - T-base
S - single stage
RH - return or link unit (cross grain top)
O16 - 16" overhang
C - C-base
D - dual stage

VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | HEIGHT ADJUSTABLE WORKSURFACES

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Electronic Height Adjustable Worksurfaces, Base Enclosures 	65HA4224ETSG	4804	5045	41.75	24	-	24	154	16.5
	65HA4824ETSG	4867	5110	47.75	24	-	30	154.5	19
	65HA5424ETSG	4909	5155	53.5	24	-	36	155	21.5
	65HA6024ETSG	4991	5239	59.75	24	-	42	156	24
	65HA6624ETSG	5216	5478	65.75	24	-	48	159	26.5
	65HA7224ETSG	5375	5643	71.75	24	-	54	164.5	29
	65HA7824ETSG	5492	5767	77.75	24	-	60	167.5	31.5
	65HA8424ETSG	5566	5844	83.75	24	-	66	172	34
	65HA4230ETSG	5146	5403	41.75	30	-	24	177	17.5
	65HA4830ETSG	5212	5473	47.75	30	-	30	177.5	20.5
	65HA5430ETSG	5270	5534	53.5	30	-	36	178	23.5
	65HA6030ETSG	5342	5610	59.75	30	-	42	179	26.5
	65HA6630ETSG	5508	5784	65.75	30	-	48	186	29.75
	65HA7230ETSG	5663	5944	71.75	30	-	54	187.5	32.75
	65HA7830ETSG	5788	6076	77.75	30	-	60	197.5	35.75
	65HA8430ETSG	6073	6376	83.75	30	-	66	198.5	38.75
	65HA4236ETSG	5511	5787	41.75	36	-	24	187	17.25
	65HA4836ETSG	5600	5881	47.75	36	-	30	187.5	20.75
	65HA5436ETSG	5669	5953	53.5	36	-	36	188	24.5
	65HA6036ETSG	5735	6022	59.75	36	-	42	189	28.25
	65HA6636ETSG	5872	6165	65.75	36	-	48	199	32
	65HA7236ETSG	5780	6070	71.75	36	-	54	216.5	35.5
	65HA7836ETSG	6284	6598	77.75	36	-	60	223.5	39.25
	65HA8436ETSG	6372	6690	83.75	36	-	66	224.5	43

ORDERING NOTES:

To order a Height Adjustable return or link unit worksurface (cross grain direction) add "RH" to the model number before the "ETS" e.g. 65HA8436**RH**ETSG

Height adjustable worksurfaces, 48' or longer, are available with an optional 16" overhang at one end, add "O16" after "ETS" in the model number. e.g. 65HA8436ETS**O16**G

To order dual stage height adjustable base replace "ETS" with "ETD" and add **\$626 list**. e.g. 65HA8436**ETD**G

To specify optional modesty panels add the model suffix and list upcharge shown on page 532. To allow clearance for Base Enclosures order modesty 3 sizes smaller. e.g. 72" worksurface - order a 54" modesty.

Height Adjustable bases come standard with a Silver up/down button. Please contact customer service for alternate color availability. A 4 position programmable display is available, see page 557 for list price.

Single stage height adjustable range 28 3/8"-47 1/4"

Dual stage height adjustable range 23 7/16"-49 7/16"

Power cord is 10 feet long.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.
- 4) Base option if applicable.
- 5) Modesty Panel option if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- E - electric
- T - T-base
- S - single stage
- G - base enclosure
- RH - return or link unit (cross grain top)
- O16 - 16" overhang
- C - C-base
- D - dual stage

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

GROMMETS

One grommet in a standard position is optional at no charge. See page 521 for more information.

LATITUDE | HEIGHT ADJUSTABLE RETURN WORKSURFACES

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Electronic Height Adjustable Return	65HA4824RHETS	2955	3101	47.75	24	-	35	109.5	19
Worksurfaces T-Base	65HA5424RHETS	2992	3142	53.5	24	-	41	110	21.5
	65HA6024RHETS	3075	3228	59.75	24	-	47	111	24
	65HA6624RHETS	3292	3456	65.75	24	-	53	114	26.5
	65HA7224RHETS	3447	3621	71.75	24	-	59	119.5	29
	65HA7824RHETS	3564	3741	77.75	24	-	65	122.5	31.5
	65HA8424RHETS	3632	3814	83.75	24	-	71	127	34
	65HA4830RHETS	3077	3231	47.75	30	-	35	122.5	20.5
	65HA5430RHETS	3136	3293	53.5	30	-	41	123	23.5
	65HA6030RHETS*	3207	3366	59.75	30	-	47	124	26.5
	65HA6630RHETS	3365	3535	65.75	30	-	53	131	29.75
	65HA7230RHETS	3516	3692	71.75	30	-	59	132.5	32.75
	65HA7830RHETS	3638	3819	77.75	30	-	65	142.5	35.75
	65HA8430RHETS	3709	3895	83.75	30	-	71	143.5	38.75
	65HA4836RHETS	3253	3415	47.75	36	-	35	122.5	20.75
	65HA5436RHETS	3319	3486	53.5	36	-	41	123	24.5
	65HA6036RHETS	3382	3551	59.75	36	-	47	124	28.25
	65HA6636RHETS	3514	3688	65.75	36	-	53	134	32
	65HA7236RHETS	3629	3812	71.75	36	-	59	151.5	35.5
	65HA7836RHETS	3916	4111	77.75	36	-	65	158.5	39.25
	65HA8436RHETS	4000	4201	83.75	36	-	71	159.5	43

ORDERING NOTES:

To order a Height Adjustable return or link unit worksurface (cross grain direction) add "RH" to the model number before the "ETS" e.g. 65HA8436RHETS

Height adjustable worksurfaces, 48" or longer, are available with an optional 16" overhang at one end, add "O16" after "ETS" in the model number. e.g. 65HA8436ETSO16

Standard base is a T-base. To order a C-base on worksurfaces, up to 30" deep only, replace "T" with "C" e.g. 65HA8430ECS

To specify optional modesty panels add the model suffix and list upcharge shown on page 532.

To order dual stage height adjustable base replace "ETS" with "ETD" and add **\$626 list.** e.g. 65HA8436ETD

Height Adjustable bases come standard with a Silver up/down button. Please contact customer service for alternate color availability. A 4 position programable display is available, see page 557 for list price.

Single stage height adjustable range 27 1/2"-46 1/4"

Dual stage height adjustable range 22 1/2"-48 1/4"

Power cord is 10 feet long.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

RH - return (cross grain)
E - electric
T- T-base
S- single stage
O16 - 16" overhang
C - C-base
D - dual stage

VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | HEIGHT ADJUSTABLE RETURN WORKSURFACES

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Electronic Height Adjustable Return Worksurfaces, Base Enclosures	65HA4824ETSG	4867	5110	47.75	24	-	30	154.5	19
	65HA5424ETSG	4909	5155	53.5	24	-	36	155	21.5
	65HA6024ETSG	4991	5239	59.75	24	-	42	156	24
	65HA6624ETSG	5216	5478	65.75	24	-	48	159	26.5
	65HA7224ETSG	5375	5643	71.75	24	-	54	164.5	29
	65HA7824ETSG	5492	5767	77.75	24	-	60	167.5	31.5
	65HA8424ETSG	5566	5844	83.75	24	-	66	172	34
	65HA4830ETSG	5212	5473	47.75	30	-	30	177.5	20.5
	65HA5430ETSG	5270	5534	53.5	30	-	36	178	23.5
	65HA6030ETSG	5342	5610	59.75	30	-	42	179	26.5
	65HA6630ETSG	5508	5784	65.75	30	-	48	186	29.75
	65HA7230ETSG	5663	5944	71.75	30	-	54	187.5	32.75
	65HA7830ETSG	5788	6076	77.75	30	-	60	197.5	35.75
	65HA8430ETSG	6073	6376	83.75	30	-	66	198.5	38.75
	65HA4836ETSG	5600	5881	47.75	36	-	30	187.5	20.75
	65HA5436ETSG	5669	5953	53.5	36	-	36	188	24.5
	65HA6036ETSG	5735	6022	59.75	36	-	42	189	28.25
	65HA6636ETSG	5872	6165	65.75	36	-	48	199	32
	65HA7236ETSG	5780	6070	71.75	36	-	54	216.5	35.5
	65HA7836ETSG	6284	6598	77.75	36	-	60	223.5	39.25
	65HA8436ETSG	6372	6690	83.75	36	-	66	224.5	43

ORDERING NOTES:

To order a Height Adjustable return or link unit worksurface (cross grain direction) add "RH" to the model number before the "ETS" e.g. 65HA8436**RH**ETSG

Height adjustable worksurfaces, 48' or longer, are available with an optional 16" overhang at one end, add "O16" after "ETS" in the model number. e.g. 65HA8436ETS**O16**G

To order dual stage height adjustable base replace "ETS" with "ETD" and add **\$626 list**. e.g. 65HA8436**ETD**G

To specify optional modesty panels add the model suffix and list upcharge shown on page 532. To allow clearance for Base Enclosures order modesty 3 sizes smaller. e.g. 72" worksurface - order a 54" modesty.

Height Adjustable bases come standard with a Silver up/down button. Please contact customer service for alternate color availability. A 4 position programmable display is available, see page 557 for list price.

Single stage height adjustable range 28 3/8"-47 1/4"

Dual stage height adjustable range 23 7/16"-49 7/16"

Power cord is 10 feet long.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.
- 4) Base option if applicable.
- 5) Modesty Panel option if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

HA - height adjustable
RH - return (cross grain)
E - electric
T - T- base
C - C- base
S - single stage
D - dual stage


STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

GROMMETS

One grommet in a standard position is optional at no charge. See page 521 for more information.

LATITUDE | MODESTY PANELS FOR HEIGHT ADJUSTABLE WORKSURFACES WITH BASE ENCLOSURES

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight
1/2 Height Floating Wood Modesty	V21-48	276	290	47.75	0.75	12	9
	V21-54	285	298	53.75	0.75	12	10
	V21-60	294	307	59.75	0.75	12	11
	V21-66	303	319	65.75	0.75	12	12
	V21-72	312	327	71.75	0.75	12	14
	V21-78	329	346	77.75	0.75	12	15
	V21-84	368	386	83.75	0.75	12	16
							
1/2 Height Floating Palette Modesty	V22-48	276		47.75	0.75	12	9
	V22-54	285		53.75	0.75	12	10
	V22-60	294		59.75	0.75	12	11
	V22-66	303		65.75	0.75	12	12
	V22-72	312		71.75	0.75	12	14
	V22-78	329		77.75	0.75	12	15
	V22-84	368		83.75	0.75	12	16
							
1/2 Height Floating Back-painted Glass Modesty	V24-48	879		47.75	0.75	12	13
	V24-54	907		53.75	0.75	12	14
	V24-60	935		59.75	0.75	12	15
	V24-66	963		65.75	0.75	12	16
	V24-72	992		71.75	0.75	12	18
	V24-78	1036		77.75	0.75	12	19
	V24-84	1079		83.75	0.75	12	20
							
1/2 Height Floating Acrylic Modesty	V29-48	520		47.75	0.75	12	7
	V29-54	536		53.75	0.75	12	8
	V29-60	553		59.75	0.75	12	9
	V29-66	570		65.75	0.75	12	10
	V29-72	588		71.75	0.75	12	12
	V29-78	616		77.75	0.75	12	13
	V29-84	644		83.75	0.75	12	14
							
Full Height Fixed Wood Modesty	X41-48	550	577	47.75	0.75	12	15
	X41-54	568	596	53.75	0.75	12	18
	X41-60	585	614	59.75	0.75	29	20
	X41-66	602	633	65.75	0.75	29	24
	X41-72	623	653	71.75	0.75	29	26
	X41-78	657	691	77.75	0.75	29	30
	X41-84	735	773	83.75	0.75	29	36
							

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

V21 - 1/2 height floating wood modesty
V22 - 1/2 height floating palette modesty
V24 - 1/2 height floating back-painted glass modesty
V29 - 1/2 height floating acrylic modesty
X41 - full height fixed wood modesty

VENEER


Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | DESK RUNOFFS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Rectangular Desk Runoffs, 4" Dia. Metal Leg	65DR48304LD8	1610	1691	47.75	30	29.5	30.75	58	8.5
	65DR48304RD8	1610	1691	47.75	30	29.5	30.75	58	8.5
	65DR48364LD8	1622	1703	47.75	36	29.5	27.75	66	9.5
	65DR48364RD8	1622	1703	47.75	36	29.5	27.75	66	9.5
	65DR54304LD8	1635	1718	53.75	30	29.5	36.75	63	9
	65DR54304RD8	1635	1718	53.75	30	29.5	36.75	63	9
	65DR54364LD8	1646	1727	53.75	36	29.5	33.75	71	10.5
	65DR54364RD8	1646	1727	53.75	36	29.5	33.75	71	10.5
	65DR60304LD8	1659	1743	59.75	30	29.5	42.75	68	10
	65DR60304RD8	1659	1743	59.75	30	29.5	42.75	68	10
	65DR60364LD8	1672	1754	59.75	36	29.5	39.75	77	11.5
	65DR60364RD8	1672	1754	59.75	36	29.5	39.75	77	11.5
	65DR66304LD8	1680	1765	65.75	30	29.5	48.75	99	10.75
	65DR66304RD8	1680	1765	65.75	30	29.5	48.75	99	10.75
	65DR66364LD8	1704	1790	65.75	36	29.5	45.75	88	12.5
	65DR66364RD8	1704	1790	65.75	36	29.5	45.75	88	12.5
	65DR72304LD8	1749	1837	71.75	30	29.5	54.75	104	11.5
	65DR72304RD8	1749	1837	71.75	30	29.5	54.75	104	11.5
	65DR72364LD8	1793	1883	71.75	36	29.5	51.75	95	13.5
	65DR72364RD8	1793	1883	71.75	36	29.5	51.75	95	13.5
	65DR78304LD8	1801	1890	77.75	30	29.5	56.75	58	8.5
	65DR78304RD8	1801	1890	77.75	30	29.5	56.75	58	8.5
	65DR78364LD8	1846	1938	77.75	36	29.5	56.75	66	9.5
	65DR78364RD8	1846	1938	77.75	36	29.5	56.75	66	9.5
	65DR84304LD8	1855	1948	83.75	30	29.5	66.75	114	13
	65DR84304RD8	1855	1948	83.75	30	29.5	66.75	114	13
	65DR84364LD8	1901	1994	83.75	36	29.5	63.75	108	15
	65DR84364RD8	1901	1994	83.75	36	29.5	63.75	108	15

ORDERING NOTES: To specify optional bases on desk Runoffs see option chart, replace "D8" in the model number with model suffix below and add list upcharge. When specifying a modesty panel add -20 before modesty panel suffix when runoff is to be used with a 20" deep credenza, add -24 when runoff is to be used with a 24" deep credenza. See page 531 for Modesty Panel options.

DESK RUNOFF BASE OPTION UPCHARGES

Description	Model	List	Added Weight	Description	Model	Rift Oak	Walnut	Added Weight
 Disc Base	DB	175	30	 BBF Pedestal	4F	1552	1631	83
 Square Plate Base	SQ	210	30	 FF Pedestal	4D	1345	1412	78
 O-Base	OB	597	18	 BF Pedestal	3F	1274	1337	54
 2- 2" Square Metal Leg	M	525	19	Gable Base  4" Gable Base	GB 4G	448 478	470 502	20 28

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.
- 4) Base option if applicable.
- 5) Modesty Panel option if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - Full Height
L - left hand position
R - right hand position

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

GROMMETS

One grommet in a standard position is optional at no charge. See page 539 for more information.

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Arc End Desk Runoffs, 4" Dia. Metal Leg	65DRA48304LD8	1610	1691	47.75	30	29.5	30.75	58	8.5
	65DRA48304RD8	1610	1691	47.75	30	29.5	30.75	58	8.5
	65DRA48364LD8	1622	1703	47.75	36	29.5	27.75	66	9.5
	65DRA48364RD8	1622	1703	47.75	36	29.5	27.75	66	9.5
	65DRA54304LD8	1635	1718	53.75	30	29.5	36.75	63	9
	65DRA54304RD8	1635	1718	53.75	30	29.5	36.75	63	9
	65DRA54364LD8	1646	1727	53.75	36	29.5	33.75	71	10.5
	65DRA54364RD8	1646	1727	53.75	36	29.5	33.75	71	10.5
	65DRA60304LD8	1659	1743	59.75	30	29.5	42.75	68	10
	65DRA60304RD8	1659	1743	59.75	30	29.5	42.75	68	10
	65DRA60364LD8	1672	1754	59.75	36	29.5	39.75	77	11.5
	65DRA60364RD8	1672	1754	59.75	36	29.5	39.75	77	11.5
	65DRA66304LD8	1680	1765	65.75	30	29.5	48.75	99	10.75
	65DRA66304RD8	1680	1765	65.75	30	29.5	48.75	99	10.75
	65DRA66364LD8	1704	1790	65.75	36	29.5	45.75	88	12.5
	65DRA66364RD8	1704	1790	65.75	36	29.5	45.75	88	12.5
	65DRA72304LD8	1749	1837	71.75	30	29.5	54.75	104	11.5
	65DRA72304RD8	1749	1837	71.75	30	29.5	54.75	104	11.5
	65DRA72364LD8	1793	1883	71.75	36	29.5	51.75	95	13.5
	65DRA72364RD8	1793	1883	71.75	36	29.5	51.75	95	13.5
	65DRA78304LD8	1801	1890	77.75	30	29.5	56.75	58	8.5
	65DRA78304RD8	1801	1890	77.75	30	29.5	56.75	58	8.5
	65DRA78364LD8	1846	1938	77.75	36	29.5	56.75	66	9.5
	65DRA78364RD8	1846	1938	77.75	36	29.5	56.75	66	9.5
	65DRA84304LD8	1855	1948	83.75	30	29.5	66.75	114	13
	65DRA84304RD8	1855	1948	83.75	30	29.5	66.75	114	13
	65DRA84364LD8	1901	1994	83.75	36	29.5	63.75	108	15
	65DRA84364RD8	1901	1994	83.75	36	29.5	63.75	108	15

ORDERING NOTES: To specify optional Disc base on desk Runoffs see option chart below, replace "D8" in the model number with model suffix below and add list upcharge. When specifying a modesty panel add -20 before modesty panel suffix when runoff is to be used with a 20" deep credenza, add -24 when runoff is to be used with a 24" deep credenza. See page 531 for Modesty Panel options.

OPEN DESK BASE OPTION UPCHARGES

Description	Model	List	Added Weight
Disc Base	DB	175	30



DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

4 - full Height
L - left hand position
R - right hand position

VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | DESK RUNOFFS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
	65DRB48304LD8	1610	1691	47.75	30	29.5	30.75	58	8.5
	65DRB48304RD8	1610	1691	47.75	30	29.5	30.75	58	8.5
	65DRB48364LD8	1622	1703	47.75	36	29.5	27.75	66	9.5
	65DRB48364RD8	1622	1703	47.75	36	29.5	27.75	66	9.5
	65DRB54304LD8	1635	1718	53.75	30	29.5	36.75	63	9
	65DRB54304RD8	1635	1718	53.75	30	29.5	36.75	63	9
	65DRB54364LD8	1646	1727	53.75	36	29.5	33.75	71	10.5
	65DRB54364RD8	1646	1727	53.75	36	29.5	33.75	71	10.5
	65DRB60304LD8	1659	1743	59.75	30	29.5	42.75	68	10
	65DRB60304RD8	1659	1743	59.75	30	29.5	42.75	68	10
	65DRB60364LD8	1672	1754	59.75	36	29.5	39.75	77	11.5
	65DRB60364RD8	1672	1754	59.75	36	29.5	39.75	77	11.5
	65DRB66304LD8	1680	1765	65.75	30	29.5	48.75	99	10.75
	65DRB66304RD8	1680	1765	65.75	30	29.5	48.75	99	10.75
	65DRB66364LD8	1704	1790	65.75	36	29.5	45.75	88	12.5
	65DRB66364RD8	1704	1790	65.75	36	29.5	45.75	88	12.5
	65DRB72304LD8	1749	1837	71.75	30	29.5	54.75	104	11.5
	65DRB72304RD8	1749	1837	71.75	30	29.5	54.75	104	11.5
	65DRB72364LD8	1793	1883	71.75	36	29.5	51.75	95	13.5
	65DRB72364RD8	1793	1883	71.75	36	29.5	51.75	95	13.5
	65DRB78304LD8	1801	1890	77.75	30	29.5	56.75	58	8.5
	65DRB78304RD8	1801	1890	77.75	30	29.5	56.75	58	8.5
	65DRB78364LD8	1846	1938	77.75	36	29.5	56.75	66	9.5
	65DRB78364RD8	1846	1938	77.75	36	29.5	56.75	66	9.5
	65DRB84304LD8	1855	1948	83.75	30	29.5	66.75	114	13
	65DRB84304RD8	1855	1948	83.75	30	29.5	66.75	114	13
	65DRB84364LD8	1901	1994	83.75	36	29.5	63.75	108	15
	65DRB84364RD8	1901	1994	83.75	36	29.5	63.75	108	15

ORDERING NOTES: To specify optional Disc base on desk Runoffs see option chart below, replace "D8" in the model number with model suffix below and add list upcharge. When specifying a modesty panel add -20 before modesty panel suffix when runoff is to be used with a 20" deep credenza, add -24 when runoff is to be used with a 24" deep credenza. See page 531 for Modesty Panel options.

OPEN DESK BASE OPTION UPCHARGES

Description	Model	List	Added Weight
Disc Base	DB	175	30



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.
- 4) Base option if applicable.
- 5) Modesty Panel option if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - full Height
- L - left hand position
- R - right hand position

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

GROMMETS



One grommet in a standard position is optional at no charge. See page 521 for more information.

LATITUDE | RECTANGULAR DESK RUNOFFS FOR 3/4 CREDENZAS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
	65DR60303LD8	1686	1771	59.75	30	29.5	21.5	68	10
	65DR60303RD8	1686	1771	59.75	30	29.5	21.5	68	10
	65DR60363LD8	1700	1784	59.75	36	29.5	21.5	77	11.5
	65DR60363RD8	1700	1784	59.75	36	29.5	21.5	77	11.5
	65DR66303LD8	1713	1798	65.75	30	29.5	27.5	99	10.75
	65DR66303RD8	1713	1798	65.75	30	29.5	27.5	99	10.75
	65DR66363LD8	1751	1839	65.75	36	29.5	24.5	88	12.5
	65DR66363RD8	1751	1839	65.75	36	29.5	24.5	88	12.5
	65DR72303LD8	1783	1872	71.75	30	29.5	33	104	11.5
	65DR72303RD8	1783	1872	71.75	30	29.5	33	104	11.5
	65DR72363LD8	1805	1951	71.75	36	29.5	30	95	13.5
	65DR72363RD8	1805	1951	71.75	36	29.5	30	95	13.5
	65DR78303LD8	1879	1971	77.75	30	29.5	39	58	8.5
	65DR78303RD8	1879	1971	77.75	30	29.5	39	58	8.5
	65DR78363LD8	2168	2277	77.75	36	29.5	36	66	9.5
	65DR78363RD8	2168	2277	77.75	36	29.5	36	66	9.5
	65DR84303LD8	2489	2613	83.75	30	29.5	45	114	13
	65DR84303RD8	2489	2613	83.75	30	29.5	45	114	13
	65DR84363LD8	3008	3160	83.75	36	29.5	42	108	15
	65DR84363RD8	3008	3160	83.75	36	29.5	42	108	15

ORDERING NOTES: To specify optional bases on desk Runoffs see option chart below, replace "D8" in the model number with model suffix below and add list upcharge. When specifying a modesty panel add -20 before modesty panel suffix when runoff is to be used with a 20" deep credenza, add -24 when runoff is to be used with a 24" deep credenza. See page 531 for Modesty Panel options.

DESK RUNOFF BASE OPTION UPCHARGES

Description	Model	List	Added Weight	Description	Model	Rift Oak	Walnut	Added Weight
	DB	175	30		4F	1552	1631	83
	SQ	210	30		4D	1345	1412	78
	O-Base OB	597	18		3F	1274	1337	54
	2 - 2" Square Metal Leg M	525	19		GB 4G	448 478	470 502	20 28

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

3 - 3/4 Height Pedestal
L - left hand position
R - right hand position

veneer

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | DESK RUNOFFS FOR 3/4 HEIGHT CREDENZAS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Arc End Desk Runoffs, 4" Dia. Metal Leg	65DRA60303LD8	1686	1771	59.75	30	29.5	21.5	68	10
	65DRA60303RD8	1686	1771	59.75	30	29.5	21.5	68	10
	65DRA60363LD8	1700	1784	59.75	36	29.5	21.5	77	11.5
	65DRA60363RD8	1700	1784	59.75	36	29.5	21.5	77	11.5
	65DRA66303LD8	1713	1798	65.75	30	29.5	27.5	99	10.75
	65DRA66303RD8	1713	1798	65.75	30	29.5	27.5	99	10.75
	65DRA66363LD8	1751	1839	65.75	36	29.5	24.5	88	12.5
	65DRA66363RD8	1751	1839	65.75	36	29.5	24.5	88	12.5
	65DRA72303LD8	1783	1872	71.75	30	29.5	33	104	11.5
	65DRA72303RD8	1783	1872	71.75	30	29.5	33	104	11.5
	65DRA72363LD8	1805	1951	71.75	36	29.5	30	95	13.5
	65DRA72363RD8	1805	1951	71.75	36	29.5	30	95	13.5
	65DRA78303LD8	1879	1971	77.75	30	29.5	39	58	8.5
	65DRA78303RD8	1879	1971	77.75	30	29.5	39	58	8.5
	65DRA78363LD8	2168	2277	77.75	36	29.5	36	66	9.5
	65DRA78363RD8	2168	2277	77.75	36	29.5	36	66	9.5
	65DRA84303LD8	2489	2613	83.75	30	29.5	45	114	13
	65DRA84303RD8	2489	2613	83.75	30	29.5	45	114	13
	65DRA84363LD8	3008	3160	83.75	36	29.5	42	108	15
	65DRA84363RD8	3008	3160	83.75	36	29.5	42	108	15
 Bullet Desk Runoffs, 4" Dia. Metal Leg	65DRB60303LD8	1686	1771	59.75	30	29.5	21.5	68	10
	65DRB60303RD8	1686	1771	59.75	30	29.5	21.5	68	10
	65DRB60363LD8	1700	1784	59.75	36	29.5	21.5	77	11.5
	65DRB60363RD8	1700	1784	59.75	36	29.5	21.5	77	11.5
	65DRB66303LD8	1713	1798	65.75	30	29.5	27.5	99	10.75
	65DRB66303RD8	1713	1798	65.75	30	29.5	27.5	99	10.75
	65DRB66363LD8	1751	1839	65.75	36	29.5	24.5	88	12.5
	65DRB66363RD8	1751	1839	65.75	36	29.5	24.5	88	12.5
	65DRB72303LD8	1783	1872	71.75	30	29.5	33	104	11.5
	65DRB72303RD8	1783	1872	71.75	30	29.5	33	104	11.5
	65DRB72363LD8	1805	1951	71.75	36	29.5	30	95	13.5
	65DRB72363RD8	1805	1951	71.75	36	29.5	30	95	13.5
	65DRB78303LD8	1879	1971	77.75	30	29.5	39	58	8.5
	65DRB78303RD8	1879	1971	77.75	30	29.5	39	58	8.5
	65DRB78363LD8	2168	2277	77.75	36	29.5	36	66	9.5
	65DRB78363RD8	2168	2277	77.75	36	29.5	36	66	9.5
	65DRB84303LD8	2489	2613	83.75	30	29.5	45	114	13
	65DRB84303RD8	2489	2613	83.75	30	29.5	45	114	13
	65DRB84363LD8	3008	3160	83.75	36	29.5	42	108	15
	65DRB84363RD8	3008	3160	83.75	36	29.5	42	108	15

ORDERING NOTES: To specify optional Disc base on desk Runoffs see option chart below, replace "D8" in the model number with model suffix below and add list upcharge. When specifying a modesty panel add -20 before modesty panel suffix when runoff is to be used with a 20" deep credenza, add -24 when runoff is to be used with a 24" deep credenza. See page 531 for Modesty Panel options.

OPEN DESK BASE OPTION UPCHARGES

Description	Model	List	Added Weight
Disc Base	DB	185	30



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 3 - 3/4 Height Pedestal
L - left hand position
R - right hand position

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

GROMMETS

One grommet in a standard position is optional at no charge. See page 521 for more information.

MODESTY PANEL

For the hinged modesty panel option add Y after RH and add a 10% upcharge.

e.g. 65RHY6024L4DX41CASEGOODS | VIZIENT | 551

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Return Shell, Fixed Full Ht Wood Modesty	65SRH3024LX41	1224	1286	29.75	24	29.5	29	72.5	18.25
	65SRH3024RX41*	1224	1286	29.75	24	29.5	29	72.5	18
	65SRH3624LX41	1307	1372	35.75	24	29.5	35	87	21.5
	65SRH3624RX41	1307	1372	35.75	24	29.5	35	87	21.5
	65SRH4224LX41	1457	1530	41.75	24	29.5	41	98	24.5
	65SRH4224RX41	1457	1530	41.75	24	29.5	41	98	24.5
	65SRH4824LX41	1469	1541	47.75	24	29.5	47	108	27.5
	65SRH4824RX41	1469	1541	47.75	24	29.5	47	108	27.5
	65SRH5424LX41	1515	1590	53.75	24	29.5	53	114.5	30.75
	65SRH5424RX41	1515	1590	53.75	24	29.5	53	114.5	30.75
	65SRH6024LX41	1555	1634	59.75	24	29.5	65	124	33.75
	65SRH6024RX41	1555	1634	59.75	24	29.5	65	124	33.75
	65SRH6624LX41	1603	1682	65.75	24	29.5	65	133	37
	65SRH6624RX41	1603	1682	65.75	24	29.5	65	133	37
	65SRH7224LX41	1651	1733	71.75	24	29.5	71	142	40
	65SRH7224RX41	1651	1733	71.75	24	29.5	71	142	40
Single Pedestal Return , Full Height Fixed Wood Modesty	65RH3620L4DX41	2025	2126	35.75	20	29.5	20	104	18.25
	65RH3620L4FX41*	2025	2126	35.75	20	29.5	20	104	18.25
	65RH3620R4DX41	2025	2126	35.75	20	29.5	20	108	18.25
	65RH3620R4FX41	2025	2126	35.75	20	29.5	20	108	18.25
	65RH3624L4DX41	2089	2194	35.75	24	29.5	20	115	21.5
	65RH3624L4FX41	2089	2194	35.75	24	29.5	20	115	21.5
	65RH3624R4DX41	2089	2194	35.75	24	29.5	20	119	21.5
	65RH3624R4FX41	2089	2194	35.75	24	29.5	20	119	21.5
	65RH4220L4DX41	2585	2714	41.75	20	29.5	26	100	21
	65RH4220L4FX41	2585	2714	41.75	20	29.5	26	100	21
	65RH4220R4DX41	2585	2714	41.75	20	29.5	26	100	21
	65RH4220R4FX41	2585	2714	41.75	20	29.5	26	100	21
	65RH4224L4DX41	2603	2734	41.75	24	29.5	26	104	24.5
	65RH4224L4FX41	2603	2734	41.75	24	29.5	26	104	24.5
	65RH4224R4DX41	2603	2734	41.75	24	29.5	26	104	24.5
	65RH4224R4FX41	2603	2734	41.75	24	29.5	26	104	24.5
	65RH4820L4DX41	2626	2756	48.75	20	29.5	32	104	23.75
	65RH4820L4FX41	2626	2756	48.75	20	29.5	32	104	23.75
	65RH4820R4DX41	2626	2756	48.75	20	29.5	32	104	23.75
	65RH4820R4FX41	2626	2756	48.75	20	29.5	32	104	23.75
	65RH4824L4DX41	2635	2768	48.75	24	29.5	32	108	27.5
	65RH4824L4FX41	2635	2768	48.75	24	29.5	32	108	27.5
	65RH4824R4DX41	2635	2768	48.75	24	29.5	32	108	27.5
	65RH4824R4FX41	2635	2768	48.75	24	29.5	32	108	27.5
	65RH5424L4DX41	2657	2791	53.75	24	29.5	38	138	30.75
	65RH5424L4FX41	2657	2791	53.75	24	29.5	38	138	30.75
	65RH5424R4DX41	2657	2791	53.75	24	29.5	38	142	30.75
	65RH5424R4FX41	2657	2791	53.75	24	29.5	38	142	30.75
	65RH6024L4DX41	2679	2813	59.75	24	29.5	38	146	33.75
	65RH6024L4FX41	2679	2813	59.75	24	29.5	38	146	33.75
	65RH6024R4DX41	2679	2813	59.75	24	29.5	38	150	33.75
	65RH6024R4FX41	2679	2813	59.75	24	29.5	38	150	33.75
	65RH6624L4DX41	2759	2897	65.75	24	29.5	50	158	37
	65RH6624L4FX41	2759	2897	65.75	24	29.5	50	158	37
	65RH6624R4DX41	2759	2897	65.75	24	29.5	50	162	37
	65RH6624R4FX41	2759	2897	65.75	24	29.5	50	162	37
	65RH7224L4DX41	2844	2986	71.75	24	29.5	50	166	40
	65RH7224L4FX41	2844	2986	71.75	24	29.5	50	166	40
	65RH7224R4DX41	2844	2986	71.75	24	29.5	50	170	40
	65RH7224R4FX41	2844	2986	71.75	24	29.5	50	170	40

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

L - left hand position
R - right hand position
D - 2 file drawers
F - 2 box, 1 file drawer
X41 - full height fixed wood modesty
X21- 1/2 height fixed wood modesty

VEENER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | LINKING UNITS AND CORNER UNITS

Description	Model	Rift		W	D	H	KW	Shipping Weight	Cubic Feet
		Oak	Walnut						
Single Pedestal Return for Table Desk, Full Height Fixed Wood Modesty	65RHTD4224L4DX41	2423	2545	42	24	29.5	26	61	24.5
	65RHTD4224L4FX41*	2423	2545	42	24	29.5	26	61	24.5
	65RHTD4224R4DX41	2423	2545	42	24	29.5	26	61	24.5
	65RHTD4224R4FX41	2423	2545	42	24	29.5	26	61	24.5
	65RHTD4824L4DX41	2449	2571	48	24	29.5	32	67	27.5
	65RHTD4824L4FX41	2449	2571	48	24	29.5	32	67	27.5
	65RHTD4824R4DX41	2449	2571	48	24	29.5	32	67	27.5
	65RHTD4824R4FX41	2449	2571	48	24	29.5	32	67	27.5
	65RHTD6024L4DX41	2474	2598	59.75	24	29.5	44	78	33.75
	65RHTD6024L4FX41	2474	2598	59.75	24	29.5	44	78	33.75
	65RHTD6024R4DX41	2474	2598	59.75	24	29.5	44	78	33.75
	65RHTD6024R4FX41	2474	2598	59.75	24	29.5	44	78	33.75

ORDERING NOTES:

For the hinged modesty panel option add Y after RH and add a 10% upcharge. e.g. 65RHYTD6024L4DX41.

Linking Top	65LU3024H	547	573	30	24	29.5		19.5	2
	65LU3620H	601	632	36	20	29.5		15	1.5
	65LU3624H	614	645	36	24	29.5		16	1.75
	65LU4220H	630	662	42	20	29.5		20	1.5
	65LU4224H	652	684	42	24	29.5		24	2
	65LU4820H	659	693	48	20	29.5		29	1.75
	65LU4824H	677	709	48	24	29.5		36	2
	65LU5424H	802	840	54	24	29.5		35	3.5
	65LU6024H	848	890	59.75	24	29.5		38.5	3.75
	65LU6624H	894	940	65.75	24	29.5		42.5	4
	65LU7224H	966	1014	71.75	24	29.5		46.5	4.5

Linking Unit with Fixed Modesty	65LU3024HX41	1058	1110	30	24	29.5		46	3
	65LU3620HX41	1197	1259	36	20	29.5		59	3
	65LU3624HX41	1251	1314	36	24	29.5		64	3
	65LU4220HX41	1293	1358	42	20	29.5		67	3.75
	65LU4224HX41	1315	1381	42	24	29.5		72	3.75
	65LU4820HX41	1349	1417	48	20	29.5		78	4
	65LU4824HX41	1432	1503	48	24	29.5		80	4
	65LU5424HX41	1520	1594	54	24	29.5		81	4.75
	65LU6024HX41	1604	1684	59.75	24	29.5		89	5
	65LU6624HX41	1687	1772	65.75	24	29.5		97	5.5
	65LU7224HX41	1772	1860	71.75	24	29.5		105.5	6

Linking Units for Table Desks	65LUTD4220HLX41	1197	1259	42	20	29.5		67	20
	65LUTD4220HRX41	1197	1259	42	24	29.5		67	20
	65LUTD4224HLX41	1216	1277	48	20	29.5		71	23
	65LUTD4224HRX41	1216	1277	48	24	29.5		71	23
	65LUTD4820HLX41	1248	1310	42	20	29.5		78	22.5
	65LUTD4820HRX41	1248	1310	42	24	29.5		78	22.5
	65LUTD4824HLX41	1265	1328	48	20	29.5		79	26
	65LUTD4824HRX41	1265	1328	48	24	29.5		79	26

ORDERING NOTES:

For the hinged modesty panel option on linking units add Y after LU and add a 10% upcharge. e.g. 65LUYTD4824HRX41

Corner Unit	65CU363620	2385	2504	36	20	29.5	22.5	106	30.25
	65CU363624	2385	2504	36	24	29.5	17	106	30.25
	65CU424220	2620	2751	42	20	29.5	31	131	39.75
	65CU424224	2620	2751	42	24	29.5	25.25	131	39.75

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - left hand position
- R - right hand position
- 4D - 2 file drawers
- 4F - 2 box, 1 file drawer
- X21 - 1/2 height fixed wood modesty
- X41 - full height wood modesty panel

STANDARD FINISHES


For a complete list of standard wood finishes, please see page 518.

GROMMETS

One grommet in a standard position is optional at no charge. See page 521 for more information.

PALETTE FINISHES

Drawer fronts are available in pallet at an up-charge of **\$331 list** per unit, add P at the end of the model number.

		Rift						Shipping	Cubic	
Description	Model	Oak	Walnut	W	D	H	KW	Weight	Feet	
	Credenza Shell	65SC5424	1820	1911	54	24	29.5	51.5	88	29
		65SC6024	1958	2056	59.75	24	29.5	57.5	109	27.75
		65SC6624	2095	2200	65.75	24	29.5	63.5	104	35
		65SC7224	2243	2355	71.75	24	29.5	69.5	112	38
		65SC7824	2373	2493	77.75	24	29.5	75.5	120	40
		65SC8424	2505	2631	83.75	24	29.5	81.5	128	44
		65SC9624	2865	3008	95.75	24	29.5	93.5	128	44
	Credenza Shell, Fixed Wood Modesty	65SC3624X41	1523	1598	36	24	29.5	39.5	84	20
		65SC4224X41	1647	1728	42	24	29.5	39.5	94	23
		65SC4824X41	1790	1881	48	24	29.5	45.5	106	26
		65SC5424X41	1930	2026	54	24	29.5	51.5	117	29
		65SC6024X41	2082	2187	59.75	24	29.5	57.5	116	27.75
		65SC6624X41	2224	2335	65.75	24	29.5	63.5	104	35
		65SC7224X41	2377	2496	71.75	24	29.5	69.5	112	38
		65SC7824X41	2518	2643	77.75	24	29.5	75.5	120	40
		65SC8424X41	2658	2792	83.75	24	29.5	81.5	128	44
		65SC9624X41	3038	3190	95.75	24	29.5	93.5	128	44
	Single Pedestal Credenza, Fixed Wood Modesty	65C60204XLDR0	3321	3488	59.75	20	29.5	43	120	27.75
		65C60204XLFR0	3321	3488	59.75	20	29.5	43	120	27.75
		65C60204XL0RD	3321	3488	59.75	20	29.5	43	120	27.75
		65C60204XL0RF	3321	3488	59.75	20	29.5	43	120	27.75
		65C60244XLDR0	3347	3515	59.75	24	29.5	43	128	32
		65C60244XLFR0	3347	3515	59.75	24	29.5	43	128	32
		65C60244XL0RD	3347	3515	59.75	24	29.5	43	128	32
		65C60244XL0RF	3347	3515	59.75	24	29.5	43	128	32
		65C66204XLDR0	3371	3540	65.75	20	29.5	49	136	30
		65C66204XLFR0*	3371	3540	65.75	20	29.5	49	136	30
		65C66204XL0RD	3371	3540	65.75	20	29.5	49	136	30
		65C66204XL0RF	3371	3540	65.75	20	29.5	49	136	30
		65C66244XLDR0	3386	3554	65.75	24	29.5	49	144	35
		65C66244XLFR0	3386	3554	65.75	24	29.5	49	144	35
		65C66244XL0RD	3386	3554	65.75	24	29.5	49	144	35
		65C66244XL0RF	3386	3554	65.75	24	29.5	49	144	35
		65C72204XLDR0	3401	3571	71.75	20	29.5	55	152	32.75
		65C72204XLFR0	3401	3571	71.75	20	29.5	55	152	32.75
		65C72204XL0RD	3401	3571	71.75	20	29.5	55	152	32.75
		65C72204XL0RF	3401	3571	71.75	20	29.5	55	152	32.75
		65C72244XLDR0	3431	3601	71.75	24	29.5	55	160	38
		65C72244XLFR0	3431	3601	71.75	24	29.5	55	160	38
		65C72244XL0RD	3431	3601	71.75	24	29.5	55	160	38
		65C72244XL0RF	3431	3601	71.75	24	29.5	55	160	38
		65C78204XLDR0	3441	3612	77.75	20	29.5	61	168	35.5
		65C78204XLFR0	3441	3612	77.75	20	29.5	61	168	35.5
		65C78204XL0RD	3441	3612	77.75	20	29.5	61	168	35.5
		65C78204XL0RF	3441	3612	77.75	20	29.5	61	168	35.5
		65C78244XLDR0	3448	3622	77.75	24	29.5	61	172	41
		65C78244XLFR0	3448	3622	77.75	24	29.5	61	172	41

ORDERING NOTES:

For the hinged modesty panel option add Y after C and add a 10% upcharge. e.g. 65CY60204XLDR0. Unsupported spans greater than 48" require a half gable support. See page 571. Drawer fronts are available in pallet at an upcharge of **\$331 list** per unit, add P at the end of the model number.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

X41 - full height fixed wood modesty
X - modesty panel
4 - full height pedestal
L - left hand position
R - right hand position
D - 2 file drawers
F - 2 box, 1 file drawer
0 - no pedestal

VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | CREDENZAS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Single Pedestal Credenza, Fixed Wood Modesty cont.	65C78244XLORD	3448	3622	77.75	24	29.5	61	172	41
	65C78244XLORF	3448	3622	77.75	24	29.5	61	172	41
	65C84204XLDR0	3453	3626	83.75	20	29.5	67	184	38
	65C84204XLFR0	3453	3626	83.75	20	29.5	67	184	38
	65C84204XLORD	3453	3626	83.75	20	29.5	67	184	38
	65C84204XLORF	3453	3626	83.75	20	29.5	67	184	38
	65C84244XLDR0	3462	3635	83.75	24	29.5	67	192	44
	65C84244XLFR0	3462	3635	83.75	24	29.5	67	192	44
	65C84244XLORD	3462	3635	83.75	24	29.5	67	192	44
	65C84244XLORF	3462	3635	83.75	24	29.5	67	192	44
 Single Lateral File or Bookcase Pedestal Credenza, Fixed Wood Modesty	65C6020XL3011R0	2984	3133	59.75	20	29.5	29	107	27.75
	65C6020XLOR3011	2984	3133	59.75	20	29.5	29	107	27.75
	65C6020XL3001R0	3235	3397	59.75	20	29.5	29	140	27.75
	65C6020XLOR3001	3235	3397	59.75	20	29.5	29	140	27.75
	65C6024XL3011R0	3094	3250	59.75	24	29.5	29	113	32
	65C6024XLOR3011	3094	3250	59.75	24	29.5	29	113	32
	65C6024XL3001R0	3349	3517	59.75	24	29.5	29	147	32
	65C6024XLOR3001	3349	3517	59.75	24	29.5	29	147	32
	65C6620XL3611R0	3111	3267	65.75	20	29.5	35	118	30
	65C6620XLOR3611	3111	3267	65.75	20	29.5	35	118	30
	65C6620XL3601R0	3365	3535	65.75	20	29.5	35	154	30
	65C6620XLOR3601	3365	3535	65.75	20	29.5	35	154	30
	65C6624XL3611R0	3127	3282	65.75	24	29.5	35	125	35
	65C6624XLOR3611	3127	3282	65.75	24	29.5	35	125	35
	65C6624XL3601R0	3379	3547	65.75	24	29.5	35	162	35
	65C6624XLOR3601	3379	3547	65.75	24	29.5	35	162	35
	65C7220XL3611R0	3166	3324	71.75	20	29.5	35	128	32.75
	65C7220XLOR3611	3166	3324	71.75	20	29.5	35	128	32.75
	65C7220XL3601R0	3577	3756	71.75	20	29.5	35	168	32.75
	65C7220XLOR3601	3577	3756	71.75	20	29.5	35	168	32.75
	65C7224XL3611R0	3283	3447	71.75	24	29.5	35	136	38
	65C7224XLOR3611	3283	3447	71.75	24	29.5	35	136	38
	65C7224XL3601R0	3637	3818	71.75	24	29.5	35	176	38
	65C7224XLOR3601	3637	3818	71.75	24	29.5	35	176	38
	65C7820XL3611R0	3297	3462	77.75	20	29.5	41	155	35.5
	65C7820XLOR3611	3297	3462	77.75	20	29.5	41	155	35.5
	65C7820XL3601R0	3695	3879	77.75	20	29.5	41	195	35.5
	65C7820XLOR3601	3695	3879	77.75	20	29.5	41	195	35.5
	65C7824XL3611R0	3309	3474	77.75	24	29.5	41	174	41
	65C7824XLOR3611	3309	3474	77.75	24	29.5	41	174	41
	65C7824XL3601R0	3770	3957	77.75	24	29.5	41	199	41
	65C7824XLOR3601	3770	3957	77.75	24	29.5	41	199	41
	65C8420XL3611R0	3322	3489	83.75	20	29.5	47	181	38
	65C8420XLOR3611	3322	3489	83.75	20	29.5	47	181	38
	65C8420XL3601R0	3814	4005	83.75	20	29.5	47	221	38
	65C8420XLOR3601	3814	4005	83.75	20	29.5	47	221	38
	65C8424XL3611R0	3333	3499	83.75	24	29.5	47	212	44
	65C8424XLOR3611	3333	3499	83.75	24	29.5	47	212	44
	65C8424XL3601R0	3904	4100	83.75	24	29.5	47	252	44
	65C8424XLOR3601	3904	4100	83.75	24	29.5	47	252	44

ORDERING NOTES:

For the hinged modesty panel option add Y after C and add a 10% upcharge. e.g. 65CY6020XL3011R0. Drawer fronts are available in pallet at an upcharge of **\$331 list** per unit, add P at the end of the model number.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - full height pedestal
- X - modesty panel
- L - left hand position
- R - right hand position
- D - 2 file drawers
- F - 2 box, 1 file drawer
- 0 - no pedestal
- 01 - lateral file
- 11 - closed bookcase

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

GROMMETS

One grommet in a standard position is optional at no charge. See page 521 for more information.

PALETTE FINISH

Drawer fronts are available in Palette at an up-charge of **\$331 per unit**, add P at the end of the model number.

Description	Model	Rift		W	D	H	KW	Shipping Weight	Cubic Feet
		Oak	Walnut						
Single 36" Combination Pedestal Credenza, Fixed Wood Modesty	65C7220XL3602R0	3323	3490	71.75	20	29.5	35	168	32.75
	65C7220XL0R3604	3323	3490	71.75	20	29.5	35	168	32.75
	65C7224XL3602R0	3447	3621	71.75	24	29.5	35	165	38
	65C7224XL0R3604	3447	3621	71.75	24	29.5	35	165	38
	65C7820XL3602R0	3372	3541	77.75	20	29.5	41	174	35.5
	65C7820XL0R3604	3372	3541	77.75	20	29.5	41	174	35.5
	65C7824XL3602R0*	3475	3650	77.75	24	29.5	41	182	41
	65C7824XL0R3604	3475	3650	77.75	24	29.5	41	182	41
	65C8420XL3602R0	3420	3592	83.75	20	29.5	47	180	38
	65C8420XL0R3604	3420	3592	83.75	20	29.5	47	180	38
	65C8424XL3602R0	3502	3678	83.75	24	29.5	47	188	44
	65C8424XL0R3604	3502	3678	83.75	24	29.5	47	188	44
Double Pedestal Credenza, Fixed Wood Modesty	65C60204XLDRD	3569	3748	59.75	20	29.5	28.5	200	27.75
	65C60204XLDRF	3569	3748	59.75	20	29.5	28.5	200	27.75
	65C60204XLFRD	3569	3748	59.75	20	29.5	28.5	200	27.75
	65C60204XLFRF	3569	3748	59.75	20	29.5	28.5	200	27.75
	65C60244XLDRD	3595	3775	59.75	24	29.5	28.5	208	32
	65C60244XLDRF	3595	3775	59.75	24	29.5	28.5	208	32
	65C60244XLFRD	3595	3775	59.75	24	29.5	28.5	208	32
	65C60244XLFRF	3595	3775	59.75	24	29.5	28.5	208	32
	65C66204XLDRD	3625	3807	65.75	20	29.5	34.5	216	30
	65C66204XLDRF*	3625	3807	65.75	20	29.5	34.5	216	30
	65C66204XLFRD	3625	3807	65.75	20	29.5	34.5	216	30
	65C66204XLFRF	3625	3807	65.75	20	29.5	34.5	216	30
	65C66244XLDRD	3625	3807	65.75	24	29.5	34.5	224	35
	65C66244XLDRF	3632	3814	65.75	24	29.5	34.5	224	35
	65C66244XLFRD	3632	3814	65.75	24	29.5	34.5	224	35
	65C66244XLFRF	3632	3814	65.75	24	29.5	34.5	224	35
	65C72204XLDRD	3658	3842	71.75	20	29.5	40.5	232	32.75
	65C72204XLDRF	3658	3842	71.75	20	29.5	40.5	232	32.75
	65C72204XLFRD	3658	3842	71.75	20	29.5	40.5	232	32.75
	65C72204XLFRF	3658	3842	71.75	20	29.5	40.5	232	32.75
	65C72244XLDRD	3690	3873	71.75	24	29.5	40.5	240	38
	65C72244XLDRF	3690	3873	71.75	24	29.5	40.5	240	38
	65C72244XLFRD	3690	3873	71.75	24	29.5	40.5	240	38
	65C72244XLFRF	3690	3873	71.75	24	29.5	40.5	240	38
	65C78204XLDRD	3693	3877	77.75	20	29.5	46.5	248	35.5
	65C78204XLDRF	3693	3877	77.75	20	29.5	46.5	248	35.5
	65C78204XLFRD	3693	3877	77.75	20	29.5	46.5	248	35.5
	65C78204XLFRF	3693	3877	77.75	20	29.5	46.5	248	35.5
	65C78244XLDRD	3696	3881	77.75	24	29.5	46.5	256	41
	65C78244XLDRF	3696	3881	77.75	24	29.5	46.5	256	41
	65C78244XLFRD	3696	3881	77.75	24	29.5	46.5	256	41
	65C78244XLFRF	3696	3881	77.75	24	29.5	46.5	256	41
	65C84204XLDRD	3699	3885	83.75	20	29.5	52.5	264	38
	65C84204XLDRF	3699	3885	83.75	20	29.5	52.5	264	38
	65C84204XLFRD	3699	3885	83.75	20	29.5	52.5	264	38
	65C84204XLFRF	3699	3885	83.75	20	29.5	52.5	264	38
	65C84244XLDRD	3720	3905	83.75	24	29.5	52.5	272	44
	65C84244XLDRF	3720	3905	83.75	24	29.5	52.5	272	44
	65C84244XLFRD	3720	3905	83.75	24	29.5	52.5	272	44
	65C84244XLFRF	3720	3905	83.75	24	29.5	52.5	272	44

ORDERING NOTES: For the hinged modesty panel option add Y after C and add a 10% upcharge. e.g. 65CY60204XLDRD.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

4 - full height pedestal
X - modesty panel
L - left hand position
R - right hand position
02 - 2 box on right, 1 file drawer left, lateral file
04 - 1 file drawer right, 2 box on left, lateral file
D - 2 file drawers
F - 2 box, 1 file drawer

VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | FULL FACE & 3/4 HEIGHT CREDENZAS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
 Full Face Credenza	65C6020L3001R3001	3793	3982	59.75	20	29.5	-	176	28
	65C6020L3001R3011	3625	3807	59.75	20	29.5	-	192	28
	65C6020L3011R3001	3625	3807	59.75	20	29.5	-	192	28
	65C6020L3011R3011	3455	3627	59.75	20	29.5	-	208	28
	65C6024L3001R3001	3909	4105	59.75	24	29.5	-	192	33
	65C6024L3001R3011	3707	3892	59.75	24	29.5	-	210	33
	65C6024L3011R3001	3707	3892	59.75	24	29.5	-	210	33
	65C6024L3011R3011	3501	3677	59.75	24	29.5	-	230	33
	65C7220L3601R3601	4961	5210	71.75	20	29.5	-	208	32.75
	65C7220L3601R3611	4525	4752	71.75	20	29.5	-	228	32.75
	65C7220L3611R3601	4525	4752	71.75	20	29.5	-	228	32.75
	65C7220L3611R3611	3855	4049	71.75	20	29.5	-	248	32.75
	65C7224L3601R3601	5027	5277	71.75	24	29.5	-	224	38
	65C7224L3601R3611	4610	4840	71.75	24	29.5	-	236	38
	65C7224L3611R3601	4610	4840	71.75	24	29.5	-	236	38
	65C7224L3611R3611	3905	4102	71.75	24	29.5	-	256	38
 Single Pedestal 3/4 Height Credenza	65C60203XL0R3011	2814	2956	59.75	20	23	28	191	21
	65C60203XL0R3016	2880	3026	59.75	20	23	28	202	21
	65C60203XL3011R0	2814	2956	59.75	20	23	28	191	21
	65C60203XL3016R0	2880	3026	59.75	20	23	28	202	21
	65C60243XL0R3011	3219	3379	59.75	24	23	28	204	25
	65C60243XL0R3016	3297	3462	59.75	24	23	28	226	25
	65C60243XL3011R0	3219	3379	59.75	24	23	28	191	25
	65C60243XL3016R0	3297	3462	59.75	24	23	28	242	25
	65C66203XL0R3611	2870	3013	59.75	20	23	28.5	191	21
	65C66203XL0R3616	2937	3084	59.75	20	23	28.5	202	21
	65C66203XL3611R0	2870	3013	59.75	20	23	28.5	191	21
	65C66203XL3616R0	2937	3084	59.75	20	23	28.5	202	21
	65C66243XL0R3611	3284	3448	59.75	24	23	28.5	204	25
	65C66243XL0R3616	3361	3529	59.75	24	23	28.5	226	25
	65C66243XL3611R0	3284	3448	59.75	24	23	28.5	191	25
	65C66243XL3616R0	3361	3529	59.75	24	23	28.5	242	25
	65C72203XL0R3611	2930	3077	71.75	20	23	34.5	191	25.5
	65C72203XL0R3616	2999	3146	71.75	20	23	34.5	202	25.5
	65C72203XL3611R0	2930	3077	71.75	20	23	34.5	191	25.5
	65C72203XL3616R0	2999	3146	71.75	20	23	34.5	202	25.5
	65C72243XL0R3611	3351	3519	71.75	24	23	34.5	204	30
	65C72243XL0R3616	3431	3601	71.75	24	23	34.5	226	30
	65C72243XL3611R0	3351	3519	71.75	24	23	34.5	191	30
	65C72243XL3616R0	3431	3601	71.75	24	23	34.5	242	30
	65C84203XL0R3611	3339	3507	83.75	20	23	46.5	191	29.5
	65C84203XL0R3616	3406	3577	83.75	20	23	46.5	202	29.5
	65C84203XL3611R0	3339	3507	83.75	20	23	46.5	191	29.5
	65C84203XL3616R0	3406	3577	83.75	20	23	46.5	202	29.5
	65C84243XL0R3611	3778	3969	83.75	24	23	46.5	204	35
	65C84243XL0R3616	3722	3909	83.75	24	23	46.5	226	35
	65C84243XL3611R0	3778	3969	83.75	24	23	46.5	191	35
	65C84243XL3616R0	3722	3909	83.75	24	23	46.5	242	35
	65C96243XL0R3611	4009	4209	95.5	24	23	58.5	254	40
	65C96243XL0R3616	3950	4147	95.5	24	23	58.5	240	40
	65C96243XL3611R0	4009	4209	95.5	24	23	58.5	240	40
	65C96243XL3616R0	3950	4147	95.5	24	23	58.5	254	40

ORDERING NOTES: For the hinged modesty panel option add Y after RH and add a 10% upcharge. e.g. 65CY60203XL0R3011.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - full height pedestal
- 3 - 3/4 height pedestal
- X - modesty panel
- L - left hand position
- R - right hand position
- 01 - lateral file
- 11 - closed bookcase
- 16 - box, lateral file

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

PALETTE FINISH

Storage unit door fronts are available in Palette finish at no upcharge. Drawer fronts are also available in Palette at an upcharge of **\$331 list** per unit, add P at the end of the model number. See page 518 for color selection..

LATITUDE | 3/4 HEIGHT CREDENZAS

Description	Model	Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak	Walnut					
Full Face 3/4 Height Credenza	65C60203L3011R3011	3816	4007	59.75	20	23	186	21
	65C60203L3011R3016	3859	4053	59.75	20	23	191	21
	65C60203L3011R3017	3414	3584	59.75	20	23	171	21
	65C60203L3016R3011	3840	4030	59.75	24	23	191	21
	65C60203L3016R3016	3815	4006	59.75	20	23	202	21
	65C60203L3016R3017	3738	3925	59.75	20	23	179	21
	65C60203L3017R3011	3414	3584	59.75	20	23	171	21
	65C60203L3017R3016	4276	4489	59.75	20	23	179	21
	65C60203L3017R3017	2897	3042	59.75	20	23	156	21
	65C60243L3011R3011	3892	4087	59.75	24	23	193	25
	65C60243L3011R3016	3980	4179	59.75	24	23	204	25
	65C60243L3011R3017	3483	3656	59.75	24	23	178	25
	65C60243L3016R3011	3980	4179	59.75	24	23	204	25
	65C60243L3016R3016	3955	4154	59.75	24	23	226	25
	65C60243L3016R3017	3853	4046	59.75	24	23	216	25
	65C60243L3017R3011	3483	3656	59.75	24	23	178	25
	65C60243L3017R3016	3853	4046	59.75	24	23	216	25
	65C60243L3017R3017	3010	3161	59.75	24	23	163	25
	65C72203L3611R3611	3969	4165	71.5	24	23	197	25.5
	65C72203L3611R3616	4117	4324	71.75	20	23	213.5	25.5
	65C72203L3611R3617	3601	3784	71.5	20	23	182	25.5
	65C72203L3616R3611	4117	4324	71.75	20	23	213.5	25.5
	65C72203L3616R3616	4093	4298	71.75	20	23	218.5	25.5
	65C72203L3616R3617	3983	4183	71.75	20	23	218.5	25.5
	65C72203L3617R3611	3585	3764	71.5	20	23	182	25.5
	65C72203L3617R3616	3983	4183	71.75	20	23	199	25.5
	65C72203L3617R3617	3102	3257	71.5	20	23	167	25.5
	65C72243L3611R3611	4093	4298	71.5	24	23	200	30
	65C72243L3611R3616	4273	4486	71.75	24	23	240	30
	65C72243L3611R3617	3622	3803	71.5	24	23	185	30
	65C72243L3616R3611	4273	4486	71.75	24	23	240	30
	65C72243L3616R3616	4245	4458	71.75	24	23	237	30
	65C72243L3616R3617	4131	4336	71.75	24	23	224.5	30
	65C72243L3617R3611	3622	3803	71.5	24	23	185	30
	65C72243L3617R3616	4131	4336	71.75	24	23	224.5	30
	65C72243L3617R3617	3194	3354	71.5	24	23	170	30

ORDERING NOTES: The -15 open/lateral file module can be used in place of the -16 box/file at the same price. The -18 open/closed bookcase module can be used in place of the -11 closed module at the same price. If a runoff with power/data option is to be mounted onto a 3/4 height credenza please specify location ML -Mounted Left or MR-Mounted Right. This will ensure that access grommets will be drilled in the credenza top and back. Full Face ¾ height credenzas larger than 72" must be specified modularly, please see page 569.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

3 - 3/4 height pedestal
L - left hand position
R - right hand position
11 - closed bookcase
16 - box, lateral file
17 - open bookcase
15 - top open, lateral file
18 - top open, closed bookcase

VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | CORNER CREDENZAS & OVERHEADS

Description	Model	Rift Oak	Walnut	W	D	H	KW	Shipping Weight	Cubic Feet
Corner Credenza	65CC7224XL4D	2964	3114	71.75	24	29.5	32	192	38
Single Pedestal	65CC7224XL4F	2964	3114	71.75	24	29.5	32	192	38
Fixed Wood Modesty Panel	65CC7224XR4D	2964	3114	71.75	24	29.5	32	192	38
	65CC7224XR4F	2964	3114	71.75	24	29.5	32	192	38
	65CC7824XL4D	2995	3144	77.75	24	29.5	38	200	41
	65CC7824XL4F	2995	3144	77.75	24	29.5	38	200	41
	65CC7824XR4D	2995	3144	77.75	24	29.5	38	200	41
	65CC7824XR4F	2995	3144	77.75	24	29.5	38	200	41
	65CC8424XL4D	3027	3177	83.75	24	29.5	44	208	44
	65CC8424XL4F	3027	3177	83.75	24	29.5	44	208	44
	65CC8424XR4D	3027	3177	83.75	24	29.5	44	208	44
	65CC8424XR4F	3027	3177	83.75	24	29.5	44	208	44
Curved Corner Credenza Single	65CCC7224XL4D	3026	3176	71.75	24	29.5	32	192	38
Pedestal Fixed	65CCC7224XL4F	3026	3176	71.75	24	29.5	32	192	38
Wood Modesty Panel	65CCC7224XR4D	3026	3176	71.75	24	29.5	32	192	38
	65CCC7224XR4F	3026	3176	71.75	24	29.5	32	192	38
	65CCC7824XL4D	3057	3211	77.75	24	29.5	38	200	41
	65CCC7824XL4F	3057	3211	77.75	24	29.5	38	200	41
	65CCC7824XR4D	3057	3211	77.75	24	29.5	38	200	41
	65CCC7824XR4F	3057	3211	77.75	24	29.5	38	200	41
	65CCC8424XL4D	3088	3242	83.75	24	29.5	44	208	44
	65CCC8424XL4F	3088	3242	83.75	24	29.5	44	208	44
	65CCC8424XR4D	3088	3242	83.75	24	29.5	44	208	44
	65CCC8424XR4F	3088	3242	83.75	24	29.5	44	208	44
Doors									
Single Height Overhead, Wood Doors	65OHW361616	1143	1202	35.75	15.75	16	2	64	7
	65OHW421616	1197	1259	41.75	15.75	16	2	71	8.5
	65OHW481616	1288	1353	47.75	15.75	16	3	82	9
	65OHW541616	1333	1400	54	16	16	4	89.5	10.75
	65OHW601616	1377	1447	59.75	15.75	16	4	96	11.5
	65OHW661616	1452	1525	65.75	15.75	16	4	102	12.75
	65OHW721616	1527	1605	71.75	15.75	16	4	109	13.75
	65OHW781616	1605	1685	77.75	15.75	16	4	109	13.75
	65OHW841616	2400	2521	83.75	16	16	4	129	16.25
	65OHW901616	1999	2099	89.5	15.75	16	6	109	13.75
	65OHW961616	2101	2205	95.5	16	16	6	129	16.25
Single Height Overhead, Wood Flip Doors	65OHFW361616	1272	1336	35.75	15.75	16	1	64	7
	65OHFW421616	1326	1393	41.75	15.75	16	1	71	8.5
	65OHFW481616	1417	1488	47.75	15.75	16	1	82	9
	65OHFW541616	1590	1668	54	16	16	2	89.5	10.75
	65OHFW601616	1634	1716	59.75	15.75	16	2	96	11.5
	65OHFW661616	1708	1795	65.75	15.75	16	2	102	12.75
	65OHFW721616	1784	1873	71.75	15.75	16	2	109	13.75
	65OHFW781616	1860	1954	77.75	15.75	16	2	109	13.75
	65OHFW841616	2255	2368	83.75	16	16	2	129	16.25
	65OHFW901616	2355	2473	89.5	15.75	16	2	109	13.75
	65OHFW961616	2657	2791	95.5	16	16	2	129	16.25

ORDERING NOTES: Overheads and Hutches come standard with LED lights.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 4 - full height pedestal
L - left hand position
R - right hand position

STANDARD FINISHES



For a complete list of standard wood finishes, please see page 518.

LOCKS

Locks are available at an upcharge of **\$142 list**. Locks not available on sliding hood over-heads.

PALETTE FINISH

Door fronts are available in Palette at no up-charge, add P at the end of the model num-ber.

Description	Model	Rift Oak	Walnut	W	D	H	Doors	Shipping Weight	Cubic Feet	
	Double Height, Wood	65OHW361630	1604	1684	35.75	15.75	16	2	64	7
	Doors	65OHW421630	1756	1844	41.75	15.75	16	2	71	8.5
		65OHW481630	1883	1978	47.75	15.75	16	3	82	9
		65OHW541630	1978	2076	53.75	15.75	16	4	89.5	10.75
		65OHW601630	2076	2178	59.75	15.75	16	4	96	11.5
		65OHW661630	2178	2287	65.75	15.75	16	4	102	12.75
		65OHW721630	2287	2400	71.75	15.75	16	4	109	13.75
		65OHW781630	2400	2521	83.75	15.75	16	4	129	16.25
		65OHW841630	2521	2648	71.75	15.75	16	6	109	13.75
		65OHW901630	2648	2781	83.75	15.75	16	6	129	16.25
	65OHW961630	2781	2920							
	Double Height, Wood	65OHFFW361630	1731	1818	35.75	15.75	16	2	64	7
	Flip Doors	65OHFFW421630	1884	1979	41.75	15.75	16	2	71	8.5
		65OHFFW481630	2010	2110	47.75	15.75	16	2	82	9
		65OHFFW541630	2233	2344	53.75	15.75	16	4	89.5	10.75
		65OHFFW601630	2331	2448	59.75	15.75	16	4	96	11.5
		65OHFFW661630	2434	2556	65.75	15.75	16	4	102	12.75
		65OHFFW721630	2544	2671	71.75	15.75	16	4	109	13.75
		65OHFFW781630	2657	2791	83.75	15.75	16	4	129	16.25
		65OHFFW841630	2777	2916	71.75	15.75	16	4	109	13.75
		65OHFFW901630	2905	3050	83.75	15.75	16	4	129	16.25
	65OHFFW961630	3036	3188							
	Double Height, Wood	65OHFOW361630	1859	1953	35.75	15.75	16	1	64	7
	Flip Doors/	65OHFOW421630	2011	2113	41.75	15.75	16	1	71	8.5
	Open	65OHFOW481630	2138	2245	47.75	15.75	16	1	82	9
		65OHFOW541630	2489	2613	53.75	15.75	16	2	89.5	10.75
		65OHFOW601630	2588	2717	59.75	15.75	16	2	96	11.5
		65OHFOW661630	2690	2824	65.75	15.75	16	2	102	12.75
		65OHFOW721630	2798	2938	71.75	15.75	16	2	109	13.75
		65OHFOW781630	2912	3058	83.75	15.75	16	2	129	16.25
		65OHFOW841630	3033	3185	71.75	15.75	16	2	109	13.75
		65OHFOW901630	3160	3319	83.75	15.75	16	2	129	16.25
	65OHFOW961630	3293	3458							
	Single Height Over-	65OMW481718HD30*	3862	4056	47.75	17	18		95	10
	head, Sliding 30"	65OMW601718HD30	4090	4296	59.75	17	18		112	12
	Hood, Metal Shelf	65OMW661718HD30	4193	4402	65.75	17	18		121	13
		65OMW721718HD30	4296	4511	71.5	17	18		129	14.5
		65OMW781718HD30	4413	4633	77.5	17	18		148	15.5
		65OMW841718HD30	4498	4724	83.5	17	18		157	16.5
		65OMW901718HD30	4600	4830	89.5	17	18		166	17.5
		65OMW961718HD30	4677	4911	95.5	17	18		174	19
	Single Height Over-	65OMW481718HD36	3888	4082	47.75	17	18		95	10
	head, Sliding 36"	65OMW601718HD36	4113	4320	59.75	17	18		112	12
	Hood, Metal Shelf	65OMW661718HD36	4217	4428	65.75	17	18		121	13
		65OMW721718HD36	4320	4537	71.5	17	18		129	14.5
		65OMW781718HD36	4437	4658	77.5	17	18		148	15.5
		65OMW841718HD36	4522	4748	83.5	17	18		157	16.5
		65OMW901718HD36	4623	4856	89.5	17	18		166	17.5
		65OMW961718HD36*	4701	4936	95.5	17	18		174	19

ORDERING NOTES: Overheads come standard with LED lights. "90" and "96" Overheads are available with 2 hoods, add -2 to the end of the model number and **\$1651 list** for 30" and **\$1702 list** for 36".

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

HD - sliding hood
FF - double flip doors
FO - flip doors upper, open lower

VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | OVERHEADS

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
Single Height Overhead, Open Metal Shelf 	65OMW481718	2933	3081	47.75	16	16	95	10
	65OMW601718	3131	3287	59.75	16	16	112	12
	65OMW661718	3245	3407	65.75	16	16	121	13
	65OMW721718	3337	3502	71.5	16	16	129	14.5
	65OMW781718	3443	3615	77.5	16	16	148	15.5
	65OMW841718	3514	3688	83.5	16	16	157	16.5
	65OMW901718	3603	3785	89.5	16	16	166	17.5
	65OMW961718	3682	3867	95.5	16	16	174	19
Double Height Overhead, Wood Sliding 30" Hood, Metal Shelf 	65OMW481731HD30	4978	5228	47.75	17	31	95	10
	65OMW601731HD30	5230	5491	59.75	17	31	112	12
	65OMW661731HD30	5324	5589	65.75	17	31	121	13
	65OMW721731HD30	5544	5821	71.5	17	31	129	14.5
	65OMW781731HD30	5570	5849	77.5	17	31	148	15.5
	65OMW841731HD30	5668	5952	83.5	17	31	157	16.5
	65OMW901731HD30	5781	6071	89.5	17	31	166	17.5
	65OMW961731HD30	5860	6153	95.5	17	31	174	19
Double Height Overhead, Wood Sliding 36" Hood, Metal Shelf 	65OMW481731HD36	5009	5260	47.75	17	31	95	10
	65OMW601731HD36	5262	5526	59.75	17	31	112	12
	65OMW661731HD36	5355	5623	65.75	17	31	121	13
	65OMW721731HD36	5576	5856	71.5	17	31	129	14.5
	65OMW781731HD36	5600	5881	77.5	17	31	148	15.5
	65OMW841731HD36	5699	5984	83.5	17	31	157	16.5
	65OMW901731HD36	5814	6105	89.5	17	31	166	17.5
	65OMW961731HD36	5891	6185	95.5	17	31	174	19
Double Height Overhead, Open Metal Shelf 	65OMW481731	4109	4315	47.75	16	30	95	10
	65OMW601731	4360	4577	59.75	16	30	112	12
	65OMW661731	4454	4676	65.75	16	30	121	13
	65OMW721731	4675	4909	71.5	16	30	129	14.5
	65OMW781731	4700	4935	77.5	16	30	148	15.5
	65OMW841731	4797	5038	83.5	16	30	157	16.5
	65OMW901731	4911	5157	89.5	16	30	166	17.5
	65OMW961731	4991	5239	95.5	16	30	174	19

ORDERING NOTES: Overheads come standard with LED lights. "90" and "96" Overheads are available with 2 hoods, add -2 to the end of the model number and **\$1651 list for 30"** and **\$1702 list for 36"**.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

HD - sliding hood
FF - double flip doors

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

LATITUDE | TACKBOARDS FOR OVERHEADS

Description	Model	GRADES									W	H	COM	WT
		1	2	3	4	5	6	7	8	9				
Wall Mounted Tackboard 24" High 	65TBOHW3624	309	343	378	431	562	688	813	945	1112	35.75	24	1.5	1.5
	65TBOHW4224	343	462	491	607	729	842	963	1113	1319	41.75	24	1.5	1.75
	65TBOHW4824	382	475	498	625	749	858	990	1140	1371	47.75	24	1.75	2
	65TBOHW5424	404	499	521	655	785	901	1040	1195	1440	53.75	24	2	2.25
	BOHW6024	434	580	608	758	912	1080	1248	1417	1684	59.75	24	2	2.5
	BOHW6624	476	647	693	843	1011	1203	1367	1562	1861	65.75	24	2	2.75
	BOHW7224	522	802	834	1106	1359	1376	1579	1802	2102	71.75	24	2.25	3
	BOHW7824	574	880	917	1217	1496	1516	1738	1982	2311	77.75	24	2.25	3.25
	BOHW8424	672	1030	1072	1424	1749	1771	2033	2320	2703	83.75	24	2.5	3.5
	BOHW9024	706	1082	1128	1495	1840	1860	2137	2439	2841	89.75	24	2.75	3.75
	BOHW9624	735	1125	1174	1555	1913	1937	2224	2539	2959	95.75	24	3	4
Wall Mounted Tackboard 30" High 	65TBOHW3630	370	412	453	519	675	824	1134	1134	1333	35.75	24	1.5	2
	65TBOHW4230	412	512	588	728	876	1010	1336	1336	1575	41.75	24	1.5	2.25
	65TBOHW4830	458	570	596	748	898	1029	1367	1367	1643	47.75	24	1.75	2.5
	65TBOHW5430	483	598	626	787	943	1082	1436	1436	1726	53.75	24	2	2.75
	BOHW6030	521	695	728	909	1092	1294	1701	1701	2021	59.75	24	2	3
	BOHW6630	571	777	830	1012	1213	1443	1873	1873	2234	65.75	24	2	3.25
	BOHW7230	626	959	997	1325	1629	1651	2162	2162	2519	71.75	24	2.25	3.5
	BOHW7830	688	1056	1102	1459	1796	1816	2381	2381	2774	77.75	24	2.5	3.75
	BOHW8430	807	1235	1286	1709	2099	2123	2783	2783	3243	83.75	24	2.5	4
	BOHW9030	848	1298	1353	1795	2207	2234	2925	2925	3409	89.75	24	2.75	4.75
	BOHW9630	883	1351	1409	1870	2299	2326	3044	3044	3549	95.75	24	3	5

DIMENSION KEY

W — width
 D — depth
 H — height of worksurface
 KW — kneehole width

Dimensions are in inches and approximate.
 Contact Customer Service if dimensions are critical.

VENEER


Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | HUTCHES

Description	Model	Rift Oak	Walnut	W	D	H	Doors	Shipping Weight	Cubic Feet
 5 Hi Hutch with Wood Doors	65HT601640	2711	2848	59.75	15.75	40	4	117	23
	65HT661640	2887	3032	65.75	15.75	40	4	126	26
	65HT721640	3299	3464	71.75	15.75	40	4	135	28
	65HT781640	3555	3733	77.75	15.75	40	4	146	30
	65HT841640	3812	4002	83.75	15.75	40	4	154	32
	65HT961640	3873	4066	95.5	15.75	40	6	211	39
	65HT1021640	4738	4974	102	15.75	40	6	296	43
	65HT1081640	4920	5165	108	15.75	40	6	310	58.5

ORDERING NOTES: Hutches 102" and longer are 2 piece units.

 5 Hi Hutch with Wood Flip Doors	65HTF601640	2966	3116	59.75	15.75	40	2	117	23
	65HTF661640	3142	3301	65.75	15.75	40	2	126	26
	65HTF721640	3554	3732	71.75	15.75	40	2	135	28
	65HTF781640	3812	4002	77.75	15.75	40	2	146	30
	65HTF841640	4067	4272	83.75	15.75	40	2	154	32
	65HTF961640	4129	4334	95.5	15.75	40	2	211	39

 6 Hi Hutch with Wood Doors	65HT601653	2795	2934	59.75	15.75	53.5	4	249	34.5
	65HT661653	3034	3186	65.75	15.75	53.5	4	269	37.75
	65HT721653	3447	3621	71.75	15.75	53.5	4	289	41
	65HT781653	3726	3913	77.75	15.75	53.5	4	298	44.5
	65HT841653	4005	4205	83.75	15.75	53.5	4	328	47.75
	65HT961653	4173	4381	95.5	15.75	53.5	6	358	52.5

 6 Hi Hutch with Wood Flip Doors	65HTFF601653	3052	3205	59.75	15.75	53.5	4	249	34.5
	65HTFF661653	3290	3455	65.75	15.75	53.5	4	269	37.75
	65HTFF721653	3703	3888	71.75	15.75	53.5	4	289	41
	65HTFF781653	3983	4183	77.75	15.75	53.5	4	298	44.5
	65HTFF841653	4259	4472	83.75	15.75	53.5	4	328	47.75
	65HTFF961653	4428	4649	95.5	15.75	53.5	4	358	52.5

 6 Hi Hutch with Wood Flip Doors/Open	65HTFO601653	3307	3472	59.75	15.75	53.5	2	249	35.5
	65HTFO661653	3545	3723	65.75	15.75	53.5	2	269	37.75
	65HTFO721653	3959	4158	71.75	15.75	53.5	2	289	41
	65HTFO781653	4238	4451	77.75	15.75	53.5	2	298	44.5
	65HTFO841653	4516	4742	83.75	15.75	53.5	2	328	47.75
	65HTFO961653	4685	4918	95.5	15.75	53.5	2	358	52.5

ORDERING NOTES: Hutches come standard with LED lights. To specify a Voice/Power/Data module with any hutch, please add "W" at the end of the model number and a **\$234 list** upcharge. Locks are available at an upcharge of **\$142 list**.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

F - flip doors
FF - double flip doors
FO - flip doors upper, open lower

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

KRUG TEXTILES

For a Krug Panel Fabric program, please see page 4.

LATITUDE | PIERS, ACCESSORIES & TACKBOARD FABRIC UPGRADE

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
	65PR24164011L	1139	1196	24	15.75	40	123	11.25
	65PR24164011R	1139	1196	24	15.75	40	123	11.25
	65PR24164611L	1192	1252	24	15.75	46	134	12.75
	65PR24164611R	1192	1252	24	15.75	46	134	12.75
	65PR24165311L	1248	1310	24	15.75	53	148	14.75
	65PR24165311R	1248	1310	24	15.75	53	148	14.75
	65PR24165911L	1303	1368	24	15.75	59	159	16.5
	65PR24165911R	1303	1368	24	15.75	59	159	16.5

	65KBAMT1912	382		28	-	8.25	20	
	65KBAMT1912S	449		28	-	8.25	20	

	65KBAMT1912X	397		28	-	8.25	20	
---	--------------	-----	--	----	---	------	----	--

	65PD2119	321		21	19	2	2	1
	65PD2119S	353		21	19	2	2	1

	65APH	180					1	0.25
---	-------	-----	--	--	--	--	---	------

	88HAPD	349						
---	--------	-----	--	--	--	--	--	--

GRADES										
Description	Model	2	3	4	5	6	7	8	9	COM
	60	134	287	434	588	741	894	1050	1231	2
	66	154	333	484	647	807	948	1113	1381	2
	72	185	395	577	777	961	1147	1333	1603	2.25
	78	217	465	682	904	1120	1340	1557	1859	2.5
	84	258	539	797	1054	1312	1569	1824	2155	2.5
	90	267	558	830	1094	1362	1629	1896	2241	2.75
	96	278	582	863	1140	1418	1696	1973	2444	3
	102	307	662	973	1303	1617	1922	2258	2773	3
	108	337	725	1066	1426	1772	2107	2449	3038	3

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

11 - closed bookcase
L - left hand position
R - right hand position

veneer

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | WALL MOUNTED BACK-PAINTED GLASS

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
	65GPW3624	1637	35.75	-	23.5	48	1.5
	65GPW4224	1718	41.75	-	23.5	56	1.75
	65GPW4824	1797	47.75	-	23.5	64	2
	65GPW5424	1878	53.75	-	23.5	72	2.25
	65GPW6024	1983	59.75	-	23.5	80	2.5
	65GPW6624	2129	65.75	-	23.5	88	2.75
	65GPW7224	2276	71.5	-	23.5	96	3
	65GPW7824	2449	77.5	-	23.5	104	3.25
	65GPW8424	2608	83.5	-	23.5	112	3.5
	65GPW9024	3020	89.5	-	23.5	120	3.75
	65GPW9624	3140	95.5	-	23.5	128	4

ORDERING NOTES: Use between wall mounted overheads and full height credenzas. Wall mounted Back-Painted glass panels 90" and longer are 2-pieces. Standard finish is white

	65GPW3630	1956	35.75	-	30	60	2
	65GPW4230	2062	41.75	-	30	70	2.25
	65GPW4830	2156	47.75	-	30	80	2.5
	65GPW5430	2237	53.75	-	30	90	2.75
	65GPW6030	2382	59.75	-	30	100	3.25
	65GPW6630	2569	65.75	-	30	110	3.5
	65GPW7230	2769	71.5	-	30	120	3.75
	65GPW7830	2955	77.5	-	30	130	4
	65GPW8430	3181	83.5	-	30	140	4.25
	65GPW9030	3367	89.5	-	30	150	4.75
	65GPW9630	3525	95.5	-	30	160	5

ORDERING NOTES: Use between wall mounted overheads and 3/4 height credenzas. Wall mounted Back-Painted glass panels 90" and longer are 2-pieces. Standard finish is white

	65GPW3624M	1797	35.75	-	23.5	48	1.5
	65GPW4224M	1905	41.75	-	23.5	56	1.75
	65GPW4824M	2010	47.75	-	23.5	64	2
	65GPW5424M	2116	53.75	-	23.5	72	2.25
	65GPW6024M	2248	59.75	-	23.5	80	2.5
	65GPW6624M	2435	65.75	-	23.5	88	2.75
	65GPW7224M	2620	71.5	-	23.5	96	3
	65GPW7824M	2835	77.5	-	23.5	104	3.25
	65GPW8424M	3034	83.5	-	23.5	112	3.5
	65GPW9024M	3487	89.5	-	23.5	120	3.75
	65GPW9624M	3646	95.5	-	23.5	128	4

ORDERING NOTES: Use between wall mounted overheads and full height credenzas. Strong magnets (not supplied) are recommended. Wall mounted Back-Painted glass panels 90" and longer are 2-pieces. Standard finish is white.

	65GPW3630M	2156	35.75	-	30	60	2
	65GPW4230M	2288	41.75	-	30	70	2.25
	65GPW4830M	2409	47.75	-	30	80	2.5
	65GPW5430M	2527	53.75	-	30	90	2.75
	65GPW6030M	2701	59.75	-	30	100	3.25
	65GPW6630M	2928	65.75	-	30	110	3.5
	65GPW7230M	3167	71.5	-	30	120	3.75
	65GPW7830M	3393	77.5	-	30	130	4
	65GPW8430M	3658	83.5	-	30	140	4.25
	65GPW9030M	3885	89.5	-	30	150	4.75
	65GPW9630M	4084	95.5	-	30	160	5

ORDERING NOTES: Use between wall mounted overheads and 3/4 height credenzas. Strong magnets (not supplied) are recommended. Wall mounted Back-Painted glass panels 90" and longer are 2-pieces. Standard finish is white.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing








CODE DESCRIPTION

M - Magnetic


STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

POWERPORTS

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
PowerPort 1 - 2 RJ45s (Category 5/6)	PORT1	258	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic. NOTE: RJ45 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.						
PowerPort 2 - USB-A & USB-C	PORT2	260	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 USB-A & 1 USB-C charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.						
PowerPort 3 - RJ11 & RJ45	PORT3	250	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 RJ11 & 1 RJ45 (Category 5/6); 2 Velcro wire managers & PowerPort Shroud; 1 x 10 Foot Data Cords (T568A) & 1 x 14 Foot RJ11 (Telecomm); powered by a 10' plug-in cord. PortPort lid is Silver Metallic. NOTE: RJ45 & RJ11 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.						
PowerPort 4 - 2 USB-A	PORT4	265	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 2- USB-A charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.						
PowerPort 5 - 4 Receptacles	PORT5	260	8	4	-	-	-
	Port Includes: 4 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.						
PowerPort 6 - USB-A, USB-C & RJ45	PORT6	377	8	4	-	-	-
 Top View 	Port Includes: 2 accessible power outlets & 1 side utility outlet 1 USB-A, 1 USB-C charging ports all powered by a 10' plug-in power cord. Includes 2 velcro wire managers and metal power port shroud with 2 data plate knock outs, 1 #M02 plate insert & 2 #S01W RJ45 female input, punch down terminal output snap in jacks. 2nd data plate knock out is blank for future use.						


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Port - no Powerbar	Port0	127	8	4	-	-	-



Port Includes: Port Cover & Bracket/Shroud only.

ORDERING NOTE: Velcro wire managers not included, see below for pricing. PortPort lid is Silver Metallic.


PowerPort Shroud with 2 Data Plate Knock-outs	SHROUD2KO	Must be requested - no upcharge	-	-	-	-	-
---	-----------	------------------------------------	---	---	---	---	---



Angled PowerPort Shroud Includes: shroud with 2 data plate knock-outs in the bottom.

ORDERING NOTE: Please refer to data plate, data and AV integration options on page XX.

Velcro Wire Manager (qty 1)	WM-4	24	2	4.5	0.5	-	-
-----------------------------	------	----	---	-----	-----	---	---




2 velcro wire managers are included with Ports 1-5.

Wire Management Trough	WM-72	169	72	3	1	-	-
------------------------	-------	-----	----	---	---	---	---



Wire Management Trough is standard in a 72" length & can be cut to specific length; double-sided tape installation.

4-Channel Wire Management	CM-72	214	72	3	1	-	-
---------------------------	-------	-----	----	---	---	---	---







4-Channel Wire Management is standard in a 72" length & can be cut to specific length; double-sided tape installation.

Round Grommet	Round Grommet - Silver Metallic	142	-	-	-	-	-
	Round Grommet - Black	142	-	-	-	-	-




One 60mm Grommet in a standard position is available at no charge per table.

POWER/DATA

SNAP IN PORTS	Reference Code	Description	List Price
ADAPTOR PLATES			
	M02	Adaptor Plate (2) - accepts two snap in data ports	37
	M04	Adaptor Plate (4) - accepts four snap in data ports	37
	M06	Adaptor Plate (6) - accepts six snap in data ports	37
ORDERING NOTES: Blank covers are required when port is not in use, please see page 55.			
		RJ-45 - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	45
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		RJ11 - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	31
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	S04	HDMI - High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	165
	S08	USB-A - Full size USB "A" style connection. Connector is a female-to-female pass through.	59

LATITUDE | CABLE MANAGEMENT

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Power, Data, Voice Module 	65PDVM	210	-	-	-	-	-
Height Adjustable Table Programmable Display- 4 Position Memory 	88HAPD	349	-	-	-	-	-
Silver Metallic Trough 	65CT36	56	30	2	-	.25	-
	65CT42	69	36	2	-	.25	-
	65CT48	84	36	2	-	.25	-
	65CT54	98	48	2	-	.5	-
	65CT60	113	48	2	-	.5	-
	65CT66	127	52	2	-	.5	-
	65CT72	142	60	2	-	.75	-
	65CT84	156	60	2	-	.75	-
NOTE: For Desk Runoffs only.							
Height Adjustable Work Surface Cable Manager 	65HACM	82	4	3	21.5	5	.25

ORDERING PROCEDURE


- To order, please specify the following:
- 1) Krug product model number
 - 2) Wood species and finish
 - 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

LATITUDE | PEDESTALS FOR SHELLS

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
Pedestal Box/Box/File	65P16184F* 65P16284F	1279 1478	1344 1551	15.75 15.75	18 27.5	28.5 28.5	61 66	6.5 9
								
Pedestal File/File	65P16184D* 65P16284D	1181 1377	1239 1447	15.75 15.75	18 27.5	28.5 28.5	61 66	6.5 9
								
Pedestal Bookcase	65P301811* 65P361811	1370 1534	1440 1611	30 36	18 18	28.5 28.5	104 112	11.5 13.5
								
Pedestal Lateral File	65P301801* 65P361801	1574 1762	1653 1851	30 36	18 18	28.5 28.5	104 112	11.5 13.5
								
Pedestal 36" File/2 Box, Lateral File Combination	65P361802 65P361804*	1732 1732	1819 1819	36 36	18 18	28.5 28.5	112 112	13.5 13.5
								

ORDERING NOTES: When specifying modular pedestals please state left, center or right. For a pedestal in the left position add L to the end of the model number, for a pedestal in the center position add C to the end of the model number and for a pedestal in the right position add R to the end of the model number.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

4 - full height pedestal
D - 2 file drawers
F - 2 box, 1 file drawer
11 - closed bookcase
01 - lateral file
02 - 2 box on right, 1 file drawer left, lateral file
04 - 1 file drawer right, 2 box on left, lateral file
L - left hand position
R - right hand position
C - center position

VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | BOOKCASES



Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
2 Hi Open Book- case	65BC301629	1592	1672	30	16	29	48	10
	65BC361629	1635	1718	36	16	29	56	12
								
3 Hi Bookcase, Open	65BC361643	1935	2032	36	16	42.75	72	21.75
								
4 Hi Bookcase, Open	65BC301656	1969	2068	30	16	56	64	18
	65BC361656	2014	2116	36	16	56		
								
5 Hi Bookcase, Open	65BC301670	2136	2241	30	16	69.5	100	22.5
	65BC361670	2178	2287	36	16	69.5	112	27
								
6 Hi Bookcase, Open	65BC301683	2505	2631	30	16	83	163	28.25
	65BC361683	2566	2695	36	16	83	178	33
								

ORDERING NOTES:
Bookcases must be fastened to the wall. Hardware is not supplied.

ORDERING PROCEDURE
To order, please specify the following:
1) Krug product model number
2) Wood species and finish
3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

STANDARD FINISHES
For a complete list of standard wood finishes, please see page 518.

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
1.5 Hi Storage, Closed Bookcase	65ST30242311	1899	1899	30	24	23	96	11
	65ST36242311	2050	2050	36	24	23	98	13
								
1.5 Hi Storage, Box/Lateral File	65ST30242316	2218	2218	30	24	23	159	11
	65ST36242316*	2373	2373	36	24	23	165	13
								
1.5 Hi Storage, Open	65ST30242317	1704	1704	30	24	23	100	11
	65ST36242317	1842	1842	36	24	23	112	13
								
2 Hi Storage Unit Closed Bookcase	65ST36202911	1971	1971	36	20	29	163	13.75
	65ST36242911	2137	2137	36	24	29	175	16.25
								
2 Hi Storage Unit Lateral File	65ST30202901	2302	2302	30	20	29	112	11.5
	65ST30242901	2417	2417	30	24	29	116	13.75
	65ST36202901*	2598	2598	36	20	29	116	13.75
	65ST36242901	2635	2635	36	24	29	120	16.75
								
3 Hi Storage, Lateral Files	65ST36204301	3466	3638	36	20	42.75	175	19.75
	65ST36244301	3693	3877	36	24	42.75	187	23.5
								

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

11 - closed bookcase
16 - box, lateral file
01 - lateral file

veneer

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | STORAGE

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
4 Hi Storage, Lateral Files	65ST30205601	3172	3331	30	20	56	151	21.75
	65ST36205601	3568	3746	36	20	56	176	25.75
	65ST36245601	3794	3983	36	24	56	196	30.75



5 Hi 19" Storage Closed Shelves	65ST19247011L	3082	3235	19	24	69.5	132	20
	65ST19247011R	3082	3235	19	24	69.5	132	20



5 Hi 19" Storage, 2 File, 3 Open Shelves	65ST19247090	3118	3275	19	24	69.5	132	20
--	--------------	------	------	----	----	------	-----	----



5 Hi 19" Storage, 2 File, 3 Closed Shelves	65ST19247091L	3345	3512	19	24	69.5	132	21.75
	65ST19247091R	3345	3512	19	24	69.5	132	21.75



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
R - right hand position
01 - lateral file

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

PALETTE FINISH

Storage full fronts are available in Palette finish.

Door fronts only at no upcharge. Drawer fronts or combination Drawer/Door fronts at

\$331 list per unit.

Add a "P" to the end of the model number and include color selection. See Page 518 for standard colors.

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
5 Hi Storage, 2 Lateral File, 3 Open Shelves	65ST36207003	3890	4084	36	20	69.5	180	33.5
	65ST36247003	3934	4132	36	24	69.5	188	39.75




5 Hi Storage, 2 Lateral File, 3 Closed Shelves	65ST30247004	3751	3939	30	24	69.5	240	31.25
	65ST36207004	4341	4559	36	20	69.5	192	33.5
	65ST36247004	4392	4612	36	24	69.5	200	39.75



5 Hi Storage, 2 Lateral File, 3 Open Shelves	65ST36207013	3111	3267	36	20	69.5	192	33.5
	65ST36247013	3146	3305	36	24	69.5	200	39.75



5 Hi Storage, 3 Lateral file, 2 Closed Shelves	65ST36247008	4470	4695	36	24	69.5	192	39.75
--	--------------	------	------	----	----	------	-----	-------



DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

veneer

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | STORAGE

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
6 Hi Storage, Closed Shelves	65ST19248311L	3365	3535	19	24	83	160	26
	65ST19248311R	3365	3535	19	24	83	160	26
								
6 Hi Storage, 2 File, 4 Open Shelves	65ST19248390	3400	3570	19	24	83	160	26
								
6 Hi Storage, 2 File, 4 Closed Shelves	65ST19248391L	3638	3819	19	24	83	160	26
	65ST19248391R	3638	3819	19	24	83	160	26
								
6 Hi Storage, 2 Lateral File, 4 Open Shelves	65ST36208303	3978	4175	36	20	83	216	40
	65ST36248303	4041	4244	36	24	83	224	47.5
								

ORDERING PROCEDURE

To order, please specify the following:
1) Krug product model number
2) Wood species and finish
3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

L - left hand position
R - right hand position

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

LOCKS

Locks are available for an upcharge of \$142 list


PALETTE FINISH

Storage full fronts are available in Palette finish. Door fronts only at no upcharge. Drawer fronts or combination Drawer/Door fronts at \$331 list per unit.

Add a "P" to the end of the model number and include color selection. See Page 518 for standard colors.

LATITUDE | STORAGE & WARDROBES

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
6 Hi Storage, 2 Lateral File, 4 Closed Shelves	65ST30248304	3961	4160	30	24	83	279	37.5
	65ST36208304	4367	4586	36	20	83	220	40
	65ST36248304	4416	4637	36	24	83	228	47.5



6 Hi Storage, 2 Closed, 4 Open Shelves	65ST36208313	3254	3416	36	20	83	200	40
	65ST36248313	3293	3458	36	24	83	208	40




6 Hi Storage, 3 Lateral File, 3 Closed Shelves	65ST36248308	4638	4869	36	20	83	220	40
--	--------------	------	------	----	----	----	-----	----



5 Hi Wardrobe	65WR19247002L	2557	2685	19	24	69.5	172	20
	65WR19247002R	2557	2685	19	24	69.5	172	20



5 Hi Wardrobe, 2 Files 3 Closed Shelves with Wood Door	65WR24247014	3799	3988	24	24	69.5	260	25.25
	65WR24247015	3799	3988	24	24	69.5	260	25.25
	65WR30247014	4117	4324	30	24	69.5	266	31.25
	65WR30247015*	4117	4324	30	24	69.5	266	31.25
	65WR36247014	4250	4463	36	24	69.5	272	39.75
	65WR36247015	4250	4463	36	24	69.5	272	39.75



ORDERING NOTES: Center hinged storage units require 2 locks.

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

L - left hand position
R - right hand position
14 - left closed shelves, 2 file drawers & right closed wardrobe. Hinged center.
15 - right closed shelves, 2 file drawers & left closed wardrobe. Hinged center.

VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | WARDROBES

Description	Model	Rift		W	D	H	Shipping Weight	Cubic Feet
		Oak	Walnut					
5 Hi Wardrobe with Closed Shelves	65WR30247001	2932	3080	30	24	69.5	240	31.25
	65WR30247003*	2932	3080	30	24	69.5	240	31.25
	65WR36247001	3261	3422	36	24	69.5	164	39.75
	65WR36247003	3261	3422	36	24	69.5	164	39.75
								
5 Hi Full Width Wardrobe	65WR36247002	2725	2862	36	24	69.5	135	39.75
								
6 Hi Wardrobe	65WR19248302L	2710	2847	19	24	83	172	23.75
	65WR19248302R							
								
6 Hi Wardrobe with Closed Shelves	65WR30248301*	4090	4296	30	24	83	286	37.5
	65WR30248303	4090	4296	30	24	83	286	37.5
	65WR36248301	4340	4558	36	24	83	272	44.5
	65WR36248303	4340	4558	36	24	83	272	44.5
								
6 Hi Wardrobe, 2 Files 4 Closed Shelves with Wood Door	65WR24248314	4152	4359	24	24	83	280	35
	65WR24248315	4152	4359	24	24	83	280	35
	65WR30248314	4272	4485	30	24	83	286	37.5
	65WR30248315*	4272	4485	30	24	83	286	37.5
	65WR36248314	4399	4620	36	24	83	292	44.5
	65WR36248315	4399	4620	36	24	83	292	44.5
								

ORDERING NOTES: Center hinged storage units require 2 locks.

ORDERING PROCEDURE

- To order, please specify the following:
- 1) Krug product model number
 - 2) Wood species and finish
 - 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- 01 - left shelves, right wardrobe
- 03 - right shelves, left wardrobe
- 14 - left closed shelves, 2 file drawers & right closed wardrobe. Hinged center.
- 15 - right closed shelves, 2 file drawers & left closed wardrobe. Hinged center.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

LOCKS

Locks are available on all wood doors at \$142 list per lock. 24", 30" & 36" wardrobes require 2 locks.

LATITUDE | MODULAR COMPONENTS - TOPS

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
	650536	1375	1445	36	36	1.13	50	5.75
	650542	1604	1684	42	42	1.13	62	7.5
	650548	1751	1839	48	48	1.13	80	9.5
	650554	1903	1997	54	54	1.13	98	11.5
	65TP3624	697	730	35.75	24	1.13	47	3
	65TP3630	783	823	35.75	30	1.13	57	3.75
	65TP3636	941	988	35.75	36	1.13	57	3.75
	65TP4224	733	770	41.75	24	1.13	47	3
	65TP4230	819	861	41.75	30	1.13	57	3.75
	65TP4236	985	1033	41.75	36	1.13	57	3.75
	65TP4824	768	807	47.75	24	1.13	47	3
	65TP4830	861	904	47.75	30	1.13	57	3.75
	65TP4836	1034	1085	47.75	36	1.13	57	3.75
	65TP5424	807	848	53.75	24	1.13	47	3
	65TP5430	913	959	53.75	30	1.13	57	3.75
	65TP5436	1095	1150	53.75	36	1.13	57	3.75
	65TP6020	825	866	59.75	20	1.13	40	3.25
	65TP6024	883	925	59.75	24	1.13	47	3.75
	65TP6030	963	1012	59.75	30	1.13	57	4.5
	65TP6036	1157	1215	59.75	36	1.13	57	3.75
	65TP6620	1050	1102	65.75	20	1.13	43	3.5
	65TP6624	1085	1139	65.75	24	1.13	50	4
	65TP6630	1124	1180	65.75	30	1.13	64	4.75
	65TP6636	1273	1337	65.75	36	1.13	77	5.5
	65TP7220	1197	1259	71.75	20	1.13	44	3.75
	65TP7224	1239	1302	71.75	24	1.13	55	4.25
	65TP7230	1274	1338	71.75	30	1.13	65	5.25
	65TP7236	1387	1455	71.75	36	1.13	84	6
	65TP7820	1310	1375	77.75	20	1.13	46	4
	65TP7824	1349	1417	77.75	24	1.13	58	4.75
	65TP7830	1390	1457	77.75	30	1.13	75	5.5
	65TP7836	1669	1752	77.75	36	1.13	91	6.5
	65TP8420	1376	1446	83.75	20	1.13	53.5	4.25
	65TP8424	1414	1483	83.75	24	1.13	62.5	5
	65TP8430	1454	1527	83.75	30	1.13	76	6
	65TP8436	1747	1834	83.75	36	1.13	76	5
	65TP9024	1515	1591	89.75	24	1.13	47	3
	65TP9030	1562	1639	89.75	30	1.13	57	3.75
	65TP9036	1872	1965	89.75	36	1.13	57	3.75
	65TP9620	1581	1661	95.75	20	1.13	60	5
	65TP9624	1625	1707	95.75	24	1.13	75	5.75
	65TP9630	1674	1757	95.75	30	1.13	85.5	6.75
	65TP9636	2007	2106	95.75	36	1.13	85.5	7

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

VENEER

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available; for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | MODULAR COMPONENTS - TOPS

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
Modular Return Tops	65TPR3624L	697	730	35.75	24	1.13	43	2.75
	65TPR3624R	697	730	35.75	24	1.13	43	2.75
	65TPR3630L	783	823	35.75	30	1.13	43	2.75
	65TPR3630R	783	823	35.75	30	1.13	43	2.75
	65TPR3636L	941	988	35.75	36	1.13	43	2.75
	65TPR3636R	941	988	35.75	36	1.13	43	2.75
	65TPR4220L	640	672	41.75	20	1.13	28	1.75
	65TPR4220R	640	672	41.75	20	1.13	28	1.75
	65TPR4224L	733	770	41.75	24	1.13	33	2.25
	65TPR4224R	733	770	41.75	24	1.13	33	2.25
	65TPR4230L	819	861	41.75	30	1.13	43	2.75
	65TPR4230R	819	861	41.75	30	1.13	43	2.75
	65TPR4236L	985	1033	41.75	36	1.13	43	2.75
	65TPR4236R	985	1033	41.75	36	1.13	43	2.75
	65TPR4820L	662	695	47.75	20	1.13	31	2
	65TPR4820R	662	695	47.75	20	1.13	31	2
	65TPR4824L	768	807	47.75	24	1.13	36	2.5
	65TPR4824R	768	807	47.75	24	1.13	36	2.5
	65TPR4830L	861	904	47.75	30	1.13	43	2.75
	65TPR4830R	861	904	47.75	30	1.13	43	2.75
	65TPR4836L	1034	1085	47.75	36	1.13	43	2.75
	65TPR4836R	1034	1085	47.75	36	1.13	43	2.75
	65TPR5424L	807	848	53.75	24	1.13	43	2.75
	65TPR5424R	807	848	53.75	24	1.13	43	2.75
	65TPR5430L	913	959	53.75	30	1.13	43	2.75
	65TPR5430R	913	959	53.75	30	1.13	43	2.75
	65TPR5436L	1095	1150	53.75	36	1.13	43	2.75
	65TPR5436R	1095	1150	53.75	36	1.13	43	2.75
	65TPR6024L	883	925	59.75	24	1.13	47	3
	65TPR6024R	883	925	59.75	24	1.13	47	3
	65TPR6030L	963	1012	59.75	30	1.13	47	3
	65TPR6030R	963	1012	59.75	30	1.13	47	3
	65TPR6036L	1157	1215	59.75	36	1.13	47	3
	65TPR6036R	1157	1215	59.75	36	1.13	47	3
	65TPR6624L	1085	1139	65.75	24	1.13	50	3.25
	65TPR6624R	1085	1139	65.75	24	1.13	50	3.25
	65TPR6630L	1124	1180	65.75	30	1.13	50	3.25
	65TPR6630R	1124	1180	65.75	30	1.13	50	3.25
	65TPR6636L	1273	1337	65.75	36	1.13	50	3.25
	65TPR6636R	1273	1337	65.75	36	1.13	50	3.25
	65TPR7224L	1239	1302	71.75	24	1.13	55	3.5
	65TPR7224R	1239	1302	71.75	24	1.13	55	3.5
	65TPR7230L	1274	1338	71.75	30	1.13	55	3.5
	65TPR7230R	1274	1338	71.75	30	1.13	55	3.5
	65TPR7236L	1387	1455	71.75	36	1.13	55	3.5
	65TPR7236R	1387	1455	71.75	36	1.13	55	3.5
	65TPR8424L	1414	1483	83.75	24	1.13	65.5	4.25
	65TPR8424R	1414	1483	83.75	24	1.13	65.5	4.25
	65TPR8430L	1454	1527	83.75	30	1.13	65.5	4.25
	65TPR8430R	1454	1527	83.75	30	1.13	65.5	4.25
	65TPR8436L	1747	1834	83.75	36	1.13	65.5	4.25
	65TPR8436R	1747	1834	83.75	36	1.13	65.5	4.25

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

CODE DESCRIPTION

- L - left hand position
R - right hand position

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

* Indicates model illustrated by line drawing

LATITUDE | MODULAR COMPONENTS - SUPPORT

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
Half Gable, Desk Height, used with Modesty Panel 	65HG0829	343	361	8	1.12	29	4	1.5
	65HG1229	379	398	12	1.12	29	4	1.5
	Without modesty panel 65HG1029NMP	491	515	10	1.12	29	4	1.5
L Support 	65LB2029L	653	686	17	20	29.5	55	2
	65LB2029R	653	686	17	20	29.5	55	2
	65LB2429L	691	726	17	24	29.5	60	3
	65LB2429R	691	726	17	24	29.5	60	3
	65LB3029L	733	770	17	30	29.5	70	3.5
	65LB3029R	733	770	17	30	29.5	70	3.5
	65LB3629L	774	811	17	36	29.5	76	4
	65LB3629R	774	811	17	36	29.5	76	4
Wood Modesty Panel 	65MP60X41	623	653	28	0.75	28.5	22	1.5
	65MP66X41	657	691	34	0.75	28.5	26	4.5
	65MP72X41	735	773	40	0.75	28.5	30	5
	65MP78X41	844	887	46	0.75	28.5	30	5
	65MP84X41	1100	1155	52	0.75	28.5	28.5	3.25
	65MP90X41	1134	1190	58	0.75	28.5	29	3.75
	65MP96X41	1168	1226	64	0.75	28.5	32	4
Pedestal with Finished Back 	65PFB16204D*	1428	1499	15.75	20	28.5	59	6.5
	65PFB16204F	1621	1702	15.75	20	28.5	61	6.5
	65PFB16244D	1530	1608	15.75	24	28.5	70	6.5
	65PFB16244F	1738	1826	15.75	24	28.5	72	6.5
	65PFB16304D	1845	1937	15.75	30	28.5	78	9.5
	65PFB16304F	1859	1952	15.75	30	28.5	83	9.5
Pedestal with Finished Back, 2 Lateral File 	65PFB30202801*	1878	1969	29.75	20	28	187	11.25
	65PFB30242801	1922	2017	29.75	24	28	190	13.5
	65PFB36202801	2005	2104	35.75	20	28	187	11.25
	65PFB36242801	2039	2143	35.75	24	28	190	13.5
Pedestal with Finished Back Closed Bookcase 	65PFB30202811*	1653	1736	29.75	20	28	172	11.25
	65PFB30242811	1709	1796	29.75	24	28	174	13.5
	65PFB36202811	1752	1841	35.75	20	28	172	11.25
	65PFB36242811	1764	1853	35.75	24	28	174	13.5
Combination Pedestal with Finished Back 	65PFB36202802	2206	2316	29.75	20	28	178	11.25
	65PFB36242802	2245	2358	29.75	24	28	178	13.5
	65PFB36202804*	2206	2316	35.75	20	28	162	11.25
	65PFB36242804	2245	2358	35.75	24	28	162	13.5

ORDERING NOTES: When specifying modular pedestals please state left, center or right. For a pedestal in the left position add L to the end of the model number, for a pedestal in the center position add C to the end of the model number and for a pedestal in the right position add R to the end of the model number. ie. 65PFB36202811L

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW— kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

L - left hand position
R - right hand position
4 - full height pedestal
C - center position
01 - lateral file
11 - closed bookcase
02 - 2 box on right, 1 file drawer left, lateral file
04 - 1 file drawer right, 2 box on left, lateral file

veneer

Latitude is available in Quarter Cut Walnut and Rift Cut Oak veneers, and each is priced in this price guide. Maple and Cherry are also available: for Flat Cut Maple or Cherry veneer, use Column 1 pricing; for Quarter Cut Maple or Cherry, use Column 2 pricing. Other veneers are also available on Latitude, please contact us for a quote.

LATITUDE | MODULAR COMPONENTS - 3/4 HEIGHT SUPPORT

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
 L Support 3/4 Height	65LB2023L	591	619	16	20	23	55	2
	65LB2023R	591	619	16	20	23	55	2
	65LB2423L	646	679	16	24	23	60	3
	65LB2423R	646	679	16	24	23	60	3
	65LB3023L	560	589	16	30	23	70	3.5
	65LB3023R	560	589	16	30	23	70	3.5
	65LB3623L	594	623	16	36	23	76	4
	65LB3623R	594	623	16	36	23	76	4
 Wood Modesty Panel 3/4 Height	65MP60	609	640	60	1.16	23	22	1.5
	65MP66	645	678	66	1.16	23	26	4.5
	65MP72	722	757	72	1.16	23	30	5
	65MP78	828	868	78	1.16	23	30	5
	65MP84	1080	1133	84	1.16	23	28.5	3.25
	65MP90	1110	1166	90	1.16	23	29	3.75
	65MP96	1144	1203	96	1.16	23	32	4
 3/4 Height Pedestals Finished Back Box/ Lateral File	65PFB24242316	2466	2589	24	24	23	148	9
	65PFB30202316	2543	2670	30	20	23	154	9.25
	65PFB30242316	2626	2756	30	24	23	185	11
	65PFB36202316	2639	2770	36	20	23	185	11
	65PFB36242316	2723	2859	36	24	23	222	13
 3/4 Height Pedestals Finished Back Open/ Lateral File	65PFB24202315	2392	2511	24	20	23	136	7
	65PFB24242315	2466	2589	24	24	23	142	9
	65PFB30202315	2543	2670	30	20	23	148	9.25
	65PFB30242315	2626	2756	30	24	23	179	11
	65PFB36202315	2639	2770	36	20	23	179	11
	65PFB36242315	2723	2859	36	24	23	216	13
 3/4 Height Pedestals Finished Back Bookcase	65PFB24202311	1446	1520	24	20	23	142	7
	65PFB24242311	1488	1562	24	24	23	146	9
	65PFB30202311	1553	1632	30	20	23	152	9.25
	65PFB30242311	1570	1649	30	24	23	183	11
	65PFB36202311	1604	1684	36	20	23	183	11
	65PFB36242311	1653	1736	36	24	23	219	13
 3/4 Height Pedestals Finished Back Open/ Bookcase	65PFB24202318	1446	1520	24	20	23	133	7
	65PFB24242318	1488	1562	24	24	23	139	9
	65PFB30202318	1553	1632	30	20	23	145	9.25
	65PFB30242318	1570	1649	30	24	23	176	11
	65PFB36202318	1604	1684	36	20	23	176	11
	65PFB36242318	1653	1736	36	24	23	213	13

ORDERING NOTES: When specifying modular pedestals please state left, center or right. For a pedestal in the left position add L to the end of the model number, for a pedestal in the center position add C to the end of the model number and for a pedestal in the right position add R to the end of the model number. ie. 65PFB36202811L

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish
- 3) Grommet location and style if applicable.

* Indicates model illustrated by line drawing

CODE DESCRIPTION

- L - left hand position
- R - right hand position
- C - center position
- 16 - box, lateral file
- 15 - top open, lateral file
- 11 - closed bookcase
- 18 - top open, closed bookcase

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

PALETTE FINISH

Storage unit door fronts are available in Palette finish at no upcharge. Drawer fronts are also available in Palette at an upcharge of **\$331 list** per unit, add P at the end of the model number. See page 518 for color selection.

LATITUDE | MODULAR COMPONENTS - BASES

Description	Model	Rift Oak	Walnut	W	D	H	Shipping Weight	Cubic Feet
3/4 Height Pedestals w/ Finished Back Open Bookcase 	65PFB24202317	1388	1456	24	20	23	128	7
	65PFB24242317	1428	1499	24	24	23	130	9
	65PFB30202317	1493	1567	30	20	23	136	9.25
	65PFB30242317	1506	1582	30	24	23	167	11
	65PFB36202317	1540	1617	36	20	23	167	11
	65PFB36242317	1586	1666	36	24	23	204	13

ORDERING NOTES: When specifying modular pedestals please state left, center or right. For a pedestal in the left position add L to the end of the model number, for a pedestal in the center position add C to the end of the model number and for a pedestal in the right position add R to the end of the model number. ie. 65PFB36202811L

Disc Base 	65141828	291		18D	-	28	25	7.5
	65142428	310					35	11.5
	65142828	449						

Square Plate Base 	65SQ1828	336		18	18	28	25	7.5
	65SQ2428	393		24	24	28	35	11.5

Drum Base 	65101829	747	783	18	18	28.5	97	7
	65101829WMD	1063	1117	24	24	28.5	97	7
	65102429	1155	1213					
	65102429WMD	1784	1873					

Mobile Pedestal 	65MP161927F	1329	1397	15.75	19.75	28	61	7
	65MP161927D	1381	1450	15.75	19.75	28	61	7
	65MP162827F	1594	1674					
	65MP162827D	1668	1751					

DIMENSION KEY

W — width
D — depth
H — height of worksurface
KW — kneehole width

Dimensions are in inches and approximate.
Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 518.

GROMMETS

One grommet in a standard position is optional at no charge. See page 518 for more information.



The mark of responsible forestry



All products are air emissions certified and are available as FSC® certified

krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG

Updated February 2024