

CASEGOODS

Price and Specification Guide

GSA

GS-03F-084DA



krug

Advancing Design Through Innovation

Updated February 2024

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

General Services Administration Federal Supply Schedule

FSC Groups 7110, 7125
Subcategory: Furniture
CONTRACT NUMBER: GS-03F-084DA
CONTRACT PERIOD: April 1, 2016 through March 31, 2026
CONTRACTOR/ ADMINISTRATOR: Mira Jaksic-Husic
Krug Inc.
421 Manitou Drive
Kitchener, Ontario, Canada
Tel: 1-800-265-2796
Fax: 1-800-265-2798

1. List of Special Item Numbers on Contract

33721P Packaged Office Furniture w Ancillary Installation Services
33721 Office Furniture w Ancillary Installation Services
339113H Healthcare Furniture w Ancillary Installation Services
OLM Order Level Materials

2. SPECIAL ITEM NUMBER	MAXIMUM ORDER
33721P	\$5,000,000
33721	\$250,000
339113H	\$500,000
OLM	\$250,000

3. SPECIAL ITEM NUMBER	MINIMUM ORDER
33721P	\$100.00
33721	\$100.00
339113H	\$100.00
OLM	NA

4. Geographic Coverage

48 contiguous States and Washington, DC

5. Point of Production

Krug Inc.
421 Manitou Drive
Kitchener, Ontario, CANADA
N2C 15L

6. Discount from List Prices

33721P Package Office Furniture Krug Product Discounts As Below
GSA Teaming Partner Products at their
Approved GSA Discount Terms. Krug
Installation Charge 12.75% of Net Order
(Max.). No Charge for Project Mgt Services.

33721 Office Furniture	
Executive Office Furniture	56.6%
Executive Conference Furniture	56.6%
Tables and Accessories	56.6%
Fully Upholstered Lounge Furniture	56.6%
Multiple Seating	56.6%
Multi-Purpose Seating	56.6%
Stacking Chairs	56.6%
Installation Ancillary to these products	12.75% Charge of Net Order (Max.)

339113H Healthcare Furniture	
Hospital Patient Room Furniture	56.6%
Hospital Geriatric Chairs & Lounge Seating	56.6%
Patient Service Systems	56.6%
Installation Ancillary to these products	12.75% Charge of Net Order (Max.)

7. Quantity Discounts (off Net pricing)

Multiple Seating, Multipurpose Seating, Stacking
Chairs

25,001 – 50,000	1%
50,001 – 100,000	2%
100,001 – 150,000	3%
150,001 – 250,000	4%

Lounge Seating, Tables & Accessories

25,000 – 50,000	1%
50,001 – 75,000	2%
75,001 – 100,000	3%
100,001 – 180,000	4%
180,001 – 200,000	5%
200,001 – 250,000	6%

Hosp/Geriatric Chairs and Lounge, Patient Room
Furniture, Patient Service Systems

\$100,000 - \$200,000	1%
\$200,000.01 - \$300,000	1.5%
\$300,000.01 - \$400,000	2%
\$400,000.01 - \$500,000	2.5%

Quantity Discounts for Executive Office and
Executive Conference are no longer applicable
based on the MAS Consolidation revisions to
Maximum Order Limits.

8. Prompt Payment Terms

Net 30 Days

9. Visa and MasterCard are accepted above and

below the micro-purchase threshold.

NOTE: No additional discount will be offered on
orders placed using credit cards.

10. Foreign Items

All items manufactured in Canada.

11a. Time of Delivery

60-90 Days ARO for all items.

11b. Expedited Delivery

Please contract Krug GSA Customer Service for
information on Expedited Delivery/Krug Express
Program. 1-800-265-2796

11c. Overnight & 2 day Delivery

N/A

11d. Urgent Requirements

Please contact Krug for urgent requirements.

12. F.O.B. Point

Destination

13. Payment Address

Same as above

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

14. Warranty

For commercial products, Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. For Krug Healthcare products (as outlined in the US Healthcare price and specification Guide dated March 1, 2019), Krug warrants the construction and finish of all Healthcare products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug.

Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug: Height Adjustable Mechanism Warranty Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase: a) Electronic components such as control boxes, hand switches and motors – two (2) years b) Mechanical components such as crank drives, spindles – five (5) years c) Structural components such as J-channels, feet and top supports – ten (10) years. The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced. Juno and Trevisa Overbed Tables have a 2-year warranty.

15. Export Packing Charges

Quoted upon request

16. Terms and Conditions of Government Commercial Credit Card

ACCEPTANCE: KRUG will accept the government commercial credit card but will not Offer any additional discount for orders placed using the credit card

17. Term and Conditions of Rental Maintenance and Repair.

N/A

18. Term and Conditions of Installation

N/A

19. Term and Conditions of Repair

N/A

20a. Term and Conditions for any other services

N/A

20. Service and Distribution points

Call contractor

21. Participating Dealers

Call contractor

22. Preventative Maintenance

N/A

23. Environmental Attributes

Krug maintains a program to reduce the impact on the environment of our products and operations.

24. Data Universal Number System (DUNS) number

251476669

25. Notification regarding registration in SAM.

Krug Inc.'s registration in SAM is current, accurate and valid.

26 Cage Code: 37310

CASEGOODS | TABLE OF CONTENTS

i	GSA Terms & Conditions
244	Millennium
624	General Information
624	Warranty
626	Krug Textiles
627	C.O.M. & Laminates Program

MILLENNIUM | TABLE OF CONTENTS


245	Environmental Summary
246	Finishes
247	Custom Sizing & Pricing Methods
248	General Product Specification
249	Edge Detail Profile
249	Drawer Pulls & Locks
250	Grommets, PowerPorts & Wire Mgmt
251	Laminate Worksurfaces Desks Overheads Hutches
252	Filing Instructions & Installation
253	Height Adjustable Worksurface with Base Enclosure
254	Sample Configuration
255	Product Enhancements
257	Desks
267	Height Adjustable Worksurfaces
275	Returns
280	Linking & Corner Units
282	Credenzas
290	Overheads
291	Hutches
297	Shells
300	Mobile Tables
301	Accessories
303	PowerPorts
306	Bookcases
309	Storage
314	Wardrobes
315	Modular Tops
317	Pedestals
319	Reception

MILLENNIUM CASEGOODS | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 81%

POST-CONSUMER
RECYCLED CONTENT - 3%

		CONTRIBUTES TO
Credit 2.1 - 2.2	Construction Waste Management	1-2 point(s)
Credit 3.3	Resource Reuse	1 point
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
Credit 7	Certified Wood (MUST BE REQUESTED)	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Millennium products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Millennium products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.



the mark of responsible forest

AIR-EMISSIONS

All Millennium products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

FSC®

FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Millennium and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

MILLENNIUM | WOOD FINISHES

WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

Cherry	Light Cherry
	Natural Cherry
	American Cherry
	Medium Cherry
	Standard Cherry
	Imperial Cherry
Maple	Appalachian Cherry
	Sable Cherry
	Clear Maple
	Honey Maple
	Wheat Maple
Walnut	Natural Walnut
	Regular Walnut
	Mahogany on Walnut
	Dark Walnut
	Cordovan Walnut

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% net to your order for special finishes, minimum charge is **\$525 list per finish** per order. (For example, on all orders up to \$5250 list, an upcharge of **\$525 will apply**, on orders \$5250 and up add 10% net to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color, and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

BIRDSEYE MAPLE

Bookmatched Birdseye Maple veneer is available on Millennium at an upcharge of **\$73 list per square foot**. Specify clearly on order. Birdseye Maple is recommended in clear finish only. Birdseye Maple only applies to tops.

DUAL FINISH

Add 10% net per item if specifying dual finish

VENEER

Millennium veneer is flat cut

WOOD FINISHES TO MATCH STANDARD

LAMINATES

Copper on Cherry
Shiraz Cherry
Park Avenue Walnut
Chocolate on Walnut
Nutmeg on Walnut
Dark Walnut
Hardrock Maple

MILLENNIUM | CUSTOM SIZING & PRICING METHODS

CUSTOM SIZING

Now you can customize the sizing of most components and obtain prices immediately using a few simple guidelines. Customized products may require an extended lead time if they have not been previously engineered. Please see following page for instructions.

Products that can be custom sized:

Desks, Table Desks, Curvilinear Desks (excluding curvilinear shaped units with a non-standard radius)

Linking Units

Returns, Curvilinear Returns (excluding curvilinear shaped units with a non-standard radius), Kneehole Credenzas, Full Face Credenzas

Shells

Modular Tops

Modesty Panels (excluding perforated modesty panels)

Hutches, Wall Units, Wood Door Overheads, Wood Door Work Walls

Bookcases, Wood Door Storage Units

Gallery Desks, Gallery Kneehole Credenzas, Gallery Linking Units, Gallery Returns

Paper Managers 6800, 6900, & 9800 (excluding those with drawers)

PRICING METHOD

Custom widths: Apply the price of the same unit in the price list that is one standard size larger than the desired case size (but same depth). For example: The required custom dimension is 74" x 24". The first standard size above this is 78" x 24", so in this case, you would apply the price of the 78" x 24" unit.

Custom depths: Apply the price for the same unit one size deeper (but same width). For example: The required custom dimension is 72" x 26". The first standard size above this is 72" x 30", so in this case, you would apply the price of the 72" x 30" unit.

Custom width & depths: Apply the price for the same unit both one size wider and one size deeper.

For example: The required custom dimension is 74" x 26". The first standard size above this is 84" x 30", so in this case, you would apply the price of the 84" x 30" unit.

Custom height of desk height cases: Add 18%. (31-32" HI)

OTHER PRICING METHODS

cases where tops are flush left/right or both, add	\$115 list
Grommets in non-standard positions, add:	\$145 list
To remove hutch or overhead doors, deduct:	4% list
convert 5-hi hutch to 6-hi hutch, add:	20% list
Bookcases with optional pull out printer shelf at standard shelf height, add:	\$227 list
Bookcases with optional vent in back (includes 2 vents and 1 grommet), add:	\$288 list
2 lateral file and 3 or 4 closed shelves - convert to half open, half closed shelves, add	15% list
2 lateral file and 3 or 4 closed shelves - convert to half open, half wa drobe, add:	15% list
To remove storage doors for open shelves, deduct:	4% list
glass transition tops, add:	\$1043 list (30" & under)
- glass transition tops are affixed via brushe	\$1206 list (Over 30" up to 60")
metal stanchions, and finished with brushed metal caps	\$1356 list (over 60" up to 84")
	\$1509 list (over 84" up to 96")
glass tops on buffets, add:	\$2261 list (for 60, 72, & 84" cases)
Angire, add:	20% list on Maple pricing

EXCEPTIONS TO THE PRICING METHODS ABOVE

Sizes larger than the largest shown Price List.

Non-standard extension on drawer slides.

Non-standard drawer depths in standard depth pedestals.

Glass door - any style.

Glass - face mounted modesty panels.

Perforated modesty panels.

Cases with curvilinear tops where the radius becomes non-standard.

A/V cabinets.

Any case with flipper doors

Please contact Specials Coordinator or Krug Customer Service at 1.888.578.KRUG if you require assistance.

PLEASE NOTE: Cases with non-standard features do not apply to the rules above.

Contact Krug Customer Service if you require assistance.

MILLENNIUM | GENERAL PRODUCT SPECIFICATIONS

WORKSURFACES

Tops are made of 1 1/2" - 45 lbs. per cubic foot density particle board core with face and back veneer. All edges have 1 1/2" wide 3/4" thick Walnut, Cherry or Maple headers.

GABLES

Gables are 1 1/8" thick - 45 lbs. per cubic foot density particle board core, 3 ply. Edges are banded with veneer.

VENEER

External face veneers are #1 grade flat sliced Black Walnut, Cherry or Maple book-matched and of uniform color and grain pattern.

SOLIDS

All solids used shall be American Black Walnut, Cherry or Maple kiln-dried by the manufacturer to a 6% moisture content.

FINISH

All finished surfaces are well sanded before applying finishing materials. The procedure begins by applying a base color via an N.G.R. stain. A wash coat follows to further enhance the color. A filter coat is applied to fill open pores and wipe clean. A sealer coat is applied and scuff-sanded to prepare for the top coat (finish). The final procedure is to apply catalyzed varnish that when dry has a sheen value of 32°.

LOCKS

Locks are standard on all pedestals and storage unit lateral file drawers

Locks are optional on door fronts and must be specified at time of order.

For Master Key, note clearly on p.o. and **add \$39 list**.

DRAWERS

Desk box drawers have fully progressive full extension slides and are load rated at 100 lbs. per drawer.

Desk files drawers have a load bearing capacity of 130 lbs. and box drawers have a load bearing capacity of 100 lbs

Other pedestal file drawers have fully progressive, full extension slides and are load rated at 100 lbs. per drawer.

All drawer interiors are clear finished Birch on particle board constructed with dowels.

All file drawers are equipped for letter and legal filing

All box/box/file pedestals in desks only are supplied with one matching pencil tray.

GLIDES

Adjustable glides are installed at factory and allow for 3/4" adjustment.

HINGES

Doors have a European style hinges with a 95° opening.

PULLS

Pulls are available in Satin Nickel, Matte Black, Polished Chrome, Black Chrome and Brushed Brass.

Please specify on your order.

TESTING INFORMATION

Millennium meets or exceeds the testing requirements of ANSI/BIFMA X5.5-2014 and/or X5.9 - 2012.



MILLENNIUM | EDGE DETAIL PROFILES, DRAWER PULLS & LOCKS

An edge detail profile must be selected for every Millennium product. Millennium product is available in the following profile options



Seville - contrasting crisp and rounded sculpted edge



Valen - transitional beveled edge



Torrens - softened square edge



Madrid - ribbon fluted edge



Barcelona - half round edge



Zamora - bull nose edge



Williamsburg - traditional edge

PROFILE LOCATIONS

Desk, Credenzas and Shells: profile is located on all side

Curvilinear Shaped Tops: profile is located on all four side

Bookcase and Storage Units: profile is located on all four side

Hutches: profile is located on all three sides

Link Units, Curvilinear Returns and Returns: when units are connected to create a larger worksurface area, some profile options have coved edges to create a smooth transition from one surface to another.

The following profiles have coved edges on connecting ends of return and linking units: Seville, Valen, Barcelona, Williamsburg, Zamora. All other profile options will appear on all sides of the case, meeting each other face to face at worksurface connection points.

DRAWER PULLS

Luna, Eclipse and Crescent Pulls are available in Satin Nickel, Matte Black, Polished Chrome, Black Chrome, and Brushed Brass. Pull color and style must be stated clearly on the purchase order. Pulls are located on all drawer fronts, storage wood doors, and bookcase wood doors. Glass door bookcases feature the Luna knob in the same finish as pulls on the other. Glass door hutches and wood door hutches do not have pulls.



Luna



Eclipse



Crescent



Oyster pulls are available in Matte Black, Polished Chrome, and Brushed Brass.




WILLIAMSBURG

A Williamsburg pull in Polished Brass is standard on all products specified with the Williamsburg edge detail.

LOCKS

Locks are provided as a standard feature on all pedestals, including those in desks, credenzas and lateral file storage units. Lock plugs on desks are located in the kneespace on the pedestal side panel. Locks are not available on all glass doors. Locks are available on bookcase doors at an upcharge of **\$145 list** per set of (2) doors, please specify at time of order. If a hutch or overhead has an uneven amount of doors the single lock required is also **\$145**. Lock plugs for bookcase doors are generally located on the top inside corner of the door front. Lock plugs for hutch and overhead doors are generally located on the lower inside corners. Suites can be keyed alike at no upcharge, please specify on your purchase order.

MILLENNIUM | GROMMETS & POWERPORTS




POWER / DATA / VOICE MODULE (SUPPLIED WITH WIRED HUTCHES)

Black, rectangular with flip down cove . Includes two power outlets, one voice port, and one data port.

POWER DETAILS:
two Simplex outlets
15 Amp, 10 ft. cord

COMMUNICATION DETAILS:
one 6-pin and one 8-pin connector



WIRE MANAGEMENT CUT-OUT AND HINGED MODESTY PANELS

Returns, link units and credenzas with fixed modesty panels can be specified with an 8" x 1 1/2" wire management cut-out. All hinged modesty panels feature a cut-out as a standard. The discreet cut-out allows for clean and easy access to power, data and communication sources.

GROMMETS

All cases may be specified with one grommet in a standard position at no upcharge. A **\$145 list upcharge** will apply to additional grommets in standard positions and for grommets requested in non-standard positions a **\$145 list upcharge** will apply.

The grommet position must be indicated for each case on the purchase order.

Standard Grommet

Black or Grey, rectangular, 4 1/8" x 2 11/16". Please note grommet color on purchase order.

Please specify grommet color when ordering, Grommets can also be field installed with power drill 2 1/4 hole saw and rasp or saber saw. Template for drilling is available.

Please keep in mind the location of grommets when specifying paper managers for use with worksurfaces. For example, a paper manager on the left hand side may be used with a "C", "BR" or "AR" grommet.

POWERPORT

A PowerPort is a unique worksurface mounted module that can be specified to a location that best serves the user's needs. It includes a UL approved electrical, voice and data power bar, containing two 115 - volt electrical simplex outlets which are accessible from the work surface, plus a utility outlet at the end for daisy chaining purposes. 3 data versions are available.


PORT

A service module having no power bar will serve as a large grommet. A hinged lid easily enables the passage of several cables and devices

STANDARD GROMMET POSITIONS

Desks, Credenzas, Link Units & Returns


30" Deep Desks:



Position Code:

AL – left corner
BL – left end beside pedestal gable
C – center
BR – right end beside pedestal gable
AR – right corner

36" Deep Desks:



Position Code:

AL – left corner
BL – left end beside pedestal gable
C – center
BR – right end beside pedestal gable
AR – right corner

NOTE

Please do not specify grommets in the "C" position for 60-71" ganged pedestal returns and credenzas. In these cases, the "C" position is over the top of a pedestal.

"BL" and "BR" are only available on tops 42" or longer.


CURVILINEAR TOPS

Position Code:


C – center

This key applies to all B, P, Q, and K shaped tops.

The support panel is notched out to accommodate wire management.



MILLENNIUM | LAMINATE, DESKS, OVERHEADS & HUTCHES




LAMINATE WORKSURFACES

Laminate worksurfaces are available at an upcharge of 10% (a higher upcharge may apply to specially priced plastic laminates). Where there are wood profile edges on worksurface tops, they will remain as wood profile on laminate tops. Krug will order and procure laminates. Purchase orders with a plastic laminate option must include Laminate name.


When specifying laminate worksurfaces, the grain direction is such that the grain pattern runs the length of each surface, as shown in the diagram on the left.

Please contact Krug Customer Service for questions pertaining to laminate grain direction.



DESKS WIRE MANAGEMENT CAVITY


Millennium desks can also be specified with a hidden wire management cavity. This finished cavity is accessed from the front of the desk by a hinged door and is completely concealed in the closed position. The wire management cavity includes a four receptacle power bar mounted on the inside pedestal gable. This feature allows the use of several powered items on the desk surface and greatly reduces the number of cables routed to the primary power source. The hinged cavity also effectively conceals all excess cables from view.



PEDESTAL ACCESS WIRING GROMMET

All Millennium desks allow for wire management behind the pedestal drawers. Pedestal gables feature a standard cable management opening allowing access to the rear of the pedestal cavity. By specifying a wiring grommet in a standard AL or AR position (see grommet locations on page 251, cable can be conveniently threaded behind the pedestal drawers and through the wire management access grommet.

Combined with our standard wire management cover, all cables are neatly tucked out of view.




BIRDSEYE MAPLE

Birdseye Maple Veneer is available on 6800 Millennium worksurfaces at an upcharge of **\$73 list per square foot**. Birdseye Maple is recommended in a clear finish only. This option could extend regular lead times.

OVERHEADS

Overheads include tasklights that are factory installed and require no field adjustment. Tasklights are mounted beneath the cabinet and hidden from view. Cords run down the right hand side of the tasklight to the worksurface where they can be routed behind the worksurface top. The use of a wall mounted tackboard conceals the cord from view. Tackboards must be ordered separately and can be specified in any fabric grade (1-9). Wall mounted tackboards for overheads are supplied with all necessary hardware for installation. Locks are optional on overheads and can be specified at time of order for an upcharge of **\$145 list per set** of (2) doors.




HUTCHES

Hutches include tasklights that are factory installed and require no field adjustment. Tasklights are mounted beneath the cabinet and hidden from view. Glass doors on hutches are wood framed clear glass.

A tackboard in Krug Momentum Panel grade 1 fabric is included with every hutch. Upcharges for higher graded fabrics are listed on page 297. Tackboard fabric selections should be supplied with the order information, fabric options are listed on page 4 of this price guide. Tackboards for hutches are installed at the factory and require no additional set up on site.


Hutches over 84" in length are made in two pieces and require special installation.

Hutches are available with a finished inside back panel at standard list price, but must be clearly specified on order. This option is available on hutches up to 84" in length only. This option does not include a tackboard. Locks are optional on overheads and can be specified at time of order for an upcharge of **\$145 list per set** of (2) doors.



HUTCH POWER DATA OPTION

Access to power and data is made simple by using a hutch with a power data module built right into the tackboard. The module is fully installed at the factory but can be removed to connect data links on site. It features a flip door that retracts into the case of the unit when open. See page 251 in the grommets section for complete power specifications






INSTALLATION

Hutch and overhead installation instructions are included with every case, basic installation instructions can be found in this guide on page 253. All required mounting hardware is included with all hutches.

MILLENNIUM | FILING INSTRUCTIONS & INSTALLATION

FILING INSTRUCTIONS

All file drawers will accept both letter and legal size filing. All units are equipped with file bars to accommodate either direction. File bars are shipped taped to the inside of the drawer for safety.



DESK PEDESTAL FILE DRAWERS

Filing Capacity:

25.5" of letter filing from front to back, or

12" of legal filing side to side

Pedestal drawer depths allow only one row of side to side files

Legal files can be positioned in the side to side direction only.

Weight capacity of pedestal file drawers is 130 lbs

CREDENZA AND RETURN PEDESTAL FILE DRAWERS

Filing Capacity:

15" of letter filing from front to back, or

12" of legal filing side to side

Pedestal drawer depths can be positioned in the side to side direction only.

Weight capacity of pedestal file drawers is 100 lbs

CREDENZA, RETURN OR STORAGE LATERAL FILE DRAWERS

Filing Capacity for 30" wide drawers:

30" of letter filing front to back, or

25" of legal filing side to side, or

15" of legal filing front to back

When filing front to back, 30" lateral file drawer widths allow two rows of letter filing, but only one row of legal file width





Filing Capacity for 36" wide drawers:

30" of letter filing front to back, or

36" of legal filing side to side, or

30" of legal filing front to back

Weight capacity of lateral file drawers is 150 lbs



CONNECTING WORKSURFACES

It is important that the product is in its final position and the primary worksurface is leveled before connecting other joining pieces.

Detailed installation instructions are included with each unit, or available from Krug Customer Service.

Units are connected with mending plates under worksurfaces, and linking brackets on modesty and end panels. Locate connections and attach the mending plates under the worksurface. Level pieces if necessary by adjusting the glides to achieve flush and firm joints before completing installation of all hardware.

DRAWER REMOVAL

To remove pedestal drawers, open to the extended position, press down on the right side nylon release lever and pull the drawers up on the left side lever at the same time. Continue pulling the drawers out of the case.

GLIDE ADJUSTMENT

Raise one corner of the unit at a time and adjust the glide to the desired height by turning the glide in the hole. Make sure unit is level after adjusting the glides. Please note that the maximum adjustment range of the glides is 1 1/2". When moving units after glides have been inserted, dial the glides to the lowest position to prevent damage to the case.

BOOKCASE OR HUTCH DOOR ADJUSTMENT

Hinges on all hutch and bookcase doors are designed to be adjusted for depth, horizontal and vertical adjustment by means of screws into the hinge mounting plates.

To remove a door, squeeze the release clip and pull out the door, disconnecting the hinges.


OVERHEAD INSTALLATION

The wall mount overhead storage units must be installed on wall studs. The first step for installation is to locate the studs in the wall where the overhead is to be mounted. Measure the stud center line location and use this measurement to mark the hole locations on the mounting rail and the overhead back. Drill clearance holes at the hole locations. Hole requirements will depend on the fasteners chosen by the installer. 2 1/2" x #10 wood screws are adequate if going into wood studs. If studs cannot be accessed, then appropriate drywall plugs or butterfly bolts should be used. We recommend 2 fasteners per stud.

Fasten the mounting rail to the wall ensuring that it is level. Hang the overhead on the mounting rail and then fasten it to the wall. This prevents accidental removal and also allows for some leveling adjustment.


MILLENNIUM | HEIGHT ADJUSTABLE WORKSURFACE WITH BASE ENCLOSURE

Single Stage Mechanism With Base Enclosure



The Single Stage mechanism with Base Enclosure has an adjustable height range of $28 \frac{11}{16}$ - $47 \frac{5}{8}$ inches. When the worksurface is at the lowest stage - desk height, the space between underside of the worksurface and the top of the Base Enclosure is $\frac{1}{2}$ inch.

Dual Stage Mechanism With Base Enclosure





The Dual Stage mechanism with Base Enclosure has an adjustable height range of $23 \frac{3}{4}$ - $49 \frac{3}{4}$ inches. When the worksurface is at the standard desk height setting of $28 \frac{7}{16}$ ", the space between underside of the worksurface and the top of the Base Enclosure is 6 inches. This allows for the full range of height adjustments.

Custom Base Enclosures for the Dual Stage are available decreasing the gap below the worksurface to $\frac{1}{2}$ inch.



Caution: this eliminates the ability to use the lower stage settings.

Custom Base Enclosures to further lower the minimum worksurface height are also available, removing the inside enclosure floor completely and allowing a minimum desk height of $22 \frac{7}{16}$ ". Contact customer service for a quote.



MILLENNIUM | SAMPLE CONFIGURATIONS





	Model	Cherry Maple Walnut
Height Adj. Desk	68HA7136ETSGV21	6615
Hutch	68HT7115	4797
Credenza	68CY71244LDRF	5631
TOTAL		\$17043



	Model	Cherry Maple Walnut
Desk	68TDE7136	4593
Overhead	68OO711517	2367
Tackboard	68TBOH71	541
Credenza	68CY71244LDRF	5631
Flush Right Storage	option 68ST18246811R	115 3462
TOTAL		\$16709



	Model	Cherry Maple Walnut
Desk	68D71364L0RF	4845
Link Unit	68LU4224H	1829
Hutch	68HT7115	4797
Credenza	68CY71244LDR0	5237
TOTAL		\$16708




	Model	Cherry Maple Walnut
Height Adj. Desk	68HA6030ETSV21	4169
Credenza	68C71204LDFR0	5558
Flush Left Storage	option 68ST18246811L	115 3463
TOTAL		\$13305


MILLENNIUM PRODUCT ENHANCEMENTS

Please follow the instructions below to enhance Millennium with optional product features.


INSTRUCTIONS




DESK WITH PERFORATED METAL MODESTY PANEL
Not available on 3/4 Height Pedestal Desks
Available on Desks 66” and up
Add ‘P’ to model number pref
Example: 68-DP-6030-LDRD
10% list upcharge



CURVILINEAR RETURNS WITH PERFORATED METAL MODESTY PANEL
Only available on 71” & 84” units and only available in conjunction with Half Drum Base
Add ‘P’ to model number prefix
Example: 68PPRL-7130-DB
20% list upcharge




CURVILINEAR DESKS WITH PERFORATED METAL MODESTY PANEL
Only available on 71” & 84” units and only available in conjunction with Half Drum Base
Add ‘P’ to model number pref
Example: 68BDP-7130-DB
20% list upcharge




CURVILINEAR RETURNS WITH TAPERED BRUSHED ALUMINUM POST LEG
Only available on Returns without Modesty Panels
Add ‘T’ to model number suffix
Example: 68BR-6630-T
No upcharge




CURVILINEAR DESKS WITH TAPERED BRUSHED ALUMINUM POST LEG
Only available on Desks without Modesty Panels
Add ‘T’ to model number suffi
Example: 68BD-6630-T
No upcharge




LINK UNIT WITH WIRE MANAGEMENT CUT-OUT ON MODESTY PANEL
Available in standard center position
Note clearly on purchase order
\$185 list upcharge




RETURNS WITH WIRE MANAGEMENT CUT-OUT ON MODESTY PANEL
Not available on Desk Depth Returns
Available in standard center position on modesty panel
Note clearly on purchase order
\$185 list upcharge



LINK UNITS WITH PERFORATED METAL MODESTY PANEL
Add ‘P’ to model number prefix
Example: 68-LUP-3024-H
40% list upcharge



RETURNS WITH HINGED WOOD MODESTY PANEL OPTION
Add ‘Y’ to model number pref
Example: 68RHY-4220-L4D
10% list upcharge



LINK UNITS WITH HINGED WOOD MODESTY PANEL
Add ‘Y’ to model number prefix
Example: 68-LUY-3024-H
10% list upcharge

ORDERING PROCEDURE

To order, please specify the following:
1) Krug product model number
2) Wood species and finis
3) Wood edge detail - S, V, T, M, B, Z or W, see page 250

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

P — perforated metal modesty panel
T — tapered brushed aluminum panel
Y — hinged wood modesty panel

The metal finish on perforated metal modesty panels, tapered brushed aluminum post legs, tackboard organizer rail, and accessories all match the Millennium satin nickel pull finish.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247


PERFORATED METAL MODESTY PANEL

Perforated metal modesty panels are 16 gage thick steel panels with a brushed metal finish


MILLENNIUM | PRODUCT ENHANCEMENTS

Please follow the instructions below to enhance Millennium with optional product features.


INSTRUCTIONS




CREDENZAS WITH CUT-OUT GROMMET OPTION ON MODESTY PANEL
Note clearly on purchase order
\$185 list upcharge




CREDENZAS WITH HINGED WOOD MODESTY PANEL
Not available on Ganged Pedestal, or Lateral File/Bookcase Credenzas
Add 'Y' to model number prefix
Example: 68CY-6020-4-LDR0
10% list upcharge




OPEN RETURNS WITH WIRE MANAGEMENT CUT-OUT ON MODESTY PANEL
Available in standard center position
Note clearly on purchase order
\$185 list upcharge




OPEN RETURNS WITH HINGED WOOD MODESTY PANEL
Add 'Y' to model number prefix
Example: 68RHY-4224
10% list upcharge



SHELLS WITH WIRE MANAGEMENT CUT-OUT ON MODESTY PANEL
Wire Management Cut-Out: 7 7/28" x 4 9/16"
Available in standard center position and also available on Corner Credenza Shell Model
Note clearly on purchase order
\$185 list upcharge



SHELLS WITH HINGED WOOD MODESTY PANEL
Width of hinged modesty panel allows for installation of 16" pedestals
Also available on Corner Credenza Shell Model
Add 'Y' to model number prefix
Example: 68SY-3020
10% list upcharge



DOUBLE HEIGHT OVERHEADS
Only available on 36", 42" and 48" hinged door and open models Add '33' to model number suffix
Example: 680H-3633
25% list upcharge

DOUBLE HEIGHT PAPER MANAGEMENT OVERHEADS
Only available on 36", 42" and 48" hinged door and open models Add 'PM' to model number suffix
Example: 680HPM-3629
35% list upcharge

PAPER MANAGEMENT OVERHEADS
Not available on Flipper Door Models Add 'PM' to model number prefix
Example: 680HPM-36
10% list upcharge



MOBILE PEDESTAL WITH UPHOLSTERED SEAT
Reference model #: 68MPSU-4F
Available in a shallow version only

FABRIC GRADES										
MODEL	1	2	3	4	5	6	7	8	9	
Cherry/Maple/Walnut										
	2494	2538	2584	2626	2672	2715	2760	2892	3021	
MODEL	W	D	H	SHIP WT.		CU.FT.		COM		
MPSU-4F	16	18.5	25.25	76		6		1		

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION
















P — perforated metal modesty panel
Y — hinged wood modesty panel
X — hinged glass doors
29 — double height overheads
PM — paper manager
The metal finish on perforated metal modesty panels, tapered brushed aluminum post legs, tackboard organizer rail, and accessories match the Millennium satin nickel pull finish

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

HINGED WOOD MODESTY PANEL Hinged wood modesty panels come standard with a center positioned wire management cut-out.

MILLENNIUM | DESKS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Double Pedestal Desk with Full Height Pedestals	68D60304LDRD	5969	60	30.25	28.5	27.5	296	36
	68D60304LDRF	5969	60	30.25	28.5	27.5	296	36
	68D60304LFRD	5969	60	30.25	28.5	27.5	296	36
	68D60304LFRF	5969	60	30.25	28.5	27.5	296	36
	68D66304LDRD	5990	65.75	30.25	28.5	33.25	314	39
	68D66304LDRF	5990	65.75	30.25	28.5	33.25	314	39
	68D66304LFRD*	5990	65.75	30.25	28.5	33.25	314	39
	68D66304LFRF	5990	65.75	30.25	28.5	33.25	314	39
	68D66364LDRD	6021	65.75	36.25	28.5	33.25	354	46
	68D66364LDRF	6021	65.75	36.25	28.5	33.25	354	46
	68D66364LFRD	6021	65.75	36.25	28.5	33.25	354	46
	68D66364LFRF	6021	65.75	36.25	28.5	33.25	354	46
	68D71304LDRD	6029	71	30.25	28.5	38.25	329	42
	68D71304LDRF	6029	71	30.25	28.5	38.25	329	42
	68D71304LFRD	6029	71	30.25	28.5	38.25	329	42
	68D71304LFRF	6029	71	30.25	28.5	38.25	329	42
	68D71364LDRD	6126	71	36.25	28.5	38.35	372	50
	68D71364LDRF	6126	71	36.25	28.5	38.35	372	50
	68D71364LFRD	6126	71	36.25	28.5	38.35	372	50
	68D71364LFRF	6126	71	36.25	28.5	38.35	372	50
	68D78304LDRD	6136	78	30.25	28.5	45.5	350	46
	68D78304LDRF	6136	78	30.25	28.5	45.5	350	46
	68D78304LFRD	6136	78	30.25	28.5	45.5	350	46
	68D78304LFRF	6136	78	30.25	28.5	45.5	350	46
	68D78364LDRD	6204	78	36.25	28.5	45.5	397	36
	68D78364LDRF	6204	78	36.25	28.5	45.5	397	36
	68D78364LFRD	6204	78	36.25	28.5	45.5	397	36
	68D78364LFRF	6204	78	36.25	28.5	45.5	397	36
	68D84364LDRD	6232	84	36.25	28.5	51.5	399	39
	68D84364LDRF	6232	84	36.25	28.5	51.5	399	39
	68D84364LFRD	6232	84	36.25	28.5	51.5	399	39
	68D84364LFRF	6232	84	36.25	28.5	51.5	399	39
Double Pedestal Desk with Full Height Pedestals & Breakfront Modesty Panel	68DBF66364LDRD	6674	65.75	36.25	28.5	33.25	354	46
	68DBF66364LDRF	6674	65.75	36.25	28.5	33.25	354	46
	68DBF66364LFRD*	6674	65.75	36.25	28.5	33.25	354	46
	68DBF66364LFRF	6674	65.75	36.25	28.5	33.25	354	46
	68DBF71364LDRD	6766	71	36.25	28.5	38.25	372	50
	68DBF71364LDRF	6766	71	36.25	28.5	38.25	372	50
	68DBF71364LFRD	6766	71	36.25	28.5	38.25	372	50
	68DBF71364LFRF	6766	71	36.25	28.5	38.25	372	50
	68DBF78364LDRD	6869	78	36.25	28.5	45.5	397	36
	68DBF78364LDRF	6869	78	36.25	28.5	45.5	397	36
	68DBF78364LFRD	6869	78	36.25	28.5	45.5	397	36
	68DBF78364LFRF	6869	78	36.25	28.5	45.5	397	36
	68DBF84364LDRD	6867	84	36.25	28.5	51.5	399	39
	68DBF84364LDRF	6867	84	36.25	28.5	51.5	399	39
	68DBF84364LFRD	6867	84	36.25	28.5	51.5	399	39
	68DBF84364LFRF	6867	84	36.25	28.5	51.5	399	39

ORDERING NOTES:

30" deep desks have flush modesty panels, 36" deep desks have recessed modesty panels. Please see page 256 for perforated metal modesty panel option. Laminate worksurfaces are available at a 10% upcharge.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- 4 - full height pedestal
- L - left handed pedestal position
- R - right handed pedestal position
- D - 2 file drawer
- F - 2 box, 1 file drawer
- BF- break front modesty panel



STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

GROMMETS

One wiring grommet in standard position is optional at no charge. See page 251 for more power management information.

MILLENNIUM | DESKS

Description	Model	Cherry	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut Maple						
Double Pedestal Desk with Full Height	68DBF66364LDWRD	8045	65.75	36.25	28.5	33.25	354	46
	68DBF66364LDRDW	8045	65.75	36.25	28.5	33.25	354	46
Pedestals & Breakfront	68DBF66364LFWRD*	8045	65.75	36.25	28.5	33.25	354	46
Modesty Panel with Wire Management Cavity	68DBF66364LFRDW	8045	65.75	36.25	28.5	33.25	354	46
	68DBF66364LDWRF	8045	65.75	36.25	28.5	33.25	354	46
	68DBF66364LDRFW	8045	65.75	36.25	28.5	33.25	354	46
	68DBF66364LFWRF	8045	65.75	36.25	28.5	33.25	354	46
	68DBF66364LFRFW	8045	65.75	36.25	28.5	33.25	354	46
	68DBF71364LDWRD	8164	71	36.25	28.5	38.25	372	50
	68DBF71364LDRDW	8164	71	36.25	28.5	38.25	372	50
	68DBF71364LDWRF	8164	71	36.25	28.5	38.25	372	50
	68DBF71364LDRFW	8164	71	36.25	28.5	38.25	372	50
	68DBF71364LFWRD	8164	71	36.25	28.5	38.25	372	50
	68DBF71364LFRDW	8164	71	36.25	28.5	38.25	372	50
	68DBF71364LFWRF	8164	71	36.25	28.5	38.25	372	50
	68DBF71364LFRFW	8164	71	36.25	28.5	38.25	372	50
	68DBF78364LDWRD	8242	78	36.25	28.5	45.5	397	36
	68DBF78364LDRDW	8242	78	36.25	28.5	45.5	397	36
	68DBF78364LDWRF	8242	78	36.25	28.5	45.5	397	36
	68DBF78364LDRFW	8242	78	36.25	28.5	45.5	397	36
	68DBF78364LFWRD	8242	78	36.25	28.5	45.5	397	36
	68DBF78364LFRDW	8242	78	36.25	28.5	45.5	397	36
	68DBF78364LFWRF	8242	78	36.25	28.5	45.5	397	36
	68DBF78364LFRFW	8242	78	36.25	28.5	45.5	397	36
	68DBF84364LDWRD	8274	84	36.25	28.5	51.5	399	39
	68DBF84364LDRDW	8274	84	36.25	28.5	51.5	399	39
	68DBF84364LDWRF	8274	84	36.25	28.5	51.5	399	39
	68DBF84364LDRFW	8274	84	36.25	28.5	51.5	399	39
	68DBF84364LFWRD	8274	84	36.25	28.5	51.5	399	39
	68DBF84364LFRDW	8274	84	36.25	28.5	51.5	399	39
	68DBF84364LFWRF	8274	84	36.25	28.5	51.5	399	39
	68DBF84364LFRFW	8274	84	36.25	28.5	51.5	399	39

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

4 - full height pedestal
L - left handed pedestal position
R - right handed pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer
BF- break front modesty panel
W - Wire Management Cavity



STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

GLASS DOORS



All storage glass doors come standard with a vertical Massa pull. Other pull options are not available on glass doors.

MILLENNIUM | DESKS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Single Pedestal Desk with Full Height Pedestal	68D60304LDR0	4685	60	30.25	28.5	27.5	239	36
	68D60304LFR0	4685	60	30.25	28.5	27.5	239	36
	68D60304LORD	4685	60	30.25	28.5	27.5	239	36
	68D60304LORF	4685	60	30.25	28.5	27.5	239	36
	68D66304LDR0	4723	65.75	30.25	28.5	33.25	257	39
	68D66304LFR0	4723	65.75	30.25	28.5	33.25	257	39
	68D66304LORD	4723	65.75	30.25	28.5	33.25	257	39
	68D66304LORF	4723	65.75	30.25	28.5	33.25	257	39
	68D66364LDR0	4765	65.75	36.25	28.5	33.25	297	46
	68D66364LFR0*	4765	65.75	36.25	28.5	33.25	297	46
	68D66364LORD	4765	65.75	36.25	28.5	33.25	297	46
	68D66364LORF	4765	65.75	36.25	28.5	33.25	297	46
	68D71304LDR0	4772	71	30.25	28.5	38.25	272	42
	68D71304LFR0	4772	71	30.25	28.5	38.25	272	42
	68D71304LORD	4772	71	30.25	28.5	38.25	272	42
	68D71304LORF	4772	71	30.25	28.5	38.25	272	42
	68D71364LDR0	4845	71	36.25	28.5	38.35	315	50
	68D71364LFR0	4845	71	36.25	28.5	38.35	315	50
	68D71364LORD	4845	71	36.25	28.5	38.35	315	50
	68D71364LORF	4845	71	36.25	28.5	38.35	315	50
	68D78304LDR0	4902	78	30.25	28.5	45.5	293	46
	68D78304LFR0	4902	78	30.25	28.5	45.5	293	46
	68D78304LORD	4902	78	30.25	28.5	45.5	293	46
	68D78304LORF	4902	78	30.25	28.5	45.5	293	46
	68D78364LDR0	4932	78	36.25	28.5	45.5	340	36
	68D78364LFR0	4932	78	36.25	28.5	45.5	340	36
	68D78364LORD	4932	78	36.25	28.5	45.5	340	36
	68D78364LORF	4932	78	36.25	28.5	45.5	340	36
	68D84364LDR0	4989	84	36.25	28.5	51.5	342	39
	68D84364LFR0	4989	84	36.25	28.5	51.5	342	39
	68D84364LORD	4989	84	36.25	28.5	51.5	342	39
	68D84364LORF	4989	84	36.25	28.5	51.5	342	39

ORDERING NOTES:

30" deep desks have flush modesty panels, 36" deep desks have recessed modesty panels. Please see page 256 for perforated metal modesty panel option. Laminate worksurfaces are available at a 10% upcharge.

Single Pedestal Desk with Full Height Pedestal & Breakfront Modesty Panel	68DBF66364LDR0	5398	65.75	36.25	28.5	33.25	297	46
	68DBF66364LFR0*	5398	65.75	36.25	28.5	33.25	297	46
	68DBF66364LORD	5398	65.75	36.25	28.5	33.25	297	46
	68DBF66364LORF	5398	65.75	36.25	28.5	33.25	297	46
	68DBF71364LDR0	5505	71	36.25	28.5	38.25	315	50
	68DBF71364LFR0	5505	71	36.25	28.5	38.25	315	50
	68DBF71364LORD	5505	71	36.25	28.5	38.25	315	50
	68DBF71364LORF	5505	71	36.25	28.5	38.25	315	50
	68DBF78364LDR0	5576	78	36.25	28.5	45.5	340	36
	68DBF78364LFR0	5576	78	36.25	28.5	45.5	340	36
	68DBF78364LORD	5576	78	36.25	28.5	45.5	340	36
	68DBF78364LORF	5576	78	36.25	28.5	45.5	340	36
	68DBF84364LDR0	5649	84	36.25	28.5	51.5	342	39
	68DBF84364LFR0	5649	84	36.25	28.5	51.5	342	39
	68DBF84364LORD	5649	84	36.25	28.5	51.5	342	39
	68DBF84364LORF	5649	84	36.25	28.5	51.5	342	39

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

4 - full height pedestal
L - left handed pedestal position
R - right handed pedestal position
0 - no pedestal
D - 2 file drawer
F - 2 box, 1 file drawer
BF- break front modesty panel



STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

GROMMETS


One wiring grommet in standard position is optional at no charge. See page 251 for more power management information.

MILLENNIUM | DESKS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Single Pedestal Desk with Full Height Pedestal & Breakfront Modesty Panel with Wire Management Cavity	68DBF66364LDWR0	6825	65.75	36.25	28.5	33.25	307	46
	68DBF66364LFWR0*	6825	65.75	36.25	28.5	33.25	307	46
	68DBF66364LORDW	6825	65.75	36.25	28.5	33.25	307	46
 	68DBF66364LORFW	6825	65.75	36.25	28.5	33.25	307	46
	68DBF66364LDR0W	6825	65.75	36.25	28.5	33.25	307	46
	68DBF66364LFR0W	6825	65.75	36.25	28.5	33.25	307	46
	68DBF66364LOWRD	6825	65.75	36.25	28.5	33.25	307	46
	68DBF66364LOWRF	6825	65.75	36.25	28.5	33.25	307	46
	68DBF71364LDWR0	6890	71	36.25	28.5	38.25	325	50
	68DBF71364LFWR0	6890	71	36.25	28.5	38.25	325	50
	68DBF71364LORDW	6890	71	36.25	28.5	38.25	325	50
	68DBF71364LORFW	6890	71	36.25	28.5	38.25	325	50
	68DBF71364LDR0W	6890	71	36.25	28.5	38.25	325	50
	68DBF71364LFR0W	6890	71	36.25	28.5	38.25	325	50
	68DBF71364LOWRD	6890	71	36.25	28.5	38.25	325	50
	68DBF71364LOWRF	6890	71	36.25	28.5	38.25	325	50
	68DBF78364LDWR0	6994	78	36.25	28.5	45.5	350	36
	68DBF78364LFWR0	6994	78	36.25	28.5	45.5	350	36
	68DBF78364LORDW	6994	78	36.25	28.5	45.5	350	36
	68DBF78364LORFW	6994	78	36.25	28.5	45.5	350	36
	68DBF78364LDR0W	6994	78	36.25	28.5	45.5	350	36
	68DBF78364LFR0W	6994	78	36.25	28.5	45.5	350	36
	68DBF78364LOWRD	6994	78	36.25	28.5	45.5	350	36
	68DBF78364LOWRF	6994	78	36.25	28.5	45.5	350	36
	68DBF84364LDWR0	7039	78	36.25	28.5	51.5	352	39
	68DBF84364LFWR0	7039	78	36.25	28.5	51.5	352	39
	68DBF84364LORDW	7039	78	36.25	28.5	51.5	352	39
	68DBF84364LORFW	7039	78	36.25	28.5	51.5	352	39
	68DBF84364LDR0W	7039	78	36.25	28.5	51.5	352	39
	68DBF84364LFR0W	7039	78	36.25	28.5	51.5	352	39
	68DBF84364LOWRD	7039	78	36.25	28.5	51.5	352	39
	68DBF84364LOWRF	7039	78	36.25	28.5	51.5	352	39

ORDERING NOTES:

30" deep desks have flush modesty panels, 36" deep desks have recessed modesty panels. Please see page 256 for perforated metal modesty panel option. Laminate worksurfaces are available at a 10% upcharge.

	Bow Top Option	BT68D6030	578	-	-	-	-	-
		BT68D6630	604	-	-	-	-	-
		BT68D6636	635	-	-	-	-	-
		BT68D7130	660	-	-	-	-	-
		BT68D7136*	680	-	-	-	-	-
		BT68D7830	697	-	-	-	-	-
		BT68D7836	705	-	-	-	-	-
		BT68D8436	717	-	-	-	-	-

ORDERING NOTES:

Add BT before any standard desk model number and apply upcharge. Add 15lbs to standard desk weight for bow top option.

DIMENSION KEY

W - width
D - depth
H - height


CODE DESCRIPTION

4 - full height pedestal
L - left handed pedestal position
R - right handed pedestal position
0 - no pedestal
D - 2 file drawer
F - 2 box, 1 file drawer
BF- break front modesty panel
W - Wire Management Cavity

STANDARD FINISHES


For a complete list of standard wood finishes please see page 247.

MILLENNIUM | TABLE DESKS & CURVILINEAR DESKS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
 Table Desk	68TD6030	3071	60	30.25	28.5	57	280	38
	68TB6630	3108	65.75	30.25	28.5	63.25	290	41
	68TD7130	3169	71	30.25	28.5	68.25	300	45
	68TD7136*	3175	71	36.25	28.5	68.25	310	54
	68TD8436	3206	84	36.25	28.5	81.25	320	63


ORDERING NOTES:

This item includes a 68PD2116 pencil drawer.

 Table Desk Executive Style	68TDE6630	4491	65.75	36.25	29.5		180	41
	68TDE7136*	4593	71	36.25	29.5		238	54
	68TDE8436	4672	84	36.25	29.5		265	63

ORDERING NOTES:


This item includes a 68PD2116 pencil drawer. Table desk has a clearance height of 25.25". Does not fit a pedestal underneath.

 Bullet Desk with Wood Post Leg	68BD6030	3180	60	30.25	28.5	41.5	156	36
	68BD6630	3241	65.75	30.25	28.5	47.5	174	39
	68BD6636*	3268	65.75	36.25	28.5	44.5	214	46
	68BD7130	3305	71	30.25	28.5	52.5	159	42
	68BD7136	3371	71	36.25	28.5	49.5	232	50



ORDERING NOTES:

Please see page 256 for brushed aluminum tapered post leg option.

 Bullet Desk with 3/4 Modesty Panel & Wood Post Leg	68BD60303LGM	3492	60	30.25	28.5	14.75	189	36
	68BD66303LGM	3530	65.75	30.25	28.5	14.75	159	39
	68BD66364LGM	3559	65.75	36.25	28.5	17.75	229	46
	68BD71303LGM	3582	71	30.25	28.5	14.75	204	42
	68BD71363LGM*	3604	71	36.25	28.5	17.75	247	50
	68BD84303LGM	3623	84	30.25	28.5	14.75	331	49
	68BD84363LGM	3664	84	36.25	28.5	17.75	274	59

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

LGM - wood leg and modesty panel


STANDARD FINISHES


For a complete list of standard wood finishes please see page 247

GROMMETS

One wiring grommet in standard position is optional at no charge. Additional wiring grommets are available at an **upcharge of \$145.**



MILLENNIUM | CURVILINEAR DESKS

		Cherry Walnut Maple							
Description	Model		W	D	H	KW	Shipping Weight	Cubic Feet	
	Bullet Desk with Full	68BD60304LGM	3603	60	30.25	28.5	14.75	176	36
	Height Modesty Panel	68BD66304LGM	3639	65.75	30.25	28.5	14.75	194	39
	& Wood Post Leg	68BD66364LGM	3637	65.75	36.25	28.5	14.75	234	46
		68BD71304LGM	3676	71	30.25	28.5	14.75	209	42
		68BD71364LGM*	3705	71	36.25	28.5	17.75	252	50
		68BD84304LGM	3742	84	30.25	28.5	14.75	232	49
		68BD84364LGM	3777	84	36.25	28.5	17.75	279	59

	Bullet Desk with Half Drum Base	68BD6630DB	3559	65.75	30.25	28.5	37.25	194	39
		68BD6636DB	3582	65.75	36.25	28.5	34.25	234	46
		68DB7130DB	3615	71	30.25	28.5	42.5	209	42
		68BD7136DB*	3676	71	36.25	28.5	39.5	252	50
		68BD8430DB	3738	84	30.25	28.5	55.5	232	49
		68BD8436DB	3872	84	36.25	28.5	52.5	279	59
		68BD9636DB	4000	96	36.25	28.5	64.25	320	67



ORDERING NOTES:

All curvilinear post legs are 6" in diameter. Laminate worksurfaces are available at a 10% upcharge.

 	Bullet Desk with Half Drum Base & Full Height Modesty Panel	68BD6630DBML	3997	65.75	30.25	28.5	23.25	209	39
		68BD6630DBMR	3997	65.75	30.25	28.5	23.25	209	39
		68BD6636DBML	4020	65.75	36.25	28.5	26.25	249	46
		68BD6636DBMR	4020	65.75	36.25	28.5	26.25	249	46
		68BD7130DBML	4054	71	30.25	28.5	23.25	224	42
		68BD7130DBMR	4054	71	30.25	28.5	23.25	224	42
		68BD7136DBML	4086	71	36.25	28.5	26.25	267	50
		68BD7136DBMR*	4086	71	36.25	28.5	26.25	267	50
		68BD8430DBML	4117	84	30.25	28.5	23.25	247	49
		68BD8430DBMR	4117	84	30.25	28.5	23.25	247	49
		68BD8436DBML	4216	84	36.25	28.5	26.25	294	59
		68BD8436DBMR	4216	84	36.25	28.5	26.25	294	59
		68BD9636DBML	4345	96	36.25	28.5	26.25	335	67
		68BD9636DBMR	4345	96	36.25	28.5	26.25	335	67

ORDERING NOTES:

Please see page 256 for perforated metal modesty panel option.

 	Curved Corner Bullet Desk with Wood Post Leg	68CCB7130L	4359	71	36.25	28.5	51.25	232	45
		68CCB7130R	4359	71	36.25	28.5	51.25	232	45
		68CCB7830L	4448	78	36.25	28.5	58.25	257	50
		68CCB7830R*	4448	78	36.25	28.5	58.25	257	50
		68CCB8430L	4532	84	36.25	28.5	64.25	268	55
		68CCB8430R	4532	84	36.25	28.5	64.25	268	55

ORDERING NOTES:

Please see page 256 for brushed aluminum tapered post leg option.


DIMENSION KEYW - width
D - depth
H - height**CODE DESCRIPTION**4 - full height modesty panel
L - half drum base in left-hand position
R - right drum base in right-hand position
DB - half drum base
LGM - wood base and modesty panel
DBM - half drum base and modesty panel**STANDARD FINISHES**


For a complete list of standard wood finishes please see page 247.

RETURN OPTIONS

Curved corner bullet desks, "Q" desks, and "K" desks, accept 24" deep run-off units, returns and linking units.


MILLENNIUM | DESKS


Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
	68CCB7130LDB	4659	71	36.25	28.5	51.25	232	45
	68CCB7130RDB	4659	71	36.25	28.5	51.25	232	45
	68CCB7830LDB	4743	78	36.25	28.5	58.25	257	50
	68CCB7830RDB*	4743	78	36.25	28.5	58.25	257	50
	68CCB8430LDB	4836	84	36.25	28.5	64.25	268	55
	68CCB8430RDB	4836	84	36.25	28.5	64.25	268	55

	68CCB7130LDBM	4928	71	36.25	28.5	51.25	232	45
	68CCB7130RDBM	4928	71	36.25	28.5	51.25	232	45
	68CCB7830LDBM	5013	78	36.25	28.5	58.25	257	50
	68CCB7830RDBM*	5013	78	36.25	28.5	58.25	257	50
	68CCB8430LDBM	5113	84	36.25	28.5	64.25	268	55
	68CCB8430RDBM	5113	84	36.25	28.5	64.25	268	55

ORDERING NOTES:

Please see page 256 for perforated metal modesty panel option.




	68PDL7130	4155	71	30	28.5	50	189	50
	68PDR7130*	4155	71	30	28.5	50	189	50
	68PDL7136	4216	71	36	28.5	47.25	232	58
	68PDR7136	4216	71	36	28.5	47.25	232	58



ORDERING NOTES:

Please see page 256 for brushed aluminum tapered post leg option.

	68PDL71303LGM	4415	71	30	28.5		204	50
	68PDR71303LGM*	4415	71	30	28.5		204	50
	68PDL71363LGM	4526	71	36	28.5		247	58
	68PDR71363LGM	4526	71	36	28.5		247	58
	68PDL84303LGM	4632	84	30	28.5		227	59
	68PDR84303LGM	4632	84	30	28.5		227	59
	68PDL84363LGM	4671	84	36	28.5		274	68
	68PDR84363LGM	4671	84	36	28.5		274	68

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

4 - full height modesty panel
 L - half drum base in left-hand position
 R - right drum base in right-hand position
 DB - half drum base
 LGM - wood base and modesty panel
 DBM - half drum base and modesty panel


STANDARD FINISHES


For a complete list of standard wood finishes please see page 247.


GROMMETS


One wiring grommet in standard position is optional at no charge. Additional wiring grommets are available at an **upcharge of \$145.**

MILLENNIUM | DESKS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
 'P' Desk with Full Height Modesty Panel & Wood Post Leg	68PDL71304LGM	4515	71	30	28.5		209	50
	68PDR71304LGM*	4515	71	30	28.5		209	50
	68PDL71364LGM	4597	71	36	28.5		252	58
	68PDR71364LGM	4597	71	36	28.5		252	58
	68PDL84304LGM	4753	84	30	28.5		232	59
	68PDR84304LGM	4753	84	30	28.5		232	59
	68PDL84364LGM	4788	84	36	28.5		279	68
	68PDR84364LGM	4788	84	36	28.5		279	68
	68PDL96364LGM	4956	96	30	28.5		320	77
	68PDR96364LGM	4956	96	30	28.5		320	77

 'P' Desk with Half Drum Base	68PDL8430DB	4740	84	36	28.5		232	59
	68PDR8430DB*	4740	84	30	28.5		247	59
	68PDL8436DB	4772	84	30	28.5		279	68
	68PDR8436DB	4772	84	36	28.5		294	68
	68PDL9636DB	5126	96	36	28.5		320	77
	68PDR9636DB	5126	96	36	28.5		335	77

 'P' Desk with Half Drum Base & Full Height Modesty Panel	68PDL8430DBM	4862	84	36	28.5		247	59
	68PDR8430DBM*	4862	84	30	28.5		247	59
	68PDL8436DBM	5178	84	36	28.5		294	68
	68PDR8436DBM	5178	84	36	28.5		294	68
	68PDL9636DBM	5568	96	36	28.5		335	77
	68PDR9636DBM	5568	96	36	28.5		335	77

**ORDERING NOTES:**

Please see page 256 for perforated metal modesty panel option.

 'Q' Desk with Wood Post Leg	68QDL7130	4155	71	30	28.5	49.5	189	50
	68QDR7130*	4155	71	30	28.5	49.5	189	50
	68QDL8436	4422	84	36	28.5	59.75	232	68
	68QDR8436	4422	84	36	28.5	59.75	232	68

**ORDERING NOTES:**

Please see page 256 for brushed aluminum tapered post leg option.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

4 - full height modesty panel
DB - half drum base
LGM - wood base and modesty panel
DBM - half drum base and modesty panel

STANDARD FINISHES


For a complete list of standard wood finishes please see page 247.

RETURN OPTIONS

Curved corner bullet desks, "Q" desks, and "K" desks, accept 24" deep run-off units, returns and linking units.

MILLENNIUM | CURVILINEAR DESKS


Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
'Q' Desk with 3/4 Modesty Panel & Wood Post Leg	68QDL71303LGM	4526	71	30	28.5		204	50
	68QDR71303LGM*	4526	71	30	28.5		204	50
	68QDL84363LGM	4671	84	36	28.5		274	68
	68QDR84363LGM	4671	84	36	28.5		274	68



ORDERING NOTES:

All curvilinear posts are 6" in diameter. Laminate worksurfaces are available at a 10% upcharge.


'Q' Desk with Full Height Modesty Panel & Wood Post Leg	68QDL71304LGM	4597	71	30	28.5		269	50
	68QDR71304LGM*	4597	71	30	28.5		269	50
	68QDL84364LGM	4788	84	36	28.5		279	68
	68QDR84364LGM	4788	84	36	28.5		279	68



ORDERING NOTES:

All curvilinear posts are 6" in diameter. Laminate worksurfaces are available at a 10% upcharge.


'Q' Desk with Half Drum Base	68QDL8436DB	4772	84	36	28.5	49.5	279	68
	68QDR8436DB*	4772	84	36	28.5	49.5	279	68
	68QDL9636DB	5133	96	36	28.5	59.75	320	68
	68QDR9636DB		96	36	28.5	59.75	320	68



ORDERING NOTES:

Laminate worksurfaces are available at a 10% upcharge.

'Q' Desk with Half Drum Base & Full Height Modesty Panel	68QDL8436DBM	5178	84	36	28.5	46.5	294	68
	68QDR8436DBM*	5178	84	36	28.5	46.5	294	68
	68QDL9636DBM	5568	96	36	28.5	68	335	68
	68QDR9636DBM	5568	96	36	28.5	68	335	68




ORDERING NOTES:

Please see page 256 for perforated metal modesty panel option.



'K' Desk with Wood Post Leg	68KDL7130	4155	71	30	28.5	49.5	189	50
	68KDR7130*	4155	71	30	28.5	49.5	189	50
	68KDL8436	4422	84	36	28.5	59.75	232	68
	68KDR8436	4422	84	36	28.5	59.75	232	68



ORDERING NOTES:

Please see page 256 for brushed aluminum tapered post leg option.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

3 - 3/4 height modesty panel
4 - full height modesty panel
D - 2 file drawers, 1 file draw
F - 2 box, 1 file drawer
DB - half drum base
LGM - wood base and modesty panel
DBM - half drum base and modesty panel

STANDARD FINISHES


For a complete list of standard wood finishes please see page 247.

GROMMETS


One wiring grommet in standard position is optional at no charge. Additional wiring grommets are available at an **upcharge of \$145**. See page 251 for more power management information.

MILLENNIUM | CURVILINEAR DESKS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
'K' Desk with 3/4 Modesty Panel & Wood Post Leg	68KDL71303LGM	4509	71	30	28.5	49.5	204	50
	68KDR71303LGM*	4509	71	30	28.5	49.5	204	50
	68KDL84363LGM	4671	84	36	28.5	59.75	274	68
	68KDR84363LGM	4671	84	36	28.5	59.75	274	68




'K' Desk with Full Height Modesty Panel & Wood Post Leg	68KDL71304LGM	4608	71	30	28.5	49.5	209	50
	68KDR71304LGM*	4608	71	30	28.5	49.5	209	50
	68KDL84364LGM	4788	84	36	28.5	59.75	274	68
	68KDR84364LGM	4788	84	36	28.5	59.75	224	68

**ORDERING NOTES:**



Please see page 256 for perforated metal modesty panel option. Laminate worksurfaces are available at a 10% upcharge. Overhang on the 'K' desk is 23" from the modesty panel.

'K' Desk with Half Drum Base	68KDL8436DB	4772	84	36	28.5	61.75	279	68
	68KDR8436DB*	4772	84	36	28.5	61.75	279	68
	68KDL9636DB	5133	96	36	28.5	68	320	68
	68KDR9636DB	5133	96	36	28.5	68	320	68

**ORDERING NOTES:**

Laminate worksurfaces are available at a 10% upcharge. Overhang on the 'K' desk is 23" from the modesty panel.

'K' Desk with Half Drum Base & Full Height Modesty Panel	68KDL8436DBM	5169	84	36	28.5	61.75	294	68
	68KDR8436DBM*	5169	84	36	28.5	61.75	294	68
	68KDL9636DBM	5568	96	36	28.5	68	335	68
	68KDR9636DBM	5568	96	36	28.5	68	335	68

**ORDERING NOTES:**

Please see page 256 for perforated metal modesty panel option. Laminate worksurfaces are available at a 10% upcharge. Overhang on the 'K' desk is 23" from the modesty panel.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

3 - 3/4 height modesty panel
4 - full height modesty panel
DB - half drum base
LGM - wood base and modesty panel
DBM - half drum base and modesty panel


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

RETURN OPTIONS

Curved corner bullet desks, "Q" desks, and "K" desks, accept 24" deep run-off units, returns and linking units.

MILLENNIUM | HEIGHT ADJUSTABLE DESK WORKSURFACES

		Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet	
Description	Model								
	Electronic Height	68HA3024ETS	2928	29.75	24	-	17	108.5	11.5
	Adjustable Worksurface	68HA3624ETS	2956	35.75	24	-	23	109	14
		68HA4224ETS	3037	41.75	24	-	29	109	16.5
		68HA4824ETS	3116	47.75	24	-	35	109.5	19
		68HA5424ETS	3172	53.5	24	-	41	110	21.5
		68HA6024ETS	3246	59.75	24	-	47	111	24
		68HA6624ETS	3568	2719	24	-	53	114	26.5
		68HA7124ETS	3754	71.75	24	-	59	119.5	29
		68HA7824ETS	3774	77.75	24	-	65	122.5	31.5
		68HA8424ETS	4065	83.75	24	-	71	127	34
		68HA3030ETS	3783	29.75	30	-	17	121.5	36.75
		68HA3630ETS	3222	35.75	30	-	23	122	14.25
		68HA4230ETS	3284	41.75	30	-	29	122	17.5
		68HA4830ETS	3360	47.75	30	-	35	122.5	20.5
		68HA5430ETS	3455	53.5	30	-	41	123	23.5
		68HA6030ETS	3513	59.75	30	-	47	124	26.5
		68HA6630ETS	3711	65.75	30	-	53	131	29.75
		68HA7130ETS*	3900	71.75	30	-	59	132.5	32.75
		68HA7830ETS	3919	77.75	30	-	65	142.5	35.75
		68HA8430ETS	4140	83.75	30	-	71	143.5	38.75
		68HA3036ETS	3848	29.75	36	-	17	121.5	42
		68HA3636ETS	3290	35.75	36	-	23	122	45.5
		68HA4236ETS	3509	41.75	36	-	29	122	17.25
		68HA4836ETS	3576	47.75	36	-	35	122.5	20.75
		68HA5436ETS	3659	53.5	36	-	41	123	24.5
		68HA6036ETS	3738	59.75	36	-	47	124	28.25
		68HA6636ETS	4026	65.75	36	-	53	134	32
		68HA7136ETS	4043	71.75	36	-	59	151.5	35.5
		68HA7836ETS	4082	77.75	36	-	65	158.5	39.25
		68HA8436ETS	4507	83.75	36	-	71	159.5	43

ORDERING NOTES:

To order a height adjustable work surface with a top overhang of 16" at one end add O16 to the end of the model number. eg. 68HA6024ETSO16. Please note that this option is not available on height adjustable work surfaces that are 42" or less in length. This option is not available on dual stage electronic height adjustable worksurfaces. To order a dual stage height adjustable base **add \$642 to the list price** and replace ETS with ETD. eg. 68HA6030ETD.

Lifts come standard with an up/down button. Standard colors are Silver Metallic & Black, please contact customer service for other available colors. A 4 position programmable display is available, please see page 303 for price and model number. Standard base is a T-base. A C base can be specified at the same price. To order a C-base on worksurfaces, up to 30" deep only, replace "T" with "C" e.g. 68HA8430ECS

Single stage height adjustable range: 26" - 45.5"

Dual stage height adjustable range: 21" - 47"

Power cord is 10 feet long.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 26
- 3) Wood edge detail- I, H, L or P, see page 264
- 4) Pull style, see page 265
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

HA - height adjustable
 E - electric
 T - T- base
 C - C- base
 S - single stage
 D - dual stage
 RH - return top with cross grain
 V21- half height floating wood modesty panel
 V26- half height floating laminate modesty panel


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

STORAGE SHELVES

Storage units feature shelves that are adjustable in increments of approximately 1 1/4".

MILLENNIUM | HEIGHT ADJUSTABLE DESK WORKSURFACES

		Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Description	Model							
Electronic Height	68HA3024ETSV21	3238	29.75	24	-	17	114.5	11.5
Adjustable Work	68HA3624ETSV21	3327	35.75	24	-	23	117	14
Surface with Wood	68HA4224ETSV21	3470	41.75	24	-	29	118	16.5
Modesty Panel	68HA4824ETSV21	3612	47.75	24	-	35	119.5	19
	68HA5424ETSV21	3731	53.5	24	-	41	122	21.5
	68HA6024ETSV21	3899	59.75	24	-	47	124	24
	68HA6624ETSV21	4226	65.75	24	-	53	128	26.5
	68HA7124ETSV21	4427	71.75	24	-	59	134.5	29
	68HA7824ETSV21	4459	77.75	24	-	65	139.5	31.5
	68HA8424ETSV21	4762	83.75	24	-	71	145	34
	68HA3030ETSV21	4091	29.75	30	-	17	127.5	36.75
	68HA3630ETSV21	3593	35.75	30	-	23	130	14.25
	68HA4230ETSV21	3717	41.75	30	-	29	131	17.5
	68HA4830ETSV21	3853	47.75	30	-	35	132.5	20.5
	68HA5430ETSV21	3985	53.5	30	-	41	135	23.5
	68HA6030ETSV21	4169	59.75	30	-	47	137	26.5
	68HA6630ETSV21	4369	65.75	30	-	53	145	29.75
	68HA7130ETSV21*	4571	71.75	30	-	59	147.5	32.75
	68HA7830ETSV21	3919	77.75	30	-	65	159.5	35.75
	68HA8430ETSV21	4823	83.75	30	-	71	161.5	38.75
	68HA3036ETSV21	4545	29.75	36	-	17	127.5	42
	68HA3636ETSV21	3600	35.75	36	-	23	130	45.5
	68HA4236ETSV21	3879	41.75	36	-	29	131	17.25
	68HA4836ETSV21	4021	47.75	36	-	35	132.5	20.75
	68HA5436ETSV21	4154	53.5	36	-	41	135	24.5
	68HA6036ETSV21	4392	59.75	36	-	47	137	28.25
	68HA6636ETSV21	4684	65.75	36	-	53	148	32
	68HA7136ETSV21	4716	71.75	36	-	59	166.5	35.5
	68HA7836ETSV21	4775	77.75	36	-	65	175.5	39.25
	68HA8436ETSV21	5255	83.75	36	-	71	177.5	43

ORDERING NOTES:

To order a height adjustable work surface with a top overhang of 16" at one end insert O16 into the model number after ETS. e.g. 68HA6024ETSO16V21. Please note that this option is not available on height adjustable work surfaces that are 42" or less in length. This option is not available on dual stage electronic height adjustable worksurfaces.

To order a dual stage height adjustable base **add \$642 to the list price** and replace ETS with ETD. eg. 68HA6030ETDV21.

Lifts come standard with an up/down button. Standard colors are Silver Metallic & Black, please contact customer service for other available colors. A 4 position programmable display is available, please see page 303 for price and model number. Standard base is a T-base. A C base can be specified at the same price. To order a C-base on worksurfaces, up to 30" deep only, replace "T" with "C" e.g. 68HA6630ECSV21

Modesty panels are available in low pressure laminate, please replace V21 with V26 for this option. Modesty panels are also available in palette, please replace V21 with V22 for this option.

Single stage height adjustable range: 26" - 45.5"

Dual stage height adjustable range: 21" - 47"

Power cord is 10 feet long.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

HA - height adjustable
E - electric
T - T- base
C - C- base
S - single stage
D - dual stage
RH - return top with cross grain
V21- half height floating wood modesty panel
V26- half height floating laminate modesty panel


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

GLASS DOORS

All storage glass doors come standard with a vertical Massa pull. Other pull options are not available on glass doors.

MILLENNIUM | HEIGHT ADJUSTABLE DESK WORKSURFACES

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Electronic Height Adjustable Work Surface with Base Enclosure	68HA4224ETSG	4860	41.75	24	-	24	154	16.5
	68HA4824ETSG	4939	47.75	24	-	30	154.5	19
	68HA5424ETSG	4994	53.5	24	-	36	155	21.5
	68HA6024ETSG	5066	59.75	24	-	42	156	24
	68HA6624ETSG	5391	65.75	24	-	48	159	26.5
	68HA7124ETSG	5578	71.75	24	-	54	164.5	29
	68HA7824ETSG	5595	77.75	24	-	60	167.5	31.5
	68HA8424ETSG	5888	83.75	24	-	66	172	34
	68HA4230ETSG	5320	41.75	30	-	24	177	17.5
	68HA4830ETSG	5395	47.75	30	-	30	177.5	20.5
	68HA5430ETSG	5466	53.5	30	-	36	178	23.5
	68HA6030ETSG	5551	59.75	30	-	42	179	26.5
	68HA6630ETSG	5748	65.75	30	-	42	186	29.75
	68HA7130ETSG*	5937	71.75	30	-	54	187.5	32.75
	68HA7830ETSG	5957	77.75	30	-	60	197.5	35.75
	68HA8430ETSG	6176	83.75	30	-	66	198.5	38.75
	68HA4236ETSG	5757	41.75	36	-	24	187	17.25
	68HA4836ETSG	5822	47.75	36	-	30	187.5	20.75
	68HA5436ETSG	5904	53.5	36	-	36	188	24.5
	68HA6036ETSG	5986	59.75	36	-	42	189	28.25
	68HA6636ETSG	6272	65.75	36	-	48	199	32
	68HA7136ETSG	6291	71.75	36	-	54	216.5	35.5
	68HA7836ETSG	6328	77.75	36	-	60	223.5	39.25
	68HA8436ETSG	6754	83.75	36	-	66	224.5	43

ORDERING NOTES:

To order a height adjustable work surface with a top overhang of 16" at one end insert O16 into the model number after ETS. eg. 68HA6024ETSO16G. Please note that this option is not available on height adjustable work surfaces that have base enclosures and are 54" or less in length. This option is not available on dual stage electronic height adjustable worksurfaces.

To order a dual stage height adjustable base **add \$642 to the list price** and replace ESTA with ETD. eg. 68HA6030ETDG.

Lifts come standard with an up/down button. Standard colors are Silver Metallic & Black, please contact customer service for other available colors. A 4 position programmable display is available, please see page 303 for price and model number.

Single stage height adjustable range: 26" - 45.5"

Dual stage height adjustable range: 21" - 47"

Power cord is 10 feet long.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 26
- 3) Wood edge detail- I, H, L or P, see page 264
- 4) Pull style, see page 265
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.


CODE DESCRIPTION

HA - height adjustable
 E - electric
 T - T- base
 C - C- base
 S - single stage
 D - dual stage
 RH - return top with cross grain
 V21- half height floating wood modesty panel
 V26- half height floating laminate modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 238.

MILLENNIUM | HEIGHT ADJUSTABLE DESK WORKSURFACES

		Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet	
Description	Model								
	Electronic Height	68HA4224ETSGV21	5128	41.75	24	-	24	163	16.5
	Adjustable Work	68HA4824ETSGV21	5219	47.75	24	-	30	164.5	19
	Surface with Base	68HA5424ETSGV21	5289	53.5	24	-	36	167	21.5
	Enclosure and Floating	68HA6024ETSGV21	5376	59.75	24	-	42	169	24
	Modesty Panel	68HA6624ETSGV21	5717	65.75	24	-	48	173	26.5
		68HA7124ETSGV21	5918	71.75	24	-	54	179.5	29
		68HA7824ETSGV21	5956	77.75	24	-	60	184.5	31.5
		68HA8424ETSGV21	6265	83.75	24	-	66	190	34
		68HA4230ETSGV21	5588	41.75	30	-	24	186	17.5
		68HA4830ETSGV21	5678	47.75	30	-	30	187.5	20.5
		68HA5430ETSGV21	5760	53.5	30	-	36	190	23.5
		68HA6030ETSGV21	5862	59.75	30	-	42	192	26.5
		68HA6630ETSGV21	6074	65.75	30	-	48	200	29.75
		68HA7130ETSGV21*	6280	71.75	30	-	54	202.5	32.75
		68HA7830ETSGV21	6315	77.75	30	-	60	214.5	35.75
		68HA8430ETSGV21	6536	83.75	30	-	66	216.5	38.75
		68HA4236ETSGV21	6022	41.75	36	-	24	196	17.25
		68HA4836ETSGV21	6090	47.75	36	-	30	197.5	20.75
		68HA5436ETSGV21	6186	53.5	36	-	36	200	24.5
		68HA6036ETSGV21	6281	59.75	36	-	42	202	28.25
		68HA6636ETSGV21	6583	65.75	36	-	48	213	32
		68HA7136ETSGV21	6615	71.75	36	-	54	231.5	35.5
		68HA7836ETSGV21	6686	77.75	36	-	60	240.5	39.25
		68HA8436ETSGV21	6947	83.75	36	-	66	242.5	43

ORDERING NOTES:

To order a height adjustable work surface with a top overhang of 16" at one end insert O16 into the model number after ETS. eg. 68HA6024ETSO16GV21. Please note that this option is not available on height adjustable work surfaces that have base enclosures and are 54" or less in length. This option is not available on dual stage electronic height adjustable worksurfaces.

To order a dual stage height adjustable base **add \$642 to the list price** and replace ETS with ETD. eg. 68HA6030ETDGV21. Lifts come standard with an up/down button. Standard colors are Silver Metallic & Black, please contact customer service for other available colors. A 4 position programmable display is available, please see page 303 for price and model number.

Modesty panels are available in low pressure laminate, please replace V21 with V26 for this option. Modesty panels are also available in palette, please replace V21 with V22 for this option.

Single stage height adjustable range: 26" - 45.5"

Dual stage height adjustable range: 21" - 47"

Power cord is 10 feet long.

DIMENSION KEY

W - width
D - depth
H - height


CODE DESCRIPTION

HA - height adjustable
E - electric
T - T- base
C - C- base
S - single stage
D - dual stage
RH - return top with cross grain
V21- half height floating wood modesty panel
V26- half height floating laminate modest panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 238.

MILLENNIUM | HEIGHT ADJUSTABLE RETURN WORKSURFACES

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
 Electronic Height Adjustable Return Worksurface	68HA4824RHETS	3116	47.75	24	-	35	109.5	19
	68HA5424RHETS	3172	53.5	24	-	41	110	21.5
	68HA6024RHETS	3246	59.75	24	-	47	111	24
	68HA6624RHETS	3568	27.19	24	-	53	114	26.5
	68HA7124RHETS	3754	71.75	24	-	59	119.5	29
	68HA7824RHETS	3774	77.75	24	-	65	122.5	31.5
	68HA8424RHETS	4065	83.75	24	-	71	127	34
	68HA4830RHETS	3360	47.75	30	-	35	122.5	20.5
	68HA5430RHETS	3455	53.5	30	-	41	123	23.5
	68HA6030RHETS	3513	59.75	30	-	47	124	26.5
	68HA6630RHETS	3711	65.75	30	-	53	131	29.75
	68HA7130RHETS*	3900	71.75	30	-	59	132.5	32.75
	68HA7830RHETS	3919	77.75	30	-	65	142.5	35.75
	68HA8430RHETS	4140	83.75	30	-	71	143.5	38.75
	68HA4836RHETS	3576	47.75	36	-	35	122.5	20.75
	68HA5436RHETS	3659	53.5	36	-	41	123	24.5
	68HA6036RHETS	3738	59.75	36	-	47	124	28.25
	68HA6636RHETS	4026	65.75	36	-	53	134	32
	68HA7136RHETS	4043	71.75	36	-	59	151.5	35.5
	68HA7836RHETS	4082	77.75	36	-	65	158.5	39.25
	68HA8436RHETS	4507	83.75	36	-	71	159.5	43

ORDERING NOTES:

To order a height adjustable work surface with a top overhang of 16" at one end add O16 to the end of the model number. eg. 68HA6024ETSO16. Please note that this option is not available on height adjustable work surfaces that are 42" or less in length. This option is not available on dual stage electronic height adjustable worksurfaces. To order a dual stage height adjustable base **add \$642 to the list price** and replace ETS with ETD. eg. 68HA6030ETD.

Lifts come standard with an up/down button. Standard colors are Silver Metallic & Black, please contact customer service for other available colors. A 4 position programmable display is available, please see page 303 for price and model number. . Standard base is a T-base. A C base can be specified at the same price. To order a C-base on worksurfaces, up to 30" deep only, replace "T" with "C" e.g. 68HA8430ECS

Single stage height adjustable range: 26" - 45.5"

Dual stage height adjustable range: 21" - 47"

Power cord is 10 feet long.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

HA - height adjustable
RH - return (cross grain)
E - electric
T - T- base
C - C- base
S - single stage
D - dual stage


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

STORAGE SHELVES

Storage units feature shelves that are adjustable in increments of approximately 1 1/4".

MILLENNIUM | HEIGHT ADJUSTABLE RETURN WORKSURFACES

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Electronic Height Adjustable Return Worksurface with Wood Modesty Panel	68HA4824RHETSV21	3612	47.75	24	-	35	119.5	19
	68HA5424RHETSV21	3731	53.5	24	-	41	122	21.5
	68HA6024RHETSV21	3899	59.75	24	-	47	124	24
	68HA6624RHETSV21	4226	65.75	24	-	53	128	26.5
	68HA7124RHETSV21	4427	71.75	24	-	59	134.5	29
	68HA7824RHETSV21	4459	77.75	24	-	65	139.5	31.5
	68HA8424RHETSV21	4762	83.75	24	-	71	145	34
	68HA4830RHETSV21	3853	47.75	30	-	35	132.5	20.5
	68HA5430RHETSV21	3985	53.5	30	-	41	135	23.5
	68HA6030RHETSV21	4169	59.75	30	-	47	137	26.5
	68HA6630RHETSV21	4369	65.75	30	-	53	145	29.75
	68HA7130RHETSV21*	4571	71.75	30	-	59	147.5	32.75
	68HA7830RHETSV21	3919	77.75	30	-	65	159.5	35.75
	68HA8430RHETSV21	4823	83.75	30	-	71	161.5	38.75
	68HA4836RHETSV21	4021	47.75	36	-	35	132.5	20.75
	68HA5436RHETSV21	4154	53.5	36	-	41	135	24.5
	68HA6036RHETSV21	4392	59.75	36	-	47	137	28.25
	68HA6636RHETSV21	4684	65.75	36	-	53	148	32
	68HA7136RHETSV21	4716	71.75	36	-	59	166.5	35.5
	68HA7836RHETSV21	4775	77.75	36	-	65	175.5	39.25
	68HA8436RHETSV21	5255	83.75	36	-	71	177.5	43

ORDERING NOTES:

To order a height adjustable work surface with a top overhang of 16" at one end insert O16 into the model number after ETS. eg. 68HA6024ETSO16V21. Please note that this option is not available on height adjustable work surfaces that are 42" or less in length. This option is not available on dual stage electronic height adjustable worksurfaces.

To order a dual stage height adjustable base **add \$642 to the list price** and replace ETS with ETD. eg. 68HA6030ETDV21. .

Lifts come standard with an up/down button. Standard colors are Silver Metallic & Black, please contact customer service for other available colors. A 4 position programmable display is available, please see page 303 for price and model number. Standard base is a T-base. A C base can be specified at the same price. To order a C-base on worksurfaces, up to 30" deep only, replace "T" with "C" e.g. 68HA6630ECSV21

Modesty panels are available in low pressure laminate, please replace V21 with V26 for this option. e.g. 68HA6030ETSV26.

Please see page 373 for Low-Pressure Laminate options.

Single stage height adjustable range: 26" - 45.5"

Dual stage height adjustable range: 21" - 47"

Power cord is 10 feet long.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

HA - height adjustable
RH - return (cross grain)
E - electric
T - T- base
C - C- base
S - single stage
D - dual stage
V21 - 1/2 height floating wood modesty panel


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

GLASS DOORS

All storage glass doors come standard with a vertical Massa pull. Other pull options are not available on glass doors.

MILLENNIUM | HEIGHT ADJUSTABLE RETURN WORKSURFACES

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
 Electronic Height Adjustable Return Worksurface with Base Enclosure	68HA4824RHETSG	4939	47.75	24	-	30	154.5	19
	68HA5424RHETSG	4994	53.5	24	-	36	155	21.5
	68HA6024RHETSG	5066	59.75	24	-	42	156	24
	68HA6624RHETSG	5391	65.75	24	-	48	159	26.5
	68HA7124RHETSG	5578	71.75	24	-	54	164.5	29
	68HA7824RHETSG	5595	77.75	24	-	60	167.5	31.5
	68HA8424RHETSG	5888	83.75	24	-	66	172	34
	68HA4830RHETSG	5395	47.75	30	-	30	177.5	20.5
	68HA5430RHETSG	5466	53.5	30	-	36	178	23.5
	68HA6030RHETSG	5551	59.75	30	-	42	179	26.5
	68HA6630RHETSG	5748	65.75	30	-	42	186	29.75
	68HA7130RHETSG*	5937	71.75	30	-	54	187.5	32.75
	68HA7830RHETSG	5957	77.75	30	-	60	197.5	35.75
	68HA8430RHETSG	6176	83.75	30	-	66	198.5	38.75
	68HA4836RHETSG	5822	47.75	36	-	30	187.5	20.75
	68HA5436RHETSG	5904	53.5	36	-	36	188	24.5
	68HA6036RHETSG	5986	59.75	36	-	42	189	28.25
	68HA6636RHETSG	6272	65.75	36	-	48	199	32
	68HA7136RHETSG	6291	71.75	36	-	54	216.5	35.5
	68HA7836RHETSG	6328	77.75	36	-	60	223.5	39.25
	68HA8436RHETSG	6754	83.75	36	-	66	224.5	43

ORDERING NOTES:

To order a height adjustable work surface with a top overhang of 16" at one end insert O16 into the model number after ETS. e.g. 68HA6024ETSO16G. Please note that this option is not available on height adjustable work surfaces that have base enclosures and are 54" or less in length. This option is not available on dual stage electronic height adjustable worksurfaces.

To order a dual stage height adjustable base **add \$642 to the list price** and replace ESTA with ETD. eg. 68HA6030ETDG. .

Lifts come standard with an up/down button. Standard colors are Silver Metallic & Black, please contact customer service for other available colors. A 4 position programmable display is available, please see page 303 for price and model number.

Single stage height adjustable range: 26" - 45.5"

Dual stage height adjustable range: 21" - 47"

Power cord is 10 feet long.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I,H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.


CODE DESCRIPTION

HA - height adjustable
RH - return (cross grain)
E - electric
T - T- base
C - C- base
S - single stage
D - dual stage

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

MILLENNIUM | HEIGHT ADJUSTABLE RETURN WORKSURFACES

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Electronic Height Adjustable Return Worksurface with Base Enclosure and Floating Modesty Panel	68HA4824RHETSGV21	5219	47.75	24	-	30	164.5	19
	68HA5424RHETSGV21	5289	53.5	24	-	36	167	21.5
	68HA6024RHETSGV21	5376	59.75	24	-	42	169	24
	68HA6624RHETSGV21	5717	65.75	24	-	48	173	26.5
	68HA7124RHETSGV21	5918	71.75	24	-	54	179.5	29
	68HA7824RHETSGV21	5956	77.75	24	-	60	184.5	31.5
	68HA8424RHETSGV21	6265	83.75	24	-	66	190	34
	68HA4830RHETSGV21	5678	47.75	30	-	30	187.5	20.5
	68HA5430RHETSGV21	5760	53.5	30	-	36	190	23.5
	68HA6030RHETSGV21	5862	59.75	30	-	42	192	26.5
	68HA6630RHETSGV21	6074	65.75	30	-	48	200	29.75
	68HA7130RHETSGV21*	6280	71.75	30	-	54	202.5	32.75
	68HA7830RHETSGV21	6315	77.75	30	-	60	214.5	35.75
	68HA8430RHETSGV21	6536	83.75	30	-	66	216.5	38.75
	68HA4836RHETSGV21	6090	47.75	36	-	30	197.5	20.75
	68HA5436RHETSGV21	6186	53.5	36	-	36	200	24.5
	68HA6036RHETSGV21	6281	59.75	36	-	42	202	28.25
	68HA6636RHETSGV21	6583	65.75	36	-	48	213	32
	68HA7136RHETSGV21	6615	71.75	36	-	54	231.5	35.5
	68HA7836RHETSGV21	6686	77.75	36	-	60	240.5	39.25
	68HA8436RHETSGV21	6947	83.75	36	-	66	242.5	43

ORDERING NOTES:

To order a height adjustable work surface with a top overhang of 16" at one end insert O16 into the model number after ETS. eg. 68HA6024ETSO16GV21. Please note that this option is not available on height adjustable work surfaces that have base enclosures and are 54" or less in length. This option is not available on dual stage electronic height adjustable worksurfaces.

To order a dual stage height adjustable base **add \$642 to the list price** and replace ETS with ETD. eg. 68HA6030ETDGV21. Lifts come standard with an up/down button. Standard colors are Silver Metallic & Black, please contact customer service for other available colors. A 4 position programmable display is available, please see page 303 for price and model number.

Modesty panels are available in low pressure laminate, please replace V21 with V26 for this option. e.g. 68HA6030ETSGV26.

Please see page 373 for Low-Pressure Laminate options.

Modesty panels are also available in palette, please replace V21 with V22 for this option. e.g. 68HA6030ETSGV22..

Single stage height adjustable range: 26" - 45.5"

Dual stage height adjustable range: 21" - 47"

Power cord is 10 feet long.

DIMENSION KEY

W - width
D - depth
H - height



CODE DESCRIPTION

HA - height adjustable
RH - return (cross grain)
E - electric
T - T- base
C - C- base
S - single stage
D - dual stage
V21 - 1/2 height floating wood modesty panel

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

MILLENNIUM | RETURNS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Return, Desk Height with Full Height Pedestal	68RH3620L4D	3522	36	20.25	28.5	19.5	101	15
	68RH3620L4F	3522	36	20.25	28.5	19.5	101	15
	68RH3620R4D	3522	36	20.25	28.5	19.5	101	15
	68RH3620R4F	3522	36	20.25	28.5	19.5	101	15
	68RH3624L4D	3555	36	24.25	28.5	19.5	115	18
	68RH3624L4F	3555	36	24.25	28.5	19.5	115	18
	68RH3624R4D	3555	36	24.25	28.5	19.5	115	18
	68RH3624R4F	3555	36	24.25	28.5	19.5	115	18
	68RH3630L4D	3583	36	30.25	28.5	19.5	136	21
	68RH3630L4F	3583	36	30.25	28.5	19.5	136	21
	68RH3630R4D	3583	36	30.25	28.5	19.5	136	21
	68RH3630R4F	3583	36	30.25	28.5	19.5	136	21
	68RH4220L4D	3582	42	20.25	28.5	25.5	113	17
	68RH4220L4F	3582	42	20.25	28.5	25.5	113	17
	68RH4220R4D	3582	42	20.25	28.5	25.5	113	17
	68RH4220R4F	3582	42	20.25	28.5	25.5	113	17
	68RH4224L4D	3638	42	24.25	28.5	25.5	129	20
	68RH4224L4F*	3638	42	24.25	28.5	25.5	129	20
	68RH4224R4D	3638	42	24.25	28.5	25.5	129	20
	68RH4224R4F	3638	42	24.25	28.5	25.5	129	20
	68RH4230L4D	3658	42	30.25	28.5	25.5	154	25
	68RH4230L4F	3658	42	30.25	28.5	25.5	154	25
	68RH4230R4D	3658	42	30.25	28.5	25.5	154	25
	68RH4230R4F	3658	42	30.25	28.5	25.5	154	25
	68RH4820L4D	3682	48	20.25	28.5	31.5	125	20
	68RH4820L4F	3682	48	20.25	28.5	31.5	125	20
	68RH4820R4D	3682	48	20.25	28.5	31.5	125	20
	68RH4820R4F	3682	48	20.25	28.5	31.5	125	20
	68RH4824L4D	3683	48	24.25	28.5	31.5	144	23
	68RH4824L4F	3683	48	24.25	28.5	31.5	144	23
	68RH4824R4D	3683	48	24.25	28.5	31.5	144	23
	68RH4824R4F	3683	48	24.25	28.5	31.5	144	23
	68RH4830L4D	3703	48	30.25	28.5	31.5	172	29
	68RH4830L4F	3703	48	30.25	28.5	31.5	172	29
	68RH4830R4D	3703	48	30.25	28.5	31.5	172	29
	68RH4830R4F	3703	48	30.25	28.5	31.5	172	29
	68RH5420L4D	3713	54	20.25	28.5	37.5	137	22
	68RH5420L4F	3713	54	20.25	28.5	37.5	137	22
	68RH5420R4D	3713	54	20.25	28.5	37.5	137	22
	68RH5420R4F	3713	54	20.25	28.5	37.5	137	22
	68RH5424L4D	3744	54	24.25	28.5	37.5	158	15
	68RH5424L4F	3744	54	24.25	28.5	37.5	158	15
	68RH5424R4D	3744	54	24.25	28.5	37.5	158	15
	68RH5424R4F	3744	54	24.25	28.5	37.5	158	15
	68RH5430L4D	3796	54	30.25	28.5	37.5	190	18
	68RH5430L4F	3796	54	30.25	28.5	37.5	190	18
	68RH5430R4D	3796	54	30.25	28.5	37.5	190	18
	68RH5430R4F	3796	54	30.25	28.5	37.5	190	18

ORDERING NOTES:

Please see page 256 for wire management cut-out option and for hinged modesty panel option. Laminate worksurfaces are available at a 10% upcharge. For reverse grain direction on returns use list price and note Reverse Grain on p.o.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- 4 - full height pedestal
- L - left handed pedestal position
- R - right handed pedestal position
- D - 2 file drawer
- F - 2 box, 1 file drawer

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

GROMMETS

One wiring grommet in standard position is optional at no charge. Additional wiring grommets are available at **an upcharge of \$145.**

MILLENNIUM | RETURNS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Return, Desk Height with Full Height Pedestal	68RH6020L4D	3852	60	20.25	28.5	43.5	147	17
	68RH6020L4F	3852	60	20.25	28.5	43.5	147	17
	68RH6020R4D	3852	60	20.25	28.5	43.5	147	17
	68RH6020R4F	3852	60	20.25	28.5	43.5	147	17
	68RH6024L4D	3912	60	24.25	28.5	43.5	170	20
	68RH6024L4F	3912	60	24.25	28.5	43.5	170	20
	68RH6024R4D	3912	60	24.25	28.5	43.5	170	20
	68RH6024R4F	3912	60	24.25	28.5	43.5	170	20
	68RH6030L4D	4017	60	30.25	28.5	43.5	205	20
	68RH6030L4F*	4017	60	30.25	28.5	43.5	205	20
	68RH6030R4D	4017	60	30.25	28.5	43.5	205	20
	68RH6030R4F	4017	60	30.25	28.5	43.5	205	20
	68RH6620L4D	4101	65.75	20.25	28.5	49.25	159	23
	68RH6620L4F	4101	65.75	20.25	28.5	49.25	159	23
	68RH6620R4D	4101	65.75	20.25	28.5	49.25	159	23
	68RH6620R4F	4101	65.75	20.25	28.5	49.25	159	23
	68RH6624L4D	4158	65.75	24.25	28.5	49.25	184	22
	68RH6624L4F	4158	65.75	24.25	28.5	49.25	184	22
	68RH6624R4D	4158	65.75	24.25	28.5	49.25	184	22
	68RH6624R4F	4158	65.75	24.25	28.5	49.25	184	22
	68RH6630L4D	4206	65.75	30.25	28.5	49.25	223	26
	68RH6630L4F	4206	65.75	30.25	28.5	49.25	223	26
	68RH6630R4D	4206	65.75	30.25	28.5	49.25	223	26
	68RH6630R4F	4206	65.75	30.25	28.5	49.25	223	26
	68RH7124L4D	4284	71	24.25	28.5	54.5	227	34
	68RH7124L4F	4284	71	24.25	28.5	54.5	227	34
	68RH7124R4D	4284	71	24.25	28.5	54.5	227	34
	68RH7124R4F	4284	71	24.25	28.5	54.5	227	34
	68RH7130L4D	4319	71	30.25	28.5	54.5	268	42
	68RH7130L4F	4319	71	30.25	28.5	54.5	268	42
	68RH7130R4D	4319	71	30.25	28.5	54.5	268	42
	68RH7130R4F	4319	71	30.25	28.5	54.5	268	42
	68RH8424L4D	4392	83.75	24.25	28.5	67.5	227	34
	68RH8424L4F	4392	83.75	24.25	28.5	67.5	227	34
	68RH8424R4D	4392	83.75	24.25	28.5	67.5	227	34
	68RH8424R4F	4392	83.75	24.25	28.5	67.5	227	34
	68RH8430L4D	4434	83.75	30.25	28.5	67.5	260	50
	68RH8430L4F	4434	83.75	30.25	28.5	67.5	260	50
	68RH8430R4D	4434	83.75	30.25	28.5	67.5	260	50
	68RH8430R4F	4434	83.75	30.25	28.5	67.5	260	50
Return, Desk Height & Depth with Full Height Pedestal	68RD6636L4D	4456	65.75	36.25	28.5	48.75	255	42
	68RD6636L4F*	4456	65.75	36.25	28.5	48.75	255	42
	68RD6636R4D	4456	65.75	36.25	28.5	48.75	255	42
	68RD6636R4F	4456	65.75	36.25	28.5	48.75	255	42
	68RD7136L4D	4551	71	36.25	28.5	54.5	252	50
	68RD7136L4F	4551	71	36.25	28.5	54.5	252	50
	68RD7136R4D	4551	71	36.25	28.5	54.5	252	50
	68RD7136R4F	4551	71	36.25	28.5	54.5	252	50
	68RD8436L4D	4734	83.75	36.25	28.5	67.5	270	60
	68RD8436L4F	4734	83.75	36.25	28.5	67.5	270	60
	68RD8436R4D	4734	83.75	36.25	28.5	67.5	270	60
	68RD8436R4F	4734	83.75	36.25	28.5	67.5	270	60

ORDERING NOTES: For reverse grain direction on returns use list price and note Reverse Grain on p.o.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

4 - full height pedestal
L - left handed pedestal position
R - right handed pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

OPEN/DESK RETURNS

Open returns can be found in the shell section on page 298. Desk depth returns have a recessed modesty panel.

MILLENNIUM | RETURNS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Return, Full Height	68RH6020L4DD**	4940	60	20.25	28.5	28.5	179	25
Ganged Pedestals	68RH6020L4DF*	4940	60	20.25	28.5	28.5	179	25
	68RH6020L4FD	4940	60	20.25	28.5	28.5	179	25
	68RH6020L4FF	4940	60	20.25	28.5	28.5	179	25
	68RH6020R4DD	4940	60	20.25	28.5	28.5	179	25
	68RH6020R4DF	4940	60	20.25	28.5	28.5	179	25
	68RH6020R4FD	4940	60	20.25	28.5	28.5	179	25
	68RH6020R4FF	4940	60	20.25	28.5	28.5	179	25
	68RH6024L4DD	4971	60	24.25	28.5	28.5	202	29
	68RH6024L4DF	4971	60	24.25	28.5	28.5	202	29
	68RH6024L4FD	4971	60	24.25	28.5	28.5	202	29
	68RH6024L4FF	4971	60	24.25	28.5	28.5	202	29
	68RH6024R4DD	4971	60	24.25	28.5	28.5	202	29
	68RH6024R4DF	4971	60	24.25	28.5	28.5	202	29
	68RH6024R4FD	4971	60	24.25	28.5	28.5	202	29
	68RH6024R4FF	4971	60	24.25	28.5	28.5	202	29
	68RH6030L4DD	4991	60	30.25	28.5	28.5	237	36
	68RH6030L4DF	4991	60	30.25	28.5	28.5	237	36
	68RH6030L4FD	4991	60	30.25	28.5	28.5	237	36
	68RH6030L4FF	4991	60	30.25	28.5	28.5	237	36
	68RH6030R4DD	4991	60	30.25	28.5	28.5	237	36
	68RH6030R4DF	4991	60	30.25	28.5	28.5	237	36
	68RH6030R4FD	4991	60	30.25	28.5	28.5	237	36
	68RH6030R4FF	4991	60	30.25	28.5	28.5	237	36
	68RH6620L4DD	5010	65.75	20.25	28.5	34.25	191	27
	68RH6620L4DF	5010	65.75	20.25	28.5	34.25	191	27
	68RH6620L4FD*	5010	65.75	20.25	28.5	34.25	191	27
	68RH6620L4FF	5010	65.75	20.25	28.5	34.25	191	27
	68RH6620R4DD	5010	65.75	20.25	28.5	34.25	191	27
	68RH6620R4DF	5010	65.75	20.25	28.5	34.25	191	27
	68RH6620R4FD	5010	65.75	20.25	28.5	34.25	191	27
	68RH6620R4FF	5010	65.75	20.25	28.5	34.25	191	27
	68RH6624L4DD	5048	65.75	24.25	28.5	34.25	216	32
	68RH6624L4DF	5048	65.75	24.25	28.5	34.25	216	32
	68RH6624L4FD	5048	65.75	24.25	28.5	34.25	216	32
	68RH6624L4FF	5048	65.75	24.25	28.5	34.25	216	32
	68RH6624R4DD	5048	65.75	24.25	28.5	34.25	216	32
	68RH6624R4DF	5048	65.75	24.25	28.5	34.25	216	32
	68RH6624R4FD	5048	65.75	24.25	28.5	34.25	216	32
	68RH6624R4FF	5048	65.75	24.25	28.5	34.25	216	32
	68RH6630L4DD	5066	65.75	30.25	28.5	34.25	255	39
	68RH6630L4DF	5066	65.75	30.25	28.5	34.25	255	39
	68RH6630L4FD	5066	65.75	30.25	28.5	34.25	255	39
	68RH6630L4FF	5066	65.75	30.25	28.5	34.25	255	39
	68RH6630R4DD	5066	65.75	30.25	28.5	34.25	255	39
	68RH6630R4DF	5066	65.75	30.25	28.5	34.25	255	39
	68RH6630R4FD	5066	65.75	30.25	28.5	34.25	255	39
	68RH6630R4FF	5066	65.75	30.25	28.5	34.25	255	39
	68RH7124L4DD	5110	71	24.25	28.5	39.5	227	34
	68RH7124L4DF	5110	71	24.25	28.5	39.5	227	34

ORDERING NOTES:

Please see page 256 for wire management cut-out option and for hinged modesty panel option.
Laminate work-surfaces are available at a 10% upcharge.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

4 - full height pedestal
L - left handed pedestal position
R - right handed pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer





STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

GROMMETS

One wiring grommet in standard position is optional at no charge. Additional wiring grommets are available at an **upcharge of \$145.**

MILLENNIUM | RETURNS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Return, Full Height Ganged Pedestals Continued	68RH7124L4FD	5110	71	24.25	28.5	39.5	227	34
	68RH7124L4FF	5110	71	24.25	28.5	39.5	227	34
	68RH7124R4DD	5110	71	24.25	28.5	39.5	227	34
	68RH7124R4DF	5110	71	24.25	28.5	39.5	227	34
	68RH7124R4FD	5110	71	24.25	28.5	39.5	227	34
	68RH7124R4FF	5110	71	24.25	28.5	39.5	227	34
	68RH7130L4DD	5172	71	30.25	28.5	39.5	268	42
	68RH7130L4DF	5172	71	30.25	28.5	39.5	268	42
	68RH7130L4FD	5172	71	30.25	28.5	39.5	268	42
	68RH7130L4FF	5172	71	30.25	28.5	39.5	268	42
	68RH7130R4DD	5172	71	30.25	28.5	39.5	268	42
	68RH7130R4DF	5172	71	30.25	28.5	39.5	268	42
	68RH7130R4FD*	5172	71	30.25	28.5	39.5	268	42
	68RH7130R4FF	5172	71	30.25	28.5	39.5	268	42
	68RH8424L4DD	5262	83.75	24.25	28.5	52.5	260	40
	68RH8424L4DF	5262	83.75	24.25	28.5	52.5	260	40
	68RH8424L4FD	5262	83.75	24.25	28.5	52.5	260	40
	68RH8424L4FF	5262	83.75	24.25	28.5	52.5	260	40
	68RH8424R4DD	5262	83.75	24.25	28.5	52.5	260	40
	68RH8424R4DF	5262	83.75	24.25	28.5	52.5	260	40
	68RH8424R4FD	5262	83.75	24.25	28.5	52.5	260	40
	68RH8424R4FF	5262	83.75	24.25	28.5	52.5	260	40
	68RH8430L4DD	5309	83.75	30.25	28.5	52.5	309	50
	68RH8430L4DF	5309	83.75	30.25	28.5	52.5	309	50
	68RH8430L4FD	5309	83.75	30.25	28.5	52.5	309	50
	68RH8430L4FF	5309	83.75	30.25	28.5	52.5	309	50
	68RH8430R4DD	5309	83.75	30.25	28.5	52.5	309	50
	68RH8430R4DF	5309	83.75	30.25	28.5	52.5	309	50
	68RH8430R4FD	5309	83.75	30.25	28.5	52.5	309	50
	68RH8430R4FF	5309	83.75	30.25	28.5	52.5	309	50
Return, Lateral File Pedestal	68RH6024LLF*	4730	60	24.25	28.5	24	218	29
	68RH6024RLF	4730	60	24.25	28.5	24	218	29
	68RH7124LLF	4772	71	24.25	28.5	35	243	34
	68RH7124RLF	4772	71	24.25	28.5	35	243	34
	68RH8424LLF	4834	84	24.25	28.5	48	279	36
	68RH8424RLF	4834	84	24.25	28.5	48	279	36
								
								

ORDERING NOTES:

Please see page 256 for wire management cut-out option and for hinged modesty panel option. Laminate work-surfaces are available at a 10% upcharge. For reverse grain direction on returns use list price and note Reverse Grain on p.o.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

4 - full height pedestal
L - left handed pedestal position
R - right handed pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer


STANDARD FINISHES


For a complete list of standard wood finishes please see page 247.

OPEN/DESK RETURNS

Open returns can be found in the shell section on page 298. Desk depth returns have a recessed modesty panel.


MILLENNIUM | RETURNS



Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Bullet Return with Post Leg 	68BR6030*	2014	60	30.25	28.5		131	4
	68BR6630	2053	65.75	30.25	28.5		149	4
	68BR6636	2065	65.75	36.25	28.5		189	5
	68BR7130	2112	71	30.25	28.5		164	4
	68BR7136	2182	71	36.25	28.5		207	4

P' Return with Post Leg 	68PRL7130	2886	71	30	28.5	48.6	184	50
	68PRR7130*	2886	71	30	28.5	48.6	184	50
	68PRL7136	3024	71	36	28.5	48.6	227	58
	68PRR7136	3024	71	36	28.5	48.6	227	58
	68PRL8430	3307	84	30	28.5	65.25	207	59
	68PRR8430	3307	84	30	28.5	65.25	207	59
	68PRL8436	3417	84	36	28.5	62.5	254	68
	68PRR8436	3417	84	36	28.5	62.5	254	68

ORDERING NOTES:

Please see page 256 for brushed aluminum tapered post leg option.

P' Return with Half Drum Base 	68PRL7130DB	3228	71	30	28.5	48.6	184	50
	68PRR7130DB*	3228	71	30	28.5	48.6	184	50
	68PRL7136DB	3370	71	36	28.5	48.6	227	58
	68PRR7136DB	3370	71	36	28.5	48.6	227	58
	68PRL8430DB	3657	84	30	28.5	65.25	207	59
	68PRR8430DB	3657	84	30	28.5	65.25	207	59
	68PRL8436DB	3762	84	36	28.5	62.5	254	68
	68PRR8436DB	3762	84	36	28.5	62.5	254	68
	68PRL9630DB	3923	96	30	28.5	70.75	241	74
	68PRR9630DB	3923	96	30	28.5	70.75	241	74
	68PRL9636DB	4257	96	36	28.5	68	295	77
	68PRR9636DB	4257	96	36	28.5	68	295	77

'P' Return with Half Drum Base & Full Modesty Panel  	68PRL7130DBM	4329	71	30	28.5	48.6	204	50
	68PRR7130DBM*	4329	71	30	28.5	48.6	204	50
	68PRL7136DBM	4361	71	36	28.5	48.6	247	58
	68PRR7136DBM	4361	71	36	28.5	48.6	247	58
	68PRL8430DBM	4680	84	30	28.5	65.25	232	59
	68PRR8430DBM	4680	84	30	28.5	65.25	232	59
	68PRL8436DBM	4435	84	36	28.5	62.5	274	68
	68PRR8436DBM	4435	84	36	28.5	62.5	274	68
	68PRL9630DBM	4726	96	30	28.5	70.75	261	74
	68PRR9630DBM	4726	96	30	28.5	70.75	261	74
	68PRL9636DBM	5084	96	36	28.5	68	310	77
	68PRR9636DBM	5084	96	36	28.5	68	310	77

ORDERING NOTES:

Please see page 256 for perforated metal modesty panel option. For reverse grain direction on returns use list price and note Reverse Grain on p.o.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I,H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

4 - full height pedestal
DB - Half Drum Base
DBM - Half Drum Base & Full Modesty Panel



STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

GROMMETS

One wiring grommet in standard position is optional at no charge. Additional wiring grommets are available at an **upcharge of \$145.**

MILLENNIUM | LINKING TOPS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
 	68LU3024H	1617	29.5	24.25	28.5		57	6
	68LU3620H	1692	35.5	20.25	28.5		54	6
	68LU3624H	1747	35.5	24.25	28.5		68	7
	68LU4220H	1769	41.5	20.25	28.5		66	7
	68LU4224H	1829	41.5	24.25	28.5		82	8
	68LU4820H*	1866	47.5	20.25	28.5		78	8
	68LU4824H	1899	47.5	24.25	28.5		97	9
	68LU5420H	1923	53.5	20.25	28.5		90	9
	68LU5424H	1948	53.5	24.25	28.5		111	10
	68LU6020H	1965	59.5	20.25	28.5		100	10
	68LU6024H	1997	59.5	24.25	28.5		123	11
	68LU6624H	2123	65.5	24.25	28.5		137	12
	68LU7124H	2265	70.5	24.25	28.5		148	13


ORDERING NOTES:

Please see page 256 for wire management cut-out option. Please see page 256 for hinged modesty panel option and perforated metal modesty panel option.

 	68LUC3624H	2056	35.5	24.25	28.5		68	7
	68LUC4224H	2093	41.5	24.25	28.5		82	8
	68LUC4824H*	2211	47.5	24.25	28.5		97	9

ORDERING NOTES:

Please see page 256 for wire management cut-out option. Please see page 256 for hinged modesty panel option and for perforated metal modesty panel option. Linking unit is 21.25" deep at the center of the curve.

	68LT3620H	841	35.5	20.25	28.5		34	6
	68LT3624H	846	35.5	24.25	28.5		48	6
	68LT4220H	872	41.5	20.25	28.5		46	7
	68LT4224H	899	41.5	24.25	28.5		62	8
	68LT4820H*	922	47.5	20.25	28.5		58	8
	68LT4824H	938	47.5	24.25	28.5		77	9
	68LT5420H	950	53.5	20.25	28.5		70	9
	68LT5424H	959	53.5	24.25	28.5		91	10
	68LT6020H	970	59.5	20.25	28.5		80	10
	68LT6024H	1003	59.5	24.25	28.5		93	11
	68LT6620H	1016	65.5	20.25	28.5		82	11
	68LT6624H	1033	65.5	24.25	28.5		107	12
	68LT7124H	1055	70.5	24.25	28.5		118	13

ORDERING NOTES: For reverse grain direction on returns use list price and note Reverse Grain on p.o.

	68LTC3624H	971	35.5	24.25	28.5		48	6
	68LTC4224H	1022	41.5	24.25	28.5		62	8
	68LTC4824H*	1082	47.5	24.25	28.5		77	9

ORDERING NOTES: Linking unit is 21.25" deep at the center of the curve. For reverse grain direction on returns use list price and note Reverse Grain on p.o.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

H - desk height


STANDARD FINISHES

For a complete list of standard wood finishes please see page 256.


GABLE SUPPORT

A half gable support is required on any open spans greater than 60" that don't have a modesty panel.

MILLENNIUM | CORNER UNITS

Description	Model	Cherry	W	D	H	KW	Shipping Weight	Cubic Feet
		Walnut Maple						
Corner Unit, Angled Front 	68CU363620	3311	36.25	36.25	28.5	22.5	132	26
	68CU363624	3311	36.25	36.25	28.5	17	132	26
	68CU424224*	3637	42.25	42.25	28.5	25.5	164	35
	68CU4242L24R30	3692	42.25	42.25	28.5	21.5	164	35
	68CU4242L30R24	3692	42.25	42.25	28.5	21.5	164	35

ORDERING NOTES: Includes a standard grommet in the "C" position. Laminate worksurfaces are available at a 10% upcharge. When ordering a keyboard for use with a corner unit, please specify a 68KBAC2110 with an extended mechanism.

Corner Unit, Curved Front 	68CUC363620	3469	36.25	36.25	28.5	22.5	132	26
	68CUC363624	3469	36.25	36.25	28.5	17	132	26
	68CUC424224*	3820	42.25	42.25	28.5	25.5	164	35
	68CUC4242L24R30	3919	42.25	42.25	28.5	21.5	132	35
	68CUC4242L30R24	3919	42.25	42.25	28.5	21.5	132	35

ORDERING NOTES: Includes a standard grommet in the "C" position. Laminate worksurfaces are available at a 10% upcharge. When ordering a keyboard for use with a corner unit, please specify a 68KBAC2110 with an extended mechanism.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

GROMMETS

One wiring grommet in standard position is optional at no charge. Additional wiring grommets are available at an **upcharge of \$145.**

MILLENNIUM | CREDENZAS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Single Pedestal	68C60204LDR0	4611	60	20.25	28.5	42	154	24
Credenza	68C60204LFR0	4611	60	20.25	28.5	42	154	24
with Full Height	68C60204LORD	4611	60	20.25	28.5	42	154	24
Pedestals	68C60204LORF	4611	60	20.25	28.5	42	154	24
	68C60244LDR0	4645	60	24.25	28.5	42	178	29
	68C60244LFR0	4645	60	24.25	28.5	42	178	29
	68C60244LORD	4645	60	24.25	28.5	42	178	29
	68C60244LORF	4645	60	24.25	28.5	42	178	29
	68C66204LDR0	4678	65.75	20.25	28.5	48	165	27
	68C66204LFR0	4678	65.75	20.25	28.5	48	165	27
	68C66204LORD	4678	65.75	20.25	28.5	48	165	27
	68C66204LORF	4678	65.75	20.25	28.5	48	165	27
	68C66244LDR0	4689	65.75	24.25	28.5	48	192	32
	68C66244LFR0	4689	65.75	24.25	28.5	48	192	32
	68C66244LORD	4689	65.75	24.25	28.5	48	192	32
	68C66244LORF	4689	65.75	24.25	28.5	48	192	32
	68C71204LDR0*	4714	71	20.25	28.5	53.25	175	29
	68C71204LFR0	4714	71	20.25	28.5	53.25	175	29
	68C71204LORD	4714	71	20.25	28.5	53.25	175	29
	68C71204LORF	4714	71	20.25	28.5	53.25	175	29
	68C71244LDR0	4760	71	24.25	28.5	53.25	204	34
	68C71244LFR0	4760	71	24.25	28.5	53.25	204	34
	68C71244LORD	4760	71	24.25	28.5	53.25	204	34
	68C71244LORF	4760	71	24.25	28.5	53.25	204	34
	68C78204LDR0	4800	78	20.25	28.5	60.5	193	26
	68C78204LFR0	4800	78	20.25	28.5	60.5	193	26
	68C78204LORD	4800	78	20.25	28.5	60.5	193	26
	68C78204LORF	4800	78	20.25	28.5	60.5	193	26
	68C78244LDR0	4841	78	24.25	28.5	60.5	224	32
	68C78244LFR0	4841	78	24.25	28.5	60.5	224	32
	68C78244LORD	4841	78	24.25	28.5	60.5	224	32
	68C78244LORF	4841	78	24.25	28.5	60.5	224	32
	68C84204LDR0	4887	83.75	20.25	28.5	66.25	191	34
	68C84204LFR0	4887	83.75	20.25	28.5	66.25	191	34
	68C84204LORD	4887	83.75	20.25	28.5	66.25	191	34
	68C84204LORF	4887	83.75	20.25	28.5	66.25	191	34
	68C84244LDR0	4912	83.75	24.25	28.5	66.25	222	38
	68C84244LFR0	4912	83.75	24.25	28.5	66.25	222	38
	68C84244LORD	4912	83.75	24.25	28.5	66.25	222	38
	68C84244LORF	4912	83.75	24.25	28.5	66.25	222	38

ORDERING NOTES:

Please see page 256 for wire management cut-out and/or hinged modesty panel option.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

0 - no pedestal
4 - full height pedestal
L - left handed pedestal position
R - right handed pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer



STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

OPEN/DESK RETURNS

Open returns can be found in the shell section on page 298. Desk depth returns have a recessed modesty panel.

MILLENNIUM | CREDENZAS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Double Pedestal Credenza with Full Height Pedestals	68C60204LDRD	4980	60	20.25	28.5	27.25	186	24
	68C60204LDRF	4980	60	20.25	28.5	27.25	186	24
	68C60204LFRD	4980	60	20.25	28.5	27.25	186	24
	68C60204LFRF	4980	60	20.25	28.5	27.25	186	24
	68C60244LDRD	4994	60	24.25	28.5	27.25	210	29
	68C60244LDRF	4994	60	24.25	28.5	27.25	210	29
	68C60244LFRD	4994	60	24.25	28.5	27.25	210	29
	68C60244LFRF	4994	60	24.25	28.5	27.25	210	29
	68C66204LDRD	5033	65.75	20.25	28.5	33.25	197	27
	68C66204LDRF	5033	65.75	20.25	28.5	33.25	197	27
	68C66204LFRD	5033	65.75	20.25	28.5	33.25	197	27
	68C66204LFRF	5033	65.75	20.25	28.5	33.25	197	27
	68C66244LDRD	5038	65.75	24.25	28.5	33.25	210	32
	68C66244LDRF	5038	65.75	24.25	28.5	33.25	210	32
	68C66244LFRD	5038	65.75	24.25	28.5	33.25	210	32
	68C66244LFRF	5038	65.75	24.25	28.5	33.25	210	32
	68C71204LDRD	5063	71	20.25	28.5	38.5	207	29
	68C71204LDRF	5063	71	20.25	28.5	38.5	207	29
	68C71204LFRD*	5063	71	20.25	28.5	38.5	207	29
	68C71204LFRF	5063	71	20.25	28.5	38.5	207	29
	68C71244LDRD	5118	71	24.25	28.5	38.5	236	34
	68C71244LDRF	5118	71	24.25	28.5	38.5	236	34
	68C71244LFRD	5118	71	24.25	28.5	38.5	236	34
	68C71244LFRF	5118	71	24.25	28.5	38.5	236	34
	68C78204LDRD	5135	78	20.25	28.5	42.5	205	26
	68C78204LDRF	5135	78	20.25	28.5	42.5	205	26
	68C78204LFRD	5135	78	20.25	28.5	42.5	205	26
	68C78204LFRF	5135	78	20.25	28.5	42.5	205	26
	68C78244LDRD	5211	78	24.25	28.5	42.5	253	32
	68C78244LDRF	5211	78	24.25	28.5	42.5	253	32
	68C78244LFRD	5211	78	24.25	28.5	42.5	253	32
	68C78244LFRF	5211	78	24.25	28.5	42.5	253	32
	68C84204LDRD	5171	83.75	20.25	28.5	51.75	223	34
	68C84204LDRF	5171	83.75	20.25	28.5	51.75	223	34
	68C84204LFRD	5171	83.75	20.25	28.5	51.75	223	34
	68C84204LFRF	5171	83.75	20.25	28.5	51.75	223	34
	68C84244LFRD	5298	83.75	24.25	28.5	51.75	254	38
	68C84244LDRF	5298	83.75	24.25	28.5	51.75	254	38
	68C84244LDRD	5298	83.75	24.25	28.5	51.75	254	38
	68C84244LFRF	5298	83.75	24.25	28.5	51.75	254	38

ORDERING NOTES:

The pencil drawer can not be used in 20" deep knee hole credenzas and/or shells. Please see page 256 for wire management cut-out option and for hinged modesty panel option.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- 4 - full height pedestal
- L - left handed pedestal position
- R - right handed pedestal position
- D - 2 file drawer
- F - 2 box, 1 file drawer

STANDARD FINISHES


For a complete list of standard wood finishes please see page 247.

GROMMETS

One wiring grommet in standard position is optional at no charge. Additional wiring grommets are available at an **upcharge of \$145.**

MILLENNIUM | CREDENZAS



Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Bow Top, Double	68CX71204LDRD	5418	71	20.5	28.5	38.5	217	29
Pedestal Credenza with	68CX71204LDRF	5418	71	20.5	28.5	38.5	217	29
Full Height Pedestals	68CX71204LFRD	5418	71	20.5	28.5	38.5	217	29
	68CX71204LFRF	5418	71	20.5	28.5	38.5	217	29
	68CX71244LDRD	5536	71	24.5	28.5	38.5	246	24
	68CX71244LDRF	5536	71	24.5	28.5	38.5	246	24
	68CX71244LFRD	5536	71	24.5	28.5	38.5	246	24
	68CX71244LFRF	5536	71	24.5	28.5	38.5	246	24
	68CX78204LDRD	5562	78	20.5	28.5	42.5	224	26
	68CX78204LDRF	5562	78	20.5	28.5	42.5	224	26
	68CX78204LFRD*	5562	78	20.5	28.5	42.5	224	26
	68CX78204LFRF	5562	78	20.5	28.5	42.5	224	26
	68CX78244LDRD	5571	78	24.5	28.5	42.5	257	38
	68CX78244LDRF	5571	78	24.5	28.5	42.5	257	38
	68CX78244LFRD	5571	78	24.5	28.5	42.5	257	38
	68CX78244LFRF	5571	78	24.5	28.5	42.5	257	38
	68CX84204LDRD	5658	83.75	20.5	28.5	51.75	233	34
	68CX84204LDRF	5658	83.75	20.5	28.5	51.75	233	34
	68CX84204LFRD	5658	83.75	20.5	28.5	51.75	233	34
	68CX84204LFRF	5658	83.75	20.5	28.5	51.75	233	34
	68CX84244LDRD	5664	83.75	24.5	28.5	51.75	264	38
	68CX84244LDRF	5664	83.75	24.5	28.5	51.75	264	38
	68CX84244LFRD	5664	83.75	24.5	28.5	51.75	264	38
	68CX84244LFRF	5664	83.75	24.5	28.5	51.75	264	38



ORDERING NOTES:

The pencil drawer can not be used in 20" deep knee hole credenzas and/or shells. Please see page 256 for wire management cut-out option and for hinged modesty panel option.

Credenza, Ganged	68C66204LDDR0	5497	65.75	20.25	28.5	33.25	197	27
Pedestals	68C66204LDFR0	5497	65.75	20.25	28.5	33.25	197	27
	68C66204LFDR0	5497	65.75	20.25	28.5	33.25	197	27
	68C66204LFFR0**	5497	65.75	20.25	28.5	33.25	197	27
	68C66204LORDD	5497	65.75	20.25	28.5	33.25	197	27
	68C66204LORDF	5497	65.75	20.25	28.5	33.25	197	27
	68C66204LORFD*	5497	65.75	20.25	28.5	33.25	197	27
	68C66204LORFF	5497	65.75	20.25	28.5	33.25	197	27
	68C66244LDDR0	5531	65.75	24.5	28.5	33.25	224	32
	68C66244LDFR0	5531	65.75	24.5	28.5	33.25	224	32
	68C66244LFDR0	5531	65.75	24.5	28.5	33.25	224	32
	68C66244LFFR0	5531	65.75	24.5	28.5	33.25	224	32
	68C66244LORDD	5531	65.75	24.5	28.5	33.25	224	32
	68C66244LORDF	5531	65.75	24.5	28.5	33.25	224	32
	68C66244LORFD	5531	65.75	24.5	28.5	33.25	224	32
	68C66244LORFF	5531	65.75	24.5	28.5	33.25	224	32
	68C71204LDDR0	5558	71	20.25	28.5	38.5	207	29
	68C71204LDFR0	5558	71	20.25	28.5	38.5	207	29
	68C71204LFDR0	5558	71	20.25	28.5	38.5	207	29
	68C71204LFFR0	5558	71	20.25	28.5	38.5	207	29
	68C71204LORDD	5558	71	20.25	28.5	38.5	207	29



ORDERING NOTES:

"C" position grommets are not available on 60-71" Ganged Pedestal Credenzas. Ganged pedestals are specified in the product code beginning with the pedestal closest to the end panel.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

0 - no pedestal
4 - full height pedestal
L - left handed pedestal position
R - right handed pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

GABLE SUPPORT

A half gable support is required on any open spans greater than 60" that don't have a modesty panel.

MILLENNIUM | CREDENZAS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Credenza, Ganged Pedestals 	68C71204LORDF	5558	71	20.25	28.5	38.5	207	29
	68C71204LORFD*	5558	71	24.5	28.5	38.5	207	29
	68C71204LORFF	5558	71	24.5	28.5	38.5	207	29
	68C71244LDDR0	5590	71	24.5	28.5	38.5	236	34
	68C71244LDFR0	5590	71	24.5	28.5	38.5	236	34
	68C71244LFDR0	5590	71	24.5	28.5	38.5	236	34
	68C71244LFFR0	5590	71	24.5	28.5	38.5	236	34
	68C71244LORDD	5590	71	24.5	28.5	38.5	236	34
	68C71244LORDF	5590	71	24.5	28.5	38.5	236	34
	68C71244LORFD	5590	71	20.25	28.5	38.5	236	34
	68C71244LORFF	5590	71	20.25	28.5	38.5	236	34
	68C78204LDDR0	5594	78	20.5	28.5	42.5	217	26
	68C78204LDFR0	5594	78	20.5	28.5	42.5	217	26
	68C78204LFDR0	5594	78	20.5	28.5	42.5	217	26
	68C78204LFFR0	5594	78	20.5	28.5	42.5	217	26
	68C78204LORDD	5594	78	20.5	28.5	42.5	217	26
	68C78204LORDF	5594	78	20.5	28.5	42.5	217	26
	68C78204LORFD	5594	78	20.5	28.5	42.5	217	26
	68C78204LORFF	5594	78	20.5	28.5	42.5	217	26
	68C78244LDDR0	5601	78	24.5	28.5	42.5	253	32
	68C78244LDFR0	5601	78	24.5	28.5	42.5	253	32
	68C78244LFDR0	5601	78	24.5	28.5	42.5	253	32
	68C78244LFFR0	5601	78	24.5	28.5	42.5	253	32
	68C78244LORDD	5601	78	24.5	28.5	42.5	253	32
	68C78244LORDF	5601	78	24.5	28.5	42.5	253	32
	68C78244LORFD	5601	78	24.5	28.5	42.5	253	32
	68C78244LORFF	5601	78	24.5	28.5	42.5	253	32
	68C84204LDDR0	5664	83.75	20.5	28.5	51.5	223	34
	68C84204LDFR0	5664	83.75	20.5	28.5	51.5	223	34
	68C84204LFDR0	5664	83.75	20.5	28.5	51.5	223	34
	68C84204LFFR0	5664	83.75	20.5	28.5	51.5	223	34
	68C84204LORDD	5664	83.75	20.5	28.5	51.5	223	34
	68C84204LORDF	5664	83.75	20.5	28.5	51.5	223	34
	68C84204LORFD	5664	83.75	20.5	28.5	51.5	223	34
	68C84204LORFF	5664	83.75	20.5	28.5	51.5	223	34
	68C84244LDDR0	5694	83.75	24.5	28.5	51.5	223	34
	68C84244LDFR0	5694	83.75	24.5	28.5	51.5	223	34
	68C84244LFDR0	5694	83.75	24.5	28.5	51.5	223	34
	68C84244LFFR0	5694	83.75	24.5	28.5	51.5	223	34
	68C84244LORDD	5694	83.75	24.5	28.5	51.5	223	34
	68C84244LORDF	5694	83.75	24.5	28.5	51.5	223	34
	68C84244LORFD	5694	83.75	24.5	28.5	51.5	223	34
	68C84244LORFF	5694	83.75	24.5	28.5	51.5	223	34

ORDERING NOTES:

"C" position grommets are not available on 60-71" Ganged Pedestal Credenzas. Ganged pedestals are specified in the product code beginning with the pedestal closest to the end panel.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- 0 - no pedestal
- 4 - full height pedestal
- L - left handed pedestal position
- R - right handed pedestal position
- D - 2 file drawer
- F - 2 box, 1 file drawer

STANDARD FINISHES


For a complete list of standard wood finishes please see page 247.

GROMMETS

One wiring grommet in standard position is optional at no charge. Additional wiring grommets are available at an **upcharge of \$145.**

MILLENNIUM | CREDENZAS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Credenza, Lateral File or Bookcase Pedestals	68C6020LBR0	4183	60	20.5	28.5	28	174	24
	68C6020LFR0	4635	60	20.5	28.5	28	205	24
	68C6020LORB	4183	60	20.5	28.5	28	172	24
	68C6020LORF	4635	60	20.5	28.5	28	205	24
	68C6024LBR0	4206	60	24.5	28.5	28	198	29
	68C6024LFR0	4659	60	24.5	28.5	28	229	29
	68C6024LORB	4206	60	24.5	28.5	28	198	29
	68C6024LORF	4659	60	24.5	28.5	28	229	29
	68C6620LBR0	4293	65.75	20.5	28.5	33.75	185	28
	68C6620LFR0	4753	65.75	20.5	28.5	33.75	216	28
	68C6620LORB	4293	65.75	20.5	28.5	33.75	185	28
	68C6620LORF	4753	65.75	20.5	28.5	33.75	216	28
	68C6624LBR0	4378	65.75	24.5	28.5	33.75	212	32
	68C6624LFR0	4851	65.75	24.5	28.5	33.75	243	32
	68C6624LORB	4378	65.75	24.5	28.5	33.75	212	32
	68C6624LORF	4851	65.75	24.5	28.5	33.75	243	32
	68C7120LBR0	4450	71	20.5	28.5	33.5	195	31
	68C7120LFR0	4970	71	20.5	28.5	33.5	226	31
	68C7120LORB	4450	71	20.5	28.5	33.5	195	31
	68C7120LORF	4970	71	20.5	28.5	33.5	226	31
	68C7124LBR0	4567	71	24.5	28.5	33.5	224	34
	68C7124LFR0	5050	71	24.5	28.5	33.5	257	34
	68C7124LORB	4567	71	24.5	28.5	33.5	224	34
	68C7124LORF	5050	71	24.5	28.5	33.5	257	34
	68C7820LBR0	4557	78	20.5	28.5	41.5	196	26
	68C7820LFR0	5061	78	20.5	28.5	41.5	227	26
	68C7820LORB	4557	78	20.5	28.5	41.5	196	26
	68C7820LORF	5061	78	20.5	28.5	41.5	227	26
	68C7824LBR0	4622	78	24.5	28.5	41.5	221	32
	68C7824LFR0	5169	78	24.5	28.5	41.5	252	32
	68C7824LORB	4622	78	24.5	28.5	41.5	221	32
	68C7824LORF	5169	78	24.5	28.5	41.5	252	32
	68C8420LBR0	4699	83.75	20.5	28.5	39.5	211	34
	68C8420LFR0	5193	83.75	20.5	28.5	39.5	242	34
	68C8420LORB	4699	83.75	20.5	28.5	39.5	211	34
	68C8420LORF	5193	83.75	20.5	28.5	39.5	242	34
	68C8424LBR0	4796	83.75	24.5	28.5	39.5	242	40
	68C8424LFR0	5298	83.75	24.5	28.5	39.5	273	40
	68C8424LORB	4796	83.75	24.5	28.5	39.5	242	40
	68C8424LORF	5298	83.75	24.5	28.5	39.5	273	40

**ORDERING NOTES:**

"C" position grommets are not available on 60-71" Lateral File/ Bookcase Pedestal Credenzas.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

0 - no pedestal
H - desk height
4 - full height pedestal
L - left handed pedestal position
R - right handed pedestal position
D - 2 file drawer
BC - bookcase
F - 2 box, 1 file drawer: when proceeded in the model number by -4.
F- 2 lateral file drawers: when it directly follows the size classified.



STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

GABLE SUPPORT

A half gable support is required on any open spans greater than 60" that don't have a mod-esty panel.

MILLENNIUM | CREDENZAS

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
 Credenza, Full Face	68C66244DBCD	5852	65.75	24.5	28.5	295	31
	68C66244DBCF	5852	65.75	24.5	28.5	295	31
	68C66244FBCD	5852	65.75	24.5	28.5	295	31
	68C66244FBCF*	5852	65.75	24.5	28.5	295	31
	68C71204DBCD	6045	71	20.5	28.5	295	30
	68C71204DBCF	6045	71	20.5	28.5	295	30
	68C71204FBCD	6045	71	20.5	28.5	295	30
	68C71204FBCF	6045	71	20.5	28.5	295	30
	68C71244DBCD	6199	71	24.5	28.5	305	34
	68C71244DBCF	6199	71	24.5	28.5	305	34
	68C71244FBCD	6199	71	24.5	28.5	305	34
	68C71244FBCF	6199	71	24.5	28.5	305	34
	68C78204DBCD	6206	78	20.5	28.5	305	30
	68C78204DBCF	6206	78	20.5	28.5	305	30
	68C78204FBCD	6206	78	20.5	28.5	305	30
	68C78204FBCF	6206	78	20.5	28.5	305	30
	68C78244DBCD	6410	78	24.5	28.5	315	34
	68C78244DBCF	6410	78	24.5	28.5	315	34
	68C78244FBCD	6410	78	24.5	28.5	315	34
	68C78244FBCF	6410	78	24.5	28.5	315	34
	68C84204DBCD	6372	83.75	20.5	28.5	315	36
	68C84204DBCF	6372	83.75	20.5	28.5	315	36
	68C84204FBCD	6372	83.75	20.5	28.5	315	36
	68C84204FBCF	6372	83.75	20.5	28.5	315	36
	68C84244DBCD	6555	83.75	24.5	28.5	325	40
	68C84244DBCF	6555	83.75	24.5	28.5	325	40
	68C84244FBCD	6555	83.75	24.5	28.5	325	40
	68C84244FBCF	6555	83.75	24.5	28.5	325	40
 Bow Top Full Face Credenza	68CX66204DBCD	6232	65.75	20.5	28.5	264	27
	68CX66204FBCF*	6232	65.75	20.5	28.5	264	27
	68CX66204FBCD	6232	65.75	20.5	28.5	264	27
	68CX66204DBCF	6232	65.75	20.5	28.5	264	27
	68CX66244DBCD	6346	65.75	24.5	28.5	291	30
	68CX66244FBCF	6346	65.75	24.5	28.5	291	30
	68CX66244FBCD	6346	65.75	24.5	28.5	291	30
	68CX66244DBCF	6346	65.75	24.5	28.5	291	30
	68CX71204DBCD	6548	71	20.5	28.5	271	32
	68CX71204FBCF	6548	71	20.5	28.5	271	32
	68CX71204FBCD	6548	71	20.5	28.5	271	32
	68CX71204DBCF	6548	71	20.5	28.5	271	32
	68CX71244DBCD	6707	71	24.5	28.5	303	34
	68CX71244FBCF	6707	71	24.5	28.5	303	34
	68CX71244FBCD	6707	71	24.5	28.5	303	34
	68CX71244DBCF	6707	71	24.5	28.5	303	34
	68CX78204DBCD	6808	78	20.5	28.5	278	37
	68CX78204FBCF	6808	78	20.5	28.5	278	37
	68CX78204FBCD	6808	78	20.5	28.5	278	37
	68CX78204DBCF	6808	78	20.5	28.5	278	37
	68CX78244DBCD	7122	78	24.5	28.5	315	38
	68CX78244FBCF	7122	78	24.5	28.5	315	38
	68CX78244FBCD	7122	78	24.5	28.5	315	38
	68CX78244DBCF	7122	78	24.5	28.5	315	38

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

0 - no pedestal
 4 - full height pedestal
 L - left handed pedestal position
 R - right handed pedestal position
 D - 2 file drawer
 BC - bookcase
 F - 2 box, 1 file drawer




STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

GROMMETS

One wiring grommet in standard position is optional at no charge. Additional wiring grommets are available at an **upcharge of \$145.**

MILLENNIUM | CREDENZAS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Credenza, Lateral File and Bookcase Pedestal 	68C6020LBRB	5021	60	20.5	28.5		226	24
	68C6020LBRF	5874	60	20.5	28.5		257	24
	68C6020LFRB	5891	60	20.5	28.5		257	24
	68C6020LFRF	6473	60	20.5	28.5		288	24
	68C6024LBRB	5022	60	24.5	28.5		250	29
	68C6024LBRF	5933	60	24.5	28.5		281	29
	68C6024LFRB	5933	60	24.5	28.5		281	29
	68C6024LFRF	6498	60	24.5	28.5		312	29
	68C7120LBRB	5349	71	20.5	28.5		247	31
	68C7120LBRF	6285	71	20.5	28.5		278	31
	68C7120LFRB	6285	71	20.5	28.5		278	31
	68C7120LFRF	6889	71	20.5	28.5		309	31
	68C7124LBRB	5425	71	24.5	28.5		271	34
	68C7124LBRF	6400	71	24.5	28.5		307	34
	68C7124LFRB	6400	71	24.5	28.5		307	34
	68C7124LFRF	6976	71	24.5	28.5		338	34
	68C8420LBRB	5534	83.75	20.5	28.5		263	34
	68C8420LBRF	6557	83.75	20.5	28.5		294	34
	68C8420LFRB	6557	83.75	20.5	28.5		294	34
	68C8420LFRF	7098	83.75	20.5	28.5		325	34
	68C8424LBRB	5609	83.75	24.5	28.5		294	40
	68C8424LBRF	6701	83.75	24.5	28.5		325	40
	68C8424LFRB	6701	83.75	24.5	28.5		325	40
	68C8424LFRF	7178	83.75	24.5	28.5		356	40
Credenza with Height Adjustable Electric Lift (Single Stage) 	68C6024LBRHAES*	6548	59.75	24	29.5		176	28
	68C6024LHAESRB	6548	59.75	24	29.5		192	28
	68C6024LFRHAES	6812	59.75	24	29.5		192	28
	68C6024LHAESRF	6812	59.75	24	29.5		248	28
	68C7224LBRHAES	7206	71.75	24	29.5		192	33
	68C7224LHAESRB	7206	71.75	24	29.5		210	33
	68C7224LFRHAES	7358	71.75	24	29.5		210	33
	68C7224LHAESRF	7358	71.75	24	29.5		230	33
Bow Top Credenza, Front Lateral File and Bookcase Pedestal 	68CX6020LBRB	5772	60	20.5	28.5		241	24
	68CX6020LBRF	6796	60	20.5	28.5		272	24
	68CX6020LFRB	6796	60	20.5	28.5		272	24
	68CX6020LFRF	7452	60	20.5	28.5		303	24
	68CX6024LBRB	5835	60	24.5	28.5		265	29
	68CX6024LBRF	6936	60	24.5	28.5		296	29
	68CX6024LFRB	6936	60	24.5	28.5		296	29
	68CX6024LFRF	7541	60	24.5	28.5		327	29
	68CX7120LBRB	5972	71	20.5	28.5		262	31
	68CX7120LBRF	7065	71	20.5	28.5		293	31
	68CX7120LFRB	7065	71	20.5	28.5		293	31
	68CX7120LFRF	7690	71	20.5	28.5		324	31
	68CX7124LBRB	6087	71	24.5	28.5		291	34
	68CX7124LBRF	7217	71	24.5	28.5		322	34
	68CX7124LFRB	7217	71	24.5	28.5		322	34
	68CX7124LFRF	7737	71	24.5	28.5		353	34

ORDERING NOTES: Height range of electric lift is 29.5" to 46.5".

DIMENSION KEY

W - width
D - depth
H - height


CODE DESCRIPTION

4 - full height pedestal
L - left handed pedestal position
R - right handed pedestal position
B - bookcase
F - 2 lateral file drawers

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

MILLENNIUM | CREDENZAS

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
Corner Credenza with Single Full Height Pedestal 	68CC6624L4D	4009	65.75	36.25	28.5	230	45
	68CC6624L4F	4009	65.75	36.25	28.5	230	45
	68CC6624R4D	4009	65.75	36.25	28.5	230	45
	68CC6624R4F	4009	65.75	36.25	28.5	230	45
	68CC7124L4D	4103	71	36.25	28.5	240	50
	68CC7124L4F	4103	71	36.25	28.5	240	50
	68CC7124R4D	4103	71	36.25	28.5	240	50
	68CC7124R4F	4103	71	36.25	28.5	240	50
	68CC7824L4D	4158	78	36.25	28.5	250	55
	68CC7824L4F	4158	78	36.25	28.5	250	55
	68CC7824R4D	4158	78	36.25	28.5	250	55
	68CC7824R4F	4158	78	36.25	28.5	250	55
	68CC8424L4D	4208	82.75	36.25	28.5	260	59
	68CC8424L4F	4208	82.75	36.25	28.5	260	59
	68CC8424R4D	4208	82.75	36.25	28.5	260	59
	68CC8424R4F	4208	82.75	36.25	28.5	260	59

ORDERING NOTES:

For a curved corner version of this credenza, please add 5% list to above list prices and add an extra C to the model number prefix. Example: 68CCC7124L4D**

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- 4 - full height pedestal
- L - left handed pedestal position
- R - right handed pedestal position
- D - 2 file drawer
- F - 2 box, 1 file drawer




STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.



GROMMETS

One wiring grommet in standard position is optional at no charge. Additional wiring grommets are available at an **upcharge of \$145.**

MILLENNIUM | OVERHEADS

Description	Model	Cherry Walnut Maple	W	D	H	Doors	Shipping Weight	Cubic Feet
Overhead with Flipper Doors 	68OF3619*	1974	36	18	19.25		140	9
	68OF4219	2100	42	18	19.25		151	10
	68OF4819	2175	48	18	19.25		162	12
	68OF6019**	2545	58.5	18	19.25		173	15
	68OF6619	2677	64.25	18	19.25		184	16
	68OF7119	2821	70.5	18	19.25		195	17
Single Height Overhead with Hinged Doors 	68OH361517*	1975	36	15	16.75	2	127	9
	68OH421517	2100	42	15	16.75	2	136	10
	68OH481517	2178	48	15	16.75	3	145	12
	68OH601517**	2537	58.5	15	16.75	4	154	15
	68OH661517	2677	64.25	15	16.75	4	163	16
	68OH711517	2778	70.5	15	16.75	4	172	17
Overhead, Open 	68OO361517*	1623	36	15	16.75	2	117	9
	68OO421517	1713	42	15	16.75	2	126	10
	68OO481517	1779	48	15	16.75	3	135	12
	68OO601517**	2105	58.5	15	16.75	4	124	15
	68OO661517	2228	64.25	15	16.75	4	143	16
	68OO711517	2367	70.5	15	16.75	4	152	17

ORDERING NOTES: Please see page 257 for double height option and paper management option. All overheads include factory installed tasklights and mounting hardware. Locks are available on wood door overheads at **\$145 list per set** of (2) doors. Please specify at time of order.

Tackboards for Overheads with Flipper Doors 		1	2	3	4	5	6	7	8	9	W	H	COM	WT
	68TBOF36	321	357	392	448	584	716	844	982	1153	38	24	1.5	10
	68TBOF42	357	483	508	633	758	873	1003	1155	1361	44	24	1.5	12
	68TBOF48	397	492	516	645	777	893	1029	1181	1421	50	24	1.75	13
	68TBOF60	449	602	633	784	942	1117	1293	1470	1746	61	24	2	15
	68TBOF66	492	669	659	874	1050	1245	1417	1619	1928	67	24	2	16
	68TBOF71	541	830	865	1146	1410	1424	1636	1867	2177	74	24	2.25	18
		1	2	3	4	5	6	7	8	9				
Tackboards for Overheads with Hinged Doors 	68TBOH36	321	357	392	448	584	716	844	982	1153	38	24	1.5	10
	68TBOH42	357	483	508	633	758	873	1003	1155	1361	44	24	1.5	12
	68TBOH48	397	492	516	645	777	1287	1029	1181	1421	50	24	1.75	13
	68TBOH60	449	602	633	784	942	1117	1293	1470	1746	61	24	2	15
	68TBOH66	492	669	659	874	1050	1245	1417	1619	1928	67	24	2	16
	68TBOH71	541	830	865	1146	1410	1424	1636	1867	2177	74	24	2.25	18

ORDERING NOTES:

Please contact Customer Service for information on yardage required when ordering two or more tackboards. Please note either tackboard code 68TBOF or 68TBOH can be used for an open overheads.


DIMENSION KEY


W - width
D - depth
H - height

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.


MILLENNIUM | HUTCHES

		Cherry Walnut Maple						Shipping Weight	Cubic Feet
Description	Model		W	D	H	TH			
	Hutches, Hinged Doors	68HT3615	2455	35.25	15	39.75	23	147	15
		68HT4215	2703	41	15	39.75	23	156	18
		68HT4815	3186	47	15	39.75	23	165	20
		68HT5415	3408	53	15	39.75	23	174	22
		68HT6015*	3738	58.75	15	39.75	23	183	25
		68HT6615	4088	64.75	15	39.75	23	192	27
		68HT7115	4797	70	15	39.75	23	201	30
		68HT7815	5085	77	15	39.75	23	210	32
		68HT8415	5369	83	15	39.75	23	215	35
		68HT9018-2	6914	89	18	39.75	23	274	44
		68HT9618-2	7792	95	18	39.75	23	293	47
		68HT10218-2	8284	101	18	39.75	23	311	50
		68HT11018-2	8879	109	18	39.75	23	336	54

	Hutches, Hinged Doors & Power/Data/Voice Grommet	68HT3615W	2658	35.25	15	39.75	23	147	15
		68HT4215W	2896	41	15	39.75	23	156	18
		68HT4815W	3385	47	15	39.75	23	165	20
		68HT5415W	3584	53	15	39.75	23	174	22
		68HT6015W*	3933	58.75	15	39.75	23	183	25
		68HT6615W	4277	64.75	15	39.75	23	192	27
		68HT7115W	4993	70	15	39.75	23	201	30
		68HT7815W	5257	77	15	39.75	23	210	32
		68HT8415W	5566	83	15	39.75	23	215	35
		68HT9018-2W	7154	89	18	39.75	23	274	44
		68HT9618-2W	8020	95	18	39.75	23	293	47
		68HT10218-2W	8466	101	18	39.75	23	311	50
		68HT11018-2W	9133	109	18	39.75	23	336	54

ORDERING NOTES:

Hinged door hutches include factory installed tasklights and tackboard. "TH" column above represents the clearance height for the tackboard. Hutches over 84" in length will be made in two pieces. Hutches are inset 3/4" on each side when sitting on the worksurface. Locks are available on wood door hutches at **\$145 list per (2) doors**. Please specify at time of order.

	Hutch, Open	68HTO3615	2321	35.25	15	39.75	23	137	15
		68HTO4215	2633	41	15	39.75	23	146	18
		68HTO4815	2940	47	15	39.75	23	155	20
		68HTO5415	3085	53	15	39.75	23	164	22
		68HTO6015	3314	58.75	15	39.75	23	173	25
		68HTO6615*	3664	64.75	15	39.75	23	192	28
		68HTO7115	4049	70	15	39.75	23	181	30
		68HTO7815	4224	77	15	39.75	23	190	32
		68HTO8415	4396	83	15	39.75	23	199	35
		68HTO9018-2	5696	89	18	39.75	23	254	44
		68HTO9618-2	6440	95	18	39.75	23	273	47
		68HTO10218-2	7035	101	18	39.75	23	291	50

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

W - includes power/data/voice grommet in tackboard
 -2 - Hutches over 84" in length will be made in two pieces.





STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

INSIDE FINISHED BACKS

Optional inside finished backs are available up to a maximum of 84" hutches at the standard list price. This option does not include the tackboard.

MILLENNIUM | HUTCHES

		Cherry Walnut Maple	W	D	H	TH	Shipping Weight	Cubic Feet	
	Hutch, Open & Power/ Data/Voice Grommet	68HTO3615W	2528	35.25	18	39.75	23	137	15
		68HTO4215W	2819	41	15	39.75	23	146	18
		68HTO4815W	3118	47	15	39.75	23	155	20
		68HTO5415W	3282	53	15	39.75	23	164	22
		68HTO6015W	3508	58.75	15	39.75	23	173	25
		68HTO6615W*	3855	64.75	15	39.75	23	192	28
		68HTO7115W	4265	70	15	39.75	23	181	30
		68HTO7815W	4402	77	15	39.75	23	190	32
		68HTO8415W	4571	83	15	39.75	23	199	35
		68HTO9018-2W	5949	89	18	39.75	23	254	44
		68HTO9618-2W	6688	95	18	39.75	23	254	47
		68HTO10218-2W	7291	101	18	39.75	23	291	50
	Hutch, Flipper Doors	68HTF3618	2434	35.25	18	39.75	22	158	15
		68HTF4218	2727	41	18	39.75	22	167	18
		68HTF4818	3142	47	18	39.75	22	176	20
		68HTF5418	3445	53	18	39.75	22	185	23
		68HTF6018	4036	58.75	18	39.75	22	194	25
		68HTF6618*	4339	64.75	18	39.75	22	203	27
		68HTF7118	5021	70	18	39.75	22	212	30
		68HTF7818	5376	77	18	39.75	22	221	33
		68HTF8418	5800	83	18	39.75	22	230	35
		68HTF9018	7385	89	18	39.75	22	239	44
	Hutch, Flipper Doors & Power/Data/Voice Grommet	68HTF3618W	2620	35.25	18	39.75	22	158	15
		68HTF4218W	2941	41	18	39.75	22	167	18
		68HTF4818W	3324	47	18	39.75	22	176	20
		68HTF5418W	3623	53	18	39.75	22	185	23
		68HTF6018W	4244	58.75	18	39.75	22	194	25
		68HTF6618W*	4550	64.75	18	39.75	22	203	27
		68HTF7118W	5211	70	18	39.75	22	212	30
		68HTF7818W	5538	77	18	39.75	22	221	33
		68HTF8418W	5960	83	18	39.75	22	230	35
		68HTF9018W	7571	89	18	39.75	22	239	44
	Hutch, Paper Management	68HTPM6015	4813	58.75	15	39.75	19.75	204	25
		68HTPM6615	4949	64.75	15	39.75	19.75	214	27
		68HTPM7115	5124	70	15	39.75	19.75	232	30
		68HTPM7815*	5497	77	15	39.75	19.75	241	33
		68HTPM8415	5890	83	15	39.75	19.75	250	35
		68HTPM9618-2	9736	95	18	39.75	19.75	300	35
		68HTPM10218-2	10355	101	18	39.75	19.75	320	35
	68HTPM11018-2	11093	109	18	39.75	19.75	340	35	

ORDERING NOTES:

All hutches include factory installed tasklights and tackboard. "TH" column above represents the clearance height for the tackboard. Hutches over 84" in length will be made in two pieces. Hutches are inset 3/4" on each side when sitting on the worksurface.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

G - wood framed clear glass doors
OF- flipper door
OH- hinged door
OO- open, no doors
W - includes power/data/voice grommet in tackboard
PM- paper manager
PS- paper shelf


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

TACKBOARD FABRIC OPTIONS


See page 297 for tackboard fabric options and grading information.


MILLENNIUM | HUTCHES


Description	Model	Cherry Walnut Maple	W	D	H	TH	Shipping Weight	Cubic Feet
 Hutch, Paper Management with Power/Data/Voice Grommet	68HTPM6015W	4971	58.75	15	39.75	19.75	204	25
	68HTPM6615W	5154	64.75	15	39.75	19.75	214	27
	68HTPM7115W	5299	70	15	39.75	19.75	232	30
	68HTPM7815W*	5698	77	15	39.75	19.75	241	33
	68HTPM8415W	6067	83	15	39.75	19.75	250	35
	68HTPM9618-2W	9915	95	18	39.75	19.75	300	35
	68HTPM10218-2W	10555	101	18	39.75	19.75	320	35
	68HTPM11018-2W	11293	109	18	39.75	19.75	340	35

ORDERING NOTES:

Hutches include factory installed tasklights and tackboard. "TH" column above represents the clearance height for the tackboard.

 Bookcase Hutch, Hinged Doors	68HTBC3615**	2632	35.25	15	39.75	11.5	167	15
	68HTBC4215	2978	41	15	39.75	11.5	176	18
	68HTBC4815	3325	47	15	39.75	11.5	185	22
	68HTBC5415	3488	53	15	39.75	11.5	194	25
	68HTBC6015	3676	58.75	15	39.75	11.5	203	25
	68HTBC6615*	4137	64.75	15	39.75	11.5	212	27
	68HTBC7115	4567	70	15	39.75	11.5	221	30
	68HTBC7815	5066	77	15	39.75	11.5	230	34
	68HTBC8415	5605	83	15	39.75	11.5	248	37

 Bookcase Hutch, Hinged Glass Doors	68HTBC3615G**	2761	35.25	15	39.75	11.5	117	15
	68HTBC4215G	3121	41	15	39.75	11.5	176	18
	68HTBC4815G	3494	47	15	39.75	11.5	185	22
	68HTBC5415G	3697	53	15	39.75	11.5	194	25
	68HTBC6015G	3899	58.75	15	39.75	11.5	203	25
	68HTBC6615G*	4350	64.75	15	39.75	11.5	212	27
	68HTBC7115G	4807	70	15	39.75	11.5	221	30
	68HTBC7815G	5338	77	15	39.75	11.5	230	34
	68HTBC8415G	5887	83	15	39.75	11.5	248	37

 Bookcase Hutch, Open	68HTBCO3615**	2195	35.25	15	39.75	11.5	157	15
	68HTBCO4215	2524	41	15	39.75	11.5	166	18
	68HTBCO4815	2847	47	15	39.75	11.5	175	20
	68HTBCO5415	2907	53	15	39.75	11.5	184	23
	68HTBCO6015	2969	58.75	15	39.75	11.5	183	25
	68HTBCO6615*	3399	64.75	15	39.75	11.5	192	27
	68HTBCO7115	3829	70	15	39.75	11.5	201	30
	68HTBCO7815	4264	77	15	39.75	11.5	210	33
	68HTBCO8415	4744	73	15	39.75	11.5	219	35

ORDERING NOTES:

Bookcase hutches include a finished back panel. Bookcase hutches cannot accept tackboards or tasklights. Hutches over 84" in length will be made in two pieces. Hutches are inset 3/4" on each side when sitting on the worksurface.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

G - wood framed clear glass doors
W - includes power/data/voice grommet in tackboard
-2 - Hutches over 84" in length will be made in two pieces.


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

INSIDE FINISHED BACKS

Optional inside finished backs are available up to a maximum of 84" hutches at the standard list price. This option does not include the tackboard.

MILLENNIUM | HUTCHES

Description	Model	Cherry Walnut Maple	W	D	H	TH	Shipping Weight	Cubic Feet
6-Hi Hutch, Hinged Doors 	68HT601555	4544	58.75	15	55.5	23	260	25
	68HT661555*	5048	64.75	15	55.5	23	273	27
	68HT711555	5779	70	15	55.5	23	281	30
	68HT781555	6220	77	15	55.5	23	290	32
	68HT841555	6657	83	15	55.5	23	299	35

6-Hi Hutch, Hinged Doors & Power/Data/Voice Grommet 	68HT601555W	4721	58.75	15	55.5	23	260	25
	68HT661555W*	5222	64.75	15	55.5	23	273	27
	68HT711555W	5996	70	15	55.5	23	281	30
	68HT781555W	6439	77	15	55.5	23	290	32
	68HT841555W	6851	83	15	55.5	23	299	35

6-Hi Hutch, Hinged Glass Doors 	68HT601555G	4816	58.75	15	55.5	23	176	25
	68HT661555G*	5350	64.75	15	55.5	23	188	27
	68HT711555G	6121	70	15	55.5	23	199	30
	68HT781555G	6586	77	15	55.5	23	212	32
	68HT841555G	7056	83	15	55.5	23	232	35

ORDERING NOTES:

Hinged door hutches include factory installed tasklights and tackboard. Hutches over 84" in length will be made in two pieces. Hutches are inset 3/4" on each side when sitting on the worksurface. Locks are available on wood door hutches at **\$145 list per (2) doors**. Please specify at time of order.

Hutch with Pier 	68HTPD8418	5943	83	18	39.75	23	290	41
	68HTPD9018-2*	7743	89	18	39.75	23	305	44
	68HTPD9618-2	8290	95	18	39.75	23	320	47
	68HTPD11018-2	9483	109	18	39.75	23	350	51

ORDERING NOTES:

Pier door hutches include factory installed tasklights and a tackboard. "TH" column above represents the clearance height for the tackboard. Hutches over 84" in length will be made in two pieces. Hutches are inset 3/4" on each side when sitting on the worksurface.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

G - wood framed clear glass doors
W - includes power/data/voice grommet in tackboard
-2 - Hutches over 84" in length will be made in two pieces


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

TACKBOARD FABRIC OPTIONS

See page 297 for hutch fabric grade upcharges.

MILLENNIUM | HUTCHES

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
	68WU9618LWRB*	10120	95.75	24.25	68	665	60
	68WU9618LBRW	10120	95.75	24.25	68	665	60
	68WU10818LWRB	10795	108	24.25	68	705	70
	68WU10818LBRW	10795	108	24.25	68	705	70

Paper Manager	68PM18132001	1615	17	12.5	19.75	50	3
---------------	--------------	------	----	------	-------	----	---



Paper Manager	68PM18122002	1308	17	12	19.75	50	3
---------------	--------------	------	----	----	-------	----	---



Paper Manager	68PM18122003	1308	17	12	19.75	50	3
---------------	--------------	------	----	----	-------	----	---



ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I,H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION


W - includes power/data/voice grommet in tackboard
L/RW - left or right wardrobe
L/RB - left or right bookcase storage

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

MILLENNIUM | HUTCH TACKBOARDS

Tackboard upcharges for hutches and wall units. Use this chart to find the upcharge for tackboard fabrics graded 2–9 and add it to the cost of the hutch or wall unit.

		FABRIC GRADES								
		2	3	4	5	6	7	8	9	com
	36" hutch tackboard	157	336	489	654	808	963	1118	1360	1.5
	42" hutch tackboard	157	336	489	654	808	963	1118	1360	1.5
	48" hutch tackboard	157	336	489	654	808	963	1118	1360	1.75
	54" hutch tackboard	157	336	489	654	808	963	1118	1360	1.75
	60" hutch tackboard	157	336	489	654	808	963	1118	1360	2
	66" hutch tackboard	177	379	555	741	916	1092	1268	1576	2.25
	71" hutch tackboard	213	449	660	885	1097	1308	1518	1829	2
	78" hutch tackboard	253	529	782	1037	1292	1540	1791	2461	2
	84" hutch tackboard	295	612	909	1202	1495	1786	2080	2461	2.5
	90" hutch tackboard	332	688	1018	1348	1678	2007	2335	2711	2.75
	96" hutch tackboard	364	756	1121	1482	1843	2212	2566	2980	3
	102" hutch tackboard	400	830	1236	1633	2029	2428	2824	3238	3
	110" hutch tackboard	437	915	1121	1795	2232	2669	3105	3555	3.25
	84" pier door hutch tackboard	157	336	489	654	808	963	1118	1360	2
	90" pier door hutch tackboard	157	336	489	654	808	963	1118	1360	2.25
	96" pier door hutch tackboard	157	336	489	654	798	963	1118	1360	2.5
	110" pier door hutch tackboard	247	530	778	1032	1277	1527	1527	2087	2.75
	96" wall unit tackboard	157	336	489	654	808	963	963	1360	2.5
	108" wall unit tackboard	247	530	778	1032	1277	1527	1527	2087	2.5

On single piece hutches, the yardage requirement for two tackboards is the same as for one tackboard. Please keep this in mind when ordering more than one tackboard. For example, if the number of tackboards required is 7 and the COM requirement for 1 tackboard is 1.5 yards, the calculation for COM yardage is as follows: 4.5 yards are required for 6 tackboards + 1.5 yards for the 7th tackboard for a total of 6 yards. In the case of an even number of tackboards, divide the number of tackboards required by 2 and multiply that number by COM requirement on the chart. The fabric must be at least 54" wide in order to qualify for this procedure. If the fabric is less than 54" wide, the COM yardage listed on the chart is the amount required for each tackboard.

COM Yardage Calculation Chart for Tackboards		
Quantity of Tackboards Required (example: 60")	Number of Yards Required per Tackboard (example: 60")	Number of Yards Required in Total (example: 60")
one	2 yards	2
two	2 yards	2
three	2 yards	4
four	2 yards	4
fiv	2 yards	6
six	2 yards	6
seven	2 yards	8
eight	2 yards	8


DIMENSION KEY

W - width
D - depth
H - height

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

MILLENNIUM | SHELLS

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Open Return, Desk Height	68RH2420L	1823	23.75	20.25	28.5	22	46	13
	68RH2420R	1823	23.75	20.25	28.5	22	46	13
	68RH2424L	1860	23.75	24.25	28.5	22	55	15
	68RH2424R	1860	23.75	24.25	28.5	22	55	15
	68RH3020L	1921	30	20.25	28.5	28.13	58	15
	68RH3020R	1921	30	20.25	28.5	28.13	58	15
	68RH3024L*	1956	30	24.25	28.5	28.13	70	17
	68RH3024R	1956	30	24.25	28.5	28.13	70	17
	68RH3620L	2021	36	20.25	28.5	34.13	69	17
	68RH3620R	2021	36	20.25	28.5	34.13	69	17
	68RH3624L	2055	36	24.25	28.5	34.13	83	20
	68RH3624R	2055	36	24.25	28.5	34.13	83	20
	68RH3630L	2080	36	30.25	28.5	34.13	104	22
	68RH3630R	2080	36	30.25	28.5	34.13	104	22
	68RH4220L	2114	42	20.25	28.5	40.13	81	20
	68RH4220R	2114	42	20.25	28.5	40.13	81	20
	68RH4224L	2166	42	24.25	28.5	40.13	97	22
	68RH4224R	2166	42	24.25	28.5	40.13	97	22
	68RH4230L	2193	42	30.25	28.5	40.13	122	24
	68RH4230R	2193	42	30.25	28.5	40.13	122	24
	68RH4820L	2216	48	20.25	28.5	46.13	93	22
	68RH4820R	2216	48	20.25	28.5	46.13	93	22
	68RH4824L	2270	48	24.25	28.5	46.13	112	24
	68RH4824R	2270	48	24.25	28.5	46.13	112	24
	68RH4830L	2277	48	30.25	28.5	46.13	140	26
	68RH4830R	2277	48	30.25	28.5	46.13	140	26
	68RH5420L	2305	54	20.25	28.5	52.13	105	24
	68RH5420R	2305	54	20.25	28.5	52.13	105	24
	68RH5424L	2340	54	24.25	28.5	52.13	126	26
	68RH5424R	2340	54	24.25	28.5	52.13	126	26
	68RH5430L	2342	54	30.25	28.5	52.13	158	30
	68RH5430R	2342	54	30.25	28.5	52.13	158	30
	68RH6020L	2356	60	20.25	28.5	58.38	115	26
	68RH6020R	2356	60	20.25	28.5	58.38	115	26
	68RH6024L	2406	60	24.25	28.5	58.38	138	30
	68RH6024R	2406	60	24.25	28.5	58.38	138	30
	68RH6030L	2438	60	30.25	28.5	58.38	173	33
	68RH6030R	2438	60	30.25	28.5	58.38	173	33
	68RH6620L	2454	65.75	20.25	28.5	63.88	126	30
	68RH6620R	2454	65.75	20.25	28.5	63.88	126	30
	68RH6624L	2506	65.75	24.25	28.5	63.88	152	33
	68RH6624R	2506	65.75	24.25	28.5	63.88	152	33
	68RH6630L	2531	65.75	30.25	28.5	63.88	191	36
	68RH6630R	2531	65.75	30.25	28.5	63.88	191	36
	68RH7120L	2559	71	20.25	28.5	69.13	136	33
	68RH7120R	2559	71	20.25	28.5	69.13	136	33
	68RH7124L	2597	71	24.25	28.5	69.13	163	36
	68RH7124R	2597	71	24.25	28.5	69.13	163	36
	68RH7130L	2615	71	30.25	28.5	69.13	204	38
	68RH7130R	2615	71	30.25	28.5	69.13	204	38

ORDERING NOTES:

Please see page 256 for wire management cut-out option. Please see page 256 for hinged modesty panel option. For Universal Return Shells replace RH with RHU. Grommets are not available on Universal Return shells.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left hand runoff
R - right hand runoff

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.




MODESTY PANELS

Open returns are available with 9", 1/2" or 3/4" modesty panels at no upcharge. Please specify at time of order.

PEDESTALS

Pedestals for use with open shells can be found on page 316.

MILLENNIUM | SHELLS

		Cherry Walnut Maple	Shipping Cubic						
Description	Model		W	D	H	KW	Weight	Feet	
	Open Return, Desk Height continued	68RH8420L	2644	84	20.25	28.5	82.13	163	36
		68RH8420R	2644	84	20.25	28.5	82.13	163	36
		68RH8424L	2672	84	24.25	28.5	82.13	196	38
		68RH8424R	2672	84	24.25	28.5	82.13	196	38
		68RH8430L	2702	84	30.25	28.5	82.13	245	45
		68RH8430R	2702	84	30.25	28.5	82.13	245	45
		68RH9024L	2709	90	24.25	28.5	88.13	210	45
		68RH9024R	2709	90	24.25	28.5	88.13	210	45
		68RH9030L	2756	90	30.25	28.5	88.13	247	49
		68RH9030R	2756	90	30.25	28.5	88.13	247	49
		68RH9624L	2807	96	24.25	28.5	93.88	221	49
		68RH9624R	2807	96	24.25	28.5	93.88	221	49
		68RH9630L	2857	96	30.25	28.5	93.88	249	52
		68RH9630R	2857	96	30.25	28.5	93.88	249	52
		68RH10220L	2948	102	20.25	28.5	100.25	195	49
		68RH10220R	2948	102	20.25	28.5	100.25	195	49
 	Open Shell, Accepts Shallow Pedestals	68S3020	2115	30	20.25	28.5	27	61	13
		68S3024	2145	30	24.25	28.5	27	73	15
		68S3620	2170	36.25	20.25	28.5	33.25	73	15
		68S3624	2188	36.25	24.25	28.5	33.25	88	18
		68S4220	2203	42	20.25	28.5	39	86	17
		68S4224	2232	42	24.25	28.5	39	103	21
		68S4820	2254	48	20.25	28.5	45	98	20
		68S4824	2280	48	24.25	28.5	45	118	23
		68S5020	2298	50	20.25	28.5	47	102	22
		68S5024	2324	50	24.25	28.5	47	122	24
		68S5420	2346	54	20.25	28.5	51	110	22
		68S5424	2361	54	24.25	28.5	51	132	26
		68S6020	2431	60	20.25	28.5	56.75	122	24
		68S6024	2490	60	24.25	28.5	56.75	146	29
		68S6320	2520	63.5	20.25	28.5	60.5	128	25
		68S6324	2557	63.5	24.25	28.5	60.5	153	30
		68S6620	2594	65.75	20.25	28.5	62.75	122	27
		68S6624	2682	65.75	24.25	28.5	62.75	146	32
		68S7120	2806	71	20.25	28.5	68	131	29
		68S7124*	2898	71	24.25	28.5	68	157	34
		68S7420	2965	74.25	20.25	28.5	71.25	134	30
		68S7424	3078	74.25	24.25	28.5	71.25	161	35
		68S7820	3151	78	20.25	28.5	75	141	32
		68S7824	3221	78	24.25	28.5	75	189	37
		68S8420	3243	82.75	20.25	28.5	81	159	34
		68S8424	3292	82.75	24.25	28.5	81	190	40
		68S9020	3436	90	20.25	28.5	87	170	36
		68S9024	3474	90	24.25	28.5	87	204	43
		68S9320	3508	93.5	20.25	28.5	90.75	176	39
		68S9324	3539	93.5	24.25	28.5	90.75	212	45
		68S9620	3574	95.75	20.25	28.5	93	181	43
		68S9624	3633	95.75	24.25	28.5	93	217	49
		68S10220	3705	102	20.25	28.5	99.25	184	51
		68S10224	3761	102	24.25	28.5	99.25	221	55
		68S11020	3819	109.75	20.25	28.5	106.75	199	54
		68S11024	3923	109.75	24.25	28.5	106.75	239	60

ORDERING NOTES:

The pencil drawer can not be used in the 20" deep knee hole credenzas and/or shells. Please see page 256 for wire management cut-out option. Please see page 256 for hinged modesty panel option.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - left hand runoff
R - right hand runoff

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

PEDESTALS

Pedestals for use with open shells can be found on page 316.

HALF GABLE

Half gable at connecting end of open return is standard at sizes greater than 54" in length.

CASEGOODS | USA | 297

MILLENNIUM | SHELLS



Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Half Gable	68HG2710*	422	10	27	27		11	1
	68HG2716	483	16	27	27		16	1



ORDERING NOTES:

This unit should be ordered to center-support open spans greater than 60". Use 68HG2710 with 20" & 24" deep cases and 68HG2716 with 30" deep cases.


Open Shell, Accepts Deep Pedestals	68S3630	2298	36.25	30.25	28.5	33.5	110	21
	68S4230	2413	42	30.25	28.5	39.25	129	25
	68S4830	2504	48	30.25	28.5	44.75	147	29
	68S6030	2604	63.5	30.25	28.5	56.75	182	36
	68S6630	2703	65.75	30.25	28.5	62.75	200	39
	68S6636	2829	65.75	36.25	28.5	62.75	240	46
	68S7130	2979	71	30.25	28.5	68	215	42
	68S7136*	3121	71	36.25	28.5	68	255	50
	68S8430	3278	82.75	30.25	28.5	81	342	50
	68S8436	3495	84	36.25	28.5	81	285	59
	68S9030	3647	90	30.25	28.5	87	255	53
	68S9630	3868	93.5	30.25	28.5	92.75	272	56
	68S10230	4087	102	30.25	28.5	99.25	276	60




ORDERING NOTES:

The pencil drawer can not be used in the 20" deep knee hole credenzas and/or shells. Please see page 256 for wire management cut-out option. Please see page 256 for hinged modesty panel option.

Corner Credenza Shell	68CC6624L	3069	65.75	36.25	28.5		180	45
	68CC6624R	3069	65.75	36.25	28.5		180	45
	68CC7124L	3108	71	36.25	28.5		190	50
	68CC7124R	3108	71	36.25	28.5		190	50
	68CC7824L	3147	78	36.25	28.5		200	55
	68CC7824R*	3147	78	36.25	28.5		200	55
	68CC8424L	3180	82.75	36.25	28.5		210	59
	68CC8424R	3180	82.75	36.25	28.5		210	59



Corner Return Shell	68CR7124L*	3059	71	24.25	28.5		190	55
	68CR7124R	3059	71	24.25	28.5		190	55
	68CR8424L	3108	84	24.25	28.5		210	59
	68CR8424R	3108	84	24.25	28.5		210	59



ORDERING NOTES:

Corner Returns are designated left or right by the location of it's connection to a primary work surface. For a curved corner version of this products, please add 5% to above list price and add an extra C to the model number prefix i.e. 68CCC7124L

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - left hand runoff
R - right hand runoff


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

PEDESTALS

Pedestals for use with open shells can be found on pages 316.

MILLENNIUM | MOBILE TABLES

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
	68THC3020	2272	30	20.25	28.5	61	12
	68THC3024	2292	30	24.25	28.5	73	15
	68THC3620	2302	36.25	20.25	28.5	73	15
	68THC3624	2324	36.25	24.25	28.5	88	18
	68THC4220	2344	42	20.25	28.5	86	18
	68THC4224	2337	42	24.25	28.5	103	21
	68THC4820	2362	48	20.25	28.5	98	21
	68THC4824*	2383	48	24.25	28.5	118	23

ORDERING NOTES:Optional paper slot in "C" position at **\$164 list upcharge.**

	68PT3024	2489	30.25	24.25	28.5	76	15
	68PT3624*	2569	36.25	24.25	28.5	103	18
	68PT3630	2648	36.25	30.25	28.5	103	22

ORDERING NOTES:Optional paper slot in "C" position at **\$164 list upcharge.**

	68MTH36D	1533	36.25	36.25	28.5	69	6
	68MTH42D*	1541	42.25	42.25	28.5	75	8

ORDERING NOTES:Casters optional for **\$164 list upcharge.**

	68MDTH32	1623	31.25	32	28.5	50	5
	68MDTH36	1639	35	35.75	28.5	57	6
	68MDTH42*	1649	41	41.75	28.5	71	8

	68MATH3030	1519	30.25	30.25	28.5	60	4.5
	68MATH3636	1533	36.25	36.25	28.5	75	6
	68MATH4242*	1541	42.25	42.25	28.5	90	8

	68MTH3030	1519	30.25	30.25	28.5	65	4.5
	68MTH3636	1533	36.25	36.25	28.5	80	6
	68MTH4242*	1541	42.25	42.25	28.5	97	8

DIMENSION KEY

W - width
D - depth
H - height






STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

HALF GABLE

Half gable at connecting end of open return is standard at sizes greater than 54" in length.

MILLENNIUM | ACCESSORIES

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
 Tackboard Organizer Rail	68AOB36HT	96	31	-	2.5	-	-
	68AOB42HT	96	37	-	2.5	-	-
	68AOB48HT	96	43	-	2.5	-	-
	68AOB54HT	96	49	-	2.5	-	-
	68AOB60HT	96	55	-	2.5	-	-
	68AOB66HT	96	61	-	2.5	-	-
	68AOB71HT	96	66	-	2.5	-	-
	68AOB78HT	96	73	-	2.5	-	-
	68AOB84HT	96	79	-	2.5	-	-
	68AOB90HT	96	85	-	2.5	-	-
	68AOB96HT	96	91	-	2.5	-	-
	68AOB102HT	96	97	-	2.5	-	-
	68AOB110HT	96	105	-	2.5	-	-
 Paper Tray	68APT	96	12	10.75	2	1.75	0.5
 Binder Bin	68ABB	134	10	4	10	3	0.5
 File Organizer	68AFO	109	6	9.75	2.5	1.75	0.5
ORDERING NOTES: This accessory can not be specified in combination with Paper Management Hutches due to space requirements.							
 Hanging File Bars	68AFB	109	1.75	7.5	0.75	0.5	0.25

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

APT - paper tray
 ABB - binder bin
 AFO - file organizer
 AFB - file bar
 The metal finish on perforated metal modesty panels, tapered brushed aluminum post legs, metal accent option on hutches, tack-board organizer rail, accessories and hinge caps on frameless glass doors match the Millennium satin nickel pull finish.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.








ACCESSORIES

Accessories feature a brushed aluminum finish.

TACKBOARD ORGANIZER RAIL


Please specify clearly on purchase order which products are to receive Organizer Rail and Accessory options.

POWERPORTS

Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
PowerPort 1 - 2 RJ45s (Category 5/6)	PORT1	265	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 RJ45 (category 5/6) each with hard wired 10' data cords; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic. NOTE: RJ45 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.						
PowerPort 2 - USB-A & USB-C	PORT2	267	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 USB-A & 1 USB-C charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PowerPort shroud. PortPort lid is Silver Metallic.						
PowerPort 3 - RJ11 & RJ45	PORT3	257	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 1 RJ11 & 1 RJ45 (Category 5/6); 2 Velcro wire managers & PowerPort Shroud; 1 x 10 Foot Data Cords (T568A) & 1 x 14 Foot RJ11 (Telecomm); powered by a 10' plug-in cord. PortPort lid is Silver Metallic. NOTE: RJ45 & RJ11 jacks with hard wired data cords included here must be within 10' of building utilities source to be functional.						
PowerPort 4 - 2 USB-A	PORT4	273	8	4	-	-	-
	Port Includes: 2 accessible power outlets & 1 side utility outlet; 2- USB-A charging ports all powered by a 10' plug-in cord; 2 velcro wire managers and metal PortPort shroud. PortPort lid is Silver Metallic.						
PowerPort 5 - 4 Receptacles	PORT5	267	8	4	-	-	-
	Port Includes: 4 accessible power outlets & 1 side utility outlet powered by a 10' plug-in cord; 2 velcro wire managers and metal power port shroud. PortPort lid is Silver Metallic.						
PowerPort 6 - USB-A, USB-C & RJ45	PORT6	387	8	4	-	-	-
 	Port Includes: 2 accessible power outlets & 1 side utility outlet 1 USB-A, 1 USB-C charging ports all powered by a 10' plug-in power cord. Includes 2 velcro wire managers and metal PortPort shroud with 2 data plate knock outs, 1 #M02 plate insert & 2 #S01W RJ45 female input, punch down terminal output snap in jacks. 2nd data plate knock out is blank for future use. PortPort lid is Silver Metallic.						

POWERPORTS


Description	Model	Price	W	D	H	Shipping Weight	Cubic Feet
Port - no Powerbar	Port0	131	8	4	-	-	-



Port Includes: Port lid & Shroud only.

ORDERING NOTE: Velcro wire managers not included, see below for pricing. Port lid is Silver Metallic.


PowerPort Shroud with 2 Data Plate Knock-outs	SHROUD2KO	Must be requested - no upcharge	-	-	-	-	-
---	-----------	------------------------------------	---	---	---	---	---



Angled PowerPort Shroud Includes: shroud with 2 data plate knock-outs in the bottom.

ORDERING NOTE: Please refer to data plate, data and AV integration options on page XX.

Velcro Wire Manager (qty 1)	WM-4	25	2	4.5	0.5	-	-
-----------------------------	------	----	---	-----	-----	---	---




2 velcro wire managers are included with Ports 1-5.

Wire Management Trough	WM-72	174	72	3	1	-	-
------------------------	-------	-----	----	---	---	---	---



Wire Management Trough is standard in a 72" length & can be cut to specific length; double-sided tape installation.

4-Channel Wire Management	CM-72	220	72	3	1	-	-
---------------------------	-------	-----	----	---	---	---	---








4-Channel Wire Management is standard in a 72" length & can be cut to specific length; double-sided tape installation.

Round Grommet	Round Grommet - Silver Metallic	145	-	-	-	-	-
	Round Grommet - Black	145	-	-	-	-	-



One 60mm Grommet in a standard position is available at no charge per table.

POWER/DATA

SNAP IN PORTS	Reference Code	Description	List Price
ADAPTOR PLATES			
	M02	Adaptor Plate (2) - accepts two snap in data ports	37
	M04	Adaptor Plate (4) - accepts four snap in data ports	37
	M06	Adaptor Plate (6) - accepts six snap in data ports	37
ORDERING NOTES: Blank covers are required when port is not in use, please see page 55.			
		RJ-45 - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	45
	S01W	RJ45-CAT6 (White)	
	S01B	RJ45-CAT6 (Blue)	
	S01R	RJ45-CAT6 (Red)	
		RJ11 - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	31
	S02W	RJ11 (White)	
	S02B	RJ11-B (Black)	
	S02G	RJ11-G (Green)	
	S02R	RJ11-R (Red)	
	S02Y	RJ11-Y (Yellow)	
	S04	HDMI - High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	165
	S08	USB-A - Full size USB "A" style connection. Connector is a female-to-female pass through.	59


MILLENNIUM | ACCESSORIES & ELECTRICAL

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
Wood Pencil Drawer	68PD2116	582	21.25	21.25	1	2	1


**ORDERING NOTES:**

Millennium pencil drawer is available in Oak, Cherry, Maple or Walnut, please clearly mark P.O. with species and finish selection.

Articulating Keyboard	68KBA20	887	21	11	1	18	2
	68KBA30	957	30	11	1	20	2



Articulating Keyboard w/ extended mechanism	68KBAC-2110	941	21	11	1	18	2
---	-------------	-----	----	----	---	----	---

**ORDERING NOTES:**

This articulating keyboard is equipped with a deeper extension mechanism and should be used on corner units and corner credenzas.


Description	Model		W	D	H	Shipping Weight	Cubic Feet
Articulating Keyboard with Palm Rest & Mouse Tray	68KBMT1912	661	27	-	7	20	2



Height Adjustable Table Programmable Display- 4 Position Memory	88HAPD	359	-	-	-	-	-
--	--------	-----	---	---	---	---	---




Silver Metallic Trough	68CT36	57	30	2	-	0.25	-
	68CT42	71	36	2	-	0.25	-
	68CT48	87	36	2	-	0.25	-
	68CT54	100	48	2	-	0.5	-
	68CT60	116	48	2	-	0.5	-
	68CT66	131	52	2	-	0.5	-
	68CT72	145	60	2	-	0.75	-
	68CT84	160	60	2	-	0.75	-





Height Adjustable Work Surface Cable Manager	68HACM1	85	4	3	21.5	5	0.25
---	---------	----	---	---	------	---	------



MILLENNIUM | BOOKCASES

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
Open Bookcase 	68BC301529	1938	30	15	29.25	60	9
	68BC361529*	1987	35.25	15	29.25	70	11
	68BC481529	2186	48	15	29.25	90	14
	68BC601529	2385	60	15	29.25	110	17
	68BC711529	2614	71	15	29.25	130	20

Bookcase with Glass Doors 	68BC301529-11G	2061	30	15	29.25	70	9
	68BC361529-11G*	2109	35.25	15	29.25	80	11

3-Hi Open Bookcase 	68BC301543	2202	30	15	42.5	80	13
	68BC361543*	2244	35.25	15	42.5	90	15
	68BC481543	2473	48	15	42.5	110	17
	68BC601543	2716	60	15	42.5	130	21
	68BC711543	2986	71	15	42.5	150	25

3-Hi Bookcase with Glass Doors 	68BC301543-11G	2327	30	15	43	100	13
	68BC361543-11G*	2379	35.25	15	43	115	15

3-Hi Curved Corner Bookcase 	68BCCE151543-17R	2591	15	15	43	55	7.5
	68BCCE151543-17L*	2591	15	15	43	55	7.5

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - hinged left
R - hinged right
G - glass doors

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.






SHELVES

Shelves are adjustable in 1.25" increments.

PULLS/LOCKS

Wood door bookcases have pulls, glass door bookcases feature the Luna knob. Lateral file drawers include locks. Locks may be added to wood doors at an **upcharge of \$145 list.**
CASEGOODS | USA | 305

MILLENNIUM | BOOKCASES

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
4-Hi Open Bookcase 	68BC301556	2472	30	15	56	100	13
	68BC361556*	2524	35.25	15	56	120	15
4-Hi Bookcase with Glass Doors 	68BC301556-11G	2610	30	15	56	125	13
	68BC361556-11G*	2674	35.25	15	56	148	15
5-Hi Open Bookcase 	68BC301569	2685	30	15	69	150	21
	68BC361569*	2738	35.25	15	69	180	24
5-Hi Bookcase with 3 Open & 2 Closed Shelves 	68BC301569-13	2819	30	15	69	160	21
	68BC361569-13*	2873	35.25	15	69	190	24
5-Hi Bookcase with 3 Library & 2 Closed Shelves 	68BC301569-43	3293	30	15	69	175	21
	68BC361569-43*	3308	35.25	15	69	205	24

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

PULLS/LOCKS


Wood door bookcases have pulls, glass door bookcases feature the Luna knob. Lateral file drawers include locks. Locks may be added to wood doors at an **upcharge of \$145 list.**

MILLENNIUM | BOOKCASES


Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
6-Hi Open Bookcase	68BC301584	2814	30	15	84		180	26
	68BC361584*	2870	35.25	15	84		215	30



Curved Corner Storage	68STCE20202917L	2254	20.25	20.25	28.25		56	9
	68STCE20202917R	2254	20.25	20.25	28.25		56	9
	68STCE24242917L	2365	24.25	24.25	28.25		65	12.5
	68STCE24242917R*	2365	24.25	24.25	28.25		65	12.5
	68STCE20204217L	2566	20.25	20.25	40.5		64	13
	68STCE20204217R	2566	20.25	20.25	40.5		64	13
	68STCE24244217L	2679	24.25	24.25	40.5		75	17.5
	68STCE24244217R	2679	24.25	24.25	40.5		75	17.5
	68STCE20205417L	2924	20.25	20.25	54		117	17
	68STCE20205417R	2924	20.25	20.25	54		117	17
	68STCE24245417L	3057	24.25	24.25	54		126	23.5
	68STCE24245417R	3057	24.25	24.25	54		126	23.5
	68STCE20206817L	3342	20.25	20.25	68.25		130	21
	68STCE20206817R	3342	20.25	20.25	68.25		130	21
	68STCE24246817L	3489	24.25	24.25	68.25		138	29
	68STCE24246817R	3489	24.25	24.25	68.25		138	29
	68STCE20208417L	3760	20.25	20.25	82.25		150	25.5
	68STCE20208417R	3760	20.25	20.25	82.25		150	25.5
	68STCE24248417L	3934	24.25	24.25	82.25		159	35
	68STCE24248417R	3934	24.25	24.25	82.25		159	35



2 Lateral Files	68ST30202901	3469	30	20.25	28.5		129	13
	68ST30242901	3516	30	24.25	28.5		155	15
	68ST36202901	3600	36.25	20.25	28.5		151	15
	68ST36242901*	3649	36.25	24.25	28.5		181	18
	68ST42202901	3711	42	20.25	28.5		174	17
	68ST42242901	3764	42	24.25	28.5		205	21



2 Closed Shelves	68ST30202911	2653	30	20.25	28.5		94	13
	68ST30242911	2696	30	24.25	28.5		120	15
	68ST36202911	2740	36.25	20.25	28.5		116	15
	68ST36242911*	2790	36.25	24.25	28.5		146	18

**ORDERING NOTES:**

Shelf is adjustable in increments of approximately 1-1/4". Locks are available on all wood bookcase doors at \$145 list.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - hinged left
R - hinged right


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

SHELVES

Shelves are adjustable in 1.25" increments.


MILLENNIUM | STORAGE

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
	68ST30202917	1866	30	20.25	28.5	80	13
	68ST30242917	1902	30	24.25	28.5	100	15
	68ST36202917	1945	36.25	20.25	28.5	96	15
	68ST36242917*	1984	36.25	24.25	28.5	111	18

ORDERING NOTES:


Shelf is adjustable in increments of approximately 1-1/4".

	68ST30204201	4298	30	20.25	41.75	164	18
	68ST30244201	4408	30	24.25	41.75	183	22
	68ST36204201	4533	36.25	20.25	41.75	196	21
	68ST36244201*	4629	36.25	24.25	41.75	218	25

	68ST30204211	2974	30	20.25	41.75	134	15
	68ST30244211	3040	30	24.25	41.75	153	22
	68ST36204211	3123	36.25	20.25	41.75	166	21
	68ST36244211*	3134	36.25	24.25	41.75	188	25


ORDERING NOTES:

Both interior shelves are adjustable in increments of approximately 1-1/4". Locks are available on all wood bookcase doors at **\$145 list**.

	68ST30204217	2667	30	20.25	41.75	114	18
	68ST30244217	2699	30	24.25	41.75	133	22
	68ST36204217	2759	36.25	20.25	41.75	146	21
	68ST36244217*	2804	36.25	24.25	41.75	168	25

ORDERING NOTES:

Shelf is adjustable in increments of approximately 1-1/4".

	68ST30205401*	4942	30	20.25	54	220	23
	68ST30245401	5062	30	24.25	54	245	28
	68ST36205401	5262	36.25	20.25	54	245	26
	68ST36245401	5372	36.25	24.25	54	270	33

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I,H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - hinged left
R - hinged right

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

MILLENNIUM | STORAGE

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
4-Hi 2 Lateral Files & 2 Closed Shelves	68ST30205404*	4145	30	20.25	54		210	23
	68ST30245404	4249	30	24.25	54		235	28
	68ST36205404	4389	36.25	20.25	54		235	26
	68ST36245404	4470	36.25	24.25	54		260	33

**ORDERING NOTES:**


Interior shelf is adjustable in increments of approximately 1-1/4". Locks are available on all wood bookcase doors at **\$145 list**.

4-Hi Closed Shelves	68ST30205411*	3507	30	20.25	54		185	23
	68ST30245411	3591	30	24.25	54		205	28
	68ST36205411	3666	36.25	20.25	54		205	26
	68ST36245411	3753	36.25	24.25	54		235	33

**ORDERING NOTES:**

Center shelf is fixed, upper and lower shelves are adjustable in increments of approximately 1-1/4". Locks are available on all wood bookcase doors at **\$145 list**.

4-Hi Open Shelves	68ST30205417*	3157	30	20.25	54		175	23
	68ST30245417	3241	30	24.25	54		195	28
	68ST36205417	3316	36.25	20.25	54		195	26
	68ST36245417	3391	36.25	24.25	54		205	33


**ORDERING NOTES:**

Center shelf is fixed, upper and lower shelves are adjustable in increments of approximately 1-1/4".

5-Hi 4 Lateral Files & 1 Flip-Up Storage	68ST30206801*	5785	30	20.25	68		250	29
	68ST30246801	6170	30	24.25	68		300	35
	68ST36206801	6550	36.25	20.25	68		300	34
	68ST36246801	6631	36.25	24.25	68		360	40



5-Hi 2 Lateral Files, 2 Open Shelves & 1 Flip Up Door	68ST30206802*	5533	30	20.25	68		210	29
	68ST30246802	5566	30	24.25	68		220	35
	68ST36206802	5688	36.25	20.25	68		220	34
	68ST36246802	5758	36.25	24.25	68		230	40

**ORDERING NOTES:**

Shelf is adjustable in increments of approximately 1-1/4".

DIMENSION KEY

W - width
D - depth
H - height






CODE DESCRIPTION

L - hinged left
R - hinged right

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

MILLENNIUM | STORAGE

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
5-Hi 2 Lateral Files & 3 Open Shelves 	68ST30206803*	5261	30	20.25	68.25	190	29
	68ST30246803	5327	30	24.25	68.25	200	35
	68ST36206803	5392	36.25	20.25	68.25	200	34
	68ST36246803	5460	36.25	24.25	68.25	210	40
5-Hi 2 Lateral Files & 3 Closed Shelves 	68ST30206804*	5891	30	20.25	68.25	213	29
	68ST30246804	5949	30	24.25	68.25	255	35
	68ST36206804	6021	36.25	20.25	68.25	255	34
	68ST36246804	6090	36.25	24.25	68.25	306	40
ORDERING NOTES: Open shelves are adjustable in increments of approximately 1-1/4".							
5-Hi 4 Lateral Files & 1 Open Shelf 	68ST30206805*	6470	30	20.25	68.25	240	29
	68ST30246805	6506	30	24.25	68.25	290	35
	68ST36206805	6615	36.25	20.25	68.25	290	34
	68ST36246805	6707	36.25	24.25	68.25	350	40
ORDERING NOTES: Interior shelves are adjustable in increments of approximately 1-1/4". Locks are available on all wood bookcase doors at \$145 list .							
5-Hi 3 Lateral Files & 2 Open Shelves 	68ST30206806*	6400	30	20.25	68.25	188	29
	68ST30246806	6483	30	24.25	68.25	225	35
	68ST36206806	6554	36.25	20.25	68.25	225	34
	68ST36246806	6609	36.25	24.25	68.25	270	40
ORDERING NOTES: Open shelf is adjustable in increments of approximately 1-1/4".							
5-Hi 3 Lateral Files & 2 Closed Shelves 	68ST30206808*	6706	30	20.25	68.25	220	29
	68ST30246808	6840	30	24.25	68.25	230	35
	68ST36206808	6982	36.25	20.25	68.25	230	34
	68ST36246808	7119	36.25	24.25	68.25	240	40
ORDERING NOTES: Shelf is adjustable in increments of approximately 1-1/4". Locks are available on all wood bookcase doors at \$145 list .							

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I,H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - hinged left
R - hinged right


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

PULLS/LOCKS


Wood door bookcases have pulls, glass door bookcases feature the Luna knob. Lateral file drawers include locks. Locks may be added to wood doors at an upcharge of **\$145 list**.

MILLENNIUM | STORAGE

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
 5 Closed Shelves	68ST30206811*	4849	30	20.25	68.25	220	29
	68ST30246811	4910	30	24.25	68.25	230	35
	68ST36206811	4982	36.25	20.25	68.25	230	34
	68ST36246811	5047	36.25	24.25	68.25	240	40


ORDERING NOTES:

Second lowest shelf is fixed, all others are adjustable in increments of approximately 1-1/4". Locks are available on all wood bookcase doors at **\$145 list**.

 5-Hi 2 Closed Shelves, 2 Open & 1 Flip Up Door	68ST30206812*	5141	30	20.25	68.25	215	29
	68ST30246812	5179	30	24.25	68.25	225	35
	68ST36206812	5222	36.25	20.25	68.25	225	34
	68ST36246812	5292	36.25	24.25	68.25	235	40


ORDERING NOTES:

Open and interior shelves are adjustable in increments of approximately 1-1/4". Locks are available on all wood bookcase doors at **\$145 list**.

 5-Hi 2 Closed, 3 Open Shelves	68ST30206813*	4414	30	20.25	68.25	210	29
	68ST30246813	4488	30	24.25	68.25	220	35
	68ST36206813	4567	36.25	20.25	68.25	220	34
	68ST36246813	4638	36.25	24.25	68.25	230	40


ORDERING NOTES:

Open and interior shelves are adjustable in increments of approximately 1-1/4". Locks are available on all wood bookcase doors at **\$145 list**.

 5 Open Shelves	68ST30206817*	4125	30	20.25	68.25	200	29
	68ST30246817	4205	30	24.25	68.25	210	35
	68ST36206817	4232	36.25	20.25	68.25	210	34
	68ST36246817	4328	36.25	24.25	68.25	220	40

ORDERING NOTES:

Second lowest shelf is fixed, all others are adjustable in increments of approximately 1-1/4".

 5-Hi 2 Lateral Files & 3 Closed Shelves with Pocket Doors	68ST30206827*	6384	30	20.25	68.25	241	29
	68ST30246827	6510	30	24.25	68.25	291	35
	68ST36206827	6646	36.25	20.25	68.25	291	34
	68ST36246827	6776	36.25	24.25	68.25	350	40

ORDERING NOTES:

Interior shelves are adjustable in increments of approximately 1-1/4". Locks are available on all wood doors at **\$145 list**.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - hinged left
R - hinged right

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

PULLS/LOCKS

Wood door bookcases have pulls, glass door bookcases feature the Luna knob. Lateral file drawers include locks. Locks may be added to wood doors at an upcharge of **\$145 list**.

MILLENNIUM | STORAGE

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
5-Hi 2 Closed Shelves & 3 Closed Shelves with Pocket Doors	68ST30206828*	5324	30	20.25	68.25	230	29
	68ST30246828	5475	30	24.25	68.25	280	35
	68ST36206828	5591	36.25	20.25	68.25	280	34
	68ST36246828	5726	36.25	24.25	68.25	340	40



ORDERING NOTES:
Interior shelves are adjustable in increments of approximately 1-1/4". Locks are available on all wood doors at **\$145 list**.

5-Hi 5 Single Width Closed Shelves	68ST18246811L*	3463	18	24.25	68.25	186	21
	68ST18246811R	3462	18	24.25	68.25	186	21




ORDERING NOTES:
Second lowest shelf is fixed, all others are adjustable in increments of approximately 1-1/4". Locks are available on all wood doors at **\$145 list**.

6 Hi Open Shelves	68ST30208417*	5534	30.5	20.25	84	173	34
	68ST30248417	5609	30.5	24.25	84	208	40
	68ST36208417	5572	36	20.25	84	208	40
	68ST36248417	5679	36	24.25	84	250	47



ORDERING NOTES:
Second lowest shelf is fixed, all others are adjustable in increments of approximately 1-1/4".

6-Hi 4 Lateral Files & 2 Open Shelves	68ST30208405*	6528	30.5	20.25	84	257	34
	68ST30248405	6610	30.5	24.25	84	308	40
	68ST36208405	6567	36	20.25	84	308	40
	68ST36248405	6687	36	24.25	84	370	47



ORDERING NOTES:
Open shelves are adjustable in increments of approximately 1-1/4".

6-Hi 2 Lateral Files & 4 Open Shelves	68ST30208403*	6021	30.5	20.25	84	240	34
	68ST30248403	6107	30.5	24.25	84	250	40
	68ST36208403	6081	36	20.25	84	250	40
	68ST36248403	6172	36	24.25	84	270	47



ORDERING NOTES:
Open shelves are adjustable in increments of approximately 1-1/4".

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I,H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- L - hinged left
- R - hinged right


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

PULLS/LOCKS

Wood door bookcases have pulls, glass door bookcases feature the Luna knob. Lateral file drawers include locks. Locks may be added to wood doors at an upcharge of **\$145 list**.

MILLENNIUM | STORAGE & WARDROBES

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
6-Hi 2 Lateral Files & 4 Closed Shelves 	68ST30208404*	6251	30.5	20.25	84	250	34
	68ST30248404	6332	30.5	24.25	84	260	40
	68ST36208404	6305	36	20.25	84	260	40
	68ST36248404	6405	36	24.25	84	280	47

6 Closed Shelves 	68ST18208411L*	3872	18	20.25	84	185	22
	68ST18208411R	3872	18	20.25	84	185	22
	68ST18248411L	3980	18	20.25	84	195	26
	68ST18248411R	3980	18	20.25	84	195	26


ORDERING NOTES:

Second lowest shelf is fixed, all others are adjustable in increments of approximately 1-1/4". Locks are available on all wood bookcase doors at **\$145 list**.

6 Open Shelves 	68ST18208417*	3349	18	20.25	84	168	22
	68ST18248417	3838	18	24.25	84	188	26

ORDERING NOTES:

Second lowest shelf is fixed, all others are adjustable in increments of approximately 1-1/4".

5 Hi Wardrobe 	68WR18246802L*	2985	18	24.25	68.25	150	21
	68WR18246802R	2985	18	24.25	68.25	150	21

ORDERING NOTES:

Locks are available on all wood doors at **\$145 list** per lock.

Wardrobe & Closed Shelves 	68WR30246801*	4568	30.5	24.25	68.25	237	35
	68WR36246801	4751	36	24.25	68.25	285	40

ORDERING NOTES:

Locks are available on all wood doors at **\$145 list** per lock. 24", 30" & 36" wardrobes require 2 locks.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

L - hinged left
R - hinged right

STANDARD FINISHES


For a complete list of standard wood finishes please see page 247.

PULLS/LOCKS

Wood door bookcases have pulls, glass door bookcases feature the Luna knob. Lateral file drawers include locks. Locks may be added to wood doors at an upcharge of **\$145 list** per lock.

MILLENNIUM | MODULAR TOPS

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
Full Width Wardrobe	68WR30246802*	4210	30.5	24.25	68.25	217	35
	68WR36246802	4431	36	24.25	68.25	265	40



ORDERING NOTES:

Locks are available on all wood doors at **\$145 list** per lock.
24", 30" & 36" wardrobes require 2 locks.

Modular Tops	68TP3624	873	35.75	24	-	31.5	2.25
	68TP3630	983	35.75	30	-	37.5	2.75
	68TP3636	1181	35.75	36	-	43.5	3.25
	68TP4224	917	41.75	24	-	35.5	2.25
	68TP4230	1030	41.75	30	-	42.5	2.75
	68TP4236	1234	41.75	36	-	49.5	3.25
	68TP4824	964	47.75	24	-	39.5	3.75
	68TP4830	1081	47.75	30	-	47.5	2.5
	68TP4836	1296	47.75	36	-	55.5	3
	68TP5424	1011	53.75	24	-	43.5	3.5
	68TP5430	1144	53.75	30	-	52.5	4.25
	68TP5436	1373	53.75	36	-	61.5	3.25
	68TP6020	1037	59.75	20	-	41.5	4
	68TP6024	1108	59.75	24	-	47.5	4.75
	68TP6030	1410	59.75	30	-	57.5	3.25
	68TP6036	1452	59.75	36	-	67.5	3.75
	68TP6620	1316	65.75	20	-	44.5	4.5
	68TP6624	1361	65.75	24	-	51.5	5.25
	68TP6630	1410	65.75	30	-	62.5	3.5
	68TP6636	1594	65.75	36	-	72.5	4
	68TP7120	1504	71.75	20	-	47.5	4.75
	68TP7124	1555	71.75	24	-	55.5	5.5
	68TP7130	1597	71.75	30	-	67.5	3.75
	68TP7136	1740	71.75	36	-	78.5	4.25
	68TP7820	1642	77.75	20	-	59	5.25
	68TP7824	1693	77.75	24	-	68	6
	68TP7830	1745	77.75	30	-	80	4.25
	68TP7836	2092	77.75	36	-	93	5
	68TP8420	1725	83.75	20	-	63	6
	68TP8424	1773	83.75	24	-	72	7
	68TP8430	1823	83.75	30	-	85	4
	68TP8436	2192	83.75	36	-	99	6.5
	68TP9024	1563	89.75	24	-	76	5
	68TP9030	1959	89.75	30	-	90	5.75
	68TP9036	2346	89.75	36	-	105	6.75
	68TP9620	1985	95.75	20	-	69	5
	68TP9624	2038	95.75	24	-	79	5
	68TP9630	2100	95.75	30	-	95	5.75
	68TP9636	2516	95.75	36	-	111	6.75

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

L - hinged left
R - hinged right
G - glass doors
BC - bookcase
ST - storage
STCE- curved corner storage unit


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

PULLS/LOCKS

Wood door bookcases have pulls, glass door bookcases feature the Luna knob. Lateral file drawers include locks. Locks may be added to wood doors at an upcharge of **\$145 list per lock**.

MILLENNIUM | MODULAR TOPS

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
Modular Return Tops	68TPR3624L	873	35.75	24	-	31.5	2.25
	68TPR3624R	873	35.75	24	-	31.5	2.25
	68TPR3630L	983	35.75	30	-	37.5	2.75
	68TPR3630R	983	35.75	30	-	37.5	2.75
	68TPR3636L	1181	35.75	36	-	43.5	3.25
	68TPR3636R	1181	35.75	36	-	43.5	3.25
	68TPR4220L	803	41.75	20	-	31.5	2.25
	68TPR4220R	803	41.75	20	-	31.5	2.25
	68TPR4224L	917	41.75	24	-	35.5	2.75
	68TPR4224R	917	41.75	24	-	35.5	2.75
	68TPR4230L	1030	41.75	30	-	42.5	3.25
	68TPR4230R	1030	41.75	30	-	42.5	3.25
	68TPR4236L	1234	41.75	36	-	49.5	3.75
	68TPR4236R	1234	41.75	36	-	49.5	3.75
	68TPR4820L	830	47.75	20	-	34.5	2.5
	68TPR4820R	830	47.75	20	-	34.5	2.5
	68TPR4824L	872	47.75	24	-	39.5	3
	68TPR4824R	872	47.75	24	-	39.5	3
	68TPR4830L	1081	47.75	30	-	47.5	3.25
	68TPR4830R	1081	47.75	30	-	47.5	3.25
	68TPR4836R	1296	47.75	36	-	55.5	3.75
	68TPR4836L	1296	47.75	36	-	55.5	3.75
	68TPR5424L	1075	53.75	24	-	47.5	2.5
	68TPR5424R	1075	53.75	24	-	47.5	2.5
	68TPR5430L	1144	53.75	30	-	55.5	3
	68TPR5430R	1144	53.75	30	-	55.5	3
	68TPR5436L	1373	53.75	36	-	43.5	3.5
	68TPR5436R	1373	53.75	36	-	43.5	3.5
	68TPR6024R	1108	59.75	24	-	52.5	4.25
	68TPR6024L	1108	59.75	24	-	52.5	4.25
	68TPR6030L	1227	59.75	30	-	61.5	3.25
	68TPR6030R	1227	59.75	30	-	61.5	3.25
	68TPR6036L	1452	59.75	36	-	41.5	4
	68TPR6036R	1452	59.75	36	-	41.5	4
	68TPR6624L	1304	65.75	24	-	47.5	4.75
	68TPR6624R	1304	65.75	24	-	47.5	4.75
	68TPR6630L	1410	65.75	30	-	57.5	3.25
	68TPR6630R	1410	65.75	30	-	57.5	3.25
	68TPR6636L	1293	65.75	36	-	67.5	3.75
	68TPR6636R	1293	65.75	36	-	67.5	3.75
	68TPR7124L	1486	71.75	24	-	44.5	4.5
	68TPR7124R	1486	71.75	24	-	44.5	4.5
	68TPR7130L	1597	71.75	30	-	51.5	5.25
	68TPR7130R	1597	71.75	30	-	51.5	5.25
	68TPR7136L	1740	71.75	36	-	62.5	3.5
	68TPR7136R	1740	71.75	36	-	62.5	3.5
	68TPR7824L	1499	77.75	24	-	44.5	4.5
	68TPR7824R	1499	77.75	24	-	44.5	4.5
	68TPR7830L	1611	77.75	30	-	51.5	5.25
	68TPR7830R	1611	77.75	30	-	51.5	5.25
	68TPR7836L	1772	77.75	36	-	62.5	3.5
	68TPR7836R	1772	77.75	36	-	62.5	3.5
	68TPR8424L	1786	83.75	24	-	72	4
	68TPR8424R	1786	83.75	24	-	72	4
	68TPR8430L	1823	83.75	30	-	85	4.75
	68TPR8430R	1823	83.75	30	-	85	4.75
	68TPR8436L	2192	83.75	36	-	99	5.5
	68TPR8436R	2192	83.75	36	-	99	5.5

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION


L - left handed
R - right handed

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

MILLENNIUM | PEDESTALS

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
Deep Pedestal	68PD4D*	1997	15.75	28.75	26.75	108	9
	68PD4F	2128	15.75	28.75	26.75	110	9



ORDERING NOTES:

Deep pedestals have unfinished tops and backs. Backs may be finished at an upcharge of **\$165 per list**. Please specify at time of order.

Shallow Pedestal	68PS4D	1854	15.75	18.75	26.75	74	6
	68PS4F*	1986	15.75	18.75	26.75	76	6



ORDERING NOTES:

Shallow pedestals have unfinished tops and backs. Backs may be finished at an upcharge of **\$165 per list**. Please specify at time of order.


Bookcase Pedestal	68PS4BC15L*	1513	15.75	18.75	26.75	70	6
	68PS4BC15R	1517	15.75	18.75	26.75	70	6



ORDERING NOTES:

Bookcase pedestals have unfinished tops and backs. Backs may be finished at an upcharge of **\$165 list**. Please specify at time of order. Locks on bookcase pedestal doors are available at **\$145 list**. Please specify at time of order.


Shallow Bookcase Pedestal	68PS4BC30	2115	30	18.75	27	90	11
	68PS4BC36*	2257	35.5	18.75	27	107	13
	68PS4BC42	2389	41.5	18.75	27	125	15



ORDERING NOTES:

Bookcase pedestals have unfinished tops and backs. Backs may be finished at an upcharge of **\$243 list**. Please specify at time of order. Locks on bookcase pedestal doors are available at **\$145 list**. Please specify at time of order.

Lateral File Pedestal - Shallow	68PS4LF30*	2528	30	18.75	27	114	11
	68PS4LF36	2671	35.5	18.75	27	135	13
	68PS4LF42	2814	41.5	18.75	27	158	15



ORDERING NOTES:

Lateral file pedestals have unfinished tops and backs. Backs may be finished at an upcharge of **\$243 list**. Please specify at time of order.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

4 - full height pedestal
L - hinged left
R - hinged right
D - 2 file drawer
F - 2 box, 1 file drawer
LF- lateral file
BC - bookcase

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

PEDESTALS

Pedestals are designed for use with open shells or open returns. Pedestals require field installation in shell units and are secured in place with the provided hardware.

MILLENNIUM | PEDESTALS

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
Lateral File Storage Pedestal	68PLF36192901	2932	35.5	18.75	27	117	13

**ORDERING NOTES:**


Only lower lateral file drawer locks. Storage pedestals have unfinished tops and backs. Backs may be finished at an upcharge of **\$243 list**. Please specify at time of order.

Combination Storage Pedestal	68PLF36192902*	2993	35.5	18.75	27	117	13
	68PLF36192904	2993	35.5	18.75	27	117	-

**ORDERING NOTES:**


Only lower lateral file drawer locks. Storage pedestals have unfinished tops and backs. Backs may be finished at an upcharge of **\$243 list**. Please specify at time of order.

Ganged Pedestal	68PS4DD	3576	31.5	18.75	26.75	148	12
	68PS4DF	3742	31.5	18.75	26.75	152	12
	68PS4FD*	3733	31.5	18.75	26.75	150	12
	68PS4FF	3853	31.5	18.75	26.75	152	12

**ORDERING NOTES:**

Ganged pedestals have unfinished tops and backs. Backs may be finished at an upcharge of **\$243 list**. Please specify at time of order.

Mobile Pedestal	68MPD4D	2135	15.75	28.75	26.75	108	9
	68MPD4F**	2270	15.75	28.75	26.75	110	9
	68MPS4D*	1978	15.75	18.75	26.75	74	6
	68MPS4F	2110	15.75	18.75	26.75	76	6

**ORDERING NOTES:**

Mobile pedestals have finished tops and backs. Please see page 257 for upholstered seat option.

CPU Pedestal	68MPCPU22L	1103	15.75	22	26.75	75	6
	68MPCPU22R*	1103	15.75	22	26.75	75	6

**ORDERING NOTES:**

This unit will not fit under a 20" worksurface. Dimensions inside unit are 11.5" wide, 21" deep and 23.5" high.

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

4 - full height pedestal
L - hinged left
R - hinged right
D - 2 file drawer
F - 2 box, 1 file drawer
LF- lateral file
BC- bookcase


STANDARD FINISHES


For a complete list of standard wood finishes please see page 247.


PEDESTALS

Pedestals are designed for use with open shells or open returns. Pedestals require field installation in shell units and are secured in place with the provided hardware..

MILLENNIUM | RECEPTION


		Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet	
Description	Model								
	Reception Desk, Full	6834	60	30	28.5	27.5	270	44	
	Height Pedestals	68GD60304LORF	5731	60	30	28.5	42.5	270	44
		68GD60304LFR0	5731	60	30	28.5	42.5	270	44
		68GD66304LFRF	6986	65.75	30	28.5	33.25	290	48
		68GD66304LORF	5928	65.75	30	28.5	48.25	290	48
		68GD66304LFR0	5905	65.75	30	28.5	48.25	290	48
		68GD72304LFRF	7094	72.75	30	28.5	40	310	51
		68GD72304LORF*	5973	72.25	30	28.5	54.75	310	51
		68GD72304LFR0	5973	72.75	30	28.5	54.75	310	51
		68GD84304LFRF	7225	84	30	28.5	51.5	330	61
		68GD84304LORF	6058	84	30	28.5	66.5	330	61
		68GD84304LFR0	6058	84	30	28.5	66.5	330	61
		68GD96304LFRF	7446	95.75	30	28.5	63.25	350	69
		68GD96304LORF	6410	95.75	30	28.5	78.25	350	69
		68GD96304LFR0	6410	95.75	30	28.5	78.25	350	69

	Reception Desk Shell	68GDS6630	3831	65.25	30	28.5	63	235	45
		68GDS7130	3919	70.5	30	28.5	69.75	250	48
		68GDS8430*	4029	83.5	30	28.5	81.25	275	58
		68GDS9630	4143	95.5	30	28.5	93	295	66

	Reception Corner Desk with Full Height Pedestals	68GCD7124L4F	5890	72.5	36.25	28.5	54.75	280	54
		68GCD7124L4D	5890	72.5	36.25	28.5	54.75	280	54
		68GCD7124R4F	5890	72.5	36.25	28.5	54.75	280	54
		68GCD7124R4D	5890	72.5	36.25	28.5	54.75	280	54
		68GCD8424L4F*	6061	84	36.25	28.5	66.5	310	64
		68GCD8424L4D	6061	84	36.25	28.5	66.5	310	64
		68GCD8424R4F	6061	84	36.25	28.5	66.5	310	64
		68GCD8424R4D	6061	84	36.25	28.5	66.5	310	64
		68GCD9624L4F	6436	95.75	36.25	28.5	78.25	330	73
		68GCD9624L4D	6436	95.75	36.25	28.5	78.25	330	73
		68GCD9624R4F	6436	95.75	36.25	28.5	78.25	330	73
		68GCD9624R4D	6436	95.75	36.25	28.5	78.25	330	73

ORDERING NOTES:

Laminate worksurfaces are available at a 10% upcharge. Optional reveals are available at an upcharge of **\$277 list** per running foot of surface area.

	Bow Shaped Transaction Top Option	BT60	202	-	-	-	-	-
		BT66	207	-	-	-	-	-
		BT72	210	-	-	-	-	-
		BT84	236	-	-	-	-	-
		BT96*	269	-	-	-	-	-

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

- 0 - no pedestal
- 3 - 3/4 height pedestal
- 4 - full height pedestal
- L - left handed pedestal position
- R - right handed pedestal position
- D - 2 file drawer
- F - 2 box, 1 file drawer

STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.



RECEPTION PANELS

Reception desks, returns, linking units and credenzas have 43" high perimeter panels.

INLAY OPTION

Add 10% list for optional laminate inlay.

MILLENNIUM | RECEPTION

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
Reception Return, Desk Height with Full Height Pedestals 	68GRH3624L4D	3494	36.25	24.25	28.5	20	154	25
	68GRH3624L4F	3494	36.25	24.25	28.5	20	154	25
	68GRH3624R4D	3494	36.25	24.25	28.5	20	154	25
	68GRH3624R4F	3494	36.25	24.25	28.5	20	154	25
	68GRH4224L4D	3700	42.5	24.25	28.5	26.5	176	29
	68GRH4224L4F*	3700	42.5	24.25	28.5	26.5	176	29
	68GRH4224R4D	3700	42.5	24.25	28.5	26.5	176	29
	68GRH4224R4F	3700	42.5	24.25	28.5	26.5	176	29
	68GRH4824L4D	3806	48.5	24.25	28.5	32.25	202	33
	68GRH4824L4F	3806	48.5	24.25	28.5	32.25	202	33
	68GRH4824R4D	3806	48.5	24.25	28.5	32.25	202	33
	68GRH4824R4F	3806	48.5	24.25	28.5	32.25	202	33
	68GRH5424L4D	3890	54.25	24.25	28.5	38	224	37
	68GRH5424L4F	3890	54.25	24.25	28.5	38	224	37
	68GRH5424R4D	3890	54.25	24.25	28.5	38	224	37
	68GRH5424R4F	3890	54.25	24.25	28.5	38	224	37
	68GRH6024L4D	3969	60	24.25	28.5	44	245	41
	68GRH6024L4F	3969	60	24.25	28.5	44	245	41
	68GRH6024R4D	3969	60	24.25	28.5	44	245	41
	68GRH6024R4F	3969	60	24.25	28.5	44	245	41
	68GRH6624L4D	4059	66.25	24.25	28.5	54	269	46
	68GRH6624L4F	4059	66.25	24.25	28.5	54	269	46
	68GRH6624R4D	4059	66.25	24.25	28.5	54	269	46
	68GRH6624R4F	4059	66.25	24.25	28.5	54	269	46
	68GRH7124L4D	4188	72	24.25	28.5	59	292	50
	68GRH7124L4F	4188	72	24.25	28.5	59	292	50
	68GRH7124R4D	4188	72	24.25	28.5	59	292	50
	68GRH7124R4F	4188	72	24.25	28.5	59	292	50
Open Reception Return, Desk Height 	68GRH3620L	1932	36.25	20.25	28.5	35	102	21
	68GRH3620R	1932	36.25	20.25	28.5	35	102	21
	68GRH3624L	1961	36.25	24.25	28.5	35	122	25
	68GRH3624R	1961	36.25	24.25	28.5	35	122	25
	68GRH4220L*	1992	42.5	20.25	28.5	41	120	25
	68GRH4220R	1992	42.5	20.25	28.5	41	120	25
	68GRH4224L	2020	42.5	24.25	28.5	41	144	29
	68GRH4224R	2020	42.5	24.25	28.5	41	144	29
	68GRH4820L	2043	48.5	20.25	28.5	47	142	28
	68GRH4820R	2043	48.5	20.25	28.5	47	142	28
	68GRH4824L	2070	48.5	24.25	28.5	47	170	33
	68GRH4824R	2070	48.5	24.25	28.5	47	170	33
	68GRH5420L	2107	54.25	20.25	28.5	53	160	32
	68GRH5420R	2107	54.25	20.25	28.5	53	160	32
	68GRH5424L	2135	54.25	24.25	28.5	53	192	37
	68GRH5424R	2135	54.25	24.25	28.5	53	192	37
	68GRH6020L	2159	60	20.25	28.5	58.75	178	41
	68GRH6020R	2159	60	20.25	28.5	58.75	178	41
	68GRH6024L	2160	60	24.25	28.5	58.75	213	41
	68GRH6024R	2160	60	24.25	28.5	58.75	213	41
	68GRH6620L	2195	66.25	20.25	28.5	65	198	39
	68GRH6620R	2195	66.25	20.25	28.5	65	198	39
	68GRH6624L	2247	66.25	24.25	28.5	65	237	46
	68GRH6624R	2247	66.25	24.25	28.5	65	237	46
	68GRH7120L	2274	72	20.25	28.5	70.75	217	42
	68GRH7120R	2274	72	20.25	28.5	70.75	217	42
	68GRH7124L	2315	72	24.25	28.5	70.75	260	50
	68GRH7124R	2315	72	24.25	28.5	70.75	260	50

DIMENSION KEY

W - width
D - depth
H - height

CODE DESCRIPTION

0 - no pedestal
H - desk height
4 - full height pedestal




STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

LAMINATE

Laminate worksurfaces are available at a 10% upcharge. Optional reveals are available at an upcharge of **\$277 list** per running foot of surface area.

MILLENNIUM | RECEPTION

Description	Model	Cherry Walnut Maple	W	D	H	KW	Shipping Weight	Cubic Feet
 Open Return, Desk Height for Reception Unit	68RHD2024L	1922	20	24.25	28.5	18.75	50	11
	68RHD2024R	1922	20	24.25	28.5	18.75	50	11
	68RHD2424L	1966	24	24.25	28.5	22.75	55	13
	68RHD2424R	1966	24	24.25	28.5	22.75	55	13
	68RHD3024L	2013	30	24.25	28.5	28.5	60	15
	68RHD3024R	2013	30	24.25	28.5	28.5	60	15
	68RHD3624L	2073	36	24.25	28.5	34.5	67	18
	68RHD3624R	2073	36	24.25	28.5	34.5	67	18
	68RHD4224L*	2100	42	24.25	28.5	40.5	75	21
	68RHD4224R	2100	42	24.25	28.5	40.5	75	21
	68RHD4824L	2149	48	24.25	28.5	46.5	82	23
	68RHD4824R	2149	48	24.25	28.5	46.5	82	23
	68RHD5424L	2193	54	24.25	28.5	52.5	90	26
	68RHD5424R	2193	54	24.25	28.5	52.5	90	26
	68RHD6024L	2254	60	24.25	28.5	58.5	97	29
	68RHD6024R	2254	60	24.25	28.5	58.5	97	29
	68RHD6624L	2306	65.75	24.25	28.5	64.5	105	32
	68RHD6624R	2306	65.75	24.25	28.5	64.5	105	32
	68RHD7124L	2368	71	24.25	28.5	69.5	113	34
	68RHD7124R	2368	71	24.25	28.5	69.5	113	34
	68RHD8424L	2455	84	24.25	28.5	82.75	120	40
	68RHD8424R	2455	84	24.25	28.5	82.75	120	40
 Reception Linking Unit, Desk Height	68GLU3624H	1915	35.25	24.25	28.5		90	24
	68GLU4224H	2005	41.5	24.25	28.5		100	28
	68GLU4824H*	2110	47.5	24.25	28.5		110	32
	68GLU6024H	2389	59.5	24.25	28.5		130	41
	68GLU6624H	2463	65.25	24.25	28.5		140	45
	68GLU7124H	2559	70.5	24.25	28.5		150	49
 Linking Unit, Desk Height for Reception Unit	68LUD3024HL	1741	29.75	24.25	28.5		57	6
	68LUD3024HR	1741	29.75	24.25	28.5		57	6
	68LUD3624HL	1773	35.75	24.25	28.5		68	7
	68LUD3624HR	1773	35.75	24.25	28.5		68	7
	68LUD4224HL	1909	41.75	24.25	28.5		82	8
	68LUD4224HR*	1909	41.75	24.25	28.5		82	8
	68LUD4824HL	1954	47.75	24.25	28.5		97	9
	68LUD4824HR	1954	47.75	24.25	28.5		97	9
	68LUD5424HL	2021	54.5	24.25	28.5		111	10
	68LUD5424HR	2021	54.5	24.25	28.5		111	10
	68LUD6024HL	2046	59.75	24.25	28.5		123	11
	68LUD6024HR	2046	59.75	24.25	28.5		123	11
	68LUD6624HL	2081	65.5	24.25	28.5		137	12
	68LUD6624HR	2081	65.5	24.25	28.5		137	12
	68LUD7124HL	2114	70.75	24.25	28.5		148	13
	68LUD7124HR	2114	70.75	24.25	28.5		148	13

ORDERING NOTES:

Laminate worksurfaces are available at a 10% upcharge.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 247
- 3) Wood edge detail- I, H, L or P, see page 250
- 4) Pull style, see page 250
- 5) Grommet location if applicable

*Indicates model illustrated by line drawing.

CODE DESCRIPTION

4 - full height pedestal
L - hinged left
R - hinged right
D - 2 file drawer
F - 2 box, 1 file drawer


STANDARD FINISHES

For a complete list of standard wood finishes please see page 247.

PEDESTALS


Pedestals are designed for use with open shells or open returns. Pedestals require field installation in shell units and are secured in place with the provided hardware.


MILLENNIUM | RECEPTION

Description	Model	Cherry Walnut Maple	W	D	H	Shipping Weight	Cubic Feet
	68GRT60	1051	60.5	12	-	25	1
	68GRT66	1108	66.5	12	-	35	1
	68GRT71*	1170	72.5	12	-	45	2
	68GRT78	1243	78.5	12	-	48	2.5
	68GRT84	1315	84.5	12	-	53	3
	68GRT90	1372	90	12	-	56	3

ORDERING NOTES:

Reception Return Transaction Top is designed to be used with a 42" return.

	Reception Corner Credenza with Full Height Pedestal	68GCC7124L4F	5184	71.75	36.25	28.5	54.75	270	54
		68GCC7124R4F	5184	71.75	36.25	28.5	54.75	270	54
		68GCC7124L4D	5184	71.75	36.25	28.5	54.75	270	54
		68GCC7124R4D	5184	71.75	36.25	28.5	54.75	270	54
		68GCC8424L4F	5752	83.5	36.25	28.5	66.5	290	54
		68GCC8424R4F	5752	83.5	36.25	28.5	66.5	290	54
		68GCC8424L4D	5752	83.5	36.25	28.5	66.5	290	54
		68GCC8424R4D	5752	83.5	36.25	28.5	66.5	290	54
		68GCC9024L4F*	5889	89.5	36.25	28.5	72.5	300	64
		68GCC9024R4F	5889	89.5	36.25	28.5	72.5	300	64
		68GCC9024L4D	5889	89.5	36.25	28.5	72.5	300	64
		68GCC9024R4D	5889	89.5	36.25	28.5	72.5	300	64
		68GCC9624L4F	6653	95.25	36.25	28.5	78.25	310	69
		68GCC9624R4F	6653	95.25	36.25	28.5	78.25	310	69
		68GCC9624L4D	6653	95.25	36.25	28.5	78.25	310	69
		68GCC9624R4D	6653	95.25	36.25	28.5	78.25	310	69

	Open Reception Corner Credenza	68GCC6624L	3815	65.25	36.25	28.5	63	250	69
		68GCC6624R	3815	65.25	36.25	28.5	63	250	69
		68GCC7124L*	3890	71.75	36.25	28.5	69.75	260	73
		68GCC7124R	3890	71.75	36.25	28.5	69.75	260	73
		68GCC8424L	3935	83.5	36.25	28.5	81.25	270	73
		68GCC8424R	3935	83.5	36.25	28.5	81.25	270	73
		68GCC9624L	4170	85.25	36.25	28.5	93	290	73
		68GCC9624R	4170	85.25	36.25	28.5	93	290	73

	Reception Credenza Shell	68GCS6624	3323	65.25	24.25	28.5	63	235	45
		68GCS7124	3417	71.75	24.25	28.5	69.75	255	47
		68GCS8424*	3459	83.5	24.25	28.5	81.25	275	58
		68GCS9624	3594	95.25	24.25	28.5	93	295	66

ORDERING NOTES:Laminate worksurfaces are available at a 10% upcharge. Optional reveals are available at an upcharge of **\$277 list** per running foot of surface area.**DIMENSION KEY**W - width
D - depth
H - height**CODE DESCRIPTION**0 - no pedestal
3 - 3/4 height pedestal
4 - full height pedestal
L - left handed pedestal position
R - right handed pedestal position
D - 2 file drawer
F - 2 box, 1 file drawer**STANDARD FINISHES**

For a complete list of standard wood finishes please see page 247.

RECEPTION PANELS

Reception desks, returns, linking units and credenzas have 43" high perimeter panels.

INLAY OPTION

Add 10% list for optional laminate inlay.

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgment is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$350 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers,

if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in material (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Height Adjustable Mechanism Warranty

Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase:

- a) Electronic components such as control boxes, hand switches and motors – two (2) years
- b) Mechanical components such as crank drives, spindles – five (5) years
- c) Structural components such as J-channels, feet and top supports – ten (10) years

The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Testing

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.



Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments.

Export Packaging is **STRONGLY RECOMMENDED** for:

- (A) all shipments outside of the lower 48 states and Canada
- (B) all shipments that will be held in storage for an extended period prior to installation. Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions where export packaging has not been utilized. Please contact Customer Service for specifications or any other assistance regarding export packaging.

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled.
5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$75/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$75/hour. Direct deliveries to site for net orders are possible, must exceed \$60,000 net, and accommodate 48-53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer. Additional costs for partial shipment of orders are the responsibility of the customer, and will be added to invoices. This includes any part shipment costs due to delays from textile suppliers. Additional costs for partial order shipments will normally not be assessed if there is a delay caused by Krug.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and

packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Care and Maintenance

Wood Finishes - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
- 2) Custom wood finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times.

Contact Customer Service for more information.

Krug Panel Fabric Program

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca The Momentum panel fabrics pass ASTM-E84-87 Fire Codes. If memo samples are required please call Momentum at 1-800-366-6839.

Program Details

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. *KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to *KrugExpress* orders are not allowed under any circumstances. Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

**Krug Textiles - Leather Program****Grade 8**

Black	K13.1000	Graphite	K13.4000
Stone	K13.3000	Espresso	K13.8000
Sand	K13.5000	White	K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

Krug Textiles - Faux Leather Program**Grade 2**

White	Taupe	Bisque	Wine	Sprig	Lagoon
Cream	Mocha	Chocolate	Garnet	Chinchilla	Pacific Blue
Parchment	Tan	Black	Rust	Steel	Navy
Sandstone	Chestnut	Earth	Citron	Grey	Plum
Vanilla		Brick			

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change. When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

TACKBOARD FABRICS**KRUG PANEL FABRIC PROGRAM**

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The in-stock Momentum fabrics are priced at Grade 1 and are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca If memo samples are required please call Momentum at 1-800-366-6839. The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for KrugExpress is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a KrugExpress order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any

circumstances. Orders for product on KrugExpress must clearly state: "KrugExpress". *Some conditions apply. Please note PALETTE finishes are not available on KrugExpress.

CASEGOODS PROGRAM

Orders for casegood products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information. Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Only actual casegood pieces and conference tables tops and bases are considered "units". Items such as tasklights, tackboards, keyboard trays and drawers, electrical and wire management components, etc., are not considered under the quantity restrictions. For example, a typical office configuration that includes a desk, linking unit, credenza and hutch/overhead, equals a total of four units for the purposes of the quantity maximum. Only Krug In-stock panel fabric is available on the KrugExpress program. Only standard wood finishes are available for KrugExpress orders. Grommets can be specified in standard positions only. KrugExpress also includes all Krug seating and occasional tables as well as Krug conference products to complement this casegoods offering.

CASEGOODS | USA | 629

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM)

COM must be received three weeks prior to the acknowledged ship date. Orders with COM not received by the required deadline will be delayed.

A description of the fabric, including supplier name, fabric name and color number must be included with the purchase order. When the COM fabric is received at Krug, it must be clearly identified with the fabric name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM fabric when received to determine if it will be suitable for upholstery. Where Krug feels that the fabric or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM fabrics or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine fabric required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. As fabric is applied horizontally, non-directional fabrics are recommended. COM fabrics are applied as they come off the roll unless otherwise specified. All striped fabrics will be applied vertically unless otherwise stated by the customer and after approval by Krug. It is the customer's responsibility to advise Krug if the upholstery is to be applied otherwise, and to advise Krug of any special upholstery instructions. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the fabric. Krug is not responsible for instructions sent with the fabric rolls, or for the method of upholstery if no instructions have been provided. COM fabrics for tackboards may be specified in either Maharam or Momentum panel fabrics. Krug is not responsible for determining if a fabric is not ideal for tackboard application.

Please contact Maharam at 1-800-645-3943 or Momentum at

COM Shipping Procedures

For tackboard COM fabrics, please send fabrics to:

Krug Inc.

111 Ahrens Street

Kitchener, Ontario

Canada N2H 4C2

Attention: RECEIVER

All packages must be clearly marked "For Customs Clearance by Willson International Custom Brokers". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and Commercial Invoice be completed and sent with the fabric shipment. The Commercial Invoice must clearly state the description of the fabric, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

LAMINATES

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38	Designer White	Wilsonart D354-60
Chocolate	Tafisa T498CR	Platinum	Tafisa T202CR
Nutmeg	Tafisa T477CR	Earth	Tafisa T767CR
Dark Walnut	Tafisa T469CR	Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.



All products are air emissions certified and are available as FSC® certified

krug

Updated February 2024