NUVO Price and Specification Guide CANADA



krug

Advancing Design Through Innovation

NUVO | TABLE OF CONTENTS

NUVO

- 2 Nuvo Environmental Summary
- 3 Features & Options
- 5 Power Management
- 7 Sample Configurations
- 8 Rectangular Wood Tops
- 9 Arc End Wood Conference Tops
- 10 Racetrack Wood Conference Tops
- 11 Boat Shaped & Visio Wood Conference Tops
- 12 Oval, Arced Square & Round Wood Conference Tops
- 13 Console Planning For Wood Tops
- 14 Console Size & Location For Wood Tops
- 24 Console Size & Location For Laminate Tops
- 34 Consoles for Wood & Laminate Tops
- 35 Back-Painted Glass Rectangular Conference Tops
- 36 Back-Painted Glass Arc End Conference Tops
- 37 Back-Painted Glass Boat Shaped & Visio Conference Tops
- 38 Back-Painted Glass Oval, Arced Square & Round Conference Tops
- 39 Console Planning for Back-Painted Glass Tops
- 40 Console Size & Location For Back-Painted Glass Tops
- 47 Consoles for Back-Painted Glass Tops & Console Power/Data Modules
- 48 Standard Console Power/Data Media Modules
- 52 Console Power Modules for Custom Configurations
- 53 Console Data/Media Options
- 58 Bases
- 59 Base Requirements Chart

MEDIA AND STORAGE

- 67 LEED Credit Summary, Substantiality & Environmental
- 68 Features & Options
- 71 Credenzas
- 75 Buffets
- 81 Hospitality Carts
- 82 Lecterns & Media


GENERAL INFORMATION

- 83 Terms & Conditions
- 83 Warranty
- 84 KrugExpress
- 85 Wood Finish & Laminates

NUVO | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION






PRE-CONSUMER RECYCLED CONTENT - 82%

POST-CONSUMER RECYCLED CONTENT - 2.5%





PRE-CONSUMER RECYCLED CONTENT - 72%

POST-CONSUMER RECYCLED CONTENT - 2.5%

CONTRIBUTES TO

Credit 2.1 - 2.2	Construction Waste Management	1-2 point(s)
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
Credit 7	Certified Wood (MUST BE REQUESTED)	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Nuvo products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Nuvo products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.



he mark of responsible forest

AIR-EMISSIONS

All Nuvo products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

FSC[®]

FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Nuvo and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times..



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

NUVO | FEATURES & OPTIONS

TOPS

Nuvo Conference products offers 8 table top shapes in 6 veneer species in addition to 13 wood grain, 4 solid laminate selections. Veneered tops are 1 1/2" thick veneered fiberboard MDF core and backer material, with a 1/8" wood edge. Laminate tops are 1 1/2" thick with fiberboard MDF core and backer material, with a PVC edge. Conference tops are available with these profiles.



BASES

All bases are shipped separately and require assembly to support beams and/or tops.

All wood bases, with the exception of panel bases, offer large interior cavities for cable routing and allow for total concealment of wiring when floor monuments are located underneath. Bases are equipped with removable panels which make access to the interior guick and easy.

Refer to the base requirements chart on page 60 to select the appropriate bases and sizes for conference tables.

Formed Metal Bases are available in Matte Chrome finish.

Base plates are available in a choice of Wood, Palette, Laminate or Gloss Aluminum finish.

CONSOLES

Consoles are available in 14", 27", 36", 42" and 50" lengths, and can be located within a top section or across a seam. Consoles located within a table section will be factory installed. Consoles located across the seam are ordered by a separate model number and will be shipped as a separate item for field installation. The console access cover allows wiring to pass through to the console module from all sides. The console access cover can be operated from either side of the table for easy access to the console module and opens to a 95° angle from the top of the table. Console access covers are available in Gloss Aluminum with Polished Chrome end bezels.

CONSOLE POWER/DATA/MEDIA MODULES

Console power/data/media modules are available in 18 preconfigured options or can be customized by adding plate-mounted or snap-in data ports to any of the 4 standard power modules. The number of console modules per console is dependent on the console size; 1 unit in 14" lengths, 2 units in 27" and 36" lengths, and 3 units in 42" and 50" lengths. Console power modules are available in three cord lengths (6', 16' and 25'). A utility outlet is available in some console module models for connecting power within a table. Up to 10 duplex receptacles can be connected to one electrical circuit. Faceplates, duplex receptacles and data components are white.

SUPPORT BEAMS

Aluminum support beams provide strength and support to the conference tops. Support beams are field installed onto the bases allowing for top-on-last installation for all base styles except the formed metal base. Powder coated steel trough pans located between the support beams accommodate under-surface cable management and runs cables to interior base cavities to access floor monuments.

SEATING CAPACITY

To establish seating capacity, an outside chair dimension of 24" has been used for this price guide, plus an allowance of 5" between chairs, for a total of 29". This is an approximation only. When using another chair, particularly seating with a 5 prong caster base, be sure to adjust the approximate seating capacity accordingly. Since not all manufacturers use the same formula, when seating capacity is in question, please contact Krug Customer Service to review the specific seating that is being used with Nuvo Conference Tables.

VENEER

Veneers available are Rift White Oak, Quarter Cut Maple, Cherry, Walnut.

FINISH

A five step catalyzed varnish finish that when dry has a sheen value of 32°, is applied to all tables, bases and cases. A lower sheen topcoat, 20°, can also be specified, at standard pricing. All purchase orders must clearly note "lower sheen finish" in order to receive this optional selection. All finished surfaces are well sanded before applying finishing materials. The procedure begins by applying a base color via an NGR stain. A wash coat follows to further enhance the color. Next is the glazing process, which provides the 3rd color step and fills the pores of the wood. A sealer coat is then applied, twice to the horizontal worksurfaces to enhance the finish. The product is then scuff sanded to prepare for the top coat. The top coat is a catalyzed varnish that when dry has a sheen value of 32°. Krug's catalyzed varnish has been tested to be one of the industry's most durable and long lasting. Custom finishes are available at an upcharge of 10% list per unit.

GLASS SURFACES

Nuvo conference tops are available in white back-painted 10mm tempered glass. Please contact customer service for additional color selections available at no upcharge. Color options also on website.

SOLID SURFACES

Solid Surface tops are available on conference tops. The solid surface standard top option is white, with additional colors available upon request. Solid surfaces are composed of minerals, acrylic resins that are non-porous and stain, scratch and dent resistant. Color is throughout the material, so surface scratches are not as visible. Please contact customer service with specifications for a quote.

GLIDES

Wood bases feature adjustable glides 1 ½" long and allow for a range of adjustment of ¾". Metal bases have ½" glides.

MICROPHONE CUT OUTS

Microphone cut outs are available for \$344 list per table for up to 7 microphone cutouts. For Back-Painted Glass tops add an additional \$115 list per cut-out.

NUVO | FEATURES & OPTIONS

HOW TO SPECIFY NUVO

- 1) Specify table top shape, size, model number and top material. For wood and laminate tops see page 9, for Back-Painted Glass see page 36.
- 2) Select base shape, size and model number using Base Requirements chart on page 60.
- 3) Specify console location (end sections, middle sections or across the seam) and size option. For wood top see page 15, for Back-Painted Glass see page 40.
- 4) Cross seam console model number, where applicable. For wood top see page 15 for Back-Painted Glass see page 41. Please note: Across seam consoles are field installed and have a separate model number.
- 5) Specify Console Power module options. Preconfigured Console Modules, see page 49. Custom Console Modules, see page 53.
- 6) Add plate-mounted data or snap-in data options to custom module, see port options on page 49.

Purchase orders must include:

- Wood Species and Finish
- Base Plates Gloss Aluminum, Palette, Laminate or Wood

LAMINATE WORKSURFACES


Laminate is available on all Nuvo Conference Tops; refer to Krug's standard laminate program on page 347. Krug will order and procure laminates. Purchase orders with a plastic laminate option must include Laminate Name.

Krug reserves the right to decline a laminate that may not be suitable for the application. Krug assumes no responsibility for durability or consistent color. The number of sections on 48" wide Laminate tops, on some table sizes, are different than the same size wood top. This is due to the size of laminates available. See table sections column on pages 25. Please note the grain direction of wood grain laminates will run lengthwise on 1 piece tops and crosswise on multiple piece tables. The grain direction of wood grain laminate will run horizontal on the backs of credenzas and buffets.

CUSTOM SIZING

Custom sizing and additional customization is available on Nuvo Conference Tables. Tops may be ordered with a reduced number of sections at an upcharge. For more information or to obtain quotations, please contact Customer Service.

STANDARD TABLE SHAPES



SQUARE CORNER TOPS

Nuvo conference tables may be specified with Square Corners in all shapes with rounded corners. To order these additional configurations, please replace the standard model number with the number listed: Rectangular = 5101, Arc End = 5106, Boat Shape-Straight End = 5104, Boat Shape-Arc End = 5154, Visio-Straight End = 5108, Visio-Arc End = 5158, Arc Square = 5156. Pricing for tops with square corners is the same as standard tops.

TESTING

All products have been tested in accordance with ANSI/BIFMA X5.5-2014 or X5.9-2012.



NUVO | POWER MANAGEMENT


All Nuvo Conference tables feature cable management capabilities for routing cables between the floor monuments and the consoles that provide voice/power/data/media connections.

Support beams connect the bases and provide additional support for the conference top. Support beams enable top-onlast assembly of the tables - this shortens the installation time, requires fewer installers, and helps to prevent damage to table tops. Data cables can be connected to the power/data modules and dropped into the base and connected to the source prior to the installation of the top. After the top is installed, the power modules are bolted into the threaded inserts in the top. Cable troughs located between the support beams offer generous space for cable management and are supplied with grommets to allow for cables to pass through to the base interior cavities.

Bases feature sizable cutouts at the bottom, providing access to floor monuments. With the exception of Panel and Formed Metal Bases, bases allow for total concealment of wiring when floor monuments are located underneath. Access doors are provided on the inward-facing vertical side of the bases, providing quick access to cabling in the interior. Formed Metal bases are available with an external cable management system and cables are run to the floor using a Metal Cable Manager or Spine Cable Manager.

The Console modules are housed within the support beam and provide power and communications connectivity. Console modules utilize UL standard receptacle outlets. Console modules are available in 18 pre-configured configurations, or can be custom-configured in unique configurations - or alternatively can be specified with blank ports, so customers can purchase and insert their own outlets. Console modules also can be designed and built specifically to meet your connectivity needs by using the Snap-in or Plate mounted port options. Console modules are available with three electrical cord lengths (6', 16', and 25'). Console modules with a utility outlet will allow units to be linked together to a maximum of 10 duplex receptacles per circuit. The number of console modules is dependent on the console size; 1 unit in 14" lengths, 2 units in 27" and 36" lengths, and 3 units in 42" and 50" lengths.


Consoles are available in 14", 27", 36", 42" and 50" lengths, and can be located within a top section, or can span top section seams. The console access cover allows wiring to pass through to the console module from all sides. Console access covers are operated from either side of the table for easy access to the console module and open to a 95° angle from the top of the table. Console access covers are available in a Gloss Aluminum finish with polished chrome end bezel. There are some limitations in glass, please see page 41.



SUPPORT BEAMS & CABLE TROUGH



CONSOLE MODULE



NUVO | POWER MANAGEMENT

Base Size Base Floor Monument Cut Out Dimension

Note: Panel bases will not completely conceal floor monuments.

Panel bases have 2 cable access panels

21" x 3"	4" X 1.5'
25" x 3"	4" X 1.5'
31" x 3"	4" X 1.5'

Formed Metal Base



NOTE: Formed Metal bases do not feature an interior cavity. Formed Metal bases have external cable management systems allowing cables to run to the floor monument. See page 60 for model numbers and cable management options. Overall table height is 29.5"



Panel Base

Oval Base O



Oval bases have 2 cable access panels16" x 16"

21" x 8"	12" X 5"
25" x 10"	12" X 6.5"
31" x 12"	12" X 9.5"


Square Base



Square bases have 1 cable access panel

16"x16"	6.25" X 6.25"
20" x 20"	9.5" X 9.5"
24" x 24"	14.5" X 14.5"
30" x 30"	20.5" X 20.5"

Rectangular Base



Rectangular bases have 1 cable access panel

21" x 12"	15" X 6"
25" x 12"	19" X 6"
31" x 12"	25" X 6"

Oval Island Base






18" x 47" 10" X 20" 18" x 71" (2) 6 X 11 (1) 6 X 15 24" x 71" 13 X 33

24" x 95" (2) 13 X 12 (1) 13 X 26 24" x 107" (2) 13 X 17 (1) 13 X 33

Rectangular Island Base




Rectangular Island bases have 1, 2 or 3 cable access panels depending on base size

18" x 27"	9" X 9"
18" x 39"	9" X 22"
18" x 63"	9" X 29"
18" x 99"	(2) 9" X 33"
18" x 123	(2) 9" X 43"
18" x 171	(4) 8" X 34"
24" x 63"	11" X 29"
24" x 99"	(2) 11" X 33"
24" x 123"	(2) 11" X 43"
24" x 171"	(4) 11" X 34"
24" x 219"	(3) 11" X 40"


NUVO | SAMPLE CONFIGURATIONS

SAMPLE CONFIGURATIONS - EXAMPLE ONE




	Model	Laminate, Oak	
Description	Number	Maple, Cherry	Walnut
(1) Arc End Top 72x36	51667236	2948	3242
(1) Formed Metal Base w/ Metal Cable Manager 5 (1) Formed Metal Base	14124328CMI 514124328	1292 1118	1292 1118
(1) Console Access Port within top section	AM27	281	281
(1) Console Power Module fo Custom Configurations Console Data/Media Optic		460	460
Position 3 -(1) - DVI-D Dual (Position 4 -(1) - Adaptor Plat -(2) - RJ45-CAT6 V	Digital) P03 e M04	131 37 45	131 37 45
-(1) - RJ11-Telepho -(1) - HDMI	one WhiteS02W S04	45 31 165	45 31 165
TOTAL LIST		\$6553	\$6847

SAMPLE CONFIGURATIONS - EXAMPLE TWO



Description	Model Number	Laminate, Oak Maple, Cherry	Walnut
(1) Visio Top 168x66/42	51681686642	13247	14569
(1) Formed Metal Base w/ Metal Cable Manager	514124328CM1	1292	1292
(1) Formed Metal Base	514136328	1249	1249
(1) Formed Metal Base	514148328	1378	1378
(4) Console Access Ports	Al14	253	253
within top section	BM36	318	318
	CM36	318	318
	DI14	253	253
(3) Basic Data with 2 Duple	x 51PDCD01-06	533	533
Receptacles & Utility Ou		533	533
		533	533
(1) Basic Data with 2 Duplex Receptacles	51PDAD01-06	484	484
TOTAL LIST		\$20391	\$21713

SAMPLE CONFIGURATIONS - EXAMPLE THREE



Description	Model Number	Laminate, Oak Maple, Cherry	Walnut
(1) Rectangular Top 120x48	516112048	5663	6230
(2)20" Square Bases	5143202025	1178 1178	1294 1294
(2) Console Access Port within top section	AM14 BM14	253 253	253 253
(1) Console Access Port 510 across a seam	281	281	
(2) Basic Data with 2 Duplex Receptacles & Utility Outle	533 533	533 533	
Duplex Receptacles	51PDAD01-06	484	484
TOTAL LIST		\$10356	\$10719

NUVO | RECTANGULAR CONFERENCE TOPS

Description	(Model	Laminate Dak, Maple, Cherry	Walnut	L	W	Table A	Approximate Seating	Shipping Weight	Cubic Feet
Rectangular- Rounded Corners	51616036 51616042 51616048	2655 2797 2941	2920 3078 3235	60 60 60	36 42 48	1 1 1	4 4 4	95 110 125	5 6 6
	51617236	2841	3123	72	36	1	6	113	6
	51617242	2984	3281	72	42	1	6	131	7
	51617248	3127	3438	72	48	1	6	148	8
	51617836	3084	3392	78	36	1	6	122	6
	51617842	3256	3581	78	42	1	6	142	7
	51617848	3428	3770	78	48	1	6	161	8
	51618436	3298	3630	84	36	1	6	131	7
	51618442	3513	3866	84	42	1	6	152	8
	51618448	3729	4103	84	48	1	6	172	9
	51619636	3441	3786	96	36	1	8	150	8
	51619642	4015	4417	96	42	2	8	175	9
	51619648	4588	5047	96	48	2	8	198	10
	516110842	4159	4574	108	42	2 (3)	8	195	10
	516110848	4803	5283	108	48	2 (3)	8	222	11
	516110854	5520	6072	108	54	3	8	250	13
	516112042	5019	5520	120	42	2 (3)	8	216	11
	516112048*	5663	6230	120	48	2 (3)	10	247	12
	516112054	6309	6940	120	54	3	10	278	14
	516112060	7024	7730	120	60	3	10	307	15
	516114448	6451	7098	144	48	2 (3)	10	297	15
	516114454	7241	7966	144	54	3	12	333	17
	516114460	8101	8912	144	60	3	12	369	18
	516115654	7886	8676	156	54	3 (4)	12	362	18
	516115660	8890	9778	156	60	3 (4)	12	401	20
	516116848	8531	9384	168	48	3 (4)	12	347	17
	516116854	9606	10567	168	54	4	12	390	19
	516116860	10825	11907	168	60	4	12	431	21
	516119248	9965	10962	192	48	3 (4)	14	397	20
	516119254	11182	12300	192	54	4	14	445	22
	516119260	12545	13799	192	60	4	14	492	24
	516121654	12330	13562	216	54	5	16	501	24
	516121660	13835	15218	216	60	5	16	554	27
	516124060	15627	17189	240	60	5	18	617	30
	516126460	17707	19474	264	60	6	20	680	33
	516128860	19998	21997	288	60	6	22	740	36

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

RECTANGULAR - SQUARE CORNER TOPS:

Rectangular tops with square corners are available. Replace the model prefix with 5101. e.g. 516114448 becomes **5101**14448 Pricing is the same as standard tops.

LAMINATE TABLE SECTIONS:

The number in brackets under table sections, refers to the number of sections when ordering laminate tops, if different than the number of sections for the same size wood top. Please note the grain direction of wood grain laminates will run lengthwise on 1 piece tops and crosswise on multiple piece table tops.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number and wood species
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console power module and data options

DIMENSION KEY

L - length

W - Width

Dimensions are in inches and approximate.

Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347

BASE REQUIREMENTS

See page 60 for base requirements

CONSOLE SIZE & LOCATIONS

For information on Console locations and size options, see page 15 for wood and page 25 for laminate.

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

TABLE SECTION SIZE

NUVO | ARC END CONFERENCE TOPS

1 -------

Description	Madal	Laminate Oak, Maple,	Malan d		14/		pproximate	Shipping	Cubic
Description Arc End Table - Rounded Corners	Model 51666036 51666042 51666048	2760 2941 3119	3037 3235 3433	60 60 60	36 42 48	Sections 1 1 1	Seating 4 4 4	Weight 89 103 117	Feet 5 5 6
	51667236	2948	3242	72	36	1	6	107	5
	51667242	3127	3438	72	42	1	6	123	6
	51667248	3305	3637	72	48	1	6	140	7
	51667836	3190	3510	78	36	1	6	116	6
	51667842	3398	3738	78	42	1	6	134	7
	51667848	3607	3969	78	48	1	6	153	8
	51668436 51668442 51668448	3407 3659 3908	3747 4021 4298	84 84 84	36 42 48	1 1 1	6 6 6	125 144 164	7 9
	51669636	3550	3904	96	36	1	8	144	7
	51669642	4159	4574	96	42	2	8	167	9
	51669648*	4768	5245	96	48	2	8	190	10
	516610842	4300	4732	108	42	2 (3)	8	188	10
	516610848	4983	5482	108	48	2 (3)	8	214	11
	516610854	5735	6309	108	54	3	8	240	12
	516612042	5162	5679	120	42	2 (3)	10 (8)	211	11
	516612048	5844	6428	120	48	2 (3)	10	239	12
	516612054	6524	7176	120	54	3	10	268	14
	516612060	7278	8005	120	60	3	10	297	15
	516614448	6631	7294	144	48	2 (3)	10	289	15
	516614454	7457	8201	144	54	3	12	324	16
	516614460	8351	9187	144	60	3	12	359	18
	516615654	8101	8912	156	54	3 (4)	12 (10)	353	18
	516615660	9140	10055	156	60	3 (4)	12	390	20
	516616848	8710	9582	168	48	3 (4)	12	338	17
	516616854	9821	10804	168	54	4	12	380	19
	516616860	11075	12183	168	60	4	12	421	21
	516619248	10144	11158	192	48	3 (4)	14	388	20
	516619254	11398	12538	192	54	4	14	435	22
	516619260	12795	14077	192	60	4	14	482	24
	516621654 516621660	12545 14085 15878	13799 15494 17466	216 216	54 60	5 5	16 16	491 544	25 27
	516624060	17957	19752	240	60	5	20 (18)	606	30
	516626460 516628860	20250	22275	264 288	60 60	6 6	20 22	668 729	33 36

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

ARC END TABLE - SQUARE CORNERS:

Arc End tops are available with square corners. Replace the model number prefix with **5106**. e.g. **5166**12042 becomes **5106**12042. Pricing is the same as standard tops.

LAMINATE TABLE SECTIONS:

The number in brackets under table sections, refers to the number of sections when ordering laminate tops, if different than the number of sections for the same size wood top. Please note the grain direction of wood grain laminates will run lengthwise on 1 piece tops and crosswise on multiple piece table tops.

SEATING CAPACITY:

The number in brackets is the seating capacity when formed metal legs are used if different than the seating capacity when other bases are used.

ORDERING PROCEDURES

- To order, please specify the following:
- 1) Table top shape, size, model number and wood species
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console power module and data options

DIMENSION KEY

L - Length

W - Width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347

BASE REQUIREMENTS

See page 60 for base requirements

CONSOLE SIZE & LOCATIONS

For information on Console locations and size options, see page 15 for wood and page 25 for laminate.

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

TABLE SECTION SIZE

NUVO | RACETRACK CONFERENCE TOPS

		Laminate Oak, Maple,				Table A	Approximate	Shipping	Cubic
Description	Model	Cherry	Walnut	L	W	Sections	Seating	Weight	Feet
Racetrack	51026036	2797	3078	60	36	1	4	83	5
	51026042	2941	3235	60	42	1	4	94	5
	51026048	3097	3408	60	48	1	4	104	6
	51027236	2984	3281	72	36	1	6	101	6
	51027242	3140	3455	72	42	1	6	115	6
	51027248	3285	3612	72	48	1	6	127	7
	51027836	3241	3564	78	36	1	6	110	6
	51027842	3428	3770	78	42	1	6	126	7
	51027848	3601	3959	78	48	1	6	140	8
	51028436	3470	3817	84	36	1	6	119	7
	51028442	3700	4069	84	42	1	6	136	7
	51028448	3916	4306	84	48	1	6	152	9
	51029636	3613	3975	96	36	1	8	138	7
	51029642	4216	4637	96	42	2	8	159	9
	51029648	4819	5299	96	48	2	8	178	10
	510210842	4374	4812	108	42	2 (3)	8	180	10
	510210848*	5047	5553	108	48	2 (3)	8	202	11
	510210854	5808	6389	108	54	3	10 (8)	226	12
	510212042	5276	5803	120	42	2 (3)	8	202	11
	510212048	5950	6544	120	48	2 (3)	10	227	12
	510212054	6625	7287	120	54	3	10	251	14
	510212060	7386	8122	120	60	3	10 (8)	275	15
	510214448	6783	7461	144	48	2 (3)	12 (10)	277	15
	510214454	7614	8373	144	54	3	12 (10)	307	16
	510214460	8516	9368	144	60	3	12 (10)	337	16
	510215654	8286	9108	156	54	3 (4)	14 (12)	336	18
	510215660	9334	10266	156	60	3 (4)	14 (12)	369	20
	510216848	8962	9857	168	48	3 (4)	12	326	17
	510216854	10093	11102	168	54	4	14 (12)	364	19
	510216860	11371	12507	168	60	4	14 (12)	399	21
	510219248	10466	11514	192	48	3 (4)	14	376	20
	510219254	11743	12916	192	54	4	16 (14)	418	22
	510219260	13175	14492	192	60	4	16 (14)	460	24
	510221654	12947	14242	216	54	5	18 (16)	475	25
	510221660	14538	15992	216	60	5	18 (16)	522	27
	510224060	16416	18056	240	60	5	18 (16)	584	30
	510226460	18594	20451	264	60	6	20 (18)	647	33
	510228860	21002	23102	288	60	6	22 (20)	707	36

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

LAMINATE TABLE SECTIONS:

The number in brackets under table sections, refers to the number of sections when ordering laminate tops, if different than the number of sections for the same size wood top. Please note the grain direction of wood grain laminates will run lengthwise on 1 piece tops and crosswise on multiple piece table tops.

SEATING CAPACITY:

The number in brackets is the seating capacity when formed metal legs are used if different than the seating capacity when other bases are used.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number and wood species
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console power module and data options

DIMENSION KEY

L - length

W - Width

Contact Customer Service if dimensions are critical.

Dimensions are in inches and approximate.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347

BASE REQUIREMENTS

See page 60 for base requirements

CONSOLE SIZE & LOCATIONS

For information on Console locations and size options, see page 15 for wood and page 25 for laminate.

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

TABLE SECTION SIZE

NUVO | BOAT SHAPED & VISIO CONFERENCE TOPS

		Laminate				Table	A	Ohimmin m	O. Inia
Description	Model	Oak, Maple, Cherry	Walnut	L	W	Table Sections	Approximate Seating	Shipping Weight	Cubic Feet
Boat-Shaped -	5164964842	4962	5457	96	48/42	2	8	181	10
Arc End	5164965442*	5819	6399	96	54/42	2	8	204	11
Rounded Corners									
	51641204842	6124	6735	120	48/42	2 (3)	8	229	12
	51641205442	6823	7507	120	54/42	3	10 (8)	257	14
/	51641444842	6968	7663	144	48/42	2 (3)	10	276	15
	51641445442	7829	8611	144	54/42	3	12	311	15
	51641685442	10381	11417	168	54/42	4	12	366	19
	51641925442	12087	13296	192	54/42	4	14	419	22
	51642166048	14955	16448	216	60/48	5	16	526	27
	51642406048	16889	18577	240	60/48	5	18 (16)	585	30
	51642646048	19125	21038	264	60/48	6	20	646	33
	51642886048	21604	23765	288	60/48	6	22	704	36

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

BOAT SHAPE - ARC END, SQUARE CORNERS:

Boat Shape tops are available with Arc ends and Square corners. For Arc End, Square Corner tops replace model suffix with **5154**. e.g. **5164**1204842 becomes **5154**1204842. Pricing is the same as standard tops.

BOAT SHAPE - STRAIGHT END, SQUARE CORNERS:

Boat Shape tops are available with Straight ends and square corners. For Straight End, Square Corner tops replace model suffix with **5104**. e.g. **5164**1204842 becomes **5104**1204842. Pricing is the same as standard tops.

LAMINATE TABLE SECTIONS:

The number in brackets under table sections, refers to the number of sections when ordering laminate tops, if different than the number of sections for the same size wood top. Please note the grain direction of wood grain laminates will run lengthwise on 1 piece tops and crosswise on multiple piece table tops.

SEATING CAPACITY:

The number in brackets is the seating capacity when formed metal legs are used if different than the seating capacity when other bases are used.

Visio - Arc End Rounded Corners	51681206042	9105	10014	120	60/42	3	8	268	15
	51681446042*	12460	13704	144	60/42	3	10	323	18
	51681686642	13247	14569	168	66/42	4	13	407	23
	51681926942	14280	15709	192	69/42	4	15	482	27
	51682167342	15556	17111	216	73/42	5	17	567	32
	51682407642	16675	18342	240	76/42	5	19	651	38

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

VISIO - ARC END, SQUARE CORNERS:

Visio Shape Tops with Arc Ends are available with square corners. For Arc End-Square corners, replace the model suffix with **5158**. e.g. **5168**1446042 becomes **5158**1446042. Pricing is the same as standard tops.

VISIO - STRAIGHT END, SQUARE CORNERS:

Visio Shape Tops with Straight Ends are available with square corners. For Arc Straight End-Square corners, replace the model suffix with **5108**. e.g. **5168**1446042 becomes **5108**1446042. Pricing is the same as standard tops.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number and wood species
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console power module and data options

DIMENSION KEY

L - Length

W - Width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347

BASE REQUIREMENTS

See page 60 for base requirements

CONSOLE SIZE & LOCATIONS

For information on Console locations and size options, see page 15 for wood and page 25 for laminate.

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

TABLE SECTION SIZE

NUVO | OVAL, ARCED SQUARE & ROUND CONFERENCE TOPS

		Laminate Oak, Maple,				Table A	pproximate	Shipping	Cubic
Description	Model	Cherry	Walnut	L	W	Sections	Seating	Weight	Feet
Oval Top	51598448	4289	4716	84	48	1	6	136	9
	51599648 51599654	5478 5936	6024 6531	96 96	48 54	2 2	8 8	157 176	10 11
	515912048* 515912060	6524 7069	7176 7775	120 120	48 60	2 (3) 3	8 10	196 243	12 15
	515914454 515914460	8131 8531	8941 9384	144 144	54 60	3 3	10 12	264 292	16 18
	515916860	9720	10694	168	60	4	12	341	21

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

LAMINATE TABLE SECTIONS:

The number in brackets under table sections, refers to the number of sections when ordering laminate tops, if different than the number of sections for the same size wood top.

Arced Square Top	51663636	1937	2131	36	36	1	4	59	3
	51664242	2137	2349	42	42	1	4	79	4
	51664848	2410	2649	48	48	1	4	101	5
	51665454	2724	2997	54	54	1	4	127	7
	51666060	3530	3879	60	60	1	4	155	8

ARC SQUARE TOP - SQUARE CORNERS:

Arc Square tops are available with square corners. For Square Corner tops replace model suffix with **5156**. e.g. **5166**4242 becomes **5156**4242. Pricing is the same as standard tops.

Round Top								
	510536	1894	2084	36 Dia.	1	3	47	3
	510542	2093	2303	42 Dia.	1	3	63	4
	510548	2353	2587	48 Dia.	1	4	80	5
	510554	3040	3345	54 Dia.	1	5	100	7
	510560	3541	3896	60 Dia.	1	5	123	8

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number and wood species
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console power module and data options

DIMENSION KEY

L - Length

W - Width

Dimensions are in inches and approximate.

D - Depth

Contact Customer Service if dimensions are critical.

H - Height

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347

BASE REQUIREMENTS

See page 60 for base requirements

CONSOLE SIZE & LOCATIONS

For information on Console locations and size options, see page 15 for wood and page 25 for laminate.

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

TABLE SECTION SIZE

NUVO | CONSOLE PLANNING FOR WOOD TOPS

CONSOLE ORDERING CODE (WITHIN THE TABLE SECTION - 4 CHARACTER CODE)

1st character specifies top sections from left to right on table: A, B, C, D, E, F

2nd character specifies console location within top section: M, I, L, R

M- Middle of top on one piece table

M- Middle of top section on multi section table


I - Inset 3" from seam on end sections


L- Left side of a one piece top


R- Right side of a one piece top

3rd and 4th characters specify console size: 14, 27, 36, 42, 50

Examples:







Y= Dimension from end of table to end of console 18" or greater, cannot be less than 18"

CONSOLE ORDERING CODE (ACROSS SEAM - 5 CHARACTER CODE)


1st and 2nd character specifies section from left to right on table: AB, BC, CD, DE, EF

3rd character specifies console location across the seam: X

4th and 5th characters specify console size: 14, 27, 36, 42, 50

Examples:

Table Size: 288" x 60"



Y= Dimension from end of table to end of console

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 36" - 48"	60	M14	223.0	200 000	23
60" - 84" X 36", 42", 48" 96" X 36"	72	M14 M27			29 22.5
Example AM42	78	M14 M27 M36 M42			32 25.5 21 18
Y	84	M14 M27 M36 M42			35 28.5 24 21
	96	M14 M27 M36 M42 M50			41 34.5 30 27 23
78" - 84" X 36", 42", 48"	78	L14 / R14			18
96" X 36" Example	84	L14 / R14			18
L14 R14	96	L14 / R14			18
96" - 144" X 42", 48"	96	M14			18
Example	108	M14		X27	20
AM14 ABX42 BM14	102	M14		X27	23
Y	144	M14 M27		X27 X36 X42 X27	29 22.5
96" - 144" X 42", 48"	96			X27 X36	34.5 30
Example ABX50				X42 X50	27 23
Y	108			X27 X36 X42 X50	40.5 36 33 29
Ť	120			X36 X42 X50	42 39 35
	144			X50	47

CODE KEY

M - Console location, middle of top section

- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 36" - 48"	96	127			18
96" - 144" X 42", 48"	108	127			24
Example Al42 Bl42	120	127 136			30 21
-13" Y	144	127 136 142 150			42 33 27 19
168" - 192" X 48"	168	M14 I27	M14 M27 M36 M42 M50 M14 M27 M36 M42 M50		21 26
Example AM14 BM50 CM14 Property of the prope	192	M14 I27 I36	M14 M27 M36 M42 M50 M14 M27 M36 M42 M50 M14 M27 M36 M42 M50)	25 34 25
168" - 192" X 48"	168			X14	49
Example ABX50 BCX50				X27 X36 X42 X50	42.5 38 35 31
	192			X36 X42 X50	46 43 39
168" - 192" X 48"	168	M14 I27	M14 M27 M36 M42 M14 M27 M36 M42		21 26
Example Al27 BM42 Cl27	192	M14 I27	M14 M27 M36 M42 M50 M14 M27 M36 M42 M50		25 34
- 3" Y					
WIDTHS 54" OR GREATER	108	l14	M14 M27		19
108" - 156" X 54", 60"	120	l14	M14 M27		23
Example AM14 BM42 CM14	144	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
	156	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		19 35 22

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- $\ensuremath{\mathsf{X}}$ Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

Wood Top Console Options WIDTHS 54" OR GREATER	Length	Section	Top Center Section	Options Across Seam	Υ
	108			X27	22.5
108" - 156" X 54", 60"	120			X27	26.5
Example ABX42 BCX42	144			X36 X42	30 27
Y	156			X36 X42	34 31
168"-192" X 54", 60"	168	l14	M14 M27 M36		25
Example AM14 BM42 CM42 DM14	192	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
168" - 192" X 54", 60"	168	l14		X27 X36 X42	25
Example AM14 BCX42 DM14	192	M14 I14 I27		X36 X42 X36 X42 X36 X42	18 31 18
168" - 192" x 54", 60"	168			X27 X36	28.5 24
Example ABX42 BCX42 CDX42	192			X27 X36 X42	34.5 30 27
216"- 240" X 54", 60"	216	l14	M14 M27 M36		26
Example AM14 BM42 CM42 DM42 EM14	240	M14 14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Cons Optic Across	ons	Y
WIDTHS 54" OR GREATER	216			X27		29.5
216" - 240" X 54", 60"				X36		25
Example ABX42 BCX42 CDX42 DEX42	240			X27 X36 X42		34.5 30 27
Y				742		21
216" - 240" X 54", 60"	216		M14 M27 M36	X27		29.5
Example			M14 M27 M36 M14 M27 M36	X36 X42		25 22
ABX42 CM42 DEX42	240		M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42	X27 X36 X42 X50		34.5 30 27 23
264" - 288" X 60"	264	M14 I14	M14 M27 M36			18 27
Example AM14 BM42 CM42 DM42 EM42 FM14 TY	288	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42			18 31 18
264" - 288" X 60"	264	M14				18
Example		114		X36	X42 X50	27
AM14 BCX42 DEX42 FM14	288	M14 I14 I27		X36	X42 X50 X42 X50 X42 X50	18 31 18
264" - 288" X 60"	264			X27		30.5
Example	204			X36		26
ABX42 BCX42 CDX42 DEX42 EFX42	288			X27 X36 X42		34.5 30 27
264" - 288" X 60"	264			X27		30.5
Example				X36 X42		26 23
ABX42 CDX42 EFX42						
Y	288			X27 X36 X42 X50		34.5 30 27 23

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
96" - 144" X 48"42" 96" X 54"/42"	96	M14			18
Example AM14 ABX42 BM14	120	M14		X27	23
AWITA ADATE DIVITA	144	M14 M27		X27 X36 X42 X27	29 22.5
96" - 144" X 48"/42" 96" X 54"/42"	96			X27 X36 X42	34.5 30 27
Example ABX50				X50	23
	120			X36 X42 X50	42 39 35
Y	144			X50	47
96" - 144" X 48"/42" 96" X 54"/42"	96	127			18
Example Al42 Bl42	120	127 136			30 21
- 3" Y	144	127 136 142 150			42 33 27 19
120" - 144" x 54"/42"	120	l14	M14 M27		23
Example AM14 BM42 CM14	144	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
120" - 144" x 54"/42" Example ABX42 BCX42	120 144			X27 X36 X42	26.5 30 27
168" - 192" X 54"/42"	168	l14	M14 M27 M36		25
Example AM14 BM42 CM42 DM14 Y	192	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
168" - 192" X 54"/42"	168	l14		X27 X36 X42	25
Example AM14 BCX42 DM14	192	M14 I14 I27		X36 X42 X36 X42 X36 X42	18 31 18
168" - 192" X 54"/42"	168			X27 X36	28.5 24
Example ABX42 BCX42 CDX42 Y	192			X27 X36 X42	34.5 30 27
216" - 240" X 60"/48"	216	l14	M14 M27 M36		26
Example AM14 BM42 CM42 DM42 EM14 Y	240	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
216" - 240" X 60"/48"	216			X27 X36	29.5 24
Example ABX42 BCX42 CDX42 DEX42	240			X27 X36 X42	34.5 30 27
216" - 240" X 60"/48" Example	216		M14 M27 M36 M14 M27 M36 M14 M27 M36	X27 X36 X42	29.5 25 22
ABX42 CM42 DEX42	240		M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42	X27 X36 X42 X50	34.5 30 27 23
264" - 288" X 60"/48"	264	M14 I14	M14 M36		18 27
Example AM14 BM42 CM42 DM42 EM42 FM14 C Y	288	M14 I14 I27	M14 M36 M42 M14 M36 M42 M14 M36 M42		18 31 18

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED & VISIO

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
264" - 288" X 60"/48"	264	M14 I14		X36 X42 X50	18 27
Example AM14 BCX42 DEX42 FM14	288	M14 I14 I27		X36 X42 X50 X36 X42 X50 X36 X42 X50 X36 X42 X50	18 31 18
264" - 288" X 60"/48"	264			X27 X36	30.5 26
ABX42 BCX42 CDX42 DEX42 EFX42	288			X27 X36 X42	34.5 30 27
264" - 288" X 60"/48" Example	264			X27 X36 X42	30.5 26 23
ABX42 CDX42 EFX42	288			X27 X36 X42 X50	34.5 30 27 23
120" - 144" X 60"/42"	120	l14	M14 M27		23
Example AM14 BM42 CM14	144	M14 I27	M14 M27 M36 M42 M14 M27 M36 M42		18 18
120" - 144" X 60/42 Example	120			X27	26.5
ABX42 BCX42	144			X36 X42	30 27
168" X 66/42" 192" X 69/42"	168	l14	M14 M27 M36		25
Al14 BM42 CM42 Dl14 3" - 3" - Y	192	M14 I27	M14 M27 M36 M42 M14 M27 M36 M42		18 18

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLE SIZE & LOCATION - VISIO

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	O Acro	onsole ptions ss Seam	Y
168" X 66/42"	168	I14		X27 X36	6 X42 X50	25
192" X 69/42" Al14 BCX42 Dl14	192	M14		X27 X36		18
3" - 3" - \		l27		X27 X36	6 X42 X50	18
168" X 66/42" 192" X 69/42"	168			X27		28.5
Example ABX27 BCX27 CDX27	192			X27		28.5
Y						
216" X 73"/42"	216	l14	M14 M27 M36			26
Example Al14 BM36 CM36 DM36 El14	210		WITT WES			20
3" - 3" -						
216" X 73"/42"	216			X27 X36		25.5 25
ABX36 BCX36 CDX36 DEX36						
216" X 73"/42"	216		M14 M27 M36	X27		30
Example			M14 M27 M36 M14 M27 M36	X36 X42		25 22
ABX36 CM36 DEX36			IVIT4 IVIZT IVISO	742		22
\						
240" X 76"/42"	240	M14 I14	M14 M27 M36 M42 M14 M27 M36 M42			18 31
Example Al14 BM42 CM42 DM42 El14		127	M14 M27 M36 M42			18
3" - 3" -						

CODE KE

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes $\frac{1}{2}$

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLE SIZE & LOCATION - VISIO & OVAL

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
240" X 76"/42" Example ABX42 BCX42 CDX42 DEX42	240			X27 X36 X42	34.5 30 27
84" x 48" Example AM42	84	M14 M27 M36 M42			35 28.5 24 21
84" x 48" Example AL14 AR14	84	L14/R14			18
96" - 120" X 48" 96" X 54"	96	M14			18
AM14 ABX27 BM14	120	M14		X27	23
96" - 120" X 48" 96" X 54" Example ABX42	96			X27 X36 X42 X50	34.5 30 27 23
	120			X36 X42 X50	42 39 35
96" - 120" X 48" 96" X 54"	96	127			18
Al36 Bl36 3"I-	120	127 136			30 21

CODE KEY

M - Console location, middle of top section

- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLE SIZE & LOCATION - OVAL, ROUND, ARCED SQUARE

Wood Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
144" X 54"	144	M14	M14 M27 M36 M42	7.0.000 000	18
Example		114	M14 M27 M36 M42		31
Al14 BM42 Cl14		127	M14 M27 M36 M42		18
3" - 3" -					
120" - 144" X 60"	120	l14	M14 M27		23
Example	144	M14	M14 M27 M36 M42		18
AM14 BM42 CM14	144	114	M14 M27 M36 M42		31
		127	M14 M27 M36 M42		18
120" - 144" X 60" 144" X 54"	120			X27	26.5
Example	144			X36	30
ABX42 BCX42				X42	27
168" X 60"	168	l14	M14 M27 M36		25
Example Al14 BM36 CM36 Dl14					
3" - 3" - Y					
168" X 60"	168			X27	28.5
Example				X36	24
ABX27 BCX27 CDX27					
36" - 60"	36	M14			11
Examples	42	M14			14
M14 M14	48	M14			17
	54	M14			20
Y	60	M14			23

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 36" - 48"	60	M14			23
60" - 84" X 36", 42", 48" 96" X 36"	72	M14 M27			29 22.5
Example AM42	78	M14 M27 M36 M42			32 25.5 21 18
Y	84	M14 M27 M36 M42			35 28.5 24 21
	96	M14 M27 M36 M42 M50			41 34.5 30 27 23
78" - 84" X 36", 42", 48" 96" X 36"	78	L14 / R14			18
Example	84	L14 / R14			18
L14 R14	96	L14 / R14			18
96" X 42", 48"	96	M14			18
Example AM14 ABX42 BM14 Y					
96" X 42", 48" Example	96			X27 X36	34.5 30
ABX50				X42 X50	27 23

CODE KEY

M - Console location, middle of top section

- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 42" - 60"	96	127			18
96" X 42", 48" Example Al42 Bl42 -13" Y					
108"-144" X 42", 48", 54", 60"	108	l14	M14 M27	19	
Example AM14 BM42 CM14	120	M14 I14	M14 M27 M14 M27		23
Y	144	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
Example	108			X27	22.5
ABX42 BCX42	120			X27	26.5
Y	144			X36 X42	30 27
156"-192" X 48", 54", 60"	156	 I14	M14 M27		
Example	168	l14	M14 M27 M36		25
AM14 BM42 CM42 DM14	192	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18

CODE KEY

M - Console location, middle of top section

I - Console location, Inset 3" from seam on end sections

X - Console location, across a seam of two top sections

L - Console location, left side of a one piece top

R - Console location, right side of a one piece top

Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Opt	nsole tions s Seam	Y
WIDTHS 54" OR GREATER	156	l14		X27	X36 X42	22
156" - 192" X 48" 54", 60"	168	l14		X27	X36	25
Example AM14 BCX42 DM14 Y	192	M14 I14 I27		X36 X36 X36	X42 X42 X42	18 31 18
156" - 192" x 48" 54", 60"	156			X27		25.5
Example ABX42 BCX42 CDX42	168			X36 X27		21 28.5
				X36		24
Y	192			X27 X36 X42		34.5 30 27
216"- 240" X 54", 60"	216	l14	M14 M27 M36			26
Example	240	M14 14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42			18 31 18
AM14 BM42 CM42 DM42 EM14						
216" - 240" X 54", 60" Example	216			X27 X36		29.5 25
ABX42 BCX42 CDX42 DEX42	240			X27 X36 X42		34.5 30 27

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 54" OR GREATER	216		M14 M27 M36	X27 X36	29.5
216" - 240" X 54", 60"			M14 M27 M36 M14 M27 M36	X42	25 22
Example	240		M14 M27 M36 M42	X27	34.5
ABX42 CM42 DEX42			M14 M27 M36 M42 M14 M27 M36 M42	X36 X42	30 27
			M14 M27 M36 M42	X42 X50	23
264" - 288" X 60"	264	M14			18
Example		l14	M14 M27 M36		27
AM14 BM42 CM42 DM42 EM42 FM14	288	M14	M14 M27 M36 M42		18
Y		114 127	M14 M27 M36 M42 M14 M27 M36 M42		31 18
264" - 288" X 60"	264	M14			18
Example		I14		X36 X42 X50	27
AM14 BCX42 DEX42 FM14	288	M14		X36 X42 X50	18
Y		114 127		X36 X42 X50 X36 X42 X50	31 18
264" - 288" X 60"	264			X27	30.5
Example				X36	26
ABX42 BCX42 CDX42 DEX42 EFX42	288			X27 X36	34.5 30
Y				X42	27
264" - 288" X 60"	264			X27	30.5
Example				X36 X42	26 23
ABX42 CDX42 EFX42					
	288			X27 X36	34.5 30
Y				X42 X50	27 23
·				,	0

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 29 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
96" - 144" X 48"42"	96	M14			18
96" X 54"/42" Example AM14 ABX42 BM14					
96" - 144" X 48"/42" 96" X 54"/42"	96			X27 X36	34.5 30
ABX50 ABX50				X42 X50	27 23
96" - 144" X 48"/42" 96" X 54"/42"	96	127			18
Example Al42 Bl42					
120" - 144" x 54"/42"	120	l14	M14 M27		23
Example AM14 BM42 CM14	144	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
120" - 144" x 54"/42"	120			X27	26.5
Example ABX42 BCX42	144			X36 X42	30 27
168" - 192" X 54"/42"	168	l14	M14 M27 M36		25
Example AM14 BM42 CM42 DM14	192	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
168" - 192" X 54"/42"	168	l14		X27 X36 X42	25
Example AM14 BCX42 DM14	192	M14 I14 I27		X36 X42 X36 X42 X36 X42	18 31 18
168" - 192" X 54"/42"	168			X27 X36	28.5 24
Example ABX42 BCX42 CDX42 Y	192			X27 X36 X42	34.5 30 27
216" - 240" X 60"/48"	216	l14	M14 M27 M36		26
Example AM14 BM42 CM42 DM42 EM14	240	M14 I14 I27	M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42		18 31 18
216" - 240" X 60"/48" Example	216			X27 X36	29.5 24
ABX42 BCX42 CDX42 DEX42	240			X27 X36 X42	34.5 30 27
216" - 240" X 60"/48" Example	216		M14 M27 M36 M14 M27 M36 M14 M27 M36	X27 X36 X42	29.5 25 22
ABX42 CM42 DEX42	240		M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42 M14 M27 M36 M42	X27 X36 X42 X50	34.5 30 27 23
264" - 288" X 60"/48"	264	M14 I14	M14 M36		18 27
Example AM14 BM42 CM42 DM42 EM42 FM14 Y	288	M14 I14 I27	M14 M36 M42 M14 M36 M42 M14 M36 M42		18 31 18

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED & VISIO

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
264" - 288" X 60"/48"	264	M14 I14		X36 X42 X50	18 27
Example AM14 BCX42 DEX42 FM14	288	M14 I14 I27		X36 X42 X50 X36 X42 X50 X36 X42 X50	18 31 18
264" - 288" X 60"/48"	264			X27 X36	30.5 26
ABX42 BCX42 CDX42 DEX42 EFX42	288			X27 X36 X42	34.5 30 27
264" - 288" X 60"/48"	264			X27 X36 X42	30.5 26 23
Example ABX42 CDX42 EFX42	288			X27 X36 X42 X50	34.5 30 27 23
120" - 144" X 60"/42"	120	l14	M14 M27		23
Example AM14 BM42 CM14	144	M14 I27	M14 M27 M36 M42 M14 M27 M36 M42		18 18
120" - 144" X 60/42 Example	120			X27	26.5
ABX42 BCX42	144			X36 X42	30 27
168" X 66/42" 192" X 69/42"	168	l14	M14 M27 M36		25
Al14 BM42 CM42 Dl14 3" - 3" - 4	192	M14 I27	M14 M27 M36 M42 M14 M27 M36 M42		18 18

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- $\ensuremath{\mathsf{X}}$ Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLE SIZE & LOCATION - VISIO

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Ad	Console Options cross Seam	Y
168" X 66/42"	168	l14		X27 >	K36 X42 X50	25
192" X 69/42" Al14 BCX42 Dl14	192	M14 I27			X36 X42 X50 X36 X42 X50	18 18
3" - 3" - Y						
168" X 66/42" 192" X 69/42"	168			X27		28.5
Example ABX27 BCX27 CDX27	192			X27		28.5
216" X 73"/42"	216	l14	M14 M27 M36			26
Example Al14 BM36 CM36 DM36 El14						
3" - 3" - Y						
216" X 73"/42"						
210 170742	216			X27 X36		25.5 25
ABX36 BCX36 CDX36 DEX36						
216" X 73"/42"	216		M14 M27 M36	X27		30
Example ABX36 CM36 DEX36			M14 M27 M36 M14 M27 M36	X36 X42		25 22
ADAGO ONIGO BEAGO						
240" X 76"/42"	240	M14	M14 M27 M36 M42			18
Example		114 127	M14 M27 M36 M42 M14 M27 M36 M42			31 18
Al14 BM42 CM42 DM42 El14						
3" - 3" -						

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLE SIZE & LOCATION - VISIO & OVAL

Landard To County Orling	Тор	Console Options Top End	Console Options Within Top Center	Console Options	V
Laminate Top Console Options	Length 240	Section	Section	Across Seam X27	Y 34.5
240" X 76"/42" Example	240			X36	34.5
ABX42 BCX42 CDX42 DEX42				X42	27
84" x 48"	84	M14			35
Example		M27 M36			28.5 24
AM42		M42			21
84" x 48"	84	L14/R14			18
Example AL14 AR14					
ALI4 ANI4					
96" - 120" X 48" 96" X 54"	96	M14			18
AM14 ABX27 BM14	120	M14		X27	23
96" - 120" X 48" 96" X 54"	96			X27	34.5
				X36 X42	30 27
Example ABX42				X50	23
	120			X36	42
				X42 X50	39 35
Ý				A30	
96" - 120" X 48" 96" X 54"	96	127			18
	120	127			30
Al36 Bl36 3" - Y		136			21

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes $\,$

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLE SIZE & LOCATION - OVAL, ROUND, ARCED SQUARE

Laminate Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
144" X 54"	144	M14	M14 M27 M36 M42		18
Example		114 127	M14 M27 M36 M42 M14 M27 M36 M42		31 18
Al14 BM42 Cl14		121	WITH WILL WIOO WINZ		10
3" - 3" -					
120" - 144" X 60"	120	l14	M14 M27		23
Example					
AM14 BM42 CM14	144	M14 I14	M14 M27 M36 M42 M14 M27 M36 M42		18 31
		127	M14 M27 M36 M42		18
120" - 144" X 60" 144" X 54"	120			X27	26.5
Example	144			X36	30
ABX42 BCX42				X42	27
Y					
168" X 60"	168	l14	M14 M27 M36		25
Example					
Al14 BM36 CM36 Dl14					
3" - 3" - Y					
168" X 60"	168			X27	28.5
Example				X36	24
ABX27 BCX27 CDX27					
36" - 60"	36	M14			11
Examples	42	M14			14
M14 M14	48	M14			17
	54	M14			20
•	60	M14			23

CODE KEY

- M Console location, middle of top section
- I Console location, Inset 3" from seam on end sections
- $\ensuremath{\mathsf{X}}$ Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS


See page 49 for power / data options

ORDERING NOTES

NUVO | CONSOLES FOR WOOD & LAMINATE TOPS


CONSOLE - WITHIN A TOP SECTION

Consoles located within a top section are factory installed. The model numbers are determined by the location within each section and the size. For example, when ordering a rectangular top 96" x 54" a console M14 can be specified in both the A and/or B section of the table. When ordering, simply add AM14 and BM14 to your purchase order and add the list price for each console to your order.



CONSOLE - ACROSS SEAMS

Consoles located across the seam are field installed and have separate model numbers that need to be included on your purchase order along with the desired console position. For example, when ordering a rectangular top 120" x 54" with a console across the seam, purchase orders need to specify the model number for the console (51CONSOLEX27) and the location ABX27.



CONSOLE POWER/DATA MODULES

Console modules provide an extensive range of power, data and audio-visual solutions for today's conferencing environments. Console modules are available in 18 preconfigured data and power options, or alternatively console modules with just electrical ports can be selected allowing units to be designed and built specifically to meet your connectivity needs by using the Snap-in or Plate mounted port options. Consoles are available with 3 power options in both preconfigured & custom console modules.

Power Module A (PMA) consists of 2 duplex receptacles with 3 cord lengths 6', 16' & 25'.

Power Module B (PMB) consists of 1 duplex receptacle with 3 cord lengths 6', 16' & 25'.

Power Module C (PMC) consists of 2 duplex receptacles with a utility outlet & circuit breaker with 2 cord lengths 6' & 16'.

The utility outlet in Module C allows another power module within the table to be plugged into it resulting in 1 cord going to the power source for both modules, as well as circuit protection for both modules. This also means shorter cord lengths can be specified resulting in a more cost effective power solution. Krug recommends the use of Module C's on the Console at the end of the table or location in the table nearest the power source.

Examples:

120" table with 2 consoles & the power source at right end.

Use a PMC06 in the 1st console from the right & the cord goes to power source.

Use a PMA06 in the 2nd console from the right & the cord goes to the utility outlet of the first console module.


168" table with 4 consoles & power source at right hand end.

Use a PMC06 in the 1st console from the right & the cord goes to power source.

Use a PMC06 in the 2nd console from the right & the cord goes to power source.

Use a PMA06 in the 3rd console from the right & the cord goes to utility the outlet in the 1st console module.

Use a PMA06 in the 4th console from the right & the cord goes to utility the outlet in the 2nd console module.



CODE KEY

M - Console location, middle of top section

- I Console location, Inset 3" from seam on end sections
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE SIZE & LOCATIONS

See page 15 for information on console locations and size options for wood tops, and page 25 for laminate tops locations and sizes

CONSOLE MODULE OPTIONS

See page 49 for power / data options

ORDERING NOTES

NUVO | BACK-PAINTED GLASS RECTANGULAR CONFERENCE TOPS

						Approximate	Shipping	Cubic
Description	Model	Glass	L	W	Sections	Seating	Weight	Feet
Rectangular- Rounded	5161GP6036	5398	60	36	1	4	190	42
Corners	5161GP6042	6298	60	42	1	4	220	49
	5161GP6048	7197	60	48	1	4	250	53
	5161GP7236	6479	72	36	1	6	226	50
	5161GP7242	7558	72	42	1	6	262	58
	5161GP7248	8636	72	48	1	6	296	66
	5161GP7836	7019	78	36	1	6	244	55
	5161GP7842	8187	78	42	1	6	284	63
	5161GP7848	9350	78	48	1	6	322	72
	5161GP8436	7558	84	36	1	6	262	59
	5161GP8442	8818	84	42	1	6	304	68
	5161GP8448	10068	84	48	1	6	346	77
	5161GP9636	8636	96	36	1	8	300	67
	5161GP9642	10075	96	42	2	8	350	39
	5161GP9648	11446	96	48	2	8	396	45
	5161GP10842	11380	108	42	2	8	390	44
	5161GP10848	12992	108	48	2	8	444	50
	5161GP12042	13447	120	42	2	8	432	49
	5161GP12048*	15320	120	48	2	10	494	56
	5161GP12054	17290	120	54	3	10	556	40
	5161GP12060	19210	120	60	3	10	614	47
	5161GP14448	18443	144	48	2	10	594	66
	5161GP14454	20748	144	54	3	12	666	50
	5161GP14460	23051	144	60	3	12	738	56
	5161GP15654	22476	156	54	3	12	724	54
	5161GP15660	24973	156	60	3	12	802	60
	010101 10000		100		O		002	00
	5161GP16848	21515	168	48	3	12	694	52
	5161GP16854	24204	168	54	4	12	780	44
	5161GP16860	26894	168	60	4	12	862	49
	5161GP19248	24589	192	48	3	14	794	59
	5161GP19254	27663	192	54	4	14	890	50
	5161GP19260	30736	192	60	4	14	984	56

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

RECTANGULAR - SQUARE CORNER TOPS:

Rectangular tops with square corners are available. Replace the model prefix with **5101GP**. e.g. **5161GP**14448 becomes **5101GP**14448. Pricing is the same as standard tops.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number , glass color
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console power module and data options

DIMENSION KEY

L - length

W - Width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

BASE REQUIREMENTS

See page 60 for base requirements

CONSOLE SIZE & LOCATIONS

See page 41 for information on Console locations and size options

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

TABLE SECTION SIZE

NUVO | BACK-PAINTED GLASS ARC END CONFERENCE TOPS

						Approximate	Shipping	Cubic
Description	Model	Glass	L	W	Sections	Seating	Weight	Feet
Arc End Table -	5166GP6036	5484	60	36	1	4	178	42
Rounded Corners	5166GP6042	6398	60	42	1	4	206	49
	5166GP6048	7314	60	48	1	4	234	53
	5166GP7236	6582	72	36	1	6	214	50
	5166GP7242	7678	72	42	1	6	246	58
	5166GP7248	8775	72	48	1	6	280	66
	5166GP7836	7678	78	36	1	6	232	55
	5166GP7842	8295	78	42	1	6	268	63
	5166GP7848	9616	78	48	1	6	306	72
	5166GP8436	7761	84	36	1	6	250	59
	5166GP8442	9063	84	42	1	6	288	68
	5166GP8448	10357	84	48	1	6	328	77
	5166GP9636	8879	96	36	1	8	288	67
	5166GP9642	10357	96	42	2	8	334	39
	5166GP9648*	11837	96	48	2	8	380	45
	5166GP10842	11651	108	42	2	8	376	44
	5166GP10848	13317	108	48	2	8	428	50
	5166GP12042	14506	120	42	2	10 (8)	422	49
	5166GP12048	15330	120	48	2	10	478	56
	5166GP12054	17290	120	54	3	10	536	40
	5166GP12060	19210	120	60	3	10	234 214 246 280 232 268 306 250 288 328 288 334 380 376 428 (8) 422 478 536 594 578 648 718 (10) 706 780 676 760 842 776 870	47
	5166GP14448	18443	144	48	2	10	578	66
	5166GP14454	20748	144	54	3	12	648	50
	5166GP14460	23051	144	60	3	12	718	56
	5166GP15654	22476	156	54	3	12 (10)	706	54
	5166GP15660	24973	156	60	3	12	780	60
	5166GP16848	21515	168	48	3	12	676	52
	5166GP16854	24204	168	54	4	12	760	44
	5166GP16860	26894	168	60	4	12	842	49
	5166GP19248	24589	192	48	3	14	776	59
	5166GP19254	27663	192	54	4	14		50
	5166GP19260	30736	192	60	4	14	964	56

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

ARC END TABLE - SQUARE CORNERS:

Arc End tops are available with square corners. Replace the model number prefix with 5106GP. e.g. 5166GP12042 becomes 5106GP12042. Pricing is the same as standard tops.

SEATING CAPACITY:

The number in brackets is the seating capacity when formed metal legs are used if different than the seating capacity when other bases are used.

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number, glass color
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console power module and data options

DIMENSION KEY

L - Length

W - Width

Dimensions are in inches and approximate.

Contact Customer Service if dimensions are critical.

BASE REQUIREMENTS

See page 60 for base requirements

CONSOLE SIZE & LOCATIONS

See page 45 for information on Console locations and size options

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

TABLE SECTION SIZE

Section sizes can be calculated by dividing the table length by the # of sections

NUVO | BACK-PAINTED GLASS BOAT SHAPED & VISIO CONFERENCE TOPS

					Table /	Approximate	Shipping	Cubic
Description	Model	Glass	L	W	Sections	Seating	Weight	Feet
Boat-Shaped -	5164GP964842	12072	96	48/42	2	8	362	45
Arc End	5164GP965442*	13583	96	54/42	2	8	408	50
Rounded Corners								
	5164GP1204842	15636	120	48/42	2	8	458	56
	5164GP1205442	17636	120	54/42	3	10 (8)	514	40
/	5164GP1444842	18812	144	48/42	2	10	552	66
	5164GP1445442	21161	144	54/42	3	12	622	50
	5164GP1685442	24689	168	54/42	4	12	732	44
\ /	5164GP1925442	28215	192	54/42	4	14	838	50

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

BOAT SHAPE - ARC END, SQUARE CORNERS:

Boat Shape tops are available with Arc ends and Square corners. For Arc End, Square Corner tops replace model suffix with 5154GP. e.g. 5164GP1204842 becomes 5154GP1204842. Pricing is the same as standard tops.

BOAT SHAPE - STRAIGHT END, SQUARE CORNERS:

Boat Shape tops are available with Straight ends and square corners. For Straight End, Square Corner tops replace model suffix with 5104GP. e.g. 5164GP1204842 becomes 5104GP1204842. Pricing is the same as standard tops.

SEATING CAPACITY:

The number in brackets is the seating capacity when formed metal legs are used if different than the seating capacity when other bases are used.

Visio - Arc End Rounded Corners	5168GP1206042	19347	120	60/42	3	8	536	47
Trounded Corners	5168GP1446042*	20955	144	60/42	3	10	646	56
	5168GP1686642	29805	168	66/42	4	13	814	62
	5168GP1926942	35611	192	69/42	4	15	964	73
	NOTE: Support Beams the order acknowledgm		price. An addi	tional line ite	em for the	support bea	ım will be inc	luded on

VISIO - ARC END, SQUARE CORNERS:

Visio Shape Tops with Arc Ends are available with square corners. For Arc End-Square corners, replace the model suffix with 5158GP. e.g. 5168GP1446042 becomes 5158GP1446042. Pricing is the same as standard tops.

VISIO - STRAIGHT END, SQUARE CORNERS:

Visio Shape Tops with Straight Ends are available with square corners. For Arc Straight End-Square corners, replace the model suffix with 5108GP. e.g. 5168GP1446042 becomes 5108GP1446042. Pricing is the same as standard tops.

BASE REQUIREMENTS

See page 60 for base requirements

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

See page 41 for information on Console locations and size options

CONSOLE SIZE & LOCATIONS

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number, glass color
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console power module and data options

DIMENSION KEY

W - Width

Contact Customer Service if dimensions are critical.

Dimensions are in inches and approximate.

TABLE SECTION SIZE L - Length Section sizes can be calculated by dividing the table length by the # of sections

NUVO | BACK-PAINTED GLASS OVAL, ARCED SQUARE & ROUND **CONFERENCE TOPS**

Description	Model	Glass	L	W	Table A Sections	Approximate Seating	Shipping Weight	Cubic Feet
Oval Top	5159GP8448	10589	84	48	1	6	272	77
	5159GP9648	11398	96	48	2	8	314	45
	5159GP9654	13980	96	54	2	8	352	50
/	5159GP12048*	15484	120	48	2	8	392	56
	5159GP12060	19347	120	60	3	10	486	40
	5159GP14454	20902	144	54	3	10	528	50
	5159GP14460	20955	144	60	3	12	584	56
	5159GP16860	27094	168	60	4	12	682	49

NOTE: Support Beams are included in top price. An additional line item for the support beam will be included on the order acknowledgment at no charge.

Arced Square Top	5166GP3636	3292	36	36	1	4	118	31
	5166GP4242	4481	42	42	1	4	158	41
	5166GP4848	5849	48	48	1	4	202	52
	5166GP5454	7491	54	54	1	4	254	64

ARC SQUARE TOP - SQUARE CORNERS

Arc Square tops are available with square corners. For Square Corner tops replace model suffix with 5156GP. e.g. 5166GP4242 becomes 5156GP4242. Pricing is the same as standard tops.

Round Top	5105GP36	3356	36 Dia.	1	3	94	31
	5105GP42	4567	42 Dia.	1	3	126	41
	5105GP48	5968	48 Dia.	1	4	160	52
	5105GP54	7642	54 Dia.	1	5	200	64

ORDERING PROCEDURES

To order, please specify the following:

- 1) Table top shape, size, model number, glass color
- 2) Base model number
- 3) Console location and size option
- 4) Cross seam console model number, where applicable
- 5) Console power module and data options

DIMENSION KEY

L - Length

W - Width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

BASE REQUIREMENTS

See page 60 for base requirements

CONSOLE SIZE & LOCATIONS

See page 41 for information on Console locations and size options

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

TABLE SECTION SIZE

Section sizes can be calculated by dividing the table length by the # of sections

NUVO | CONSOLE PLANNING FOR BACK-PAINTED GLASS TOPS

CONSOLE ORDERING CODE (WITHIN THE TABLE SECTION - 4 CHARACTER CODE)

1st character specifies top sections from left to right on table: A, B, C, D

2nd character specifies console location within top section: M, L, R

M- Middle of top on one piece table


M- Middle of top section on multi section table

L- Left side of a one piece top

R- Right side of a one piece top

3rd and 4th characters specify console size: 14, 27, 36,

Examples:



Y= Dimension from end of table to end of console

CONSOLE ORDERING CODE (ACROSS SEAM - 5 CHARACTER CODE)


1st and 2nd character specifies section from left to right on table: AB, BC, CD

3rd character specifies console location across the seam: X

4th and 5th characters specify console size: 14, 27, 36,

Example:

Table Size 168" - 192" X 48"



Y= Dimension from end of table to end of console

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK

Back-Painted Glass Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
WIDTHS 48" OR LESS	60	M14			23
60" - 84" X 36", 42", 48" 96" X 36"	72	M14			29
	78	M14 M27			32 25.5
Example AM27	84	M14 M27			35 28.5
Y	96	M14 M27			41 34.5
84" X 36", 42", 48" 96" X 36"	84	L14 / R14			18
Example AL14 AR14	96	L14 / R14			18
Y					
96" - 144" X 42", 48"	96	*M14			18
Example	108	M14			20
AM14 ABX14 BM14	120	M14		X14	23
	144	M14		X14	29
Y	*The "M"	position of these of	consoles is not exactly in the	center of the section.	
96" - 144" X 42", 48"	96			X14 X27	41 34.5
Example ABX36	108			X14 X27 X36	47 40.5 36
Y	120			X14 X27 X36	53 46.5 42
	144			X14 X27 X36	65 58.5 54

CODE KEY:

- M Console location, middle of top section
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

ORDERING NOTES

Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cutout to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK & BOAT SHAPED

Back-Painted Glass Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
96" - 144" X 42", 48"	96	*M14			18
Example	108	M14			20
AM14 BM14	120	M14			23
	144	M14			29
\	*The "M"	position of these	e consoles is not exactly in the	center of the section.	
168" - 192" X 48"	168	M14	M14		21
Example AM14 BM14 CM14	192	M14	M14		25
168" - 192" X 48"	168			X14	49
Example					
ABX14 BCX14	192			X14	57
GLASS TOP WIDTHS 54" OR GREATER	120	*M14	M14		18
120" - 156" X 54", 60"	144	*M14	M14		18
	156	M14	M14		19
Example AM14 BM14 CM14	*The "M"	position of these	e consoles is not exactly in the	ecenter of the section.	
120" - 156" X 54", 60"	120			X14	33
Example ABX14 BCX14	144			X14	41
Y	156			X14	45

CODE KEY

- M Console location, middle of top section
- $\ensuremath{\mathsf{X}}$ Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

ORDERING NOTES

Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - RECTANGULAR, ARC END, RACETRACK & BOAT SHAPED

Back-Painted Glass Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y		
168"-192" X 54", 60"	168	*M14	M14		18		
Example AM14 BM14 CM14 DM14	192	M14	M14		18		
Y	*The "M"	position of these	e consoles is not exactly in the	center of the section.			
168" - 192" X 54", 60" Example	168	*M14		X14 X27	18		
AM14 BCX14 DM14	192	M14		X14 X27	18 18		
Y	*The "M"	position of these	e consoles is not exactly in the	center of the section.			
96" - 144" X 48"/42" 96" X 54"/42"	96	*M14			18		
Example AM14 ABX14 BM14	120	M14		X14	23		
	144	M14		X14	29		
	*The "M" position of these consoles is not exactly in the center of the section.						
96" - 144" X 48"/42" 96" X 54"/42"	96			X14 X27	41 34.5		
ABX36	120			X14 X36 X27	53 42 46.5		
	144			X14 X27 X36	65 58.5 54		
96" - 144" X 48"/42" 96" X 54"/42"	96	*M14			18		
Example	120	M14			23		
AM14 BM14	144	M14			29		
	*The "M"	position of these	e consoles is not exactly in the	center of the section.			

CODE KEY

- M Console location, middle of top section
- X Console location, across a seam of two top sections
- $\ensuremath{\mathsf{L}}$ Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table.

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

ORDERING NOTES

Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cutout to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - BOAT SHAPED

Back-Painted Glass Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
120" - 144" x 54"/42"	120	*M14	M14		18
Example AM14 BM14 CM14	144	*M14	M14		18
	*The "M"	position of these	consoles is not exactly in the	center of the section.	
120" - 144" x 54"/42"	120			X14	33
Example	144			X14	41
ABX14 BCX14					
168" - 192" X 54"/42"	168	*M14	M14		18
Example AM14 BM14 CM14 DM14	192	M14	M14		18
	*The "M"	position of these	consoles is not exactly in the	center of the section.	
168" - 192" X 54"/42"	168	*M14		X14 X27	18
Example AM14 BCX27 DM14	192	*M14		X14 X27	18
	*The "M"	position of these	consoles is not exactly in the		

CODE KEY

- M Console location, middle of top section
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

ORDERING NOTES

Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - VISIO & OVAL

Back-Painted Glass Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y	
120" - 144" X 60"/42"	120	*M14	M14		18	
Example AM14 BM14 CM14	144	M14	M14		18	
Y	*The "M"	position of these	consoles is not exactly in the	center of the section.		
120" - 144" X 60/42	120			X14	33	
Example ABX14 BCX14	144			X14	41	
168" X 66/42" 192" X 69/42"	168	*M14	M14		18	
AM14 BM14 CM14 DM14	192	M14			18	
Y	*The "M"	position of these of	consoles is not exactly in the	center of the section.		
168" X 66/42" 192" X 69/42"	168	*M14		X14 X27	18	
AM14 BCX27 DM14	192	*M14		X14 X27	18	
Y	*The "M" position of these consoles is not exactly in the center of the					
84" x 48"	84	M14 M27			35 28.5	
Example AM27						

CODE KEY

M - Console location, middle of top section

 $\ensuremath{\mathsf{X}}$ - Console location, across a seam of two top sections

L - Console location, left side of a one piece top

R - Console location, right side of a one piece top

Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

ORDERING NOTES

Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - OVAL

Back-Painted Glass Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
84" x 48"	84	L14/R14			18
Example AL14 AR14					
96" - 120" X 48" 96" X 54"	96	*M14			18
AM14 ABX14 BM14	120	M14		X14	23
	*The "M" p	position of these (consoles is not exactly in the	center of the section.	
96" - 120" X 48" 96" X 54"	96			X27 X14	34.5 41
Example ABX36	120			X36 X27 X14	42 46.5 53
96" - 120" X 48" 96" X 54"	96	*M14			18
AM14 BM14	120	M14			23
	*The "M" p	oosition of these (consoles is not exactly in the	center of the section.	
144" X 54" Example	144	*M14	M14		18
AM14 BM14 CM14	*The "M" p	position of these (consoles is not exactly in the	center of the section.	

CODE KEY

- M Console location, middle of top section
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y- Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options

ORDERING NOTES

Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cutout to table end cannot be less than 18".

NUVO | CONSOLE SIZE & LOCATION - OVAL, ROUND, ARCED SQUARE

Back-Painted Glass Top Console Options	Top Length	Console Options Top End Section	Console Options Within Top Center Section	Console Options Across Seam	Y
120" - 144" X 60"	120	*M14	M14		18
Example AM14 BM14 CM14	144	M14	M14		18
	*The "M"	position of these	consoles is not exactly in the	center of the section.	
120" - 144" X 60"	120			X14	33
144" X 54" Example	144			X14	41
ABX14 BCX14					
168" X 60"	168	M14	M14		18
Example AM14 BM14 CM14 DM14					
36" - 60"	36	M14			11
Examples	42	M14			14
M14 M14	48	M14			17
	54	M14			20

CODE KEY

- M Console location, middle of top section
- X Console location, across a seam of two top sections
- L Console location, left side of a one piece top
- R Console location, right side of a one piece top
- Y Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE POWER/DATA MODULE OPTIONS

See page 49 for Console Module Options


ORDERING NOTES

Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cutout to table end cannot be less than 18".

NUVO | CONSOLES FOR BACK-PAINTED GLASS TOPS

CONSOLE - WITHIN A TOP SECTION

Consoles located within a top section are factory installed. The model numbers are determined by the location within each section and the size. For example, when ordering a rectangular top 96" x 54" a console M14 can be specified in both the A and/or B section of the table. When ordering, simply add AM14 and BM14 to your purchase order and add the list price for each console to your order.




Model	Console Size	Price	Weights	Cubes
M14, L14,R14	14	253	.25	
M27	27	281	4	.25

Consoles are available in 2 standard lengths.

CONSOLE - ACROSS SEAMS

Consoles located across the seam are field installed and have separate model numbers that need to be included on your purchase order along with the desired console position. For example, when ordering a rectangular top 120" x 54" with a console across the seam, purchase orders need to specify the model number for the console (51CONSOLEX-14) and the location ABX14.



Model	Console Size	Price	Weights	Cubes
51CONSOLE-X14	14	253	3	0.25
51CONSOLE-X27	27	281	4	0.25
51CONSOLE-X36	36	318	5	0.25

CONSOLE POWER/DATA MODULES

Console modules provide an extensive range of power, data and audio-visual solutions for today's conferencing environments. Console modules are available in 18 preconfigured data and power options, or alternatively console modules with just electrical ports can be selected allowing units to be designed and built specifically to meet your connectivity needs by using the Snap-in or Plate mounted port options. Consoles are available with 3 power options in both preconfigured & custom console modules.

Power Module A (PMA) consists of 2 duplex receptacles with 3 cord lengths 6', 16' & 25'.

Power Module B (PMB) consists of 1 duplex receptacle with 3 cord lengths 6', 16' & 25'.

Power Module C (PMC) consists of 2 duplex receptacles with a utility outlet & circuit breaker with 2 cord lengths 6' & 16'. The utility outlet in Module C allows another power module within the table to be plugged into it resulting in 1 cord going to the power source for both modules, as well as circuit protection for both modules. This also means shorter cord lengths can be specified resulting in a more cost effective power solution. Krug recommends the use of Module C's on the Console at the end of the table or location in the table nearest the power source.

Examples:

120" table with 2 consoles & the power source at right end.

Use a PMC06 in the 1st console from the right & the cord goes to power source.

Use a PMA06 in the 2nd console from the right & the cord goes to the utility outlet of the first console module.

168" table with 4 consoles & power source at right hand end.

Use a PMC06 in the 1st console from the right & the cord goes to power source.

Use a PMC06 in the 2nd console from the right & the cord goes to power source.

Use a PMA06 in the 3rd console from the right & the cord goes to utility the outlet in the 1st console module.

Use a PMA06 in the 4th console from the right & the cord goes to utility the outlet in the 2nd console module.

CODE KEY

M - Console location, middle of top section

X - Console location, across a seam of two top sections

L - Console location, left side of a one piece top

R - Console location, right side of a one piece top

Y - Dimension from end of table to end of Console

Caution: Y greater than 30" makes access to Console Power/Data difficult from the end of the table

CONSOLE POWER/DATA MODULE OPTIONS


See page 49 for Console Module Options

ORDERING NOTES


Tops may be specified with fewer consoles and configurations other than shown. Consoles can be different sizes within the same top. Dimension from end of cut-out to table end cannot be less than 18".

There are 3 versions of console power/data module: A, B, C. Version C has an utility outlet, this also allows another power module to be plugged into it allowing a shorter cord to be used.

POWER MODULE A PRECONFIGURED PORT OPTIONS MODEL# **CORD LENGTH** LIST PRICE **BASIC DATA** 3 484 (1) (1) Duplex Receptacle 51PDAD01-06 6' _ a 568 51PDAD01-16 16' 51PDAD01-25 25' 639 (1) Duplex Receptacle (3) (2) RJ45 Port (Cat 6) 2 • 4 (2) Blank Ports (for future use) BASIC VOICE DATA 460 (1) (1) Duplex Receptacle 51PDAD02-06 6' 51PDAD02-16 16' 544 3 (1) Duplex Receptacle 51PDAD02-25 25' 618 **-** a (1) RJ45 Port (Cat 6) (1) RJ11 (Voice) Port (4) (2) Blank Ports (for future use) 2 4 **EXPANDED DATA** 561 (1) (1) Duplex Receptacle 51PDAD03-06 6' 646 51PDAD03-16 16' 3 _ a 25 (1) Duplex Receptacle 51PDAD03-25 718 (3) (4) RJ45 Port (Cat 6) (4) (2) Blank Ports (for future use) 2 4 **EXPANDED VOICE DATA** 597 (1) (1) Duplex Receptacle 51PDAD04-06 6' 51PDAD04-16 16' 682 3 (1) Duplex Receptacle 51PDAD04-25 25 754 (4) RJ45 Port (Cat 6) (2) RJ11 (Voice) Port (2) Blank Ports (for future use) 2 4 **BASIC MULTIMEDIA** 603 (1) Duplex Receptacle 51PDAD05-06 6' 689 3 51PDAD05-16 16 _ a (1) Duplex Receptacle 51PDAD05-25 25' 761 (1) Stereo 3.5 Mini (1) VGA Type 15 pin HD 2 4 (1 RJ45 Port (Cat 6) (1) RJ11 (Voice) Port



	PORT OPTIONS	MODEL #	CORD LENGTH	LIST PRICE		
	ENHANCED MULTIMEDIA					
3	1 (1) Duplex Receptacle	51PDAD06-06 51PDAD06-16	6'	1221 1307		
	2 (1) Duplex Receptacle	51PDAD06-16 51PDAD06-25	16' 25'	1378		
1	③ (1) DVI-I (1) VGA					
•	(1) RJ11 (Voice) Port (1) RJ45 Port (Cat 6) (1) Fibre Optic LC Duplex (1) Stereo 3.5 mm Mini (1) USB "A"					




BASIC FIBRE OPTIC AND MULTIMEDIA

- 1) (1) Duplex Receptacle 51PDAD07-06 6' 1118 51PDAD07-16 16' 1206 (1) Duplex Receptacle 51PDAD07-25 25' 1278
 - (1) HDMI

(1) HDMI

- (1) Stereo 3.5 mm Mini (3)
 - (2) USB "A"
- (2) Blank Ports (for future use)
- (2) Fibre Optic SC Simplex(2) Fibre Optic LC Duplex
- (1) RJ45 Port (Cat 6)
 - (1) RJ11 (Voice) Port


POWER MODULE B PRECONFIGURED




BASIC MULTIMEDIA


- 517 (1) Duplex Receptacle 51PDBD05-06 6' 603 16' 51PDBD05-16 (2) (2) Blank Ports (for future use) 51PDBD05-25 675
- (1) Stereo 3.5 mm Mini (1) VGA Type 15 pin HD
- (1) RJ45 Port (Cat 6) (4) (1) RJ11 (Voice) Port

ENHANCED MULTIMEDIA




- 1141 (1) Duplex Receptacle 51PDBD06-06 6' 51PDBD06-16 16' 1227 25' (2) Blank Ports (for future use) (2) 51PDBD06-25 1297
- (1) DVI-I (3) (1) VGA
 - (1) RJ11 (Voice) Port (1) RJ45 Port (Cat 6)
- (1) Fibre Optic LC Duplex
- (1) Stereo 3.5 mm Mini
 - (1) USB "A"
 - (1) HDMI





	PORT OPTIONS	MODEL #	CORD LENGTH	LIST PRICE					
	BASIC MULTIMEDIA WITH UTILITY OUTLET RECEPTACLE								
1	(1) Duplex Receptacle w/ 15 amp circuit breaker	51PDCD05-06 51PDCD05-16	6' 16'	655 741					
2	(1) Duplex Receptacle with Utility Outlet								
	(1) Stereo 3.5 mm Mini								


- (1) VGA Type 15 pin HD
- (1) RJ11 (Voice) Port
- (1) RJ45 Port (Cat 6)



ENHANCED MULTIMEDIA WITH UTILITY OUTLET RECEPTACLE

- (1) (1) Duplex Receptacle w/ 15 amp 51PDCD06-06 6' 1192 circuit breaker 51PDCD06-16 16' 1278
- (2) (1) Duplex Receptacle with Utility Outlet
- (1) DVI-I (1) VGA

 - (1) RJ11 (Voice) Port
 - (1) RJ45 Port (Cat 6) (1) USB "A"
- (1) Stereo 3.5 mm Mini
 - (1) HDMI
- (1) Fibre Optic LC Duplex




BASIC FIBRE OPTIC AND MULTIMEDIA WITH UTILITY OUTLET RECEPTACLE

51PDCD07-06 1178 (1) (1) Duplex Receptacle w/ 15 amp 51PDCD07-16 16' circuit breaker 1264

s


- (2) (1) Duplex Receptacle with Utility Outlet
 - (1) HDMI
- (1) Stereo 3.5 mm Mini
 - (2) USB "A"
 - (2) Blank Ports (for future use)
 - (2) Fibre Optic SC Simplex(2) Fibre Optic LC Duplex
- - (1) RJ45 Port (Cat 6)
 - (1) RJ11 (Voice) Port



EXPANDED FIBRE OPTIC AND MULTIMEDIA WITH UTILITY OUTLET RECEPTACLE

- (1) (1) Duplex Receptacle w/ 15 amp 51PDCD08-06 1313 51PDCD08-16 16' circuit breaker 1398
- (2) (1) Duplex Receptacle with Utility Outlet
 - (1) HDMI
- (1) Stereo 3.5 mm Mini (3)
 - (2) USB "A"
 - (1) RJ45 Port (Cat 6)
 - (1) RJ11 (Voice) Port
- (2) Fibre Optic SC Simplex
- (4) Fibre Optic LC Duplex

NUVO | CONSOLE POWER MODULES FOR CUSTOM CONFIGURATIONS



NOTE: Open positions will accept 1 Plate Mounted Data Option or up to 6 Snap-In Data Options. Please order a blank port when an odd number of snap-in ports are specified.

When specifying data within the power console module, please provide reference code and port position (1, 2, 3 or 4).

PLATE MOUNTED DATA OPTIONS

See page 54 for Plate Mounted Data Options

SNAP-IN DATA OPTIONS

See page 56 for Snap-In Data Options

PLATE MOUNTED PORTS	Reference Code	Description	List Price
	P01	VGA & 3.5 STEREO MINI - Use for VGA (DB15) connections and for 3.5mm stereo connections. VGA connectors is a female-to-female pass through and the 3.5 Mini is a female-to-female pass through.	137
	P02	DVI-I DUAL (DIGITAL/ANALOG) & 3.5 STEREO MINI - Use for DVI Integrated - Digital and Analog connections and for 3.5mm stereo connection. The DVI connector is a Dual Link. DVI-I connector is a female-to-female pass through and the 3.5 Mini is a female input with screw terminal output (back side of Console interface).	202
	P03	DVI-D DUAL (DIGITAL) - Use for DVI-D Digital only connection. The connector is a Dual Link. Connector is a female-to-female pass through.	131
	P04	DVI-I DUAL (DIGITAL/ANALOG) & VGA - Use for DVI Integrated - Digital and Analog and for VGA (DB15) connections. The DVI connector is a Dual Link. Both connectors are female-to-female pass through.	259
	P05	DVI-I DUAL (DIGITAL/ANALOG) - Use for DVI Integrated -Digital and Analog connections. DVI connector is a Dual Link. Connector is a female-to-female pass through.	165
	P06	VGA-2 - Use for two VGA (DB15) connections. Both connectors are female-to-female pass through.	160
	P07	DISPLAYPORT - Use for DisplayPort connection. This connector is primarily used to connect a video source to a display device and also carries audio signals, Connector is a female input to a 3' corded output (back side of Console interface) with a male Display Port termination.	160

PLATE MOUNTED PORTS	Reference Code	Description	List Price
	P08	MICROPHONE XLR STANDARD - Use for standard size XLR microphone connection. Connector is a female input with a 3 pin screw terminal output (back side of Console interface).	218
	P09	MICROPHONE STANDARD XLR -2 - Use for two standard size XLR microphone connections. Each connector is a female input with a 3 pin screw terminal output (back side of Console interface).	318
	P10	3 HOLE CABLE PASS THROUGH - Use for running loose cables from the under side of the table up into the Console interface cavity. Often used with running wires for PolyCom [™] devices.	52
	P11	VGA-to-BNCx2 - Use for two VGA (DB15) connections that are input female pass through and are terminated on the output (back side of Console interface) with 5 BNC female pigtail connections, for each VGA connector.	517
	P12	INPUT VGA & 3.5 Stereo (POWERED) - VGA + Audio Line Driver designed for VGA (DB15) connections and for 3.5mm stereo connections. This unit provides a method of transmitting signals to a remote display and audio receiver or amplifier. VGA connector is a female input and comes with cabling for either VGA output, or 5 BNC output and the 3.5 Mini is a female input with screw terminal output (back side of Console interface). A 9 volt DC 500mA power supply is required to power this unit.	1264
	P13	BLANK DECORA ADAPTER - Use for covering a full Decora sides blank opening.	37
	DVIR	DVI-REPEATER - Is a cable equalizer that automatically compensates for long DVI cable runs. This unit extends the canadable cable distance up to 130 ft depending on the quality of the cable and the resolution of the video signal. Additionally, it is capable of extending dual link signals allowing for much greater resolutions and refresh rates. This unit comes with a power supply and is generally mounted underneath a table.	997

SNAP IN PORTS	Reference Code	Description	List Price
		ADAPTOR PLATES	
	M02	Adaptor Plate (2) - accepts two snap in data ports	37
	M04	Adaptor Plate (4) - accepts four snap in data ports	37
	M06	Adaptor Plate (6) - accepts six snap in data ports	37
		ORDERING NOTES: Blank covers are required when port is not in use, please see page 55.	
		RJ-45 - Category 6 data connection. This connector is also downwards compatible with Category 5 cabling. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	45
	S01W S01B S01R	RJ45-CAT6 (White) RJ45-CAT6 (Blue) RJ45-CAT6 (Red)	
		RJ11 - Telephone type connection. Connector is a female input with a #110 punch-down terminal block output (back side of Console interface) for on-site hard wire connection.	31
	S02W S02B S02G S02R S02Y	RJ11 (White) RJ11-B (Black) RJ11-G (Green) RJ11-R (Red) RJ11-Y (Yellow)	
	S03	3.5 STEREO MINI - 3.5mm stereo connection. Connector is a female input with screw terminal output (back side of Console interface).	88
and a second	S04	HDMI - High Definition Multimedia Interface connection. Connector carries both HD audio and video data. Connector is a female-to-female pass through.	165
	S05	RCA-LEFT - RCA left audio channel connection. Color coded with black. Connector is a female-to-female pass through.	37
	S06	RCA-RIGHT - RCA right audio channel connection. Color coded with red. Connector is a female-to-female pass through.	37
	S07	RCA- VIDEO - RCA video channel connection. Color coded with yellow. Connector is a female-to-female pass through.	37
	S08	USB-A - Full size USB "A" style connection. Connector is a female-to-female pass through.	59


SNAP IN PORTS	Reference Code	Description	List Price
	S09	3 PIN MINI XLR - 3 Pin Mini XLR microphone connection. Connector is a female input to a 6' corded output (back side of Console interface) with a 3 Pin Mini XLR male termination.	704
	S10	S-VIDEO - S-Video connection. Connector is a female-to-female pass through.	65
Lio S	S11	PS/2 (6 PIN MINI DIN) - PS/2 (mouse, keyboard, other input devices) connections. Connector is a female-to-female pass through.	81
	S12	BNC - BNC style data connection for use with co-axial cable. Connector is a female-to-female pass through.	45
	S13	F-TYPE - F-Type (DSL, Cable) connections, generally for high speed Internet or video applications. Connector is a female-to-female threaded pass through.	37
	S14	FIBER OPTIC SC - Fibre Optic SC Simplex connection. Connector is a female-to-female pass through. Please note that two of these connectors are required to complete the data transmissions to and from the source and destination units.	45
	S15	FIBER OPTIC LC - Fibre Optic LC Duplex connection. Connector is a female-to-female pass through. One connector only is required to complete the data transmissions to and from source and destination units.	88
	S16	USB-B – USB "B" type connection. Connector is a female "B" input to a female "A" output (back side of Console interface). This connector is reversible.	131
	S17	RJ12 (White) - RJ12 style PolyCom [™] connection. Connector is a female input with a 6' corded output (back side) of Console interface) with a male RJ12 termination.	281
503	S00	BLANK COVER - Blank covers are required when port is not in use.	16
		p-in data ports can be ordered for open data positions. Snap-in adaptors can accept data ports. Please order a blank port when an odd number of snap-in ports are	

NUVO | BASES

Description	Model	Price	W	D	Н	Shipping Weight	Feet
Formed Metal Base	514124328	1118	24	3	28	29	2.75
	514136328	1249	36	3	28	31	3.75
()	514148328	1378	47	3	28	37	4.5

ORDERING NOTE: Formed Metal bases are available in Matte Chrome.

There are two cable management options available for Formed Metal bases – Metal Cable Manager or Spine Cable Manager. To order either of these options, please add the cable manager suffix to the end of the model number and add the upcharge listed below. For Example: To add the Metal Cable Manager to the Formed Metal base, please add **CM1** to the end of the base model number. e.g. 514124328 changes to 514124328**CM1** & add the upcharge from below. To add the Spine Cable Manager to the table, please add **CM2** to the end of the Formed Metal base model number. e.g. 514124328 changes to 514124328 **CM2** & add the upcharge from below.



Metal Cable Manager

174

CM1

NOTE: Metal Cable Manager attaches to the Formed Metal Base magnetically.



Spine Cable Manager

Laminate

912


969

202

CM2

Description
Square Base for Arc Square and

	Cherry					Shipping	Cubic	
Model	Palette	Walnut	W	D	Н	Weight	Feet	
5142161628	1014	1138	16	16	28	136	7.25	
5142202028	1136	1247	20	20	28	160	12.5	



Round Tops

ORDERING NOTES: Bases are available in Oak, Maple, Cherry, Walnut, Palette finishes and Laminate. Base plates are available in Gloss Aluminum, Palette, Laminate or Wood, please specify requirement on order.

BASE SIZES FOR ARCED SQUARE TABLES AND FOR ROUND TABLES

1004

1066

Top Size Arc Square	 Top Size Round Tops 	Quantity	W	D	Н			
36-36	36 Dia.	1	16	16	28			
42-42	42 Dia.	1	16	16	28			
48-48	48 Dia.	1	20	20	28			
54-54	54 Dia.	1	20	20	28			
60-60	60 Dia.	1	20	20	28			
These bases include a weighted ballast to provide stability.								
513921325	840 925	20.5	3	25	30	2		

24.5

30.5

3

25

25

2.25

2.5

33

38



ORDERING NOTE: Base plates are available in Gloss Aluminum, Palette, Laminate or Wood, please specify requirement on order.

513925325

513931325

NUVO | BASES

		Laminate Oak, Maple,					a: :	.020
Description	Model	Cherry, Palette	Walnut	W	D	Н	Shipping Weight	Cubic Feet
Oval Base	514521825	947	1041	21	8	25	28	3.5
	5145251025	1018	1121	25	10	25	33	5.75
	5145311225	1107	1215	31	12	25	38	7.75
	ORDERING NOTE requirement on ord		s are available in	Gloss Aluminum, Pa	lette, Lam	inate or Woo	od, please spe	ecify
Square Base	5143161625	1118	1231	16	16	25	60	7.25
	5143202025	1178	1294	20	20	25	75	8.5
	5143242425	1221	1342	24	24	25	88	12
	5143303025	1349	1484	30	30	25	95	14
	ORDERING NOTE requirement on order		s are available in	Gloss Aluminum, Pa	lette, Lam	inate or Woo	od, please spe	ecify
Rectangular Base	5144211225	990	1088	21.5	12	25	55	7
	5144251225	1118	1231	25	12	25	61	8
	5144311225	1249	1373	31	12	25	69	9.5
	requirement on ord	-	s are available iii	Gloss Aluminum, Pa	lette, Lam	mate or vvoc	ou, piease spe	City
Oval Island Base	5146184725	2381	2617	18	47	25	118	19
	5146187125	3056	3361	18	71	25	175	28
	5146247125	3986	4385	24	71	25	270	41
	5146249525	5091	5599	24	95	25	308	46.5
	51462410725	6008	6608	24	107	25	346	52
	ORDERING NOTE requirement on order		s are available in	Gloss Aluminum, Pa	lette, Lam	inate or Woo	od, please spe	ecify
Rectangular Island Base	5147182725	1136	1247	18	27	25	46	11.5
	5147183925	1536	1689	18	39	25	65	16
	5147186325	2065	2272	18	63	25	102	25
	5147189925	2854	3138	18	99	25	157	38
	51471812325	3530	3879	18	123	25	193	47
	51471817125	4760	5237	18	171	25	267	65
	5147246325	2454	2697	24	63	25	134	31.5
	5147249925	2941	3235	24	99	25	207	48.5
	51472412325	4159	4574	24	123	25	256	60
	51472417125	5492	6041	24	171	25	351	82.5
	51472421925	6195	6814	24	219	25	451	105

ORDERING NOTE: Base plates are available in Gloss Aluminum, Palette, Laminate or Wood, please specify requirement on order. Rectangular island bases greater than 99" are constructed in two pieces requiring assembly in the field.

Panel Base 5139










					w w			
Model#	Quantity	Size	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMEN	TS FOR RECTANG	ULAR (5161) &	ARC END (5166) 1	TOPS				
60-36	2	21	2	21				
60-42	2	21	2	21				
60-48	2	21	2	21				
72-36	2	21	2	21				
72-42	2	21	2	21				
72-48	2	21	2	21				
78-36	2	21	2	21			2	21
78-42	2	21	2	21			2	21
78-48	2	21	2	21			2	21
84-36	2	21	2	21			2	21
84-42	2	21	2	21			2	21
84-48	2	21	2	21			2	21
96-36	2	21	2	21	2	16	2	21
96-42	2	21	2	21	2	16	2	21
96-48	2	21	2	21	2	20	2	21
108-42	2	21	2	21	2	16	2	21
108-48	2	21	2	21	2	20	2	21
108-54	2	25	2	25	2	24	2	25
120-42	2	21	2	21	2	16	2	21
120-48	2	21	2	21	2	20	2	21
120-54	2	25	2	25	2	24	2	25
120-60	2	25	2	25	2	24	2	25
144-48	3	21	3	21	2	20	3	21
144-54	3	25	3	25	2	24	3	25
144-60	3	25	3	25	2	24	3	25
156-54	3	25	3	25	2	24	3	25
156-60	3	25	3	25	2	24	3	25
168-48	3	21	3	21	3	20	3	21
168-54	3	25	3	25	3	24	3	25
168-60	3	25	3	25	3	24	3	25
192-48	3	21	3	21	3	20	3	21
192-54	3	25	3	25	3	24	3	25
192-60	3	25	3	25	3	24	3	25
216-54	4	25	4	25	3	24	4	25
216-60	4	25	4	25	3	24	4	25
240-60	4	25	4	25	3	24	4	25
264-60	4	25	4	25	3	24	4	25
288-60	5	25	5	25	4	24	5	25

Formed Metal Base 5141









Model#	Quantity	Size	Quantity		Quantity Size
BASE REQUIREMENTS	FOR RECTANG		(51) & ARC END (5166)	TOPS	
60-36	2	24			
60-42	2	24			
60-48	2	36	1	18x27	
70.00		0.4			
72-36	2	24			
72-42	2	24			
72-48	2	36	1	18x27	
78-36	2	24			
78-42	2	24			
78-48	2	36	1	18x39	
84-36	2	24			
84-42	2	24			
84-48	2	36	1	18x39	
96-36	2	24			
96-42	2	24			
96-48	2	36	1	18x39	
				10,09	
108-42	2	24			
108-48	2	36	1	18x63	
108-54	2	36	1	24x63	
120-42	2	24			
			4	10,62	
120-48	2	36	1	18x63	
120-54	2	36	1	24x63	
120-60	2	48	1	24x63	
144-48	3	36	1	18x99	
144-54	3	36	1	24x99	
144-60	3	48	1	24x99	
150.54				04.00	
156-54	3	36	1	24x99	
156-60	3	48	1	24x99	
168-48	3	36	1	18x123	
168-54	3	36	1	24x123	
168-60	3	48	1	24x123	
100.40				10100	
192-48	3	36	1	18x123	
192-54	3	36	1	24x123	
192-60	3	48	1	24x123	
216-54	4	36	1	24x171	
216-60	4	48	1	24x171	
240-60	4	48	1	24x171	
264-60	4	48	1	24x219	
288-60	5	48	1	24x219	










Model#	Quantity	Size	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREM	ENTS FOR RACETRA	ACK TOPS - (510)2)					
60-36	2	21	2	21				
60-42	2	21	2	21				
60-48	2	21	2	21				
72-36	2	21	2	21				
72-42	2	21	2	21				
72-48	2	21	2	21				
78-36	2	21	2	21			2	21
78-42	2	21	2	21			2	21
78-48	2	21	2	21			2	21
84-36	2	21	2	21			2	21
84-42	2	21	2	21			2	21
84-48	2	21	2	21			2	21
96-36	2	21	2	21	2	16	2	21
96-42	2	21	2	21	2	16	2	21
96-48	2	21	2	21	2	20	2	21
108-42	2	21	2	21	2	16	2	21
108-48	2	21	2	21	2	20	2	21
108-54	2	21	2	21	2	20	2	21
120-42	2	21	2	21	2	16	2	21
120-48	2	21	2	21	2	20	2	21
120-54	2	21	2	21	2	20	2	21
120-60	2	25	2	25	2	24	2	25
144-48	3	21	3	21	2	20	3	21
144-54	3	21	3	21	2	20	3	21
144-60	3	25	3	25	2	24	3	25
156-54	3	21	3	21	2	20	3	21
156-60	3	25	3	25	2	24	3	25
168-48	3	21	3	21	3	20	3	21
168-54	3	21	3	21	3	20	3	21
168-60	3	25	3	25	3	24	3	25
192-48	3	21	3	21	3	20	3	21
192-54	3	21	3	21	3	20	3	21
192-60	3	25	3	25	3	24	3	25
216-54	4	21	4	21	3	20	4	21
216-60	4	25	4	25	3	24	4	25
240-60	4	25	4	25	3	24	4	25
264-60	4	25	4	25	3	24	4	25
288-60	5	25	5	25	4	24	5	25


Formed Metal Base 5141







Oval Island Base 5146



Model#	Quantity	Size	Quantity	Size	Quantity Size
BASE REQUIREMENTS	FOR RACETRAC	CK TOPS - (5102)			
60-36	2	24			
60-42	2	24			
60-48	2	36	1	18x27	
72-36	2	24			
72-42	2	24			
72-48	2	36	1	18x27	
	2		'	10,21	
78-36	2	24			
78-42	2	24			
78-48	2	36	1	18x39	
84-36	2	24			
84-42	2	24			
84-48	2	36	1	18x39	
96-36	2	24			
96-42	2	24			
96-48	2	36	1	18x39	
108-42	2	24			
108-48	2	36	1	18x63	
108-54	2	36	1	18x63	
120-42	2	24			
120-48	2	36	1	18x63	
120-54	2	36	1	18x63	
120-60	2	48	1	24x63	
144-48	3	36	1	18x99	
144-54	3	36	1	18x99	
144-60	3	48	1	24x99	
450.54		00		10.00	
156-54	3	36	1	18x99	
156-60	3	48	1	24x99	
168-48	3	36	1	18x123	
168-54	3	36	1	18x123	
168-60	3	48	1	24x123	
192-48	3	36	1	18x123	
192-54	3	36	1	18x123	
192-60	3	48	1	24x123	
216 54	4	26	4	10/171	
216-54	4	36	1	18x171	
216-60	4	48	1	24x171	
240-60	4	48	1	24x171	
264-60	4	48	1	24x219	
288-60	5	48	1	24x219	

Panel Base 5139





Square Base 5143



Rectangular Base 5144



		\sim			•			\bigcirc
Model#	Quantity	Size	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMEN	NTS FOR BOAT-SHA	APED TOPS - (5164)						
96-48-42	2	21	2	21	2	20	2	21
96-54-42	2	21	2	21	2	20	2	21
120-48-42	2	21	2	21	2	20	2	21
120-54-42	2	21	2	21	2	20	2	21
144-48-42	3	21	3	21	2	20	3	21
144-54-42	2	21 25	2	21 25	2	20	2	21 25
	ı		'				ı	25
168-54-42	2	21	2	21	2	20	2	21
	1	25	1	25	1	24	1	25
192-54-42	2	21	2	21	2	20	2	21
	1	25	1	25	1	24	1	25
216-60-48	2	21	2	21	2	20	2	21
	2	25	2	25	1	24	2	25
240-60-48	2	21	2	21	2	20	2	21
	2	25	2	25	1	24	2	25
264-60-48	2	21	2	21	2	20	2	21
	2	25	2	25	2	24	2	25
 288-60-48	4	21	4	21	2	20	4	21
	1	25	1	25	2	24	1	25
BASE REQUIREMEI	NTS FOR VISIO TOF	PS - (5168)						
120-60-42	2	21	2	21	2	20	2	21
144-60-42	3	21	3	21	2	20	3	21
168-66-42	2	21	2	21	2	20	2	21
	1	31	1	31	1	30	1	31
192-69-42	2	21	2	21	2	20	2	21
	1	31	1	31	1	30	1	31
216-73-42	2	21	2	21	2	20	2	21
	2	31	2	31	1	30	2	31
240-76-42	2	21	2	21	2	20	2	21
	2	31	2	31	1	30	2	31

Formed Metal Base 5141











Model#	Quantity	Size	Quantity	Size	Quantity	Size
BASE REQUIREMEN	NTS FOR BOAT-SHA					
96-48-42	2	36				
96-54-42	2	36				
120-48-42	2	24				
120-54-42	2	36				
144-48-42	2	24				
	1	36				
144-54-42	3	36				
168-54-42	3	36				
192-54-42	3	36				
010.00.10		00				
216-60-48	2 2	36 48				
040.00.40						
240-60-48	2 2	36 48				
004.00.40		00				
264-60-48	2 2	36 48				
 288-60-48	4	36				
200 00 10	1	48				
BASE REQUIREMEN	NTS FOR VISIO TOP					
120-60-42	1	36				
	1	48				
144-60-42	1	24				
	1	36				
	1	48				
168-66-42	1	24			`	
	1	36				
	1	48				
192-69-42	1	24				
	1	36				
	1	48				
216-73-42	1	24				
	1	36				
	2	48				
240-76-42	1	24				
	1	36				
	2	48				

Panel Base 5139









					\smile	
Model#	Quantity	Size	Quantity	Size	Quantity Size	Quantity Size
BASE REQUIREME	ENTS FOR OVAL TOP	S - (5159)				
84-48	2	21	2	21		
96-48	2	21	2	21		
96-54	2	21	2	21		
120-48	2	21	2	21		
120-60	2	21	2	21		
144-54	3	21	3	21		
144-60	2	21	2	21		_
	1	25	1	25		
168-60	2	21	2	21		
	1	25	1	25		


Formed Metal Base 5141







Oval Island Base 5146



Model#	Quantity	Size	Quantity Size	Quantity	Size								
BASE REQUIREM	ASE REQUIREMENTS FOR OVAL TOPS - (5159)												
84-48	2	24		1	18x47								
96-48	2	24		1	18x47								
96-54	2	36		1	18x47								
120-48	2	24		1	18x71								
120-60	2	36		1	24x71								
144-54	1	36		1	24x95								
	2	24											
144-60	1	48		1	24x95								
	2	24											
168-60	1	48		1	24x107								
	2	24											

NUVO | LEED CI CREDIT SUMMARY

LEED CI - Credit Summary


NUVO CONFERENCE







MATERIAL CONTENT



PRE-CONSUMER RECYCLED CONTENT - 81%

POST-CONSUMER RECYCLE CONTENT - 3%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point

^{*} This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

NUVO | FEATURES & OPTIONS

Nuvo Media & Storage products compliment Nuvo Conference with 6 veneer species selections. Veneered tops are 1 1/2" thick veneered particle board core and backer material, with a 1/8" wood edge. Laminate tops are 1 1/2" thick with particle board core and backer material, with a matching laminate edge. Glass tops are back painted tempered glass with an 1 1/8" medium density fiberboard painted sub top with bevelled edge. Tops are available with these profiles.



SURFACES

Buffet and Credenza tops are 1 1/2" thick 45lbs per cubic feet particle board core, 3 ply. Gables are 3/4" thick 45lbs per cubic feet particle board core, 3 ply.

VENEER

Veneers available are Rift White Oak, Quarter Cut Maple, Quarter Cut Cherry, Quarter Cut Walnut

LAMINATE

Please note the grain direction of wood grain laminate will run horizontal on the backs of credenzas and buffets. Laminate tops are 1 1/2" thick with particle board core and backer material, with a matching laminate edge.

FINISH

A five step catalyzed varnish finish that when dry has a sheen value of 32°, is applied to all tables, bases and cases. A lower sheen topcoat, 20°, can also be specified, at standard pricing. All purchase orders must clearly note "lower sheen finish" in order to receive this optional selection.

All finished surfaces are well sanded before applying finishing materials. The procedure begins by applying a base color via an NGR stain. A wash coat follows to further enhance the color. Next is the glazing process, which provides the 3rd color step and fills the pores of the wood. A sealer coat is then applied, twice to the horizontal worksurfaces to enhance the finish. The product is then scuff sanded to prepare for the top coat. The top coat is a catalyzed varnish that when dry has a sheen value of 32°. Krug's catalyzed varnish has been tested to be one of the industry's most durable and long lasting. Custom finishes are available

GLIDES

Credenzas and Buffets feature adjustable glides 1 1/2" long and allow for a range of adjustment of 3/4".

GLASS SURFACE

Nuvo Casegood tops are available in white back-painted 10mm tempered glass. Please contact customer service, for additional color selections available at no upcharge.

TESTING

All products have been tested in accordance with ANSI/BIFMA X5.5-2014 or X5.9-2012.

DRAWERS

Desk box drawers have full progressive full extension slides and are load rated at 100lbs. per drawer. All drawer interiors are veneer on plywood, and include a push to open drawer mechanism.

LATCHES

Doors open with a touch latch. There are no pulls on Nuvo Media & Storage.

HINGES

Nuvo Media & Storage utilize European style satin chrome hinges with 3-way adjustment & quick release feature. Hinge opening is 95 degrees.

CASTERS

Locking casters are standard on the Hospitality Cart and lectern.

SLIDING DOORS


Sliding Doors include a single roller track system.

BACK-PAINTED GLASS DOORS


Nuvo glass doors have Back-Painted glass with a satin aluminum frame.

LOCKS

Locks are optional on hinged wood doors at an upcharge of \$145 list per set of 2 doors and \$145 list per single door. Buffets and Credenzas with 2 outside doors require 3 locks.




NUVO | FEATURES & OPTIONS




CREDENZAS AND BUFFETS


- 2 styles of cabinet tops are available: wood top and Back-Painted glass tops.
- Doors are available in Back-Painted glass & wood veneer.
- Storage sections feature one wooden shelf which is height adjustable in increments of 1 1/4".
- Buffets with wood drawers can include an optional cutlery insert.
- Buffet may be specified with optional Recycle/Waste bin.
- Buffet may be specified with optional Mini Refrigerator on 24" deep Buffets at a price of \$2513 list.
- Mini refrigerator features volume of 1.1 cu. ft., 2 inner door racks, automatic defrost, and lock.
- Credenzas and Buffets with glass tops are shipped with tops assembled to case.




TV CABINET WITH LIFT

- Accommodate flat screen televisions up to 130lbs with dimensions no greater than 51 1/4"W x 4 3/4"D x 30"H
- Cabinet is standard with 4 shelves 12 1/2" deep.
- Includes a remote control to raise and lower the television. Remote has a radio frequency control with 15 ft. operating distance
- 2 styles of cabinet tops are available: wood top and Back-Painted glass tops.
- Cable access in shelves and partition









- A handle on each end facilitates movement of the cart. Handles are available in a satin aluminum finish.
- The cart features a stainless steel container with removable plastic garbage & recycling bins. A cutlery tray is included.
- 2 styles of cabinet tops are available: wood top and Back-Painted glass tops.
- 2 adjustable shelves behind large door



FCTERNS

- Glass shelf version has a wood upper flat shelf which provides a place for pens, pencils or a glass of water, and optional reference light at a price of \$422 list. It will also accommodate a user-specified microphone.
- Angled wood shelf has a bottom lip to hold papers in place. The shelf lifts to reveal an optional power and data interface point
- Back-Painted glass shelf provides more surface area for equipment such as a laptop. A presenter's open laptop is not visible to the seated audience.
- Cables from the interface point, (or user supplied cables) are routed down through grommeted holes to the bottom of the unit and are accessible via doors on the users side. Optional power bar at a price of \$190 list.
- Full width shelf version is available.
- Mobile versions are available.
- Glass shelf is shipped installed.



NUVO | FEATURES & OPTIONS



BASE PLATES

 Available in a choice of Wood, Laminate, or Gloss Aluminum finish.



RECYCLE/WASTE BIN

- Stainless Steel sliding bin containing 2 x 14 L plastic bins for recycling and waste. Opens with the door.
- Approximate dimensions 14.25 x 17.33 x 16.53



BACK-PAINTED GLASS TOPS

• Back-Painted glass tops are 10mm thick and available as an option.



CUTLERY TRAY

- Surface silver grained
- Impact-resistant polystyrene
- Environmentally friendly, fully recyclable
- Antistatic, easy to clean

ALTINEX BOX

The Altinex box offers an ideal solution for the power and data requirements of a speaker using the NUVO Lectern.

Altinex features the following power/data connectors:

Α	(1) Stereo Mini	3.5 mm Mini pass-through connector from computer sound card to amplified sound system
---	-----------------	---

B (1) BNC port High quality pass-through connector from broadcast video or computer video to video display

monitor

C (1) RJ11 port Connection for Telephone / Modem

D (1) RJ45 port Connection for Network Connector

E (2) RCA ports Female RCA type pass-through (Left - Black, Right - Red) cable connectors from stereo audio


source to audio system

F (1) 15 Pin HD port VGA type 15 pin pass-through connector from computer video to display monitor

G (1) Simplex Power port Power Input

For more information or questions regarding the Altinex Box, please contact Krug Customer Service or Altinex Technical Support at 1-800-258-4623.

This option is available on NUVO lecterns at an upcharge of \$1213 list.



NUVO | CREDENZAS

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	Н	Weight	Cube
3 Hinged Doors, 4 Drawers	51C72202907	5672	6239	71.5	20	29.9	309	31
	51C72242907	5940	6535	71.5	24	29.9	321	36
	51C84202907	6520	7174	83.5	20	29.9	360	36
	51C84242907	6832	7514	83.5	24	29.9	374	42
Back-Painted Glass Doors,	51C72202907Z	7141	7857	71.5	20	29.9	323	31
4 Drawers	51C72242907Z	7411	8152	71.5	24	29.9	383	36
	51C84202907Z	8212	9035	83.5	20	29.9	376	36
" " "	51C84242907Z	8521	9373	83.5	24	29.9	446	42
•								
3 Hinged Doors, 4 Drawers, Back-Painted Glass Top	51CGP72202907	8435	9276	71.5	20	29.9	349	31
Dack Fairfied diass Top	51CGP72242907	9257	10182	71.5	24	29.9	369	36
	51CGP84202907	9698	10666	83.5	20	29.9	406	36
	51CGP84242907	10642	11706	83.5	24	29.9	429	42
Back-Painted Glass Doors, 4 Drawers, Back-Painted	51CGP72202907Z	9904	10894	71.5	20	29.9	363	31
Glass Top	51CGP72242907Z	10726	11799	71.5	24	29.9	383	36
	51CGP84202907Z	11389	12527	83.5	20	29.9	423	36
" " "	51CGP84242907Z	12335	13568	83.5	24	29.9	446	42

ORDERING NOTES: An optional Recycle/Waste bin, located behind the right door, is available at an upcharge of **\$544 list**, add W - Waste Bin to the model number. An optional Cutlery Tray is available at an upcharge of **\$59 list**. An optional mini fridge, located behind the right door, is available on 24" deep units at an upcharge of **\$2513 list**, add F - fridge to model number.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish

CODE DESCRIPTION

GP - Back-Painted Glass Top

Z - Back-Painted Glass Doors

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347

BASE PLATES

Base plates are available in Gloss Aluminum, Laminate or Wood, please specify requirement on order.

NUVO | CREDENZAS

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	н	Weight	Cube
4 Hinged Doors	51C72202911	4731	5204	71.5	20	29.9	265	31
	51C72242911	4999	5500	71.5	24	29.9	277	36
	51C84202911	5441	5985	83.5	20	29.9	309	36
	51C84242911	5749	6325	83.5	24	29.9	323	42
4 Hinged Back-Painted Glass Doors	51C72202911Z	6690	7362	71.5	20	29.9	283	31
	51C72242911Z	6962	7658	71.5	24	29.9	295	36
	51C84202911Z	7695	8465	83.5	20	29.9	330	36
11 11 11 11	51C84242911Z	8005	8805	83.5	24	29.9	344	42
4 Hinged Doors, Back- Painted Glass Top	51CGP72202911	7492	8242	71.5	20	29.9	305	31
Tamitou Glado Top	51CGP72242911	8316	9147	71.5	24	29.9	325	36
	51CGP84202911	8618	9479	83.5	20	29.9	355	36
	51CGP84242911	9564	10519	83.5	24	29.9	379	42
·								
4 Hinged Back-Painted	51CGP72202911Z	9456	10399	71.5	20	29.9	323	31
Glass Doors, Back-Painted Glass Top	51CGP72242911Z	10277	11305	71.5	24	29.9	343	36
	51CGP84202911Z	10872	11959	83.5	20	29.9	376	36
11 11 11 11	51CGP84242911Z	11818	12999	83.5	24	29.9	400	42

ORDERING NOTES: An optional Recycle/Waste bin is available at an upcharge of **\$544 list**, add WL - Waste Bin Left or WR - Waste Bin Right to the model number.

An optional mini fridge is available on 24" deep units, at an upcharge of \$2513, add FL fridge left or FR fridge right to model number.

DIMENSION KEY

W - width

D - depth

H - height

CODE DESCRIPTION

GP - Back-Painted Glass Top

Z - Back-Painted Glass Doors

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347

BASE PLATES

NUVO | CREDENZAS

		Oak Cherry Maple						
Description	Model	Laminate	Walnut	W	D	Н	Weight	Cube
2 Sliding Doors	51CS72202911	5227	5749	71.5	20	29.9	246	31
	51CS72242911	5495	6045	71.5	24	29.9	258	36
	51CS84202911	6012	6611	83.5	20	29.9	287	36
	51CS84242911	6319	6951	83.5	24	29.9	301	42
2 Sliding Back-Painted	51CS72202911Z	6537	7190	71.5	20	29.9	259	31
Glass Doors	51CS72242911Z	6807	7488	71.5	24	29.9	271	36
	51CS84202911Z	7518	8268	83.5	20	29.9	302	36
	51CS84242911Z	7828	8610	83.5	24	29.9	316	42
2 Sliding Doors, Back- Painted Glass Top	51CSGP72202911	7990	8786	71.5	20	29.9	286	31
	51CSGP72242911	8812	9693	71.5	24	29.9	306	36
	51CSGP84202911	9187	10107	83.5	20	29.9	333	36
	51CSGP84242911	10132	11147	83.5	24	29.9	356	42
2 Sliding Back-Painted Glass Doors, Back-Painted	51CSGP72202911Z	9299	10230	71.5	20	29.9	299	31
Glass Top	51CSGP72242911Z	10123	11135	71.5	24	29.9	319	36
	51CSGP84202911Z	10838	11922	83.5	20	29.9	348	36
	51CSGP84242911Z	11640	12805	83.5	24	29.9	372	42

ORDERING NOTES: An optional mini fridge is available on 24" deep units, at an upcharge of **\$2513**, add FL fridge left or FR fridge right to model number.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish

CODE DESCRIPTION

GP - Back-Painted Glass Top

Z - Back-Painted Glass Doors

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347.

BASE PLATES

NUVO | CREDENZAS

		Oak Cherry Maple				·		
Description	Model	Laminate	Walnut	W	D	Н	Weight	Cube
Door, Drawer/Door, Drawer/Door, Door	51C72202914	5757	6331	71.5	20	29.9	277	31
	51C72242914	6024	6628	71.5	24	29.9	289	36
	51C84202914	6618	7281	83.5	20	29.9	323	36
	51C84242914	6927	7621	83.5	24	29.9	337	42
Back-Painted Glass Door, Drawer/Door, Drawer/Door,	51C72202914Z	7557	8312	71.5	20	29.9	295	31
Door	51C72242914Z	7826 8689	8608 9558	71.5	24	29.9	317	36
	51C84202914Z	8998	9898	83.5	20	29.9	344	36
	51C84242914Z	8517 9341 9796 10742	9370 10274 10775 11815	83.5	24	29.9	369	42
		10319	11350					
Door, Drawer/Door, Drawer/Door, Door,	51CGP72202914	11142 11867	12254 13055	71.5	20	29.9	317	31
Back-Painted Glass Top	51CGP72242914	12814	14094	71.5	24	29.9	337	36
	51CGP84202914			83.5	20	29.9	369	36
	51CGP84242914			83.5	24	29.9	393	42
Back-Painted Glass Door,	51CGP72202914Z			71.5	20	29.9	335	31
Drawer/Door, Drawer/Door, Door, Back-Painted Glass Top				71.5	24	29.9	365	36
	51CGP84202914Z			83.5	20	29.9	390	36
11 11 11	51CGP84242914Z			83.5	24	29.9	425	42

ORDERING NOTES: An optional Recycle/Waste bin is available at an upcharge of \$544 list, add WL - Waste Bin Left or WR - Waste Bin Right to the model number. An optional Cutlery Tray is available at an upcharge of **\$59 list**. Mini fridge is not available in this configuration.

DIMENSION KEY

W - width D - depth

H - height

CODE DESCRIPTION

GP - Back-Painted Glass Top

Z - Back-Painted Glass Doors

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347.

BASE PLATES

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	Н	Weight	Cube
Hinged Doors, 5 Drawers	51BU72203507	6064	6672	71.5	20	35	330	36
	51BU72243507	6336	6968	71.5	24	35	343	42
	51BU84203507	6975	7674	83.5	20	35	384	42
	51BU84243507	7285	8013	83.5	24	35	400	49
Back-Painted Glass Doors, 5 Drawers	51BU72203507Z	7535	8289	71.5	20	35	345	36
o blawers	51BU72243507Z	7805	8584	71.5	24	35	358	42
	51BU84203507Z	8664	9531	83.5	20	35	402	42
" " "	51BU84243507Z	8975	9874	83.5	24	35	417	49
Hinged Doors, 5 Drawers,	51BUGP72203507	8828	9711	71.5	20	35	370	36
Back-Painted Glass Top	51BUGP72243507	9650	10614	71.5	24	35	391	42
	51BUGP84203507	10152	11166	83.5	20	35	431	42
	51BUGP84243507	11099	12208	83.5	24	35	455	49
Back-Painted Glass Doors, 5 Drawers, Back-Painted	51BUGP72203507Z	10298	11327	71.5	20	35	385	36
Glass Top	51BUGP72243507Z	11120	12234	71.5	24	35	406	42
	51BUGP84203507Z	11841	13025	83.5	20	35	448	42
" " "	51BUGP84243507Z	12791	14068	83.5	24	35	473	49

ORDERING NOTES: An optional Recycle/Waste bin, located behind the right door, is available at an upcharge of **\$544 list**, add W - Waste Bin to the model number. An optional Cutlery Tray is available at an upcharge of **\$59 list**. An optional mini fridge, located behind the right door, is available on 24" deep units at an upcharge of **\$2513**, add F - fridge to model number.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish

CODE DESCRIPTION

GP - Back-Painted Glass Top

Z - Back-Painted Glass Doors

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347.

BASE PLATES

							O DO:	
Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	Н	Weight	Cube
4 Hinged Doors	51BU72203511	4893	5380	71.5	20	35	266	36
4 miliged Doors	51BU72243511	5161	5678	71.5	24	35	279	42
	51BU84203511	5624	6187	83.5	20	35	310	42
	51BU84243511	5934	6529	83.5	24	35	325	49
4 Hinged Back-Painted Glass Doors	51BU72203511Z	6851	7537	71.5	20	35	286	36
	51BU72243511Z	7122	7834	71.5	24	35	299	42
	51BU84203511Z	7881	8667	83.5	20	35	333	42
11 11 11 11	51BU84243511Z	8188	9009	83.5	24	35	348	49
4 Hinged Doors, Back- Painted Glass Top	51BUGP72203511	7655	8419	71.5	20	35	306	36
Tainted diass top	51BUGP72243511	8476	9324	71.5	24	35	327	42
	51BUGP84203511	8801	9683	83.5	20	35	356	42
	51BUGP84243511	9748	10723	83.5	24	35	381	49
4 Hinged Back-Painted	51BUGP72203511Z	9614	10581	71.5	20	35	326	36
Glass Doors, Back-Painted Glass Top	51BUGP72243511Z	10438	11482	71.5	24	35	347	42
	51BUGP84203511Z	11058	12163	83.5	20	35	380	42
<i>"</i> " " "	51BUGP84243511Z	12004	13201	83.5	24	35	404	49

ORDERING NOTES: An optional Recycle/Waste bin, located behind the right door, is available at an upcharge of **\$544 list**, add W - Waste Bin to the model number. An optional Cutlery Tray is available at an upcharge of **\$59 list**. An optional mini fridge, located behind the right door, is available on 24" deep units at an upcharge of **\$2513**, add F - fridge to model number.

DIMENSION KEY

W - width

D - depth

H - height

CODE DESCRIPTION

GP - Back-Painted Glass Top

Z - Back-Painted Glass Doors

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347.

BASE PLATES

Oak Cherry Maple Walnut Description Model Laminate W D Н Weight Cube 51BUS72203511 71.5 20 35 252 2 Sliding Doors 5388 5926 36 51BUS72243511 35 265 42 6223 71.5 24 5657 51BUS84203511 83.5 20 35 294 42 6196 6815 51BUS84243511 83.5 309 6506 7156 24 35 49 6857 7543 2 Sliding Back-Painted 51BUS72203511Z 71.5 20 35 267 36 Glass Doors 7128 7840 51BUS72243511Z 71.5 24 35 280 42 7886 8676 51BUS84203511Z 83.5 311 20 35 42 8198 9017 51BUS84243511Z 83.5 24 35 326 49 51BUSGP72203511 8149 8964 71.5 20 35 292 36 2 Sliding Doors, Back-Painted Glass Top 8971 9870 51BUSGP72243511 71.5 35 313 42 24 9372 10311 51BUSGP84203511 83.5 20 35 340 42 51BUSGP84243511 10319 11350 83.5 24 35 365 49 10581 9620 51BUSGP72203511Z 71.5 35 307 20 36 2 Sliding Back-Painted Glass Doors, Back-Painted 51BUSGP72243511Z 10442 11488 71.5 35 328 42 24 Glass Top 51BUSGP84203511Z 11064 12170 83.5 20 35 358 42 51BUSGP84243511Z 12010 13213 83.5 24 35 382 49

ORDERING NOTES: An optional mini fridge is available on 24" deep units at an upcharge of \$2513, add FL fridge left or FR fridge right to model number.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish

CODE DESCRIPTION

GP - Back-Painted Glass Top

Z - Back-Painted Glass Doors

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347.

BASE PLATES

Description	Model	Cherry Maple Laminate	Walnut	W	D	Н	Weight	Cube
Description							Weight	
Drawer/Door, Open/ 2 Doors, Drawer/Door	51BU72203513	5916	6508	71.5	20	35	294	36
	51BU72243513	6186	6805	71.5	24	35	307	42
	51BU84203513	6805	7486	83.5	20	35	342	42
	51BU84243513	7112	7824	83.5	24	35	358	49
	NOTE: For Media Buff	et version with v	ents & cable ac	cess add M	to model	number aı	nd \$505 list .	
Back-Painted Glass Drawer/Door, Open/2 Doors,	51BU72203513Z	7876	8663	71.5	20	35	313	36
Drawer/Door	51BU72243513Z	8146	8962	71.5	24	35	326	42
	51BU84203513Z	9059	9965	83.5	20	35	365	42
11 11 11 11	51BU84243513Z	9368	10303	83.5	24	35	380	49
	NOTE: For Media Buff	et version with v	ents & cable ac	cess add M	to model	number aı	nd \$505 list .	
Drawer/Door, Open/ 2 Doors, Drawer/Door,	51BUGP72203513	8680	9545	71.5	20	35	334	36
Back-Painted Glass Top	51BUGP72243513	9500	10453	71.5	24	35	355	42
	51BUGP84203513	9982	10979	83.5	20	35	389	42
	51BUGP84243513	10926	12018	83.5	24	35	413	49
	NOTE: For Media Buffe	et version with v	ents & cable ac	cess add M	to model	number a	nd \$505 list .	
Drawer/Door, Open/2 Doors, Drawer/Door, Back-Painted Glass Top	51BUGP72203513Z	10639	11702	71.5	20	35	353	36
	51BUGP72243513Z	11462	12610	71.5	24	35	374	42
	51BUGP84203513Z	12235	13458	83.5	20	35	411	42
11 11 11	51BUGP84243513Z	13183	14498	83.5	24	35	436	49

Oak

ORDERING NOTES: An optional Recycle/Waste bin, located behind the right door, is available at an upcharge of **\$544 list**, add W - Waste Bin to the model number. An optional Cutlery Tray is available at an upcharge of **\$59 list**. An optional mini fridge, located behind the right door, is available on 24" deep units at an upcharge of **\$2513**, add F - fridge to model number.

NOTE: For Media Buffet version with vents & cable access add M to model number and \$505 list.

DIMENSION KEY

W - width

D - depth

H - height

CODE DESCRIPTION

GP - Back-Painted Glass Top

Z - Back-Painted Glass Doors

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347.

BASE PLATES

		Oak Cherry Maple						
Description	Model	Laminate	Walnut	W	D	Н	Weight	Cube
Door, Drawer/Door, Drawer/Door, Door	51BU72203514	5916	6508	71.5	20	35	298	36
	51BU72243514	6186	6805	71.5	24	35	311	42
	51BU84203514	6805	7486	83.5	20	35	347	42
	51BU84243514	7112	7824	83.5	24	35	362	49
Back-Painted Glass Door, Drawer/Door, Drawer/Door,	51BU72203514Z	8123	8937	71.5	20	35	308	36
Door	51BU72243514Z	8393	9232	71.5	24	35	331	42
	51BU84203514Z	9342	10277	83.5	20	35	359	42
	51BU84243514Z	9651	10615	83.5	24	35	385	49
Door, Drawer/Door, Drawer/Door, Door,	51BUGP72203514	8680	9545	71.5	20	35	338	36
Back-Painted Glass Top	51BUGP72243514	9500	10453	71.5	24	35	359	42
	51BUGP84203514	9982	10979	83.5	20	35	394	42
	51BUGP84243514	10926	12018	83.5	24	35	418	49
Back-Painted Glass Door, Drawer/Door, Drawer/Door,	51BUGP72203514Z	10744	11817	71.5	20	35	348	36
Door, Back-Painted Glass Top	51BUGP72243514Z	11462	12610	71.5	24	35	379	42
	51BUGP84203514Z	12354	13590	83.5	20	35	405	42
	51BUGP84243514Z	13183	14498	83.5	24	35	441	49

Oak

ORDERING NOTES: An optional Recycle/Waste bin, located behind the right door, is available at an upcharge of \$544 list, add W - Waste Bin to the model number. An optional Cutlery Tray is available at an upcharge of \$59 list. An optional mini fridge, located behind the right door, is available on 24" deep units at an upcharge of \$2513, add F - fridge to model number.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish

CODE DESCRIPTION

GP - Back-Painted Glass Top

Z - Back-Painted Glass Doors

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347.

BASE PLATES

NUVO | BUFFETS WITH TV LIFT

Description	Model	Oak Cherry Maple Laminate	Walnut	W	D	Н	Weight	Cube
4 Doors with TV Lift	51TV722439	12182	13400	71.5	24	39	345	49
	51TV842439	14011	15410	83.5	24	39	402	57
4 Back-Painted Glass Doors with TV Lift	51TV722439Z	15995	17595	71.5	24	39	368	49
	51TV842439Z	18394	20234	83.5	24	39	429	57
4 Doors with TV Lift, Back- Painted Glass Top	51TVGP722439	13652	15017	71.5	24	39	372	49
	51TVGP842439	15699	17269	83.5	24	39	433	57
4 Back-Painted Glass Doors	51TVGP722439Z	17466	19211	71.5	24	39	395	49
with TV Lift, Back-Painted Glass Top	51TVGP842439Z	20086	22094	83.5	24	39	460	57

ORDERING NOTE: Cabinet is standard with 4 shelves 12 1/2" deep.

DIN	ΛFI	NS	ON	KEY
	/	40		

W - width

D - depth

H - height

CODE DESCRIPTION

GP - Back-Painted Glass Top

Z - Back-Painted Glass Doors

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347.

BASE PLATES

NUVO | HOSPITALITY CARTS

Oak Cherry Maple

Description	Model	Laminate	Walnut	W	D	Н	Weight	Cube
Hospitality Cart	51MSC422035	4694	5162	42	20	35	213	22



Hospitality Cart - Back-	51MSC422035Z	5852	6439	42	20	35	227	22
Painted Glass Doors								



Hospitality Cart, Back-	51MSCGP422035	6461	7108	42	20	35	240	22
Painted Glass Top								



Hospitality Cart - Back- 51MSCGP422035Z 7621 8384 42 20 35 275 22 Painted Glass Doors, Back-Painted Glass Top



ORDERING NOTES:

Hospitality Cart is standard with Cutlery Tray & Recycle/Waste bin on the left and two adjustable shelves on the right.

ORDERING PROCEDURE

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish

CODE DESCRIPTION

GP - Back-Painted Glass Top

Z - Back-Painted Glass Doors

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347.

BASE PLATES

NUVO | LECTERNS & MEDIA

Oak Cherry Maple

Description	Model	Maple Laminate	Walnut	W	D	Н	Weight	Cube
Lectern with Glass Shelf & Closed Lower Storage	51LN372250-11	6502	7390	37	22	50	234	30



Lectern Full Width & Closed 51LNX372250-11 5670 6233 37 22 50 230 30 Lower Storage




ORDERING NOTES: Lecterns feature grommets for cable management. Lecterns are available with casters, add M to the model # and an upcharge of \$145. All hinged doors on Lecterns feature standard locks. Lectern options:

Altinex Box : **\$1215 list**.

Power Bar : **\$190 list**Reference Light : **\$422 list**

Media Wall 51MW8483 3370 3707 84 4 83 115 16



NOTES: Media Wall features a T.V. mounting bracket and cable channel for cords to exit at the floor. Media wall can be mounted without a credenza or buffet if no equipment other than the TV is required. Please include TV size on each purchase order, since machining required is dependent on the TV size.

Sliding Door Media Board 51VBS4848 4190 4611 48 - 48 120 16



NOTE: Sliding Door Media Board includes white board, eraser and four dry erase makers. For laminate orders marker tray is Black Palette.

Sliding Doors slide open and closed independently of each other.

DIMENSION KEY

W - width

D - depth

H - height

CODE DESCRIPTION

X - Full Width

11 - Closed Shelves Below

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 347.

BASE PLATES

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricina

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warrantv

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- · substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- · wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- · properties of natural materials, including wood and leather
- · exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
- 2) Custom wood finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Customer Service for more information.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$78/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$78/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$78/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.



Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Care and Maintenance

Wood Finishes - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

Krug Panel Fabric Program

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca PRODUCTS / FABRICS / PANEL The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

If memo samples are required please call Momentum at 1-800-366-6839.



PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for KrugExpress is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a KrugExpress order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances. Orders for product on KrugExpress must clearly state: "KrugExpress".

WOOD FINISHES AND LAMINATES

Standard Wood Finishes:

(See product pages for individual species availability)

Γ	$^{-}$	\sim 1	ES	N I	ISH
> E	_			 IVI	1.SH

Cherry Light Cherry

Natural Cherry American Cherry Medium Cherry Standard Cherry Imperial Cherry Appalachian Cherry Sable Cherry

Maple Clear Maple

Honey Maple Wheat Maple

Oak Light Oak

SilverGrey on Oak Harvest Oak Mahogany Oak Medium Cherry on Oak

Mellow Oak Walnut on Oak Espresso on Oak

Walnut Natural Walnut

Regular Walnut Mahogany on Walnut Dark Walnut Cordovan Walnut

SilverGrey on Walnut
Clear Anigre

Medium Anigre

Palette Black

Anigre

White Sand Soft Green Steel Blue Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.) For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

FINISH

Conference products feature Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Rift Oak
Dune on Rift Oak
Portobello on Rift Oak
Ash on Rift Oak
Copper on Cherry
Shiraz Cherry
Park Avenue Walnut
Chocolate on Walnut
Nutmeg on Walnut
Dark Walnut
Hardrock Maple

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES					
Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier		
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR		
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR		
Dune	Tafisa T491CR	Ash	Tafisa T535AT		
Copper	Tafisa T521CR	Willow	Tafisa T543AT		
Shiraz Cherry	Tafisa T472CR	Solid Laminates			
Park Avenue Walnut	Wilsonart 7984–38	Designer White	Wilsonart D354-60		
Chocolate	Tafisa T498CR	Platinum	Tafisa T202CR		
Nutmeg	Tafisa T477CR	Earth	Tafisa T767CR		
Dark Walnut	Tafisa T469CR	Charcoal	Tafisa T228CR		

PHASE OUT LAMINATES Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

NON-STOCKED LAMINATES

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.















All products are air emissions certified and are available as FSC® certified

