# **SEATING & OCCASIONAL TABLES**

Price and Specification Guide **CANADA** 



# krug

Advancing Design Through Innovation

# **TABLE OF CONTENTS**

### **PRICING & SPECIFICATIONS**

2	Management & Task Seating
3	Callisto
7	C5
16	Aqua
22	Dorso E
29	Dorso T
34	Dorso Weave
40	Dorso
47	Me
53	Pan Am
58	Cadence

### 64 Guest Seating

65 Addison 68 Blake 71 Dorso 74 Bali 76 Kita 78 Spence 80 Cadence 82 Faeron Wood 88 Faeron Metal

### 94 Multi-Purpose Seating

95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri

124 Bank of England

# 126 Barstools & Counter Height Seating127 Manolo

131 Karma 133 Capri 135 Corfu

### 141 Lounge Seating

142 Avatar
145 Cressida
155 Leyton
166 Zola
183 Zola Privacy
249 Faeron
261 Sutton

263 Carlyle265 Brio267 Sloane

### 269 Benches

270 Tate 276 Zola 286 Carlyle 287 **Occasional Tables** 288 Chit Chat 292 Avatar 294 Karma 299 Cressida 302 Leyton 304 Faeron Wood 306 Faeron Metal 308 Zola Sutton 313 Virtu 315 Millennium 317 319 Prado

Carlyle

321

**General Information** General Information Krug Textiles - Upholstery Fabrics 325 Krug Textiles - Leather & Luxe Faux Leather 327 329 C.O.M. Graded-In Upholstery Programs 330 330 KrugExpress Program 331 Wood Finishes 332 Laminate Program 332 Solid Surface Program 333 Base Styles

# MANAGEMENT & TASK SEATING


- 3 Callisto
  - C5
- 7 16
- Aqua Dorso E 22
- 29 Dorso T Dorso Weave
- 40 Dorso
- 47 Me
- 53 Pan Am 58 Cadence

# CALLISTO | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS



### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 28.83%

POST-CONSUMER RECYCLED CONTENT = 21.67%

Up to 70.56% of this Callisto product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Callisto products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### **AIR EMISSIONS**

All Callisto products are supplied air-emissions certified. Contact customer service for information.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CALLISTO | FEATURES & OPTIONS**



### **BREATHABLE MESH**

Mesh Seats and Backs are available in 2 colors: Black and Grey.



### **UPHOLSTERED CUSHIONING**

Upholstered Seats and Backs are available in a wide range of textiles, and seat features molded foam that is supportive for extended periods of sitting.



### **ADJUSTABLE LUMBAR SUPPORT**

This optional feature provides enhanced support in the lower lumbar area of the back with 3" of adjustment range.



### **FIXED CANTILEVER ARM**

This arm features Polished Aluminum with an integrated urethane pad surface.



### **ADJUSTABLE ARM**

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards.



### **ARMLESS**

Callisto models are available armless.



### SELF-ADJUSTING SYNCHRO MECHANISM

The tilt feature adjusts automatically to the user's weight. It includes a standard seat slider feature adding an adjustment range of 2", and 4 position tilt lock with anti-kickback, and height adjustability.



### **BASES**

Base options include Polished Aluminum and Black Polymer, and a soft wheel caster option.



### STOOL BASE

A stool version is available on all Callisto models. It has a standard height adjustment range of 7.5". Foot ring is Polished Chrome, and standard gas lift is Black.

The Seat Slider and Seat Slider Plus option is not available with the Stool base. Stool base is only available with a swivel mechanism.

### WEIGHT CAPACITIES

Callisto has been tested and complies with ANSI/BIFMA x5.1-2011 standards.
Callisto has been load tested to 450lbs

### **OPTIONS**



### ADJUSTABLE ARMS PLUS

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards. Adjustable Arms Plus provides a width adjustment range of 3". The upcharge for this option is \$90 list.

### **SEAT SLIDER PLUS**

The optional enhanced seat slider, has an adjustment range of 3". When the 3" seat slider option is selected a larger chair base is included. This option is priced at an upcharge of \$68 list. Seat Slider Plus option is not available with the Stool base.

### **COMBINATION UPHOLSTERY OPTION**

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

### REPLACEABLE COMPONENTS

Callisto is uniquely designed to allow major components to be field replaced, providing a very cost-effective means to significantly extend the life of the product.

### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with nonflammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **CALLISTO | DIMENSIONS & COM REQUIREMENTS**

							Height	Height					
				Overall	Seat	Seat	Arms From	Arms From	Width				
	Overall	Overall	Overall	Height	Height	Height -Stool	Floor	Floor-Stool	Between	Seat	Shipping		COM
	Width	Depth	Height	-Stool	Min/Max	Min/Max	Min/Max	Min/Max	Arms	Depth	Weight	Cubes	YRD
CAL1M10	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	-
CAL1M11	25	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	-
CAL1M12	24	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	17	19	45	14.5	-
CAL1M20	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	.85
CAL1M21	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	.85
CAL1M22	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	.85
CAL1M30	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	1.68
CAL1M31	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	1.68
CAL1M32	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	1.68

# **CALLISTO**

COM COL FABRIC GRADES LEATHER

DESCRIPTION/MODEL 1 2 3 4 5 6 7 8 9



Mesh Back & Seat, Armless with Black Base

CAL1M10B 968

Mesh Back & Seat, Armless with Polished Aluminum Base

CAL1M10P 996



Mesh Back & Seat, Adjustable T-Arm with Black Base

CAL1M12B 1084

Mesh Back & Seat, Adjustable T-Arm with Polished Aluminum Base

CAL1M12P 1113



Mesh Back & Seat, Fixed Cantilever Arm with Black Base

CAL1M11B 1113

Mesh Back & Seat, Fixed Cantilever Arm with Polished Aluminum Base

CAL1M11P 1141

**ORDERING NOTES:** To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	61	
Soft Wheel Casters	61	
Adjustable Lumbar Support (L)	57	
Adjustable Arms Plus (W)	90	
Stool Base	103	
Seat Slider Plus (S)	68	

### PRODUCT CODE KEY

Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL Callisto	1 Management, Task & Conference Seating	M Mid Back	1 Mesh Back & Seat	0 Armless	B Black Polymer	
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3 Fully Upholstered	2 Adjustable T-Arm		

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRAD	DES 6	7	LEATHER 8	9
	Mesh Back & Uphols CAL1M20B		at, Armies 1065	ss with Blad 1092	1140	1188	1240	1287	1337	1435
	Mesh Back & Uphols	tered Sea	at Armles	s with Poli	shed Alum	ninum Base				
	CAL1M20P	1071		1121	1170	1219	1268	1316	1366	1463
	Mesh back & Uphols	tered Sea	at, Adjusta	able T-Arm	with Black	κ Base				
	CAL1M22B		1186	1210	1258	1307	1356	1407	1456	1555
	Mesh back & Uphols	tered Sea	t. Adiusta	able T-Arm	with Polis	hed Alumin	um Base			
	CAL1M22P		1213	1240	1287	1337	1386	1435	1484	1582
	Mesh Back & Uphols	tered Sea	at, Fixed (	Cantilever A	Arm with E	Black Base				
	CAL1M21B		1213	1240	1287	1337	1386	1435	1484	1582
	Mesh Back & Uphols	tered Sea	at. Fixed (	Cantilever A	Arm with P	Polished Alu	ıminum Ba	se		
	CAL1M21P		1243	1267	1316	1366	1413	1463	1513	1610
	Fully Upholstered Ba	ck & Sea	t. Armless	s with Blac	k Base					
	CAL1M30B		1141	1190	1287	1384	1483	1580	1675	1871
	Fully Upholstered Ba	ck & Sea	t, Armless	s with Polis	shed Alumi	num Base				
	CAL1M30P		1170	1220	1316	1412	1510	1609	1705	1897
	Fully Upholstered Ba	ok & Soo	t Adiusta	blo T Arm	with Black	Pasa				
	CAL1M32B		1260	1308	1407	1504	1599	1696	1794	1988
	Fully Upholstered Ba	ck & Sea	t. Adiusta	ble T-Arm	with Polish	ned Alumini	ım Base			
	CAL1M32P		1290	1337	1435	1533	1627	1725	1821	2016
	Fully Upholstered Ba	ck & Sea	t. Fixed C	antilever A	rm with BI	ack Base				
	CAL1M31B		1290	1337	1435	1533	1627	1725	1821	2016
7	Fully Upholstered Ba	ck & Sea	t, Fixed C	antilever A	rm with Po	olished Alur	ninum Bas	е		
	CAL1M31P	1269	1318	1366	1463	1561	1656	1753	1850	2045

**ORDERING NOTES:** To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	61	
Soft Wheel Casters	61	
Adjustable Lumbar Support (L)	57	
Adjustable Arms Plus (W)	90	
Stool Base	103	
Seat Slider Plus (S)	68	
PRODUCT CODE KEY		


NE I					
Series	Back Style	Chair Style	Arm Style	Base Style	
1 Management, Task & Conference Seating	M Mid Back	1 Mesh Back & Seat	0 Armless	B Black Polymer	
		2	1	Р	
		Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
		3 Fully Upholstered	2 Adjustable T-Arm		
	Series  1  Management, Task	Series Back Style  1 M  Management, Task Mid Back	Series Back Style Chair Style  1 M 1  Management, Task & Mid Back Mesh Back & Seat 2  Mesh Back, Upholstered Seat 3	1 M 1 0 Armless & Seat 2 1 1 Mesh Back, Upholstered Seat 4 Upholstered Seat 3 2	Series Back Style Chair Style Arm Style Base Style  1

# C5 | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS







PRE-CONSUMER
RECYCLED CONTENT = 24.5%

POST-CONSUMER
RECYCLED CONTENT = 19.4%

Up to 60.1% of this C5 product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. C5 products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### AIR-EMISSIONS

All C5 products are supplied with air-emissions certified. Contact customer service for information.



### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. C5 and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **ARM STYLES**

C5 features four styles of fixed arms; polished aluminum with polymer pad, polished aluminum with upholstered pad, full black polymer arm, and fully upholstered arm.



Polished Aluminum Arm with Polymer Pad



Polished Aluminum Arm with Upholstered Pad



**Black Polymer Arm** 



**Fully Upholstered -** Leather or Fabric wrapped upholstered arm with detailed top stitching.



### **MECHANISM OPTIONS**

Swivel-Tilt - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment. Right side activated tension control. Available in Black only.



**Knee Tilt** - Right side activated tension control and vertical adjustment. Left side 4 position activated tilt lock. Available in Black powdercoat or Polished Aluminum.

### **BASE STYLES**

C5 seating is available in two base options. Choose from a black nylon, or a polished aluminum.



Polished Aluminum



**Black Glass Reinforced Nylon** 



### **Jury Base**

The C5 series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

# C5 | FEATURES & OPTIONS

### **SEAT**

The seat has been carefully researched and shaped to provide extended sitting comfort, with a foam density that provides an optimal combination of softness and firmness.

### REPLACEABLE COMPONENTS

C5 chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable.

### **OPTIONS**

### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# C5 | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	_	COM Yardage
Mid Back										
Polished Aluminum Arm with Polymer pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Polished Aluminum Arm with Uph. Pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.9
Black Polymer Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Upholstered Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	2.5
High Back										
Polished Aluminum Arm with Polymer Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Polished Aluminum Arm with Uph. Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.3
Black Polymer Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Upholstered Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.9

### **MULTIPLE YARDAGE REQUIREMENTS**

	Yardage Seat & Back Rest	Yardage Seat only	Yardage Back rest only	Yardage Upholstered Arm Pad (2)	Yardage Full Upholstered Arm (2)	
Mid Back						
1 Chair	1.7	.9	1.5	.19	.8	
2 Chairs	3.3	1.14	2.4	.19	1.06	
3 Chairs	5	2.04	3.2	.19	1.5	
4 Chairs	6.6	2.28	4	.19	2.19	
High Back						
1 Chair	2.1	.9	1.95	.19	.8	
2 Chairs	3.4	1.14	3.1	.19	1.06	
3 Chairs	5.5	2.04	4.2	.19	1.5	
4 Chairs	7.4	2.28	5.8	.19	2.19	

### DIMENSIONS:

Height measurements of C5 tilter are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

### **COM APPROVAL PROCESS:**

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

### WEIGHT CAPACITY:

C5 has been tested to ANSI BIFMA.

C5 is load rated to 300lbs

# C5 EXECUTIVE | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	LEATHER 8	9	
	FULLY UPHOLSTERE	D ARM									
	C5E1MB41A Polished Aluminum kn	1316 lee tilt, P	1379 olished A	1442 Iuminum b	1533 pase	1635	1724	1827	1956	2084	
	C5E1MB42B Black Aluminum knee	1279 tilt, Blac	1344 k base	1409	1495	1598	1689	1791	1919	2044	
	POLISHED ALUMINUM ARM WITH POLYMER PAD										
	C5E1MB11A Polished Aluminum kn	1148 ee tilt, P	1205 olished A	1258 Iuminum b	1338 pase	1428	1506	1594	1707	1819	
	C5E1MB12B Black Aluminum knee	1113 tilt, Blac	1169 k base	1224	1302	1392	1467	1559	1669	1781	
	BLACK POLYMER AR	М									
	C5E1MB32B Black Aluminum knee	1031 tilt, Blac	1085 k base	1141	1253	1365	1478	1588	1698	1922	
<b>8 1</b>	BLACK POLYMER AR	M									
	C5E1MB33C Black Swivel tilt, Polisl	990 hed Alum	1044 ninum ba	1102 se	1181	1270	1349	1438	1549	1662	
	C5E1MB33D Black Swivel tilt, Black	964 base	1018	1074	1152	1243	1320	1411	1521	1634	



### **ORDERING NOTES:**

For jury base, please add a 'J' for the base style at the end of the model number and add \$77 list. Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.**For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
109	115	120	130	139	148	157	170	181

### PRODUCT CODE KEY

IODOOT OODL KLI					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

Jury Base

# C5 EXECUTIVE | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	ABRIC GRA	ADES 6	7	LEATHER 7 8 9		
DESCRIT HOWWOODEL	FULLY LIBUOURTEDE	-		- 3		<u> </u>		,	0		
	FULLY UPHOLSTERE C5E1HB41A Polished Aluminum kr	1365	1437 Polished A	1509	1609	1723	1824	1939	2084	2228	
	C5E1HB42B Black Aluminum knee	1327	1399	1472	1573	1688	1789	1903	2045	2190	
	POLISHED ALUMINU	M ARM '	WITH POI	LYMER PA	'D						
	C5E1HB11A Polished Aluminum kr	1198 nee tilt, P	1258 Polished A	1324 Juminum b	1413 pase	1517	1606	1707	1836	1963	
	C5E1HB12B Black Aluminum knee	1160 tilt, Blac	1224 ck base	1290	1378	1481	1568	1670	1798	1927	
<b>6 6</b>	DI AOK BOLVATED AE										
	BLACK POLYMER AR C5E1HB32B Black Aluminum knee	1080	1141	1206	1294	1396	1486	1588	1717	1843	
	Succession and the succession an	ini, Dido	A Saco								
	BLACK POLYMER AR	RM									
	C5E1HB33C Black Swivel tilt, Polis	1039 hed Alur	1103 minum ba	1168 se	1256	1358	1447	1552	1680	1806	
	C5E1HB33D Black Swivel tilt, Black	1012 k base	1074	1140	1228	1330	1421	1521	1650	1778	
	ORDERING NOTES: For jury base, please Hard casters are the s Barrier options are av For UPHOLSTERED	standard ailable fo	and soft or an upch	wheel cas narge of <b>\$6</b>	ters can be <b>31 list per</b>	e ordered f <b>yard.</b>	or <b>\$61 list</b>	per chair.	CAL 133 a		
9	1 2 3						3 9				
PRODUCT CODE KEY	109 115 120	13	30 1	39 1	48 1	57 17	70 18	1			
Line	Series	Ва	ack Style		Arm Style	9	Mechanis	sm	Base	Style	
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	M	MB lid Back		1 lished Alum with Polyme		1 Polished Alur Knee Ti		for Kn	minum Base ee Tilt	

PRODUCT CODE KEY					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	MB Mid Back HB High Back	Polished Aluminum Arm with Polymer Pad  2  Polished Aluminum Arm with Uph. Pad  3  Black Polymer Arm	Polished Aluminum Knee Tilt 2 Black Aluminum Knee Tilt 3 Black Swivel Tilt	Polished Aluminum Base for Knee Tilt  Black Base for Knee Tilt  C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

# C5 CONTEMPORARY | MID BACK

									'	
		COM		COL		BRIC GRA		_	LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTER	ED ARM								
	C5C1MB41A	1186	1252	1315	1407	1508	1594	1697	1827	1956
	Polished Aluminum I									
	C5C1MB42B	1159	1223	1287	1377	1481	1567	1669	1797	1924
	Black Aluminum kne	е пт, васк	base							
н 6										
	POLISHED ALUMIN	UM ARM W	ITH POL	YMER PA	D					
	C5C1MB11A	1018	1074	1131	1210	1297	1378	1465	1580	1690
	Polished Aluminum I	knee tilt, Po	lished Al	luminum b	ase					
	C5C1MB12B	993	1046	1103	1181	1271	1349	1439	1552	1663
	Black Aluminum kne									
	BLACK POLYMER A	RM								
		000	050	1010	1000	1100	1057	1040	1.400	1500
	C5C1MB32B	899	956	1012	1089	1180	1257	1348	1460	1569
	Black Aluminum kne	e IIII, DIACK	base							
<b>6 1 1</b>										
	D. 101/ D01/ 045D 1									
	BLACK POLYMER A	.RM								
	C5C1MB33C	863	917	974	1054	1142	1221	1311	1422	1534
	Black Swivel tilt, Pol	ished Alumi	inum bas	se						
				0.45						4=00
	C5C1MB33D	834	890	945	1023	1114	1193	1282	1394	1506
	Black Swivel tilt, Bla	ck base								
<b>3 4 *</b>										
	ORDERING NOTES									
	For jury base, please Hard casters are the									nd Moisture
	Barrier options are a	vailable for	an upcha	arge of <b>\$6</b>	1 list per y	/ard.		•		
	For <b>UPHOLSTERE</b>						ırm style 2	and add u	ipcharge b	pelow.
ے	1 2 3		5							
	109 115 12	0 130	13	39 14	18 15	57 17	0 18	1		
PRODUCT CODE KEY										0
Line	Series		k Style		Arm Style	•	Mechan	ısm		Style
C5 Contemporary	1 Tilter		MB d Back	D-	lished Alum	inum r	1 Polished Alu			A minum Base
C5 Contemporary	riiter	IVIIC	u Dauk		with Polym		Knee T			nee Tilt
			НВ		2		2			В
		Hig	h Back		lished Alum m with Uph.		Black Alum Knee T			Base nee Tilt

Polished Aluminum Arm with Uph. Pad

Black Aluminum Knee Tilt

Black Base for Knee Tilt

Black Polymer Arm

Black Swivel Tilt

Polished Aluminum Base for Swivel Tilt

Fully Uph. Arm

Black Base for Swivel Tilt

D

Black Base for Swivel Tilt

J

Jury Base

# C5 CONTEMPORARY | HIGH BACK

		COM		COL	FAE	BRIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTERE	D ARM								
	C5C1HB41A Polished Aluminum ki	1231 nee tilt, Po	1304 olished Alı	1375 uminum ba	1475 ise	1590	1692	1806	1949	2092
	C5C1HB42B Black Aluminum knee	1203 e tilt, Black	1273 k base	1348	1447	1562	1663	1778	1922	2065
*** <b>6</b>	POLISHED ALUMINU	JM ARM V	VITH POL	YMER PAD	)					
	C5C1HB11A Polished Aluminum ki	064 nee tilt, Po	1127 olished Alı	1192 uminum ba	1282 ise	1383	1472	1575	1703	1831
	C5C1HB12B Black Aluminum knee	1036 e tilt, Black	1099 k base	1165	1253	1354	1443	1546	1673	1802
<b>*</b> * * * * * * * * * * * * * * * * * *	BLACK POLYMER AF	RM								
	C5C1HB32B Black Aluminum knee	943 e tilt, Black	1009 c base	1071	1160	1265	1353	1456	1583	1711
	BLACK POLYMER AF	RM								
	C5C1HB33C Black Swivel tilt, Polis	908 shed Alum	970 ninum bas	1036 e	1123	1225	1316	1417	1545	1672
	C5C1HB33D Black Swivel tilt, Blac	879 k base	941	1008	1095	1199	1287	1389	1517	1646
	ORDERING NOTES:  For jury base, please add a 'J' for the base style at the end of the model number and add \$77 list.  Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair. CAL 133 and liberarier options are available for an upcharge of \$61 list per yard.  For UPHOLSTERED ARM PAD on polished arm versions only select arm style 2 and add upcharge below									
	1 2 3	4	5	6	7	8	9		. 5:-	
PRODUCT CODE KEY	109 115 120	) 130	0 13	9 14	8 157	7 170	181			
Line	Series	Bad	ck Style		Arm Style		Mechanism		Base S	Style
C5C	1		MB		1		1		A	

HODOCI CODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5C Contemporary	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt
					J Jury Base

# C5 PULLS | MID BACK

		СОМ		COL	FAB	RIC GRAD	DES	LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTERED								10.10	
	C5P1MB41A	1207	1271	1336	1424	1527	1615	1719	1846	1974
	Polished Aluminum kne	ee tilt, Po	olished Alu	ıminum ba	ise					
	C5P1MB42B	1171	1234	1297	1387	1491	1581	1683	1809	1938
	Black Aluminum knee t	ilt, Black	base							
	POLISHED ALUMINUM	ARM W	/ITH POLY	MER PAD	)					
	C5P1MB11A	1039	1095	1150	1229	1319	1397	1486	1598	1711
	Polished Aluminum kne	ee tilt, Po	olished Alu	ıminum ba	ise					
	C5P1MB12B	1004	1059	1115	1194	1283	1361	1452	1562	1673
	Black Aluminum knee t	ilt, Black	base							
	BLACK POLYMER ARM	Л								
	C5P1MB32B	918	978	1033	1111	1200	1279	1369	1481	1590
	Black Aluminum knee t			1000	1111	1200	1273	1000	1401	1330
	BLACK POLYMER ARM	И								
	C5P1MB33C	884	939	995	1071	1164	1241	1329	1441	1555
	Black Swivel tilt, Polish	ed Alum	inum base	•						
	C5P1MB33D	854	911	967	1043	1136	1212	1302	1413	1525
	Black Swivel tilt, Black	base								
	ORDERING NOTES: For jury base, please a	add a 'J'	for the ba	se style at	the end of	the mode	el number a	and add <b>\$7</b>	7 list.	



109

115

For jury base, please add a 'J' for the base style at the end of the model number and add \$77 list. Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair. CAL 133 and Moisture

6

Hard casters are the standard and soft wheel casters can be ordered for **\$61** list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61** list per yard.

For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

PRODUCT CODE KEY					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base
			4 Fully Uph. Arm		for Swivel Tilt  D  Black Base for Swivel Tilt

5

139

3

120

4

J Jury Base

# C5 PULLS | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	BRIC GRA	DES 6	7	LEATHER 8	₹ 9
	FULLY UPHOLSTERE	D ARM								
	C5P1HB41A Polished Aluminum kr	1260 nee tilt, Po	1332 olished Al	1407 uminum b	1506 pase	1622	1722	1836	1980	2123
	C5P1HB42B Black Aluminum knee	1225 tilt, Blacl	1296 k base	1370	1467	1584	1685	1800	1943	2088
	POLISHED ALUMINU	M ARM V	WITH POL	YMER PA	.D					
		1000	1150	1000	1011	4440	1500	4005	4700	1001
	C5P1HB11A Polished Aluminum kr	1093 nee tilt, Po	1158 olished Al	1222 uminum b	1311 pase	1413	1503	1605	1732	1861
	0504110400	1050	1101	1105	1070	1077	1405	1507	1005	1000
	C5P1HB12B Black Aluminum knee	1058 tilt, Blacl	1121 k base	1185	1273	1377	1465	1567	1695	1823
•••	BLACK POLYMER AR	M								
	C5P1HB32B	974	1000	1100	1100	1000	1000	1 405	1010	1740
	Black Aluminum knee		1038 k base	1102	1192	1293	1383	1485	1612	1740
	BLACK POLYMER AR	iM								
	C5P1HB33C	917	982	1044	1137	1240	1327	1430	1557	1687
	Black Swivel tilt, Polis				1137	1240	1327	1430	1337	1007
	C5P1HB33D	890	955	1016	1109	1210	1297	1403	1530	1659
	Black Swivel tilt, Black		000	1010	1100	1210	1201	1400	1000	1000
•	ORDERING NOTES:									
	For jury base, please Hard casters are the									nd Moisture
	Barrier options are av For <b>UPHOLSTERED</b>						arm style 2	and add	upcharge l	oelow.
	1 2 3	4				7 8			- p	
PRODUCT CODE KEY	109 115 120	13	30 13	39 1	48 1	57 17	70 18 <sup>-</sup>	1		
Line	Series	Bac	ck Style		Arm Style		Mechanis	m	Base	Style
C5P C5 Pulls	1 Tilter		MB d Back	Pol	1 lished Alumi	num P	1 olished Alum	ninum F	A Polished Alur	
			НВ		with Polyme		Knee Tilt		for Kne	ee Tilt
		L Hig	h Back		lished Alumi		Black Alumir		Black	 Base
				Arr	n with Uph.	rad	Knee Tilt		for Kne	
				Bla	ick Polymer	Arm	Black Swive	l Tilt P	olished Alur for Swiv	
					4				D	
				F	ully Uph. Ar	m		В	lack Base fo	or Swivel Tilt


Jury Base

# **AQUA** | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS



### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.5%

POST-CONSUMER
RECYCLE CONTENT = 21.91%

Up to 47.7% of Aqua product is recyclable at the end of its useful life.

### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Aqua products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Aqua products are supplied with air-emissions certified. Contact customer service for information.



### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Aqua and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **AQUA** | FEATURES & OPTIONS

### **ARM STYLE**

Four arm styles are available on Aqua - Armless, T-Arm, Height Adjustable T-Arm and Fixed Cantilever Arm.



**T-Arm** - A comfortable and supportive urethane pad, 10" in length by 3.5" wide, which can be field replaced if damaged, as can the entire arm.



**Height Adjustable T-Arm** - In addition to the same features as the T-Arm version, the arm pad has a 3-position rotation horizontally: center, left and right. The arm pad also adjusts forward and rearward in 5 positions, and is height-adjustable in 9 positions ranging over 4".



Cantilever Arm - The top surface of this arm has been proportioned to provide comfortable arm support, with a resting surface of 10" x 2".



### ARM WIDTH ADJUSTMENT

Width adjustment is a standard feature on Aqua arm styles. T-Arms, and Height Adjustable T-Arms, can be width adjusted, operated by the handwheel located under the seat. The T-Arms are width adjustable in a range of 1.5" per arm, or 3" per chair. Cantilever arms can be width adjusted with tools instead of a handwheel, with adjustment range of 1" per arm, or 2" per chair.



### **MECHANISM OPTIONS**

Synchro-Tilt Mechanism - There are 5 recline/lock positions, in addition to a full range of free-flowing movement. The forward position of the pivot point allows the back and seat to adjust in a 2:1 ratio synchronously, providing comfortable recline of the back with minimal incline of the seat.



Swivel-Tilt Mechanism - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment - ideal for short-term use environments, such as meeting rooms, where numerous adjustability features may not be desirable or necessary. Aqua Stools are only available with a Swivel Mechanism.



Seat-Slider Option - Available on the Synchro-Tilt Mechanism, this offers a 2" range of forward and rearward adjustment of the seat, with a locking feature. The addition of the seat slider adds 1/2" to the height of the seat and arms.



### **BASE STYLE**

Aqua seating is available with Black five star base and black gas cylinder, or optional Polished Aluminum five star base and chrome cylinder for an upcharge of \$39 list. Both bases come standard with dual wheel black casters. Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair. Aqua bases are also available with a fixed height option for an upcharge of \$39 list per chair.



### **JURY BASE**

The Aqua series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.



### **MESH BACKS**

Mesh Backs are made of breathable polyester elastomers, the Mesh Back has an ideal tension that provides comfortable lumbar and thoracic support for extended use and healthy sitting enhanced further with the air circulation provided by the mesh's unique design, and an easy-to-clean surface. The mesh back is also replaceable. Mesh colors available:

- White Warm Grey Black Sky• Clay Neo
- Sunset Cardinal

### **UPHOLSTERED BACKS**

A unique construction with a mesh suspension core, combined with extensively-researched ergonomic curvature, gives the Aqua back a form-fitting comfort and a thin profile that is designed for healthy long-term sitting.



Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

### REPLACEABLE COMPONENTS

Aqua chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

### **OPTIONS**

### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **AQUA** | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
Standard Height										
Mesh Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	40	18	0.75
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	40	18	0.75
Upholstered Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	41	18	1.4
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	41	18	1.4
Stool Height										
Mesh Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	40	20	0.75
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	40	20	0.75
Upholstered Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	41	20	1.4
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	41	20	1.4

### **MULTIPLE YARDAGE REQUIREMENTS**

	Yardage MESH BACK Seats Only	Yardage UPHOLSTERED BACK Back Only	Yardage UPHOLSTERED Full Chair
1 Chair	.75	.94	1.28
2 Chairs	.75	1.8	2.53
3 Chairs	1.5	2.74	3.81
4 Chairs	1.5	3.6	5.06

Height measurements of Aqua tilter and teller chairs are taken with the pneumatic lift in the lowest position and with a standard height range gas lift.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

### The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

# Aqua Standard Height Aqua Stool Height Armless Fixed T- Arms Adjustable T - Arms Cantilever Arms

### WEIGHT CAPACITY:

Aqua has been tested to 300lbs.

# AQUA | MESH BACK

DESCRIPTION/MO	ODEL	COM 1	2	COL 3	FAB 4	BRIC GRAD	DES 6	7	LEATHER 8	9
	Asses Manla Dania Assessan		T:14 . C		. la la al .					
	Aqua Mesh Back, Armless AQU1M03B					000	000	000	050	1000
	AQUTIVIOSE	790	803	814	841	869	896	922	950	1003
	Aqua Mesh Back, Armless	with Sync	chro Tilt 5	etar haca	in black					
	AQU1M01B	812	827	840	867	895	918	945	973	1030
	AGOTMOTE	OIL	OL.	0.10	001	000	010	0.10	0.0	1000
	Aqua Mesh Back, Armless	with Svno	chro Tilt/Se	eat Slider.	5 star base	in black				
	AQU1M02B	858	871	885	912	939	966	990	1017	1073
	Aqua Mesh Back, T-Arm in									
	AQU1M13B	930	940	955	982	1010	1036	1063	1087	1142
	Aqua Mesh Back, T-Arm in						1050	1006	1111	1166
	AQU1M11B	954	967	981	1006	1033	1059	1086	1114	1166
	Agus Mach Dack T Arms in	الماماد بينا	th Cumahu	Tilt/Coot	Cliday Fat	ar basa in	blook			
	Aqua Mesh Back, T-Arm in AQU1M12B	997	1012	1023	1050	1078	1106	1134	1159	1211
•	AQUIVIIZB	001	1012	1020	1000	1070	1100	1104	1100	1211
F	Agua Mesh Back, Height A	diustable	T-Arm in b	olack with	Swivel Tilt.	5 star bas	se in black			
	AQU1M23B	971	985	999	1029	1055	1080	1107	1135	1187
	Aqua Mesh Back, Height A	djustable	T-Arm in b	olack, with	Synchro T	ïlt, 5 star b	oase in bla	ck		
Ed San	AQU1M21B	996	1011	1022	1050	1078	1106	1134	1158	1211
5 80	Aqua Mesh Back, Height A	•								
(C) (D)	AQU1M22B	1041	1056	1068	1097	1122	1149	1178	1203	1255
	Aqua Mesh Back, Cantileve	or Arm in	black with	Swivel Til	t 5 star ba	so in blook	,			
	AQU1M33B	847	862	873	899	se in black 928	955	000	1010	1061
	AGO HVISSB	847	802	8/3	899	928	900	982	1010	1061
	Aqua Mesh Back, Cantileve	er Arm in	black, with	Synchro	Tilt. 5 star l	base in bla	ack			
	AQU1M31B	871	885	898	927	954	980	1006	1033	1086
	Aqua Mesh Back, Cantileve	er Arm in	black with	Synchro 7	Tilt/Seat Sli	der, 5 star	base in bl	ack		
	AQU1M32B	915	931	942	970	997	1022	1050	1078	1134
							-			

### **ORDERING NOTES**

For jury base version, please add a 'J' for the base style at the end of the model number and add \$74 list.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$39 list.

Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair.

Mesh Colors available are listed on Page 15.









### PRODUCT CODE KEY

00001 001	)				
Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	M	0	1	В
Aqua	Management, Task & Conference Seating	Mesh Back	Armless	Synchro Tilt	Black (5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3 Cantilever		

# **AQUA** | UPHOLSTERED BACK

DESCRIPTION/MO	ODEL	COM 1	2	COL 3	FAE	BRIC GRAD	DES 6	7	LEATHER 8	9
DEGOTH HOWW		'						'		
	Aqua Upholstered Back, Ar	mless wit	h Swivel 7	Γilt, 5 star b	oase in bla	ck				
	AQU1U03B	899	945	994	1087	1181	1275	1370	1463	1650
( )										
	Aqua Upholstered Back, Ar		,	,						
	AQU1U01B	925	970	1017	1113	1206	1299	1394	1486	1675
F										
5 80	Aqua Upholstered Back, Ar		•		-					
<b>60 0</b> 9	AQU1U02B	969	1015	1064	1158	1250	1347	1439	1533	1720
	Association of Deals T	۸ : اما		N	C -4 b	- !  -   -				
	Aqua Upholstered Back, T-A AQU1U13B	Arm in bia	1086	1135	5 star base 1225		1414	1510	1603	1792
	AQUIUI3B	1040	1000	1133	1223	1321	1414	1510	1603	1792
$\Rightarrow$ $/ \Rightarrow$	Agua Upholstered Back, T-A	Δrm in bla	ack with 9	Synchro Til	t 5 etar ha	se in black	,			
	AQU1U11B	1064	1111	1158	1252	1347	1440	1534	1627	1817
	AQUIUIIB	1004	1111	1130	1202	1041	1440	1304	1021	1017
	Aqua Upholstered Back, T-A	Arm in bla	ack with S	Synchro Til	t/Seat Slid	er 5 star b	ase in blac	:k		
	AQU1U12B	1109	1156	1203	1296	1391	1485	1580	1672	1861
	Aqua Upholstered Back, He	eight Adju	stable T-A	rm in blac	k with Swi	vel Tilt, 5 s	tar base in	black		
	AQU1U23B	1084	1131	1179	1272	1365	1460	1527	1648	1835
\$ 100										
	Aqua Upholstered Back, He									
	AQU1U21B	1109	1156	1203	1295	1391	1484	1580	1672	1861
000	Aqua Upholstered Back, He									1000
au Os	AQU1U22B	1155	1202	1248	1341	1437	1530	1623	1718	1906
	Aqua Upholstered Back, Ca	antilovor A	rm in blo	ok with Cw	ival Tilt 5	etar basa i	n black			
[ \	AQU1U33B	959	1006	1054	1146	1241	1335	1428	1521	1710
	AQUIUSSB	959	1006	1054	1140	1241	1335	1420	1521	1710
$\mathcal{L}$	Aqua Upholstered Back, Ca	antilever A	Arm in bla	ck with Sv	nchro Tilt	5 etar haea	in black			
	AQU1U31B	983	1031	1078	1171	1265	1358	1454	1545	1733
	7.0010010	300	1001	1070	1171	1200	1000	1707	1040	1700
	Agua Upholstered Back, Ca	antilever A	Arm in blad	ck. with Sv	nchro Tilt/	Seat Slide	: 5 star bas	se in black		
	AQU1U32B	1030	1074	1122	1216	1309	1407	1496	1590	1779

### ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add  $$74\ list.$ 

CAL 133 and Moisture Barrier options are available for an upcharge of **\$61** list per yard.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$39 list.

Hard casters are the standard and **soft wheel casters** can be ordered for **\$61 list** per chair.

Mesh Colors available are listed on Page 15.









PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	M	0	1	В
Aqua	Management, Task	Mesh Back	Armless	Synchro Tilt	Black
	& Conference Seating				(5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3 Contile year		
			Cantilever		

# AQUA | STOOL

		СОМ		COL		BRIC GRA			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Aqua Stool Mesh Ba	ck, Armle	ess, 5 star	r in black v	vith glides	or casters				
	AQT1M0G (glides)	853	867	880	909	936	960	987	1014	1068
	AQT1M0B (casters)									
	Aqua Stool Upholste								4500	474-
	AQT1U0G (glides)	966	1012	1059	1152	1247	1341	1435	1530	1717
- I I m 3	AQT1U0B (casters)									
	Aqua Stool Mesh Ba	ck, T-Arm	n in black.	, with 5 sta	r base in b	olack with	alides or c	asters		
	AQT1M1G (glides)	994	1008	1018	1045	1073	1100	1127	1155	1208
	AQT1M1B (casters)									
	Aqua Stool Upholste			-			•			
	AQT1U1G (glides)	1106	1150	1198	1293	1386	1482	1575	1666	1855
	AQT1U1B (casters)									
	Aqua Stool Mesh Ba	ck, Heigh	nt Adiusta	ble T-Arm	in black. 5	star base	in black w	ith alides o	r casters	
	AQT1M2G (glides)	1039	1050	1064	1089	1117	1145	1172	1198	1252
	AQT1M2B (casters)									
	Aqua Stool Upholste			•		-		`	•	
	AQT1U2G (glides)	1149	1195	1244	1337	1432	1525	1619	1713	1900
	AQT1U2B (casters)									
	Aqua Stool Mesh Ba	ck, Canti	lever Arm	in black.	star base	in black w	ith alides	or casters		
	AQT1M3G (glides)	912	927	939	967	994	1017	1044	1073	1127
	AQT1M3B (casters)									
	Aqua Stool Upholste		-		-			Ü		
	AQT1U3G (glides)	1022	1069	1117	1211	1306	1398	1493	1588	1774
	AQT1U3B (casters)									

### **ORDERING NOTES**

Hard casters are the standard and **soft wheel casters** can be ordered for **\$61 list** per chair.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Mesh Colors available are listed on Page 15.

Aqua Stools are only available with a Swivel Mechanism.

### PRODUCT CODE KEY

TODOOT OOL	JE KE I				
Line	Series	Back Style	Arm Style	Base Style	
AQT	1	M	0	В	
Aqua	Management, Task	Mesh Back	Armless	Black	
Stool	& Conference Seating			(Casters)	
		U	1	G	
		Upholstered	T-Arm	(Glides)	
			2		
			Height Adjustable T-Arm		


3 Cantilever

# **DORSO E-LINE | ENVIRONMENTAL SUMMARY**

### **LEED CI CREDITS**







PRE-CONSUMER
RECYCLED CONTENT = 17.95%

POST-CONSUMER
RECYCLED CONTENT = 17.72%

Up to 61.36% of Dorso E product is recyclable at the end of its useful life.

### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### AIR-EMISSIONS

All Dorso products are supplied with air-emissions certified. Contact customer service for information.



### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Dorso and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# DORSO E & T | FEATURES



### **ARM STYLES**

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

### E-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

### T-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



### **BASE STYLES**

### **E-LINE & T-LINE**

Dorso seating features optional Silver Metallic, polished Chrome or Black finish and dual wheel casters.



### **DORSO CONTROLS**

All Dorso E-Line and T-Line come with synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.



### **BACK HEIGHT**

Back height adjustment is an option on Dorso E & T Line. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

### **SEAT SLIDER**

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the

### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **DORSO E-LINE | DIMENSIONS & COM REQUIREMENTS**

Dorso E features a generous seat & back that provides unparalleled comfort and support.

Model Number				Overall Height	Seat Height Min/Max	Height of Arms from Floor	Width between Arms	-		Shipping Weight	Cube	COM Yardage
DEC1-HB/DES1-H	B Fixed	25.25	25	50	17.5-22.125	25.6875-30.25	21	47-52	18	44	19	2.2
DEB1-HB	Fixed Upholstered	25.5	25	50	17.5-22.125	25.6875-30.25	20.5	47-52	18	44	19	2.5
	Adjustable	25.5	25	50	17.5-22.125	26-34	21	47-52	18	44	19	2.2
	Armless	20.5	25	50	17.5-22.125	N/A	N/A	47-52	18	40	19	2.2
DEC1-MB/DES1-M	IB Fixed	25.25	25	43	17.5-22.125	25.6875-30.25	21	40-45	18	41	16	2
DEB1-MB	Fixed Upholstered	25.5	25	43	17.5-22.125	25.6875-30.25	20.5	40-45	18	41	16	2.3
	Adjustable	25.5	25	43	17.5-22.125	26-34	21	40-45	18	41	16	2
	Armless	20.5	25	43	17.5-22.125	N/A	N/A	40-45	18	37	16	2

### DORSO | E-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso E seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

### **ORDERING NOTES:**

Height measurements of Dorso E are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# **DORSO T-LINE | DIMENSIONS & COM REQUIREMENTS**

Dorso T - a strikingly modern chair design, provides a level of long term sitting comfort and support.

Model Number		Overall Width	Overall Depth		Seat Height Min/Max	Height of Arms from Floor	Width between Arms	_		Shipping Weight	Cube	COM Yardage
DTC1-HB/DTS1-HB/	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	40	19	2
DTB1-HB	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	37	19	2
DTC1-MB/DTS1-MB DTB1-MB	Fixed Adjustable	25.25 25.5	24 24	42 42	16.75-21.375 16.75-21.375	27.5-30.25 26-34	20 20	39-44 39-44	18 18	41 41	16 16	1.8 1.8
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	39-44	18	37	16	1.8

### DORSO | T-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso T seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

### **OPTIONS**

Height measurements of Dorso T are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# DORSO E-LINE | MID BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODEL	=	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	- Synchro								
	DEC1-M111C	1465	1536	1600	1689	1793	1906	2046	2200	2373
$\int$	DES1-M111S	1403	1465	1533	1618	1724	1850	1981	2134	2302
	DEB1-M111B	1225	1291	1355	1441	1545	1670	1803	1958	2126
45)	Fixed Back; Fixed Arms	- Synchro/	Seat Slide	r						
	DEC1-M112C	1546	1615	1683	1770	1873	1987	2130	2280	2452
	DES1-M112S	1483	1546	1613	1697	1803	1930	2062	2214	2384
φ B	DEB1-M112B	1307	1371	1437	1521	1625	1752	1885	2038	2206
	Fixed Back; Adjustable A	Arms - Synd	chro							
	DEC1-M121C	1677	1740	1808	1896	2000	2112	2254	2407	2581
	DES1-M121S	1563	1634	1697	1782	1888	2003	2145	2298	2468
	DEB1-M121B	1386	1450	1517	1603	1707	1833	1964	2116	2284
	Fixed Back; Adjustable A	Arms - Syno	chro/Seat	Slider						
6 8 mg	DEC1-M122C	1757	1821	1888	1978	2081	2194	2336	2487	2659
	DES1-M122S	1646	1716	1779	1864	1967	2082	2228	2378	2549
	DEB1-M122B	1465	1531	1598	1684	1790	1915	2044	2198	2368
	Fixed Back; Fixed Arms	(Leather/Fa	abric Pad)	- Svnchro						
	DEC1-M131C	1693	1768	1842	1938	2047	2172	2321	2499	2670
	DES1-M131S	1628	1698	1774	1867	1981	2113	2254	2431	2598
45)	Fixed Back; Fixed Arms	(Leather/Fa	abric Pad)	- Svnchro	/Seat Slide	er				
	DEC1-M132C	1773	1850 <sup>^</sup>	1922	2019	2132	2252	2403	2579	2749
6 6 6	DES1-M132S	1710	1780	1855	1948	2062	2195	2416	2511	2679
<ul><li>β</li></ul>										
	Fixed Back; Armless - Sy	•								
	DEC1-M101C	1371	1438	1506	1589	1694	1820	1951	2106	2275
	DES1-M101S	1242	1308	1375	1460	1565	1688	1820	1975	2143
	DEB1-M101B	1169	1236	1304	1386	1492	1615	1748	1902	2070
	Fixed Back; Armless - S	vnchro/Sea	t Slider							
	DEC1-M102C	1450	1519	1585	1669	1774	1900	2032	2186	2356
& - A &	DES1-M102S	1321	1387	1457	1540	1647	1768	1900	2056	2222
	DEB1-M102B	1249	1316	1383	1465	1573	1695	1829	1984	2150
	DEDI WITOLD									

### Each chair features the Synchro Tilt mechanism

**ORDERING NOTES:** The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.** 

# PRODUCT CODE KEY

PRODUCT CODE	- NL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	M	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO E-LINE | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	9
-	Adjustable Back; Fixed	Armo Cun	ohro							
	DEC1-M211C	1498		1633	1720	1823	1938	2081	2234	2404
	DES1-M211S	1435	1566 1498		1720 1650	1755			2166	
		1256	1321	1565 1387	1475	1755	1882 1704	2012 1836	1988	2336 2158
	DEB1-M211B	1256	1321	1387	1475	1580	1704	1836	1988	2158
	Adjustable Back; Fixed	Arms - Syn	chro/Seat	Slider						
	DEC1-M212C	1581	1648	1713	1802	1904	2019	2160	2315	2341
& H	DES1-M212S	1515	1581	1647	1731	1836	1962	2092	2247	2416
	DEB1-M212B	1338	1403	1466	1555	1659	1782	1917	2069	2237
	Adjustable Back; Adjus	table Arms	- Synchro							
	DEC1-M221C	1710	1773	1840	1928	2032	2145	2284	2440	2612
<b>Π</b> \	DES1-M221S	1593	1666	1731	1818	1921	2033	2175	2331	2503
	DEB1-M221B	1418	1483	1549	1634	1739	1864	1997	2149	2318
	DEDT WILLIB	1410	1400	10-10	1004	1700	1004	1007	2140	2010
	Adjustable Back; Adjus	table Arms	- Synchro	/Seat Slide	er					
0 8	DEC1-M222C	1791	1854	1921	2008	2112	2228	2368	2518	2693
& <i>B</i> &	DES1-M222S	1677	1748	1812	1897	2003	2113	2258	2410	2583
	DEB1-M222B	1498	1563	1631	1716	1820	1945	2077	2231	2400
	Adjustable Back; Fixed	Arms (I pat	her/Fahric	Pad) - Sv	nchro					
	DEC1-M231C	1725	1798	1874	1968	2082	2205	2355	2531	2700
N \	DES1-M231S	1662	1732	1807	1900	2012	2147	2333	2463	2632
	DL31-1012313	1002	1732	1007	1900	2012	2147	2204	2403	2002
	Adjustable Back; Fixed	Arms (Leat	her/Fabric	Pad) - Sy	nchro/Sea	t Slider				
	DEC1-M232C	1804	1882	1957	2052	2164	2283	2436	2611	2781
	DES1-M232S	1740	1815	1887	1981	2092	2229	2368	2543	2713
	Adjustable Back; Armle	ss - Synchr	О							
	DEC1-M201C	1403	1467	1537	1622	1727	1853	1985	2136	2307
	DES1-M201S	1273	1339	1408	1491	1598	1719	1853	2007	2174
	DEB1-M201B	1200	1269	1336	1418	1525	1648	1779	1935	2105
	Adjustable Back; Armle	ss - Synchr	n/Seat Sli	der						
	DEC1-M202C	1483	1552	1617	1701	1807	1934	2064	2217	2387
2 J 9	DES1-M202S	1354	1420	1488	1569	1678	1798	1934	2088	2257
bal .	DEB1-M202B	1281	1349	1415	1498	1606	1790	1860	2013	2185
	DED I-INICUZD	1201	1043	1413	1430	1000	1123	1000	2010	2100

### Each chair features the Synchro Tilt mechanism

**ORDERING NOTES:** The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**.

# PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	M	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO E-LINE | HIGH BACK

		COM		COL		BRIC GRAI			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms -	Synchro								
	DEC1-H111C	1515	1599	1688	1802	1936	2097	2291	2506	2742
	DES1-H111S	1450	1533	1622	1735	1867	2030	2221	2439	2675
	DEB1-H111B	1256	1339	1428	1542	1673	1836	2030	2245	2484
	Fixed Back; Fixed Arms -	Synchro/9	Spat Slida	r						
	DEC1-H112C	1593	1680	1768	1883	2017	2178	2369	2587	2823
	DES1-H112S	1531	1613	1701	1818	1948	2109	2302	2517	2756
9	DEB1-H112B	1338	1420	1509	1623	1755	1917	2109	2325	2564
· Q	DEB1 11112B	1000	1420	1505	1020	1700	1317	2100	2020	2004
	Fixed Back; Adjustable Ar	ms - Sync	hro							
	DEC1-H121C	1725	1808	1896	2010	2143	2304	2494	2704	2952
	DES1-H121S	1662	1747	1833	1943	2080	2237	2428	2640	2887
	DEB1-H121B	1465	1554	1638	1750	1886	2044	2235	2447	2694
	Fixed Back; Adjustable Ar	ms - Svnc	:hro/Seat	Slider						
	DEC1-H122C	1804	1888	1978	2091	2222	2385	2575	2783	3033
	DES1-H122S	1740	1824	1915	2025	2159	2318	2510	2721	2967
	DEB1-H122B	1546	1633	1719	1831	1965	2126	2316	2530	2775
-										
	Fixed Back; Fixed Arms (I	_eather/Fa	bric Pad)	- Synchro						
	DEC1-H131C	1740	1831	1930	2052	2194	2363	2563	2802	3038
	DES1-H131S	1677	1767	1862	1986	2126	2296	2497	2736	2972
	Fixed Back; Fixed Arms (I	_eather/Fa	bric Pad)	- Synchro	/Seat Slide	er				
	DEC1-H132C	1821	1912	2009	2133	2274	2444	2642	2883	3118
	DES1-H132S	1757	1846	1943	2065	2206	2375	2577	2816	3054

### Each chair features the Synchro Tilt mechanism

**ORDERING NOTES:** The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.** 

### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		
				Fixed Captilover		

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO E-LINE | HIGH BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	_	1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed A	rms - Syn	chro							
	DEC1-H211C	1546	1632	1719	1835	1966	2132	2320	2538	2775
	DES1-H211S	1483	1565	1653	1769	1900	2062	2254	2470	2710
	DEB1-H211B	1291	1372	1461	1575	1707	1867	2062	2277	2514
	Adjustable Back; Fixed A	,								
	DEC1-H212C	1628	1712	1798	1916	2046	2212	2402	2617	2856
	DES1-H212S	1563	1647	1733	1850	1981	2142	2336	2551	2789
8 9	DEB1-H212B	1371	1454	1541	1654	1790	1948	2142	2359	2594
	Adjustable Back; Adjusta	ble Arms -	Synchro							
	DEC1-H221C	1757	1840	1928	2043	2174	2337	2528	2737	2985
	DES1-H221S	1693	1778	1864	2043 1978	2174	233 <i>1</i> 2271	2326 2462	2673	2965 2921
	DEB1-H221B	1498	1585	1670	1781	1919	2077	2269	2482	2725
		1430	1303	1070	1701	1919	2011	2209	2402	2123
	Adjustable Back; Adjusta	ble Arms -	Synchro/	Seat Slide	r					
3	DEC1-H222C	1837	1921	2008	2124	2257	2418	2609	2817	3064
	DES1-H222S	1773	1859	1945	2058	2192	2353	2542	2754	2999
& <i>H</i> &	DEB1-H222B	1581	1665	1752	1862	1999	2158	2346	2560	2807
	Adjustable Books Fixed A	rma (Lastl	or/Eobric	Dad\ C:	ohro					
	Adjustable Back; Fixed A DEC1-H231C	iiiis (Leatr	iei/rabric	rau) - Syr	ICITIO					
	DES1-H231S	1773	1864	1962	2086	2228	2397	2592	2832	3069
	DEGI-FIZO IO	1710	1797	1896	2018	2158	2327	2530	2768	3006
	Adjustable Back; Fixed A	rms (l eath	ner/Fahrio	Pad) - Syr	chro/Seat	Slider				
	DEC1-H232C	•		, ,						
	DES1-H232S	1854	1945	2042	2165	2305	2479	2674	2914	3151
	DEG! !!EOEO	1791	1880	1978	2097	2237	2407	2610	2846	3085
\$ J &										

### Each chair features the Synchro Tilt mechanism

\*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

**ORDERING NOTES:** The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**. Please see Page 34 for more information.

### PRODUCT CODE KEY

THODOOT GODE	- IXL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC Dorso E-Line	1 Management, Task	M Mid Back	1 Fixed	0 Armless	1 Synchro	C Chrome Base
(Polished Chrome)	& Conference Seating				•	
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		


Fixed Cantilever (Upholstered)

# **DORSO T-LINE | ENVIRONMENTAL SUMMARY**

### **LEED CI CREDITS**

### MATERIAL CONTENT:





PRE-CONSUMER RECYCLED CONTENT = 7.91%

POST-CONSUMER RECYCLED CONTENT = 18.91%

Up to 63.75% of this Dorso T product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### **AIR EMISSIONS**

All Dorso products are supplied air-emissions certified. Contact customer service for information.

# **DORSO T-LINE | MID BACK**

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	- Synchro								
	DTC1-M111C	1350	1413	1475	1555	1649	1754	1885	2028	2184
	DTS1-M111S	1291	1350	1412	1489	1585	1698	1822	1963	2121
	DTB1-M111B	1127	1186	1248	1324	1421	1539	1659	1798	1957
	Fixed Back; Fixed Arms	s - Svnchro/	Seat Slide	r						
	DTC1-M112C	1430	1492	1555	1634	1730	1835	1964	2107	2263
	DTS1-M112S	1371	1430	1491	1565	1665	1780	1903	2043	2199
۵	DTB1-M112B	1208	1269	1328	1407	1504	1618	1739	1882	2034
	Fixed Back; Adjustable	Arms - Syn	chro							
	DTC1-M121C	1542	1603	1664	1746	1840	1943	2073	2214	2374
	DTS1-M121S	1438	1506	1563	1641	1736	1842	1975	2113	2271
	DTB1-M121B	1275	1336	1396	1475	1568	1687	1807	1948	2105
	Fixed Back; Adjustable	Arms - Syn	chro/Seat	Slider						
	DTC1-M122C	1623	1684	1746	1823	1921	2025	2156	2296	2455
6	DTS1-M122S	1519	1585	1646	1720	1819	1922	2056	2195	2353
	DTB1-M122B	1355	1415	1479	1555	1650	1767	1887	2030	2185
	Fixed Back; Armless - S	Synchro								
	DTC1-M101C	1258	1323	1383	1462	1560	1673	1795	1937	2092
	DTS1-M101S	1142	1203	1267	1342	1440	1554	1673	1818	1971
	DTB1-M101B	1074	1137	1198	1275	1373	1486	1608	1750	1904
	Fixed Back; Armless - S	Synchro/Sea	at Slider							
0	DTC1-M102C	1341	1404	1463	1542	1638	1755	1875	2018	2159
Ø B	DTS1-M102S	1223	1283	1347	1423	1520	1633	1755	1897	2055
	DTB1-M102B	1155	1216	1278	1355	1455	1566	1689	1830	1986

### Each chair features the Synchro Tilt mechanism

### **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**. Please see Page 34 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
213	220	228	234	243	249	258	278	287

### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO T-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed A	rms - Synd	chro							
	DTC1-M211C	1380	1441	1504	1585	1678	1782	1916	2056	2213
	DTS1-M211S	1320	1380	1440	1519	1615	1731	1853	1991	2148
	DTB1-M211B	1158	1215	1277	1355	1454	1566	1689	1830	1986
45)	Adjustable Back; Fixed A	rme Syn	obro/Soat	Slidor						
	DTC1-M212C	1461	1521	1584	1665	1758	1864	1995	2135	2294
Q 8/2	DTS1-M212S	1399	1461	1520	1599	1695	1812	1933	2071	2230
& B	DTB1-M212B	1240	1295	1356	1437	1533	1648	1770	1908	2065
	3.3	12.10	1200	1000	1 101	1000	1010	1110	1000	2000
	Adjustable Back; Adjustal	ble Arms -	Synchro							
	DTC1-M221C	1569	1632	1694	1773	1871	1975	2105	2245	2403
	DTS1-M221S	1466	1533	1591	1670	1768	1872	2004	2143	2300
	DTB1-M221B	1307	1363	1424	1506	1600	1716	1837	1979	2134
	Adjustable Back; Adjustal	hle Arms -	Synchro/	Seat Slide	r					
	DTC1-M222C	1652	1712	1774	1854	1949	2056	2185	2325	2484
	DTS1-M222S	1549	1613	1672	1752	1850	1951	2086	2222	2381
<u> </u>	DTB1-M222B	1386	1443	1507	1585	1683	1795	1919	2060	2214
	Adiatable David Assilva	0	_							
	Adjustable Back; Armless	•								
	DTC1-M201C DTS1-M201S	1293	1355	1415	1494	1590	1707	1829	1967	2126
	DTB1-M2015 DTB1-M201B	1173	1236	1297	1375	1472	1585	1707	1850	2006
	DIBI-WZUIB	1108	1169	1229	1308	1407	1519	1638	1781	1937
	Adjustable Back; Armless	•								
& J) 0	DTC1-M202C	1373	1437	1495	1575	1670	1790	1907	2047	2219
****	DTS1-M202S	1254	1316	1379	1457	1554	1665	1790	1930	2087
	DTB1-M202B	1188	1249	1311	1387	1486	1599	1719	1862	2018

### Each chair features the Synchro Tilt mechanism

\*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

### **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**. Please see Page 34 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM GR2 GR3 GR4 GR5 GR6 GR7 GR8 GR9 213 220 228 234 243 249 287 258 278

### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	M	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						
				2		

Fixed Cantilever Upholstered

# DORSO T-LINE | HIGH BACK

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	- Synchro								
	DTC1-H111C	1395	1472	1554	1659	1780	1932	2106	2305	2524
	DTS1-H111S	1336	1412	1492	1598	1718	1866	2044	2243	2463
	DTB1-H111B	1158	1233	1315	1418	1541	1689	1866	2065	2283
	Fired Deals Fired Asses	C ala /	00:	_						
	Fixed Back; Fixed Arms	,			1700	1061	2010	0106	0006	0606
	DTC1-H112C DTS1-H112S	1478	1554	1633	1739	1861	2010	2186	2386	2606
0	DTB1-H1128	1415 1240	1491 1315	1573 1395	1678 1498	1797 1622	1946 1770	2126 1946	2324 2147	2543 2365
& B	טוטו-חווצט	1240	1313	1393	1490	1022	1770	1940	2147	2303
	Fixed Back; Adjustable A	rms - Svn	chro							
	DTC1-H121C	1587 <sup>°</sup>	1664	1746	1852	1971	2122	2296	2487	2716
	DTS1-H121S	1528	1606	1687	1791	1915	2061	2234	2431	2657
	DTB1-H121B	1350	1428	1509	1610	1733	1882	2058	2250	2481
		able Arms - Synchro/Seat Slider								
	DTC1-H122C	1666	1746	1823	1932	2055	2200	2375	2568	2796
	DTS1-H122S	1609	1687	1767	1871	1992	2138	2315	2511	2738
	DTB1-H122B	1430	1509	1589	1692	1816	1962	2154	2332	2559
	Fixed Back; Armless - Sy	/nchro								
	DTC1-H101C	1297	1375	1457	1562	1685	1835	1936	2211	2427
	DTS1-H101S	1173	1249	1332	1437	1559	1705	1885	2082	2300
	DTB1-H101B	1102	1178	1256	1362	1484	1633	1809	2009	2230
	Fixed Back; Armless - Sy	mohro/Soc	t Clidor							
	DTC1-H102C			1507	1640	1765	1016	0000	0000	2507
	DTS1-H102S	1379 1254	1457 1330	1537 1269	1642 1517	1765 1636	1916 1789	2089 1964	2292 2164	2381
8 9	DTB1-H102B	1182	1256	1338	1442	1565	1789	1891	2090	2308
	2.2.111022	1102	1230	1000	1444	1303	1713	1001	2030	2000

### Each chair features the Synchro Tilt mechanism

### **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**. Please see Page 34 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
213	220	228	234	243	249	258	278	287

### PRODUCT CODE KEY

THODOOT CODE	- IXL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating				•	
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# **DORSO T-LINE | HIGH BACK**

		СОМ		COL		BRIC GRAI			LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
_	Adjustable Back; Fixed A	rms - Syn	chro							
	DTC1-H211C	1423	1499	1584	1688	1809	1961	2135	2336	2553
	DTS1-H211S	1363	1440	1521	1625	1749	1897	2073	2273	2491
	DTB1-H211B	1271	1347	1426	1531	1653	1802	1980	2178	2399
	Adjustable Back; Fixed A				.=					
	DTC1-H212C	1506	1583	1664	1768	1891	2041	2216	2416	2633
6 N	DTS1-H212S	1443	1520	1603	1707	1830	1979	2156	2354	2573
Q A	DTB1-H212B	1352	1426	1508	1612	1733	1883	2061	2260	2481
	Adjustable Back; Adjusta	ble Arms	- Synchro							
	DTC1-H221C	1617	1694	1773	1882	2003	2149	2325	2516	2746
	DTS1-H221S	1559	1635	1716	1819	1942	2089	2264	2459	2686
	DTB1-H221B	1382	1461	1541	1642	1767	1915	2089	2282	2511
	Adjustable Back; Adjusta		•							
	DTC1-H222C	1696	1774	1854	1962	2082	2231	2406	2597	2825
	DTS1-H222S	1636	1717	1795	1899	2023	2170	2344	2541	2768
<ul><li>β</li></ul>	DTB1-H222B	1462	1541	1622	1724	1846	1992	2170	2363	2590
	Adjustable Back; Armless	s - Synchr	0							
	DTC1-H201C	1330	1408	1488	1592	1717	1866	2041	2242	2459
	DTS1-H201S	1207	1281	1363	1466	1589	1736	1917	2113	2333
	DTB1-H201B	1135	1210	1291	1395	1517	1665	1842	2042	2261
	Adjustable Back; Armless	s - Synchr	o/Seat Slic	der						
	DTC1-H202C	1412	1488	1567	1673	1796	1946	2122	2321	2541
	DTS1-H202S	1287	1362	1443	1549	1669	1819	1997	2113	2333
8 9	DTB1-H202B	1213	1291	1371	1478	1598	1747	1922	2123	2342

### Each chair features the Synchro Tilt mechanism

\*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

### **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **61 list per yard**. Please see Page 34 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

-   3								
GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
213	220	228	234	243	249	258	278	287

### PRODUCT CODE KEY


Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating				•	
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		

Fixed Cantilever Upholstered

# **DORSO WEAVE | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 11.32%

POST-CONSUMER RECYCLED CONTENT = 21.48%

Up to 74.04% of this Dorso Weave product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### **AIR EMISSIONS**

All Dorso products are supplied air-emissions certified. Contact customer service for information.

# **DORSO WEAVE | FEATURES**



### **ARM STYLES**

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

### S-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

### N-LINE

Fixed cantilever and adjustable arms are available in black textured plastic only.



### **BASE STYLES**

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



# pull of the lever. **BACK HEIGHT**

**SEAT HEIGHT** 

**BACK TENSION** 

preferences.

**SEAT SLIDER** 

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

In the seated position, a pull upwards on the

height adjustment lever located under the seat of

the user's right side adjusts the height up or down

Back tension on the mechanism is controlled with

an adjustment knob under the seat. It has been

designed to provide a range of back tension

adjustment suitable for users of varying sizes and

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment

front to back when seated. The lever to

activate this feature is located under the seat of the user's right side and is activated by an upward

with a total height range of 4.5".



### **DORSO CONTROLS**

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.

### **BACK COLOR OPTIONS**

Black • Warm Grey • Tan • Soft Beige • Winter White

### **DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed	24.5	22.5	42.5	18-22	27-30.5	20	18	51	15	0.75
	Adjustable	25	22.5	42.5	18-22	25.5-32	19.5	18	51	15	0.75
	Armless	19.5	22.5	42.5	18-22	N/A	N/A	18	46	15	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	47	18-22	27-30.5	20	18	52	18	0.75
	Adjustable	25	22.5	47	18-22	25.5-32	19.5	18	52	18	0.75
	Armless	19.5	22.5	47	18-22	N/A	N/A	18	47	18	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	50.5	18-22	27-30.5	20	18	54	18	0.75
with Headrest	Adjustable	25	22.5	50.5	18-22	25.5-32	19.5	18	54	18	0.75
N-LINE MID BACK	Fixed	24.5	21.5	41	18-22	27-30.5	20	18	50	15	0.75
	Adjustable	25	21.5	41	18-22	25.5-32	19.5	18	50	15	0.75
	Armless	19.5	21.5	41	18-22	N/A	N/A	18	45	15	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	45.5	18-22	27-30.5	20	18	51	18	0.75
	Adjustable	25	21.5	45.5	18-22	25.5-32	19.5	18	51	18	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	50.5	18-22	27-30.5	20	18	53	19.5	0.75
with Headrest	Adjustable	25	21.5	50.5	18-22	25.5-32	19.5	18	53	19.5	0.75

Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso seating. For information on COM approval process see Page 329.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position.

All dimensions are in inches and approximate and are subject to change without notice.

Contact Customer Service if dimensions are critical.

# DORSO WEAVE S-LINE | MID BACK

		COM		COL	FAE	RIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wi	th metal acc	ent)							
(5555) (6556)	DOS1-M2211M	1707	1724	1739	1765	1791	1816	1846	1882	1916
	Silver Metallic									
1999-11-4	DOS1-M2231M	1919	1943	1965	1997	2032	2064	2105	2159	2202
	Silver Metallic									
	DOC1-M2211M	1789	1803	1820	1843	1871	1894	1928	1961	1992
0	Polished Chrome									
0 0	DOC1-M2231M	1999	2021	2046	2077	2112	2143	2186	2237	2279
	Polished Chrome									
	ADJUSTABLE ARMS (E	Black with m	etal accer	nt)						
(50000) (50000)	DOS1-M2221M	1638	1654	1670	1696	1720	1748	1779	1815	1844
( T	Silver Metallic					0				
	DOC1-M2221M	1724	1739	1757	1780	1807	1831	1864	1897	1932
95	Polished Chrome									
6										
0 -										
	4 DM # 500									
	ARMLESS	4500	4545	4500	4500	4040	4000	4000	4704	4705
(00000) (00000)	DOS1-M2201M	1530	1545	1562	1588	1612	1636	1669	1704	1735
(Vocación) (Vocación)	Silver Metallic DOC1-M2201M	1600	1618	1635	1662	1685	1711	1746	1775	1809
	Polished Chrome	1603	1018	1035	1002	1085	1711	1746	1775	1809
	FUIISHEU CHIUHHE									

#### **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. Please see Page 34 for more information.



### PRODUCT CODE KEY

Lina	Carrian	Daala Otala	Daal. Adi. satas an	t Daal-Dataila	A Ob.da	Maskaniana	Dana
Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	2	0	1	M
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		Weave 3	1	2	J
Dorso S-Line (Polished Chrome	)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
				Weave	2		
					Adjustable (Black)		

3 Fixed Cantilever Upholstered

# **DORSO WEAVE S-LINE | HIGH BACK**

				COL	FAB	RIC GRAD	ES	1	LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wit	h metal acc	ent)							
(0000) (0000)	DOS1-H2211M	1843	1861	1877	1902	1928	1951	1986	2018	2052
	Silver Metallic									
	DOS1-H2231M	2055	2081	2105	2135	2170	2200	2243	2296	2337
	DOC1-H2211M	1924	1942	1960	1985	2008	2033	2065	2101	2134
0 0	Polished Chrome	1324	1342	1900	1905	2000	2000	2003	2101	2134
6 0	DOC1-H2231M	2136	2161	2187	2218	2249	2282	2322	2378	2420
	ADJUSTABLE ARMS (E	lack with m	etal accen	nt)						
(00000) (00000)	DOS1-H2221M	1779	1795	1815	1837	1862	1887	1921	1956	1987
	Silver Metallic									
	DOC1-H2221M	1862	1880	1896	1921	1945	1968	2004	2038	2069
	Polished Chrome									
6 0										
DORSO WEA	VE S-LINE   HI	GH BA	ACK W	/ITH F	<b>IEADF</b>	REST				



FIXED ARMS (Black with	h metal acc	ent)							
DOS1-H2311M	2031	2045	2063	2089	2112	2137	2171	2205	2236
Silver Metallic									
DOS1-H2331M	2242	2265	2291	2322	2354	2387	2428	2483	2523
Silver Metallic DOC1-H2311M									
Polished Chrome	2112	2130	2147	2171	2197	2219	2254	2284	2320
DOC1-H2331M	2322	2347	2374	2404	2439	2468	2511	2562	2608
Polished Chrome	2322	2541	2374	2404	2439	2400	2311	2302	2000
ADJUSTABLE ARMS (B	lack with me	etal accen	t)						
DOS1-H2321M	1965	1984	1999	2025	2046	2071	2107	2138	2172
Silver Metallic									
DOC1_H2321M	2046	2064	2082	2107	2133	2157	2190	2221	2257



DOC1-H2321M 2221 2257 Polished Chrome

### **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. Please see Page 34 for more information.



#### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	2	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating			Weave			
DOC	_	Н		3	1	2	J
Dorso S-Line		High Back		Headrest (No trim)	Fixed Cantilever	Synchro/	Jury Base
(Polished Chrome	e)			(High back only)		Seat Slider	
				Weave	2		

Adjustable (Black)

Fixed Cantilever Upholstered

# DORSO WEAVE N-LINE | MID BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER	ł
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1211B No back adjustment DON1-M2211B With back adjustment	1498 1587	1515 1603	1533 1618	1559 1646	1584 1668	1608 1694	1641 1727	1672 1759	1707 1793
	ADJUSTABLE ARMS (Bla DON1-M1221B No back adjustment DON1-M2221B With back adjustment	ack) 1435 1519	1450 1537	1466 1554	1492 1580	1517 1603	1542 1625	1575 1662	1609 1694	1642 1727
	ARMLESS DON1-M1201B No back adjustment DON1-M2201B With back adjustment	1321 1396	1338 1414	1354 1430	1380 1455	1404 1481	1430 1506	1462 1539	1495 1568	1530 1605

### **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$190**. Seat slider option is available on all tilter chair models at an upcharge of **\$77** list.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.



Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	М	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
		Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
				Weave	2		
					Adjustable (Black)		

# DORSO WEAVE N-LINE | HIGH BACK

COM COL FABRIC GRADES LEATHER

DESCRIPTION/MODEL 1 2 3 4 5 6 7 8 9



FIXED ARMS (Black) DON1-H1211B No back adjustment DON1-H2211B With back adjustment



ADJUSTABLE ARMS (Black) DON1-H1221B No back adjustment DON1-H2221B With back adjustment

# DORSO WEAVE N-LINE | HIGH BACK with Headrest



FIXED ARMS (Black) DON1-H1311B No back adjustment DON1-H2311B With back adjustment



ADJUSTABLE ARMS (Black) DON1-H1321B No back adjustment DON1-H2321B With back adjustment

Each chair features the Synchro Tilt mechanism

#### **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$190**. Seat slider option is available on all tilter chair models at an upcharge of **\$77** list.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.



#### PRODUCT CODE KEY


Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task & Conference Seating	Mid Back	No Adjustment	No Headrest Weave	Armless	Synchro	Black Base
	a comercine coaling	Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only) Weave	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					Adjustable (Black)		
					3		

Fixed Cantilever Upholstered

# **DORSO S-LINE & N-LINE | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 21.68%

POST-CONSUMER
RECYCLED CONTENT = 20.03%

Up to 77.88% of Dorso S product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

# DORSO S-LINE & N-LINE | FEATURES



#### **ARM STYLES**

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.



Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

#### **N-LINE**

Fixed cantilever and adjustable arms are available in black textured plastic.



#### BASE STYLES

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



#### S-LINE

Dorso seating is available in three base styles: Cantilever

4-Leg

4-Leg with twin wheel casters

Each is offered in a Silver Metallic or Polished Chrome steel frame. Cantilever and 4-Leg versions of Guest Seating feature rubber glides.



Dorso seating is available in three base styles: Cantilever

4-Leg

4-Leg with twin wheel casters

Each is offered in a Silver Metallic steel frame.



#### **BACK HEIGHT**

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

#### **BACK TENSION**

Back tension on the synchro tilt mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.



#### **DORSO CONTROLS**

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. One of the best engineered and most user-friendly chair controls, the synchro tilt mechanism is unique in providing a single, easy-accessed lever to adjust tilt lock positions and seat height. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines. The synchro tilt mechanism also features an anti-kickback lock release, providing a smooth transition from locked to unlocked tilt adjustment.

#### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

#### **SEAT SLIDER**

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **DORSO S-LINE & N-LINE | DIMENSIONS & COM REQUIREMENTS**

Presenting one of the world's most advanced seating concepts: new technology that offers outstanding ergonomics in a strikingly modern chair design, while providing a level of long-term sitting comfort and support that has been the hallmark of European seating. DORSO: Designed by Gabriel Teixidó

		Overall Width	Overall Depth	Overall Height	Seat Height	Height Arms from	of \bigve{V} Floor betw	Width een Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	42.5 42.5 42.5	18-22 18-22 18-22	27-30. 25.5-3 N/A		20 19.5 N/A	18 18 18	51 51 46	15 15 15	1.7 1.7 1.7
S-LINE HIGH BACK	<ul><li>Fixed</li><li>Adjustable</li><li>Armless</li></ul>	24.5 25 19.5	22.5 22.5 22.5	47 47 47	18-22 18-22 18-22	27-30. 25.5-3 N/A		20 19.5 N/A	18 18 18	52 52 47	18 18 18	1.9 1.9 1.9
S-LINE HIGH BACK with Headrest	K Fixed Adjustable	24.5 25	22.5 22.5	50.5 50.5	18-22 18-22	27-30. 25.5-3		20 19.5	18 18	54 54	18 18	1.9 1.9
N-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	21.5 21.5 21.5	41 41 41	18-22 18-22 18-22	27-30. 25.5-3. N/A		20 19.5 N/A	18 18 18	50 50 45	15 15 15	1.7 1.7 1.7
N-LINE HIGH BACK	<ul><li>K Fixed</li><li>Adjustable</li></ul>	24.5 25	21.5 21.5	45.5 45.5	18-22 18-22	27-30. 25.5-3		20 19.5	18 18	51 51	18 18	1.9 1.9
N-LINE HIGH BACK with Headrest	K Fixed Adjustable	24.5 25	21.5 21.5	50.5 50.5	18-22 18-22	27-30. 25.5-3		20 19.5	18 18	53 53	19.5 19.5	1.9 1.9
GUEST		Overall Width	Overall Depth	Seat Height	Heig Arms fro		Width etween Arms	Seat S Depth	Height Range	Shipping Weight	Cube	COM Yardage
GUEST S-LINE/4LEG	Armless Fixed				_	om Floor be			_		Cube 14 14	
		Width 20.75	Depth 25.50	Height 18.5	Arms fro	om Floor be 7.5 7.5 7.5	etween Arms	Depth 19.5	Range 36	Weight 32	14	Yardage 1.3
S-LINE/4LEG S-LINE/4LEG	Fixed Armless	20.75 24.5 20.75	Depth 25.50 25.50 24.75	Height  18.5 18.5 18.5	Arms fro 27 27 27	om Floor be 7.5 7.5 7.5 7.5 7.5	19.5 19.5 19.5	19.5 19.5 19.5	36 36 36	32 37 33	14 14	1.3 1.3 1.3
S-LINE/4LEG with Casters S-LINE/	Fixed Armless Fixed Armless	20.75 24.5 20.75 24.5 20.75 24.5	Depth 25.50 25.50 24.75 24.75	18.5 18.5 18.5 18.5 18.5	27 27 27 27 27 27	7.5 7.5 7.5 7.5 7.5 7.5 7.5	19.5 19.5 19.5 19.5 19.5	19.5 19.5 19.5 19.5 19.5	36 36 36 36 36	32 37 33 38 39	14 14 14 14 14	Yardage  1.3 1.3 1.3 1.3 1.3
S-LINE/4LEG  S-LINE/4LEG with Casters  S-LINE/ Cantilever Base	Armless Fixed Armless Fixed Armless	Width  20.75 24.5  20.75 24.5  20.75 24.5  20.75 24.5	Depth  25.50 25.50  24.75 24.75  24.75  24.75  25.50	Height  18.5 18.5 18.5 18.5 18.5 18.5 18.5	27 27 27 27 27 27 27 27 27 27	om Floor be 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5 7.5	19.5 19.5 19.5 19.5 19.5 19.5 19.5	19.5 19.5 19.5 19.5 19.5 19.5 19.5	36 36 36 36 36 36 36 36 36 36	32 37 33 38 39 44 31	14 14 14 14 14 14	Yardage  1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3

#### **ORDERING NOTEs:**

Add 0.5 yards for seating with leather wrapped arm option.

Note: Some vinyls are not suitable for application on Dorso seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for an approval process at time of order.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

#### **ORDERING NOTES**

All Dorso swivel and tilter models are available with an optional seat slider mechanism at an upcharge of \$77 list.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# DORSO S-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
FIX	(ED ARMS (Black with	metal acce	ent)							
T\ DC	OS1-M2011M	1795	1862	1932	2018	2126	2254	2392	2549	2722
Silv	ver Metallic									
IK-79 /	DS1-M2031M	2007	2082	2158	2252	2368	2504	2649	2825	3009
440	ver Metallic									
60 100 100	C1-M2011M	1882	1949	2018	2109	2216	2333	2482	2637	2815
6 0	lished Chrome	0000	0470	00.45	00.40	0.450	0504	0700	0040	0400
	OC1-M2031M lished Chrome	2092	2170	2245	2343	2458	2584	2738	2913	3100
FO	iisiied Officiale									
AD	JUSTABLE ARMS (Bla	ck with me	etal accen	t)						
\\ \_ DC	)S1-M2021M	1724	1795	1862	1949	2060	2174	2321	2482	2656
7	ver Metallic									
	C1-M2021M	1816	1882	1949	2039	2147	2264	2410	2567	2744
Po	lished Chrome									
성 &										
AR	RMLESS									
DC	OS1-M2001M	1609	1677	1748	1833	1942	2069	2205	2363	2538
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	ver Metallic									
DC	C1-M2001M	1687	1755	1822	1908	2018	2147	2282	2441	2615
Po	lished Chrome									

#### **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.



### PRODUCT CODE KEY

FRODUCT COL	JE KE I						
Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	M
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		1	1	2	J
Dorso S-Line (Polished Chrome	e)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black)		

Fixed Cantilever Upholstered

# DORSO S-LINE | HIGH BACK

		COM		COL	FΔI	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODEL	_	1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wi	ith metal acc	cent)							
	DOS1-H2011M	1942	2029	2116	2236	2373	2538	2737	2958	3206
	Silver Metallic									
	DOS1-H2031M	2154	2247	2344	2470	2614	2788	2993	3236	3491
	Silver Metallic									
	DOC1-H2011M	2031	2115	2206	2325	2462	2616	2824	3048	3294
	Polished Chrome	00.40	0005	0.400	0550	0700	0007	0000	0004	0501
	DOC1-H2031M Polished Chrome	2242	2335	2433	2559	2703	2867	3082	3324	3581
	Folished Chilothe									
	ADJUSTABLE ARMS (I	Black with m	netal acce	nt)						
	DOS1-H2021M	1873	1962	2047	2165	2304	2467	2667	2883	3137
	Silver Metallic									
	DOC1-H2021M	1962	2047	2136	2254	2392	2559	2754	2969	3223
	Polished Chrome									
& ⊗										
		D0		~ I INII			OIZ VA	//		ГОТ
		טט	K50 (	2-LIIVI			CK W	пнг	IEADR	E91
	FIXED ARMS (Black wi	th metal acc	cent)							
H	DOS1-H2111M	2136	2245	2343	2482	2637	2823	3036	3271	3536
	Silver Metallic									
<del>-5</del> 7	DOS1-H2131M	2347	2464	2569	2714	2879	3071	3293	3550	3822
	Silver Metallic									
	DOC1-H2111M	2222	2333	2432	2567	2722	2910	3127	3364	3629
	Polished Chrome DOC1-H2131M	0.40.4	0554	0050	0000	0004	0150	0004	0.400	0015
	Polished Chrome	2434	2554	2659	2800	2964	3159	3384	3466	3915
	1 olistica officiale									
	ADJUSTABLE ARMS (I	Black with m	netal acce	nt)						
H	DOS1-H2121M	2069	2165	2273	2410	2567	2754	2958	3206	3469
\ \	Silver Metallic	3								0
HI	DOC1-H2121M	2157	2254	2363	2500	2656	2843	3050	3292	3558
	Polished Chrome									
mu .										

#### **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.



#### PRODUCT CODE KEY

Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
1	М	2	0	0	1	М
Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
& Conference Seating						
	Н		1	1	2	J
	High Back		Headrest (No trim)	Fixed Cantilever	Synchro/	Jury Base
e)			(High back only)		Seat Slider	
				2		
	Series  1  Management, Task & Conference Seating	Series Back Style  1 M M  Management, Task & Conference Seating H  High Back	Series Back Style Back Adjustment  1	Series Back Style Back Adjustment Back Details  1	Series Back Style Back Adjustment Back Details Arm Style  1	Management, Task Mid Back Adjustment No Headrest Armless Synchro & Conference Seating  H  High Back Headrest (No trim) Fixed Cantilever Synchro/

Adjustable (Black)

3

Fixed Cantilever Upholstered

# DORSO N-LINE | MID BACK

		COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1011B No back adjustment	1580	1648	1725	1816	1908	2039	2174	2343	2517
	DON1-M2011B With back adjustment	1668	1733	1816	1902	2003	2126	2264	2432	2608
	ADJUSTABLE ARMS (BI	ack)								
	DON1-M1021B  No back adjustment	1510	1580	1648	1733	1842	1967	2109	2264	2441
	DON1-M2021B With back adjustment	1599	1668	1733	1822	1932	2060	2197	2353	2530
	ARMLESS DON1-M1001B No back adjustment	1391	1461	1539	1625	1725	1854	1990	2157	2333
	DON1-M2001B With back adjustment	1467	1549	1618	1707	1816	1932	2077	2236	2410
8 1/ J										

Each chair features the Synchro Tilt mechanism

### ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$190.

Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$60 list per yard. See Page 34 for more information.



#### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black
	& Conference Seating						Nylon Base
	· ·	Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					A -1:+- - - /D	A	

Adjustable (Black)

# DORSO N-LINE | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	RIC GRAD	DES 6	7	LEATHER 8	9
	FIXED ARMS (Black) DON1-H1011B No back adjustment	1764	1854	1942	2060	2197	2363	2559	2782	3030
	DON1-H2011B With back adjustment	1854	1942	2029	2147	2282	2449	2646	2873	3116
	ADJUSTABLE ARMS (BI	ack)								
	DON1-H1021B No back adjustment	1695	1781	1873	1990	2126	2296	2488	2704	2958
	DON1-H2021B With back adjustment	1781	1873	1962	2077	2216	2381	2579	2794	3050

# DORSO N-LINE | HIGH BACK WITH HEADREST



FIXED ARMS (Black)									
DON1-H1111B	1962	2069	2165	2304	2462	2646	2861	3095	(
No back adjustment									
DON1-H2111B	2047	2157	2254	2392	2549	2737	2950	3186	(
With back adjustment									



ADJUSTABLE ARMS (Black)									
DON1-H1121B	1894	1990	2094	2236	2392	2579	2782	3030	3292
No back adjustment									
DON1-H2121B	1981	2077	2188	2321	2482	2667	2873	3116	3379
With back adjustment									

### **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$190.

Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$60 list per yard. See Page 34 for more information.



3364 3447

### PRODUCT CODE KEY

11100001 00	DEIXEI						
Line	Series	Back Style	Back Adjustment	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task & Conference Seating	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Nylon Base
	· ·	Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		


Adjustable (Black)

# **ME | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS



### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Me products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### AIR-EMISSIONS

All Me products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Me and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

Me brings new meaning to custom seating. Your comfort. Your style. Your chair.

With Me, options, styling and versatility are virtually endless, and comfort is superior. With Me, Krug has created a chair that not only provides unprecedented comfort and natural posture support, but also exceptional styling. Me is an adaptable seating solution for any management, task and conference environment.



#### **ARM STYLES**

Four arm styles are available on Me. In addition to the armless version, is the urethane over molded steel supported fixed cantilever arm, or the adjustable pad arms: urethane pad arms, or upholstered pad arms. Both adjustable arm versions feature: pivoting arms that adjust 30 degrees inward or outward, 1 1/2" left and right width adjustment control, and a 6 stop position arm height range with a total of 2.6" of height adjustment. When specifying leather on the upholstered arm pad version, the user has the option of a perforated arm pad (available when specifying polished aluminum bases on Me, the arm upright will also be finished in polished aluminum (on adjustable arm versions only).



#### **BASE STYLES**

Me seating is available in two base options. Choose from an injection molded, glass reinforced black nylon base or polished cast aluminum base, both with 2 1/4" dual wheel casters.



#### **ME CONTROLS**

Me features a standard synchro tilt mechanism that allows the back and the seat to articulate synchronously in a 2:1 ratio. This feature insures that the upward tilt of the seat is minimized as the back reclines. The mechanism that also features a standard tilt lock mechanism that allows the user an infinite number of recline lock positions. Simply push the tilt lock lever downward to lock and upward to free-float the back.

#### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of:

Standard gas lift: 4.25" without seat slider and 4.0" with seat slider.

Low gas lift: 3.5" without seat slider and 3.5" with seat slider.

#### **BACK TENSION**

The back tension adjustment knob is located on the front underside of the seat. A simple turn of the knob provides a range of back tension adjustment suitable for users of varying sizes and preferences.

#### **UPHOLSTERY OPTIONS**

With Me comes the ability to choose contrasting fabrics/leathers for the seat, upper and lower back sections, as well as the upholstered arm pads. This option allows for an endless possibility of custom designed seating options (see upcharges on the following pages). When specifying leather from Krug's in-stock leather program, the option to perforate the leather on the lower back and upholstered pad arms is available (see pricing on the following pages).

### SEAT SLIDER

All Me adjustable arm versions are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.

#### **BACK HEIGHT**

Me is available in three back heights: low, mid and high. Back height adjustment is a standard feature on all Me models. This feature offers an adjustment range of 11 positions over a 2 1/2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand of the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered to the first and lowest stop position.



#### **OPTIONAL GAS LIFT HEIGHT RANGES**

Me is available with two gas lift ranges. Unless clearly specified on order, Me seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows:

Non Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16" when lowered and no less than 20" when extended. Low gas lifts give a seat height of no greater than 15 1/8" when lowered and no less than 18 5/16" when extended.

**Seat Slider Versions:** Standard gas lifts give a seat height of no greater than 16 1/4" when lowered and no less than 20 5/16" when extended. Low gas lifts give a seat height of no greater than 15 3/8" when lowered and no less than 18 15/16" when extended. If dimensions are critical, please contact Customer Service.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **ME** | DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
LOW BACK	Armless	20	21.75	36.5	N/A	N/A	19	39	16	1.7
	Fixed	23	21.75	36.5	27.13	19	19	46	16	1.7
	Adjustable Urethane	24.75	21.75	36.5	24	17.25	19	46	16	1.7
	Adjustable Upholstered	25.5	21.75	36.5	24.25	16.75	19	46	16	1.7
MID BACK	Armless	20	21.75	39	N/A	N/A	19	43	18	1.8
	Fixed	23	21.75	39	27.13	19	19	48	18	1.8
	Adjustable Urethane	24.75	21.75	39	24	17.25	19	48	18	1.8
	Adjustable Upholstered	25.5	21.75	39	24.25	16.75	19	48	18	1.8
HIGH BACK	Armless	20	21.75	41.6	N/A	N/A	19	45	20	1.9
	Fixed	23	21.75	41.6	27.13	19	19	50	20	1.9
	Adjustable Urethane	24.75	21.75	41.6	24	17.25	19	50	20	1.9
	Adjustable Upholstered	25.5	21.75	41.6	24.25	16.75	19	50	20	1.9

Height measurements of Me are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

**Note**: Some vinyls are not suitable for upholstery on Me seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service.

#### The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order. For Maharam or Momentum fabric, Krug will obtain the fabric sample.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

### COM REQUIREMENTS PER CHAIR SECTION

Upper Back*	Lower Back*	Seat	Arm Pads
0.7	0.5	0.75	0.4

Measurements above are provided in yards.



Me | LOW BACK



Me | MID BACK



<sup>\*</sup>Upper and Lower Backs consist of both the inside and outside back.

		COM	COL	FA	BRIC GRAI	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 L2 11B Standard back upholstery, MTH1 L2 21B Perforated back upholstery			1391	1580	1668	1748	1894	2205 2381	2467
	MTH1 L2 11A Standard back upholstery, MTH1 L2 21A Perforated back upholstery			1528	1716	1803	1873	2018	2343 2517	2608
	ADJUSTABLE URETHANE MTH1 L2 12B Standard back upholstery, MTH1 L2 22B Perforated back upholster	1237 black bas	1293 se	1354	1508	1609	1677	1822	2116 2296	2388
9 9	MTH1 L2 12A Standard back upholstery, MTH1 L2 22A Perforated back upholstery			1481	1648	1748	1816	1948	2254 2432	2530
	UPHOLSTERED ADJUSTA MTH1 L2 13B Standard back upholstery, MTH1 L2 23B Perforated back upholstery	1293 black bas	1354 se	1420	1587	1687	1764	1902	2222 2402	2517
	MTH1 L2 13A Standard back upholstery, MTH1 L2 23A Perforated back upholstery			1549	1725	1822	1902	2038	2353 2530	2646
	ARMLESS MTH1 L2 10B Standard back upholstery, MTH1 L2 20B Perforated back upholstery			1283	1467	1549	1625	1773	2094 2273	2353
a de	MTH1 L2 10A Standard back upholstery, MTH1 L2 20A Perforated back upholstery			1413	1598	1687	1755	1902	2222 2402	2488

**ORDERING NOTES:** Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$77 list. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$74** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

DUCT CO	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating		•	Upholstery		
		M		2	1	Α
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metal
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
				A	Adjustable Upholstered	
					Pad Arms	

# ME | MID BACK

		COM	COL	FAE	BRIC GRAD	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 M2 11B Standard back upholstery MTH1 M2 21B Perforated back upholster			1499	1695	1795	1873	2029	2373 2549	2656
	MTH1 M2 11A Standard back upholstery MTH1 M2 21A Perforated back upholster				1822	1922	2003	2165	2510 2686	2782
	ADJUSTABLE URETHANE MTH1 M2 12B Standard back upholstery MTH1 M2 22B Perforated back upholster	1323 , black ba	1391 ise	1454	1625	1725	1803	1948	2273 2449	2567
	MTH1 M2 12A Standard back upholstery MTH1 M2 22A Perforated back upholster				1764	1861	1942	2077	2410 2588	2704
	UPHOLSTERED ADJUSTA MTH1 M2 13B Standard back upholstery MTH1 M2 23B Perforated back upholster	1391 , black ba	1461 ise	1520	1707	1822	1894	2047	2388 2567	2704
	MTH1 M2 13A Standard back upholstery MTH1 M2 23A Perforated back upholster				1833	1948	2018	2174	2530 2704	2829
	ARMLESS MTH1 M2 10B Standard back upholstery MTH1 M2 20B Perforated back upholster			1373	1567	1668	1748	1902	2254 2432	2530
& J. D	MTH1 M2 10A Standard back upholstery MTH1 M2 20A Perforated back upholster				1707	1803	1882	2038	2381 2559	2667

ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the KrugExpress program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$77 list. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lowerfunction mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

DUCT CO Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task & Conference Seating	Low Back	Adjustable	Standard Back Upholstery	Armless	Black Base
		M		2	1	Α
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metallic
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
		•			Pad Arms	•
					3	
					Adjustable Upholstered	b
					Pad Arms	

# ME | HIGH BACK

		COM	COL	FAE	BRIC GRA	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 H2 11B Standard back upholstery MTH1 H2 21B Perforated back upholster			1648	1873	1981	2069	2254	2637 2815	2950
	MTH1 H2 11A Standard back upholstery MTH1 H2 21A Perforated back upholster				1990	2109	2197	2381	2775 2950	3079
	ADJUSTABLE URETHANE MTH1 H2 12B Standard back upholstery MTH1 H2 22B Perforated back upholster	1440 , black ba	1520 se	1587	1795	1902	1990	2165	2538 2722	2850
	MTH1 H2 12A Standard back upholstery MTH1 H2 22A Perforated back upholster				1922	2038	2116	2296	2675 2850	2979
	UPHOLSTERED ADJUSTA MTH1 H2 13B Standard back upholstery MTH1 H2 23B Perforated back upholster	1508 , black ba	1598 se	1668	1882	2003	2077	2273	2667 2856	2989
e Ja	MTH1 H2 13A Standard back upholstery MTH1 H2 23A Perforated back upholster				2009	2136	2216	2402	2803 2979	3127


**ORDERING NOTES:** Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$78list**. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$74** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.** 

Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating			Upholstery		
		М		2	1	А
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metall
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	t
					Pad Arms	

# PAN AM | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.29%

POST-CONSUMER RECYCLE CONTENT = 18.32%

Up to 24.19% of Pan Am product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Pan Am products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



FSC\* C021699

### **AIR EMISSIONS**

All Pan Am products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Pan Am and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating

# PAN AM | FEATURES



#### **ARM STYLES**

Pan Am features three styles of fixed arms, including open urethane, closed upholstered and open upholstered versions.



#### **BACK STYLES**

Available with two different back options, Mid and High, Pan Am is perfect for desk and conference applications.



#### **BASE STYLES**

Featuring a five blade caster base with 2 1/4" hooded dual wheel casters, Pan Am bases are available in both glass reinforced molded nylon base and polished cast aluminum base. (upcharge applies.)



#### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of:

Standard gas lift: 3.5" Low gas lift: 3.0"



#### **TILT TENSION**

A tilt tension knob is located under the seat for all versions of Pan Am. For Knee Tilt versions a push of the height adjustment lever toward the gas lift cylinder activates the tilt lock feature.

### PAN AM CONTROLS

Pam Am is available with either a Swivel Tilt of Knee Tilt mechanism. All Pan Am seating features an adjustable tilt tension knob, and height adjustment lever. On the Knee Tilt version of Pan Am, the height adjustment lever also operates a forward tilt lock.

#### **OPTIONAL GAS LIFT HEIGHT RANGES**

PAN AM is available with two gas lift ranges. Unless clearly specified on order, PAN AM seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows: Pan Am standard gas lift give a seat height no greater than 16.4" when lowered and no less that 20.2" when extended. Low gas lift give a seat height no greater that 15.04" when lowered and no less than 18" when extended.

#### **OPTIONAL JURY BASE**

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### **DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
MID BACK	Open Urethane	24.5	24.5	34.5	25	18.5	19	31	15.03	1.8
	Closed Upholstered	27.25	24.5	34.5	26.75	19	19	33	15.03	2.7
	Open Upholstered	24.5	24.5	34.5	25	18.5	19	31	15.03	2.2
HIGH BACK	Open Urethane	24.5	24.5	40	25	18.5	19	35	17.06	1.9
	Closed Upholstered	27.25	24.5	40	26.75	19	19	37	17.06	2.8
	Open Upholstered	24.5	24.5	40	25	18.5	19	35	17.06	2.3
HIGH BACK	Open Urethane	24.5	24.5	46	25	18.5	19	37	18.75	2.5
with Headrest	Closed Upholstered	27.25	24.5	46	26.75	19	19	39	18.75	3.4
	Open Upholstered	24.5	24.5	46	25	18.5	19	37	18.75	2.9

Note: Some vinyls are not suitable for upholstery on Pan Am seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for a pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

Please contact Customer Service for more information on options for the Pan Am series. Height measurements of Pan Am are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# PAN AM | MID BACK

		COM		COL	FAB	RIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-M11B Black base, swivel tilt	1113	1208	1320	1417	1528	1632	1733	1837	2017
	PAN1-M12B Black base, knee tilt	1254	1358	1461	1565	1678	1772	1886	1981	2158
W W	PAN1-M11A Polished aluminum base, s	1254 swivel tilt	1358	1461	1559	1669	1772	1875	1981	2158
	PAN1-M12A Polished aluminum base, k	1395 knee tilt	1498	1605	1707	1820	1915	2028	2122	2300
	CLOSED UPHOLSTERED	ARMS								
	PAN1-M21B Black base, swivel tilt	1632	1780	1942	2091	2243	2394	2554	2707	2884
	PAN1-M22B Black base, knee tilt	1780	1934	2091	2243	2394	2545	2695	2856	3034
9 9 -	PAN1-M21A Polished aluminum base, s	1772 swivel tilt	1923	2086	2234	2384	2534	2695	2845	3026
	PAN1-M22A Polished aluminum base, k	1923 knee tilt	2074	2234	2384	2534	2686	2837	2997	3175
$\sim$	OPEN UPHOLSTERED AR									
	PAN1-M31B Black base, swivel tilt	1747	1894	2045	2205	2359	2507	2657	2812	2988
	PAN1-M32B Black base, knee tilt	1886	2045	2197	2344	2499	2657	2812	2958	3138
8 9 9	PAN1-M31A Polished aluminum base, s	1886 swivel tilt	2034	2189	2344	2499	2647	2780	2950	3131
	PAN1-M32A Polished aluminum base, k	2028 knee tilt	2189	2337	2487	2639	2799	2950	3098	3280

### **ORDERING NOTES**

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.



Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	a comoronoc ccaming	Н	2	2	А
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

# PAN AM | HIGH BACK

		COM		COL	FABI	RIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-H11B Black base, swivel tilt	1122	1227	1338	1454	1559	1669	1772	1886	2063
	PAN1-H12B Black base, knee tilt	1264	1379	1491	1605	1707	1820	1923	2034	2216
	PAN1-H11A Polished aluminum base, sv	1264 wivel tilt	1366	1481	1592	1696	1809	1915	2028	2205
	PAN1-H12A Polished aluminum base, ki	1403 nee tilt	1517	1632	1747	1844	1903	2063	2178	2359
$\sim$	CLOSED UPHOLSTERED A	ARMS 1641	1802	1961	2122	2278	2432	2602	2753	2930
	Black base, swivel tilt									
	PAN1-H22B Black base, knee tilt	1792	1949	2112	2271	2432	2584	2744	2900	3082
and the second	PAN1-H21A Polished aluminum base, sv		1942	2101	2263	2422	2573	2744	2893	3070
	PAN1-H22A Polished aluminum base, kı	1934 nee tilt	2091	2254	2412	2573	2721	2884	3042	3221
	OPEN UPHOLSTERED ARM	ИS 1754	1915	2074	2222	2384	2545	2707	2865	3042
	Black base, swivel tilt PAN1-H32B Black base, knee tilt	1903	2063	2222	2375	2534	2695	2856	3015	3195
	PAN1-H31A Polished aluminum base, sv	1894 wivel tilt	2056	2216	2368	2526	2686	2845	3006	3186
	PAN1-H32A Polished aluminum base, ki	2045 nee tilt	2205	2368	2514	2675	2837	2997	3157	3335

### **ORDERING NOTES**

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.



HODGOT GODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	ŭ	Н	2	2	A
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

# PAN AM | HIGH BACK WITH HEADREST

	С	MO		COL	FABF	RIC GRADE	ΞS	L	EATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS									
	PAN1-HR-11B	1188	1293	1404	1519	1623	1735	1837	1951	2130
	Black base, swivel tilt									
		1330	1443	1559	1669	1773	1886	1990	2104	2271
	Black base, knee tilt									
	DANIA LID 44A									
		1330	1434	1545	1662	1764	1875	1980	2091	2271
	Polished aluminum base, sw PAN1-HR-12A		1505	1007	1010	1015	1000	0100	00.47	0.400
	Polished aluminum base, kno	1467	1585	1697	1812	1915	1968	2130	2247	2422
	i olistied aldifilitiditi base, kiii	ee iii								
	CLOSED UPHOLSTERED AF	RMS								
	PAN1-HR-21B	1707	1867	2029	2189	2344	2499	2669	2818	2997
	Black base, swivel tilt									
		1859	2017	2178	2337	2499	2649	2812	2967	3147
	Black base, knee tilt									
	DANIA LID 04A	1010	0000	0400	0000	0.400	0000	0010	0050	0400
		1846	2008	2166	2329	2488	2639	2812	2958	3138
	Polished aluminum base, sw PAN1-HR-22A	1999	2158	0000	2481	0600	0707	2050	0110	3288
	Polished aluminum base, know		2136	2320	2401	2639	2787	2950	3110	3200
	Tolistica alaminam base, kin	CC tilt								
	OPEN UPHOLSTERED ARM	IS								
	PAN1-HR-31B	1820	1980	2142	2292	2448	2612	2772	2930	3110
	Black base, swivel tilt									
	PAN1-HR-32B	1968	2130	2292	2441	2602	2761	2922	3083	3261
	Black base, knee tilt									
	DANIA LID OLA	1001	0100	0000	0.40.4	0500	0750	0010	0070	0050
		1961	2122	2280	2434	2590	2753	2913	3070	3252
	Polished aluminum base, sw PAN1-HR-32A	/ivei tiit 2112	2271	2434	2584	2744	2902	3063	3222	3403
	Polished aluminum base, kno		<b>441</b>	2434	2004	£144	2902	3003	<i>3222</i>	3403
	i olished aldifillidifi base, Kili	ee iii								

### **ORDERING NOTES**

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.




Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	9	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

# **CADENCE | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.




Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CADENCE** | FEATURES




#### **RECLINE ADJUSTMENT**

The recline adjustment on the Cadence series allows a 24 degree range of motion. The foremost lever located on the right-hand side (when you are in a seated position) engages a device to lock the back in any position within the chair's range of movement. Lowering the lever locks the back at any position within the range. Raising the lever releases the lock and the back will move freely through the entire range.



**BACK HEIGHT ADJUSTMENT** (on selected models only)





#### **CAL 133 & MOISTURE BARRIER**

**SEAT HEIGHT ADJUSTMENTS** 

(when you are in

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$61 list per yard.

The rear-most lever located in the right-hand side

activates the seat height adjustment. Pull up on

the lever to adjust seat height up or down

through a range of adjustment of 3 inches.

the seated position)

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



#### **BACK TENSION**

A hand wheel centrally located near the front underside of the chair controls the amount of tension applied to the back. Turning the knob clockwise when you are in the seated position lessens the tension. Turning the knob counterclockwise increases the tension.



#### **ARM HEIGHT**

(on selected models only)

A trigger release button located outside and below the arm pad adjusts the arm height. Depress the trigger to raise arm through its height range of 3.5 inches and 8 settings. Depress the trigger to raise the arm, release when desired height is reached to lock in position.

### **DIMENSIONS & COM REQUIREMENTS**

		Overall Width		Overall Height		Height of Arms from floo	Width or between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
MID BACK	Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
Narrow Width	Adjustable	25	26	36.75	17.75	24.25-30.25	19.5	19.75	4	43	18	2.3
	Wood & Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
	Wood & Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.8
	Completely Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	3.0
	Armless	19.5	26	36.75	17.75	-	-	19.75	4	41	18	2.3
Wide Width	Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Adjustable	26.5	26	36.75	17.75	24.25-30.25	21	19.75	4	45	18	2.3
	Wood & Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Wood & Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.8
	Completely Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	3.0
	Armless	21	26	36.75	17.75	-	-	19.75	4	43	18	2.3
<b>HIGH BACK</b>	Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
Narrow Width	Adjustable	25	26	43	17.75	24.25-30.25	19.5	19.75	4	46	20	2.5
	Wood & Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
	Wood & Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.0
	Completely Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.2
Wide Width	Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Adjustable	26.5	26	43	17.75	24.25-30.25	21	19.75	4	48	20	2.5
	Wood & Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Wood & Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.0
	Completely Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.2
ARM CHAIR		27.25	27	36	18.25	26	18.75	18	-	23	18	1.7

Height measurements are taken with the pneumatic lift (and adjustable arm and back when applicable) in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# CADENCE | MID BACK

		WOOD	СОМ		COL	FAE	RIC GRA	DES		LEATHER	3
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARM	MS									
$\mathcal{S}$	CAD1-MW11B		1521	1600	1668	1880	1991	2091	2252	2633	2870
	CAD1-MN11B										
17117 III	CAD1-MW21B										
	CAD1-MN21B										
	CAD1-MW11W	Cherry, Maple,	1808	1886	1949	2164	2279	2365	2538	2921	3146
	CAD1-MN11W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MW21W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN21W	Cherry, Maple, Walnut, Medium Anigre									
	ADJUSTABLE A	RMS									
9/ /	CAD1-MW15B		1463	1539	1605	1815	1920	2004	2170	2532	2775
	CAD1-MN15B										
	CAD1-MW25B										
	CAD1-MN25B		1750	1000	1000	0000	0000	0000	0.457	0010	2051
	CAD1-MW15W	Cherry, Maple,	1752	1823	1888	2093	2202	2292	2457	2819	3051
8000	CAD4 MAN4EW	Walnut, Medium Anigre									
	CAD1-MN15W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW25W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN25W	Cherry, Maple,									
	CAD I-IVIINZSVV	Walnut, Medium Anigre									
		Wallat, Wediam Aligic									
	ORDERING NO	TES:									
		sions are available with o	•						•	, .	
	option may add	additional lead time to pr	oduction	schedule	es. Please	contact (	Customer	Service f	or more	informati	on.
	WOOD AND UR	FTHANE ARMS									
	CAD1-MW12B	2111/442/4440	1618	1696	1829	1999	2116	2208	2396	2795	3029
]/ /	CAD1-MN12B		1010	1000	1020	1000	2110	LLOO	2000	2,00	0020
	CAD1-MW22B										
	CAD1-MN22B										
	CAD1-MW12W	Cherry, Maple,	1902	1985	2058	2283	2403	2499	2682	3082	3300
		Walnut, Medium Anigre									
8 8	CAD1-MN12W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW22W	Cherry, Maple,									

**ORDERING NOTES:** Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator. For jury base version of this chair, please add a '**J**' for the base style at the end of the model number and **add \$74** to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see Page 331 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.** 

Walnut, Medium Anigre

Walnut, Medium Anigre

CAD1-MN22W Cherry, Maple,



FRODUCT CODE	- IXL I					
	Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
	CAD	1	MW	1	1	W
Ca	adence	Management Seating	Mid Back Wide	Fixed Back	Urethane	Wood
			MN	2	2	В
			Mid Back Narrow	Adjustable Back	Wood And Urethane	Black Nylon
					5	J
					Adjustable	Jury Base


# **CADENCE** | MID BACK

DESCRIPTION	/MODEL	WOOD FINISH	COM 1	2	COL 3	FAE	BRIC GRA	DES 6	7	LEATHE 8	R 9
	WOOD AND UF CAD1-MW13B CAD1-MN13B CAD1-MW23B	PHOLSTERED ARM	1829	1907	2041	2208	2331	2421	2608	3008	3300
	CAD1-MN23B CAD1-MW13W CAD1-MN13W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	2113	2197	2270	2499	2613	2710	2893	3294	3579
	CAD1-MW23W	Walnut, Medium Anigre Cherry, Maple,									
	CAD1-MN23W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	COMPLETELY U CAD1-MW14B CAD1-MN14B	JPHOLSTERED	1775	1859	1988	2157	2274	2369	2554	2954	3281
	CAD1-MW24B CAD1-MN24B CAD1-MW14W	Cherry, Maple,	2061	2143	2216	2444	2563	2656	2842	3242	3558
	CAD1-MN14W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MW24W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN24W	Cherry, Maple, Walnut, Medium Anigre									
	ARMLESS CAD1-MW10B CAD1-MN10B CAD1-MW20B		1363	1440	1508	1719	1833	1934	2092	2472	2738
	CAD1-MN20B CAD1-MW10W	Cherry, Maple, Walnut, Medium Anigre	1649	1727	1794	2007	2122	2205	2379	2757	2992
	CAD1-MN10W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MW20W CAD1-MN20W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									

### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.





Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	0	W
Cadence	Management Seating	Mid Back Wide	Fixed Back	Armless	Wood
		MN Mid Back Narrow	2 Adjustable Back	Wood And Upholstered	Black Nylon
				4 Completely Upholstered	J Jury Base

# **CADENCE** | HIGH BACK

		WOOD	СОМ		COL	FAB	RIC GRA	DES		LEATHE	R
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE AR	MS									
<del> </del>	CAD1-HW11B		1653	1755	1831	2060	2197	2293	2499	2928	3186
	CAD1-HN11B CAD1-HW21B										
	CAD1-HW21B										
	CAD1-HW11W	Cherry, Maple, Walnut, Medium Anigre	1942	2041	2116	2345	2484	2579	2782	3214	3461
	CAD1-HN11W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW21W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN21W	Cherry, Maple, Walnut, Anigre									
		Wallut, Alligic									
	ADJUSTABLE A	RMS									
4	CAD1-HW15B		1589	1687	1761	1985	2112	2205	2403	2819	3080
// /	CAD1-HN15B										
	CAD1-HW25B										
	CAD1-HN25B		1877	1971	2046	2270	2400	2494	2690	3104	3353
	CAD1-HW15W	Cherry, Maple, Walnut, Medium Anigre	10//	1971	2046	2210	2400	2494	2090	3104	3333
	CAD1-HN15W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW25W	Cherry, Maple,									
	OAD4 LINIOEW	Walnut, Medium Anigre									
	CAD1-HN25W	Cherry, Maple, Walnut, Medium Anigre									
	ODDEDING NO	TEC. CAD MMAS versions		مطائب مامام	ntional an	مد مانام د	aabanian	at an	sharaa af	<b>ヴ</b> フフ じっよ	Cooolf iloo

ORDERING NOTES: CAD-MW25 versions are available with optional seat slider mechanism at an upcharge of \$77 list. Specifying seat slider option may add additional lead time to production schedules. Please contact Customer Service for more information.



WOOD AND UR	ETHANE ARM									
CAD1-HW12B		1757	1864	1945	2194	2336	2438	2651	3111	3361
CAD1-HN12B										
CAD1-HW22B										
CAD1-HN22B										
CAD1-HW12W	Cherry, Maple,	2044	2148	2234	2481	2617	2719	2938	3397	3635
	Walnut, Medium Anigre									
CAD1-HN12W	Cherry, Maple,									
	Walnut, Medium Anigre									
CAD1-HW22W	Cherry, Maple,									

Walnut, Medium Anigre

CAD1-HN22W Cherry, Maple,

Walnut, Medium Anigre

#### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.



Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD Cadence	1 Management Seating	HW High Back Wide	1 Fixed Back	1 Urethane	W
		HN High Back Narrow	2 Adjustable Back	Wood And Urethane	B Black Nylon
				5 Adjustable	J Jury Base


# **CADENCE** | HIGH BACK

		WOOD	COM		COL	FAB	RIC GRAI	DES	ı	_EATHER	3
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	WOOD AND UP	HOLSTERED ARM									
9	CAD1-HW13B		1967	2074	2157	2403	2546	2646	2863	3322	3635
	CAD1-HN13B										
	CAD1-HW23B										
$m \perp m$	CAD1-HN23B										
	CAD1-HW13W	Cherry, Maple,	2254	2361	2444	2690	2830	2935	3148	3610	3912
		Walnut, Medium Anigre									
	CAD1-HN13W	Cherry, Maple,									
9 0		Walnut, Medium Anigre									
	CAD1-HW23W	Cherry, Maple,									
	0.15	Walnut, Medium Anigre									
	CAD1-HN23W	Cherry, Maple,									
		Walnut, Medium Anigre									
	COMPLETELY II	IPHOLSTERED ARM									
	CAD1-HW14B	IPHOLOTENED ANIVI	1919	2023	2104	2347	2494	2591	2812	3269	3615
$\vdash$	CAD1-HN14B										
	CAD1-HW24B										
	CAD1-HN24B										
	CAD1-HW14W	Cherry, Maple,	2200	2307	2392	2637	2780	2883	3095	3558	3889
		Walnut, Medium Anigre									
	CAD1-HN14W	Cherry, Maple,									
g g		Walnut, Medium Anigre									
	CAD1-HW24W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-HN24W	Cherry, Maple,									
		Walnut, Medium Anigre									

#### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.





 Line	Series	Back Style	Back Adjustmer	nt Arm Style	Base Style
CAD Cadence	1 Management Seating	HW High Back Wide	1 Fixed Back	3 Wood and Upholstered	W Wood
	2 Guest Seating	HN High Back Narrow	2 Adjustable Back	[4] Completely Upholstered	Black Nylon
		A Arm Chair			J Jury Base

# **GUEST SEATING**


65 Addison
 68 Blake
 71 Dorso
 74 Bali
 76 Kita
 78 Spence
 80 Cadence
 82 Faeron Wood
 88 Faeron Metal

# **ADDISON | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = .69%

POST-CONSUMER RECYCLED CONTENT = 13.10%

Up to 13.79% of this Addison product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Addison products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Addison products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Addison and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **ADDISON**

		WOOD	COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTIO	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, ADD-2-A-1	OPEN BACK Cherry, Oak,Walnut, Beech, Medium Anigre	956	982	1009	1061	1114	1168	1221	1273	1380
		Maple	1031	1057	1084	1137	1188	1242	1294	1349	1455
	OPEN ARM,	FULLY UPHOLSTERED	BACK								
	ADD-2-A-2	Cherry, Oak, Walnut, Beech, Medium Anigre	1006	1051	1099	1188	1279	1372	1462	1555	1735
		Maple	1069	1116	1165	1255	1347	1438	1530	1621	1803
	OPEN ARM,	, UPPER UPHOLSTERED	BACK								
	ADD-2-A-3	Cherry, Oak, Walnut, Beech, Medium Anigre	988	1021	1058	1125	1194	1260	1330	1397	1537
		Maple	1064	1099	1134	1200	1270	1337	1404	1475	1610

### ORDERING NOTES:

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 7 for finish color selection and clearly mark on your purchase order.

Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE	PRODUCT	CODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
To order please specify the following.	ADD	2	А	1
Krug product model number     Select a finish for the chair frame     Select a textile or leather	Addison	Guest Seating	Arm Chair	Open Arm, Open Back
0. 00.001 & 10.1110 0. 10411.0.				Open Arm, Fully Upholstered Back
Dimensions are in inches and approximate.  Contact Customer Service if dimensions				3
are critical.				Open Arm, Upper Upholstered Bac
a. 6 6.1.16a.1				4
				Open Arm, Horizontal Slat Back
				5
				Open Arm.Solid Wood Back

# **ADDISON**

		WOOD	COM		COL	FABF	RIC GRADI	ES	L	EATHER.	
DESCRIPTION	/MODEL	FINISH	1	2	3	4	5	6	7	8	9
		, HORIZONTAL SLAT BA Cherry, Oak,Walnut, Beech, Medium Anigre	ACK 973	997	1023	1078	1131	1184	1237	1291	1404
		Maple	1039	1065	1089	1160	1198	1252	1305	1356	1462
	OPEN ARM ADD-2-A-5	, SOLID WOOD BACK Cherry, Oak, Walnut, Beech, Medium Anigre	981	1008	1035	1086	1140	1193	1247	1297	1404
		Maple	1045	1071	1100	1152	1207	1257	1312	1365	1472

#### **ORDERING NOTES:**

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 7 for finish color selection and clearly mark on your purchase order.

Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

### **DIMENSIONS & COM REQUIREMENTS**


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE	PRODUCT (	CODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
To order please specify the following.	ADD	2	А	1
Krug product model number	Addison	Guest Seating	Arm Chair	Open Arm, Open Back
Select a finish for the chair frame     Select a textile or leather				2
				Open Arm, Fully Upholstered Back
Dimensions are in inches and approximate.  Contact Customer Service if dimensions				3
are critical.				Open Arm, Upper Upholstered Back
				4
				Open Arm, Horizontal Slat Back
				5
				Open Arm.Solid Wood Back

# **BLAKE** | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 14%

POST-CONSUMER
RECYCLED CONTENT = 86%

Up to 86% of this Blake product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Blake products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Blake products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Blake and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **BLAKE**

			COM		COL		RIC GRAD		<del>-</del>	EATHER	
DESCRIPTION	/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, BLA-2-A-1	OPEN BACK Cherry, Oak,Walnut, Beech, Medium Anigre	872	898	927	980	1033	1085	1138	1192	1295
		Maple	939	964	990	1043	1099	1150	1206	1256	1363
	OPEN ARM,	<b>FULLY UPHOLSTERED</b>	BACK								
	BLA-2-A-2	Cherry, Oak, Walnut, Beech, Medium Anigre	914	960	1008	1099	1188	1279	1372	1462	1647
		Maple	981	1029	1071	1165	1255	1347	1438	1530	1712
	OPEN ARM,	UPPER UPHOLSTERE	D BACK								
	BLA-2-A-3	Cherry, Oak, Walnut, Beech, Medium Anigre	907	940	978	1042	1111	1179	1248	1316	1454
		Maple	973	1008	1041	1110	1178	1247	1315	1382	1519
	ODEN ADM	VERTICAL SLAT BACK									
	BLA-2-A-4	Cherry, Oak, Walnut, Beech, Medium Anigre	942	970	996	1050	1103	1155	1210	1260	1370
		Maple	1006	1033	1058	1111	1165	1216	1271	1323	1430

#### **ORDERING NOTES**

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 7 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.** 

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8
ORDERING PR	OCEDURE		PRO	DUCT CO	DE KEY					
To order please	specify the f	ollowing:	Line	e	Series	Chair Type		Chair	Style	

A IZ....

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

PRODUC <sup>*</sup>	T CODE KEY		
Line	Series	Chair Type	Chair Style
BLA Blake	2 Guest Seating	A Arm Chair	1 Open Arm, Open Back
			Open Arm, Fully Upholstered Back
			Open Arm, Upper Upholstered Back
			Open Arm, Vertical Slat Back  5  Open Arm, Lower Upholstered Back
			6 Closed Arm, Lower Upholstered Back
			Closed Arm, Fully Upholstered Back

		WOOD	COM		COL	FAE	RIC GRAD	DES		LEATHER	
DESCRIPTION	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, L BLA-2-A-5	OWER UPHOLSTER Cherry, Oak, Walnut		981	1017	1095	1170	1248	1323	1398	1554
	DLA-2-A-3	Beech, Medium Ani	*	301	1017	1000	1170	1240	1020	1000	1004
		Maple	1012	1051	1088	1166	1242	1319	1395	1472	1623
	CLOSED ARM, LOWER UPHOLSTERED BACK										
	BLA-2-A-6	Cherry, Oak, Walnu Beech, Medium Ani		1043	1110	1240	1370	1496	1625	1757	2013
		Maple	1055	1118	1184	1315	1442	1569	1701	1830	2090
	CLOSED ARN	Л, FULLY UPHOLSTE	RED BACI	K							
	BLA-2-A-7	Cherry, Oak, Walnu Beech, Medium Ani	*	1071	1142	1278	1417	1555	1693	1830	2106
		Maple	1069	1140	1208	1344	1483	1621	1758	1896	2171

#### **ORDERING NOTES**

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 7 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61** list per yard.

### **DIMENSIONS & COM REQUIREMENTS**


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8

#### **ORDERING PROCEDURE** PRODUCT CODE KEY Line Series Chair Type Chair Style To order please specify the following: BLA 2 Α 1. Krug product model number Blake Arm Chair Open Arm, Open Back **Guest Seating** 2. Select a finish for the chair frame 2 3. Select a textile or leather Open Arm, Fully Upholstered Back Dimensions are in inches and approximate. Contact Customer Service if dimensions Open Arm, Upper Upholstered Back are critical. 4 Open Arm, Vertical Slat Back 5 Open Arm, Lower Upholstered Back 6 Closed Arm, Lower Upholstered Back Closed Arm, Fully Upholstered Back

# **DORSO GUEST | ENVIRONMENTAL SUMMARY**

### **LEED CI CREDITS**





PRE-CONSUMER
RECYCLED CONTENT = 9.82%

POST-CONSUMER RECYCLED CONTENT = 19.98%

Up to 73.17% of this Dorso product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR EMISSIONS**

All Dorso products are supplied air-emissions certified. Contact customer service for information.



# **DORSO S-LINE | GUEST**

DESCRIPTION/	/MODEL	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	4 Leg Base, armless with Silver I DOS2-10	1078	1129	1185	1255	1342	1454	1567	1716	1873
	4 Leg Base, armless with Polished DOC2-10	ed Chrome 1185	base 1237	1283	1363	1454	1549	1677	1816	1981
	4 Leg Base, fixed arms with Silve DOS2-11	1227	1283	1332	1403	1491	1599	1725	1862	2018
	4 Leg Base, fixed arms with Polis DOC2-11	1354	1403	1461	1528	1618	1725	1842	1990	2147
	4 Leg Base with Casters, armles DOS2-20	s with Silve 1210	r Metallic k 1215	pase 1275	1342	1433	1539	1654	1803	1962
	4 Leg Base with Casters, armles DOC2-20	s with Polis 1215	hed Chron 1275	ne base, 1323	1391	1481	1587	1716	1854	2009
	4 Leg Base with Casters, fixed a DOS2-21	1315	1373	1423	1491	1580	1687	1816	1949	2109
	4 Leg Base with Casters, fixed a DOC2-21	rms and Po 1440	lished Chr 1491	ome base 1549	1618	1707	1816	1932	2077	2236
	Cantilever Base, armless with Sil			1000	1070	1.401	1501	1007	1000	1000
	DOS2-30 Cantilever Base, armless with Po DOC2-30	1195 dished Chro 1307	1245 ome base 1363	1293 1413	1373 1481	1461 1567	1561 1677	1687 1803	1822 1942	1990 2094
	Cantilever Base, fixed arms with DOS2-31	Silver Meta 1491	Illic base 1549	1599	1668	1755	1862	1990	2126	2282
	Cantilever Base, fixed arms with DOC2-31	Polished C 1549	hrome bas 1609	se 1654	1725	1816	1922	2047	2188	2343

## **ORDERING NOTES**

Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.

## **ORDERING PROCEDURE**

OTIDETIII THOOLDOTTE	PRODUCTIO	DEKEI		
To order please specify the following:	Line	Series	Base	Arm Style
To order prease specify the following.	DOS	2	1	0
Krug product model number	Dorso S-Line	Guest Seating	Four Leg	Armless
2. Select a textile or leather	(Silver Metallic)			
	DOC		2	1
Dimensions are in inches and approximate.	Dorso S-Line		Four Leg	Fixed
Contact Customer Service if dimensions are critical.	(Polished Chrome)		with Casters	Cantilever
	DON		3	
	Dorso N-Line		Cantilever	
	(Silver Metallic)			

# **DORSO N-LINE | GUEST**

DESCRIPTION/MO	NDEI	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	Ω
DESCRIPTION/IVIC	4 Leg Base, armless with Sil	<u> </u>		<u> </u>	4	<u> </u>	0	- 1	0	9
	DON2-10	933	982	1030	1110	1195	1293	1423	1561	1725
	4 Leg Base, fixed arms with	Silver Meta	allic base							
	DON2-11	1040	1098	1146	1215	1307	1413	1539	1677	1833
	4 Leg Base with Casters, arr DON2-20	nless with a 1020	Silver Meta 1068	allic base 1118	1195	1283	1383	1510	1648	1816
	4 Leg Base with Casters, fixe DON2-21	ed arms an 1131	d Silver M 1182	etallic bas 1237	e 1307	1391	1499	1625	1764	1922
	Cantilever Base, armless wit DON2-30	h Silver Me 1040	etallic base 1098	1146	1215	1307	1413	1539	1677	1833
	Cantilever Base, fixed arms of DON2-31	with Silver 1227	Metallic ba 1283	ase 1332	1403	1491	1599	1725	1862	2018

## **ORDERING NOTES**

Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.


CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.

## **DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless Fixed	20.75 24.5	25.50 25.50	18.5 18.5	27.5 27.5	19.5 19.5	19.5 19.5	36 36	32 37	14 14	1.3 1.3
S-LINE/4LEG	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	33	14	1.3
with Casters	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	38	14	1.3
S-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	39	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	44	14	1.3
N-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	34.75	31	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	34.75	36	14	1.3
N-LINE/4LEG	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	32	14	1.3
with Casters	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	37	14	1.3
N-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	38	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	43	14	1.3

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.68%

POST-CONSUMER
RECYCLED CONTENT = 16.42%

Up to 74.19% of this Bali product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bali products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Bali products are supplied with air-emissions certified. Contact customer service for information.



#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bali and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## **BALI**

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION	N/MODEL	1	2	3	4	5	6	7	8	9
	Wood with Black back leg BAL2A1B	848								
	Wood with Chrome back leg BAL2A1C	936								
	Upholstered Front with Black back I	eg								
	BAL2A2B	1150	1192	1247	1305	1362	1428	1506	1581	1705
	Upholstered Front with Chrome bac BAL2A2C	k leg 1269	1315	1362	1418	1478	1554	1625	1713	1844
- 7	Upholstered Seat Cushion with Blac	k back led	ר							
F	BAL2A3B	1106	1142	1180	1228	1269	1315	1362	1437	1513
	Upholstered Seat Cushion with Chro BAL2A3C	me back 1180	leg 1228	1269	1315	1371	1447	1506	1588	1666
٠ ا	DALEAGO	1100	1220	1209	1313	13/1	1447	1300	1000	1000
	Caddie DOL6	799								

## **DIMENSIONS & COM REQUIREMENTS**

			Overall Height		Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage
WOOD SHELL	23.25	23	34.25	17.25	26	19.5	18	30	15.3	-
UPHOLSTERED FRONT	23.25	23	34.25	18.11	26	19.5	17	30	15.3	0.8
UPHOLSTERED SEAT CUSHION	23.25	23	34.25	18.25	26	19.5	18	30	15.3	0.4

#### **ORDERING NOTES**


Bali Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.
Bali Guest Chairs are available with a removable upholstered back cover at an upcharge of \$46 list per chair.
Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.
When used with Caddie (stacking cart), Bali stacks to a maximum of 10 chairs high, and 6 high without Caddie.
Chair frames are available in Cherry and Beech finishes. Please see page 6 for finish color selection and clearly mark on your purchase order.
CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See page 8 for more information.

## ORDERING PROCEDURE

To order please specify the following:	Line	Series	Base	Chair Style	Back Leg Style
	BAL	2	Α	1	В
Krug product model number     Select a finish for the chair frame	Bali	Guest Seating	Arm Chair	Wood	Black
3. Select a textile or leather				2	С
				Upholstered Fron	t Chrome
Dimensions are in inches and approximate.				3	
Contact Customer Service if dimensions are critical.			U	pholstered Seat Cus	shion

## **LEED CI CREDITS**





PRE-CONSUMER
RECYCLED CONTENT = .80%

POST-CONSUMER
RECYCLED CONTENT = 15.28%

Up to 16% of this Kita product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Kita products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### AIR EMISSIONS

All Kita products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Kita and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



he mark of responsible foresti

## **KITA**

DESCRIPTION/MODEL		WOOD	CON	1	0	COL		ABRIC GRA		7	LEATHER	0
DESCRIPTION		FINISH	1		2	3	4	5	6	7	8	9
		Full Width Upholst										
	1320-OA	Oak	1344	1397		1438	1531	1589	1638	1725	1924	2071
		Cherry, Maple, Walnut, Medium Anigre										
	Closed Arm,	, Full Width Uphols	stered Bac	k								
	1320-CA	Oak	1749	1820		1867	1991	2071	2132	2243	2503	2765
		Cherry, Maple, Walnut, Medium Anigre										
	3/4 Width U	pholstered Back										
	1321-A	Oak	1344	1397		1438	1531	1589	1638	1725	1924	2071
		Cherry, Maple, Walnut, Medium Anigre										
	Slat Back 1322-A	Oak	1397	1450		1481	1566	1617	1649	1719	1877	1997
							.000					
		Cherry, Maple, Walnut, Medium Anigre										
	Shoji Back											
	1323-A	Oak	1325	1375		1407	1489	1539	1566	1647	1802	1920
		Cherry, Maple, Walnut, Medium Anigre										

### **ORDERING NOTES**

Kita Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See page 10 for more information.

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1320-OA	22	24	32	18.5	26	18.75	19	25	12	1
1320-CA	22	24	32	18.5	26	18.75	19	25	12	1.8
1321-A	22	24	32	18.5	26	18.75	19	25	12	1
1322-A	22	24	32	18.5	26	18.75	19	26	12	0.8*
1323-A	22	24	32	18.5	26	18.75	19	26	12	0.8*

## ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

### STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 12 for finish color selection and clearly mark on your purchase order.

#### **GANGING**


Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.

## **SPENCE | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS







PRE-CONSUMER
RECYCLED CONTENT = .45%

POST-CONSUMER RECYCLED CONTENT = 17.27%

Up to 18.18% of this Spence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Spence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## AIR EMISSIONS

All Spence products are supplied air-emissions certified. Contact customer service for information.

## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Spence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## **SPENCE**

		WOOD	COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MOD	DEL	FINISH	1	2	3	4	5	6	7	8	9
	Slat Back 1400	< Oak	1213	1281	1371	1460	1563	1678	1795	1945	2047
		Cherry, Maple, Walnut, Medium Anigre	1361	1430	1517	1606	1705	1820	1938	2086	2188
	Slat & Up	holstered Back									
	1401	Oak	1253	1321	1413	1499	1610	1730	1844	2006	2150
		Cherry, Maple, Walnut, Medium Anigre	1397	1472	1563	1652	1755	1874	1997	2147	2296
	Split Uph	olstered Back									
	1402	Oak	1275	1344	1438	1531	1638	1761	1883	2044	2228
		Cherry, Maple, Walnut, Medium Anigre	1426	1499	1589	1685	1793	1907	2034	2189	2373
	Full Upho	olstered Back									
	1403	Oak	1285	1362	1454	1545	1653	1778	1902	2061	2280
		Cherry, Maple, Walnut, Medium Anigre	1438	1515	1610	1697	1804	1930	2055	2206	2431

#### **ORDERING NOTES**

Spence Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1400	22	24	33	18	27	18	20	21	13	0.7
1401	22	24	33	18	27	18	20	22	13	1.0
1402	22	24	33	18	27	18	20	22	13	1.25
1403	22	24	33	18	27	18	20	23	13	1.5

## ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

### STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 12 for finish color selection and clearly mark on your purchase order.


#### **GANGING**

Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.

## **CADENCE | ENVIRONMENTAL SUMMARY**

## **LEED CI CREDITS**





PRE-CONSUMER
RECYCLED CONTENT = .43%

POST-CONSUMER RECYCLED CONTENT = 16.46%

Up to 16.91% of this Cadence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# **CADENCE | GUEST**

DESCRIPTION/N	40DEI	WOOD FINISH	COM 1	2	COL 3	FAE	RIC GRAI	DES 6	7	LEATHER 8	9
DECOMM HON/IV	NODEL	THAIGHT		_	U	_	J	0	,	U	9
	CAD2A	Cherry, Maple, Walnut, Medium Anigre	1545	1617	1687	1798	1915	2029	2145	2283	2535

### **ORDERING NOTES**

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

## **DIMENSIONS & COM REQUIREMENTS**

			Overall Height		Height of Arms from Floor			Shipping Weight		COM Yardage
CAD2A	22.75	27	36	18.25	26	18.75	18	23	18	1.7

## **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

### STANDARD FINISHES


Chair frames are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see Page 331 for finish color selection and clearly mark on your purchase order.

## FAERON WOOD | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.25%

POST-CONSUMER
RECYCLED CONTENT = 13.64%

Up to 31.82% of this Faeron product is recyclable at the end of its useful life

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



#### **CLEAN OUT**

All Faeron seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



#### **FLEX BACK**

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



#### **WALL SAVER**

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



#### STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. In addition they ease re-configurability and on-site replacement of damaged or degraded components.



#### **SEAT COMFORT**

Seats feature a spring suspension across the entire model range for exceptional comfort while high grade foam provides superior support and longevity.



#### PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.



#### **GLIDES**

Faeron's Beech wood legs feature non-marring

#### FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

#### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

#### REPLACEABLE COMPONENTS

Faeron chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

#### **CUSTOM CAPABILITIES**

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

#### WEIGHT CAPACITIES

Faeron weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 500 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 625 lbs per unit 3-Seat Freespan - 750 lbs per unit

## FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



#### **ARM PANELS**

Panel arms are available in semi and fully closed styles for optimum design flexibility.



#### **URETHANE ARM CAP**

The optional Urethane Arm Cap provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



#### **SOLID SURFACE ARM CAP**

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



#### **SOLID SURFACE ARM FRAME**

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



#### **COMBINATION UPHOLSTERY OPTIONS**

Faeron can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



### KINETIC BACK OPTION

Provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



### **CLEANABLE UNDER-SEAT SPLASHGUARD**

All Faeron seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

#### **GANGING**

All Faeron freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$50 list per chair.

### **REMOVABLE COVERS**

Faeron chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

## FAERON WOOD | GUEST, DIMENSIONS & COM REQUIREMENTS

#### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	44	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	48	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	54	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	71	28

#### **COM- YARDAGE REQUIREMENTS**

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.8
30" - One Chair	2.3	0.9	1.4	0.8
44" - One Chair	2.9	1.5	1.6	0.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

#### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

## **WEIGHT CAPACITIES**

Faeron weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Guest Plus Chairs (30" & 44") - 750 lbs

Faeron Option Upcharges	\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm Cap (per pair) - Gr A White	347	
Ganging Bracket	56	Solid Surface Arm Cap (per pair) - Gr A Color	359	
Kinetic Back (not available for 30" & 44")	115	Solid Surface Arm Cap (per pair) - Gr B	378	
21" & 24" Under-seat Splashguard	56	Solid Surface Arm Cap (per pair) - Gr C	391	
30" Under-seat Splashguard	69	Solid Surface Arm (per pair) - Gr A White	546	
44" Under-seat Splashguard	87	Solid Surface Arm (per pair) - Gr A Color	570	
Removeable Seat Cover	86	Solid Surface Arm (per pair) - Gr B	615	
Removable Back Cover	56	Solid Surface Arm (per pair) - Gr C	646	
Urethane Arm Cap (per pair)	132			

See page 98 for color selection.

# FAERON WOOD | GUEST

			COM		COL	FA	ABRIC GR	ADES	LEATHER		
DESCRIPTION	I/MODEL	Species	1	2	3	4	5	6	7	8	9
	21" Open Arm FAE2-G21ONC	Beech Palette	1198	1247	1294	1391	1486	1584	1681	1777	1968
	21" Semi Closed FAE2-G21SNC	I Arm Beech Palette	1631	1703	1774	1920	2064	2209	2355	2499	2789
	21" Closed Arm FAE2-G21CNC	Beech Palette	1642	1716	1789	1934	2079	2221	2368	2512	2802
	24" Open Arm FAE2-G24ONC	Beech Palette	1284	1333	1382	1479	1575	1670	1768	1863	2058
	24" Semi Closed FAE2-G24SNC	l Arm Beech Palette	1717	1790	1861	2007	2150	2296	2441	2586	2874
	24" Closed Arm FAE2-G24CNC	Beech Palette	1730	1802	1874	2019	2164	2307	2455	2598	2888

**ORDERING NOTES:** Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA) replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on <u>page</u> 85. See Page 332 for color selection.

Line	Series	Chair Type	Size	Arm Type	Arm Style
FAE	2	G	21	0	NC
Faeron	Chair	Guest Seating		Open Arm	No Cap
			24	S	UC
				Semi Closed Arm	Urethane Cap
			30	С	SC
				Closed Arm	Solid Surface Cap
			44		SA
					Solid Surface Arm

# FAERON WOOD | GUEST

		COM		COL						
DESCRIPTION/MODEL	Species	1	2	3	4	5	6	7	8	9
30" Open Arm FAE2-G30ONC	Beech Palette	1465	1535	1605	1744	1882	2020	2159	2298	2577
30" Semi Closec FAE2-G30SNC	d Arm Beech Palette	1897	1990	2085	2272	2459	2646	2831	3019	3394
30" Closed Arm FAE2-G30CNC	Beech Palette	1911	2005	2097	2284	2471	2659	2845	3034	3408
44" Open Arm FAE2-G44ONC	Beech Palette	1800	1887	1975	2149	2325	2500	2674	2850	3199
44" Semi Closec FAE2-G44SNC	d Arm Beech Palette	2232	2344	2457	2679	2902	3124	3348	3570	4019
44" Closed Arm FAE2-G44CNC	Beech Palette	2245	2357	2468	2693	2914	3138	3362	3584	4033


**ORDERING NOTES:** Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on **Page 85**. See **Page 332** for color selection.

OOT OODLIKET					
Line	Series	Chair Type	Size	Arm Type	Arm Style
Faeron	2 Chair	G Guest Seating	21	O Open Arm	NC No Cap
			24	Semi Closed Arm	UC Urethane Cap
			30	C Closed Arm	SC Solid Surface Cap
			44		SA Solid Surface Arm

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT =10.87 %

POST-CONSUMER RECYCLED CONTENT = 17.48%

Up to 50% of this Faeron Metal product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Faeron products are supplied with air-emissions certified. Contact customer service for information.




## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



#### **CLEAN OUT**

All Faeron Metal seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



#### FLEX BACK

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



#### **WALL SAVER**

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



#### STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. The seats features a spring system that substantially enhances comfort and extends product life cycle. Seats are removable, and field replaceable.



### **SEAT COMFORT**

Seats feature a spring suspension for exceptional comfort while high grade foam provides superior support and longevity.



#### **POLYMER ARM**

Faeron arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey and Taupe.



Faeron Metal chairs are available in two metal finishes; Sliver Metallic and Brushed Nickel.

### **FINISH DURABILITY**

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer and is especially suited to the demands of healthcare environments.

#### **LATEX FREE**

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

#### REPLACEABLE COMPONENTS

Faeron Metal chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

#### **CUSTOM CAPABILITIES**

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

#### **WEIGHT CAPACITIES**

Faeron Metal weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 500 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 625 lbs per unit 3-Seat Freespan - 750 lbs per unit

#### PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

Faeron Metal Images | www.krug.ca

## FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



#### **ARM PANEL**

Upholstered arm panels are available in both semi- and fully-closed styles, and are field replaceable if damaged.



#### **SOLID SURFACE ARM**

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard Corian colors, and custom colors (at an upcharge). Arms are replaceable as a full side frame if they become damaged or degraded.



#### **WOOD ARM**

Wood arms are solid Beech and available in standard and custom finishes. Krug's wood finish is a proprietary high-durability formulation that has been shown to be an industry leader in abrasion resistance. Arms can be replaced if they do become damaged or degraded.



#### **COMBINATION UPHOLSTERY OPTIONS**

Faeron Metal can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



### KINETIC BACK OPTION

The optional Kinetic Back provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



### CLEANABLE UNDER-SEAT SPLASHGUARD

All Faeron Metal seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the anti-microbial and germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.



#### **REMOVABLE COVERS**

Faeron Metal chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs.

#### **METAL FINISH OPTIONS**

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$61 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$61 list per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

#### **GANGING**

All Faeron Metal freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$56 list per chair.

## FAERON METAL | GUEST

#### **DIMENSIONS**

22.10					Height of	Width			
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	56	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	60	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	66	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	83	28

### **COM- YARDAGE REQUIREMENTS**

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel	
21" & 24" - One Chair	1.6	0.9	1.4	0.96	_
30" - One Chair	2.3	0.9	1.4	0.96	
44" - One Chair	2.9	1.5	1.6	0.96	

### **ORDERING NOTES:**

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron Metal seating.

#### A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron Metal upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm (per pair) - Gr A White	546
Ganging Bracket	56	Solid Surface Arm (per pair) - Gr A Color	570
Kinetic Back (not available for Plus)	115	Solid Surface Arm (per pair) - Gr B	615
21" & 24" Under-seat Splashguard	56	Solid Surface Arm (per pair) - Gr C	646
30" Under-seat Splashguard	69	Beech/Palette Wood Arm (per pair)	205
44" Under-seat Splashguard	87	See Page 98 for color selection.	
Removeable Seat Cover	86	•	
Removable Back Cover	56		
Non-Marring Glides	16		

#### WEIGHT CAPACITIES

Faeron Metal weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs

# FAERON METAL | GUEST

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9
	21" Open Polymer Arm, Silver I FAE2M-G210PAS	Metallic F 1073	rame 1118	1164	1256	1348	1440	1534	1624	1808
	21" Open Polymer Arm, Brushe FAE2M-G21OPAN	ed Nickel 1278	Frame 1324	1369	1462	1554	1646	1737	1830	2013
	21" Semi Closed Polymer Arm, FAE2M-G21SPAS	Silver Me 1484	etallic Frai 1554	ne 1622	1760	1897	2035	2174	2313	2588
	21" Semi Closed Polymer Arm, FAE2M-G21SPAN	Brushed 1689	Nickel Fra 1758	ame 1827	1965	2104	2241	2379	2516	2794
	21" Closed Polymer Arm, Silve FAE2M-G21CPAS	r Metallic 1496	Frame 1565	1634	1773	1911	2047	2187	2324	2600
	21" Closed Polymer Arm, Brusi FAE2M-G21CPAN	hed Nicke 1703	el Frame 1770	1839	1979	2115	2254	2391	2530	2806
	24" Open Polymer Arm, Silver I FAE2M-G24OPAS	Metallic F 1156	rame 1202	1248	1339	1433	1522	1615	1707	1891
	24" Open Polymer Arm, Brushe FAE2M-G24OPAN	ed Nickel 1361	Frame 1408	1454	1543	1636	1729	1820	1912	2094
	24" Semi Closed Polymer Arm, FAE2M-G24SPAS	Silver Me 1566	etallic Frai 1635	me 1705	1843	1981	2117	2257	2394	2671
	24" Semi Closed Polymer Arm, FAE2M-G24SPAN	Brushed 1772	Nickel Fra 1840	ame 1909	2047	2186	2322	2462	2599	2874
	24" Closed Polymer Arm, Silve FAE2M-G24CPAS	1580	1648	1717	1855	1992	2131	2270	2407	2683
	24" Closed Polymer Arm, Brusi FAE2M-G24CPAN	hed Nicke 1783	el Frame 1853	1921	2061	2198	2336	2473	2612	2888

#### **ORDERING NOTES:**

Faeron Metal chairs can also be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. See **Page 332** for color selection.

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	546
Solid Surface Arm (per pair) - Gr A Color	570
Solid Surface Arm (per pair) - Gr B	615
Solid Surface Arm (per pair) - Gr C	646
Beech/Palette Wood Arm (per pair)	205

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE Faeron	2M Chair	G Guest Seating	21	O Open Arm	PA Polymer Arm	Silver Metallic
			24	Semi Closed Arm	WA Wood Arm	N Brushed
			30	C Closed Arm	SA Solid Surface Arm	Nickel
			44			

# FAERON METAL | GUEST

		0014		001	EAD		DE0		LEATUED	
DESCRIPTION/MOI	DEL	COM 1	2	COL 3	4	RIC GRAI 5	6 6	7	LEATHER 8	9
	30" Open Polymer Arm, S FAE2M-G30OPAS	Gilver Meta 1328	llic Frame 1393	1460	1591	1724	1857	1988	2121	2386
	30" Open Polymer Arm, E FAE2M-G30OPAN	Brushed Ni 1534	ckel Frame 1598	1664	1796	1930	2062	2193	2325	2590
	30" Semi Closed Polymer FAE2M-G30SPAS	•								
	TALZIVI GOOGI AG	1739	1829	1917	2094	2273	2452	2630	2808	3164
	30" Semi Closed Polymer FAE2M-G30SPAN	Arm, Brus	shed Nickel 2033	Frame 2122	2300	2479	2657	2836	3013	3369
	30" Closed Polymer Arm,	Silver Met	allic Frame							
	FAE2M-G30CPAS	1752	1840	1930	2108	2285	2464	2641	2821	3178
	30" Closed Polymer Arm,	Brushed N	Nickel Fram	е						
	FAE2M-G30CPAN	1958	2045	2134	2314	2490	2670	2846	3026	3383
-	44" Open Polymer Arm, S	Silver Meta	llic Frame							
	FAE2M-G44OPAS	1647	1730	1814	1980	2147	2314	2481	2647	2980
	44" Open Polymer Arm, E	Brushed Ni	ckel Frame							
	FAE2M-G44OPAN	1852	1935	2018	2185	2353	2517	2684	2852	3184
	44" Semi Closed Polymer	Arm, Silve	er Metallic F	rame						
	FAE2M-G44SPAS	2059	2164	2271	2484	2696	2909	3121	3333	3760
	44" Semi Closed Polymer	Arm, Brus	shed Nickel	Frame						
	FAE2M-G44SPAN	2263	2369	2474	2688	2900	3113	3325	3538	3964
	44" Closed Polymer Arm,	Silver Met	allic Frame							
	FAE2M-G44CPAS	2070	2177	2283	2495	2709	2921	3134	3346	3772
	44" Closed Polymer Arm,	Brushed N	Nickel Fram	е						
	FAE2M-G44CPAN	2275	2383	2488	2700	2913	3125	3339	3551	3978

### **ORDERING NOTES:**

Faeron Metal chairs can also be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the Arm Style selection below and add the upcharge listed. See Page 332 for color selection.

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	546
Solid Surface Arm (per pair) - Gr A Color	570
Solid Surface Arm (per pair) - Gr B	615
Solid Surface Arm (per pair) - Gr C	646
Beech/Palette Wood Arm (per pair)	205

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE Faeron	2M Chair	G Guest Seating	21	O Open Arm	PA Palymor Arm	Silver Metallic
raeron	Glair	Guest Seating	24	S Semi Closed Arm	Polymer Arm  WA  Wood Arm	N Brushed
			30	С	SA	Nickel
			44	Closed Arm	Solid Surface Arm	

# **MULTI-PURPOSE SEATING**

95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri


124 Bank of England

## **LIBRA** | ENVIRONMENTAL SUMMARY

## LEED CI CREDIT



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 18.68%

POST-CONSUMER RECYCLED CONTENT = 28.64%

Up to 74.71% of this Krug product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Krug products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Krug products are supplied air-emissions certified. Contact customer service for information.

## **LIBRA | FEATURES & OPTIONS**

#### **FEATURES**



#### **POLYMER BACK & SEAT**

Libra chairs feature Black polymer seat and back. The polymer back provides contoured lumbar support and flex for greater comfort. The seat tilts down for the sitting position and flips up when ready to nest the chairs.



#### **UPHOLSTERED SEAT & BACK**

Libra chairs are available with upholstered seat and Black polymer back or upholstered seat and back.



#### **FRAME**

Metal frame finish is available in Black or Silver Metallic.



#### **ARMS**

Libra chairs are available in both Armless and Armed chair styles. Armed chairs feature a fixed, forward-sloping Black polymer armrest.



#### **GLIDES**

Libra Black nylon glides are non-adjustable, non-marring and field-replaceable if damaged or degraded.



#### **CASTERS**

The twin-wheel casters promote easy storage and repositioning and are also available with a locking option.



#### **NESTING**

Libra chairs nest by raising the seat into its upright position, they can be nested with both the book rack and tablet in place.



#### REPLACEABLE COMPONENTS

Libra is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



Libra has been laboratory tested to meet a weight capacity of 300lbs, for arm and armless versions.

#### **OPTIONS**



#### **TABLET**

Libra swivel folding tablet is available in Black polymer. The tablet is fastened to the left side (facing), and has a turning radius of 360 degrees.



## **BOOK RACK**

The wire book rack is available in Black or Silver Metallic to coordinate with the frame selection. It can conveniently remain in place when the chairs are nested but is also removable without tools if needed.

#### **COMBINATION UPHOLSTERY COVERS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$61 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# LIBRA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	Cubes	
Armless	22	24.5	33.5	18	n/a	n/a	19	25	13	
Fixed Arm	25.5	24.5	33.5	18	26.25	22	19	27	13	
Tablet Arm	28	24.5	33.5	18	29	n/a	19	35	13	

## DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

## **COM Yardage**

Seat & Back	1.19
Seat only	0.56
Back only	0.65



		СОМ		COL	FAI	FABRIC GRADES			LEATHER		
DESCRIPTION/M	ODEL	1	2	3	4	5	6	7	8	9	
	Polymer Back & Seat wit LIB2111B	h Glides and 414	l Black Fr	ame							
	Polymer Back & Seat wit LIB2111S	h Glides and 414	l Silver Fr	ame							
	Polymer Back & Upholste	arad Caat wi	th Clidas	and Plack	Frama						
	LIB2121B	527	541	556	577	600	621	645	675	704	
	Polymer Back & Upholsto LIB2121S	ered Seat wi 527	th Glides 541	and Silver 556	Frame 577	600	621	645	675	704	
	Upholstered Back & Sea				744	700	007	050	004		
	LIB2131B	603	633	666	711	762	807	859	924	988	
	Upholstered Back & Seat LIB2131S	t with Glides 603	and Silve 633	er Frame 666	711	762	807	859	924	988	
	Polymer Back & Seat wit	h Casters ar	nd Black F	rame							
	LIB2112B	421									
	Polymer Back & Seat wit LIB2112S	h Casters ar 421	nd Silver F	rame							
	Polymer Back & Upholsto	ered Seat wi	th Casters	s and Blac	k Frame						
	LIB2122B	534	547	562	583	607	628	651	681	711	
	Polymer Back & Upholsto	ered Seat wi	th Caster	s and Silve	r Frame						
	LIB2122S	534	547	562	583	607	628	651	681	711	
	Upholstered Back & Sea	t with Caster	s and Bla	ıck Frame							
	LIB2132B	610	640	672	717	769	814	866	930	995	
	Upholstered Back & Sea	t with Caster	s and Silv	ver Frame							
	LIB2132S	610	640	672	717	769	814	866	930	995	
OPDERING NOT	ES: To specify casters locking	change the	basa sal	ootion (cho	wa bolow)	from a "'	" to a "3"				
ONDENING NOT	ES. To specify casters locking	, change the	Dase sen	ection (Site	wii below)	illoilla 2	10 a 3	•			
LIBRA OPTION I	JPCHARGES	\$ List									
CAL 133 & Moist Removable Wire	ure Barrier (per yard) Basket	61 73									
DDODLICT COD	E KEV										
PRODUCT COD											

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

# **LIBRA** | FIXED ARM

DESCRIPTION (MODE)		COM 1	2	COL 3	FABRIC GRADES 4 5 6			LEATHER 7 8 9				
DESCRIPTION/MODEL		•			4	<u> </u>	0	- 1	0	9		
	Polymer Back & Seat wi LIB2211B	th Glides a 481	and Black	k Frame								
	Polymer Back & Seat wi	th Glides :	and Silve	r Frame								
	LIB2211S	481	aa									
	Polymer Back & Uphols	tarad Saat	with Glic	des and Ri	ack Frame							
	LIB2221B	594	608	623	643	667	688	712	741	771		
	Polymer Back & Uphols	tered Seat	with Glic	des and Sil	ver Frame							
	LIB2221S	594	608	623	643	667	688	712	741	771		
	Upholstered Back & Sea	st with Cli	doe and F	Plank From								
	LIB2231B	670	700	733	778	829	874	926	990	1055		
	Upholstered Back & Seat with Glides and Silver Frame											
	LIB2231S	670	700	733	778	829	874	926	990	1055		
	Polymer Back & Seat wi	th Casters	and Blac	ck Frame								
	LIB2212B	487	, a. ra 2.a.									
	Polymer Back & Seat wi	th Casters	and Silv	er Frame								
	LIB2212S	487										
	Polymer Back & Uphols	tored Seat	with Cas	eters and F	Black Fram							
	LIB2222B	601	614	629	650	674	695	718	748	778		
	Polymer Back & Uphols	tered Seat	with Cas	sters and S	Silver Fram	е						
	LIB2222S	601	614	629	650	674	695	718	748	778		
	Habalatavad Daala 9 Caa		-4	Diagl. Fue								
	Upholstered Back & Sea LIB2232B	677	707	739	784	836	881	933	997	1061		
	LIBELOEB	011	707	755	704	000	001	300	331	1001		
	Upholstered Back & Sea											
	LIB2232S	677	707	739	784	836	881	933	997	1061		
v.												
ORDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3".												

LIBRA OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Removable Wire Basket	73

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

		COM		COL	FAI	BRIC GRA	ADES		LEATHE	R
DESCRIPTION/MO	DEL	1	2	3	4	5	6	7	8	9
	Polymer Back & Seat wir LIB2311B	th Glides and 596	d Black Fr	rame						
	Polymer Back & Seat wir LIB2311S	th Glides and 596	d Silver Fr	rame						
	Polymer Back & Upholst LIB2321B	tered Seat w				700	004	007	0.57	
	LID232 IB	710	723	738	759	783	804	827	857	887
	Polymer Back & Upholst	tered Seat w	ith Glides		Frame					
	LIB2321S	710	723	738	759	783	804	827	857	887
U	Upholstered Back & Sea									
	LIB2331B	786	816	848	893	945	990	1042	1106	1171
	Upholstered Back & Sea	t with Glides	and Silve	er Frame						
	LIB2331S	786	816	848	893	945	990	1042	1106	1171
	Polymer Back & Seat wir LIB2312B	th Casters ar 603	nd Black I	Frame						
	Polymer Back & Seat wir LIB2312S	th Casters ar 603	nd Silver I	rame						
	Polymer Back & Upholst	tered Seat w	ith Caster	s and Blac	k Frame					
	LIB2322B	716	730	745	766	789	810	834	864	893
	Polymer Back & Upholst	ered Seat w	ith Caster	s and Silve	er Frame					
	LIB2322S	716	730	745	766	789	810	834	864	893
	Upholstered Back & Sea	nt with Caste	rs and Bla	ack Frame						
	LIB2332B	792	823	855	900	952	997	1048	1113	1177
	Upholstered Back & Sea	t with Caste	rs and Sil	ver Frame						
	LIB23232S	792	823	855	900	952	997	1048	1113	1177
ORDERING NOTES	<b>S</b> : To specify casters locking	ı, change the	base sel	ection (sho	wn below)	) from a "2	2" to a "3'	,		
LIDDA ODTION UD	OCHADCES	¢ Liet								
CAL 122 & Mainture		\$ List								
CAL 133 & Moisture Removable Wire Ba	. ,	61 73								

<b>PRODUCT</b>	CODE KEY

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

# LIBRA | REPLACEMENT COMPONENTS


		СОМ	COL		FAE	BRIC GRAI			LEATHER				
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	Yds	Weight	Cube
	Replacemer LIB2-RA2	nt Fixed 63	Arm (Pa	air)								2.5	0.8
	Replacemer LIB2-RA3	nt Table 152	t Arm (pe	er arm)								11.3	2.3
	Replacemer LIB2-RS1	nt Polyn 110	ner Seat									3.8	0.7
	Replacemer	nt Upho	Istered S	Seat									
	LIB2-RS2	192	206	221	241	265	286	310	339	369	0.65	5.9	0.7
	Replacemer LIB2-RB1	nt Glide: 17	s (Set of	4)								0.2	0.1
	Replacemer LIB2-RB2 Replacemer LIB2-RB3	38			4)							0.6	0.1

## **MOBI** | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 13.78%

POST-CONSUMER RECYCLED CONTENT = 14.33%

Up to 55.11% of this Mobi product is recyclable at the end of its useful life.

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Mobi products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Mobi products are supplied with air emissions-certified materials. Contact customer service for specific

## **MOBI** | FEATURES, OPTIONS, DIMENSIONS & COM REQUIREMENTS



#### **ARMS**

Arms are available in the full range of polymer colors: Black, White, Grey, Taupe, Yellow, Red, Blue, Green. Please specify when ordering.



#### **CADDIE**

The Mobi caddie provides enhanced stackability, along with the ease of movement and storage. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. Its design allows for the stacking and storage of all Krug stackable chairs.



**ARMLESS** 



#### **COMBINATION COLORS**

More than one polymer color can be selected in any combination for seats, backs and arms. Please specify when ordering.



#### **POLYMER SEATS & BACKS**

Available Polymer colors: White, Grey, Taupe, Yellow, Red, Blue, Green and Black.



#### **UPHOLSTERED SEATS & BACKS**

Optional Removable covers can be quickly installed on Mobi products that were originally ordered with the removable cover option.



#### **MESH BACKS**

Available mesh colors: Grey, Black & White. Please specify when ordering.



### **STACKABILITY**

Mobi chairs are stackable to a maximum of 8 chairs high on the floor as well as dolly.



#### **LEGS & GLIDES**

Mobi legs are structural steel legs in Polished Chrome with non-marring glides.



#### **WEIGHT CAPACITY**

Mobi has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Mobi has been load tested up to 300lbs.

### **OPTIONS**

# REPLACEMENT AND REMOVABLE COMPONENTS

Mobi is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Mobi Chairs are available with Removable Seat and Removable Back Covers,

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

### **DIMENSIONS & COM REQUIREMENTS**

	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping		COM
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes	YRD
MOB210P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB211P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB220P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB221P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB230P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB231P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB240P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB241P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB250P	18	21	31	17	n/a	n/a	18.75	21	14	1.22
MOB251P	21.25	21	31	17	27	20.5	18.75	21	14	1.22

DECORPORTION (MADE)		COM		COL	FABRIC GRADES			L		
DESCRIPTION/MODEL	Polymer Seat and Back, A MOB210P	rmless 365	2	3	4	5	6	7	8	9
	Polymer Seat and Back, w MOB211P	vith Arms 403								
	Polymer Back and Uphols MOB220P		Armless 504	526	570	616	661	705	752	843
	Polymer Back and Uphols MOB221P		with Arr 549	ns 571	617	662	708	753	798	888
	Mesh Back and Upholster MOB230P		nless 512	535	581	625	670	717	760	852
Mobi Option Upcharges	6	\$ List								
CAL 133 & Moisture Barr Removable Seat Covers Removeable Back Cover		61 68 68								
PRODUCT CODE KEY Line	Series	(	Chair Sty	rle		Arn	n Style			Metal Finish
MOB Mobi	2 Multi-Purpose		1 olymer S & Back	eat			0 mless			P ished Chrome
			2 ymer Ba olstered			A	1 rmed			
			3 esh Bac olstered							
			esh Bac olymer S							
		Fully S	5 / Uphols eat & Ba	tered ck						

## **MOBI**


DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRA	DES 6	7	LEATHE 8	:R 9
	Mesh Back and Upholstere MOB231P	ed Seat, v 536	with Arms 559	582	627	672	718	761	808	898
	Mesh Back and Polymer S MOB240P	eat, Armi 374	less							
	Mesh Back and Polymer S MOB241P	eat, with 420	Arms							
	Fully Upholstered Seat and MOB250P	1 Back, A 582	rmless 617	654	725	799	871	942	1015	1162
	Fully Upholstered Seat and MOB251P	I Back, w 618	vith Arms 655	691	765	836	910	982	1055	1198
	Caddie DOL6	799								
Mobi Option Upcharges		\$ List								
CAL 133 & Moisture Barrie Removable Seat Covers Removeable Back Covers		61 68 68								
PRODUCT CODE KEY										
Line	Series 2		Chair S	tyle		Α	rm Style			Metal Finish
MOB Mobi	Multi-Purpose		Polymer E	ck  Back &		[	0 Armless 1 Armed		F	P Olished Chrome
			Mesh Ba	ack &						
			4 Mesh Ba Polymer							
		ı	Fully Upho Seat & E							

## KARMA | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 5.51%

POST-CONSUMER
RECYCLED CONTENT = 24.98%

Up to 73.47% of this Karma product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## KARMA | FEATURES & OPTIONS



#### **DESIGNED FOR COMFORT**

The seat features an enhanced standard foam thickness, combined with our proprietary webbing suspension system, to provide superior comfort and a longer life cycle. The back is contoured and angled to provide supportive sitting.



#### LIGHT GREY POLYMER BACK

Polypropylene backs are injection molded, with Light Grey pigment diffused throughout the mold, featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance.



#### **WALL SAVER**

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



#### **POLYMER ARM**

Karma arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey, Light Grey and Taupe.



#### STANDARD GLIDE

Karma's black domed polymer glides are nonadjustable, and field-replaceable if damaged or degraded. Ideal for carpeted flooring.



#### **STACKING**

Karma stacks 7 high on the floor, and 12 chairs on the Caddie. The optional Underseat Cover can be specified to help prevent indenting of seat upholstery on chairs that will be stacked. Karma chairs with the Sled Base option do not stack.



#### **TANDEM SEATING**

Karma chairs, and in-line tables, are designed to be instantly converted to (or ordered as) tandem seating. Armed and armless chairs can be connected -when joining arm chairs the positioning prevents a pinch point between the arms. In-line tables can be configured between chairs or as end tables. And the tandem components can be easily removed to convert to freestanding.



## REPLACEABLE COMPONENTS

Karma is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



The Karma Leg is available in 2 standard finishes; Silver Metallic and Matte Black. Polished Chrome is also available for an upcharge.

#### **WEIGHT CAPACITIES**

Karma has been laboratory tested to meet a weight capacity of 500 lbs, in all versions: arm and armless, and all widths.

### **OPTIONS**



#### SLED BASE OPTION

Optional Sled Base frames are available in Silver Metallic and Matte Black. The integrated steel rail spans between the front and rear legs which are fitted with black nylon glides. Karma chairs with the Sled Base option do not stack.



#### UNDERSEAT COVER

As an alternative to the standard dust cover under the seat, this option, in black polymer, closes off the underside of the chair, functioning as a cleanable Splashguard to protect the interior from moisture. It also assists in chair stacking, by distributing the weight to eliminate any indentations in the seat upholstery.



#### **CASTERS OPTION**

Karma features durable low profile 1 ½" diameter casters in black nylon offering an impressive 500lb load rating.



#### FLOOR SAVER GLIDE

Karma's Floor Saver Glides are a larger, white, nylon glide incorporating a much larger surface area, and is a self-adjusting to help protect LVT, vinyl, tile, or hardwood where risk of marking might occur. Available at a \$36 list upcharge.



#### **NON-SLIP GLIDE**

Features a much larger surface area and is also self-adjusting. It also features a softer outer coating to hold and prevent chair from sliding on LVT, vinyl, or tile flooring. Perfect for more slippery/smooth floor areas where prevention of chair movement is required. Available at a \$36 list upcharge.



#### **COMBINATION UPHOLSTERY COVERS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



Optional Removeable covers can be quickly installed on Karma products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Karma products that were not originally ordered with the Removable cover option, with some simple staple removal.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. See page 25 for imformation.

# KARMA | DIMENSIONS & COM REQUIREMENTS

	0 "	0 "	0 "	0 1		5.	0 .	Shipp	ing Wei	-	0014	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	1 Chair	2 Chairs	3 Chairs	COM YRD	Cubes
Leg Base Stac Armless	king Chair l	Jpholstered										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	24	44	64	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22 KAR2C-26	28 32	21.9 21.9	33.9 33.9	18 18	26.8 26.8	22 26	17 17	25.5 27	47 50	68.5 73	1 1.7	18 21
Leg Base Stac			00.0	10	20.0	20	.,,	21	50	70	1.7	21
Armless	00.0	01.0	00.0	10	/	-/-	47	00.5	44	FO F	0.7	10
KAR2C-18.5 KAR2C-22	20.2 23.7	21.9 21.9	33.9 33.9	18 18	n/a n/a	n/a n/a	17 17	22.5 24	41 44	59.5 64	0.7 0.7	18 18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	0.7	21
With Arms			00.0		.,, &	., .				00.0	0	
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	27	50	73	0.7	21
Leg Base Stac Armless	king Chair F	Polymer Back										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	n/a	18
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	n/a	18
Caster Base C	hair Uphols	tered - With A	Arms									
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	1	18
Caster Base C												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
Caster Base C KAR2C-18.5	nair Polyme 24.5	r Back - With 21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
Sled Base Cha	ir Upholster	red										
Armless					,	,						
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	-	1	18
KAR2C-22 KAR2C-26	23.7 27.7	21.9 21.9	33.9 33.9	18 18	n/a n/a	n/a n/a	17 17	27 28.5	-	-	1 1.7	18 21
With Arms	21.1	21.5	00.0	10	Π/α	Π/α	17	20.5	_	_	1.7	21
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	_	_	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	28.5	_	_	1	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	30	-	-	1.7	21
Sled Base Cha Armless	ir Wood Ba	ck										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	_	_	0.7	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	-	-	0.7	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	-	-	0.7	21
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	_	_	0.7	18
KAR2C-16.5 KAR2C-22	24.5 28	21.9	33.9	18	26.8	22	17	28.5	-	-	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	30	-	-	0.7	21
Sled Base Cha												
Armless KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	_	_	0.7	18
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	0.7	18
Yardage for Inc Fabric 18.5" Fabric 22" Fabric 26"	dividual Con	nponents	Back 0.50 0.50 0.50	Seat 0.75 0.75 0.75								

## **DIMENSIONS:**

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# KARMA | LEG BASE

DESCRIPTION/MO	ODEL		COM 1	2	COL 3	FABI 4	RIC GRAI	DES 6	7	LEATHER 8	9_
	18.5" Leg Base, M KAR2C-18.5L_PN/	<b>^</b> D	Silver Mo 129	etallic - U 455	pholstere 478	d Seat & Po 515	lymer Ba 556	ck, No Arm 591	with Star 631	ndard Dus 682	t Cover 732
	18.5" Leg Base, Po KAR2C-18.5LCPN	<b>A</b> D	e - Upł 533	nolstered 559	Seat & Po 584	olymer Back 620	, No Arm 661	with Stand	lard Dust ( 737	Cover 786	837
	18.5" Leg Base, M KAR2C-18.5L_UN	۸۵	Silver Mo 163	etallic - F 489	ully Uphol 513	Istered, No A	Arm with	Standard D	Oust Cover 664	716	767
	18.5" Leg Base, Po KAR2C-18.5LCUN	۸D	e - Full 568	y Upholst 593	ered, No 618	Arm, and St 655	andard D 696	ust Cover 730	770	820	871
	18.5" Leg Base, M KAR2C-18.5L_WN	<b>A</b> D	Silver Mo 194	etallic - U 510	pholstere 520	d Seat & Wo 539	od Back 560	, No Arm w 577	ith Standa 598	ard Dust C 624	Cover 648
	18.5" Leg Base, Po KAR2C-18.5LCWN	IAD	e - Upł 300	nolstered 614	Seat & Wo	ood Back, N 644	o Arm wi 664	th Standar 682	d Dust Co 703	ver 729	756
	18.5" Leg Base, M KAR2C-18.5L_PA_	.D _	164	489	516	553	591	627	668	718	st Cover 769
	18.5" Leg Base, Po KAR2C-18.5LCPA	Б	e - Upr 571	596	621	658	, with Arn 697	n and Stan	dard Dust 772	Cover 825	874
	18.5" Leg Base, M KAR2C-18.5L_UA_ 18.5" Leg Base, Po	_D	198	522	550	586	625	661	702	er 752	803
	KAR2C-18.5LCUA	Г	e - Fuii 604	630	656	691	730	767	806	858	909
	18.5" Leg Base, M KAR2C-18.5L_WA	Ъ	Silver Mo 521	etallic - U 536	pholstere 549	d Seat & Wo	ood Back 588	, with Arm a	and Stand	lard Dust 653	Cover 677
	18.5" Leg Base, Po KAR2C-18.5LCWA	D	e - Upł 628	nolstered 641	Seat & We	ood Back, w 672	ith Arm a 693	nd Standa 709	rd Dust Co 730	over 757	782
Karma Option Up	ORDERING NOTE	S: When selec	cting Fra		r and Arm	Style pleas	e see Pro	duct Code	Key belo	w.	
CAL 133 & Moistu Removable Seat C Removable Back C Polymer Undersea	re Barrier (per yard) Covers Covers		6 6 6	1 8 8							
PRODUCT CODE K		F 0:			0-1	Ot- I-		Δ	Ot de	l la da sa	+ 0
KAR Karma	Series  2C  Stacking Chair	Frame Size  [18.5L]  18.5" Leg Bas	se	Frame  B  Matte I  S  Silver M	Black	Style  U  Fully Uphol  W  Beech Wood	stered	No A	Style  IA  Arm  B  ack	Polym	eat Shroud S er Shroud D undard
				C Polished		P Polymer f	Back	Gr AL Light		Dus	t Cover

# KARMA | LEG BASE

		СОМ		COL	FAF	BRIC GRA	DES		LEATHER	₹
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	22" Leg Base, Matte B	lack or Silv	ver Metalli	ic - Fullv U	lpholstered	. No Arm v	with Stand	ard Dust C	over	
	KAR2C-22L_UNAD	504	529	555	589	628	663	704	756	805
	22" Leg Base, Polished	d Chrome	- Fully Up	holstered.	No Arm. a	nd Standa	ard Dust Co	over		
	KAR2C-22LCUNAD	631	656	681	717	757	793	832	884	935
U 										
	22" Leg Base, Matte Bl	ack or Silv	er Metallio	c - Upholst	ered Seat 8	& Wood ba	ck, No Arn	n with Stan	dard Dust	Cover
الم	KAR2C-22L_WNAD	540	555	567	585	604	623	642	668	695
	22" Leg Base, Polished	d Chrome	- I Inholst	ered Seat	& Wood ha	ick No Ari	m with Sta	ndard Dus	t Cover	
	KAR2C-22LCWNAD	669	681	696	712	732	749	771	796	823
	22" Leg Base, Matte B	lack or Silv	ver Metalli	ic - Fully U	pholstered	, with Arm	and Stand	dard Dust (	Cover	
	KAR2C-22L_U_D	538	563	589	624	664	699	741	791	841
	22" Leg Base, Polished	d Chrome	- Fully Up	holstered.	with Arm a	and Standa	ard Dust C	over		
	KAR2C-22LCU_D	666	693	717	752	794	828	869	917	969
	22" Leg Base, Matte B			•						
	KAR2C-22L_W_D	568	581	593	612	633	648	670	696	721
	22" Leg Base, Polished	d Chrome	- Upholst	ered Seat	& Wood ba	ick, with A	rm and Sta	andard Dus	st Cover	
	KAR2C-22LCW_D	697	708	723	741	760	778	799	824	848

**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Removable Seat Covers	68
Polymer Underseat Shroud 22"	60
Polymer Underseat Shroud 18.5"	45
Combination Upholstery - dual fabrics	32

#### PRODUCT CODE KEY

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR Karma	2C Stacking Chair	22L 22" Leg Base	B Matte Black	U Fully Upholstered	NA No Arm	S Polymer Shroud
			S Silver Metallic	W Beech Wood Back	AB Black	D Standard
			C Polished Chrome		AG Grey	Dust Cover
					ALG Light Grey	
					AT	

Taupe

# KARMA | LEG BASE

		COM		COL	FAE	BRIC GRA	DES		LEATHER	3
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	26" Leg Base, Matte Bl KAR2C-26L_UNAD	ack or Silv 602	ver Metallio 648	c - Fully L 699	Jpholstered 768	, Armless 845	with Stand 913	dard Dust 990	Cover 1087	1185
	26" Leg Base, Polished KAR2C-26LCUNAD	Chrome 731	- Fully Up 780	holstered 829	, Armless, v 897	with Stand 974	dard Dust ( 1042	Cover 1121	1219	1315
	26" Leg Base, Matte Black KAR2C-26L_WNAD	ack or Silv 620	er Metallic 642	- Uphols 664	tered Seat 6 698	& Wood b 732	ack, Armle 767	ss, with St 803	andard Du 847	ust Cover 893
	26" Leg Base, Polished KAR2C-26LCWNAD	Chrome 748	- Upholste 772	ered Seat 795	& Wood ba 828	ack, Armle 863	ess, with S <sup>e</sup> 896	tandard Du 933	ust Cover 979	1021
	26" Leg Base, Matte Bl KAR2C-26L_U_D	ack or Silv 638	ver Metallio 687	c - Fully U 733	Jpholstered 803	, with Arn 880	n and Stan 948	dard Dust 1029	Cover 1123	1222
	26" Leg Base, Polished KAR2C-26LCU_D	Chrome 768	- Fully Up 816	holstered 865	with Arm a, 933	nd Stand 1011	ard Dust C 1080	over 1156	1253	1352
	26" Leg Base, Matte Bla KAR2C-26L_W_D	ack or Silve 646	er Metallic 670	- Upholsto 693	ered Seat & 725	Wood ba	ck, with Ar 794	m and Sta 830	ndard Dus 874	st Cover 918
	26" Leg Base, Polished KAR2C-26LCW_D	Chrome 777	- Upholste 800	ered Seat 823	& Wood ba 854	ack, with A 890	Arm and St 922	tandard Du 960	ıst Cover 1006	1050

## **ORDERING NOTES:**

When selecting Frame Color and Arm Style please see Product Code Key below. See following page for additional options. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed on page 112.

Description/Model		Price
	Tandem Seating Bracket KAR2C-GB BA	-Matte Black (for armed chair) 77
	Tandem Seating Bracket- KAR2C-GB BSA	Silver Metallic (for armed chair) 77
	Tandem Seating Bracket- KAR2C-GB BCA	Polished Chrome (for armed chair) 87
	Tandem Seating Bracket- KAR2C-GB BNA	Matte Black (for chairs without arms) 68
	Tandem Seating Bracket- KAR2C-GB BSNA	Silver Metallic (for chairs without arms) 68
	Tandem Seating Bracket- KAR2C-GB BCNA	Polished Chrome (for chairs without arms) 78
	Caddie DOL6	799
PRODUCT CODE KEY		

PRODUCT COL	DE KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26L	В	U	NA	S
Karma	Stacking Chair	26" Leg Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

# KARMA | CASTER BASE

DESCRIPTION/MODEL		COM 1	2	COL 3	FABR 4	IC GRAD	ES 6	7	LEATHER 8	9
	18.5" Caster Base, S KAR2CS-18.5MSP_D			ed Seat 6 596	& Polymer Ba 631		rm with Sta	ndard 746	Dust Cover 796	848
	18.5" Caster Base, S KAR2CS-18.5MSU_D		- Fully Upho 603	olstered, 630	with Arm and 664	d Standa 704	rd Dust Cov 741	er 781	830	883
	18.5" Caster Base, Si KAR2CS-18.5MSW_I		- Upholstere 615	d Seat & 628	Wood back, 645	with Arm 666	and Standar 683	rd Dusi 704	t Cover 730	756
	22" Caster Base, Silv KAR2C-22MSU_D	er Metallic - 616	Fully Uphols 642	stered, w 668	ith Arm and 703	Standard 744	Dust Cover 778	819	870	918
	22" Caster Base, Silv KAR2C-22MSW_D	er Metallic- 646	Upholstered 659	Seat & V 673	Vood back, v 689	vith Arm a	and Standar 728	rd Dus 748	t Cover 773	800
	ORDERING NOTES: Karma chairs all inclu upcharge listed below	de the Stan						ange "	D" to "S" and	d add
Karma Option Upchar	raes	\$1	₋ist							
CAL 133 & Moisture Ba Removable Seat Cover Removable Back Cover Polymer Underseat Shr Polymer Underseat Shr Polymer Underseat Shr Combination Upholster	rrier (per yard) s rs oud 18.5" oud 22" oud 26"	•	61 68 68 45 60 77 32							
PRODUCT CODE KEY Line	Series Fran	me Size	Frame (	Color	Style		Arm S	tvle	Undersea	at Shroun
KAR	2C 18.5" C 2	3.5M aster Base 2M aster Base	S Silver Me		Every	] d Back ]	AB Blac AG Gree ALG	ek y	Polymer E Stan	Shroud

Light Grey

AT

Taupe

# KARMA | SLED BASE

DESCRIPTION/MO	DEI	COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	ا 7	EATHER 8	0
DESCRIPTION/IVIO	18.5" Sled Base, Matte Bla	-			-					9 Cover
	KAR2C-18.5S_PNAD	559	572	585	602	624	640	661	687	712
	18.5" Sled Base, Matte Bla KAR2C-18.5S_UNAD	ack or Silver 593	Metallic 605	- Fully Upho 619	Istered, No 636	Arm wi 658	ith Standard 674	Dust Cove 696	er 721	746
	18.5" Sled Base, Matte Bla KAR2C-18.5S_WNAD	ick or Silver 627	Metallic - 640	Upholstered 654	Seat & Wo	ood bacl 691	k, No Arm wit 708	h Standar 729	d Dust Cov 756	er 781
	18.5" Sled Base, Matte Bla KAR2C-18.5S_P_D	ack or Silver 597	Metallic	- Upholstere 647	d Seat & F 684	Polymer 723	Back, No Arr 759	n with Sta 799	ndard Dus	Cover
	18.5" Sled Base, Matte Bla KAR2C-18.5S_U_D	ack or Silver 631	Metallic 656	- Fully Upho 682	lstered, wi 718	th Arm a 757	and Standard 793	Dust Cov 832	er 884	935
	18.5" Sled Base, Matte Bla	ck or Silver I	Metallic -	Upholstered	Seat & Wo	od back	, with Arm an	d Standard	d Dust Cov	 er
	CRDERING NOTES: When Karma chairs all include the charge listed below.									808 I up-
Karma Option Up	charges	\$1	List							
Removable Seat C Removable Back C Polymer Undersea Combination Upho	Covers t Shroud 18.5" olstery - dual fabrics		61 68 68 45 32							
PRODUCT CODE KE		o Cino	F	a Calar	0+ 1		Δ	Otudo	I los -l - · · ·	t Ch
KAR Karma	2C 18	8.5S led Base	Matt	e Color  B e Black S Metallic	Styl  Fully Upho  W  Beech Woo  P  Polymer	olstered od Back	No A Bla A Gr AL Light	A Arm B Inck G ey	Polymer Stan	Shroud Odard

# KARMA | SLED BASE

								'		
		COM		COL		BRIC GRAI			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	22" Sled Base, Matte E KAR2C-22S_UNAD	Black or Silv 634	er Metallio 659	e - Fully U 685	pholstered 720	No Arm w 759	vith Standa 795	ard Dust Co 836	over 887	937
	22" Sled Base, Matte B KAR2C-22S_WNAD	lack or Silve 672	er Metallic 685	- Upholst 698	ered Seat 8 717	Wood bad 735	ck, No Arm 754	with Stand 773	dard Dust 799	Cover 825
	22" Sled Base, Matte E KAR2C-22S_U_D	Black or Silv 669	er Metallid 696	c - Fully U 720	pholstered 756	with Arm 796	and Stand 830	lard Dust C 871	Cover 922	971
	22" Sled Base, Matte B KAR2C-22S_W_D	lack or Silv	er Metallic	:- Upholst 725	ered Seat 8	k Wood ba	ck, with Ar	m and Star 802	ndard Dus	st Cove
	10 W 12 0 22 0 _ 1V _ D	099	711	123	743	705	701	002	021	000
	ORDERING NOTES: W Karma chairs all include upcharge listed below.									nd add
Karma Option Upcharg	-	\$ Li								
CAL 133 & Moisture Bar Removable Seat Covers Removable Back Covers	s s	(	61 68 68							

\$ List
61
68
68
60
32

PRODUCT CODE	KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	228	В	U	NA	S
Karma	Chair	22" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG Grey	Dust Cover
					ALG	
					Light Grey	
					AT	
					Taupe	

# KARMA | SLED BASE

		COM		COL	FAE	FABRIC GRADES			LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9		
	26" Sled Base, Matte B	lack or Silve	er Metallio	- Fully U	pholstered	Armless	with Stand	lard Dust C	Cover			
	KAR2C-26S_UNAD	732	781	830	898	978	1043	1122	1220	1316		
	26" Sled Base, Matte Bl	ack or Silve	er Metallic	- Uphols	tered Seat 8	& Wood ba	ack. Armle	ss. with St	andard Du	ıst Cover		
	KAR2C-26S_WNAD	752	773	796	829	865	897	935	980	1023		
	26" Sled Base, Matte B	lack or Silve	er Metallio	: - Fully U	pholstered	with Arm	and Stand	dard Dust (	Cover			
	KAR2C-26S_U_D	769	819	866	935	1012	1081	1159	1254	1353		
	26" Sled Base, Matte Bl KAR2C-26S_W_D	ack or Silve 778	er Metallic 802	- Upholste 824	ered Seat & 856	Wood bad 891	ck, with Arr 925	m and Star 961	ndard Dus 1008	t Cover 1051		
	ORDERING NOTES: \ Karma chairs all includupcharge listed below.	le the Stand								and add		

upcharge listed below.


Karma Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Removable Seat Covers	68
Removable Back Covers	68
Polymer Underseat Shroud 26"	77
Combination Upholstery - dual fabrics	32

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26S	В	U	NA	S
Karma	Chair	26" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG	Dust Cover
					Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

## **CORFU | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 26.34%

POST-CONSUMER RECYCLED CONTENT = 22.74

Up to 55.38% of this Corfu product is recyclable at the end of its useful life.

(COR2-61S)

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CORFU | FEATURES & OPTIONS**



#### SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



#### STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Polished Chrome.



#### **UNDER SEAT COVER**

Each Corfu includes an underseat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.



## **PLASTIC COMPONENTS**

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection:

White, Black, Grey, Red, Blue, Sand



# WOOD FINISH

**BEECH PLYWOOD** 

Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.

Wood seats and backs are made with

European Beech hardwood veneers,

featuring nine (9) plys of cross grain for

added strength and durability.



### **COMBINATION UPHOLSTERY COVERS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



# STACKING

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.



California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



The Corfu caddie provides enhanced stackability, along with the ease of movement and storage. Its design allows for the stacking and storage of all Krug stackable chairs. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. This caddie is designed to stack and transport Krug's other stacking chairs.

### **GANGING**

Corfu can be ordered with the option of ganging for the upcharge of \$32 list per chair. Please specify ganging when ordering.

#### **PACKAGING**

Corfu packaging features recycled, recyclable cardboard. The arm and armless chairs are shipped 4 units per carton.

### **DIMENSIONS**

					Height of	Width		Sh	nipping Weig	hts & Cubes	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	1 unit W C	2 units W C	3 units W C	4 units W C
COR2-10S COR2-10C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	28 16	46 17	65 18	83 20
COR2-11S COR2-11C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	30 16	51 17	73 18	93 20
COR2-20S COR2-20C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	30 16	51 17	73 18	94 20
COR2-21S COR2-21C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	36 16	63 17	92 18	119 20
COR2-30S COR2-30C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-31S COR2-31C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20
COR2-40S CORS-40C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-41S COR2-41C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20
COR2-50S COR2-50C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	29 16	48 17	69 18	89 20
COR2-51S COR2-51C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	32 16	54 17	77 18	99 20
COR2-60S COR2-60C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-61S COR2-61C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	82 18	106 20
COR6	24	31	15.75								

### **COM REQUIREMENTS**

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

## **WEIGHT CAPACITY**

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

	COM		COL		BRIC GRA	DES		LEATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9



Plastic Seat & Back, Armless, with Silver Metallic Frame

COR2-10S 46

Plastic Seat & Back, Armless, with Polished Chrome Frame

COR2-10C 530



Plastic Seat & Back, Plastic Arms, with Silver Metallic Frame

COR2-11S 54

Plastic Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame

COR2-11C 595



Plastic Seat & Back with Upholstered Pads, Armless, with Silver Metallic Frame COR2-20S 627 660 693 725 759 793 825 858 891

Plastic Seat & Back with Upholstered Pads, Armless, with Polished Chrome Frame

COR2-20C 687 720 752 784 819 852 885 916 952



Plastic Seat & Back with Upholstered Pads, Plastic Arms, with Silver Metallic Frame

COR2-21S 702 733 768 800 834 867 899 933 967

Plastic Seat & Back with Upholstered Pads, Polished Aluminum Arms, with Polished Chrome Frame

COR2-21C 754 788 820 853 886 918 954 985 1017

### **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Chrome frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$32 list per chair, please specify on order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	2	1	0	S
	Multi-Purpose	Plastic Seat &	Armless	Silver Metallic
		Back		
		2	1	С
		Plastic with Upholstered	Arms	Polished Chrome
		Seat & Back Pads		
		3 Wood Seat & Back		
		4		
		Fully Upholstered		
		Seat & Back		
		5		
		Plastic Back, Plastic Seat with		
		Upholstered Pad		
		6		
		Wood Back, Fully Upholstered Seat		

D=00010=101/4/00=		0050150	СОМ	•	COL		BRIC GRA			LEATHER	0
DESCRIPTION/MODE	<u> </u>	SPECIES	1	2	3	4	5	6	7	8	9
	,	Plastic Seat wit	•								
	COR2-50S		581	603	627	647	672	695	717	740	761
	Plastic Back,	Plastic Seat wit	h Upholst	ered Pad	, Armless,	with Poli	shed Chro	me Frame	<b>;</b>		
	COR2-50C		641	663	687	708	731	754	777	799	823
	Plastic Back,	Plastic Seat wit	h Upholst	ered Pad	, Plastic A	rms with	Silver Met	tallic Fram	e		
	COR2-51S		657	678	702	724	746	769	793	813	837
	Plastic Back, Plastic Seat with Upholstered Pad, Polished Aluminum Arms, with Polished Chrome Frame										
	COR2-51C		708	731	754	777	799	823	844	867	888
	Wood Seat 8	Back, Armless,	with Silve	r Metallio	c Frame						
	COR2-30S	Beech	678								
	Wood Seat 8	Back, Armless,	with Polis	shed Chro	ome Fram	е					
	COR2-30C	Beech	746								
	Wood Seat 8	Back, Silver Me	etallic Arm	s. with S	ilver Meta	llic Frame					
	COR2-31S	Beech	813	o, o							
	Wood Seat 8	Back, Polished	Aluminun	n Arms, v	vith Polish	ed Chron	ne Frame				



When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

897

When ordering the Polished Chrome frame, arms are Polished Aluminum.

COR2-31C Beech

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$32 list per chair, please specify on order.


CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	2	1	0	S
	Multi-Purpose	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3 Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5		
		Plastic Back, Plastic Seat with Upholstered Pad		
		6 Wood Back, Fully Upholstered Seat		

		COM			COL		FABR	IC GRADE	S	LEATHER		
DESCRIPTION/MOI	DEL	SPECIES	1	2	3	4	5	6	7	8	9	
	Wood Back, Fully	Unholstered	Seat Ari	mless wi	th Silver M	letallic Fra	ame					
	COR2-60S	Beech	740	771	805	838	871	907	938	970	1004	
		Wood Back, Fully Upholstered Seat, Armless, with Polished Chrome Frame										
/ //	COR2-60C	Beech	806	840	872	908	939	971	1006	1039	1071	
	Wood Back, Fully	Upholstered					Metallic	Frame				
	COR2-61S	Beech	873	909	940	973	1008	1040	1073	1107	1139	
	Wood Back, Fully	Linhalatarad	Soot Do	liched Alı	ıminum ar	mo with I	Doliohod	Chromo E	romo			
	COR2-61C	Beech	957	989	1022	1057	1088	1122	1156	1188	1222	
/ / /	00112 010	Docom	337	303	1022	1007	1000	1122	1130	1100	1222	
U												
	Fully Halaslatavasl	O+ 0 D1-	Λ		\ \ \ - \ -							
	Fully Upholstered COR2-40S	Seat & Back	, Armiess 769	s, with Sir 813	ver Metalli 859	c Frame 907	950	995	1040	1085	1131	
	00112 400		103	010	000	301	930	333	1040	1005	1101	
	Fully Upholstered	Seat & Back	, Armless	s, with Po	lished Chr	ome Fran	ne					
/ M \	COR2-40C		837	883	928	971	1016	1063	1108	1152	1198	
u   l												
	Fully Upholstered	Seat & Back										
	COR2-41S		907	950	995	1040	1085	1131	1174	1221	1267	
	Fully Upholstered	Seat & Back	Polisha	d Alumini	ım Arme ı	with Polich	hed Chro	me Frame				
	COR2-41C	ocal a back	987	1033	1078	1122	1168	1213	1257	1305	1349	
	-											
U												
	Caddie DOL6		700									
	DOLO		799									
(a) (a) (b)												

### **ORDERING NOTES:**


When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum. Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms. Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$32 list per chair, please specify on order. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.



## **CAPRI | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 15.13%

POST-CONSUMER
RECYCLED CONTENT = 30.97%

Up to 66.28% of this Capri product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Capri products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CAPRI**

			COM		COL	F.	ABRIC GF	RADES		LEATHE	:R
DESCRIPTION/MODE	DESCRIPTION/MODEL/FINISHES		1	2	3	4	5	6	7	8	9
	ARM CHAI	R									
	CAP2A1	Cherry, Beech	1033								
	CAP2A2		1254	1304	1344	1404	1463	1531	1608	1694	1840
	CAP2A3	Cherry, Beech	1138	1182	1228	1279	1332	1386	1438	1527	1617
	CAP2A4	Cherry, Beech	1168								
/ //	CAP2A5	Cherry, Beech	1271	1318	1361	1413	1463	1517	1568	1659	1749
	SIDE CHAI	R									
	CAP2S1	Cherry, Beech	952								
d 1	CAP2S2	•	1168	1213	1264	1323	1386	1449	1510	1599	1748
	CAP2S3	Cherry, Beech	1061	1107	1146	1199	1254	1308	1361	1449	1536
/ / /	CAP2S4	Cherry, Beech	1086								
	CAP2S5	Cherry, Beech	1193	1216	1279	1332	1386	1438	1492	1581	1669
	CADDIE DOL6		799								

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube (2)	COM Yardage
ARM CHAIR										
Wood with arms	22	22.75	33.75	18.5	27	20.5	17.25	12	13	-
Fully Upholstered with arms	22	22.75	34	19	27	20.5	17.75	14	13	1.0
Upholstered seat with arms	22	22.75	33.75	19	27	20.5	17.75	13	13	0.6
SIDE CHAIR										
Wood with arms	19.75	22.75	33.75	18.5	-	-	17.25	12	13	-
Fully Upholstered	19.75	22.75	34	19	-	-	17.75	14	13	1.0
Upholstered seat	19.75	22.75	33.75	19	-	-	17.75	13	13	0.6
ARM CHAIR										
Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	_
Fully Upholstered with arms	22	22.75	44	29.5	38.5	20.5	17.75	17	18	1.0
Upholstered seat with arms	22	22.75	43.75	29.5	38.5	20.5	17.75	16	18	0.6
CADDIE	25.5	41	43.75	-	-	-	-	20	17	-

ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. .

## PRODUCT CODE KEY

Line	Series	Chair Type	Chair Style
CAP	2	А	1
Capri	Guest Seating	Arm Chair	Wood
	5 Barstool	Side Chair	2 Fully Upholstered
			3 Upholstered Seat Cushion
			Wood With Holes
			5 Upholstered Seat Back with Holes

#### ADDIF

When used with Caddie, Capri stacks to a maximum of 15 chairs high (10 high for upholstered versions). Barstool versions cannot be stacked with Caddie.

## REMOVABLE UPHOLSTERED BACK COVER


Capri Chairs are available with removable upholstered back cover at an upcharge of **\$46 list** per chair.

## BANK OF ENGLAND | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .34%

POST-CONSUMER RECYCLED CONTENT = 13.10%

Up to 96.55% of this Bank of England product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bank of England products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## AIR-EMISSIONS

All Bank of England products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bank of England and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **BANK OF ENGLAND**

			COM COL FABRIC GRADES			DES	LEATHER				
DESCRIPTION/MODE	L/FINISHES		1	2	3	4	5	6	7	8	9
	WOOD SE 177-A	AT Oak, Cherry	1264								
	177-J	Oak, Cherry Jury Base	1430								
	REMOVAE	BLE CUSHION									
	178-A	Oak, Cherry	1541	1613	1685	1754	1821	1891	1957	2028	2136
	178-J	Oak, Cherry Jury Base	1719	1796	1871	1943	2013	2089	2157	2230	2345
	UPHOLST 179-A	ERED SEAT Oak, Cherry	1541	1613	1685	1754	1821	1891	1957	2028	2136
	179-J	Oak, Cherry Jury Base	1719	1796	1871	1943	2013	2089	2157	2230	2345

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
177-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	-
178-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75
179-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75

#### **ORDERING NOTES**

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available. For jury base version of this chair, please select model number '177-J' for Wood Seat, '178-J' for Removable Cushion, or '179-J' for Removable Cushion Upholstered Seat.



CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. .

## ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finish

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

## **BANK OF ENGLAND**

For a complete list of standard wood finishes please see Page 331.

# **BARSTOOL & COUNTER HEIGHT SEATING**


127 Manolo 131 Karma 133 Capri 135 Corfu

## MANOLO | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 14.89%

POST-CONSUMER
RECYCLED CONTENT = 34.84%

Up to 69.20% of this Manolo product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Manolo products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



mark of responsible forest

## **AIR EMISSIONS**

All Manolo products are supplied air-emissions certified. Contact customer service for information.

#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Manolo and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## MANOLO | FEATURES & OPTIONS



#### **SEATS**

Manolo seats are available, with two back heights; Backless Seat and Low Back Seat, in Upholstered, Beech and Walnut veneers and Palette finishes.



#### **BASES**

Manolo Stool bases feature Polished Chrome structural steel base frames with non-marring polycarbonate glides. Manolo Stool bases are available in two heights; Counter Height or Bar Height.

#### WEIGHT CAPACITY

Manolo complies with ANSI/BIFMA x5.1-2011 test standards. Manolo has been load tested up to 300lbs.

#### **FINISH DURABILITY**

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### **OPTIONS**

#### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

## MANOLO | VENEERS & FINISHES

#### **WOOD FINISHES**

Standard wood finishes are:

**SPECIES** 

FINISH

BEECH Appalachian Cherry

American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry
Light Oak
Harvest Oak
Mahogany
Mellow Oak
Espresso
Cordovan Walnut

Natural Walnut Regular Walnut Dark Walnut Clear Beech Medium Anigre

WALNUT

Natural Walnut SilverGrey on Walnut Regular Walnut Dark Walnut

PALETTE FINISHES Black

White Sand Soft Green Steel Blue Slate

#### **VENEERS**

Manolo veneers are quarter cut with a horizontal grain direction.

#### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

#### **CUSTOM WOOD FINISHES**

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

#### FINISH

Manolo features the Krug finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

# MANOLO | BARSTOOL & COUNTER STOOL

			СОМ		COL	FAR	RIC GRA	DES		LEATHER	
Description	Model	Species	1	2	3	4	5	6	7	8	9
	Barstool, Wo	ood, Backless Seat Beech	772								
	MANSOUT	Walnut	811								
	MAN5B03	Palette	743								
	Counter Sto	ol, Wood Seat, Backle	ss Seat								
	MAN5C01	Beech	747								
		Walnut	785								
	MAN5C03	Palette	720								
		ly Upholstered, backle	ess seat								
	MAN5B02		813	844	873	935	994	1056	1115	1174	1296
	Counter Sto	ol, Fully Upholstered,	Backless S	Seat							
	MAN5C02	, , ,	788	819	848	910	969	1031	1089	1150	1271
	Barstool, Wo MAN5B11 MAN5B13	ood, Low Back Seat Beech Walnut Palette	788 828 756								
	Counter Sto	ol, Wood, Low Back S	eat								
	MAN5C11	Beech	761								
		Walnut	802								
	MAN5C13	Palette	732								
		y Upholstered, Low B									
	MAN5B12		863	895	928	990	1055	1116	1181	1244	1370
	Counter Sto	ol Fully Upholstered, L	ow Back S	Seat							
	MAN5C12		837	870	901	964	1029	1092	1155	1219	1345

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Width	Seat Depth	Seat Height	Shipping Weight	Cube	COM Yardage	
Barstool										
Backless Seat	19	22.5	36	15.75	16	31	19.5	12	1	
Low Back Seat	19	22.5	41	15.75	16	31	20	13	1	
Counter Stool										
Backless Seat	19	22.5	30	15.75	16	25	18.5	10	1	
Low Back Seat	19	22.5	35	15.75	16	25	19	11	1	

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

Manolo Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61


PRODUCT CODE KEY					
Line	Series	Base Height	Seat Style	Seat Type	
MAN Manolo	5 Stool	B Bar Height	0 Backless Seat	1 Wood	
		C Counter Height	1 Low Back Seat	2 Fully Upholstered	
				3 Palette	

## KARMA | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 7.86%

POST-CONSUMER RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

All Karma products are supplied air-emissions certified. Contact customer service for information.

# In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manu-

facturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# KARMA | COUNTER STOOL

DESCRIPTION/MODE	L	COM 1	2	COL 3	FABI 4	RIC GRADE 5	ES 6	7 L	EATHER 8	9
	18.5" Leg Frame, Matte B KAR2C-18.5C_UNAD	lack or Silv 645	er Metallio 672	c - Fully Up 697	holstered, 1 731	No Arm, wi 772	th Standard 808	d Dust Co 847	over 898	948
	18.5" Leg Frame, Polished KAR2C-18.5CCUNAD	d Chrome 696	- Fully Up 721	holstered, 1 745	No Arm, wit 781	h Standard 823	Dust Cove 858	er 897	947	997
	18.5" Leg Frame, Matte B KAR2C-18.5C_WNAD	lack or Silv 678	ver Metallio	c- Upholste 704	ered Seat & 723	Wood back	k, No Arm, 760	with Star 781	ndard Dus	st Cov 832
	18.5" Leg Frame, Polished KAR2C-18.5CCWNAD	d Chrome 728	- Upholste 742	ered Seat 8 754	Wood back	k, No Arm, 793	with Stanc 809	lard Dust 830	Cover 856	883
	ORDERING NOTES: Whe Karma chairs all include the and add upcharge listed by	ne Standar	d Dust Co	ver (select	"D" below),	for optiona	al Polymer			" to "S
	18.5" Leg Frame, Matte B KAR2C-18.5C_U_D	lack or Silv 682	ver Metallio 702	c - Fully Up 732	holstered, v 769	with Arm, w 808	vith Standa 844	rd Dust 0 885	Cover 936	985
	18.5" Leg Frame, Polished KAR2C-18.5CCU_D	d Chrome 731	- Fully Up 757	holstered, v 782	with Arm, w 817	ith Standar 858	d Dust Co	ver 935	984	1036
	18.5" Leg Frame, Matte Bla KAR2C-18.5C_W_D	ack or Silve 705	r Metallic- 720	Upholstere 731	d Seat & Wo	ood back, w	rith Arm, wit	th Standa 808	rd Dust C	over 861
	18.5" Leg Frame, Polished KAR2C-18.5CCW_D	d Chrome 756	- Upholste 769	ered Seat 8 781	Wood bacl 799	k, with Arm 819	i, with Stan 837	dard Dus 858	st Cover 884	910
	ORDERING NOTES: Whe Karma chairs all include the and add upcharge listed by	ne Standar	d Dust Co	ver (select	"D" below),	for optiona	al Polymer			" to "S
Karma Option Upcha	ırges	\$ L	ist							
CAL 133 & Moisture B Removable Seat Cove	. ,		61 68							

See page 3 for more information on options and features.

## PRODUCT CODE KEY


PRODUCT CODE	: KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	18.5C	В	U	NA	S
Karma	Chair	18.5" Counter Height Stool	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					AT	
					Taupe	

## **CAPRI | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Capri products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# CAPRI | BARSTOOL

			COM COL FABRIC GRADES LEATHER								
DESCRIPTION/MODE	L/FINISHES		1	2	3	4	5	6	7	8	9
	BARSTOOI CAP5A1 CAP5A2 CAP5A3 CAP5A4 CAP5A5	Cherry, Beech Cherry, Beech Cherry, Beech Cherry, Beech	1241 1506 1366 1397 1525	1562 1420 1580	1613 1472 1631	1685 1537 1694	1757 1600 1757	1836 1663 1821	1928 1727 1883	2032 1833 1990	2179 1922 2077

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BARSTOOL Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	_
Fully Upholstered with arms Upholstered seat with arms		22.75 22.75	44 43.75	29.5 29.5	38.5 38.5	20.5 20.5	17.75 17.75	17 16	18 18	1.0 0.6


ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Line	Series	Chair Type	Chair Style	BARSTOOL
CAP	5	А	1	The Capri barstool version is available with arms only. Capri barstool versions are suitable for use with bar heights in the range of 40" to 42".
Capri	Barstool	Arm Chair	Wood	versions are suitable for use with bar fleights in the range of 40° to 42°.
				REMOVABLE UPHOLSTERED BACK COVER
			2	Capri Chairs are available with removable upholstered back cover at
			Fully	an upcharge of \$46 list per chair.
			Upholstered	
			3	
			Upholstered	
			Seat Cushion	
			4	
			Wood With	
			Holes	
			5	
			Upholstered Seat,	
			Back with Holes	

## **CORFU** | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 27.77%

POST-CONSUMER RECYCLED CONTENT = 18.44%

Up to 86.71% of this Corfu product is recyclable at the end of its useful life.

CONTRIBUTES TO

	001111111111111111111111111111111111111	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## CORFU | BARSTOOL - FEATURES & OPTIONS

#### SUSTAINABLE DESIGN

an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.

European Beech hardwood veneers, featuring nine (9) plys of cross grain for added strength and durability.

#### STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Chrome.

## PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.


Color Selection: White, Black, Grey, Red, Blue, Sand

#### **UNDER SEAT COVER**

Each Corfu includes an under-seat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.

Corfu is made with recycled materials, with

## **WOOD FINISH**





Wood seats and backs are made with



**OPTIONS** 

#### **COMBINATION UPHOLSTERY COVERS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$61 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.





# **CORFU | BARSTOOL - DIMENSIONS & COM REQUIREMENTS**

#### **COM REQUIREMENTS**

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

#### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
COR5-10S	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-10C	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-11S	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-11C	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-20S	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-20C	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-21S	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-21C	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-30S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-30C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-31S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-31C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-40S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-40C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-41S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-41C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-50S	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-50C	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-51S	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-51C	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-60S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-60C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-61S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-61C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22

## WEIGHT CAPACITY

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

# **CORFU | BARSTOOL**

		COM		COL		ABRIC GR		_	LEATHER	
DESCRIPTION/MO	DEL	1	2	3	4	5	6	7	8	9
	Plastic Seat & Back, Armless COR5-10S  Plastic Seat & Back, Armless	837 , with Polis			ne					
	COR5-10C	980								
	Plastic Seat & Back, Plastic A COR5-11S	Arms with S 925	Silver Met	tallic Frar	ne					
	Plastic Seat & Back, Polished COR5-11C	d Aluminum 1080	ı Arms w	ith Polish	ed Chron	ne Frame				
$\overline{\Box}$	Plastic with Upholstered Seat	t & Back Pa	-	less, with	Silver M	etallic Frar	ne 1252	1285	1320	1390
	Plastic with Upholstered Seat							1203	1320	1390
	COR5-20C	1256	1272	1291	1325	1360	1394	1430	1463	1533
	Plastic with Upholstered Seat COR5-21S	t & Back Pa 1202	ads, Plas 1220	tic Arms, 1236	with Silve 1270	er Metallic 1306	Frame 1340	1373	1410	1479
	Plastic with Upholstered Seat COR5-21C		ads, Polis 1372	shed Alur 1391	minum Arı 1423	ms, with P 1460	olished Ch 1493	rome Fran 1528	ne 1563	1632

## **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

OOT OODE NET				
Line	Series	Chair Style	Arm Style	Frame Finish
COR	5 Barstool	1 Plastic Seat & Back	0 Armless	Silver Metallic
		2 Plastic with Upholstered Seat & Back Pads	1 Arms	C Polished Chrome
		Beech Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5  Plastic Back, Plastic Seat with Upholstered Pad		
		6  Beech Wood Back, Fully Unholstered Sea	<b>+</b>	

# **CORFU** | BARSTOOL

DESCRIPTION/MODE	:I	SPECIES	COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	9
	<del>-</del>							_			
$\bigcap$	Plastic Back, Plastic Seat with Upholstered Pad, Armless, with Silver Metallic Frame										
	COR5-50S		1063	1073	1083	1105	1124	1144	1164	1184	1224
	Plastic Back, I	Plastic Back, Plastic Seat with Upholstered Pad, Armless, with Polished Chrome Frame									
	COR5-50C		1206	1215	1227	1247	1267	1287	1307	1327	1367
	,	Plastic Seat witl	h Upholst	ered Pac	d, Plastic A	Arms with	Silver Me	tallic Fram	ne		
	COR5-51S		1074	1084	1094	1114	1136	1156	1174	1195	1235
	Plastic Back, Plastic Seat with Upholstered Pad, Polished Aluminum Arms, with Polished Chrome Frame										
	COR5-51C		1306	1315	1325	1345	1366	1386	1407	1424	1466
	Wood Soot 8	Back, Armless,	with Silve	r Motalli	o Eramo						
[ \	COR5-30S	Beech	1160	i wetani	CITAIIIE						
	00110 000	DCCCII	1100								
	Wood Seat & Back, Armless, with Polished Chrome Frame										
	COR5-30C	Beech	1231								
	Wood Seat & COR5-31S	Back, Silver Me Beech	etallic Arm	ıs, with S	Silver Meta	allic Frame	<b>)</b>				

### **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

Wood Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame 1330

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

COR5-31C

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3  Beech Wood Seat & Back		
		4		
		Fully Upholstered		
		Seat & Back		
		5		
		Plastic Back, Plastic Seat with		
		Upholstered Pad		
	E	6  Beech Wood Back, Fully Upholstered Seat	t	

# CORFU | BARSTOOL

DESCRIPTION/MODEL			COM		COL		FABRIC GRADES			LEATHER	
		SPECIES	1	2	3	4	5	6	7	8	9
$\overline{\Box}$			Seat Armless, with Silver Metallic frame								
	COR5-60S	Beech	1061	1074	1085	1108	1131	1155	1178	1200	1247
	Wood Back, Fully		Seat Armle	ss, with P	olished Cl	nrome frai	me				
FA	COR5-60C	Beech	1134	1144	1156	1180	1202	1225	1248	1270	1316
	, ,	Vood Back, Fully Upholstered Seat, Silver Metallic Arms, with Silver Metallic Frame									
	COR5-61S	Beech	1181	1192	1203	1227	1249	1272	1295	1318	1365
	Wood Back, Fully		Seat, Polisl	hed Alumi	inum Arms	s, with Pol	ished Chr	ome Fram	ie		
	COR5-61C	Beech	1231	1244	1255	1278	1302	1324	1347	1370	1417
Fully Upholstered Seat & Back, Armless, with Silver Meta							1000	1000		1000	
	0010 400		1071	1097	1121	1169	1220	1268	1316	1366	1463
	Fully Upholstered	Seat & Back,	Armless, v	vith Polish	ned Chrom	e Frame					
	COR5-40C		1142	1166	1192	1241	1290	1338	1387	1436	1534
	Fully Upholstered Seat & Back, Silver Metallic Arms, with Silver Metallic Frame										
	COR5-41S		1190	1213	1240	1288	1337	1386	1435	1483	1581
	Fully Upholstered	Seat & Back,	Polished A	Numinum	Arms, with	n Polished	I Chrome	Frame			
COR5-41C			1242	1267	1291	1339	1389	1438	1486	1536	1633

### **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

## PRODUCT CODE KEY

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat &	Armless	Silver Metallic
		Back		
		2	1	С
		Plastic with Upholstered	Arms	Polished Chrome
		Seat & Back Pads		
		3  Beech Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with Upholstered Pad		
		6		

Beech Wood Back, Fully Upholstered Seat

# LOUNGE SEATING


- 142 Avatar
- 145 Cressida
- 155 Leyton
- 166 Zola
- 183 Zola Privacy
- 249 Faeron
- 261 Sutton
- 263 Carlyle
- 265 Brio
- 267 Sloane

## **AVATAR** | ENVIRONMENTAL SUMMARY

## **LEED CI CREDITS**



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.21%

POST-CONSUMER
RECYCLED CONTENT = 18.77%

Up to 45.10% of this Avatar product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### AIR-EMISSIONS

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **AVATAR | FEATURES & OPTIONS**



**STYLE** FIXED ARM



**ARMLESS** 



#### **LEGS**

Avatar legs feature Polished Chrome aluminum foot with nylon glides.

## REPLACEABLE COMPONENTS

Avatar is uniquely designed to allow major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Chair legs, arms, table tops and bases are field replaceable.

## **FINISH DURABILITY**

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### **WEIGHT CAPACITIES**

Avatar complies with ANSI/BIFMA x5.1-2011 test standards. Avatar has a load tested up to 300lbs.

### **OPTIONS**

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Width Between Arms	Arm Height	Shipping Weight	Cube	COM Yardage
AVA3-1	29	28	30.5	16	18.5	27.5	22	49	17.5	2.65
AVA3-0	26.5	28	30.5	16	18.5	n/a	n/a	46	17.5	2.65

#### **DIMENSIONS:**

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# AVATAR | LOUNGE

		COM		COL	FABI	RIC GRA	DES	L	EATHER	
Description	Model	1	2	3	4	5	6	7	8	9
	Armless AVA3-0	1794	1861	1930	2025	2133	2229	2337	2472	2609
	Fixed Arm AVA3-1	2000	2067	2135	2231	2341	2434	2543	2679	2816



Avatar Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	61	


PRODUCT CODE KEY				
Line	Series	Arm Style		
AVA	3	1		
Avatar	Soft Seating	Fixed Arm		
		0		
		Armless		

# **CRESSIDA** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



## MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 4.22%

POST-CONSUMER RECYCLED CONTENT - 14.49%

Up to 24.32% of this Cressida product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CRESSIDA** | LOUNGE FEATURES & OPTIONS



### **CLEAN OUT**

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



### **ARMS AND ARMLESS**

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



### POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.



#### **GLIDES**

Cressida Lounge arm and armless versions are standard with nylon glides.

### **WEIGHT CAPACITIES**

Cressida weight capacities are as follows: One-Seat-350 lbs One-Seat (Plus) -750 lbs One-Seat Wide - 350lbs One-Seat Wide (Plus) - 750lbs Two-Seat - 525 lbs Two-Seat (Plus) - 975lbs Three-Seat - 850 lbs

# REPLACEABLE COMPONENTS

Three-Seat (Plus) - 1200 lbs

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.



### **CASTERS**

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



### **PUSH BAR**

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar powder-coated steel in Silver Metallic finish.

## **PLUS UPGRADE**

Cressida seating is available with optional Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

### **TABLETS**

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

## **COMBINATION UPHOLSTERY**

More than one upholstery cover within the same unit, is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

### **METAL FINISH OPTIONS**

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$61 list per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

# **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

## REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with removable seat and back covers.

## **DIMENSIONS & COM REQUIREMENTS**

					Height of	Width		Shipping Weight	Shipping Weight	
	Overall	Overall	Overall	Seat	Arms from	Between	Seat	Open	Closed	
	Width	Depth	Height	Height	Floor	Arms	Depth	Arm	Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Wide	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Wide	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida plus two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

COM - YARDAGE REQUIREN	/FNTS				
- TANDAGE NEGOTIEN	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Wide - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Wide - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Wide - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Wide - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to <a href="Page 329">Page 329</a> for C.O.M approval process.

## **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	61	One-Seat Removable Back Covers	145	
Push Bar	61	One-Seat Wide Removable Back Covers	218	
Caster Combination (2 legs & 2 rear casters)	145	Two-Seat Removable Back Covers	288	
Casters (set of 4)	218	Three-Seat Removable Back Covers	432	
One-Seat Removable Seat Covers	145	One-Seat - Plus Upgrade	88	
One-Seat Wide Removable Seat Covers	218	One-Seat Wide - Plus Upgrade	116	
Two-Seat Removable Seat Covers	288	Two-Seat - Plus Upgrade	190	
Three-Seat Removable Seat Covers	432	Three-Seat - Plus Upgrade	218	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MO	ODEL/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat, Armless CRE3-F1ALS1 n/a	1492	1569	1664	1786	1922	2043	2179	2353	2524
	One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple Palette One-Seat, Open Arm with an CRE3-F1OPP1 Beech, Map Palette	n cap	1807	1894 1965	2003	2145 2216	2280	2416 2488	2575 2646	2754 2825
	One-Seat, Closed Arm CRE3-F1CLS1 Beech, Map Palette One-Seat, Closed Arm with a CRE3-F1CLP1 Beech, Map	ırm cap	2559	2718 2789	2941	3198	3420	3679	4003	4317
	Palette	e 2473	2633	2789	3012	3269	3492	3749	4074	4389

## **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	61	One-Seat Removable Seat Covers	145	
Push Bar	61	One-Seat Removable Back Covers	145	
Caster Combination (2 legs & 2 rear casters) Casters (set of 4)	145 218	One-Seat - Plus Upgrade	88	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

### PRODUCT CODE KEY

AUDUCT CODE KET					
Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide  2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	Casters 3 Caster Combination 2 legs & 2 Rear Casters
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm	

Polymer Arm Cap

DESCRIPTION/MODE	L/SPECIES	COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHER 8	9
	One-Seat Wide, Armless CRE3-FB1.5ALS1 n/a	1579	1681	1783	1930	2094	2241	2407	2614	2822
	One-Seat Wide, Open Arm CRE3-FB1.5OPS1 Beech, Maple Palette One-Seat Wide, Open Arm with arn CRE3-FB1.5OPP1 Beech, Maple Palette		1935 2007	2039 2112	2185 2257	2349 2421	2496 2577	2661 2734	2870 2943	3079 3150
	One-Seat Wide, Closed Arm CRE3-FB1.5CLS1 Beech, Maple Palette One-Seat Wide, Closed Arm with ar CRE3-FB1.5CLP1 Beech, Maple Palette	т сар	2690 2761	2868 2941	3116 3187	3399 3471	3647 3720	3932 4004	4280 4353	4914 4986

# **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	61
One-Seat Wide - Plus Upgrade	116
One-Seat Wide Removable Seat Covers	218
One-Seat Wide Removable Back Covers	218

NOTE: One-Seat Wide Lounge is not available with caster options.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

DESCRIPTION (MODEL (ODES)			COL	FAB	RIC GRA			LEATHER	
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Two-Seat, Armless CRE3-F2ALS1 n/a	2467	2597	2718	2904	3105	3284	3492	3744	4003
Two-Seat, Open Arm CRE3-F2OPS1 Beech, Maple Palette Two-Seat, Open Arm with arm ca CRE3-F2OPP1 Beech, Maple Palette	ap	2818 2891	2948 3017	3127 3198	3333 3407	3513 3584	3714 3786	3973 4043	4231 4300
Two-Seat, Closed Arm CRE3-F2CLS1 Beech, Maple Palette  Two-Seat, Closed Arm with arm CRE3-F2CLP1 Beech, Maple Palette	cap	3579 3648	3778 3849	4059 4130	4381 4453	4660 4732	4983 5055	5391 5465	5792 5865

## **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	61
Two-Seat - Plus Upgrade	190
Two-Seat Removable Seat Covers	277
Two-Seat Removable Back Covers	277

NOTE: Two-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide  2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			Three-Seat	CLS Closed Arm CLP	
				Closed Arm Polymer Arm Cap	

DESCRIPTION/MODEL/S	PDECIES	COM	2	COL 3		RIC GRA		7	LEATHER	0
DESCRIPTION/MODEL/S	Three-Seat, Armless CRE3-F3ALS1 n/a	3349	3530	3700	3944	5 4231	4474	4755	<u>8</u> 5106	9 5455
	Three-Seat, Open Arm CRE3-F3OPS1 Beech, Maple Palette Three-Seat, Open Arm with arm CRE3-F3OPP1 Beech, Maple Palette	сар	3749 3820	3931 4003	4173 4173	4453 4524	4704 4774	4983 5055	5336 5407	5685 5758
	Three-Seat, Closed Arm CRE3-F3CLS1 Beech, Maple Palette Three-Seat, Closed Arm with arr CRE3-F3CLP1 Beech, Maple Palette	n cap	4510 4583	4760 4834	5106 5178	5507 5579	5857 5929	6253 6324	6754 6823	7249 7319

### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote-please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List	
Moisture Barrier (per yard)	61	
Three-Seat - Plus Upgrade	218	
Three-Seat Removable Seat Covers	432	
Three-Seat Removable Back Covers	432	

NOTE: Three-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3	F	1	ALS	1
Cressida	Lounge	Freestanding	One-Seat	Armless	Legs
		FB	1.5	OPS	
		Freestanding	One-Seat Wide	Open Arm	
		Plus	2	OPP	
			Two-Seat	Open Arm	
				Polymer Arm Cap	
			3	CLS	
			Three-Seat	Closed Arm	
				CLP	
				Closed Arm	
				Polymer Arm Cap	

# CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE				WEIGHT	CUBE
	Wood Tablet CRE3 T1	Beech/Maple	561				12	2
	Tablet with Palette Fini CRE3 T2	ish n/a	417				12	2
	Laminate Tablet CRE3 T4	n/a	561				12	2
	ORDERING NOTES: be specified right or le			andard with a	polymer ed	lge. Please no	ote Cressida Table	ets need to
	Calid Cumfaga Tablet		A-White	Grades A-Color	В	С		
	Solid Surface Tablet CRE3 RT3		641	654	687	744	12	2

# **CRESSIDA** | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FAI 4	BRIC GF 5	RADES 6	7	LEATHE 8		WEIGHT	CUBE
LOUNGE	One-Seat Replacement Back CRE3-RB1	681	741	798	879	973	1056	1148	1267	1382	23	4.2
	One-Seat Wide Replacement E CRE3-RB1.5B	Back 770	831	891	978	1073	1158	1255	1378	1496	28	5.7
	Two-Seat Replacement Back CRE3-RB2	1008	1092	1179	1299	1438	1559	1695	1869	2041	38	8.8
	Three-Seat Replacement Back CRE3-RB3	1347	1456	1564	1717	1890	2041	2214	2433	2648	52	12
	One-Seat Replacement Back ( CRE3-RBC1	Cover 277	332	391	471	567	647	743	859	978	2.0	1.0
	One-Seat Wide Replacement E CRE3-RBC1.5	Back Co 288	over 348	408	493	591	677	772	895	1015	2.5	1.2
	Two-Seat Replacement Back CCRE3-RBC2	Cover 384	469	557	677	813	936	1073	1245	1417	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 441	550	660	811	984	1138	1311	1528	1746	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	575	618	660	717	782	841	909	990	1073	28	9.5
	One-Seat Wide Replacement S CRE3-RS1.5	Seat 745	799	850	925	1010	1083	1168	1271	1378	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	895	948	1004	1081	1166	1242	1328	1438	1545	53	18
	Three-Seat Replacement Seat CRE3-RS3	1198	1281	1363	1481	1611	1727	1861	2029	2193	79	24
	One-Seat Replacement Seat C CRE3-RSC1	over 199	241	283	340	407	464	533	614	697	2.0	1.0
	One-Seat Wide Replacement S CRE3-RSC1.5	Seat Co 247	ver 299	352	427	511	584	668	773	879	2.5	1.2
	Two-Seat Replacement Seat C CRE3-RSC2	over 263	319	372	449	535	611	698	806	914	3.5	1.8
	Three-Seat Replacement Seat CRE3-RSC3	Cover 336	418	502	618	748	866	999	1166	1330	5.0	2.5
	Replacement Lounge Front Arr	n & Leg	I									
	Open Arm CRE3-LROPS Beech, Maple Palette	177									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	213										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	el 387	433	479	542	618	682	757	850	941	20	3.8
6	Lounge Replacement Push-Ba CRE3-RPB	r 59									2	0.3

# CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS


DESCRIPTION	MODEL		PRICE				WEIGH	TCUBE
	Replacement CRE3-RACB	Polymer Arm Cap Blac	ck 37				1.0	0.5
	Replacement CRE3-RACB	Polymer Arm Cap Gre	y 37					
*	Lounge Repla CRE3-RLAF*	acement Front Leg (for	armless version) 57				0.5	0.5
8**	Lounge Repla CRE3-RGAF*	acement Front Leg (for *	armless version) 0 18	Glide			0.1	0.2
*	Lounge Repla CRE3-RLC*	acement Plus Upgrade	Center Leg 52				0.5	0.5
**	Lounge Repla CRE3-RCG**	acement Plus Upgrade	Center Leg Glide 22				0.5	0.5
*	Lounge Repla CRE3-RLB*	acement Back Leg	75				1.8	0.5
**	Lounge Repla CRE3-RGB**	acement Glide	19				0.1	0.2
	Lounge Repla	acement Front Leg (for	caster version) 52				0.5	0.5
**	Lounge Repla CRE3-RLCB*	acement Back Leg (for *	caster version) 52				0.5	0.5
* 1 **	Replacement CRE3-RC1*	Casters Non-Locking	71				.75	0.3
	Replacement CRE3-RC2**	Casters Locking	71				.75	0.3
	Wood Tablet of CRE3 RT1	& Mounting Plate Only Beech/Maple	379				5	0.32
	Tablet with Pa CRE3 RT2	alette finish & Mounting n/a	Plate Only 265				5	0.32
	Tablet & Mou	nting Plate Only - Solid n/a	Surface <b>A-White</b>	Grades A-Color	В	С	7	0.32
Ц			514	521	550	595		
	Laminate Tab CRE3 RT4	let & Mounting Plate Or n/a	nly 379				5	0.32

# **LEYTON** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 28.61%

POST-CONSUMER
RECYCLED CONTENT = 9.91%

Up to 8.81% of this Leyton product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 3.3 Resource Reuse 1 pc CREDIT 4.1 Recycled Content 1 pc CREDIT 4.2 Recycled Content 1 pc		
CREDIT 4.1 Recycled Content 1 pc CREDIT 4.2 Recycled Content 1 pc	2.1 - 2.2 TIC	1-2 point(s)
CREDIT 4.2 Recycled Content 1 pc	3.3 FIC	1 point
	л 4.1 F	1 point
OPERIT 4.5	лт 4.2 F	1 point
CREDIT 4.5 LOW ETHILLING INICIPALIS,	DIT 4.5	
Systems & Seating 1 pc		1 point
CREDIT 5.1 Regional Materials* 1 pc	оіт <b>5.1</b>	1 point
CREDIT 7 Certified Wood 1 point (MUST BE REQUESTED)		1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## **AIR EMISSIONS**

**FSC®** 

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



### In

he mark of responsible forest

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **LEYTON | FINISHES & FEATURES**

#### WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak Espresso Oak Harvest Oak Mahogany

MAPLE Clear Maple

Honey Maple Wheat Maple

Mellow oak

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut Cordovan Walnut

CHERRY Appalachian Cherry

American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

ANIGRE Clear Anigre

Medium Anigre

SYCAMORE Clear Sycamore

Please note Cherry, Anigre and Sycamore species require a minimum quantity order, of 5 units for seating and 5 units for tables, per species.

PALETTE Black

White Sand Soft Green Steel Blue Slate

### **VENEERS**

Leyton veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

#### **NON-STANDARD VENEER SPECIES**

In addition to range of standard wood species, Leyton can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Leyton's standard offering.

### **NATURAL CHARACTERISTICS OF WOOD**

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

### **CUSTOM WOOD FINISHES**

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

### **ENDURAGUARD FINISH**

Leyton features the Krug finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

### **IN-STOCK LAMINATE**

Krug's in-stock laminates are available on Leyton Table surfaces in 4 solid laminate selections. Laminate surfaces are self-edged.

### **SOLID LAMINATES**

Designer White - Platinum - Earth - Charcoal

# **LEYTON | FEATURES**



## ARM STYLE

Leyton features four design styles Upholstered Armless, Upholstered Full Arm, Wood Surround Armless and Wood Surround Full Arm.

**Upholstered Armless** 



Upholstered Full Arm



Wood Surround Armless



Wood Surround Full Arm



# LEGS

Leyton Lounge and Tables feature Polished Chrome structural steel legs with Black glides. Non-marring glides are available upon request.

### REPLACEABLE COMPONENTS

Leyton chairs are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Seats, backs, arms and frames are field replaceable, with the only exceptions being the Upholstered Armless, Upholstered Full Arm and Upholstered Front Panel as it is one piece.

### **WEIGHT CAPACITIES**

All Leyton seating feature Plus Weight capacities. One-Seat - 750lbs

One-seat Wide - 750lbs Two-Seat - 975lbs

Three-Seat - 1200lbs

Leyton has been tested to ANSI / BIFMA.

### **PLUS UPGRADE**

Leyton models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

# **LEYTON | OPTIONS**



## **OPTIONS** Solid Surface Arm Cap

Leyton Lounge Full Arm version is available with an optional Solid Surface Arm Cap providing enhanced durability, protection and cleanability for the arms. This is field replaceable if it becomes damaged or degraded and is available in 8 standard colors.



#### TABI FT

Leyton Solid Surface tablet can be specified left or right as seated. The tablet can be used alone or with solid surface arm cap and is 1/2" thick.



### **PUSH BAR**

This is an optional feature on Leyton One Seat lounge chairs, designed to assist caregiving staff in the movement and relocation of the chair. It is Silver Metallic in color and retractable for ease of use. The Push bar is field replaceable if necessary.



### **CASTERS**

Optional on Leyton lounge chairs are four - 4" diameter soft wheel swivel locking casters, featuring a large, easy-access foot activation and release lever. The caster locks both directionally and rotationally, keeping the chair securely in place when locked. Note: lounge chairs with casters are not designed or intended as patient transport devices.



### **CLEAN OUT**

Leyton lounge seating models have an optional built-in clean out feature: a space at the back of the seat that allows dirt debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product. Clean Out option is available for an upcharge,



### **UNDER-MOUNT POWER**

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables.

### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

### **REMOVABLE COVERS & REPLACEMENT** COMPONENTS

Optional Removeable covers (with the exception of the Upholstered Armless, Upholstered Full Arm and Front panel) can be quickly installed on Leyton products that were originally ordered with the Removable cover option. Replacement covers (with the exception of the Upholstered Armless, Full Upholstered Arm and front panel) can also be installed on Leyton products that were not originally ordered with the Removable cover option, with some simple staple removal.

### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge, please see Page 329.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **LEYTON** | DIMENSIONS, COM REQUIREMENTS, MOISTURE BARRIER & **OPTION UPCHARGES**

DIMENSIONS									
	Overall	Overall	Overall	Seat Height	Height of	Width			
	Width	Depth	Height	min/max	Arms from	between	Seat	Shipping	
					Floor	Arms	Depth	Weight	Cube
LEY31UF	28.5	29.25	31	17.75	26.25	23.25	19.25	82	18.5
LEY31.5UF	35.5	29.25	31	17.75	26.25	30.25	19.25	107	25.2
LEY32UF	52	29.25	31	17.75	26.25	47	19.25	131	32.5
LEY33UF	75.75	29.25	31	17.75	26.25	70.5	19.25	179	46.5
LEY31UN	28.5	29.25	31	17.75	n/a	23.25	19.25	78	18.5
LEY31.5UN	35.5	29.25	31	17.75	n/a	30.25	19.25	103	25.2
LEY32UN	52	29.25	31	17.75	n/a	47	19.25	127	32.5
LEY33UN	75.75	29.25	31	17.75	n/a	70.5	19.25	175	46.5
LEY31WF	28.25	29.25	31	17.75	26.25	23.75	19.25	79	18.5
LEY31.5WF	35.25	29.25	31	17.75	26.25	30.25	19.25	104	25.2
LEY32WF	51.75	29.25	31	17.75	26.25	47.25	19.25	128	32.5
LEY33WF	75.5	29.25	31	17.75	26.25	71	19.25	176	46.5
LEY31WN	28.25	29.25	31	17.75	n/a	23.75	19.25	75	18.5
LEY31.5WN	35.25	29.25	31	17.75	n/a	30.25	19.25	100	25.2
LEY32WN	51.75	29.25	31	17.75	n/a	47.25	19.25	124	32.5

17.75 All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

n/a

19.25

46.5

### **COM YARDAGE REQUIREMENTS**

75.5

29.25

LEY33WN

	Fully	Wood				Armless		Full body
	Upholstered (Complete Unit)	Surround (Seat and Back only)	and only (Wood only (Wood front		Full Arm & front panel (Pair)	panel & front panel (pair)	Back Panel only	with arm, Front panel & Back panel
One-Seat - One	Chair							
Armless	3.75	1.6	0.9	0.8		1.75	.75	2.5
Full Arm	4.6	1.6	0.9	0.8	2.6		.75	3.35
One & Half-Seat	t - One Chair							
Armless	5.2	2.3	1.3	1		2.1	.75	2.85
Full Arm	5.7	2.3	1.3	1	2.6		.75	3.35
Two-Seat - One	Chair							
Armless	5.7	3	1.5	1.5		2	.75	2.75
Full Arm	6.3	3	1.5	1.5	2.6		.75	3.35
Three-Seat - On	ne Chair							
Armless	8	4.6	2.4	2.2		2.3	1.5	3.8
Full Arm	8.7	4.6	2.4	2.2	3		1.5	4.5

# **COM APPROVAL PROCESS:**

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

## **CAL 133 MOISTURE BARRIER**

Model	Upcharge	Model	Upcharge	Model	Upcharge	Model	Upcharge			
LEY31UN	283	LEY32UN	416	LEY31.5UN	366	LEY33UN	705			
LEY31UF	351	LEY32UF	488	LEY31.5UF	456	LEY33UF	772			
LEY31WN	130	LEY32WN	199	LEY31.5WN	168	LEY33WN	436			
LEY31WF	130	LEY32WF	199	LEY31.5WF	168	LEY33WF	436			
<b>Leyton Optio</b>	n Upcharges		\$ List				\$ List			
One-Seat Clear	n out		45	One-Seat Remov	vable Seat & Ba	ck Covers	145			
One & Half-Seat Clean out			65	One & Half-Seat	One & Half-Seat Removable Seat & Back Covers					
Two-Seat Clean out			88	Two-Seat Remov	able Seat & Ba	ck Covers	288			
Three-Seat Clea	an out		131	Three-Seat Remo	ovable Seat & B	ack Covers	432			
Solid Surface A	rm Cap (per pair)	- Gr A White	342	Seat or Back Co	over only Upch	arges				
	rm Cap (per pair)		346	One-Seat			74			
Solid Surface A	rm Cap (per pair)	- Gr B	351	One & Half-Seat			102			
Solid Surface A	rm Cap (per pair)	- Gr C	385	Two-Seat			145			
Solid Surface Ta	ablet - Gr A White		514	Three-Seat			218			
Solid Surface Ta	ablet - Gr A Color		521							
Solid Surface Ta	ablet - Gr B		550	Casters			172			
Solid Surface Ta	ablet) - Gr C		595	Casters with Pus	shbar		444			

# **LEYTON**

		COM		COL	FAE	BRIC GR	ADES	LEATHER			
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-seat, Uph LEY31NUN	noistered, Armiess N/A	1959	2081	2195	2360	2554	2718	2904	3140	3377
	One-seat, Uph LEY31NUF	nolstered, Full Arm N/A	2081	2280	2467	2741	3048	3321	3630	4008	4402
	ORDERING NOTE: Leyton Lou chart below, clearly note color eg. LEY31NUFS										
	One-seat, Woo LEY31NPN LEY31NWN	od Surround, Armle Palette Oak, Maple Walnut,	ess 2424 2424	2473 2473	2532 2532	2605 2605	2683 2683	2754 2754	2831 2831	2941 2941	3040 3040
		Cherry, Anigre Sycamore,	2925	2978	3034	3105	3184	3256	3333	3441	3541
	One-seat, Woo LEY31NPF LEY31NWF	od Surround, Full A Palette Oak, Maple Walnut, Palette Cherry, Anigre	2403 2403	2454 2454	2504 2504	2575 2575	2657 2657	2731 2731	2812 2812	2912 2912	3012 3012
		Sycamore,	2904	2955	3006	3078	3158	3235	3314	3412	3513

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below, clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List	
Casters	172	Solid Surface Arm Cap (per pair) - Gr A White	342	
Casters with Pushbar	444	Solid Surface Arm Cap (per pair) - Gr A Color	346	
One-Seat Clean out	45	Solid Surface Arm Cap (per pair) - Gr B	351	
One-Seat Removable Seat & Back Covers	145	Solid Surface Arm Cap (per pair) - Gr C	385	
		Solid Surface Tablet - Gr A White	514	
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	521	
One-Seat	74	Solid Surface Tablet - Gr B	550	
		Solid Surface Tablet) - Gr C	595	

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

# LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY	3	1	N	UF	S
Leyton	Soft Seating	One-Seat	No Clean Out	Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	1
				PN	

			COM	1	COL	FAE	BRIC GR	ADES		LEATHER	?
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One & Half-sea LEY31.5NUN	at, Upholstered, A N/A	armless 2514	2688	2861	3105	3384	3628	3904	4250	4600
	One & Half-sea LEY31.5NUF	at, Upholstered, F N/A	ull Arm 2640	2815	2987	3232	3509	3752	4033	4378	4726
		<b>OTE:</b> Leyton Lour nd clearly note co 31NUF <u>S</u>	•								•
		at, Wood Surroun									
	LEY31.5NPN LEY31.5NWN	Palette Oak, Maple Walnut, Palette	2881 2881	2974 2974	3067 3067	3196 3196	3345 3345	3474 3474	3622 3622	3807 3807	3993 3993
		Cherry, Anigre Sycamore	3383	3473	3565	3696	3845	3974	4122	4309	4494
	One & Half-sea	at, Wood Surroun	d Full A	rm							
	LEY31.5NPF LEY31.5NWF	Palette Oak, Maple Walnut, Palette	2859 2859	2952 2952	3043 3043	3173 3173	3322 3322	3452 3452	3601 3601	3785 3785	3971 3971
		Cherry, Anigre Sycamore	3361	3450	3543	3672	3820	3950	4101	4285	4469

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List
Casters	172	Solid Surface Arm Cap (per pair) - Gr A White	342
Casters with Pushbar	444	Solid Surface Arm Cap (per pair) - Gr A Color	346
One & Half-Seat Clean out	65	Solid Surface Arm Cap (per pair) - Gr B	351
One & Half-Seat Removable Seat & Back Covers	202	Solid Surface Arm Cap (per pair) - Gr C	385
		Solid Surface Tablet - Gr A White	514
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	521
One & Half-Seat	102	Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

## LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
			_	PF	
			P	allet Finish Surround Full Arm	
				PN	
			F	Pallet Finish Surround Armless	

# **LEYTON**

DESCRIPTION/MODEL	_	SPECIES	COM 1	2	COL 3	FABF 4	RIC GRAI 5	DES L 6	LEATHER 7	8	9
	Two-seat, Uph LEY32NUN	nolstered, Armless N/A	3140	3321	3492	3735	4008	4259	4531	4881	5227
	ORDERING N	nolstered, Full Arm N/A  IOTE: Leyton Lour d clearly note cold									
	Two-seat, Woo LEY32NPN LEY32NWN	od Surround Armle Palette Oak, Maple Walnut, Palette Cherry, Anigre Sycamore	ss 3428 3428 4003	3521 3521 4092	3621 3621 4193	3749 3749 4323	3908 3908 4482	4043 4043 4616	4193 4193 4768	4389 4389 4962	4574 4574 5149
	Two-seat, Woo LEY32NPF LEY32NWF	od Surround Full A Palette Oak, Maple Walnut, Palette Cherry, Anigre,	rm 3407 3407 3980	3498 3498 4074	3601 3601 4173	3729 3729 4300	3894 3894 4467	4021 4021 4594	4193 4193 4768	4359 4359 4933	4554 4554 5128

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List	
Casters	172	Solid Surface Arm Cap (per pair) - Gr A White	342	
Casters with Pushbar	444	Solid Surface Arm Cap (per pair) - Gr A Color	346	
Two-Seat Clean out	88	Solid Surface Arm Cap (per pair) - Gr B	351	
Two-Seat Removable Seat & Back Covers	288	Solid Surface Arm Cap (per pair) - Gr C	385	
		Solid Surface Tablet - Gr A White	514	
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	521	
Two-Seat	145	Solid Surface Tablet - Gr B	550	
		Solid Surface Tablet) - Gr C	595	

Sycamore

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

## LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
			_	PF	
			Р	allet Finish Surround Full Arm	
				PN	
			Г.	allot Finish Curround Armless	

Pallet Finish Surround Armless

DECODIDETION (MODE)		ODEOLEO	СОМ	0	COL		BRIC GF		7	LEATHE	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-seat, U <sub>l</sub> LEY33NUN	pholstered, Armles N/A	4173	4389	4583	4881	5219	5512	5844	6259	6674
	Three-seat, Up LEY33NUF	oholstered, Full An N/A	m 4273	4531	4783	5139	5550	5908	6315	6823	7334
		<b>IOTE:</b> Leyton Lour nd clearly note co 31NUF <u>S</u>	•								-
	Three-seat, W	ood Surround, Arn	nless								
	LEY3NPN	Palette	4474	4625	4760	4975	5206	5414	5650	5944	6238
	LEY33NWN	Oak, Maple Walnut, Palette	4474	4625	4760	4975	5206	5414	5650	5944	6238
		Cherry, Anigre Sycamore	5118	5269	5407	5621	5849	6058	6295	6587	6883
	Three-seat, W	ood Surround, Ful	l Arm								
	LEY3NPF	Palette	4453	4604	4755	4956	5191	5391	5629	5922	6217
	LEY33NWF	Oak, Maple Walnut, Palette	4453	4604	4755	4956	5191	5391	5629	5922	6217
		Cherry, Anigre,	5098	5247	5398	5599	5836	6036	6272	6567	6861

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List
Casters	172	Solid Surface Arm Cap (per pair) - Gr A White	342
Casters with Pushbar	444	Solid Surface Arm Cap (per pair) - Gr A Color	346
Three-Seat Clean out	131	Solid Surface Arm Cap (per pair) - Gr B	351
Three-Seat Removable Seat & Back Covers	432	Solid Surface Arm Cap (per pair) - Gr C	385
		Solid Surface Tablet - Gr A White	514
Seat <u>or</u> Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	521
Three-Seat	218	Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

Sycamore

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

## LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
			_	PF	
			F	Pallet Finish Surround Full Arm	l
				PN	
			F	Pallet Finish Surround Armless	

# **LEYTON | REPLACEMENT COMPONENTS**

		СОМ		COL	FABI	RIC GF	RADES	ı	LEATHE	R		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	WEIGHTS	CUBES
	Replacement Back LEY3RB	462	487	510	542	581	614	655	700	747	12	3.5
	One & Half-Seat Re LEY3R1.5B	placem 502	nent Back 534	564	607	657	700	748	811	873	15	4.5
	Replacement Seat LEY3RS	662	691	720	759	805	845	891	948	1008	11	2.5
	One & Half-Seat Re LEY3R1.5S	eplacem 761	nent Seat 803	845	907	973	1033	1100	1185	1270	14	4
	Replacement Back LEY3RBC	Cover 239	265	288	322	362	393	433	483	530	1	0.75
	One & Half-Seat Re LEY3R1.5BC	eplacem 271	nent Back 304	Cover 334	379	428	470	519	582	644	1.25	1
	Replacement Seat LEY3RSC	Cover 241	267	295	334	376	415	459	513	568	1.25	0.75
	One & Half-Seat Re LEY3R1.5SC	placem 304	nent Seat 346	Cover 389	448	516	574	638	728	812	1.5	1
	One-Seat - Replace LEY3R1OBPU	ement U 234	Jpholstere 259	ed Outsi 283	de Bacl 318	k Panel 355	l 389	428	474	521	10	1.5
	One-Seat - Replace LEY3R1OBPUPB	ement U 247	Jpholstere 269	ed Outsi 294	de Bacl 327	k Panel 365	l for Pus 399	sh bar o 436	option 487	534	10	1.5
	One & Half-Seat - F LEY3R1.5OBPU	Replace 260	ment Upł 285	nolstered 306	d Outsic 342	de Back 383	k Panel 414	455	498	546	13	2.5
	One & Half-Seat - F LEY3R1.50BPUPB		ment Upl 295	nolstered 320	d Outsic 352	de Back 391	k Panel 425	for Pus 463	h bar o <sub>l</sub> 511	otion 559	13	2.5
	Two-Seat - Replace LEY3R2OBPU	ement U 300	Jpholstere 324	ed Outsi 348	de Bacl 384	k Panel 418	456	492	540	588	19	3.5
	Three-Seat - Replace LEY3R3OBPU	cement 396	Upholste 442	ered Out 491	side Ba 558	ck Pan 635	el 702	778	873	970	28	5

# **LEYTON | REPLACEMENT COMPONENTS**

DESCRIPTION	MODEL	OAK MAPLE WALNUT PALETTE	CHERRY ANIGRE SYCAMORE	WEIGHTS	CUBES
	One-Seat - Replacement Wood Outside Back LEY3R10BPW	Panel 319	379	10	1.5
	One-Seat - Replacement Wood Outside Back LEY3R1OBPWPB	Panel for Po 336	ush bar option 396	10	1.5
	One & Half-Seat - Replacement Wood Outsid LEY3R1.5OBPW	e Back Pane 391	el 484	13	2.5
	One & Half-Seat - Replacement Wood Outsid LEY3R1.50BPWPB	e Back Pane 408	el for Push bar option 497	13	2.5
	Two-Seat - Replacement Wood Outside Back LEY3R2OBPW	Panel 437	557	19	3.5
	Three-Seat - Replacement Wood Outside Bac LEY3R3OBPW	ck Panel 478	656	28	5
	One-Seat - Replacement Wood Front Panel LEY3R1FP	216	246	4	0.75
	One & Half-Seat - Replacement Wood Front F LEY3R1.5FP	Panel 246	265	5	1
	Two-Seat - Replacement Wood Front Panel LEY3R2FP	274	334	6	1.25
	Three-Seat - Replacement Wood Front Panel LEY3R3FP	304	393	8	2
	Replacement Wood Surround Full Arm with a LEY3RWFLL LEY3RWFLR	rm cap (Left, 581	right specified as seated) 783	30	1.5
	Replacement Wood Surround Full Arm with contexts and surround Full Arm with surround Full A	aster (Left, ri 732	ght specified as seated) 937	30	1.5
	Replacement Wood Surround Full Arm with c LEY3RWFCHL LEY3RWFCHR	up holder (Le 752	eft, right specified as seate 956	ed) 30	1.5
	Replacement Wood Surround Full Arm with In LEY3RWFICHL LEY3RWFICHR	ntegrated cup 781	p holder (Left, right specific 984	ed as seated) 30	1.5
	Replacement Wood Surround Full Arm Tablet LEY3RWFTL LEY3RWFTR	(Left, right s 837	pecified as seated) 1040	30	1.5
	Replacement Wood Surround Full Arm Integra LEY3RWFITL LEY3RWFITR	ated Tablet (I 938	Left, right specified as seat 1141	ted) 30	1.5
	Replacement Wood Surround Armless (Left, r LEY3RWNLL LEY3RWNLR	ight specifie 591	d as seated) 794	26	1.5
	Replacement Wood Surround Armless with ca LEY3RWNCL LEY3RWNCR	asters (Left, 743	right specified as seated) 943	26	1.5

# **LEYTON | REPLACEMENT COMPONENTS**


DESCRIPTION	MODEL	PRICE				WEIGHTS	CUBES
	One-Seat Replace	ment Leg set (pa 172	air)			8	1.25
	One-Seat Wide Re LEY3R1.5L	placement Leg	set (pair)			10	1.5
	Two-Seat Replacer LEY3R2L	ment Leg set (pa 227	air)			13	2.5
Ų	Three-Seat Replac LEY3R3L	ement Leg set ( 341	pair)			22	3
	Push bar - One-Se LEY3RPB-1	at 67				2.0	1.8
	Push bar - One-Se LEY3RPB-1.5	at Wide 75				2.5	2.0
	Push bar Grommet LEY3RPBG	t (pair) 10				.2	.1
U	Note: Pushbar opt	ion is available	on One-Seat a	nd One-Seat Wi	de only.		
	Caster LEY3RC	78				3.4	0.2
	Replacement Glide LEY3RG	es - Lounge & Ta 18	able (set of four	)		1	.25
	LEY3-POWERDOC  Can be field instal previously specified	543 led to the unde	rside of Seats				
Solid Surface		Grade A- White	Grade A- Color	Grade- B	Grade- C		
	Replacement Table	et with Mounting	Plate - Solid S	Surface			
	LEY3RT	514	521	550	595	5.0	.7
	Davidson and Asset	Can - Solid Sur	face (to be use	d with tablet)			
	LEY3TAC	109	111	114	131	1	.3

**ORDERING NOTE:** Please note Replacement Arm Cap can only be installed on product orignally ordered with the Solid Surface Arm Cap option.

# **ZOLA** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS

#### MATERIAL CONTENT



PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



# AIR-EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

## FSC(

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our anufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **ZOLA | FEATURES & OPTIONS**



### INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



### **ZOLA LOUNGE & ZOLA MODULAR**

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the



### RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



### LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



### REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



## **FINISH DURABILITY**

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



### WALL SAVER

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



### **CLEAN OUT**

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



#### CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large , easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)



### **LEGS**

Zola legs are Silver Metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



### **URETHANE ARM CAP**

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



## SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



### **FULL DEPTH BENCHES**

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

## **WEIGHT CAPACITIES**

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat Plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat Plus - 975 lbs
Three-seat - 750 lbs
Three-seat Plus - 1150 lbs

# **ZOLA | FEATURES & OPTIONS**



### **TABLETS**

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



### **TABLES MATERIALS OPTION**

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



### **SOLID SURFACE TOPS**

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



#### **LINKING TABLES**

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



## **LINKING BRACKETS**

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



### **POWER**

The flush-mounted Power unit provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See <a href="mailto:page">page</a> 186 for locations and <a href="Page 239">Page 239</a> for pricing.



### **UNDER-MOUNT POWER**

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables. See <a href="Page 239">Page 239</a> for pricing.



## **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

### REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

### **REMOVABLE UPHOLSTERY COVERS**

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

### **MOISTURE BARRIER & CAL 133**


California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$61 list** per yard.

# **ZOLA | RECONFIGURABILITY**

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



# **ZOLA | SEAM LOCATIONS**

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1/2"	1"
45 Deg	2"	1 1/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"



Zola seat photo indicates location of seam.



Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.




**Outside Curve** 


Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.


# **ZOLA | SAMPLE CONFIGURATIONS**







Model	Qty	Price (\$) Beech	
ZOL3 M1201	5	1312	
ZOL3 MS1S1	1	830	
ZOL4 LKM12	1	941	
ZOL4 LKE18	1	1046	
ZOL4 LKC90	1	1222	
ZOL4 241815	1	1131	
Total List	\$	11.730	_





Model	Qtv.	Price (\$)	
ZOL3 MS2F1	2	1353	
ZOL4 LKM18	2	995	
ZOL3 M1101	2	1446	
ZOL3 MCIS90D	2	3321	
ZOL3 M2101	2	2531	
ZOL4 LKC90X2	1	2427	
Total Liet	\$	21 710	





Model	Qty.	Price (\$)	
ZOL3 MS1S1	2	1662	
ZOL3 MS21	2	2321	
ZOL4 LKC90	2	2443	
ZOL4 LKM18	2	1990	
Total List	\$-	16,832	

# **ZOLA | LOUNGE**

### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

### **COM YARDAGES (Lounge Product Only Available with Arms)**

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

### COM YARDAGES (Individual Components)

COM TANDAGES (Individual Components)											
	COM	COM	COM	COM	COM	COM	COM				
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per				
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs				
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5				
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08				
Three-seat	2.5	4.6	7	9	3.5	6.25	9				
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25				

# **COM YARDAGES (Individual Components)**

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

## COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

### **ORDERING NOTES:**

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

**FEATURES:** For a complete listing of features see <u>page</u> 167.

# **ZOLA |** LOUNGE

		COM		COL FABRIC GRADES		ADES	LEATHER		R	
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 F1111	2079	2192	2304	2500	2696	2892	3088	3127	3567
	One-Seat Plus ZOL3 FB1111	2304	2416	2531	2725	2922	3118	3314	3509	3794
	NOTE: One-Seat Plus is 3	0" wide k	oetween a	rms.						
	Two-seat ZOL3 F2111	3070	3216	3350	3561	3772	3983	4192	4403	4735
	Two-seat Plus ZOL3 FB2111	3156	3298	3434	3643	3853	4065	4275	4486	4819
	NOTE: The Two-Seat Plus	comes s	standard w	vith a fifth I	eg for ext	ra support				
					-					
	Three-seat ZOL3 F3111	4171	4383	4592	5013	5437	5857	6280	6701	7422
	Three-seat Plus ZOL3 FB3111	4270	4481	4690	5111	5534	5956	6374	6797	7520

**NOTE**: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges Option	List	Option	A-White	Grades A-Color	В	С
4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below) Urethane Arm Caps (pair)	102 74 231	Solid Surface Arm Cap (per pair)	433	442	466	490

**ORDERING NOTES:** See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See <u>page</u> 167 for more information on Zola options and features. Plus versions are not available with Caster options.

	<del></del>					
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	Freestanding	1 One-Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Plus Upgrade	Two-seat		Urethane Arm Cap	Casters
			3		3	3
			Three-seat		Solid Surface Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

# **ZOLA | MODULAR**

### **DIMENSIONS - ARMLESS UNITS**

	Overall Width	Overall Depth Uph. Back	Overall Depth Wood Back	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5
DIMENSIONS - W	/ITH ARMS							
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes	
One-Seat	29	27	34	18.5	19.25	88	9.75	
Two-seat	52	27	34	18.5	19.25	120	17.6	
Three-seat	75	27	34	18.5	19.25	154	26.3	
One-Seat (Plus)	36	27	34	18.5	19.25	96	11.5	
00111/1001000								

#### **COM YARDAGES - ARMLESS UNITS**

0 /			
COM Yardage	COM Yardage	COM Yardage	COM Yardage
Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
wo/ Arms	wo/ Arms	wo/ Arms	wo/ Arms
2.2	4.6	6.38	8.8
3.8	7.9	10.75	14.5
5.75	11	16	22
3.0	6.3	9.5	13.86
	Entire Unit wo/ Arms 2.2 3.8 5.75	Entire Unit wo/ Arms 2 Entire Units wo/ Arms wo/ Arms  2.2 4.6 3.8 7.9 5.75 11	Entire Unit wo/ Arms         2 Entire Units wo/ Arms         3 Entire Units wo/ Arms           2.2         4.6         6.38           3.8         7.9         10.75           5.75         11         16

#### **COM YARDAGES - WITH ARMS**

	COM Yardage Entire Unit w/ Arms	COM Yardage 2 Entire Units w/ Arms	COM Yardage 3 Entire Units w/ Arms	COM Yardage 4 Entire Units w/ Arms
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18.3

### **COM YARDAGES - Individual Components**

	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 9 Units = Take the yardage for 4 units, multiply by 2, and yardage to
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

## **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

### **PACKAGING**

All Modular Units, and tables will be shipped KD (Knocked Down)

# Upcharge for Removable Upholstery Covers:

. •			
Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	74	One-Seat - seat	45
Interim Arm	59	Two-seat - seat	65
One-Seat - back	65	Three-seat - seat	81
Two-seat - back	93	One-Seat Plus - seat	59
Three-seat - back	116		
One-Seat Plus - back	74		

**FEATURES:** For a complete listing of features see 208.

For pricing information on Zola Tables see <u>page</u> 102, Zola Benches see <u>page</u> 85 and Zola Tablets see <u>page</u> 14.

# **ZOLA** | MODULAR -WOOD BACK

			CON	M	C	OL	FABRIC	GRADES		LEAT	HER	
DESCRIPTION/MOD	EL/SPECIES		1	2	2	3	4	5 6	5 7	8	9	<i></i>
	One-Seat, Wood	or Palett	e Back,	Armless								
	ZOL3 MW1201	Beech	1312	1342	1372	1433	1492	1554	1612	1672	1764	
		Maple/	1349	1379	1410	1467	1530	1589	1650	1711	1800	
		Cherry										
		Palette	1312	1342	1372	1433	1492	1554	1612	1672	1764	
	One-Seat, Wood	or Palett	e Back	w/ Uphols	stered Pa	d, Armles	SS					
	ZOL3 MW1301	Beech	1521	1566	1597	1672	1732	1794	1854	1915	2034	
		Maple/	1560	1605	1634	1711	1770	1831	1891	1951	2070	
		Cherry										
		Palette	1521	1566	1597	1672	1732	1794	1854	1915	2034	

**ORDERING NOTE:** Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	102	
2 Casters/2 Legs (#3 Leg Type below)	74	

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

DESCRIPTION/MODI	FI	SPECIES	COM 1	2	COL 3	FA 4	BRIC (	GRADE 6	S 7	LEATHE 8	R 9	COM YARDAGE	SHIPPING	-
BECOMM HONOMODI		0. 20.20	•									171111111111111111111111111111111111111		
	One-Seat Woo	od/Palette E	Back w/	UPH F	Pad									
	ZOL3 MB13	Beech	590	603	618	648	680	709	741	770	813	0.6	21	3.1
		Maple /Cherry	634	648	663	695	724	754	770	800	861	0.6	21	3.1
		Palette	590	603	618	648	680	709	741	770	813	0.6	25	3.1
	One-Seat Woo	od/Palette E	Back											
)((( \( \) \( \) \)	ZOL3 MB12	Beech	408									-	19	3.1
		Maple /Cherry	446									-	19	3.1
		Palette	408									-	23	3.1

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
					, , , , ,	
ZOL Zola	3 Soft Seating	MW Modular	1 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
		Wood Back		3		2
				Wood Back with Uph Pad		Casters
						3
						Combination
						2 Front Standard Legs
						& 2 Rear Casters

# **ZOLA** | MODULAR

DESCRIPTION/MOD	EL	COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHER 8	₹ 9
	One-Seat, Upholstered Bac ZOL3 M1101 n/a	k Armless 1446	1521	1597	1732	1867	2005	2138	2274	2515
	One-Seat Plus, Upholstered ZOL3 MB1101 n/a	1566	1612	1688	1823	1959	2093	2230	2365	2608
	ORDERING NOTES: One-S	Seat Plus s	eat is 30"	wide.						
	One-Seat, Upholstered Bac ZOL3 M1111	k with Arm 2214	s 2327	2433	2629	2823	3017	3216	3410	3705
	One-Seat Plus, Upholstered ZOL3 MB1111	d Back with 2335	Arms 2446	2554	2747	2945	3138	3335	3532	3823
	ORDERING NOTES: One-S	Seat Plus is	30" wide	e between	the arms.					
	Two-seat, Upholstered Bac ZOL3 M2101 n/a	k Armless 2531	2673	2808	3017	3229	3439	3649	3864	4192
	Two-seat Plus, Upholstered ZOL3 MB2101 n/a	Back, Arm 2613	nless 2756	2892	3102	3312	3523	3734	3945	4275
	Two-seat, Upholstered Bac ZOL3 M2111	k with Arms	s 3439	3578	3788	3998	4210	4419	4630	4962
	Two-seat Plus, Upholstered ZOL3 MB2111	Back with 3379	Arms 3523	3660	3871	4082	4291	4503	4713	5044
	Three-seat, Upholstered Ba ZOL3 M3101	ick Armless 3631	3841	4050	4471	4895	5316	5737	6159	6881
	Three-seat Plus Upholstere ZOL3 MB3101	d Back Arn 3728	nless 3937	4148	4568	4992	5414	5833	6256	6979
	Three-seat, Upholstered Ba ZOL3 M3111 n/a	ick with Arr 4396	ns 4608	4819	5240	5660	6083	6504	6924	7649
	Three-seat Plus Upholstere ZOL3 MB3111 n/a	d Back witl 4495	Arms 4706	4915	5338	5759	6182	6601	7022	7744

**ORDERING NOTES:** See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

						Gra	ides	
Zola Option Upcha	arges	List	Option		A-White	A-Colo	or B	С
4 Casters (#2 Leg 1	Type below)	102	Solid Surface Arm Cap (	per arm)	217	220	233	245
2 Casters/2 Legs (#	#3 Leg Type below)	74	Solid Surface Arm Cap (	per pair)	433	442	466	490
Urethane Arm Caps	s (pair)	231	Solid Surface Arm Cap -	Interim (per arm)	177	178	180	184
PRODUCT CODE KE	ΕY							
Line	Series	Chair Type	Seat Count	Back Type	Arm Typ	ре	Leg Type	Э
ZOL	3	M	1	1	0		1	
Zola	Lounge	Modular	One-Seat	Fully Uph Back	Armles	ss S	Standard Leg -	+ Glide
		MB	2		1		2	
		Modular	Two-seat		Uph Ar	m	4 Caster	S
		Plus Upgrad	de 3		2		3	
			Three-seat		Urethane Ar		Combinati	
					3	] 2	2 Front Standa & 2 Rear Cas	
					Solid Sur Arm Ca			

# **ZOLA | MODULAR BACKS & ARMS**

		COM		COL	FA	BRIC (	GRADE	S L	EATHE	R	COM	SHIPPING	i
DESCRIPTION/MO	DDEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or Interim Arn	n											
	ZOL3 MAL	468	507	542	620	695	770	844	918	1023	1.5	19	3.1
	ZOL3 MAR												
	ZOL3 MAI	332	348	363	392	423	455	485	513	559	0.33	13	1.8
	Left, Right, or Interim Arn	n - Uretl	nane C	ар									
	ZOL3 MALU	590	627	663	741	813	890	966	1040	1145	1.5	20.5	3
	ZOL3 MARU												
	ZOL3 MAIU	422	436	454	474	512	541	571	602	646	0.33	13	1.8

## **ORDERING NOTES:**

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3 MAL3, and clearly state color choice. (See Page 332 for color selection)

		Grades	3	
Option	A-White	A-Color	В	С
Solid Surface Arm Cap (per arm)	217	220	233	245
Solid Surface Arm Cap (per pair)	433	442	466	490
Solid Surface Arm Cap - Interim (per arm)	177	178	180	184

		COM		COL	FA	BRIC	GRAD	ES	LEATHE	R	COM	SHIPPING	ì
DESCRIPTION/MODEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
UPH Back ZOL3 MB11* ZOL3 MB21 ZOL3 MB31 ZOL3 MBB11		• • • •	806 1063 1295 890	867 1145 1403 950	1312 1612	1822	1642 2034	1498 1807 2244 1433	1974 2457	1764 2170 2712 1711	1.75 2.5 3.5 2	23 39 54 28	5.2 9.4 14 6.1

ORDERING NOTES: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

# **ZOLA | SEATABLES**

DESCRIPTION	MODEL	COM 1	2	COL 3	FAE 4	BRIC GF 5	RADES 6	7	LEATHE 8	R 9	COM YARDAGE	WEIGHT	CLIBE
	Round Seatable ZOL5-18D ZOL5-24D ZOL5-30D	660 852 1071	682 899 1125	704 947 1181	735 1014 1256	771 1089 1345	803 1158 1421	838 1236 1508	884 1330 1615	928 1426 1724	1.3 1.5 1.7	18 26 38	5.2 8.5 10.5
	Square Seatable ZOL5-1818 ZOL5-2424	723 862	767 911	808 957	869 1023	938 1100	999 1169	1067 1245	1153 1341	1241 1437	1.3 1.5	27 38	5.2 8.5
	Rectangular Seatable ZOL5-2418 ZOL5-4824	793 1122	834 1181	878 1241	939 1323	1009 1417	1067 1498	1138 1593	1223 1713	1309 1831	1.3 2.4	31 62	6.6 12.6

### **ORDERING NOTES:**

The seat height from floor is 17.5".

# **ZOLA** | MODULAR - REPLACEMENT COMPONENTS

DESCRIPTION	J/MODEL	SPECIES	COM 1	2	COL 3	- FA	ABRIC 5	GRAD	ES 7	LEATHI 8	ER 9	COM S YARDAGE	SHIPPING WEIGHT	
	Replacement ZOL3 RBM12	Modular One-Se Beech Maple/Cherry Palette	348 386 348	od Bad	ck							- - -	19 19 23	3.1 3.1 3.1
		Modular One-Se	at Wo	od Bad	ck w/ U	pholste	ered P	ad						
	ZOL3 RBM13		530	542	559	590		648	680	709	754	0.6	21	3.1
		Maple/Cherry Palette	573	590	603	634			709	741	800	0.6 0.6	21 25	3.1 3.1
	Replacement	Back Pad -only	530	542	559	590	620		680	709	754	0.0	23	3.1
	ZOL3 RP	Dack I au -only	213	228	243	271	303	332	363	392	437	0.6	1.6	2
		Upholstered Bad												
)\ )	ZOL3 RBM11		687	746	806		1046		1439	1560	1703	1.75	23	5.2
	ZOL3 RBM21		918		1085		1415			1915	2109	2.5	39	9.4
	ZOL3 RBM31	4		1236			1764			2397	2649	3.5	54	14
	ZOL3 RBBM1		770	830	890				1372		1650	2	28	6.1
	existing "L" br and Replacen	IOTES: Modular ackets on site pr nent Seat/Bench the replacemen	ior to a	assemi not inc	bly to ti lude le	he ben gs and	ch. Re joinin	placer g bracl	nent Ba kets. Th	acks do ne hard	not inclu ware can	ude mounting be transferre	brackets ed from the	and legs e original
	-	Replacement Up												_
	ZOL3 RAMR		415	455	490	567	640	717	793	867	971	1.5	14	3
	ZOL3 RAML ZOL3 RAMRU	J	536	573	611	687	761	837	912	987	1092	1.5	15.5	3
	modular hards arms with ure Page 178. Wo units only as a	IOTES: Zola Replayare. Replacementane cap. Zola pod back units are a special - please Upholstered Sea	ent Arm replace re not o	ns do r ement design	not incl arms a ed to b	ude mare ava	ountin iilable ified w	g brac with S ith sta	kets. Z olid Su ndard Z	OL3 RA	AMRU & .rm Caps	ZOL3 RAML s, see option	U are replupcharge	acement chart on
	ZOL3 RSM1*	•	741	783	830	912	995	1080	1160	1243	1412	1.33	25	5.2
	ZOL3 RSM2		1069	1122	1174	1290	1403	1514	1627	1740	1928	1.75	39	9.4
	ZOL3 RSM3		1394	1467	1543	1703	1861	2018	2175	2335	2531	2.5	50	14
	ZOL3 RSMB1		957	1003	1046	1139	1228	1319	1410	1498	1634	1.75	26	6.1
	ZOL3 RSMB2		1145	1206	1267	1379	1492	1605	1718	1831	2018	1.75	39	9.4
	ZOL3 RSMB3	}	1672	1748	1823	1959	2093	2230	2365	2500	2712	2.5	50	14
	Back Cover ZOL3 RCB1*		288	348	408	530	648	770	890	1011	1206	2	2.8	1.7
1) /	ZOL3 RCB1		392	485	573	754		1115	1295		1703	3	3.6	1.7
4	ZOL3 RCB3		485	603	724		1206			1928	2230	3.75	4.3	1.7
	ZOL3 RCBB1		320	379	437	559		800	918	1040	1222	2	2.8	1.7
	Arm Covers F ZOL3 RCAR ZOL3 RCAL	Right, Left or Inte	rim 258	303	348	437	530	620	709	800	918	1.5	2.5	1.7
	ZOL3 RCAI		168	181	198	228	258	288	319	348	386	0.33	1.5	1.7
	ZOL3 RCARU ZOL3 RCALU		258	303	348	437		620	709	800	918	1.5	2.5	1.7
	ORDERING N	NOTES: Replace					ght) ar	e spec	cified as	s seated	i. ZOL3 F	RCARU & ZO	L3 RCALU	J are arm
	Seat Cover		250	202	210	107	EOU	620	700	200	036			
	ZOL3 RCS1*		258 332	303 392	348 455	437 573		620 813	709 936	800 1056	936 1252	1.33	2.3	1.7
	ZOL3 RCS2		423	392 497		648			873	950	1069	1.75	2.6	1.7
	ZOL3 RCS3		392	446		603		813		1023	1174	2.5	3.8	1.7
	ZOL3 RCSB1		JJ2	770	731	503	103	515	010	.020		1.75	2.6	1.7

# **ZOLA** | MODULAR - REPLACEMENT COMPONENTS & TABLETS

ESCRIPTIO	N/MODEL	PRICE					SHIPPING WEIGHT	G CUBES
	Caster Without Brake ZOL3 RC1	56					0.4	0125
	ORDERING NOTE: Casters of	cannot be orde	ered as replac	cement items	for plus	s units.		
<b>^</b>	Caster With Brake ZOL3 RC2	67					0.4	0.125
	ORDERING NOTE: Casters of	cannot be orde	ered as replac	cement items	for plu	s units.		
	Urethane Arm Cap ZOL3 AUR ZOL3 AUL	121					1.5 1.5	0.3 0.3
Me	Urethane Arm Cap - Interim A ZOL3 AIU	Arm 90					1.0	0.3
	0.1510		A-White	Grade: A-Color	s B	С		
	Solid Surface Arm Cap (per a ZOL3 ASR ZOL3 ASL		217	220	233	245	1.5	0.3
	Solid Surface Arm Cap - Inter ZOL3 ASI	rim (per arm)	177	178	180	184	1.0	0.3
DESCRIPTIC	N MODEL	SPECIES	PRICE				WEIGH	HT CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	490 513				12	2
	Tablet with Palette F ZOL3 T2	inish n/a	392				12	2
	Clear Glass Tablet ZOL3 T3	n/a	746				13	2
	Laminate Tablet ZOL3 T4	n/a	507				12	2
	ORDERING NOTES handed and do not i					mer edge. P	lease note Zola Tablets are u	ıniversall
	Solid Surface Tablet ZOL3 T5AW	- Grade A Wh	iite 611				14	2
	Solid Surface Tablet ZOL3 T5AC	- Grade A Co n/a	lor 620				14	2
<b>&gt;</b>	Solid Surface Tablet ZOL3 T5B	- Grade B n/a	654				14	2
	Solid Surface Tablet	01 0						

# **ZOLA** | MODULAR CURVE

<b>DIMENSIONS</b>	INSIDE CURVE
	O 11


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

## **COM Yardages**

oom raraagoo				
	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units
Single seat				
30°	3.70	7.4	11.1	14.8
45°	4.40	8.8	13.2	17.6
60°	4.40	8.8	13.2	17.6
90°	4.61	9.2	13.83	18.44
Double seat				
30°	6.3	12.6	18.9	25.2
45°	6.4	12.8	19.2	25.6
60°	8.2	16.4	24.6	32.8
90°	8.2	16.4	24.6	32.8

### **COM Yardages - Individual Components**


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
Double seat								
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6




Single Seat, Uph 30° Inside Curve




Single Seat, Uph 45° Inside Curve



Single Seat, Uph 60° Inside Curve




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside



Double Seat, Uph 45° Inside Curve



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

# **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

### **DIMENSIONS OUTSIDE CURVE**


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
60°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

#### **COM Yardages**

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat 30° 45° 60° 90°	3.32 3.32 3.32 3.32	6.14 6.14 6.14 6.14	9.46 9.46 9.46 9.46	12.28 12.28 12.28 12.28	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	13.0 13.0 13.0 13.0	19.5 19.5 19.5 19.5	26.0 26.0 26.0 26.0	

### **COM Yardages - Individual Components**


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4			
6.8	10.2	13.6						




Single Seat, Uph 30° Outside Curve




Single Seat, Uph 45° Outside Curve




Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

### **ZOLA** | MODULAR CURVE

DESCRIPTION/MOD	PEL	COM 1	2	COL 3	F/ 4	ABRIC GRA	ADES 6	7	LEATHEF 8	₹ 9
	Single-Seat, 30° Inside Curve ZOL3 MCIS30D1	2193	2317	2438	2611	2807	2982	3178	3421	3668
	Single-Seat, 30° Inside Curve ZOL3 MCBIS30D1	Plus 2285	2410	2531	2703	2900	3073	3269	3516	3761
	Single-Seat, 45° Inside Curve ZOL3 MCIS45D1	2580	2737	2894	3116	3370	3591	3845	4161	4480
	Single-Seat, 45° Inside Curve ZOL3 MCBIS45D1	Plus 2684	2842	2998	3222	3475	3696	3949	4267	4584
	Single-Seat, 60° Inside Curve ZOL3 MCIS60D1	2923	3081	3238	3461	3714	3935	4188	4505	4822
	Single-Seat, 60° Inside Curve ZOL3 MCBIS60D1	Plus 3041	3199	3356	3580	3833	4055	4307	4624	4941
	Single-Seat, 90° Inside Curve ZOL3 MCIS90D1	3321	3520	3719	3997	4315	4592	4910	5309	5708
	Single-Seat, 90° Inside Curve ZOL3 MCBIS90D1	Plus 3479	3679	3875	4155	4471	4750	5067	5467	5866
	Single-Seat, 30° Outside Curv ZOL3 MCOS30D1	e 1974	2086	2195	2348	2528	2683	2859	3081	3300
	Single-Seat, 30° Outside Curv ZOL3 MCBOS30D1	e Plus 2066	2178	2289	2442	2618	2775	2950	3173	3393
	Single-Seat, 45° Outside Curv ZOL3 MCOS45D1	e 2320	2463	2608	2806	3034	3234	3461	3747	4032
	Single-Seat, 45° Outside Curv ZOL3 MCBOS45D1	e Plus 2425	2568	2712	2911	3138	3339	3565	3852	4135
	Single-Seat, 60° Outside Curv ZOL3 MCOS60D1	e 2632	2773	2916	3115	3343	3541	3770	4056	4340
	Single-Seat, 60° Outside Curv ZOL3 MCBOS60D1	e Plus 2751	2892	3036	3235	3462	3661	3889	4173	4459
	Single-Seat, 90° Outside Curv ZOL3 MCOS90D1	e 2988	3165	3346	3595	3883	4134	4420	4779	5137
	Single-Seat, 90° Outside Curv ZOL3 MCBOS90D1	e Plus 3146	3323	3504	3753	4040	4292	4580	4937	5295

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

FRODUCT CODE KI	<u>- 1                                   </u>					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	I	S	30D	1
Zola	Soft Seating	Modular MCB	Inside Curve	Single D	30 Degree 45D	Standard Leg + Glide
		Modular Plus Upgrade	Outside Curve	Double	45 Degree 60D	
					60 Degree 90D	

### **ZOLA** | MODULAR CURVE

DESCRIPTION/MODE		OM 1	2	COL 3	FAI 4	BRIC GRA 5	DES 6	7	LEATHER 8	₹ 9
	Double-Seat, 30° Inside Curve ZOL3 MCID30D1 3	3837	4050	4268	4567	4912	5213	5559	5990	6419
	Double-Seat, 30° Inside Curve I ZOL3 MCBID30D1 3	Plus 3983	4196	4413	4712	5057	5360	5704	6135	6565
	Double-Seat, 45° Inside Curve ZOL3 MCID45D1 4	1511	4789	5065	5450	5894	6284	6728	7280	7834
	Double-Seat, 45° Inside Curve ZOL3 MCBID45D1 4	Plus 1683	4961	5236	5622	6066	6456	6898	7450	8006
	Double-Seat, 60° Inside Curve ZOL3 MCID60D1 5	5112	5390	5665	6055	6497	6885	7330	7882	8437
	Double-Seat, 60° Inside Curve   ZOL3 MCBID60D1 5	Plus 5296	5574	5849	6238	6682	7068	7513	8066	8620
	-	5809	6158	6506	6993	7548	8037	8593	9291	9986
	Double-Seat, 90° Inside Curve   ZOL3 MCBID90D1 6	Plus 6019	6368	6714	7204	7759	8246	8804	9500	10196
		3454	3646	3841	4111	4422	4694	5004	5390	5780
	Double-Seat, 30° Outside Curve ZOL3 MCBOD30D1 3	e Plus 3598	3791	3986	4256	4567	4839	5148	5535	5925
	Double-Seat, 45° Outside Curve ZOL3 MCOD45D1 4	e 1060	4310	4559	4907	5306	5656	6055	6554	7050
	Double-Seat, 45° Outside Curve ZOL3 MCBOD45D1 4	e Plus 1231	4482	4730	5078	5478	5826	6225	6724	7221
	Double-Seat, 60° Outside Curve ZOL3 MCOD60D1 4	e 1601	4851	5100	5448	5847	6197	6596	7093	7592
	Double-Seat, 60° Outside Curve ZOL3 MCBOD60D1 4	e Plus 1784	5035	5284	5633	6032	6380	6780	7278	7776
	Double-Seat, 90° Outside Curve ZOL3 MCOD90D1 5	e 5227	5542	5854	6293	6795	7233	7735	8363	8989
	Double-Seat, 90° Outside Curve ZOL3 MCBOD90D1 5	e Plus 5437	5752	6063	6503	7006	7443	7945	8571	9198

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).


NODGOT GODE N	L-1					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	I Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D 90 Degree	

### **ZOLA PRIVACY | ENVIRONMENTAL SUMMARY**

#### **LEED CI CREDIT**



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

	001111112012010	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

**AIR EMISSIONS** 

All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Zola Privacy products can be specified with one of two types of FSC® Certification:

(a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)

(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **ZOLA PRIVACY | FEATURES & OPTIONS**



#### REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



#### RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



#### **PRECONFIGURED**

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



#### INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



### **BACK CONNECTION**

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



### **LINKING SEAT-TO-SEAT**

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



### **LINKING TABLE-TO-SEAT**

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



#### **CLEAN OUT**

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



#### **LEGS**

The legs offered on Zola Lounge are Silver Metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



#### **TWIN BACK**

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).



#### **ANTI-MICROBIAL FINISH**

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.



Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### **PLUS UPGRADE**

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

#### **WEIGHT CAPACITIES**

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat plus - 975 lbs
Three-seat - 750 lbs
Three-seat plus - 1150 lbs

### **ZOLA PRIVACY | OPTIONS**



#### **PRIVACY SCREEN**

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



#### SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start, Center and Ends and only connect to Center seating units.


In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.



#### **TABLET**

**TABLES** 

Optional Tablets are available in veneer, clear glass, laminate, solid surface and palette finishes. The Zola can befastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 de-



### REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.



#### multiple devices can be located on the front face of Middle or End Tables (not available on curvilinear

surface arm caps.

MODULAR ARM Modular arms can attach to the left or right ends of seating units as well as interim locations between units. They are fully upholstered and can optionally be trimmed with urethane or solid

PowerDoc provides dual power/USB outlets for

models). PowerDoc's have a 10' cord.



#### REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.



### **URETHANE ARM CAP**

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded.




### SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.





### **SHELVES & POWER**

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available - contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB outlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.



### **SEAT POWER**


The flush-mounted power unit provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 247 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



#### PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.

### **ZOLA PRIVACY | POWER LOCATIONS**



#### **Seat Power**

When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



#### **Shelf Power**

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.




B - for left side of seat (facing)



#### **Table Power**

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$561 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




#### **Under-mount Power**

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables.

### **ZOLA PRIVACY | CONNECTING MULTIPLE UNITS**


#### **SEATING**

Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.





### SIDE PANELS

Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.



### **ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING**









Model ZOP3-M1F1S ZOP3-MCIS90DF1C ZOP3-M2F1C	Qty 1 2 4	Price (ea) 2252 5587 3394
ZOP3-M2F1C	4	3394
ZOP3-M1F1S	1	2252


**TOTAL** \$29,254






Model	Qty	Price (ea)
ZOP3-MCID60DF0S	1	5629
ZOP3-MCID60DF0C	3	5629
ZOP3-MCID60DF0E	1	5629
ZOL4-30D15	1	1325
TOTAL		\$29,470


### **ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING**






ZOL4-242415	1	1131
ZOP3-M2M0E	1	2472
ZOP3-M2M0C	1	2472
ZOP3-MCIS90DM0C	2	4354
ZOP3-M2M0S	1	2472
Model	Qty	Price (\$)


TOTAL \$17,255






Model	Qty	Price (\$)
ZOL4-LKE18	4	1046
ZOP3-MB1F1S	2	2730
ZOP3-MCID90DF1C	2	7499
ZOP3-MB1F1E	2	2730
ZOL4 E482915	1	1920

TOTAL \$32,022





Model	Qty	Price (\$)
ZOP3-MPF0S	2	901
ZOP3-M3F0C	2	3783
ZOP3-MPF0E	2	901
ZOP4-E482915	1	1920

TOTAL \$13,090

### **ZOLA PRIVACY** | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

I B. A	vic.	$\sim$	NS

DIMENSIONS		VA (* -111)						
	Overall	Width Between	Overall	Overall	Seat	Seat	Shipping	
	Width	Panels	Depth	Height	Height	Depth	Weight	Cubes
Preconfigured Fu	ıll Height Back	•						
One-Seat Plus	36	30	27	50	18.5	19.25	134	28.3
Two-seat	52	46	27	50	18.5	19.25	161	40.4
Three-seat	75	69	27	50	18.5	19.25	194	57.5
Preconfigured M	id Height Bacl	k						
One-Seat Plus	36	30	27	37.5	18.5	19.25	114	20.4
Two-seat	52	46	27	37.5	18.5	19.25	141	29.1
Three-seat	75	69	27	37.5	18.5	19.25	174	41.3
COM YARDAGES								
COM TANDAGES	Yardage	Yardage	Yardage	Yardage				
	Entire	2 Entire	3 Entire	4 Entire				
	Unit	Units	Units	Units				
Preconfigured Fu	ıll Height Back	c/Privacy Panel						
One-Seat Plus	9.59	13.78	17.97	22.16				
Two-seat	11.48	16.13	20.83	26.56				
Three-seat	13.56	21.32	29.38	37.04				
Preconfigured M	id Height Bacl	k/Privacy Panel						
One-Seat Plus	7.31	10.96	14.61	18.26				
Two-seat	8.49	12.22	16.72	21.20				
Three-seat	10.60	18.36	26.42	34.08				
Preconfigured Fu	ıll Height Back	κ/Semi-Private∃	Panel					
One-Seat Plus	6.63	10.82	15.01	19.20				
Two-seat	8.52	13.17	17.87	23.60				
Three-seat	10.60	18.36	25.42	34.08				
Preconfigured M	id Height Bacl	k/Semi-Private	Panel					
One-Seat Plus	5.41	9.06	12.71	16.36				
Two-seat	6.59	10.32	14.82	19.30				
Three-seat	8.48	14.80	21.42	27.20				

### **ZOLA PRIVACY | PRECONFIGURED**

		COM		COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat Plus with Private ZOP3-PCB1MPF0	e Modular S 3768	Side Panel 4065	and Full H 4365	leight Back 4888	5437	5960	6510	7108	8059
	One-Seat Plus with Semi- ZOP3-PCB1SMPF0	Private Mod 3076	dular Side 3291	Panel and 3508	Full Height 3866	Back 4249	4608	4992	5424	6045
	One-Seat Plus with Private ZOP3-PCB1MPM0	e Modular S 3323	Side Panel 3540	and Mid F 3756	leight Back 4133	4526	4898	5295	5728	6396
	One-Seat Plus with Semi- ZOP3-PCB1SMPM0	Private Mod 2841	dular Side 3016	Panel and 3195	Mid Heigh 3489	t Back 3804	4098	4414	4767	5276

### **ORDERING NOTES:**

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTIC	ON UPCHARGES	\$ List			
CAL 133 & Moisture Ba Seat Power (per power Plus Upgrade option		61 611 included			
PRODUCT CODE KEY	1				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PCB	1	MP	F0
Zola Privacy	Lounge	Pre-Configured Plus	One-Seat (30")	Private Modular Side Panel	Full Height
			2	SMP	MO
			Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

### **ZOLA PRIVACY | PRECONFIGURED**

		COM		COL	FAE	BRIC GRA	DES		LEATHER	-
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Two-Seat with Privat ZOP3-PC2MPF0 Two-Seat Plus with F	4354	4712	5074	5686	6337	6948	7598	8323	9409
	ZOP3-PCB2MPF0	4479	4837	5197	5809	6460	7071	7721	8446	9532
	Two-Seat with Semi-	Private M	odular Sic	de Panel a	nd Full Hei	ght Back				
	ZOP3-PC2SMPF0	3660	3938	4216	4664	5150	5597	6082	6639	7395
	Two-Seat Plus with S									
	ZOP3-PCB2SMPF0	3783	4062	4340	4788	5274	5721	6205	6763	7519
	Two-Seat with Privat	e Modula	r Sida Dan	al and Mid	d Height R	ack				
	ZOP3-PC2MPM0	3600	3866	4131	4582	5055	5500	5978	6511	7287
	Two-Seat Plus with F	Private Mo	dular Side	e Panel an	d Mid Heid	ht Back				
	ZOP3-PCB2MPM0	3723	3990	4255	4706	5179	5624	6101	6634	7410
	Two-Seat with Semi-	Drivate M	odular Sic	le Panel a	nd Mid Ha	ight Back				
	ZOP3-PC2SMPM0	3116	3343	3568	3937	4332	4699	5095	5548	6166
	Two-Seat Plus with S ZOP3-PCB2SMPM0		ate Modula 3467	ar Side Pa 3693	nel and Mi 4061	d Height E 4457	Back 4823	5220	5673	6290

### **ORDERING NOTES:**

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Seat Power (per power unit)	611

ODOO! OODE IKE	•				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

### **ZOLA PRIVACY | PRECONFIGURED**

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAI	DES 6	7	LEATHER 8	9
DESCRIP HON/INIODEL		•			•			'	0	
	Three-Seat with Privat	e Modular	Side Pane	el and Ful	l Height Ba	ick				
	ZOP3-PC3MPF0	5234	5658	6086	6792	7546	8251	9007	9861	11079
	Three-Seat Plus with F	Private Mod	dular Side	Panel and	d Full Heia	ht Back				
	ZOP3-PCB3MPF0	5420	5844	6272	6979	7733	8438	9193	10046	11265
	T. 0	D:								
	Three-Seat with Semi-					_		=	0.1=0	
	ZOP3-PC3SMPF0	4541	4884	5227	5769	6360	6899	7490	8179	9065
	Three-Seat Plus with S	Semi-Privat	te Modula	r Side Pai	nel and Ful	ll Heiaht E	Back			
	ZOP3-PCB3SMPF0	4728	5069	5414	5956	6545	7087	7676	8365	9251
	Three-Seat with Privat				0		0001	7505	0400	0004
	ZOP3-PC3MPM0	4670	4995	5319	5856	6429	6961	7535	8186	9094
	Three-Seat Plus with F	Private Mod	dular Side	Panel and	d Mid Heid	ht Back				
	ZOP3-PCB3MPM0	4856	5182	5506	6042	6615	7147	7721	8372	9280
~	Three-Seat with Semi-	Private Mo	odular Side	e Panel ar	nd Mid Hei	ght Back				
	ZOP3-PC3SMPM0	4187	4473	4758	5211	5705	6159	6653	7225	7973
	Three-Seat Plus with S	Semi-Privat	ta Modula	r Sida Pai	nel and Mi	d Height F	Rack			
	ZOP3-PCB3SMPM0	4373	4659	4944	5397	5891	6345	6839	7411	8160

### **ORDERING NOTES:**

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Seat Power (per power unit)	611

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

### **ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS**

### **DIMENSIONS**

						Overall			
	Overall	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Full Height Back									
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8
Mid Height Back									
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6
Modular Corner Seat with Fe	ull Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26
Modular Corner Seat with M	lid Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	93	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	93	26

#### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Full Height Back												
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	4.33	7.33	11.66	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner S	eat with F	ull Height	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner S	eat with M	lid Height	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8

### **ZOLA PRIVACY PLUS OPTION UPCHARGES**

	\$ List	
Plus Upgrade Two-Seat	123	_
Plus Upgrade Three-Seat	186	

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

# **ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS**

### **DIMENSIONS & COM REQUIREMENTS**

Dimensions a	00	ZOII ILIVILI										
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Singl	e Full Hei	aht No Scr	reen									
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
2010 1011 102	LIIG	2.70	21	40.00	00	O	2.1	0.00	0.00	10.70	10.44	10.10
Side Panel, Single	e, Full Hei	ght with So	creen									
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	e, Mid Hei	ght No Sc	reen									
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
Side Panel, Singl	a Mid Hai	aht with S	creen									
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
		-										
Semi-Private Side												
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Side	e Panel, S	ingle, Mid	Height									
ZOP3-MSPM0S	Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0C	Center	2.75	14.25	31.4	23	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0E	End	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
Modular Upholste	ered Arm											
ZOP3-MAUPHL*		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHR		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHC		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholste	ered Arm v	w/Urethane	e Cap									
ZOP3-MAUREL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholsto	orod Arm.	w/8alid 6	rface Con									
	ered Arm \			20 2F	20	1 1	1 22	0.11	2.0	2 56	1 11	5
ZOP3-MASSCL ZOP3-MASSCR		3 3	14.5 14.5	20.25 20.25	28 28	1.1	1.33 1.33	2.11 2.11	2.8	3.56 3.56	4.44 4.44	5 5
		3		20.25	28 28	1.1			2.8			5 5
ZOP3-MASSCI*		3	14.5	20.25	20	1.1	1.33	2.11	2.8	3.56	4.44	5

)EQCRIDTION	N/MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHE 8	R 9
Sonir Holl	One-Seat, Full Height E ZOP3-M1F0F	Back	1833	1962	2091	2275	2486	2671	2881	3138	3411
	_	ch/Laminate ble/Palette	2252 2343	2381 2471	2511 2602	2695 2785	2907 2995	3090 3181	3299 3391	3559 3647	383 <sup>-</sup> 3920
I	42", 36" or 30". Freesta unit, please add <b>\$289 L</b>	ınding, Start and E	nd units with	the she	elf option i	require co	ounterba	lance we	eight add	ded to ea	ch se
	One-Seat, Full Height E ZOP3-M1F2F	Back with Privacy	Screen Option 2104	on 2231	2361	2544	2755	2940	3150	3408	368
	ORDERING NOTES: U	Inits with Privacy S	creen Optio	n are not	available	with Rem	novable E	Back Cov	er optior	1.	
	One-Seat, Mid Height E ZOP3-M1M0F	Back	1725	1827	1930	2073	2237	2383	2546	2751	296
	One-Seat, Mid Height E	Back with Shelf Or	otion								
	ZOP3-M1M1_ Bee	ch/Laminate ble/Palette	2145 2235	2245 2336	2347 2439	2491 2584	2657 2746	2802 2892	2966 3057	3169 3261	
	ZOP3-M1M1_ Bee	ch/Laminate ble/Palette  /hen ordering units inding, Start and E	2145 2235 s with shelf ond units with	2336 option ple on the she	2439 ease clea elf option i	2584 rly specif require co	2746 y on you ounterba	2892 Ir order t lance we	3057 he requir	3261 red shelf l ded to ea	347 height ch se
	ZOP3-M1M1_ Bee Mar  ORDERING NOTES: W 42", 36" or 30". Freesta	ch/Laminate ble/Palette  /hen ordering units unding, Start and E ist upcharge per	2145 2235 Is with shelf of and units with unit. Units wi	2336 option plo the she th shelf o	2439 ease clea elf option i	2584 rly specif require co	2746 y on you ounterba	2892 Ir order t lance we	3057 he requir	3261 red shelf l ded to ea	347 heigh ch se otion.
	ZOP3-M1M1_ Bee Map  ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L  One-Seat, Mid Height E	ch/Laminate ble/Palette  /hen ordering unite anding, Start and E .ist upcharge per Back with Privacy	2145 2235 s with shelf of nd units with unit. Units with Screen Optio 1993	2336  option ple in the she ith shelf con 2094	2439 ease clea elf option in option are	2584  rly specif require co not availa	2746 by on you bunterba able with 2507	2892 Ir order t lance we Remova 2651	3057 he requii eight add able Back 2817	3261 red shelf led to ea c Cover op 3019	347 heigh ch se otion.
ola Privacy	ZOP3-M1M1_ Bee Map  ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L  One-Seat, Mid Height E ZOP3-M1M2F	ch/Laminate ble/Palette  /hen ordering unite anding, Start and E .ist upcharge per Back with Privacy	2145 2235 s with shelf of nd units with unit. Units with Screen Optio 1993	2336  option ple in the she ith shelf con 2094	2439 ease clea elf option in option are	2584  rly specif require co not availa	2746 by on you bunterba able with 2507	2892  Ir order t lance we Remova  2651  Back Cov	3057 he requii eight add able Back 2817	3261 red shelf led to ea c Cover op 3019	347 heigh ch se otion.
loisture Barri emovable Se emovable Ba ual Leg (for N	ZOP3-M1M1_ Bee Map  ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L  One-Seat, Mid Height E ZOP3-M1M2F  ORDERING NOTES: U  Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat ack Covers One-Seat Multiple unit configurations)	ch/Laminate ch/Laminate che/Palette  //hen ordering units unding, Start and E List upcharge per Back with Privacy  // hits with Privacy  \$ List  61  45  65	2145 2235 s with shelf of and units with unit. Units with 1993 creen Option See St	2336 option ple in the she ith shelf of on 2094 in are not	2439 ease clea elf option re pption are 2198 available er (per unier	2584 rly specification of availation 2343 with Rem	2746 by on you bunterba able with 2507	2892  Ir order t lance we Remova  2651  Back Cov	3057 he requirely add the Back 2817 ver option	3261 red shelf led to ea c Cover op 3019	347 heigh ch se otion.
oisture Barri emovable Se emovable Ba ual Leg (for N	ZOP3-M1M1_ Bee Map  ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L  One-Seat, Mid Height E ZOP3-M1M2F  ORDERING NOTES: U  Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat ack Covers One-Seat Multiple unit configurations) DE KEY	ch/Laminate che/Palette  //hen ordering units unding, Start and E List upcharge per  // Back with Privacy  // Inits with Privacy  \$ List  61  45  65  77	2145 2235 s with shelf of and units with unit. Units with 1993 creen Option See Sh	2336 option ple in the shelf of on 2094 on are not eat Power helf Power helf Power helf Power helf Power	2439 ease clea elf option re pption are 2198 available er (per unier er	2584 rly specific require contavaila 2343 with Rem	2746 by on you bunterba able with 2507 hovable E	2892  Ir order t lance we Remova  2651  Back Cov	3057 he requirely additional states and the second states and the second states are se	3261 red shelf led to ea c Cover op 3019	347 height ch se otion.
oisture Barri emovable Se emovable Ba ual Leg (for N RODUCT CO	ZOP3-M1M1_ Bee Map  ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L  One-Seat, Mid Height E ZOP3-M1M2F  ORDERING NOTES: U  Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat ack Covers One-Seat Multiple unit configurations)  DE KEY  Series	ch/Laminate che/Palette  /hen ordering units inding, Start and E ist upcharge per in Back with Privacy  /nits with Privacy  \$ List  61 45 65 77  Chair Type	2145 2235 s with shelf of and units with unit. Units with 1993 creen Option See Sh	2336  option ploe in the she the shelf of the contract of the	2439 ease clea elf option re pption are 2198 available er (per unier er	2584 rly specific require contavailate 2343 with Remitt)	2746 iy on you ounterba able with 2507 novable E	2892  Ir order t lance we Remova  2651  Back Cov	3057 he requirely additional states and the second states and the second states are se	3261 red shelf led to ea Cover op 3019	347 height ch se otion.
oisture Barri emovable Se emovable Ba ual Leg (for N	ZOP3-M1M1_ Bee Map  ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L  One-Seat, Mid Height E ZOP3-M1M2F  ORDERING NOTES: U  Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat ack Covers One-Seat Multiple unit configurations) DE KEY	ch/Laminate che/Palette  //hen ordering units unding, Start and E List upcharge per  // Back with Privacy  // Inits with Privacy  \$ List  61  45  65  77	2145 2235 S with shelf ond units with unit. Units with 1993 Creen Option See Sh	2336 option ple in the shelf of on 2094 on are not eat Power helf Power helf Power helf Power helf Power	2439 ease clea elf option re pption are 2198 available er (per unier er	2584 rly specific require contavailate 2343 with Rem tit)  Back	2746 iy on you ounterba able with 2507 novable E	2892  Ir order t lance we Remova  2651  Back Cov	3057 he require ight additional interest in the second interest in t	3261 red shelf led to ea c Cover op 3019	347/height ch se otion.
loisture Barri emovable Se emovable Ba ual Leg (for N PRODUCT CO Line ZOP	ZOP3-M1M1_ Bee Map  ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L  One-Seat, Mid Height E ZOP3-M1M2F  ORDERING NOTES: U  Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Multiple unit configurations) DE KEY  Series	ch/Laminate che/Palette  /hen ordering units unding, Start and E List upcharge per of Back with Privacy  shits with Privacy S  \$ List  61  45  65  77  Chair Type	2145 2235 S with shelf ond units with unit. Units with 1993 Creen Option See Sh	2336 option plot in the she th shelf of the contract of the co	2439 ease clea elf option re pption are 2198 available er (per unier er	2584 rly specific require contavailate 2343 with Rem tit)  Back	2746  Type  ght Back	2892  Ir order t lance we Remova  2651  Back Cov	3057 he require ight additional interest in the second interest in t	3261 red shelf led to ea Cover op 3019 n.	3470 height ch se- otion.
loisture Barri emovable Se emovable Ba ual Leg (for N PRODUCT CO Line	ZOP3-M1M1_ Bee Map  ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L  One-Seat, Mid Height E ZOP3-M1M2F  ORDERING NOTES: U  Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Multiple unit configurations) DE KEY  Series	ch/Laminate che/Palette  /hen ordering units unding, Start and E List upcharge per of Back with Privacy  shits with Privacy S  \$ List  61  45  65  77  Chair Type	2145 2235 s with shelf of and units with unit. Units with 1993 creen Option See St. Ta	2336 option plet the shelf of t	2439 ease clea elf option re ption are 2198 available er (per uni er er	2584  rly specification of availation availa	2746  Type  Type  Type  Type  Type	2892  Ir order t lance we Remova  2651  Back Cov	3057 he requirely signature and signature an	3261 red shelf led to eat Cover op 3019 n.	3470 height ch se- otion.
loisture Barri emovable Se emovable Ba ual Leg (for N PRODUCT CO Line ZOP	ZOP3-M1M1_ Bee Map  ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L  One-Seat, Mid Height E ZOP3-M1M2F  ORDERING NOTES: U  Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Multiple unit configurations) DE KEY  Series	ch/Laminate che/Palette  /hen ordering units unding, Start and E List upcharge per of Back with Privacy  shits with Privacy S  \$ List  61  45  65  77  Chair Type	2145 2235 s with shelf of and units with unit. Units with 1993 creen Option See St. Ta	2336 option plot in the she the shelf of the	2439 ease clea elf option re ption are 2198 available er (per uni er er	2584  rly specification of availation availa	2746  Type  Type  Type  Type  Back wit  Coption	2892  Ir order t lance we Remova  2651  Back Cov	3057 he requirely signature and signature an	3261 red shelf led to eat Cover op 3019 n. g Type F anding Uni	ch section.
loisture Barri emovable Se emovable Ba ual Leg (for N PRODUCT CO Line ZOP	ZOP3-M1M1_ Bee Map  ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L  One-Seat, Mid Height E ZOP3-M1M2F  ORDERING NOTES: U  Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Multiple unit configurations) DE KEY  Series	ch/Laminate che/Palette  /hen ordering units unding, Start and E List upcharge per of Back with Privacy  shits with Privacy S  \$ List  61  45  65  77  Chair Type	2145 2235 s with shelf ond units with unit. Units with 1993 creen Option See Sh	2336 option plet the shelf of t	2439 ease clea elf option re poption are 2198 available er (per uni er er	2584  rly specific require contavails  2343  with Rem  it)  Back  Full Height Shelf G	2746  Type  Type  Type  Type  The Back with	2892  Ir order t lance we Remova  2651  Back Cov  \$	3057 he require ight addible Back 2817 ver option 6 List 611 571 561  Le Freesta	3261 red shelf led to eat Cover op 3019 n. g Type F anding Uni S art Unit	3470 height ch se- otion.
loisture Barri emovable Se emovable Ba ual Leg (for N PRODUCT CO Line ZOP	ZOP3-M1M1_ Bee Map  ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L  One-Seat, Mid Height E ZOP3-M1M2F  ORDERING NOTES: U  Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Multiple unit configurations) DE KEY  Series	ch/Laminate che/Palette  /hen ordering units unding, Start and E List upcharge per of Back with Privacy  shits with Privacy S  \$ List  61  45  65  77  Chair Type	2145 2235 s with shelf ond units with unit. Units with 1993 creen Option See Sh	2336 option plot in the she the shelf of con 2094 on are not eat Power left P	2439 ease clea elf option re poption are 2198 available er (per uni er er	2584  rly specification of availation availation of availa	2746  Type  Type  Type  Back with  Back with  Carrier Back with  Carri	2892  Ir order t lance we Remova  2651  Back Cov  \$	3057 he require ight addible Back 2817 ver option 6 List 611 571 561  Le Freesta	3261 red shelf led to eat Cover op 3019 n. g Type F anding Uni S art Unit	3470 height ch se- otion.
loisture Barri emovable Se emovable Ba ual Leg (for N PRODUCT CO Line ZOP	ZOP3-M1M1_ Bee Map  ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L  One-Seat, Mid Height E ZOP3-M1M2F  ORDERING NOTES: U  Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Multiple unit configurations) DE KEY  Series	ch/Laminate che/Palette  /hen ordering units unding, Start and E List upcharge per of Back with Privacy  shits with Privacy S  \$ List  61  45  65  77  Chair Type	2145 2235 s with shelf ond units with unit. Units with 1993 creen Option See Sh	2336 option plot in the she the shelf of con 2094 on are not eat Power left P	2439 ease clea elf option re poption are 2198 available er (per uni er er	2584  rly specification of availation availation of availa	2746  Type  Type  Type  Back with  Back with  Carrier Back with  Carri	2892  Ir order t lance we Remova  2651  Back Cov  \$	3057 he required in the requir	3261 red shelf led to eat Cover op 3019 a. Granding United Country	347/height ch se otion.

M2 Mid Height Back with Privacy Screen Option

/MODEL/SPECIES		COM 1	2	COL 3	FAI 4	BRIC GR 5	ADES 6	7	LEATHE 8	R 9
One-Seat Plus, F ZOP3-MB1F0F	ull Height Back	2299	2428	2557	2742	2952	3136	3346	3605	3877
One-Seat Plus, F ZOP3-MB1F1_	ull Height Back with Sh Beech/Laminate Maple/Palette	elf Option 2730 2822	2859 2950	2988 3081	3172 3265	3384 3474	3566 3660	3777 3870	4036 4128	4310 4399
42", 36" or 30". F	reestanding, Start and E	End units wit	h the sh	elf option	require c	counterba	alance w	eight ad	ded to ea	ch sea
One-Seat Plus, F ZOP3-MB1F2F	ull Height Back with Pri	vacy Screen 2639	Option 2768	2896	3082	3292	3475	3686	3944	4217
ORDERING NOT	FES: Units with Privacy S	Screen Optic	n are no	ot availabl	e with Rei	movable	Back Co	ver optio	n.	
One-Seat Plus, N ZOP3-MB1M0F	lid Height Back	2195	2297	2399	2543	2709	2852	3016	3221	3432
ZOP3-MB1M1_ <b>ORDERING NO1</b> 42", 36" or 30". F	Beech/Laminate Maple/Palette TES: When ordering unit freestanding, Start and E	2626 2718 s with shelf End units wit	h the sh	elf option	require c	counterba	alance w	eight ad	ded to ea	ch sea
					2884	3048	3193	3356	3561	3771
ORDERING NOT	FES: Units with Privacy S	Screen Optic	on are no	ot availabl	e with Rer	movable	Back Co	ver optio	n.	
Option Upcharges	\$ List						;	\$ List		
at Covers One-Seat ck Covers One-Seat	45 t 65	S T	Shelf Povable Pov	wer wer	·	ıs Upgrad	de	611 571 561		
DE KEY										
	-· · —				Doo	k Type		- 14	a a Tima	
Series 3	Chair Type	S	Seat Cour	11		F0			eg Type	
	One-Seat Plus, F ZOP3-MB1F0F  One-Seat Plus, F ZOP3-MB1F1_  ORDERING NOT 42", 36" or 30". F unit, please add 3 One-Seat Plus, F ZOP3-MB1F2F  ORDERING NOT  One-Seat Plus, N ZOP3-MB1M0F  One-Seat Plus, N ZOP3-MB1M1_  ORDERING NOT 42", 36" or 30". F unit, please add 3 One-Seat Plus, N ZOP3-MB1M2F  ORDERING NOT  ORDERING NOT	One-Seat Plus, Full Height Back with ShzOP3-MB1F1_ Beech/Laminate Maple/Palette  ORDERING NOTES: When ordering unit 42", 36" or 30". Freestanding, Start and Eunit, please add \$289 List upcharge per  One-Seat Plus, Full Height Back with PrizOP3-MB1F2F  ORDERING NOTES: Units with Privacy Start Plus, Mid Height Back ZOP3-MB1M0F  One-Seat Plus, Mid Height Back with ShzOP3-MB1M1_ Beech/Laminate Maple/Palette  ORDERING NOTES: When ordering unit 42", 36" or 30". Freestanding, Start and Eunit, please add \$289 List upcharge per  One-Seat Plus, Mid Height Back with PrizOP3-MB1M2F  ORDERING NOTES: Units with Privacy Start Plus, Mid Height Back with PrizOP3-MB1M2F  ORDERING NOTES: Units with Privacy Start Plus, Mid Height Back with PrizOP3-MB1M2F  ORDERING NOTES: Units with Privacy Start Plus When Ordering Unit XOP3-MB1M2F  ORDERING NOTES: Units with Privacy Start Plus When Ordering Unit XOP3-MB1M2F  ORDERING NOTES: Units with Privacy Start Plus When Ordering Unit XOP3-MB1M2F  ORDERING NOTES: Units With Privacy Start Plus With	One-Seat Plus, Full Height Back with Shelf Option ZOP3-MB1F1_ Beech/Laminate 2730 Maple/Palette 2822  ORDERING NOTES: When ordering units with shelf 42", 36" or 30". Freestanding, Start and End units wit unit, please add \$289 List upcharge per unit. Units with please add \$289 List upcharge per unit. Units with Privacy Screen ZOP3-MB1F2F 2639  ORDERING NOTES: Units with Privacy Screen Option One-Seat Plus, Mid Height Back with Shelf Option ZOP3-MB1M0F 2195  One-Seat Plus, Mid Height Back with Shelf Option ZOP3-MB1M1_ Beech/Laminate 2626 Maple/Palette 2718  ORDERING NOTES: When ordering units with shelf 42", 36" or 30". Freestanding, Start and End units with unit, please add \$289 List upcharge per unit. Units with unit, please add \$289 List upcharge per unit. Units with Indicate and School of the Seat Plus, Mid Height Back with Privacy Screen ZOP3-MB1M2F 2535  ORDERING NOTES: Units with Privacy Screen Option Upcharges \$List  Poption U	One-Seat Plus, Full Height Back with Shelf Option ZOP3-MB1F1_ Beech/Laminate 2730 2859 Maple/Palette 2822 2950  ORDERING NOTES: When ordering units with shelf option 42", 36" or 30". Freestanding, Start and End units with the shunit, please add \$289 List upcharge per unit. Units with shelf One-Seat Plus, Full Height Back with Privacy Screen Option ZOP3-MB1F2F 2639 2768  ORDERING NOTES: Units with Privacy Screen Option are not one-Seat Plus, Mid Height Back ZOP3-MB1M0F 2195 2297  One-Seat Plus, Mid Height Back with Shelf Option ZOP3-MB1M1_ Beech/Laminate 2626 2727 Maple/Palette 2718 2819  ORDERING NOTES: When ordering units with shelf option page 27, 36" or 30". Freestanding, Start and End units with the shunit, please add \$289 List upcharge per unit. Units with shelf One-Seat Plus, Mid Height Back with Privacy Screen Option ZOP3-MB1M2F 2535 2637  ORDERING NOTES: Units with Privacy Screen Option are not one-Seat Plus, Mid Height Back with Privacy Screen Option ZOP3-MB1M2F 2535 2637  ORDERING NOTES: Units with Privacy Screen Option are not option Upcharges \$List  ORDERING NOTES: Units with Privacy Screen Option are not option Upcharges \$List  ORDERING NOTES: Units with Privacy Screen Option are not option Upcharges \$List  ORDERING NOTES: Units with Privacy Screen Option are not option Upcharges \$List  ORDERING NOTES: Units with Privacy Screen Option are not option Upcharges \$List  ORDERING NOTES: Units with Privacy Screen Option are not option Upcharges \$List  ORDERING NOTES: Units with Privacy Screen Option are not option Upcharges \$List  ORDERING NOTES: Units with Privacy Screen Option are not option Upcharges \$List  ORDERING NOTES: Units with Privacy Screen Option are not option Upcharges \$List  ORDERING NOTES: Units with Privacy Screen Option are not option Upcharges \$List  ORDERING NOTES: Units with Privacy Screen Option are not option Upcharges \$List  ORDERING NOTES: Units with Privacy Screen Option Area (Screen Upcharges)	One-Seat Plus, Full Height Back with Shelf Option ZOP3-MB1F0F  One-Seat Plus, Full Height Back with Shelf Option ZOP3-MB1F1_ Beech/Laminate 2730 2859 2988 Maple/Palette 2822 2950 3081  ORDERING NOTES: When ordering units with shelf option please cle 42", 36" or 30". Freestanding, Start and End units with the shelf option unit, please add \$289 List upcharge per unit. Units with shelf option are One-Seat Plus, Full Height Back with Privacy Screen Option ZOP3-MB1F2F 2639 2768 2896  ORDERING NOTES: Units with Privacy Screen Option are not available One-Seat Plus, Mid Height Back ZOP3-MB1M0F 2195 2297 2399  One-Seat Plus, Mid Height Back with Shelf Option ZOP3-MB1M1_ Beech/Laminate 2626 2727 2829 Maple/Palette 2718 2819 2922  ORDERING NOTES: When ordering units with shelf option please cle 42", 36" or 30". Freestanding, Start and End units with the shelf option unit, please add \$289 List upcharge per unit. Units with shelf option are One-Seat Plus, Mid Height Back with Privacy Screen Option ZOP3-MB1M2F 2535 2637 2740  ORDERING NOTES: Units with Privacy Screen Option are not available of the Seat Power (per unit, 253 2637 2740)  ORDERING NOTES: Units with Privacy Screen Option are not available of Seat Power (per unit, 253 2637 2740)  ORDERING NOTES: Units with Privacy Screen Option are not available of Seat Power (per unit, 253 2637 2740)  ORDERING NOTES: Units with Privacy Screen Option are not available of Seat Power (per unit, 253 2637 2740)  ORDERING NOTES: Units with Privacy Screen Option are not available of Seat Power (per unit, 253 2637 2740)  ORDERING NOTES: Units with Privacy Screen Option are not available of Seat Power (per unit, 253 2637 2740)  ORDERING NOTES: Units with Privacy Screen Option are not available of Seat Power (per unit, 253 2637 2740)  ORDERING NOTES: Units with Privacy Screen Option are not available of Seat Power (per unit, 253 2637 2740)	One-Seat Plus, Full Height Back ZOP3-MB1F0F  One-Seat Plus, Full Height Back with Shelf Option ZOP3-MB1F1_ Beech/Laminate 2730 2859 2988 3172 Maple/Palette 2822 2950 3081 3265  ORDERING NOTES: When ordering units with shelf option please clearly spec 42", 36" or 30". Freestanding, Start and End units with the shelf option are not available with privacy Screen Option ZOP3-MB1F2F 2639 2768 2896 3082  ORDERING NOTES: Units with Privacy Screen Option ZOP3-MB1F2F 2639 2768 2896 3082  ORDERING NOTES: Units with Privacy Screen Option are not available with Ref. 2195 2297 2399 2543  One-Seat Plus, Mid Height Back ZOP3-MB1M0F 2195 2297 2399 2543  One-Seat Plus, Mid Height Back with Shelf Option ZOP3-MB1M1_ Beech/Laminate 2626 2727 2829 2974 Maple/Palette 2718 2819 2922 3066  ORDERING NOTES: When ordering units with shelf option please clearly spec 42", 36" or 30". Freestanding, Start and End units with the shelf option are not available with Ref. 2718 2819 2922 3066  ORDERING NOTES: When ordering units with shelf option please clearly spec 42", 36" or 30". Freestanding, Start and End units with the shelf option require cunit, please add \$289 List upcharge per unit. Units with shelf option are not available with Ref. 2535 2637 2740 2884  ORDERING NOTES: Units with Privacy Screen Option are not available with Ref. 2535 2637 2740 2884  ORDERING NOTES: Units with Privacy Screen Option are not available with Ref. 2535 2637 2740 2884  ORDERING NOTES: Units with Privacy Screen Option are not available with Ref. 2535 2637 2740 2884  ORDERING NOTES: Units with Privacy Screen Option are not available with Ref. 2535 2637 2740 2884  ORDERING NOTES: Units with Privacy Screen Option are not available with Ref. 2535 2637 2740 2884  ORDERING NOTES: Units with Privacy Screen Option are not available with Ref. 2535 2637 2740 2884  ORDERING NOTES: Units with Privacy Screen Option are not available with Ref. 2535 2637 2740 2884	One-Seat Plus, Full Height Back with Shelf Option ZOP3-MB1F1_ Beech/Laminate 2730 2859 2988 3172 3384 Maple/Palette 2822 2950 3081 3265 3474  ORDERING NOTES: When ordering units with shelf option please clearly specify on you 42", 36" or 30". Freestanding, Start and End units with the shelf option require counterbaunit, please add \$289 List upcharge per unit. Units with shelf option are not available with Removable One-Seat Plus, Full Height Back with Privacy Screen Option ZOP3-MB1F2F 2639 2768 2896 3082 3292  ORDERING NOTES: Units with Privacy Screen Option are not available with Removable One-Seat Plus, Mid Height Back ZOP3-MB1M0F 2195 2297 2399 2543 2709  One-Seat Plus, Mid Height Back with Shelf Option ZOP3-MB1M1_ Beech/Laminate 2626 2727 2829 2974 3138 Maple/Palette 2718 2819 2922 3066 3229  ORDERING NOTES: When ordering units with shelf option please clearly specify on you 42", 36" or 30". Freestanding, Start and End units with the shelf option require counterbaunit, please add \$289 List upcharge per unit. Units with shelf option are not available with One-Seat Plus, Mid Height Back with Privacy Screen Option ZOP3-MB1M2F 2535 2637 2740 2884 3048  ORDERING NOTES: Units with Privacy Screen Option ZOP3-MB1M2F 2535 2637 2740 2884 3048  ORDERING NOTES: Units with Privacy Screen Option are not available with Removable ORDERING NOTES: Units with Privacy Screen Option are not available with Removable ORDERING NOTES: Units with Privacy Screen Option are not available with Removable ORDERING NOTES: Units with Privacy Screen Option are not available with Removable ORDERING NOTES: Units with Privacy Screen Option are not available with Removable ORDERING NOTES: Units with Privacy Screen Option are not available with Removable ORDERING NOTES: Units with Privacy Screen Option are not available with Removable ORDERING NOTES: Units with Privacy Screen Option are not available with Removable ORDERING NOTES: Units with Privacy Screen Option are not available with Removable ORDERING NOTES: Units with Privacy Screen Option a	One-Seat Plus, Full Height Back with Shelf Option ZOP3-MB1F0F 2299 2428 2557 2742 2952 3136  One-Seat Plus, Full Height Back with Shelf Option ZOP3-MB1F1_ Beech/Laminate 2730 2859 2988 3172 3384 3566 Maple/Palette 2822 2950 3081 3265 3474 3660  ORDERING NOTES: When ordering units with shelf option please clearly specify on your order 42", 36" or 30". Freestanding, Start and End units with the shelf option require counterbalance wunit, please add \$289 List upcharge per unit. Units with shelf option are not available with Removable Dack Company Start and End units with the shelf option are not available with Removable Back Company Start and End units with the shelf option are not available with Removable Back Company Start Plus, Full Height Back with Privacy Screen Option 2073-MB1F2F 2639 2768 2896 3082 3292 3475  ORDERING NOTES: Units with Privacy Screen Option are not available with Removable Back Company Start Plus, Mid Height Back 2073-MB1M1 Beech/Laminate 2626 2727 2829 2974 3138 3284 Maple/Palette 2718 2819 2922 3066 3229 3374  ORDERING NOTES: When ordering units with shelf option please clearly specify on your order 42", 36" or 30". Freestanding, Start and End units with shelf option require counterbalance wunit, please add \$289 List upcharge per unit. Units with shelf option are not available with Removable Back Company Start and End units with shelf option are not available with Removable Back Company Start and End units with shelf option are not available with Removable Back Company Start and End units with shelf option are not available with Removable Back Company Start and End units with shelf option are not available with Removable Back Company Start and End units with Shelf Option are not available with Removable Back Company Start Start Shelf Power St	One-Seat Plus, Full Height Back ZOP3-MB1F0F         2299         2428         2557         2742         2952         3136         3346           One-Seat Plus, Full Height Back with Shelf Option ZOP3-MB1F1_ Beech/Laminate 2730         2859         2988         3172         3384         3566         3777 Maple/Palette         2822         2950         3081         3265         3474         3660         3870           ORDERING NOTES: When ordering units with shelf option please clearly specify on your order the requived?", 36" or 30". Freestanding, Start and End units with the shelf option are not available with Removable Back unit, please add \$289 List upcharge per unit. Units with shelf option are not available with Removable Back unit, please add \$289 List upcharge per unit. Units with shelf option are not available with Removable Back Cover option ZOP3-MB1F2F         2639         2768         2896         3082         3292         3475         3686           ORDERING NOTES: Units with Privacy Screen Option are not available with Removable Back Cover option ZOP3-MB1M0F         2195         2297         2399         2543         2709         2852         3016           One-Seat Plus, Mid Height Back with Shelf Option ZOP3-MB1M0F         2195         2297         2399         2543         2709         2852         3016           ORDERING NOTES: When ordering units with shelf option please clearly specify on your order the requidating plants and plant	One-Seat Plus, Full Height Back ZOP3-MB1F0F         2299         2428         2557         2742         2952         3136         3346         3605           One-Seat Plus, Full Height Back with Shelf Option ZOP3-MB1F1_ Beech/Laminate Maple/Palette         2730         2859         2988         3172         3384         3566         3777         4036           ORDERING NOTES: When ordering units with shelf option please clearly specify on your order the required shelf 42", 36" or 30". Freestanding, Start and End units with the shelf option require counterbalance weight added to ea unit, please add \$289 List upcharge per unit. Units with shelf option are not available with Removable Back Cover option.           One-Seat Plus, Full Height Back with Privacy Screen Option ZOP3-MB1F2F         2639         2768         2896         3082         3292         3475         3686         3944           ORDERING NOTES: Units with Privacy Screen Option are not available with Removable Back Cover option.         One-Seat Plus, Mid Height Back         2195         2297         2399         2543         2709         2852         3016         3221           One-Seat Plus, Mid Height Back With Shelf Option ZOP3-MB1M1_ Beech/Laminate Maple/Palette         2626         2727         2829         2974         3138         3284         3448         3652           ORDERING NOTES: When ordering units with shelf option require counterbalance weight added to ea unit, please add \$289 List upcharge per

M1
Mid Height Back with Shelf Option

M2
Mid Height Back with Privacy Screen Option

E005:5=:0::	LANDEL (CREDIEC		COM	•	COL		BRIC GR		-	LEATHER	
ESCRIPTION	I/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Two-Seat, Full Height Bac ZOP3-M2F0F	к	2885	3078	3267	3540	3852	4128	4437	4820	522
	Two-Seat, Full Height Bac ZOP3-M2F1_ Beech/	k Shelf Option Laminate	3394	3584	3775	4050	4362	4636	4945	5329	573
	Maple/fi ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 List	en ordering units wing, Start and End	units with	n the she	elf option	require c	ounterba	alance w	eight add	ded to ead	ch sea
	Two-Seat, Full Height Bac ZOP3-M2F2F	k with Privacy Sci	reen Optio 3352	on 3541	3734	4007	4319	4593	4768	5285	569
	ORDERING NOTES: Units	s with Privacy Scre	een Optio	n are not	available	with Ren	novable E	Back Cov	er option	ı <b>.</b>	
	Two-Seat, Mid Height Bac ZOP3-M2M0F	k	2472	2623	2775	2992	3238	3456	3701	4005	432
	Two-Seat, Mid Height Bac	It with Chalf Ontic	nn								
	ZOP3-M2M1_ Beech/ Maple/II  ORDERING NOTES: Whe 42", 36" or 30". Freestand	Laminate Palette en ordering units wing, Start and End	2983 3078 vith shelf of units with	n the she	elf option	require c	ounterba	alance w	eight add	ded to ead	49 neigh ch se
	ZOP3-M2M1_ Beech/Maple/I  ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 List  Two-Seat, Mid Height Bac ZOP3-M2M2F	Laminate Palette en ordering units wing, Start and Endiction uncharge per unitions with Privacy Sc	2983 3078 vith shelf of I units with t. Units w reen Optio 2940	3227 option planthe shelf of the shelf of th	3378 ease cleaself option are 3242	3595  arly speci require ce not availa	3843 fy on you ounterbaable with 3706	4059 ur order talance we Remova 3921	4305 the requireight addible Back	4608 red shelf higher ded to each Cover option 4470	49: neight ch se tion.
	ZOP3-M2M1_ Beech/Maple/I  ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 List  Two-Seat, Mid Height Bac ZOP3-M2M2F  ORDERING NOTES: Units	Laminate Palette en ordering units wing, Start and Endiction upcharge per units with Privacy Sc	2983 3078 vith shelf of I units with t. Units w reen Optio 2940	3227 option planthe shelf of the shelf of th	3378 ease cleaself option are 3242	3595  arly speci require ce not availa	3843 fy on you ounterbaable with 3706	4059 ur order talance we Remova 3921 Back Cov	4305 the requireleght additional to the Back 4169 rer option	4608 red shelf higher ded to each Cover option 4470	ch sea
	ZOP3-M2M1_ Beech/Maple/I  ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 List  Two-Seat, Mid Height Bac ZOP3-M2M2F  ORDERING NOTES: Units	Laminate Palette en ordering units wing, Start and Endicupcharge per unick with Privacy Screwith Privacy Scr	2983 3078 vith shelf of I units with t. Units w reen Optio 2940 een Optio	3227  option pl n the she ith shelf of on 3091  n are not	3378 ease clease clease self option are 3242 available	3595 arly speci require cent availants 3460 with Ren	3843 fy on you ounterbaable with 3706	4059 ur order talance we Remova 3921 Back Cov	the require ight add ble Back 4169 ver option	4608 red shelf higher ded to each Cover option 4470	492 neight ch sea tion.
pisture Barrie emovable Se emovable Ba	ZOP3-M2M1_ Beech/Maple/I  ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 List  Two-Seat, Mid Height Bac ZOP3-M2M2F  ORDERING NOTES: Units	Laminate Palette en ordering units wing, Start and Endiction upcharge per units with Privacy Sc	2983 3078 vith shelf of I units with t. Units w reen Optio 2940 een Optio	3227  option pl n the she ith shelf of on 3091  n are not	a3378 ease clease cleas	3595 arly speci require cent availants 3460 with Ren	3843 fy on you ounterbaable with 3706	4059 ur order talance we Remova 3921 Back Cov	4305 the requireleght additional to the Back 4169 rer option	4608 red shelf higher ded to each Cover option 4470	492 neight ch sea tion.
pisture Barrie movable Se movable Ba al Leg (for M	ZOP3-M2M1_ Beech/Maple/I  ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 List  Two-Seat, Mid Height Bac ZOP3-M2M2F  ORDERING NOTES: Units  Option Upcharges er & CAL 133(per yard) eat Covers One-Seat Ack Covers One-Seat Multiple unit configurations)	Laminate Palette en ordering units wing, Start and End: upcharge per units with Privacy Screens with Privacy Screens  \$ List 61 45 65	2983 3078 vith shelf of I units with t. Units w reen Optio 2940 een Optio	3227  option pl n the she ith shelf of on 3091  n are not eat Pow helf Pow	a3378 ease clease cleas	3595 arly speci require cent availants 3460 with Ren	3843 fy on you ounterbaable with 3706	4059 ur order talance we Remova 3921 Back Cov	the require eight add ble Back  4169  rer option  6 List  611 571	4608 red shelf higher ded to each Cover option 4470	492 neight ch sea tion.
pisture Barrie movable Se movable Ba al Leg (for M	ZOP3-M2M1_ Beech/Maple/I  ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 List  Two-Seat, Mid Height Bac ZOP3-M2M2F  ORDERING NOTES: Units  Option Upcharges er & CAL 133(per yard) eat Covers One-Seat Ack Covers One-Seat Multiple unit configurations)	Laminate Palette en ordering units wing, Start and End: upcharge per units with Privacy Screens with Privacy Screens  \$ List 61 45 65	2983 3078 vith shelf of I units with t. Units w reen Optio 2940 een Optio	3227  option pl n the she ith shelf of on 3091  n are not eat Pow helf Pow	a3378 ease cleatelf option are 3242 available er (per uner ver	3595 arly speci require center availants 3460 with Ren	3843 fy on you ounterbaable with 3706	4059 ur order talance we Remova 3921 Back Cov	the requireleght additional to the second se	4608 red shelf higher ded to each Cover option 4470	492 neight ch se tion.
pisture Barrie movable Se movable Ba al Leg (for Machine)	ZOP3-M2M1_ Beech/Maple/I  ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 List  Two-Seat, Mid Height Bac ZOP3-M2M2F  ORDERING NOTES: Units  Option Upcharges er & CAL 133(per yard) eat Covers One-Seat ack Covers One-Seat Multiple unit configurations)  DE KEY	Laminate Palette en ordering units wing, Start and Endicupcharge per units with Privacy Screens with Privacy Screens State    \$ List 61 45 65 77  Chair Type	2983 3078 vith shelf of I units with t. Units w reen Optio 2940 een Optio	option plan the shelf of the shelf Power shelf P	a3378 ease cleatelf option are 3242 available er (per uner ver	3595 arly specion require contents available and available with Renality  Bacler Full Hei	ght Back	4059 ur order talance we Remova 3921 Back Cov	the require eight add ble Back 4169 rer option 5 List 611 571 561	4608 red shelf heded to each Cover option 4470 h.	492 neight section.
Disture Barrie emovable Se emovable Ba ual Leg (for M RODUCT COL Line	ZOP3-M2M1_ Beech/Maple/I  ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 List  Two-Seat, Mid Height Bac ZOP3-M2M2F  ORDERING NOTES: Units  Option Upcharges er & CAL 133(per yard) eat Covers One-Seat Ack Covers One-Seat Multiple unit configurations)  DE KEY  Series	Laminate Palette en ordering units wing, Start and End: upcharge per units with Privacy Screen swith Privacy Screen state of the state	2983 3078 vith shelf of I units with t. Units w reen Optio 2940 een Optio	option plan the shelf of the shelf Power of the s	a3378 ease cleatelf option are 3242 available er (per uner ver	3595 arly specion require content available and available availabl	fy on you ounterba able with 3706 movable E	4059 ur order talance we Remova 3921 Back Cov	the requireleght add ble Back 4169 erroption 611 571 561	4608 red shelf heded to each Cover option 4470 a. 4470 a. Figure Figure Indiana Unit Signature Indiana Unit Indiana Indiana Unit Indiana India	492 neight seicion.
Disture Barrie emovable Se emovable Ba ual Leg (for M RODUCT COL Line	ZOP3-M2M1_ Beech/Maple/I  ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 List  Two-Seat, Mid Height Bac ZOP3-M2M2F  ORDERING NOTES: Units  Option Upcharges er & CAL 133(per yard) eat Covers One-Seat Ack Covers One-Seat Multiple unit configurations)  DE KEY  Series	Laminate Palette en ordering units wing, Start and Endict upcharge per units with Privacy Screens with Privacy Screens State    \$ List 61 45 65 77 Chair Type  M Modular MB Modular	2983 3078 vith shelf of I units with t. Units w reen Optio 2940 een Optio	option planthe shelf of the shelf Power shelf Po	a3378 ease clease cleas	3595 arly specion require content available and available availabl	fy on you ounterba able with 3706 movable E	4059 ur order talance we Remova 3921 Back Cov	the require eight add ble Back 4169 er option 65 List 611 571 561	4608 red shelf heded to each Cover option 4470 a. eg Type  F anding Unit	492 neight section.
poisture Barride emovable Seemovable Baual Leg (for March Ma	ZOP3-M2M1_ Beech/Maple/I  ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 List  Two-Seat, Mid Height Bac ZOP3-M2M2F  ORDERING NOTES: Units  Option Upcharges er & CAL 133(per yard) eat Covers One-Seat Ack Covers One-Seat Multiple unit configurations)  DE KEY  Series	Laminate Palette en ordering units wing, Start and Endict upcharge per units with Privacy Screens with Privacy Screens State    \$ List 61 45 65 77 Chair Type  M Modular MB Modular	2983 3078 vith shelf of I units with t. Units w reen Optio 2940 een Optio	option plan the she the shelf of the shelf o	a3378 ease clease cleas	3595  arly specirequire centered availated ava	fy on you ounterba able with 3706 movable E	4059 ur order talance we Remova 3921 Back Cov	the require eight add ble Back 4169 erer option 65 List 611 571 561 Ereest:	4608 red shelf heded to each Cover option 4470 a. 4470 b. F. anding Unit S. art Unit C.	492 neight section.

M2 Mid Height Back with Privacy Screen Option

DESCRIPTION/N	MODEL/SPECIES		COM 1	2	COL 3	FAE 4	RIC GR 5	ADES 6	7	LEATHEI 8	R 9
	Three-Seat, Full Ho ZOP3-M3F0F	eight Back	3794	4050	4309	4673	5091	5458	5873	6388	6925
	ZOP3-M3F1_	eight Back Shelf Option Beech/Laminate Maple/Palette	4391 4489	4647 4747	4904 5005	5271 5370	5687 5788	6056 6156	6470 6569	6983 7083	7523 7624
	- 42", 36" or 30". F	S: When ordering units wi reestanding, Start and End 289 List upcharge per unit	units with	n the she	elf option r	equire co	ounterba	lance we	ight adde	ed to eac	h seat
	Three-Seat, Full Ho ZOP3-M3F2F	eight Back with Privacy Sc	reen Opt 4460	ion 4717	4972	5341	5758	6125	6540	7053	7593
	ORDERING NOTE	ES: Units with Privacy Screen	en Optior	n are not	available v	with Rem	novable I	Back Cove	er option.		
	Three-Seat, Mid H ZOP3-M3M0F	eight Back	3570	3783	3993	4296	4639	4943	5288	5709	6159
	ZOP3-M3M1_	eight Back Shelf Option Beech/Laminate Maple/Palette	4169 4268	4380 4481	4589 4689	4894 4993	5237 5338	5539 5639	5886 5985	6306 6405	6755 6855
	- 42", 36" or 30". F	ES: When ordering units wireestanding, Start and End 289 List upcharge per unit	units with	n the she	elf option r	equire co	ounterba	lance we	ight adde	ed to eac	h seat
	Three-Seat, Mid H ZOP3-M3M2F	eight Back with Privacy Sc	creen Opt 4238	ion 4448	4659	4963	5307	5610	5955	6374	6823
	ORDERING NOTE	S: Units with Privacy Screen	en Optior	n are not	available v	with Rem	novable I	Back Cove	er option.		
Zola Privacy O <sub>l</sub>	otion Upcharges	\$ List						\$	List		
Removable Sea Removable Bac	& CAL 133(per yard t Covers One-Seat k Covers One-Seat Iltiple unit configura	45 65	Sł Ta	nelf Pow ble Pow		,	s Upgrad	de	611 571 561		
PRODUCT CODE	KEY										
Line	Series	Chair Type	Se	eat Count		Back	Туре			Туре	
ZOP Zola	3 Lounge	M Modular		1 One Seat		Full Hei	0 ght Back			F nding Unit	
Σοια	Lourige	MB		2		F				S	
		Modular	T	wo Seat	F	Full Heigh		th	Sta	rt Unit	
		Plus Upgrade		3			Option 2			С	
			TI	ree Seat		Full Heigh			Cent	er Unit	
					۲		reen Opti 10 ght Back			E d Unit	
					١	Mid Heigh	1				
						Mid Heigh					

DESCRIPTION/	MODEL/SPECIES	COM 1	2	COL 3	FABI 4	RIC GRA	DES	LEATHER 7 8		R 9
	Modular Corner Seat with Full Height Back ZOP3-MCF0	3865	4086	4307	4616	4971	5282	5636	6079	6522
	Modular Corner Seat, Full Height Back with ZOP3-MCF1LR Beech/Laminate Maple/Palette	Shelves 4702 4794	4923 5014	5146 5236	5455 5546	5809 5901	6119 6211	6473 6565	6917 7008	7361 7450
	Modular Corner Seat, Full Height Back with ZOP3-MCF1L Beech/Laminate Maple/Palette  Modular Corner Seat, Full Height Back with ZOP3-MCF1R Beech/Laminate Maple/Palette	4519 4523	4751 4755	4984 4987 4984 4987	5309 5314 5309 5314	5682 5686 5682 5686	6008 6012 6008 6012	6379 6384 6379 6384	6843 6848 6843 6848	6984 6988 6984 6988
	Modular Corner Seat, Full Height Back with ZOP3-MCF2LR	Privacy So 4404	creens 4626	4847	5157	5512	5822	6176	6618	7063
	Modular Corner Seat, Full Height Back with ZOP3-MCF2L  Modular Corner Seat, Full Height Back with ZOP3-MCF2R	4356	4587	4820	5147 5147	5518 5518	5844 5844	6214 6214	6681	6820 6820

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	61
Shelf Power	571
Dual Leg (for Multiple unit configurations)	77
Plus Upgrade- Corner Seat	61

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3 Lounge	MC  Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option	R Right Side

DESCRIPTION/N	MODEL/SPECIES	COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	ER 9
	Modular Corner Seat with Mid Height Bac ZOP3-MCM0	k 3108	3291	3473	3730	4021	4278	4570	4937	5303
	Modular Corner Seat, Mid Height Back wit ZOP3-MCM1LR Beech/Laminate Maple/Palette	:h Shelves 3944 4036	4129 4219	4312 4402	4567 4658	4860 4950	5115 5208	5409 5499	5773 5865	6140 6231
	Modular Corner Seat, Mid Height Back wit ZOP3-MCM1L Beech/Laminate Maple/Palette  Modular Corner Seat, Mid Height Back wit	3723 3728	3917 3920	4108 4177	4377 4381	4685 4688	4954 4958	5261 5265	5643 5647	5764 5767
. 11	ZOP3-MCM1R Beech/Laminate  Maple/Palette	3723 3728	3917 3920	4108 4177	4377 4381	4685 4688	4954 4958	5261 5265	5643 5647	5764 5767
	Modular Corner Seat, Mid Height Back wit ZOP3-MCM2LR	th Privacy 3647	Screens 3831	4014	4270	4562	4819	5111	5475	5843
	Modular Corner Seat, Full Height Back wit ZOP3-MCM2L	h Privacy 3560	Screen L 3753	.eft* 3944	4213	4520	4791	5097	5481	5600
	Modular Corner Seat, Full Height Back wit ZOP3-MCM2R	h Privacy 9 3560	Screen F 3753	Right 3944	4213	4520	4791	5097	5481	5600

Zola Privacy Option Upcharges	\$ List	
Moisture Barrier & CAL 133(per yard)	61	
Shelf Power	571	
Dual Leg (for Multiple unit configurations)	77	
Plus Upgrade- Corner Seat	61	

#### PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3	MC	MO	L
Zola	Lounge	Modular Corner Seat	Mid Height Back	Left Side
		MCB	M1	R
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
		00411.40	M2	LR

Mid Height Back with Privacy Screen Option

Left & Right Sides

### **ZOLA PRIVACY | SIDE PANELS**

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Singl											
	ZOP3-MPF0S	Start	903	987	1071	1242	1411	1581	1749	1920	2258	
	ZOP3-MPF0C	Center	1164	1248	1332	1503	1670	1840	2009	2178	2517	
	ZOP3-MPF0E	End	903	987	1071	1242	1411	1581	1749	1920	2258	
$\overline{}$	Side Panel, Singl	e, Full Height wi	th Screen									
	ZOP3-MPF2S	Start	1184	1269	1353	1521	1692	1861	2031	2200	2539	
	ZOP3-MPF2C	Center	1443	1530	1613	1782	1954	2122	2292	2461	2799	
	ZOP3-MPF2E	End	1184	1269	1353	1521	1692	1861	2031	2200	2539	
	Side Panel, Singl	e Mid Height No	Screen									
	ZOP3-MPM0S	Start	731	790	846	963	1078	1192	1307	1421	1650	
	ZOP3-MPM0C	Center	1002	1058	1115	1229	1345	1460	1575	1689	1920	
	ZOP3-MPM0E	End	731	790	846	963	1078	1192	1307	1421	1650	
	Side Panel, Singl	e. Mid Heiaht wi	th Screen									
	ZOP3-MPM2S	Start	1013	1069	1127	1244	1358	1474	1588	1703	1933	
	ZOP3-MPM2C	Center	1282	1339	1396	1512	1625	1740	1855	1968	2200	
	ZOP3-MPM2E	End	1013	1069	1127	1244	1358	1474	1588	1703	1933	
		F. Cida Danalau	.:		0		in I leite	iale Dei		O-4:		دادادا:

**ORDERING NOTE**: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	E	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

### **ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side ZOP3-MSPF0S ZOP3-MSPF0C ZOP3-MSPF0E	Panel, Single, I Start Center End	Full Height 556 817 556	599 862 599	642 907 642	729 992 729	816 1080 816	904 1166 904	990 1253 990	1079 1340 1079	1252 1514 1252	
	Semi-Private Side	Panel, Single, I	Mid Height									
	ZOP3-MSPM0S ZOP3-MSPM0C ZOP3-MSPM0E	Start Center End	490 759 490	529 796 529	564 834 564	640 910 640	716 984 716	790 1059 790	866 1135 866	940 1209 940	1089 1360 1089	

**ORDERING NOTE**: Semi-Private Side Panels will only connect to Center seating units.

#### PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center	
				E End	

### **ZOLA PRIVACY | MODULAR ARMS**

		COM		COL	FA	BRIC GR	RADES		LEATHE	:R	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	669 669 747	705 705 784	741 741 819	813 813 891	886 886 964	957 957 1036	1030 1030 1108	1100 1100 1180	1245 1245 1324	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	rethane Cap 800 800 863	837 837 898	871 871 935	943 943 1008	1016 1016 1080	1087 1087 1150	1160 1160 1223	1231 1231 1294	1377 1377 1439	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole	С	
Solid Surface Arm Cap (per arm)	123	130	144	150

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L  Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

### **ZOLA PRIVACY** | TWIN - DIMENSIONS & COM REQUIREMENTS

### **DIMENSIONS**

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Full Height Back										
One-Seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-Seat (Plus)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Back										
One-Seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-Seat (Plus)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

#### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height B	ack											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height B	ack											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

### **ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES**

	\$ List	
Plus Upgrade Twin Two-Seat	247	
Plus Upgrade Twin Three-Seat	370	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

### **ZOLA PRIVACY | TWIN MODULAR PANELS & MODULAR ARMS**

### **DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Single	e, Full Height	No Scree	n									
ZOP3-MPTF0U ZOP3-MPTF0C	Universal Center	2.75 2.75	51.5 51.5	43.9 43.9	66 66	6 6	4 4	5.5 5.5	9.34 9.34	12.03 12.03	14.72 14.72	18.7 18.7
Side Panel, Single	e. Full Height	with Scre	en									
ZOP3-MPTF2U	Universal	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF2C	Center	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single	e, Mid Heigh	t No Scree	en									
ZOP3-MPTM0U	Universal	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM0C	Center	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
Side Panel, Single	e, Mid Heigh	t with Scre	en									
ZOP3-MPTM2U	Universal	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM2C	Center	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
Twin Semi-Private	Side Panel,	Single, Fu	ıll Height									_
ZOP3-MSPTF0U	Universal	2.75	26.5	44	43	2.5	2.69	5.38	8.06	10.75	13.44	16.13
ZOP3-MSPTF0C	Center	2.75	26.5	44	52	2.5	2.69	5.38	8.06	10.75	13.44	16.13
Twin Semi-Private		•	_									
ZOP3-MSPTM0U		2.75	26.5	31.4	32	1.7	1.75	3.99	5.98	7.97	9.97	11.96
ZOP3-MSPTM0C	Center	2.75	26.5	31.4	39	1.7	1.75	3.99	5.98	7.97	9.97	11.96
Twin Modular Uph	alatarad Ara											
ZOP3-MATUPHU	ioistered Am	3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUPHC		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9 7.9	9.33
201 3-WATOT 110		3	14.5	19.75	22	2.0	2.11	3.30	3	0.5	7.9	9.00
Twin Modular Uph	nolstered Arn	n w/Uretha	ane Cap									
ZOP3-MATUREU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUREC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	nolstered Arn	n w/Solid	Surface Ca									
ZOP3-MATSSCU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATSSCC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33

### **ZOLA PRIVACY | TWIN SEATS**

		COM		COL	F	FABRIC GRA	DES		LEATHE	R
DESCRIPTION/MOD	<u>EL</u>	1	2	3	4	5	6	7	8	9
	Twin One-Seat, Full Heigh ZOP3-MT1F0F	nt Back 2716	2873	3033	3261	3516	3745	4003	4318	4656
	Twin One-Seat, Full Heigh	nt Back with	Privacy S	Screen Opt	ion					
	ZOP3-MT1F2F	2985	3142	3300	3531	3786	4014	4271	4587	4924
	ORDERING NOTES: Unit	s with Privac	y Screen	Option are	e not ava	ilable with Re	emovable	Back Cove	er option.	
·	Twin One-Seat, Mid Heigh	nt Back								
	ZOP3-MT1M0F	2584	2718	2853	3048	3267	3462	3682	3952	4242
	Twin One-Seat, Mid Heigh ZOP3-MT1M2F	nt Back with 2852	Privacy S	Screen Opt 3122	ion 3318	3536	3732	3950	4221	4510
	ORDERING NOTES: Unit									4310
			,, 00.00	op.io.r a.c					00110111	
	Twin One-Seat Plus, Full I ZOP3-MBT1F0F	Height Back 3635	3793	3950	4180	4435	4664	4921	5237	5575
	Twin One-Seat Plus, Full I	Height Back	with Priva	acv Screer	Option					
	ZOP3-MBT1F2F	3974	4133	4291	4519	4774	5005	5261	5578	5915
	ORDERING NOTES: Unit	ts with Privac	y Screen	Option are	e not ava	ilable with Re	emovable	Back Cove	er option.	
	Twin One-Seat Plus, Mid	Height Back								
	ZOP3-MBT1M0F	3490	3625	3761	3955	4173	4369	4588	4860	5147
	Twin One-Seat Plus, Mid		with Priv	acy Screer	n Option					
	ZOP3-MBT1M2F	3830	3964	4101	4293	4513	4709	4928	5198	5487
1	ORDERING NOTES: Unit	s with Privac	y Screen	Option are	not ava	ilable with Re	emovable	Back Cove	er option.	
PRODUCT CODE KEY		OL : T		0 10		D 1 T				
Line		Chair Type		Seat Cour	1 <b>τ</b>	Back Ty	pe		Leg Type	
ZOP	Lounge N	MT Modular Twin		One Seat		F0 Full Height	Back	Free	F estanding U	nit
		MTB  Modular Twin		2 Two Seat		F2 Full Height Ba	ack with		S Start Unit	
	Р	lus Upgrade Page 203)		3		Privacy Scree			C	
	V			Three Sea	t	Mid Height	Back	(	Center Unit	
						M2			Е	
						Mid Height B Privacy Scree			End Unit	

### **ZOLA PRIVACY | TWIN SEATS**

DESCRIPTION/MOD	DEL	COM 1	2	COL 3	F 4	ABRIC GRA 5	DES 6	7	LEATHE 8	:R 9
	Twin Two-Seat, Full Height ZOP3-MT2F0F	Back 4034	4282	4530	4899	5313	5682	6095	6592	7159
	Twin Two-Seat, Full Height ZOP3-MT2F2F	Back Priva 4499	cy Screer 4749	Option 4996	5367	5780	6149	6561	7059	7627
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not avail	able with Rer	movable E	Back Cove	option.	
	Twin Two-Seat, Mid Height ZOP3-MT2M0F	Back 3838	4054	4267	4580	4928	5240	5589	6018	6484
	Twin Two-Seat, Mid Height ZOP3-MT2M2F	Back with 4305	Privacy S 4519	creen Opti 4734	on 5044	5395	5707	6057	6484	6951
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not avail	able with Rer	novable E	Back Cove	option.	
	Twin Three-Seat, Full Heig ZOP3-MT3F0F	ght Back 5542	5862	6180	6631	7147	7598	8111	8749	9408
	Twin Three-Seat, Full Heiç ZOP3-MT3F2F	ght Back Pr 6208	ivacy Scre 6528	een Option 6844	7296	7813	8265	8779	9415	10072
	ORDERING NOTES: Unit	s with Priva	cy Screer	Option ar	e not ava	ailable with Re	emovable	Back Cove	er option.	
	Twin Three-Seat, Mid Heig ZOP3-MT3M0F	ght Back 5100	5380	5659	6060	6514	6915	7367	7928	8519
	Twin Three-Seat, Mid Heig ZOP3-MT3M2F	ght Back wi 5766	th Privacy	Screen O	ption 6728	7180	7582	8034	8594	9186
N	ORDERING NOTES: Unit	s with Priva	cy Screer	Option ar	e not ava	ailable with Re	emovable	Back Cove	er option.	
PRODUCT CODE KE		Chair Type		Seat Cou	nt	Back Ty	<b>100</b>		Leg Type	
					<b>.</b> 1					
ZOP Zola	Lounge N	MT Modular Twin		1 One Sea	] it	F0 Full Height	Back	Fre	Festanding	Unit
		MTB		2		F2			S	
		Modular Twin		Two Sea	t	Full Height B			Start Unit	
		Page 203		3	]	M0			С	

Center Unit

\_ E

End Unit

Mid Height Back

M2

Mid Height Back with

Privacy Screen Option

Three Seat

### **ZOLA PRIVACY | TWIN - SIDE PANELS**

	COM		COL	FAB	RIC GRAD	ES	ı	LEATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No S ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center		1485 2164	1611 2291	1862 2541	2113 2793	2365 3041	2615 3293	2867 3543	3368 4046
Twin Side Panel,, Full Height with	n Screen								
ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center		2037 2716	2163 2842	2413 3092	2665 3343	2916 3593	3166 3845	3419 4093	3919 4599
Twin Side Panel, Med. Height No	Screen -								
ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center	1131 1807	1215 1894	1299 1979	1470 2147	1639 2317	1808 2486	1979 2656	2147 2824	2486 3164
Twin Side Panel, Med. Height wi	th Screen								
ZOP3-MPTM2U Universal End		1767	1852	2021	2192	2361	2531	2699	3037
ZOP3-MPTM2C Center	2360	2445	2531	2699	2868	3037	3207	3375	3717
ORDERING NOTE: Side Panels	will only conr	ect to Ce	nter seatir	ng units. U	nits with Pi	rivacy Scre	en Option	n are not a	vailable

**ORDERING NOTE**: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 204 for dimensions and COM.

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			M0 Mid Height		
			M2		
			Mid Height with Privacy Screen Option		

### **ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private	Side Panel, Si	ngle, Full H	leight								
	ZOP3-MSPTF0U	Universal	964	1040	1117	1225	1348	1456	1580	1733	1887	
	ZOP3-MSPTF0C	Center	1642	1719	1796	1904	2028	2134	2258	2412	2566	
	Twin Semi-Private	Side Panel, Si	ngle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	827	876	927	996	1078	1146	1227	1327	1426	
	ZOP3-MSPTM0C	Center	1506	1556	1606	1675	1755	1824	1906	2006	2106	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 204 for dimensions and COM.

#### PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

### **ZOLA PRIVACY | TWIN MODULAR ARMS**

		COM		COL	FAE	BRIC GR	ADES		LEATHER	3	
DESCRIPTION/M	IODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1067 1759	1140 1819	1202 1880	1285 1964	1382 2061	1466 2146	1563 2242	1684 2363	1804 2484	
	Twin Modular Upholstered Arm w										
	ZOP3-MATUREU	1193	1266	1327	1411	1507	1591	1688	1809	1930	
	ZOP3-MATUREC	1885	1944	2006	2089	2186	2271	2367	2488	2609	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole		С
Solid Surface Arm Cap (per arm)	263	275	303	313

### PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

200

Upholstered Arm w/Solid Surface Cap

### **ZOLA PRIVACY** | CURVED - DIMENSIONS

### **DIMENSIONS**

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen		Depth	Weight	Cubes
Curved Single-Sea	t - Full He	eight Bac	k							
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16
Curved Single-Sea	t - Mid He	eight Bac	k							
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10
45° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14
Curved Double-Sea	at - Full H	eight Ba	ck							
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37
Curved Double-Sea		-		40	07.5	50	40.5	00.05	440	0.4
30° Inside Curve	58	64	30	42	37.5	50	18.5	20.25	110	24
45° Inside Curve	64.5	70.5	31.5	43.5	37.5	50	18.5	20.25	116	31
60° Inside Curve	70.5	76.5	33	45	37.5	50	18.5	20.25	123	38
90° Inside Curve	81	87	36	48	37.5	50	18.5	20.25	141	52
30° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21
1E0 Outoide Curre	61	67	31	43	37.5	50	18.5	20.25	99	25
45° Outside Curve										
60° Outside Curve	65.5	71.5	32	44	37.5	50	18.5	20.25	105	28 32

### **Upcharge for Plus Upgrade Option:**

Option S	\$ List	Option	\$ List
Plus Upgrade -Single-seat curve 30° seat	92	Plus Upgrade -Double-seat curve 30° seat	145
Plus Upgrade -Single-seat curve 45° seat	106	Plus Upgrade -Double-seat curve 45° seat	172
Plus Upgrade -Single-seat curve 60° seat	118	Plus Upgrade -Double-seat curve 60° seat	184
Plus Upgrade -Single-seat curve 90° seat	158	Plus Upgrade -Double-seat curve 90° seat	210

### **ZOLA PRIVACY** | CURVED - COM REQUIREMENTS

### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea	t - Full H	eight Bacl	k									
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	t - Mid H	eight Bac	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H	leight Bac	k									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se	at - Mid I	Height Bad	ck									
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

### Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List	
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89	
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97	
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118	
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121	

			COM		COL		RIC GRA		_	LEATHE	
DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Inside ZOP3-MCIS30DF0F	Curve, Full Heigh	t Back 3267	3446	3625	3875	4161	4414	4697	5056	5414
	Single-Seat, 30° Inside	Curve, Full Heigh	t Back v	vith Shelf							
	ZOP3-MCIS30DF1_		3855	4035	4213	4463	4750	5000	5285	5643	6000
	ļ	Maple/Palette	3944	4122	4300	4554	4839	5090	5374	5733	6090
	ORDERING NOTE: W - 42", 36" or 30" and c balance weight added	nose required leg t	ype belo	ow. Freest	anding, S	Start and En	d units v				
$\overline{\Box}$	Single-Seat, 30° Inside	Curve, Full Heigh	t Back v	vith Privac	y Screer	า					
	ZOP3-MCIS30DF2F		3832	4012	4189	4442	4726	4979	5264	5621	5979
	Single-Seat, 30° Inside ZOP3-MCIS30DM0F	Curve, Mid Heigh	t Back 3118	3274	3433	3652	3903	4122	4374	4688	5000
	Single-Seat, 30° Inside ZOP3-MCIS30DM1_	_	t Back v 3707 3795	with Shelf 3865 3952	4020 4110	4242 4329	4491 4582	4711 4799	4963 5051	5276 5366	5589 5679
	ORDERING NOTE: W - 36" or 30" and chose ance weight added to	required leg type each seat unit, ple	below. F ase add	reestandi \$289 Lis	ng, Start t upchare	and End ur ge per unit.					
	Single-Seat, 30° Inside ZOP3-MCIS30DM2F	Curve, Mid Heign	3683	3841	3998	4217	4468	4688	4940	5254	5566
Zola Privacy (	Option Upcharges	\$ List							\$ List		
	er & CAL 133(per yard)	61				e-Seat, 30°		`	92		
Seat Power (pe Shelf Power	er unit)	611 571				e unit config ers -Single			77 59		
Table Power		561				•	-	/ailable on d			
PRODUCT COD	E KEY										
Line	Series	Chair Type	С	urve Style		Seat Degree		Back Type		Leg Typ	е
ZOP	3	MC		IS		30D		F0		F	]
Zola	Lounge	Modular Curve	Inside	Curve -Sir	igle		Fu	II Height Bacl	k Fre	estandin	unit
		MCB		ID		45D		F1		S	
		Modular Curve	Inside	Curve -Do	uble			Height Back v	vith	Start Un	it
		Plus		OS		60D		Shelf Option F2		С	]
			Outside	e Curve -Si	ngle	COD	Full H	Height Back v	vith	Center U	nit
					-			cy Screen Op			1
			Outoida	OD Curve -Do	uble	90D	N.A.	M0 d Height Bacl	k	End Uni	<u> </u>
			Outside	ourve -DC	unie		IVII	a rieigiit Baci	r.	LIIU UN	

M2 Mid Height Back with Privacy Screen Options

M1 Mid Height Back with Shelf Option

									'		
DESCRIPTION/N	MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	DES 6	7	LEATHEF 8	₹ 9
	Single-Seat, 45° Insid ZOP3-MCIS450DF0F	e Curve, Full Heigh		3864	4060	4348	4671	4961	5284	5680	6113
		Beech/Laminate Maple/Palette	4270 4359	4467 4558	4665 4756	4954 5043	5276 5367	5563 5656	5890 5981	6285 6373	6716 6808
	ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	I chose required I	eg type	below. F	reestandi	ng, Start a	and End	units with			
	Single-Seat, 45° Insid ZOP3-MCIS45DF2F	e Curve, Full Heigh	nt Back 4236	with Priva 4434	acy Screer 4632	n 4921	5244	5533	5857	6253	6684
	Single-Seat, 45° Insid ZOP3-MCIS45DM0F	e Curve, Mid Heigl	ht Back 3469	3630	3790	4015	4273	4498	4757	5076	5403
	Single-Seat, 45° Insid ZOP3-MCIS45DM1_ ORDERING NOTE: W - 36" or 30" and ch	Beech/Laminate Maple/Palette /hen ordering a ba	4075 4163 ck with	4233 4323 Shelf opti	4395 4485 ion please						
	counterbalance weight Single-Seat, 45° Insid ZOP3-MCIS45DM2F					-	4844	5070	5329	5649	5973
'ola Privacy Օլ	ption Upcharges	\$ List							\$ Lis	st	
Moisture Barrier Seat Power (per Shelf Power Table Power	& CAL 133(per yard) unit)	61 611 571 561	Du Re	ial Leg (fo movable	or Multiple Seat Cove	-Seat, 45° unit confiç ers -Single ck covers a	gurations -Seat, 45	o Curve	10 7 6 curved l	7 1	
RODUCT CODE		Chair Type		Numera Charles		Post Dosses		Dook Time		Les To	
ZOP Zola	Series  3  Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS  Curve -Si  ID  Curve -Do	ngle	30D 45D	Full H	F0  II Height Back F1  Height Back Shelf Option	with	Leg Typ  F  Treestandir  S  Start U	ng Unit
				OS le Curve -S OD e Curve -D		90D	Full F Privad	F2 Height Back by Screen O M0 Height Back	with ption	C Center U	
								M1 Height Back			

M2 Mid Height Back with Privacy Screen Options

		COM		COL	FAE	BRIC GRA	DES		LEATHE	R
DESCRIPTION/	MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 60° Inside Curve, Full ZOP3-MCIS60DF0F	Height Back 4163	4414	4659	5017	5425	5779	6183	6679	7207
	Single-Seat, 60° Inside Curve, Full ZOP3-MCIS60DF1_ Beech/Lamin Maple/Palett  ORDERING NOTE: When ordering - 42", 36" or 30" and chose requ	nate 4939 te 5030 g a back with	5185 5278 Shelf op	5434 5524 tion pleas						
	counterbalance weight added to e							i tile silei	ι οριιστ	require
	Single-Seat, 60° Inside Curve, Full ZOP3-MCIS60DF2F	l Height Back 4738	with Priv 4987	acy Scree 5235	en 5591	5994	6353	6756	7253	7780
	Single-Seat, 60° Inside Curve, Mic ZOP3-MCIS60DM0F	Height Back 3966	4143	4321	4573	4860	5109	5395	5752	6111
	Single-Seat, 60° Inside Curve, Mic ZOP3-MCIS60DM1_ Beech/Lamin Maple/Paleti	nate 4740	with She 4919 5009	elf 5097 5188	5347 5440	5633 5723	5885 5973	6169 6261	6526 6616	6885 6976
	ORDERING NOTE: When ordering - 36" or 30" and chose required counterbalance weight added to e	d leg type b	elow. Fre	estandin	g, Start a	nd End u	nits with			
	Single-Seat, 60° Inside Curve, Mic ZOP3-MCIS60DM2F	d Height Back 4540	with Pri 4718	vacy Scre 4897	en Option 5149	5434	5684	5970	6326	6685
Zola Privacy O	ption Upcharges \$ Li	ist						\$ List		
Moisture Barrier	r & CAL 133 (per yard) (	61 Plu	s Ungra	de - Sinale	-Seat 60	° Curve		118		

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 60° Curve	118
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 60° Curve	82
Table Power	561	Note: Removable back covers are not available on o	curved backs

OUCT CODE KEY	•					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Un
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	E
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

DESCRIPTIO	N/MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAD	ES 6	7	LEATHEF 8	₹ 9
	Single-Seat, 90° Inside ZOP3-MCIS90DF0F	Curve, Full Height	<u> </u>	5013	5275	5639	6057	6421	6839	7360	7881
	Single-Seat, 90° Inside ZOP3-MCIS90DF1_  ORDERING NOTE: Wh 42", 36" or 30" and counterbalance weight	Beech/Laminate Maple/Palette nen ordering a back chose required leg	5587 5680 k with Sh g type be	5847 5940 elf option	estandir	ng, Start ar	nd End u	inits with			
	Single-Seat, 90° Inside ZOP3-MCIS90DF2F	Curve, Full Height	Back wit 5660	h Privacy 5920	Screen 6183	6545	6963	7329	7744	8266	8786
	Single-Seat, 90° Inside ZOP3-MCIS90DM0F	Curve, Mid Height	Back 4354	4559	4762	5047	5373	5660	5987	6394	6804
	Single-Seat, 90° Inside ZOP3-MCIS90DM1_  ORDERING NOTE: What 36" or 30" and chose reweight added to each second se	Beech/Laminate Maple/Palette nen ordering a back equired leg type be	5185 5280 k with Sh low. Free	5391 5484 relf option standing,	Start ar	nd End units					
	Single-Seat, 90° Inside ZOP3-MCIS90DM2F	Curve, Mid Height	Back wit	th Privacy 5466	/ Screen 5670	Option 5955	6281	6567	6893	7298	7708
Zola Privacy	Option Upcharges	\$ List							\$ Lis	t	
Seat Power (p Shelf Power Table Power		61 611 571 561	Du Re	al Leg (fo movable	r Multipl Seat Co	lle-Seat, 90° e unit confiç vers -Single ack covers a	gurations) -Seat, 90	° Curve	15 7 10 curved b	7 3	
PRODUCT COL	Series	Chair Type	Cı	urve Style		Seat Degree	[	Back Type		Leg Typ	
ZOP	3 Lounge	MC  Modular Curve  MCB  Modular Curve  Plus	Inside (	IS Curve -Sir ID Curve -Doi OS e Curve -Si OD Curve -Doi	uble	30D 45D 60D 90D	Full H S Full H Privac	F0 Height Back helf Option F2 eight Back y Screen Op M0 Height Back	with with otion	F eestanding S Start Un C Center U E End Uni	it ] ] nit

		СОМ		COL	FΔR	RIC GRAD	)ES	ı	_EATHEF	2
DESCRIPTIO	N/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF0F	ht Back 3098	3268	3438	3676	3948	4186	4458	4797	5136
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF1_ Beech/Laminate Maple/Palette  ORDERING NOTE: When ordering a bac 42", 36" or 30" and chose required leg counterbalance weight added to each sea	3385 3469 k with Shog type be	3555 3638 elf option	3724 3809 please cl estanding	, Start ar	nd End un				
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF2F	ht Back w 3436	vith Privac 3606	cy Screen 3775	4014	4286	4523	4795	5135	5473
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM0F	ht Back 2986	3134	3281	3490	3728	3935	4172	4467	4769
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM1_ Beech/Laminate Maple/Palette  ORDERING NOTE: When ordering a bac 36" or 30" and chose required leg type be weight added to each seat unit, please ac	3270 3355 k with Shalow. Frees	3419 3504 elf option standing,	3565 3649 please cl Start and	End units					
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM2F	ht Back v	vith Priva 3470	cy Screen 3617	Option 3828	4064	4272	4510	4803	5107

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 30° Curve	92
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 30° Curve	59
Table Power	561	Note: Removable back covers are not available on c	curved backs

RODUCT CODE KEY						
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

							JLA I	IIIVA			
			СОМ		COL	EADE	RIC GRAD	EQ		EATHER	1
DESCRIPTION/	/MODEL/SPECIES		1	2	3	4	110 GHAD 5	6	7	8	9
	Single-Seat, 45° Outside Cu ZOP3-MCOS450DF0F	ırve, Full Heig	ht Back 3341	3510	3680	3918	4189	4427	4698	5037	5378
	Single-Seat, 45° Outside Cu ZOP3-MCOS45DF1_ Beec Maple ORDERING NOTE: When o 42", 36" or 30" and chose re balance weight added to ea	h/Laminate e/Palette rdering a back equired leg tyl	3622 3707 k with S pe belov	3792 3875 helf optic v. Freest	3960 4045 on please anding, S	tart and Er	nd units w				
	Single-Seat, 45° Outside Cu ZOP3-MCOS45DF2F						4526	4764	5035	5373	5714
	Single-Seat, 45° Outside Cu ZOP3-MCOS45DM0F	ırve, Mid Heig	ght Back 3221	3368	3515	3723	3960	4170	4408	4702	5004
	Single-Seat, 45° Outside Cu ZOP3-MCOS45DM1_ Beec Maple ORDERING NOTE: When o 36" or 30" and chose require weight added to each seat u	h/Laminate e/Palette rdering a backed leg type be	3503 3587 k with Slow.Free	3648 3734 helf opticestanding	3796 3880 on please g, Start an	d End units					
	Single-Seat, 45° Outside Cu ZOP3-MCOS45DM2F						4296	4505	4742	5037	5339
Zola Privacy C	Option Upcharges	\$ List							\$ List		
Moisture Barrie Seat Power (pe Shelf Power Table Power	er & CAL 133 (per yard) er unit)	61 611 571 561	Du: Rei	al Leg (fo movable	or Multiple Seat Cov	e-Seat, 45 e unit confi ers -Single ck covers	gurations) e-Seat, 45		106 77 61		
Line		Chair Type	C	urve Style		Seat Degree	• I	Back Type		Leg Typ	e
ZOP	3	MC odular Curve		IS Curve -Si		30D 45D		F0 Height Bac	k Fre	F estanding	]

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Un
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	E
			Outside Curve -Double		Mid Height Back	End Unit
					M1	
					Mid Height Back with Shelf Option	
					M2	
					Mid Height Back with Privacy Screen Options	

	СОМ		COL	FAE	BRIC GRAI	DES		LEATHEI	R
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Single-Seat, 60° Outside Curve, Full He ZOP3-MCOS60DF0F	eight Back 3481	3649	3820	4059	4330	4567	4840	5179	5518
Single-Seat, 60° Outside Curve, Full He ZOP3-MCOS60DF1_ Beech/Laminate Maple/Palette  ORDERING NOTES: When ordering a keep a search of the sea	e 3760 3844 back with g type bel	3929 4013 Shelf opt low. Free	4100 4184 ion please standing,	Start and	End units				_
Single-Seat, 60° Outside Curve, Full He ZOP3-MCOS60DF2F	eight Back 3799	with Priv 3970	vacy Scre 4140	en 4377	4650	4887	5159	5495	5836
Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM0F	eight Back 3367	3515	3663	3871	4108	4317	4554	4849	5150
Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM1_ Beech/Laminate Maple/Palette  ORDERING NOTE: When ordering a bar of a 36° or 30° and chose required leg type ance weight added to each seat unit, p	e 3643 3729 ack with S e below. F	3793 3877 Shelf opti- reestand	3941 4023 on please ling, Start	and End i	units with t				_
Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM2F	eight Back 3685	with Pri	vacy Scre 3981	en Option 4188	4425	4635	4870	5167	5468

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 60° Curve	118
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 60° Curve	82
Table Power	561	Note: Removable back covers are not available on o	curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Uni
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	E
			Outside Curve -Double		Mid Height Back	End Unit
					M1	
					Mid Height Back with Shelf Option	
					M2	
					Mid Height Back with	

N/MODEL/SPECIES Single-Seat, 90° Outside ZOP3-MCOS90DF0F	Curve, Full Heigl	COM 1 ht Back 4196	4368	COL 3 4537	4773	IC GRAD 5 5046	5283	7 5556	5894	н 9 6234
Single-Seat, 90° Outside ZOP3-MCOS90DF0F	Curve, Full Heigl		4368	4537	4773	5046	5283	5556	5894	6234
										0204
ORDERING NOTE: Whe 42", 36" or 30" and chos	eech/Laminate aple/Palette n ordering a back e required leg typ	4463 4546 with Shoe below	4635 4717 nelf option v. Freesta	4803 4887 n please nding, Si	tart and End	units wi				
balance weight added to	each seat unit, p	olease ac	dd <b>\$289 L</b>	_ist upch	arge per uni	t. 				
Single-Seat, 90° Outside ZOP3-MCOS90DF2F	Curve, Full Heigl	ht Back 1 4512	with Priva 4684	acy Scree 4853	en 5090	5363	5599	5870	6210	6550
Single-Seat, 90° Outside ZOP3-MCOS90DM0F	Curve, Mid Heig	ht Back 3761	3908	4056	4264	4500	4709	4945	5241	5544
ZOP3-MCOS90DM1_ Be	eech/Laminate	ht Back 4028 4110	with Shell 4174 4257	lf 4321 4403	4531 4613	4769 4851	4975 5058	5213 5296	5509 5590	5812 5892
36" or 30" and chose req weight added to each se	uired leg type bel at unit, please ad	ow. Free ld <b>\$289</b>	estanding List upch	, Start an narge per	d End units units					
Option Upcharges er & CAL 133 (per yard)	<b>\$ List</b>				,					
er unit)	611 571 561	Re	movable	Seat Cov	ers -Single-	Seat, 90	° Curve	10	8	
DE KEY	0				0.15		- · -			
Series  3 Lounge	MC Modular Curve MCB Modular Curve	Inside	IS IS ID	ingle	30D 45D	Full H	F0 II Height Ba F1 Height Back	with	F	ng Unit
			OD	Ū	90D	Full F Privad	F2 Height Back by Screen O	with option	C Center I	
		Juisia	e Ourve -L	JOUDIE		IVIII	M1	UN.	EIIU UI	iiit
•	ORDERING NOTE: Whe 42", 36" or 30" and chos balance weight added to Single-Seat, 90° Outside ZOP3-MCOS90DF2F  Single-Seat, 90° Outside ZOP3-MCOS90DM0F  Single-Seat, 90° Outside ZOP3-MCOS90DM1_ Br. M.  ORDERING NOTE: Whe 36" or 30" and chose req weight added to each se Single-Seat, 90° Outside ZOP3-MCOS90DM2F  Option Upcharges er & CAL 133 (per yard) er unit)  DE KEY  Series	ORDERING NOTE: When ordering a back 42", 36" or 30" and chose required leg typ balance weight added to each seat unit, programmer of the seat unit, programmer of	ORDERING NOTE: When ordering a back with St 42", 36" or 30" and chose required leg type below balance weight added to each seat unit, please and Single-Seat, 90° Outside Curve, Full Height Back ZOP3-MCOS90DF2F 4512  Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM0F 3761  Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM1_ Beech/Laminate 4028 Maple/Palette 4110  ORDERING NOTE: When ordering a back with St 36" or 30" and chose required leg type below. Free weight added to each seat unit, please add \$289  Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F 4076  Option Upcharges \$ List  er & CAL 133 (per yard) 61 Plu 5771 Re 561 No  DE KEY  Series Chair Type Company Modular Curve Inside MCB Modular Curve Inside Plus  Modular Curve Inside Cutsic	ORDERING NOTE: When ordering a back with Shelf option 42", 36" or 30" and chose required leg type below. Freesta balance weight added to each seat unit, please add \$289 It Single-Seat, 90° Outside Curve, Full Height Back with Privation 20P3-MCOS90DF2F 4512 4684  Single-Seat, 90° Outside Curve, Mid Height Back with Shelf 20P3-MCOS90DM0F 3761 3908  Single-Seat, 90° Outside Curve, Mid Height Back with Shelf 20P3-MCOS90DM1_ Beech/Laminate 4028 4174 Maple/Palette 4110 4257  ORDERING NOTE: When ordering a back with Shelf option 36" or 30" and chose required leg type below. Freestanding weight added to each seat unit, please add \$289 List upch single-Seat, 90° Outside Curve, Mid Height Back with Privation 20P3-MCOS90DM2F 4076 4222  Single-Seat, 90° Outside Curve, Mid Height Back with Privation 40P3 Modular Single-Seat, 90° Outside Curve, Mid Height Back with Privation 40P3 Modular Single-Seat, 90° Outside Single-Seat, 90° Outside Curve, Mid Height Back with Privation 40P3 Modular Single-Seat, 90° Outside Single-Seat, 90° Outside Curve Single-Seat, 90° Outside Si	ORDERING NOTE: When ordering a back with Shelf option please 42", 36" or 30" and chose required leg type below. Freestanding, St balance weight added to each seat unit, please add \$289 List upch Single-Seat, 90° Outside Curve, Full Height Back with Privacy Screet ZOP3-MCOS90DF2F  Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM0F  Single-Seat, 90° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS90DM0F  Single-Seat, 90° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS90DM1_ Beech/Laminate	ORDERING NOTE: When ordering a back with Shelf option please clearly special 42", 36" or 30" and chose required leg type below. Freestanding, Start and End balance weight added to each seat unit, please add \$289 List upcharge per unit Single-Seat, 90° Outside Curve, Full Height Back with Privacy Screen ZOP3-MCOS90DF2F 4512 4684 4853 5090  Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM0F 3761 3908 4056 4264  Single-Seat, 90° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS90DM1_ Beech/Laminate 4028 4174 4321 4531 Maple/Palette 4110 4257 4403 4613  ORDERING NOTE: When ordering a back with Shelf option please clearly specials of 30" and chose required leg type below. Freestanding, Start and End units weight added to each seat unit, please add \$289 List upcharge per unit.  Single-Seat, 90° Outside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCOS90DM2F 4076 4222 4370 4581  Option Upcharges \$List  er & CAL 133 (per yard) 61 Plus Upgrade - Single-Seat, 90° Dual Leg (for Multiple unit configing bear with the seat Covers - Single Note: Removable back covers are not bear of the seat Covers - Single Note: Removable back covers are not bear of the seat Covers - Single Note: Removable back covers are not bear of the seat Covers - Single Note: Removable Seat Covers - Sin	ORDERING NOTE: When ordering a back with Shelf option please clearly specify on yo 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units wibalance weight added to each seat unit, please add \$289 List upcharge per unit.  Single-Seat, 90° Outside Curve, Full Height Back with Privacy Screen ZOP3-MCOS90DF2F  4512 4684 4853 5090 5363  Single-Seat, 90° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS90DM0F  3761 3908 4056 4264 4500  Single-Seat, 90° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS90DM1_ Beech/Laminate 4028 4174 4321 4531 4769 Maple/Palette 4110 4257 4403 4613 4851  ORDERING NOTE: When ordering a back with Shelf option please clearly specify on yo 36" or 30" and chose required leg type below. Freestanding, Start and End units with the sweight added to each seat unit, please add \$289 List upcharge per unit.  Single-Seat, 90° Outside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCOS90DM2F  4076 4222 4370 4581 4817  ODD 4581 4817  Determine the seat of the plus Upgrade - Single-Seat, 90° Curve are unit)  61 Plus Upgrade - Single-Seat, 90° Curve Soption Sold Plus Upgrade - Single-Seat, 90° Curve Double Back covers are not average are unit)  61 Plus Upgrade - Single-Seat, 90° Curve Soption Sold Plus Upgrade - Single-Seat, 90° Curve Double Back covers are not average are unit)  61 Plus Upgrade - Single-Seat, 90° Curve Soption Sold Plus Upgrade - Single-Seat, 90° Curve Double Back covers are not average are unit Sold Plus Upgrade - Single-Seat, 90° Curve Double Back covers are not average are unit Sold Plus Upgrade - Single-Seat, 90° Curve Double Plus Double Plus Double Plus Double Plus Double Plus Double Plus Double Privacy Soption Sold Plus Privacy Soption Sold Plus Privacy Soption Sold Plus Privacy Soption Sold Plus Privacy Sold Plus Privacy Sold Plus Privacy Sold Plus Plus Double Plus Privacy Sold Plus Plus Double Plus Privacy Sold Plus Plus Plus Plus Double Plus Plus Double Plus Plus Double Plus Double Plus Plus Double Plus Plus Double Plus Plus Double Plus	ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order th 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shel balance weight added to each seat unit, please add \$289 List upcharge per unit.  Single-Seat, 90° Outside Curve, Full Height Back with Privacy Screen ZOP3-MCOS90DF2F  4512 4684 4853 5090 5363 5599  Single-Seat, 90° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS90DM0F  3761 3908 4056 4264 4500 4709  Single-Seat, 90° Outside Curve, Mid Height Back with Shelf ZOP3-MCOS90DM1 Beech/Laminate 4028 4174 4321 4531 4769 4975 Maphe/Palette 4110 4257 4403 4613 4851 5058  ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order th 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option weight added to each seat unit, please add \$289 List upcharge per unit.  Single-Seat, 90° Outside Curve, Mid Height Back with Privacy Screen Option weight added to each seat unit, please add \$289 List upcharge per unit.  Single-Seat, 90° Outside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCOS90DM2F  4076 4222 4370 4581 4817 5024  Option Upcharges  \$List	ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 12", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option balance weight added to each seat unit, please add \$288 List upcharge per unit.  Single-Seat, 90° Outside Curve, Full Height Back with Privacy Screen ZOP3-MCOS90DF2F	ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf H 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require c balance weight added to each seat unit, please add \$289 List upcharge per unit.  Single-Seat, 90" Outside Curve, Full Height Back with Privacy Screen ZOP3-MCOS90DF2F

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABI 4	RIC GRA 5	DES 6	7	LEATHE 8	R 9
	Double-Seat, 30° Insid ZOP3-MCID30DF0F	de Curve, Full Heigh	t Back 4708	4996	5284	5689	6154	6557	7018	7594	8173
	Double-Seat, 30° Insid ZOP3-MCID30DF1_ ORDERING NOTE: W 42", 36" or 30" and ch balance weight added	Beech/Laminate Maple/Palette Then ordering a back lose required leg type	5443 5535 k with Shoe below	5731 5823 nelf option v. Freestar	nding, St	tart and End	l units wi				
	Double-Seat, 30° Insic ZOP3-MCID30DF2F	de Curve, Full Heigh	t Back v 5608	vith Privac 5896	y Screer 6185	n 6589	7051	7457	7917	8494	9072
	Double-Seat, 30° Insic ZOP3-MCID30DM0F	de Curve, Mid Heigh	nt Back 4456	4698	4944	5288	5680	6021	6414	6903	7393
	Double-Seat, 30° Insid ZOP3-MCID30DM1_ ORDERING NOTE: W 36" or 30" and chose r weight added to each	Beech/Laminate Maple/Palette Then ordering a back equired leg type bel	5189 5282 k with Sh low. Free	5434 5526 nelf option estanding,	Start an	d End units					
	Double-Seat, 30° Insic ZOP3-MCID30DM2F	de Curve, Mid Heigh	nt Back v 5353	vith Privad 5599	cy Scree 5845	n Option 6187	6580	6921	7315	7803	8292
Zola Privacy (	Option Upcharges	\$ List							\$ List	t	
Moisture Barrie Seat Power (po Shelf Power Table Power	er & CAL 133 (per yard) er unit)	61 611 571 561	Dua Rer	al Leg (for movable S	Multiple Seat Cov	e unit config e unit config ers -Double ck covers a	urations) -Seat, 30	0° Curve	145 77 89 urved b	)	
PRODUCT COD Line	Series	Chair Type	Cı	urve Style		Seat Degree		Back Type		Leg Type	
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus		IS Curve -Sing ID Curve -Dou	gle	30D 45D 60D	Full Full H	F0 Height Back F1 eight Back w helf Option F2		F eeestanding S Start Un	y Unit

M2 Mid Height Back with Privacy Screen Options

M1 Mid Height Back with Shelf Option

ESCRIPTION											
	J/MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAD	ES 6	ا 7	LEATHEF 8	9
	Double-Seat, 45° Insid ZOP3-MCID45DF0F	le Curve, Full Heig		5397	5691	6106	6580	6994	7466	8055	8654
	Double-Seat, 45° Insid ZOP3-MCID45DF1_ I		ht Back v 5868 5962	with Shelf 6161 6256	6457 6550	6871 6966	7344 7438	7759 7855	8232 8325	8820 8914	941 951
	ORDERING NOTE: W 42", 36" or 30" and ch balance weight added	ose required leg t	ype belov	v. Freesta	nding, St	art and En	d units w				
	Double-Seat, 45° Insid ZOP3-MCID45DF2F	le Curve, Full Heig	ht Back v 6013	with Priva 6306	cy Screer 6601	7017	7489	7903	8374	8964	956
	Double-Seat, 45° Insid ZOP3-MCID45DM0F	e Curve, Mid Heig	ght Back 4860	5112	5367	5728	6138	6498	6910	7417	794
	Double-Seat, 45° Insid ZOP3-MCID45DM1_ I		ght Back 5623 5718	with Shelf 5877 5971	6132 6226	6493 6585	6903 6996	7262 7358	7673 7767	8181 8275	870 880
	Double-Seat, 45° Insid ZOP3-MCID45DM2F	le Curve, Mid Heig	ht Back 5767	with Priva 6021	cy Screer 6274	Option 6637	7047	7408	7817	8325	005
								00		0020	885
ola Privacy	Option Upcharges	\$ List							\$ Lis		000
loisture Barri eat Power (p helf Power able Power	er & CAL 133 (per yard) er unit)	\$ List 61 611 571 561	Du Re	al Leg (for movable s	r Multiple Seat Cove	e-Seat, 45 unit confiç ers -Doubl k covers a	gurations) e-Seat, 4	)	<b>\$ Lis</b> : 172 77 97	<b>t</b>	000
loisture Barri eat Power (p helf Power	er & CAL 133 (per yard) er unit)	61 611 571	Du Re <b>N</b> o	al Leg (for movable s	r Multiple Seat Cove vable bac	unit confiç ers -Doubl	gurations) e-Seat, 4 are not av	) 5° Curve	<b>\$ Lis</b> : 172 77 97	<b>t</b>	

M2 Mid Height Back with Privacy Screen Options

DESCRIPTION			COM		COL		RIC GRAI			LEATHE	
LOOI III TIOIN	I/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 60° Inside ZOP3-MCID60DF0F	e Curve, Full Heigh	nt Back 5629	5965	6301	6788	7338	7824	8373	9047	9774
		e Curve, Full Heigh Beech/Laminate Maple/Palette	nt Back v 6444 6540	with Shelf 6783 6876	7120 7213	7606 7700	8156 8250	8642 8736	9193 9287		10592 10685
	ORDERING NOTE: What 42", 36" or 30" and choos balance weight added	ose required leg ty	pe belov	w. Freestar	nding, St	art and End	d units wi				
	Double-Seat, 60° Inside	e Curve, Full Heigh	nt Back	with Privac	y Screen	า					
	ZOP3-MCID60DF2F	, 0	6542	6879	7217	7703	8254	8738	9290	9962	10690
	Double-Seat, 60° Inside ZOP3-MCID60DM0F	e Curve, Mid Heigl	nt Back 5322	5604	5881	6281	6733	7131	7584	8141	872
	_	e Curve, Mid Heigl Beech/Laminate Maple/Palette	nt Back 6140 6234	with Shelf 6421 6515	6700 6793	7098 7191	7550 7644	7947 8043	8400 8494	8960 9054	954: 963:
	Double-Seat, 60° Inside ZOP3-MCID60DM2F	e Curve, Mid Heigh	nt Back 6238	with Privac 6517	cy Scree 6796	n Option 7194	7647	8045	8496	9056	964
<pre>!ola Privacy (</pre>	Option Upcharges	\$ List							\$ List	ı	
Moisture Barrio Seat Power (po Shelf Power	er & CAL 133 (per yard)	\$ List 61 611 571 561	Du Re	al Leg (for movable s	Multiple Seat Cov	le-Seat, 60 unit config ers -Double ck covers a	urations) e-Seat, 60		175 77 118	i ,	
Moisture Barri Seat Power (po Shelf Power Table Power	er & CAL 133 (per yard) er unit)	61 611 571 561	Du Re <b>N</b> o	al Leg (for movable s ote: Remov	Multiple Seat Cov vable bad	unit configers -Doubleck covers a	urations) e-Seat, 60 re not ava	ailable on c	175 77 118	acks	a
Moisture Barrie Seat Power (po Shelf Power Fable Power  RODUCT COD  Line	er & CAL 133 (per yard) er unit)  E KEY  Series	61 611 571 561 Chair Type	Du Re <b>N</b> o	al Leg (for movable S vte: Remov	Multiple Seat Cov vable bad	e unit config ers -Double ck covers a	urations) e-Seat, 60 re not ava	ailable on c	175 77 118	acks Leg Typ	e 1
Moisture Barrie Seat Power (po Shelf Power Fable Power  RODUCT COD  Line	er & CAL 133 (per yard) er unit)  E KEY  Series	61 611 571 561 Chair Type	Du Re <b>No</b>	al Leg (for movable S bte: Remov	Multiple Seat Cov vable bad	unit configers -Doubleck covers a	urations) e-Seat, 60 re not ava	ailable on c	175 77 118 curved b	acks Leg Type	]
Moisture Barrie Seat Power (po Shelf Power Fable Power  RODUCT COD  Line	er & CAL 133 (per yard) er unit)  E KEY  Series	61 611 571 561 Chair Type	Du Re <b>No</b>	al Leg (for movable S vte: Remov	Multiple Seat Cov vable bad	e unit config ers -Double ck covers a Geat Degree	urations) e-Seat, 60 re not ava	ailable on de Back Type  F0  Height Back	175 77 118 curved b	acks Leg Typ	]
Moisture Barrie Seat Power (po Shelf Power Fable Power  RODUCT COD  Line	er & CAL 133 (per yard) er unit)  E KEY  Series	61 611 571 561  Chair Type  MC  Modular Curve  MCB  Modular Curve	Du Re <b>No</b>	al Leg (for movable State: Removable Style  Urve Style  IS  Curve -Sing	Multiple Seat Cov vable bad S	e unit config ers -Double ck covers a	urations) e-Seat, 60 re not ava	ailable on c  Back Type  F0  Height Back  F1  sight Back w	175 77 118 curved b	Leg Type  F  eestanding	Unit
Moisture Barrie Seat Power (po Shelf Power Table Power  PRODUCT COD Line  ZOP	er & CAL 133 (per yard) er unit)  E KEY  Series	61 611 571 561  Chair Type  MC  Modular Curve  MCB	Du Res No	al Leg (for movable state: Removable state: Removable state: Removable state: Removable:	Multiple Geat Cov vable bad S gle	e unit config ers -Double ck covers a Geat Degree	e-Seat, 60 re not ava  Full  Full He	FO Height Back welf Option F2 eight Back welf back welf option	175 77 118 curved be	Leg Typ	Unit
Moisture Barrie Seat Power (po Shelf Power Fable Power  PRODUCT COD Line	er & CAL 133 (per yard) er unit)  E KEY  Series	61 611 571 561  Chair Type  MC  Modular Curve  MCB  Modular Curve	Du Re No	al Leg (for smovable \$ ste: Removable \$	Multiple Seat Cov vable bad gle ble	e unit configers - Double ck covers a  Seat Degree  30D  45D	Full He Privacy	Back Type  F0  Height Back  F1  eight Back welf Option  F2	175 77 118 curved be	Leg Typ  F eeestanding  S Start Un	J Unit J Unit it

M2 Mid Height Back with Privacy Screen Options

								1 11177	01	OON	v LD
			СОМ	_	COL		IC GRAD			LEATHER	
DESCRIPTION/N	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 90° Insi ZOP3-MCID90DF0F	de Curve, Full Hei	ght Back 6607	6956	7308	7820	8394	8909	9485	10185	10964
	Double-Seat, 90° Insi	de Curve, Full Hei	ght Back	with Sh	elf						
	ZOP3-MCID90DF1_	Beech/Laminate Maple/Palette		7847 7944	8200 8295	8712 8809	9289 9384	9801 9896	10377 10471	11077 11174	
	ORDERING NOTE: W - 42", 36" or 30" and terbalance weight add	chose required leg	g type be	elow. Fre	estandin	g, Start and	End unit				
	Double-Seat, 90° Insi	de Curve, Full Hei	ght Back	with Pri	vacy Scr	een					
	ZOP3-MCID90DF2F		7564	7913	8265	8779	9351	9865	10441	11142	11919
	Double-Seat, 90° Insi	de Curve, Mid Hei	ght Bacl	k							
	ZOP3-MCID90DM0F		6135	6415	6694	7092	7544	7943	8394	8956	9538
	Double-Seat, 90° Insi	de Curve Mid Hei	ight Bacl	k with Sh	nelf						
	ZOP3-MCID90DM1_			7309 7403	7587 7683	7986 8081	8438 8533	8836 8933	9289 9384		10432 10525
ν γ .	ORDERING NOTE: W - 36" or 30" and chos ance weight added to	e required leg type	e below.	Freestan	ding, Sta	art and End u	ınits with				
	Double-Seat, 90° Insi ZOP3-MCID90DM2F	de Curve, Mid Hei	ight Bacl 7092	k with Pri 7372	ivacy Sci 7651	reen Option 8048	8500	8898	9351	9913	10494
	otion Upcharges	\$ List							\$ Lis		
Moisture Barrier Seat Power (per	& CAL 133 (per yard)	61 611				ıble-Seat, 90 le unit confiç		-)	21	0 7	
Shelf Power Table Power	unit	571 561	Re	emovable	Seat Co	overs - Doub ack covers a	le-Seat,	90° Curve	12	!1	
PRODUCT CODE	KEY										
Line	Series	Chair Type	С	urve Style	ı	Seat Degree		Back Type		Leg Typ	e
ZOP	3	MC		IS		30D		F0		F	
Zola	Lounge	Modular Curve	Inside	Curve -Si	ingle		Fu	II Height Bac	k F	reestandin	g Unit
		MCB Modular Curve	Inside	ID Curve -Do	nuble	45D	Full E	F1 Height Back	with	Start Ur	it
		Plus	HISIUE		Jabic			Shelf Option	** 1611		7
			Outside	OS e Curve -S	Single	60D	Full H	F2 Height Back	with	Center U	nit
				OD	-	90D		Screen Op		Е	7
			Outside	Curve -D	ouble	300	Mid	d Height Bac	ck	End Un	it

M1
Mid Height Back with Shelf Option

M2
Mid Height Back with Privacy Screen Options

			COM		COL	FAB	RIC GRA	DES		LEATHE	R
ESCRIPTIO	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Out ZOP3-MCOD30DFOF	·	ight Back 4375	4647	4920	5299	5734	6114	6546	7091	760
7	Double-Seat, 30° Out ZOP3-MCOD30DF1_		ight Back 4910 4999	with She 5182 5271	5454	5835 5923	6269 6359	6649 6737	7083 7173	7627	81
	ORDERING NOTES: - 42", 36" or 30" and obalance weight added	When ordering a backnose required leg	ack with S type belov	Shelf option	anding, St	clearly spetart and En	ecify on yo	our order t	he requir		
	Double-Seat, 30° Out	side Curve Full He	ight Back	with Priv	acy Scre	en					
	ZOP3-MCOD30DF2F	olac Garve, i all i le	4945	5218	5490	5870	6305	6684	7119	7661	820
	Double-Seat, 30° Out	side Curve, Mid He	ight Back								
	ZOP3-MCOD30DMOI	F	4189	4417	4641	4959	5320	5637	5997	6448	69
	Double-Seat, 30° Out	·	•			5.400	5055	0470	0500	0004	7.4
	ZOP3-MCOD30DM1_	Maple/Palette	4725 4814	4952 5040	5178 5266	5493 5582	5855 5945	6172 6261	6533 6622	6984 7074	74 75
	ORDERING NOTES: - 36" or 30" and chose	e required leg type b	elow. Free	estanding	ı, Start an	d End units					
		e required leg type to seat unit, please a side Curve, Mid He	elow. Freedd dd \$289 L	estanding <b>_ist</b> upch	ı, Start an arge per	d End units unit.					alan
ola Privacy	- 36" or 30" and chose weight added to each Double-Seat, 30° Out	e required leg type to seat unit, please a side Curve, Mid He	elow. Freeddd <b>\$289 L</b> eight Back	estanding _ist upch _with Priv	, Start an arge per vacy Scre	d End units unit. en Option	with the	shelf optio	n require	7020	alan
	- 36" or 30" and chose weight added to each Double-Seat, 30° Out ZOP3-MCOD30DM2F	e required leg type be seat unit, please a side Curve, Mid He	elow. Freedd \$289 Leight Back	estanding List upch with Priv 4987	y, Start an arge per vacy Scre 5212	d End units unit. en Option	5891	shelf optio	n require	7020	alan
oisture Barri eat Power (p	- 36" or 30" and chose weight added to each Double-Seat, 30° Out ZOP3-MCOD30DM2F  Option Upcharges ier & CAL 133 (per yard)	e required leg type be seat unit, please a side Curve, Mid He	elow. Freedd <b>\$289 I</b> eight Back 4760	estanding List upch with Priv 4987 s Upgrad	y Start an arge per vacy Scre 5212 e - Doubler Multiple	d End units unit.  en Option 5530  le-Seat, 30 unit config	5891  Curve jurations)	shelf option	6568 <b>\$ List</b>	7020	alan
oisture Barr	- 36" or 30" and chose weight added to each Double-Seat, 30° Out ZOP3-MCOD30DM2F  Option Upcharges ier & CAL 133 (per yard)	e required leg type be seat unit, please a side Curve, Mid He	elow. Freedd \$289 I	estanding List upch with Priv 4987  s Upgrad al Leg (for	e - Double Multiple	d End units unit. en Option 5530	5891  Curve jurations) 9-Seat, 30	6208	\$ List	7020	alan
oisture Barr eat Power (p nelf Power	- 36" or 30" and chose weight added to each Double-Seat, 30° Out ZOP3-MCOD30DM2F  Option Upcharges ier & CAL 133 (per yard) oer unit)	seat unit, please a side Curve, Mid He state	elow. Freedd \$289 I	estanding List upch with Priv 4987  s Upgrad al Leg (for	e - Double Multiple	d End units unit.  en Option 5530  le-Seat, 30 unit configers -Double	5891  Curve jurations) 9-Seat, 30	6208	\$ List	7020	alan
oisture Barr eat Power (p nelf Power ble Power	- 36" or 30" and chose weight added to each Double-Seat, 30° Out ZOP3-MCOD30DM2F  Option Upcharges ier & CAL 133 (per yard) oer unit)	seat unit, please a side Curve, Mid He state	elow. Freedd \$289 I	estanding List upch with Priv 4987  s Upgrad al Leg (for	e - Double Multiple Seat Coverable bace	d End units unit.  en Option 5530  le-Seat, 30 unit configers -Double	5891  Curve jurations) 9-Seat, 30 re not ava	6208	\$ List	7020	74
oisture Barrieat Power (paelf Power ble Power ble Power Line	- 36" or 30" and chose weight added to each Double-Seat, 30° Out ZOP3-MCOD30DM2F  Option Upcharges ier & CAL 133 (per yard) per unit)  DE KEY  Series	seat unit, please a side Curve, Mid He state a s	elow. Freedd \$289 I eight Back 4760  Plus Dua Rer Not	estanding List upch with Priv 4987  s Upgrad al Leg (for movable s te: Remo	e - Double Seat Covable back	d End units unit.  en Option 5530  le-Seat, 30 unit configers -Double ck covers a	5891  Curve jurations) Se-Seat, 30 re not ava	6208  O° Curve ailable on o	\$ List 145 77 89 curved b.	7020  acks  Leg Typ	74
oisture Barrieat Power (phelf Power lble Power BODUCT COLLINE	- 36" or 30" and chose weight added to each Double-Seat, 30° Out ZOP3-MCOD30DM2F  Option Upcharges ier & CAL 133 (per yard) per unit)  DE KEY  Series	seat unit, please a side Curve, Mid He state a s	elow. Freedd \$289 I eight Back 4760  Plus Dua Rer Not	estanding List upch with Priv 4987  s Upgrad al Leg (for movable ste: Remo	e - Double Seat Covable back	d End units unit.  en Option 5530  le-Seat, 30 unit configers -Double ck covers a	5891  Curve jurations) Se-Seat, 30 re not ava	6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208	\$ List 145 77 89 curved b.	7020  acks  Leg Typ  F  eestanding	74
oisture Barrieat Power (paelf Power ble Power ble Power Line	- 36" or 30" and chose weight added to each Double-Seat, 30° Out ZOP3-MCOD30DM2F  Option Upcharges ier & CAL 133 (per yard) per unit)  DE KEY  Series	seat unit, please a seat unit, please a seat unit, please a side Curve, Mid He state that the seat unit, please a side Curve, Mid He state that the seat unit, please a seat unit, please	elow. Freedd \$289 I eight Back 4760  Plus Dua Rer Not	estanding List upch with Priv 4987  s Upgrad al Leg (for movable s te: Remo	e - Double Multiple Seat Coveyable back	d End units unit.  en Option 5530  le-Seat, 30 unit configers -Double ck covers a	5 With the second secon	6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208	s List  145 77 89 curved b	7020  acks  Leg Typ	74
oisture Barrieat Power (paelf Power ble Power ble Power Line	- 36" or 30" and chose weight added to each Double-Seat, 30° Out ZOP3-MCOD30DM2F  Option Upcharges ier & CAL 133 (per yard) per unit)  DE KEY  Series	seat unit, please a side Curve, Mid He state a side Curve MCB	elow. Freedd \$289 I eight Back 4760  Plus Dua Rer Not	estanding List upch with Priv 4987  s Upgrada Leg (for movable ste: Remo	e - Double Multiple Seat Coveyable back	d End units unit.  en Option 5530  le-Seat, 30 unit config ers -Double ck covers a  Seat Degree	5 With the second secon	6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208	s List  145 77 89 curved b	7020  acks  Leg Typ  F eestanding	74 <sup>-</sup>
oisture Barrieat Power (paelf Power ble Power ble Power Line	- 36" or 30" and chose weight added to each Double-Seat, 30° Out ZOP3-MCOD30DM2F  Option Upcharges ier & CAL 133 (per yard) per unit)  DE KEY  Series	seat unit, please a seat unit, please a seat unit, please a side Curve, Mid He state that the seat unit, please a side Curve, Mid He state that the seat unit, please a seat unit, please	elow. Freedd \$289 I eight Back 4760  Plus Dua Rer Not  Inside	estanding List upch with Priv 4987  s Upgrada Leg (for movable ste: Remo	e - Double Multiple Seat Coveyable back	d End units unit.  en Option 5530  le-Seat, 30 unit config ers -Double ck covers a  Seat Degree  30D	5891  Curve jurations) e-Seat, 30 re not ava	6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208  6208	s List 145 77 89 curved b	acks  Leg Typ  F eestanding S Start Un  C Center U	74
oisture Barrieat Power (paelf Power ble Power ble Power Line	- 36" or 30" and chose weight added to each Double-Seat, 30° Out ZOP3-MCOD30DM2F  Option Upcharges ier & CAL 133 (per yard) per unit)  DE KEY  Series	seat unit, please a seat unit, please a seat unit, please a side Curve, Mid He state that the seat unit, please a side Curve, Mid He state that the seat unit, please a seat unit, please	elow. Freedd \$289 I eight Back 4760  Plus Dua Rer Not  Inside	estanding List upch with Priv 4987  s Upgrada Leg (for movable ste: Remo  urve Style  IS  Curve -Sir  ID  Curve -Do  OS	e - Double Multiple Seat Covable back	d End units unit.  en Option 5530  le-Seat, 30 unit config ers -Double ck covers a  Seat Degree  30D	Swith the state of	6208  6208	s List 145 77 89 curved b	acks  Leg Typ  F eestanding S Start Un	74  e    Output   Out

Mid Height Back with Privacy Screen Options

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	DES 6	7	LEATHEF 8	₹ 9
	Double-Seat, 45° Outsi ZOP3-MCOD45DFOF	de Curve, Full He	ight Back 4570	4842	5113	5493	5929	6309	6743	7287	7830
	Double-Seat, 45° Outsi	de Curve, Full He	ight Back	with Sh	nelf						
	ZOP3-MCOD45DF1_	Beech/Laminate Maple/Palette	5107 5195	5378 5467	5650 5738	6030 6117	6465 6554	6843 6935	7279 7366	7821 7911	8366 8453
	ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added	en ordering a bac ese required leg ty	ck with Sh ype below	nelf optio v. Freest	on please anding, S	e clearly spec Start and Enc	ify on yo	our order th	ne require	ed Shelf I	Height
	Double-Seat, 45° Outsi	de Curve, Full He	ight Back	with Pri	ivacy Sc	reen					
	ZOP3-MCOD45DF2F	, ,	5140	5414	5685	6063	6499	6879	7315	7858	8400
	Double-Seat, 45° Outsi ZOP3-MCOD45DMOF	de Curve, Mid He	eight Back 4363	4588	4816	5132	5492	5809	6170	6623	7075
	Double-Seat, 45° Outsi ZOP3-MCOD45DM1_  ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s	Beech/Laminate Maple/Palette en ordering a bac quired leg type be	4898 4987 ck with Shelow. Free	5125 5212 nelf optionstanding	5349 5440 on please g, Start a	nd End units					
	Double-Seat, 45° Outsi ZOP3-MCOD45DM2F	de Curve, Mid He	eight Back 4935	with Pr 5160	rivacy Sc 5387	reen Option 5701	6062	6379	6742	7193	7646
Zola Privacy (	Option Upcharges	\$ List							\$ Lis	t	
	er & CAL 133 (per yard) er unit)	61 611 571 561	Dua Rei	al Leg (fo movable	or Multip Seat Co	ible-Seat, 45 le unit config overs - Doubl ack covers a	urations) e-Seat, 4	15° Curve	172 7 9 curved b	7 7	
PRODUCT COD	Series	Chair Type		urve Style		Seat Degree		Back Type		Leg Typ	20
		MC MC		IS						F	, 7
ZOP Zola	3 Lounge	Modular Curve	Inside	Curve -S	inale	30D	Ful	F0 I Height Bad	ck F	reestandin	_ a Unit
2014	Lourige	MCB	moide	ID	migic	45D	i di	F1	JK 11	S	
		Modular Curve	Inside	Curve -De	ouble	450	Full H	leight Back	with	Start Ur	_ nit
		Plus						Shelf Option			7
			Outside	OS e Curve -	Sinale	60D	Full H	F2 leight Back	with	C Center L	] Init
					3 '	90D		y Screen O		Е	7
			Outside	OD Curve -E	Double	300	Mic	M0 d Height Bad	ck	End Ur	iit
								M1 Height Back Shelf Option			
								M2 leight Back y Screen Op			
					_	EATING 6 6			D. EO '	044145	

DEOCRIES S	1/1/ODEL /ODES:==		COM	_	COL		RIC GRAD			LEATHER	
DESCRIPTION	I/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 60° Outside ZOP3-MCOD60DFOF	e Curve, Full Heiq	ght Back 4810	5082	5352	5733	6166	6546	6982	7524	806
	Double-Seat, 60° Outside	Curve, Full Hei	ght Back	with She	f						
	ZOP3-MCOD60DF1_ Be Ma	ech/Laminate aple/Palette	5342 5431	5614 5701	5887 5972	6266 6353	6700 6786	7081 7166	7515 7602	8058 8145	859 868
	ORDERING NOTE: When 42", 36" or 30" and chose balance weight added to	e required leg typ	pe below.	Freestar	iding, St	art and End	units wit				
	Double-Seat, 60° Outside	Curve, Full Hei	ght Back	with Priva	acy Scre	en					
	ZOP3-MCOD60DF2F		5379	5651	5922	6301	6736	7117	7551	8095	863
<u>.</u>	Double-Seat, 60° Outside	Curve, Mid Hei	ght Back								
	ZOP3-MCOD60DMOF		4570	4796	5023	5340	5700	6017	6378	6832	728
	Double-Seat, 60° Outside	Curve. Mid Hei	aht Back	with She	lf						
	ZOP3-MCOD60DM1_ Be		5105 5191	5329 5416	5556 5642	5871 5959	6232 6319	6548 6637	6912 6997	7363 7449	781 790
	36" or 30" and chose requirements added to each search bouble-Seat, 60° Outside ZOP3-MCOD60DM2F	at unit, please ac	dd <b>\$289 L</b>	ist upcha	arge per	unit.	6269	6585	6947	7399	784
Zola Privacy	Option Upcharges	\$ List							\$ List		
	er & CAL 133 (per yard) er unit)	61 611				ole-Seat, 60° e unit configu			184 77		
Shelf Power	or unity	571	Ren	novable S	Seat Cov	ers - Double	e-Seat, 60		118		
Table Power		561	Not	e: Remov	able ba	ck covers ar	e not ava	ailable on c	urved ba	icks	
RODUCT COL	DE KEY										
Line	Series	Chair Type	Cı	ırve Style		Seat Degree	E	Back Type		Leg Type	)
ZOP	3	MC	[	IS		30D		F0		F	
Zola	Lounge	Modular Curve	Inside	Curve -Sin	gle		Full	Height Back	K Fre	estanding	Unit
		MCB Modular Curve	Inside (	ID Curve -Dou	ıhle	45D	Full He	F1 eight Back w	/ith	Start Uni	+
		Plus	iiiside (		ibie			nelf Option	71011		
			Outside	OS Curve -Si	ngle	60D	Full He	F2 eight Back w	/ith	C Center Ur	nit
			Г	OD		000	Privacy	/ Screen Opt	tion	Е	
			Outside	OD Curve -Do	uble	90D	Mid	M0 Height Back	<	End Uni	t
								M1 eight Back w	vith		

Shelf Option

M2

Mid Height Back with Privacy Screen Options

DESCRIPTION	ESCRIPTION/MODEL/SPECIES			2	COL 3	FABR	IC GRAD	ES 6	7	LEATHER 8	8
	Double-Seat, 90° Outsic ZOP3-MCOD90DF0F	le Curve, Full Hei	ght Back 5390	5661	5933	6313	6747	7128	7562	8106	8648
	Double-Seat, 90° Outsic ZOP3-MCOD90DF1_ E N ORDERING NOTES: WI - 42", 36" or 30" and che balance weight added to	eech/Laminate Maple/Palette nen ordering a ba ose required leg t	5917 6004 ack with s	6188 6274 Shelf op w. Frees	6461 6546 tion pleastanding,	Start and Er	nd units w			8721 Juired Shel	
	Double-Seat, 90° Outsic ZOP3-MCOD90DF2F	le Curve, Full Hei	ght Back 5950	with Pr 6223	ivacy Sc 6495	reen 6873	7309	7689	8123	8666	9208
	Double-Seat, 90° Outsic ZOP3-MCOD90DM0F	e Curve, Mid He	ight Back 5245	5556	5866	6346	6873	7355	7882	8505	9274
	Double-Seat, 90° Outsic ZOP3-MCOD90DM1_ E N ORDERING NOTES: WI - 36" or 30" and chose re weight added to each se	eech/Laminate Maple/Palette nen ordering a ba quired leg type b	5772 5861 ack with Selow. Fre	6083 6169 Shelf op estandir	6394 6481 tion pleasing, Start a	and End unit				9118 Juired Shel	
	Double-Seat, 90° Outsic ZOP3-MCOD90DM2F	le Curve, Mid He	ight Back 5807	with Pi 6116	rivacy Sc 6428	reen Option 6910	7436	7915	8443	9064	9837
Moisture Barrie Seat Power (pe Shelf Power Table Power		\$ List 61 611 571 561	Dua Rer	al Leg (fo novable	or Multiple Seat Co	ble-Seat, 90 le unit confiç vers - Doub ack covers a	gurations le-Seat, 9	90° Curve	1:	10 77 21	
Line  ZOP Zola	Series  3 Lounge	Chair Type  MC  Modular Curve  MCB  Modular Curve  Plus	Inside Inside (	IS  Curve -S  ID  Curve -D  Curve -C  OS  Curve -C	ingle ouble Single	Seat Degree  30D  45D  60D  90D	Full H S Full H Privac Mid H	Back Type  F0  II Height Back F1  deight Back Shelf Option  F2  deight Back by Screen O  M0  d Height Back Shelf Option  M1  Height Back Shelf Option  M2  Height Back	with with ption  ck with	Leg Typ  F Freestandin  S Start Ur  C Center U	g Unit

### **ZOLA PRIVACY | SIDE PANELS**

					COL	FAI	BRIC GRA	DES		LEATHE	R
DESCRIPTION/N	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Side Panel, Single ZOP3-MPF0S ZOP3-MPF0C ZOP3-MPF0E	e, Full Height No Sc Start Center End	reen 903 1164 903	987 1248 987	1071 1332 1071	1242 1503 1242	1411 1670 1411	1581 1840 1581	1749 2009 1749	1920 2178 1920	2258 2517 2258
	Side Panel, Single ZOP3-MPF2S ZOP3-MPF2C ZOP3-MPF2E	e, Full Height with S Start Center End	creen 1184 1443 1184	1269 1530 1269	1353 1613 1353	1521 1782 1521	1692 1954 1692	1861 2122 1861	2031 2292 2031	2200 2461 2200	2539 2799 2539
	Side Panel, Single ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E	e, Mid Height No Sc Start Center End	reen 731 1002 731	790 1058 790	846 1115 846	963 1229 963	1078 1345 1078	1192 1460 1192	1307 1575 1307	1421 1689 1421	1650 1920 1650
	Side Panel, Single ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E	e, Mid Height with S Start Center End	creen 1013 1282 1013	1069 1339 1069	1127 1396 1127	1244 1512 1244	1358 1625 1358	1474 1740 1474	1588 1855 1588	1703 1968 1703	1933 2200 1933

**ORDERING NOTE**: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 193 for Dimensions and COM.

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	E	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

### **ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM COL FABRIC G		BRIC GR	ADES		LEATHER				
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side Panel, Single											
	ZOP3-MSPF0S	Start	556	599	642	729	816	904	990	1079	1252	
	ZOP3-MSPF0C	Center	817	862	907	992	1080	1166	1253	1340	1514	
	ZOP3-MSPF0E	End	556	599	642	729	816	904	990	1079	1252	
	Semi-Private Side	Panel, Single,	Mid Height									
	ZOP3-MSPM0S	Start	490	529	564	640	716	790	866	940	1089	
	ZOP3-MSPM0C	Center	759	796	834	910	984	1059	1135	1209	1360	
	ZOP3-MSPM0E	End	490	529	564	640	716	790	866	940	1089	

**ORDERING NOTE**: Semi-Private Side Panels will only connect to Center seating units.

#### PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP  Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	S Start  C Center	
				End	

### **ZOLA PRIVACY | MODULAR ARMS**

		COM COL		FAI	FABRIC GRADES		LEATHER				
DESCRIPTION	/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	669 669 747	705 705 784	741 741 819	813 813 891	886 886 964	957 957 1036	1030 1030 1108	1100 1100 1180	1245 1245 1324	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 800 800 863	837 837 898	871 871 935	943 943 1008	1016 1016 1080	1087 1087 1150	1160 1160 1223	1231 1231 1294	1377 1377 1439	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col	С	
Solid Surface Arm Cap (per arm)	123	130	144	150

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L  Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C	

### **ZOLA PRIVACY** | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

DI	M	ΕI	NSI	10	NS
----	---	----	-----	----	----

		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Sing	le-Seat - Fu	ll Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Sing	le-Seat - Mi	d Height Ba	ck						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Dou	ble-Seat - Fu	ıll Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Dou	ble-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs
Curved Sing	le-Seat - Full H	leight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	leight Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

### **ZOLA PRIVACY** | TWIN CURVED - COM REQUIREMENTS

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid I	Height Back						_
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Do	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Do	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

		COM		COL	FABR	IC GRAD	ES	LE	ATHER	
DESCRIPTION/MODE	EL	1	2	3	4	5	6	7	8	9
	Twin Single-Seat, 30° Cui ZOP3-MCTS30DF0F	ve, Full Height B 4957	ack 5255	5553	5970	6445	6865	7342	7939	8534
	Twin Single-Seat, 30° Cui ZOP3-MCTS30DF2F	rve, Full Height B 5520	ack with F 5820	rivacy Sc 6117	reen Optior 6536	າ 7012	7429	7907	8505	9100
	Twin Single-Seat, 30° Cu ZOP3-MCTS30DM0F	ırve, Mid Height I 4696	Заск 4965	5233	5608	6035	6411	6839	7373	7910
	Twin Single-Seat, 30° Cu ZOP3-MCTS30DM2F	irve, Mid Height I 5262	Back with 5530	Privacy So 5796	creen Optic 6172	on 6601	6975	7403	7940	8473
	Twin Single-Seat, 45° Cu ZOP3-MCTS45DF0F	rve, Full Height E 5588	3ack 5897	6209	6645	7141	7575	8074	8696	9316
	Twin Single-Seat, 45° Cu ZOP3-MCTS45DF2F	irve, Full Height E 6160	3ack with I 6470	Privacy So 6781	creen Optio 7217	n 7713	8148	8647	9267	9888
Zola Privacy Option	Upcharges	\$ List						\$ List		
Moisture Barrier & CA Seat Power (per unit) Shelf Power Table Power Dual Leg (for Multiple PRODUCT CODE KEY		611 PI 571 Re 561 Re	us Upgrad emovable s emovable s	le - Twin S Seat Cove Seat Cove	Single-Seat, Single-Seat, ers -Twin Si ers -Twin Si ck covers ar	, 45° Curv ngle-Seat ngle-Seat	re :, 30° Curv :, 45° Curv	274 329 e 148 e 159	acks	
Line	Series Chair	r Type C	urve Style	Se	eat Degree	Ва	ck Type		Leg Type	
ZOP Zola	3 Modular (	 Curve Twin Sm	S nall Radius- ngle Width		30D	Full H	F0 eight Back	Free	F	Unit
		ar Curve Sm	D nall Radius- ouble Width	[	45D		F2 ght Back wi Screen Opti		S Start Unit	
				[	60D	[	M0	_	С	
				[	90D	Mid F	M2	(	Center Un E	ΙT
				į.			ght Back wi		End Unit	

DESCRIPTION/MO	DDEL		COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	EATHER 8	9
	Twin Single-Se ZOP3-MCTS45	at, 45° Curve, Mi 5DMOF	d Height B 5292	ack 5572	5850	6244	6693	7084	7533	8095	865
	Twin Single-Se ZOP3-MCTS45	at, 45° Curve, Mi DM2F	d Height B 5268	ack with 5536	Privacy S 5803	creen Optio	on 6608	6982	7411	7945	848
	Twin Single-Se ZOP3-MCTS60	at, 60° Curve, Fu DDFOF	II Height B 6345	ack 6710	7077	7587	8172	8682	9266	9996	1072
	Twin Single-Se ZOP3-MCTS60	at, 60° Curve, Fu DDF2F	II Height B 6920	ack with l	Privacy So 7651	creen Optio 8161	on 8747	9257	9841	10570	1130
	Twin Single-Se ZOP3-MCTS60	at, 60° Curve, Mi DDMOF	d Height B 6004	ack 6328	6651	7105	7621	8074	8591	9236	988
	Twin Single-Se ZOP3-MCTS60	at, 60° Curve, Mi DDM2F	d Height B 7124	ack with 7537	Privacy S 7948	creen Optio 8529	on 9191	9771	10432	11258	1208
Zola Privacy Opt	tion Upcharges	\$ Lis	t						\$ Lis	st	
Seat Power (per u Shelf Power Table Power	& CAL 133 (per yard unit) tiple unit configurati	611 571 561	PI Re	us Upgra emovable emovable	de - Twin Seat Cov Seat Cov	Single-Sea Single-Sea yers -Twin S yers -Twin S ack covers a	nt, 60° Cu Single-Se Single-Se	urve eat, 45° Cu eat, 60° Cu	rve 20	5 9 2	
PRODUCT CODE K	Series	Chair Type	(	Curve Style	:	Seat Degree		Back Type		Leg Ty	oe
ZOP	3 Lounge	MCT Modular Curve	Twin Sr	S Small Radius	:-	30D	Fu	F0	ck F	F	
		MCTB Modular Curv Twin Plus		D mall Radius ouble Widtl		45D		F2 Height Back cy Screen O		S Start U	nit
						60D		M0		С	

Mid Height Back

M2

Mid Height Back with Privacy Screen Options

90D

Center Unit

End Unit

Е

		COM		COL	FA	BRIC GRA	ADES	LEATHER		R
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Single-Seat, 90° Curve, Full	-		0050	0405	0704	10000	10001	11010	10000
	ZOP3-MCTS90DF0F	7917	8288	8659	9185	9781	10303	10901	11643	12398
	Twin Single-Seat, 90° Curve, Full	Height Ba	ack with F	Privacy S	creen Opt	ion				
	ZOP3-MCTS90DF2F	8824	9195	9566	10090	10689	11209	11806	12548	13304
8 y u -	Twin Single-Seat, 90° Curve, Mid	Height B	Back							
	ZOP3-MCTS90DM0F	7442	7771	8101	8566	9096	9562	10090	10749	11420
	Tria Circle Cont. 200 Cress Mid	III. Calai B		D : (	2	L'ana				-
	Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM2F	Height E	7465	7839	Screen Op 8358	tion 8951	9472	10067	10900	11553
	ZOTO WIGTOSODIVIZI	7093	7400	7 639	0338	0931	9472	10067	10809	11003

Zola Privacy Option Upcharges	\$ List	•	List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Single-Seat, 90° Curve	492
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Twin Single-Seat, 90° Curve	229
Table Power	561	Note: Removable back covers are not available on curv	ved backs

MODOO! CODE ILE	•					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB  Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

5505555014405	E. (00E0)E0	COM		COL		RIC GRAD			EATHER	
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 30° Curve, ZOP3-MCTD30DF0F	Full Height 6548	Back 6963	7375	7953	8616	9195	9856	10682	11511
	Twin Double-Seat, 30° Curve,	Full Height	Back with	n Privacy	Screen Op	otion				
	ZOP3-MCTD30DF2F	7448	7863	8275	8854	9516	10094	10756	11584	12409
	Twin Double-Seat, 30° Curve,	Mid Height F	Back							
	ZOP3-MCTD30DM0F	6187	6559	6933	7450	8045	8565	9161	9904	10647
	Twin Double-Seat, 30° Curve, ZOP3-MCTD30DM2F	Mid Height F	Back with	Privacy 9	Screen Op 8351	tion 8946	9465	10061	10804	11545

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 30° Curve	385
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Twin Double-Seat, 30° Curv	/e 178
Table Power	561	Note: Removable back covers are not available on co	urved backs

#### PRODUCT CODE KEY Series Chair Type Curve Style Seat Degree

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT  Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB  Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0  Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FAE	BRIC GRA	LEATHER			
DESCRIPTION/MOD	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF0F	Height B 7385	ack 7808	8234	8828	9508	10101	10781	11630	12481
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF2F	Height B 8292	ack with 8720	Privacy So 9143	creen Opt 9736	ion 10417	11011	11690	12540	13389
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM0F	Height B 6997	ack 7381	7764	8300	8913	9447	10061	10826	11592
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM2F	Height B 7909	ack with 8289	Privacy S 8675	creen Opt 9208	tion 9821	10358	10969	11734	12502

### **ORDERING NOTES:**

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 45° Curve	437
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers - Twin Double-Seat, 45° Cu	ırve 195
Table Power	561	Note: Removable back covers are not available on	curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3 Lounge	MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	Е
					Mid Height Back with Privacy Screen Options	End Unit

		COM COL FABRIC GRADES		ES	LEATHER				
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Twin Double-Seat, 60° Curve, Ful ZOP3-MCTD60DF0F	l Height Ba 8056	ack 8488	8918	9520	10211	10813	11504	12365	13226
Twin Double-Seat, 60° Curve, Fu ZOP3-MCTD60DF2F	II Height B	ack with 9403	Privacy S 9833	creen Opt 10437	ion 11124	11729	12418	13280	14141
Twin Double-Seat, 60° Curve, Mi ZOP3-MCTD60DM0F	d Height B 7614	ack 8004	8392	8937	9561	10104	10728	11508	12283
Twin Double-Seat, 60° Curve, Mic ZOP3-MCTD60DM2F	d Height Ba 8529	ack with 8918	Privacy So 9307	creen Opt 9852	ion 10472	11018	11643	12421	13199

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 60° Curve 518
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations) 77
Shelf Power	571	Removable Seat Covers -Twin Double-Seat, 60° Curve 237
Table Power	561	Note: Removable back covers are not available on curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB  Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

### **ZOLA PRIVACY |** TWIN SIDE PANELS

1360	2	3	4	5	6	7	8	9
2038	1485 2164	1611 2291	1862 2541	2113 2793	2365 3041	2615 3293	2867 3543	3368 4046
1911 2589	2037 2716	2163 2842	2413 3092	2665 3343	2916 3593	3166 3845	3419 4093	3919 4599
1131 1807	1215 1894	1299 1979	1470 2147	1639 2317	1808 2486	1979 2656	2147 2824	2486 3164
1683 2360 connect				2192 2868 with Priva	2361 3037 cy Screer	2531 3207 o Option a	2699 3375 ure not av	3037 3717 ailable
	1911 2589 1131 1807 1683 2360	1911 2037 2589 2716 1131 1215 1807 1894 1683 1767 2360 2445	2038 2164 2291  1911 2037 2163 2589 2716 2842  1131 1215 1299 1807 1894 1979  1683 1767 1852 2360 2445 2531  connect to Center seating upper s	2038 2164 2291 2541  1911 2037 2163 2413 2589 2716 2842 3092  1131 1215 1299 1470 1807 1894 1979 2147  1683 1767 1852 2021 2360 2445 2531 2699	2038 2164 2291 2541 2793  1911 2037 2163 2413 2665 2589 2716 2842 3092 3343  1131 1215 1299 1470 1639 1807 1894 1979 2147 2317  1683 1767 1852 2021 2192 2360 2445 2531 2699 2868  connect to Center seating units. Units with Priva	2038 2164 2291 2541 2793 3041  1911 2037 2163 2413 2665 2916 2589 2716 2842 3092 3343 3593  1131 1215 1299 1470 1639 1808 1807 1894 1979 2147 2317 2486  1683 1767 1852 2021 2192 2361 2360 2445 2531 2699 2868 3037  connect to Center seating units. Units with Privacy Screen	2038 2164 2291 2541 2793 3041 3293  1911 2037 2163 2413 2665 2916 3166 2589 2716 2842 3092 3343 3593 3845  1131 1215 1299 1470 1639 1808 1979 1807 1894 1979 2147 2317 2486 2656  1683 1767 1852 2021 2192 2361 2531 2360 2445 2531 2699 2868 3037 3207 connect to Center seating units. Units with Privacy Screen Option a	2038 2164 2291 2541 2793 3041 3293 3543  1911 2037 2163 2413 2665 2916 3166 3419 2589 2716 2842 3092 3343 3593 3845 4093  1131 1215 1299 1470 1639 1808 1979 2147 1807 1894 1979 2147 2317 2486 2656 2824  1683 1767 1852 2021 2192 2361 2531 2699 2360 2445 2531 2699 2868 3037 3207 3375 connect to Center seating units. Units with Privacy Screen Option are not av

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			M0		
			Mid Height		
			M2		
			Mid Height with		
			Privacy Screen Option		

### **ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM		COL	FAE	BRIC GR	ADES		LEATHE	3
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9
	Twin Semi-Private Side Panel, Single, Full Height										
	ZOP3-MSPTF0U	Universal	964	1040	1117	1225	1348	1456	1580	1733	1887
	ZOP3-MSPTF0C	Center	1642	1719	1796	1904	2028	2134	2258	2412	2566
	Twin Semi-Private	Side Panel, Sin	gle, Mid H	leight							
	ZOP3-MSPTM0U	Universal	827	876	927	996	1078	1146	1227	1327	1426
	ZOP3-MSPTM0C	Center	1506	1556	1606	1675	1755	1824	1906	2006	2106

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See Page 211 for dimensions and COM.

#### PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

# **ZOLA PRIVACY | TWIN MODULAR ARMS**

		COM		COL	FAE	BRIC GR	ADES		LEATHE	3	
DESCRIPTION/M	MODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1067 1759	1140 1819	1202 1880	1285 1964	1382 2061	1466 2146	1563 2242	1684 2363	1804 2484	
	Twin Modular Upholstered Arm w/Urethane Cap										
	ZOP3-MATUREU	1193	1266	1327	1411	1507	1591	1688	1809	1930	
	ZOP3-MATUREC	1885	1944	2006	2089	2186	2271	2367	2488	2609	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	A-Col		С
Solid Surface Arm Cap (per arm)	263	275	303	313

### PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

### **ZOLA PRIVACY** | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	490 513	12	2
	Tablet with Palette Fini ZOL3 T2	sh n/a	392	12	2
	Clear Glass Tablet ZOL3 T3	n/a	746	13	2
	Laminate Tablet ZOL3 T4	n/a	507	12	2
	ORDERING NOTES: Thanded and do not ne	he laminate tal ed to be specif	olet comes standard with a polymer edge. Please note Zola Tabl fied right or left when ordering.	ets are uni	versally
	Solid Surface Tablet - ZOL3 T5AW	Grade A White n/a	611	14	2
	Solid Surface Tablet - ZOL3 T5AC	Grade A Color n/a	620	14	2
	Solid Surface Tablet - ZOL3 T5B	Grade B n/a	654	14	2
	Solid Surface Tablet - ZOL3 T5C	Grade C n/a	706	14	2

### **ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS**



#### **RECONFIGURABILITY**

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



#### **RUNOFF TABLES**

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.



#### **BACK CONNECTION**

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or ends



#### LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.



#### **LEGS**

The legs offered on Zola Lounge are Silver Metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



#### **SOLID SURFACE OVERLAY**


The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <u>Page 332</u> for color options.




**MEDIA & POWER** 

Inline walls can be optioned with Media provisions and Powerdocs.

# **ZOLA PRIVACY** | INLINE WALLS | SAMPLE CONFIGURATIONS



Model	Qty	Price (\$)
ZOP3-M2F0F	2	2885
ZOP3-IWF048MP	1	2290
ZOP3-ICWF0L	1	1617
ZOP3-ICWF0R	1	1617
ZOP3-RO48532416	1	1016
TOTAL		\$12,310



ZOP3-ICTWM0R	1	1634
ZOP3-ICTWM0L ZOP3-ICTWM0R	1	1634 1634
ZOP3-M2M0F	3	2472
Model	Qty	Price (\$)

### **ZOLA PRIVACY** | INLINE WALLS

DESCRIPTION/MO	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH <sup>-</sup>	Γ CUBE
	Inline Wall, Full Height 42" ZOP3-IWF042N	1117	1891	1594	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1202	2064	1690	48	12	50	121	21.5
	Inline Wall, Full Height 54" ZOP3-IWF054N	1285	2148	1786	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1369	2232	1880	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1043	1603	1513	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1128	1775	1608	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1211	1860	1704	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1295	1943	1797	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	2" 1256	2030	1734	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	8" 1340	2203	1830	48	12	50	121	21.5
	Inline Wall Media, Full Height 5 ZOP3-IWF054M	4" 1423	2287	1923	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	0" 1508	2370	2019	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	2" 1183	1740	1652	42	12	37	92	13.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	.8" 1267	1915	1747	48	12	37	102	15.25
<del>\</del>	Inline Wall Media, Mid Height 5 ZOP3-IWM054M	1350	1997	1842	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	60" 1435	2082	1937	60	12	37	126	18.75

**ORDERING NOTE:** Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Me

### **ZOLA PRIVACY** | INLINE WALLS WITH POWER

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Full	Height 42"							
	ZOP3-IWF042P	2066	2840	2544	42	12	50	150	19
	Inline Wall w/Power Docs, Full ZOP3-IWF048P	Height 48" 2150	3013	2639	48	12	50	212	21.5
63	Inline Wall w/Power Docs, Full ZOP3-IWF054P	Height 54" 2234	3097	2734	54	12	50	135	24
	Inline Wall w/Power Docs, Full ZOP3-IWF060P	Height 60" 2318	3181	2829	60	12	50	147	26.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM042P	Height 42" 1992	2551	2462	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM048P	Height 48" 2077	2724	2557	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM054P	Height 54" 2160	2808	2653	54	12	37	116	17
	Inline Wall w/Power Docs, Mid ZOP3-IWM060P	Height 60" 2244	2892	2746	60	12	37	126	18.75
	Inline Wall Media w/Power Doo ZOP3-IWF042MP	es, Full Height 42" 2206	2979	2683	42	12	50	150	19
	Inline Wall Media w/Power Doo ZOP3-IWF048MP	es, Full Height 48" 2290	3153	2779	48	12	50	212	21.5
	Inline Wall Media w/Power Doo ZOP3-IWF054MP	es, Full Height 54" 2373	3236	2872	54	12	50	135	24
	Inline Wall Media w/Power Doo ZOP3-IWF060MP	es, Full Height 60" 2458	3320	2968	60	12	50	147	26.5
	Inline Wall Media w/Power Dod ZOP3-IWM042MP	cs, Mid Height 42" 2132	2689	2600	42	12	37	92	13.5
	Inline Wall Media w/Power Dod ZOP3-IWM048MP	es, Mid Height 48" 2216	2864	2696	48	12	37	102	15.5
	Inline Wall Media w/Power Doo ZOP3-IWM054MP	es, Mid Height 54" 2299	2946	2790	54	12	37	116	17
	Inline Wall Media w/Power Doo ZOP3-IWM060MP	es, Mid Height 60" 2384	3031	2886	60	12	37	126	18.75

**ORDERING NOTE:** Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Media

### **ZOLA PRIVACY** | INLINE CORNER WALLS

DESCRIPTION/N	MODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH	T CUBE
	Inline Corner Wall, Full Height ZOP3-ICWF0L ZOP3-ICWF0R	1617 1617	2275 2275	1948 1948	26.5 26.5	12 12	50 50	85 85	14.75 14.75
	Inline Corner Wall, Mid Height ZOP3-ICWM0L ZOP3-ICWM0R	1560 1560	2170 2170	1882 1882	26.5 26.5	12 12	37 37	70 70	11 11

### **ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES**

		Grades					
Option	A-White	A-Color	В	С			
ZOP3-IWF042N	407	425	530	631			
ZOP3-IWF048N	456	477	593	710			
ZOP3-IWF054N	505	529	660	790			
ZOP3-IWF060N	529	579	725	870			

#### **ORDERING NOTES:**

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <a href="Page 332">Page 332</a> for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Position	
ZOP	3	ICW	F0	L	
Zola	Lounge	Inline Corner Wall	Full Height	Left	
			MO	R	
			Mid Height	Right	

### **ZOLA PRIVACY | INLINE TABLE WALLS**

DESCRIPTION/MO		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Table Wall, Full Height 23° ZOP3-ITWF023N	940	1507	1423	23	25.7	50	100	21
	Inline Table Wall, Full Height 30° ZOP3-ITWF030N	, 1108	1854	1604	30	25.7	50	125	26.5
	Inline Table Wall, Mid Height 23 ZOP3-ITWM023N	867	1219	1341	23	25.7	37	90	15
	Inline Table Wall, Mid Height 30 ZOP3-ITWM030N	1035	1565	1520	30	25.7	37	115	18.5
	Inline Table Wall w/Power Docs ZOP3-ITWF023P	, Full Height 23" 1890	2457	2373	23	25.7	50	100	21
	Inline Table Wall w/Power Docs ZOP3-ITWF030P	, Full Height 30" 2058	2803	2553	30	25.7	50	125	26.5
5,3									
	Inline Table Wall w/Power Docs ZOP3-ITWM023P	, Mid Height 23" 1816	2166	2291	23	25.7	37	90	15
	Inline Table Wall w/Power Docs ZOP3-ITWM030P	, Mid Height 30" 1984	2514	2469	30	25.7	37	115	18.5

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	ITW	F0	23	N
Zola	Lounge	Inline Table Wall	Full Height	23"	None
			MO	30	Р
			Mid Height	30"	Power

# **ZOLA PRIVACY |** INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

DESCRIPTION/MOI	DEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	ΗV	VEIGHT (	CUBE
Inline Corner Table Wall, F		Height							
	ZOP3-ICTWF0L	1692	2551	2075	28	28	50	140	31
<b>S</b>	ZOP3-ICTWF0R	1692	2551	2075	28	28	50	140	31
	Inline Corner Table Wall, Mid	Height							
	ZOP3-ICTWM0L	1634	2444	2008	28	28	37	127	23
	ZOP3-ICTWM0R	1634	2444	2008	28	28	37	127	23

### ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

ZOLA INLINE IAE	BLE WALLS SOLID SURFACE (								
Option	A-White	Grades A-Color	В	С					
ZOP3-ITWF023N	460	484	602	720					
ZOP3-ITWF030N	577	605	759	912	ORDERING	NOTE	S:		
ZOP3-ITWM023N	460	484	602	720	The Solid Su	rface t	op or	otion is pri	ced as
ZOP3-ITWM030N	577	605	759	912	an upcharg	e to	existi	ng table	price.
ZOP3-ITWF023P	460	484	602	720	Please add a	"S" to	the e	end of the	model
ZOP3-ITWF030P	577	605	759	912	number and	the u	pchar	ge listed	below.
ZOP3-ITWM023P	460	484	602	720	Zola Solid S				
ZOP3-ITWM030P	577	605	759	912	thickness or	n top	of the	e existing	table,
ZOP3-ICTWF0	579	607	763	916	with a 1 mm				
ZOP3-ICTWM0	579	607	763	916	cal edge). Ple options.	ease s	ee <u>Pa</u>	<b>ige 332</b> fo	or color
PRODUCT CODE KE	ΕΥ								
Line	Series	Chair Type		Height		Posi	tion		
ZOP	3	ICTW		F0		L			
Zola	Lounge	Inline Corner Table V	Vall	Full Height		Le	eft		
				MO		F	R		
				Mid Height		Rig			
				Mid Height		nig	jiit		
			HIGH	CHERRY					
		THERMOFUSED	PRESSURE						
DESCRIPTION/MO	DDEL	LAMINATE	LAMINATE		W	D	Н	WEIGHT	CUBE
	Run-off Table for 48" Inline Wa	all							
	ZOL4-RO48-302416	861	1219	1323	30	24	16	25	3.75
	ZOL4-RO48-372416	909	1315	1386	37	24	16	30	4.5
	ZOL4-RO48-532416	1016	1539	1527	53	24	16	40.5	5.75
U	ZOL4-RO48-762416	1173	1860	1732	76	24	16	56	7.5
	Run-off Table for 54" Inline Wa	all 912	1193	1390	20	20	16	05	4.05
	ZOL4-RO54-303016 ZOL4-RO54-373016	970	1314	1390	30 37	30 30	16 16	35 41	4.25 5.25
$\mathcal{T}$	ZOL4-RO54-573016 ZOL4-RO54-533016	1108	1514	1646	53	30	16	54	5.25 6.75
U	ZOL4-RO54-533016 ZOL4-RO54-763016	1305	1993	1900	76	30	16	54 74	8.75

# **ZOLA** | COLLECTION COMPONENTS

DESCRIPTION/M	ODEL		PRICE	WEIGHT	CUBE				
	Wood Tablet 8 ZOL3 RT1	Mounting Plate Only Beech Maple /Cherry	363 386	5 5	0.32 0.32				
	Painted Tablet ZOL3 RT2	t & Mounting Plate Only n/a	265	5	0.32				
	Clear Glass Ta ZOL3 RT3	ablet & Mounting Plate Only n/a	620	6	0.32				
	Laminate Tabl ZOL3 RT4	et & Mounting Plate Only n/a	379	5	0.32				
	Solid Surface ZOL3 RT5	Tablet & Mounting Plate Only Grade - A-White Grade - A-Color Grade - B Grade - C	514 521 550 595						
	ORDERING N	IOTES: The Zola replaceme	ent tablets on this page include the top with mounting	g plate only.					
	Leg ZOL3 RLS		56	1	0.125				
	Caster Leg ZOL3 RLC		38	0.4	0.125				
	Dual leg ZOL3 RDL		96	1	0.125				
	Leg Glide (4) ZOL3 RLG		23	0.2	0.01				
000	Replacement ZOL3 RLKB2	Seat-to-Seat Bracket	91	1	0.125				
	NOTE: Zola Modular Seats are ordered, each seat is automatically supplied with two seat to seat brackets								
	Replacement ZOL3 RLKB1	Table-to-Seat Bracket	109	3	0.125				
	ZOL3-POWEF	RDOC1 - Undermount	543	3	0.375				
Das Das GO	Can be field installed to the underside of Seats and Tables as a replacement part or installed on units not previous ified with a Powerdoc. Standard with 2 Power and 2 USB outlets. PowerDoc's have a 10' cord.								
•	ZOL3-POWEF	RDOC2	617	3	0.375				
D# D# B	Replacement unit only for Seats, Benches or Square/Rectangular tables which were originally ordered with this option. Standard with 2 Power and 2 USB outlets. PowerDoc's have a 10' cord.								
	Wire Manager ZOL3 WM10	Shroud	115	1	0.375				
	ORDERING N	ORDERING NOTES: Comes in a 10' length when ordered. Can be cut to size on site.							

# **ZOLA PRIVACY | COMPONENTS**


DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 64	2	0.32
(I)	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 56	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 71	2	0.32
	Back-to-Seat Linking hardware ZOP3-RLKS 161	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 179	4	0.32
5:28	ZOP3-POWERDOC3 - Shelves only 630  Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and 2 USB outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3 WM 179	1	0.375

### FAERON LOUNGE | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 12.67%

POST-CONSUMER RECYCLED CONTENT =9.40%

Up to 18.93% of this Faeron product is recyclable at the end of its useful life.

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### FAERON LOUNGE | DIMENSIONS & COM

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Entire Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Only
One-Seat -	wood arm												
lounge	27	28.5	31.5	17.8	24	23	21	55	20	4.2	1.3	1.7	1.2
high back <b>One-Seat -</b> :	27 armless	28.5	41.5	17.8	24	23	21	59	24	4.8	1.3	2.3	1.2
lounge	23	28.5	31.5	17.8	_	_	21	52	20	3	1.3	1.7	-
nigh back	23	28.5	41.5	17.8	_	_	21	55	24	3.6	1.3	2.3	_
One-Seat -								00		0.0		2.0	
ounge	28	28.5	31.5	17.8	24	23	21	75	20	5.9	1.3	1.7	2.9
high back	28	28.5	41.5	17.8	24	23	21	79	24	6.5	1.3	2.3	2.9
wingback	32	28.5	42.5	17.8	24	23	21	84	27	7.5	1.3	3.3	2.9
One-Seat w	ide - wood	d arm											
ounge	34	28.5	31.5	17.8	24	30	21	64	23	4.4	1.5	1.7	1.2
high back	34	28.5	41.5	17.8	24	30	21	68	27	5	1.5	2.3	1.2
One-Seat w										-			
lounge	30	28.5	31.5	17.8	_	_	21	61	23	3.2	1.5	1.7	_
high back	30	28.5	41.5	17.8	_	_	21	65	27	3.8	1.5	2.3	_
One-Seat w								20		3.0			
lounge	35	28.5	31.5	17.8	24	30	21	84	23	6.1	1.5	1.7	2.9
high back	35	28.5	41.5	17.8	24	30	21	88	27	6.7	1.5	2.3	2.9
wingback	39	28.5	42.5	17.8	24	30	21	93	30	7.5	1.3	3.3	2.9
			0										0
<b>Two-seat - \</b> lounge	wood arm 50	28.5	31.5	17.8	24	46	21	88	36	5.5	1.7	2.6	1.2
high back	50	28.5	41.5	17.8	24	46	21	95	43	6.4	1.7	3.5	1.2
Two-seat - a		_5.0				.0		50	.0	5.1		0.0	
lounge	46	28.5	31.5	17.8	_	_	21	87	36	4.3	1.7	2.6	_
high back	46	28.5	41.5	17.8	_	_	21	94	43	5.2	1.7	3.5	_
Two-seat - ເ				. 7 . 0			- 1	<b>5</b> +		5.2		0.0	
lounge	51	28.5	31.5	17.8	24	46	21	108	36	7.2	1.7	2.6	2.9
high back	51	28.5	41.5	17.8	24	46	21	115	43	8.1	1.7	3.5	2.9
wingback	55	28.5	42.5	17.8	24	46	21	120	46	9.1	1.7	4.5	2.9
Three-seat						-				<u> </u>			
lounge	73	28.5	31.5	17.8	24	69	21	120	52	7.1	2.5	3.4	1.2
high back	73	28.5	41.5	17.8	24	69	21	130	61	8.4	2.5	4.7	1.2
Three-seat		20.5	41.5	17.0	24	09	۷1	130	01	0.4	2.5	4.7	1.2
lounge	69	28.5	31.5	17.8		_	21	122	52	5.9	2.5	3.4	
high back	69	28.5	41.5	17.8	_	_	21	132	61	7.2	2.5	4.7	_
Three-seat			41.5	17.0	-	-	۷1	132	01	1.2	2.5	4.7	-
	-		01.5	17.0	0.4	60	21	140	E0	0.0	0.5	0.4	0.0
lounge	74 74	28.5	31.5	17.8	24	69		140	52	8.8	2.5	3.4	2.9
high back	74 78	28.5	41.5 42.5	17.8 17.8	24 24	69 69	21 21	150 155	61 64	10.1 10.3	2.5	4.7 5.7	2.9 2.9
wingback		28.5	42.5	17.0	∠4	09	<b>∠</b> 1	100	04	10.3	1.7	5.7	2.9
is with uphol upholstery is of where ead	n upholsted stery of the selected, u ch fabric is	ery (more to e same grause the high to be app	than one u de or CON hest grade lied on the	pholstery M, an upcle upholste e product	harge for dual	fabrics is \$3 r contact Cu btain a quo	32 list per	unit and \$6	1 list per un	olstered produ nit for three false provide the upholsteries	orics. When	graded in d	combination
WEIGHT CA Faeron weig One -Seat - One -Seat - One-Seat Wi One-Seat Wi Two- Seat - Two- Seat F Three - Seat	ght capaciti 500 lbs Plus - 750 lbi ide - 500 lbi ide Plus - 7 625 lbs Plus - 975 lbi - 850 lbs Plus - 120	lbs os 750 lbs os	follows:										
Faeron Op	tion Upcl	narges			\$ L	ist						\$ List	
	N / - : - 1	Darriar In											
			,							pair) - Gr A \		366	
CAL 133 & One-Seat F			,			45	Solid Su	ırface Arm	Cap (per i	pair) - Gr A \ pair) - Gr A ( pair) - Gr B		366 379	

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm Cap (per pair) - Gr A White	366
One-Seat Removable Back Covers	145	Solid Surface Arm Cap (per pair) - Gr A Color	379
One-Seat Wide Removable Back Covers	218	Solid Surface Arm Cap (per pair) - Gr B	402
Two-Seat Removable Back Covers	288	Solid Surface Arm Cap (per pair) - Gr C	415
Three-Seat Removable Back Covers	432	Solid Surface Arm (per pair) - Gr A White	645
One-Seat Removable Seat Covers	145	Solid Surface Arm (per pair) - Gr A Color	675
One-Seat Wide Removable Seat Covers	218	Solid Surface Arm (per pair) - Gr B	732
Two-Seat Removable Seat Covers	288	Solid Surface Arm (per pair) - Gr C	772
Three-Seat Removable Seat Covers	432	Urethane Arm Cap (per pair)	145
		Upholstered Lounge Wood Arm Cap (per pair)	184
		See Page 332 for color selection.	

SEATING & OCCASIONAL TABLES | CANADA | 250

### FAERON WOOD | LOUNGE FEATURES & OPTIONS



#### WOOD ARM

Faeron Wood Arm Lounge chairs are available with optional Arm Caps in Urethane and Solid Surface. As well as a Solid Surface Arm.



The optional Urethane Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



#### **ARMLESS**

Faeron Armless Lounge seating can be specified with a full wood base providing an enhanced base profile.



#### WOOD ARM CAP

**OPTIONS** 

**URETHANE ARM CAP** 

The optional Solid Beech Arm Cap is available on Upholstered Arm and Wingback Lounge. This is field replaceable if this becomes damaged or degraded.



#### **UPHOLSTERED ARM**

Faeron Upholstered arm lounge chairs are available with optional arm caps in Wood, Solid Surface and Urethane (Wingback lounge is not available with Urethane cap).



#### SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



#### ARM PANEL

Arm Panels are available on Faeron Wood Arm Lounge seating in semi and fully closed styles for optimum design flexibility.



#### **SOLID SURFACE ARM**

The optional Solid Surface Arm is available on Wood Arm Lounge and provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



#### **BEECH WOOD LEGS**

Faeron Lounge legs and bases are solid Beech available in 22 finish selections.



### **COMBINATION UPHOLSTERY**

When combination upholstery (more than one upholstery cover within the same unit) is specified with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded-in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote



#### **METAL LEGS**

Faeron Upholstered Arm models are also available with Metal Legs; Silver Metallic or Brushed Nickle finish.



#### **LOUNGE WALL SAVER**

Faeron Lounge models include a wall saver feature in which the angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chair and the wall. Not included for Faeron High Back Lounge or Faeron Wingback Lounge due to back height.



**CLEAN OUT** All Faeron Lounge seating has a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



Faeron Lounge Images | www.krug.ca

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non- flammable upholstery covers, that may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components thereby conferring sanitary and anti-infection benefits. So when CAL133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Moisture Barrier & CAL 133 is available for an upcharge of \$61 list per yard.



Faeron Lounge Chairs are available with a Removable Seat & Back Covers.

See **page** 250 for upcharges.

# FAERON WOOD | ARMLESS LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	ADES 6	7	LEATHER 8	9	_
	One-Seat, Arm FAE3-AL1S	less Lounge, Beech	Standard 1924	Base 2003	2077	2228	2378	2530	2681	2830	3134	
	One-Seat Plus FAE3-ALB1S	Armless Lou Beech	nge, Stand 1997	dard Base 2073	2148	2299	2449	2602	2753	2903	3206	_
	One-Seat, Arm FAE3-AL1F	less Lounge, Beech	Full Wood 2082	d Base 2157	2232	2383	2533	2684	2836	2986	3289	黄
	One-Seat Plus, FAE3-ALB1F	Armless Lou Beech	unge, Full 2154	Wood Bas 2229	e 2304	2455	2606	2756	2908	3058	3361	H
	One-Seat Wide FAE3-AL1+S	e, Armless Lo Beech	unge, Sta 2175	ndard Bas 2278	e 2383	2587	2793	2996	3203	3408	3818	CAF
	One-Seat Wide FAE3-ALB1+S		ss Lounge 2255	e, Standard 2357	1 Base 2460	2664	2870	3076	3280	3487	3895	H
	One-Seat Wide FAE3-AL1+F	e, Armless Lo Beech	unge, Full 2375	Wood Bas 2479	se 2583	2787	2991	3197	3403	3607	4017	SIC
	One-Seat Wide FAE3-ALB1+F		ss Lounge 2455	e, Full Woo 2557	d Base 2659	2865	3069	3274	3480	3686	4093	
	Two-Seat, Arm FAE3-AL2S	less Lounge, Beech	Standard 2727	Base 2842	2955	3181	3408	3634	3860	4086	4539	Ž
	Two-Seat Plus, FAE3-ALB2S	Armless Lou Beech	inge, Stan 2840	dard Base 2952	3064	3291	3517	3744	3971	4196	4650	APF
	Two-Seat, Arm FAE3-AL2F	less Lounge, Beech	Full Wood 3009	d Base 3122	3236	3461	3688	3915	4141	4368	4820	Ĕ
	Two-Seat Plus, FAE3-ALB2F	Armless Lou Beech	inge, Full \ 3118	Wood Base 3234	e 3346	3570	3798	4023	4250	4479	4930	STC
	Three-Seat, Arr	mless Lounge Beech	e, Standar 3616	rd Base 3795	3978	4340	4702	5064	5425	5789	6512	7
	Three-Seat Plu FAE3-ALB3S	s, Armless Lo Beech	ounge, Sta 3799	andard Bas 3981	se 4162	4524	4887	5248	5611	5973	6697	ES
	Three-Seat, Arr FAE3-AL3F	mless Lounge Beech	e, Full Woo 3985	od Base 4165	4347	4710	5071	5434	5794	6158	6883	D
	Three-Seat Plu FAE3-ALB3F	s, Armless Lo Beech	ounge, Ful 4170	ll Wood Ba 4350	ise 4532	4895	5257	5618	5981	6343	7067	RODL
PRODUCT CODE KEY	Southern	Chair T			0:			-				CTS
FAE	Series 3-A	Chair Typ	ре	1	Size	B1	1	В	ase S			S
	ounge Seating	Lounge		One-Sea	ıt	One-Seat	⊥ t Plus	Standa	ard Base			
		H High Bac		1+ One-Seat V	Vide O	B1+	Wide Plus	Full Wo	F ood Base			

Lounge

B2

Two-Seat Plus

B3
Three-Seat Plus

2 Two-Seat

3

Three-Seat

# HEALTHCARE DISCOUNT APPLIES TO THESE PRODUCTS

# FAERON WOOD | ARMLESS HIGH BACK LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA 5	DES 6	7	LEATHER 8	9
A	One-Seat, Armle FAE3-AH1S	ess High back Beech	Lounge, 2163	Standard 2256	Base 2347	2532	2717	2900	3085	3269	3638
	One-Seat Plus, FAE3-AHB1S	Armless High Beech	back Lou 2235	ınge, Stan 2328	dard Base 2420	2605	2789	2972	3158	3342	3710
H	One-Seat, Armle FAE3-AH1F	ess High back Beech	Lounge, 2319	Full Wood 2411	d Base 2504	2688	2871	3057	3241	3425	3794
	One-Seat Plus, FAE3-AHB1F	Armless High Beech	back Lou 2391	inge, Full \ 2484	Wood Bas 2575	e 2760	2944	3130	3313	3497	3867
	One-Seat Wide, FAE3-AH1+S	, Armless High Beech	back Lo 2431	unge, Sta 2551	ndard Bas 2670	e 2909	3147	3386	3625	3864	4341
	One-Seat Wide FAE3-AHB1+S		High bad 2510	ck Lounge 2630	, Standard 2747	Base 2986	3224	3463	3703	3942	4419
	One-Seat Wide, FAE3-AH1+F	, Armless High Beech	back Lo 2631	unge, Full 2749	Wood Bas 2869	se 3109	3347	3586	3824	4063	4540
	One-Seat Wide FAE3-AHB1+F		High bad 2710	ck Lounge 2828	Full Woo 2948	d Base 3185	3424	3663	3902	4141	4617
H	Two-Seat, Armle FAE3-AH2S	ess High back Beech	Lounge, 2907	Standard 3036	I Base 3165	3425	3686	3945	4206	4463	4984
	Two-Seat Plus, FAE3-AHB2S	Armless High Beech	back Lou 3015	inge, Stan 3146	dard Base 3276	3536	3795	4057	4316	4574	5093
	Two-Seat, Armle FAE3-AH2F	ess High back Beech	Lounge, 3186	Full Wood 3318	d Base 3447	3707	3966	4226	4485	4744	5265
	Two-Seat Plus, FAE3-AHB2F	Armless High Beech	back Lou 3297	inge, Full \ 3427	Wood Bas 3558	e 3817	4078	4338	4597	4855	5374
	Three-Seat, Arn FAE3-AH3S	nless High bac Beech	ck Lounge 3862	e, Standar 4078	d Base 4291	4720	5150	5579	6008	6438	7295
	Three-Seat Plus FAE3-AHB3S	s, Armless Hig Beech	h back Lo 4046	ounge, Sta 4261	andard Bas 4475	se 4905	5336	5764	6192	6623	7481
	Three-Seat, Arn FAE3-AH3F	nless High bad Beech	ck Lounge 4232	e, Full Woo 4445	od Base 4660	5090	5519	5948	6378	6807	7663
	Three-Seat Plus FAE3-AHB3F	s, Armless Hig Beech	h back Lo 4417	ounge, Ful 4631	l Wood Ba 4845	ise 5275	5705	6133	6561	6991	7848
PRODUCT CODE KEY											
Line	Series	Chair Type			Size			Bas	se		
FAE Faeron	3-A Armless	L Lounge		1 One-Seat	On	B1 e-Seat I	Plus	Standar	d Base		
Lo	unge Seating	Н		1+		B1+	1		F		
		High Back Lounge	Oı	ne-Seat Wid	de One-	Seat W	] ïde Plus ]	Full Woo	od Base		
		Ü		2 Two-Seat	Two	B2 o-Seat F	] Plus				
				3	Thre	B3					

Three-Seat

Three-Seat Plus

			COM		COL		FABRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	S	Species	1	2	3	4	5	6	7	8	9
	One-Seat, Wood A	Arm Lounge Beech	, Open <i>i</i> 2033	Arm 2109	2185	2335	2486	2637	2788	2938	3241
	One-Seat Plus, W		0 /								
	FAE3-WL1BONC	Beech	2106	2182	2256	2407	2558	2710	2860	3011	3313
	One-Seat Wood A	rm Lounge	Sami C	losed Arm	1						—"
	FAE3-WL1SNC	Beech	2595	2709	2819	3041	3266	3489	3711	3935	4381
	One-Seat Plus Wo		_								I
	FAE3-WL1BSNC	Beech	2669	2780	2892	3114	3339	3561	3785	4007	4455
	0 - 0 - 1 11/1 - 1 1		01	Δ							— <del>"</del>
	One-Seat Wood A FAE3-WL1CNC	rm Lounge, Beech	2616	2728	2841	3063	3288	3510	3733	3957	4403
	One-Seat Plus Wo		_	osed Arm							$\simeq$
	FAE3-WL1BCNC	Beech	2689	2800	2912	3136	3360	3582	3805	4029	4475
	One-Seat Wood A	Arm High Ba	ck Loun	ige, Open	Arm						<u>2</u>
	FAE3-WH1ONC	•	2272	2363	2457	2640	2824	3010	3194	3378	3747
	One-Seat Plus Wo		h Back	Lounge, C	pen Arm						-
	FAE3-WH1BONC	Beech	2344	2436	2529	2713	2896	3082	3266	3450	3819
	One-Seat Wood A	Arm High Ba	ck Loun	ige, Semi (	Closed Arm						<u>_</u>
	FAE3-WH1SNC	Beech	2832	2963	3090	3347	3605	3860	4117	4374	4888
	One-Seat Plus Wo			-							S
	FAE3-WH1BSNC	Beecn	2907	3035	3162	3419	3676	3933	4189	4446	4961
	One-Seat Wood A	ırm Hiah Ba	ck Loun	ae. Close	d Arm						<b>_</b>
	FAE3-WH1CNC		2854	2984	3111	3368	3625	3880	4139	4396	4909
	One-Seat Plus Wo	_	h Back	Lounge, C	losed Arm						Щ
	FAE3-WH1BCNC	Beech	2927	3056	3183	3439	3697	3955	4211	4468	4982

tion. JCT CODE	KEY					
ine	Series	Chair Type	Siz	e	Arm Style	Arm Cap
FAE leron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			2 Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat		SA Solid Surface Arm

			COM		COL	F	ABRIC GRA	DES		LEATHER	
DESCRIPTION/MODE	L	Species	1	2	3	4	5	6	7	8	9
	One-Seat Wide Wo FAE3-WL1+ONC One-Seat Wide Plu FAE3-WLB1+ONC	Beech is Wood Arm	2234	2336	2439	2642 2722	2849 2927	3055 3133	3260 3339	3465 3541	3874 3955
	One-Seat Wide Wo FAE3-WL1+SNC One-Seat Wide Plu FAE3-WLB1+SNC	Beech is Wood Arm	2796	2935	3071	3350 3428	3629 3707	3907 3984	4184 4261	4461 4539	5017
	One-Seat Wide Wo FAE3-WL1+CNC One-Seat Wide Plu FAE3-WLB1+CNC	Beech is Wood Arm	2817	2956	3093 rm 3172	3371 3449	3648 3728	3928 4005	4205 4284	4483 4560	5037 5114
	One-Seat Wide Wo FAE3-WH1+ONC One-Seat Wide Plu FAE3-WHB1+ONC	Beech is Wood Arm	2488	2609	2727	2966 rm 3042	3204 3282	3442 3521	3682 3761	3920 3998	4398 4475
	One-Seat Wide, W FAE3-WH1+SNC One-Seat Wide Plu FAE3-WHB1+SNC	Beech is Wood Arm	3051	3206	3362	3672	3984 4061	4295 4372	4607 4684	4917 4994	5538 5617
	One-Seat Wide Wo FAE3-WH1+CNC One-Seat Wide Plu FAE3-WHB1+CNC	Beech is Wood Arm	3070	3225	3383	3693 Arm 3771	4005 4083	4316 4394	4628 4707	4939 5017	5560 5638

**ORDERING NOTES:** Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on <u>Page 250</u> See <u>Page 332</u> for color selection.

Line	Series	Chair Type	Siz	ze .	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	Lounge	1 One-Seat	B1 One-Seat Plus	Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

SCRIPTION/MOD	)EI	Species	COM 1	2	COL 3	F. 4	ABRIC GF 5	RADES 6	7	LEATHE 8	ER 9
OOTIII TION/IVIOL		•	-					0	,		
	Two-Seat Wood FAE3-WL2ONC		2815	2927	3039	3267	3492	3720	3945	4171	4625
	Two-Seat Plus FAE3-WLB2ON		ounge, O 2898	pen Arm 3011	3124	3350	3579	3804	4030	4257	4710
	Two-Seat Wood FAE3-WL2SNC		e, Semi 0 3375	Closed Arm 3525	3675	3973	4272	4570	4869	5167	5766
	Two-Seat Plus FAE3-WLB2SN		ounge, So 3460	emi Closed 3609	d Arm 3760	4059	4356	4656	4954	5254	5849
	Two-Seat Wood										
			3396	3546	3696	3994	4293	4590	4891	5190	5788
	Two-Seat Plus Y FAE3-WLB2CN	Wood Arm Lo IC Beech	3481	3631	3780	4080	4377	4678	4973	5274	5871
	Two-Seat Wood		ack Lour	nge, Open	arm						
	FAE3-WH2ONC		2991	3121	3250	3511	3771	4032	4291	4551	5070
	Two-Seat Plus FAE3-WHB2ON		igh back 3078	Lounge, C 3207	pen arm 3335	3594	3855	4114	4374	4635	5155
	Two-Seat Wood	d Arm High B	ack Lour	nge, Semi (	Closed Ar	m					
	FAE3-WH2SNC	Beech	3554	3720	3886	4217	4551	4883	5214	5547	6211
	Two-Seat Plus		igh Back	Lounge, S	emi Close	ed Arm					
	FAE3-WHB2SN	IC Beech	3638	3804	3971	4302	4635	4967	5298	5632	6296
	Two-Seat Wood	d Arm High B	ack Lour	nge, Close	d Arm						
	FAE3-WH2CNC	Beech	3575	3742	3907	4240	4571	4904	5236	5568	6232
	Two-Seat Plus Y FAE3-WHB2CN		igh Back 3660	Lounge, C 3824	losed Arn 3991	1 4323	4656	4987	5320	5653	6317
	: Faeron chairs ca model number wit										
Line	Series	Chair Typ	ре		Size		A	rm Style	Arm	Сар	
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge		1 One-Sea	ıt	B1 One-Seat Plus	0	O pen Arm		C Cap	
	_cango coating	Н		1+		B1+		S		IC	

100001 000	/L KLI					
Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm	L Lounge	1 One-Seat	B1 One-Seat	O Open Arm	NC No Cap
	Lounge Seating	3.		Plus	- 1	
		Н	1+	B1+	S	UC
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Semi Closed Arm	Urethane Cap
			2	B2	С	SC
			Two-Seat	Two-Seat Plus	Closed Arm	Solid Surface Cap
			3	B3		SA

Three-Seat

Three-Seat Plus

Solid Surface Arm

				COM		COL	FA	BRIC GRA	ADES		LEATHER	
	DESCRIPTION/MODE	EL	Species	1	2	3	4	5	6	7	8	9
S		Three-Seat Woo FAE3-WL3ONC Three-Seat Plus FAE3-WLB3ONC	Beech Wood Arm I	3617	3796	3979 4128	4341 4488	4704 4851	5065 5212	5427 5575	5790 5937	6514 6662
PRODUCT		Three-Seat Woo FAE3-WL3SNC Three-Seat Plus FAE3-WLB3SNC	Beech Wood Arm I	4180	4396	4613	5048 5195	5483 5631	5917 6063	6351 6498	6786 6935	7656 7803
THESE		Three-Seat Woo FAE3-WL3CNC Three-Seat Plus FAE3-WLB3CNC	Beech Wood Arm I	4200	4417	4635 4782	5069 5217	5505 5651	5939 6085	6372 6520	6808 6955	7676 7822
APPLIES TO		Three-Seat Woo FAE3-WH3ONC Three-Seat Plus FAE3-WHB3ONG	Beech Wood Arm I	3864	4079	4292	4721 4868	5151 5297	5580 5728	6010 6157	6439 6585	7296 7444
DISCOUNT AF		Three-Seat Woo FAE3-WH3SNC Three-Seat Plus FAE3-WHB3SNO	Beech Wood Arm I	4424	4675	4925	5427	5931 6078	6432 6580	6935 7081	7436 7582	8438 8585
ARE	ORDERING NOTES: replace "NC" in the m selection.		Beech Wood Arm I C Beech	4445 High Back 4593 d with Uret	4696 Lounge, C 4844 hane Arm	4947 Closed Arr 5095 Caps (UC	5597 c), Solid S					
	PRODUCT CODE KEY											
EA	FAE	Series 3-W	Chair Typ	oe	1	Size	B1	Arı	n Style	Arm C	ap	
Ξ	Faeron	Wood Arm ounge Seating	Lounge		One-Seat	Ċ	ne-Seat Plus	Op	en Arm	No Ca	ap	

Line	Series	Chair Type	Siz	:e	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	Lounge	1 One-Seat	B1 One-Seat Plus	Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	S Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

# FAERON UPHOLSTERED | LOUNGE

		COM		COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
_	One-Seat Upholstered Arm	Lounae.	No Arm C	ap. Beec	h Wood le	a				
	FAE3-UL1NCW	2761	2924	3087	3413	3740	4064	4392	4717	5368
	One-Seat Plus Upholstered	d Arm Lau	ıngo No o	rm oon l	Mood log					
	FAE3-ULB1NCW	2832	2996	3159	3487	3813	4137	4463	4791	5441
Ψ		2002	2000	0100	0407	0010	4107	4400	4701	0441
	One-Seat Wide Upholstere	d Arm Lo	unge, No a	arm cap,	Wood leg					
	FAE3-UL1+NCW	2961	3151	3342	3722	4103	4483	4864	5242	6004
	One-Seat Wide Plus Uphol	ctored Ar	m Loungo	No arm	can Wood	Llog				
	FAE3-ULB1+NCW	3039	3229	3419	3799	4182	4560	4941	5321	6082
		0000	0220	0110	0,00	1102	1000	10 11	0021	0002
	Two-seat Upholstered Arm	Lounge,	No arm ca	ıp, Wood	leg					
	FAE3-UL2NCW	3541	3743	3943	4344	4746	5149	5548	5949	6754
	Two-seat Plus Upholstered	Arm I ou	nge No ar	m can V	Vood lea					
	FAE3-ULB2NCW	3628	3828	4029	4428	4830	5233	5634	6034	6838
Ψ										
	Three-seat Upholstered Ar	m Lounge	, No arm o	cap, Woo	d leg					
	FAE3-UL3NCW	4344	4613	4881	5420	5957	6494	7031	7567	8642
	Three-seat Plus Upholstere	ed Arm Lo	unae. No	arm cap.	Wood lea					
	FAE3-ULB3NCW	4494	4760	5030	5566	6104	6640	7179	7715	8790
- W										

ORDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm Caps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on <a href="Page 250">Page 250</a>. To specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. See <a href="Page 332">Page 332</a> for color selection.

Line	Series	Chair Type	Siz	ze .	Arm Cap	Leg Type	
FAE	3-U	L	1	B1	NC	W	
Faeron	Upholstered Arm Lounge Seating	Lounge	One-Seat	One-Seat Plus	No Cap	Beech Wood Leg	
		Н	1+	B1+	UC	S	
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Urethane Cap	Silver Metallic Leg	
			2	B2	SC	N	
			Two-Seat	Two-Seat Plus	Solid Surface Cap	Brushed Nickel Leg	
			3	B3	WC		
			Three-Seat	Three-Seat	Wood Arm Cap		

# FAERON UPHOLSTERED | HIGH BACK LOUNGE

		COM	COL	FAE	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MO	DEL	1 :	2 3	4	5	6	7	8	9
	One-Seat Upholstered Arr FAE3-UH1NCW	n High Back Lounຸ 2998 318		ap, Wood 3719	leg 4079	4438	4796	5156	5874
STO	One-Seat Plus, Upholstere FAE3-UHB1NCW	ed Arm High Back 3070 325	-	Arm Cap, V 3791	Vood leg 4150	4510	4869	5229	5947
PRODUCTS	One-Seat Wide, Upholster FAE3-UH1+NCW	red Arm High Back 3218 342	-	Arm Cap, \ 4043	Wood leg 4458	4870	5285	5700	6526
THESE P	One-Seat Wide Plus, Uph FAE3-UHB1+NCW	olstered Arm High 3294 350	-	e, No Arm ( 4121	Cap, Wood 4537	d leg 4949	5364	5776	6605
2	Two-seat, Upholstered Arr FAE3-UH2NCW  Two-seat Plus, Upholstere FAE3-UHB2NCW	3720 393	7 4155 Lounge, No A	4588	5024	5460 5544	5893 5979	6330 6414	7198 7283
SUNT APPLIES	Three-seat, Upholstered A FAE3-UH3NCW  Three-seat Plus, Upholste FAE3-UHB3NCW	4590 489	4 5195 Lounge, No	5799	6403	7008 7155	7612 7760	8217 8365	9423
DISCOUNT									

Lounge Seating  Plus  H  1+  B1+  UC  S  High Back  One-Seat Wide  One-Seat Wide  Urethane Cap  Silver Metallic							
Faeron Upholstered Arm Lounge One-Seat One-Seat No Cap Beech Wood Leg  H 1+ B1+ UC S  High Back One-Seat Wide One-Seat Wide Urethane Cap Silver Metallic			Chair Type	Siz	re	Arm Style	Leg Type
High Back One-Seat Wide One-Seat Wide Urethane Cap Silver Metallic	FAE Faeron	Upholstered Arm	Lounge	1 One-Seat	One-Seat		
Lourigo							
				3	B3	WC	Nickel
				Three-Seat	Three-Seat Plus	Wood Arm Cap	

# FAERON UPHOLSTERED | WINGBACK LOUNGE

CRIPTION/MODEL		COM		COL	FA	BRIC GRA	ADES		LEATHE	R
JOHN HOWWOODE		1	2	3	4	5	6	7	8	9
	One-Seat Upholstered A FAE3-UW1NCW	rm Wingba 3419	ack, No Ar 3600	rm Cap, V 3778	Vood leg 4139	4497	4856	5217	5576	6294
	One-Seat Plus Upholste FAE3-UWB1NCW	red Arm Wi 3491	ingback, I 3671	No Arm C 3850	ap, Wood 4211	leg 4568	4928	5289	5649	6367
	One-Seat Wide Upholsto FAE3-UW1+NCW	ered Arm W 3636	/ingback, 3844	No Arm ( 4049	Cap, Wood 4462	d leg 4878	5292	5705	6117	6946
	One-Seat Wide Plus Upl FAE3-UWB1+NCW	nolstered A 3713	rm Wingb 3920	ack, No 4 4129	Arm Cap, ' 4541	Wood leg 4956	5368	5783	6197	7023
	Two-seat Upholstered A FAE3-UW2NCW	rm Wingba 4139	ck, No An 4356	m Cap, V 4574	/ood leg 5009	5444	5878	6314	6748	7618
	Two-seat Plus Upholster FAE3-UWB2NCW	red Arm Wi 4224	ngback, N 4441	No Arm C 4658	ap, Wood 5092	leg 5530	5964	6397	6833	7703
	Three-seat Upholstered FAE3-UW3NCW	Arm Wingb 5010	back, No <i>F</i> 5314	Arm Cap, 5615	Wood leg 6219	6822	7428	8032	8636	9844
	Three-seat Plus Upholst FAE3-UWB3NCW	ered Arm V 5159	Vingback, 5461	No Arm 5762	Cap, Woo 6367	d leg 6970	7575	8180	8783	9991
	on upholstered chairs can in the model number with t	he <b>Arm St</b> y	<b>/le</b> selecti	on below	and add t	the upchai	rge listed	on <b>Page</b>		
os (WC), replace "NC" i tal Leg option below, re page 332 for color se  DUCT CODE KEY  Line Ser  FAE 3-	election.		Si	ize	B1	Arm N		Leg Ty	pe	


Line	Series	Chair Type	Siz	е	Arm Cap	Leg Type
FAE Faeron	3-U Upholstered Arm Lounge Seating	Wingback	One-Seat	B1 One-Seat Plus	NC No Cap	W Beech Wood Leg
			1+ One-Seat Wide	B1+ One-Seat Wide Plus	WC Wood Arm Cap	Silver Metallic
			2 Two-Seat	B2 Two-Seat Plus	SC Solid Surface Cap	N Brushed Nickel
			3	B3		
			Three-Seat	Three-Seat Plus		

# **SUTTON | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS







PRE-CONSUMER
RECYCLED CONTENT = 8.09%

POST-CONSUMER RECYCLED CONTENT = 15.29%

Up to 23.38% of Sutton product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### AIR EMISSIONS

All Sutton products are supplied air-emissions certified. Contact customer service for information.

### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# SUTTON

			COM		COL	FAB	RIC GRAD	ES	l	EATHER	
DESCRIPTION/M	ODEL/FINISH	IES	1	2	3	4	5	6	7	8	9
	ONE-SEAT										
	SUT3-1-0-1	Cherry, Oak, Maple, Walnut, Anigre	2124	2317	2542	2884	3095	3331	3613	4314	5178
	SUT3-1-0-2		2327	2551	2799	3209	3442	3700	4019	4795	5691
	SUT3-1-1-1	Cherry, Oak, Maple, Walnut, Anigre	2260	2479	2717	3115	3342	3593	3900	4656	5523
	SUT3-1-1-2	Cherry, Oak, Maple, Walnut, Anigre	2690	2908	3116	3331	3544	3764	3972	4230	5095
	TWO-SEAT										
	SUT3-2-0-1	Cherry, Oak, Maple, Walnut, Anigre	2842	3012	3193	3411	3668	3920	4671	5301	6408
	SUT3-2-0-2	, 0	3159	3352	3550	3798	4078	4363	4898	5897	7035
ı	SUT3-2-1-1	Cherry, Oak, Maple, Walnut, Anigre	3068	3253	3446	3687	3959	4235	4753	5726	6830
	SUT3-2-1-2	Cherry, Oak, Maple, Walnut, Anigre	3494	3714	3938	4211	4485	4755	5029	5379	6479
	THREE-SEA	Т									
	SUT3-3-0-1	Cherry, Oak, Maple, Walnut, Anigre	3853	4075	4314	4545	4774	5014	5273	6388	7929
	] SUT3-3-0-2 <b>]</b>		4291	4532	4795	5055	5316	5578	5862	7105	8695
	SUT3-3-1-1	Cherry, Oak, Maple, Walnut, Anigre	4164	4400	4656	4907	5159	5415	5691	6899	8439
	SUT3-3-1-2	Cherry, Oak, Maple, Walnut, Anigre	4567	4920	5281	5720	6163	6606	7051	7558	9102

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SUT3101	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3102	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3111	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3112	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3201	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3202	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3211	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3212	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3301	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3302	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3311	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5
SUT3312	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5

PRODU Line	CT CODE KEY Series	Seat Count	Arm/Back Style	Base Style
SUT	3	1	0	1
Sutton	Soft Seating	One-Seat	Fully Upholstered Surround	Wood Base & Legs
		2	1	2
		Two-Seat	Wood Surround	Metal Base & Legs

3 Three-Seat

### STANDARD FINISHES

Oak finishes on wood surround versions are applied on Rift Oak. For a complete list of standard wood finishes please see page 14.

### **METAL BASE OPTION**

Metal base is available in Silver Metallic only. Note: Rift Oak surround can only be specified with a Silver Metallic base.

### REMOVABLE UPHOLSTERED SEAT COVERS

Sutton Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$152 list per one-seater chair, \$303 list per two-seater chair and \$455 list per three-seater chair.


# **MOISTURE BARRIER & CAL 133**

Moisture Barrier & CAL 133 is available for an upcharge of **\$61 list** per yard.

# **CARLYLE | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 3.96%

POST-CONSUMER RECYCLED CONTENT = 14.38%

Up to 37.5% of Carlyle product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

	001111111111111111111111111111111111111	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CARLYLE** | LOUNGE

			COM		COL	FA	BRIC GRA	DES		LEATHER	ł
DESCRIPTION/MO	DEL/FINISHES		1	2	3	4	5	6	7	8	9
	ONE-SEAT CAR311	Cherry, Maple, Walnut, Anigre	3352	3460	3564	3774	3984	4197	4411	4796	5457
	CAR312	Silver Metallic	3352	3460	3564	3774	3984	4197	4411	4796	5457
	TWO-SEAT										
	CAR321	Cherry, Maple, Walnut, Anigre	4526	4685	4841	5108	5372	5637	5898	6472	7539
	CAR322	Silver Metallic	4526	4685	4841	5108	5372	5637	5898	6472	7539
	THREE-SEAT CAR331	Cherry, Maple, Walnut, Anigre	6101	6297	6490	6842	7197	7547	7901	8607	9928
	CAR332	Silver Metallic	6101	6297	6490	6842	7197	7547	7901	8607	9928

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR311	33	30	32	17.5	26	20	22	60	24	4.5
CAR312	33	30	32	17.5	26	20	22	60	24	4.5
CAR321	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR322	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR331	84	30	32	17.5	26	70.5	22	135	62	9.0
CAR332	84	30	32	17.5	26	70.5	22	135	62	9.0

### **ORDERING NOTES**

Carlyle Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$152 list per one-seater chair, \$303 list per two-seater chair and \$455 list per three-seater chair.

PRODUCT COI	DE KEY Series	Seat Count	Base Style	ST Fo
CAR	3	1	1	
Carlyle	Soft Seating	One-Seat	Wood Base & Legs	CA Ca
		Two-Seat	Metal Base & Legs	М
		3 Three-Seat		ya
		THICC OCAL		1

### STANDARD FINISHES

For a complete list of standard wood finishes please see Page 331.

### CARLYLE LOUNGE

Carlyle is available in both wood base and Silver Metallic base versions.


# MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of **\$61 list** per vard

# **BRIO | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 7.09%

POST-CONSUMER RECYCLED CONTENT = 9.43%

Up to 11.34% of Brio product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Brio products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



he mark of responsible forests

### AIR EMISSIONS

All Brio products are supplied air-emissions certified. Contact customer service for information.

### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

		COM		COL	FABF	RIC GRADI	ES	LE	EATHER	
DESCRIPTION/MODEL	FINISHES	1	2	3	4	5	6	7	8	9
	Cherry, Maple, Walnut, Anigre	2124	2317	2542	2884	3095	3331	3613	4314	5178
	Cherry, Maple, Walnut, Anigre	2842	3012	3193	3411	3668	3920	4671	5301	6408
	T Cherry, Maple, Walnut, Anigre	3853	4075	4314	4545	4774	5014	5273	6388	7929

### **ORDERING NOTES**

Brio Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$152 list per one-seater chair, \$303 list per two-seater chair, and \$455 list per three-seater chair.

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
4100-1	31.5	31.5	34	18	26	22.5	20.75	97	22	5.9
4100-2 4100-3	54 76	31.5 31.5	34 34	18 18	26 26	45 67.5	20.75 20.75	120 145	41 55	7.5 10.5

### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Color name and number

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

### STANDARD FINISHES

For a complete list of standard wood finishes please see Page 331.

### **BRIO**

Brio has fixed seat cushions.


### **MOISTURE BARRIER & CAL 133**

Moisture Barrier & CAL 133 is available for an upcharge of \$61 list per yard.

# **SLOANE** | LEED CI CREDIT SUMMARY

# LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.94%

POST-CONSUMER RECYCLED CONTENT = 15.22%

Up to 29.22% of Sloane product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sloane products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR EMISSIONS**

All Sloane products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sloane and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DESCRIPTION/MODEL		COM 1	2	COL 3	F/	ABRIC GR 5	ADES 6	7	LEATHER 8	R 9
	ONE-SEAT SLO3-10 SLO3-11	2690 2935	2908 3151	3116 3364	3331 3629	3544 3941	3764 4061	3972 4268	4230 4529	5095 5397
	TWO-SEAT SLO3-20 SLO3-21	3494 3936	3714 4155	3938 4380	4211 4697	4485 4979	4755 5240	5029 5521	5379 5864	6479 6967
	THREE-SEAT SLO3-30	4567	4920	5281	5720	6163	6606	7051	7558	9102
	SLO3-31	5008	5363	5721	6212	6657	7093	7544	8048	9593

# **DIMENSIONS & COM REQUIREMENTS**

			Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SLO3-10	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-11	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-20	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-21	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-30	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5
SLO3-31	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5

### **ORDERING NOTES**

Sloane Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$152 list per one-seater chair, \$303 list per two-seater chair and \$455 list per three-seater chair.

PRODUCT COD	E KEY Series	Seat Count	Upholstery Style	SLOANE LEG FINISH Legs are available in metal with a Silver Metallic finish only, as shown.
SLO	3	1	0	
Sloane	Soft Seating	One-Seat  2 Two-Seat  3 Three-Seat	Standard Upholstery  1 Top Stitching & Buttons	MOISTURE BARRIER & CAL 133  Moisture Barrier & CAL 133 is available for an upcharge of \$61 list per yard.

# **BENCHES**


270 Tate276 Zola286 Carlyle

# TATE BENCH | ENVIRONMENTAL SUMMARY

# **LEED CI CREDITS**

### MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 9.09%

POST-CONSUMER
RECYCLED CONTENT = 24.26%

Up to 26.97% of this Tate product is recyclable at the end of its useful life.


### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





**AIR EMISSIONS** 

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Tate Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



All Tate Bench products are supplied air-emissions certified. Contact customer service for information.

# FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Tate and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# TATE BENCHES | FEATURES & OPTIONS

### **STYLE**

Tate Bench features three design styles; Fully Upholstered, Gable End and Table End.



Fully Upholstered



### Gable End

Tate Bench gable ends are 2" wide x 20" deep x 6" high on standard depth units and 2" wide x 25" deep x 6" high on deep seat units



### Table End

Tate Bench table ends are 10" wide  $\times$  20" deep  $\times$  6" high on standard depth units and 10" wide  $\times$  25" deep  $\times$  6" high on deep seat units.



### **LEGS**

Tate Bench legs feature polished chrome structural steel legs with non-marring glides.

### REPLACEABLE COMPONENTS

Tate Benches are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Gable ends, table ends and legs are field replaceable.

### **WEIGHT CAPACITIES**

Tate Bench have the following maximum weight ratings: 2 seater - 975 lbs 3 seater - 1,200 lbs

### **OPTIONS**

### **Removable Covers**

Optional Removeable covers can be quickly installed on Tate Bench products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Tate Bench products that were not originally ordered with the Removable cover option, with some simple staple removal.

### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Length	Overall Depth	Overall Height	Seat Length	Shipping Weight	Cube	COM Yardage	
TAT5-2210	43	21	17	43	48	10.7	1.4	
TAT5-2260	43	26	17	43	57	13.2	1.6	
TAT5-3210	65	21	17	65	62	15.7	2.0	
TAT5-3260	65	26	17	65	74	19.4	2.3	
TAT5-2211	47	21	17	43	56	10.7	1.4	
TAT5-2261	47	26	17	43	65	13.2	1.6	
TAT5-3211	69	21	17	65	70	15.7	2.0	
TAT5-3261	69	26	17	65	82	19.4	2.3	
TAT5-2212	63	21	17	43	70	14.3	1.4	
TAT5-2262	63	26	17	43	83	17.7	1.6	
TAT5-3212	84.5	21	17	65	84	19.2	2.0	
TAT5-3262	84.5	26	17	65	100	23.8	2.3	

### **DIMENSIONS:**

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# TATE BENCHES | VENEERS & FINISHES

### **WOOD FINISHES**

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak

Espresso Oak

MAPLE Clear Maple

Wheat Maple

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut

### PALETTE FINISHES

Black White Sand Soft Green Steel Blue Slate

### **VENEERS**

Tate Benches veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

### NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Tate can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Tate's standard offering.

### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

### **CUSTOM WOOD FINISHES**

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

### **ENDURAGUARD FINISH**

Tate Benches features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

# TATE BENCHES | FULLY UPHOLSTERED & GABLE END

			COM		COL	FAB	RIC GRA	DES		LEATHE	R
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Two-seat, 21' TAT5-2210	', fully upholstered	945	993	1037	1098	1170	1233	1305	1394	1484
	Two-seat, 26' TAT5-2260	, fully upholstered	1055	1111	1169	1249	1342	1422	1514	1628	1745
	Three-seat, 2 TAT5-3210	1", fully upholstered	1137	1199	1264	1353	1455	1543	1646	1773	1900
	Three-seat, 2 TAT5-3260	6", fully upholstered	1253	1329	1408	1514	1636	1745	1866	2019	2173
	Two-seat, 21'	'. gable end									
	TAT5-2211	Maple, Oak, Laminate	1424	1465	1510	1567	1636	1696	1766	1849	1934
		Walnut, Palette	1498	1543	1588	1652	1723	1786	1859	1946	2035
	Two cost 06'	, and and									
	Two-seat, 26' TAT5-2261	Maple, Oak, Laminate	1545	1599	1654	1731	1818	1895	1981	2091	2200
		Walnut, Palette	1627	1685	1741	1822	1915	1993	2087	2202	2317
	Three cost 2	1" goble and									
	Three-seat, 2 TAT5-3211	Maple, Oak, Laminate	1600	1663	1723	1808	1904	1990	2088	2209	2331
		Walnut, Palette	1687	1750	1815	1903	2006	2094	2198	2325	2454
Tate Bench Option Upo	harges	\$ List							\$	List	
CAL 133 & Moisture Bar Two-seat, 21" - Remova Two-seat, 26" - Remova	ble Seat Cover				at, 21" - F at, 26" - F					93 97	
PRODUCT CODE KEY											
Line	Series	Seat Coun	t	S	eat Depth		Arm S	Style			
TAT Tate	5 Bench	2 Two-Seat			21 21"		0 Fully Uph				
		3			26		1				
		Three-Sea	t		26"		Gable 2 Table				

# TATE BENCHES | GABLE END & TABLE END

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FAB 4	RIC GRA 5	ADES 6	7	LEATHE 8	R 9
	Three-seat, 2 TAT5-3261	26", gable end Maple, Oak, Laminate	1745	1817	1890	1991	2107	2209	2327	2471	2616
		Walnut, Palette	1835	1912	1988	2094	2217	2325	2447	2604	2755
	Two-seat, 21 TAT5-2212	", table end Maple, Oak, Laminate	1007	1000	0010	0070	0140	0100	0000	0050	0.400
	M10 2212	Walnut, Palette		1968 2071	2010 2116	2070 2179	2140 2252	2199 2316	2269	2353 2474	243a 256a
	Two-seat, 26 TAT5-2262	", table end Maple, Oak, Laminate	2092	2147	2202	2277	2368	2442	2531	2639	274
		Walnut, Palette	2203	2261	2318	2399	2490	2571	2662	2779	289
	Three-seat, 2 TAT5-3212	21", table end Maple, Oak, Laminate	2105	2166	2226	2312	2409	2494	2589	2713	283
		Walnut, Palette	2214	2278	2343	2433	2534	2625	2725	2854	298
	Three-seat, 2 TAT5-3262	26", table end Maple, Oak, Laminate	2293	2363	2439	2539	2657	2757	2873	3017	316
		Walnut, Palette	2412	2488	2566	2672	2795	2902	3024	3180	333
Tate Bench Option Upcl	harges	\$ List							\$	List	
CAL 133 & Moisture Barri Two-seat, 21" - Removab Two-seat, 26" - Removea	ole Seat Cover				at, 21" - R at, 26" - R					93 97	

PRODUC'	L COD	E KEY

DOCT CODE RET					
Line	Series	Seat Count	Seat Style	Arm Style	
TAT	5 Danah	2 Two-Seat	21"	0 Fully Unbelatored	
Tate	Bench	two-Seat	21"	Fully Upholstered	
		3	26	1	
		Three-Seat	26"	Gable End	
				2	

Table End

# TATE BENCHES | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	-	COM 1	2	COL 3	FA 4	BRIC 5	GRAD 6	ES I	EATH 8		WEIGHT	CUBE
	Two-seat, 21" Replacement Seat TAT5-RS221	730	774	820	884	955	1015	1087	1179	1268	34	4.5
	Two-seat, 26" Replacement Seat TAT5-RS226	793	841	893	966	1044	1117	1200	1302	1407	43	5.5
	Three-seat, 21" Replacement Seat TAT5-RS321	916	982	1044	1137	1237	1327	1372	1557	1685	52	6
	Three-seat, 26" Replacement Seat TAT5-RS326		1068	1144	1245	1363	1465	1584	1731	1877	74	7.3
	Two-seat, 21" Replacement Seat Covers TAT5-RSC221	288	334	379	439	512	574	646	735	827	5	1.0
	Two-seat, 26" Replacement Seat Covers TAT5-RSC226		364	414	487	568	639	721	825	927	6	1.2
	Three-seat, 21" Replacement Seat Cover TAT5-RSC321		437	502	591	695	782	885	1013	1141	7	1.5
	Three-seat, 26" Replacement Seat Cover TAT5-RSC326		478	553	655	771	873	993	1140	1285	8	1.7
	Replacement Gable End 21" TAT5-RGE21 Maple, Oak, Laminate Walnut, Palette	e 348 417									4	.30
	Replacement Gable End 26" TAT5-RGE26 Maple, Oak, Laminate Walnut, Palette	e 390 491									5	.50
	Replacement Table End 21" TAT5-RTE21 Maple, Oak, Laminate Walnut, Palette	e 586 717									11	1.1
	Replacement Table End 26" TAT5-RTE26 Maple, Oak, Laminate Walnut, Palette	e 640 777									13	1.3
11	21" Replacement Legs TAT5-RL21	175									7	1.1
V	26" Replacement Legs TAT5-RL26	190									9	1.5

# **ZOLA BENCH | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS



PRE-CONSUMER RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

25% Metal

21% Foam

1% Plastic

39% Wood

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





The mark of responsible forestry

### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR EMISSIONS**

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# **ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH**

### **DIMENSIONS**

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

### **COM YARDAGES**

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-Seat (Plus)	1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

# **ZOLA** | MODULAR & MODULAR PLUS BENCH FULL DEPTH

### **DIMENSIONS**

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes	
One-Seat	23	26	18.5	33	11.5	
Two-seat	46	26	18.5	55	21	
Three-seat	69	26	18.5	72	32	
One-Seat (Plus)	30	26	18.5	45	16	
Two-seat (Plus)	46	26	18.5	57	21	
Three-seat (Plus)	69	26	18.5	75	32	

### **COM YARDAGES**

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-Seat (Plus)	1.85	3.7	5.6	7.4	
Two-seat (Plus)	1.85	3.7	5.6	7.4	
Three-seat (Plus)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Arms (Right or Left)	74	One-Seat standard depth seat	45
Interim Arm	59	Two-seat standard depth seat	65
One-Seat back	65	Three-seat standard depth seat	81
Two-seat back	93	One-Seat plus standard depth seat	59
Three-seat back	116	One-Seat full depth seat	50
One-Seat plus back	75	Two-seat full depth seat	71
		Three-seat full depth seat	81
		One-Seat plus full depth seat	64

# **ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH**

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1S1	830	873	918	1003	1085	1169	1252	1332	1462
	One-Seat Plus ZOL3 MSB1S1  ORDERING NOTES: One-S	1046	1092	1139	1228	1319	1410	1498	1589	1724
- V	ORDERING NOTES: One-	seat Plus E	sench is 30	J' wide.						
	Two-Seat ZOL3 MS2S1	1160	1212	1267	1379	1492	1605	1718	1831	2018
"	Two-Seat Plus ZOL3 MSB2S1	1236	1295	1355	1467	1583	1694	1807	1921	2109
	ORDERING NOTES: The T	wo-Seat Pl	lus comes	standard	with a fifth	leg for ex	tra suppoi	rt.		
	Three-Seat ZOL3 MS3S1	1484	1560	1634	1794	1951	2109	2268	2427	2618
	Three-Seat Plus ZOL3 MSB3S1	1764	1837	1915	2046	2185	2319	2457	2589	2806
	<b>ORDERING NOTES:</b> The T	hree-Seat	Plus come	es standar	d with a fif	th leg for e	extra supp	ort.		

# **ZOLA** | MODULAR & MODULAR PLUS BENCH FULL DEPTH

		COM		COL	FABRIC GRADES		DES	LEATHER			
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9	
	One-Seat ZOL3 MS1F1	916	963	1008	1068	1141	1203	1273	1363	1481	
	One-Seat Plus ZOL3 MSB1F1	1103	1164	1223	1306	1398	1483	1579	1694	1815	
	ORDERING NOTES: One-Seat Plus Bench is 30" wide.										
	Two-Seat ZOL3 MS2F1	1353	1412	1472	1555	1648	1731	1827	1943	2063	
	Two-Seat Plus ZOL3 MSB2F1	1404	1463	1521	1605	1697	1781	1875	2132	2113	
	ORDERING NOTES: The Two-Seat Plus comes standard with a fifth leg for extra support.										
	Three-Seat ZOL3 MS3F1 Three-Seat Plus ZOL3 MSB3F1	1830 1894	1920 1986	2008 2073	2130 2200	2275 2343	2402 2468	2544 2612	2723 2789	2902 2969	

**ORDERING NOTES:** Zola Bench Seating is available with 4 casters, for an upcharge of \$98 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of \$71 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options.

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

FRODUCT CODE RE	'				
Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	S Standard Depth	1 Standard Leg &
					Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs & 2 Casters

**DIMENSIONS INSIDE CURVE** 

DIMITIAGIONS IIA											
	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes					
Single seat											
30°	36	28.5	18.5	22.5	50	18					
45°	42	29	18.5	22.5	54	19					
60°	48	29	18.5	22.5	57	22					
90°	59	31	18.5	22.5	69	26					
Double seat											
30°	58	30	18.5	22.5	90	32					
45°	64	31	18.5	22.5	97.2	33					
60°	70	33	18.5	22.5	102.6	39					
90°	81	36	18.5	22.5	124.2	46					

**COM Yardages** 

	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
Single seat 30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	


**COM Yardages - Individual Components** 

	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.9 2.6 2.6 2.8	3.8 5.2 5.2 5.6	5.7 7.8 7.8 8.4	7.6 10.4 10.4 11.2	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90°	2.9 3 4.8 4.8	5.8 6.0 8.8 8.8	8.7 9.0 13.5 13.5	11.6 12.0 17.4 17.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8 6.8	10.2 10.2 10.2 10.2	13.6 13.6 13.6 13.6




One-Seat, Uph 30° Inside Curve






One-Seat, Uph 60° Inside Curve



One-Seat, Uph 90° Inside Curve




Two-Seat, Uph 30° Inside Curve



Two-Seat, Uph 45° Inside Curve



Two-Seat, Uph 60° Inside Curve



Two-Seat, Uph 90° Inside Curve

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	120

### **DIMENSIONS OUTSIDE CURVE**

	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
Single seat	00.75	22.25	10.5	20.5	40	22	
30°	33.75	28.25	18.5	22.5	48	23	
45°	38.75	28.75	18.5	22.5	49	24	
60°	43.5	29.25	18.5	22.5	50	29	
90°	52	29.75	18.5	22.5	51	34	
Double seat							
30°	55.75	29.75	18.5	22.5	83	36	
45°	60.75	31	18.5	22.5	84	40	
60°	65.75	32.25	18.5	22.5	86	45	
90°	74	34.5	18.5	22.5	96	56	

### **COM Yardages**


Taraagee					
	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat					
30°	3.32	6.14	9.46	12.28	
45°	3.32	6.14	9.46	12.28	
60°	3.32	6.14	9.46	12.28	
90°	3.32	6.14	9.46	12.28	
Double seat					
30°	6.50	13.0	19.5	26.0	
45°	6.50	13.0	19.5	26.0	
60°	6.50	13.0	19.5	26.0	
90°	6.50	13.0	19.5	26.0	

### **COM Yardages - Individual Components**

	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6




One-Seat, Uph 30° Curve



Two-Seat, Uph 30° Curve




One-Seat, Uph 45° Curve




Two-Seat, Uph 45° Curve




One-Seat, Uph 60° Curve



Two-Seat, Uph 60° Curve



One-Seat, Uph 90° Curve



Two-Seat, Uph 90° Curve

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	120

		COM		COL		FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9	
	Single-Seat, 30° Curve, Stan ZOL3 MCS30DS1	idard Dept 1192	h 1297	1408	1557	1727	1877	2047	2265	2479	
	Single-Seat, 45° Curve, Stan ZOL3 MCS45DS1	dard Dept 1297	h 1456	1611	1831	2082	2300	2551	2865	3178	
	Single-Seat, 60° Curve, Stan ZOL3 MCS60DS1	dard Dept 1466	h 1624	1780	2000	2248	2468	2719	3033	3346	
	Single-Seat, 90° Curve, Stan ZOL3 MCS90DS1	idard Dept 1692	h 1863	2035	2277	2554	2795	3069	3417	3761	
	Single-Seat, 30° Curve, Full ZOL3 MCS30DF1	Depth 1311	1428	1546	1712	1900	2065	2256	2489	2725	
	Single-Seat, 45° Curve, Full ZOL3 MCS45DF1	Depth 1430	1600	1773	2013	2291	2531	2806	3150	3495	
	Single-Seat, 60° Curve, Full ZOL3 MCS60DF1	Depth 1613	1786	1959	2199	2473	2716	2989	3335	3680	
	Single-Seat, 90° Curve, Full ZOL3 MCS90DF1	Depth 1861	2047	2240	2506	2808	3076	3377	3759	4137	

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE K	EY					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular MCB Modular Plus	S Single D Double	30D 30 Degree 45D 45 Degree 60D 60 Degree 90D	S Standard F Full	1 Standard Leg + Glide
				90 Degree		

		COM		COL	FAE	BRIC GRA	DES		LEATHER	1
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Standard Depth									
	ZOL3 MCD30DS1	2086	2272	2461	2722	3022	3288	3587	3962	4339
	D. 11. 01 450 0 0		- 11-							
	Double-Seat, 45° Curve, S ZOL3 MCD45DS1	tandard De 2272	ptn 2545	2819	3203	3639	4022	4461	5009	5557
	Double-Seat, 60° Curve, S	tandard De	nth							
	ZOL3 MCD60DS1	2566	2841	3114	3497	3935	4318	4757	5304	5850
	Double-Seat, 90° Curve, S	tandard De	nth							
	ZOL3 MCD90DS1	2958	3261	3562	3985	4468	4891	5372	5975	6580

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List
Double-seat curve 30° seat	89
Double-seat curve 45° seat	97
Double-seat curve 60° seat	118
Double-seat curve 90° seat	121

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

, , , , , , , , , , , , , , , , , , ,	<del></del>					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular MCB Modular Plus	S Single D Double	30D 30 Degree 45D 45 Degree 60D 60 Degree	S Standard F Full	1 Standard Leg + Glide
				90D 90 Degree		

		COM		COL	FAE	BRIC GRA	DES		LEATHER	1
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Ful ZOL3 MCD30DF1	l Depth 2397	2612	2828	3131	3475	3778	4125	4557	4987
	Double-Seat, 45° Curve, Ful ZOL3 MCD45DF1	I Depth 2612	2927	3241	3682	4186	4628	5132	5760	6390
	Double-Seat, 60° Curve, Ful ZOL3 MCD60DF1	l Depth 2952	3266	3581	4020	4526	4966	5469	6100	6730
	Double-Seat, 90° Curve, Ful ZOL3 MCD90DF1	I Depth 3403	3748	4093	4583	5137	5623	6178	6872	7567

### **Upcharge for Removable Upholstery Covers:**

\$ List
89
97
118
121

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

ODUCT CODE K	<b>-</b> 1					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

# **ZOLA** | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS

		СОМ		COL	FAE	BRIC GR	ADES	l	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Back Sin	gle-sea	t Inside	Curve									
	ZOL3 RMCBIS30D		1188		1375	1495	1606	1729	1883	2035	1.9	20	8
1) 1	ZOL3 RMCBIS45D	1291		1460	1580	1716	1833	1968	2138	2308	2.6	22	8
	ZOL3 RMCBIS60D ZOL3 RMCBIS90D	1569 1754	1688 1874	1803 1995	1966 2164	2150 2359	2316 2526	2503 2719	2734 2961	2965 3203	2.6 2.8	23 28	10 11
~	ZOLO I IIVIODIOSOD	1704	1074	1000	2104	2000	2020	2710	2001	0200	2.0	20	'''
	Replacement Back Do	uble-sea	at Insid	e Curve	<del></del>								
	ZOL3 RMCBID30D	1945	2081		2404	2617	2807	3021	3292	3561	2.8	38	13
})	ZOL3 RMCBID45D	2257			2760	2998	3207	3445	3742	4038	3	42	13.5
	ZOL3 RMCBID60D	2747 3067	2952	3156 3491	3439 3786	3766 4125	4050 4420	4377 4758	4783 5181	5189 5604	4.8	43	16
•	ZOL3 RMCBID90D	3007	3200	3491	3700	4123	4420	4730	3101	3004	4.8	52.5	18
	Replacement Back Sin	ale-sea	t Outsid	de Curv	re								
	ZOL3 RMCBOS30D	-	1069		1237	1348	1443	1556	1694	1832	1.7	15	5.0
\ (	ZOL3 RMCBOS45D	1160	1237		1421	1543	1650	1773	1924	2079	1.7	17	7.0
	ZOL3 RMCBOS60D	1389	1518	1623	1770	1937	2086	2249	2461	2670	1.7	20	9.0
	ZOL3 RMCBOS90D	1580	1688	1796	1948	2122	2273	2447	2665	2884	1.7	25	9.0
	Replacement Back Do	uble-se	at Oute	ide Cur	ve								
	ZOL3 RMCBOD30D		1872		2163	2356	2526	2721	2963	3206	3.1	30	9.0
	ZOL3 RMCBOD45D		2164		2486	2699	2886	3098	3367	3635	3.1	34	11.0
	ZOL3 RMCBOD60D	2473	2657		3095	3390	3645	3937	4305	4670	3.1	35	14.0
	ZOL3 RMCBOD90D	2760	2952	3142	3408	3711	3979	4284	4664	5043	3.1	40	14.0
	Replacement Seat Sing	ale-seat	Standa	ard Der	oth Cur	ve							
	ZOL3 RMCSS30DS				1457		1778	1949	2164	2378	1.8	30	11
	ZOL3 RMCSS45DS	1199	1354	1375	1730	1981	2202	2448	2764	3078	1.8	32	12
	ZOL3 RMCSS60DS	1369		1681	1899	2148	2369	2617	2931	3246	1.8	34	13
	ZOL3 RMCSS90DS	1559	1730	1903	2145	2419	2661	2936	3282	3628	1.8	41	16
	Replacement Seat Dou	ıble-sea	t Stand	dard De	pth Cu	rve							
	ZOL3 RMCSD30DS	1985	2172	2360	2620	2923	3185	3488	3864	4238	3.4	52.2	19.5
	ZOL3 RMCSD45DS		2445		3102	3538	3922	4361	5339	5455	3.4	56	21
	ZOL3 RMCSD60DS ZOL3 RMCSD90DS	2466	2741 3127	3013	3396 3850	3836 4335	4217 4757	4656 5240	5204 5844	5752 6445	3.4 3.4	60 72	23 28
	ZOLS RIVICSD90DS	2023	3121	3431	3030	4333	4/3/	3240	3044	0443	3.4	12	
	Replacement Seat Sing	gle-seat	Full De	epth Cu	irve								
	ZOL3 RMCSS30DF	1210	1327		1611	1800	1965	2156	2388	2626	1.94	36	13.5
	ZOL3 RMCSS45DF			1672			2431	2704	3050	3394	1.94	39	14.5
-	ZOL3 RMCSS60DF ZOL3 RMCSS90DF			1859 2106		2374 2674		2891 3243	3236 3623	3580 4005	1.94 1.94	41 49	15.5 19
	ZOLS HWOSOSODI		1011	2100	20.0	207 1	2010	02 10	0020	1000	1.54	43	13
	Replacement Seat Dou	ıble-sea	t Full D	epth C	urve								
	ZOL3 RMCSD30DF			2727	3031		3679		4456	4887	3.7	63	24
	ZOL3 RMCSD45DF			3140		4085	4528		5659	6289	3.7	69	25.5
	ZOL3 RMCSD60DF			3480 3962	3920 4447	4424 5006		5368 6045	5998 6738	6629 7435	3.7	72	27 22 F
	ZOL3 RMCSD90DF	0200	0010	0002	7777	3000	5450	0043	0700	7400	3.7	86	33.5
	Replacement Seat Cov	er Sing	le-seat	Standa	ırd Dep	th Curve							
	ZOL3 RMCBSCS30DS		266	321	397	486	562	648	759	869	1.8	2.5	1
	ZOL3 RMCBSCS45DS		273	328 362	404 437	492 526	569 602	657 691	767	874		3.1	1
	ZOL3 RMCBSCS60DS ZOL3 RMCBSCS90DS		306 329	385	460	526 546	624	711	800 823	910 932		3.7	1.5
	ZOLO NIVIODOCOSUDO		020	550	.50	3.10	0 <u>2</u> -7		320	302	1.8	4.3	1.5
	Replacement Seat Cov	er Douk	ole-sea	t Stand	ard De	pth Curv	/e						
	ZOL3 RMCBSCD30DS		471	575	721	886		1198	1404	1611	3.4	4.8	1.5
	ZOL3 RMCBSCD45DS		483	585	729	895		1205	1412	1618	3.4	5.9	1.5
	ZOL3 RMCBSCD60DS		530	633 647	777 794	941 960		1252 1270	1460 1478	1665 1684	3.4	7.0	2.5
	ZOL3 RMCBSCD90DS	442	544	047	194	300	1100	12/0	14/0	1004	3.4	8.2	2.5

# **ZOLA** | MODULAR CURVE - REPLACEMENT COMPONENTS

		COM		COL	FABF	RIC GRA	ADES	L	_EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	ver Sing	le-seat	Full De	pth Cu	ırve							
	ZOL3 RMCBSCS30D	F 235	298	362	448	544	634	732	856	981	1.94	2.9	1
	ZOL3 RMCBSCS45D	F 244	305	368	456	555	640	741	863	987	1.94	3.6	1
	ZOL3 RMCBSCS60D	F 281	342	404	491	591	677	774	899	1022	1.94	4.3	1.5
	ZOL3 RMCBSCS90D	F 299	362	423	511	610	696	796	917	1042	1.94	4.9	1.5
	Replacement Seat Co	ver Dou	ble-sea	at Full D	epth C	urve							
	ZOL3 RMCBSCD30D	F 413	531	648	813	1004	1170	1356	1593	1831	3.7	5.5	1.5
	ZOL3 RMCBSCD45D	F 420	539	657	824	1012	1178	1366	1603	1838	3.7	6.8	1.5
	ZOL3 RMCBSCD60D	F 470	590	708	872	1063	1228	1417	1653	1890	3.7	8.1	2.5
	ZOL3 RMCBSCD90D	F 505	623	741	907	1093	1258	1450	1687	1921	3.7	9.4	2.5

# **CARLYLE BENCH | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 15%

POST-CONSUMER RECYCLED CONTENT = 17.97%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CARLYLE BENCH**

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
	TWO-SEAT CAR5-2-0	1747	1833	1921	2009	2105	2197	2293	2415	2589
	TWO-SEAT - BUTTON DE	TAILING								
	CAR5-2-1	2249	2337	2424	2513	2609	2699	2796	2917	3094
	THREE-SEAT CAR5-3-0	2297	2421	2542	2662	2783	2908	3031	3178	3568
	THREE-SEAT - BUTTON I CAR5-3-1	DETAILING 3078	3199	3320	3441	3564	3683	3807	3956	4348

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR5-2-0	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-2-1	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-3-0	81	26.5	17.5	-	-	-	-	110	25	3.6
CAR5-3-1	81	26.5	17.5	-	-	-	-	110	25	3.6

and Buttons

PRODUCT CODE	E KEY Series	Seat Count	Upholstery Style
CAR	5	2	0
Carlyle	Bench	Two-Seat	Upholstery Standard
		3	1
		Three-Seat	Top Stitching

### **CARLYLE**

Base is available in Silver Metallic only.

MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of \$61 list per yard.

### **OCCASIONAL TABLES**


288 Chit Chat 292 Avatar 294 Karma 299 Cressida 302 Leyton 304 Faeron Wood 306 Faeron Metal 308 Zola 313 Sutton 315 Virtu 317 Millennium 319 Prado 321 Carlyle

### **CHIT CHAT | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Chit Chat products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Chit Chat products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC®**


In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Chit Chat and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **CHIT CHAT | PRODUCT FEATURES & OPTIONS**


#### **TOP SHAPE & GRAIN DIRECTION**



#### **EDGE PROFILES**



#### **BASES**



#### **SOLID SURFACE**

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

#### **DIMENSIONS**

Model	Width	Depth	Height	Shipping Weight	Cubes	
Occasional						
Square Table -Rounded Corners						
7261242416	24	24	16	35	10.25	
7261303016	30	30	16	40	15	
7261363616	36	36	16	47	20.5	
Rectangular Table -Rounded Corne						
7261233016	23	30	16	37	12.5	
7261243016	24	30	16	37	12.5	
7261463016	45.75	30	16	54	21.75	
7261483016	48	30	16	75	22.75	
7261693016	68.75	30	16	91	31.5	
7261723016	72	30	16	107	32.75	
Round Table						
72052416	24D		16	35	10.25	
72053016	30D		16	40	15	
72053616	36D		16	57	20.5	

## CHIT CHAT | OCCASIONAL

DESCRIPTION/MODEL		Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Base 7261242416SQ 7261303016SQ 7261363616SQ	827 893 1018	992 1071 1223	1315 1495 1962	1396 1592 2097	1496 1748 2333	1649 1960 2646
Rectangular Table, -Rounded Corners	Square Plate Base 7261233016SQ 7261243016SQ 7261463016SQ 7261483016SQ 7261693016SQ 7261723016SQ	843 843 1320 1349 1462 1496	1012 1012 1584 1619 1754 1795	1389 1389 2264 2341 3007 3119	1478 1478 2402 2485 3210 3335	1593 1593 2646 2741 3563 3705	1768 1768 2966 3078 4030 4195
	Round Disc Base 7261233016DB 7261243016DB 7261463016DB 7261483016DB 7261693016DB 7261723016DB ORDERING NOTES: Rectangular Chit Chat	,	,	•		1562 1562 2583 2677 3498 3640 note table sizes 2	1735 1735 2902 3013 3965 4131
Round Table	(68.75) coordinate with Round Disc Base 72052416DB 72053016DB 72053616DB	795 858 993	955 1030 1192	1258 1436 1904	1339 1533 2035	1458 1717 2202	1624 1937 2319
Model		Price				Shipping Weight	t Cubes
Square Plate Base	72541815 72542415 <b>ORDERING NOTES:</b> A single 18" base can	328 385 be used with to	ops up to a	a maximum of 30	inches.	37 58	1.1 1.4
	70141015					0.7	

#### A single 18" base ca

72141815

72142415

**ORDERING NOTES:** 

A single 18" base can be used with tops up to a maximum of 30 inches.

295

362

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select top material
- 3. Select a color for top
- 4. Select base finish

Round Disc Base

5. Select edge profile

#### **BASE FINISH**

Round Disc Base, Brushed Stainless- DB-13 Square Plate Base, Brushed Stainless- SQ-13 Round Disc Base, White- DB-44 Square Plate Base, White- SQ-44

Round Disc Base, Matte Black- DB-14

Square Plate Base, Matte Black- SQ-14

#### **MATERIALS & FINISHES**

For a complete list of Solid Surface colors please see Page 332. Solid Surface is only available in the D Radius edge profile.

37

1.1

1.4


For a complete list of Laminate colors please see Page 331.

### **AVATAR | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 48.95%

POST-CONSUMER RECYCLED CONTENT = 20.26%

Up to 61.05% of this Avatar product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **AVATAR | TABLES**

Description	Model	Rift Oak	W	D	Н	WEIGHT	CUBE
吴	Square AVA4-S181817 AVA4-S222217	1094 1181	18 22	18 22	17 17	24 29	6.6 9
	Rectangular AVA4-R442217	1916	44	22	17	53	16
7	Round AVA4-R18D17 AVA4-R22D17	1092 1174	18 22	18 22	17 17	23 27	6.6
	Elliptical AVA4-E442217	1911	44	22	17	53	16

### **AVATAR | VENEERS & FINISHES**

#### **WOOD FINISHES**

Standard wood finishes are:

#### Finishes on Rift Oak

Light Oak
Harvest Oak
SilverGrey on Oak
Mahogany Oak
Medium Cherry on Oak
Mellow Oak
Walnut on Oak
Espresso on Oak

#### **VENEERS**

Avatar veneers are rift cut White Oak, which provides a straight grain appearance.

#### **NON-STANDARD VENEER SPECIES**

In addition to range of standard wood species, Avatar can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Avatar's standard offering.

#### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

#### **CUSTOM WOOD FINISHES**

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.


#### FINISH

Avatar features the Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

### KARMA | ENVIRONMENTAL SUMMARY

#### LEED CI CREDITS

#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 29.17%

POST-CONSUMER RECYCLED CONTENT = 42.67%

Up to 46.67% of this Karma product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## KARMA | FREE STANDING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ Polymer Edge	W	D	Н	Weight	Cube			
	Square & Rectangular Tables, Matte Black or Silver Metallic legs											
	KAR4C 18-18-18	711	861	573	17.5	17.5	17 5	15	2.6			
	KAR4C 22-18-18	746	885	589	22		17.5	16.5	2.6			
	KAR4C 42-18-18	1121	1389	993	42		17.5	24.5	4.6			
Ш	KAR4C 18-18-21	727	872	589		17.5	21	17	3			
	KAR4C 22-18-21	761	898	602	22 42	17.5 17.5	21 21	18.5 26.5	3			
	KAR4C 42-18-21	1137	1404	1006	42	17.5	21	26.5	4.6			
	Square & Rectangular Tables, Polished Chrome legs											
	KAR4C 18-18-18	840	987	700	17.5	17.5	17.5	15	2.6			
	KAR4C 22-18-18	874	1012	716	22	17.5	17.5	16.5	2.6			
	KAR4C 42-18-18	1248	1139	1118	42	17.5	17.5	24.5	4.6			
	KAR4C 18-18-21	869	1014	729	17.5	17.5	21	17	3			
	KAR4C 22-18-21	904	1040	744	22	17.5	21	16.5	2.6			
	KAR4C 42-18-21	1278	1335	1146	42	17.5	21	24.5	4.6			
	ORDERING NOTE: For leg fin C for Polished Chrome	ish add to tl	he end of the r	model number; B	for Matte Blac	k, S f	or Silv	er Metal	lic and			
	Round Tables, Matte Black or S	Silver Metallic	e leas									
	KAR4C 24D-18	883	1205	691	24	-	17.5	19	3.5			
	KAR4C 36D-18	1207	1358	759	36	-	17.5	31	7.3			
	KAR4C 24D-21	896	1220	705	24	_	21	21	3.5			
	KAR4C 36D-21	1221	1372	772	36	-	21	33	7.3			
	Book d'Edda a Ballaha d'Obassa											
	Round Tables, Polished Chromo	O	1000	0.17	0.4		47.5	40	0.5			
	KAR4C 24D-18	1011	1332	817	24	-	17.5	19	3.5			
	KAR4C 36D-18	1371	1521	922	36	-	17.5	31	7.3			
	KAR4C 24D-21	1038	1361	847	24	-	21	21	3.5			
	KAR4C 36D-21	1398	1552	952	36	-	21	33	7.3			
							<b></b>					

**ORDERING NOTE:** For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome

## KARMA | LINKING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	W	D	Н	Weight	Cube
	Square Straight Linking Table, I	Matte Black o	r Silver Metallic	, Left or Right handed (	Same d	lirectio	n seat	ing)	
	KAR4C-LKII-18-18	688	836	549	17.5	17.5	-	15	2.5
	Square Straight Linking Table, I KAR4C-LKIL-18-18	Matte Black o 688	r Silver Metallic 836	, Left handed as seated 549		sed se 17.5	ating) -	15	2.5
	Square Straight Linking Table, I KAR4C-LKIR-18-18	Matte Black o 688	r Silver Metallic 836	r, Right handed as seate 549		osed s 17.5	eating -	j) 15	2.5
	Square Straight Linking Table, F KAR4C-LKII-18-18	Polished Chro	me, Left or Rig 987	ht handed (Same directi 700		ting) 17.5	_	15	2.5
	Square Straight Linking Table, I	0.0			seating)	)			
	KAR4C-LKIL-18-18	840	987	700	17.5	17.5	-	15	2.5
	Square Straight Linking Table, F KAR4C-LKIR-18-18	Polished Chro 840	me, Right hand 987	led as seated (Opposed 700		g) 17.5	-	15	2.5
	Square Straight Linking End Tal	ble, Matte Bla	ck or Silver Me	tallic legs, Left handed	as seat	ed			
*	KAR4C-LKEL-18-18*	698	844	559	17.5	17.5	17.5	15	2.5
	Square Straight Linking End Talk KAR4C-LKER-18-18	ble, Matte Bla 698	ck or Silver Me 844	tallic legs, Right handed 559		ated 17.5	17.5	15	2.5
Ш	Square Straight Linking End Ta	ble, Polished	Chrome legs, L	eft handed as seated					
	KAR4C-LKEL-18-18* Square Straight Linking End Tal	853 ble, Polished	1002 Chrome legs, F	716 light handed as seated	17.5	17.5	17.5	15	2.5
	KAR4C-LKER-18-18	853	1002	716	17.5	17.5	17.5	15	2.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See Page 298 for suggested configurations.

## KARMA | LINKING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/ PVC					
Description	Model	Palette	Edge	Edge	W	D	Н	Weight	
•	Rectangular Straight Linking T KAR4C-LKII-22-18	able, Matte Bla 725	ack or Silver N 862	1etallic, Left or Riç 563	ght handed (S 22	ame dire 17.5	ectior -	n seating) 16.5	2.8
	Rectangular Straight Linking T KAR4C-LKIL-22-18				ed as seated (		ed sea		2.8
	Rectangular Straight Linking T KAR4C-LKIR-22-18	able, Matte Bla 725	ack or Silver N 862	letallic, Right hand 563		l (Oppos 17.5	sed so	eating) 16.5	2.8
	Rectangular Straight Linking T KAR4C-LKII-22-18	able, Polished 876	Chrome, Left 1013	or Right handed ( 716		n seatir 17.5	ng) -	16.5	2.8
	Rectangular Straight Linking T KAR4C-LKIL-22-18	able, Polished 876	Chrome, Left 1013	handed as seated 716	l (Opposed se 22	eating) 17.5	-	16.5	2.8
	Rectangular Straight Linking T KAR4C-LKIR-22-18	able, Polished 876	Chrome, Righ 1013	t handed as seate 716		seating) 17.5	-	16.5	2.8
*	Rectangular Straight Linking E KAR4C-LKEL-22-18*	End Table, Matt	e Black or Sil	ver Metallic, Left h		ted (Op		d seating)	2.8
	Rectangular Straight Linking E KAR4C-LKER-22-18				handed as se	eated (O 17.5			
J	Rectangular Straight Linking E KAR4C-LKEL-22-18*	888	1023	729	22	17.5	17.5	16.5	2.8
	Rectangular Straight Linking E KAR4C-LKER-22-18	End Table, Polis 888	shed Chrome, 1023	Right handed as a 729		sed sea 17.5	٠,	16.5	2.8
	Curvilinear Connector Table 48 KAR4C-LKCI-RF45	5°, Matte Black 990	or Silver Met	allic, Left or Right 785	handed (Sam 28	ne direct	ion, i	nward se	eating)
	Curvilinear Connector Table 45 KAR4C-LKCO-RF45	o, Matte Black 990	or Silver Meta 1442	llic, Left or Right h 785	anded (Same 28	direction 24	n, <b>out</b> -	t <b>ward</b> sea 19	ating) 4.2
	Curvilinear Connector Table 45 KAR4C-LKCL-RF45	5°, Matte Black 990	or Silver Met 1442	allic, Left handed 785	as seated ( <b>O</b> p 28	posed 24	seatii -	ng) 19	4.2
	Curvilinear Connector Table 45 KAR4C-LKCR-RF45	5°, Matte Black 990	or Silver Met 1442	allic, Right handed 785	d as seated ( <b>C</b> 28	Oppose 24	d sea	ting) 19	4.2
	Curvilinear Connector Table 49 KAR4C-LKCI-RF45	5°, Polished Ch 1141	nrome, Left or 1460	Right handed (Sa 938	me direction, 28	inward 24	seatii	ng) 19	4.2
	Curvilinear Connector Table 48 KAR4C-LKCO-RF45	1141	1460	938	28	24	d sea -	iting) 19	4.2
	Curvilinear Connector Table 48 KAR4C-LKCL-RF45	1141	1460	938	28	24	-	19	4.2
	Curvilinear Connector Table 49 KAR4C-LKCR-RF45					ating) 24	-	19	4.2
	Curvilinear Connector Table 49 inward seating)	5° Matte Black	or Silver Meta	allic,with Flat edge	e, Left or Righ	t hande	d (Sar	me direct	ion,
	KAR4C-LKCI-RR45	1022	1485	824	28	24	-	19	4.2
	Curvilinear Connector Table 45	° Matte Black o	or Silver Metal	lic, with Flat edge,	Left or Right I	nanded	(Same	e directior	٦,
	outward seating) KAR4C-LKCO-RR45	1022	1485	824	28	24	-	19	4.2
	Curvilinear Connector Table 45°								
	KAR4C-LKCL-RR45 Curvilinear Connector Table 45 KAR4C-LKCR-RR45	1022 ° Matte Black o 1022	1485 or Silver Metall 1485	824 ic, with Flat edge, 824	28 Right handed 28	24 as seate 24	- ed ( <b>O</b>   -	19 <b>pposed</b> s 19	4.2 eating) 4.2
	Curvilinear Connector Table 45°	Polished Chror	me, with Flat e	dge, Left or Right h	anded (Same	direction	n, <b>inw</b> a	<b>ard</b> seatin	g)
	KAR4C-LKCI-RR45 Curvilinear Connector Table 45° KAR4C-LKCO-RR45	1174 Polished Chron 1174	1636 ne, with Flat ed 1636	974 dge, Left or Right ha 974	28 anded (Same o 28	24 direction 24	outw -	19 <b>vard</b> seatii 19	4.2 ng) 4.2
	Curvilinear Connector Table 49 KAR4C-LKCL-RR45						ed se -		4.2
	Curvilinear Connector Table 49 KAR4C-LKCR-RR45	5° Polished Ch 1174	rome, with Fla 1636	t edge, Right han 974	ded as seated 28	d ( <b>Oppo</b> 24	<b>sed</b> s	seating) 19	4.2


**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See Page 298 for suggested configurations.

## KARMA | LINKING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/ PVC				
Description	Model	Palette	Edge	Edge	W	D F	H Weight	Cube
	Curvilinear Connector Table 90 KAR4C-LKCI-RR90	°, Matte Blacl	k or Silver Me 1866	tallic, Left or Right	handed (Same	e directio	n, <b>inward</b> s	seating)
	Curvilinear Connector Table 90°							
	KAR4C-LKCO-RR90	1287	1866	1033	38	24	- 22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCL-RR90	°, Matte Blacl 1287	k or Silver Me 1866	tallic, Left handed a 1033	as seated ( <b>Op</b> 38	oosed se 24	eating) - 22	5.5
	Curvilinear Connector Table 90							5.5
	KAR4C-LKCR-RR90	1287	1866	1033	38	24	- 22	5.5
	Curvilinear Connector Table 90			•			٠,	<i></i>
	KAR4C-LKCI-RR90 Curvilinear Connector Table 90	1439 Polished C	2018 brome Left o	1184 or Right handed (Sa	38 me direction (	24 outward	- 22 seating)	5.5
	KAR4C-LKCO-RR90	1439	2018	1184	38	24	- 22	5.5
	Curvilinear Connector Table 90	°, Polished C	hrome, Left h	anded as seated (	Opposed seati	ng)		
	KAR4C-LKCL-RR90	1439	2018	1184	38	.24	- 22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCR-RR90	<sup>1439</sup> , Polished C	nrome, Right 2018	nanded as seated	( <b>Opposea</b> sea	ating) 24	- 22	5.5
	NAN4O-LNON-NN90	1439	2016	1104	36	24	- 22	5.5
	Curvilinear Connector Table 90 inward seating)	o with Matte	Black or Silv	er Metallic, Flat ed	ge, Left or Riç	ght hand	ed (Same d	irection,
	KAR4C-LKCI-RF90	1213	1922	1064	38	24	- 22	5.5
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Curvilinear Connector Table 90	o, Matte Blac	k or Silver M	etallic, with Flat ed				
	outward seating)	,		,		,	(	,
	KAR4C-LKCO-RF90	1213	1922	1064	38	24	- 22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCL-RF90	, Matte Black 1213	or Silver Met 1922	allic, with Flat edge 1064	, Left handed a 38	as seated 24	( <b>Opposed</b> - 22	seating) 5.5
	Curvilinear Connector Table 90°,				•		,	٠,
	KAR4C-LKCR-RF90	1213	1922	1064	38	24	- 22	5.5
	Curvilinear Connector Table 90°		•	0 .	•			٠,
	KAR4C-LKCI-RF90	1479	2071	1215	38	24	- 22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCO-RF90	1479	2071	1215	38	24	- 22	seating) 5.5
	Curvilinear Connector Table 90			•	,		0,	
	KAR4C-LKCL-RF90 Curvilinear Connector Table 90	1479	2071	1215	38	24	- 22	5.5
	KAR4C-LKCR-RF90	1479	2071	1215	38	24	- 22	5.5
	Rectilinear Corner Connector T direction, <b>inward</b> seating)	able 90° Mat	te Black or Si	ver Metallic, with Fl	at edge, Left o	or Right h	nanded (Sar	ne
	KAR4C-LKCI-SF90	1440	2088	1155	30	30	- 26	5.5
1	Rectilinear Connector Table 90							
	outward seating)							
	KAR4C-LKCO-SF90	1440	2088	1155	30	30	- 26	5.5
	Rectilinear Connector Table 90°							
	KAR4C-LKCL-SF90	1440	2088	1155	30	30	- 26	5.5
	Rectilinear Connector Table 90° KAR4C-LKCR-SF90	1440	2088	ilic, with Flat edge, i 1155	Right handed a	30	- 26	seating) 5.5
	Rectilinear Corner Connector T	able 90° Polis	shed Chrome	, with Flat edge, Le	ft or Right har	nded (Sar	ne directior	ո, <b>in-</b>
	ward seating) KAR4C-LKCI-SF90	1653	2300	1369	30	30	- 26	5.5
	Rectilinear Connector Table 90°				handed (Same	e direction	n, <b>outward</b>	seating)
	KAR4C-LKCO-SF90	1653	2300	1369	30	30	- 26	5.5
	Rectilinear Connector Table 90			-				
	KAR4C-LKCL-SF90	1653	2300	1369	30	30	- 26	5.5
	Rectilinear Connector Table 90 KAR4C-LKCR-SF90	Polished Cr 1653	2300	1369	ded as seated 30	30	ed seating) - 26	5.5

**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See Page 298 for suggested configurations.

## KARMA | LINKING TABLES CONFIGURATIONS




ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

### **CRESSIDA** | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS



#### MATERIAL CONTENT:




PRE-CONSUMER RECYCLED CONTENT - 36.34%

POST-CONSUMER RECYCLED CONTENT - 26.4%

Up to 31.25% of this Cressida product is recyclable at the end of its useful life.



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 30.77%

POST-CONSUMER RECYCLED CONTENT - 25.68%

Up to 27.88% of this Cressida product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **CRESSIDA** | TABLE FEATURES

#### **ANTI-MICROBIAL FINISH**

Cressida wood surfaces include an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

#### STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>Page 331</u>. Cressida tables are available in 22 standard finishes.

#### **LAMINATE**

Cressida Box-style tables are available in laminate with wood side or laminate side. See <u>Page 332</u> for laminate information.

#### **SOLID SURFACE**

Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote.


## CRESSIDA | BOX-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	H V	/EIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	1123 1389	1169 1443	1166 1437	1211 1493	18 24		15.75 15.75	24 34	3 5
	Rectangular Table CRE4A 241816 CRE4A 482416	es 1234 1986	1283 2064	1275 2056	1327 2135	24 48		15.75 15.75	28 56	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	927 1131 1980	964 1178 2060	956 1275 2164	995 1327 2249	18 24 30	-	15.75 15.75 15.75	16 23 34	3 5 8
	Rectangular Rour CRE4 B181816 CRE4 B241816 CRE4 B242416 CRE4 B482416	nd Corner 1205 1358 1508 2190	1253 1413 1566 2277	1249 1415 1606 2344	1297 1472 1669 2438	18 24 24 48	18 24	15.75 15.75 15.75 15.75	21 25 30 51	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1250 1543 1960	1299 1606 2038	1375 1670 2097	1430 1739 2179	24 32 48	24	15.75 15.75 15.75	23 34 56	4 7 12
	Triangular Round CRE4B T1618-45 CRE4B T2124-45 CRE4B T2529-45 CRE4B T2818-90 CRE4B T3624-90 CRE4B T4429-90	5 1131 5 1295 5 1587 0 1407 0 1675	1178 1348 1650 1461 1745 2094	1148 1344 1677 1461 1754 2034	1194 1396 1746 1519 1824 2115	16 21 25 28 36 44	18 24 29 18 24 29	15.75 15.75 15.75		2.5 4.5 7 3 7.5 11


#### TRIANGULAR TABLE DIMENSIONS














## CRESSIDA | LIGHT-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH	T CUBE
	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	561 573 793	584 597 824	640 655 950	666 680 987	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Tables CRE4D 181816S CRE4D 242416S CRE4D 363616S	508 563 805	529 586 837	568 656 966	591 681 1004	18 24 36	18 24 36	16 16 16	22 33 65	3 5 12
	CRE4D 181821S CRE4D 242421S	518 575	539 599	581 666	603 695	18 24	18 24	21 21	25 35	4 5

### **LEYTON** | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS

#### MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 34.73%

POST-CONSUMER RECYCLED CONTENT = 15.68%

Up to 62.16% of this Leyton product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR EMISSIONS**

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



### FSC®

he mark of responsible forest

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **LEYTON | TABLES**

DESCRIPTION/MODEL		Maple, Oak Walnut Palette Laminate	Cherry Anigre Sycamore (5 UNIT MIN.)	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	LEY4122412	557	618	785	828	913	971
_	LEY4182412	582	662	896	955	1067	1145
	LEY4242412	611	709	1012	1083	1227	1324
	LEY4302412	639	757	1118	1205	1372	1489
	LEY4362412	666	802	1255	1355	1556	1694
<u> </u>	LEY4422412	811	967	1370	1485	1716	1873
3	LEY4183012	635	729	1003	1069	1206	1297
	LEY4243012	668	793	1127	1211	1380	1496
	LEY4303012	708	848	1247	1347	1547	1685
	LEY4363012	744	908	1393	1512	1749	1914
	LEY4423012	879	1064	1537	1673	1944	2132
	LEY4182416	597	677	901	958	1071	1150
	LEY4242416	625	724	1015	1087	1230	1329
	LEY4302416	655	771	1123	1208	1378	1494
	LEY4362416	681	814	1258	1360	1561	1697
	LEY4422416	827	981	1375	1491	1719	1877
	LEY4183016	648	744	1030	1097	1230	1324
IJ	LEY4243016	682	805	1152	1236	1408	1522
	LEY4303016	723	863	1271	1372	1573	1711
	LEY4363016	758	918	1418	1537	1775	1938
	LEY4423016	893	1080	1563	1697	1970	2157

Note: Leyton veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 tables (any combination of sizes) per species. Leyton Lounge and Tables feature Polished Chrome structural steel legs with glides.

Description	Model	Price	Weight	Cubes
	Replacement Table Le LEY4R2412 LEY4R2416 LEY4R3012 LEY4R3016	egs (pair) 227 235 263 291	8 10 10 12	1 1.25 2 2.25
	Replacement Glides - LEY3RG	Lounge & Table (set of four) 18	1	.25
	LEY3-POWERDOC -	Undermount 543	3	0.375



Can be field installed to the underside of Seats and Tables as a replacement part or installed on units not previously specified with a PowerDoc. Standard with 2 Power and 2 USB outlets. PowerDoc's have a 10' cord.

#### **DIMENSIONS**


Model	Width	Depth	Height	Shipping Weight	Cubes
LEY4122412	12	24	12	17.5	.7
LEY4182412	18	24	12	22	1.1
LEY4242412	24	24	12	28	1.4
LEY4302412	30	24	12	32	1.8
LEY4362412	36	24	12	37	2.2
LEY4422412	42	24	12	41.5	2.5
LEY4183012	18	30	12	23	1.1
LEY4243012	24	30	12	28	1.4
LEY4303012	30	30	12	33	1.8
LEY4363012	36	30	12	37.5	2.2
LEY4423012	42	30	12	42.5	2.5
LEY4182416	18	24	16	27	1.4
LEY4242416	24	24	16	33	1.8
LEY4302416	30	24	16	39	2.2
LEY4362416	36	24	16	45	2.7
LEY4422416	42	24	16	51	3.1
LEY4183016	18	30	16	28	1.4
LEY4243016	24	30	16	34	1.8
LEY4303016	30	30	16	40	2.2
LEY4363016	36	30	16	46	2.7
LEY4423016	42	30	16	52	3.1

### FAERON WOOD | ENVIRONMENTAL SUMMARY

#### LEED CI CREDITS

#### MATERIAL CONTENT:





F	10.87% Cardboard 2.17% Hardwood Veneer 34.78% Hardwood  52.17% Particle Board  Up to	CONSUMER CLED CONTENT = 54.89%  CONSUMER CLED CONTENT = 10.33%  10.87% of this Faeron prodrecyclable at the end of its life.  1-2 point(s)  1 point  1 point  1 point
	CONTRIBUTES TO	
REDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
REDIT 3.3	Resource Reuse	1 point
REDIT 4.1	Recycled Content	1 point
REDIT 4.2	Recycled Content	1 point
REDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
REDIT 5.1	Regional Materials*	1 point
REDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
nanufactured withir	y applicable if in total 20% of the combined value of the procurement of construction mat in a radius of 500 miles. This credit will apply if the installation of the finished product occurs within TIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION	500 miles of Kitchener, Ontario.
level	BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard is sustainability of furniture. This standard evaluates product and company environment systems in a wide range of elements which include Materials, Energy & Atmosphere,	al attributes and compliance





facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## FAERON WOOD | FREE STANDING TABLES

#### WOOD SPECIES

Solid Beech frames, and edges. Veneer tops.

#### STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>Page 331</u>. Faeron tables are available in 22 standard finishes.

#### LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge.
See Page 332 for color selection.

DESCRIPTION/MODEL		Beech	Laminate with Polymer Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	Round Tables FAE4-22D-21 FAE4-30D-16 FAE4-44D-16	1319 1484 2724	981 1099 1989	1938 2255 3981	2074 2412 4259	2190 2622 4645	2403 2932 5200
	Elliptical FAE4-E44-22-16	1696	1237	2495	2671	2910	3257
	Square Tables FAE4-22-22-21 FAE4-30-30-16 FAE4-44-44-16	1306 1512 2781	970 1121 2030	1850 2273 4062	1981 2432 4347	2106 2686 4740	2319 3035 5307
	Rectangular Table FAE4-44-22-16	1717	1253	2509	2683	2925	3278

### **DIMENSIONS**


Model	Width	Depth	Height	Shipping Weight	Cubes
Round Tables		<u> </u>			
FAE4-22D-21	22" Diame	ter	21	22	8
FAE4-30D-16	30" Diame	ter	16	35	11
FAE4-44D-16	40" Diame	ter	16	45	14
Elliptical					
FAE4-E44-22-16	44	22	16	65	21
Square Tables					
FAE4-22-22-21	22	22	21	34	8
FAE4-30-30-16	30	30	16	42	11
FAE4-44-46	44	44	16	47	12
Rectangular Table					
FAE4-44-22-16	44	22	16	55	12

### FAERON METAL | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 67.26%

A	12% Carabo 29% Steel 57% Particle	THEOTOLES CONTENT = 07.20%
	CONTRIBUTES TO	п
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1-2 point(s) 1 point 1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
	ole if in total 20% of the combined value of the procurement of 500 miles. This credit will apply if the installation of the finished	

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing ( facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### FAERON METAL | FREE STANDING TABLES

#### **FRAME FINISH**

Faeron Metal table frames are available in Krug Sliver Metallic or Brushed Nickel.

#### **METAL FINISH OPTIONS**

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$61 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$61 list per

per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

#### STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>Page 331</u>. Faeron tables are available in 22 standard finishes.

#### LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge.
See Page 332 for color selection.


are available for an upcharge of \$61 list per				occ <u>rage occ</u> for color colocion.				
DESCRIPTION/MODE	EL	Beech	Laminate with Polymer Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C	
	Round Tables, Silver	Metallic	Frame					
	FAE4-M22D-21S	1198	859	1817	1954	2069	2282	
	FAE4-M30D-16S	1295	911	2065	2222	2433	2743	
	FAE4-M44D-16S	2438	1703	3693	3972	4357	4914	
	Round Tables, Brush	ed Nicke	l Frame					
-	FAE4-M22D-21N	1369	1031	1988	2124	2241	2454	
	FAE4-M30D-16N	1466	1082	2236	2394	2605	2914	
	FAE4-M44D-16N	2815	2080	4070	4349	4735	5292	
	Elliptical, Silver Meta	ıllic Fram	<del></del>					
	FAE4-ME44-22-16S	1455	995	2254	2428	2667	3014	
	Elliptical, Brushed Ni	ickel Fran	ne					
	FAE4-ME44-22-16N	1796	1338	2595	2770	3010	3356	
	Square Tables, Silve	r Metallic	Frame					
	FAE4-M22-22-21S	1184	848	1730	1859	1984	2197	
	FAE4-M30-30-16S	1323	932	2084	2243	2496	2844	
	FAE4-M44-44-16S	2492	1741	3774	4060	4453	5020	
	Square Tables, Brusl	ned Nicke	el Frame					
	FAE4-M22-22-21N	1355	1020	1900	2030	2155	2368	
	FAE4-M30-30-16N	1494	1103	2255	2415	2669	3015	
	FAE4-M44-44-16N	2870	2118	4153	4438	4830	5397	
	Rectangular Table, S	ilver Met	allic Frame					
	FAE4-M44-22-16S	1474	1011	2265	2441	2683	3035	
	Rectangular Table, B	rushed N	lickel Frame					
	FAE4-M44-22-16N	1817	1353	2609	2783	3026	3377	
DIMENSIONS								
Model	Width		Depth	Height	Shipping Weigl	nt Cui	bes	
Round Tables			-	<del>-</del>				
FAE4-M22D-21	22" [	Diameter		21	30		8	
	າ "ດເ	Diamotor		16	42		11	

Model	Width	Depth	Height	Shipping Weight	Cubes
Round Tables FAE4-M22D-21 FAE4-M30D-16 FAE4-M44D-16	22" Diame 30" Diame 44" Diame	ter	21 16 16	30 42 72	8 11 21
Elliptical FAE4-ME44-22-16	44	22	16	42	12
Square Tables FAE4-M22-22-21 FAE4-M30-30-16 FAE4-M44-44-16	22 30 44	22 30 44	21 16 16	32 47 83	8 11 21
Rectangular Table FAE4-M44-22-16	44	22	16	47	12

### **ZOLA TABLES | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 58.82%

POST-CONSUMER
RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Zola products are supplied air emissions-certified. Contact customer service for information.

#### FSC\* C021699





In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **ZOLA | TABLES FEATURES**

#### **TABLES MATERIALS OPTION**

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

#### **SOLID SURFACE TOPS**

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

#### **POWER OPTION**

The flush-mounted Power unit provides dual power/USB outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$561 list.

#### **UNDER-MOUNT POWER OPTION**

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below tables.

See Page 247 for pricing.

### **ZOLA | MODULAR LINKING TABLES**

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Middle Linking Modu	ılar Table								
	ZOL4 LKM12	941	987	1037	1086	12	16	-	22	2.8
	ZOL4 LKM18	995	1046	1093	1152	18	16	-	24	4.5
1	ZOL4 LKM24	1023	1100	1125	1210	24	16	-	29	5.7
	ORDERING NOTE:	Middle Linkin	g Modular Ta	ble ships with 2 K	B1 brackets.					
	Rectangular End Tab	ole Square Co	rner							
	ZOL4 LKE12	1003	1056	1103	1160	12	16	14.75	5 19	2.8
	ZOL4 LKE18	1046	1100	1152	1210	18	16	14.75	5 23	4.5
	ZOL4 LKE24	1092	1145	1203	1260	24	16	14.75	5 28	5.7
	ORDERING NOTE:	End Linking N	Modular Table	ships with 1 KB1	bracket.					
	End Table Rounded	Corner								
	ZOL4 ECLKH12	1142	1187	1174	1223	12	12	14.75	5 18	2.5
	ZOL4 ECLKH18	1234	1283	1279	1329	18	12	14.75	5 24	3
	ORDERING NOTE:	End Linking N	Modular Table	ships with 1 KB1	bracket.					
	Curvilinear 30° Table ZOL4 LKC30	971	1023	1069	1125	16	16.5	-	15	2.3
	Curvilinear 45° Table ZOL4 LKC45	1046	1100	1152	1210	16	17	-	17	2.9

**ORDERING NOTES:** Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table.

A-White	Grades A-Color	В	С
208	219	248	281
257	273	317	365
363	387	498	592
208	219	248	281
257	273	317	365
363	387	498	592
208	219	248	281
257	273	317	365
235	248	285	324
294	313	366	425
	208 257 363 208 257 363 208 257 235	A-White A-Color  208 219 257 273 363 387 208 219 257 273 363 387 208 219 257 273 363 387 208 219 257 273 235 248	A-White         A-Color         B           208         219         248           257         273         317           363         387         498           208         219         248           257         273         317           363         387         498           208         219         248           257         273         317           235         248         285

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

### **ZOLA | MODULAR LINKING TABLES**


DESCRIPTION		BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Curvilinear 60° Table ZOL4 LKC60	1092	1152	1203	1269	16	17.5	-	20	3.7
<b>6</b>	Curvilinear 90° Table ZOL4 LKC90	1222	1290	1344	1417	16	19	-	24	5.4
	Curvilinear 90°x2 Tal ZOL4 LKC90X2	ble 2427	2500	2669	2749	16	19	-	55	10
<b>*</b>	Curvilinear Table ZOL4 LKH12	1063	1115	1170	1227	16	19	14.75	18	2.3

**ORDERING NOTES:** Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKC60	361	383	451	533
ZOL4-LKC90	536	568	685	817
ZOL4-LKC90X2	852	889	1087	1313
ZOL4-LKH12	208	219	248	281

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

#### **CURVILINEAR TABLE DIMENSIONS**



**SEATING & OCCA-**

## **ZOLA** | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	H W	/EIGH1	Γ CUBE
	Square Tables ZOL4 181815 ZOL4 242415	1046 1131	1100 1192	1152 1243	1210 1309	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4 241815 ZOL4 482415	1085 1295	1146 1375	1194 1424	1264 1512	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15	1115 1192 1325	1185 1256 1404	1227 1309 1458	1302 1383 1542	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Rot ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415	und Corners 1215 1366 1503 2157	1265 1421 1561 2242	1258 1422 1606 2294	1311 1481 1669 2385	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915	1264 1534 1920	1313 1594 1997	1428 1703 2147	1485 1770 2234	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 1818	274	287	336	390
ZOL4 2424	439	447	534	631
ZOL4 2418	327	347	413	486
ZOL4 4824	735	754	924	1115
ZOL4 18D	261	277	323	378
ZOL4 24D	391	422	508	603
ZOL4 30D	627	682	898	1082
ZOL4 EC1818	274	287	336	390
ZOL4 EC2418	327	347	413	486
ZOL4 EC2424	439	447	534	631
ZOL4 EC4824	735	754	924	1115
ZOL4 E2418	327	347	413	486
ZOL4 E3224	518	554	666	795
ZOL4 E4829	865	904	1109	1339

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


## **ZOLA** | FREESTANDING TABLES

		BEECH PALETTE	MAPLE	LAMINATE TOP W/BEECH	LAMINATE TOP W/ MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
	Triangular Tables - ZOL4 CR45D1815 ZOL4 CR45D2415 ZOL4 CR45D2915	1136	ners 1181 1341 1624	1150 1338 1652	1198 1390 1718	15.75 20.5 25	18 24 29	14.75 14.75 14.75	22	2.5 4.5 7
Ų	ZOL4 CR90D1815 ZOL4 CR90D2415 ZOL4 CR90D2915	1648	1454 1716 2046	1457 1727 2009	1510 1796 2090	17.5 36.25 44.5	18 24 29	14.75 14.75 14.75	29	3 7.5 11

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 CR45D18	258	273	318	368
ZOL4 CR45D24	384	412	488	574
ZOL4 CR45D29	517	546	655	777
ZOL4 CR90D18	323	354	420	494
ZOL4 CR90D24	549	584	705	843
ZOL4 CR90D29	777	806	984	1183


The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

#### TRIANGULAR TABLE DIMENSIONS



### **SUTTON | ENVIRONMENTAL SUMMARY**

#### LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 75.72%

POST-CONSUMER
RECYCLED CONTENT = 10.43%

Up to 5.80% of this Sutton product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



he mark of responsible forest

### AIR EMISSIONS

All Sutton products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **SUTTON** | OCCASIONAL TABLES

#### **FINISHES**

			OAK, CHERRY, MAPLE	DIN	MENSIC	NS	SHIPPING	CUBIC
DESCRIPTION/MODEL		LAMINATE	WALNUT, MEDIUM ANIGRE	W	D	Н	WEIGHT	FEET
	SUTTON SQUAR	E						
	SUT4-24-24-16	1012	1125	24	24	16	48	8
	SUT4-24-24-21	1061	1178	24	24	21	49	10
	SUT4-30-30-11	1138	1264	30	30	11	65	7
	SUT4-30-30-16	1162	1291	30	30	16	69	11
Ψ	SUT4-48-24-16	1311	1457	48	24	16	83	14
	SUT4-48-24-21	1342	1491	48	24	21	84	18
	SUT4-48-30-11	1407	1561	48	30	11	96	11
	SUT4-48-30-16	1437	1593	48	30	16	98	15

#### ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish or laminate for the table

#### STANDARD FINISHES

Sutton is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer.

For a complete list of standard wood finishes please see Page 331.

#### STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

#### **LAMINATE**

Sutton is available in laminate. Please seep pricing above. Please see Page 332 for laminate selection.

Laminate is not available on KrugExpress.


#### BASES

Bases are available in Silver Metallic only.

### **VIRTU TABLES | ENVIRONMENTAL SUMMARY**

#### **LEED CERTIFICATION**





PRE-CONSUMER
RECYCLED CONTENT = 67.31%

POST-CONSUMER
RECYCLED CONTENT = 12.15%

Up to 45.80% of this Virtu product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Virtu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### AIR EMISSIONS

All Virtu products are supplied air-emissions certified. Contact customer service for information.



### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Virtu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **VIRTU | OCCASIONAL TABLES**

#### **FINISHES**

Oak, Cherry, Maple, Walnut, Medium Anigre Shipping Cubic Dimensions DESCRIPTION/MODEL STYLE 1 D Weight Feet Square - Frosted Glass Top VIR4-18-18-21-1 1541 40 18 18 21 8 VIR4-24-24-16-1 1645 24 52 13 24 16 VIR4-24-24-21-1 1830 24 24 21 52 13 VIR4-30-30-21-1 2221 30 30 63 21 19 VIR4-36-36-16-1 2640 36 85 36 16 27 VIR4-42-42-16-1 2886 95 42 42 16 21 VIR4-48-24-16-1 3143 48 78 16 25 Round - Frosted Glass Top 1784 52 24 16 13 VIR4-24D-16-1 3159 36 85 16 27 VIR4-36D-16-1 2057 24 21 52 13 VIR4-24D-21-1



		Oak, Cher	ry, Maple,						
		Walnut, Med	dium Anigre		Di	mensic	ons	Shipping	Cubic
DESCRIPTION/MODEL		STYLE 1	STYLE 2	LAMINATE	W	D	Н	Weight	Feet
	Square - Wood Top								
	VIR4-18-18-21-0	1247	1337	1345	18	18	21	40	8
	VIR4-24-24-16-0	1306	1374	1427	24	24	16	52	13
	VIR4-24-24-21-0	1397	1494	1518	24	24	16	52	13
	VIR4-30-30-21-0	1657	1772	1766	30	30	21	63	19
Ť	VIR4-36-36-16-0	1948	2071	2103	36	36	16	85	27
	VIR4-42-42-16-0	2841	2979	2993	42	42	16	95	21
	VIR4-48-24-16-0	2608	2789	2685	48	24	16	78	25
	ORDERING NOTES								
	A Style (1 or 2) must	be selected a	nd noted clearly	on Purchase Ord	der.				
	Round - Wood Top								
	VIR4-24D-16-0	935	997	1076	24	_	16	52	13
	VIR4-36D-16-0	1779	1904	2027	36	_	16	85	27
	VIR4-24D-21-0	1209	1291	1351	24	-	21	52	13

#### **ORDERING NOTES**

A Style (1 or 2) must be selected and noted clearly on Purchase Order.

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select Style 1 or Style 2

#### **CODE DESCRIPTION**

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

#### STANDARD FINISHES

Virtu is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer. For a complete list of standard wood finishes please see Page 331.

#### STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

#### **METAL DETAILING**

Metal detailing is available in Silver Metallic only.


#### GLASS

Glass is available in frosted only. Glass tempered and 8mm thick. Floats on clear rubber bumpers.

### **MILLENNIUM | ENVIRONMENTAL SUMMARY**

#### **LEED CERTIFICATION**





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER
RECYCLED CONTENT = 16.25%

Up to 38.93% of this Millennium product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Millennium products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Millennium products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Millennium and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.




Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### MILLENNIUM | OCCASIONAL TABLES

-	FI	N	IS	Н	ES

			CHERRY, MAPLE	DII	MENSIO	NS	SHIPPING	CUBIC
DESCRIPTION/MODE	_	OAK	WALNUT, MEDIUM ANIGRE	L	W	Н	WEIGHT	FEET
	MILLENNIUM SQU	ARE, AND R	ECTANGLE					
	6800-18-18-21	744	854	18	18	21	19	5
	6800-18-18-29	782	903	18	18	29	23	9
	6800-24-18-21	817	948	24	18	21	20	6
	6800-24-24-21	850	970	24	24	21	23	8
	6800-26-26-21	885	1004	26	26	21	26	9
	6800-30-30-16	982	1114	30	30	16	34	8
	6800-48-18-16	1068	1240	48	18	16	36	9
	6800-48-18-29	1291	1455	48	18	29	46	15
	MILLENNIUM ROUI	ND						
	6800-24Dia.	1228	1413	24 Dia.		21	27	8
	6800-30Dia.	1297	1475	30 Dia.		16	38	8
	6800-36Dia.	1408	1584	36 Dia.		16	42	12

#### MILLENNIUM EDGE DETAIL PROFILES



An edge detail profile must be selected for Millennium occasional tables.

#### **ORDERING NOTES**

Optional laminate inlay available at a 10% upcharge. Please contact Customer Service for more information. Laminate is not available on *KrugExpress*.

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select and edge detail profile

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### STANDARD FINISHES

Millennium tables are available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes, please see page 4.

#### STANDARD WOOD SPECIES

Standard wood species available: Oak, Cherry & Maple.


#### **BIRDSEYE MAPLE**

Bookmatched Birdseye Maple Veneer is available on Millenium occasional tables at an upcharge of **\$60 list** per square foot. Birdseye Maple is recommended in a clear finish only.

### PRADO | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS





PRE-CONSUMER **RECYCLED CONTENT = 60%** 

POST-CONSUMER **RECYCLED CONTENT = 15%** 

Up to 88.5% of this Prado product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





he mark of reenoneible forest

#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Prado products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR EMISSIONS**

All Prado products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Prado and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### PRADO | OCCASIONAL TABLES

#### **FINISHES**

CHERRY, MAPLE, WALNUT, MEDIUM ANIGRE DIMENSIONS SHIPPING CUBI						CUBIC			
DESCRIPTION/MODE	_	STYLE 1	STYLE 2	LAMINATE	L	W	Н	WEIGHT	FEET
~	PRADO SQUARE	AND RECTANO	GULAR						
	5610-18-18-16	1356	1461	1356	18	18	16	40	3
	5610-18-18-21	1371	1481	1371	18	18	21	42	4
	5610-18-24-16	1407	1510	1407	18	24	16	47	4
\ \] \]	5610-18-24-21	1428	1533	1428	18	24	21	49	5
• \	5610-24-24-16	1458	1567	1458	24	24	16	53	5
9	5610-24-24-21	1484	1593	1484	24	24	21	55	7
	5610-30-30-16	1512	1652	1512	30	30	16	69	8
	5610-30-30-21	1563	1683	1563	30	30	21	72	11
	5610-36-36-16	1600	1718	1600	36	36	16	88	14
	5610-36-36-21	1624	1748	1624	36	36	21	90	15
	5610-48-24-16	1646	1772	1646	48	24	16	102	11
	5610-48-24-21	1672	1798	1672	48	24	21	108	14
	ORDERING NOT A Style (1 or 2) mu		and noted clea	rly on Purchase Ord	ler.				
	PRADO ROUND								
	5611-18D-16	1522	1636	1522	18 Dia.	-	16	35	3
	5611-18D-21	1563	1683	1563	18 Dia.	-	21	37	4
	5611-24D-16	1617	1733	1617	24 Dia.	-	16	46	5
/  / 🌡 \	5611-24D-21	1646	1768	1646	24 Dia.	-	21	49	7
• // J	5611-30D-16	1750	1880	1750	30 Dia.	-	16	59	11
#	5611-30D-21	1797	1932	1797	30 Dia.		21	63	12
	5611-36D-16	2061	2217	2061	36 Dia.		16	74	12
	5611-36D-21	2124	2283	2124	36 Dia.	-	21	79	15
	ORDERING NOTES A Style (1 or 2) must be selected and noted clearly on Purchase Order.								
	PRADO OVAL								
	5612-18-24-16	2038	2188	2038		24	16	47	5
	5612-18-24-21	2147	2304	2147		24	21	49	6
1/ 1/ \	5612-42-24-16	2464	2655	2464		24	16	102	9
	5612-42-24-21	2589	2785	2589	42	24	21	104	14

#### **ORDERING NOTES**

Prado comes with silver metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select Style 1 or Style 2
- 3. Select a finish for the table

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### **CODE DESCRIPTION**

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

#### STANDARD FINISHES

Prado is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see Page 331.

#### STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.


#### **METAL DETAILING**

Prado comes with Silver Metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

### **CARLYLE TABLE | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 50%

POST-CONSUMER RECYCLED CONTENT = 15%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CARLYLE** | OCCASIONAL TABLES

		FINISHES					
		CHERRY, MAPLE				SHIPPING	CUBIC
DESCRIPTION/MODEL	-	WALNUT, MEDIUM ANIGRE	W	D	Н	WEIGHT	FEET
	CAR4-18-18-24	1212	18	18	24	30	5.5
	CAR4-24-22	1308	24	24	22	32	9
	CAR4-42-21-16	1631	42	21	16	65	9.9

#### ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the wood frame

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### STANDARD FINISHES

Carlyle is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see Page 331.

#### STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.

#### **METAL DETAILING**

The legs on the Carlyle series feature a Silver Metallic finish.

#### GENERAL INFORMATION

#### **Terms and Conditions**

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

#### **Contact Information**

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

**Customer Service Hours** 

Please note customer service hours are:

8:30 am to 5:00 pm est

#### **Customer Satisfaction**

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

#### **Order Acknowledgments**

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

#### Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

#### **Pricing**

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

#### Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

#### Warrantv

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- · properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

#### **Blanket Wrapping**

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

#### **Export Packaging**

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

**Important:** Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

#### **Dimensions**

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

#### **Installation Support**

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

#### GENERAL INFORMATION

#### **Freight Terms and Conditions**

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$78/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$78/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$78/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

#### **Product Strength and Durability Testing**

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.

#### **Damaged Shipments**

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

#### Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

#### Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

#### **Custom Capabilities**

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

#### These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address <a href="mailto:engineering.co.">engquotes@krug.ca</a>.

#### **Care and Maintenance Leather**

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters

#### **Fabric Upholstery**

Professional upholstery cleaning is recommended.

#### Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

### KRUG TEXTILES - UPHOLSTERY FABRICS



### Krug Textiles - Stocked Fabric Program

#### Grade 1

### **ARLO**





### KRUG TEXTILES - UPHOLSTERY FABRICS

#### Krug Textiles - Stocked Fabric Program

#### Grade 2

### **GRADDY**











84 TEAK

98 NICKLE

93 GRAY





34 SLATE











92 ZINC



908 CHARCOAL

**MCCOY** 











608 TUNDRA



94 MERCURY

62 COPPER 84 BARK

108 CORDOVAN

**ORIS** 











908 DOMINO 305 MIDNIGHT



205 CHARTREUSE

### KRUG TEXTILES - UPHOLSTERY FABRICS



#### Krug Textiles - Stocked Fabric Program

#### Grade 3

### **MORITZ**















9008 CHARCOAL

82 CLAY

304 CAPRI

**LORENZO** 











32 MIST



601 CREAM

24 ALPINE



91 FLANNEL 604 STUCCO

**BISCOTTI** 









91 GRANITE

## **INTRIGUE**



















#### Krug Textiles - Faux Leather Program - Grade 2



#### Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



#### Krug Textiles - Cut fabric NET price per yard

Grade 1 \$21 Grade 2 \$33 Grade 3 \$44

#### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

#### CUSTOMER'S OWN MATERIAL - C.O.M.

#### Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

#### **Application of Directional Upholstery cover**

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

### COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

#### Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

#### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

#### **Upholstery Cover Yardage Calculation**

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

#### GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

#### **Upholstery Grades**

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

#### **Upholstery Samples**

If you require additional samples or memos for presentation, please contact fabric supplier directly.

#### Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

#### **Special Conditions**

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

### KRUG EXPRESS PROGRAM

#### **PROGRAM DETAILS**

*KrugExpress* orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

#### **SEATING & OCCASIONAL TABLES PROGRAM**

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

### WOOD FINISHES

#### **WOOD FINISHES**

Standard wood finishes are:

#### Finishes on Beech

Appalachian Cherry
American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry

Light Oak Harvest Oak

Mahogany

Mellow Oak

Espresso

Cordovan Walnut Natural Walnut

Regular Walnut

SilverGrey on Walnut

Dark Walnut

Clear Beech

Medium Anigre

#### Finishes on Maple

Clear Maple Honey Maple Wheat Maple

#### **PALETTE**

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

## WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

#### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

#### **Custom Wood Finishes**

Add 10% list to your order for special finishes, minimum upcharge is \$525 list per finish per order. (For example, on all orders up to \$5250 list, an upcharge of \$525 will apply, on orders \$5000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

#### **Dual Finishes**

Add 10% list per item if specifying dual finish.

#### **Standard Wood Finishes**

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

#### **LAMINATES**

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES			
<b>Wood Grain Laminates</b>	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984–38		
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR

#### **PHASE OUT LAMINATES**


Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

#### **Non-Stocked Laminates**

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

### SOLID SURFACE PROGRAM


The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



### **BASE STYLES**

Base Styles	Description								
Black Nylon	5 blade glass re	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.							
Polished Aluminum	5 blade polished	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.)							
Seat Slider		Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.							
Wood	5 blade steel ba	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.							
Chrome	5 blade polished	5 blade polished chrome base with 2 1/4" dual wheel casters.							
Jury Bases	Into the base is	Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning							
Jury Bases	height feature w	hen exiting the chair. Al	lows for full 360 degree	rotation. Limited de	egrees of rotation ar	e not available.			
Pan Am Pan1-M11 <u>J</u>	Bank of England 177- <u>J</u>	Dorso D0S1-H2011 <u>J</u>	Cadence CAD1-HW12 <u>J</u>	C5 C5E1MB41A <u>J</u>	Aqua AQU1M33 <u>J</u>				

# krug









All products are air emissions certified and are available as FSC® certified