SEATING & OCCASIONAL TABLES

Price and Specification Guide **CANADA**



krug

Advancing Design Through Innovation

TABLE OF CONTENTS

PRICING & SPECIFICATIONS

2	Management & Task Seating
3	Callisto
7	C5
16	Aqua
22	Dorso E
29	Dorso T
34	Dorso Weave
40	Dorso
47	Me
53	Pan Am
58	Cadence

64 Guest Seating

65 Addison 68 Blake 71 Dorso 74 Bali 76 Kita 78 Spence 80 Cadence 82 Faeron Wood 88 Faeron Metal

94 Multi-Purpose Seating

95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri

124 Bank of England

126 Barstools & Counter Height Seating127 Manolo

131 Karma 133 Capri 135 Corfu

141 Lounge Seating

142 Avatar
145 Cressida
155 Leyton
166 Zola
183 Zola Privacy
249 Faeron
261 Sutton

263 Carlyle265 Brio267 Sloane

269 Benches

270 Tate 276 Zola 286 Carlyle 287 **Occasional Tables** 288 Chit Chat 292 Avatar 294 Karma 299 Cressida 302 Leyton 304 Faeron Wood 306 Faeron Metal 308 Zola Sutton 313 Virtu 315 Millennium 317 319 Prado

Carlyle

321

General Information General Information Krug Textiles - Upholstery Fabrics 325 Krug Textiles - Leather & Luxe Faux Leather 327 329 C.O.M. Graded-In Upholstery Programs 330 330 KrugExpress Program 331 Wood Finishes 332 Laminate Program 332 Solid Surface Program 333 Base Styles

MANAGEMENT & TASK SEATING


- 3 Callisto
 - C5
- 7 16
- Aqua Dorso E 22
- 29 Dorso T Dorso Weave
- 40 Dorso
- 47 Me
- 53 Pan Am 58 Cadence

CALLISTO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 28.83%

POST-CONSUMER RECYCLED CONTENT = 21.67%

Up to 70.56% of this Callisto product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Callisto products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Callisto products are supplied air-emissions certified. Contact customer service for information.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CALLISTO | FEATURES & OPTIONS



BREATHABLE MESH

Mesh Seats and Backs are available in 2 colors: Black and Grey.



UPHOLSTERED CUSHIONING

Upholstered Seats and Backs are available in a wide range of textiles, and seat features molded foam that is supportive for extended periods of sitting.



ADJUSTABLE LUMBAR SUPPORT

This optional feature provides enhanced support in the lower lumbar area of the back with 3" of adjustment range.



FIXED CANTILEVER ARM

This arm features Polished Aluminum with an integrated urethane pad surface.



ADJUSTABLE ARM

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards.



ARMLESS

Callisto models are available armless.



SELF-ADJUSTING SYNCHRO MECHANISM

The tilt feature adjusts automatically to the user's weight. It includes a standard seat slider feature adding an adjustment range of 2", and 4 position tilt lock with anti-kickback, and height adjustability.



BASES

Base options include Polished Aluminum and Black Polymer, and a soft wheel caster option.



STOOL BASE

A stool version is available on all Callisto models. It has a standard height adjustment range of 7.5". Foot ring is Polished Chrome, and standard gas lift is Black.

The Seat Slider and Seat Slider Plus option is not available with the Stool base. Stool base is only available with a swivel mechanism.

WEIGHT CAPACITIES

Callisto has been tested and complies with ANSI/BIFMA x5.1-2011 standards.
Callisto has been load tested to 450lbs

OPTIONS



ADJUSTABLE ARMS PLUS

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards. Adjustable Arms Plus provides a width adjustment range of 3". The upcharge for this option is \$90 list.

SEAT SLIDER PLUS

The optional enhanced seat slider, has an adjustment range of 3". When the 3" seat slider option is selected a larger chair base is included. This option is priced at an upcharge of \$68 list. Seat Slider Plus option is not available with the Stool base.

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

REPLACEABLE COMPONENTS

Callisto is uniquely designed to allow major components to be field replaced, providing a very cost-effective means to significantly extend the life of the product.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with nonflammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

CALLISTO | DIMENSIONS & COM REQUIREMENTS

							Height	Height					
				Overall	Seat	Seat	Arms From	Arms From	Width				
	Overall	Overall	Overall	Height	Height	Height -Stool	Floor	Floor-Stool	Between	Seat	Shipping		COM
	Width	Depth	Height	-Stool	Min/Max	Min/Max	Min/Max	Min/Max	Arms	Depth	Weight	Cubes	YRD
CAL1M10	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	-
CAL1M11	25	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	-
CAL1M12	24	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	17	19	45	14.5	-
CAL1M20	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	.85
CAL1M21	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	.85
CAL1M22	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	.85
CAL1M30	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	1.68
CAL1M31	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	1.68
CAL1M32	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	1.68

CALLISTO

 COM
 COL
 FABRIC GRADES
 LEATHER

 DESCRIPTION/MODEL
 1
 2
 3
 4
 5
 6
 7
 8
 9



Mesh Back & Seat, Armless with Black Base

CAL1M10B 968

Mesh Back & Seat, Armless with Polished Aluminum Base

CAL1M10P 996



Mesh Back & Seat, Adjustable T-Arm with Black Base

CAL1M12B 1084

Mesh Back & Seat, Adjustable T-Arm with Polished Aluminum Base

CAL1M12P 1113



Mesh Back & Seat, Fixed Cantilever Arm with Black Base

CAL1M11B 1113

Mesh Back & Seat, Fixed Cantilever Arm with Polished Aluminum Base

CAL1M11P 1141

ORDERING NOTES: To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	61	
Soft Wheel Casters	61	
Adjustable Lumbar Support (L)	57	
Adjustable Arms Plus (W)	90	
Stool Base	103	
Seat Slider Plus (S)	68	

PRODUCT CODE KEY

Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL Callisto	1 Management, Task & Conference Seating	M Mid Back	1 Mesh Back & Seat	0 Armless	B Black Polymer	
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3 Fully Upholstered	2 Adjustable T-Arm		

DESCRIPTION/MODEL		COM	2	COL 3	FAE	BRIC GRAD	DES 6	7	LEATHER 8	9	
DESCRIPTION/MODEL		ı		<u> </u>	4	<u> </u>	6	1	0	9	
	Mesh Back & Uphols CAL1M20B	tered Sea 1042		s with Bla	ck Base 1140	1188	1240	1287	1337	1435	
	Mesh Back & Uphols CAL1M20P		t, Armles 1095	s with Poli 1121	ished Alum 1170	ninum Base 1219	1268	1316	1366	1463	
Mesh back & Upholstered Seat, Adjustable T-Arm with Black Base											
	CAL1M22B		1186	1210	1258	1307	1356	1407	1456	1555	
	Mesh back & Uphols	tered Seat	t Adiusta	able T-Arm	with Polis	hed Alumin	um Base				
	CAL1M22P	1188	1213	1240	1287	1337	1386	1435	1484	1582	
	Mesh Back & Uphols										
	CAL1M21B	1188	1213	1240	1287	1337	1386	1435	1484	1582	
<u></u>	Mesh Back & Upholstered Seat, Fixed Cantilever Arm with Polished Aluminum Base										
	CAL1M21P		1243	1267	1316	1366	1413	1463	1513	1610	
	Fully Upholstered Ba	ck & Seat	Armless	with Blac	k Base						
	CAL1M30B	1094		1190	1287	1384	1483	1580	1675	1871	
	Fully Upholstered Back & Seat, Armless with Polished Aluminum Base										
	CAL1M30P		, Armiess 1170	with Polis	snea Alumi 1316	num Base 1412	1510	1609	1705	1897	
	OALTWOOT	1122	1170	1220	1310	1412	1510	1009	1705	1097	
	Editional Section 15	-1-0-0-1	A -1' '	I-1- T A	. ill. Die 1	D					
	Fully Upholstered Ba CAL1M32B	ck & Seat 1212		ble I-Arm 1308	with Black 1407	1504	1599	1696	1794	1988	
	Fully Upholstered Ba	ck & Seat	. Adiusta	ble T-Arm	with Polish	ned Alumini	ım Base				
	CAL1M32P	1242	-	1337	1435	1533	1627	1725	1821	2016	
-	Fully Upholstered Ba	ok & Soot	Fixed C	antilevor A	rm with DI	ack Bass					
	CAL1M31B	1241		1337	1435	1533	1627	1725	1821	2016	
L)7	Fully Upholstered Ba	ck & Seat	, Fixed C	antilever A	rm with Po	olished Alur	minum Bas	е			
	CAL1M31P	1269	1318	1366	1463	1561	1656	1753	1850	2045	

ORDERING NOTES: To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List	:
CAL 133 & Moisture Barrier (per yard)	61	
Soft Wheel Casters	61	
Adjustable Lumbar Support (L)	57	
Adjustable Arms Plus (W)	90	J
Stool Base	103	j
Seat Slider Plus (S)	68	i
PRODUCT CODE KEY		


PRODUCT CODE	NET					
Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL Callisto	1 Management, Task & Conference Seating	M Mid Back	1 Mesh Back & Seat	0 Armless	B Black Polymer	
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3 Fully Upholstered	2 Adjustable T-Arm		

C5 | ENVIRONMENTAL SUMMARY

LEED CI CREDITS







PRE-CONSUMER
RECYCLED CONTENT = 24.5%

POST-CONSUMER
RECYCLED CONTENT = 19.4%

Up to 60.1% of this C5 product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. C5 products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All C5 products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. C5 and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ARM STYLES

C5 features four styles of fixed arms; polished aluminum with polymer pad, polished aluminum with upholstered pad, full black polymer arm, and fully upholstered arm.



Polished Aluminum Arm with Polymer Pad



Polished Aluminum Arm with Upholstered Pad



Black Polymer Arm



Fully Upholstered - Leather or Fabric wrapped upholstered arm with detailed top stitching.



MECHANISM OPTIONS

Swivel-Tilt - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment. Right side activated tension control. Available in Black only.



Knee Tilt - Right side activated tension control and vertical adjustment. Left side 4 position activated tilt lock. Available in Black powdercoat or Polished Aluminum.

BASE STYLES

C5 seating is available in two base options. Choose from a black nylon, or a polished aluminum.



Polished Aluminum



Black Glass Reinforced Nylon



Jury Base

The C5 series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

C5 | FEATURES & OPTIONS

SEAT

The seat has been carefully researched and shaped to provide extended sitting comfort, with a foam density that provides an optimal combination of softness and firmness.

REPLACEABLE COMPONENTS

C5 chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable.

OPTIONS

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C5 | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	_	COM Yardage
Mid Back										
Polished Aluminum Arm with Polymer pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Polished Aluminum Arm with Uph. Pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.9
Black Polymer Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Upholstered Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	2.5
High Back										
Polished Aluminum Arm with Polymer Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Polished Aluminum Arm with Uph. Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.3
Black Polymer Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Upholstered Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.9

MULTIPLE YARDAGE REQUIREMENTS

	Yardage Seat & Back Rest	Yardage Seat only	Yardage Back rest only	Yardage Upholstered Arm Pad (2)	Yardage Full Upholstered Arm (2)	
Mid Back						
1 Chair	1.7	.9	1.5	.19	.8	
2 Chairs	3.3	1.14	2.4	.19	1.06	
3 Chairs	5	2.04	3.2	.19	1.5	
4 Chairs	6.6	2.28	4	.19	2.19	
High Back						
1 Chair	2.1	.9	1.95	.19	.8	
2 Chairs	3.4	1.14	3.1	.19	1.06	
3 Chairs	5.5	2.04	4.2	.19	1.5	
4 Chairs	7.4	2.28	5.8	.19	2.19	

DIMENSIONS:

Height measurements of C5 tilter are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

COM APPROVAL PROCESS:

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

WEIGHT CAPACITY:

C5 has been tested to ANSI BIFMA.

C5 is load rated to 300lbs

C5 EXECUTIVE | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	LEATHER 8	9	
	FULLY UPHOLSTERE	D ARM									
	C5E1MB41A Polished Aluminum kn	1316 lee tilt, P	1379 olished A	1442 Iuminum b	1533 pase	1635	1724	1827	1956	2084	
	C5E1MB42B Black Aluminum knee	1279 tilt, Blac	1344 k base	1409	1495	1598	1689	1791	1919	2044	
	POLISHED ALUMINUM ARM WITH POLYMER PAD										
	C5E1MB11A Polished Aluminum kn	1148 ee tilt, P	1205 olished A	1258 Iuminum b	1338 pase	1428	1506	1594	1707	1819	
	C5E1MB12B Black Aluminum knee	1113 tilt, Blac	1169 k base	1224	1302	1392	1467	1559	1669	1781	
	BLACK POLYMER AR	М									
	C5E1MB32B Black Aluminum knee	1031 tilt, Blac	1085 k base	1141	1253	1365	1478	1588	1698	1922	
8 1	BLACK POLYMER AR	M									
	C5E1MB33C Black Swivel tilt, Polisl	990 hed Alum	1044 ninum ba	1102 se	1181	1270	1349	1438	1549	1662	
	C5E1MB33D Black Swivel tilt, Black	964 base	1018	1074	1152	1243	1320	1411	1521	1634	



ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add \$77 list. Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.**For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
109	115	120	130	139	148	157	170	181

PRODUCT CODE KEY

ODOO! OODE!KE!					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

Jury Base

C5 EXECUTIVE | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	F <i>A</i> 4	ABRIC GRA	ADES 6	LEATHER 7 8 9		
	FULLY UPHOLSTERE	D ARM								
	C5E1HB41A Polished Aluminum kn	1365 ee tilt, Po	1437 olished <i>P</i>	1509 Aluminum	1609 base	1723	1824	1939	2084	2228
	C5E1HB42B Black Aluminum knee	1327 tilt, Black	1399 k base	1472	1573	1688	1789	1903	2045	2190
	POLISHED ALUMINUM	M ARM V	VITH PO	LYMER PA	AD					
	C5E1HB11A Polished Aluminum kn	1198 ee tilt, Po	1258 olished <i>P</i>	1324 Aluminum	1413 base	1517	1606	1707	1836	1963
	C5E1HB12B Black Aluminum knee	1160 tilt, Black	1224 k base	1290	1378	1481	1568	1670	1798	1927
	BLACK POLYMER ARI	М								
	C5E1HB32B Black Aluminum knee	1080 tilt, Black	1141 k base	1206	1294	1396	1486	1588	1717	1843
	BLACK POLYMER ARI	M 1039	1103	1168	1256	1358	1447	1552	1680	1806
	Black Swivel tilt, Polish				1250	1330	1447	1552	1000	1000
	C5E1HB33D Black Swivel tilt, Black	1012 base	1074	1140	1228	1330	1421	1521	1650	1778
	ORDERING NOTES: For jury base, please a Hard casters are the s Barrier options are ava For UPHOLSTERED	tandard a	and soft r an upc	wheel cas harge of \$	sters can be 61 list per	e ordered f yard.	or \$61 list	per chair.	CAL 133 a	
_	1 2 3 109 115 120	13		5 139			3 9 70 18			
PRODUCT CODE KEY Line	Series		ck Style		Arm Style		Mechani		Rase	Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	Mic	MB d Back	Arn P	blished Alum 2 blished Alum 2 blished Alum rm with Uph	inum F er Pad iinum	Polished Alu Knee Ti 2 Black Alum Knee Ti	minum Filt	Polished Alu for Kn Black	minum Base ee Tilt Base ee Tilt

3

Black Polymer Arm

Fully Uph. Arm

С

Polished Aluminum Base for Swivel Tilt

Black Base for Swivel Tilt

3

Black Swivel Tilt

C5 CONTEMPORARY | MID BACK

									1	2, 10.1
		COM		COL	FA	BRIC GRA	ADES		LEATHER	3
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTER	ED ARM								
	C5C1MB41A Polished Aluminum k	1186 knee tilt, P	1252 olished A	1315 Iluminum I	1407 pase	1508	1594	1697	1827	1956
	C5C1MB42B Black Aluminum kne	1159 e tilt, Blac	1223 k base	1287	1377	1481	1567	1669	1797	1924
	POLISHED ALUMINUM ARM WITH POLYMER PAD									
	C5C1MB11A Polished Aluminum k	1018 knee tilt, P	1074 olished A	1131 Iluminum I	1210 base	1297	1378	1465	1580	1690
	C5C1MB12B Black Aluminum kne	993 e tilt, Blac	1046 k base	1103	1181	1271	1349	1439	1552	1663
	BLACK POLYMER A	RM								
	C5C1MB32B Black Aluminum kne	899 e tilt, Blac	956 k base	1012	1089	1180	1257	1348	1460	1569
	BLACK POLYMER A	RM								
	C5C1MB33C Black Swivel tilt, Poli	863 shed Alun	917 ninum ba	974 se	1054	1142	1221	1311	1422	1534
	C5C1MB33D Black Swivel tilt, Black	834 ck base	890	945	1023	1114	1193	1282	1394	1506
	ORDERING NOTES: For jury base, please Hard casters are the Barrier options are av For UPHOLSTERED	add a 'J' standard a vailable fo	and soft v r an upch	wheel cast	ters can be 31 list per y	ordered for	or \$61 list p	er chair.	CAL 133 a	
ے	1 2 3				6 7			_		
DRODUCT CORE VEY	109 115 120	0 130	0 1	39 1	48 15	7 17	70 181			
PRODUCT CODE KEY Line	Series	Ba	ack Style		Arm Style)	Mechanis	sm	Base	Style
C5C C5 Contemporary	1 Tilter		MB lid Back	P	1 olished Alum		1 Polished Alui]		A minum Base
,	· · · · · ·	·*·			n with Polym		Knee Ti		for Kr	iee Tilt
		L Hi	HB gh Back		2 olished Alum rm with Uph.		Black Alum Knee Ti		Black	Base lee Tilt
					3 lack Polymer		3 Black Swive			minum Base

Fully Uph. Arm

Jury Base

Polished Aluminum Base for Swivel Tilt D

Black Base for Swivel Tilt J

C5 CONTEMPORARY | HIGH BACK

								LEATHER		
DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	FULLY UPHOLSTERE				-					
	C5C1HB41A Polished Aluminum kr	1231 nee tilt, Po	1304 olished Alu	1375 ıminum ba	1475 ase	1590	1692	1806	1949	2092
	C5C1HB42B Black Aluminum knee	1203 tilt, Black	1273 base	1348	1447	1562	1663	1778	1922	2065
	POLISHED ALUMINU	M ARM W	/ITH POLY	MER PAD)					
	C5C1HB11A Polished Aluminum kr	064 nee tilt, Po	1127 olished Alu	1192 ıminum ba	1282 ise	1383	1472	1575	1703	1831
	C5C1HB12B Black Aluminum knee	1036 tilt, Black	1099 base	1165	1253	1354	1443	1546	1673	1802
6 6	BLACK POLYMER AF	RM								
	C5C1HB32B Black Aluminum knee	943 tilt, Black	1009 base	1071	1160	1265	1353	1456	1583	1711
	DI A OK DOLVATED AS									
	BLACK POLYMER AF	(IVI								
	C5C1HB33C Black Swivel tilt, Polis	908 hed Alum	970 inum base	1036	1123	1225	1316	1417	1545	1672
	C5C1HB33D Black Swivel tilt, Blac	879 k base	941	1008	1095	1199	1287	1389	1517	1646
	ORDERING NOTES: For jury base, please Hard casters are the s Barrier options are av For UPHOLSTERED 1 2 3 109 115 120	standard a ailable for ARM PAI	and soft wand soft wan upcha on polis 5	heel caste arge of \$6 1 hed arm v	ers can be of list per yatersions on 7	ordered for ard. ly select a	r \$61 list per rm style 2 a	er chair. C	AL 133 ar	
PRODUCT CODE KEY										
Line	Series	Bac	k Style		Arm Style		Mechanism	1	Base S	Style
C5C Contemporary	1 Tilter	Mic	MB Back HB		1 shed Alumin vith Polymer 2		1 Dlished Alumi Knee Tilt 2	num Po	A lished Alun for Kne	

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5C C5 Contemporary	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base
			4 Fully Uph. Arm		for Swivel Tilt D Black Base for Swivel Tilt
					J Jury Base

C5 PULLS | MID BACK

		СОМ		COL	FAB	RIC GRAD			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTERED									
	C5P1MB41A	1207	1271	1336	1424	1527	1615	1719	1846	1974
	Polished Aluminum kne	ee tilt, Po	olished Alu	ıminum ba	se					
	C5P1MB42B	1171	1234	1297	1387	1491	1581	1683	1809	1938
	Black Aluminum knee t	ilt, Black	base							
	POLISHED ALUMINUM	/ ARM W	/ITH POLY	MER PAD	ı					
\	C5P1MB11A	1039	1095	1150	1229	1319	1397	1486	1598	1711
	Polished Aluminum knee tilt, Polished Aluminum base									
	C5P1MB12B	1004	1059	1115	1194	1283	1361	1452	1562	1673
	Black Aluminum knee t	ilt, Black	base							
	BLACK POLYMER ARM	М								
	C5P1MB32B	918	978	1033	1111	1200	1279	1369	1481	1590
	Black Aluminum knee t			1033	1111	1200	1219	1309	1401	1390
	BLACK POLYMER ARM	М								
	C5P1MB33C	884	939	995	1071	1164	1241	1329	1441	1555
	Black Swivel tilt, Polish	ied Alum	inum base	Э						
	C5P1MB33D	854	911	967	1043	1136	1212	1302	1413	1525
	Black Swivel tilt, Black	base								
	ORDERING NOTES: For jury base, please a	add a 'J'	for the ba	se stvle at	the end of	the mode	el number a	and add \$7	7 list.	



For jury base, please add a 'J' for the base style at the end of the model number and add \$77 list. Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
109	115	120	130	139	148	157	170	181

PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

Jury Bas

C5 PULLS | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	BRIC GRA 5	DES 6	7	LEATHEF 8	R 9
	FULLY UPHOLSTERE	D ARM								
	C5P1HB41A Polished Aluminum k	1260 nee tilt, P	1332 olished Al	1407 Iuminum b	1506 ase	1622	1722	1836	1980	2123
	C5P1HB42B Black Aluminum knee	1225 tilt, Blac	1296 k base	1370	1467	1584	1685	1800	1943	2088
# 5 **	DOLIGHED ALLIMINI	IN A DNA N	MITH DOL	VMED DA	D.					
	POLISHED ALUMINU	IIVI AKIVI V	WITH POL	YWER PA	D					
	C5P1HB11A Polished Aluminum k	1093 nee tilt, P	1158 olished Al	1222 Iuminum b	1311 ase	1413	1503	1605	1732	1861
	C5P1HB12B Black Aluminum knee	1058 tilt, Blac	1121 k base	1185	1273	1377	1465	1567	1695	1823
# % ***										
	BLACK POLYMER AF	RM								
	C5P1HB32B	974	1038	1102	1192	1293	1383	1485	1612	1740
	Black Aluminum knee	tiit, Biac	K base							
	BLACK POLYMER AF	RM								
	C5P1HB33C Black Swivel tilt, Polis	917 shed Alum	982 ninum bas	1044 se	1137	1240	1327	1430	1557	1687
	C5P1HB33D Black Swivel tilt, Blac	890 k base	955	1016	1109	1210	1297	1403	1530	1659
	ORDERING NOTES: For jury base, please Hard casters are the Barrier options are av For UPHOLSTERED	add a 'J' standard ailable fo	and soft war an upch	wheel cast arge of \$6	ters can be 31 list per y	e ordered fo yard.	or \$61 list p	oer chair.	CAL 133 a	
Ţ	1 2 3	4			6 7					
PRODUCT CODE KEY	109 115 120		ck Style	39 1	48 15 Arm Style	57 17	70 18 ⁻ Mechanisi		Page	Phylo
Line C5P	Series 1		MB		1		1		Base \$	
C5 Pulls	Tilter	_	d Back		ished Alumir with Polyme		olished Alum Knee Tilt			ninum Base
			НВ		2		2		В	
		Hig	h Back		ished Alumir n with Uph. I		Black Alumir Knee Tilt		Black for Kne	e Tilt
				Bla	3 ck Polymer	Arm	3 Black Swive	l Tilt P		 ninum Base
				E	4 Jully Uph. Ari	m		R	for Swiv	
					,	•				


Jury Base

AQUA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.5%

POST-CONSUMER
RECYCLE CONTENT = 21.91%

Up to 47.7% of Aqua product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Aqua products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Aqua products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Aqua and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

AQUA | FEATURES & OPTIONS

ARM STYLE

Four arm styles are available on Aqua - Armless, T-Arm, Height Adjustable T-Arm and Fixed Cantilever Arm.



T-Arm - A comfortable and supportive urethane pad, 10" in length by 3.5" wide, which can be field replaced if damaged, as can the entire arm.



Height Adjustable T-Arm - In addition to the same features as the T-Arm version, the arm pad has a 3-position rotation horizontally: center, left and right. The arm pad also adjusts forward and rearward in 5 positions, and is height-adjustable in 9 positions ranging over 4".



Cantilever Arm - The top surface of this arm has been proportioned to provide comfortable arm support, with a resting surface of 10" x 2".



ARM WIDTH ADJUSTMENT

Width adjustment is a standard feature on Aqua arm styles. T-Arms, and Height Adjustable T-Arms, can be width adjusted, operated by the handwheel located under the seat. The T-Arms are width adjustable in a range of 1.5" per arm, or 3" per chair. Cantilever arms can be width adjusted with tools instead of a handwheel, with adjustment range of 1" per arm, or 2" per chair.



MECHANISM OPTIONS

Synchro-Tilt Mechanism - There are 5 recline/lock positions, in addition to a full range of free-flowing movement. The forward position of the pivot point allows the back and seat to adjust in a 2:1 ratio synchronously, providing comfortable recline of the back with minimal incline of the seat.



Swivel-Tilt Mechanism - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment - ideal for short-term use environments, such as meeting rooms, where numerous adjustability features may not be desirable or necessary. Aqua Stools are only available with a Swivel Mechanism.



Seat-Slider Option - Available on the Synchro-Tilt Mechanism, this offers a 2" range of forward and rearward adjustment of the seat, with a locking feature. The addition of the seat slider adds 1/2" to the height of the seat and arms.



BASE STYLE

Aqua seating is available with Black five star base and black gas cylinder, or optional Polished Aluminum five star base and chrome cylinder for an upcharge of \$39 list. Both bases come standard with dual wheel black casters. Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair. Aqua bases are also available with a fixed height option for an upcharge of \$39 list per chair.



JURY BASE

The Aqua series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.



MESH BACKS

Mesh Backs are made of breathable polyester elastomers, the Mesh Back has an ideal tension that provides comfortable lumbar and thoracic support for extended use and healthy sitting enhanced further with the air circulation provided by the mesh's unique design, and an easy-to-clean surface. The mesh back is also replaceable. Mesh colors available:

• White • Warm Grey • Black • Sky• Clay • Neo

Sunset • Cardinal



A unique construction with a mesh suspension core, combined with extensively-researched ergonomic curvature, gives the Aqua back a form-fitting comfort and a thin profile that is designed for healthy long-term sitting.



Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

REPLACEABLE COMPONENTS

Aqua chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

OPTIONS

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

AQUA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
Standard Height										
Mesh Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	40	18	0.75
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	40	18	0.75
Upholstered Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	41	18	1.4
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	41	18	1.4
Stool Height										
Mesh Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	40	20	0.75
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	40	20	0.75
Upholstered Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	41	20	1.4
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	41	20	1.4

MULTIPLE YARDAGE REQUIREMENTS

	Yardage MESH BACK Seats Only	Yardage UPHOLSTERED BACK Back Only	Yardage UPHOLSTERED Full Chair
1 Chair	.75	.94	1.28
2 Chairs	.75	1.8	2.53
3 Chairs	1.5	2.74	3.81
4 Chairs	1.5	3.6	5.06

Height measurements of Aqua tilter and teller chairs are taken with the pneumatic lift in the lowest position and with a standard height range gas lift.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

Aqua Standard Height Aqua Stool Height Armless Fixed T- Arms Adjustable T - Arms Cantilever Arms

WEIGHT CAPACITY:

Aqua has been tested to 300lbs.

AQUA | MESH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	Aqua Mesh Back, Armless v	vith Swiv	el Tilt, 5 st	tar base ir	n black					
	AQU1M03B	790	803	814	841	869	896	922	950	1003
	Aqua Mesh Back, Armless v	vith Sync	hro Tilt, 5	star base	in black					
	AQU1M01B	812	827	840	867	895	918	945	973	1030
	Aqua Mesh Back, Armless v	vith Sync	hro Tilt/Se	eat Slider,	5 star base	in black				
	AQU1M02B	858	871	885	912	939	966	990	1017	1073
	Aqua Mesh Back, T-Arm in I									
	AQU1M13B	930	940	955	982	1010	1036	1063	1087	1142
	Aqua Mesh Back, T-Arm in I									
	AQU1M11B	954	967	981	1006	1033	1059	1086	1114	1166
	Aqua Mesh Back, T-Arm in I	olack, wit	h Synchro		Slider, 5 sta		black			
o b	AQU1M12B	997	1012	1023	1050	1078	1106	1134	1159	1211
	Aqua Mesh Back, Height Ac AQU1M23B	•							1105	1107
	AQU TIVIZ3B	971	985	999	1029	1055	1080	1107	1135	1187
	Aqua Mesh Back, Height Ac	•			•					
	AQU1M21B	996	1011	1022	1050	1078	1106	1134	1158	1211
5	Aqua Mesh Back, Height Ac	djustable								
(C) (D)	AQU1M22B	1041	1056	1068	1097	1122	1149	1178	1203	1255
	Aqua Mesh Back, Cantileve							000	1010	1001
	AQU1M33B	847	862	873	899	928	955	982	1010	1061
	Aqua Mesh Back, Cantileve									
	AQU1M31B	871	885	898	927	954	980	1006	1033	1086
	Aqua Mesh Back, Cantileve		olack with	Synchro				ack		
- Q - P)	AQU1M32B	915	931	942	970	997	1022	1050	1078	1134
							-		_	

ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add \$74 list.

CAL 133 and Moisture Barrier options are available for an upcharge of **\$61** list per yard.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$39 list.

Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair.

Mesh Colors available are listed on Page 15.









Height Adjustable T-Arm

Cantilever

PRODUCT CODE KEY

00001 001					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	М	0	1	В
Aqua	Management, Task & Conference Seating	Mesh Back	Armless	Synchro Tilt	Black (5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3 Cantilever		

AQUA | UPHOLSTERED BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE	BRIC GRAD	DES 6	7	LEATHER 8	9
DEGOTH HOWW		'						'		
	Aqua Upholstered Back, Ar	mless wit	h Swivel 7	Tilt, 5 star b	oase in bla	ck				
	AQU1U03B	899	945	994	1087	1181	1275	1370	1463	1650
()										
	Aqua Upholstered Back, Art		,	,						
	AQU1U01B	925	970	1017	1113	1206	1299	1394	1486	1675
F										
5 80	Aqua Upholstered Back, Ar		•		-					
Ø 09	AQU1U02B	969	1015	1064	1158	1250	1347	1439	1533	1720
	A I I also late and Dead To	A ! l. l .		No. 2 and T20	5 - 1 - 1	. to leterate				
	Aqua Upholstered Back, T-A			-			4.44.4	1510	1000	1700
	AQU1U13B	1040	1086	1135	1225	1321	1414	1510	1603	1792
	Agua Upholstered Back, T-A	Arm in blo	ok with S	Synobro Til	t 5 star ba	oo in black	,			
	AQU1U11B	1064	1111	1158	1252	1347	1440	1534	1627	1817
	AQUIUIIB	1004	1111	1130	1232	1347	1440	1334	1021	1017
	Aqua Upholstered Back, T-A	Arm in hla	ack with S	Synchro Til	t/Seat Slid	er 5 star h	ase in hlac	·k		
	AQU1U12B	1109	1156	1203	1296	1391	1485	1580	1672	1861
	710010125			00						
	Aqua Upholstered Back, He	eight Adju	stable T-A	rm in blac	k with Swi	vel Tilt, 5 s	tar base in	black		
	AQU1U23B	1084	1131	1179	1272	1365	1460	1527	1648	1835
7 /										
	Aqua Upholstered Back, He				k with Syn	chro Tilt, 5	star base			
	AQU1U21B	1109	1156	1203	1295	1391	1484	1580	1672	1861
5 800	Aqua Upholstered Back, He									
ED OB	AQU1U22B	1155	1202	1248	1341	1437	1530	1623	1718	1906
	A I I all a la la al D a		Annual Control	-1		atautaa .				
	Aqua Upholstered Back, Ca							4 400	4504	4740
	AQU1U33B	959	1006	1054	1146	1241	1335	1428	1521	1710
$p \rightarrow p$	Agus I Inhalatayad Daala Ca	netiles re ·· ^	المامان مسلم	ale with Com	andra Till	Fatarbe	المملط ما			
	Aqua Upholstered Back, Ca AQU1U31B	antilever <i>F</i> 983	1031	tk with Syr 1078	1171	o star base 1265	1358	1454	1545	1733
	AQUIUSIB	903	1031	1070	11/1	1200	1330	1454	1343	1/33
	Agua Upholstered Back, Ca	antilovor 1	Arm in blac	ok with Sv	nchro Til+/	Spat Slida	5 etar ha	sa in black		
0	AQU1U32B	1030	1074	1122	1216	1309	, 5 Star Das	1496	1590	1779
	AGO 1002D	1000	1074	1144	1210	1000	1401	1430	1000	1113

ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add $$74\ list.$

CAL 133 and Moisture Barrier options are available for an upcharge of **\$61** list per yard.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$39 list.

Hard casters are the standard and **soft wheel casters** can be ordered for **\$61 list** per chair.

Mesh Colors available are listed on Page 15.









PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU Aqua	Management, Task	M Mesh Back	0 Armless	1 Synchro Tilt	Black
	& Conference Seating	U Upholstered	T-Arm	2 Synchro Tilt/	(5 Star Base) J (Jury Base)
		Oprioistered	I-AIIII	Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3		
			Cantilever		

AQUA | STOOL

		COM		COL		BRIC GRA		LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Aqua Stool Mesh Ba	ick, Armle	ess, 5 sta	r in black v	with glides	or casters					
	AQT1M0G (glides)	853	867	880	909	936	960	987	1014	1068	
	AQT1M0B (casters)										
	Aqua Stool Upholste	red Back	Δrmlees	5 star ha	se in hlack	with alide	s or casta	re			
	AQT1U0G (glides)	966	1012	1059	1152	1247	1341	1435	1530	1717	
	AQT1U0B (casters)										
	Aqua Stool Mesh Ba	ıck T-Δrn	n in black	with 5 et	ar hase in h	nlack with	alides or o	asters			
	AQT1M1G (glides)	994	1008	1018	1045	1073	1100	1127	1155	1208	
	AQT1M1B (casters)	004	1000	1010	10-10	1070	1100	1127	1100	1200	
			. .								
	Aqua Stool Upholste AQT1U1G (glides)	ered Back 1106	t, I-Arm ir 1150	1 black, 5 s	star base ir 1293	n black wit 1386	h glides or 1482	casters 1575	1666	1855	
	AQT1U1B (glides)	1106	1150	1190	1293	1300	1402	13/3	1000	1633	
- K I . 60 O	((Cactoro)										
	Aqua Stool Mesh Ba		,		*			0			
	AQT1M2G (glides) AQT1M2B (casters)	1039	1050	1064	1089	1117	1145	1172	1198	1252	
	AQT TIVIZD (Casters)										
	Aqua Stool Upholste	red Back	k, Height A	Adjustable	T-Arm in b	olack, 5 sta	r base in b	lack with g	glides or c	asters	
	AQT1U2G (glides)	1149	1195	1244	1337	1432	1525	1619	1713	1900	
	AQT1U2B (casters)										
	Aqua Stool Mesh Ba	ck, Canti	lever Arm	in black,	5 star base	in black v	vith glides	or casters			
	AQT1M3G (glides)	912	927	939	967	994	1017	1044	1073	1127	
	AQT1M3B (casters)										
	Aqua Stool Upholste	red Back	. Cantilev	er Arm in	black, 5 sta	ar base in l	black with	alides or a	asters		
	AQT1U3G (glides)	1022	1069	1117	1211	1306	1398	1493	1588	1774	
	AQT1U3B (casters)										

ORDERING NOTES

Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Mesh Colors available are listed on Page 15.

Aqua Stools are only available with a Swivel Mechanism.

PRODUCT COD	E KEY				
Line	Series	Back Style	Arm Style	Base Style	
AQT Aqua Stool	1 Management, Task & Conference Seating	M Mesh Back	0 Armless	B Black (Casters)	
		U	1	G	
		Upholstered	T-Arm	(Glides)	
			2		
			Height Adjustable T-Arm		


3 Cantilever

DORSO E-LINE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 17.95%

POST-CONSUMER
RECYCLED CONTENT = 17.72%

Up to 61.36% of Dorso E product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Dorso products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Dorso and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DORSO E & T | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

E-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

T-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



BASE STYLES

E-LINE & T-LINE

Dorso seating features optional Silver Metallic, polished Chrome or Black finish and dual wheel casters.



DORSO CONTROLS

All Dorso E-Line and T-Line come with synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.



BACK HEIGHT

Back height adjustment is an option on Dorso E & T Line. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

SEAT SLIDER

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DORSO E-LINE | DIMENSIONS & COM REQUIREMENTS

Dorso E features a generous seat & back that provides unparalleled comfort and support.

Model Number				Overall Height	Seat Height Min/Max	Height of Arms from Floor	Width between Arms	-		Shipping Weight	Cube	COM Yardage
DEC1-HB/DES1-H	B Fixed	25.25	25	50	17.5-22.125	25.6875-30.25	21	47-52	18	44	19	2.2
DEB1-HB	Fixed Upholstered	25.5	25	50	17.5-22.125	25.6875-30.25	20.5	47-52	18	44	19	2.5
	Adjustable	25.5	25	50	17.5-22.125	26-34	21	47-52	18	44	19	2.2
	Armless	20.5	25	50	17.5-22.125	N/A	N/A	47-52	18	40	19	2.2
DEC1-MB/DES1-M	IB Fixed	25.25	25	43	17.5-22.125	25.6875-30.25	21	40-45	18	41	16	2
DEB1-MB	Fixed Upholstered	25.5	25	43	17.5-22.125	25.6875-30.25	20.5	40-45	18	41	16	2.3
	Adjustable	25.5	25	43	17.5-22.125	26-34	21	40-45	18	41	16	2
	Armless	20.5	25	43	17.5-22.125	N/A	N/A	40-45	18	37	16	2

DORSO | E-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso E seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

ORDERING NOTES:

Height measurements of Dorso E are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO T-LINE | DIMENSIONS & COM REQUIREMENTS

Dorso T - a strikingly modern chair design, provides a level of long term sitting comfort and support.

Model Number		Overall Width	Overall Depth		Seat Height Min/Max	Height of Arms from Floor	Width between Arms	_		Shipping Weight	Cube	COM Yardage
DTC1-HB/DTS1-HB/	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	40	19	2
DTB1-HB	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	37	19	2
DTC1-MB/DTS1-MB DTB1-MB	Fixed Adjustable	25.25 25.5	24 24	42 42	16.75-21.375 16.75-21.375	27.5-30.25 26-34	20 20	39-44 39-44	18 18	41 41	16 16	1.8 1.8
5151 W.B	Armless	20.5	24	49	16.75-21.375		N/A	39-44	18	37	16	1.8

DORSO | T-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso T seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

OPTIONS

Height measurements of Dorso T are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO E-LINE | MID BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODE	_	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	- Synchro								
	DEC1-M111C	1465	1536	1600	1689	1793	1906	2046	2200	2373
	DES1-M111S	1403	1465	1533	1618	1724	1850	1981	2134	2302
	DEB1-M111B	1225	1291	1355	1441	1545	1670	1803	1958	2126
45)	Fixed Back; Fixed Arms	- Synchro/S	Seat Slide	r						
	DEC1-M112C	1546	1615	1683	1770	1873	1987	2130	2280	2452
	DES1-M112S	1483	1546	1613	1697	1803	1930	2062	2214	2384
φ B	DEB1-M112B	1307	1371	1437	1521	1625	1752	1885	2038	2206
	Fixed Back; Adjustable A	Arms - Synd	chro							
	DEC1-M121C	1677	1740	1808	1896	2000	2112	2254	2407	2581
	DES1-M121S	1563	1634	1697	1782	1888	2003	2145	2298	2468
	DEB1-M121B	1386	1450	1517	1603	1707	1833	1964	2116	2284
	Fixed Back; Adjustable A	Arms - Syno	chro/Seat	Slider						
6 8 m	DEC1-M122C	1757	1821	1888	1978	2081	2194	2336	2487	2659
Θ	DES1-M122S	1646	1716	1779	1864	1967	2082	2228	2378	2549
	DEB1-M122B	1465	1531	1598	1684	1790	1915	2044	2198	2368
	Fixed Back; Fixed Arms	(Leather/Fa	abric Pad)	- Svnchro						
	DEC1-M131C	1693	1768	1842	1938	2047	2172	2321	2499	2670
	DES1-M131S	1628	1698	1774	1867	1981	2113	2254	2431	2598
	BEOT MITOTO	1020	1000	1777	1001	1001	2110	2204	2401	2000
	Fixed Back; Fixed Arms	(Leather/Fa	bric Pad)	- Synchro	/Seat Slide	er				
	DEC1-M132C	1773	1850	1922	2019	2132	2252	2403	2579	2749
0 0	DES1-M132S	1710	1780	1855	1948	2062	2195	2416	2511	2679
Q H										
	Fixed Back; Armless - S	ynchro								
	DEC1-M101C	1371	1438	1506	1589	1694	1820	1951	2106	2275
	DES1-M101S	1242	1308	1375	1460	1565	1688	1820	1975	2143
	DEB1-M101B	1169	1236	1304	1386	1492	1615	1748	1902	2070
S										
	Fixed Back; Armless - S									
Q 4/2	DEC1-M102C	1450	1519	1585	1669	1774	1900	2032	2186	2356
ο <i>Β</i>	DES1-M102S	1321	1387	1457	1540	1647	1768	1900	2056	2222
	DEB1-M102B	1249	1316	1383	1465	1573	1695	1829	1984	2150

Each chair features the Synchro Tilt mechanism

ORDERING NOTES: The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.**

PRODUCT CODE KEY

THODOOT CODE	. IXL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC Dorso E-Line	1 Management, Task	M Mid Back	1 Fixed	0 Armless	1 Synchro	C Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO E-LINE | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	9
-	Adjustable Back; Fixed	Armo Cun	ohro							
	DEC1-M211C	1498		1633	1720	1823	1938	2081	2234	2404
	DES1-M211S	1435	1566 1498		1720 1650	1755			2166	
				1565			1882	2012		2336
	DEB1-M211B	1256	1321	1387	1475	1580	1704	1836	1988	2158
	Adjustable Back; Fixed	Arms - Syn	chro/Seat							
	DEC1-M212C	1581	1648	1713	1802	1904	2019	2160	2315	2341
& 7	DES1-M212S	1515	1581	1647	1731	1836	1962	2092	2247	2416
	DEB1-M212B	1338	1403	1466	1555	1659	1782	1917	2069	2237
	Adjustable Back; Adjust	table Arms	- Svnchro							
	DEC1-M221C	1710	1773	1840	1928	2032	2145	2284	2440	2612
Λ	DES1-M221S	1593	1666	1731	1818	1921	2033	2175	2331	2503
	DEB1-M221B	1418	1483	1549	1634	1739	1864	1997	2149	2318
	DEDT WILLIE	1110	1100	1010	1001	1700	1001	1001	2110	2010
	Adjustable Back; Adjust	table Arms	- Synchro	/Seat Slide	er					
	DEC1-M222C	1791	1854	1921	2008	2112	2228	2368	2518	2693
	DES1-M222S	1677	1748	1812	1897	2003	2113	2258	2410	2583
	DEB1-M222B	1498	1563	1631	1716	1820	1945	2077	2231	2400
	Adjustable Back; Fixed	Arma (Loat	hor/Eabrio	Dad\ Sv	nohro					
	DEC1-M231C	1725	1798	1874	1968	2082	2205	2355	2531	2700
	DES1-M231S	1662	1796	1807	1900	2002	2205 2147	2333	2463	2632
	DE31-1012313	1002	1732	1007	1900	2012	2147	2204	2403	2032
	Adjustable Back; Fixed	Arms (Leat	her/Fabric	Pad) - Sy	nchro/Sea	t Slider				
3	DEC1-M232C	1804	1882	1957	2052	2164	2283	2436	2611	2781
	DES1-M232S	1740	1815	1887	1981	2092	2229	2368	2543	2713
tud										
	Adjustable Back; Armle	ss - Synchr	О							
	DEC1-M201C	1403	1467	1537	1622	1727	1853	1985	2136	2307
	DES1-M201S	1273	1339	1408	1491	1598	1719	1853	2007	2174
	DEB1-M201B	1200	1269	1336	1418	1525	1648	1779	1935	2105
	Adjustable Back; Armle	ss - Synchr	n/Seat Sli	der						
	DEC1-M202C	1483	1552	1617	1701	1807	1934	2064	2217	2387
2 J 9	DES1-M202S	1354	1420	1488	1569	1678	1798	1934	2088	2257
bal .	DEB1-M202B	1281	1349	1415	1498	1606	1790	1860	2013	2185
	DED I-IVIZUZD	1201	1043	1410	1430	1000	1123	1000	2013	2100

Each chair features the Synchro Tilt mechanism

ORDERING NOTES: The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**.

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	M	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO E-LINE | HIGH BACK

		COM		COL	FAE	BRIC GRAI			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms -	Synchro								
	DEC1-H111C	1515	1599	1688	1802	1936	2097	2291	2506	2742
	DES1-H111S	1450	1533	1622	1735	1867	2030	2221	2439	2675
	DEB1-H111B	1256	1339	1428	1542	1673	1836	2030	2245	2484
	Fixed Back; Fixed Arms -	Synchro/9	Spat Slida	r						
	DEC1-H112C	1593	1680	1768	1883	2017	2178	2369	2587	2823
	DES1-H112S	1531	1613	1700	1818	1948	2109	2302	2517	2756
	DEB1-H112B	1338	1420	1509	1623	1755	1917	2109	2325	2564
· u	DEBT TITTED	1000	1420	1505	1020	1733	1317	2103	2020	2304
	Fixed Back; Adjustable Ar	rms - Sync	hro							
	DEC1-H121C	1725	1808	1896	2010	2143	2304	2494	2704	2952
	DES1-H121S	1662	1747	1833	1943	2080	2237	2428	2640	2887
	DEB1-H121B	1465	1554	1638	1750	1886	2044	2235	2447	2694
	Fixed Back; Adjustable Ar	rms - Svnc	:hro/Seat	Slider						
	DEC1-H122C	1804	1888	1978	2091	2222	2385	2575	2783	3033
	DES1-H122S	1740	1824	1915	2025	2159	2318	2510	2721	2967
	DEB1-H122B	1546	1633	1719	1831	1965	2126	2316	2530	2775
••										
	Fixed Back; Fixed Arms (l	_eather/Fa	bric Pad)	- Synchro						
	DEC1-H131C	1740	1831	1930	2052	2194	2363	2563	2802	3038
	DES1-H131S	1677	1767	1862	1986	2126	2296	2497	2736	2972
	Fixed Back; Fixed Arms (I	_eather/Fa	bric Pad)	- Synchro	/Seat Slide	ər				
	DEC1-H132C	1821	1912	2009	2133	2274	2444	2642	2883	3118
	DES1-H132S	1757	1846	1943	2065	2206	2375	2577	2816	3054

Each chair features the Synchro Tilt mechanism

ORDERING NOTES: The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**.

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		
				Fixed Captilover		

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO E-LINE | HIGH BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed A	rms - Syn	chro							
	DEC1-H211C	1546	1632	1719	1835	1966	2132	2320	2538	2775
	DES1-H211S	1483	1565	1653	1769	1900	2062	2254	2470	2710
	DEB1-H211B	1291	1372	1461	1575	1707	1867	2062	2277	2514
	Adjustable Back; Fixed A	rms - Syn	chro/Seat	Slider						
	DEC1-H212C	1628	1712	1798	1916	2046	2212	2402	2617	2856
	DES1-H212S	1563	1647	1733	1850	1981	2142	2336	2551	2789
	DEB1-H212B	1371	1454	1541	1654	1790	1948	2142	2359	2594
	Adjustable Back; Adjusta	ble Arms -	- Svnchro							
	DEC1-H221C		•	4000	00.40	0474	0007	0500	0707	0005
	DES1-H221S	1757	1840	1928	2043	2174	2337	2528	2737	2985
	DEB1-H221B	1693	1778	1864	1978	2110	2271	2462	2673	2921
		1498	1585	1670	1781	1919	2077	2269	2482	2725
	Adjustable Back; Adjusta	ble Arms -	- Synchro/	Seat Slide	r					
	DEC1-H222C	1837	1921	2008	2124	2257	2418	2609	2817	3064
	DES1-H222S	1773	1859	1945	2058	2192	2353	2542	2754	2999
	DEB1-H222B	1581	1665	1752	1862	1999	2158	2346	2560	2807
••		1301	1005	1752	1002	1333	2130	2040	2300	2001
	Adjustable Back; Fixed A	rms (Leath	ner/Fabric	Pad) - Syr	nchro					
	DEC1-H231C	1773	1864	1962	2086	2228	2397	2592	2832	3069
	DES1-H231S	1710	1797	1896	2018	2158	2327	2530	2768	3006
	A !!						-			
D	Adjustable Back; Fixed A	rms (Leath	ner/Fabric	Pad) - Syr	ichro/Seat	Slider				
	DEC1-H232C	1854	1945	2042	2165	2305	2479	2674	2914	3151
	DES1-H232S	1791	1880	1978	2097	2237	2407	2610	2846	3085
000										

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES: The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**. Please see Page 34 for more information.

PRODUCT CODE KEY


PRODUCT CODE	KEY					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	M	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)		-			Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

DORSO T-LINE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.91%

POST-CONSUMER
RECYCLED CONTENT = 18.91%

Up to 63.75% of this Dorso T product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO T-LINE | MID BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	- Synchro								
	DTC1-M111C	1350	1413	1475	1555	1649	1754	1885	2028	2184
	DTS1-M111S	1291	1350	1412	1489	1585	1698	1822	1963	2121
	DTB1-M111B	1127	1186	1248	1324	1421	1539	1659	1798	1957
	Fixed Back; Fixed Arms	- Synchro/	Seat Slide	r						
	DTC1-M112C	1430	1492	1555	1634	1730	1835	1964	2107	2263
	DTS1-M112S	1371	1430	1491	1565	1665	1780	1903	2043	2199
- u	DTB1-M112B	1208	1269	1328	1407	1504	1618	1739	1882	2034
	Fixed Back; Adjustable A	Arms - Syn	chro							
	DTC1-M121C	1542	1603	1664	1746	1840	1943	2073	2214	2374
	DTS1-M121S	1438	1506	1563	1641	1736	1842	1975	2113	2271
	DTB1-M121B	1275	1336	1396	1475	1568	1687	1807	1948	2105
	Circal Daalii Adii atalala A		-l /Ct	01:-1						
	Fixed Back; Adjustable A DTC1-M122C	rms - Syn 1623	1684	1746	1000	1921	2025	2156	2296	2455
	DTS1-M122S	1519	1585	1646	1823 1720	1819	1922	2056	2195	2353
0	DTB1-M122B	1355	1415	1479	1555	1650	1767	1887	2030	2333
	DIBI-WIIZZB	1333	1415	1479	1555	1650	1767	1007	2030	2100
	Fixed Back; Armless - Sy									
	DTC1-M101C	1258	1323	1383	1462	1560	1673	1795	1937	2092
	DTS1-M101S	1142	1203	1267	1342	1440	1554	1673	1818	1971
	DTB1-M101B	1074	1137	1198	1275	1373	1486	1608	1750	1904
	Fixed Back; Armless - Sy	/nchro/Sea	at Slider							
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DTC1-M102C	1341	1404	1463	1542	1638	1755	1875	2018	2159
© A	DTS1-M102S	1223	1283	1347	1423	1520	1633	1755	1897	2055
	DTB1-M102B	1155	1216	1278	1355	1455	1566	1689	1830	1986

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**. Please see Page 34 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
213	220	228	234	243	249	258	278	287

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

DORSO T-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed Ar	ms - Sync	chro							
	DTC1-M211C	1380	1441	1504	1585	1678	1782	1916	2056	2213
	DTS1-M211S	1320	1380	1440	1519	1615	1731	1853	1991	2148
	DTB1-M211B	1158	1215	1277	1355	1454	1566	1689	1830	1986
	Adjustable Back; Fixed Ar	ms - Svno	chro/Seat	Slider						
	DTC1-M212C	1461	1521	1584	1665	1758	1864	1995	2135	2294
	DTS1-M212S	1399	1461	1520	1599	1695	1812	1934	2071	2230
У В	DTB1-M212B	1240	1295	1356	1437	1533	1648	1770	1908	2065
	Adjustable Back; Adjustal	ole Arms -	Synchro							
	DTC1-M221C	1569	1632	1694	1773	1871	1975	2105	2245	2403
	DTS1-M221S	1466	1533	1591	1670	1768	1872	2004	2143	2300
	DTB1-M221B	1307	1363	1424	1506	1600	1716	1837	1979	2134
	Adjustable Back; Adjustal									
	DTC1-M222C	1652	1712	1774	1854	1949	2056	2185	2325	2484
	DTS1-M222S	1549	1613	1672	1752	1850	1951	2086	2222	2381
Over 1	DTB1-M222B	1386	1443	1507	1585	1683	1795	1919	2060	2214
	Adjustable Back; Armless	- Synchro)							
	DTC1-M201C	1293	1355	1415	1494	1590	1707	1829	1967	2126
	DTS1-M201S	1173	1236	1297	1375	1472	1585	1707	1850	2006
	DTB1-M201B	1108	1169	1229	1308	1407	1519	1638	1781	1937
	Adjustable Back; Armless	- Synchro	Seat Slic	ler						
	DTC1-M202C	1373	1437	1495	1575	1670	1790	1907	2047	2219
ы	DTS1-M202S	1254	1316	1379	1457	1554	1665	1790	1930	2087
	DTB1-M202B	1188	1249	1311	1387	1486	1599	1719	1862	2018

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**. Please see Page 34 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM GR2 GR3 GR4 GR5 GR6

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
213	220	228	234	243	249	258	278	287

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating				•	
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						
				2		

Fixed Cantilever Upholstered

DORSO T-LINE | HIGH BACK

		COM		COL		BRIC GRAI			LEATHER		
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9	
	Fixed Back; Fixed Arms	- Synchro									
	DTC1-H111C	1395	1472	1554	1659	1780	1932	2106	2305	2524	
	DTS1-H111S	1336	1412	1492	1598	1718	1866	2044	2243	2463	
	DTB1-H111B	1158	1233	1315	1418	1541	1689	1866	2065	2283	
	Fixed Back; Fixed Arms	Synchro/	Soat Slida	r							
	DTC1-H112C	1478	1554	1633	1739	1861	2010	2186	2386	2606	
	DTS1-H112S	1415	1491	1573	1678	1797	1946	2126	2324	2543	
	DTB1-H112B	1240	1315	1373	1498	1622	1770	1946	2324	2365	
8	5.5		.0.0	.000							
	Fixed Back; Adjustable A	Arms - Syn	chro								
	DTC1-H121C	1587	1664	1746	1852	1971	2122	2296	2487	2716	
	DTS1-H121S	1528	1606	1687	1791	1915	2061	2234	2431	2657	
	DTB1-H121B	1350	1428	1509	1610	1733	1882	2058	2250	2481	
	Fixed Back; Adjustable A	•									
	DTC1-H122C	1666	1746	1823	1932	2055	2200	2375	2568	2796	
	DTS1-H122S	1609	1687	1767	1871	1992	2138	2315	2511	2738	
6 1	DTB1-H122B	1430	1509	1589	1692	1816	1962	2154	2332	2559	
	Fixed Back; Armless - Sy	/nchro									
	DTC1-H101C	1297	1375	1457	1562	1685	1835	1936	2211	2427	
	DTS1-H101S	1173	1249	1332	1437	1559	1705	1885	2082	2300	
	DTB1-H101B	1102	1178	1256	1362	1484	1633	1809	2002	2230	
		1102	1170	1200	1002	1 10 1	1000	1000	2000	LLOO	
	Fixed Back; Armless - Sy	/nchro/Sea	at Slider								
	DTC1-H102C	1379	1457	1537	1642	1765	1916	2089	2292	2507	
	DTS1-H102S	1254	1330	1269	1517	1636	1789	1964	2164	2381	
- u	DTB1-H102B	1182	1256	1338	1442	1565	1713	1891	2090	2308	

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**. Please see Page 34 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
213	220	228	234	243	249	258	278	287

PRODUCT CODE KEY

THODOOT CODE	- INL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating				•	
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO T-LINE | HIGH BACK

		COM		COL		BRIC GRAI			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
_	Adjustable Back; Fixed Ar	ms - Syn	chro							
	DTC1-H211C	1423	1499	1584	1688	1809	1961	2135	2336	2553
	DTS1-H211S	1363	1440	1521	1625	1749	1897	2073	2273	2491
	DTB1-H211B	1271	1347	1426	1531	1653	1802	1980	2178	2399
	Adjustable Back; Fixed A									
	DTC1-H212C	1506	1583	1664	1768	1891	2041	2216	2416	2633
60 8 70	DTS1-H212S	1443	1520	1603	1707	1830	1979	2156	2354	2573
Q A	DTB1-H212B	1352	1426	1508	1612	1733	1883	2061	2260	2481
_	Adjustable Back; Adjustal	ole Arms -	- Synchro							
	DTC1-H221C	1617	1694	1773	1882	2003	2149	2325	2516	2746
	DTS1-H221S	1559	1635	1716	1819	1942	2089	2264	2459	2686
	DTB1-H221B	1382	1461	1541	1642	1767	1915	2089	2282	2511
	Adjustable Back; Adjustal		•							
	DTC1-H222C	1696	1774	1854	1962	2082	2231	2406	2597	2825
OF STATE OF	DTS1-H222S	1636	1717	1795	1899	2023	2170	2344	2541	2768
Q H	DTB1-H222B	1462	1541	1622	1724	1846	1992	2170	2363	2590
	Adjustable Back; Armless	- Synchro	0							
	DTC1-H201C	1330	1408	1488	1592	1717	1866	2041	2242	2459
	DTS1-H201S	1207	1281	1363	1466	1589	1736	1917	2113	2333
	DTB1-H201B	1135	1210	1291	1395	1517	1665	1842	2042	2261
				•.					· -	
	Adjustable Back; Armless	- Synchro	o/Seat Slic	ler						
	DTC1-H202C	1412	1488	1567	1673	1796	1946	2122	2321	2541
	DTS1-H202S	1287	1362	1443	1549	1669	1819	1997	2113	2333
\$ J \$	DTB1-H202B	1213	1291	1371	1478	1598	1747	1922	2123	2342
**										

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **61 list per yard.** Please see Page 34 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

-								
GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
213	220	228	234	243	249	258	278	287

PRODUCT CODE KEY


Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating				•	
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		

Fixed Cantilever Upholstered

DORSO WEAVE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 11.32%

POST-CONSUMER RECYCLED CONTENT = 21.48%

Up to 74.04% of this Dorso Weave product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO WEAVE | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

S-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

N-LINE

Fixed cantilever and adjustable arms are available in black textured plastic only.



BASE STYLES

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.

mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back



pull of the lever. BACK HEIGHT

SEAT HEIGHT

BACK TENSION

preferences.

SEAT SLIDER

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

In the seated position, a pull upwards on the

height adjustment lever located under the seat of

the user's right side adjusts the height up or down

Back tension on the mechanism is controlled with

an adjustment knob under the seat. It has been

designed to provide a range of back tension


adjustment suitable for users of varying sizes and

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment

front to back when seated. The lever to

activate this feature is located under the seat of the user's right side and is activated by an upward

with a total height range of 4.5".





BACK COLOR OPTIONS

Black • Warm Grey • Tan • Soft Beige • Winter White

DIMENSIONS & COM REQUIREMENTS

reclines.

		Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed	24.5	22.5	42.5	18-22	27-30.5	20	18	51	15	0.75
	Adjustable	25	22.5	42.5	18-22	25.5-32	19.5	18	51	15	0.75
	Armless	19.5	22.5	42.5	18-22	N/A	N/A	18	46	15	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	47	18-22	27-30.5	20	18	52	18	0.75
	Adjustable	25	22.5	47	18-22	25.5-32	19.5	18	52	18	0.75
	Armless	19.5	22.5	47	18-22	N/A	N/A	18	47	18	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	50.5	18-22	27-30.5	20	18	54	18	0.75
with Headrest	Adjustable	25	22.5	50.5	18-22	25.5-32	19.5	18	54	18	0.75
N-LINE MID BACK	Fixed	24.5	21.5	41	18-22	27-30.5	20	18	50	15	0.75
	Adjustable	25	21.5	41	18-22	25.5-32	19.5	18	50	15	0.75
	Armless	19.5	21.5	41	18-22	N/A	N/A	18	45	15	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	45.5	18-22	27-30.5	20	18	51	18	0.75
	Adjustable	25	21.5	45.5	18-22	25.5-32	19.5	18	51	18	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	50.5	18-22	27-30.5	20	18	53	19.5	0.75
with Headrest	Adjustable	25	21.5	50.5	18-22	25.5-32	19.5	18	53	19.5	0.75

Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso seating. For information on COM approval process see Page 329.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position.

All dimensions are in inches and approximate and are subject to change without notice.

Contact Customer Service if dimensions are critical.

DORSO WEAVE S-LINE | MID BACK

		COM COL FABRIC GRADES		DES		LEATHER				
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black with	metal acce	ent)							
(*************************************	DOS1-M2211M	1707	1724	1739	1765	1791	1816	1846	1882	1916
	Silver Metallic									
	DOS1-M2231M	1919	1943	1965	1997	2032	2064	2105	2159	2202
	Silver Metallic									
	DOC1-M2211M	1789	1803	1820	1843	1871	1894	1928	1961	1992
6	Polished Chrome									
0 0	DOC1-M2231M	1999	2021	2046	2077	2112	2143	2186	2237	2279
	Polished Chrome									
ADJUSTABLE ARMS (Black with metal accent)										
(00000) (00000)	DOS1-M2221M	1638	1654	1670	1696	1720	1748	1779	1815	1844
¥2000) T	Silver Metallic									
	DOC1-M2221M	1724	1739	1757	1780	1807	1831	1864	1897	1932
	Polished Chrome									
	ARMLESS									
	DOS1-M2201M	1530	1545	1562	1588	1612	1636	1669	1704	1735
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Silver Metallic									
X	DOC1-M2201M	1603	1618	1635	1662	1685	1711	1746	1775	1809
	Polished Chrome									

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. Please see Page 34 for more information.



PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	t Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	2	0	1	M
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		Weave 3	1	2	J
Dorso S-Line (Polished Chrome)	.	High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
(Folistied Critottie,)			Weave	2	Seat Slidel	
					Adjustable (Black)		

3 Fixed Cantilever Upholstered

DORSO WEAVE S-LINE | HIGH BACK

		COM		COL	FAB	RIC GRAD	ES	1	LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wit	h metal acc	ent)							
(6000) (6000)	DOS1-H2211M	1843	1861	1877	1902	1928	1951	1986	2018	2052
	Silver Metallic									
	DOS1-H2231M	2055	2081	2105	2135	2170	2200	2243	2296	2337
	DOC1-H2211M	1924	1942	1960	1985	2008	2033	2065	2101	2134
	Polished Chrome	1024	1042	1000	1000	2000	2000	2000	2101	2104
0 0	DOC1-H2231M	2136	2161	2187	2218	2249	2282	2322	2378	2420
	ADJUSTABLE ARMS (E	lack with m	etal accer	nt)						
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	DOS1-H2221M Silver Metallic	1779	1795	1815	1837	1862	1887	1921	1956	1987
	DOC1-H2221M Polished Chrome	1862	1880	1896	1921	1945	1968	2004	2038	2069
DORSO WEA	VE S-LINE HI	GH BA	ACK W	/ITH H	IEADF	REST				
	EIVED ADMS (Black wit	h motal aco	ont)							



FIXED ARMS (Black wit	th metal acc	ent)							
DOS1-H2311M	2031	2045	2063	2089	2112	2137	2171	2205	2236
Silver Metallic									
DOS1-H2331M	2242	2265	2291	2322	2354	2387	2428	2483	2523
Silver Metallic									
DOC1-H2311M Polished Chrome	2112	2130	2147	2171	2197	2219	2254	2284	2320
DOC1-H2331M	0000	00.47	0074	0.40.4	0.400	0.400	0544	0500	0000
Polished Chrome	2322	2347	2374	2404	2439	2468	2511	2562	2608
T GIIGHOU GHIGHIG									
ADJUSTABLE ARMS (E	Black with me	etal accen	t)						
DOS1-H2321M	1965	1984	1999	2025	2046	2071	2107	2138	2172
Silver Metallic									
DOC1-H2321M	2046	2064	2082	2107	2133	2157	2190	2221	2257



ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

Clearly indicate on order fabric selection for seat and weave selection for back.

Polished Chrome

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. Please see Page 34 for more information.



PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DOS	1	М	2	2	0	1	M
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		Weave 3	1	2	J
Dorso S-Line (Polished Chrome	a)	High Back		Headrest (No trim) (High back only) Weave	Fixed Cantilever	Synchro/ Seat Slider	Jury Base

Adjustable (Black)

3

Fixed Cantilever Upholstered

DORSO WEAVE N-LINE | MID BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER		
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9	
	FIXED ARMS (Black) DON1-M1211B No back adjustment DON1-M2211B With back adjustment	1498 1587	1515 1603	1533 1618	1559 1646	1584 1668	1608 1694	1641 1727	1672 1759	1707 1793	
	ADJUSTABLE ARMS (Bla DON1-M1221B No back adjustment DON1-M2221B With back adjustment	ack) 1435 1519	1450 1537	1466 1554	1492 1580	1517 1603	1542 1625	1575 1662	1609 1694	1642 1727	
	ARMLESS DON1-M1201B No back adjustment DON1-M2201B With back adjustment	1321 1396	1338 1414	1354 1430	1380 1455	1404 1481	1430 1506	1462 1539	1495 1568	1530 1605	

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$190**. Seat slider option is available on all tilter chair models at an upcharge of **\$77** list.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.



Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	М	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
	_	Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
				Weave	2		
					Adjustable (Black)		

DORSO WEAVE N-LINE | HIGH BACK

COM COL FABRIC GRADES LEATHER

DESCRIPTION/MODEL 1 2 3 4 5 6 7 8 9



FIXED ARMS (Black) DON1-H1211B No back adjustment DON1-H2211B With back adjustment



ADJUSTABLE ARMS (Black) DON1-H1221B No back adjustment DON1-H2221B With back adjustment

DORSO WEAVE N-LINE | HIGH BACK with Headrest



FIXED ARMS (Black) DON1-H1311B No back adjustment DON1-H2311B With back adjustment



ADJUSTABLE ARMS (Black) DON1-H1321B No back adjustment DON1-H2321B With back adjustment

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$190**. Seat slider option is available on all tilter chair models at an upcharge of **\$77** list.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

Clearly Indicate on order rabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.



PRODUCT CODE KEY


							_
Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
		Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only) Weave	Fixed (Black) Cantilever 2 Adjustable (Black)	Synchro/ Seat Slider	Jury Base

3
Fixed Cantilever
Upholstered

DORSO S-LINE & N-LINE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 21.68%

POST-CONSUMER
RECYCLED CONTENT = 20.03%

Up to 77.88% of Dorso S product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO S-LINE & N-LINE | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.



Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

N-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



BASE STYLES

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



S-LINE

Dorso seating is available in three base styles: Cantilever

4-Leg

4-Leg with twin wheel casters

Each is offered in a Silver Metallic or Polished Chrome steel frame. Cantilever and 4-Leg versions of Guest Seating feature rubber glides.



Dorso seating is available in three base styles: Cantilever

4-Leg

4-Leg with twin wheel casters

Each is offered in a Silver Metallic steel frame.



BACK HEIGHT

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

BACK TENSION

Back tension on the synchro tilt mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.



DORSO CONTROLS

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. One of the best engineered and most user-friendly chair controls, the synchro tilt mechanism is unique in providing a single, easy-accessed lever to adjust tilt lock positions and seat height. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines. The synchro tilt mechanism also features an anti-kickback lock release, providing a smooth transition from locked to unlocked tilt adjustment.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

SEAT SLIDER

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DORSO S-LINE & N-LINE | DIMENSIONS & COM REQUIREMENTS

Presenting one of the world's most advanced seating concepts: new technology that offers outstanding ergonomics in a strikingly modern chair design, while providing a level of long-term sitting comfort and support that has been the hallmark of European seating. DORSO: Designed by Gabriel Teixidó

		Overall Width	Overall Depth	Overall Height	Seat Height	Heig Arms fro			idth en Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	42.5 42.5 42.5	18-22 18-22 18-22	27-3 25.5 N	5-32	1	20 9.5 I/A	18 18 18	51 51 46	15 15 15	1.7 1.7 1.7
S-LINE HIGH BACK	K Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	47 47 47	18-22 18-22 18-22	27-3 25.5 N	5-32	1	20 9.5 I/A	18 18 18	52 52 47	18 18 18	1.9 1.9 1.9
S-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	22.5 22.5	50.5 50.5	18-22 18-22	27-3 25.5			20 9.5	18 18	54 54	18 18	1.9 1.9
N-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	21.5 21.5 21.5	41 41 41	18-22 18-22 18-22	27-3 25.5 N	5-32	1	20 9.5 I/A	18 18 18	50 50 45	15 15 15	1.7 1.7 1.7
N-LINE HIGH BACK	K Fixed Adjustable	24.5 25	21.5 21.5	45.5 45.5	18-22 18-22	27-3 25.5			20 9.5	18 18	51 51	18 18	1.9 1.9
N-LINE HIGH BACK with Headrest	K Fixed Adjustable	24.5 25	21.5 21.5	50.5 50.5	18-22 18-22	27-3 25.5			20 9.5	18 18	53 53	19.5 19.5	1.9 1.9
GUEST		Overall Width	Overall Depth	Seat Height		ht of om Floor	Wid betweer		Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless Fixed	20.75 24.5	25.50 25.50	18.5 18.5		7.5 7.5	19. 19.		19.5 19.5	36 36	32 37	14 14	1.3 1.3
S-LINE/4LEG with Casters	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5		7.5 7.5	19. 19.		19.5 19.5	36 36	33 38	14 14	1.3 1.3
S-LINE/ Cantilever Base	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5		7.5 7.5	19. 19.		19.5 19.5	36 36	39 44	14 14	1.3 1.3
N-LINE/4LEG	Armless Fixed	20.75 24.5	25.50 25.50	18.5 18.5		7.5 7.5	19. 19.		19.5 19.5	34.75 34.75	31 36	14 14	1.3 1.3
N-LINE/4LEG with Casters	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5		7.5 7.5	19. 19.		19.5 19.5	34.75 34.75	32 37	14 14	1.3 1.3
N-LINE/ Cantilever Base	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5		7.5 7.5	19. 19.		19.5 19.5	34.75 34.75	38 43	14 14	1.3 1.3

ORDERING NOTEs:

Add 0.5 yards for seating with leather wrapped arm option.

Note: Some vinyls are not suitable for application on Dorso seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for an approval process at time of order.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

ORDERING NOTES

All Dorso swivel and tilter models are available with an optional seat slider mechanism at an upcharge of \$77 list.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO S-LINE | MID BACK

	COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
FIXED	ARMS (Black with metal ac	cent)							
DOS1-	M2011M 1795	1862	1932	2018	2126	2254	2392	2549	2722
Silver N	Metallic								
IR	M2031M 2007	2082	2158	2252	2368	2504	2649	2825	3009
Silver N									
	M2011M 1882	1949	2018	2109	2216	2333	2482	2637	2815
6	ed Chrome	0470	00.45	00.40	0.450	0504	0700	0040	0400
	M2031M 2092 ed Chrome	2170	2245	2343	2458	2584	2738	2913	3100
Folisile	ed Officiale								
ADJUS	STABLE ARMS (Black with I	netal acce	ent)						
\\ _ DOS1-	M2021M 1724	1795	1862	1949	2060	2174	2321	2482	2656
Silver N									
	M2021M 1816	1882	1949	2039	2147	2264	2410	2567	2744
Polishe	ed Chrome								
000									
8 8									
ARMLE	ESS								
DOS1-	M2001M 1609	1677	1748	1833	1942	2069	2205	2363	2538
Silver N	Metallic								
DOC1-	M2001M 1687	1755	1822	1908	2018	2147	2282	2441	2615
Polishe	ed Chrome								

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.



PRODUCT CODE KEY

PRODUCT COL	DEKET						
Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		1	1	2	J
Dorso S-Line (Polished Chrome		High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black)		

Fixed Cantilever Upholstered

DORSO S-LINE | HIGH BACK

		COM		COL	FΔI	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wi	th metal acc	cent)							
	DOS1-H2011M	1942	2029	2116	2236	2373	2538	2737	2958	3206
	Silver Metallic									
	DOS1-H2031M	2154	2247	2344	2470	2614	2788	2993	3236	3491
	Silver Metallic									
	DOC1-H2011M	2031	2115	2206	2325	2462	2616	2824	3048	3294
	Polished Chrome	00.40	0005	0.400	0550	0700	0007	0000	0004	0504
	DOC1-H2031M Polished Chrome	2242	2335	2433	2559	2703	2867	3082	3324	3581
	Polistied Chrottle									
	ADJUSTABLE ARMS (E	Black with n	netal acce	nt)						
	DOS1-H2021M	1873	1962	2047	2165	2304	2467	2667	2883	3137
	Silver Metallic									
	DOC1-H2021M	1962	2047	2136	2254	2392	2559	2754	2969	3223
	Polished Chrome									
ଖ ଟ										
		DO		- I INII			OK W	//		ГОТ
		טט	HSO 3	2-LIIVI		aH BA	CK W	III F	IEADR	E91
	FIXED ARMS (Black wi	th metal acc	cent)							
H	DOS1-H2111M	2136	2245	2343	2482	2637	2823	3036	3271	3536
	Silver Metallic									
-57	DOS1-H2131M	2347	2464	2569	2714	2879	3071	3293	3550	3822
	Silver Metallic									
	DOC1-H2111M	2222	2333	2432	2567	2722	2910	3127	3364	3629
	Polished Chrome	0.40.4	0554	0050	0000	0004	0.150	0004	0.400	0015
	DOC1-H2131M Polished Chrome	2434	2554	2659	2800	2964	3159	3384	3466	3915
	Polistied Chrome									
	ADJUSTABLE ARMS (E	Black with m	netal accei	nt)						
	DOS1-H2121M	2069	2165	2273	2410	2567	2754	2958	3206	3469
\ \	Silver Metallic			,					0_00	0.00
	DOC1-H2121M	2157	2254	2363	2500	2656	2843	3050	3292	3558
	Polished Chrome									
7970										

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.



PRODUCT CODE KEY

PHODUCT COL	DEKET						
Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	M
Dorso S-Line (Silver Metallic)	Management, Task & Conference Seating	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
DOC	& Contended Seating	Н		1	1	2	J
Dorso S-Line (Polished Chrome	e)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
					2		

Adjustable (Black)

3

Fixed Cantilever Upholstered

DORSO N-LINE | MID BACK

		COM		COL	FAE	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1011B No back adjustment	1580	1648	1725	1816	1908	2039	2174	2343	2517
	DON1-M2011B With back adjustment	1668	1733	1816	1902	2003	2126	2264	2432	2608
	ADJUSTABLE ARMS (Bla	ack)								
	DON1-M1021B No back adjustment	1510	1580	1648	1733	1842	1967	2109	2264	2441
	DON1-M2021B With back adjustment	1599	1668	1733	1822	1932	2060	2197	2353	2530
	ARMLESS DON1-M1001B No back adjustment	1391	1461	1539	1625	1725	1854	1990	2157	2333
	DON1-M2001B With back adjustment	1467	1549	1618	1707	1816	1932	2077	2236	2410
& Tolk										

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$190.

Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$60 list per yard. See Page 34 for more information.



Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black
	& Conference Seating						Nylon Base
		Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					A disconnected to Apple of	1.3	

DORSO N-LINE | HIGH BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-H1011B No back adjustment	1764	1854	1942	2060	2197	2363	2559	2782	3030
	DON1-H2011B With back adjustment	1854	1942	2029	2147	2282	2449	2646	2873	3116
	ADJUSTABLE ARMS (BI	ack)								
	DON1-H1021B No back adjustment	1695	1781	1873	1990	2126	2296	2488	2704	2958
	DON1-H2021B With back adjustment	1781	1873	1962	2077	2216	2381	2579	2794	3050

DORSO N-LINE | HIGH BACK WITH HEADREST



FIXED ARMS (Black)									
DON1-H1111B	1962	2069	2165	2304	2462	2646	2861	3095	3364
No back adjustment									
DON1-H2111B	2047	2157	2254	2392	2549	2737	2950	3186	3447
With back adjustment									



ADJUSTABLE ARMS (Black)									
DON1-H1121B	1894	1990	2094	2236	2392	2579	2782	3030	3292
No back adjustment									
DON1-H2121B	1981	2077	2188	2321	2482	2667	2873	3116	3379
With hack adjustment									

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$190.

Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$60 list per yard. See Page 34 for more information.



PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	t Back Details	Arm Style	Mechanism	Base
DON	1	М	1	0	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black
	& Conference Seating						Nylon Base
		Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		


Adjustable (Black)

ME | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Me products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Me products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Me and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

Me brings new meaning to custom seating. Your comfort. Your style. Your chair.

With Me, options, styling and versatility are virtually endless, and comfort is superior. With Me, Krug has created a chair that not only provides unprecedented comfort and natural posture support, but also exceptional styling. Me is an adaptable seating solution for any management, task and conference environment.



ARM STYLES

Four arm styles are available on Me. In addition to the armless version, is the urethane over molded steel supported fixed cantilever arm, or the adjustable pad arms: urethane pad arms, or upholstered pad arms. Both adjustable arm versions feature: pivoting arms that adjust 30 degrees inward or outward, 1 1/2" left and right width adjustment control, and a 6 stop position arm height range with a total of 2.6" of height adjustment. When specifying leather on the upholstered arm pad version, the user has the option of a perforated arm pad (available when specifying polished aluminum bases on Me, the arm upright will also be finished in polished aluminum (on adjustable arm versions only).



BASE STYLES

Me seating is available in two base options. Choose from an injection molded, glass reinforced black nylon base or polished cast aluminum base, both with 2 1/4" dual wheel casters.



ME CONTROLS

Me features a standard synchro tilt mechanism that allows the back and the seat to articulate synchronously in a 2:1 ratio. This feature insures that the upward tilt of the seat is minimized as the back reclines. The mechanism that also features a standard tilt lock mechanism that allows the user an infinite number of recline lock positions. Simply push the tilt lock lever downward to lock and upward to free-float the back.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of:

Standard gas lift: 4.25" without seat slider and 4.0" with seat slider.

Low gas lift: 3.5" without seat slider and 3.5" with seat slider.

BACK TENSION

The back tension adjustment knob is located on the front underside of the seat. A simple turn of the knob provides a range of back tension adjustment suitable for users of varying sizes and preferences.

UPHOLSTERY OPTIONS

With Me comes the ability to choose contrasting fabrics/leathers for the seat, upper and lower back sections, as well as the upholstered arm pads. This option allows for an endless possibility of custom designed seating options (see upcharges on the following pages). When specifying leather from Krug's in-stock leather program, the option to perforate the leather on the lower back and upholstered pad arms is available (see pricing on the following pages).

SEAT SLIDER

All Me adjustable arm versions are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.

BACK HEIGHT

Me is available in three back heights: low, mid and high. Back height adjustment is a standard feature on all Me models. This feature offers an adjustment range of 11 positions over a 2 1/2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand of the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered to the first and lowest stop position.



OPTIONAL GAS LIFT HEIGHT RANGES

Me is available with two gas lift ranges. Unless clearly specified on order, Me seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows:

Non Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16" when lowered and no less than 20" when extended. Low gas lifts give a seat height of no greater than 15 1/8" when lowered and no less than 18 5/16" when extended.

Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16 1/4" when lowered and no less than 20 5/16" when extended. Low gas lifts give a seat height of no greater than 15 3/8" when lowered and no less than 18 15/16" when extended. If dimensions are critical, please contact Customer Service.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

ME | DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
LOW BACK	Armless	20	21.75	36.5	N/A	N/A	19	39	16	1.7
	Fixed	23	21.75	36.5	27.13	19	19	46	16	1.7
	Adjustable Urethane	24.75	21.75	36.5	24	17.25	19	46	16	1.7
	Adjustable Upholstered	25.5	21.75	36.5	24.25	16.75	19	46	16	1.7
MID BACK	Armless	20	21.75	39	N/A	N/A	19	43	18	1.8
	Fixed	23	21.75	39	27.13	19	19	48	18	1.8
	Adjustable Urethane	24.75	21.75	39	24	17.25	19	48	18	1.8
	Adjustable Upholstered	25.5	21.75	39	24.25	16.75	19	48	18	1.8
HIGH BACK	Armless	20	21.75	41.6	N/A	N/A	19	45	20	1.9
	Fixed	23	21.75	41.6	27.13	19	19	50	20	1.9
	Adjustable Urethane	24.75	21.75	41.6	24	17.25	19	50	20	1.9
	Adjustable Upholstered	25.5	21.75	41.6	24.25	16.75	19	50	20	1.9

Height measurements of Me are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

Note: Some vinyls are not suitable for upholstery on Me seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order. For Maharam or Momentum fabric, Krug will obtain the fabric sample.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

COM REQUIREMENTS PER CHAIR SECTION

Upper Back*	Lower Back*	Seat	Arm Pads
0.7	0.5	0.75	0.4

Measurements above are provided in yards.



Me | LOW BACK



Me | MID BACK



^{*}Upper and Lower Backs consist of both the inside and outside back.

		COM	COL	FAI	BRIC GRAI	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 L2 11B Standard back upholstery, MTH1 L2 21B Perforated back upholster			1391	1580	1668	1748	1894	2205 2381	2467
	MTH1 L2 11A Standard back upholstery, MTH1 L2 21A Perforated back upholster			1528	1716	1803	1873	2018	2343 2517	2608
	ADJUSTABLE URETHANE MTH1 L2 12B Standard back upholstery, MTH1 L2 22B Perforated back upholster	1237 black ba	1293 se	1354	1508	1609	1677	1822	2116 2296	2388
8 9	MTH1 L2 12A Standard back upholstery, MTH1 L2 22A Perforated back upholster			1481	1648	1748	1816	1948	2254 2432	2530
	UPHOLSTERED ADJUSTA MTH1 L2 13B Standard back upholstery, MTH1 L2 23B Perforated back upholster	1293 black ba	1354 se	1420	1587	1687	1764	1902	2222 2402	2517
e h	MTH1 L2 13A Standard back upholstery, MTH1 L2 23A Perforated back upholster			1549	1725	1822	1902	2038	2353 2530	2646
	ARMLESS MTH1 L2 10B Standard back upholstery, MTH1 L2 20B Perforated back upholster			1283	1467	1549	1625	1773	2094 2273	2353
	MTH1 L2 10A Standard back upholstery, MTH1 L2 20A Perforated back upholster			1413	1598	1687	1755	1902	2222 2402	2488

ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$77 list. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$74** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

OUCT CO						
Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating			Upholstery		
		M		2	1	А
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metall
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
				A	Adjustable Upholstered	
					Pad Arms	

ME | MID BACK

		COM	COL	FAE	BRIC GRAD	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 M2 11B Standard back upholstery MTH1 M2 21B Perforated back upholster			1499	1695	1795	1873	2029	2373 2549	2656
	MTH1 M2 11A Standard back upholstery MTH1 M2 21A Perforated back upholster				1822	1922	2003	2165	2510 2686	2782
	ADJUSTABLE URETHANE MTH1 M2 12B Standard back upholstery MTH1 M2 22B Perforated back upholster	1323 , black ba	1391 ise	1454	1625	1725	1803	1948	2273 2449	2567
	MTH1 M2 12A Standard back upholstery MTH1 M2 22A Perforated back upholster				1764	1861	1942	2077	2410 2588	2704
	UPHOLSTERED ADJUSTA MTH1 M2 13B Standard back upholstery MTH1 M2 23B Perforated back upholster	1391 , black ba	1461 ise	1520	1707	1822	1894	2047	2388 2567	2704
	MTH1 M2 13A Standard back upholstery MTH1 M2 23A Perforated back upholster				1833	1948	2018	2174	2530 2704	2829
	ARMLESS MTH1 M2 10B Standard back upholstery MTH1 M2 20B Perforated back upholster			1373	1567	1668	1748	1902	2254 2432	2530
A D	MTH1 M2 10A Standard back upholstery MTH1 M2 20A Perforated back upholster				1707	1803	1882	2038	2381 2559	2667

ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$77 list. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$74** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

DUCT CO Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task & Conference Seating	Low Back	Adjustable	Standard Back Upholstery	Armless	Black Base
		M		2	1	Α
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metall
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	b
					Pad Arms	

ME | HIGH BACK

		COM	COL	FAE	BRIC GRA	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 H2 11B Standard back upholstery MTH1 H2 21B Perforated back upholster			1648	1873	1981	2069	2254	2637 2815	2950
	MTH1 H2 11A Standard back upholstery MTH1 H2 21A Perforated back upholster				1990	2109	2197	2381	2775 2950	3079
	ADJUSTABLE URETHANE MTH1 H2 12B Standard back upholstery MTH1 H2 22B Perforated back upholster	1440 , black ba	1520 se	1587	1795	1902	1990	2165	2538 2722	2850
	MTH1 H2 12A Standard back upholstery MTH1 H2 22A Perforated back upholster				1922	2038	2116	2296	2675 2850	2979
	UPHOLSTERED ADJUSTA MTH1 H2 13B Standard back upholstery MTH1 H2 23B Perforated back upholster	1508 , black ba	1598 se	1668	1882	2003	2077	2273	2667 2856	2989
e Ja	MTH1 H2 13A Standard back upholstery MTH1 H2 23A Perforated back upholster				2009	2136	2216	2402	2803 2979	3127


ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$78list**. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$74** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.**

Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating			Upholstery		
		М		2	1	А
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metall
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	t
					Pad Arms	

PAN AM | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.29%

POST-CONSUMER RECYCLE CONTENT = 18.32%

Up to 24.19% of Pan Am product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Pan Am products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

All Pan Am products are supplied air-emissions certified. Contact customer service for information.



AIR EMISSIONS

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Pan Am and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating

PAN AM | FEATURES



ARM STYLES

Pan Am features three styles of fixed arms, including open urethane, closed upholstered and open upholstered versions.



BACK STYLES

Available with two different back options, Mid and High, Pan Am is perfect for desk and conference applications.



BASE STYLES

Featuring a five blade caster base with 2 1/4" hooded dual wheel casters, Pan Am bases are available in both glass reinforced molded nylon base and polished cast aluminum base. (upcharge applies.)



SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of:

Standard gas lift: 3.5" Low gas lift: 3.0"



TILT TENSION

A tilt tension knob is located under the seat for all versions of Pan Am. For Knee Tilt versions a push of the height adjustment lever toward the gas lift cylinder activates the tilt lock feature.

PAN AM CONTROLS

Pam Am is available with either a Swivel Tilt of Knee Tilt mechanism. All Pan Am seating features an adjustable tilt tension knob, and height adjustment lever. On the Knee Tilt version of Pan Am, the height adjustment lever also operates a forward tilt lock.

OPTIONAL GAS LIFT HEIGHT RANGES

PAN AM is available with two gas lift ranges. Unless clearly specified on order, PAN AM seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows: Pan Am standard gas lift give a seat height no greater than 16.4" when lowered and no less that 20.2" when extended. Low gas lift give a seat height no greater that 15.04" when lowered and no less than 18" when extended.

OPTIONAL JURY BASE

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
MID BACK	Open Urethane	24.5	24.5	34.5	25	18.5	19	31	15.03	1.8
	Closed Upholstered	27.25	24.5	34.5	26.75	19	19	33	15.03	2.7
	Open Upholstered	24.5	24.5	34.5	25	18.5	19	31	15.03	2.2
HIGH BACK	Open Urethane	24.5	24.5	40	25	18.5	19	35	17.06	1.9
	Closed Upholstered	27.25	24.5	40	26.75	19	19	37	17.06	2.8
	Open Upholstered	24.5	24.5	40	25	18.5	19	35	17.06	2.3
HIGH BACK	Open Urethane	24.5	24.5	46	25	18.5	19	37	18.75	2.5
with Headrest	Closed Upholstered	27.25	24.5	46	26.75	19	19	39	18.75	3.4
	Open Upholstered	24.5	24.5	46	25	18.5	19	37	18.75	2.9

Note: Some vinyls are not suitable for upholstery on Pan Am seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for a pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

Please contact Customer Service for more information on options for the Pan Am series. Height measurements of Pan Am are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

PAN AM | MID BACK

		COM		COL	FAB	RIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-M11B Black base, swivel tilt	1113	1208	1320	1417	1528	1632	1733	1837	2017
	PAN1-M12B Black base, knee tilt	1254	1358	1461	1565	1678	1772	1886	1981	2158
W W	PAN1-M11A Polished aluminum base, s	1254 swivel tilt	1358	1461	1559	1669	1772	1875	1981	2158
	PAN1-M12A Polished aluminum base, I	1395 knee tilt	1498	1605	1707	1820	1915	2028	2122	2300
	CLOSED UPHOLSTERED	ARMS								
	PAN1-M21B Black base, swivel tilt	1632	1780	1942	2091	2243	2394	2554	2707	2884
	PAN1-M22B Black base, knee tilt	1780	1934	2091	2243	2394	2545	2695	2856	3034
9 g	PAN1-M21A Polished aluminum base, s	1772 swivel tilt	1923	2086	2234	2384	2534	2695	2845	3026
	PAN1-M22A Polished aluminum base, I	1923 knee tilt	2074	2234	2384	2534	2686	2837	2997	3175
\sim	OPEN UPHOLSTERED AF		1001	00.45	0005	0050	0507	0057	0010	
	PAN1-M31B Black base, swivel tilt	1747	1894	2045	2205	2359	2507	2657	2812	2988
	PAN1-M32B Black base, knee tilt	1886	2045	2197	2344	2499	2657	2812	2958	3138
6 9 9	PAN1-M31A Polished aluminum base, s	1886 swivel tilt	2034	2189	2344	2499	2647	2780	2950	3131
	PAN1-M32A Polished aluminum base, I	2028 knee tilt	2189	2337	2487	2639	2799	2950	3098	3280

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.



Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	a comoronoc coating	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

PAN AM | HIGH BACK

		COM		COL	FAB	RIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL	•	1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-H11B Black base, swivel tilt	1122	1227	1338	1454	1559	1669	1772	1886	2063
	PAN1-H12B Black base, knee tilt	1264	1379	1491	1605	1707	1820	1923	2034	2216
	PAN1-H11A Polished aluminum base, sv	1264 wivel tilt	1366	1481	1592	1696	1809	1915	2028	2205
	PAN1-H12A Polished aluminum base, ki	1403 nee tilt	1517	1632	1747	1844	1903	2063	2178	2359
	CLOSED UPHOLSTERED A	ARMS 1641	1802	1961	2122	2278	2432	2602	2753	2930
	Black base, swivel tilt PAN1-H22B	1792	1949	2112	2271	2432	2584	2744	2900	3082
	Black base, knee tilt									
	PAN1-H21A Polished aluminum base, sv	1780 wivel tilt	1942	2101	2263	2422	2573	2744	2893	3070
	PAN1-H22A Polished aluminum base, kı	1934 nee tilt	2091	2254	2412	2573	2721	2884	3042	3221
	OPEN UPHOLSTERED ARM PAN1-H31B	MS 1754	1915	2074	2222	2384	2545	2707	2865	3042
	Black base, swivel tilt PAN1-H32B Black base, knee tilt	1903	2063	2222	2375	2534	2695	2856	3015	3195
and the second	PAN1-H31A Polished aluminum base, sv	1894 wivel tilt	2056	2216	2368	2526	2686	2845	3006	3186
	PAN1-H32A Polished aluminum base, kr	2045 nee tilt	2205	2368	2514	2675	2837	2997	3157	3335

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.



I HODOOT OODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	Ü	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

PAN AM | HIGH BACK WITH HEADREST

		COM		COL	FABF	RIC GRAD	ES	LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS									
	PAN1-HR-11B	1188	1293	1404	1519	1623	1735	1837	1951	2130
	Black base, swivel tilt									
	PAN1-HR-12B	1330	1443	1559	1669	1773	1886	1990	2104	2271
	Black base, knee tilt									
	PAN1-HR-11A	1330	1434	1545	1662	1764	1875	1980	2091	2271
	Polished aluminum base, s		1434	1343	1002	1704	10/3	1900	2091	2211
	PAN1-HR-12A	1467	1585	1697	1812	1915	1968	2130	2247	2422
	Polished aluminum base, k		1000	1007	1012	1010	1000	2100	LLTI	2722
	CLOSED UPHOLSTERED				0.400		0.400			
	PAN1-HR-21B	1707	1867	2029	2189	2344	2499	2669	2818	2997
	Black base, swivel tilt PAN1-HR-22B	1859	2017	2178	2337	2499	2649	2812	2967	3147
	Black base, knee tilt	1009	2017	2170	2331	2499	2049	2012	2907	3147
	Black base, knee the									
8 8	PAN1-HR-21A	1846	2008	2166	2329	2488	2639	2812	2958	3138
	Polished aluminum base, s	wivel tilt								
	PAN1-HR-22A	1999	2158	2320	2481	2639	2787	2950	3110	3288
	Polished aluminum base, k	nee tilt								
	OPEN UPHOLSTERED AR	MS								
	PAN1-HR-31B	1820	1980	2142	2292	2448	2612	2772	2930	3110
	Black base, swivel tilt	.020	.000							00
	PAN1-HR-32B	1968	2130	2292	2441	2602	2761	2922	3083	3261
	Black base, knee tilt									
	PAN1-HR-31A	1961	2122	2280	2434	2590	2753	2913	3070	3252
	Polished aluminum base, s		0071	0.40.4	0504	0744	2002	2062	2000	0.400
	PAN1-HR-32A Polished aluminum base, k	2112	2271	2434	2584	2744	2902	3063	3222	3403
	i olisileu alulillilulli base, k	aree uu								

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.




Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	· ·	Н	2	2	А
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

CADENCE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.




Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CADENCE | FEATURES



RECLINE ADJUSTMENT

The recline adjustment on the Cadence series allows a 24 degree range of motion. The foremost lever located on the right-hand side (when you are in a seated position) engages a device to lock the back in any position within the chair's range of movement. Lowering the lever locks the back at any position within the range. Raising the lever releases the lock and the back will move freely through the entire range.





CAL 133 & MOISTURE BARRIER

SEAT HEIGHT ADJUSTMENTS

(when you are in

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$61 list per yard.

The rear-most lever located in the right-hand side

activates the seat height adjustment. Pull up on

the lever to adjust seat height up or down

through a range of adjustment of 3 inches.

the seated position)

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



BACK HEIGHT ADJUSTMENT

(on selected models only)

The back height is adjustable on selected models of Cadence series. The mechanism adjusts the back while in the seated position. The adjustable height back has a 4 inch range of movement with an 8 position stop mechanism. Place both hands on either side of the lower back cushion and lift and click to the desired height. Raise the back to the highest position to release the back height lock and lower to the first and lowest position.



BACK TENSION

A hand wheel centrally located near the front underside of the chair controls the amount of tension applied to the back. Turning the knob clockwise when you are in the seated position lessens the tension. Turning the knob counterclockwise increases the tension.



ARM HEIGHT


(on selected models only)

A trigger release button located outside and below the arm pad adjusts the arm height. Depress the trigger to raise arm through its height range of 3.5 inches and 8 settings. Depress the trigger to raise the arm, release when desired height is reached to lock in position.

DIMENSIONS & COM REQUIREMENTS

		Overall Width		Overall Height		Height of Arms from floo	Width r between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
MID BACK	Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
Narrow Width	Adjustable	25	26	36.75	17.75	24.25-30.25	19.5	19.75	4	43	18	2.3
	Wood & Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
	Wood & Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.8
	Completely Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	3.0
	Armless	19.5	26	36.75	17.75	-	-	19.75	4	41	18	2.3
Wide Width	Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Adjustable	26.5	26	36.75	17.75	24.25-30.25	21	19.75	4	45	18	2.3
	Wood & Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Wood & Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.8
	Completely Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	3.0
	Armless	21	26	36.75	17.75	-	-	19.75	4	43	18	2.3
HIGH BACK	Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
Narrow Width	Adjustable	25	26	43	17.75	24.25-30.25	19.5	19.75	4	46	20	2.5
	Wood & Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
	Wood & Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.0
	Completely Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.2
Wide Width	Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Adjustable	26.5	26	43	17.75	24.25-30.25	21	19.75	4	48	20	2.5
	Wood & Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Wood & Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.0
	Completely Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.2
ARM CHAIR		27.25	27	36	18.25	26	18.75	18	-	23	18	1.7

Height measurements are taken with the pneumatic lift (and adjustable arm and back when applicable) in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.



CADENCE | MID BACK

		WOOD	COM		COL	FABF	RIC GRAD	DES	L	EATHER	2
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARM CAD1-MW11B CAD1-MN11B CAD1-MW21B CAD1-MN21B	AS .	1521	1600	1668	1880	1991	2091	2252	2633	2870
	CAD1-MW11W CAD1-MN11W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	1808	1886	1949	2164	2279	2365	2538	2921	3146
	CAD1-MW21W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN21W	Cherry, Maple, Walnut, Medium Anigre									
	ADJUSTABLE AI CAD1-MW15B CAD1-MN15B CAD1-MW25B CAD1-MN25B CAD1-MN15W CAD1-MN15W CAD1-MN15W CAD1-MW25W CAD1-MN25W ORDERING NO CAD-MW25 ver	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre	1463 1752	1539 1823 eat slider	1605 1888	1815 2093 sm at an u	1920 2202	2004 2292 of \$77 li	2170 2457 st. Spec	2532 2819	2775 3051
	option may add	additional lead time to pr	oduction	schedules	s. Please	contact C	ustomer S	Service fo	or more i	nformatio	on.
	WOOD AND URI CAD1-MW12B CAD1-MN12B CAD1-MW22B CAD1-MN22B	ETHANE ARMS	1618	1696	1829	1999	2116	2208	2396	2795	3029
	CAD1-MW12W CAD1-MN12W CAD1-MW22W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	1902	1985	2058	2283	2403	2499	2682	3082	3300

ORDERING NOTES: Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator. For jury base version of this chair, please add a '**J**' for the base style at the end of the model number and **add \$74** to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see Page 331 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.**

Walnut, Medium Anigre

Walnut, Medium Anigre

CAD1-MN22W Cherry, Maple,



TODOOT CODE ILL					
Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	1	W
Cadence	Management Seating	Mid Back Wide	Fixed Back	Urethane	Wood
		MN	2	2	В
		Mid Back Narrow	Adjustable Back	Wood And Urethane	Black Nylon
				5	J
				Adjustable	Jury Base


CADENCE | MID BACK

		WOOD	СОМ		COL		BRIC GRA			LEATHE	
DESCRIPTION		FINISH	1	2	3	4	5	6	7	8	9
		PHOLSTERED ARM									
\mathcal{L}	CAD1-MW13B		1829	1907	2041	2208	2331	2421	2608	3008	3300
	CAD1-MN13B										
	CAD1-MW23B CAD1-MN23B										
	CAD1-MW13W	Cherry, Maple,	2113	2197	2270	2499	2613	2710	2893	3294	3579
	OADT WWWTOW	Walnut, Medium Anigre	2110	2107	2210	2400	2010	2110	2000	0204	0070
8000	CAD1-MN13W	Cherry, Maple,									
	0,12,1,11,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,	Walnut, Medium Anigre									
	CAD1-MW23W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MN23W	Cherry, Maple,									
		Walnut, Medium Anigre									
	COMPLETELY U	JPHOLSTERED	1775	1859	1988	2157	2274	2369	2554	2954	3281
S)	CAD1-MW14B		1113	1000	1300	2131	2214	2000	2004	2334	3201
	CAD1-MN14B CAD1-MW24B										
	CAD1-MN24B										
	CAD1-MW14W	Cherry, Maple,	2061	2143	2216	2444	2563	2656	2842	3242	3558
		Walnut, Medium Anigre									
8 20	CAD1-MN14W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW24W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MN24W										
		Walnut, Medium Anigre									
-	ARMLESS										
	CAD1-MW10B		1363	1440	1508	1719	1833	1934	2092	2472	2738
]/ /	CAD1-MN10B										
	CAD1-MW20B										
	CAD1-MN20B				.=						
The state of the s	CAD1-MW10W	Cherry, Maple,	1649	1727	1794	2007	2122	2205	2379	2757	2992
	0454 1414014	Walnut, Medium Anigre									
a a	CAD1-MN10W	Cherry, Maple,									
	CAD1-MW20W	Walnut, Medium Anigre Cherry, Maple,									
	CAD I-IVIVVZUVV	Walnut, Medium Anigre									
	CAD1-MN20W	Cherry, Maple,									
		Walnut, Medium Anigre									

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.





Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	0	W
Cadeno	ee Management Seating	Mid Back Wide	Fixed Back	Armless	Wood
		MN Mid Back Narrow	2 Adjustable Back	Wood And Upholstered	B Black Nylon
				4 Completely Upholstered	J Jury Base

CADENCE | HIGH BACK

		WOOD	СОМ		COL	FAB	RIC GRA	ADES		LEATHE	R
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARI CAD1-HW11B CAD1-HN11B CAD1-HW21B CAD1-HN21B	MS	1653	1755	1831	2060	2197	2293	2499	2928	3186
	CAD1-HW11W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	1942	2041	2116	2345	2484	2579	2782	3214	3461
8 9	CAD1-HW21W	Walnut, Medium Anigre Cherry, Maple,									
	CAD1-HN21W	Walnut, Medium Anigre Cherry, Maple, Walnut, Anigre									
	ADJUSTABLE A	RMS									
	CAD1-HW15B		1589	1687	1761	1985	2112	2205	2403	2819	3080
// /	CAD1-HN15B										
	CAD1-HW25B										
	CAD1-HN25B CAD1-HW15W	Charry Manla	1877	1971	2046	2270	2400	2494	2690	3104	3353
H	CADT-HW15W	Cherry, Maple, Walnut, Medium Anigre	1011	1071	2040	LLIO	2400	2404	2000	0104	0000
	CAD1-HN15W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW25W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN25W	Cherry, Maple, Walnut, Medium Anigre									
	ORDERING NO	TES: CAD-MW25 versions	are avail	able with c	optional se	at slider m	echanism	n at an up	charge of	\$77 list.	Specifyina

ORDERING NOTES: CAD-MW25 versions are available with optional seat slider mechanism at an upcharge of \$77 list. Specifying seat slider option may add additional lead time to production schedules. Please contact Customer Service for more information.



WOOD AND URETHANE ARM CAD1-HW12B 1757 1864 1945 2194 2336 2438 2651 3111 3361 CAD1-HN12B CAD1-HW22B CAD1-HN22B CAD1-HW12W Cherry, Maple, 2044 2148 2234 2481 2617 2719 2938 3397 3635 Walnut, Medium Anigre CAD1-HN12W Cherry, Maple, Walnut, Medium Anigre

CAD1-HW22W Cherry, Maple,

Walnut, Medium Anigre

CAD1-HN22W Cherry, Maple,

Walnut, Medium Anigre

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.



Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD Cadence	Management Seating	HW High Back Wide	1 Fixed Back	1 Urethane	W
		HN High Back Narrow	2 Adjustable Back	Wood And Urethane	B Black Nylon
				5 Adjustable	J Jury Base

CADENCE | HIGH BACK

		WOOD	COM		COL	FAB	RIC GRAI	DES	ı	_EATHEF	3
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	WOOD AND UPPOCAD1-HW13B CAD1-HW23B CAD1-HN23B CAD1-HN23B	HOLSTERED ARM	1967	2074	2157	2403	2546	2646	2863	3322	3635
	CAD1-HW13W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	2254	2361	2444	2690	2830	2935	3148	3610	3912
8 8	CAD1-HW23W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN23W	Cherry, Maple, Walnut, Medium Anigre									
	COMPLETELY U CAD1-HW14B CAD1-HN14B CAD1-HW24B CAD1-HN24B	PHOLSTERED ARM	1919	2023	2104	2347	2494	2591	2812	3269	3615
	CAD1-HW14W	Cherry, Maple, Walnut, Medium Anigre	2200	2307	2392	2637	2780	2883	3095	3558	3889
	CAD1-HN14W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW24W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN24W	Cherry, Maple, Walnut, Medium Anigre									

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.





Line	Series	Back Style	Back Adjustmer	nt Arm Style	Base Style
CAD	1	HW	1	3	W
Cadence	Management Seating	High Back Wide	Fixed Back	Wood and Upholstered	Wood
	2	HN	2	4	В
	Guest Seating	High Back Narrow	Adjustable Back	Completely Upholstered	Black Nylon
		А			J
		Arm Chair			Jury Base

GUEST SEATING


65 Addison
 68 Blake
 71 Dorso
 74 Bali
 76 Kita
 78 Spence
 80 Cadence
 82 Faeron Wood
 88 Faeron Metal

ADDISON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = .69%

POST-CONSUMER RECYCLED CONTENT = 13.10%

Up to 13.79% of this Addison product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Addison products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Addison products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Addison and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ADDISON

	WOOD COM COL FABRIC GRAD			DES	LEATHER						
DESCRIPTIO	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM ADD-2-A-1	OPEN BACK Cherry, Oak,Walnut, Beech, Medium Anigre	956	982	1009	1061	1114	1168	1221	1273	1380
		Maple	1031	1057	1084	1137	1188	1242	1294	1349	1455
	OPEN ARM, FULLY UPHOLSTERED BACK										
	ADD-2-A-2	Cherry, Oak, Walnut, Beech, Medium Anigre	1006	1051	1099	1188	1279	1372	1462	1555	1735
		Maple	1069	1116	1165	1255	1347	1438	1530	1621	1803
	OPEN ARM	, UPPER UPHOLSTERED	BACK								
	ADD-2-A-3	Cherry, Oak, Walnut, Beech, Medium Anigre	988	1021	1058	1125	1194	1260	1330	1397	1537
		Maple	1064	1099	1134	1200	1270	1337	1404	1475	1610

ORDERING NOTES:

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 7 for finish color selection and clearly mark on your purchase order.

Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE PRODUCT CODE KEY Line Series Chair Type Chair Style To order please specify the following: ADD 2 Α 1. Krug product model number Open Arm, Open Back Arm Chair Addison **Guest Seating** 2. Select a finish for the chair frame 2 3. Select a textile or leather Open Arm, Fully Upholstered Back Dimensions are in inches and approximate. 3 Contact Customer Service if dimensions Open Arm, Upper Upholstered Back are critical. 4 Open Arm, Horizontal Slat Back 5 Open Arm, Solid Wood Back

ADDISON

DECODIDETION / MODE		WOOD	COM		COL FABRIC GRADES		DES	LEATHER			
DESCRIPTION	I/MODEL	FINISH	1	2	3	4	5	6	7	8	9
		I, HORIZONTAL SLAT BA Cherry, Oak,Walnut, Beech, Medium Anigre	973	997	1023	1078	1131	1184	1237	1291	1404
		Maple	1039	1065	1089	1160	1198	1252	1305	1356	1462
	OPEN ARM ADD-2-A-5	1, SOLID WOOD BACK Cherry, Oak, Walnut, Beech, Medium Anigre	981	1008	1035	1086	1140	1193	1247	1297	1404
		Maple	1045	1071	1100	1152	1207	1257	1312	1365	1472

ORDERING NOTES:

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 7 for finish color selection and clearly mark on your purchase order.

Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

DIMENSIONS & COM REQUIREMENTS


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE	PRODUCT (CODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
To order please specify the following.	ADD	2	А	1
Krug product model number	Addison	Guest Seating	Arm Chair	Open Arm, Open Back
Select a finish for the chair frame Select a textile or leather				2
				Open Arm, Fully Upholstered Back
Dimensions are in inches and approximate. Contact Customer Service if dimensions				3
are critical.				Open Arm, Upper Upholstered Back
				4
				Open Arm, Horizontal Slat Back
				5
				Open Arm.Solid Wood Back

BLAKE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 14%

POST-CONSUMER
RECYCLED CONTENT = 86%

Up to 86% of this Blake product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Blake products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Blake products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Blake and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

BLAKE

		WOOD	COM		COL	L FABRIC GRADES		ES	LEATHER		
DESCRIPTION	/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, BLA-2-A-1	OPEN BACK Cherry, Oak,Walnut, Beech, Medium Anigre Maple	872 939	898 964	927 990	980	1033	1085 1150	1138 1206	1192 1256	1295 1363
	OPEN ARM.	FULLY UPHOLSTERED	BACK								
	BLA-2-A-2	Cherry, Oak, Walnut, Beech, Medium Anigre	914	960	1008	1099	1188	1279	1372	1462	1647
		Maple	981	1029	1071	1165	1255	1347	1438	1530	1712
	OPEN ARM,	UPPER UPHOLSTERE	D BACK								
	BLA-2-A-3	Cherry, Oak, Walnut, Beech, Medium Anigre	907	940	978	1042	1111	1179	1248	1316	1454
		Maple	973	1008	1041	1110	1178	1247	1315	1382	1519
	ODEN ADM	VEDTICAL OLAT DACK									
	BLA-2-A-4	VERTICAL SLAT BACK Cherry, Oak, Walnut, Beech, Medium Anigre	942	970	996	1050	1103	1155	1210	1260	1370
		Maple	1006	1033	1058	1111	1165	1216	1271	1323	1430

ORDERING NOTES

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 7 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8
ORDERING PR	OCEDURE		PRO	DUCT CO	DE KEY					
To order please	specify the f	ollowing:	Line)	Series	Chair Type	e Chair Style			

1. Krug	product model number	

- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

PRODUC1	CODE KEY		
Line	Series	Chair Type	Chair Style
BLA	2	A	1 On an Arma On an Bask
Blake	Guest Seating	Arm Chair	Open Arm, Open Back
			Open Arm, Fully Upholstered Back
			3
			Open Arm, Upper Upholstered Back
			4
			Open Arm, Vertical Slat Back
			5
			Open Arm, Lower Upholstered Back
			6
			Closed Arm, Lower Upholstered Back
			7
			Closed Arm, Fully Upholstered Back

		WOOD	COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, L BLA-2-A-5	OWER UPHOLSTER Cherry, Oak,Walnut Beech, Medium Ani	, 941 gre	981	1017	1095	1170	1248	1323	1398	1554
		Maple	1012	1051	1088	1166	1242	1319	1395	1472	1623
	CLOSED ARM, LOWER UPHOLSTERED BACK										
	BLA-2-A-6	Cherry, Oak, Walnu Beech, Medium Ani		1043	1110	1240	1370	1496	1625	1757	2013
		Maple	1055	1118	1184	1315	1442	1569	1701	1830	2090
	CLOSED ARM	I, FULLY UPHOLSTE	RED BACK	<							
	BLA-2-A-7	Cherry, Oak, Walnu Beech, Medium Ani		1071	1142	1278	1417	1555	1693	1830	2106
		Maple	1069	1140	1208	1344	1483	1621	1758	1896	2171

ORDERING NOTES

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 7 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61** list per yard.

DIMENSIONS & COM REQUIREMENTS


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8

ORDERING PROCEDURE	PRODUC	CODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
Krug product model number	BLA	2 Guest Seating	A Arm Chair	1 Open Arm, Open Back
 Select a finish for the chair frame Select a textile or leather 	Biano	dassi ssainig	, ann onan	2
Dimensions are in inches and approximate. Contact Customer Service if dimensions				Open Arm, Fully Upholstered Back
are critical.				Open Arm, Upper Upholstered Back 4
				Open Arm, Vertical Slat Back
				Open Arm, Lower Upholstered Back
				6 Closed Arm, Lower Upholstered Back
				7
				Closed Arm, Fully Upholstered Back

DORSO GUEST | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 9.82%

POST-CONSUMER RECYCLED CONTENT = 19.98%

Up to 73.17% of this Dorso product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.



DORSO S-LINE | GUEST

DESCRIPTION/	/MODEL	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	4 Leg Base, armless with Silver I DOS2-10	1078	1129	1185	1255	1342	1454	1567	1716	1873
	4 Leg Base, armless with Polished DOC2-10	ed Chrome 1185	base 1237	1283	1363	1454	1549	1677	1816	1981
	4 Leg Base, fixed arms with Silve DOS2-11	1227	1283	1332	1403	1491	1599	1725	1862	2018
	4 Leg Base, fixed arms with Police DOC2-11	1354	1403	1461	1528	1618	1725	1842	1990	2147
	4 Leg Base with Casters, armles DOS2-20	s with Silve 1210	r Metallic k 1215	nase 1275	1342	1433	1539	1654	1803	1962
	4 Leg Base with Casters, armles DOC2-20	s with Polis 1215	hed Chron 1275	ne base, 1323	1391	1481	1587	1716	1854	2009
	4 Leg Base with Casters, fixed a DOS2-21	1315	1373	1423	1491	1580	1687	1816	1949	2109
	4 Leg Base with Casters, fixed a DOC2-21	rms and Po 1440	lished Chr 1491	ome base 1549	1618	1707	1816	1932	2077	2236
	Cantilever Base, armless with Si			1000	1070	4.404	4504	1007	4000	4000
	DOS2-30 Cantilever Base, armless with Po DOC2-30	1195 olished Chro 1307	1245 ome base 1363	1293 1413	1373 1481	1461 1567	1561 1677	1687 1803	1822 1942	1990 2094
	Cantilever Base, fixed arms with DOS2-31	Silver Meta 1491	ıllic base 1549	1599	1668	1755	1862	1990	2126	2282
	Cantilever Base, fixed arms with DOC2-31	Polished C 1549	hrome bas 1609	se 1654	1725	1816	1922	2047	2188	2343

ORDERING NOTES

Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.

ORDERING PROCEDURE

OTIDETIING I TIOOLDOTIL	PRODUCTIO	DEKEI		
To order please specify the following:	Line	Series	Base	Arm Style
	DOS	2	1	0
Krug product model number Select a textile or leather	Dorso S-Line	Guest Seating	Four Leg	Armless
	(Silver Metallic)			
Dimensions are in inches and approximate.	DOC Dorso S-Line		2	Fixed
Contact Customer Service if dimensions	(Polished Chrome)		Four Leg with Casters	Cantilever
are critical.	DON		3	
	Dorso N-Line		Cantilever	
	(Silver Metallic)			

DORSO N-LINE | GUEST

DESCRIPTION/MO	ODFI	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	LEATHER 7 8 9				
	4 Leg Base, armless with S DON2-10	· ·		1030	1110	1195	1293	1423	1561	1725		
	4 Leg Base, fixed arms with DON2-11	h Silver Meta 1040	allic base 1098	1146	1215	1307	1413	1539	1677	1833		
	4 Leg Base with Casters, a DON2-20	rmless with 1020	Silver Meta 1068	allic base 1118	1195	1283	1383	1510	1648	1816		
	4 Leg Base with Casters, fi DON2-21	xed arms an 1131	nd Silver M 1182	etallic bas 1237	e 1307	1391	1499	1625	1764	1922		
	Cantilever Base, armless w DON2-30	rith Silver Me 1040	etallic base 1098	1146	1215	1307	1413	1539	1677	1833		
	Cantilever Base, fixed arms DON2-31	s with Silver 1227	Metallic ba 1283	ase 1332	1403	1491	1599	1725	1862	2018		

ORDERING NOTES

Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.


CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.

DIMENSIONS & COM REQUIREMENTS

Billicitorono	w 00111111		Overall Depth	Seat Height	Height of Arms from Floor	Width	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
		· · · · · · · · · · · · · · · · · · ·	Борин	Tiolgine	741110 1101111 1001		Ворин	riarigo	- Troigin		raraago
S-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	36	32	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	36	37	14	1.3
S-LINE/4LEG	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	33	14	1.3
with Casters	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	38	14	1.3
S-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	39	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	44	14	1.3
N-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	34.75	31	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	34.75	36	14	1.3
N-LINE/4LEG	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	32	14	1.3
with Casters	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	37	14	1.3
N-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	38	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	43	14	1.3

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.68%

POST-CONSUMER RECYCLED CONTENT = 16.42%

Up to 74.19% of this Bali product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bali products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Bali products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bali and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



BALI

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION	\/MODEL	1	2	3	4	5	6	7	8	9
	Wood with Black back leg BAL2A1B	848								
	Wood with Chrome back leg BAL2A1C	936								
	Upholstered Front with Black back le	eg								
	BAL2A2B	1150	1192	1247	1305	1362	1428	1506	1581	1705
	Upholstered Front with Chrome bac BAL2A2C	k leg 1269	1315	1362	1418	1478	1554	1625	1713	1844
	Upholstered Seat Cushion with Blac	k back led								
FA	BAL2A3B	1106	1142	1180	1228	1269	1315	1362	1437	1513
٩	Upholstered Seat Cushion with Chro	me back	lea							
	BAL2A3C	1180	1228	1269	1315	1371	1447	1506	1588	1666
95 9	Caddie DOL6	799								

DIMENSIONS & COM REQUIREMENTS

			Overall Height		Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage
WOOD SHELL	23.25	23	34.25	17.25	26	19.5	18	30	15.3	-
UPHOLSTERED FRONT	23.25	23	34.25	18.11	26	19.5	17	30	15.3	0.8
UPHOLSTERED SEAT CUSHION	23.25	23	34.25	18.25	26	19.5	18	30	15.3	0.4

ORDERING NOTES


Bali Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.
Bali Guest Chairs are available with a removable upholstered back cover at an upcharge of \$46 list per chair.
Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.
When used with Caddie (stacking cart), Bali stacks to a maximum of 10 chairs high, and 6 high without Caddie.
Chair frames are available in Cherry and Beech finishes. Please see page 6 for finish color selection and clearly mark on your purchase order.
CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See page 8 for more information.

ORDERING PROCEDURE

To order please specify the following:	Line	Series	Base	Chair Style	Back Leg Style	
Krug product model number Select a finish for the chair frame	BAL Bali	2 Guest Seating	A Arm Chair	1 Wood	B Black	
3. Select a textile or leather				2 Upholstered Front	C Chrome	
Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.			Ul	3 pholstered Seat Cus	hion	

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = .80%

POST-CONSUMER
RECYCLED CONTENT = 15.28%

Up to 16% of this Kita product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Kita products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Kita products are supplied air-emissions certified. Contact customer service for information.

he mark of responsible forests



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Kita and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

KITA

DESCRIPTION/MODEL		WOOD	CON	1	0	COL		ABRIC GRA		7	LEATHER	0
DESCRIPTION		FINISH	1		2	3	4	5	6	7	8	9
		Full Width Upholst										
	1320-OA	Oak	1344	1397		1438	1531	1589	1638	1725	1924	2071
		Cherry, Maple, Walnut, Medium Anigre										
	Closed Arm,	, Full Width Uphols	stered Bac	k								
	1320-CA	Oak	1749	1820		1867	1991	2071	2132	2243	2503	2765
		Cherry, Maple, Walnut, Medium Anigre										
	3/4 Width U	pholstered Back										
	1321-A	Oak	1344	1397		1438	1531	1589	1638	1725	1924	2071
		Cherry, Maple, Walnut, Medium Anigre										
	Slat Back 1322-A	Oak	1397	1450		1481	1566	1617	1649	1719	1877	1997
			1001	1 100		1 10 1	1000	1011	1010	17.10	1011	1001
		Cherry, Maple, Walnut, Medium Anigre										
The second	Shoji Back											
	1323-A	Oak	1325	1375		1407	1489	1539	1566	1647	1802	1920
		Cherry, Maple, Walnut, Medium Anigre										

ORDERING NOTES

Kita Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See page 10 for more information.

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1320-OA	22	24	32	18.5	26	18.75	19	25	12	1
1320-CA	22	24	32	18.5	26	18.75	19	25	12	1.8
1321-A	22	24	32	18.5	26	18.75	19	25	12	1
1322-A	22	24	32	18.5	26	18.75	19	26	12	0.8*
1323-A	22	24	32	18.5	26	18.75	19	26	12	0.8*

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 12 for finish color selection and clearly mark on your purchase order.

GANGING


Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.

SPENCE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .45%

POST-CONSUMER RECYCLED CONTENT = 17.27%

Up to 18.18% of this Spence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Spence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Spence products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Spence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



SPENCE

		WOOD	COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MOD	DEL	FINISH	1	2	3	4	5	6	7	8	9
	Slat Bac 1400	k Oak	1213	1281	1371	1460	1563	1678	1795	1945	2047
		Cherry, Maple, Walnut, Medium Anigre	1361	1430	1517	1606	1705	1820	1938	2086	2188
	Slat & U	pholstered Back									
	1401	Oak	1253	1321	1413	1499	1610	1730	1844	2006	2150
		Cherry, Maple, Walnut, Medium Anigre	1397	1472	1563	1652	1755	1874	1997	2147	2296
	Split Upl	nolstered Back									
	1402	Oak	1275	1344	1438	1531	1638	1761	1883	2044	2228
		Cherry, Maple, Walnut, Medium Anigre	1426	1499	1589	1685	1793	1907	2034	2189	2373
	Full Uph	olstered Back									
	1403	Oak	1285	1362	1454	1545	1653	1778	1902	2061	2280
		Cherry, Maple, Walnut, Medium Anigre	1438	1515	1610	1697	1804	1930	2055	2206	2431

ORDERING NOTES

Spence Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1400	22	24	33	18	27	18	20	21	13	0.7
1401	22	24	33	18	27	18	20	22	13	1.0
1402 1403	22 22	24 24	33 33	18 18	27 27	18 18	20 20	22 23	13 13	1.25 1.5

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 12 for finish color selection and clearly mark on your purchase order.


GANGING

Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.

CADENCE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = .43%

POST-CONSUMER RECYCLED CONTENT = 16.46%

Up to 16.91% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CADENCE | GUEST

DESCRIPTION/N	40DEI	WOOD FINISH	COM 1	2	COL 3	FAE	RIC GRAI	DES 6	7	LEATHER 8	9
DEGOTIII TION/IV	NODEL	THINOTT	'		0		5	0			
	CAD2A	Cherry, Maple, Walnut, Medium Anigre	1545	1617	1687	1798	1915	2029	2145	2283	2535

ORDERING NOTES

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

DIMENSIONS & COM REQUIREMENTS

			Overall Height		Height of Arms from Floor			Shipping Weight		COM Yardage
CAD2A	22.75	27	36	18.25	26	18.75	18	23	18	1.7

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES


Chair frames are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see Page 331 for finish color selection and clearly mark on your purchase order.

FAERON WOOD | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.25%

POST-CONSUMER
RECYCLED CONTENT = 13.64%

Up to 31.82% of this Faeron product is recyclable at the end of its useful life

CONTRIBUTES TO

	0020.20.10	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



CLEAN OUT

All Faeron seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



FLEX BACK

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. In addition they ease re-configurability and on-site replacement of damaged or degraded components.



SEAT COMFORT

Seats feature a spring suspension across the entire model range for exceptional comfort while high grade foam provides superior support and longevity.



PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.



GLIDES

Faeron's Beech wood legs feature non-marring

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

REPLACEABLE COMPONENTS

Faeron chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

WEIGHT CAPACITIES

Faeron weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 500 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 625 lbs per unit 3-Seat Freespan - 750 lbs per unit

FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



ARM PANELS

Panel arms are available in semi and fully closed styles for optimum design flexibility.



URETHANE ARM CAP

The optional Urethane Arm Cap provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



SOLID SURFACE ARM FRAME

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



COMBINATION UPHOLSTERY OPTIONS

Faeron can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



KINETIC BACK OPTION

Provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



CLEANABLE UNDER-SEAT SPLASHGUARD

All Faeron seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

GANGING

All Faeron freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$50 list per chair.

REMOVABLE COVERS

Faeron chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

FAERON WOOD | GUEST, DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	44	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	48	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	54	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	71	28

COM- YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.8
30" - One Chair	2.3	0.9	1.4	0.8
44" - One Chair	2.9	1.5	1.6	0.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

WEIGHT CAPACITIES

Faeron weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Guest Plus Chairs (30" & 44") - 750 lbs

CAL 133 & Moisture Barrier (per yard) 61 Solid Surface Arm Cap (per pair) - Gr A White 347 Ganging Bracket 56 Solid Surface Arm Cap (per pair) - Gr A Color 359 Kinetic Back (not available for 30" & 44") 115 Solid Surface Arm Cap (per pair) - Gr B 378 21" & 24" Under-seat Splashguard 56 Solid Surface Arm Cap (per pair) - Gr C 391 30" Under-seat Splashguard 69 Solid Surface Arm (per pair) - Gr A White 546	Faeron Option Upcharges	\$ List		\$ List	
Kinetic Back (not available for 30" & 44") 115 Solid Surface Arm Cap (per pair) - Gr B 21" & 24" Under-seat Splashguard 56 Solid Surface Arm Cap (per pair) - Gr C 391	CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm Cap (per pair) - Gr A White	347	
21" & 24" Under-seat Splashguard 56 Solid Surface Arm Cap (per pair) - Gr C 391	Ganging Bracket	56	Solid Surface Arm Cap (per pair) - Gr A Color	359	
	Kinetic Back (not available for 30" & 44")	115	Solid Surface Arm Cap (per pair) - Gr B	378	
30" Under-seat Splashquard 69 Solid Surface Arm (per pair) - Gr A White 546	21" & 24" Under-seat Splashguard	56	Solid Surface Arm Cap (per pair) - Gr C	391	
of order seat opiasinguald	30" Under-seat Splashguard	69	Solid Surface Arm (per pair) - Gr A White	546	
44" Under-seat Splashguard 87 Solid Surface Arm (per pair) - Gr A Color 570	44" Under-seat Splashguard	87	Solid Surface Arm (per pair) - Gr A Color	570	
Removeable Seat Cover 86 Solid Surface Arm (per pair) - Gr B 615	Removeable Seat Cover	86	Solid Surface Arm (per pair) - Gr B	615	
Removable Back Cover 56 Solid Surface Arm (per pair) - Gr C 646	Removable Back Cover	56	Solid Surface Arm (per pair) - Gr C	646	
Urethane Arm Cap (per pair) 132	Urethane Arm Cap (per pair)	132			

See page 98 for color selection.

FAERON WOOD | GUEST

			COM		COL	F	ABRIC GR	ADES		LEATHER	
DESCRIPTION	/MODEL	Species	1	2	3	4	5	6	7	8	9
	21" Open Arm FAE2-G21ONC	Beech Palette	1198	1247	1294	1391	1486	1584	1681	1777	1968
	21" Semi Closed FAE2-G21SNC	l Arm Beech Palette	1631	1703	1774	1920	2064	2209	2355	2499	2789
	21" Closed Arm FAE2-G21CNC	Beech Palette	1642	1716	1789	1934	2079	2221	2368	2512	2802
	24" Open Arm FAE2-G24ONC	Beech Palette	1284	1333	1382	1479	1575	1670	1768	1863	2058
	24" Semi Closed FAE2-G24SNC	l Arm Beech Palette	1717	1790	1861	2007	2150	2296	2441	2586	2874
	24" Closed Arm FAE2-G24CNC	Beech Palette	1730	1802	1874	2019	2164	2307	2455	2598	2888

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA) replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on <u>page</u> 85. See Page 332 for color selection.

Line	Series	Chair Type	Size	Arm Type	Arm Style
FAE	2	G	21	0	NC
Faeron	Chair	Guest Seating		Open Arm	No Cap
			24	S	UC
				Semi Closed Arm	Urethane Cap
			30	С	SC
				Closed Arm	Solid Surface Cap
			44		SA
					Solid Surface Arm

FAERON WOOD | GUEST

		COM		COL	F	ABRIC GF	RADES		LEATHER	?
DESCRIPTION/MODEL	Species	1	2	3	4	5	6	7	8	9
30" Open Arm FAE2-G30ONC	Beech Palette	1465	1535	1605	1744	1882	2020	2159	2298	2577
30" Semi Closec FAE2-G30SNC	d Arm Beech Palette	1897	1990	2085	2272	2459	2646	2831	3019	3394
30" Closed Arm FAE2-G30CNC	Beech Palette	1911	2005	2097	2284	2471	2659	2845	3034	3408
44" Open Arm FAE2-G44ONC	Beech Palette	1800	1887	1975	2149	2325	2500	2674	2850	3199
44" Semi Closec FAE2-G44SNC	d Arm Beech Palette	2232	2344	2457	2679	2902	3124	3348	3570	4019
44" Closed Arm FAE2-G44CNC	Beech Palette	2245	2357	2468	2693	2914	3138	3362	3584	4033


ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on **Page 85**. See **Page 332** for color selection.

OOT OODLIKET					
Line	Series	Chair Type	Size	Arm Type	Arm Style
Faeron	2 Chair	G Guest Seating	21	O Open Arm	NC No Cap
			24	Semi Closed Arm	UC Urethane Cap
			30	C Closed Arm	SC Solid Surface Cap
			44		SA Solid Surface Arm

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT =10.87 %

POST-CONSUMER RECYCLED CONTENT = 17.48%

Up to 50% of this Faeron Metal product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.




FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



CLEAN OUT

All Faeron Metal seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



FLEX BACK

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. The seats features a spring system that substantially enhances comfort and extends product life cycle. Seats are removable, and field replaceable.



SEAT COMFORT

Seats feature a spring suspension for exceptional comfort while high grade foam provides superior support and longevity.



POLYMER ARM

Faeron arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey and Taupe.



Faeron Metal chairs are available in two metal finishes; Sliver Metallic and Brushed Nickel.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer and is especially suited to the demands of healthcare environments.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

REPLACEABLE COMPONENTS

Faeron Metal chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

WEIGHT CAPACITIES

Faeron Metal weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 500 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 625 lbs per unit 3-Seat Freespan - 750 lbs per unit

PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

Faeron Metal Images | www.krug.ca

FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



ARM PANEL

Upholstered arm panels are available in both semi- and fully-closed styles, and are field replaceable if damaged.



SOLID SURFACE ARM

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard Corian colors, and custom colors (at an upcharge). Arms are replaceable as a full side frame if they become damaged or degraded.



WOOD ARM

Wood arms are solid Beech and available in standard and custom finishes. Krug's wood finish is a proprietary high-durability formulation that has been shown to be an industry leader in abrasion resistance. Arms can be replaced if they do become damaged or degraded.



COMBINATION UPHOLSTERY OPTIONS

Faeron Metal can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



KINETIC BACK OPTION

The optional Kinetic Back provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



CLEANABLE UNDER-SEAT SPLASHGUARD

All Faeron Metal seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the anti-microbial and germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.



REMOVABLE COVERS

Faeron Metal chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$61 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$61 list per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

GANGING

All Faeron Metal freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$56 list per chair.

FAERON METAL | GUEST

DIMENSIONS

22.10					Height of	Width			
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	56	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	60	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	66	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	83	28

COM- YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel	
21" & 24" - One Chair	1.6	0.9	1.4	0.96	_
30" - One Chair	2.3	0.9	1.4	0.96	
44" - One Chair	2.9	1.5	1.6	0.96	

ORDERING NOTES:

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron Metal seating.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron Metal upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm (per pair) - Gr A White	546
Ganging Bracket	56	Solid Surface Arm (per pair) - Gr A Color	570
Kinetic Back (not available for Plus)	115	Solid Surface Arm (per pair) - Gr B	615
21" & 24" Under-seat Splashguard	56	Solid Surface Arm (per pair) - Gr C	646
30" Under-seat Splashguard	69	Beech/Palette Wood Arm (per pair)	205
44" Under-seat Splashguard	87	See Page 98 for color selection.	
Removeable Seat Cover	86	•	
Removable Back Cover	56		
Non-Marring Glides	16		

WEIGHT CAPACITIES

Faeron Metal weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs

FAERON METAL | GUEST

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9
	21" Open Polymer Arm, Silver FAE2M-G21OPAS	Metallic F 1073	rame 1118	1164	1256	1348	1440	1534	1624	1808
	21" Open Polymer Arm, Brush FAE2M-G21OPAN	ed Nickel 1278	Frame 1324	1369	1462	1554	1646	1737	1830	2013
	21" Semi Closed Polymer Arm FAE2M-G21SPAS	, Silver Me 1484	etallic Fran 1554	me 1622	1760	1897	2035	2174	2313	2588
	21" Semi Closed Polymer Arm FAE2M-G21SPAN	, Brushed 1689	Nickel Fra 1758	ame 1827	1965	2104	2241	2379	2516	2794
	21" Closed Polymer Arm, Silve FAE2M-G21CPAS	er Metallic 1496	Frame 1565	1634	1773	1911	2047	2187	2324	2600
	21" Closed Polymer Arm, Brus FAE2M-G21CPAN	shed Nicke 1703	el Frame 1770	1839	1979	2115	2254	2391	2530	2806
	24" Open Polymer Arm, Silver FAE2M-G24OPAS	Metallic F 1156	rame 1202	1248	1339	1433	1522	1615	1707	1891
	24" Open Polymer Arm, Brush FAE2M-G24OPAN	ed Nickel 1361	Frame 1408	1454	1543	1636	1729	1820	1912	2094
	24" Semi Closed Polymer Arm FAE2M-G24SPAS	, Silver Me 1566	etallic Fran 1635	me 1705	1843	1981	2117	2257	2394	2671
	24" Semi Closed Polymer Arm FAE2M-G24SPAN	, Brushed 1772	Nickel Fra 1840	ame 1909	2047	2186	2322	2462	2599	2874
	24" Closed Polymer Arm, Silve FAE2M-G24CPAS	1580	1648	1717	1855	1992	2131	2270	2407	2683
	24" Closed Polymer Arm, Brus FAE2M-G24CPAN	shed Nicke 1783	el Frame 1853	1921	2061	2198	2336	2473	2612	2888

ORDERING NOTES:

Faeron Metal chairs can also be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. See **Page 332** for color selection.

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	546
Solid Surface Arm (per pair) - Gr A Color	570
Solid Surface Arm (per pair) - Gr B	615
Solid Surface Arm (per pair) - Gr C	646
Beech/Palette Wood Arm (per pair)	205

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE Faeron	2M Chair	G Guest Seating	21	O Open Arm	PA Polymer Arm	Silver Metallic
			24	Semi Closed Arm	WA Wood Arm	N Brushed
			30	C Closed Arm	SA Solid Surface Arm	Nickel
			44			

SEATING & OCCASIONAL TABLES | CANADA | 92

FAERON METAL | GUEST

		0014		001	545		550			
DESCRIPTION/MOI	DEL	COM 1	2	COL 3	4	RIC GRA	DES 6	7	LEATHER 8	9
	30" Open Polymer Arm, S FAE2M-G300PAS	Silver Meta 1328	llic Frame 1393	1460	1591	1724	1857	1988	2121	2386
	30" Open Polymer Arm, E FAE2M-G30OPAN	Brushed Ni 1534	ckel Frame 1598	1664	1796	1930	2062	2193	2325	2590
	30" Semi Closed Polymer FAE2M-G30SPAS	•								
	TALZIVI GOOGI AG	1739	1829	1917	2094	2273	2452	2630	2808	3164
	30" Semi Closed Polymer FAE2M-G30SPAN	Arm, Brus	shed Nickel 2033	Frame 2122	2300	2479	2657	2836	3013	3369
	30" Closed Polymer Arm,	Silver Met	allic Frame							
	FAE2M-G30CPAS	1752	1840	1930	2108	2285	2464	2641	2821	3178
	30" Closed Polymer Arm,	Brushed N	Nickel Fram	е						
	FAE2M-G30CPAN	1958	2045	2134	2314	2490	2670	2846	3026	3383
-	44" Open Polymer Arm, S	Silver Meta	llic Frame							
	FAE2M-G44OPAS	1647	1730	1814	1980	2147	2314	2481	2647	2980
	44" Open Polymer Arm, E	Brushed Ni	ckel Frame							
	FAE2M-G44OPAN	1852	1935	2018	2185	2353	2517	2684	2852	3184
	44" Semi Closed Polymer	Arm, Silve	er Metallic F	rame						
	FAE2M-G44SPAS	2059	2164	2271	2484	2696	2909	3121	3333	3760
	44" Semi Closed Polymer	Arm, Brus	shed Nickel	Frame						
	FAE2M-G44SPAN	2263	2369	2474	2688	2900	3113	3325	3538	3964
	44" Closed Polymer Arm,	Silver Met	allic Frame							
	FAE2M-G44CPAS	2070	2177	2283	2495	2709	2921	3134	3346	3772
	44" Closed Polymer Arm,	Brushed N	Nickel Fram	е						
	FAE2M-G44CPAN	2275	2383	2488	2700	2913	3125	3339	3551	3978

ORDERING NOTES:

Faeron Metal chairs can also be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. See **Page 332** for color selection.

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	546
Solid Surface Arm (per pair) - Gr A Color	570
Solid Surface Arm (per pair) - Gr B	615
Solid Surface Arm (per pair) - Gr C	646
Beech/Palette Wood Arm (per pair)	205

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE	2M	G	21	0	PA	S
Faeron	Chair	Guest Seating		Open Arm	Polymer Arm	Silver Metallic
			24	S	WA	N
				Semi Closed Arm	Wood Arm	Brushed
			30	С	SA	Nickel
				Closed Arm	Solid Surface Arm	
			44			

MULTI-PURPOSE SEATING

95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri


124 Bank of England

LIBRA | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 18.68%

POST-CONSUMER RECYCLED CONTENT = 28.64%

Up to 74.71% of this Krug product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Krug products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Krug products are supplied air-emissions certified. Contact customer service for information.

LIBRA | FEATURES & OPTIONS

FEATURES



POLYMER BACK & SEAT

Libra chairs feature Black polymer seat and back. The polymer back provides contoured lumbar support and flex for greater comfort. The seat tilts down for the sitting position and flips up when ready to nest the chairs.



OPTIONS TARI FT

Libra swivel folding tablet is available in Black polymer. The tablet is fastened to the left side (facing), and has a turning radius of 360 degrees.



UPHOLSTERED SEAT & BACK

Libra chairs are available with upholstered seat and Black polymer back or upholstered seat and back



BOOK RACK

The wire book rack is available in Black or Silver Metallic to coordinate with the frame selection. It can conveniently remain in place when the chairs are nested but is also removable without tools if needed.



FRAME

Metal frame finish is available in Black or Silver Metallic.



When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



ARMS

Libra chairs are available in both Armless and Armed chair styles. Armed chairs feature a fixed, forward-sloping Black polymer armrest.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$61 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact



GLIDES

Libra Black nylon glides are non-adjustable, non-marring and field-replaceable if damaged or degraded.



CASTERS

The twin-wheel casters promote easy storage and repositioning and are also available with a locking option.



NESTING

Libra chairs nest by raising the seat into its upright position, they can be nested with both the book rack and tablet in place.



REPLACEABLE COMPONENTS

Libra is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.

WEIGHT CAPACITIES

Libra has been laboratory tested to meet a weight capacity of 300lbs, for arm and armless versions.

Customer Service for additional information.

LIBRA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	Cubes	
Armless	22	24.5	33.5	18	n/a	n/a	19	25	13	
Fixed Arm	25.5	24.5	33.5	18	26.25	22	19	27	13	
Tablet Arm	28	24.5	33.5	18	29	n/a	19	35	13	

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

COM Yardage

Seat & Back	1.19
Seat only	0.56
Back only	0.65



		COM		COL	FABRIC GRADES			LEATHER			
ESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9	
	Polymer Back & Seat with LIB2111B	Glides and 414	l Black Fr	ame							
	Polymer Back & Seat with LIB2111S	Glides and 414	l Silver Fra	ame							
	Polymer Back & Upholster LIB2121B	ed Seat wi 527	th Glides 541	and Black 556	Frame 577	600	621	645	675	704	
	Polymer Back & Upholster LIB2121S	ed Seat wi 527	th Glides 541	and Silver 556	Frame 577	600	621	645	675	704	
	Upholstered Back & Seat v LIB2131B	with Glides 603	and Blac 633	k Frame 666	711	762	807	859	924	988	
	Upholstered Back & Seat v LIB2131S	vith Glides 603	and Silve 633	er Frame 666	711	762	807	859	924	988	
	Polymer Back & Seat with LIB2112B	Casters ar 421	nd Black F	rame							
	Polymer Back & Seat with LIB2112S	Casters ar 421	nd Silver F	rame							
	Polymer Back & Upholster LIB2122B	ed Seat wi 534	th Casters 547	s and Blac 562	k Frame 583	607	628	651	681	711	
	Polymer Back & Upholster LIB2122S	ed Seat wi 534	th Casters 547	s and Silve 562	er Frame 583	607	628	651	681	71 ⁻	
	Upholstered Back & Seat v LIB2132B	with Caster 610	rs and Bla 640	ck Frame 672	717	769	814	866	930	995	
	Upholstered Back & Seat v LIB2132S	with Caster 610	rs and Silv 640	er Frame 672	717	769	814	866	930	995	
RDERING NOTES	: To specify casters locking, o	change the	base sele	ection (sho	own below)) from a "2	2" to a "3"				
IBRA OPTION UPO	CHARGES	\$ List									
	Barrier (per yard)	61									

PRO	DUC	T CO	DF	KFY
FINO	טטע		\mathbf{r}	

Line	Series	A има	Chida	Base	Finish
Line	Series	Arm	Style	Base	FINISH
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

LIBRA | FIXED ARM

		COM COL FABRIC GRADES		ADES	LEATHER							
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9		
	Polymer Back & Seat w	ith Glides	and Black	k Frame								
	LIB2211B	481										
	Polymer Back & Seat w		and Silve	r Frame								
1 / 1	LIB2211S	481										
0												
	Polymer Back & Uphols	stered Sea	at with Glic	des and Bl	ack Frame)						
	LIB2221B	594	608	623	643	667	688	712	741	771		
	Polymer Back & Upholstered Seat with Glides and Silver Frame											
{ // n /	LIB2221S	594	608	623	643	667	688	712	741	771		
ij												
Upholstered Back & Seat with Glides and Black Frame												
	LIB2231B	670	700	733	778	829	874	926	990	1055		
	Upholstered Back & Se											
A // A	LIB2231S	670	700	733	778	829	874	926	990	1055		
Ū												
	Polymer Back & Seat w	ith Caster	rs and Bla	ck Frame								
	LIB2212B	487										
				_								
	Polymer Back & Seat w		rs and Silv	er Frame								
(// d)	LIB2212S	487										
d ·												
	Polymer Back & Uphols	stered Sea	at with Cas	sters and E	Black Fram	ne						
	LIB2222B	601	614	629	650	674	695	718	748	778		
	Polymer Back & Uphols						005	740	7.40	770		
1 / 10 / 1	LIB2222S	601	614	629	650	674	695	718	748	778		
Ø.												
	Upholstered Back & Se	at with Ca	asters and	Black Fra	me							
	LIB2232B	677	707	739	784	836	881	933	997	1061		
				o								
	Upholstered Back & Se											
(/ d)	LIB2232S	677	707	739	784	836	881	933	997	1061		
9												

ORDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3".

LIBRA OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Removable Wire Basket	73

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

		COM		COL	FAE	FABRIC GRADES			LEATHER			
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9		
	Polymer Back & Seat with LIB2311B	Glides and 596	d Black Fr	ame								
	Polymer Back & Seat with LIB2311S	Glides and 596	d Silver Fr	ame								
u ————————————————————————————————————	Polymer Back & Upholster	ed Seat wi	ith Glides	and Black	Frame							
	LIB2321B	710	723	738	759	783	804	827	857	887		
	Polymer Back & Upholster	ed Seat wi	ith Glides	and Silver	Frame							
	LIB2321S	710	723	738	759	783	804	827	857	887		
U	Upholstered Back & Seat v	vith Glides	and Blac	k Frame								
	LIB2331B	786	816	848	893	945	990	1042	1106	1171		
	Upholstered Back & Seat v	vith Glides	and Silve	er Frame								
	LIB2331S	786	816	848	893	945	990	1042	1106	1171		
	Polymer Back & Seat with		nd Black F	rame								
	LIB2312B	603										
	Polymer Back & Seat with	Casters ar	nd Silver F	rame								
	LIB2312S	603										
	Polymer Back & Upholster	ed Seat wi	ith Casters	s and Blac	k Frame							
	LIB2322B	716	730	745	766	789	810	834	864	893		
	Polymer Back & Upholster	ed Seat wi	ith Casters	s and Silve	r Frame							
	LIB2322S	716	730	745	766	789	810	834	864	893		
	Upholstered Back & Seat v	with Caste	rs and Bla	ock Frame								
	LIB2332B	792	823	855	900	952	997	1048	1113	1177		
	Upholstered Back & Seat v	vith Caste	rs and Silv	ver Frame								
	LIB23232S	792	823	855	900	952	997	1048	1113	1177		
ORDERING NOTES	: To specify casters locking, o	change the	base sele	ection (sho	wn below)	from a "2	?" to a "3'	,				
	-											
IBRA OPTION UPO	CHARGES	\$ List										
CAL 133 & Moisture	Parrior (por yard)	61										

LIBRA OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Removable Wire Basket	73

JUCI CODE	KET				
Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

LIBRA | REPLACEMENT COMPONENTS


		СОМ	COL		FAE	BRIC GRAI			LEATHER				
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	Yds	Weight	Cube
	Replacemer LIB2-RA2	nt Fixed 63	Arm (Pa	air)								2.5	0.8
	Replacemer LIB2-RA3	nt Table 152	t Arm (pe	er arm)								11.3	2.3
	Replacemer LIB2-RS1	nt Polyn 110	ner Seat									3.8	0.7
	Replacemer	nt Upho	Istered S	Seat									
	LIB2-RS2	192	206	221	241	265	286	310	339	369	0.65	5.9	0.7
	Replacemer LIB2-RB1	nt Glide: 17	s (Set of	4)								0.2	0.1
	Replacemer LIB2-RB2 Replacemer LIB2-RB3	38			4)							0.6	0.1

MOBI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 13.78%

POST-CONSUMER RECYCLED CONTENT = 14.33%

Up to 55.11% of this Mobi product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Mobi products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Mobi products are supplied with air emissions-certified materials. Contact customer service for specific

MOBI | FEATURES, OPTIONS, DIMENSIONS & COM REQUIREMENTS



ARMS

Arms are available in the full range of polymer colors: Black, White, Grey, Taupe, Yellow, Red, Blue, Green. Please specify when ordering.



CADDIE

The Mobi caddie provides enhanced stackability, along with the ease of movement and storage. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. Its design allows for the stacking and storage of all Krug stackable chairs.



ARMLESS



COMBINATION COLORS

More than one polymer color can be selected in any combination for seats, backs and arms. Please specify when ordering.



POLYMER SEATS & BACKS

Available Polymer colors: White, Grey, Taupe, Yellow, Red, Blue, Green.



UPHOLSTERED SEATS & BACKS

Optional Removable covers can be quickly installed on Mobi products that were originally ordered with the removable cover option.



MESH BACKS

Available mesh colors: Grey, Black & White. Please specify when ordering.



STACKABILITY

Mobi chairs are stackable to a maximum of 8 chairs high on the floor as well as dolly.



LEGS & GLIDES

Mobi legs are structural steel legs in Polished Chrome with non-marring glides.



Mobi has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Mobi has been load tested up to 300lbs.

OPTIONS

REPLACEMENT AND REMOVABLE COMPONENTS

Mobi is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Mobi Chairs are available with Removable Seat and Removable Back Covers,

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	Cubes	COM YRD
MOB210P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB211P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB220P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB221P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB230P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB231P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB240P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB241P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB250P	18	21	31	17	n/a	n/a	18.75	21	14	1.22
MOB251P	21.25	21	31	17	27	20.5	18.75	21	14	1.22

		СОМ		COL	FABRIC GRADES		LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Polymer Seat and Back, A MOB210P	rmless 365								
	Polymer Seat and Back, w MOB211P	ith Arms 403								
	Polymer Back and Upholst MOB220P	tered Sea 481	t, Armles 504	s 526	570	616	661	705	752	843
	Polymer Back and Upholsi MOB221P	tered Sea 529	t, with Ar 549	ms 571	617	662	708	753	798	888
	Mesh Back and Upholstere MOB230P	ed Seat, <i>I</i> 489	Armless 512	535	581	625	670	717	760	852
Mobi Option Upcharges	5	\$ List								
CAL 133 & Moisture Barr Removable Seat Covers Removeable Back Cover	ier (per yard)	61 68 68								
PRODUCT CODE KEY										
Line	Series		Chair St	yle		Arr	n Style		N	Metal Finish
MOB Mobi	2 Multi-Purpose		Polymer & Back			A	0 rmless		Pol	P ished Chrome
			2 Polymer Ba pholstered			A	1 armed			
		U	3 Mesh Bac							
		_	4 Mesh Bac Polymer S	ck &						
		F	5 ully Uphol: Seat & B	stered ack						

MOBI


DESCRIPTION/MODEL		COM 1	2	COL 3	FABI 4	RIC GRA	ADES 6	7	LEATHE 8	R 9
	Mesh Back and Upholstere MOB231P	d Seat, 536	with Arms 559	582	627	672	718	761	808	898
	Mesh Back and Polymer Se MOB240P	eat, Arm 374	lless							
	Mesh Back and Polymer Se MOB241P	eat, with 420	Arms							
	Fully Upholstered Seat and MOB250P	Back, <i>F</i> 582	Armless 617	654	725	799	871	942	1015	1162
	Fully Upholstered Seat and MOB251P	Back, v 618	vith Arms 655	691	765	836	910	982	1055	1198
	Caddie DOL6	799								
Mobi Option Upcharges		\$ List								
CAL 133 & Moisture Barrie Removable Seat Covers Removeable Back Covers		61 68 68								
PRODUCT CODE KEY Line	Series		Chair Sty	ıla			rm Style			Metal Finish
MOB Mobi	2 Multi-Purpose		1 Polymer S & Back	eat		[0 Armless		F	P Polished Chrome
			2 Polymer Ba Upholstered] ick &			1 Armed			
			Mesh Bac Upholstered	Seat						
			Mesh Bac Polymer S 5 Fully Uphols Seat & Ba	seat						

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 5.51%

POST-CONSUMER
RECYCLED CONTENT = 24.98%

Up to 73.47% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



KARMA | FEATURES & OPTIONS



DESIGNED FOR COMFORT

The seat features an enhanced standard foam thickness, combined with our proprietary webbing suspension system, to provide superior comfort and a longer life cycle. The back is contoured and angled to provide supportive sitting.



LIGHT GREY POLYMER BACK

Polypropylene backs are injection molded, with Light Grey pigment diffused throughout the mold, featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



POLYMER ARM

Karma arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey, Light Grey and Taupe.



STANDARD GLIDE

Karma's black domed polymer glides are nonadjustable, and field-replaceable if damaged or degraded. Ideal for carpeted flooring.



STACKING

Karma stacks 7 high on the floor, and 12 chairs on the Caddie. The optional Underseat Cover can be specified to help prevent indenting of seat upholstery on chairs that will be stacked. Karma chairs with the Sled Base option do not stack.



TANDEM SEATING

Karma chairs, and in-line tables, are designed to be instantly converted to (or ordered as) tandem seating. Armed and armless chairs can be connected -when joining arm chairs the positioning prevents a pinch point between the arms. In-line tables can be configured between chairs or as end tables. And the tandem components can be easily removed to convert to freestanding.



REPLACEABLE COMPONENTS

Karma is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



The Karma Leg is available in 2 standard finishes; Silver Metallic and Matte Black. Polished Chrome is also available for an upcharge.

WEIGHT CAPACITIES

Karma has been laboratory tested to meet a weight capacity of 500 lbs, in all versions: arm and armless, and all widths.



SLED BASE OPTION

Optional Sled Base frames are available in Silver Metallic and Matte Black. The integrated steel rail spans between the front and rear legs which are fitted with black nylon glides. Karma chairs with the Sled Base option do not stack.



UNDERSEAT COVER

As an alternative to the standard dust cover under the seat, this option, in black polymer, closes off the underside of the chair, functioning as a cleanable Splashguard to protect the interior from moisture. It also assists in chair stacking, by distributing the weight to eliminate any indentations in the seat upholstery.



CASTERS OPTION

Karma features durable low profile 1 ½" diameter casters in black nylon offering an impressive 500lb load rating.



FLOOR SAVER GLIDE

Karma's Floor Saver Glides are a larger, white, nylon glide incorporating a much larger surface area, and is a self-adjusting to help protect LVT, vinyl, tile, or hardwood where risk of marking might occur. Available at a \$36 list upcharge.



NON-SLIP GLIDE

Features a much larger surface area and is also self-adjusting. It also features a softer outer coating to hold and prevent chair from sliding on LVT, vinyl, or tile flooring. Perfect for more slippery/smooth floor areas where prevention of chair movement is required. Available at a \$36 list upcharge.



COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



Optional Removeable covers can be quickly installed on Karma products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Karma products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. See page 25 for imformation.

KARMA | DIMENSIONS & COM REQUIREMENTS

	0 "	0 "	0 "	0 1		5 .	0 1	Shipp	ing Wei	-	0014	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	1 Chair	2 Chairs	3 Chairs	COM YRD	Cubes
Leg Base Stac Armless	king Chair U	Jpholstered										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	24	44	64	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22 KAR2C-26	28 32	21.9 21.9	33.9 33.9	18 18	26.8 26.8	22 26	17 17	25.5 27	47 50	68.5 73	1 1.7	18 21
Leg Base Stac			55.9	10	20.0	20	17	21	30	73	1.7	21
Armless	00.0	01.0	00.0	10	/-	-/-	47	00.5	44	FO F	0.7	10
KAR2C-18.5 KAR2C-22	20.2 23.7	21.9 21.9	33.9 33.9	18 18	n/a n/a	n/a n/a	17 17	22.5 24	41 44	59.5 64	0.7 0.7	18 18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	44 47	68.5	0.7	21
With Arms	21.1	21.0	00.0	10	11/α	11/α	.,	20.0	77	00.0	0.7	21
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	27	50	73	0.7	21
Leg Base Stac	king Chair F	Polymer Back										
Armless	-											
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	n/a	18
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	n/a	18
Caster Base C KAR2C-18.5	nair Opnois 24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	1	18
Caster Base C	hair Wood E	Back - With A	rms									
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
Caster Base C KAR2C-18.5	hair Polyme 24.5	r Back - With 21.9	Arms 33.9	18	26.8	18.5	17	24	44	64	0.7	18
				10	20.0	10.5	17	24	44	04	0.7	10
Sled Base Cha Armless	air Upholster	red										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	-	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	-	-	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	-	-	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	1	18
KAR2C-22 KAR2C-26	28 32	21.9	33.9	18	26.8	22	17	28.5	-	-	1	18
NADZC-26 Sled Base Cha		21.9	33.9	18	26.8	26	17	30	-	-	1.7	21
Armless	all vvood Da	CK										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	_	_	0.7	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	-	-	0.7	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	-	-	0.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	0.7	18
KAR2C-22 KAR2C-26	28 32	21.9 21.9	33.9 33.9	18 18	26.8 26.8	22 26	17 17	28.5 30	-	-	0.7 0.7	18 21
			33.8	10	20.0	20	17	30	-	-	0.7	۷۱
Sled Base Cha Armless	•		00.0	40	,	,	4=	05.5			0.7	40
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	-	0.7	18
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	0.7	18
Yardage for Inc	dividual Con	nponents	Back	Seat								
E-1-1-40 E"			0.50	0.75								
Fabric 18.5"												
Fabric 18.5" Fabric 22" Fabric 26"			0.50 0.50	0.75 0.75								

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

KARMA | LEG BASE

			COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/M	ODEL		1	2	3	4	5	6	7	8	9
	18.5" Leg Base, KAR2C-18.5L_P	NAD	Silver Me 429	tallic - Up 455	pholstere 478	d Seat & Po 515	olymer Ba 556	ck, No Arm 591	with Star 631	ndard Dus 682	t Cover 732
	18.5" Leg Base, KAR2C-18.5LCP	NIAD	ie - Uphi 533	olstered \$ 559	Seat & Po 584	olymer Back 620	k, No Arm 661	with Stand 697	ard Dust (Cover 786	837
	18.5" Leg Base,	Matte Black or S	Silver Me	tallic - Fu	ılly Uphol	stered. No	Arm with	Standard D	ust Cover	r	
	KAR2C-18.5L_U	NAD	463	489	513	549	590	625	664	716	767
	19 5" Log Poo										
	18.5" Leg Base, KAR2C-18.5LCU	INIAD	568	593	618	655	696	730	770	820	871
	18.5" Leg Base,	Matte Black or 9	Silver Me	tallic - Ut	pholstere	d Seat & W	ood Back	. No Arm w	ith Standa	ard Dust C	Cover
	KAR2C-18.5L_W	MIAD	494	510	520	539	560	577	598	624	648
	10 F" Lan Dana										0.10
	18.5" Leg Base, KAR2C-18.5LCV	/NIAD									750
			600	614	627	644	664	682	703	729	756
	10 F" L D	Matta Diagle and	Oilean Ma	tallia III		-l Ct 0 D-	- l D	-1- ···:th- A	Ot	a dand Dir	
	18.5" Leg Base, KAR2C-18.5L_P/	۸ ۵	siiver ivie 464	489	516	553	луппет ва 591	627	668	718	769
	_										709
	18.5" Leg Base, KAR2C-18.5LCP	M D									
	NAN20-18.3L0F	A_D	571	596	621	658	697	732	772	825	874
	18.5" Leg Base,	Matte Black or S	Silver Me	tallic - Fu	ılly Uphol	stered, with	n Arm and	Standard	Dust Cove	er	
	KAR2C-18.5L_U	A_D	498	522	550	586	625	661	702	752	803
	18.5" Leg Base,	Polished Chrom	e - Fully	Upholste	ered, with	n Arm and S	Standard [Dust Cover			
	KAR2C-18.5LCU	IA D	604	630	656	691	730	767	806	858	909
	18.5" Leg Base,	Matte Black or S	Silver Me	tallic - Ur	pholstere	d Seat & W	ood Back	. with Arm	and Stand	lard Dust (Cover
	KAR2C-18.5L_W	M D	521	536	549	567	588	604	625	653	677
	18.5" Leg Base,	Polished Chrom	e - Unh	olstered S	Seat & Wo	ood Back v	with Arm a	and Standa	rd Dust Co	over	
	KAR2C-18.5LCV	/A D	628	641	655	672	693	709	730	757	782
ŭ	ORDERING NO	TES: When sele	cting Fra	me Color	and Arm	Style pleas	se see Pro	oduct Code	Key belo	W.	
Karma Option Up	pcharges		\$ List	:							
	ure Barrier (per yard)		61								
Removable Seat (Removable Back			68 68								
Polymer Underse			45								
PRODUCT CODE K											
Line	Series	Frame Size		Frame (Color	Style	е	Arm	Style	Underse	eat Shroud
KAR	2C	18.5L		В		U		N	A		S
Karma	Stacking Chair	18.5" Leg Bas	se	Matte E	 Black	Fully Upho	lstered	No .	Arm	Polyme	er Shroud
		-		S		W		А	В		D
				Silver Me	etallic	Beech Woo	od Back	Bla	ick		ndard t Cover
				С		Р			G	Dust	Cover
				Polished (Chrome	Polymer	Back		ey		
									.G		
									Grey		
									T		
								Tau	ipe		

KARMA | LEG BASE

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	22" Leg Base, Matte Bl	ack or Silv	er Metalli	c - Fully U	pholstered	. No Arm v	vith Stand	ard Dust C	over	
	KAR2C-22L_UNAD	504	529	555	589	628	663	704	756	805
	22" Leg Base, Polished	Chrome	- Fully Up	holstered,	No Arm, a	nd Standa	rd Dust Co	over		
	KAR2C-22LCUNAD	631	656	681	717	757	793	832	884	935
U										
	22" Leg Base, Matte Bla	ack or Silv	er Metallic	- Upholste	ered Seat 8	Wood ba	ck, No Arn	n with Stan	dard Dust	Cover
	KAR2C-22L_WNAD	540	555	567	585	604	623	642	668	695
	22" Leg Base, Polished	Chrome	- Upholste	ered Seat	& Wood ba	ck, No Arr	n with Sta	ndard Dus	t Cover	
	KAR2C-22LCWNAD	669	681	696	712	732	749	771	796	823
	00" Las Daca Matta Di	l C:l-	Matall:	- F.J. 11	-11-4	:tla Aa	and Otana	Jawal Durat (2	
	22" Leg Base, Matte Bl KAR2C-22L U D	ack or Silv 538	/er Metalli 563	589	pnoisterea 624	, with Arm 664	and Stand	ard Dust (Jover 791	841
	1011120 222_0_0	550	303	303	024	004	033	741	731	041
	22" Leg Base, Polished	Chrome	- Fully Up	holstered,	with Arm a	and Standa	ard Dust C	over		
	KAR2C-22LCU_D	666	693	717	752	794	828	869	917	969
Ų.										
	22" Leg Base, Matte Bla	ack or Silv	er Metallio	c- Upholst	ered Seat 8	& Wood ba	ck, with A	rm and Sta	andard Du	st Cover
	KAR2C-22L_W_D	568	581	593	612	633	648	670	696	721
	22" Leg Base, Polished	Chrome	- Upholsto	ered Seat	& Wood ba	ck, with A	rm and Sta	andard Du	st Cover	
	KAR2C-22LCW_D	697	708	723	741	760	778	799	824	848

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Removable Seat Covers	68
Polymer Underseat Shroud 22"	60
Polymer Underseat Shroud 18.5"	45

FINODOOT OOL	DE REI					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	22L	В	U	NA	S
Karma	Stacking Chair	22" Leg Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

KARMA | LEG BASE

		COM		COL	FAI	BRIC GRA	DES		LEATHER	3
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	26" Leg Base, Matte E KAR2C-26L_UNAD	Black or Silv 602	ver Metalli 648	c - Fully L 699	Jpholstered 768	d, Armless 845	with Stand 913	dard Dust 990	Cover 1087	1185
	26" Leg Base, Polisher KAR2C-26LCUNAD	d Chrome 731	- Fully Up 780	holstered 829	, Armless, 1 897	with Stand 974	dard Dust (1042	Cover 1121	1219	1315
	26" Leg Base, Matte B KAR2C-26L_WNAD	lack or Silv 620	er Metallic 642	- Uphols 664	tered Seat 698	& Wood b 732	ack, Armle 767	ess, with St 803	tandard Di 847	ust Cover 893
	26" Leg Base, Polisher KAR2C-26LCWNAD	d Chrome 748	- Upholste 772	ered Seat 795	& Wood ba 828	ack, Armle 863	ess, with S 896	tandard Du 933	ust Cover 979	1021
	26" Leg Base, Matte E KAR2C-26L_U_D	Black or Silv 638	ver Metalli 687	c - Fully L 733	Jpholstered 803	d, with Arn 880	n and Stan 948	dard Dust 1029	Cover 1123	1222
	26" Leg Base, Polisher KAR2C-26LCU_D	d Chrome 768	- Fully Up 816	holstered 865	with Arm a 933	and Standa 1011	ard Dust C 1080	over 1156	1253	1352
	26" Leg Base, Matte B KAR2C-26L_W_D	lack or Silv 646	er Metallic 670	- Upholsto	ered Seat 8 725	& Wood ba 760	ck, with Ar 794	m and Sta 830	indard Dus 874	st Cover 918
	26" Leg Base, Polisher KAR2C-26LCW_D	d Chrome 777	- Upholste 800	ered Seat 823	& Wood ba 854	ack, with <i>F</i> 890	Arm and St 922	tandard Du 960	ust Cover 1006	1050

ORDERING NOTES:

When selecting Frame Color and Arm Style please see Product Code Key below. See following page for additional options. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed on page 112.

Description/Model		Price
	Tandem Seating Bracket KAR2C-GB BA	-Matte Black (for armed chair) 77
	Tandem Seating Bracket- KAR2C-GB BSA	- Silver Metallic (for armed chair) 77
	Tandem Seating Bracket- KAR2C-GB BCA	- Polished Chrome (for armed chair) 87
	Tandem Seating Bracket- KAR2C-GB BNA	-Matte Black (for chairs without arms) 68
	Tandem Seating Bracket- KAR2C-GB BSNA	- Silver Metallic (for chairs without arms) 68
	Tandem Seating Bracket- KAR2C-GB BCNA	Polished Chrome (for chairs without arms)
	Caddie DOL6	799

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR Karma	2C Stacking Chair	26L 26" Leg Base	B Matte Black S Silver Metallic C Polished Chrome	Fully Upholstered W Beech Wood Back	NA No Arm AB Black AG Grey ALG Light Grey AT Taupe	Polymer Shroud D Standard Dust Cover

KARMA | CASTER BASE

		COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	18.5" Caster Base, S KAR2CS-18.5MSP_		- Upholste 570	ered Seat 596	& Polymer E 631	3ack, No <i>i</i> 670	Arm with Si 706	tandard D 746	ust Cover 796	848
	18.5" Caster Base, S KAR2CS-18.5MSU_		- Fully Upl 603	holstered 630	, with Arm a 664	nd Standa 704	ard Dust Co 741	over 781	830	883
	18.5" Caster Base, S KAR2CS-18.5MSW_		- Upholster 615	ed Seat 8 628	wood back 645	, with Arm 666	n and Stand 683	ard Dust 0 704	Cover 730	756
	22" Caster Base, Sil KAR2C-22MSU_D	ver Metallic - 616	Fully Upho 642	olstered, v 668	vith Arm and 703	d Standard 744	d Dust Cov 778	er 819	870	918
	22" Caster Base, Sil KAR2C-22MSW_D	ver Metallic- l 646	Jpholstere 659	d Seat & 673	Wood back, 689	with Arm 711	and Stand 728	ard Dust (748	Cover 773	800
#	ORDERING NOTES Karma chairs all incl upcharge listed belo	ude the Stand						hange "D	" to "S" an	d add
Karma Option Upchar		\$ L	ist							
CAL 133 & Moisture Bai Removable Seat Covers Removable Back Cover Polymer Underseat Shro Polymer Underseat Shro Polymer Underseat Shro	s s oud 18.5" oud 22"		61 68 68 45 60 77							
PRODUCT CODE KEY	Series Fra	ıme Size	Frame	Color	Styl	e	Arm	Style	Underse	at Shrou
KAR Stac	king Chair 18.5" (8.5M Caster Base	Silver N		Fully Upho		A	ack	Polyme	r Shroud

22" Caster Base

Grey

ALG

Light Grey

AT

Taupe

Standard Dust Cover

Beech Wood Back

Р

Polymer Back

KARMA | SLED BASE

DESCRIPTION/MOD	DEL	CO 1		COL 3	FAE	BRIC GRA	DES 6	LE 7	EATHER 8	9
	18.5" Sled Base, Ma KAR2C-18.5S_PNA		ilver Metalli		d Seat & F 602	Polymer B 624	ack, No Arm 640	with Stand	dard Dust 687	
	18.5" Sled Base, Ma KAR2C-18.5S_UNA				lstered, No 636	o Arm with 658	n Standard D 674	oust Cover 696	721	746
	18.5" Sled Base, Ma KAR2C-18.5S_WNA				Seat & W 670	ood back, 691	No Arm with 708	n Standard 729	Dust Cov 756	er 781
	18.5" Sled Base, Ma KAR2C-18.5S_P_D	atte Black or S			d Seat & F 684	Polymer B 723	ack, No Arm 759	with Stand	dard Dust 850	Cover 900
	18.5" Sled Base, Ma KAR2C-18.5S_U_D		ilver Metalli 31 656		lstered, wi 718	ith Arm an 757	d Standard 793	Dust Cove 832	r 884	935
	18.5" Sled Base, Ma KAR2C-18.5S_W_D ORDERING NOTES Karma chairs all incl charge listed below.	65 3: When selecti ude the Stand	55 668 ing Frame (681 Color and Arm	698 Style plea	719 ise see Pr	735 oduct Code	757 Key below	783	808
Karma Option Upo	charges		\$ List							
CAL 133 & Moistur Removable Seat Co Removable Back C Polymer Underseat	overs Covers		61 68 68 45							
PRODUCT CODE KEY										
KAR Karma	Series 2C Chair	Frame Size [18.5S] 18.5" Sled Base	M	B atte Black S erer Metallic	Styl Fully Uph W Beech Wo P Polymer	olstered od Back	Arm S NA NO A AE Blac Gre ALC Light C	rrm B B B B B B B B G G F B	Polymer Stand Dust (Shroud O

KARMA | SLED BASE

								., . , 0.		, .OL
DESCRIPTION/MODEL		COM 1	2	COL 3	FAE	BRIC GRAI 5	DES 6	7	LEATHER 8	9
	22" Clad Page Matte Pl									
	22" Sled Base, Matte Bl KAR2C-22S_UNAD	ack or Silve 634	659	685	pnoistered, 720	759	795	836	over 887	937
	22" Sled Base, Matte Bla	ack or Silver	· Metallic	- Upholsto	ered Seat &	Wood bad	ck, No Arm	with Stan	dard Dust	Cover
	KAR2C-22S_WNAD	672	685	698	717	735	754	773	799	825
	22" Sled Base, Matte Bl KAR2C-22S_U_D	ack or Silve 669	er Metallio 696	c - Fully U 720	pholstered, 756	with Arm 796	and Stand 830	ard Dust 0 871	Cover 922	971
	22" Sled Base, Matte Bl KAR2C-22S_W_D	ack or Silve 699	r Metallic 711	:- Upholsti 725	ered Seat & 743	wood ba	ck, with Ar 781	m and Sta 802	ndard Dus 827	st Cover 853
	ORDERING NOTES: W Karma chairs all include upcharge listed below.									nd add

Karma Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	61	
Removable Seat Covers	68	
Removable Back Covers	68	
Polymer Underseat Shroud 22"	60	

PRODUCT CODE	EKEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	228	В	U	NA	S
Karma	Chair	22" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG Grey	Dust Cover
					ALG	
					Light Grey	
					AT	
					Taupe	

KARMA | SLED BASE

		COM		COL	FAE	BRIC GRA	DES		LEATHER	}
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	26" Sled Base, Matte Bl	ack or Silv	er Metallio	c - Fully U	pholstered.	Armless	with Stand	ard Dust C	Cover	
	KAR2C-26S_UNAD	732	781	830	898	978	1043	1122	1220	1316
	26" Sled Base, Matte Bla	ack or Silv	er Metallic	: - Upholst	ered Seat	& Wood ba	ack, Armle:	ss, with St	andard Du	 ust Cover
	KAR2C-26S_WNAD	752	773	796	829	865	897	935	980	1023
	26" Sled Base, Matte Bl	ack or Silv	er Metallio	r - Fully Ui	nholstered	with Arm	and Stand	hard Dust (Cover	
	KAR2C-26S_U_D	769	819	866	935	1012	1081	1159	1254	1353
	26" Sled Base, Matte Bla	ack or Silve	er Metallic	- I Inholste	red Seat &	Wood had	rk with ∆rr	n and Star	ndard Dus	t Cover
	KAR2C-26S_W_D	778	802	824	856	891	925	961	1008	1051
-	ODDEDING NOTES V			O 1			Б.			

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.


Karma Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Removable Seat Covers	68
Removable Back Covers	68
Polymer Underseat Shroud 26"	77

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26S	В	U	NA	S
Karma	Chair	26" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG Grey	Dust Cover
					ALG	
					Light Grey	
					AT	
					Taupe	

CORFU | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 26.34%

POST-CONSUMER
RECYCLED CONTENT = 22.74

Up to 55.38% of this Corfu product is recyclable at the end of its useful life.

(COR2-61S)

CONTRIBUTES TO

0.4	O I P W I. M	4.0
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CORFU | FEATURES & OPTIONS



SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Polished Chrome.



UNDER SEAT COVER

Each Corfu includes an underseat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.



PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection:

White, Black, Grey, Red, Blue, Sand



WOOD FINISH

BEECH PLYWOOD

Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.

Wood seats and backs are made with

European Beech hardwood veneers,

featuring nine (9) plys of cross grain for

added strength and durability.



COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



STACKING

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.



California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



The Corfu caddie provides enhanced stackability, along with the ease of movement and storage. Its design allows for the stacking and storage of all Krug stackable chairs. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. This caddie is designed to stack and transport Krug's other stacking chairs.

GANGING

Corfu can be ordered with the option of ganging for the upcharge of \$32 list per chair. Please specify ganging when ordering.

PACKAGING

Corfu packaging features recycled, recyclable cardboard. The arm and armless chairs are shipped 4 units per carton.

DIMENSIONS

					Height of	Width		Sh	nipping Weig	hts & Cubes	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	1 unit W C	2 units W C	3 units W C	4 units W C
COR2-10S COR2-10C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	28 16	46 17	65 18	83 20
COR2-11S COR2-11C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	30 16	51 17	73 18	93 20
COR2-20S COR2-20C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	30 16	51 17	73 18	94 20
COR2-21S COR2-21C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	36 16	63 17	92 18	119 20
COR2-30S COR2-30C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-31S COR2-31C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20
COR2-40S CORS-40C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-41S COR2-41C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20
COR2-50S COR2-50C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	29 16	48 17	69 18	89 20
COR2-51S COR2-51C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	32 16	54 17	77 18	99 20
COR2-60S COR2-60C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-61S COR2-61C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	82 18	106 20
COR6	24	31	15.75								

COM REQUIREMENTS

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

WEIGHT CAPACITY

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

COM COL FABRIC GRADES LEATHER
DESCRIPTION/MODEL 1 2 3 4 5 6 7 8 9



Plastic Seat & Back, Armless, with Silver Metallic Frame

COR2-10S 468

Plastic Seat & Back, Armless, with Polished Chrome Frame

COR2-10C 530



Plastic Seat & Back, Plastic Arms, with Silver Metallic Frame

COR2-11S 54

Plastic Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame

COR2-11C 595



Plastic Seat & Back with Upholstered Pads, Armless, with Silver Metallic Frame COR2-20S 627 660 693 725 759 793 825 858 891

Plastic Seat & Back with Upholstered Pads, Armless, with Polished Chrome Frame

COR2-20C 687 720 752 784 819 852 885 916 952

Plastic Seat & Back with Upholstered Pads, Plastic Arms, with Silver Metallic Frame

COR2-21S 702 733 768 800 834 867 899 933 967

Plastic Seat & Back with Upholstered Pads, Polished Aluminum Arms, with Polished Chrome Frame

COR2-21C 754 788 820 853 886 918 954 985 1017

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Chrome frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$32 list per chair, please specify on order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	2	1	0	S
	Multi-Purpose	Plastic Seat &	Armless	Silver Metallic
		Back		
		2	1	С
		Plastic with Upholstered	Arms	Polished Chrome
		Seat & Back Pads		
		3 Wood Seat & Back		
		4		
		Fully Upholstered		
		Seat & Back		
		5		
		Plastic Back, Plastic Seat with		
		Upholstered Pad		
		6		
		Wood Back, Fully Upholstered Seat		

DESCRIPTION/MODE	L	SPECIES	COM 1	2	COL 3	FAE 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
		Plastic Seat wit	•								
	COR2-50S		581	603	627	647	672	695	717	740	761
	Plastic Back, COR2-50C	Plastic Seat wit	•							700	000
	GUN2-50C		641	663	687	708	731	754	777	799	823
	Plastic Back,	Plastic Seat wit	h Upholst	ered Pad	, Plastic A	rms with	Silver Met	allic Fram	e		
	COR2-51S		657	678	702	724	746	769	793	813	837
	Plastic Back,	Plastic Seat wit	h Upholst	ered Pad	, Polished	l Aluminur	m Arms, w	ith Polishe	ed Chrome	Frame	
	COR2-51C		708	731	754	777	799	823	844	867	888
	Wood Seat 8	Back, Armless,	with Silve	er Metallio	Frame						
	COR2-30S	Beech	678								
	Wood Seat 8	Back, Armless,	with Polis	shed Chro	ome Fram	е					
	COR2-30C	Beech	746								
	Wood Seat 8	Back, Silver Me	etallic Arm	ıs, with S	ilver Meta	llic Frame	<u> </u>				
	COR2-31S	Beech	813								
	Wood Seat 8	Back, Polished	Aluminun	n Arms, v	vith Polish	ed Chron	ne Frame				

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

897

When ordering the Polished Chrome frame, arms are Polished Aluminum.

COR2-31C

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$32 list per chair, please specify on order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Beech

Line	Series	Chair Style	Arm Style	Frame Finish
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic
		2 Plastic with Upholstered Seat & Back Pads	1 Arms	C Polished Chrome
		3 Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with Upholstered Pad		
		6 Wood Back, Fully Upholstered Seat		

			COM		COL		FABRI	C GRADE	S	LEATHE	R
DESCRIPTION/MO	DEL	SPECIES	1	2	3	4	5	6	7	8	9
	Wood Back, Fully	Unholstered	Seat Arr	mless wit	th Silver M	letallic Fra	ame				
	COR2-60S	Beech	740	771	805	838	871	907	938	970	1004
	Wood Back, Fully										
/ //	COR2-60C	Beech	806	840	872	908	939	971	1006	1039	1071
Wood Back, Fully Upholstered Seat, Silver Metallic Arms, with Silver Metallic Frame											
	COR2-61S	Beech	873	909	940	973	1008	1040	1073	1107	1139
	Wood Back, Fully	Unholstered	Seat Po	lished Alı	ıminum ar	ms with I	Polished (Chrome Fr	ame		
	COR2-61C	Beech	957	989	1022	1057	1088	1122	1156	1188	1222
U											
	Fully Upholstered	Spat & Back	Δrmless	with Silv	var Matalli	c Frame					
(COR2-40S	ocal a back	769	813	859	907	950	995	1040	1085	1131
	Fully Upholstered	Seat & Back	-								
/ //	COR2-40C		837	883	928	971	1016	1063	1108	1152	1198
	F. II. 11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	0 1 0 D 1	0:1	L . L . II' A		NI N A . I .	W . F				
	Fully Upholstered COR2-41S	Seat & Back	, Silver iv 907	etallic Ari 950	ms, with 8 995	niver ivieta 1040	allic Fram 1085	e 1131	1174	1221	1267
	00112 410		301	930	333	1040	1005	1101	1174	1221	1201
Fully Upholstered Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame											
	COR2-41C		987	1033	1078	1122	1168	1213	1257	1305	1349
W U											
	Caddie										
	DOL6		799								
9 99 9											

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum. Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms. Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$32 list per chair, please specify on order. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

PRODUCT CODE KEY


Line	Series	Chair Style	Arm Style	Frame Finish
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic
		Plastic with Upholstered Seat & Back Pads	1 Arms	C Polished Chrome
		3 Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with Upholstered Pad		

Wood Back, Fully Upholstered Seat

CAPRI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 15.13%

POST-CONSUMER
RECYCLED CONTENT = 30.97%

Up to 66.28% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Capri products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CAPRI

			COM		COL	F	ABRIC GF	RADES	LEATHER			
DESCRIPTION/MOD	DESCRIPTION/MODEL/FINISHES		1	2	3	4	5	6	7	8	9	
	ARM CHAI	IR										
	CAP2A1	Cherry, Beech	1033									
	CAP2A2		1254	1304	1344	1404	1463	1531	1608	1694	1840	
	CAP2A3	Cherry, Beech	1138	1182	1228	1279	1332	1386	1438	1527	1617	
	CAP2A4	Cherry, Beech	1168									
/ //	CAP2A5	Cherry, Beech	1271	1318	1361	1413	1463	1517	1568	1659	1749	
*												
	SIDE CHAI	IR										
	CAP2S1	Cherry, Beech	952									
7	CAP2S2	,,	1168	1213	1264	1323	1386	1449	1510	1599	1748	
	CAP2S3	Cherry, Beech	1061	1107	1146	1199	1254	1308	1361	1449	1536	
/ / /	CAP2S4	Cherry, Beech	1086									
/ ' \	CAP2S5	Cherry, Beech	1193	1216	1279	1332	1386	1438	1492	1581	1669	
В		•										
	CADDIE											
	DOL6		799									
	DOLO											

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth		Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube (2)	COM Yardage
ARM CHAIR										
Wood with arms	22	22.75	33.75	18.5	27	20.5	17.25	12	13	-
Fully Upholstered with arms	22	22.75	34	19	27	20.5	17.75	14	13	1.0
Upholstered seat with arms	22	22.75	33.75	19	27	20.5	17.75	13	13	0.6
SIDE CHAIR										
Wood with arms	19.75	22.75	33.75	18.5	-	-	17.25	12	13	-
Fully Upholstered	19.75	22.75	34	19	-	-	17.75	14	13	1.0
Upholstered seat	19.75	22.75	33.75	19	-	-	17.75	13	13	0.6
ARM CHAIR										
Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	-
Fully Upholstered with arms	22	22.75	44	29.5	38.5	20.5	17.75	17	18	1.0
Upholstered seat with arms	22	22.75	43.75	29.5	38.5	20.5	17.75	16	18	0.6
CADDIE	25.5	41	43.75	-	-	-	-	20	17	-

ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. .

PRODUCT CODE KEY

Line	Series	Chair Type	Chair Style	Ι,
CAP	2	А	1	1
Capri	Guest Seating	Arm Chair	Wood	(
	5 Barstool	Side Chair	Fully Upholstered 3 Upholstered	1
			Seat Cushion 4 Wood With Holes	
			5 Upholstered Seat, Back with Holes	

CADDIE

When used with Caddie, Capri stacks to a maximum of 15 chairs high (10 high for upholstered versions). Barstool versions cannot be stacked with Caddie.

REMOVABLE UPHOLSTERED BACK COVER


Capri Chairs are available with removable upholstered back cover at an upcharge of **\$46 list** per chair.

BANK OF ENGLAND | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .34%

POST-CONSUMER
RECYCLED CONTENT = 13.10%

Up to 96.55% of this Bank of England product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bank of England products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Bank of England products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bank of England and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

BANK OF ENGLAND

			COM COL FABRIC GRADES					DES	LEATHER		
DESCRIPTION/MODE	L/FINISHES		1	2	3	4	5	6	7	8	9
	WOOD SE 177-A	AT Oak, Cherry	1264								
	177-J	Oak, Cherry Jury Base	1430								
-	REMOVAE	BLE CUSHION									
	178-A	Oak, Cherry	1541	1613	1685	1754	1821	1891	1957	2028	2136
	178-J	Oak, Cherry Jury Base	1719	1796	1871	1943	2013	2089	2157	2230	2345
	UPHOLST 179-A	ERED SEAT Oak, Cherry	1541	1613	1685	1754	1821	1891	1957	2028	2136
	179-J	Oak, Cherry Jury Base	1719	1796	1871	1943	2013	2089	2157	2230	2345

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
177-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	-
178-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75
179-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75

ORDERING NOTES

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available. For jury base version of this chair, please select model number '177-J' for Wood Seat, '178-J' for Removable Cushion, or '179-J' for Removable Cushion Upholstered Seat.



CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. .

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finish

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

BANK OF ENGLAND

For a complete list of standard wood finishes please see Page 331.

BARSTOOL & COUNTER HEIGHT SEATING


127 Manolo 131 Karma 133 Capri 135 Corfu

MANOLO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 14.89%

POST-CONSUMER
RECYCLED CONTENT = 34.84%

Up to 69.20% of this Manolo product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Manolo products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



mark of responsible forest

AIR EMISSIONS

All Manolo products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Manolo and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

MANOLO | FEATURES & OPTIONS



SEATS

Manolo seats are available, with two back heights; Backless Seat and Low Back Seat, in Upholstered, Beech and Walnut veneers and Palette finishes.



BASES

Manolo Stool bases feature Polished Chrome structural steel base frames with non-marring polycarbonate glides. Manolo Stool bases are available in two heights; Counter Height or Bar Height.

WEIGHT CAPACITY

Manolo complies with ANSI/BIFMA x5.1-2011 test standards. Manolo has been load tested up to 300lbs.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

OPTIONS

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

MANOLO | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

SPECIES

FINISH

BEECH Appalachian Cherry

American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry
Light Oak
Harvest Oak
Mahogany
Mellow Oak
Espresso
Cordovan Walnut

Natural Walnut Regular Walnut Dark Walnut Clear Beech Medium Anigre

WALNUT

Natural Walnut SilverGrey on Walnut Regular Walnut Dark Walnut

PALETTE FINISHES Black

White Sand Soft Green Steel Blue Slate

VENEERS

Manolo veneers are quarter cut with a horizontal grain direction.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

FINISH

Manolo features the Krug finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

MANOLO | BARSTOOL & COUNTER STOOL

			COM		COL	FABRIC GRADES		LEATHER			
Description	Model	Species	1	2	3	4	5	6	7	8	9
	Barstool, Wo	ood, Backless Seat Beech Walnut	772 811								
	MAN5B03	Palette	743								
		ol, Wood Seat, Backles	ss Seat								
_	MAN5C01	Beech Walnut	747 785								
	MAN5C03	Palette	720								
	Barstool, Fu	lly Upholstered, backle	ess seat								
	MAN5B02		813	844	873	935	994	1056	1115	1174	1296
		ol, Fully Upholstered, E									
	MAN5C02		788	819	848	910	969	1031	1089	1150	1271
	Barstool We	ood, Low Back Seat									
	MAN5B11	Beech Walnut	788 828								
/ T	MAN5B13	Palette	756								
		ol, Wood, Low Back S									
	MAN5C11	Beech Walnut	761 802								
	MAN5C13	Palette	732								
	Barstool Ful MAN5B12	ly Upholstered, Low Ba	ack Seat 863	895	928	990	1055	1116	1181	1244	1370
					920	990	1000	1110	1101	1244	1370
	Counter Sto MAN5C12	ol Fully Upholstered, L	ow Back 9 837	Seat 870	901	964	1029	1092	1155	1219	1345

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Width	Seat Depth	Seat Height	Shipping Weight	Cube	COM Yardage
Barstool									
Backless Seat	19	22.5	36	15.75	16	31	19.5	12	1
Low Back Seat	19	22.5	41	15.75	16	31	20	13	1
Counter Stool									
Backless Seat	19	22.5	30	15.75	16	25	18.5	10	1
Low Back Seat	19	22.5	35	15.75	16	25	19	11	1

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

Manolo Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61


PRODUCT CODE KEY					
Line	Series	Base Height	Seat Style	Seat Type	
MAN Manolo	5 Stool	B Bar Height	0 Backless Seat	1 Wood	
		C Counter Height	1 Low Back Seat	2 Fully Upholstered	
				3 Palette	

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 7.86%

POST-CONSUMER RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



All Karma products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

KARMA | COUNTER STOOL

		COM		COL		BRIC GRA		_	LEATHE	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	18.5" Leg Frame, Matte B KAR2C-18.5C_UNAD	lack or Silv 645	er Metallio 672	c - Fully U 697	pholstered 731	, No Arm, 772	with Stand 808	lard Dust (847	Cover 898	948
	_	. 01					15			
	18.5" Leg Frame, Polished KAR2C-18.5CCUNAD	696	- Fully Up 721	noistered, 745	No Arm, w 781	ith Standa 823	ard Dust C 858	over 897	947	997
	18.5" Leg Frame, Matte B	lack or Silv	ver Metallio	c- Upholst	tered Seat	& Wood ba	ack, No Ar	m, with St	andard D	ust Cove
	KAR2C-18.5C_WNAD	678	693	704	723	743	760	781	806	832
	18.5" Leg Frame, Polished	l Chrome	- Upholste	ered Seat	& Wood ba	ck, No Arr	m, with Sta	andard Dus	st Cover	
	KAR2C-18.5CCWNAD	728	742	754	771	793	809	830	856	883
	ORDERING NOTES: Whe	,	,		, ,			,		
	Karma chairs all include the and add upcharge listed be			`		,,	,	er Shroud	change "	D" to "S
	g	0.0	page + ic	or difficusion	ons and CC	ivi require	ements			
	18.5" Leg Frame, Matte B	lack or Silv	ver Metalli	c - Fully U	pholstered	, with Arm	, with Star			
								ndard Dust 885	Cover 936	985
	18.5" Leg Frame, Matte B KAR2C-18.5C_U_D 18.5" Leg Frame, Polished	lack or Silv 682	ver Metallio	c - Fully U 732	pholstered 769	, with Arm 808	, with Star 844	885		985
	18.5" Leg Frame, Matte B KAR2C-18.5C_U_D	lack or Silv 682	ver Metallio	c - Fully U 732	pholstered 769	, with Arm 808	, with Star 844	885		985
	18.5" Leg Frame, Matte B KAR2C-18.5C_U_D 18.5" Leg Frame, Polished KAR2C-18.5CCU_D	lack or Silv 682 I Chrome 731	ver Metallio 702 - Fully Up 757	c - Fully U 732 holstered, 782	pholstered 769 with Arm, 817	, with Arm 808 with Stand 858	, with Star 844 dard Dust (893	885 Cover 935	936 984	1036
	18.5" Leg Frame, Matte B KAR2C-18.5C_U_D 18.5" Leg Frame, Polished	lack or Silv 682 I Chrome 731	ver Metallio 702 - Fully Up 757	c - Fully U 732 holstered, 782	pholstered 769 with Arm, 817	, with Arm 808 with Stand 858	, with Star 844 dard Dust (893	885 Cover 935	936 984	1036
	18.5" Leg Frame, Matte B KAR2C-18.5C_U_D 18.5" Leg Frame, Polished KAR2C-18.5CCU_D	lack or Silve 682 I Chrome 731 ck or Silve 705	ver Metallic 702 - Fully Up 757 r Metallic- 720	c - Fully U 732 holstered, 782 Upholstere 731	pholstered 769 with Arm, 817 ed Seat & W 748	with Arm 808 with Stand 858 /ood back 770	, with Star 844 dard Dust (893 , with Arm, 788	885 Cover 935 with Stance 808	936 984 dard Dust 834	1036 Cover 861
	18.5" Leg Frame, Matte B KAR2C-18.5C_U_D 18.5" Leg Frame, Polished KAR2C-18.5CCU_D	lack or Silve 682 I Chrome 731 ck or Silve 705	ver Metallic 702 - Fully Up 757 r Metallic- 720	c - Fully U 732 holstered, 782 Upholstere 731	pholstered 769 with Arm, 817 ed Seat & W 748	with Arm 808 with Stand 858 /ood back 770	, with Star 844 dard Dust (893 , with Arm, 788	885 Cover 935 with Stance 808	936 984 dard Dust 834	1036 Cover 861
	18.5" Leg Frame, Matte B KAR2C-18.5C_U_D 18.5" Leg Frame, Polished KAR2C-18.5CCU_D 18.5" Leg Frame, Matte BlackAR2C-18.5C_W_D 18.5" Leg Frame, Polished KAR2C-18.5CCW_D ORDERING NOTES: When	lack or Silve 731 ack or Silve 705 d Chrome 756	rer Metallic 702 - Fully Up 757 - Metallic- 720 - Upholste 769	C - Fully U 732 holstered, 782 Upholstere 731 ered Seat 781 olor and A	pholstered 769 with Arm, 817 ed Seat & W 748 & Wood ba 799	with Arm 808 with Stand 858 /ood back 770 ck, with A 819	, with Star 844 dard Dust (893 , with Arm, 788 rm, with S 837	885 Cover 935 with Stance 808 tandard Do 858	936 984 dard Dust 834 ust Cover 884 elow.	1036 Cover 861 910
	18.5" Leg Frame, Matte B KAR2C-18.5C_U_D 18.5" Leg Frame, Polished KAR2C-18.5CCU_D 18.5" Leg Frame, Matte BlackAR2C-18.5C_W_D 18.5" Leg Frame, Polished KAR2C-18.5C_W_D	lack or Silve 731 ack or Silve 705 d Chrome 756 on selecting the Standard	rer Metallic 702 Fully Up 757 r Metallic- 720 Upholste 769 g Frame C d Dust Co	C - Fully U 732 holstered, 782 Upholstere 731 ered Seat 781 olor and Aver (select	pholstered 769 with Arm, 817 ed Seat & W 748 & Wood ba 799 Arm Style p	with Arm 808 with Stance 858 /ood back 770 ck, with A 819	with Star 844 dard Dust (893 , with Arm, 788 rm, with S 837 Product Conal Polym	885 Cover 935 with Stance 808 tandard Do 858	936 984 dard Dust 834 ust Cover 884 elow.	1036 Cover 861 910

\$ List	
61	
68	
68	
45	
	61 68 68

See page 3 for more information on options and features.


PRODUCT CODE	KL I					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	18.5C	В	U	NA	S
Karma	Chair	18.5" Counter Height Stool	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					AT	
					Taupe	

CAPRI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Capri products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CAPRI | BARSTOOL

			COM		COL	FA	BRIC GRA	DES		LEATHER		
DESCRIPTION/MODEL/FINISHES			1	2	3	4	5	6	7	8	9	
	BARSTOOI CAP5A1 CAP5A2 CAP5A3 CAP5A4 CAP5A5	Cherry, Beech Cherry, Beech Cherry, Beech Cherry, Beech	1241 1506 1366 1397 1525	1562 1420 1580	1613 1472 1631	1685 1537 1694	1757 1600 1757	1836 1663 1821	1928 1727 1883	2032 1833 1990	2179 1922 2077	

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BARSTOOL Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	_
Fully Upholstered with arms Upholstered seat with arms		22.75 22.75	44 43.75	29.5 29.5	38.5 38.5	20.5 20.5	17.75 17.75	17 16	18 18	1.0 0.6


ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

_	Line	Series	Chair Type	Chair Style	BARSTOOL
	CAP Capri	5 Barstool	A Arm Chair	1 Wood	The Capri barstool version is available with arms only. Capri barstool versions are suitable for use with bar heights in the range of 40" to 42".
				Fully Upholstered 3 Upholstered Seat Cushion 4 Wood With Holes 5 Upholstered Seat, Back with Holes	REMOVABLE UPHOLSTERED BACK COVER Capri Chairs are available with removable upholstered back cover at an upcharge of \$46 list per chair.

CORFU | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





CONTRIBUTES TO

Regional Materials*

(MUST BE REQUESTED)

Certified Wood

PRE-CONSUMER
RECYCLED CONTENT = 27.77%

POST-CONSUMER
RECYCLED CONTENT = 18.44%

Up to 86.71% of this Corfu product is recyclable at the end of its useful life.

1 point

1 point(s)

,

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



CREDIT 5.1

CREDIT 7

level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

CORFU | BARSTOOL - FEATURES & OPTIONS

SUSTAINABLE DESIGN

an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.

European Beech hardwood veneers, featuring nine (9) plys of cross grain for added strength and durability.

STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Chrome.

PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.


Color Selection: White, Black, Grey, Red, Blue, Sand

UNDER SEAT COVER

Each Corfu includes an under-seat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.

Corfu is made with recycled materials, with

WOOD FINISH





Wood seats and backs are made with



OPTIONS

COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$61 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.





CORFU | BARSTOOL - DIMENSIONS & COM REQUIREMENTS

COM REQUIREMENTS

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
COR5-10S	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-10C	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-11S	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-11C	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-20S	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-20C	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-21S	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-21C	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-30S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-30C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-31S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-31C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-40S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-40C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-41S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-41C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-50S	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-50C	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-51S	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-51C	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-60S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-60C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-61S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-61C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22

WEIGHT CAPACITY

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

CORFU | BARSTOOL

DESCRIPTION/MO	DESCRIPTION/MODEL		2	COL 3	FA 4	ABRIC GRA	ADES 6	7	LEATHER 8	R 9
	Plastic Seat & Back, Armless, COR5-10S	with Silver 837	Metallio	Frame						
	Plastic Seat & Back, Armless, COR5-10C	with Polish 980	ned Chro	ome Fram	ne					
	Plastic Seat & Back, Plastic A COR5-11S	rms with S 925	ilver Me	tallic Fran	ne					
	Plastic Seat & Back, Polished COR5-11C	Aluminum 1080	Arms w	ith Polish	ed Chrom	ne Frame				
	Plastic with Upholstered Seat									
	COR5-20S		1130	1148	1183	1216	1252	1285	1320	1390
	Plastic with Upholstered Seat COR5-20C		ds, Arm 1272	less, with 1291	Polished 1325	Chrome F 1360	rame 1394	1430	1463	1533
	Plastic with Upholstered Seat COR5-21S	& Back Pa 1202	ds, Plas 1220	tic Arms, 1236	with Silve	er Metallic 1306	Frame 1340	1373	1410	1479

Plastic with Upholstered Seat & Back Pads, Polished Aluminum Arms, with Polished Chrome Frame

1391

1423

1460

1493

1528

1563

1632

ORDERING NOTES:

COR5-21C

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

1355 1372

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

THOROUT CORE RET				
Line	Series	Chair Style	Arm Style	Frame Finish
COR	5 Barstool	1 Plastic Seat & Back	0 Armless	Silver Metallic
		2 Plastic with Upholstered Seat & Back Pads	1 Arms	C Polished Chrome
		3 Beech Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with Upholstered Pad		
	ı	6 Beech Wood Back, Fully Upholstered Seat		

CORFU | BARSTOOL

DESCRIPTION/MODE	L	SPECIES	COM 1	2	COL 3	FAI 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
	Plastic Back, I COR5-50S	Plastic Seat with	h Upholst 1063	ered Pad 1073	l, Armless 1083	, with Silv 1105	er Metallio 1124	Frame 1144	1164	1184	1224
	Plastic Back, I COR5-50C	Plastic Seat with	•	ered Pad 1215	l, Armless 1227	, with Poli 1247	shed Chro	ome Fram 1287	e 1307	1327	1367
	COR5-51S	Plastic Seat with	1074	1084	1094	1114	1136	1156	1174	1195	1235
	COR5-51C	lastic Seat with	1306	1315	1325	1345	1366	1386	1407	1424	1466
	Wood Seat & COR5-30S	Back, Armless, Beech	with Silve	er Metallio	c Frame						
A	Wood Seat & COR5-30C	Back, Armless, Beech	with Polis	shed Chr	ome Fram	ie					
	Wood Seat & COR5-31S	Back, Silver Me Beech	etallic Arm 1279	ns, with S	ilver Meta	ıllic Frame)				

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

Wood Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame 1330

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

COR5-31C

THOUGHT GODE RET				
Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3 Beech Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with Upholstered Pad		
	1	6 Beech Wood Back, Fully Upholstered Seat		

CORFU | BARSTOOL

			COM		COL		FABRIC (BRIC GRADES		LEATHER	
DESCRIPTION/MOI	DEL	SPECIES	1	2	3	4	5	6	7	8	9
$\overline{\Box}$		•	ered Seat Armless, with Silver Metallic frame							_	
	COR5-60S	Beech	1061	1074	1085	1108	1131	1155	1178	1200	1247
	Wood Back, Fully	Upholstered :	Seat Armle	ss, with F	olished Cl	nrome frai	me				
	COR5-60C	Beech	1134	1144	1156	1180	1202	1225	1248	1270	1316
	Wood Back, Fully	•	Seat, Silver	Metallic	Arms, with	Silver Me	etallic Fra	me			
	COR5-61S	Beech	1181	1192	1203	1227	1249	1272	1295	1318	1365
	Wood Back, Fully		Seat, Polisl	ned Alumi	inum Arms	s, with Pol	ished Chr	ome Fram	ie		
	COR5-61C	Beech	1231	1244	1255	1278	1302	1324	1347	1370	1417
\bigcap	Fully Upholstered Seat & Back, Armless, with Silver Metallic Frame										
	COR5-40S		1071	1097	1121	1169	1220	1268	1316	1366	1463
	Fully Upholstered Seat & Back, Armless, with Polished Chrome Frame										
	COR5-40C		1142	1166	1192	1241	1290	1338	1387	1436	1534
	Fully Upholstered Seat & Back, Silver Metallic Arms, with Silver Metallic Frame										
	COR5-41S		1190	1213	1240	1288	1337	1386	1435	1483	1581
	Fully Upholstered	Seat & Back,	Polished A	luminum	Arms, with	n Polished	l Chrome	Frame			
H	COR5-41C		1242	1267	1291	1339	1389	1438	1486	1536	1633

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

PRODUCT CODE KEY

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5 Barstool	1 Plastic Seat & Back	0 Armless	Silver Metallic
		2 Plastic with Upholstered Seat & Back Pads	1 Arms	C Polished Chrome
		3 Beech Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with Upholstered Pad		
		6		

Beech Wood Back, Fully Upholstered Seat

LOUNGE SEATING


- 142 Avatar
- 145 Cressida
- 155 Leyton
- 166 Zola
- 183 Zola Privacy
- 249 Faeron
- 261 Sutton
- 263 Carlyle
- 265 Brio
- 267 Sloane

AVATAR | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.21%

POST-CONSUMER
RECYCLED CONTENT = 18.77%

Up to 45.10% of this Avatar product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

AVATAR | FEATURES & OPTIONS



STYLE FIXED ARM



ARMLESS



LEGS

Avatar legs feature Polished Chrome aluminum foot with nylon glides.

REPLACEABLE COMPONENTS

Avatar is uniquely designed to allow major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Chair legs, arms, table tops and bases are field replaceable.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

WEIGHT CAPACITIES

Avatar complies with ANSI/BIFMA x5.1-2011 test standards. Avatar has a load tested up to 300lbs.

OPTIONS

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Width Between Arms	Arm Height	Shipping Weight	Cube	COM Yardage
AVA3-1	29	28	30.5	16	18.5	27.5	22	49	17.5	2.65
AVA3-0	26.5	28	30.5	16	18.5	n/a	n/a	46	17.5	2.65

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

AVATAR | LOUNGE

		COM		COL	FABI	RIC GRA	DES	L	EATHER	
Description	Model	1	2	3	4	5	6	7	8	9
	Armless AVA3-0	1794	1861	1930	2025	2133	2229	2337	2472	2609
	Fixed Arm AVA3-1	2000	2067	2135	2231	2341	2434	2543	2679	2816



Avatar Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	61	


PRODUCT CODE KEY				
Line	Series	Arm Style		
AVA	3	1		
Avatar	Soft Seating	Fixed Arm		
		0		
		Armless		

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 4.22%

POST-CONSUMER RECYCLED CONTENT - 14.49%

Up to 24.32% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | LOUNGE FEATURES & OPTIONS



CLEAN OUT

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



ARMS AND ARMLESS

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.



GLIDES

Cressida Lounge arm and armless versions are standard with nylon glides.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: One-Seat-350 lbs One-Seat (Plus) -750 lbs One-Seat Wide - 350lbs One-Seat Wide (Plus) - 750lbs Two-Seat - 525 lbs Two-Seat (Plus) - 975lbs Three-Seat - 850 lbs

REPLACEABLE COMPONENTS

Three-Seat (Plus) - 1200 lbs

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.



CASTERS

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



PUSH BAR

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar powder-coated steel in Silver Metallic finish.

PLUS UPGRADE

Cressida seating is available with optional Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

TABLETS

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

COMBINATION UPHOLSTERY

More than one upholstery cover within the same unit, is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$61 list per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with removable seat and back covers.

DIMENSIONS & COM REQUIREMENTS

	Overall	Overall	Overall	Seat	Height of Arms from	Width Between	Seat	Shipping Weight Open	Shipping Weight Closed	
	Width	Depth	Height	Height	Floor	Arms	Depth	Arm	Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Wide	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Wide	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida plus two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

COM - YARDAGE REQUIREN	MENTS				
	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Wide - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Wide - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Wide - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Wide - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to Page 329 for C.O.M approval process.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	61	One-Seat Removable Back Covers	145	
Push Bar	61	One-Seat Wide Removable Back Covers	218	
Caster Combination (2 legs & 2 rear casters)	145	Two-Seat Removable Back Covers	288	
Casters (set of 4)	218	Three-Seat Removable Back Covers	432	
One-Seat Removable Seat Covers	145	One-Seat - Plus Upgrade	88	
One-Seat Wide Removable Seat Covers	218	One-Seat Wide - Plus Upgrade	116	
Two-Seat Removable Seat Covers	288	Two-Seat - Plus Upgrade	190	
Three-Seat Removable Seat Covers	432	Three-Seat - Plus Upgrade	218	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MO	ODEL/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat, Armless CRE3-F1ALS1 n/a	1492	1569	1664	1786	1922	2043	2179	2353	2524
	One-Seat, Open Arm CRE3-F1OPS1 Beech, Map Palette One-Seat, Open Arm with ar CRE3-F1OPP1 Beech, Map Palette	т сар	1807	1894	2003	2145 2216	2280	2416 2488	2575 2646	2754 2825
	One-Seat, Closed Arm CRE3-F1CLS1 Beech, Map Palette One-Seat, Closed Arm with a CRE3-F1CLP1 Beech, Map	arm cap	2559 2633	2718 2789	2941	3198 3269	3420 3492	3679 3749	4003 4074	4317
	Palette		_300	00			02	20		.300

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	61	One-Seat Removable Seat Covers	145	
Push Bar	61	One-Seat Removable Back Covers	145	
Caster Combination (2 legs & 2 rear casters) Casters (set of 4)	145 218	One-Seat - Plus Upgrade	88	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

PRODUCT CODE KEY

JOOT GODE KET					
Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	Casters 3 Caster Combination 2 legs & 2 Rear Caster
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm	

Polymer Arm Cap

		COM		COL	FAB	RIC GRA	ADES		LEATHER	
DESCRIPTION/MODE	L/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat Wide, Armless CRE3-FB1.5ALS1 n/a	1579	1681	1783	1930	2094	2241	2407	2614	2822
	One-Seat Wide, Open Arm CRE3-FB1.5OPS1 Beech, Maple Palette One-Seat Wide, Open Arm with arr CRE3-FB1.5OPP1 Beech, Maple Palette	n cap	1935 2007	2039 2112	2185 2257	2349 2421	2496 2577	2661 2734	2870 2943	3079 3150
	One-Seat Wide, Closed Arm CRE3-FB1.5CLS1 Beech, Maple Palette One-Seat Wide, Closed Arm with at CRE3-FB1.5CLP1 Beech, Maple Palette	rm cap	2690 2761	2868	3116 3187	3399 3471	3647 3720	3932 4004	4280 4353	4914 4986

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	61
One-Seat Wide - Plus Upgrade	116
One-Seat Wide Removable Seat Covers	218
One-Seat Wide Removable Back Covers	218

NOTE: One-Seat Wide Lounge is not available with caster options.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

DESCRIPTION/MODEL/SPECIES		COM	2	COL 3		RIC GRA	ADES 6	7	LEATHER 8	0
DESCRIPTION/MODEL/S	Two-Seat, Armless CRE3-F2ALS1 n/a	2467	2597	2718	2904	3105	3284	3492	3744	4003
	Two-Seat, Open Arm CRE3-F2OPS1 Beech, Maple Palette Two-Seat, Open Arm with arm ca CRE3-F2OPP1 Beech, Maple Palette	ap	2818 2891	2948 3017	3127 3198	3333 3407	3513 3584	3714 3786	3973 4043	4231
	Two-Seat, Closed Arm CRE3-F2CLS1 Beech, Maple Palette Two-Seat, Closed Arm with arm of CRE3-F2CLP1 Beech, Maple Palette	cap	3579 3648	3778 3849	4059 4130	4381 4453	4660 4732	4983 5055	5391 5465	5792 5865

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	61
Two-Seat - Plus Upgrade	190
Two-Seat Removable Seat Covers	277
Two-Seat Removable Back Covers	277

NOTE: Two-Seat Lounge is not available with caster options

00. 00DE NE.					
Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

DESCRIPTION/MODEL/S	PDFC/FC	COM	2	COL 3		RIC GRA		7	LEATHER	0
DESCRIPTION/MODEL/S	Three-Seat, Armless CRE3-F3ALS1 n/a	3349	3530	3700	3944	5 4231	4474	4755	<u>8</u> 5106	9 5455
	Three-Seat, Open Arm CRE3-F3OPS1 Beech, Maple Palette Three-Seat, Open Arm with arm CRE3-F3OPP1 Beech, Maple Palette	сар	3749 3820	3931 4003	4173 4173	4453 4524	4704 4774	4983 5055	5336 5407	5685 5758
	Three-Seat, Closed Arm CRE3-F3CLS1 Beech, Maple Palette Three-Seat, Closed Arm with arm CRE3-F3CLP1 Beech, Maple Palette	n cap	4510 4583	4760 4834	5106 5178	5507 5579	5857 5929	6253 6324	6754 6823	7249 7319

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	61
Three-Seat - Plus Upgrade	218
Three-Seat Removable Seat Covers	432
Three-Seat Removable Back Covers	432

NOTE: Three-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide	OPS Open Arm OPP	
			Two-Seat	Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm	
				Polymer Arm Cap	

CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE				WEIGHT	CUBE
	Wood Tablet CRE3 T1	Beech/Maple	561				12	2
	Tablet with Palette Fini CRE3 T2	sh n/a	417				12	2
	Laminate Tablet CRE3 T4	n/a	561				12	2
	ORDERING NOTES: be specified right or le			andard with a	polymer ec	lge. Please no	ote Cressida Tabl	ets need to
	Solid Surface Tablet		A-White	Grades A-Color	В	С		
	Solid Surface Tablet CRE3 RT3		641	654	687	744	12	2

CRESSIDA | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FAI 4	BRIC GF 5	RADES 6	7	LEATHE 8		WEIGHT	CLIRE
LOUNGE	One-Seat Replacement Back	•						,			VVLIGITI	OOBL
	CRE3-RB1	681	741	798	879	973	1056	1148	1267	1382	23	4.2
	One-Seat Wide Replacement E CRE3-RB1.5B	Back 770	831	891	978	1073	1158	1255	1378	1496	28	5.7
	Two-Seat Replacement Back CRE3-RB2	1008	1092	1179	1299	1438	1559	1695	1869	2041	38	8.8
	Three-Seat Replacement Back CRE3-RB3	1347	1456	1564	1717	1890	2041	2214	2433	2648	52	12
	One-Seat Replacement Back C CRE3-RBC1	Cover 277	332	391	471	567	647	743	859	978	2.0	1.0
	One-Seat Wide Replacement E CRE3-RBC1.5	Back Co 288	ver 348	408	493	591	677	772	895	1015	2.5	1.2
	Two-Seat Replacement Back CCRE3-RBC2	Cover 384	469	557	677	813	936	1073	1245	1417	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 441	550	660	811	984	1138	1311	1528	1746	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	575	618	660	717	782	841	909	990	1073	28	9.5
	One-Seat Wide Replacement S CRE3-RS1.5	Seat 745	799	850	925	1010	1083	1168	1271	1378	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	895	948	1004	1081	1166	1242	1328	1438	1545	53	18
	Three-Seat Replacement Seat CRE3-RS3	1198	1281	1363	1481	1611	1727	1861	2029	2193	79	24
	One-Seat Replacement Seat C											
	CRE3-RSC1	199	241	283	340	407	464	533	614	697	2.0	1.0
	One-Seat Wide Replacement S CRE3-RSC1.5	Seat Cor 247	ver 299	352	427	511	584	668	773	879	2.5	1.2
	Two-Seat Replacement Seat C CRE3-RSC2	over 263	319	372	449	535	611	698	806	914	3.5	1.8
	Three-Seat Replacement Seat CRE3-RSC3	Cover 336	418	502	618	748	866	999	1166	1330	5.0	2.5
	Replacement Lounge Front Arr	n & Leg	 									
	Open Arm CRE3-LROPS Beech, Maple Palette	177									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	213										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	el 387	433	479	542	618	682	757	850	941	20	3.8
6	Lounge Replacement Push-Ba CRE3-RPB	r 59									2	0.3

CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS


DESCRIPTION	MODEL		PRICE	PRICE						
	Replacement CRE3-RACB	Polymer Arm Cap Blac	ck 37				1.0	0.5		
	Replacement CRE3-RACB	Polymer Arm Cap Gre	y 37							
*	Lounge Repla CRE3-RLAF*	acement Front Leg (for	armless version) 57				0.5	0.5		
8**	Lounge Repla CRE3-RGAF*	acement Front Leg (for *	armless version) G 18	lide			0.1	0.2		
*	Lounge Repla CRE3-RLC*	acement Plus Upgrade	Center Leg 52				0.5	0.5		
**	Lounge Repla CRE3-RCG**	acement Plus Upgrade	Center Leg Glide 22				0.5	0.5		
*	Lounge Repla CRE3-RLB*	acement Back Leg	75				1.8	0.5		
**	Lounge Repla CRE3-RGB**	acement Glide	19				0.1	0.2		
	Lounge Repla	acement Front Leg (for	caster version) 52				0.5	0.5		
**	Lounge Repla CRE3-RLCB*	acement Back Leg (for *	caster version) 52				0.5	0.5		
* 1 **	Replacement CRE3-RC1*	Casters Non-Locking	71				.75	0.3		
	Replacement CRE3-RC2**	Casters Locking	71				.75	0.3		
	Wood Tablet CRE3 RT1	& Mounting Plate Only Beech/Maple	379				5	0.32		
	Tablet with Pa CRE3 RT2	alette finish & Mounting n/a	Plate Only 265				5	0.32		
	Tablet & Mou	nting Plate Only - Solid n/a	Surface A-White	Grades A-Color	В	С	7	0.32		
Ц			514	521	550	595				
	Laminate Tab CRE3 RT4	let & Mounting Plate Or n/a	nly 379				5	0.32		

LEYTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 28.61%

POST-CONSUMER RECYCLED CONTENT = 9.91%

Up to 8.81% of this Leyton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



he mark of responsible forest

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

LEYTON | FINISHES & FEATURES

WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak Espresso Oak Harvest Oak Mahogany

MAPLE Clear Maple

Honey Maple Wheat Maple

Mellow oak

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut Cordovan Walnut

CHERRY Appalachian Cherry

American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

ANIGRE Clear Anigre Medium Anigre

SYCAMORE Clear Sycamore

Please note Cherry, Anigre and Sycamore species require a minimum quantity order, of 5 units for seating and 5 units for tables, per species.

PALETTE Black

White Sand Soft Green Steel Blue Slate

VENEERS

Leyton veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Leyton can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Leyton's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

ENDURAGUARD FINISH

Leyton features the Krug finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

IN-STOCK LAMINATE

Krug's in-stock laminates are available on Leyton Table surfaces in 4 solid laminate selections. Laminate surfaces are self-edged.

LEGS

SOLID LAMINATES

Designer White - Platinum - Earth - Charcoal

LEYTON | FEATURES



ARM STYLE

Leyton features four design styles Upholstered Armless, Upholstered Full Arm, Wood Surround Armless and Wood Surround Full Arm.

Upholstered Armless



Upholstered Full Arm



Wood Surround Armless



Wood Surround Full Arm



•

Leyton Lounge and Tables feature Polished Chrome structural steel legs with Black glides. Non-marring glides are available upon request.

REPLACEABLE COMPONENTS

Leyton chairs are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Seats, backs, arms and frames are field replaceable, with the only exceptions being the Upholstered Armless, Upholstered Full Arm and Upholstered Front Panel as it is one piece.

WEIGHT CAPACITIES

All Leyton seating feature Plus Weight capacities. One-Seat - 750lbs One-seat Wide - 750lbs

Two-Seat - 975lbs
Three-Seat - 1200lbs

Leyton has been tested to ANSI / BIFMA.

PLUS UPGRADE

Leyton models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

LEYTON | OPTIONS



OPTIONS Solid Surface Arm Cap

Leyton Lounge Full Arm version is available with an optional Solid Surface Arm Cap providing enhanced durability, protection and cleanability for the arms. This is field replaceable if it becomes damaged or degraded and is available in 8 standard colors.



TABLET

Leyton Solid Surface tablet can be specified left or right as seated. The tablet can be used alone or with solid surface arm cap and is 1/2" thick.



PUSH BAR

This is an optional feature on Leyton One Seat lounge chairs, designed to assist caregiving staff in the movement and relocation of the chair. It is Silver Metallic in color and retractable for ease of use. The Push bar is field replaceable if necessary.



CASTERS

Optional on Leyton lounge chairs are four - 4" diameter soft wheel swivel locking casters, featuring a large, easy-access foot activation and release lever. The caster locks both directionally and rotationally, keeping the chair securely in place when locked. Note: lounge chairs with casters are not designed or intended as patient transport devices.



CLEAN OUT

Leyton lounge seating models have an optional built-in clean out feature: a space at the back of the seat that allows dirt debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product. Clean Out option is available for an upcharge,



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables.

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable covers (with the exception of the Upholstered Armless, Upholstered Full Arm and Front panel) can be quickly installed on Leyton products that were originally ordered with the Removable cover option. Replacement covers (with the exception of the Upholstered Armless, Full Upholstered Arm and front panel) can also be installed on Leyton products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge, please see Page 329.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

LEYTON | DIMENSIONS, COM REQUIREMENTS, MOISTURE BARRIER & OPTION UPCHARGES

DIMENSIONS									
	Overall	Overall	Overall	Seat Height	Height of	Width			
	Width	Depth	Height	min/max	Arms from	between	Seat	Shipping	
					Floor	Arms	Depth	Weight	Cube
LEY31UF	28.5	29.25	31	17.75	26.25	23.25	19.25	82	18.5
LEY31.5UF	35.5	29.25	31	17.75	26.25	30.25	19.25	107	25.2
LEY32UF	52	29.25	31	17.75	26.25	47	19.25	131	32.5
LEY33UF	75.75	29.25	31	17.75	26.25	70.5	19.25	179	46.5
LEY31UN	28.5	29.25	31	17.75	n/a	23.25	19.25	78	18.5
LEY31.5UN	35.5	29.25	31	17.75	n/a	30.25	19.25	103	25.2
LEY32UN	52	29.25	31	17.75	n/a	47	19.25	127	32.5
LEY33UN	75.75	29.25	31	17.75	n/a	70.5	19.25	175	46.5
LEY31WF	28.25	29.25	31	17.75	26.25	23.75	19.25	79	18.5
LEY31.5WF	35.25	29.25	31	17.75	26.25	30.25	19.25	104	25.2
LEY32WF	51.75	29.25	31	17.75	26.25	47.25	19.25	128	32.5
LEY33WF	75.5	29.25	31	17.75	26.25	71	19.25	176	46.5
LEY31WN	28.25	29.25	31	17.75	n/a	23.75	19.25	75	18.5
LEY31.5WN	35.25	29.25	31	17.75	n/a	30.25	19.25	100	25.2

17.75 All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

17.75

n/a

n/a

47.25

19.25

19.25

32.5

46.5

124

COM YARDAGE REQUIREMENTS

51.75

75.5

29.25

29.25

31

LEY32WN

LEY33WN

	Fully	Wood				Armless		Full body
	Upholstered (Complete Unit)	Surround (Seat and Back only)	Seat Cushion only (Wood or Full Uph)	Back Cushion only (Wood or Full Uph)	Full Arm & front panel (Pair)	panel & front panel (pair)	Back Panel only	with arm, Front panel & Back panel
One-Seat - One	Chair							
Armless	3.75	1.6	0.9	0.8		1.75	.75	2.5
Full Arm	4.6	1.6	0.9	0.8	2.6		.75	3.35
One & Half-Seat	t - One Chair							
Armless	5.2	2.3	1.3	1		2.1	.75	2.85
Full Arm	5.7	2.3	1.3	1	2.6		.75	3.35
Two-Seat - One	Chair							
Armless	5.7	3	1.5	1.5		2	.75	2.75
Full Arm	6.3	3	1.5	1.5	2.6		.75	3.35
Three-Seat - On	e Chair							
Armless	8	4.6	2.4	2.2		2.3	1.5	3.8
Full Arm	8.7	4.6	2.4	2.2	3		1.5	4.5

COM APPROVAL PROCESS:

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

CAL 133 MOISTURE BARRIER

Model	Upcharge	Model	Upcharge	Model	Upcharge	Model	Upcharge
LEY31UN	283	LEY32UN	416	LEY31.5UN	366	LEY33UN	705
LEY31UF	351	LEY32UF	488	LEY31.5UF	456	LEY33UF	772
LEY31WN	130	LEY32WN	199	LEY31.5WN	168	LEY33WN	436
LEY31WF	130	LEY32WF	199	LEY31.5WF	168	LEY33WF	436
Leyton Optio	n Upcharges		\$ List				\$ List
One-Seat Clear	out		45	One-Seat Remov	vable Seat & Ba	ck Covers	145
One & Half-Sea	t Clean out		65	One & Half-Seat	Removable Sea	at & Back Covers	s 202
Two-Seat Clean	out		88	Two-Seat Remov	able Seat & Ba	ck Covers	288
Three-Seat Clea	an out		131	Three-Seat Remo	ovable Seat & B	ack Covers	432
Solid Surface A	rm Cap (per pair)	- Gr A White	342	Seat or Back Co	over only Upch	arges	
	rm Cap (per pair)		346	One-Seat			74
Solid Surface A	rm Cap (per pair)	- Gr B	351	One & Half-Seat			102
Solid Surface A	rm Cap (per pair)	- Gr C	385	Two-Seat			145
Solid Surface Ta	ablet - Gr A White		514	Three-Seat			218
Solid Surface Ta	ablet - Gr A Color		521				
Solid Surface Ta	ablet - Gr B		550	Casters			172
Solid Surface Ta	ablet) - Gr C		595	Casters with Pus	shbar		444

LEYTON

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-seat, Uph LEY31NUN	noistered, Armiess N/A	1959	2081	2195	2360	2554	2718	2904	3140	3377
	One-seat, Uph LEY31NUF	nolstered, Full Arm N/A	2081	2280	2467	2741	3048	3321	3630	4008	4402
		OTE: Leyton Loung learly note color se S									
	One-seat, Woo LEY31NPN LEY31NWN	od Surround, Armle Palette Oak, Maple Walnut,	ess 2424 2424	2473 2473	2532 2532	2605 2605	2683 2683	2754 2754	2831 2831	2941 2941	3040 3040
		Cherry, Anigre Sycamore,	2925	2978	3034	3105	3184	3256	3333	3441	3541
	One-seat, Woo LEY31NPF LEY31NWF	od Surround, Full A Palette Oak, Maple Walnut, Palette	2403 2403	2454 2454	2504 2504	2575 2575	2657 2657	2731 2731	2812 2812	2912 2912	3012 3012
		Cherry, Anigre Sycamore,	2904	2955	3006	3078	3158	3235	3314	3412	3513

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below, clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List	
Casters	172	Solid Surface Arm Cap (per pair) - Gr A White	342	
Casters with Pushbar	444	Solid Surface Arm Cap (per pair) - Gr A Color	346	
One-Seat Clean out	45	Solid Surface Arm Cap (per pair) - Gr B	351	
One-Seat Removable Seat & Back Covers	145	Solid Surface Arm Cap (per pair) - Gr C	385	
		Solid Surface Tablet - Gr A White	514	
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	521	
One-Seat	74	Solid Surface Tablet - Gr B	550	
		Solid Surface Tablet) - Gr C	595	

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY	3	1	N N- Ola ve Out	UF John John John John John John John John	S
Leyton	Soft Seating	One-Seat 1.5 One & Half-Seat	No Clean Out C Clean Out	Upholstered Full Arm UN Upholstered Armless	Solid Surface Full Arm Cap
		2 Two-Seat		WF Wood Surround Full Arm	
		3 Three-Seat		WN Wood Surround Armless	
			Р	PF Pallet Finish Surround Full Arm	ı
				PN	

Pallet Finish Surround Armless

			COM	1	COL	FAE	BRIC GR	ADES		LEATHER	3
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One & Half-sea LEY31.5NUN	at, Upholstered, A N/A	armless 2514	2688	2861	3105	3384	3628	3904	4250	4600
	One & Half-sea LEY31.5NUF	at, Upholstered, F N/A	ull Arm 2640	2815	2987	3232	3509	3752	4033	4378	4726
		OTE: Leyton Lour ad clearly note co 31NUF <u>S</u>	•								•
	LEY31.5NPN	at, Wood Surround Palette	2881	2974	3067	3196	3345	3474	3622	3807	3993
	LEY31.5NWN	Oak, Maple Walnut, Palette	2881	2974	3067	3196	3345	3474	3622	3807	3993
		Cherry, Anigre Sycamore	3383	3473	3565	3696	3845	3974	4122	4309	4494
	One & Half-sea	at, Wood Surroun	d Full A	rm							
	LEY31.5NPF LEY31.5NWF	Palette Oak, Maple Walnut, Palette	2859 2859	2952 2952	3043 3043	3173 3173	3322 3322	3452 3452	3601 3601	3785 3785	3971 3971
		Cherry, Anigre Sycamore	3361	3450	3543	3672	3820	3950	4101	4285	4469

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List
Casters	172	Solid Surface Arm Cap (per pair) - Gr A White	342
Casters with Pushbar	444	Solid Surface Arm Cap (per pair) - Gr A Color	346
One & Half-Seat Clean out	65	Solid Surface Arm Cap (per pair) - Gr B	351
One & Half-Seat Removable Seat & Back Covers	202	Solid Surface Arm Cap (per pair) - Gr C	385
		Solid Surface Tablet - Gr A White	514
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	521
One & Half-Seat	102	Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
			_	PF	
			P	allet Finish Surround Full Arm	
				PN	
			F	Pallet Finish Surround Armless	

LEYTON

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FABF 4	RIC GRAI 5	DES L	EATHER 7	8	9
	Two-seat, Uph LEY32NUN	nolstered, Armless N/A	3140	3321	3492	3735	4008	4259	4531	4881	5227
	LEY32NUF ORDERING N	nolstered, Full Arm N/A IOTE: Leyton Loun nd clearly note colo S									
	Two-seat, Woo LEY32NPN LEY32NWN	od Surround Armle: Palette Oak, Maple Walnut, Palette Cherry, Anigre Sycamore	ss 3428 3428 4003	3521 3521 4092	3621 3621 4193	3749 3749 4323	3908 3908 4482	4043 4043 4616	4193 4193 4768	4389 4389 4962	4574 4574 5149
	Two-seat, Woo LEY32NPF LEY32NWF	od Surround Full Ar Palette Oak, Maple Walnut, Palette	m 3407 3407	3498 3498	3601 3601	3729 3729	3894 3894	4021 4021	4193 4193	4359 4359	4554 4554

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List
Casters	172	Solid Surface Arm Cap (per pair) - Gr A White	342
Casters with Pushbar	444	Solid Surface Arm Cap (per pair) - Gr A Color	346
Two-Seat Clean out	88	Solid Surface Arm Cap (per pair) - Gr B	351
Two-Seat Removable Seat & Back Covers	288	Solid Surface Arm Cap (per pair) - Gr C	385
		Solid Surface Tablet - Gr A White	514
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	521
Two-Seat	145	Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

Sycamore

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
			_	PF	
			Р	allet Finish Surround Full Arm	
				PN	
			Г.	Allot Finish Curround Armless	

Pallet Finish Surround Armless

			COM		COL	FA	BRIC GF	RADES		LEATHE	3
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-seat, U _l LEY33NUN	oholstered, Armles N/A	4173	4389	4583	4881	5219	5512	5844	6259	6674
	ORDERING N	oholstered, Full An N/A I OTE: Leyton Loun nd clearly note col 31NUF <u>S</u>	4273 ge, Full								•
	Three-seat, W LEY3NPN LEY33NWN	ood Surround, Arn Palette Oak, Maple Walnut, Palette Cherry, Anigre Sycamore	nless 4474 4474 5118	4625 4625 5269	4760 4760 5407	4975 4975 5621	5206 5206 5849	5414 5414 6058	5650 5650 6295	5944 5944 6587	6238 6238 6883
	Three-seat, W LEY3NPF LEY33NWF	ood Surround, Full Palette Oak, Maple Walnut, Palette Cherry, Anigre,	1 Arm 4453 4453 5098	4604 4604 5247	4755 4755 5398	4956 4956 5599	5191 5191 5836	5391 5391 6036	5629 5629 6272	5922 5922 6567	6217 6217 6861

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List
Casters	172	Solid Surface Arm Cap (per pair) - Gr A White	342
Casters with Pushbar	444	Solid Surface Arm Cap (per pair) - Gr A Color	346
Three-Seat Clean out	131	Solid Surface Arm Cap (per pair) - Gr B	351
Three-Seat Removable Seat & Back Covers	432	Solid Surface Arm Cap (per pair) - Gr C	385
		Solid Surface Tablet - Gr A White	514
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	521
Three-Seat	218	Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

Sycamore

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	
				PN	
			F	allet Finish Surround Armless	

LEYTON | REPLACEMENT COMPONENTS

		СОМ		COL	FABI	RIC GF	RADES	ı	EATHE	R		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	WEIGHTS	CUBES
	Replacement Back LEY3RB	462	487	510	542	581	614	655	700	747	12	3.5
	One & Half-Seat Re LEY3R1.5B	placem 502	nent Back 534	564	607	657	700	748	811	873	15	4.5
	Replacement Seat LEY3RS	662	691	720	759	805	845	891	948	1008	11	2.5
	One & Half-Seat Re LEY3R1.5S	placem 761	ent Seat 803	845	907	973	1033	1100	1185	1270	14	4
	Replacement Back LEY3RBC	Cover 239	265	288	322	362	393	433	483	530	1	0.75
	One & Half-Seat Re LEY3R1.5BC	placem 271	ent Back 304	Cover 334	379	428	470	519	582	644	1.25	1
	Replacement Seat	Cover 241	267	295	334	376	415	459	513	568	1.25	0.75
	One & Half-Seat Re LEY3R1.5SC	placem 304	ent Seat 346	Cover 389	448	516	574	638	728	812	1.5	1
	One-Seat - Replace LEY3R1OBPU	ement U 234	Jpholstere 259	ed Outsi 283	ide Bacl 318	k Panel 355	389	428	474	521	10	1.5
	One-Seat - Replace LEY3R1OBPUPB	ement U 247	Jpholstere 269	ed Outsi 294	ide Bacl 327	k Panel 365	for Pus 399	sh bar o 436	ption 487	534	10	1.5
	One & Half-Seat - F LEY3R1.5OBPU	Replace 260	ment Upł 285	nolstered 306	d Outsic 342	de Back 383	Panel 414	455	498	546	13	2.5
	One & Half-Seat - F LEY3R1.5OBPUPB		ment Upł 295	nolstere 320	d Outsic 352	de Back 391	k Panel 425	for Pus 463	h bar o _l 511	otion 559	13	2.5
	Two-Seat - Replace LEY3R2OBPU	ement U 300	Jpholstere 324	ed Outsi 348	de Back 384	k Panel 418	456	492	540	588	19	3.5
	Three-Seat - Replac LEY3R3OBPU	cement 396	Upholste 442	ered Out 491	side Ba 558	ck Pan 635	el 702	778	873	970	28	5

LEYTON | REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	OAK MAPLE WALNUT PALETTE	CHERRY ANIGRE SYCAMORE	WEIGHTS	CUBES
	One-Seat - Replacement Wood Outside Back LEY3R1OBPW	k Panel 319	379	10	1.5
	One-Seat - Replacement Wood Outside Back LEY3R1OBPWPB	k Panel for P 336	Push bar option 396	10	1.5
	One & Half-Seat - Replacement Wood Outsic LEY3R1.5OBPW	de Back Pan 391	el 484	13	2.5
	One & Half-Seat - Replacement Wood Outsic LEY3R1.5OBPWPB	de Back Pan 408	el for Push bar option 497	13	2.5
	Two-Seat - Replacement Wood Outside Back LEY3R2OBPW	k Panel 437	557	19	3.5
	Three-Seat - Replacement Wood Outside Ba LEY3R3OBPW	ck Panel 478	656	28	5
	One-Seat - Replacement Wood Front Panel LEY3R1FP	216	246	4	0.75
	One & Half-Seat - Replacement Wood Front LEY3R1.5FP	Panel 246	265	5	1
	Two-Seat - Replacement Wood Front Panel LEY3R2FP	274	334	6	1.25
	Three-Seat - Replacement Wood Front Panel LEY3R3FP	l 304	393	8	2
	Replacement Wood Surround Full Arm with a LEY3RWFLL LEY3RWFLR	arm cap (Left 581	r, right specified as seated 783	30	1.5
	Replacement Wood Surround Full Arm with c LEY3RWFCL LEY3RWFCR	caster (Left, r 732	ight specified as seated) 937	30	1.5
	Replacement Wood Surround Full Arm with on LEY3RWFCHL LEY3RWFCHR	cup holder (L 752	eft, right specified as seat 956	ed) 30	1.5
	Replacement Wood Surround Full Arm with In LEY3RWFICHL LEY3RWFICHR	ntegrated cu 781	ip holder (Left, right specii 984	ied as seated) 30	1.5
	Replacement Wood Surround Full Arm Tablet LEY3RWFTL LEY3RWFTR	t (Left, right s 837	specified as seated) 1040	30	1.5
	Replacement Wood Surround Full Arm Integr LEY3RWFITL LEY3RWFITR	rated Tablet (938	(Left, right specified as sea	ated) 30	1.5
	Replacement Wood Surround Armless (Left, LEY3RWNLL LEY3RWNLR	right specifie 591	ed as seated) 794	26	1.5
	Replacement Wood Surround Armless with c LEY3RWNCL LEY3RWNCR	asters (Left, 743	, right specified as seated 943	26	1.5

LEYTON | REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	PRICE				WEIGHTS	CUBES
	One-Seat Replace LEY3R1L	ment Leg set (pa	air)			8	1.25
	One-Seat Wide Re LEY3R1.5L	placement Leg 204	set (pair)			10	1.5
	Two-Seat Replace	ment Leg set (pa 227	air)			13	2.5
Ų	Three-Seat Replac LEY3R3L	ement Leg set (341	pair)			22	3
	Push bar - One-Se LEY3RPB-1	eat 67				2.0	1.8
	Push bar - One-Se LEY3RPB-1.5	at Wide 75				2.5	2.0
	Push bar Gromme LEY3RPBG	t (pair) 10				.2	.1
	Note: Pushbar opt	ion is available	on One-Seat a	nd One-Seat Wi	de only.		
	Caster LEY3RC	78				3.4	0.2
	Replacement Glide LEY3RG	es - Lounge & Ta 18	able (set of fou	r)		1	.25
0, 0, 8	LEY3-POWERDOO Can be field instal previously specifie	543 led to the unde	erside of Seats				
Solid Surface		Grade A- White	Grade A- Color	Grade- B	Grade- C		
	Replacement Table LEY3RT	et with Mounting 514	g Plate - Solid \$ 521	Surface 550	595	5.0	.7
	Replacement Arm LEY3TAC	Cap - Solid Sur 109	face (to be use	ed with tablet)	131	1	.3


ORDERING NOTE: Please note Replacement Arm Cap can only be installed on product orignally ordered with the Solid Surface Arm Cap option.

ZOLA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT



PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR-EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our anufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | FEATURES & OPTIONS



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



ZOLA LOUNGE & ZOLA MODULAR

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the



CLEAN OUT

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) wo non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)



RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



LEGS

Zola legs are Silver Metallic or Matte Black and feature and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.





SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



FULL DEPTH BENCHES

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

Zola seating is available with optional Plus


Upgrade. Plus Seating has been engineered to

support higher weight capacities, accommodating



FINISH DURABILITY

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.





WEIGHT CAPACITIES

a wider variety of users.

PLUS UPGRADE

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs One-Seat Plus - 750 lbs Two-seat (Straight or curved) - 525lbs Two-seat Plus - 975 lbs Three-seat - 750 lbs Three-seat Plus - 1150 lbs



The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.

ZOLA | FEATURES & OPTIONS



TABLETS

Optional Tablets are available on the Zola Lounge & Modular in veneer, glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



LINKING BRACKETS

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



POWER

The flush-mounted Power unit provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See page 186 for locations and Page 239 for pricing.



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables. See Page 239 for pricing.



COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

MOISTURE BARRIER & CAL 133


California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for \$61 list per yard.

ZOLA | RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



ZOLA | SEAM LOCATIONS

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1/2"	1"
45 Deg	2"	1 1/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"



Zola seat photo indicates location of seam.



Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.




Outside Curve


Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.


ZOLA | SAMPLE CONFIGURATIONS







Model	Qty	Price (\$) Beech	
ZOL3 M1201	5	1312	
ZOL3 MS1S1	1	830	
ZOL4 LKM12	1	941	
ZOL4 LKE18	1	1046	
ZOL4 LKC90	1	1222	
ZOL4 241815	1	1131	
Total List	\$	11 730	





Model	Qty.	Price (\$)	
ZOL3 MS2F1	2	1353	
ZOL4 LKM18	2	995	
ZOL3 M1101	2	1446	
ZOL3 MCIS90D	2	3321	
ZOL3 M2101	2	2531	
ZOL4 LKC90X2	1	2427	
Total Liet	φ.	21 710	





Model	Qty.	Price (\$)
ZOL3 MS1S1	2	1662
ZOL3 MS21	2	2321
ZOL4 LKC90	2	2443
ZOL4 LKM18	2	1990

Total List \$16,832

ZOLA | LOUNGE

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

COM YARDAGES (Individual Components)

CON TANDAGES (Individual Components)											
	COM	COM	COM	COM	COM	COM	COM				
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per				
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs				
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5				
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08				
Three-seat	2.5	4.6	7	9	3.5	6.25	9				
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25				

COM YARDAGES (Individual Components)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

ORDERING NOTES:

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

FEATURES: For a complete listing of features see <u>page</u> 167.

ZOLA | LOUNGE

		COM		COL FABRIC GRAD		ADES	DES		R	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 F1111	2079	2192	2304	2500	2696	2892	3088	3127	3567
	One-Seat Plus ZOL3 FB1111	2304	2416	2531	2725	2922	3118	3314	3509	3794
NOTE: One-Seat Plus is 30" wide between arms.										
	Two-seat ZOL3 F2111	3070	3216	3350	3561	3772	3983	4192	4403	4735
	Two-seat Plus ZOL3 FB2111	3156	3298	3434	3643	3853	4065	4275	4486	4819
	NOTE: The Two-Seat Plus	comes s	standard w	vith a fifth I	eg for ext	ra support				
					-					
	Three-seat ZOL3 F3111	4171	4383	4592	5013	5437	5857	6280	6701	7422
	Three-seat Plus ZOL3 FB3111	4270	4481	4690	5111	5534	5956	6374	6797	7520

NOTE: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges Option	List	Option	A-White	Grades A-Color	В	С
4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below) Urethane Arm Caps (pair)	102 74 231	Solid Surface Arm Cap (per pair)	433	442	466	490

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See <u>page</u> 167 for more information on Zola options and features. Plus versions are not available with Caster options.

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	F Freestanding	1 One-Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Plus Upgrade	Two-seat		Urethane Arm Cap	Casters
			3		3	3
			Three-seat		Solid Surface Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

DIMENSIONS - ARMLESS UNITS

	Overall Width	Overall Depth Uph. Back	Overall Depth Wood Back	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5
DIMENSIONS - W	/ITH ARMS							
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes	
One-Seat	29	27	34	18.5	19.25	88	9.75	
Two-seat	52	27	34	18.5	19.25	120	17.6	
Three-seat	75	27	34	18.5	19.25	154	26.3	
One-Seat (Plus)	36	27	34	18.5	19.25	96	11.5	
0011111001000								

COM YARDAGES - ARMLESS UNITS

•		
OM Yardage COM	// Yardage COM \	Yardage
Entire Units 3 En	ntire Units 4 Entir	re Units
wo/ Arms wo	o/ Arms wo/	Arms
4.6	6.38	3.8
7.9	10.75	4.5
11	16 2	22
6.3	9.5	3.86
	Entire Units 3 Er wo/ Arms wo 4.6 7.9 11	Entire Units 3 Entire Units 4 Entire Units wo/ Arms wo/ 4.6 6.38 7.9 10.75 11 16

COM YARDAGES - WITH ARMS

	COM Yardage Entire Unit w/ Arms	COM Yardage 2 Entire Units w/ Arms	COM Yardage 3 Entire Units w/ Arms	COM Yardage 4 Entire Units w/ Arms
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18.3

COM YARDAGES - Individual Components

	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 9 Units = Take the yardage for 4 units, multiply by 2, and yardage to
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

PACKAGING

All Modular Units, and tables will be shipped KD (Knocked Down)

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	74	One-Seat - seat	45
Interim Arm	59	Two-seat - seat	65
One-Seat - back	65	Three-seat - seat	81
Two-seat - back	93	One-Seat Plus - seat	59
Three-seat - back	116		
One-Seat Plus - back	74		

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see <u>page</u> 102, Zola Benches see <u>page</u> 85 and Zola Tablets see <u>page</u> 14.

ZOLA | MODULAR -WOOD BACK

			CON	Л	CC	DL	FABRIC	C GF	RADES		LEAT	HER	
DESCRIPTION/MODI	EL/SPECIES		1	2	3	3	4	5	6	7	8		9
	One-Seat, Wood	or Palette	e Back,	Armless									
	ZOL3 MW1201	Beech	1312	1342	1372	1433	1492		1554	1612	1672	1764	
		Maple/	1349	1379	1410	1467	1530		1589	1650	1711	1800	
		Cherry											
		Palette	1312	1342	1372	1433	1492		1554	1612	1672	1764	
	One-Seat, Wood	or Palette	e Back	w/ Uphols	tered Pac	l, Armles	S						
	ZOL3 MW1301	Beech	1521	1566	1597	1672	1732		1794	1854	1915	2034	
		Maple/	1560	1605	1634	1711	1770		1831	1891	1951	2070	
		Cherry											
		Palette	1521	1566	1597	1672	1732		1794	1854	1915	2034	

ORDERING NOTE: Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	102	
2 Casters/2 Legs (#3 Leg Type below)	74	

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

DESCRIPTION/MODI	FI	SPECIES	COM 1	2	COL 3	FA 4	BRIC (GRADE 6	S 7	LEATHE 8	R 9	COM YARDAGE	SHIPPING	-
<u>BEOOTHI TIOTAMOBI</u>		0. 20.20	•									17111111111111111111		
	One-Seat Woo	od/Palette E	Back w/	UPH F	Pad									
	ZOL3 MB13	Beech	590	603	618	648	680	709	741	770	813	0.6	21	3.1
		Maple /Cherry	634	648	663	695	724	754	770	800	861	0.6	21	3.1
		Palette	590	603	618	648	680	709	741	770	813	0.6	25	3.1
	One-Seat Woo	od/Palette E	Back											
)()()()	ZOL3 MB12	Beech	408									-	19	3.1
		Maple /Cherry	446									-	19	3.1
		Palette	408									-	23	3.1

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
					, , , , ,	
ZOL Zola	3 Soft Seating	MW Modular	1 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
		Wood Back		3		2
				Wood Back with Uph Pad		Casters
						3
						Combination
						2 Front Standard Legs
						& 2 Rear Casters

ZOLA | MODULAR

DESCRIPTION/MODI	EL	COM 1	2	COL 3	FA 4	ABRIC GRA	ADES 6	7	LEATHEF 8	R 9
	One-Seat, Upholstered Ba ZOL3 M1101 n/a	ck Armless 1446	1521	1597	1732	1867	2005	2138	2274	2515
	One-Seat Plus, Upholstere ZOL3 MB1101 n/a	ed Back, Arr 1566	nless 1612	1688	1823	1959	2093	2230	2365	2608
	ORDERING NOTES: One-	Seat Plus s	eat is 30"	wide.						
	One-Seat, Upholstered Ba ZOL3 M1111	ck with Arm 2214	1S 2327	2433	2629	2823	3017	3216	3410	3705
	One-Seat Plus, Upholstere ZOL3 MB1111	ed Back with 2335	n Arms 2446	2554	2747	2945	3138	3335	3532	3823
	ORDERING NOTES: One-	Seat Plus is	30" wide	e betweer	the arms.					
	Two-seat, Upholstered Bac ZOL3 M2101 n/a	ck Armless 2531	2673	2808	3017	3229	3439	3649	3864	4192
	Two-seat Plus, Upholstere ZOL3 MB2101 n/a	d Back, Arm 2613	nless 2756	2892	3102	3312	3523	3734	3945	4275
	Two-seat, Upholstered Bac ZOL3 M2111	ck with Arm	s 3439	3578	3788	3998	4210	4419	4630	4962
	Two-seat Plus, Upholstere ZOL3 MB2111	d Back with 3379	Arms 3523	3660	3871	4082	4291	4503	4713	5044
	Three-seat, Upholstered B ZOL3 M3101	ack Armless 3631	3841	4050	4471	4895	5316	5737	6159	6881
	Three-seat Plus Upholstere ZOL3 MB3101	ed Back Arn 3728	nless 3937	4148	4568	4992	5414	5833	6256	6979
	Three-seat, Upholstered B ZOL3 M3111 n/a	ack with Arr 4396	ms 4608	4819	5240	5660	6083	6504	6924	7649
	Three-seat Plus Upholstere ZOL3 MB3111 n/a	ed Back wit 4495	h Arms 4706	4915	5338	5759	6182	6601	7022	7744

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

						Gra	des	
Zola Option Upcha	arges	List	Option		A-White	A-Colo	or B	С
4 Casters (#2 Leg T	Type below)	102	Solid Surface Arm Cap (per arm)	217	220	233	245
2 Casters/2 Legs (#	#3 Leg Type below)	74	Solid Surface Arm Cap (per pair)	433	442	466	490
Urethane Arm Caps	s (pair)	231	Solid Surface Arm Cap -	Interim (per arm)	177	178	180	184
PRODUCT CODE KE	ΞΥ							
Line	Series	Chair Type	Seat Count	Back Type	Arm Typ	ре	Leg Type	е
ZOL	3	М	1	1	0		1]
Zola	Lounge	Modular	One-Seat	Fully Uph Back	Armles	ss S	Standard Leg	+ Glide
		MB	2		1		2	
		Modular	Two-seat		Uph Ar	m	4 Caster	rs
		Plus Upgrad	de 3		2		3	
			Three-seat		Urethane Ar		Combinati	
					3	2	Front Standa & 2 Rear Ca	0
					Solid Sur Arm Ca			

ZOLA | MODULAR BACKS & ARMS

		COM		COL	FA	BRIC (GRADE	ES L	EATHE	R	COM	SHIPPING	ì
DESCRIPTION/MO	DDEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or Interim Arn ZOL3 MAL	า 468	507	542	620	695	770	844	918	1023	1.5	19	3.1
	ZOL3 MAR	400	307	342	020	095	770	044	910	1023	1.0	10	0.1
	ZOL3 MAI	332	348	363	392	423	455	485	513	559	0.33	13	1.8
	Left, Right,or Interim Arn	n - Uret	hane C	ар									
	ZOL3 MALU	590	627	663	741	813	890	966	1040	1145	1.5	20.5	3
	ZOL3 MARU ZOL3 MAIU	422	436	454	474	512	541	571	602	646	0.33	13	1.8

ORDERING NOTES:

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3 MAL3, and clearly state color choice. (See Page 332 for color selection)

		Grades	3	
Option	A-White	A-Color	В	С
Solid Surface Arm Cap (per arm)	217	220	233	245
Solid Surface Arm Cap (per pair)	433	442	466	490
Solid Surface Arm Cap - Interim (per arm)	177	178	180	184

			СОМ		COL	FA	ABRIC	GRAD	ES	LEATHE	R	COM	SHIPPING	i
DESCRIPTION	N/MODEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	UPH Back													
)) /	ZOL3 MB11*		746	806	867	987	1109	1228	1498	1619	1764	1.75	23	5.2
	ZOL3 MB21		981	1063	1145	1312	1478	1642	1807	1974	2170	2.5	39	9.4
	ZOL3 MB31		1192	1295	1403	1612	1822	2034	2244	2457	2712	3.5	54	14
	ZOL3 MBB11		830	890	950	1069	1192	1312	1433	1554	1711	2	28	6.1

ORDERING NOTES: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

ZOLA | SEATABLES

DESCRIPTION	MODEL	COM	2	COL 3	FAE 4	BRIC GF 5	RADES 6	7	LEATHE 8	R 9	COM YARDAGE	WEIGHT	CLIRE
DESCRIPTION .	Round Seatable ZOL5-18D ZOL5-24D ZOL5-30D	660 852 1071	682 899 1125	704 947 1181	735 1014 1256	771 1089 1345	803 1158 1421	838 1236 1508	884 1330 1615	928 1426 1724	1.3 1.5 1.7	18 26 38	5.2 8.5 10.5
	Square Seatable ZOL5-1818 ZOL5-2424	723 862	767 911	808 957	869 1023	938 1100	999 1169	1067 1245	1153 1341	1241 1437	1.3 1.5	27 38	5.2 8.5
	Rectangular Seatable ZOL5-2418 ZOL5-4824	793 1122	834 1181	878 1241	939 1323	1009 1417	1067 1498	1138 1593	1223 1713	1309 1831	1.3 2.4	31 62	6.6 12.6

ORDERING NOTES:

The seat height from floor is 17.5".

ZOLA | MODULAR - REPLACEMENT COMPONENTS

DESCRIPTION	J/MODEL	SPECIES	COM 1	2	COL 3	- FA	ABRIC 5	GRAD	ES 7	LEATHI 8	ER 9	COM S YARDAGE	SHIPPING WEIGHT	
	Replacement ZOL3 RBM12	Modular One-Se Beech Maple/Cherry Palette	at Wo 348 386 348	od Bad	ck							- - -	19 19 23	3.1 3.1 3.1
		Modular One-Se	at Wo	od Bad	ck w/ U	pholste	ered P	ad						
	ZOL3 RBM13		530	542	559	590		648	680	709	754	0.6	21	3.1
		Maple/Cherry Palette	573	590	603	634			709	741	800	0.6 0.6	21 25	3.1 3.1
	Replacement	Back Pad -only	530	542	559	590	620		680	709	754	0.0	23	3.1
	ZOL3 RP	Dack I au -only	213	228	243	271	303	332	363	392	437	0.6	1.6	2
		Upholstered Bad												
)\)	ZOL3 RBM11		687	746	806		1046		1439	1560	1703	1.75	23	5.2
	ZOL3 RBM21		918		1085		1415			1915	2109	2.5	39	9.4
	ZOL3 RBM31 ZOL3 RBBM1	4		1236 830	890			1974		2397	2649 1650	3.5 2	54 28	14 6.1
	ORDERING N existing "L" br	IOTES: Modular ackets on site pr nent Seat/Bench	ior to a	stered assemi	Replace	ement I he ben	Backs ch. Re	are su placer	nent Ba	with velo	ro uphol: not inclu	stery that allow	ws for asse brackets	embly of and legs
		the replacemen												
	-	Replacement Up	holste											
	ZOL3 RAMR		415	455	490	567	640	717	793	867	971	1.5	14	3
	ZOL3 RAML ZOL3 RAMRU ZOL3 RAMLU		536	573	611	687	761	837	912	987	1092	1.5	15.5	3
		a special - please Upholstered Sea		act Gus	stomer	Service	e tor a	ssistar	ice.					
	ZOL3 RSM1*	opriolotored oct	741	783	830	912	995	1080	1160	1243	1412	1.33	25	5.2
	ZOL3 RSM2		1069	1122		1290	1403			1740	1928	1.75	39	9.4
	ZOL3 RSM3		1394	1467	1543	1703	1861	2018	2175	2335	2531	2.5	50	14
	ZOL3 RSMB1		957	1003	1046	1139	1228	1319	1410	1498	1634	1.75	26	6.1
	ZOL3 RSMB2		1145	1206	1267	1379	1492	1605	1718	1831	2018	1.75	39	9.4
	ZOL3 RSMB3	}	1672	1748	1823	1959	2093	2230	2365	2500	2712	2.5	50	14
	Back Cover ZOL3 RCB1*		288	348	408	530	648	770	890	1011	1206	2	2.8	1.7
/) (ZOL3 RCB2		392	485	573	754	936	1115	1295	1478	1703	3	3.6	1.7
4	ZOL3 RCB3		485	603	724	966	1206	1446	1688	1928	2230	3.75	4.3	1.7
	ZOL3 RCBB1		320	379	437	559	680	800	918	1040	1222	2	2.8	1.7
		Right, Left or Inte		200	0.40	407	E00	600	700	000	010	1 5	2.5	1.7
	ZOL3 RCAR ZOL3 RCAL		258	303	348	437	530	620	709	800	918	1.5	2.5	1.7
	ZOL3 RCAI		168	181	198	228	258	288	319	348	386	0.33	1.5	1.7
	ZOL3 RCARU	I	258	303	348	437		620	709	800	918	1.5	2.5	1.7
	ZOL3 RCALU		200	000	0.10	101	000	020	7.00	000	0.10			
		NOTES: Replace					ght) ar	e spec	ified as	s seated	i. ZOL3 F	RCARU & ZO	L3 RCALU	J are arm
	Seat Cover		050	200	2/0	407	E00	600	700	200	026			
	ZOL3 RCS1*		258 332	303 392	348 455	437 573		620 813	709 936	800 1056	936 1252	1.33	2.3	1.7
	ZOL3 RCS2		423	392 497		648			873	950	1069	1.75	2.6	1.7
	ZOL3 RCS3		392	446		603		813		1023	1174	2.5 1.75	3.8 2.6	1.7 1.7
	ZOL3 RCSB1		JUL			200	. 00	2.0				1.75	۷.0	1.7

ZOLA | MODULAR - REPLACEMENT COMPONENTS & TABLETS

DESCRIPTIO	N/MODEL	PRICE					SHIPPING WEIGHT	G CUBES
	Caster Without Brake ZOL3 RC1	56					0.4	0125
	ORDERING NOTE: Casters	cannot be orde	ered as replac	cement items	s for plus	s units.		
	Caster With Brake ZOL3 RC2	67					0.4	0.125
	ORDERING NOTE: Casters	cannot be orde	ered as replac	cement items	s for plu	s units.		
	Urethane Arm Cap ZOL3 AUR ZOL3 AUL	121					1.5 1.5	0.3 0.3
	Urethane Arm Cap - Interim ZOL3 AIU	90					1.0	0.3
	0.1110 for Arm Ora (con		A-White	Grade A-Color	s B	С		
	Solid Surface Arm Cap (per ZOL3 ASR ZOL3 ASL		217	220	233	245	1.5	0.3
	Solid Surface Arm Cap - Int ZOL3 ASI	erim (per arm)	177	178	180	184	1.0	0.3
DESCRIPTIC	N MODEL	SPECIES	PRICE				WEIGH	IT CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	490 513				12	2
	Tablet with Palette ZOL3 T2	Finish n/a	392				12	2
	Glass Tablet ZOL3 T3	n/a	746				13	2
	Laminate Tablet ZOL3 T4	n/a	507				12	2
	ORDERING NOTE handed and do no					mer edge. P	Please note Zola Tablets are u	ıniversally
	Solid Surface Table ZOL3 T5AW	et - Grade A Wh n/a	iite 611				14	2
	Solid Surface Table ZOL3 T5AC	et - Grade A Col n/a	lor 620				14	2
5	Solid Surface Table ZOL3 T5B	et - Grade B n/a	654				14	2

ZOLA | MODULAR CURVE

DIMENSIONS	INSIDE CURVE
	O 11


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

COM Yardages

OOW Taruages					
	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

COM Yardages - Individual Components


COM Taraages	mariada Componento								
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats	
Single seat									
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2	
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2	
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2	
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2	
Double seat									
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6	
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6	
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6	
90°	4.8	8.8	13.5	17 <i>4</i>	3.4	6.8	10.2	13.6	




Single Seat, Uph 30° Inside Curve



Single Seat, Uph 45° Inside Curve



Single Seat, Uph 60° Inside Curve




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside



Double Seat, Uph 45° Inside Curve



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

DIMENSIONS OUTSIDE CURVE


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat						40	
30°	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
60°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

COM Yardages

3.1.	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat 30° 45° 60° 90°	3.32 3.32 3.32 3.32 3.32	6.14 6.14 6.14 6.14	9.46 9.46 9.46 9.46	12.28 12.28 12.28 12.28	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	13.0 13.0 13.0 13.0	19.5 19.5 19.5 19.5	26.0 26.0 26.0 26.0	

COM Yardages - Individual Components


v	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.7 1.7 1.7 1.7	2.95 2.95 2.95 2.95	4.65 4.65 4.65 4.65	5.9 5.9 5.9 5.9	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90° 6.8	3.1 3.1 3.1 3.1 10.2	6.2 6.2 6.2 6.2 13.6	9.3 9.3 9.3 9.3	12.4 12.4 12.4 12.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8	10.2 10.2 10.2	13.6 13.6 13.6




Single Seat, Uph 30° Outside Curve




Single Seat, Uph 45° Outside Curve




Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

ZOLA | MODULAR CURVE

DESCRIPTION/MOD	DEL	COM 1	2	COL 3	FA	ABRIC GRA	ADES 6	7	LEATHER 8	R 9
	Single-Seat, 30° Inside Curve ZOL3 MCIS30D1	2193	2317	2438	2611	2807	2982	3178	3421	3668
	Single-Seat, 30° Inside Curve ZOL3 MCBIS30D1	Plus 2285	2410	2531	2703	2900	3073	3269	3516	3761
	Single-Seat, 45° Inside Curve ZOL3 MCIS45D1	2580	2737	2894	3116	3370	3591	3845	4161	4480
	Single-Seat, 45° Inside Curve ZOL3 MCBIS45D1	Plus 2684	2842	2998	3222	3475	3696	3949	4267	4584
	Single-Seat, 60° Inside Curve ZOL3 MCIS60D1	2923	3081	3238	3461	3714	3935	4188	4505	4822
	Single-Seat, 60° Inside Curve ZOL3 MCBIS60D1	Plus 3041	3199	3356	3580	3833	4055	4307	4624	4941
	Single-Seat, 90° Inside Curve ZOL3 MCIS90D1	3321	3520	3719	3997	4315	4592	4910	5309	5708
	Single-Seat, 90° Inside Curve ZOL3 MCBIS90D1	Plus 3479	3679	3875	4155	4471	4750	5067	5467	5866
	Single-Seat, 30° Outside Curv ZOL3 MCOS30D1	/e 1974	2086	2195	2348	2528	2683	2859	3081	3300
	Single-Seat, 30° Outside Curv ZOL3 MCBOS30D1	e Plus 2066	2178	2289	2442	2618	2775	2950	3173	3393
	Single-Seat, 45° Outside Curv ZOL3 MCOS45D1	/e 2320	2463	2608	2806	3034	3234	3461	3747	4032
	Single-Seat, 45° Outside Curv ZOL3 MCBOS45D1	e Plus 2425	2568	2712	2911	3138	3339	3565	3852	4135
	Single-Seat, 60° Outside Curv ZOL3 MCOS60D1	/e 2632	2773	2916	3115	3343	3541	3770	4056	4340
	Single-Seat, 60° Outside Curv ZOL3 MCBOS60D1	/e Plus 2751	2892	3036	3235	3462	3661	3889	4173	4459
	Single-Seat, 90° Outside Curv ZOL3 MCOS90D1	/e 2988	3165	3346	3595	3883	4134	4420	4779	5137
	Single-Seat, 90° Outside Curv ZOL3 MCBOS90D1	e Plus 3146	3323	3504	3753	4040	4292	4580	4937	5295

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY

I HODOOT CODE K						
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	I	S	30D	1
Zola	Soft Seating	Modular MCB	Inside Curve	Single	30 Degree 45D	Standard Leg + Glide
		Modular Plus Upgrade	Outside Curve	Double	45 Degree 60D	
					60 Degree 90D	

90 Degree

ZOLA | MODULAR CURVE

	CC	MC		COL	FA	BRIC GRA	DES		LEATHER	3
DESCRIPTION/MODE	L 1	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Inside Curve ZOL3 MCID30D1 38	837	4050	4268	4567	4912	5213	5559	5990	6419
	Double-Seat, 30° Inside Curve P ZOL3 MCBID30D1 38	Plus 983	4196	4413	4712	5057	5360	5704	6135	6565
	Double-Seat, 45° Inside Curve ZOL3 MCID45D1 45	511	4789	5065	5450	5894	6284	6728	7280	7834
	Double-Seat, 45° Inside Curve F ZOL3 MCBID45D1 46	Plus 683	4961	5236	5622	6066	6456	6898	7450	8006
	Double-Seat, 60° Inside Curve ZOL3 MCID60D1 51	112	5390	5665	6055	6497	6885	7330	7882	8437
	Double-Seat, 60° Inside Curve P ZOL3 MCBID60D1 52	Plus 296	5574	5849	6238	6682	7068	7513	8066	8620
		809	6158	6506	6993	7548	8037	8593	9291	9986
	Double-Seat, 90° Inside Curve P ZOL3 MCBID90D1 60	Plus 019	6368	6714	7204	7759	8246	8804	9500	10196
		454	3646	3841	4111	4422	4694	5004	5390	5780
	Double-Seat, 30° Outside Curve ZOL3 MCBOD30D1 35		3791	3986	4256	4567	4839	5148	5535	5925
	Double-Seat, 45° Outside Curve ZOL3 MCOD45D1 40	9	4310	4559	4907	5306	5656	6055	6554	7050
	Double-Seat, 45° Outside Curve ZOL3 MCBOD45D1 42	Plus 231	4482	4730	5078	5478	5826	6225	6724	7221
	Double-Seat, 60° Outside Curve ZOL3 MCOD60D1 46	601	4851	5100	5448	5847	6197	6596	7093	7592
	Double-Seat, 60° Outside Curve ZOL3 MCBOD60D1 47	Plus 784	5035	5284	5633	6032	6380	6780	7278	7776
	Double-Seat, 90° Outside Curve ZOL3 MCOD90D1 52	e 227	5542	5854	6293	6795	7233	7735	8363	8989
	Double-Seat, 90° Outside Curve ZOL3 MCBOD90D1 54	Plus 437	5752	6063	6503	7006	7443	7945	8571	9198

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY


NODGOT GODE N	L-1					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	I Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D 90 Degree	

ZOLA PRIVACY | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

	001111112012010	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS


All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Zola Privacy products can be specified with one of two types of FSC® Certification:

(a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)



(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.



ZOLA PRIVACY | FEATURES & OPTIONS



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



PRECONFIGURED

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



BACK CONNECTION

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



LINKING SEAT-TO-SEAT

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



LINKING TABLE-TO-SEAT

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



CLEAN OUT

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature and feature glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



TWIN BACK

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).



ANTI-MICROBIAL FINISH

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.



Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat plus - 975 lbs
Three-seat - 750 lbs
Three-seat plus - 1150 lbs

ZOLA PRIVACY | OPTIONS



PRIVACY SCREEN

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start, Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.




TABLET

Optional Tablets are available in veneer, glass, laminate and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees. Solid surface is available, contact Customer Service for pricing.

surface top. An optional flush-mounted Table

PowerDoc provides dual power/USB outlets for

multiple devices can be located on the front face of Middle or End Tables (not available on curvilinear



REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.



models). PowerDoc's have a 10' cord.

MODULAR ARM Modular arms can attach to the left or right ends of seating units as well as interim locations between units. They are fully upholstered and can optionally be trimmed with urethane or solid surface arm caps.



REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded.




SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.





SHELVES & POWER

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available - contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB outlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.



SEAT POWER


The flush-mounted power unit provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 247 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.

ZOLA PRIVACY | POWER LOCATIONS



Seat Power

When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



Shelf Power

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.




B - for left side of seat (facing)



Table Power

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$561 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




Under-mount Power

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables.

ZOLA PRIVACY | CONNECTING MULTIPLE UNITS


SEATING

Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.





SIDE PANELS

Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.




ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING









TOTAL \$29,254






Model	Qty	Price (ea)
ZOP3-MCID60DF0S	1	5629
ZOP3-MCID60DF0C	3	5629
ZOP3-MCID60DF0E	1	5629
ZOL4-30D15	1	1325
TOTAL		\$29,470


ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING






ZOL4-242415	1	1131
ZOP3-M2M0E	1	2472
ZOP3-M2M0C	1	2472
ZOP3-MCIS90DM0C	2	4354
ZOP3-M2M0S	1	2472
Model	Qty	Price (\$)


TOTAL \$17,255






Model	Qty	Price (\$)
ZOL4-LKE18	4	1046
ZOP3-MB1F1S	2	2730
ZOP3-MCID90DF1C	2	7499
ZOP3-MB1F1E	2	2730
ZOL4 E482915	1	1920

TOTAL \$32,022





Model ZOP3-MPF0S ZOP3-M3F0C ZOP3-MPF0E	Qty 2 2 2	Price (\$) 901 3783 901
ZOP4-E482915	1	1920
TOTAL		\$13,090

ZOLA PRIVACY | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

I B. A	vic.	\sim	NS

DIMENSIONS		VA /* -111-						
	Overell	Width	Overell	Overall	Seat	Seat	Chinning	
	Overall Width	Between Panels	Overall Depth	Height	Height	Depth	Shipping Weight	Cubes
Preconfigured Fu	ıll Height Back							
One-Seat Plus	36	30	27	50	18.5	19.25	134	28.3
Two-seat	52	46	27	50	18.5	19.25	161	40.4
Three-seat	75	69	27	50	18.5	19.25	194	57.5
Preconfigured M	id Height Bacl	k						
One-Seat Plus	36	30	27	37.5	18.5	19.25	114	20.4
Two-seat	52	46	27	37.5	18.5	19.25	141	29.1
Three-seat	75	69	27	37.5	18.5	19.25	174	41.3
COM YARDAGES	•							
CON TANDAGES	Yardage	Yardage	Yardage	Yardage				
	Entire	2 Entire	3 Entire	4 Entire				
	Unit	Units	Units	Units				
Preconfigured Fu	•	•						
One-Seat Plus	9.59	13.78	17.97	22.16				
Two-seat	11.48	16.13	20.83	26.56				
Three-seat	13.56	21.32	29.38	37.04				
Preconfigured M	id Height Bacl	k/Privacy Panel						
One-Seat Plus	7.31	10.96	14.61	18.26				
Two-seat	8.49	12.22	16.72	21.20				
Three-seat	10.60	18.36	26.42	34.08				
Preconfigured Fu	ıll Height Back	c/Semi-Private	Panel					
One-Seat Plus	6.63	10.82	15.01	19.20				
Two-seat	8.52	13.17	17.87	23.60				
Three-seat	10.60	18.36	25.42	34.08				
Preconfigured M	id Height Bacl	k/Semi-Private	Panel					
One-Seat Plus	5.41	9.06	12.71	16.36				
Two-seat	6.59	10.32	14.82	19.30				
Three-seat	8.48	14.80	21.42	27.20				

ZOLA PRIVACY | PRECONFIGURED

DESCRIPTION (MACE	. E.	СОМ	•	COL		RIC GRA			LEATHER	
DESCRIPTION/MOD	PEL	1	2	3	4	5	6	7	8	9
	One-Seat Plus with Privat ZOP3-PCB1MPF0	e Modular S 3768	Side Panel 4065	and Full H 4365	leight Back 4888	5437	5960	6510	7108	8059
	One-Seat Plus with Semi-	Private Mod	dular Side	Panel and	Full Heigh	t Back				
	ZOP3-PCB1SMPF0	3076	3291	3508	3866	4249	4608	4992	5424	6045
	One-Seat Plus with Privat ZOP3-PCB1MPM0	e Modular S 3323	Side Panel 3540	and Mid F 3756	Height Back 4133	4526	4898	5295	5728	6396
	One-Seat Plus with Semi- ZOP3-PCB1SMPM0	Private Mod 2841	dular Side 3016	Panel and 3195	Mid Heigh 3489	t Back 3804	4098	4414	4767	5276

ORDERING NOTES:

ZOLA PRIVACY OPTION UPCHARGES

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

\$ List

AL 133 & Moisture Barrier (per yard) eat Power (per power unit) lus Upgrade option		61 611 included			
RODUCT CODE KEY					
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PCB	1	MP	F0
Zola Privacy	Lounge	Pre-Configured Plus	One-Seat (30")	Private Modular Side Panel	Full Height
			2	SMP	M0
			Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAE	BRIC GRA	DES		LEATHER	2
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Two-Seat with Privat ZOP3-PC2MPF0	e Modula 4354	r Side Pan 4712	el and Ful 5074	l Height Ba 5686	ack 6337	6948	7598	8323	9409
	Two-Seat Plus with F ZOP3-PCB2MPF0	Private Mo 4479	odular Side 4837	e Panel an 5197	d Full Heiç 5809	ght Back 6460	7071	7721	8446	9532
	Two-Seat with Semi-	Private M	odular Sic	le Panel a	nd Full He	ight Back				
	ZOP3-PC2SMPF0	3660	3938	4216	4664	5150	5597	6082	6639	7395
	Two-Seat Plus with S					0				
	ZOP3-PCB2SMPF0	3783	4062	4340	4788	5274	5721	6205	6763	7519
	Two-Seat with Privat	e Modulai	r Side Pan	el and Mid	d Height B	ack				
	ZOP3-PC2MPM0	3600	3866	4131	4582	5055	5500	5978	6511	7287
	Two-Seat Plus with F	Private Mo	dular Side	e Panel an	d Mid Hei	ght Back				
	ZOP3-PCB2MPM0	3723	3990	4255	4706	5179	5624	6101	6634	7410
	Two-Seat with Semi-	Private M	odular Sic	le Panel a	nd Mid He	ight Back				
	ZOP3-PC2SMPM0	3116	3343	3568	3937	4332	4699	5095	5548	6166
	Two-Seat Plus with S ZOP3-PCB2SMPM0		ate Modula 3467	ar Side Pa 3693	nel and Mi 4061	d Height E 4457	Back 4823	5220	5673	6290

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List	
CAL 133 & Moisture Barrier (per yard)	61	
Seat Power (per power unit)	611	

PRODUCT CODE KEY

ODOO! OODE IKE	•				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAI	DES 6	7	LEATHER 8	9
- DEGGIII TIGIVINODEE		'			<u> </u>					
	Three-Seat with Privat				0					
	ZOP3-PC3MPF0	5234	5658	6086	6792	7546	8251	9007	9861	11079
	Three-Seat Plus with F				_					
	ZOP3-PCB3MPF0	5420	5844	6272	6979	7733	8438	9193	10046	11265
	Three-Seat with Semi-	Private Mo	odular Sid	e Panel ar	nd Full Hei	ght Back				
	ZOP3-PC3SMPF0	4541	4884	5227	5769	6360	6899	7490	8179	9065
	Three-Seat Plus with S									
	ZOP3-PCB3SMPF0	4728	5069	5414	5956	6545	7087	7676	8365	9251
-	Three-Seat with Privat	e Modular	Side Pane	el and Mic	Height Ba	ack				
	ZOP3-PC3MPM0	4670	4995	5319	5856	6429	6961	7535	8186	9094
			.000	00.0	0000	0.20			0.00	
	Three-Seat Plus with F	Private Mo	dular Side	Panel and	d Mid Heig	ht Back				
	ZOP3-PCB3MPM0	4856	5182	5506	6042	6615	7147	7721	8372	9280
	Three-Seat with Semi-	-Private Mo	odular Sid	e Panel ar	nd Mid Hei	aht Back				
	ZOP3-PC3SMPM0	4187	4473	4758	5211	5705	6159	6653	7225	7973
	Three-Seat Plus with S	Semi-Priva	te Modula	r Side Par	nel and Mi	d Height E	Back			
	ZOP3-PCB3SMPM0	4373	4659	4944	5397	5891	6345	6839	7411	8160

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List	
CAL 133 & Moisture Barrier (per yard)	61	
Seat Power (per power unit)	611	

PRODUCT CODE KEY

ODOOT OODE KE	•				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

						Overall			
	Overall	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Full Height Back									
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8
Mid Height Back									
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6
Modular Corner Seat v	vith Full Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26
Modular Corner Seat v	vith Mid Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	93	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	93	26
. ,									

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Full Height Back												
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	4.33	7.33	11.66	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner S	eat with Fu	ull Height	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner S	eat with M	id Height	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8

ZOLA PRIVACY PLUS OPTION UPCHARGES

	\$ List	
Plus Upgrade Two-Seat	123	_
Plus Upgrade Three-Seat	186	

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

Dimensions a	00	ZOII ILIVILI										
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Singl	e Full Hei	aht No Scr	reen									
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
2010 1011 102	LIIG	2.70	21	40.00	00	O	2.7	0.00	0.00	10.70	10.44	10.10
Side Panel, Single	e, Full Hei	ght with So	creen									
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	e, Mid Hei	ght No Sc	reen									
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
Side Panel, Singl	a Mid Hai	aht with S	creen									
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
		-										
Semi-Private Side												
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Side	e Panel, S	ingle, Mid	Height									
ZOP3-MSPM0S	Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0C	Center	2.75	14.25	31.4	23	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0E	End	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
Modular Upholste	ered Arm											
ZOP3-MAUPHL*		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHR		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHC		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholste	ered Arm v	w/Urethane	e Cap									
ZOP3-MAUREL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholsto	arad Arm	w/Solid Su	rface Con									
ZOP3-MASSCL	ereu Ami	w/5011a 5u 3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCR		3	14.5	20.25	28 28	1.1	1.33	2.11	2.8	3.56	4.44 4.44	5 5
ZOP3-MASSCI*		3	14.5	20.25	28		1.33	2.11		3.56	4.44 4.44	5 5
ZUF3-IVIASSUI		3	14.3	20.25	20	1.1	1.33	2.11	2.8	3.30	4.44	5

			COM		COL	FAR	RIC GRA	ADES		LEATHE	R
ESCRIPTION	I/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	One-Seat, Full Height E ZOP3-M1F0F	3ack	1833	1962	2091	2275	2486	2671	2881	3138	341
	_	Back with Shelf Opti ch/Laminate ble/Palette	on 2252 2343	2381 2471	2511 2602	2695 2785	2907 2995	3090 3181	3299 3391	3559 3647	383 392
	ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 I	anding, Start and En	d units with	the she	lf option i	require co	ounterba	lance we	eight add	ed to ea	ch se
	One-Seat, Full Height E ZOP3-M1F2F	Back with Privacy So	creen Optio 2104	on 2231	2361	2544	2755	2940	3150	3408	368
\Rightarrow	ORDERING NOTES: U	Inits with Privacy Sc	reen Optio	n are not	available	with Rem	novable E	Back Cov	er option		
	One-Seat, Mid Height I ZOP3-M1M0F	Back	1725	1827	1930	2073	2237	2383	2546	2751	296
~	One-Seat, Mid Height I	Back with Shelf Ont	on								
	ZOP3-M1M1_ Bee	ch/Laminate ble/Palette /hen ordering units v	2145 2235 with shelf o	2245 2336 option ple the she	2347 2439 ease clear	2491 2584 rly specif require co	2657 2746 y on you ounterba	2802 2892 Ir order t lance we	2966 3057 he requir eight add	3169 3261 ed shelf ed to ea	347 heigh
	ZOP3-M1M1_ Bee Map ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L One-Seat, Mid Height E ZOP3-M1M2F	ch/Laminate ble/Palette //hen ordering units validing, Start and End List upcharge per un Back with Privacy St	2145 2235 with shelf of d units with hit. Units with creen Option 1993	2336 option ple in the she th shelf con 2094	2439 ease clea If option reption are	2584 rly specif require co not availa	2746 by on you bunterba able with 2507	2892 ir order t lance we Remova 2651	3057 he requir eight add ble Back 2817	3261 ed shelf ed to ea Cover op 3019	347 heigh ch se otion.
Ala Privacy (ZOP3-M1M1_ Bee Map ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L One-Seat, Mid Height E ZOP3-M1M2F ORDERING NOTES: U	ch/Laminate ble/Palette //hen ordering units or a continuous start and Ending, Start and Ending per ur Back with Privacy Solutions with	2145 2235 with shelf of d units with hit. Units with creen Option 1993	2336 option ple in the she th shelf con 2094	2439 ease clea If option reption are	2584 rly specif require co not availa	2746 by on you bunterba able with 2507	2892 Ir order t lance we Remova 2651 Back Cov	3057 he requir eight add ble Back 2817 rer option	3261 ed shelf ed to ea Cover op 3019	347 heigh ch se otion.
pisture Barrie movable Se movable Ba	ZOP3-M1M1_ Bee Map ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L One-Seat, Mid Height E ZOP3-M1M2F	ch/Laminate ble/Palette //hen ordering units or unding, Start and End .ist upcharge per un Back with Privacy Solutits with Privacy Solutits Start	2145 2235 with shelf of dunits with units with units with the creen Option 1993 reen Option Se	2336 option ple in the she th shelf coon 2094 in are not	2439 ease clea If option respition are 2198 available er (per univer	2584 rly specif require co not availa 2343 with Rem	2746 by on you bunterba able with 2507	2892 Ir order t lance we Remova 2651 Back Cov	3057 he requir eight add ble Back 2817	3261 ed shelf ed to ea Cover op 3019	347 heigh ch se otion.
pisture Barrie emovable Se emovable Ba al Leg (for M	ZOP3-M1M1_ Bee Map ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L One-Seat, Mid Height E ZOP3-M1M2F ORDERING NOTES: U Option Upcharges er & CAL 133(per yard) eat Covers One-Seat covers One-Seat Multiple unit configurations) DE KEY	ch/Laminate ble/Palette When ordering units or a continuous start and Encl. ist upcharge per units or a continuous start and Encl. Back with Privacy Sci. Inits with Privacy Sci. \$ List 61 45 65 77	2145 2235 with shelf of dunits with units with units with the creen Option 1993 reen Option See Sh	2336 option ple in the she th shelf of on 2094 In are not eat Power helf Power ble Power	2439 ease clea If option respition are 2198 available er (per univer	2584 rly specification of availation 2343 with Remitt)	2746 by on you bunterba able with 2507 hovable E	2892 Ir order t lance we Remova 2651 Back Cov	3057 he requiring the standard	3261 ed shelf led to ea Cover op 3019	347 heigh ch se otion.
bisture Barrie emovable Se emovable Ba al Leg (for N	ZOP3-M1M1_ Bee Map ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L One-Seat, Mid Height E ZOP3-M1M2F ORDERING NOTES: U Option Upcharges er & CAL 133(per yard) eat Covers One-Seat Multiple unit configurations) DE KEY Series	ch/Laminate ble/Palette Then ordering units inding, Start and Enclist upcharge per units with Privacy School Scho	2145 2235 with shelf of dunits with units with units with the creen Option 1993 reen Option See Sh	2336 option ple in the she th shelf of on 2094 n are not eat Powe helf Powe ble Pow	2439 ease clea If option respition are 2198 available er (per univer	2584 rly specification require contavailate 2343 with Remitt)	2746 Type	2892 Ir order t lance we Remova 2651 Back Cov	3057 he requiring the standard	3261 ed shelf led to ea Cover op 3019	347 heigh ch se otion.
pisture Barrie emovable Se emovable Ba al Leg (for M	ZOP3-M1M1_ Bee Map ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L One-Seat, Mid Height E ZOP3-M1M2F ORDERING NOTES: U Option Upcharges er & CAL 133(per yard) eat Covers One-Seat covers One-Seat Multiple unit configurations) DE KEY	ch/Laminate ble/Palette When ordering units or a continuous start and Encl. ist upcharge per units or a continuous start and Encl. Back with Privacy Sci. Inits with Privacy Sci. \$ List 61 45 65 77	2145 2235 with shelf of dunits with lit. Units with shelf of dunits with lit. Units with lit.	2336 option ple in the she th shelf of on 2094 In are not eat Power helf Power ble Power	2439 ease clear If option reption are 2198 available er (per univer	2584 rly specific require contained availated	2746 Type Type ght Back with	2892 Ir order t lance we Remova 2651 Back Cov	3057 he requiright add ble Back 2817 er option List 611 571 561 Leg	3261 ed shelf led to ea Cover op 3019	ch section.
Disture Barrie Emovable Se Emovable Ba Ital Leg (for M RODUCT COL Line ZOP	ZOP3-M1M1_ Bee Map ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L One-Seat, Mid Height E ZOP3-M1M2F ORDERING NOTES: U Option Upcharges er & CAL 133(per yard) and Covers One-Seat (ack Covers One-Seat Multiple unit configurations) DE KEY Series	ch/Laminate ble/Palette Then ordering units and inding, Start and Enclist upcharge per units with Privacy Schools with Privacy Schools School	2145 2235 with shelf of dunits with hit. Units with creen Option 1993 reen Option Section 1993	2336 option ple in the she th shelf of on 2094 on are not eat Power helf Power ble Power one at Count one Seat	2439 ease clear If option reption are 2198 available er (per unier er	2584 rly specific require contavails 2343 with Rem it) Back Full Height Shelf (2746 Type Type Type Type Eack wit Eack wit Teach with	2892 Ir order t lance we Remova 2651 Back Cov	3057 he requiright add ble Back 2817 er option List 611 571 561 Leq Freesta	a261 ed shelf ed to ea Cover op 3019 .	347 heigh ch se otion.
Disture Barrie emovable Se emovable Ba ual Leg (for M RODUCT COI Line ZOP	ZOP3-M1M1_ Bee Map ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L One-Seat, Mid Height E ZOP3-M1M2F ORDERING NOTES: U Option Upcharges er & CAL 133(per yard) and Covers One-Seat (ack Covers One-Seat Multiple unit configurations) DE KEY Series	ch/Laminate ble/Palette Then ordering units and inding, Start and Enclist upcharge per units with Privacy Schools with Privacy Schools School	2145 2235 with shelf of dunits with hit. Units with creen Option 1993 reen Option Section 1993	2336 option ple in the she th shelf of on 2094 on are not eat Power helf Power ble Power one Seat iwo Seat 3	2439 ease clear If option reption are 2198 available er (per unier er	2584 rly specification of availation availation of availa	2746 Type Type Type Type Back with Back with Coption Back with Coption Cop	2892 Ir order t lance we Remova 2651 Back Cov	3057 he requiright add ble Back 2817 er option List 611 571 561 Leg Freesta	a261 ed shelf led to ea Cover op 3019 . g Type F Inding Unit S Int Unit	347 heigh ch so tion.

M2 Mid Height Back with Privacy Screen Option

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	R 9
	One-Seat Plus, Full Heigh ZOP3-MB1F0F	t Back	2299	2428	2557	2742	2952	3136	3346	3605	387
	One-Seat Plus, Full Heigh ZOP3-MB1F1_ Beech/L Maple/F	.aminate	f Option 2730 2822	2859 2950	2988 3081	3172 3265	3384 3474	3566 3660	3777 3870	4036 4128	431 439
	ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 Lis	ing, Start and Er	nd units wit	h the sh	elf option	require c	ounterba	lance w	eight add	ded to ea	ch sea
	One-Seat Plus, Full Heigh ZOP3-MB1F2F	t Back with Priva	acy Screen 2639	Option 2768	2896	3082	3292	3475	3686	3944	421
	ORDERING NOTES: Unit	s with Privacy So	creen Optic	on are no	t availabl	e with Rer	novable l	Back Co	ver option	n.	
	One-Seat Plus, Mid Heigh ZOP3-MB1M0F	t Back	2195	2297	2399	2543	2709	2852	3016	3221	343
	One-Seat Plus, Mid Heigh ZOP3-MB1M1_ Beech/L Maple/F	.aminate	If Option 2626 2718	2727 2819	2829 2922	2974 3066	3138 3229	3284 3374	3448 3539	3652 3744	386
	ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$289 Lis	ing, Start and Er	nd units wit	h the sh	elf option	require c	ounterba	lance w	eight add	ded to ea	ch se
	One-Seat Plus, Mid Heigh ZOP3-MB1M2F	t Back with Priv	acy Screer 2535	Option 2637	2740	2884	3048	3193	3356	3561	377
	ORDERING NOTES: Unit	s with Privacy So	creen Optic	on are no	t availabl	e with Rer	novable l	Back Co	ver option	n.	
ola Privacy	Option Upcharges	\$ List						;	\$ List		
lemovable Se lemovable Ba	er & CAL 133(per yard) eat Covers One-Seat ack Covers One-Seat	61 45		Seat Pow	ıer (ner II	nit)			611 571		
Dual Leg (for N	Multiple unit configurations)	65 77	Т	Shelf Povable Pov Sable Pov Sne-Sea	ver ["] ver	····· ·ludes Plu	s Upgrad	de	561		
•	Multiple unit configurations)	65	Т	able Pov	ver ["] ver	,	s Upgrad	de			
•	Multiple unit configurations)	65	T (able Pov	ver wer t Plus inc	ludes Plu	s Upgrad k Type	de	561	eg Type	
PRODUCT CO	Multiple unit configurations) DE KEY	Chair Type M Modular MB	T (able Pov One-Sea Geat Cour 1 One Seat	ver wer ver ver ver ver ver ver ver ver ver v	Bac Full He	k Type -0 ight Back		561	F anding Uni	t
PRODUCT COLLINE ZOP	Multiple unit configurations) DE KEY Series 3	Chair Type M Modular	T (Seat Cour One Seat	ver wer ver ver ver ver ver ver ver ver ver v	Bac Full He Full Heigh	k Type -0 ight Back		561	F anding Uni	t
PRODUCT COLLINE ZOP	Multiple unit configurations) DE KEY Series 3	Chair Type M Modular MB Modular	. T C	Geat Cour One Seat One Seat Two Seat	ver wer t Plus inc	Bac Full Heigh Shelf Full Heigh Privacy Sc	k Type F0 ight Back with Option ight Back	th	Le Freest St	F anding Units art Unit C nter Unit	t
PRODUCT COLLINE ZOP	Multiple unit configurations) DE KEY Series 3	Chair Type M Modular MB Modular	. T C	Table Poor One-Seat Cour 1 One Seat 2 Two Seat 3	ver wer t Plus inc	Bac Full Heigh Shelf Full Heigh Privacy So Mid He	k Type =0 ight Back =1 nt Back wide Option =2 nt Back wide Option	th th on	Le Freest St	F anding Uni S art Unit	t

Mid Height Back with Shelf Option

M2

Mid Height Back with Privacy Screen Option

	MODEL/SPECIES		COM 1	2	COL 3	FAE 4	RIC GRA	ADES 6	7	LEATHER 8	R 9
	Two-Seat, Full Height E ZOP3-M2F0F	ack	2885	3078	3267	3540	3852	4128	4437	4820	5229
	_	eack Shelf Option ch/Laminate le/Palette	3394 3489	3584 3680	3775 3871	4050 4145	4362 4457	4636 4731	4945 5040	5329 5422	573 583
	ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L	nding, Start and End	l units with	n the she	elf option	require c	ounterba	lance we	eight ad	ded to ead	ch sea
	Two-Seat, Full Height E ZOP3-M2F2F	ack with Privacy Sci	reen Optio 3352	on 3541	3734	4007	4319	4593	4768	5285	569
	ORDERING NOTES: U	nits with Privacy Scr	een Optio	n are not	available	with Ren	ovable E	Back Cov	er optior	ղ.	
	Two-Seat, Mid Height E ZOP3-M2M0F	3ack	2472	2623	2775	2992	3238	3456	3701	4005	432
	_	Back with Shelf Optionships Ch/Laminate De/Palette	on 2983 3078	3134 3227	3285 3378	3503 3595	3747 3843	3964 4059	4211 4305	4513 4608	483 492
	ORDERING NOTES: W 42", 36" or 30". Freesta unit, please add \$289 L	nding, Start and End	l units with	n the she	elf option	require c	ounterba	lance we	eight ad	ded to eac	ch sea
	Two-Seat, Mid Height E ZOP3-M2M2F	Back with Privacy Sc	reen Optio	on 3091	3242	3460	3706	3921	4169	4470	479
	ORDERING NOTES: U	nits with Privacy Scr	een Optio	n are not	available	with Rem	novable E	Back Cov	er optior	n.	
ola Privacy O	ption Upcharges	\$ List						\$	List		
Removable Sea Removable Bac	r & CAL 133(per yard) It Covers One-Seat Ik Covers One-Seat ultiple unit configurations	61 45 65	S	eat Powe		nit)			611 571 561		
oual Leg (for Mu			Ta	able Pow							
PRODUCT CODE		77		able Pow	/er						
PRODUCT CODE	Series	Chair Type		eat Count	/er		к Туре		Le	eg Type	
PRODUCT CODE		77	S	able Pow	/er	F	Type O ght Back			eg Type F tanding Unit	
PRODUCT CODE Line ZOP	Series 3	Chair Type M Modular MB Modular	S	eat Count	/er	Full Hei	ght Back	th	Freest	F	
PRODUCT CODE Line ZOP	Series 3	Chair Type M Modular MB	S	eat Count 1 One Seat	/er	Full Heigh	ght Back	th	Freest	F tanding Unit	
PRODUCT CODE Line ZOP	Series 3	Chair Type M Modular MB Modular	S	eat Count 1 One Seat 2 Two Seat	ver t	Full Heigh	ght Back t Back wir Option t Back wir	th	Freest St	F danding Unit	
PRODUCT CODE Line ZOP	Series 3	Chair Type M Modular MB Modular	S	eat Count 1 One Seat 2 Two Seat	ver t	Full Heigh Shelf Full Heigh Privacy Sc	ght Back t Back wir Option t Back wir	th	Freest St Ce	F danding United S dark United C dark C	
PRODUCT CODE Line ZOP	Series 3	Chair Type M Modular MB Modular	S	eat Count 1 One Seat 2 Two Seat	ver t	Full Heigh Shelf Full Heigh Privacy Sc Mid Heigh	ght Back wireen Option ght Back wireen Option ght Back wireen Option	th on	Freest St Ce	F tanding Unit S tart Unit C the other Unit	

DESCRIPTION/N	MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GR 5	ADES 6	7	LEATHEI 8	٦ 9
	Three-Seat, Full Height Ba ZOP3-M3F0F	ck	3794	4050	4309	4673	5091	5458	5873	6388	6925
	Three-Seat, Full Height Ba ZOP3-M3F1_ Beech/L Maple/F	aminate .	4391 4489	4647 4747	4904 5005	5271 5370	5687 5788	6056 6156	6470 6569	6983 7083	7523 7624
	ORDERING NOTES: Whet - 42", 36" or 30". Freestand unit, please add \$289 List	ing, Start and End	units with	n the she	lf option r	equire co	ounterba	lance we	ight adde	ed to eac	h seat
	Three-Seat, Full Height Ba ZOP3-M3F2F	ck with Privacy So	creen Opti 4460	ion 4717	4972	5341	5758	6125	6540	7053	7593
	ORDERING NOTES: Units	with Privacy Scre	en Optior	n are not	available [,]	with Rem	ovable E	Back Cove	er option.		
	Three-Seat, Mid Height Ba ZOP3-M3M0F	ck	3570	3783	3993	4296	4639	4943	5288	5709	6159
	Three-Seat, Mid Height Ba ZOP3-M3M1_ Beech/L Maple/F	_aminate	4169 4268	4380 4481	4589 4689	4894 4993	5237 5338	5539 5639	5886 5985	6306 6405	6755 6855
	ORDERING NOTES: Whee - 42", 36" or 30". Freestand unit, please add \$289 List	ling, Start and End	units with	n the she	If option r	equire co	ounterba	lance we	ight adde	ed to eac	h seat
	Three-Seat, Mid Height Ba ZOP3-M3M2F	ck with Privacy So	creen Opt 4238	ion 4448	4659	4963	5307	5610	5955	6374	6823
	ORDERING NOTES: Units	with Privacy Scre	en Optior	n are not	available [,]	with Rem	ovable (Back Cove	er option.		
Zola Privacy Op	otion Upcharges	\$ List						\$	List		
Removable Seat Removable Back	& CAL 133(per yard) : Covers One-Seat < Covers One-Seat litiple unit configurations)	61 45 65 77	Sh Ta	nelf Powe		,	s Upgrad	de	611 571 561		
PRODUCT CODE											
ZOP Zola	Series 3 Lounge	M Modular Modular Modular Plus Upgrade	[1 One Seat 2 Two Seat 3		Full Heigh	ght Back	th	Freestar Star	Type F	:
			L Tr	nree Seat		Full Heigh Privacy Sc	t Back wi reen Opti	on	Cent	er Unit	
					1	Mid Heigh Shelf	t Back wi Option 12 t Back wi	ith			

DESCRIPTION/	MODEL/SPECIES	COM 1	2	COL 3	FABF 4	RIC GRA	DES 6	ا 7	_EATHEI	R 9
	Modular Corner Seat with Full I ZOP3-MCF0	Height Back 3865	4086	4307	4616	4971	5282	5636	6079	6522
	Modular Corner Seat, Full Heig ZOP3-MCF1LR Beech/Lamin Maple/Palette	ate 4702	4923 5014	5146 5236	5455 5546	5809 5901	6119 6211	6473 6565	6917 7008	7361 7450
	Modular Corner Seat, Full Heig ZOP3-MCF1L Beech/Lamin Maple/Palette Modular Corner Seat, Full Heig ZOP3-MCF1R Beech/Lamin Maple/Palette	ate 4519 4523 ht Back with single she ate 4510	4751 4755	4984 4987 4984 4987	5309 5314 5309 5314	5682 5686 5682 5686	6008 6012 6008 6012	6379 6384 6379 6384	6843 6848 6843 6848	6984 6988 6984 6988
	Modular Corner Seat, Full Heig ZOP3-MCF2LR	ht Back with Privacy S 4404	creens 4626	4847	5157	5512	5822	6176	6618	7063
	Modular Corner Seat, Full Heig ZOP3-MCF2L Modular Corner Seat, Full Heig ZOP3-MCF2R	4356	4587	4820	5147 5147	5518 5518	5844	6214 6214	6681	6820 6820

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	61
Shelf Power	571
Dual Leg (for Multiple unit configurations)	77
Plus Upgrade- Corner Seat	61

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3 Lounge	MC Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option	Right Side

DESCRIPTION/N	MODEL/SPECIES	COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	ER 9
	Modular Corner Seat with Mid Height Back ZOP3-MCM0	3108	3291	3473	3730	4021	4278	4570	4937	5303
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1LR Beech/Laminate Maple/Palette	Shelves 3944 4036	4129 4219	4312 4402	4567 4658	4860 4950	5115 5208	5409 5499	5773 5865	6140 6231
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1L Modular Corner Seat, Mid Height Back with ZOP3-MCM1R Beech/Laminate Maple/Palette Modular Corner Seat, Mid Height Back with ZOP3-MCM2LR	3723 3728 Single S 3723 3728	3917 3920 helf Righ 3917 3920	4108 4177 at* 4108 4177 4014	4377 4381 4377 4381 4270	4685 4688 4685 4688 4562	4954 4958 4954 4958 4819	5261 5265 5261 5265 5111	5643 5647 5643 5647	5764 5767 5764 5767 5843
	Modular Corner Seat, Full Height Back with ZOP3-MCM2L Modular Corner Seat, Full Height Back with ZOP3-MCM2R	3560	3753	3944	4213 4213	4520 4520	4791 4791	5097	5481 5481	5600

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	61
Shelf Power	571
Dual Leg (for Multiple unit configurations)	77
Plus Upgrade- Corner Seat	61

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3	MC	MO	L
Zola	Lounge	Modular Corner Seat	Mid Height Back	Left Side
		MCB	M1	R
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
		00000	M2	LR

Mid Height Back with Privacy Screen Option

Left & Right Sides

ZOLA PRIVACY | SIDE PANELS

			COM		COL	FAE	FABRIC GRADES			LEATHER		
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Singl											
	ZOP3-MPF0S	Start	903	987	1071	1242	1411	1581	1749	1920	2258	
	ZOP3-MPF0C	Center	1164	1248	1332	1503	1670	1840	2009	2178	2517	
	ZOP3-MPF0E	End	903	987	1071	1242	1411	1581	1749	1920	2258	
	Side Panel, Singl	e, Full Height wi	th Screen									
	ZOP3-MPF2S	Start	1184	1269	1353	1521	1692	1861	2031	2200	2539	
	ZOP3-MPF2C	Center	1443	1530	1613	1782	1954	2122	2292	2461	2799	
	ZOP3-MPF2E	End	1184	1269	1353	1521	1692	1861	2031	2200	2539	
	Side Panel, Singl	e Mid Height No	Screen									
	ZOP3-MPM0S	Start	731	790	846	963	1078	1192	1307	1421	1650	
	ZOP3-MPM0C	Center	1002	1058	1115	1229	1345	1460	1575	1689	1920	
	ZOP3-MPM0E	End	731	790	846	963	1078	1192	1307	1421	1650	
	Side Panel, Singl	e. Mid Heiaht wi	th Screen									
	ZOP3-MPM2S	Start	1013	1069	1127	1244	1358	1474	1588	1703	1933	
	ZOP3-MPM2C	Center	1282	1339	1396	1512	1625	1740	1855	1968	2200	
	ZOP3-MPM2E	End	1013	1069	1127	1244	1358	1474	1588	1703	1933	
		E. Cida Danalau	.:		0			iale Deice		O4:		:1=1=1=

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
		F	Full Height with Privacy Screen Option	Center	
			M0	Е	
			Mid Height	End	
			M2		
		F	Mid Height with Privacy Screen Option		

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side ZOP3-MSPF0S ZOP3-MSPF0C ZOP3-MSPF0E	Panel, Single, I Start Center End	Full Height 556 817 556	599 862 599	642 907 642	729 992 729	816 1080 816	904 1166 904	990 1253 990	1079 1340 1079	1252 1514 1252	
	Semi-Private Side	Panel, Single, I	Mid Height									
	ZOP3-MSPM0S ZOP3-MSPM0C ZOP3-MSPM0E	Start Center End	490 759 490	529 796 529	564 834 564	640 910 640	716 984 716	790 1059 790	866 1135 866	940 1209 940	1089 1360 1089	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center	
				E End	

ZOLA PRIVACY | MODULAR ARMS

		COM COL			FABRIC GRADES			LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	669 669 747	705 705 784	741 741 819	813 813 891	886 886 964	957 957 1036	1030 1030 1108	1100 1100 1180	1245 1245 1324	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 800 800 863	837 837 898	871 871 935	943 943 1008	1016 1016 1080	1087 1087 1150	1160 1160 1223	1231 1231 1294	1377 1377 1439	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole	_	С	
Solid Surface Arm Cap (per arm)	123	130	144	150	

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP	3	MA	UPH	L	
Zola	Lounge	Modular Arm	Upholstered	Left Hand Facing	
			URE	R	
			Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC	С	
			Upholstered Arm w/Solid Surface Cap	Center	

ZOLA PRIVACY | TWIN - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Full Height Back										
One-Seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-Seat (Plus)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Back										
One-Seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-Seat (Plus)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height B	ack											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height B	ack											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES

	\$ List	
Plus Upgrade Twin Two-Seat	247	
Plus Upgrade Twin Three-Seat	370	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | TWIN MODULAR PANELS & MODULAR ARMS

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Single	e, Full Height	No Scree	n									
ZOP3-MPTF0U ZOP3-MPTF0C	Universal Center	2.75 2.75	51.5 51.5	43.9 43.9	66 66	6 6	4 4	5.5 5.5	9.34 9.34	12.03 12.03	14.72 14.72	18.7 18.7
Side Panel, Single	e. Full Height	with Scre	en									
ZOP3-MPTF2U	Universal	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF2C	Center	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single	e, Mid Heigh	t No Scree	en									
ZOP3-MPTM0U	Universal	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM0C	Center	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
Side Panel, Single	e, Mid Heigh	t with Scre	en									
ZOP3-MPTM2U	Universal	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM2C	Center	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
Twin Semi-Private	Side Panel,	Single, Fu	ıll Height									_
ZOP3-MSPTF0U	Universal	2.75	26.5	44	43	2.5	2.69	5.38	8.06	10.75	13.44	16.13
ZOP3-MSPTF0C	Center	2.75	26.5	44	52	2.5	2.69	5.38	8.06	10.75	13.44	16.13
Twin Semi-Private		•	_									
ZOP3-MSPTM0U		2.75	26.5	31.4	32	1.7	1.75	3.99	5.98	7.97	9.97	11.96
ZOP3-MSPTM0C	Center	2.75	26.5	31.4	39	1.7	1.75	3.99	5.98	7.97	9.97	11.96
Twin Modular Uph	alatarad Ara											
ZOP3-MATUPHU	ioistered Am	3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUPHC		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9 7.9	9.33
201 3-WATOT 110		3	14.5	19.75	22	2.0	2.11	3.30	3	0.5	7.9	9.00
Twin Modular Uph	nolstered Arn	n w/Uretha	ane Cap									
ZOP3-MATUREU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUREC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	nolstered Arn	n w/Solid	Surface Ca									
ZOP3-MATSSCU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATSSCC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33

ZOLA PRIVACY | TWIN SEATS

		СОМ		COL		FABRIC GRA	DES		LEATHE	R
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9
	Twin One-Seat, Full Heigh ZOP3-MT1F0F	t Back 2716	2873	3033	3261	3516	3745	4003	4318	4656
	Twin One-Seat, Full Heigh	t Back with	Privacy S	Screen Opt	ion					
	ZOP3-MT1F2F	2985	3142	3300	3531	3786	4014	4271	4587	4924
	ORDERING NOTES: Units	s with Privac	cy Screen	Option are	e not ava	ilable with Re	emovable	Back Cove	er option.	
	Twin One-Seat, Mid Heigh	nt Back								
	ZOP3-MT1M0F	2584	2718	2853	3048	3267	3462	3682	3952	4242
	Twin One-Seat, Mid Heigh	nt Back with 2852	Privacy S	Screen Opt	tion 3318	2526	2720	2050	4001	4510
A						3536	3732	3950	4221	4510
	ORDERING NOTES: Units	s with Privac	y Screen	Option are	e not ava	ilable with Re	emovable	Back Cove	er option.	
	Twin One-Seat Plus, Full H ZOP3-MBT1F0F	Height Back 3635	3793	3950	4180	4435	4664	4921	5237	5575
	Twin One-Seat Plus, Full H	Height Back	with Priva	acy Screer	n Option					
	ZOP3-MBT1F2F	3974	4133	4291	4519	4774	5005	5261	5578	5915
	ORDERING NOTES: Units	s with Privac	cy Screen	Option are	e not ava	ilable with Re	emovable	Back Cove	er option.	
	Twin One-Seat Plus, Mid H ZOP3-MBT1M0F	Height Back 3490	3625	3761	3955	4173	4369	4588	4860	5147
	Twin One-Seat Plus, Mid I	-		acy Scree	n Option 4293		4700	4000	F100	5487
	ORDERING NOTES: Units	3830 s with Privac	3964 cy Screen			4513 ilable with Re	4709 emovable	4928 Back Cove	5198 er option.	5467
DDODUOT CODE NEV			,	·					•	
Line	Series (Chair Type		Seat Cour	nt	Back Ty	pe		Leg Type	
ZOP Zola	3 Lounge M	MT lodular Twin		1 One Seat	·	F0 Full Height	Back	Fre	F estanding U	nit
2014	· ·	MTB		2		F2		110	S	
	PI	lodular Twin lus Upgrade		Two Seat	L	Full Height Ba Privacy Scree			Start Unit	
	(<u>I</u>	Page 203)		3		MO			С	
				Three Sea	at	Mid Height	Back		Center Unit	
						M2			Е	
						Mid Height Barrivacy Scree			End Unit	

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MOD	DEL	COM 1	2	COL 3	F/ 4	ABRIC GRA 5	DES 6	7	LEATHE 8	:R 9
	Twin Two-Seat, Full Heigh ZOP3-MT2F0F	t Back 4034	4282	4530	4899	5313	5682	6095	6592	7159
	Twin Two-Seat, Full Heigh ZOP3-MT2F2F	t Back Priva 4499	cy Screer 4749	Option 4996	5367	5780	6149	6561	7059	7627
	ORDERING NOTES: Units	s with Privac	y Screen	Option are	not availa	able with Re	movable B	Back Cover	option.	
	Twin Two-Seat, Mid Heigh ZOP3-MT2M0F	t Back 3838	4054	4267	4580	4928	5240	5589	6018	6484
	Twin Two-Seat, Mid Heigh ZOP3-MT2M2F	4305	4519	4734	5044	5395	5707	6057	6484	6951
	ORDERING NOTES: Units	s with Privac	y Screen	Option are	not availa	able with Re	movable B	Back Cove	r option.	
	Twin Three-Seat, Full Hei ZOP3-MT3F0F	ight Back 5542	5862	6180	6631	7147	7598	8111	8749	9408
	Twin Three-Seat, Full Hei ZOP3-MT3F2F	ight Back Pr 6208	ivacy Scre 6528	een Optior 6844	7296	7813	8265	8779	9415	10072
	ORDERING NOTES: Uni	its with Priva	cy Screer	n Option ar	e not ava	ilable with R	emovable	Back Cove	er option.	
	Twin Three-Seat, Mid He ZOP3-MT3M0F	ight Back 5100	5380	5659	6060	6514	6915	7367	7928	8519
	Twin Three-Seat, Mid He ZOP3-MT3M2F	ight Back wi 5766	th Privacy 6046	y Screen C 6325	ption 6728	7180	7582	8034	8594	9186
1	ORDERING NOTES: Uni	its with Priva	cy Screer	n Option ar	e not ava	ilable with R	emovable	Back Cove	er option.	
PRODUCT CODE KE	Y									
Line	Series	Chair Type		Seat Cou	nt	Back T	уре		Leg Type	
ZOP Zola	Ç	MT Modular Twin MTB Modular Twin		One Sea		Full Height F2 Full Height E	t Back	Fre	F estanding S Start Unit	
	F	Plus Upgrade (Page 203)		3		Privacy Scree	en Option		C	

Three Seat

Mid Height Back

Mid Height Back with

Privacy Screen Option

Center Unit

Е

End Unit

ZOLA PRIVACY | TWIN - SIDE PANELS

			COM		COL	FAB	RIC GRAD	ES	ı	LEATHER	
DESCRIPTION	/MODEL		1	2	3	4	5	6	7	8	9
	Twin Side Panel, I ZOP3-MPTF0U ZOP3-MPTF0C	Full Height No Sc Universal End Center	reen 1360 2038	1485 2164	1611 2291	1862 2541	2113 2793	2365 3041	2615 3293	2867 3543	3368 4046
	Twin Side Panel,,	Full Height with S	Screen								
	ZOP3-MPTF2U ZOP3-MPTF2C	Universal End Center	1911 2589	2037 2716	2163 2842	2413 3092	2665 3343	2916 3593	3166 3845	3419 4093	3919 4599
	Twin Side Panel, I										
	ZOP3-MPTM0U ZOP3-MPTM0C	Universal End Center	1131 1807	1215 1894	1299 1979	1470 2147	1639 2317	1808 2486	1979 2656	2147 2824	2486 3164
	Twin Side Panel, I	Med. Height with	Screen								
أ ما	ZOP3-MPTM2U	Universal End	1683	1767	1852	2021	2192	2361	2531	2699	3037
	ZOP3-MPTM2C	Center	2360	2445	2531	2699	2868	3037	3207	3375	3717
	ORDERING NOTI	E: Side Panels wil	I only conn	ect to Ce	nter seatir	ng units. U	nits with P	rivacy Scre	en Option	n are not a	vailable

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 204 for dimensions and COM.

PRODUCT CODE KEY

I HODOUT GODE KET					
Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			M0 Mid Height		
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private	Side Panel, Sir	igle, Full H	leight								
	ZOP3-MSPTF0U	Universal	964	1040	1117	1225	1348	1456	1580	1733	1887	
	ZOP3-MSPTF0C	Center	1642	1719	1796	1904	2028	2134	2258	2412	2566	
	Twin Semi-Private	Side Panel, Sir	ngle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	827	876	927	996	1078	1146	1227	1327	1426	
	ZOP3-MSPTM0C	Center	1506	1556	1606	1675	1755	1824	1906	2006	2106	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 204 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/M	1ODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1067 1759	1140 1819	1202 1880	1285 1964	1382 2061	1466 2146	1563 2242	1684 2363	1804 2484	
	Twin Modular Upholstered Arm v	v/Urethane	Cap								
	ZOP3-MATUREU	1193	1266	1327	1411	1507	1591	1688	1809	1930	
	ZOP3-MATUREC	1885	1944	2006	2089	2186	2271	2367	2488	2609	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col		С
Solid Surface Arm Cap (per arm)	263	275	303	313

PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

222

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | CURVED - DIMENSIONS

DIMENSIONS

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen		Depth	Weight	Cubes
Curved Single-Sea	nt - Full He	eight Bac	k							
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16
Curved Single-Sea	nt - Mid He	eight Bac	:k							
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10
45° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14
Curved Double-Se	at - Full H	eight Ba	ck							
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37
Curved Double-Se	at - Mid H	leight Ba								
30° Inside Curve	58	64	30	42	37.5	50	18.5	20.25	110	24
45° Inside Curve	64.5	70.5	31.5	43.5	37.5	50	18.5	20.25	116	31
60° Inside Curve	70.5	76.5	33	45	37.5	50	18.5	20.25	123	38
90° Inside Curve	81	87	36	48	37.5	50	18.5	20.25	141	52
30° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21
oo oatolao oal vo	04	67	31	43	37.5	50	18.5	20.25	99	25
45° Outside Curve	61	01	01							
	65.5	71.5	32	44	37.5	50	18.5	20.25	105	28

Upcharge for Plus Upgrade Option:

Option S	\$ List	Option	\$ List
Plus Upgrade -Single-seat curve 30° seat	92	Plus Upgrade -Double-seat curve 30° seat	145
Plus Upgrade -Single-seat curve 45° seat	106	Plus Upgrade -Double-seat curve 45° seat	172
Plus Upgrade -Single-seat curve 60° seat	118	Plus Upgrade -Double-seat curve 60° seat	184
Plus Upgrade -Single-seat curve 90° seat	158	Plus Upgrade -Double-seat curve 90° seat	210

ZOLA PRIVACY | CURVED - COM REQUIREMENTS

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea	t - Full H	eight Bacl	k									
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	t - Mid H	eight Bac	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H	leight Bac	k									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se	at - Mid I	Height Bad	ck									
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List	
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89	
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97	
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118	
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121	

			COM		COL	FAB	RIC GRA	ADES		LEATHE	R
DESCRIPTION	I/MODEL/SPECIES		11	2	3	4	5	6	7	8	9
	Single-Seat, 30° Inside ZOP3-MCIS30DF0F	e Curve, Full Heigh	t Back 3267	3446	3625	3875	4161	4414	4697	5056	5414
	ORDERING NOTE: W - 42", 36" or 30" and c	Beech/Laminate Maple/Palette hen ordering a bachose required leg t	3855 3944 ck with S	4035 4122 Shelf options w. Freest	anding,	Start and En	d units w	5000 5090 our order th	5285 5374 ne requir	5643 5733 red Shelf require co	6000 6090 Heigh
	Single-Seat, 30° Inside ZOP3-MCIS30DF2F						nit. 4726	4979	5264	5621	5979
	Zor o Iwolosobi Zi		0002	4012	4100	7772	4720	4010	0204	0021	0070
	Single-Seat, 30° Inside ZOP3-MCIS30DM0F	e Curve, Mid Heigh	t Back 3118	3274	3433	3652	3903	4122	4374	4688	5000
	Single-Seat, 30° Inside ZOP3-MCIS30DM1_		t Back v 3707 3795	with Shelf 3865 3952	4020 4110	4242 4329	4491 4582	4711 4799	4963 5051	5276 5366	5589 5679
	ORDERING NOTE: W - 36" or 30" and chose ance weight added to	required leg type	below. F	reestandi	ng, Star	t and End u					
	Single-Seat, 30° Inside ZOP3-MCIS30DM2F	e Curve, Mid Heigh	t Back v 3683	vith Privad 3841	cy Scree 3998	en Option 4217	4468	4688	4940	5254	5566
Zola Privacy (Option Upcharges	\$ List							\$ List	t	
Moisture Barrie Seat Power (po Shelf Power Table Power	er & CAL 133(per yard) er unit)	61 611 571 561	Du Re	al Leg (fo movable	r Multipl Seat Co	le-Seat, 30° e unit confiç vers -Single ack covers a	urations -Seat, 30	o° Curve	92 77 59 curved b	,)	
PRODUCT COD	DE KEY										
Line	Series	Chair Type	С	urve Style		Seat Degree		Back Type		Leg Typ	е
ZOP Zola	3 Lounge	MC Modular Curve	Inside	IS Curve -Sir	ngle	30D 45D	Ful	F0 II Height Back	ς Fr	F eestanding S	Unit
		Modular Curve	Inside	Curve -Do	uble			Height Back w	/ith	Start Un	it

OS

Outside Curve -Single

OD

Outside Curve -Double

С

Shelf Option

F2

Privacy Screen Options

60D

Plus

NECCRIPTION!/	MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAD	DES 6	7	LEATHER 8	₹ 9
ESCRIPTION	Single-Seat, 45° Inside ZOP3-MCIS450DF0F	e Curve, Full Heiç		3864	4060	4348	4671	4961	5284	5680	6113
	Single-Seat, 45° Inside ZOP3-MCIS45DF1_ E ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	Beech/Laminate Maple/Palette hen ordering a b chose required	4270 4359 ack with leg type	4467 4558 Shelf opt	4665 4756 tion please Freestand	ing, Start	and End	units with			
	Single-Seat, 45° Inside ZOP3-MCIS45DF2F						5244	5533	5857	6253	6684
	Single-Seat, 45° Inside ZOP3-MCIS45DM0F	e Curve, Mid Hei	ght Back 3469	3630	3790	4015	4273	4498	4757	5076	5403
	Single-Seat, 45° Inside ZOP3-MCIS45DM1_ I	Beech/Laminate	4075	4233	4395	4618 4710	4878 4968	5105	5363 5450	5681 5771	6007
	ORDERING NOTE: W - 36" or 30" and che counterbalance weight	ose required leg	type be	elow. Fre	estanding	e clearly sp g, Start ar	ecify on t	ınits with	the requ	iired Shel	f Heig
	ORDERING NOTE: W	hen ordering a boose required leg	ack with a type be seat unit,	Shelf optelow. Free	tion please eestanding add \$289 L	e clearly sp g, Start ar -ist upcha	ecify on t	your order inits with	the requ	iired Shel	f Heigh requir
loisture Barriel eat Power (per helf Power able Power	ORDERING NOTE: W - 36" or 30" and che counterbalance weight Single-Seat, 45° Inside ZOP3-MCIS45DM2F ption Upcharges r & CAL 133(per yard) r unit)	hen ordering a boose required leg	ack with a type be seat unit, ght Back 4041	Shelf optielow. Fre please a with Priv 4201 us Upgra al Leg (fre movable	tion please eestanding add \$289 L vacy Scree 4362 de -Single or Multiple	e clearly sp g, Start ar List upcha	curve gurations	your order inits with nit. 5070	the requirements the sheet	st 6 7	f Heigl requii
	ORDERING NOTE: W - 36" or 30" and che counterbalance weight Single-Seat, 45° Inside ZOP3-MCIS45DM2F ption Upcharges r & CAL 133(per yard) r unit)	hen ordering a bose required leg tadded to each a curve, Mid Height Street Stre	pht Back 4041	Shelf optielow. Fre please a with Priv 4201 us Upgra al Leg (fre movable	tion please eestanding add \$289 L vacy Scree 4362 de -Single or Multiple s Seat Covovable bac	e clearly sp g, Start ar List upcha in Option 4587 -Seat, 45° unit confi	Curve gurations e-Seat, 48	your order inits with nit. 5070	the requirements the sheet	st 6 7	f Heigh requir 5973

M2 Mid Height Back with Privacy Screen Options

	COM		COL	FAE	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Single-Seat, 60° Inside Curve, Full He ZOP3-MCIS60DF0F	eight Back 4163	4414	4659	5017	5425	5779	6183	6679	7207
Single-Seat, 60° Inside Curve, Full He ZOP3-MCIS60DF1_ Beech/Laminat Maple/Palette ORDERING NOTE: When ordering a - 42", 36" or 30" and chose require counterbalance weight added to each	e 4939 5030 back with d leg type	5185 5278 Shelf op	5434 5524 tion please Freestand	ling, Start	and End	units with			
Single-Seat, 60° Inside Curve, Full He ZOP3-MCIS60DF2F					5994	6353	6756	7253	7780
Single-Seat, 60° Inside Curve, Mid He ZOP3-MCIS60DM0F	eight Back 3966	4143	4321	4573	4860	5109	5395	5752	6111
Single-Seat, 60° Inside Curve, Mid He ZOP3-MCIS60DM1_ Beech/Laminat Maple/Palette ORDERING NOTE: When ordering a - 36" or 30" and chose required le counterbalance weight added to each	e 4740 4831 back with eg type be	4919 5009 Shelf op elow. Fre	5097 5188 tion please	g, Start a	nd End u	nits with			
Single-Seat, 60° Inside Curve, Mid He ZOP3-MCIS60DM2F	eight Back 4540	with Priv 4718	vacy Scre 4897	en Option 5149	5434	5684	5970	6326	6685

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 60° Curve	118
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 60° Curve	82
Table Power	561	Note: Removable back covers are not available on	curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with	Center Unit
					Privacy Screen Option	
			OD	90D	M0	E
			Outside Curve -Double		Mid Height Back	End Unit
					M1	
					Mid Height Back with	
					Shelf Option	
					M2 Mid Height Back with	
					Privacy Screen Options	

DESCRIPTIO	N/MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAD	DES 6	7	LEATHEF 8	₹ 9
	Single-Seat, 90° Inside ZOP3-MCIS90DF0F	Curve, Full Height	<u> </u>	5013	5275	5639	6057	6421	6839	7360	7881
	Single-Seat, 90° Inside ZOP3-MCIS90DF1_ ORDERING NOTE: Wh 42", 36" or 30" and counterbalance weight	Beech/Laminate Maple/Palette nen ordering a back chose required leg	5587 5680 k with Sh g type be	5847 5940 elf option elow. Fre	estandir	ng, Start ar	nd End u	ınits with			
	Single-Seat, 90° Inside ZOP3-MCIS90DF2F	Curve, Full Height	Back wit 5660	h Privacy 5920	Screen 6183	6545	6963	7329	7744	8266	8786
	Single-Seat, 90° Inside ZOP3-MCIS90DM0F	Curve, Mid Height	Back 4354	4559	4762	5047	5373	5660	5987	6394	6804
	Single-Seat, 90° Inside ZOP3-MCIS90DM1_ ORDERING NOTE: What 36" or 30" and chose reweight added to each series.	Beech/Laminate Maple/Palette nen ordering a back equired leg type bel	5185 5280 k with Sh low. Free	5391 5484 elf option standing,	Start ar	nd End units					
	Single-Seat, 90° Inside ZOP3-MCIS90DM2F	Curve, Mid Height	Back wit	th Privacy 5466	Screen 5670	Option 5955	6281	6567	6893	7298	7708
Zola Privacy	Option Upcharges	\$ List							\$ Lis	it	
Seat Power (p Shelf Power Table Power		61 611 571 561	Du Re	al Leg (fo movable	r Multipl Seat Co	le-Seat, 90° e unit confiç vers -Single ack covers a	gurations) -Seat, 90	° Curve	15 7 10 curved b	7 8	
PRODUCT COI	Series	Chair Type	Cı	urve Style		Seat Degree		Back Type		Leg Typ	<u> </u>
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside (IS Curve -Sir ID Curve -Doi OS Curve -Si OD Curve -Doi	uble	30D 45D 60D 90D	Full H S Full H Privac	F0 Height Back helf Option F2 eight Back y Screen Op M0 Height Back M1 eight Back	with with otion ck	Freestanding S Start Un C Center U E End Uni	it] nit

		COM		COL	ΓΛD	RIC GRAD	NEC.		LEATHEF	,
DESCRIPTIO	N/MODEL/SPECIES	1	2	3	4	5	6	7	8	n 9
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF0F	ght Back 3098	3268	3438	3676	3948	4186	4458	4797	5136
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a bac 42", 36" or 30" and chose required le counterbalance weight added to each se	3385 3469 ck with She g type be	3555 3638 elf optior elow. Fre	3724 3809 please cl estanding	, Start ar	nd End ur		•		_
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF2F	ght Back w 3436	vith Priva 3606	cy Screen 3775	4014	4286	4523	4795	5135	5473
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM0F	ght Back 2986	3134	3281	3490	3728	3935	4172	4467	4769
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a bac 36" or 30" and chose required leg type be weight added to each seat unit, please a	3270 3355 ck with Shelow. Frees	3419 3504 elf option standing,	3565 3649 please cl Start and	End units					
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM2F	ght Back w 3323	vith Priva 3470	cy Screen 3617	Option 3828	4064	4272	4510	4803	5107

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 30° Curve	92
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 30° Curve	59
Table Power	561	Note: Pomovable back covers are not available on	ounged backs

UCT CODE KE	Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Ur
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD Outside Curve -Double	90D	M0 Mid Height Back	E End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

						_\		IIIAW	01 (5011	V LD
			СОМ		COL	FABF	RIC GRAD	ES	L	EATHEF	R
DESCRIPTION/	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 45° Outsid ZOP3-MCOS450DF0F	e Curve, Full Heiç	ght Back 3341	3510	3680	3918	4189	4427	4698	5037	5378
	ORDERING NOTE: Wh	Beech/Laminate Maple/Palette en ordering a bac	3622 3707 ck with S	3792 3875 helf optic	3960 4045 on please						
	42", 36" or 30" and cho balance weight added t							ith the she	lf option i	require c	ounter-
	Single-Seat, 45° Outsid ZOP3-MCOS45DF2F	e Curve, Full Heiç	ght Back 3676	with Priv 3846	vacy Scre 4015	en 4254	4526	4764	5035	5373	5714
	Single-Seat, 45° Outsid ZOP3-MCOS45DM0F	e Curve, Mid Hei	ght Back 3221	3368	3515	3723	3960	4170	4408	4702	5004
	Single-Seat, 45° Outsid ZOP3-MCOS45DM1_ E		ght Back 3503 3587	with Sh 3648 3734	elf 3796 3880	4005 4088	4243 4326	4450 4536	4688 4772	4983 5067	5283 5368
· ų	ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s	quired leg type be	elow.Free	estanding	g, Start an	d End unit					
	Single-Seat, 45° Outsid ZOP3-MCOS45DM2F	e Curve, Mid Hei	ght Back 3558	with Pri 3705	vacy Scre 3850	een Option 4059	4296	4505	4742	5037	5339
	ption Upcharges	\$ List							\$ List		
	r & CAL 133 (per yard)	61	Plu	s Upgra	de - Singl	e-Seat, 45 e unit confi	° Curve		106		
Seat Power (pe Shelf Power	er uriit)	611 571				ers -Single			77 61		
Table Power		561				ck covers					
PRODUCT CODE	E KEY										
Line	Series	Chair Type	С	urve Style		Seat Degree		Back Type		Leg Typ	e
ZOP	3 Lounge	MC Modular Curve	Ineido	IS Curve -S	ingle	30D	Eul	F0 I Height Bac	·k Em	F	a I Init
ZOIa	Louinge	MCB	iiiside	ID	ingle	45D	i ui	F1	n 1718	S	

HODGOT CODE KET						
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	E
			Outside Curve -Double		Mid Height Back	End Unit
					M1	
					Mid Height Back with Shelf Option	
					M2	
					Mid Height Back with	
					Privacy Screen Options	

	COM		COL	FAE	BRIC GRAI	DES		LEATHE	R
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Single-Seat, 60° Outside Curve, Full He ZOP3-MCOS60DF0F	eight Back 3481	3649	3820	4059	4330	4567	4840	5179	5518
Single-Seat, 60° Outside Curve, Full He ZOP3-MCOS60DF1_ Beech/Laminate Maple/Palette ORDERING NOTES: When ordering a because of the company	3760 3844 back with g type be	3929 4013 Shelf opt low. Free	4100 4184 tion please standing,	Start and	End units				
Single-Seat, 60° Outside Curve, Full He ZOP3-MCOS60DF2F	eight Back 3799	with Priv 3970	vacy Scre 4140	en 4377	4650	4887	5159	5495	5836
Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM0F	eight Back 3367	3515	3663	3871	4108	4317	4554	4849	5150
Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a barance weight added to each seat unit, plants and the sea	3643 3729 ack with Se below. F	3793 3877 Shelf opti Freestand	3941 4023 on please ling, Start	and End i	units with t				_
Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM2F	eight Back 3685	with Pri 3833	vacy Scre 3981	en Option 4188	4425	4635	4870	5167	5468

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 60° Curve	118
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 60° Curve	82
Table Power	561	Note: Removable back covers are not available on o	curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Un
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

ESCRIPTIO											
\Box	N/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	DES 6	7	LEATHER 8	٦ 9
	Single-Seat, 90° Outside ZOP3-MCOS90DF0F	Curve, Full Heig	ht Back 4196	4368	4537	4773	5046	5283	5556	5894	6234
	Single-Seat, 90° Outside ZOP3-MCOS90DF1_ Bo M ORDERING NOTE: Whe 42", 36" or 30" and chos balance weight added to	eech/Laminate aple/Palette n ordering a bacl e required leg tyl	4463 4546 k with Shoe below	4635 4717 nelf option	4803 4887 n please nding, S	tart and End	units wi				
	Single-Seat, 90° Outside ZOP3-MCOS90DF2F	Curve, Full Heig	ht Back v	with Priva 4684	acy Scre 4853	en 5090	5363	5599	5870	6210	6550
	Single-Seat, 90° Outside ZOP3-MCOS90DM0F	Curve, Mid Heig	ht Back 3761	3908	4056	4264	4500	4709	4945	5241	5544
	Single-Seat, 90° Outside ZOP3-MCOS90DM1_ Be M ORDERING NOTE: Whe 36" or 30" and chose req weight added to each se	eech/Laminate aple/Palette n ordering a bacl uired leg type bel	4028 4110 k with Sh ow. Free	4174 4257 nelf optionstanding	4321 4403 n please , Start ar	nd End units					
	Single-Seat, 90° Outside ZOP3-MCOS90DM2F	Curve, Mid Heig	ht Back 4076	with Priv	acy Scre 4370	en Option 4581	4817	5024	5262	5557	5860
	Option Upcharges ier & CAL 133 (per yard) per unit)	\$ List 61 611 571 561	Du Re	al Leg (fo movable	r Multipl Seat Co	lle-Seat, 90° le unit config vers -Single- ack covers a	urations) Seat, 90	° Curve	10	58 77 08	
Line	DE KEY Series	Chair Type		Curve Style		Seat Degree		Back Type		Leg Ty	
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS Curve -S Curve -D OS	ingle	30D 45D 60D	Full F	F0 II Height Ba F1 Height Back Shelf Option F2	ack with	Freestandir S Start U	ng Unit
				OD Curve -E	J	90D	Privad	Height Back by Screen C M0 d Height Ba	Option	Center U	

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FABI 4	RIC GRA	ADES 6	7	LEATHE 8	R 9
	Double-Seat, 30° Insid ZOP3-MCID30DF0F	de Curve, Full Heigh	t Back 4708	4996	5284	5689	6154	6557	7018	7594	8173
	Double-Seat, 30° Insid ZOP3-MCID30DF1_ ORDERING NOTE: W 42", 36" or 30" and ch	Beech/Laminate Maple/Palette /hen ordering a back	5443 5535 with Sh	5731 5823 nelf option							
	balance weight added	I to each seat unit, p	lease a	dd \$289 Li	st upcha	arge per un		ini nie snen	Ориоп	Tequile of	
	ZOP3-MCID30DF2F	20 Carro, r all 1 loigh	5608	5896	6185	6589	7051	7457	7917	8494	9072
	Double-Seat, 30° Insid ZOP3-MCID30DM0F	de Curve, Mid Heigh	t Back 4456	4698	4944	5288	5680	6021	6414	6903	7393
	Double-Seat, 30° Insid ZOP3-MCID30DM1_ ORDERING NOTE: W 36" or 30" and chose i weight added to each	Beech/Laminate Maple/Palette /hen ordering a back required leg type bel	5189 5282 with Show. Free	5434 5526 nelf option estanding,	Start and	d End units					
	Double-Seat, 30° Insid ZOP3-MCID30DM2F	de Curve, Mid Heigh	t Back v 5353	with Privac 5599	y Screer 5845	Option 6187	6580	6921	7315	7803	8292
Zola Privacy C	Option Upcharges	\$ List							\$ List	t	
Moisture Barrie Seat Power (pe Shelf Power Table Power	er & CAL 133 (per yard) er unit)	61 611 571 561	Dua Rer	al Leg (for movable S	Multiple eat Cove	e-Seat, 30° unit config ers -Double k covers a	urations) -Seat, 3		145 77 89 urved b	7	
PRODUCT CODI	E KEY Series	Chair Type	Cı	urve Style	S	eat Degree		Back Type		Leg Type	
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve	[Inside	IS Curve -Sing ID Curve -Doul	yle	30D 45D	Ful	F0 II Height Back F1 Ieight Back w		F reestanding S Start Un	Unit
		Plus	[OS e Curve -Sin OD Curve -Dou		90D	Full H Privac	Bhelf Option F2 Height Back w by Screen Opt M0 Height Back	ith ion	C Center Un E End Uni	

M2 Mid Height Back with Privacy Screen Options

M1 Mid Height Back with Shelf Option

JESC BIDTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABRI 4	C GRAD	ES 6	ا 7	EATHER 8	9
PESCHIPTION PROPERTY.	Double-Seat, 45° Insi ZOP3-MCID45DF0F	de Curve, Full Heigh	•	5397	5691	6106	6580	6994	7466	8055	8654
	Double-Seat, 45° Insi ZOP3-MCID45DF1_ ORDERING NOTE: V 42", 36" or 30" and c balance weight added	Beech/Laminate Maple/Palette When ordering a bachose required leg ty	5868 5962 k with S pe belov	6161 6256 helf optior v. Freesta	nding, Sta	irt and End	l units wi				_
	Double-Seat, 45° Insi ZOP3-MCID45DF2F	de Curve, Full Heigh	nt Back v 6013	with Privac 6306	cy Screen 6601	7017	7489	7903	8374	8964	9563
	Double-Seat, 45° Insi ZOP3-MCID45DM0F	de Curve, Mid Heigl	nt Back 4860	5112	5367	5728	6138	6498	6910	7417	7943
	Double-Seat, 45° Insi ZOP3-MCID45DM1_ ORDERING NOTE: V 36" or 30" and chose	Beech/Laminate Maple/Palette When ordering a bac	5623 5718 k with S	5877 5971 helf optior							
	weight added to each Double-Seat, 45° Insi ZOP3-MCID45DM2F						7047	7408	7817	8325	885
Moisture Barrie Seat Power (pe Shelf Power	Option Upcharges er & CAL 133 (per yard) er unit)	611 571	Du	al Leg (for	Multiple	e-Seat, 45° unit config rs -Double	urations)	5° Curve	\$ List 172 77 97		
able Power	E KEV	561	No	te: Remo	able bac	k covers a	re not av	ailable on (curved b	acks	
	FKFY										
Line	Series	Chair Type	С	urve Style	Se	eat Degree	E	Back Type		Leg Typ	e

M2 Mid Height Back with Privacy Screen Options

DE005157151	1/MODEL (0050):50		COM	•	COL		RIC GRAI		-	LEATHE	
ESCRIPTION	I/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 60° Inside ZOP3-MCID60DF0F	e Curve, Full Heigh	t Back 5629	5965	6301	6788	7338	7824	8373	9047	9774
		e Curve, Full Heigh Beech/Laminate Maple/Palette	6444 6540	with Shelf 6783 6876	7120 7213	7606 7700	8156 8250	8642 8736	9193 9287	9865 9960	
	ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added	ose required leg ty	pe belov	w. Freestar	nding, St	tart and End	l units wi				
	Double-Seat, 60° Inside	e Curve, Full Heigh	nt Back	with Privac	y Scree	n					
	ZOP3-MCID60DF2F		6542	6879	7217	7703	8254	8738	9290	9962	1069
	Double-Seat, 60° Inside ZOP3-MCID60DM0F	e Curve, Mid Heigh	nt Back 5322	5604	5881	6281	6733	7131	7584	8141	872
	_	e Curve, Mid Heigh Beech/Laminate Maple/Palette	nt Back 6140 6234	with Shelf 6421 6515	6700 6793	7098 7191	7550 7644	7947 8043	8400 8494	8960 9054	954 963
	Double-Seat, 60° Inside ZOP3-MCID60DM2F	e Curve, Mid Heigh	nt Back 6238	with Privac 6517	cy Scree 6796	n Option 7194	7647	8045	8496	9056	964
Zola Privacy (Option Upcharges	\$ List							\$ List	:	
	er & CAL 133 (per yard)	61 611 571 561	Du Re	ial Leg (for emovable S	Multiple Seat Cov	ole-Seat, 60° e unit config rers -Double ck covers a	urations) -Seat, 60	0° Curve	175 77 118	i ,	
PRODUCT COD	Series	Chair Type	С	urve Style		Seat Degree	Е	Back Type		Leg Typ	
	3	MC		IS						F]
ZOP	Lounge	Modular Curve	Inside	Curve -Sing	ale	30D	Full	F0 Height Back	: Fre	estanding	l Unit
	· ·	MCB Modular Curve Plus		ID Curve -Dou		45D		F1 eight Back whelf Option	rith	Start Un] it
		Flus	Outside	OS e Curve -Sir	igle	60D	Full He	F2 eight Back w		C Center U] nit
			Outside	OD e Curve -Do	uble	90D		M0 Height Back		End Uni] t
								M1 eight Back w nelf Option	rith		
								140			

M2 Mid Height Back with Privacy Screen Options

									O 1	CON	VLL
DESCRIPTION/N	MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	DES 6	7	LEATHER 8	R 9
	Double-Seat, 90° Insid ZOP3-MCID90DF0F	le Curve, Full Hei	ght Back 6607	6956	7308	7820	8394	8909	9485	10185	
	Double-Seat, 90° Insid ZOP3-MCID90DF1_ ORDERING NOTE: W - 42", 36" or 30" and c	Beech/Laminate Maple/Palette hen ordering a bathose required leg	7499 7594 ack with	7847 7944 Shelf op elow. Fre	8200 8295 tion pleas estanding	g, Start and	End unit	9896 your order			1195 If Heiç
	Double-Seat, 90° Insic ZOP3-MCID90DF2F						9351	9865	10441	11142	1191
	Double-Seat, 90° Insic ZOP3-MCID90DM0F	le Curve, Mid Hei	ight Bacl 6135	k 6415	6694	7092	7544	7943	8394	8956	953
	Double-Seat, 90° Insid ZOP3-MCID90DM1_ ORDERING NOTE: W - 36" or 30" and chose ance weight added to	Beech/Laminate Maple/Palette hen ordering a bar required leg type	7028 7124 ack with	7309 7403 Shelf op Freestan	7587 7683 tion pleas ding, Sta	rt and End u	ınits with				1052 If Heiç
	Double-Seat, 90° Insid ZOP3-MCID90DM2F	le Curve, Mid Hei	ight Bacl 7092	k with Pr 7372	ivacy Scr 7651	een Option 8048	8500	8898	9351	9913	1049
Zola Privacy O	ption Upcharges	\$ List							\$ Li	st	
Moisture Barrier Seat Power (per Shelf Power Table Power	r & CAL 133 (per yard) r unit)	61 611 571 561	Du Re	ıal Leg (f emovable	or Multipl Seat Co	ble-Seat, 90 e unit confiç vers - Doub ack covers a	gurations le-Seat,	90° Curve	12	10 77 21 backs	
PRODUCT CODE Line	Series	Chair Type	С	urve Style	ı	Seat Degree		Back Type		Leg Typ	ре
ZOP	Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS Curve -S ID Curve -Do Curve -Do	ouble	30D 45D 60D	Full F	F0 II Height Back v F1 Height Back v Shelf Option F2 Height Back v cy Screen Op	vith	Freestandin S Start U	nit
			Outside	OD Curve -D	ouble	90D		M0 d Height Bac M1 Height Back v		End Ur	 nit

Mid Height Back with Shelf Option

M2

Mid Height Back with Privacy Screen Options

			COM		COL	FAB	RIC GRA	DES		LEATHE	R
ESCRIPTION	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Out ZOP3-MCOD30DFOF	·	ight Back 4375	4647	4920	5299	5734	6114	6546	7091	763
\exists	Double-Seat, 30° Out ZOP3-MCOD30DF1_	Beech/Laminate	ight Back 4910	with She	elf 5454	5835	6269	6649	7083	7627	81
	ORDERING NOTES: - 42", 36" or 30" and obalance weight added	chose required leg	type belov	v. Freesta	anding, St	tart and En	d units wi				
	Double-Seat, 30° Out										
	ZOP3-MCOD30DF2F		4945	5218	5490	5870	6305	6684	7119	7661	820
<u> </u>	Double-Seat, 30° Out	side Curve, Mid He	eight Back								
	ZOP3-MCOD30DMOI	=	4189	4417	4641	4959	5320	5637	5997	6448	69
	Double-Seat, 30° Out	·	Ü			F 400	5055	0470	0500	0004	7.4
	ZOP3-MCOD30DM1_	Maple/Palette	4725 4814	4952 5040	5178 5266	5493 5582	5855 5945	6172 6261	6533 6622	6984 7074	74 75
			1100001				willi lile	shelf optio	n require	counter	alar
	weight added to each Double-Seat, 30° Out ZOP3-MCOD30DM2F	side Curve, Mid He		List upch	arge per	unit.	5891	6208	6568	7020	
ola Privacy	Double-Seat, 30° Out	side Curve, Mid He	eight Back	List upch	arge per	unit. en Option				7020	
	Double-Seat, 30° Out: ZOP3-MCOD30DM2F	side Curve, Mid He	eight Back 4760	List upch with Priv 4987	arge per vacy Scre 5212	unit. en Option	5891		6568	7020	
oisture Barri at Power (p	Double-Seat, 30° Out. ZOP3-MCOD30DM2F Option Upcharges ier & CAL 133 (per yard)	side Curve, Mid He \$ List 61 611	eight Back 4760 Plus Dua	with Priv 4987 s Upgradal Leg (fo	arge per vacy Scre 5212 e - Double Multiple	en Option 5530	5891 ° Curve jurations)	6208	\$ List	7020	
oisture Barri	Double-Seat, 30° Out. ZOP3-MCOD30DM2F Option Upcharges ier & CAL 133 (per yard)	side Curve, Mid He	eight Back 4760 Plus Dua Rer	with Priv 4987 s Upgradal Leg (fo	e - Double Multiple	en Option 5530	5891 ° Curve purations) 9-Seat, 30	6208 6208 0° Curve	\$ List	7020	
pisture Barri eat Power (p elf Power	Double-Seat, 30° Out: ZOP3-MCOD30DM2F Option Upcharges ier & CAL 133 (per yard) ier unit)	\$ List 61 611 571	eight Back 4760 Plus Dua Rer	with Priv 4987 s Upgradal Leg (fo	e - Double Multiple	unit. en Option 5530 le-Seat, 30 unit configers -Double	5891 ° Curve purations) 9-Seat, 30	6208 6208 0° Curve	\$ List	7020	
Disture Barri eat Power (p lelf Power ble Power	Double-Seat, 30° Out: ZOP3-MCOD30DM2F Option Upcharges ier & CAL 133 (per yard) ier unit)	\$ List 61 611 571	eight Back 4760 Plus Dua Rer Not	with Priv 4987 s Upgradal Leg (fo	e - Double Multiple Seat Covey	unit. en Option 5530 le-Seat, 30 unit configers -Double	5891 Ourve Jurations) Se-Seat, 30 Tre not ava	6208 6208 0° Curve	\$ List	7020	74
poisture Barri eat Power (p eelf Power ble Power coduct cod Line	Double-Seat, 30° Out: ZOP3-MCOD30DM2F Option Upcharges ier & CAL 133 (per yard) ier unit) DE KEY Series	\$ List 61 611 571 561 Chair Type	Plus Dua Rer Not	s Upgradal Leg (fo movable ste: Remo	e - Double Multiple Seat Covery Vable back	unit. en Option 5530 le-Seat, 30 unit config ers -Double ck covers a	5891 ° Curve jurations) 9-Seat, 30 re not ava	6208 0° Curve ailable on comparing the second seco	\$ List 145 77 89 curved b	7020	74 e
poisture Barri eat Power (p eelf Power ble Power coduct cod	Double-Seat, 30° Out: ZOP3-MCOD30DM2F Option Upcharges ier & CAL 133 (per yard) ier unit) DE KEY Series	\$ List 61 611 571 561 Chair Type MC Modular Curve	Plus Dua Rer Not	s Upgradal Leg (fo movable ste: Remo	e - Double Multiple Seat Covery Vable back	unit. en Option 5530 le-Seat, 30' unit config ers -Double ck covers a Seat Degree	5891 ° Curve jurations) 9-Seat, 30 re not ava	6208 0° Curve ailable on comments and the second s	\$ List 145 77 89 curved b	7020 it is in the second of th	74 e
poisture Barri eat Power (p eelf Power ble Power coduct cod Line	Double-Seat, 30° Out: ZOP3-MCOD30DM2F Option Upcharges ier & CAL 133 (per yard) ier unit) DE KEY Series	\$ List 61 611 571 561 Chair Type MC Modular Curve MCB Modular Curve	Plus Dua Rer Not	s Upgradal Leg (fo movable ste: Remo	e - Doubler Multiple Seat Coveyable back	unit. en Option 5530 le-Seat, 30 unit config ers -Double ck covers a	5891 O Curve purations) O-Seat, 30 Ore not ava	6208 0° Curve ailable on comparison of the comp	\$ List 145 77 89 curved b	7020	74 e
poisture Barri eat Power (p eelf Power ble Power coduct cod Line	Double-Seat, 30° Out: ZOP3-MCOD30DM2F Option Upcharges ier & CAL 133 (per yard) ier unit) DE KEY Series	\$ List 61 611 571 561 Chair Type MC Modular Curve	Plus Dua Rer Not	with Priv 4987 s Upgradal Leg (fo movable te: Remo	e - Doubler Multiple Seat Coveyable back	unit. en Option 5530 le-Seat, 30' unit config ers -Double ck covers a Seat Degree	5891 O Curve purations) O-Seat, 30 Ore not ava	6208 6208 0° Curve ailable on comparison of the comparison of th	\$ List 145 77 89 curved b	7020 t acks Leg Typ F eestanding	74 e
poisture Barri eat Power (p eelf Power ble Power coduct cod Line	Double-Seat, 30° Out: ZOP3-MCOD30DM2F Option Upcharges ier & CAL 133 (per yard) ier unit) DE KEY Series	\$ List 61 611 571 561 Chair Type MC Modular Curve MCB Modular Curve	Plus Dua Rer Not	s Upgradal Leg (fomovable ste: Remo	e - Double Multiple Seat Coverable back	unit. en Option 5530 le-Seat, 30' unit config ers -Double ck covers a Seat Degree 30D 45D	5891 Curve purations) e-Seat, 30 re not ava	6208 6208 6208 6208 6208 6208 6208 6208 6208 6208 6208 6208 6208 6208	\$ List 145 77 89 curved b	7020 Leg Typ F reestanding S Start Un C Center U	74 e J Unit
poisture Barri eat Power (p eelf Power ble Power coduct cod Line	Double-Seat, 30° Out: ZOP3-MCOD30DM2F Option Upcharges ier & CAL 133 (per yard) ier unit) DE KEY Series	\$ List 61 611 571 561 Chair Type MC Modular Curve MCB Modular Curve	Plus Dua Rer Not	s Upgradal Leg (fomovable ste: Remo	e - Double Multiple Seat Covable back	unit. en Option 5530 le-Seat, 30' unit config ers -Double ck covers a Seat Degree 30D 45D	5891 Ourve purations) Seat, 30 Full History Full History	6208 6208 6208 6208 6208 6208 6208 6208 6208 6208	\$ List 145 77 89 curved b	7020 t i acks Leg Typ F reestanding S Start Un	74

Mid Height Back with Privacy Screen Options

									•		
DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	DES 6	7	LEATHEF 8	R 9
	Double-Seat, 45° Outsic ZOP3-MCOD45DFOF	de Curve, Full He	ight Back 4570	4842	5113	5493	5929	6309	6743	7287	7830
	Double-Seat, 45° Outsid		ight Back	with Sh	elf						
	ZOP3-MCOD45DF1_ E	Beech/Laminate Maple/Palette	5107 5195	5378 5467	5650 5738	6030 6117	6465 6554	6843 6935	7279 7366	7821 7911	8366 8453
	ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added t	en ordering a bac se required leg ty	ck with Sh pe below	nelf optio	on please anding, S	e clearly spec Start and Enc	ify on yo	our order th	ne require	ed Shelf I	Height
	Double-Seat, 45° Outsid	de Curve, Full He	ight Back	with Pri	ivacy Sc	reen					
	ZOP3-MCOD45DF2F	20 Garvo, r an rio	5140	5414	5685	6063	6499	6879	7315	7858	8400
	Double-Seat, 45° Outsic ZOP3-MCOD45DMOF	de Curve, Mid He	ight Back 4363	4588	4816	5132	5492	5809	6170	6623	7075
	Double-Seat, 45° Outsic ZOP3-MCOD45DM1_ E		ight Back 4898	with Sh	nelf 5349	5664	6029	6344	6707	7158	7609
	ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s Double-Seat, 45° Outsic ZOP3-MCOD45DM2F	quired leg type be eat unit, please a	elow. Free dd \$289 I	standing List upc	g, Start a harge pe	nd End units er unit.					
	Option Upcharges	\$ List							\$ Lis		
	er & CAL 133 (per yard) er unit)	61 611 571 561	Dua Rer	al Leg (fo movable	or Multip Seat Co	ible-Seat, 45 le unit config overs - Doubl ack covers a	urations) e-Seat, 4	15° Curve	172 71 91 curved b	7 7	
PRODUCT CODI		Ob air Tura	0.	Ot. d		0t D		Da ala Tara		L T	
Line	Series	Chair Type		urve Style	; 	Seat Degree		Back Type		Leg Typ	,
ZOP	3	MC		IS		30D		F0		F	J
Zola	Lounge	Modular Curve MCB	Inside	Curve -S	ingle		Ful	I Height Bad	CK F	reestandin S	g Unit
		Modular Curve	Incido	Curve -Do	oublo	45D	Eull L	F1 leight Back	with	Start Ur	_i+
		Plus	ii iside i	ourve -Di	Duble			Shelf Option			-
			Outside	OS e Curve -S	Single	60D	Full H	F2 leight Back	with	C Center U	nit
			Outoida	OD Curve -D)ouble	90D		M0		E End Un]
			Outside	ourve -L	JUUJIE		Mid H	M1 M1 M1 M2 M2 M2 M3 M3 M3 M3 M3	with	End On	16
								M2 leight Back y Screen Op			

	CRIPTION/MODEL/SPECIES			COM COL FABRIC						LEATHER		
DESCRIPTION			1	2	3	4	5	6	7	8	9	
	Double-Seat, 60° Out ZOP3-MCOD60DFOF	·	ght Back 4810	5082	5352	5733	6166	6546	6982	7524	8068	
	Double-Seat, 60° Out	side Curve, Full He	ght Back	with She	lf							
	ZOP3-MCOD60DF1_		5342	5614	5887	6266	6700	7081	7515	8058	8599	
		Maple/Palette	5431	5701	5972	6353	6786	7166	7602	8145	8686	
N	ORDERING NOTE: W 42", 36" or 30" and cl balance weight added	hose required leg ty	pe below.	Freestar	nding, St	art and End	l units wit					
	Double-Seat, 60° Out	side Curve, Full He	ght Back	with Priv	acy Scre	en						
	ZOP3-MCOD60DF2F		5379	5651	5922	6301	6736	7117	7551	8095	8636	
,	Double-Seat, 60° Out	side Curve Mid He	ight Back									
	ZOP3-MCOD60DMO		4570	4796	5023	5340	5700	6017	6378	6832	7282	
	Double-Seat, 60° Out	side Curve. Mid He	ight Back	with She	lf							
	ZOP3-MCOD60DM1_	·	5105	5329	 5556	5871	6232	6548	6912	7363	7815	
		Maple/Palette	5191	5416	5642	5959	6319	6637	6997	7449	7901	
	weight added to each	i ooat ariit, pioaco a										
	Double-Seat, 60° Out ZOP3-MCOD60DM2F						6269	6585	6947	7399	7849	
Zola Privacy (ight Back	with Priv	acy Scre	en Option	6269	6585	6947 \$ List		7849	
Moisture Barri	ZOP3-MCOD60DM2F Option Upcharges er & CAL 133 (per yard)	\$ List	ight Back 5139 Plus	with Priv 5366	acy Scre 5591	een Option 5911	° Curve		\$ List 184		7849	
Moisture Barri Seat Power (p	ZOP3-MCOD60DM2F Option Upcharges er & CAL 133 (per yard)	\$ List 61 611	ight Back 5139 Plus Dua	with Priv 5366 s Upgrad al Leg (for	acy Scre 5591 e - Doub	een Option 5911 ole-Seat, 60	° Curve urations)		\$ List 184 77		7849	
Moisture Barri Seat Power (p Shelf Power	ZOP3-MCOD60DM2F Option Upcharges er & CAL 133 (per yard)	\$ List	ight Back 5139 Plus Dua Ren	with Priv 5366 s Upgrad al Leg (for novable \$	acy Scre 5591 e - Doub Multiple Seat Cov	een Option 5911	° Curve urations) e-Seat, 6	0° Curve	\$ List 184 77 118		7849	
Moisture Barri Seat Power (p Shelf Power Table Power	ZOP3-MCOD60DM2F Option Upcharges er & CAL 133 (per yard) er unit)	\$ List 61 611 571	ight Back 5139 Plus Dua Ren	with Priv 5366 s Upgrad al Leg (for novable \$	acy Scre 5591 e - Doub Multiple Seat Cov	een Option 5911 ole-Seat, 60 e unit config erers - Doubl	° Curve urations) e-Seat, 6	0° Curve	\$ List 184 77 118		7849	
Moisture Barri Seat Power (p Shelf Power Table Power	ZOP3-MCOD60DM2F Option Upcharges er & CAL 133 (per yard) er unit)	\$ List 61 611 571	ight Back 5139 Plus Dua Ren Not	with Priv 5366 s Upgrad al Leg (for novable \$	acy Scre 5591 e - Doub Multiple Seat Cov vable ba	een Option 5911 ole-Seat, 60 e unit config erers - Doubl	° Curve urations) e-Seat, 6 re not ava	0° Curve	\$ List 184 77 118			
Moisture Barri Seat Power (p Shelf Power Table Power	ZOP3-MCOD60DM2F Option Upcharges er & CAL 133 (per yard) er unit) DE KEY	\$ List 61 611 571 561	ight Back 5139 Plus Dua Ren Not	with Priv 5366 s Upgrad al Leg (for novable s	acy Scre 5591 e - Doub Multiple Seat Cov vable ba	een Option 5911 ole-Seat, 60 e unit config ers - Doubl ck covers a	° Curve urations) e-Seat, 6 re not ava	0° Curve ailable on d	\$ List 184 77 118	acks		
Moisture Barri Seat Power (p Shelf Power Table Power	Option Upcharges er & CAL 133 (per yard) er unit) DE KEY Series	\$ List 61 611 571 561 Chair Type	Plus Dua Ren Not	with Priv 5366 s Upgrad al Leg (for novable se: Remo	acy Scre 5591 e - Doub Multiple Seat Cov vable ba	een Option 5911 ble-Seat, 60 e unit config yers - Doubl ck covers a	° Curve urations) e-Seat, 6 re not ava	0° Curve ailable on c	\$ List 184 77 118 curved ba	acks Leg Type	e	
Moisture Barri Seat Power (p Shelf Power Table Power PRODUCT COL Line	Option Upcharges er & CAL 133 (per yard) er unit) DE KEY Series	\$ List 61 611 571 561 Chair Type	Plus Dua Ren Not	with Priv 5366 s Upgrad al Leg (for novable S re: Remov	acy Scre 5591 e - Doub Multiple Seat Cov vable ba	een Option 5911 ble-Seat, 60 e unit config yers - Doubl ck covers a	° Curve urations) e-Seat, 6 re not ava	0° Curve ailable on d Back Type	\$ List 184 77 118 curved ba	acks Leg Type	e	
Moisture Barri Seat Power (p Shelf Power Table Power PRODUCT COL Line ZOP	Option Upcharges er & CAL 133 (per yard) er unit) DE KEY Series	\$ List 61 611 571 561 Chair Type MC Modular Curve MCB Modular Curve	Plus Dua Ren Not	with Priv 5366 s Upgrad al Leg (for novable S re: Remov	acy Scre 5591 e - Doub Multiple Seat Cov vable ba	een Option 5911 ble-Seat, 60 e unit config ers - Doubl ck covers a Seat Degree	Curve urations) e-Seat, 6 re not ava	0° Curve ailable on o Back Type F0 Height Bac F1 eight Back v	\$ List 184 77 118 curved ba	Leg Typa F Feestanding	e J Unit	
Moisture Barri Seat Power (p Shelf Power Table Power PRODUCT COL Line	Option Upcharges er & CAL 133 (per yard) er unit) DE KEY Series	\$ List 61 611 571 561 Chair Type MC Modular Curve MCB	Plus Dua Ren Not	with Priv 5366 s Upgrad al Leg (for novable s e: Remov	acy Scre 5591 e - Doub Multiple Seat Cov vable ba	een Option 5911 ble-Seat, 60 e unit config ers - Doubl ck covers a Seat Degree 30D	Curve urations) e-Seat, 6 re not ava	0° Curve ailable on o Back Type F0 Height Back F1 eight Back whelf Option	\$ List 184 77 118 curved ba	Leg Type F Feestanding S	J Unit	
Moisture Barri Seat Power (p Shelf Power Table Power PRODUCT COL Line ZOP	Option Upcharges er & CAL 133 (per yard) er unit) DE KEY Series	\$ List 61 611 571 561 Chair Type MC Modular Curve MCB Modular Curve	Plus Dua Ren Not	with Priv 5366 s Upgrad al Leg (for novable se: Removable se: Removable se: IS	acy Scree 5591 e - Doub Multiple Seat Cov vable bar	een Option 5911 ble-Seat, 60 e unit config ers - Doubl ck covers a Seat Degree	Curve urations) e-Seat, 6 re not ava	0° Curve ailable on o Back Type F0 Height Back F1 eight Back whelf Option F2 eight Back w	\$ List 184 77 118 curved base k Free with	Leg Type F eestanding S Start Uni	e J Unit	
Moisture Barri Seat Power (p Shelf Power Table Power PRODUCT COL Line ZOP	Option Upcharges er & CAL 133 (per yard) er unit) DE KEY Series	\$ List 61 611 571 561 Chair Type MC Modular Curve MCB Modular Curve	Plus Dua Ren Not	with Priv 5366 s Upgrad al Leg (for novable se: Remove Style IS Curve -Sir ID Curve -Doi OS Curve -Si	acy Scree 5591 e - Doub Multiple Seat Cov vable bar	een Option 5911 ble-Seat, 60 e unit config ers - Doubl ck covers a Seat Degree 30D 45D	Curve urations) e-Seat, 6 re not ava	0° Curve ailable on co Back Type F0 Height Back v helf Option F2 eight Back v y Screen Op	\$ List 184 77 118 curved base k Free with	Leg Type Feestanding S Start Uni C Center Ur	e J Unit	
Moisture Barri Seat Power (p Shelf Power Table Power PRODUCT COL Line	Option Upcharges er & CAL 133 (per yard) er unit) DE KEY Series	\$ List 61 611 571 561 Chair Type MC Modular Curve MCB Modular Curve	Plus Dua Ren Not	with Priv 5366 s Upgrad al Leg (for novable se: Remove Style IS Curve -Sir ID Curve -Doi	acy Scree 5591 e - Double Multiple Seat Covyable bar	een Option 5911 ble-Seat, 60 e unit config ers - Doubl ck covers a Seat Degree 30D	Curve urations) e-Seat, 6 re not ava Full Full H S Full H Privac	0° Curve ailable on o Back Type F0 Height Back F1 eight Back whelf Option F2 eight Back w	\$ List 184 77 118 curved ba	Leg Type F eestanding S Start Un	e J Unit it	

M2 Mid Height Back with Privacy Screen Options

DESCRIPTION/	/MODEL/SPECIES		COM 1	2	COL 3	FABR	IC GRAD	DES 6	7	LEATHEF 8	R 9
	Double-Seat, 90° Outsic ZOP3-MCOD90DF0F	le Curve, Full Hei	ght Back 5390	5661	5933	6313	6747	7128	7562	8106	8648
	Double-Seat, 90° Outsic ZOP3-MCOD90DF1_ E N ORDERING NOTES: WI - 42", 36" or 30" and che balance weight added to	deech/Laminate Maple/Palette Then ordering a backs The properties are the second secon	5917 6004 ack with s	6188 6274 Shelf op w. Frees	6461 6546 tion plea tanding,	Start and Er	nd units w			8721 Juired Shel	
	Double-Seat, 90° Outsic ZOP3-MCOD90DF2F	le Curve, Full Hei	ght Back 5950	with Pr 6223	ivacy Sc 6495	reen 6873	7309	7689	8123	8666	9208
	Double-Seat, 90° Outsic ZOP3-MCOD90DM0F	le Curve, Mid He	ight Back 5245	5556	5866	6346	6873	7355	7882	8505	9274
	Double-Seat, 90° Outsic ZOP3-MCOD90DM1_ E N ORDERING NOTES: WI - 36" or 30" and chose re weight added to each se	deech/Laminate Maple/Palette Then ordering a backguired leg type b	5772 5861 ack with Selow. Fre	6083 6169 Shelf op estandir	6394 6481 tion plea ng, Start	and End unit				9118 Juired Shel	
	Double-Seat, 90° Outsic ZOP3-MCOD90DM2F	le Curve, Mid He	ight Back 5807	with Pr 6116	rivacy Sc 6428	reen Option 6910	7436	7915	8443	9064	9837
		\$ List 61 611 571 561	Dua Rer	al Leg (fo novable	or Multip Seat Co	ble-Seat, 90 le unit confiç overs - Doub ack covers a	gurations le-Seat, 9	90° Curve	1:	10 77 21	
ZOP Zola	Series 3 Lounge	Chair Type MC Modular Curve MCB Modular Curve Plus	Inside Inside (IS Curve -S ID Curve -D Curve -C OS Curve -S Curve -S	ingle ouble Single	Seat Degree 30D 45D 60D 90D	Full F Full F Full F Privac Mid F	F0 II Height Back F1 Height Back Shelf Option F2 Height Back by Screen O M0 d Height Back M1 Height Back Shelf Option M2	with with ption ck with	Leg Typ F Freestandin S Start Ur C Center U	g Unit

ZOLA PRIVACY | SIDE PANELS

			COM		COL	FAI	BRIC GRA	DES		LEATHE	R
DESCRIPTION/	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Side Panel, Single ZOP3-MPF0S ZOP3-MPF0C ZOP3-MPF0E	e, Full Height No S Start Center End	Screen 903 1164 903	987 1248 987	1071 1332 1071	1242 1503 1242	1411 1670 1411	1581 1840 1581	1749 2009 1749	1920 2178 1920	2258 2517 2258
	Side Panel, Single ZOP3-MPF2S ZOP3-MPF2C ZOP3-MPF2E	e, Full Height with Start Center End	Screen 1184 1443 1184	1269 1530 1269	1353 1613 1353	1521 1782 1521	1692 1954 1692	1861 2122 1861	2031 2292 2031	2200 2461 2200	2539 2799 2539
	Side Panel, Single ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E	e, Mid Height No S Start Center End	Screen 731 1002 731	790 1058 790	846 1115 846	963 1229 963	1078 1345 1078	1192 1460 1192	1307 1575 1307	1421 1689 1421	1650 1920 1650
	Side Panel, Single ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E	e, Mid Height with Start Center End	Screen 1013 1282 1013	1069 1339 1069	1127 1396 1127	1244 1512 1244	1358 1625 1358	1474 1740 1474	1588 1855 1588	1703 1968 1703	1933 2200 1933

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 193 for Dimensions and COM.

Line	Series	Chair Type	Height	Position		
ZOP	3	MP	F0	S		
Zola	Lounge	Modular Side Panel	Full Height	Start		
			F2	С		
			Full Height with Privacy Screen Option	Center		
			MO	Е		
			Mid Height	End		
			M2			
			Mid Height with Privacy Screen Option			

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side ZOP3-MSPF0S ZOP3-MSPF0C ZOP3-MSPF0E	Panel, Single, Start Center End	Full Height 556 817 556	599 862 599	642 907 642	729 992 729	816 1080 816	904 1166 904	990 1253 990	1079 1340 1079	1252 1514 1252	
	Semi-Private Side ZOP3-MSPM0S ZOP3-MSPM0C ZOP3-MSPM0E	Panel, Single, l Start Center End	Mid Height 490 759 490	529 796 529	564 834 564	640 910 640	716 984 716	790 1059 790	866 1135 866	940 1209 940	1089 1360 1089	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP Zola	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0	S Start	
			Mid Height	Center	
				E	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FAI	FABRIC GRADES		LEATHER		R	
DESCRIPTION	/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	669 669 747	705 705 784	741 741 819	813 813 891	886 886 964	957 957 1036	1030 1030 1108	1100 1100 1180	1245 1245 1324	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 800 800 863	837 837 898	871 871 935	943 943 1008	1016 1016 1080	1087 1087 1150	1160 1160 1223	1231 1231 1294	1377 1377 1439	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col	С	
Solid Surface Arm Cap (per arm)	123	130	144	150

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	R Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

ZOLA PRIVACY | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

DI	M	ΕI	NS	10	NS
----	---	----	----	----	----

		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Sing	le-Seat - Fu	ll Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Sing	le-Seat - Mi	d Height Ba	ck						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Dou	ble-Seat - Fu	ıll Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Dou	ble-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs
Curved Sing	le-Seat - Full H	leight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	leight Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

ZOLA PRIVACY | TWIN CURVED - COM REQUIREMENTS

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid I	Height Back						_
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Do	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Do	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

DESCRIPTION/MODE	ΞL		COM 1	2	COL 3	FABI 4	RIC GRAI 5	DES 6	7	EATHER 8	9
	Twin Single-Seat ZOP3-MCTS30E		ıll Height Ba 4957	ack 5255	5553	5970	6445	6865	7342	7939	8534
	Twin Single-Seat ZOP3-MCTS30D		ıll Height B	ack with I 5820	Privacy So 6117	creen Optic 6536	on 7012	7429	7907	8505	9100
A	Twin Single-Seat ZOP3-MCTS30E		lid Height E 4696	3ack 4965	5233	5608	6035	6411	6839	7373	7910
	Twin Single-Seat ZOP3-MCTS30D		lid Height E 5262	Back with 5530	Privacy S 5796	Screen Opti 6172	on 6601	6975	7403	7940	8473
	Twin Single-Seat ZOP3-MCTS45E		ull Height B 5588	Back 5897	6209	6645	7141	7575	8074	8696	9316
	Twin Single-Seat ZOP3-MCTS45E		ull Height E 6160	Back with 6470	Privacy S 6781	Screen Optio	on 7713	8148	8647	9267	9888
Zola Privacy Option	Upcharges	\$ Lis	t						\$ List	t	
Moisture Barrier & CA Seat Power (per unit) Shelf Power Table Power Dual Leg (for Multiple	AL 133 (per yard)	61 611 571 561	Plu Plu Re Re	us Upgrad movable movable	de - Twin Seat Cov Seat Cov	Single-Sea Single-Sea vers -Twin S vers -Twin S ck covers a	t, 45° Cur Single-Sea Single-Sea	ve at, 30° Cur at, 45° Cur	274 329 ve 148 ve 159	;) }	
Line	Series	Chair Type	Cı	urve Style	S	Seat Degree	В	ack Type		Leg Type	
ZOP Zola	3 Lounge	MCT Modular Curve T	win Sm	S all Radius-		30D		F0 Height Back	: Fre	F estanding	
		MCTB Modular Curve Twin Plus		D all Radius- uble Width		45D		F2 eight Back w Screen Opt		S Start Unit	:
						90D	Mid	M0 Height Back	ζ	C Center Un	it
								eight Back w Screen Opti		End Unit	

Privacy Screen Options

DESCRIPTION/MC	DEL		COM 1	2	COL 3	FAE 4	BRIC GRA	ADES 6	7	EATHER 8	9
	Twin Single-Se ZOP3-MCTS45	at, 45° Curve, Mic SDMOF	d Height B 5292	ack 5572	5850	6244	6693	7084	7533	8095	865
	Twin Single-Se ZOP3-MCTS45	at, 45° Curve, Mic DM2F	d Height B 5268	ack with 5536	Privacy S 5803	creen Opt 6180	ion 6608	6982	7411	7945	848
	Twin Single-Se ZOP3-MCTS60	at, 60° Curve, Ful DFOF	I Height B 6345	ack 6710	7077	7587	8172	8682	9266	9996	1072
	Twin Single-Se ZOP3-MCTS60	at, 60° Curve, Ful DF2F	l Height B 6920	ack with 17285	Privacy So 7651	creen Opti 8161	on 8747	9257	9841	10570	1130
	Twin Single-Se ZOP3-MCTS60	at, 60° Curve, Mid DDMOF	d Height B 6004	ack 6328	6651	7105	7621	8074	8591	9236	988
	Twin Single-Se ZOP3-MCTS60	at, 60° Curve, Mid DM2F	Height B 7124	ack with 7537	Privacy S 7948	creen Opt 8529	ion 9191	9771	10432	11258	1208
Seat Power (per u Shelf Power Table Power	CAL 133 (per yard	611 571 561	PI PI Re	us Upgra emovable emovable	de - Twin Seat Cov Seat Cov	Single-Se Single-Se vers -Twin vers -Twin ck covers	at, 60° Co Single-So Single-So	urve eat, 45° Cu eat, 60° Cu	urve 20	9 5 9 2	
PRODUCT CODE KE	EY Series	Chair Type	(Curve Style		Seat Degree	9	Back Type		Leg Ty	
ZOP Zola	3 Lounge	MCT Modular Curve T	win Sr	S Snall Radius	S-	30D		F0		F reestandir	
		MCTB Modular Curve Twin Plus		D nall Radius		45D		F2 Height Back cy Screen C		S Start U	nit
						60D		M0		С	

Mid Height Back

Mid Height Back with Privacy Screen Options

90D

Center Unit

End Unit

Е

		COM		COL	FA	BRIC GRA	ADES		LEATHE	R
DESCRIPTION/MODE	L/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Single-Seat, 90° Curve, Full	Height B	ack							
	ZOP3-MCTS90DF0F	7917	8288	8659	9185	9781	10303	10901	11643	12398
	Twin Single-Seat, 90° Curve, Full I	Height Ba	ack with F	Privacy S	creen Opt	ion				
	ZOP3-MCTS90DF2F	8824	9195	9566	10090	10689	11209	11806	12548	13304
	Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM0F	Height B 7442	Back 7771	8101	8566	9096	9562	10090	10749	11420
	Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM2F	Height B 7093	ack with 7465	Privacy \$	Screen Op 8358	tion 8951	9472	10067	10809	11553

Zola Privacy Option Upcharges	\$ List	\$	S List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Single-Seat, 90° Curve	492
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Twin Single-Seat, 90° Curve	229
Table Power	561	Note: Removable back covers are not available on curv	red backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	MO	C
					Mid Height Back	Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FABI	RIC GRAD	ES	ı	LEATHEF	3
DESCRIPTION/MOI	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 30° Curve, ZOP3-MCTD30DF0F	Full Height 6548	Back 6963	7375	7953	8616	9195	9856	10682	11511
	Twin Double-Seat, 30° Curve, ZOP3-MCTD30DF2F	Full Height 7448	Back with 7863	n Privacy 9 8275	Screen Op 8854	otion 9516	10094	10756	11584	12409
	Twin Double-Seat, 30° Curve, I ZOP3-MCTD30DM0F	Mid Height I 6187	3ack 6559	6933	7450	8045	8565	9161	9904	10647
	Twin Double-Seat, 30° Curve, I ZOP3-MCTD30DM2F	Mid Height I	Back with	Privacy S	Screen Op 8351	tion 8946	9465	10061	10804	11545

Zola Privacy Option Upcharges	\$ List	\$ List	
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 30° Curve 385	
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations) 77	
Shelf Power	571	Removable Seat Covers -Twin Double-Seat, 30° Curve 178	
Table Power	561	Note: Removable back covers are not available on curved backs	

RODUCT CODE KE	Ť					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FAE	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF0F	Height B 7385	ack 7808	8234	8828	9508	10101	10781	11630	12481
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF2F	Height B 8292	ack with 1 8720	Privacy S 9143	creen Opt 9736	ion 10417	11011	11690	12540	13389
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM0F	Height B 6997	ack 7381	7764	8300	8913	9447	10061	10826	11592
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM2F	Height B 7909	ack with 8289	Privacy S 8675	creen Opt 9208	ion 9821	10358	10969	11734	12502

ORDERING NOTES:

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List		\$ List	
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 45° Curve	437	
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77	
Shelf Power	571	Removable Seat Covers - Twin Double-Seat, 45° C	urve 195	
Table Power	561	Note: Removable back covers are not available on	curved backs	

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	Е
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FABI	RIC GRAD	ADES LEATHER			l
DESCRIPTION/MOD	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 60° Curve, Ful ZOP3-MCTD60DF0F	l Height Ba 8056	ck 8488	8918	9520	10211	10813	11504	12365	13226
	Twin Double-Seat, 60° Curve, Fu ZOP3-MCTD60DF2F	ll Height Ba 8970	ack with 9403	Privacy S 9833	creen Opt 10437	ion 11124	11729	12418	13280	14141
	Twin Double-Seat, 60° Curve, Mi ZOP3-MCTD60DM0F	d Height B 7614	ack 8004	8392	8937	9561	10104	10728	11508	12283
	Twin Double-Seat, 60° Curve, Mic ZOP3-MCTD60DM2F	d Height Ba 8529	ack with 1 8918	Privacy So 9307	creen Opti 9852	ion 10472	11018	11643	12421	13199

Zola Privacy Option Upcharges	\$ List	\$ List	
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 60° Curve 518	
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations) 77	
Shelf Power	571	Removable Seat Covers -Twin Double-Seat, 60° Curve 237	
Table Power	561	Note: Removable back covers are not available on curved backs	

MODOCI CODE INE						
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	FO	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB	D	45D	F2	S
		Modular Curve Twin Plus	Small Radius- Double Width		Full Height Back with Privacy Screen Option	Start Unit
				60D	MO	С
					Mid Height Back	Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

ZOLA PRIVACY | TWIN SIDE PANELS

			COL		RIC GRAD			ATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No Screen ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center	1360 2038	1485 2164	1611 2291	1862 2541	2113 2793	2365 3041	2615 3293	2867 3543	3368 4046
Twin Side Panel, Full Height with Screen ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center	1911 2589	2037 2716	2163 2842	2413 3092	2665 3343	2916 3593	3166 3845	3419 4093	3919 4599
Twin Side Panel, Med. Height No Screen ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center	- 1131 1807	1215 1894	1299 1979	1470 2147	1639 2317	1808 2486	1979 2656	2147 2824	2486 3164
Twin Side Panel, Med. Height with Scree ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center ORDERING NOTE: Side Panels will only with Removable Back Cover option. See Management of the Panels with Removable Back Cover option.	1683 2360 connect		•		2192 2868 s with Priva	2361 3037 acy Screer	2531 3207 n Option a	2699 3375 are not av	3037 3717 railable

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			MO		
			Mid Height		
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private	Side Panel, Sin	gle, Full H	leight								
	ZOP3-MSPTF0U	Universal	964	1040	1117	1225	1348	1456	1580	1733	1887	
	ZOP3-MSPTF0C	Center	1642	1719	1796	1904	2028	2134	2258	2412	2566	
	Twin Semi-Private	Side Panel, Sin	ngle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	827	876	927	996	1078	1146	1227	1327	1426	
B	ZOP3-MSPTM0C	Center	1506	1556	1606	1675	1755	1824	1906	2006	2106	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See Page 211 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/N	MODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1067 1759	1140 1819	1202 1880	1285 1964	1382 2061	1466 2146	1563 2242	1684 2363	1804 2484	
	Twin Modular Upholstered Arm w/Urethane Cap										
	ZOP3-MATUREU	1193	1266	1327	1411	1507	1591	1688	1809	1930	
	ZOP3-MATUREC	1885	1944	2006	2089	2186	2271	2367	2488	2609	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	A-Cole	С	
Solid Surface Arm Cap (per arm)	263	275	303	313

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	490 513	12	2
	Tablet with Palette Fini ZOL3 T2	sh n/a	392	12	2
	Glass Tablet ZOL3 T3	n/a	746	13	2
	Laminate Tablet ZOL3 T4	n/a	507	12	2
	ORDERING NOTES: Thanded and do not ne	he laminate tabed to be specif	olet comes standard with a polymer edge. Please note Zola Tabl fied right or left when ordering.	ets are uni	versally
	Solid Surface Tablet - ZOL3 T5AW	Grade A White n/a	611	14	2
	Solid Surface Tablet - ZOL3 T5AC	Grade A Color n/a	620	14	2
9	Solid Surface Tablet - ZOL3 T5B	Grade B n/a	654	14	2
	Solid Surface Tablet - ZOL3 T5C	Grade C n/a	706	14	2

ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS



RECONFIGURABILITY

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



RUNOFF TABLES

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.



BACK CONNECTION

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or ends



LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.



LEGS

The legs offered on Zola Lounge are Silver Metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



SOLID SURFACE OVERLAY


The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <u>Page 332</u> for color options.




MEDIA & POWER

Inline walls can be optioned with Media provisions and Powerdocs.

ZOLA PRIVACY | INLINE WALLS | SAMPLE CONFIGURATIONS



Model	Qty	Price (\$)
ZOP3-M2F0F	2	2885
ZOP3-IWF048MP	1	2290
ZOP3-ICWF0L	1	1617
ZOP3-ICWF0R	1	1617
ZOP3-RO48532416	1	1016
TOTAL		\$12,310



1634	1	ZOP3-ICTWM0R
1634	1	ZOP3-ICTWM0L
2472	3	ZOP3-M2M0F
Price (\$)	Qty	Model

ZOLA PRIVACY | INLINE WALLS

DESCRIPTION/MO	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH ⁻	Г CUBE
	Inline Wall, Full Height 42" ZOP3-IWF042N	1117	1891	1594	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1202	2064	1690	48	12	50	121	21.5
	Inline Wall, Full Height 54" ZOP3-IWF054N	1285	2148	1786	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1369	2232	1880	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1043	1603	1513	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1128	1775	1608	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1211	1860	1704	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1295	1943	1797	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	2" 1256	2030	1734	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	8" 1340	2203	1830	48	12	50	121	21.5
	Inline Wall Media, Full Height 5 ZOP3-IWF054M	4" 1423	2287	1923	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	0" 1508	2370	2019	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	2" 1183	1740	1652	42	12	37	92	13.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	8" 1267	1915	1747	48	12	37	102	15.25
\	Inline Wall Media, Mid Height 5 ZOP3-IWM054M	4" 1350	1997	1842	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	0" 1435	2082	1937	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

JOO! GODE IVE!					
Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Me

ZOLA PRIVACY | INLINE WALLS WITH POWER

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Full ZOP3-IWF042P	Height 42" 2066	2840	2544	42	12	50	150	19
	Inline Wall w/Power Docs, Full ZOP3-IWF048P	Height 48" 2150	3013	2639	48	12	50	212	21.5
50	Inline Wall w/Power Docs, Full ZOP3-IWF054P	Height 54" 2234	3097	2734	54	12	50	135	24
	Inline Wall w/Power Docs, Full ZOP3-IWF060P	Height 60" 2318	3181	2829	60	12	50	147	26.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM042P	Height 42" 1992	2551	2462	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM048P	Height 48" 2077	2724	2557	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM054P	Height 54" 2160	2808	2653	54	12	37	116	17
	Inline Wall w/Power Docs, Mid ZOP3-IWM060P	Height 60" 2244	2892	2746	60	12	37	126	18.75
	Inline Wall Media w/Power Doo ZOP3-IWF042MP	es, Full Height 42" 2206	2979	2683	42	12	50	150	19
	Inline Wall Media w/Power Doo ZOP3-IWF048MP	cs, Full Height 48" 2290	3153	2779	48	12	50	212	21.5
	Inline Wall Media w/Power Doo ZOP3-IWF054MP	es, Full Height 54" 2373	3236	2872	54	12	50	135	24
	Inline Wall Media w/Power Doo ZOP3-IWF060MP	es, Full Height 60" 2458	3320	2968	60	12	50	147	26.5
	Inline Wall Media w/Power Doo ZOP3-IWM042MP	es, Mid Height 42" 2132	2689	2600	42	12	37	92	13.5
	Inline Wall Media w/Power Doo ZOP3-IWM048MP	cs, Mid Height 48" 2216	2864	2696	48	12	37	102	15.5
	Inline Wall Media w/Power Doo ZOP3-IWM054MP	es, Mid Height 54" 2299	2946	2790	54	12	37	116	17
	Inline Wall Media w/Power Doo ZOP3-IWM060MP	es, Mid Height 60" 2384	3031	2886	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Media

ZOLA PRIVACY | INLINE CORNER WALLS

DESCRIPTION/N	MODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH	T CUBE
	Inline Corner Wall, Full Height ZOP3-ICWF0L ZOP3-ICWF0R	1617 1617	2275 2275	1948 1948	26.5 26.5	12 12	50 50	85 85	14.75 14.75
	Inline Corner Wall, Mid Height ZOP3-ICWM0L ZOP3-ICWM0R	1560 1560	2170 2170	1882 1882	26.5 26.5	12 12	37 37	70 70	11 11

ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES

		Gra	ides	
Option	A-White	A-Color	В	С
ZOP3-IWF042N	407	425	530	631
ZOP3-IWF048N	456	477	593	710
ZOP3-IWF054N	505	529	660	790
ZOP3-IWF060N	529	579	725	870

ORDERING NOTES:

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see Page 332 for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Position	
ZOP	3	ICW	F0	L	
Zola	Lounge	Inline Corner Wall	Full Height	Left	
			MO	R	
			Mid Height	Right	

ZOLA PRIVACY | INLINE TABLE WALLS

DESCRIPTION/MO		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Table Wall, Full Height 23° ZOP3-ITWF023N	940	1507	1423	23	25.7	50	100	21
	Inline Table Wall, Full Height 30 ZOP3-ITWF030N	1108	1854	1604	30	25.7	50	125	26.5
5									
	Inline Table Wall, Mid Height 23 ZOP3-ITWM023N	867	1219	1341	23	25.7	37	90	15
	Inline Table Wall, Mid Height 30 ZOP3-ITWM030N	1035	1565	1520	30	25.7	37	115	18.5
	Inline Table Wall w/Power Docs ZOP3-ITWF023P	, Full Height 23" 1890	2457	2373	23	25.7	50	100	21
	Inline Table Wall w/Power Docs ZOP3-ITWF030P	, Full Height 30" 2058	2803	2553	30	25.7	50	125	26.5
5									
	Inline Table Wall w/Power Docs ZOP3-ITWM023P	, Mid Height 23" 1816	2166	2291	23	25.7	37	90	15
	Inline Table Wall w/Power Docs ZOP3-ITWM030P	, Mid Height 30" 1984	2514	2469	30	25.7	37	115	18.5

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP Zola	3 Lounge	ITW Inline Table Wall	F0 Full Height	23 23"	N None
Zola	Lounge	mine rable wan	MO	30	P
			Mid Height	30"	Power

ZOLA PRIVACY | INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

DESCRIPTION/MOI	DEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	ΗV	VEIGHT (CUBE
	Inline Corner Table Wall, Full	Height							
	ZOP3-ICTWF0L	1692	2551	2075	28	28	50	140	31
	ZOP3-ICTWF0R	1692	2551	2075	28	28	50	140	31
	Inline Corner Table Wall, Mid	Height							
	ZOP3-ICTWM0L	1634	2444	2008	28	28	37	127	23
	ZOP3-ICTWM0R	1634	2444	2008	28	28	37	127	23

ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

ZOLA INLINE IAE	BLE WALLS SOLID SURFACE (Grade:	nues e						
Option	A-White	A-Color	В	С					
ZOP3-ITWF023N	460	484	602	720					
ZOP3-ITWF030N	577	605	759	912	ORDERING	NOTE	S:		
ZOP3-ITWM023N	460	484	602	720	The Solid Su	rface	top ao	otion is pri	ced as
ZOP3-ITWM030N	577	605	759	912	an upcharg				
ZOP3-ITWF023P	460	484	602	720	Please add a				
ZOP3-ITWF030P	577	605	759	912	number and	the u	pcha	rge listed	below.
ZOP3-ITWM023P	460	484	602	720	Zola Solid S				
ZOP3-ITWM030P	577	605	759	912	thickness or	n top	of the	e existing	table,
ZOP3-ICTWF0	579	607	763	916	with a 1 mm	overh	ang (soft radiu	s verti-
ZOP3-ICTWM0	579	607	763	916	cal edge). Plooptions.	ease s	ee <u>Pa</u>	age 332 fo	or color
PRODUCT CODE KI	EY								
Line	Series	Chair Type		Height		Pos	ition		
ZOP	3	ICTW		F0		L	-		
Zola	Lounge	Inline Corner Table V	Vall	Full Height		Le	eft		
				MO		F	?		
				Mid Height		Rig	 ght		
			HIGH	CHERRY					
		THERMOFUSED	PRESSURE						
DESCRIPTION/MO	ODEL	LAMINATE	LAMINATE	BEECH	W	D	Н	WEIGHT	CUBE
	Run-off Table for 48" Inline Wa		1010	1000					
	ZOL4-RO48-302416	861 909	1219	1323	30	24	16	25	3.75
\mathbf{T}	ZOL4-RO48-372416	909 1016	1315 1539	1386 1527	37	24	16	30 40.5	4.5
U	ZOL4-RO48-532416 ZOL4-RO48-762416	1173	1860	1732	53 76	24 24	16 16	40.5 56	5.75 7.5
	ZOL4-RO46-762416	1173	1000	1732	70	24	10	90	7.5
	Run-off Table for 54" Inline Wa	II							
	ZOL4-RO54-303016	912	1193	1390	30	30	16	35	4.25
	ZOL4-RO54-373016	970	1314	1467	37	30	16	41	5.25
	ZOL4-RO54-533016	1108	1592	1646	53	30	16	54	6.75
ū	ZOL4-RO54-763016	1305	1993	1900	76	30	16	74	8.75

ZOLA | COLLECTION COMPONENTS

DESCRIPTION/MO	ODEL		PRICE	WEIGHT	CUBE				
	ZOL3 RT1 E	Mounting Plate Only Beech Maple Cherry	363 386	5 5	0.32 0.32				
		Mounting Plate Only /a	265	5	0.32				
		lounting Plate Only /a	620	6	0.32				
		& Mounting Plate Only /a	379	5	0.32				
	ZOL3 RT5 G	blet & Mounting Plate Only Grade - A-White Grade - A-Color Grade - B Grade - C	514 521 550 595						
	ORDERING NO	TES: The Zola replacemer	nt tablets on this page include the top with mounting	plate only.					
	Leg ZOL3 RLS		56	1	0.125				
Ţ	Caster Leg ZOL3 RLC		38	0.4	0.125				
	Dual leg ZOL3 RDL		96	1	0.125				
	Leg Glide (4) ZOL3 RLG		23	0.2	0.01				
	Replacement Se ZOL3 RLKB2	at-to-Seat Bracket	91	1	0.125				
		NOTE: Zola Modular Seats are ordered, each seat is automatically supplied with two seat to seat brackets							
	Replacement Tal ZOL3 RLKB1	ble-to-Seat Bracket	109	3	0.125				
	ZOL3-POWERD	OC1 - Undermount	543	3	0.375				
D ^{es} D ^{es} GG			ats and Tables as a replacement part or installed on univer and 2 USB outlets. PowerDoc's have a 10' cord.	ts not previo	ously spec-				
•	ZOL3-POWERD	OC2	617	3	0.375				
p = p = 8	Replacement unit only for Seats, Benches or Square/Rectangular tables which were originally ordered with this option. Standard with 2 Power and 2 USB outlets. PowerDoc's have a 10' cord.								
	Wire Manager SI ZOL3 WM10	hroud	115	1	0.375				
	ORDERING NO	TES: Comes in a 10' length	n when ordered. Can be cut to size on site.						

ZOLA PRIVACY | COMPONENTS


DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 64	2	0.32
(I)	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 56	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 71	2	0.32
	Back-to-Seat Linking hardware ZOP3-RLKS 161	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 179	4	0.32
0.00 8	ZOP3-POWERDOC3 - Shelves only 630 Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and 2 USB outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3 WM 179	1	0.375

FAERON LOUNGE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 12.67%

POST-CONSUMER RECYCLED CONTENT =9.40%

Up to 18.93% of this Faeron product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FAERON LOUNGE | DIMENSIONS & COM

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Entire Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Only
One-Seat -	wood arm												
lounge	27	28.5	31.5	17.8	24	23	21	55	20	4.2	1.3	1.7	1.2
high back One-Seat - :	27 armless	28.5	41.5	17.8	24	23	21	59	24	4.8	1.3	2.3	1.2
lounge	23	28.5	31.5	17.8	_	_	21	52	20	3	1.3	1.7	-
nigh back	23	28.5	41.5	17.8	_	_	21	55	24	3.6	1.3	2.3	_
One-Seat -								00		0.0		2.0	
ounge	28	28.5	31.5	17.8	24	23	21	75	20	5.9	1.3	1.7	2.9
high back	28	28.5	41.5	17.8	24	23	21	79	24	6.5	1.3	2.3	2.9
wingback	32	28.5	42.5	17.8	24	23	21	84	27	7.5	1.3	3.3	2.9
One-Seat w	ide - wood	d arm											
ounge	34	28.5	31.5	17.8	24	30	21	64	23	4.4	1.5	1.7	1.2
high back	34	28.5	41.5	17.8	24	30	21	68	27	5	1.5	2.3	1.2
One-Seat w										-			
lounge	30	28.5	31.5	17.8	_	_	21	61	23	3.2	1.5	1.7	_
high back	30	28.5	41.5	17.8	_	_	21	65	27	3.8	1.5	2.3	_
One-Seat w								20		3.0			
lounge	35	28.5	31.5	17.8	24	30	21	84	23	6.1	1.5	1.7	2.9
high back	35	28.5	41.5	17.8	24	30	21	88	27	6.7	1.5	2.3	2.9
wingback	39	28.5	42.5	17.8	24	30	21	93	30	7.5	1.3	3.3	2.9
			0										0
Two-seat - \ lounge	wood arm 50	28.5	31.5	17.8	24	46	21	88	36	5.5	1.7	2.6	1.2
high back	50	28.5	41.5	17.8	24	46	21	95	43	6.4	1.7	3.5	1.2
Two-seat - a		_5.0				.0		50	.0	5.1		0.0	
lounge	46	28.5	31.5	17.8	_	_	21	87	36	4.3	1.7	2.6	_
high back	46	28.5	41.5	17.8	_	_	21	94	43	5.2	1.7	3.5	_
Two-seat - ເ							- '	5 -		5.2		0.0	
lounge	51	28.5	31.5	17.8	24	46	21	108	36	7.2	1.7	2.6	2.9
high back	51	28.5	41.5	17.8	24	46	21	115	43	8.1	1.7	3.5	2.9
wingback	55	28.5	42.5	17.8	24	46	21	120	46	9.1	1.7	4.5	2.9
Three-seat						-				<u> </u>			
lounge	73	28.5	31.5	17.8	24	69	21	120	52	7.1	2.5	3.4	1.2
high back	73	28.5	41.5	17.8	24	69	21	130	61	8.4	2.5	4.7	1.2
Three-seat		20.5	41.5	17.0	24	09	۷1	130	01	0.4	2.5	4.7	1.2
lounge	69	28.5	31.5	17.8		_	21	122	52	5.9	2.5	3.4	
high back	69	28.5	41.5	17.8	_	_	21	132	61	7.2	2.5	4.7	_
Three-seat			41.5	17.0	-	-	۷1	132	01	1.2	2.5	4.7	-
	-		01.5	17.0	0.4	60	21	140	E0	0.0	0.5	0.4	0.0
lounge	74 74	28.5	31.5	17.8	24	69		140	52	8.8	2.5	3.4	2.9
high back	74 78	28.5 28.5	41.5 42.5	17.8 17.8	24 24	69 69	21 21	150 155	61 64	10.1 10.3	2.5	4.7 5.7	2.9 2.9
wingback		28.5	42.5	17.0	∠4	09	∠ 1	100	04	10.3	1.7	5.7	2.9
is with uphol upholstery is of where ead	ING BACKS n upholste stery of the selected, u ch fabric is	ery (more to e same grause the high to be app	than one u de or CON hest grade lied on the	pholstery M, an upcle upholste e product	harge for dual	fabrics is \$3 r contact Cu btain a quo	32 list per	unit and \$6	1 list per un	olstered produ nit for three false provide the upholsteries	orics. When	graded in d	combination
WEIGHT CA Faeron weig One -Seat - One -Seat - One-Seat Wi One-Seat Wi Two- Seat - Two- Seat F Three - Seat	ght capaciti 500 lbs Plus - 750 lbi ide - 500 lbi ide Plus - 7 625 lbs Plus - 975 lbi - 850 lbs Plus - 120	lbs os 750 lbs os	follows:										
Faeron Op	tion Upcl	narges			\$ L	ist						\$ List	
	N / - : - 1	Darriar In											
			,							pair) - Gr A \		366	
CAL 133 & One-Seat F			,			45	Solid Su	ırface Arm	Cap (per i	pair) - Gr A \ pair) - Gr A (pair) - Gr B		366 379	

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm Cap (per pair) - Gr A White	366
One-Seat Removable Back Covers	145	Solid Surface Arm Cap (per pair) - Gr A Color	379
One-Seat Wide Removable Back Covers	218	Solid Surface Arm Cap (per pair) - Gr B	402
Two-Seat Removable Back Covers	288	Solid Surface Arm Cap (per pair) - Gr C	415
Three-Seat Removable Back Covers	432	Solid Surface Arm (per pair) - Gr A White	645
One-Seat Removable Seat Covers	145	Solid Surface Arm (per pair) - Gr A Color	675
One-Seat Wide Removable Seat Covers	218	Solid Surface Arm (per pair) - Gr B	732
Two-Seat Removable Seat Covers	288	Solid Surface Arm (per pair) - Gr C	772
Three-Seat Removable Seat Covers	432	Urethane Arm Cap (per pair)	145
		Upholstered Lounge Wood Arm Cap (per pair)	184
		See Page 332 for color selection.	

SEATING & OCCASIONAL TABLES | CANADA | 250

FAERON WOOD | LOUNGE FEATURES & OPTIONS



WOOD ARM

Faeron Wood Arm Lounge chairs are available with optional Arm Caps in Urethane and Solid Surface. As well as a Solid Surface Arm.



URETHANE ARM CAP

OPTIONS

The optional Urethane Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



ARMLESS

Faeron Armless Lounge seating can be specified with a full wood base providing an enhanced base profile.



WOOD ARM CAP

The optional Solid Beech Arm Cap is available on Upholstered Arm and Wingback Lounge. This is field replaceable if this becomes damaged or degraded.



UPHOLSTERED ARM

Faeron Upholstered arm lounge chairs are available with optional arm caps in Wood, Solid Surface and Urethane (Wingback lounge is not available with Urethane cap).



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



ARM PANEL

Arm Panels are available on Faeron Wood Arm Lounge seating in semi and fully closed styles for optimum design flexibility.



SOLID SURFACE ARM

The optional Solid Surface Arm is available on Wood Arm Lounge and provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



BEECH WOOD LEGS

Faeron Lounge legs and bases are solid Beech available in 22 finish selections.



COMBINATION UPHOLSTERY

When combination upholstery (more than one upholstery cover within the same unit) is specified with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded-in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote



METAL LEGS

Faeron Upholstered Arm models are also available with Metal Legs; Silver Metallic or Brushed Nickle finish.



LOUNGE WALL SAVER

Faeron Lounge models include a wall saver feature in which the angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chair and the wall. Not included for Faeron High Back Lounge or Faeron



Wingback Lounge due to back height.



CLEAN OUT

All Faeron Lounge seating has a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



Faeron Lounge Images | www.krug.ca

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non- flammable upholstery covers, that may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components thereby conferring sanitary and anti-infection benefits. So when CAL133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Moisture Barrier & CAL 133 is available for an upcharge of \$61 list per yard.

REMOVABLE AND REPLACEABLE COVERS

Faeron Lounge Chairs are available with a Removable Seat & Back Covers.

See **page** 250 for upcharges.

FAERON WOOD | ARMLESS LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	ADES 6	7	LEATHER 8	9	
	One-Seat, Armi FAE3-AL1S	less Lounge, Beech	Standard 1924	Base 2003	2077	2228	2378	2530	2681	2830	3134	
	One-Seat Plus FAE3-ALB1S	Armless Lou Beech	nge, Stand 1997	dard Base 2073	2148	2299	2449	2602	2753	2903	3206	_
	One-Seat, Armi FAE3-AL1F	less Lounge, Beech	Full Wood 2082	d Base 2157	2232	2383	2533	2684	2836	2986	3289	博
	One-Seat Plus, FAE3-ALB1F	Armless Lou Beech	inge, Full 2154	Wood Bas 2229	e 2304	2455	2606	2756	2908	3058	3361	Ħ
	One-Seat Wide FAE3-AL1+S	e, Armless Lo Beech	unge, Sta 2175	ndard Bas 2278	e 2383	2587	2793	2996	3203	3408	3818	CAF
	One-Seat Wide FAE3-ALB1+S		ss Lounge 2255	e, Standard 2357	d Base 2460	2664	2870	3076	3280	3487	3895	Æ
	One-Seat Wide FAE3-AL1+F	e, Armless Lo Beech	unge, Full 2375	Wood Bas 2479	se 2583	2787	2991	3197	3403	3607	4017	
	One-Seat Wide FAE3-ALB1+F		ss Lounge 2455	, Full Woo 2557	d Base 2659	2865	3069	3274	3480	3686	4093	000
	Two-Seat, Arml FAE3-AL2S	less Lounge, Beech	Standard 2727	Base 2842	2955	3181	3408	3634	3860	4086	4539	Z
	Two-Seat Plus, FAE3-ALB2S	Armless Lou Beech	nge, Stan 2840	dard Base 2952	3064	3291	3517	3744	3971	4196	4650	API
	Two-Seat, Arml FAE3-AL2F	less Lounge, Beech	Full Wood 3009	d Base 3122	3236	3461	3688	3915	4141	4368	4820	
	Two-Seat Plus, FAE3-ALB2F	Armless Lou Beech	nge, Full ' 3118	Wood Bas 3234	e 3346	3570	3798	4023	4250	4479	4930	ES T(
	Three-Seat, Arr	mless Lounge Beech	e, Standar 3616	rd Base 3795	3978	4340	4702	5064	5425	5789	6512	
	Three-Seat Plus FAE3-ALB3S					4524	4887	5248	5611	5973		 ES
w	Three-Seat, Arr FAE3-AL3F	mless Lounge Beech	e, Full Woo 3985	od Base 4165	4347	4710	5071	5434	5794	6158	6883	m P
	Three-Seat Plus FAE3-ALB3F	s, Armless Lo Beech	ounge, Ful 4170	ll Wood Ba 4350	ase 4532	4895	5257	5618	5981	6343	7067	RODU
PRODUCT CODE KEY												UCT
Line	Series	Chair Typ	е		Size			В	ase			S
FAE	3-A	L		1		B1			S			

Line	Series	Chair Type	Siz	ze	Base	
FAE Faeron	3-A Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	S Standard Base	
		Н	1+	B1+	F	
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Full Wood Base	
			Two-Seat 3 Three-Seat	Two-Seat Plus B3 Three-Seat Plus		

HEALTHCARE DISCOUNT APPLIES TO THESE PRODUCTS

FAERON WOOD | ARMLESS HIGH BACK LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA 5	DES 6	7	LEATHER 8	9
A	One-Seat, Arm FAE3-AH1S	less High back Beech	Lounge, 2163	Standard 2256	Base 2347	2532	2717	2900	3085	3269	3638
	One-Seat Plus, FAE3-AHB1S	Armless High Beech	back Lou 2235	unge, Stan 2328	dard Base 2420	2605	2789	2972	3158	3342	3710
	One-Seat, Arm FAE3-AH1F	less High back Beech	Lounge, 2319	Full Wood 2411	Base 2504	2688	2871	3057	3241	3425	3794
	One-Seat Plus, FAE3-AHB1F	Armless High Beech	back Lou 2391	unge, Full \ 2484	Nood Base 2575	e 2760	2944	3130	3313	3497	3867
<u> </u>	One-Seat Wide FAE3-AH1+S	e, Armless High Beech	back Lo 2431	ounge, Star 2551	ndard Base 2670	e 2909	3147	3386	3625	3864	4341
	One-Seat Wide FAE3-AHB1+S		High bad 2510	ck Lounge 2630	, Standard 2747	Base 2986	3224	3463	3703	3942	4419
	One-Seat Wide FAE3-AH1+F	e, Armless High Beech	back Lo 2631	ounge, Full 2749	Wood Bas 2869	se 3109	3347	3586	3824	4063	4540
	One-Seat Wide FAE3-AHB1+F		High bac 2710	ck Lounge 2828	, Full Wood 2948	d Base 3185	3424	3663	3902	4141	4617
	Two-Seat, Arm FAE3-AH2S	less High back Beech	Lounge, 2907	Standard 3036	Base 3165	3425	3686	3945	4206	4463	4984
	Two-Seat Plus, FAE3-AHB2S	Armless High Beech	back Lou 3015	unge, Stand 3146	dard Base 3276	3536	3795	4057	4316	4574	5093
	Two-Seat, Arm FAE3-AH2F	less High back Beech	Lounge, 3186	Full Wood 3318	Base 3447	3707	3966	4226	4485	4744	5265
	Two-Seat Plus, FAE3-AHB2F	Armless High Beech	back Lou 3297	unge, Full \ 3427	Vood Base 3558	e 3817	4078	4338	4597	4855	5374
	Three-Seat, Arı FAE3-AH3S	mless High bad Beech	ck Lounge 3862	e, Standard 4078	d Base 4291	4720	5150	5579	6008	6438	7295
	Three-Seat Plu FAE3-AHB3S	s, Armless Hig Beech	h back Lo 4046	ounge, Sta 4261	ndard Bas 4475	se 4905	5336	5764	6192	6623	7481
	Three-Seat, Arr FAE3-AH3F	mless High bad Beech	ck Loung 4232	e, Full Woo 4445	od Base 4660	5090	5519	5948	6378	6807	7663
	Three-Seat Plu FAE3-AHB3F	s, Armless Hig Beech	h back Lo 4417	ounge, Full 4631	l Wood Ba 4845	se 5275	5705	6133	6561	6991	7848
PRODUCT CODE KEY											
Line	Series	Chair Type			Size			Bas			
FAE Faeron	3-A Armless	L L Lounge		1 One-Seat	One	B1 e-Seat F	Plus	Standar	d Base		
	ounge Seating	H		1+	0/10	B1+]	_	F		
		High Back	0	ne-Seat Wic	le One-] ide Plus	Full Woo			
		Lounge		2		B2					
				Two-Seat	Two	Seat F	Plus]				
				Three-Seat	Thre	e-Seat] Plus				

			COM		COL		FABRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	S	pecies	1	2	3	4	5	6	7	8	9
	One-Seat, Wood A FAE3-WL1ONC	Arm Lounge Beech	, Open <i>i</i> 2033	Arm 2109	2185	2335	2486	2637	2788	2938	3241
	One-Seat Plus, W FAE3-WL1BONC		unge, O 2106	pen Arm 2182	2256	2407	2558	2710	2860	3011	3313
	One-Seat Wood A	urm Lounge, Beech	Semi C	losed Arm 2709	2819	3041	3266	3489	3711	3935	4381
	One-Seat Plus Wo FAE3-WL1BSNC		ınge, Se 2669	emi Closed 2780	d Arm 2892	3114	3339	3561	3785	4007	4455
	One-Seat Wood A		Closed	Arm							— 記
	FAE3-WL1CNC	Beech	2616	2728	2841	3063	3288	3510	3733	3957	4403
	One-Seat Plus Wo FAE3-WL1BCNC		unge, Cl 2689	osed Arm 2800	2912	3136	3360	3582	3805	4029	4475
	One-Seat Wood A	rm High Ba	ck Loun	ge, Open	Arm						—2
	FAE3-WH1ONC	•	2272	2363	2457	2640	2824	3010	3194	3378	3747
	One-Seat Plus Wo FAE3-WH1BONC		h Back 2344	Lounge, C 2436)pen Arm 2529	2713	2896	3082	3266	3450	3819
	One-Seat Wood A FAE3-WH1SNC	urm High Ba	ck Loun 2832	ge, Semi (2963	Closed Arm 3090	3347	3605	3860	4117	4374	4888
	One-Seat Plus Wo FAE3-WH1BSNC		h Back 2907	Lounge, S 3035	Semi Closed 3162	Arm 3419	3676	3933	4189	4446	4961
	One-Seat Wood A FAE3-WH1CNC		ck Loun 2854	ge, Closed 2984	d Arm 3111	3368	3625	3880	4139	4396	4909
	One-Seat Plus Wo FAE3-WH1BCNC	_	h Back 2927	Lounge, C 3056	Closed Arm 3183	3439	3697	3955	4211	4468	4982

JCT CODE	KEY					
Line	Series	Chair Type	Siz	e	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			2 Two-Seat	B2 Two-Seat Plus	Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat		SA Solid Surface Arm

DESCRIPTION/MODE	_	Species	COM 1	2	COL 3	4	FABRIC GRA 5	DES 6	7	LEATHER 8	9
	One-Seat Wide Wo FAE3-WL1+ONC	ood Arm Loui Beech	nge, Ope 2234	n Wood A 2336	rm 2439	2642	2849	3055	3260	3465	3874
	One-Seat Wide Plu FAE3-WLB1+ONC		Lounge, 2312	Open Arr 2413	n 2515	2722	2927	3133	3339	3541	3955
	One-Seat Wide Work FAE3-WL1+SNC	ood Arm Loui Beech	nge, Sem 2796	ni Closed A 2935	Arm 3071	3350	3629	3907	4184	4461	5017
	One-Seat Wide Plu FAE3-WLB1+SNC		Lounge, 2872	Semi Clo 3012	sed Arm 3151	3428	3707	3984	4261	4539	5093
	One-Seat Wide Wo FAE3-WL1+CNC	ood Arm Loui Beech	nge, Clos 2817	sed Arm 2956	3093	3371	3648	3928	4205	4483	5037
	One-Seat Wide Plu FAE3-WLB1+CNC		Lounge, 2894	Closed A 3034	rm 3172	3449	3728	4005	4284	4560	5114
	One-Seat Wide Work FAE3-WH1+ONC	ood Arm High Beech	Back Lo	ounge, Op 2609	en Arm 2727	2966	3204	3442	3682	3920	4398
	One-Seat Wide Plu FAE3-WHB1+ONC		High Ba	ck Lounge 2685	e, Open Ai 2804	rm 3042	3282	3521	3761	3998	4475
	One-Seat Wide, W FAE3-WH1+SNC	ood Arm Hig Beech	h Back Lo 3051	ounge, Se 3206	mi Closed 3362	d Arm 3672	3984	4295	4607	4917	5538
	One-Seat Wide Plu FAE3-WHB1+SNC		High Ba 3129	ck Lounge 3284	e, Semi Cl 3438	osed Arr 3749	n 4061	4372	4684	4994	5617
	One-Seat Wide Wo	od Arm High Beech	Back Lo	ounge, Clo 3225	sed Arm 3383	3693	4005	4316	4628	4939	5560
	One-Seat Wide Plu FAE3-WHB1+CNC		High Ba 3148	ck Lounge 3305	e, Closed 3460	Arm 3771	4083	4394	4707	5017	5638

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on <u>Page 250</u> See <u>Page 332</u> for color selection.

Line	Series	Chair Type	Siz	ze .	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	Lounge	1 One-Seat	B1 One-Seat Plus	Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

SCRIPTION/MODE	=1	Species	COM 1	2	COL 3	F. 4	ABRIC GF 5	RADES 6	7	LEATHE 8	ER 9
OOTIII TIOIWINODI		•							,		
	Two-Seat Wood FAE3-WL2ONC	0	2815	2927	3039	3267	3492	3720	3945	4171	4625
	Two-Seat Plus V FAE3-WLB2ON		ounge, O 2898	pen Arm 3011	3124	3350	3579	3804	4030	4257	4710
	Two-Seat Wood FAE3-WL2SNC		e, Semi C 3375	Closed Arm 3525	3675	3973	4272	4570	4869	5167	5766
	Two-Seat Plus V FAE3-WLB2SNO		ounge, Se 3460	emi Closed 3609	d Arm 3760	4059	4356	4656	4954	5254	5849
	Two-Seat Wood										
	FAE3-WL2CNC Two-Seat Plus V		3396	3546	3696	3994	4293	4590	4891	5190	5788
	FAE3-WLB2CN	C Beech	3481	3631	3780	4080	4377	4678	4973	5274	5871
	Two-Seat Wood		ack Lour	nge, Open	arm						
	FAE3-WH2ONC		2991	3121	3250	3511	3771	4032	4291	4551	5070
	Two-Seat Plus V FAE3-WHB2ON		gh back 3078	Lounge, O 3207	pen arm 3335	3594	3855	4114	4374	4635	5155
	Two-Seat Wood	Arm High B	ack Lour	nge, Semi (Closed Ar	m					
	FAE3-WH2SNC		3554	3720	3886	4217	4551	4883	5214	5547	6211
	Two-Seat Plus V		igh Back	Lounge, S	emi Close	ed Arm					
	FAE3-WHB2SN	C Beech	3638	3804	3971	4302	4635	4967	5298	5632	6296
	Two-Seat Wood	Arm High B	ack Lour	nge, Closed	d Arm						
	FAE3-WH2CNC	Beech	3575	3742	3907	4240	4571	4904	5236	5568	6232
	Two-Seat Plus V FAE3-WHB2CN		igh Back 3660	Lounge, C 3824	Closed Arn 3991	1 4323	4656	4987	5320	5653	6317
DERING NOTES: ace "NC" in the motion.											
Line	Series	Chair Typ	ре		Size		Α	rm Style	Arm	Сар	
FAE Faeron	3-W Wood Arm	L Lounge		1 One-Sea	t	B1 One-Seat	0	O pen Arm		C Cap	
L	ounge Seating	Н		1+		Plus B1+		S	U	IC	
		High Bac		One-Seat W	Vide Or	ne-Seat Wid	de Semi	Closed Arr	n Uretha	ne Cap	

100001 000	/L KLI					
Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm	L Lounge	1 One-Seat	B1 One-Seat	O Open Arm	NC No Cap
	Lounge Seating	3.		Plus	- 1	
		Н	1+	B1+	S	UC
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Semi Closed Arm	Urethane Cap
			2	B2	С	SC
			Two-Seat	Two-Seat Plus	Closed Arm	Solid Surface Cap
			3	B3		SA

Three-Seat

Three-Seat Plus

Solid Surface Arm

				COM		COL	FA	BRIC GR	ADES		LEATHER	
	DESCRIPTION/MODE	EL	Species	1	2	3	4	5	6	7	8	9
		Three-Seat Woo FAE3-WL3ONC	,	ge, Open A 3617	arm 3796	3979	4341	4704	5065	5427	5790	6514
ST		Three-Seat Plus FAE3-WLB3ON0		Lounge, Op 3765	oen Arm 3945	4128	4488	4851	5212	5575	5937	6662
PRODUCTS		Three-Seat Woo FAE3-WL3SNC	Beech	4180	4396	4613	5048	5483	5917	6351	6786	7656
PRO		Three-Seat Plus FAE3-WLB3SN0		Lounge, Se 4326	emi Closed 4544	d Arm 4760	5195	5631	6063	6498	6935	7803
THESE		Three-Seat Woo FAE3-WL3CNC	Beech	4200	4417	4635	5069	5505	5939	6372	6808	7676
H		Three-Seat Plus FAE3-WLB3CN0		Lounge, Cl 4347	osed Arm 4565	4782	5217	5651	6085	6520	6955	7822
S T		Three-Seat Woo FAE3-WH3ONC	Beech	3864	4079	4292	4721	5151	5580	6010	6439	7296
T APPLIES		Three-Seat Plus FAE3-WHB3ON		High Back 4012	Lounge, C 4225	Open Arm 4441	4868	5297	5728	6157	6585	7444
Ħ A		Three-Seat Woo FAE3-WH3SNC	Beech	4424	4675	4925	5427	5931	6432	6935	7436	8438
DISCOUN		Three-Seat Plus FAE3-WHB3SN0		High Back 4573	Lounge, S 4823	5075	ed Arm 5576	6078	6580	7081	7582	8585
		Three-Seat Woo FAE3-WH3CNC		Back Loun 4445	ge, Close 4696	d Arm 4947	5449	5950	6453	6955	7457	8459
REL		Three-Seat Plus FAE3-WHB3CN		High Back 4593	Lounge, C 4844	Closed Arr 5095	n 5597	6099	6600	7102	7604	8607
H	ORDERING NOTES: replace "NC" in the m selection.											
5	PRODUCT CODE KEY											
4	Line	Series	Chair Typ	е		Size		Ar	m Style	Arm C	ар	
HEALT	FAE Faeron	3-W Wood Arm ounge Seating	Lounge		1 One-Seat	C	B1 One-Seat Plus	Op	O pen Arm	NC No Ca	ap	

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	S Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

FAERON UPHOLSTERED | LOUNGE

		COM		COL	FAB	RIC GRA	DES		LEATHER	R
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	One-Seat Upholstered Arm	n Lounge,	No Arm C	ap, Beec	h Wood le	g				
	FAE3-UL1NCW	2761	2924	3087	3413	3740	4064	4392	4717	5368
	O O I Di I la la la la la		NI		M I I					
	One-Seat Plus Upholstered FAE3-ULB1NCW	2832	inge, No a 2996	rm cap, \ 3159	7000a leg 3487	3813	4137	4463	4791	5441
Ψ	TALO OLD THOW	2032	2990	3139	3401	3013	4137	4403	4/91	3441
	One-Seat Wide Upholstere	ed Arm I o	unge. No a	arm cap.	Wood lea					
	FAE3-UL1+NCW	2961	3151	3342	3722	4103	4483	4864	5242	6004
		200.	0.0.	00.2	0.22				02.12	
	One-Seat Wide Plus Upho		-			-	4=00			
Ш	FAE3-ULB1+NCW	3039	3229	3419	3799	4182	4560	4941	5321	6082
	Two-seat Upholstered Arm	Loungo	No arm ca	n Wood	log					
	FAE3-UL2NCW	3541	3743	.p, wood 3943	4344	4746	5149	5548	5949	6754
	., 0	0041	0740	0040	7077	4740	3143	3340	0040	0/54
	Two-seat Plus Upholstered		-		-					
	FAE3-ULB2NCW	3628	3828	4029	4428	4830	5233	5634	6034	6838
				141						
	Three-seat Upholstered Ar FAE3-UL3NCW	-			-	5057	0404	7004	7507	0040
	FAES-ULSINGW	4344	4613	4881	5420	5957	6494	7031	7567	8642
	Three-seat Plus Upholstere	ed Arm Lo	unge, No	arm cap,	Wood leg					
	FAE3-ULB3NCW	4494	4760	5030	5566	6104	6640	7179	7715	8790
Ш										

ORDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm Caps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on Page 250. To specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. See Page 332 for color selection.

Line	Series	Chair Type	Siz	ze .	Arm Cap	Leg Type	
FAE	3-U	L	1	B1	NC	W	
Faeron	Upholstered Arm Lounge Seating	Lounge	One-Seat	One-Seat Plus	No Cap	Beech Wood Leg	
		Н	1+	B1+	UC	S	
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Urethane Cap	Silver Metallic Leg	
			2	B2	SC	N	
			Two-Seat	Two-Seat Plus	Solid Surface Cap	Brushed Nickel Leg	
			3	В3	WC		
			Three-Seat	Three-Seat	Wood Arm Cap		

FAERON UPHOLSTERED | HIGH BACK LOUNGE

		COM		COL	FA	ABRIC GRADES			LEATHE	3
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	One-Seat Upholstered Arm FAE3-UH1NCW	High Back 2998	Lounge, N 3180	No Arm Ca 3360	ap, Wood 3719	leg 4079	4438	4796	5156	5874
STO	One-Seat Plus, Upholstered FAE3-UHB1NCW	Arm High 3070	Back Lou 3250	nge, No A 3432	arm Cap, \ 3791	Wood leg 4150	4510	4869	5229	5947
PRODUCTS	One-Seat Wide, Upholstered FAE3-UH1+NCW	d Arm High 3218	Back Lou 3423	unge, No <i>i</i> 3631	Arm Cap, 4043	Wood leg 4458	4870	5285	5700	6526
THESE P	One-Seat Wide Plus, Uphol: FAE3-UHB1+NCW	stered Arm 3294	High Bac 3503	k Lounge 3708	, No Arm (4121	Cap, Wood 4537	l leg 4949	5364	5776	6605
2	Two-seat, Upholstered Arm FAE3-UH2NCW Two-seat Plus, Upholstered FAE3-UHB2NCW	3720	3937	4155	4588	5024	5460 5544	5893 5979	6330 6414	7198 7283
OUNT APPLIES	Three-seat, Upholstered Arr FAE3-UH3NCW Three-seat Plus, Upholstere FAE3-UHB3NCW	4590	4894	5195	5799	6403	7008 7155	7612 7760	8217 8365	9423 9572
DISCOUNT										

ODUCT COD	EKEV					
Line	Series	Chair Type	Siz	e	Arm Style	Leg Type
FAE Faeron	3-U Upholstered Arm Lounge Seating	Lounge	1 One-Seat	B1 One-Seat Plus	NC No Cap	W Beech Wood Leg
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	UC Urethane Cap	Silver Metallic
			2 Two-Seat	B2 Two-Seat	SC Solid Surface Cap	N Brushed
			3 Three-Seat	Plus B3 Three-Seat	WC Wood Arm Cap	Nickel

FAERON UPHOLSTERED | WINGBACK LOUNGE

SCRIPTION/MODEL		COM		COL	FA	BRIC GRA	ADES		LEATHE	R
		1	2	3	4	5	6	7	8	9
	One-Seat Upholstered A FAE3-UW1NCW	rm Wingba 3419	3600	rm Cap, V 3778	Vood leg 4139	4497	4856	5217	5576	6294
	One-Seat Plus Upholste FAE3-UWB1NCW	red Arm Wi 3491	ingback, I 3671	No Arm C 3850	ap, Wood 4211	leg 4568	4928	5289	5649	6367
	One-Seat Wide Upholste FAE3-UW1+NCW	ered Arm W 3636	/ingback, 3844	No Arm (4049	Cap, Wood 4462	d leg 4878	5292	5705	6117	6946
	One-Seat Wide Plus Upl FAE3-UWB1+NCW	nolstered A 3713	rm Wingb 3920	ack, No / 4129	Arm Cap, 4541	Wood leg 4956	5368	5783	6197	7023
	Two-seat Upholstered Air FAE3-UW2NCW	rm Wingba 4139	ck, No Ar 4356	m Cap, W 4574	/ood leg 5009	5444	5878	6314	6748	7618
	Two-seat Plus Upholster FAE3-UWB2NCW	ed Arm Wii 4224	ngback, N 4441	No Arm Ca 4658	ap, Wood 5092	leg 5530	5964	6397	6833	7703
	Three-seat Upholstered FAE3-UW3NCW	Arm Wingb 5010	back, No A	Arm Cap, 5615	Wood leg 6219	6822	7428	8032	8636	9844
	Three-seat Plus Upholst FAE3-UWB3NCW	ered Arm V 5159	Vingback, 5461	No Arm 5762	Cap, Woo 6367	d leg 6970	7575	8180	8783	9991
os (WC), replace "NC" i tal Leg option below, re Page 332 for color se	on upholstered chairs can in the model number with teplace "W" in the above molection.	he Arm Sty	/le selecti er with "S	on below " for Silve	and add t	the upchar	ge listed Brushed	on Page	<u>250</u> . To sp	


Line	Series	Chair Type	Siz	е	Arm Cap	Leg Type
FAE Faeron	3-U Upholstered Arm Lounge Seating	Wingback	One-Seat	B1 One-Seat Plus	NC No Cap	W Beech Wood Leg
			1+ One-Seat Wide	B1+ One-Seat Wide Plus	WC Wood Arm Cap	Silver Metallic
			2 Two-Seat	B2 Two-Seat Plus	SC Solid Surface Cap	N Brushed Nickel
			3	B3		
			Three-Seat	Three-Seat Plus		

SUTTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS







PRE-CONSUMER RECYCLED CONTENT = 8.09%

POST-CONSUMER RECYCLED CONTENT = 15.29%

Up to 23.38% of Sutton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



All Sutton products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SUTTON

			COM		COL	FAB	RIC GRAD	ES	L	EATHER	
DESCRIPTION/M	ODEL/FINISH	ES	1	2	3	4	5	6	7	8	9
	ONE-SEAT										
	SUT3-1-0-1	Cherry, Oak, Maple, Walnut, Anigre	2124	2317	2542	2884	3095	3331	3613	4314	5178
	SUT3-1-0-2		2327	2551	2799	3209	3442	3700	4019	4795	5691
	SUT3-1-1	Cherry, Oak, Maple, Walnut, Anigre	2260	2479	2717	3115	3342	3593	3900	4656	5523
	SUT3-1-1-2	Cherry, Oak, Maple, Walnut, Anigre	2690	2908	3116	3331	3544	3764	3972	4230	5095
	TWO-SEAT										
	SUT3-2-0-1	Cherry, Oak, Maple, Walnut, Anigre	2842	3012	3193	3411	3668	3920	4671	5301	6408
	SUT3-2-0-2	, 0	3159	3352	3550	3798	4078	4363	4898	5897	7035
ı	SUT3-2-1-1	Cherry, Oak, Maple, Walnut, Anigre	3068	3253	3446	3687	3959	4235	4753	5726	6830
	SUT3-2-1-2	Cherry, Oak, Maple, Walnut, Anigre	3494	3714	3938	4211	4485	4755	5029	5379	6479
	THREE-SEA	Т									
	SUT3-3-0-1	Cherry, Oak, Maple, Walnut, Anigre	3853	4075	4314	4545	4774	5014	5273	6388	7929
] SUT3-3-0-2]		4291	4532	4795	5055	5316	5578	5862	7105	8695
	SUT3-3-1-1	Cherry, Oak, Maple, Walnut, Anigre	4164	4400	4656	4907	5159	5415	5691	6899	8439
	SUT3-3-1-2	Cherry, Oak, Maple, Walnut, Anigre	4567	4920	5281	5720	6163	6606	7051	7558	9102

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SUT3101	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3102	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3111	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3112	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3201	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3202	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3211	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3212	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3301	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3302	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3311	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5
SUT3312	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5

PRODU Line	CT CODE KEY Series	Seat Count	Arm/Back Style	Base Style
SUT	3	1	0	1
Sutton	Soft Seating	One-Seat	Fully Upholstered Surround	Wood Base & Legs
		2	1	2
		Two-Seat	Wood Surround	Metal Base & Legs

3

Three-Seat

STANDARD FINISHES

Oak finishes on wood surround versions are applied on Rift Oak. For a complete list of standard wood finishes please see page 14.

METAL BASE OPTION

Metal base is available in Silver Metallic only. Note: Rift Oak surround can only be specified with a Silver Metallic base.

REMOVABLE UPHOLSTERED SEAT COVERS

Sutton Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$152 list per one-seater chair, \$303 list per two-seater chair and \$455 list per three-seater chair.


MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of **\$61 list** per yard.

CARLYLE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 3.96%

POST-CONSUMER RECYCLED CONTENT = 14.38%

Up to 37.5% of Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

	001111111111111111111111111111111111111	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CARLYLE | LOUNGE

			COM		COL	FA	BRIC GRA	DES		LEATHER	ł
DESCRIPTION/MODEL/FINISHES			1	2	3	4	5	6	7	8	9
	ONE-SEAT CAR311	Cherry, Maple, Walnut, Anigre	3352	3460	3564	3774	3984	4197	4411	4796	5457
	CAR312	Silver Metallic	3352	3460	3564	3774	3984	4197	4411	4796	5457
	TWO-SEAT										
	CAR321	Cherry, Maple, Walnut, Anigre	4526	4685	4841	5108	5372	5637	5898	6472	7539
	CAR322	Silver Metallic	4526	4685	4841	5108	5372	5637	5898	6472	7539
	THREE-SEAT CAR331	Cherry, Maple, Walnut, Anigre	6101	6297	6490	6842	7197	7547	7901	8607	9928
	CAR332	Silver Metallic	6101	6297	6490	6842	7197	7547	7901	8607	9928

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR311	33	30	32	17.5	26	20	22	60	24	4.5
CAR312	33	30	32	17.5	26	20	22	60	24	4.5
CAR321	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR322	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR331	84	30	32	17.5	26	70.5	22	135	62	9.0
CAR332	84	30	32	17.5	26	70.5	22	135	62	9.0

ORDERING NOTES

Carlyle Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$152 list per one-seater chair, \$303 list per two-seater chair and \$455 list per three-seater chair.

PRODUCT COL	DE KEY Series	Seat Count	Base Style	STAI For a
CAR	3	1	1	
Carlyle	Soft Seating	One-Seat 2 Two-Seat	Wood Base & Legs 2 Metal Base & Legs	CAR Carly versi MOIS Mois yard.
		Three-Seat		

STANDARD FINISHES

For a complete list of standard wood finishes please see Page 331.

CARLYLE LOUNGE

Carlyle is available in both wood base and Silver Metallic base versions.


MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of **\$61 list** per vard

BRIO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 7.09%

POST-CONSUMER RECYCLED CONTENT = 9.43%

Up to 11.34% of Brio product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Brio products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



he mark of responsible forests

AIR EMISSIONS

All Brio products are supplied air-emissions certified . Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

			COM		COL	FAB	RIC GRAD	ES	L	EATHER	
DESCRIPTION/MODE	L	FINISHES	1	2	3	4	5	6	7	8	9
	ONE-SEAT 4100-1	Cherry, Maple, Walnut, Anigre	2124	2317	2542	2884	3095	3331	3613	4314	5178
	TWO-SEAT 4100-2	Cherry, Maple, Walnut, Anigre	2842	3012	3193	3411	3668	3920	4671	5301	6408
	THREE-SEA 4100-3	AT Cherry, Maple, Walnut, Anigre	3853	4075	4314	4545	4774	5014	5273	6388	7929

ORDERING NOTES

Brio Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$152 list per one-seater chair, \$303 list per two-seater chair, and \$455 list per three-seater chair.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
4100-1	31.5	31.5	34	18	26	22.5	20.75	97	22	5.9
4100-2 4100-3	54 76	31.5 31.5	34 34	18 18	26 26	45 67.5	20.75 20.75	120 145	41 55	7.5 10.5

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Color name and number

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes please see Page 331.

BRIO

Brio has fixed seat cushions.


MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of \$61 list per yard.

SLOANE | LEED CI CREDIT SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.94%

POST-CONSUMER
RECYCLED CONTENT = 15.22%

Up to 29.22% of Sloane product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





he mark of responsible forestr



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sloane products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Sloane products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sloane and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DESCRIPTION/MODEL		COM 1	2	COL 3	F/	ABRIC GR 5	ADES 6	7	LEATHER 8	3
	ONE-SEAT SLO3-10 SLO3-11	2690 2935	2908 3151	3116 3364	3331 3629	3544 3941	3764 4061	3972 4268	4230 4529	5095 5397
	TWO-SEAT SLO3-20 SLO3-21	3494 3936	3714 4155	3938 4380	4211 4697	4485 4979	4755 5240	5029 5521	5379 5864	6479 6967
	THREE-SEAT SLO3-30	4567	4920	5281	5720	6163	6606	7051	7558	9102
	SLO3-31	5008	5363	5721	6212	6657	7093	7544	8048	9593

DIMENSIONS & COM REQUIREMENTS

			Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SLO3-10	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-11	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-20	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-21	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-30	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5
SLO3-31	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5

ORDERING NOTES

Sloane Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$152 list per one-seater chair, \$303 list per two-seater chair and \$455 list per three-seater chair.

PRODUCT CO	DE KEY Series	Seat Count	Upholstery Style	SLOANE LEG FINISH Legs are available in metal with a Silver Metallic finish only, as shown.
SLO	3	1	0	
Sloane	Soft Seating	One-Seat 2 Two-Seat	Standard Upholstery 1 Top Stitching & Buttons	MOISTURE BARRIER & CAL 133 Moisture Barrier & CAL 133 is available for an upcharge of \$61 list per yard.
		3 Three-Seat	u 24110110	

BENCHES


270 Tate276 Zola286 Carlyle

TATE BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





PRE-CONSUMER RECYCLED CONTENT = 9.09%

POST-CONSUMER RECYCLED CONTENT = 24.26%

Up to 26.97% of this Tate product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





FSC* C021699



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Tate Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Tate Bench products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Tate and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

TATE BENCHES | FEATURES & OPTIONS

STYLE

Tate Bench features three design styles; Fully Upholstered, Gable End and Table End.



Fully Upholstered



Gable End

Tate Bench gable ends are 2" wide x 20" deep x 6" high on standard depth units and 2" wide x 25" deep x 6" high on deep seat units



Table End

Tate Bench table ends are 10" wide \times 20" deep \times 6" high on standard depth units and 10" wide \times 25" deep \times 6" high on deep seat units.



LEGS

Tate Bench legs feature polished chrome structural steel legs with non-marring glides.

REPLACEABLE COMPONENTS

Tate Benches are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Gable ends, table ends and legs are field replaceable.

WEIGHT CAPACITIES

Tate Bench have the following maximum weight ratings: 2 seater - 975 lbs 3 seater - 1,200 lbs

OPTIONS

Removable Covers

Optional Removeable covers can be quickly installed on Tate Bench products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Tate Bench products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall Length	Overall Depth	Overall Height	Seat Length	Shipping Weight	Cube	COM Yardage	
TAT5-2210	43	21	17	43	48	10.7	1.4	
TAT5-2260	43	26	17	43	57	13.2	1.6	
TAT5-3210	65	21	17	65	62	15.7	2.0	
TAT5-3260	65	26	17	65	74	19.4	2.3	
TAT5-2211	47	21	17	43	56	10.7	1.4	
TAT5-2261	47	26	17	43	65	13.2	1.6	
TAT5-3211	69	21	17	65	70	15.7	2.0	
TAT5-3261	69	26	17	65	82	19.4	2.3	
TAT5-2212	63	21	17	43	70	14.3	1.4	
TAT5-2262	63	26	17	43	83	17.7	1.6	
TAT5-3212	84.5	21	17	65	84	19.2	2.0	
TAT5-3262	84.5	26	17	65	100	23.8	2.3	

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

TATE BENCHES | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak

Espresso Oak

MAPLE Clear Maple

Wheat Maple

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut

PALETTE FINISHES

Black White Sand Soft Green Steel Blue Slate

VENEERS

Tate Benches veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Tate can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Tate's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

ENDURAGUARD FINISH

Tate Benches features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

TATE BENCHES | FULLY UPHOLSTERED & GABLE END

			COM		COL	FAB	RIC GRA	DES		LEATHE	R
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Two-seat, 21' TAT5-2210	', fully upholstered	945	993	1037	1098	1170	1233	1305	1394	1484
	Two-seat, 26' TAT5-2260	, fully upholstered	1055	1111	1169	1249	1342	1422	1514	1628	1745
	Three-seat, 2 TAT5-3210	1", fully upholstered	1137	1199	1264	1353	1455	1543	1646	1773	1900
	Three-seat, 2 TAT5-3260	6", fully upholstered	1253	1329	1408	1514	1636	1745	1866	2019	2173
	Two-seat, 21'	'. gable end									
	TAT5-2211	Maple, Oak, Laminate	1424	1465	1510	1567	1636	1696	1766	1849	1934
		Walnut, Palette	1498	1543	1588	1652	1723	1786	1859	1946	2035
	Two cost 06'	, and and									
	Two-seat, 26' TAT5-2261	Maple, Oak, Laminate	1545	1599	1654	1731	1818	1895	1981	2091	2200
		Walnut, Palette	1627	1685	1741	1822	1915	1993	2087	2202	2317
	Three cost 2	1" goble and									
	Three-seat, 2 TAT5-3211	Maple, Oak, Laminate	1600	1663	1723	1808	1904	1990	2088	2209	2331
		Walnut, Palette	1687	1750	1815	1903	2006	2094	2198	2325	2454
Tate Bench Option Upo	harges	\$ List							\$	List	
CAL 133 & Moisture Bar Two-seat, 21" - Remova Two-seat, 26" - Remova	ble Seat Cover				at, 21" - F at, 26" - F					93 97	
PRODUCT CODE KEY											
Line	Series	Seat Coun	t	S	eat Depth		Arm S	Style			
TAT Tate	5 Bench	2 Two-Seat			21 21"		0 Fully Uph				
		3			26		1				
		Three-Sea	t		26"		Gable 2 Table				

TATE BENCHES | GABLE END & TABLE END

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FABI 4	RIC GRA 5	DES 6	7	LEATHE 8	R 9
	Three-seat, 2 TAT5-3261	26", gable end Maple, Oak, Laminate	1745	1817	1890	1991	2107	2209	2327	2471	2616
		Walnut, Palette	1835	1912	1988	2094	2217	2325	2447	2604	2755
	Two-seat, 21 TAT5-2212	", table end Maple, Oak, Laminate	1007	1000	0010	0070	0140	0100	0000	0050	0.40
	M10 2212	Walnut, Palette		1968 2071	2010 2116	2070 2179	2140 2252	2199	2269 2386	2353 2474	2436 256
	Two-seat, 26 TAT5-2262	", table end Maple, Oak, Laminate	2092	2147	2202	2277	2368	2442	2531	2639	274
		Walnut, Palette	2203	2261	2318	2399	2490	2571	2662	2779	289
	Three-seat, 2 TAT5-3212	21", table end Maple, Oak, Laminate	2105	2166	2226	2312	2409	2494	2589	2713	283
		Walnut, Palette	2214	2278	2343	2433	2534	2625	2725	2854	298
	Three-seat, 2 TAT5-3262	26", table end Maple, Oak, Laminate	2293	2363	2439	2539	2657	2757	2873	3017	316
		Walnut, Palette	2412	2488	2566	2672	2795	2902	3024	3180	333
Tate Bench Option Upcl	harges	\$ List							\$	List	
CAL 133 & Moisture Barri Two-seat, 21" - Removab Two-seat, 26" - Removea	ole Seat Cover				at, 21" - R at, 26" - R					93 97	

PROPLICE	0005	VEV.
PRODUCT	CODE	KEY

DOCT CODE RET					
Line	Series	Seat Count	Seat Style	Arm Style	
TAT	5 Danah	2 Two-Seat	21"	0	
Tate	Bench	two-Seat	21"	Fully Upholstered	
		3	26	1	
		Three-Seat	26"	Gable End	
				2	

Table End

TATE BENCHES | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	BRIC 5	GRAD 6	ES L	EATH 8		WEIGHT	CUBE
	Two-seat, 21" Replacement Seat TAT5-RS221	730	774	820	884	955	1015	1087	1179	1268	34	4.5
	Two-seat, 26" Replacement Seat TAT5-RS226	793	841	893	966	1044	1117	1200	1302	1407	43	5.5
	Three-seat, 21" Replacement Seat TAT5-RS321	916	982	1044	1137	1237	1327	1372	1557	1685	5 52	6
	Three-seat, 26" Replacement Seat TAT5-RS326	996 ⁻	1068	1144	1245	1363	1465	1584	1731	1877	74	7.3
	Two-seat, 21" Replacement Seat Covers TAT5-RSC221	288	334	379	439	512	574	646	735	827	5	1.0
	Two-seat, 26" Replacement Seat Covers TAT5-RSC226		364	414	487	568	639	721	825	927	6	1.2
	Three-seat, 21" Replacement Seat Cover TAT5-RSC321		437	502	591	695	782	885	1013	1141	7	1.5
	Three-seat, 26" Replacement Seat Cover TAT5-RSC326	rs 404	478	553	655	771	873	993	1140	1285	8	1.7
	Replacement Gable End 21" TAT5-RGE21 Maple, Oak, Laminate Walnut, Palette	e 348 417									4	.30
	Replacement Gable End 26" TAT5-RGE26 Maple, Oak, Laminate Walnut, Palette	e 390 491									5	.50
	Replacement Table End 21" TAT5-RTE21 Maple, Oak, Laminate Walnut, Palette	e 586 717									11	1.1
	Replacement Table End 26" TAT5-RTE26 Maple, Oak, Laminate Walnut, Palette	e 640 777									13	1.3
11	21" Replacement Legs TAT5-RL21	175									7	1.1
W	26" Replacement Legs TAT5-RL26	190									9	1.5

ZOLA BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



FSC* C021699

The mark of responsible forestry

level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-Seat (Plus)	1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes	
One-Seat	23	26	18.5	33	11.5	
Two-seat	46	26	18.5	55	21	
Three-seat	69	26	18.5	72	32	
One-Seat (Plus)	30	26	18.5	45	16	
Two-seat (Plus)	46	26	18.5	57	21	
Three-seat (Plus)	69	26	18.5	75	32	

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-Seat (Plus)	1.85	3.7	5.6	7.4	
Two-seat (Plus)	1.85	3.7	5.6	7.4	
Three-seat (Plus)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Arms (Right or Left)	74	One-Seat standard depth seat	45
Interim Arm	59	Two-seat standard depth seat	65
One-Seat back	65	Three-seat standard depth seat	81
Two-seat back	93	One-Seat plus standard depth seat	59
Three-seat back	116	One-Seat full depth seat	50
One-Seat plus back	75	Two-seat full depth seat	71
		Three-seat full depth seat	81
		One-Seat plus full depth seat	64

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

		COM		COL	FAE	FABRIC GRADES			LEATHER			
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9		
	One-Seat ZOL3 MS1S1	830	873	918	1003	1085	1169	1252	1332	1462		
	One-Seat Plus ZOL3 MSB1S1 ORDERING NOTES: One-S	1046	1092	1139	1228	1319	1410	1498	1589	1724		
И	ORDERING NOTES: One-s	seal Plus E	ench is su) wide.								
	Two-Seat ZOL3 MS2S1	1160	1212	1267	1379	1492	1605	1718	1831	2018		
	Two-Seat Plus ZOL3 MSB2S1	1236	1295	1355	1467	1583	1694	1807	1921	2109		
	ORDERING NOTES: The T	ORDERING NOTES: The Two-Seat Plus comes standard with a fifth leg for extra support.										
	Three-Seat ZOL3 MS3S1	1484	1560	1634	1794	1951	2109	2268	2427	2618		
	Three-Seat Plus ZOL3 MSB3S1	1764	1837	1915	2046	2185	2319	2457	2589	2806		
	ORDERING NOTES: The T	hree-Seat	Plus come	es standar	d with a fif	th leg for e	extra supp	ort.				

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

		COM		COL	FAE	BRIC GRA	DES		LEATHER	₹	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9	
	One-Seat ZOL3 MS1F1	916	963	1008	1068	1141	1203	1273	1363	1481	
	One-Seat Plus ZOL3 MSB1F1	1103	1164	1223	1306	1398	1483	1579	1694	1815	
	ORDERING NOTES: One-Seat Plus Bench is 30" wide.										
	Two-Seat ZOL3 MS2F1	1353	1412	1472	1555	1648	1731	1827	1943	2063	
	Two-Seat Plus ZOL3 MSB2F1	1404	1463	1521	1605	1697	1781	1875	2132	2113	
	ORDERING NOTES: The Two-Seat Plus comes standard with a fifth leg for extra support.										
	Three-Seat ZOL3 MS3F1 Three-Seat Plus ZOL3 MSB3F1	1830 1894	1920 1986	2008 2073	2130 2200	2275 2343	2402 2468	2544 2612	2723 2789	2902 2969	

ORDERING NOTES: Zola Bench Seating is available with 4 casters, for an upcharge of \$98 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of \$71 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options.

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

PRODUCT CODE RE	•				
Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	S Standard Depth	1 Standard Leg &
					Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs & 2 Casters

DIMENSIONS INSIDE CURVE

DIVIDITION IN		Overell	Coot	Coot	Chinning		
	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
Single seat							
30°	36	28.5	18.5	22.5	50	18	
45°	42	29	18.5	22.5	54	19	
60°	48	29	18.5	22.5	57	22	
90°	59	31	18.5	22.5	69	26	
Double seat							
30°	58	30	18.5	22.5	90	32	
45°	64	31	18.5	22.5	97.2	33	
60°	70	33	18.5	22.5	102.6	39	
90°	81	36	18.5	22.5	124.2	46	

COM Yardages


	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
Single seat 30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.9 2.6 2.6 2.8	3.8 5.2 5.2 5.6	5.7 7.8 7.8 8.4	7.6 10.4 10.4 11.2	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90°	2.9 3 4.8 4.8	5.8 6.0 8.8 8.8	8.7 9.0 13.5 13.5	11.6 12.0 17.4 17.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8 6.8	10.2 10.2 10.2 10.2	13.6 13.6 13.6 13.6




One-Seat, Uph 30° Inside Curve



One-Seat, Uph 45° Inside Curve




One-Seat, Uph 60° Inside Curve




One-Seat, Uph 90° Inside Curve




Two-Seat, Uph 30° Inside Curve



Two-Seat, Uph 45° Inside Curve



Two-Seat, Uph 60° Inside Curve



Two-Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	120

DIMENSIONS OUTSIDE CURVE

	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
Single seat	00.75	22.25	10.5	20.5	40	22	
30°	33.75	28.25	18.5	22.5	48	23	
45°	38.75	28.75	18.5	22.5	49	24	
60°	43.5	29.25	18.5	22.5	50	29	
90°	52	29.75	18.5	22.5	51	34	
Double seat							
30°	55.75	29.75	18.5	22.5	83	36	
45°	60.75	31	18.5	22.5	84	40	
60°	65.75	32.25	18.5	22.5	86	45	
90°	74	34.5	18.5	22.5	96	56	

COM Yardages


	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat					
30°	3.32	6.14	9.46	12.28	
45°	3.32	6.14	9.46	12.28	
60°	3.32	6.14	9.46	12.28	
90°	3.32	6.14	9.46	12.28	
Double seat					
30°	6.50	13.0	19.5	26.0	
45°	6.50	13.0	19.5	26.0	
60°	6.50	13.0	19.5	26.0	
90°	6.50	13.0	19.5	26.0	

COM Yardages - Individual Components

	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6




One-Seat, Uph 30° Curve



Two-Seat, Uph 30° Curve




One-Seat, Uph 45° Curve




Two-Seat, Uph 45° Curve




One-Seat, Uph 60° Curve



Two-Seat, Uph 60° Curve



One-Seat, Uph 90° Curve



Two-Seat, Uph 90° Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	120

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Curve, Stan ZOL3 MCS30DS1	idard Dept 1192	h 1297	1408	1557	1727	1877	2047	2265	2479
	Single-Seat, 45° Curve, Stan ZOL3 MCS45DS1	dard Dept 1297	h 1456	1611	1831	2082	2300	2551	2865	3178
	Single-Seat, 60° Curve, Stan ZOL3 MCS60DS1	dard Dept 1466	h 1624	1780	2000	2248	2468	2719	3033	3346
	Single-Seat, 90° Curve, Stan ZOL3 MCS90DS1	idard Dept 1692	h 1863	2035	2277	2554	2795	3069	3417	3761
	Single-Seat, 30° Curve, Full ZOL3 MCS30DF1	Depth 1311	1428	1546	1712	1900	2065	2256	2489	2725
	Single-Seat, 45° Curve, Full I ZOL3 MCS45DF1	Depth 1430	1600	1773	2013	2291	2531	2806	3150	3495
	Single-Seat, 60° Curve, Full I ZOL3 MCS60DF1	Depth 1613	1786	1959	2199	2473	2716	2989	3335	3680
	Single-Seat, 90° Curve, Full I ZOL3 MCS90DF1	Depth 1861	2047	2240	2506	2808	3076	3377	3759	4137

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE K	EY					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular MCB Modular Plus	S Single D Double	30D 30 Degree 45D 45 Degree 60D 60 Degree 90D	S Standard F Full	1 Standard Leg + Glide
				90 Degree		

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, S	° Curve, Standard Depth								
	ZOL3 MCD30DS1	2086	2272	2461	2722	3022	3288	3587	3962	4339
	Double-Seat, 45° Curve, \$	Standard De	nth							
	ZOL3 MCD45DS1	2272	2545	2819	3203	3639	4022	4461	5009	5557
	Double-Seat, 60° Curve, 9 ZOL3 MCD60DS1	Standard De 2566	pth 2841	3114	3497	3935	4318	4757	5304	5850
	Double-Seat, 90° Curve, S ZOL3 MCD90DS1	Standard De 2958	pth 3261	3562	3985	4468	4891	5372	5975	6580

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	89
Double-seat curve 45° seat	97
Double-seat curve 60° seat	118
Double-seat curve 90° seat	121

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

	· - ·					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular MCB Modular Plus	Single Double	30D 30 Degree 45D 45 Degree 60D 60 Degree	S Standard F Full	1 Standard Leg + Glide
				90D 90 Degree		

		COM		COL	FAE	BRIC GRA	DES	LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Full ZOL3 MCD30DF1	Depth 2397	2612	2828	3131	3475	3778	4125	4557	4987
	Double-Seat, 45° Curve, Full ZOL3 MCD45DF1	Depth 2612	2927	3241	3682	4186	4628	5132	5760	6390
	Double-Seat, 60° Curve, Full ZOL3 MCD60DF1	Depth 2952	3266	3581	4020	4526	4966	5469	6100	6730
	Double-Seat, 90° Curve, Full ZOL3 MCD90DF1	Depth 3403	3748	4093	4583	5137	5623	6178	6872	7567

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	89
Double-seat curve 45° seat	97
Double-seat curve 60° seat	118
Double-seat curve 90° seat	121

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

DOO'I OODE K	- '					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

ZOLA | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS

		COM		COL	FAE	BRIC GR	ADES	l	EATHE	R	СОМ		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Back Sir ZOL3 RMCBIS30D ZOL3 RMCBIS45D ZOL3 RMCBIS60D ZOL3 RMCBIS90D	gle-sea 1113 1291 1569 1754	1188	1267 1460 1803	1375 1580 1966 2164	1495 1716 2150 2359	1606 1833 2316 2526	1729 1968 2503 2719	1883 2138 2734 2961	2035 2308 2965 3203	2.6 2.6	20 22 23 28	8 8 10 11
	Replacement Back Do ZOL3 RMCBID30D ZOL3 RMCBID45D ZOL3 RMCBID60D ZOL3 RMCBID90D	uble-se 1945 2257 2747 3067	2081 2404 2952		2404 2760 3439 3786	2617 2998 3766 4125	2807 3207 4050 4420	3021 3445 4377 4758	3292 3742 4783 5181	3561 4038 5189 5604	4.8	38 42 43 52.5	13 13.5 16 18
	Replacement Back Sir ZOL3 RMCBOS30D ZOL3 RMCBOS45D ZOL3 RMCBOS60D ZOL3 RMCBOS90D	gle-sea 1003 1160 1389 1580	1069 1237 1518		1237 1421 1770 1948	1348 1543 1937 2122	1443 1650 2086 2273	1556 1773 2249 2447	1694 1924 2461 2665	1832 2079 2670 2884	1.7 1.7	15 17 20 25	5.0 7.0 9.0 9.0
	Replacement Back Do ZOL3 RMCBOD30D ZOL3 RMCBOD45D ZOL3 RMCBOD60D ZOL3 RMCBOD90D	1752 2032 2473	1872 2164 2657	1993 2298 2841	2163 2486 3095	2356 2699 3390 3711	2526 2886 3645 3979	2721 3098 3937 4284	2963 3367 4305 4664	3206 3635 4670 5043	3.1 3.1	30 34 35 40	9.0 11.0 14.0 14.0
	Replacement Seat Sing ZOL3 RMCSS30DS ZOL3 RMCSS45DS ZOL3 RMCSS60DS ZOL3 RMCSS90DS	-	1199 1354 1522	1307	1457 1730 1899		1778 2202 2369 2661	1949 2448 2617 2936	2164 2764 2931 3282	2378 3078 3246 3628	1.8 1.8	30 32 34 41	11 12 13 16
	Replacement Seat Dou ZOL3 RMCSD30DS ZOL3 RMCSD45DS ZOL3 RMCSD60DS ZOL3 RMCSD90DS	1985 2172 2466		2360 2719 3013	pth Cu 2620 3102 3396 3850	2923	3185 3922 4217 4757	3488 4361 4656 5240	3864 5339 5204 5844	4238 5455 5752 6445	3.4 3.4	52.2 56 60 72	19.5 21 23 28
	Replacement Seat Sing ZOL3 RMCSS30DF ZOL3 RMCSS45DF ZOL3 RMCSS60DF ZOL3 RMCSS90DF	1210 1328 1514	1327 1499 1687	•	1611 1915 2098	2374	1965 2431 2614 2943	2156 2704 2891 3243	2388 3050 3236 3623	2626 3394 3580 4005	1.94 1.94	36 39 41 49	13.5 14.5 15.5 19
	Replacement Seat Dot ZOL3 RMCSD30DF ZOL3 RMCSD45DF ZOL3 RMCSD60DF ZOL3 RMCSD90DF	2296	2512 2827 3164	2727	3031 3582 3920	4085 4424	4866	4022 5030 5368 6045	4456 5659 5998 6738	4887 6289 6629 7435	3.7 3.7	63 69 72 86	24 25.5 27 33.5
	Replacement Seat Cov ZOL3 RMCBSCS30DS ZOL3 RMCBSCS45DS ZOL3 RMCBSCS60DS ZOL3 RMCBSCS90DS	213 219 253	le-seat 266 273 306 329	Standa 321 328 362 385	397 404 437 460	oth Curve 486 492 526 546	562 569 602 624	648 657 691 711	759 767 800 823	869 874 910 932	1.8 1.8	2.5 3.1 3.7 4.3	1 1 1.5 1.5
	Replacement Seat Cov ZOL3 RMCBSCD30DS ZOL3 RMCBSCD45DS ZOL3 RMCBSCD60DS ZOL3 RMCBSCD90DS	370 376 425	ole-sea 471 483 530 544	t Stand 575 585 633 647	ard De 721 729 777 794	pth Curv 886 895 941 960	1032 1039 1086	1198 1205 1252 1270	1404 1412 1460 1478	1611 1618 1665 1684	3.4 3.4	4.8 5.9 7.0 8.2	1.5 1.5 2.5 2.5

ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS

		COM		COL	FABF	RIC GRA	ADES	L	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	ver Sing	gle-seat	t Full De	epth Cu	ırve							
	ZOL3 RMCBSCS30D	F 235	298	362	448	544	634	732	856	981	1.94	2.9	1
	ZOL3 RMCBSCS45D	F 244	305	368	456	555	640	741	863	987	1.94	3.6	1
	ZOL3 RMCBSCS60D	F 281	342	404	491	591	677	774	899	1022	1.94	4.3	1.5
	ZOL3 RMCBSCS90D	F 299	362	423	511	610	696	796	917	1042	1.94	4.9	1.5
	Replacement Seat Cover Double-seat Full Depth Curve												
	ZOL3 RMCBSCD30D	F 413	531	648	813	1004	1170	1356	1593	1831	3.7	5.5	1.5
	ZOL3 RMCBSCD45D	F 420	539	657	824	1012	1178	1366	1603	1838	3.7	6.8	1.5
	ZOL3 RMCBSCD60D	F 470	590	708	872	1063	1228	1417	1653	1890	3.7	8.1	2.5
	ZOL3 RMCBSCD90D	F 505	623	741	907	1093	1258	1450	1687	1921	3.7	9.4	2.5

CARLYLE BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 15%

POST-CONSUMER
RECYCLED CONTENT = 17.97%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CARLYLE BENCH

DESCRIPTION/MODEL	-	COM 1	2	COL 3	FAE 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
	TWO-SEAT CAR5-2-0	1747	1833	1921	2009	2105	2197	2293	2415	2589
	TWO-SEAT - BUTTON DE	TAILING								
	CAR5-2-1	2249	2337	2424	2513	2609	2699	2796	2917	3094
	THREE-SEAT CAR5-3-0	2297	2421	2542	2662	2783	2908	3031	3178	3568
	THREE-SEAT - BUTTON I CAR5-3-1	DETAILING 3078	3199	3320	3441	3564	3683	3807	3956	4348

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR5-2-0	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-2-1	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-3-0	81	26.5	17.5	-	-	-	-	110	25	3.6
CAR5-3-1	81	26.5	17.5	-	-	-	-	110	25	3.6

and Buttons

PRODUCT CODE	E KEY Series	Seat Count	Upholstery Style		
CAR	5	2	0		
Carlyle	Bench	Two-Seat	Upholstery Standard		
		3	1		
		Three-Seat	Top Stitching		

CARLYLE

Base is available in Silver Metallic only.

MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of \$61 list per yard.

OCCASIONAL TABLES


288 Chit Chat 292 Avatar 294 Karma 299 Cressida 302 Leyton 304 Faeron Wood 306 Faeron Metal 308 Zola 313 Sutton 315 Virtu 317 Millennium 319 Prado 321 Carlyle

CHIT CHAT | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Chit Chat products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Chit Chat products are supplied with air-emissions certified. Contact customer service for information.



FSC®


In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Chit Chat and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CHIT CHAT | PRODUCT FEATURES & OPTIONS


TOP SHAPE & GRAIN DIRECTION



EDGE PROFILES



BASES



SOLID SURFACE

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

DIMENSIONS

Model	Width	Depth	Height	Shipping Weight	Cubes
Occasional					
Square Table -Rounded Corners					
7261242416	24	24	16	35	10.25
7261303016	30	30	16	40	15
7261363616	36	36	16	47	20.5
Rectangular Table -Rounded Corne	ers				
7261233016	23	30	16	37	12.5
7261243016	24	30	16	37	12.5
7261463016	45.75	30	16	54	21.75
7261483016	48	30	16	75	22.75
7261693016	68.75	30	16	91	31.5
7261723016	72	30	16	107	32.75
Round Table					
72052416	24D		16	35	10.25
72053016	30D		16	40	15
72053616	36D		16	57	20.5

CHIT CHAT | OCCASIONAL

DESCRIPTION/MODE	EL	Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surfac top Grade C
Square Table, -Rounded Corners	Square Plate Base 7261242416SQ 7261303016SQ 7261363616SQ	827 893 1018	992 1071 1223	1315 1495 1962	1396 1592 2097	1496 1748 2333	1649 1960 2646
Rectangular Table,	Courses Plate Page						
-Rounded Corners	Square Plate Base 7261233016SQ	843	1012	1389	1478	1593	1768
riodriaca corriers	7261243016SQ	843	1012	1389	1478	1593	1768
\wedge	7261463016SQ	1320	1584	2264	2402	2646	2966
	7261483016SQ	1349	1619	2341	2485	2741	3078
	7261693016SQ	1462	1754	3007	3210	3563	4030
	7261723016SQ	1496	1795	3119	3335	3705	4195
`	Round Disc Base						
	7261233016DB	811	972	1355	1443	1562	1735
	7261243016DB	811	972	1355	1443	1562	1735
	7261463016DB	1255	1507	2200	2339	2583	2902
	7261483016DB	1287	1543	2277	2420	2677	3013
_	7261693016DB	1396	1675	2942	3147	3498	3965
	7261723016DB	1434	1719	3056	3270	3640	4131
	ORDERING NOTES:	1					
	Rectangular Chit Ch (68.75) coordinate wi					note table sizes 2	3", 46" & 69
Round Table	Round Disc Base						
_	72052416DB	795	955	1258	1339	1458	1624
	72053016DB	858	1030	1436	1533	1717	1937
	72053616DB	993	1192	1904	2035	2202	2319
Model		Price				Shipping Weight	Cubes
Square Plate Base	72541815	200				37	1.1
	72542415	328 385				58	1.4
$\langle \rangle$	000000000000000000000000000000000000000						
	ORDERING NOTES A single 18" base ca	-	ops up to	a maximum of 30	inches.		
Round Disc Base	72141815	005				37	1.1
ווסמווט טוטט טמטכ	72141015	295				58	1.1

A single 18" base can be used with tops up to a maximum of 3	0 inches.
--	-----------

72142415

ORDERING NOTES:



To order please specify the following:

- 1. Select model number
- 2. Select top material
- 3. Select a color for top
- 4. Select base finish
- 5. Select edge profile

BASE FINISH

362

Round Disc Base, Brushed Stainless- DB-13 Square Plate Base, Brushed Stainless- SQ-13 Round Disc Base, White- DB-44 Square Plate Base, White- SQ-44

Round Disc Base, Matte Black- DB-14

Square Plate Base, Matte Black- SQ-14

MATERIALS & FINISHES

For a complete list of Solid Surface colors please see Page 332. Solid Surface is only available in the D Radius edge profile.

1.4


For a complete list of Laminate colors please see Page 331.

AVATAR | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 48.95%

POST-CONSUMER RECYCLED CONTENT = 20.26%

Up to 61.05% of this Avatar product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

AVATAR | TABLES

Description	Model	Rift Oak	W	D	Н	WEIGHT	CUBE
吴	Square AVA4-S181817 AVA4-S222217	1094 1181	18 22	18 22	17 17	24 29	6.6 9
	Rectangular AVA4-R442217	1916	44	22	17	53	16
7	Round AVA4-R18D17 AVA4-R22D17	1092 1174	18 22	18 22	17 17	23 27	6.6
	Elliptical AVA4-E442217	1911	44	22	17	53	16

AVATAR | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Rift Oak

Light Oak
Harvest Oak
SilverGrey on Oak
Mahogany Oak
Medium Cherry on Oak
Mellow Oak
Walnut on Oak
Espresso on Oak

VENEERS

Avatar veneers are rift cut White Oak, which provides a straight grain appearance.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Avatar can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Avatar's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.


FINISH

Avatar features the Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 29.17%

POST-CONSUMER RECYCLED CONTENT = 42.67%

Up to 46.67% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

KARMA | FREE STANDING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ Polymer Edge	W	D	Н	Weight	Cube
	Square & Rectangular Tables,	Matte Black o	or Silver Metallio	c leas					
	KAR4C 18-18-18	711	861	573	17.5	17.5	17.5	15	2.6
	KAR4C 22-18-18	746	885	589	22	17.5	17.5	16.5	2.6
	KAR4C 42-18-18	1121	1389	993	42	17.5	17.5	24.5	4.6
	KAR4C 18-18-21	727	872	589	17.5	17.5	21	17	3
Ш	KAR4C 22-18-21	761	898	602	22	17.5	21	18.5	3
	KAR4C 42-18-21	1137	1404	1006	42	17.5	21	26.5	4.6
	Square & Rectangular Tables,	Polished Chro	ome leas						
	KAR4C 18-18-18	840	987	700	17.5	17.5	17.5	15	2.6
	KAR4C 22-18-18	874	1012	716	22	17.5	17.5	16.5	2.6
	KAR4C 42-18-18	1248	1139	1118	42	17.5	17.5	24.5	4.6
	KAR4C 18-18-21	869	1014	729	17.5	17.5	21	17	3
	KAR4C 22-18-21	904	1040	744	22	17.5	21	16.5	2.6
	KAR4C 42-18-21	1278	1335	1146	42	17.5	21	24.5	4.6
	ORDERING NOTE: For leg fi C for Polished Chrome	nish add to t	he end of the	model number; B f	or Matte Blac	ck, S f	or Silv	er Metal	llic and
	Round Tables, Matte Black or	Silver Metallio	clegs						
	KAR4C 24D-18	883	1205	691	24	-	17.5	19	3.5
	KAR4C 36D-18	1207	1358	759	36	-	17.5	31	7.3
	KAR4C 24D-21	896	1220	705	24	_	21	21	3.5
	KAR4C 36D-21	1221	1372	772	36	-	21	33	7.3
	Round Tables, Polished Chron	ne leas							
	KAR4C 24D-18	1011	1332	817	24	_	17.5	19	3.5
	KAR4C 36D-18	1371	1521	922	36	-	17.5	31	7.3
	KAR4C 24D-21	1038	1361	847	24	_	21	21	3.5
	KAR4C 36D-21	1398	1552	952	36	-	21	33	7.3

ORDERING NOTE: For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome

KARMA | LINKING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	W	D	Н	Weight	Cube
•	Square Straight Linking Table, I	Matte Black o	r Silver Metallic	, Left or Right handed (Same c	lirectio	n seat	ing)	
	KAR4C-LKII-18-18	688	836	549		17.5	-	15	2.5
	Square Straight Linking Table, I KAR4C-LKIL-18-18	Matte Black o 688	r Silver Metallic 836	, Left handed as seated 549		sed se 17.5	ating) -	15	2.5
	Square Straight Linking Table, I KAR4C-LKIR-18-18	Matte Black o 688	r Silver Metallic 836	, Right handed as seate 549		osed s 17.5	seating -	g) 15	2.5
	Square Straight Linking Table, F KAR4C-LKII-18-18	Polished Chro 840	me, Left or Rig 987	ht handed (Same directi 700		ting) 17.5	-	15	2.5
	Square Straight Linking Table, F KAR4C-LKIL-18-18	Polished Chro 840	me, Left hande 987	d as seated (Opposed s 700	0,) 17.5	-	15	2.5
	Square Straight Linking Table, F KAR4C-LKIR-18-18	Polished Chro 840	me, Right hand 987	led as seated (Opposed 700		g) 17.5	-	15	2.5
	Square Straight Linking End Tal	ble, Matte Bla	ick or Silver Me	tallic legs, Left handed	as seat	ed			
*	KAR4C-LKEL-18-18*	698	844	559		17.5	17.5	15	2.5
	Square Straight Linking End Talk KAR4C-LKER-18-18	ble, Matte Bla 698	ick or Silver Me 844	tallic legs, Right handed 559		ated 17.5	17.5	15	2.5
U	Square Straight Linking End Ta	ble, Polished	Chrome legs, L	eft handed as seated					
	KAR4C-LKEL-18-18* Square Straight Linking End Tal	853 ble, Polished	1002 Chrome legs, F	716 light handed as seated	17.5	17.5	17.5	15	2.5
	KAR4C-LKER-18-18	853	1002	716	17.5	17.5	17.5	15	2.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See Page 298 for suggested configurations.

KARMA | LINKING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/ PVC					
Description	Model	Palette	Edge	Edge	W	D	Н	Weight	Cube
•	Rectangular Straight Linking T KAR4C-LKII-22-18	able, Matte Bla 725	ack or Silver M 862	letallic, Left or Rig 563	ht handed (Sa 22	ame dire 17.5	ection -	seating) 16.5	2.8
	Rectangular Straight Linking T KAR4C-LKIL-22-18				ed as seated (ed sea		2.8
	Rectangular Straight Linking T KAR4C-LKIR-22-18	able, Matte Bla 725	ack or Silver N 862	letallic, Right hand 563		l (Oppos 17.5	sed se	eating) 16.5	2.8
	Rectangular Straight Linking T KAR4C-LKII-22-18	able, Polished 876	Chrome, Left 1013	or Right handed (n seatir 17.5	ng) -	16.5	2.8
	Rectangular Straight Linking T KAR4C-LKIL-22-18	able, Polished 876	Chrome, Left 1013	handed as seated 716	I (Opposed se 22	eating) 17.5	-	16.5	2.8
	Rectangular Straight Linking T KAR4C-LKIR-22-18	able, Polished 876	Chrome, Righ 1013	t handed as seate 716		seating) 17.5	-	16.5	2.8
*	Rectangular Straight Linking E KAR4C-LKEL-22-18*	End Table, Matt	e Black or Silv	ver Metallic, Left h		ted (Op		d seating)	2.8
	Rectangular Straight Linking E KAR4C-LKER-22-18				handed as se	eated (O 17.5			
J	Rectangular Straight Linking E KAR4C-LKEL-22-18*	888	1023	729	22	17.5	17.5	16.5	2.8
	Rectangular Straight Linking E KAR4C-LKER-22-18	End Table, Polis 888	shed Chrome, 1023	Right handed as s	`	sed sea 17.5	٠,	16.5	2.8
	Curvilinear Connector Table 4: KAR4C-LKCI-RF45	5°, Matte Black 990	or Silver Met	allic, Left or Right 785	handed (Sam	ne direct	ion, i i	nward se	ating) 4.2
	Curvilinear Connector Table 45 KAR4C-LKCO-RF45	o, Matte Black 990	or Silver Meta 1442	llic, Left or Right h	anded (Same 28	direction 24	n, out -	ward sea	iting) 4.2
	Curvilinear Connector Table 4: KAR4C-LKCL-RF45	5°, Matte Black 990	or Silver Met 1442	allic, Left handed 785	as seated (O p 28	posed 24	seatir	ng) 19	4.2
	Curvilinear Connector Table 4: KAR4C-LKCR-RF45	5°, Matte Black 990	or Silver Met 1442	allic, Right handed 785	d as seated (C 28	Oppose 24	d sea	ting) 19	4.2
	Curvilinear Connector Table 49 KAR4C-LKCI-RF45	5°, Polished Ch 1141	nrome, Left or 1460	Right handed (Sai 938	me direction, 28	inward 24	seatii	ng) 19	4.2
	Curvilinear Connector Table 4: KAR4C-LKCO-RF45	1141	1460	938	28	24	d sea -	ting) 19	4.2
	Curvilinear Connector Table 4: KAR4C-LKCL-RF45	1141	1460	938	28	24	-	19	4.2
	Curvilinear Connector Table 4: KAR4C-LKCR-RF45					ating) 24	-	19	4.2
	Curvilinear Connector Table 4: inward seating)	5° Matte Black	or Silver Meta	allic,with Flat edge	, Left or Right	t hande	d (Sar	me direct	ion,
	KAR4C-LKCI-RR45	1022	1485	824	28	24	-	19	4.2
	Curvilinear Connector Table 45	o Matte Black o	or Silver Metal	lic, with Flat edge,	Left or Right I	nanded	(Same	e direction	٦,
	outward seating) KAR4C-LKCO-RR45	1022	1485	824	28	24	-	19	4.2
	Curvilinear Connector Table 45°								
	KAR4C-LKCL-RR45 Curvilinear Connector Table 45 KAR4C-LKCR-RR45	1022 ° Matte Black o 1022	1485 or Silver Metall 1485	824 ic, with Flat edge, 824	28 Right handed 28	24 as seate 24	- ed (O)	19 oposed s 19	4.2 eating) 4.2
	Curvilinear Connector Table 45°	Polished Chror	me, with Flat ed	dge, Left or Right h	anded (Same	direction	n, inw a	ard seatin	g)
	KAR4C-LKCI-RR45 Curvilinear Connector Table 45° KAR4C-LKCO-RR45	1174 Polished Chron 1174	1636 ne, with Flat ed 1636	974 dge, Left or Right ha 974	28 anded (Same o 28	24 direction 24	outw -	19 /ard seatii 19	4.2 ng) 4.2
	Curvilinear Connector Table 4: KAR4C-LKCL-RR45						ed se -		4.2
	Curvilinear Connector Table 4: KAR4C-LKCR-RR45	5° Polished Ch 1174	rome, with Fla 1636	t edge, Right hand 974	ded as seated 28	d (Oppo 24	sed s	eating) 19	4.2


ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See Page 298 for suggested configurations.

KARMA | LINKING TABLES

			Laurinata	Laurinata					
			Laminate top	Laminate top w/					
		Beech/	w/Wood	PVC					
Description	Model	Palette	Edge	Edge	W	D	Н	Weight	Cube
	Curvilinear Connector Table 90				,		ion, i		0,
	KAR4C-LKCI-RR90 Curvilinear Connector Table 90°	1287 ² . Matte Black	1866 or Silver Meta	1033 Illic. Left or Right han	38 nded (Same d	24 direction	- n. o ut	22 tward se	5.5 ating)
The state of the s	KAR4C-LKCO-RR90	1287	1866	1033	38	24	-	22	5.5
	Curvilinear Connector Table 90			•	,		seatir	0,	
	KAR4C-LKCL-RR90 Curvilinear Connector Table 90	1287 No Matte Black	1866 c or Silver Met	1033 allic Right handed a	38 s seated (0 :	24 Sposed	- I coat	22	5.5
	KAR4C-LKCR-RR90	1287	1866	1033	38 38	24	- -	.irig) 22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCI-RR90	o, Polished Cl 1439	hrome, Left or 2018	Right handed (Sam	e direction, i 38	inward 24	seati	ng) 22	5.5
	Curvilinear Connector Table 90						- d sea		5.5
	KAR4C-LKCO-RR90	1439	2018	1184	38	24	-	22	5.5
	Curvilinear Connector Table 90	•		, <u>-</u>	-	٠,		00	
	KAR4C-LKCL-RR90 Curvilinear Connector Table 90	1439 Polished Cl	2018 brome Right h	1184 nanded as seated (0	38 I nnosed sea	24	-	22	5.5
	KAR4C-LKCR-RR90	1439	2018	1184	38	24	-	22	5.5
	Curvilinear Connector Table 90)° with Matte	Black or Silve	r Metallic - Flat edge	e Left or Ric	ht han	ded (Same di	rection
	inward seating)	with Matte	Black of Olivo	i motamo, i lat oagt	o, 2011 of 1115	jiic iiaii	404 (ourno ur	
P A	KAR4C-LKCI-RF90	1213	1922	1064	38	24	-	22	5.5
	Curvilinear Connector Table 90	0°, Matte Blac	k or Silver Me	tallic, with Flat edge	e, Left or Rig	jht han	ded (Same di	rection,
	outward seating) KAR4C-LKCO-RF90	1213	1922	1064	38	24	_	22	5.5
	Curvilinear Connector Table 90°						- ed (O I		
	KAR4C-LKCL-RF90	1213	1922	1064	38	24	-	22	5.5
	Curvilinear Connector Table 90°				•		ed (O p	-	٠,
	KAR4C-LKCR-RF90	1213	1922	1064	38	24	-	22	5.5
	Curvilinear Connector Table 90°	Polished Chr	ome, with Flat	edge, Left or Right I	nanded (Sam	ne direc	tion, i	inward s	eating)
	KAR4C-LKCI-RF90	1479	2071	1215	38	24	-	22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCO-RF90	1479	2071	1215	38	24	-	22	seating) 5.5
	Curvilinear Connector Table 90		,	0 /	,		ed se	0,	<i></i>
	KAR4C-LKCL-RF90 Curvilinear Connector Table 90	1479 ° Polished Ch	2071 Frome with Fla	1215 at edge. Right hande	38 A as seated	(Oppos	- sed s	22 eating)	5.5
	KAR4C-LKCR-RF90	1479	2071	1215	38	24	-	22	5.5
	Rectilinear Corner Connector	Table 90° Matt	te Black or Silv	er Metallic. with Flat	edae. Left o	r Riaht	hand	ded (San	
	direction, inward seating)			•	0 /	J		,	
	KAR4C-LKCI-SF90	1440	2088	1155	30	30	-	26	5.5
	Rectilinear Connector Table 90	° Matte Black	or Silver Meta	Illic, with Flat edge, I	_eft or Right	handed	d (Sai	me direc	tion,
	outward seating) KAR4C-LKCO-SF90	4.440	0000	4455	30	30		26	5.5
	Rectilinear Connector Table 90°	1440 Matte Black	2088 or Silver Meta	1155 Ilic. with Flat edge Le			- d (On		
	KAR4C-LKCL-SF90	1440	2088	1155	30	30	- -	26	5.5
	Rectilinear Connector Table 90°	Matte Black o	or Silver Metall	ic, with Flat edge, Rig	ght handed a	s seate	d (O p	posed s	eating)
	KAR4C-LKCR-SF90	1440	2088	1155	30	30	-	26	5.5
	Rectilinear Corner Connector 7	Table 90° Polis	shed Chrome.	with Flat edge. Left	or Right han	ided (S:	ame (direction	, in-
	ward seating)			go, - on	Ü	,			,
	KAR4C-LKCI-SF90	1653	2300	1369	30	30	-	. 26	5.5
	Rectilinear Connector Table 90° KAR4C-LKCO-SF90	Polished Chro	ome, with Flat 2300	edge, Left or Right ha 1369	anded (Same 30	e directi 30	on, o	utward s 26	seating) 5.5
	Rectilinear Connector Table 90						ed se		0.0
	KAR4C-LKCL-SF90	1653	2300	1369	30	30	-	26	5.5
	Rectilinear Connector Table 90						sed s		
	KAR4C-LKCR-SF90	1653	2300	1369	30	30	-	26	5.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See Page 298 for suggested configurations.

KARMA | LINKING TABLES CONFIGURATIONS




ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:




PRE-CONSUMER RECYCLED CONTENT - 36.34%

POST-CONSUMER RECYCLED CONTENT - 26.4%

Up to 31.25% of this Cressida product is recyclable at the end of its useful life.



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 30.77%

POST-CONSUMER RECYCLED CONTENT - 25.68%

Up to 27.88% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | TABLE FEATURES

ANTI-MICROBIAL FINISH

Cressida wood surfaces include an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>Page 331</u>. Cressida tables are available in 22 standard finishes.

LAMINATE

Cressida Box-style tables are available in laminate with wood side or laminate side. See <u>Page 332</u> for laminate information.

SOLID SURFACE

Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote.


CRESSIDA | BOX-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	H W	/EIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	1123 1389	1169 1443	1166 1437	1211 1493	18 24		15.75 15.75	24 34	3 5
	Rectangular Tabl CRE4A 241816 CRE4A 482416	es 1234 1986	1283 2064	1275 2056	1327 2135	24 48		15.75 15.75	28 56	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	927 1131 1980	964 1178 2060	956 1275 2164	995 1327 2249	18 24 30	- - -	15.75 15.75 15.75	16 23 34	3 5 8
	Rectangular Rou CRE4 B181816 CRE4 B241816 CRE4 B242416 CRE4 B482416	nd Corner 1205 1358 1508 2190	1253 1413 1566 2277	1249 1415 1606 2344	1297 1472 1669 2438	18 24 24 48	18 24	15.75 15.75 15.75 15.75	21 25 30 51	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1250 1543 1960	1299 1606 2038	1375 1670 2097	1430 1739 2179	24 32 48	24	15.75 15.75 15.75	23 34 56	4 7 12
	Triangular Round CRE4B T1618-45 CRE4B T2124-45 CRE4B T2529-45 CRE4B T2818-90 CRE4B T3624-90 CRE4B T4429-90	5 1131 5 1295 5 1587 0 1407 0 1675	1178 1348 1650 1461 1745 2094	1148 1344 1677 1461 1754 2034	1194 1396 1746 1519 1824 2115	16 21 25 28 36 44	18 24 29 18 24 29	15.75 15.75 15.75	18 23 28 24 30 36	2.5 4.5 7 3 7.5


TRIANGULAR TABLE DIMENSIONS














CRESSIDA | LIGHT-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH	T CUBE
	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	561 573 793	584 597 824	640 655 950	666 680 987	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Tables CRE4D 181816S CRE4D 242416S CRE4D 363616S	508 563 805	529 586 837	568 656 966	591 681 1004	18 24 36	18 24 36	16 16 16	22 33 65	3 5 12
	CRE4D 181821S CRE4D 242421S	518 575	539 599	581 666	603 695	18 24	18 24	21 21	25 35	4 5

LEYTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 34.73%

POST-CONSUMER RECYCLED CONTENT = 15.68%

Up to 62.16% of this Leyton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

LEYTON | TABLES

DESCRIPTION/MODEL		Maple, Oak Walnut Palette Laminate	Cherry Anigre Sycamore (5 UNIT MIN.)	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	LEY4122412	557	618	785	828	913	971
_	LEY4182412	582	662	896	955	1067	1145
	LEY4242412	611	709	1012	1083	1227	1324
	LEY4302412	639	757	1118	1205	1372	1489
	LEY4362412	666	802	1255	1355	1556	1694
<u> </u>	LEY4422412	811	967	1370	1485	1716	1873
4	LEY4183012	635	729	1003	1069	1206	1297
	LEY4243012	668	793	1127	1211	1380	1496
	LEY4303012	708	848	1247	1347	1547	1685
	LEY4363012	744	908	1393	1512	1749	1914
	LEY4423012	879	1064	1537	1673	1944	2132
	LEY4182416	597	677	901	958	1071	1150
	LEY4242416	625	724	1015	1087	1230	1329
	LEY4302416	655	771	1123	1208	1378	1494
	LEY4362416	681	814	1258	1360	1561	1697
	LEY4422416	827	981	1375	1491	1719	1877
	LEY4183016	648	744	1030	1097	1230	1324
_ []	LEY4243016	682	805	1152	1236	1408	1522
	LEY4303016	723	863	1271	1372	1573	1711
	LEY4363016	758	918	1418	1537	1775	1938
	LEY4423016	893	1080	1563	1697	1970	2157

Note: Leyton veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 tables (any combination of sizes) per species. Leyton Lounge and Tables feature Polished Chrome structural steel legs with glides.

Description	Model	Price	Weight	Cubes
	Replacement Table L	_egs (pair)		
	LEY4R2412	227	8	1
	LEY4R2416	235	10	1.25
ШШ	LEY4R3012	263	10	2
IJ -	LEY4R3016	291	12	2.25
	Replacement Glides LEY3RG	- Lounge & Table (set of four) 18	1	.25
	LEY3-POWERDOC -	- Undermount 543	3	0.375



Can be field installed to the underside of Seats and Tables as a replacement part or installed on units not previously specified with a PowerDoc. Standard with 2 Power and 2 USB outlets. PowerDoc's have a 10' cord.

DIMENSIONS


Model	Width	Depth	Height	Shipping Weight	Cubes
LEY4122412	12	24	12	17.5	.7
LEY4182412	18	24	12	22	1.1
LEY4242412	24	24	12	28	1.4
LEY4302412	30	24	12	32	1.8
LEY4362412	36	24	12	37	2.2
LEY4422412	42	24	12	41.5	2.5
LEY4183012	18	30	12	23	1.1
LEY4243012	24	30	12	28	1.4
LEY4303012	30	30	12	33	1.8
LEY4363012	36	30	12	37.5	2.2
LEY4423012	42	30	12	42.5	2.5
LEY4182416	18	24	16	27	1.4
LEY4242416	24	24	16	33	1.8
LEY4302416	30	24	16	39	2.2
LEY4362416	36	24	16	45	2.7
LEY4422416	42	24	16	51	3.1
LEY4183016	18	30	16	28	1.4
LEY4243016	24	30	16	34	1.8
LEY4303016	30	30	16	40	2.2
LEY4363016	36	30	16	46	2.7
LEY4423016	42	30	16	52	3.1

FAERON WOOD | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





F	10.87% Cardboard 2.17% Hardwood Veneer 34.78% Hardwood 52.17% Particle Board Up uct	E-CONSUMER CYCLED CONTENT = 54.89% ST-CONSUMER CYCLED CONTENT = 10.33% to 10.87% of this Faeron prodis recyclable at the end of its ful life. 1-2 point(s) 1 point 1 point 1 point
	CONTRIBUTES TO	
REDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
REDIT 3.3	Resource Reuse	1 point
REDIT 4.1	Recycled Content	1 point
REDIT 4.2	Recycled Content	1 point
REDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
REDIT 5.1	Regional Materials*	1 point
REDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
nanufactured withir	r applicable if in total 20% of the combined value of the procurement of construction in a radius of 500 miles. This credit will apply if the installation of the finished product occurs with TIFICATION, AIR EMISSIONS AND FSC® CERTIFIC level® CERTIFICATION BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standar sustainability of furniture. This standard evaluates product and company environme systems in a wide range of elements which include Materials, Energy & Atmospherence.	CATION rd that measures the degree of ental attributes and compliance
	and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability co- certification through third-party verification against the e3 standard.	





facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FAERON WOOD | FREE STANDING TABLES

WOOD SPECIES

Solid Beech frames, and edges. Veneer tops.

STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>Page 331</u>. Faeron tables are available in 22 standard finishes.

LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge.
See Page 332 for color selection.

DESCRIPTION/MODEL		Beech	Laminate with Polymer Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	Round Tables FAE4-22D-21 FAE4-30D-16 FAE4-44D-16	1319 1484 2724	981 1099 1989	1938 2255 3981	2074 2412 4259	2190 2622 4645	2403 2932 5200
	Elliptical FAE4-E44-22-16	1696	1237	2495	2671	2910	3257
	Square Tables FAE4-22-22-21 FAE4-30-30-16 FAE4-44-44-16	1306 1512 2781	970 1121 2030	1850 2273 4062	1981 2432 4347	2106 2686 4740	2319 3035 5307
	Rectangular Table FAE4-44-22-16	1717	1253	2509	2683	2925	3278

DIMENSIONS


Model	Width	Depth	Height	Shipping Weight	Cubes
Round Tables		<u> </u>			
FAE4-22D-21	22" Diame	ter	21	22	8
FAE4-30D-16	30" Diame	ter	16	35	11
FAE4-44D-16	40" Diame	ter	16	45	14
Elliptical					
FAE4-E44-22-16	44	22	16	65	21
Square Tables					
FAE4-22-22-21	22	22	21	34	8
FAE4-30-30-16	30	30	16	42	11
FAE4-44-46	44	44	16	47	12
Rectangular Table					
FAE4-44-22-16	44	22	16	55	12

FAERON METAL | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 67.26%

A	12% Cardb 29% Steel 57% Particl	NEGTOCLE CONTENT = 07.2070
	CONTRIBUTES TO	П
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1-2 point(s) 1 point 1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
	ble if in total 20% of the combined value of the procuremer of 500 miles. This credit will apply if the installation of the finished	

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing (facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

Elliptical

FAE4-ME44-22-16 Square Tables

FAE4-M22-22-21

FAE4-M30-30-16

FAE4-M44-44-16
Rectangular Table

FAE4-M44-22-16

FAERON METAL | FREE STANDING TABLES

FRAME FINISH

Faeron Metal table frames are available in Krug Sliver Metallic or Brushed Nickel.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$61 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$61 list per

per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>Page 331</u>. Faeron tables are available in 22 standard finishes.

LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge.
See Page 332 for color selection.

are available for an up	charge of \$61 list per	Obtain	a quote.	Total Color Scientific			
DESCRIPTION/MODE	L	Beech	Laminate with Polymer Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	Round Tables, Silver	Metallic F	- rame				
	FAE4-M22D-21S	1198	859	1817	1954	2069	2282
	FAE4-M30D-16S	1295	911	2065	2222	2433	2743
	FAE4-M44D-16S	2438	1703	3693	3972	4357	4914
	Round Tables, Brush	od Niekol	Framo				
с П	FAE4-M22D-21N	1369	1031	1988	2124	2241	2454
	FAE4-M30D-16N	1466	1082	2236	2394	2605	2914
	FAE4-M44D-16N	2815	2080	4070	4349	4735	5292
	Elliptical, Silver Meta	llic Frame	<u> </u>				
	FAE4-ME44-22-16S		995	2254	2428	2667	3014
	17121 WETT 22 100	1400	000	ZZO-	2420	2007	0014
	Elliptical, Brushed Ni	ckel Fram	ne				
	FAE4-ME44-22-16N		1338	2595	2770	3010	3356
	Square Tables, Silver	Metallic	Frame				
	FAE4-M22-22-21S	1184	848	1730	1859	1984	2197
	FAE4-M30-30-16S	1323	932	2084	2243	2496	2844
// [[]] \\	FAE4-M44-44-16S	2492	1741	3774	4060	4453	5020
	Square Tables, Brush	and Nicka	l Frame				
	FAE4-M22-22-21N	1355	1020	1900	2030	2155	2368
	FAE4-M30-30-16N	1494	1103	2255	2415	2669	3015
	FAE4-M44-44-16N	2870	2118	4153	4438	4830	5397
	Rectangular Table, S	ilver Meta	allic Frame				
	FAE4-M44-22-16S	1474	1011	2265	2441	2683	3035
	Rectangular Table, B	rushed N	ickel Frame				
	FAE4-M44-22-16N	1817	1353	2609	2783	3026	3377
DIMENSIONS							
Model	Width		Depth	Height	Shipping Weig	ht Cu	bes
Round Tables							
FAE4-M22D-21	22" [Diameter		21	30		8
FAE4-M30D-16		Diameter		16	42		11
FAE4-M44D-16	44" [Diameter		16	72	2	21

44

22

30

44

44

22

22

30

44

22

16

21

16

16

16

42

32

47

83

47

12

8

11


21

12

ZOLA TABLES | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 58.82%

POST-CONSUMER
RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Zola products are supplied air emissions-certified. Contact customer service for information.

FSC* C021699

FSC®



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | TABLES FEATURES

TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

POWER OPTION

The flush-mounted Power unit provides dual power/USB outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$561 list.

UNDER-MOUNT POWER OPTION

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below tables.

See Page 247 for pricing.

ZOLA | MODULAR LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE		
	Middle Linking Modu	ılar Table										
	ZOL4 LKM12	941	987	1037	1086	12	16	_	22	2.8		
a	ZOL4 LKM18	995	1046	1093	1152	18	16	_	24	4.5		
	ZOL4 LKM24	1023	1100	1125	1210	24	16	_	29	5.7		
		1020	1100	1120	1210		. •			٠		
	ORDERING NOTE:	Middle Linkin	g Modular Ta	ble ships with 2 K	B1 brackets.							
	Rectangular End Tab	le Square Co	rner									
\leq	ZOL4 LKE12	1003	1056	1103	1160	12	16	14.75	5 19	2.8		
	ZOL4 LKE18	1046	1100	1152	1210	18	16	14.75	5 23	4.5		
	ZOL4 LKE24	1092	1145	1203	1260	24	16	14.75	5 28	5.7		
•	ORDERING NOTE: End Linking Modular Table ships with 1 KB1 bracket.											
	End Table Rounded	Corner										
	ZOL4 ECLKH12	1142	1187	1174	1223	12	12	14.75	18	2.5		
	ZOL4 ECLKH18	1234	1283	1279	1329	18	12	14.75	5 24	3		
Ų	ORDERING NOTE:	End Linking N	Modular Table	ships with 1 KB1	bracket.							
	Curvilinear 30° Table ZOL4 LKC30	971	1023	1069	1125	16	16.5	-	15	2.3		
	Curvilinear 45° Table ZOL4 LKC45	1046	1100	1152	1210	16	17	-	17	2.9		

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table.

Zala Calid Cunface Unabarras	A VA/leite	Grades	В	•
Zola Solid Surface Upcharges	A-White	A-Color	В	C
ZOL4-LKM12	208	219	248	281
ZOL4-LKM18	257	273	317	365
ZOL4-LKM24	363	387	498	592
ZOL4-LKE12	208	219	248	281
ZOL4-LKE18	257	273	317	365
ZOL4-LKE24	363	387	498	592
ZOL4-ECLKH12	208	219	248	281
ZOL4-ECLKH18	257	273	317	365
ZOL4-LKC30	235	248	285	324
ZOL4-LKC45	294	313	366	425

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

ZOLA | MODULAR LINKING TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Curvilinear 60° Table ZOL4 LKC60	e 1092	1152	1203	1269	16	17.5	-	20	3.7
6	Curvilinear 90° Table ZOL4 LKC90	e 1222	1290	1344	1417	16	19	-	24	5.4
	Curvilinear 90°x2 Ta ZOL4 LKC90X2	ble 2427	2500	2669	2749	16	19	-	55	10
	Curvilinear Table ZOL4 LKH12	1063	1115	1170	1227	16	19	14.75	18	2.3

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKC60	361	383	451	533
ZOL4-LKC90	536	568	685	817
ZOL4-LKC90X2	852	889	1087	1313
ZOL4-LKH12	208	219	248	281

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

CURVILINEAR TABLE DIMENSIONS



SEATING & OCCA-

ZOLA | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOF W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	H W	/EIGHT	CUBE
	Square Tables ZOL4 181815 ZOL4 242415	1046 1131	1100 1192	1152 1243	1210 1309	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4 241815 ZOL4 482415	1085 1295	1146 1375	1194 1424	1264 1512	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15	1115 1192 1325	1185 1256 1404	1227 1309 1458	1302 1383 1542	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Rot ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415	und Corners 1215 1366 1503 2157	1265 1421 1561 2242	1258 1422 1606 2294	1311 1481 1669 2385	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915	1264 1534 1920	1313 1594 1997	1428 1703 2147	1485 1770 2234	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 1818	274	287	336	390
ZOL4 2424	439	447	534	631
ZOL4 2418	327	347	413	486
ZOL4 4824	735	754	924	1115
ZOL4 18D	261	277	323	378
ZOL4 24D	391	422	508	603
ZOL4 30D	627	682	898	1082
ZOL4 EC1818	274	287	336	390
ZOL4 EC2418	327	347	413	486
ZOL4 EC2424	439	447	534	631
ZOL4 EC4824	735	754	924	1115
ZOL4 E2418	327	347	413	486
ZOL4 E3224	518	554	666	795
ZOL4 E4829	865	904	1109	1339

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


ZOLA | FREESTANDING TABLES

		BEECH	MADLE		LAMINATE TOP W/					
		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
	Triangular Tables -	Rounded Cor	ners							
	ZOL4 CR45D1815	1136	1181	1150	1198	15.75	18	14.75	17	2.5
	ZOL4 CR45D2415	1290	1341	1338	1390	20.5	24	14.75	22	4.5
	ZOL4 CR45D2915	1561	1624	1652	1718	25	29	14.75	27	7
	ZOL4 CR90D1815					17 E	18	1175	5 23	0
8 8	ZOL4 CR90D1815	1396	1454	1457	1510	17.5	18	14.75	23	3
	ZOL4 CR90D2415	1648	1716	1727	1796	36.25	24	14.75	29	7.5
	ZOL4 CR90D2915	1968	2046	2009	2090	44.5	29	14.75	35	11

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 CR45D18	258	273	318	368
ZOL4 CR45D24	384	412	488	574
ZOL4 CR45D29	517	546	655	777
ZOL4 CR90D18	323	354	420	494
ZOL4 CR90D24	549	584	705	843
ZOL4 CR90D29	777	806	984	1183


The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

TRIANGULAR TABLE DIMENSIONS



SUTTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 75.72%

POST-CONSUMER
RECYCLED CONTENT = 10.43%

Up to 5.80% of this Sutton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



he mark of responsible forest

AIR EMISSIONS

All Sutton products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SUTTON | OCCASIONAL TABLES

FINISHES

		OAK, CHERRY, MAPLE	DII	MENSIC	NS	SHIPPING	CUBIC	
DESCRIPTION/MODE	EL	LAMINATE	WALNUT, MEDIUM ANIGRE	W	D	Н	WEIGHT	FEET
	SUTTON SQUAF	RE						
	SUT4-24-24-16	1012	1125	24	24	16	48	8
	SUT4-24-24-21	1061	1178	24	24	21	49	10
	SUT4-30-30-11	1138	1264	30	30	11	65	7
	SUT4-30-30-16	1162	1291	30	30	16	69	11
•	SUT4-48-24-16	1311	1457	48	24	16	83	14
	SUT4-48-24-21	1342	1491	48	24	21	84	18
	SUT4-48-30-11	1407	1561	48	30	11	96	11
	SUT4-48-30-16	1437	1593	48	30	16	98	15

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish or laminate for the table

STANDARD FINISHES

Sutton is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer.

For a complete list of standard wood finishes please see Page 331.

STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

LAMINATE

Sutton is available in laminate. Please seep pricing above. Please see Page 332 for laminate selection.

Laminate is not available on KrugExpress.


BASES

Bases are available in Silver Metallic only.

VIRTU TABLES | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION





PRE-CONSUMER
RECYCLED CONTENT = 67.31%

POST-CONSUMER
RECYCLED CONTENT = 12.15%

Up to 45.80% of this Virtu product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Virtu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Virtu products are supplied air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Virtu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



VIRTU | OCCASIONAL TABLES

FINISHES

		Oak, Cherry, Maple, Walnut, Medium Anigre	Di	mensio	ons	Shipping	Cubic	
DESCRIPTION/MODEL		STYLE 1		D	Н	Weight	Feet	
	Square - Frosted G	lass Top						
	VIR4-18-18-21-1	1541	18	18	21	40	8	
	VIR4-24-24-16-1	1645	24	24	16	52	13	
	VIR4-24-24-21-1	1830	24	24	21	52	13	
	VIR4-30-30-21-1	2221	30	30	21	63	19	
U	VIR4-36-36-16-1	2640	36	36	16	85	27	
	VIR4-42-42-16-1	2886	42	42	16	95	21	
	VIR4-48-24-16-1	3143	48	24	16	78	25	
	Round - Frosted Gi	ass Top						
	VIR4-24D-16-1	1784	24	-	16	52	13	
	VIR4-36D-16-1	3159	36	-	16	85	27	
	VIR4-24D-21-1	2057	24	-	21	52	13	



		Oak, Cher	• •						
		Walnut, Medium Anigre			Dimensions			Shipping	Cubic
DESCRIPTION/MODEL		STYLE 1	STYLE 2	LAMINATE	W	D	Н	Weight	Feet
	Square - Wood Top								
	VIR4-18-18-21-0	1247	1337	1345	18	18	21	40	8
	VIR4-24-24-16-0	1306	1374	1427	24	24	16	52	13
Ţ	VIR4-24-24-21-0	1397	1494	1518	24	24	16	52	13
	VIR4-30-30-21-0	1657	1772	1766	30	30	21	63	19
T	VIR4-36-36-16-0	1948	2071	2103	36	36	16	85	27
	VIR4-42-42-16-0	2841	2979	2993	42	42	16	95	21
	VIR4-48-24-16-0	2608	2789	2685	48	24	16	78	25
	ORDERING NOTES	3							
	A Style (1 or 2) must	be selected a	nd noted clearly	on Purchase Ord	der.				
	Round - Wood Top								
	VIR4-24D-16-0	935	997	1076	24	-	16	52	13
	VIR4-36D-16-0	1779	1904	2027	36	-	16	85	27
	VIR4-24D-21-0	1209	1291	1351	24	-	21	52	13

ORDERING NOTES

A Style (1 or 2) must be selected and noted clearly on Purchase Order.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select Style 1 or Style 2

CODE DESCRIPTION

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

STANDARD FINISHES

Virtu is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer. For a complete list of standard wood finishes please see Page 331.

STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

METAL DETAILING

Metal detailing is available in Silver Metallic only.


GLASS

Glass is available in frosted only. Glass tempered and 8mm thick. Floats on clear rubber bumpers.

MILLENNIUM | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER
RECYCLED CONTENT = 16.25%

Up to 38.93% of this Millennium product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Millennium products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Millennium products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Millennium and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.




Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

MILLENNIUM | OCCASIONAL TABLES

FΙ	N	ISI	н	ES	١

			CHERRY, MAPLE	DII	MENSIO	NS	SHIPPING	CUBIC
DESCRIPTION/MODE	L	OAK	WALNUT, MEDIUM ANIGRE	L	W	Н	WEIGHT	FEET
	MILLENNIUM SQU	ARE, AND R	ECTANGLE					
	6800-18-18-21	744	854	18	18	21	19	5
	6800-18-18-29	782	903	18	18	29	23	9
	6800-24-18-21	817	948	24	18	21	20	6
	6800-24-24-21	850	970	24	24	21	23	8
V	6800-26-26-21	885	1004	26	26	21	26	9
\bigvee	6800-30-30-16	982	1114	30	30	16	34	8
	6800-48-18-16	1068	1240	48	18	16	36	9
	6800-48-18-29	1291	1455	48	18	29	46	15
	MILLENNIUM ROU	ND						
	6800-24Dia.	1228	1413	24 Dia.		21	27	8
	6800-30Dia.	1297	1475	30 Dia.		16	38	8
	6800-36Dia.	1408	1584	36 Dia.		16	42	12

MILLENNIUM EDGE DETAIL PROFILES



An edge detail profile must be selected for Millennium occasional tables.

ORDERING NOTES

Optional laminate inlay available at a 10% upcharge. Please contact Customer Service for more information. Laminate is not available on *KrugExpress*.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select and edge detail profile

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Millennium tables are available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes, please see page 4.

STANDARD WOOD SPECIES

Standard wood species available: Oak, Cherry & Maple.


BIRDSEYE MAPLE

Bookmatched Birdseye Maple Veneer is available on Millenium occasional tables at an upcharge of **\$60 list** per square foot. Birdseye Maple is recommended in a clear finish only.

PRADO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER **RECYCLED CONTENT = 60%**

POST-CONSUMER **RECYCLED CONTENT = 15%**

Up to 88.5% of this Prado product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



he mark of reenoneible forest

level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Prado products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Prado products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Prado and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

PRADO | OCCASIONAL TABLES

FINISHES

		CHERRY,	MAPLE,						
		WALNUT, ME	DIUM ANIGRE		DIM	1ENSI	ONS	SHIPPING	CUBIC
DESCRIPTION/MODEL	-	STYLE 1	STYLE 2	LAMINATE	L	W	Н	WEIGHT	FEET
	PRADO SQUARE	AND RECTANG	GULAR						
	5610-18-18-16	1356	1461	1356	18	18	16	40	3
	5610-18-18-21	1371	1481	1371	18	18	21	42	4
	5610-18-24-16	1407	1510	1407	18	24	16	47	4
	5610-18-24-21	1428	1533	1428	18	24	21	49	5
g \	5610-24-24-16	1458	1567	1458	24	24	16	53	5
8	5610-24-24-21	1484	1593	1484	24	24	21	55	7
	5610-30-30-16	1512	1652	1512	30	30	16	69	8
	5610-30-30-21	1563	1683	1563	30	30	21	72	11
	5610-36-36-16	1600	1718	1600	36	36	16	88	14
	5610-36-36-21	1624	1748	1624	36	36	21	90	15
	5610-48-24-16	1646	1772	1646	48	24	16	102	11
	5610-48-24-21	1672	1798	1672	48	24	21	108	14
		-0							
	A Style (1 or 2) mu		and nated alasth	, an Durahasa Ora	اما				
	A Style (1 of 2) mu	ist be selected	and noted cleany	on Purchase Ord	ier.				
	PRADO ROUND								
	5611-18D-16	1522	1636	1522	18 Dia.	_	16	35	3
	5611-18D-21	1563	1683	1563	18 Dia.		21	37	4
	5611-24D-16	1617	1733	1617	24 Dia.	_	16	46	5
	5611-24D-21	1646	1768	1646	24 Dia.	_	21	49	7
n	5611-30D-16	1750	1880	1750	30 Dia.	-	16	59	11
<u>V</u>	5611-30D-21	1797	1932	1797	30 Dia.	-	21	63	12
	5611-36D-16	2061	2217	2061	36 Dia.	-	16	74	12
	5611-36D-21	2124	2283	2124	36 Dia.	-	21	79	15
	ODDEDING NOT	FC							
	ORDERING NOT			D O	-l				
	A Style (1 or 2) mu	ist be selected	and noted clear	y on Purchase Ord	der.				
	PRADO OVAL								
	5612-18-24-16	2038	2188	2038	18 2	24	16	47	5
	5612-18-24-21	2147	2304	2147		24	21	49	6
	5612-42-24-16	2464	2655	2464		24	16	102	9
	5612-42-24-21	2589	2785	2589		24	21	104	14
y / y \									
/									

ORDERING NOTES

Prado comes with silver metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select Style 1 or Style 2
- 3. Select a finish for the table

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

STANDARD FINISHES

Prado is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see Page 331.

STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.


METAL DETAILING

Prado comes with Silver Metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

CARLYLE TABLE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 50%

POST-CONSUMER RECYCLED CONTENT = 15%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CARLYLE | OCCASIONAL TABLES

		FINISHES					
		CHERRY, MAPLE				SHIPPING	CUBIC
DESCRIPTION/MODEL	-	WALNUT, MEDIUM ANIGRE	W	D	Н	WEIGHT	FEET
	CAR4-18-18-24	1212	18	18	24	30	5.5
	CAR4-24-24-22	1308	24	24	22	32	9
	CAR4-42-21-16	1631	42	21	16	65	9.9

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the wood frame

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Carlyle is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see Page 331.

STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.

METAL DETAILING

The legs on the Carlyle series feature a Silver Metallic finish.

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warrantv

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- · properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$78/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$78/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$78/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program Grade 2





KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

Grade 2



KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 2



Grade 3



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$21 Grade 2 \$33 Grade 3 \$44

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.





Krug Textiles - Faux Leather Program - Grade 2



CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- 17 square feet in a yardApprox. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

WOOD FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry Natural Cherry

Sable Cherry

Standard Cherry Light Oak Harvest Oak

Mahogany

Mellow Oak Espresso

Cordovan Walnut

Natural Walnut

Regular Walnut SilverGrey on Walnut

Dark Walnut

Clear Beech

Medium Anigre

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes a minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES			
Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38		
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR

PHASE OUT LAMINATES


Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

SOLID SURFACE PROGRAM


The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



BASE STYLES

Base Styles	Description								
Black Nylon	5 blade glass re	inforced molded nylon b	pase with 2 1/4" hoode	ed dual wheel caster	S.				
Polished Aluminum	5 blade polished	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.)							
Seat Slider		Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.							
Wood	5 blade steel ba	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.							
Chrome	5 blade polished	5 blade polished chrome base with 2 1/4" dual wheel casters.							
Jury Bases		Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning							
Jury Bases	height feature w	hen exiting the chair. All	ows for full 360 degree	e rotation. Limited de	egrees of rotation are not available.				
Pan Am Pan1-M11 <u>J</u>	Bank of England 177- <u>J</u>	Dorso D0S1-H2011 <u>J</u>	Cadence CAD1-HW12 <u>J</u>	C5 C5E1MB41A <u>J</u>	Aqua AQU1M33 <u>J</u>				

krug









All products are air emissions certified and are available as FSC® certified