SEATING & OCCASIONAL TABLES

Price and Specification Guide **CANADA**



krug

Advancing Design Through Innovation

TABLE OF CONTENTS

PRICING & SPECIFICATIONS

2	Management & Task Seating
3	Callisto
7	C5
16	Aqua
22	Dorso E
29	Dorso T
34	Dorso Weave
40	Dorso
47	Me
53	Pan Am
58	Cadence

64 **Guest Seating** 65 Addison 68 Blake 71 Dorso 74 Bali 76 Kita 78 Spence 80 Cadence Faeron Wood 82

94 **Multi-Purpose Seating**

Faeron Metal

95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri

88

124 Bank of England

126 **Barstools & Counter Height Seating**

127 Manolo 131 Karma 133 Capri 135 Corfu

Lounge Seating 141

142 Avatar 145 Cressida 155 Leyton 170 Zola Zola Privacy 187 253 Faeron 265 Sutton 267 Carlyle

273 **Benches**

Brio

Sloane

269

271

274 Tate 280 Zola 290 Carlyle 292 **Occasional Tables**

293 Chit Chat 296 Avatar 298 Karma 303 Cressida 306 Leyton 308 Faeron Wood 310 Faeron Metal 312 Zola 317 Sutton 319 Virtu 321 Millennium 323 Prado 325 Carlyle

Gene	eral Information
327	General Information
329	Krug Textiles - Upholstery Fabrics
332	Krug Textiles - Leather & Luxe Faux Leather
333	C.O.M.
334	Graded-In Upholstery Programs
334	KrugExpress Program
335	Wood Finishes
336	Laminate Program
336	Solid Surface Program
337	Base Styles
	•

MANAGEMENT & TASK SEATING


- 3 Callisto
 - C5
- 7 16
- Aqua Dorso E 22
- 29 Dorso T
- Dorso Weave
- 40 Dorso
- 47 Me 53 Pan Am
- 58 Cadence

CALLISTO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 28.83%

POST-CONSUMER RECYCLED CONTENT = 21.67%

Up to 70.56% of this Callisto product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Callisto products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Callisto products are supplied air-emissions certified. Contact customer service for information.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CALLISTO | FEATURES & OPTIONS



BREATHABLE MESH

Mesh Seats and Backs are available in 2 colors: Black and Grey.



UPHOLSTERED CUSHIONING

Upholstered Seats and Backs are available in a wide range of textiles, and seat features molded foam that is supportive for extended periods of sitting.



ADJUSTABLE LUMBAR SUPPORT

This optional feature provides enhanced support in the lower lumbar area of the back with 3" of adjustment range.



FIXED CANTILEVER ARM

This arm features Polished Aluminum with an integrated urethane pad surface.



ADJUSTABLE ARM

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards.



ARMLESS

Callisto models are available armless.



SELF-ADJUSTING SYNCHRO MECHANISM

The tilt feature adjusts automatically to the user's weight. It includes a standard seat slider feature adding an adjustment range of 2", and 4 position tilt lock with anti-kickback, and height adjustability.



BASES

Base options include Polished Aluminum and Black Polymer, and a soft wheel caster option.



STOOL BASE

A stool version is available on all Callisto models. It has a standard height adjustment range of 7.5". Foot ring is Polished Chrome, and standard gas lift is Black.

The Seat Slider and Seat Slider Plus option is not available with the Stool base. Stool base is only available with a swivel mechanism.

WEIGHT CAPACITIES

Callisto has been tested and complies with ANSI/BIFMA x5.1-2011 standards.
Callisto has been load tested to 450lbs

OPTIONS



ADJUSTABLE ARMS PLUS

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards. Adjustable Arms Plus provides a width adjustment range of 3".

SEAT SLIDER PLUS

The optional enhanced seat slider, has an adjustment range of 3". When the 3" seat slider option is selected a larger chair base is included. Seat Slider Plus option is not available with the Stool base.

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

REPLACEABLE COMPONENTS

Callisto is uniquely designed to allow major components to be field replaced, providing a very cost-effective means to significantly extend the life of the product.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with nonflammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

CALLISTO | DIMENSIONS & COM REQUIREMENTS

							Height	Height					
				Overall	Seat	Seat	Arms From	Arms From	Width				
	Overall	Overall	Overall	Height	Height	Height -Stool	Floor	Floor-Stool	Between	Seat	Shipping		COM
	Width	Depth	Height	-Stool	Min/Max	Min/Max	Min/Max	Min/Max	Arms	Depth	Weight	Cubes	YRD
CAL1M10	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	-
CAL1M11	25	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	-
CAL1M12	24	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	17	19	45	14.5	-
CAL1M20	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	.85
CAL1M21	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	.85
CAL1M22	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	.85
CAL1M30	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	1.68
CAL1M31	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	1.68
CAL1M32	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	1.68

CALLISTO

COM COL FABRIC GRADES LEATHER

DESCRIPTION/MODEL 1 2 3 4 5 6 7 8 9



Mesh Back & Seat, Armless with Black Base

CAL1M10B 1016

Mesh Back & Seat, Armless with Polished Aluminum Base

CAL1M10P 1045



Mesh Back & Seat, Adjustable T-Arm with Black Base

CAL1M12B 1138

Mesh Back & Seat, Adjustable T-Arm with Polished Aluminum Base

CAL1M12P 1168



Mesh Back & Seat, Fixed Cantilever Arm with Black Base

CAL1M11B 1168

Mesh Back & Seat, Fixed Cantilever Arm with Polished Aluminum Base

CAL1M11P 1198

ORDERING NOTES: To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Seat Slider Plus (S)	71
Soft Wheel Casters	64		
Adjustable Lumbar Support (L)	59		
Adjustable Arms Plus (W)	94		
Stool Base	108		

PRODUCT CODE KEY

	· · - ·					
Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL Callisto	1 Management, Task & Conference Seating	M Mid Back	1 Mesh Back & Seat	0 Armless	B Black Polymer	
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3	2		
			Fully Upholstered	Adiustable T-Arm		

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE	BRIC GRAD	ES 6	7	LEATHER 8	9
2200:::: 1:0:4::::0222								•		
	Mesh Back & Uphols CAL1M20B		at, Armies 1118	ss with Blad 1146	1197	1247	1302	1351	1403	1506
	Mesh Back & Uphols	tered Sea	at, Armles	s with Poli	shed Alum	ninum Base				
	CAL1M20P	1124	1149	1177	1228	1279	1331	1381	1434	1536
	Mesh back & Upholst CAL1M22B	ered Sea 1218		able T-Arm 1270	with Black 1320	k Base 1372	1423	1477	1528	1632
	Mesh back & Upholst CAL1M22P		it, Adjusta 1273	able T-Arm 1302	with Polis 1351	hed Alumin 1403	um Base 1455	1506	1558	1661
w 60 w										
	Mesh Back & Uphols	tered Sea	at, Fixed (Cantilever A	Arm with E	Black Base				
	CAL1M21B		1273	1302	1351	1403	1455	1506	1558	1661
7										
	Mesh Back & Uphols CAL1M21P		at, Fixed (1305	Cantilever / 1330	Arm with F 1381	olished Alu 1434	minum Bas 1483	se 1536	1588	1690
	CALTIVIZ IP	1270	1303	1330	1301	1434	1400	1330	1300	1090
	Fully Upholstered Ba	ck & Seat	t. Armless	s with Blac	k Base					
	CAL1M30B		1198	1249	1351	1453	1557	1659	1758	1964
	Fully Unhalatored Pa	ak 9 Coot	Armloo	a with Dolic	had Alumi	num Paga				
	Fully Upholstered Bac CAL1M30P		1, Armiess 1228	1281	1381	1482	1585	1689	1790	1991
	O/LETWOO!	1170	1220	1201	1301	1402	1363	1009	1790	1991
	Fully Linholators - D-	alc O Con-	Λ dic+-	blo T Au	with Dia-1-	Dana				
	Fully Upholstered Bac CAL1M32B		i, Adjusta 1323	ible I-Arm 1373	with Black 1477	1579	1678	1780	1883	2087
	OALTWOLD	1212	1020	1070	1777	1070	1070	1700	1000	2007
	Fully Upholstered Ba						ım Base			
	CAL1M32P	1304	1354	1403	1506	1609	1708	1811	1912	2116
	Fully Upholstered Ba	ck & Seat	t, Fixed C	antilever A	rm with BI	ack Base				
1 \	CAL1M31B		1354	1403	1506	1609	1708	1811	1912	2116
7	Fully Upholstered Bad	nk & Sont	Fived C	`antilovor ^	rm with D	olished Alur	ninum Bas	0		
	CAL1M31P		1, Fixed C	1434	1536	1639	1738	e 1840	1942	2147
		1002	1000	1707	1000	1000	1700	1040	1072	£ 1-71

ORDERING NOTES: To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Seat Slider Plus (S)	71
Soft Wheel Casters	64	Combination Upholstery - dual	33
Adjustable Lumbar Support (L)	59		
Adjustable Arms Plus (W)	94		
Stool Base	108		


PRODUCT CODE	KEY					
Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL	1	M	1	0	В	
Callisto	Management, Task & Conference Seating	Mid Back	Mesh Back & Seat	Armless	Black Polymer	
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3	2		
			Fully Upholstered	Adjustable T-Arm		

C5 | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 24.5%

POST-CONSUMER
RECYCLED CONTENT = 19.4%

Up to 60.1% of this C5 product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. C5 products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All C5 products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. C5 and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ARM STYLES

C5 features four styles of fixed arms; polished aluminum with polymer pad, polished aluminum with upholstered pad, full black polymer arm, and fully upholstered arm.



Polished Aluminum Arm with Polymer Pad



Polished Aluminum Arm with Upholstered Pad



Black Polymer Arm



Fully Upholstered - Leather or Fabric wrapped upholstered arm with detailed top stitching.



MECHANISM OPTIONS

Swivel-Tilt - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment. Right side activated tension control. Available in Black only.



Knee Tilt - Right side activated tension control and vertical adjustment. Left side 4 position activated tilt lock. Available in Black powdercoat or Polished Aluminum.

BASE STYLES

C5 seating is available in two base options. Choose from a black nylon, or a polished aluminum.



Polished Aluminum



Black Glass Reinforced Nylon



Jury Base

The C5 series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

C5 | FEATURES & OPTIONS

SEAT

The seat has been carefully researched and shaped to provide extended sitting comfort, with a foam density that provides an optimal combination of softness and firmness.

REPLACEABLE COMPONENTS

C5 chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable.

OPTIONS

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C5 | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight		COM Yardage
Mid Back										_
Polished Aluminum Arm with Polymer pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Polished Aluminum Arm with Uph. Pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.9
Black Polymer Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Upholstered Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	2.5
High Back										
Polished Aluminum Arm with Polymer Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Polished Aluminum Arm with Uph. Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.3
Black Polymer Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Upholstered Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.9

MULTIPLE YARDAGE REQUIREMENTS

	Yardage Seat & Back Rest	Yardage Seat only	Yardage Back rest only	Yardage Upholstered Arm Pad (2)	Yardage Full Upholstered Arm (2)	
Mid Back						
1 Chair	1.7	.9	1.5	.19	.8	
2 Chairs	3.3	1.14	2.4	.19	1.06	
3 Chairs	5	2.04	3.2	.19	1.5	
4 Chairs	6.6	2.28	4	.19	2.19	
High Back						
1 Chair	2.1	.9	1.95	.19	.8	
2 Chairs	3.4	1.14	3.1	.19	1.06	
3 Chairs	5.5	2.04	4.2	.19	1.5	
4 Chairs	7.4	2.28	5.8	.19	2.19	

DIMENSIONS:

Height measurements of C5 tilter are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

COM APPROVAL PROCESS:

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

WEIGHT CAPACITY:

C5 has been tested to ANSI BIFMA.

C5 is load rated to 300lbs

C5 EXECUTIVE | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	LEATHER 8	9
	FULLY UPHOLSTERE	D ARM								
	C5E1MB41A Polished Aluminum kr	1381 nee tilt, P	1447 olished A	1514 Juminum b	1609 ase	1716	1810	1918	2053	2188
	C5E1MB42B Black Aluminum knee	1342 tilt, Blac	1411 k base	1479	1569	1677	1773	1880	2014	2146
	POLISHED ALUMINU	M ARM \	WITH PO	LYMER PA	D					
	C5E1MB11A Polished Aluminum kr	1205 nee tilt, P	1265 olished A	1320 Juminum b	1404 ase	1499	1581	1673	1792	1909
	C5E1MB12B Black Aluminum knee	1168 tilt, Blac	1227 k base	1285	1367	1461	1540	1636	1752	1870
	BLACK POLYMER AR	M								
	C5E1MB32B Black Aluminum knee	1082 tilt, Blac	1139 k base	1198	1315	1433	1551	1667	1782	2018
	BLACK POLYMER AR	iM								
	C5E1MB33C Black Swivel tilt, Polis	1039 hed Alun	1096 ninum ba	1157 se	1240	1333	1416	1509	1626	1745
	C5E1MB33D Black Swivel tilt, Black	1012 k base	1068	1127	1209	1305	1386	1481	1597	1715



ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add \$80 list. Hard casters are the standard and soft wheel casters can be ordered for \$64 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
114	120	126	136	145	155	164	178	190

PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3	3	С
			Black Polymer Arm	Black Swivel Tilt	Polished Aluminum Base for Swivel Tilt
			4		D
			Fully Uph. Arm		Black Base for Swivel Tilt
					J

Jury Base

C5 EXECUTIVE | HIGH BACK

DESCRIPTION/MODEL		COM 1	COL 2 3	FABI 4	RIC GRADES 5 6	7	LEATHEI 8	9
	FULLY UPHOLSTE	RED ARM						
	C5E1HB41A Polished Aluminum	1433 15 n knee tilt, Polish		1689 pase	1809 191	5 2035	2188	2339
	C5E1HB42B Black Aluminum kr	1393 14 nee tilt, Black ba		1651	1772 1878	3 1998	2147	2299
	POLISHED ALUMII	NUM ARM WITH	H POLYMER PA	را. D				
	C5E1HB11A Polished Aluminum	1257 13	20 1390	1483	1592 1680	6 1792	1927	2061
	C5E1HB12B Black Aluminum kr	1218 12 nee tilt, Black ba		1446	1555 1640	5 1753	1887	2023
	BLACK POLYMER	ΔRM						
	C5E1HB32B Black Aluminum kr	1134 11		1358	1465 1560) 1667	1802	1935
	DI ACIZ DOLVMED	ADM						
	BLACK POLYMER	ARM						
	C5E1HB33C Black Swivel tilt, Po	1090 11 olished Aluminui		1318	1425 1519	9 1629	1764	1896
	C5E1HB33D Black Swivel tilt, Bl	1062 11 ack base	27 1197	1289	1396 1492	2 1597	1732	1866
	ORDERING NOTE For jury base, plea Hard casters are the Barrier options are For UPHOLSTER	se add a 'J' for the standard and available for an	soft wheel cas upcharge of \$6	ters can be o 64 list per ya	ordered for \$64 l I rd.	ist per chai	: CAL 133 a	
0	1 2	3 4		6 7	8	9		
PRODUCT CODE KEY	114 120	126 136	145 1	55 164	178	190		
Line	Series	Back St	tyle	Arm Style	Mech	nanism	Base	Style
C5E C5 Executive (Horizontal Ribbed)	Tilter	MB Mid Ba		lished Aluminu with Polymer	ım Polished Pad Kne	1 Aluminum e Tilt 2	Polished Alu for Kn	minum Base ee Tilt
		High Ba	 ack Po Ar	lished Aluminu m with Uph. Pa	ım Black A	∠ .luminum ee Tilt	Black for Kn	Base
			Bla	3 ack Polymer Ar		3 wivel Tilt	Polished Alu	 minum Base

Fully Uph. Arm

for Swivel Tilt

Black Base for Swivel Tilt

J Jury Base

C5 CONTEMPORARY | MID BACK

								.,	1	<i>D,</i> (0. (
		COM		COL	FA	ABRIC GRA			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLST	ERED ARM								
	C5C1MB41A	1245	1314	1380	1477	1583	1673	1781	1918	2053
	Polished Aluminu	m knee tilt, Po	olished A	luminum	base					
	C5C1MB42B	1216	1284	1351	1445	1555	1645	1752	1886	2020
	Black Aluminum k			1001	1110	1000	1010	1702	1000	2020
			VITU DOI	IVMED D	A.D.					
	POLISHED ALUM	IIINUW ARW V	VIIII POL	LYWER P	4D					
	C5C1MB11A	1068	1127	1187	1270	1361	1446	1538	1659	1774
	Polished Aluminu	m knee tilt, Po	olished A	luminum	base					
	C5C1MB12B	1042	1098	1158	1240	1334	1416	1510	1629	1746
	Black Aluminum I	knee tilt, Black	k base							
(H) 460										
	51 1 61 / 561 / 4 / 5									
	BLACK POLYME	RARM								
	C5C1MB32B	943	1003	1062	1143	1239	1319	1415	1533	1647
	Black Aluminum I	knee tilt, Black	k base							
	DI AOIX DOLVATE	2.4514								
	BLACK POLYMER	R ARIVI								
	C5C1MB33C	906	962	1022	1106	1199	1282	1376	1493	1610
	Black Swivel tilt, I	Polished Alum	ninum ba	se						
	C5C1MB33D	875	934	992	1074	1169	1252	1346	1463	1581
	Black Swivel tilt, I	Black base								
	ORDERING NOT	ES:								
	For jury base, ple									and NA atalana
	Hard casters are to Barrier options are						or \$64 list	oer cnair. (JAL 133 a	na Moisture
	For UPHOLSTER	RED ARM PA	D on poli	ished arm	versions o	nly select	arm style 2	and add ı	upcharge l	pelow.
ightharpoonup	1 2	3 4		5			8 9	_		
PRODUCT CODE KEY	114 120	126 136	o 14	45 1	155 1	64 1	78 190	J		
Line	Series	Ba	ck Style		Arm Styl	e	Mechani	sm	Base	Style
C5C	1	Г	MB		1		1	7		A
C5 Contemporary	Tilter	Mi	id Back		olished Alun		Polished Alu		Polished Alu	ıminum Base
		Г	НВ	Arr	n with Polym	ier Pad	Knee T	L		nee Tilt B
		L Hiç	gh Back		olished Alun		Black Alum		Black	Base
				Α	rm with Uph	. Pad	Knee T	IIT	tor Kr	nee Tilt

3

Black Swivel Tilt

Black Polymer Arm

Fully Uph. Arm

С

J Jury Base

Polished Aluminum Base for Swivel Tilt

D

Black Base for Swivel Tilt

C5 CONTEMPORARY | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAI	DES 6	7	LEATHER 8	9
<u> </u>	FULLY UPHOLSTERE	•			-			-		
	C5C1HB41A Polished Aluminum kr	1292 nee tilt, Po	1369 lished Alu	1443 ıminum bas	1548 se	1669	1776	1896	2046	2196
	C5C1HB42B Black Aluminum knee	1263 tilt, Black	1336 base	1415	1519	1640	1746	1866	2018	2168
	POLISHED ALUMINU	M ARM W	ITH POLY	MER PAD						
	C5C1HB11A Polished Aluminum kr		1183 lished Alu	1251 ıminum bas	1346 se	1452	1545	1653	1788	1922
	C5C1HB12B Black Aluminum knee	1087 tilt, Black	1153 base	1223	1315	1421	1515	1623	1756	1892
	BLACK POLYMER AF	М								
	C5C1HB32B Black Aluminum knee	990 tilt, Black	1059 base	1124	1218	1328	1420	1528	1662	1796
5 1										
	BLACK POLYMER AF	M								
	C5C1HB33C	953	1018	1087	1179	1286	1381	1487	1622	1755
	Black Swivel tilt, Polis	hed Alumi	num base	e						
	C5C1HB33D	922	988	1058	1149	1258	1351	1458	1592	1728
	Black Swivel tilt, Blac	< base								
o b •	ORDERING NOTES:									
	For jury base, please Hard casters are the									d Moisture
	Barrier options are av For UPHOLSTERED	ailable for	an upcha	rge of \$64	list per ya	ard.	•			
	1 2 3	4	5 011 polio	6	7	8	9	na ada t	aportargo be	now.
	114 120 126	136						-		
PRODUCT CODE KEY										
Line C5C	Series		k Style		Arm Style		Mechanism 1	1	Base S	tyle
C5 Contemporary	1 Tilter		MB Back		hed Alumin ith Polymer		olished Alumi Knee Tilt	num P	olished Alum for Knee	
			НВ		2		2		В	
		High	n Back		hed Alumin with Uph. P		Black Aluminu Knee Tilt	ım	Black B for Knee	
				Black	3 Polymer A	ırm l	3 Black Swivel	Tilt P	C olished Alum	inum Base
								·	for Swive	el Tilt

4

Fully Uph. Arm

D

Black Base for Swivel Tilt

J Jury Base

C5 PULLS | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
DESCRIF HOW/MODEL		•		<u> </u>	4	<u> </u>	0	1	0	
	FULLY UPHOLSTERED	ARM								
	C5P1MB41A	1267	1334	1402	1495	1603	1695	1804	1938	2072
	Polished Aluminum kne					1000	1000	1004	1300	2012
	1 Olished Aldmindin Kile	oc tiit, i c	nisi ica Aic	iiiiiiidiii ba	.30					
	C5P1MB42B	1229	1295	1361	1456	1565	1660	1767	1899	2034
	Black Aluminum knee t	ilt, Black	base							
ŭ										
	POLISHED ALUMINUM	ARM W	VITH POLY	MER PAD	1					
		1090	1149	1207	1290	1384	1466	1560	1677	1796
	C5P1MB11A					1304	1400	1300	1077	1790
	Polished Aluminum kne	ee tilt, Po	olished Alu	ıminum ba	se					
	C5P1MB12B	1054	1111	1170	1253	1347	1429	1524	1640	1756
	Black Aluminum knee t	ilt Black	hase							
	Diaok / Wallingth Kiloo t	iiit, Diaoi	buoc							
** 6										
	DI 101/ DOLL/15D 1D1									
	BLACK POLYMER ARN	Л								
	C5P1MB32B	963	1026	1084	1166	1260	1342	1437	1555	1669
	Black Aluminum knee t					00	.0.2		.000	
	Diaok / Wallingth Kiloo t	iiit, Diaoi	buoc							
	D. 10// DOW/15D 1D1									
	BLACK POLYMER ARM	/I								
	C5P1MB33C	928	985	1044	1124	1222	1303	1395	1513	1632
	Black Swivel tilt, Polish						.000		.0.0	. 552
	2.301. 0111101 111, 1 011011	.ca , uaili	raiir bast	-						
	C5P1MB33D	896	956	1015	1095	1192	1272	1367	1483	1601
	Black Swivel tilt, Black	base								
8 J										
	ORDERING NOTES:									
	For jury base, please a	add a 'J'	for the ba	se style at	the end of	the mode	I number a	and add \$8	0 list.	



For jury base, please add a 'J' for the base style at the end of the model number and add **\$80 list**. Hard casters are the standard and soft wheel casters can be ordered for **\$64 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**.

For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
114	120	126	136	145	155	164	178	190

PRO	DUCT	CODE	KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

C5 PULLS | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHER 8	₹ 9
	FULLY UPHOLSTERE	D ARM								
	C5P1HB41A Polished Aluminum ki	1323 nee tilt, Po	1398 olished Al	1477 uminum b	1581 ase	1703	1808	1927	2079	2229
	C5P1HB42B Black Aluminum knee	1286 tilt, Black	1360 k base	1438	1540	1663	1769	1890	2040	2192
	POLISHED ALUMINU	M ARM V	VITH POL	YMER PAI						
	C5P1HB11A Polished Aluminum ki	1147 nee tilt, Po	1215 olished Al	1283 uminum b	1376 ase	1483	1578	1685	1818	1954
	C5P1HB12B Black Aluminum knee	1110 tilt, Black	1177 k base	1244	1336	1445	1538	1645	1779	1914
# B •	BLACK POLYMER AF	RM								
	C5P1HB32B Black Aluminum knee	1022 tilt, Black	1089 k base	1157	1251	1357	1452	1559	1692	1827
	BLACK POLYMER AF	RM								
	C5P1HB33C Black Swivel tilt, Polis	962 hed Alum	1031 ninum bas	1096 se	1193	1302	1393	1501	1634	1771
	C5P1HB33D Black Swivel tilt, Blac	934 k base	1002	1066	1164	1270	1361	1473	1606	1741
	ORDERING NOTES: For jury base, please Hard casters are the Barrier options are av For UPHOLSTERED	add a 'J' standard railable fo	and soft v r an upch	wheel cast arge of \$6	ers can be 4 list per	e ordered f yard.	or \$64 list	per chair.	CAL 133 a	
PRODUCT CODE KEY	1 2 3 114 120 126	4 5 13					8 9 78 19			
Line	Series	Bac	k Style		Arm Style		Mechanis	sm	Base	Style
C5P C5 Pulls	1 Tilter		MB d Back		1 ished Alumii with Polyme		1 Polished Alur Knee Til		A Polished Alur for Kne	minum Base
			HB h Back		2 ished Alumin with Uph.		Black Alumi Knee Til		Black for Kne	Base ee Tilt
				Blad	3 ck Polymer	Arm	Black Swive] el Tilt F	Polished Alur for Swi	minum Base vel Tilt
				F	ully Uph. Ar	m		Е	Black Base fo	or Swivel Tilt


Jury Base

AQUA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.5%

POST-CONSUMER
RECYCLE CONTENT = 21.91%

Up to 47.7% of Aqua product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Aqua products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Aqua products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Aqua and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

AQUA | FEATURES & OPTIONS

ARM STYLE

Four arm styles are available on Aqua - Armless, T-Arm, Height Adjustable T-Arm and Fixed Cantilever Arm.



T-Arm - A comfortable and supportive urethane pad, 10" in length by 3.5" wide, which can be field replaced if damaged, as can the entire arm.



Height Adjustable T-Arm - In addition to the same features as the T-Arm version, the arm pad has a 3-position rotation horizontally: center, left and right. The arm pad also adjusts forward and rearward in 5 positions, and is height-adjustable in 9 positions ranging over 4".



Cantilever Arm - The top surface of this arm has been proportioned to provide comfortable arm support, with a resting surface of 10" x 2".



ARM WIDTH ADJUSTMENT

Width adjustment is a standard feature on Aqua arm styles. T-Arms, and Height Adjustable T-Arms, can be width adjusted, operated by the handwheel located under the seat. The T-Arms are width adjustable in a range of 1.5" per arm, or 3" per chair. Cantilever arms can be width adjusted with tools instead of a handwheel, with adjustment range of 1" per arm, or 2" per chair.



MECHANISM OPTIONS

Synchro-Tilt Mechanism - There are 5 recline/lock positions, in addition to a full range of free-flowing movement. The forward position of the pivot point allows the back and seat to adjust in a 2:1 ratio synchronously, providing comfortable recline of the back with minimal incline of the seat.



Swivel-Tilt Mechanism - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment - ideal for short-term use environments, such as meeting rooms, where numerous adjustability features may not be desirable or necessary. Aqua Stools are only available with a Swivel Mechanism.



Seat-Slider Option - Available on the Synchro-Tilt Mechanism, this offers a 2" range of forward and rearward adjustment of the seat, with a locking feature. The addition of the seat slider adds 1/2" to the height of the seat and arms.



BASE STYLE

Aqua seating is available with Black five star base and black gas cylinder, or optional Polished Aluminum five star base and chrome cylinder for an upcharge of \$40 list. Both bases come standard with dual wheel black casters. Hard casters are the standard and soft wheel casters can be ordered for \$64 list per chair. Aqua bases are also available with a fixed height option for an upcharge of \$40 list per chair.



JURY BASE

The Aqua series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.



MESH BACKS

Mesh Backs are made of breathable polyester elastomers, the Mesh Back has an ideal tension that provides comfortable lumbar and thoracic support for extended use and healthy sitting enhanced further with the air circulation provided by the mesh's unique design, and an easy-to-clean surface. The mesh back is also replaceable. Mesh colors available:

• White • Warm Grey • Black • Sky • Clay • Neo

Sunset • Cardinal

UPHOLSTERED BACKS

A unique construction with a mesh suspension core, combined with extensively-researched ergonomic curvature, gives the Aqua back a form-fitting comfort and a thin profile that is designed for healthy long-term sitting.



Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

REPLACEABLE COMPONENTS

Aqua chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

OPTIONS

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

AQUA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
Standard Height										
Mesh Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	40	18	0.75
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	40	18	0.75
Upholstered Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	41	18	1.4
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	41	18	1.4
Stool Height										
Mesh Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	40	20	0.75
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	40	20	0.75
Upholstered Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	41	20	1.4
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	41	20	1.4

MULTIPLE YARDAGE REQUIREMENTS

	Yardage MESH BACK Seats Only	Yardage UPHOLSTERED BACK Back Only	Yardage UPHOLSTERED Full Chair
1 Chair	.75	.94	1.28
2 Chairs	.75	1.8	2.53
3 Chairs	1.5	2.74	3.81
4 Chairs	1.5	3.6	5.06

Height measurements of Aqua tilter and teller chairs are taken with the pneumatic lift in the lowest position and with a standard height range gas lift.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

Aqua Standard Height Aqua Stool Height Fixed T- Arms Adjustable T - Arms Cantilever Arms

WEIGHT CAPACITY:

Aqua has been tested to 300lbs.

AQUA | MESH BACK

DESCRIPTION/MO	DDEL	COM 1	2	COL 3	FAE 4	BRIC GRAD	DES 6	7	LEATHER 8	9
	Aqua Mesh Back, Arm	less with Swiv	el Tilt 5 s	tar hase ir	hlack					
	AQU1M03B	829	843	854	883	912	940	968	997	1053
		0_0	0.0		000	0.2	0.0			. 000
	Aqua Mesh Back, Arm	less with Synd								
	AQU1M01B	852	868	882	910	939	963	992	1021	1081
	Asses Maala Daala Asses		.l T:14/C	0:	C -4 l	المحاط ما				
0 0	Aqua Mesh Back, Armi AQU1M02B	iess with Synd	914	eat Slider, 929	5 star base 957	e in black 985	1014	1039	1067	1126
	AQU TIVIOZD	900	914	929	937	900	1014	1039	1007	1120
	Aqua Mesh Back, T-Ar	m in black wit	h Swivel T	īlt, 5 star l	oase in blac	ck				
	AQU1M13B	976	987	1002	1031	1060	1087	1116	1141	1199
	Aqua Mesh Back, T-Ari		•				4444	1110	1100	1004
	AQU1M11B	1001	1015	1030	1056	1084	1111	1140	1169	1224
	Aqua Mesh Back, T-Ar	m in black wi	th Synchro	n Tilt/Seat	Slider 5 st	ar base in	black			
0 600	AQU1M12B	1046	1062	1074	1102	1131	1161	1190	1216	1271
	Aqua Mesh Back, Heig				Swivel Tilt, 1080	, 5 star bas 1107	e in black 1134	1162	1191	1246
	AQU1M23B	1019	1034	1048	1000	1107	1134	1102	1191	1240
	Aqua Mesh Back, Heig	ht Adiustable	T Arm in l	olook with	Synobro T	Tilt 5 otar h	aco in bla	ok		
	AQU1M21B	1045	1061	1073	1102	1131	1161	1190	1215	1271
5	Aqua Mesh Back, Heig	ht Adjustable	T-Arm in I	olack with	Synchro Ti	ilt/Seat Slic	der, 5 star	base in bla	ıck	
Ø 85	AQU1M22B	1093	1108	1121	1151	1178	1206	1236	1263	1317
	Aqua Mesh Back, Can	tilovor Arm in	blook with	Curival Til	t E otor bo	oo in blook				
	AQU1M33B	889	905	916	943	974	1002	1031	1060	1114
	AQUINIOOD	000	000	0.0	0.10	011	1002	1001	1000	
	Aqua Mesh Back, Can	tilever Arm in	black, with	n Synchro	Tilt, 5 star	base in bla	ıck			
	AQU1M31B	914	929	942	973	1001	1029	1056	1084	1140
5 800	Aqua Mesh Back, Can					,			1101	1100
(CO OD)	AQU1M32B	960	977	989	1018	1046	1073	1102	1131	1190

ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add \$80 list.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$40 list.

Hard casters are the standard and soft wheel casters can be ordered for \$64 list per chair.

Mesh Colors available are listed on page 17.









PRODUCT CODE KEY

0000.000					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	М	0	1	В
Aqua	Management, Task & Conference Seating	Mesh Back	Armless	Synchro Tilt	Black (5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3		
			Cantilever		

AQUA | UPHOLSTERED BACK

DECODIDITION/MODEL	COM	0	COL		BRIC GRAD			LEATHER	
DESCRIPTION/MODEL	I	2	3	4	5	6	7	8	9
Aqua Uph	olstered Back, Armless w	ith Swivel	Tilt, 5 star l	base in bla	ck				
AQU1U03	B 943	992	1043	1141	1240	1338	1438	1536	1732
(
	olstered Back, Armless w	•							
AQU1U01	B 971	1018	1067	1168	1266	1363	1463	1560	1758
		0 .	T:::/O	01:1 5 .					
0 0 0	olstered Back, Armless w 1017		o Tilt/Seat			black 1414	1510	1600	1006
6 b AQU1U02	B 1017	' 1065	1117	1215	1312	1414	1510	1609	1806
Agua Unh	olstered Back, T-Arm in b	lack with	Swival Tilt	5 etar has	a in black				
AQU1U13	· · · · · · · · · · · · · · · · · · ·		1191	1286	1387	1484	1585	1683	1881
//001010	5								
Agua Uph	olstered Back, T-Arm in b	lack, with	Svnchro Til	lt. 5 star ba	se in blacl	k			
AQU1U11		,	1215	1314	1414	1512	1610	1708	1907
Aqua Uph	olstered Back, T-Arm in b	lack, with	Synchro Til	lt/Seat Slid	er, 5 star b	ase in blad	ck		
AQU1U12	B 1164	1213	1263	1360	1460	1559	1659	1755	1954
				0 .					
	olstered Back, Height Adj B 1138		Arm in blac 1237	k with Swi 1335	vel Tilt, 5 s 1433	tar base ir 1533	1 black 1603	1730	1926
AQU1U23	В 1100	1101	1237	1333	1433	1333	1003	1730	1920
Agua Lloh	olstered Back, Height Ad	iustable T	Arm in bloc	sk with Syn	obro Tilt 5	ctor boso	in black		
AQU1U21			1263	1359	1460	1558	1659	1755	1954
AQ01021	D 1104	1213	1203	1333	1400	1330	1039	1733	1954
Agua Uph	olstered Back, Height Adi	iustable T-	Arm in blac	k. with Svr	nchro Tilt/S	Seat Slider	5 star bas	e in black	
AQU1U22	, ,	•	1310	1408	1508	1606	1704	1803	2001
Aqua Uph	olstered Back, Cantilever	Arm in bla	ick with Sw	vivel Tilt, 5	star base i	n black			
AQU1U33	B 1006	1056	1106	1203	1303	1401	1499	1597	1795
b /5									
W/	olstered Back, Cantilever		•						
AQU1U31	B 1032	1082	1131	1229	1328	1425	1526	1622	1819
Agus Hab	alatarad Daale Cantilaria	ما دا ما دا د	۰۵ مادانید عام	mahra Tili /	Coot Clister	. E atau l	aa in bla-l-		
Aqua Upn AQU1U32	olstered Back, Cantilever 1081		ick, with Sy 1178	/ncnro 111t/ 1276	Seat Sildel 1374	r, 5 star ba 1477	se in black 1570	1669	1867
- AQU1032	1001	1121	1170	1210	1017	1711	1010	1000	1001

ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add \$80 list.

CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$40 list.

Hard casters are the standard and **soft wheel casters** can be ordered for **\$64 list** per chair.

Mesh Colors available are listed on page 17.









PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	M	0	1	В
Aqua	Management, Task	Mesh Back	Armless	Synchro Tilt	Black
	& Conference Seating				(5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3 Contile year		
			Cantilever		

AQUA | STOOL

				BRIC GRA			LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Aqua Stool Mesh Ba	ck, Armle	ess, 5 star	r in black v	vith glides	or casters				
	AQT1M0G (glides)	895	910	924	954	982	1008	1036	1064	1121
	AQT1M0B (casters)									
	Agus Ctaal I Inhalata	rad Daal		C -4 l	:	مادالم الماليات				
	Aqua Stool Upholste AQT1U0G (glides)	гео васк 1014	, Armiess 1062	, 5 star ba 1111	se in black 1209	with glide	s or caste 1408	rs 1506	1606	1802
	AQT1U0B (casters)	1014	1002	1111	1209	1309	1400	1300	1000	1002
1 2	rigitions (odoloto)									
	Aqua Stool Mesh Ba	-					•	asters		
	AQT1M1G (glides)	1043	1058	1068	1097	1126	1155	1183	1212	1268
	AQT1M1B (casters)									
	Aqua Stool Upholste	red Back	, T-Arm in	black, 5 s	star base ir	n black wit	h alides or	casters		
	AQT1U1G (glides)	1161	1207	1257	1357	1455	1556	1653	1749	1947
	AQT1U1B (casters)									
_										
	Aqua Stool Mesh Ba	ck Heigh	at Adiueta	blo T Arm	in black 5	etar basa	in black w	ith alidos a	or coetore	
	AQT1M2G (glides)	1090	1102	1117	1143	1172	1202	1230	1257	1314
	AQT1M2B (casters)	1030	1102	1117	1140	1172	1202	1230	1231	1014
	(**************************************									
	Aqua Stool Upholste			•				•	•	
	AQT1U2G (glides)	1206	1254	1306	1403	1503	1601	1699	1798	1995
	AQT1U2B (casters)									
	Aqua Stool Mesh Ba	ck, Canti	lever Arm	in black,	5 star base	in black v	vith glides	or casters		
	AQT1M3G (glides)	957	973	985	1015	1043	1067	1096	1126	1183
	AQT1M3B (casters)									
	Agus Stool I Inholata	rod Back	Contilo	or Arm in I	alaak E st	or booo in !	مامماد سننه	alidoo or o	ootoro	
	Aqua Stool Upholste AQT1U3G (glides)		, Cantilev 1122	er Arm in i 1172	1271	ar base in i 1371	1467	glides or c	asters 1667	1862
	AQT1U3B (casters)	1073	1144	1112	1411	1071	1401	1301	1001	1002
- т т ев д										

ORDERING NOTES

Hard casters are the standard and **soft wheel casters** can be ordered for **\$64 list** per chair.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Mesh Colors available are listed on page 17.

Aqua Stools are only available with a Swivel Mechanism.

PRODUCT COD	E KEY				
Line	Series	Back Style	Arm Style	Base Style	
AQT Aqua Stool	1 Management, Task & Conference Seating	M Mesh Back	0 Armless	B Black (Casters)	
		U	1	G	
		Upholstered	T-Arm	(Glides)	
			2		
			Height Adjustable T-Arm		


3 Cantilever

DORSO E-LINE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 17.95%

POST-CONSUMER
RECYCLED CONTENT = 17.72%

Up to 61.36% of Dorso E product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Dorso products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Dorso and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DORSO E & T | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

E-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

T-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



BASE STYLES

E-LINE & T-LINE

Dorso seating features optional Silver Metallic, polished Chrome or Black finish and dual wheel casters.



DORSO CONTROLS

All Dorso E-Line and T-Line come with synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.



BACK HEIGHT

Back height adjustment is an option on Dorso E & T Line. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

BACK TENSION

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

SEAT SLIDER

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DORSO E-LINE | DIMENSIONS & COM REQUIREMENTS

Dorso E features a generous seat & back that provides unparalleled comfort and support.

Model Number				Overall Height	Seat Height Min/Max	Height of Arms from Floor	Width between Arms	-		Shipping Weight	Cube	COM Yardage
DEC1-HB/DES1-H	B Fixed	25.25	25	50	17.5-22.125	25.6875-30.25	21	47-52	18	44	19	2.2
DEB1-HB	Fixed Upholstered	25.5	25	50	17.5-22.125	25.6875-30.25	20.5	47-52	18	44	19	2.5
	Adjustable	25.5	25	50	17.5-22.125	26-34	21	47-52	18	44	19	2.2
	Armless	20.5	25	50	17.5-22.125	N/A	N/A	47-52	18	40	19	2.2
DEC1-MB/DES1-M	IB Fixed	25.25	25	43	17.5-22.125	25.6875-30.25	21	40-45	18	41	16	2
DEB1-MB	Fixed Upholstered	25.5	25	43	17.5-22.125	25.6875-30.25	20.5	40-45	18	41	16	2.3
	Adjustable	25.5	25	43	17.5-22.125	26-34	21	40-45	18	41	16	2
	Armless	20.5	25	43	17.5-22.125	N/A	N/A	40-45	18	37	16	2

DORSO | E-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso E seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

ORDERING NOTES:

Height measurements of Dorso E are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO T-LINE | DIMENSIONS & COM REQUIREMENTS

Dorso T - a strikingly modern chair design, provides a level of long term sitting comfort and support.

Model Number		Overall Width	Overall Depth		Seat Height Min/Max	Height of Arms from Floor	Width between Arms	_		Shipping Weight	Cube	COM Yardage
DTC1-HB/DTS1-HB/	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	40	19	2
DTB1-HB	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	37	19	2
DTC1-MB/DTS1-MB DTB1-MB	Fixed Adjustable	25.25 25.5	24 24	42 42	16.75-21.375 16.75-21.375	27.5-30.25 26-34	20 20	39-44 39-44	18 18	41 41	16 16	1.8 1.8
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	39-44	18	37	16	1.8

DORSO | T-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso T seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

OPTIONS

Height measurements of Dorso T are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO E-LINE | MID BACK

		COM		COL		BRIC GRA			LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	- Synchro								
	DEC1-M111C	1538	1612	1680	1773	1882	2001	2148	2310	2491
f	DES1-M111S	1473	1538	1609	1698	1810	1942	2080	2240	2417
	DEB1-M111B	1286	1355	1422	1513	1622	1753	1893	2055	2232
	Fixed Back; Fixed Arms	•								
	DEC1-M112C	1623	1695	1767	1858	1966	2086	2236	2394	2574
	DES1-M112S	1557	1623	1693	1781	1893	2026	2165	2324	2503
ŭ u	DEB1-M112B	1372	1439	1508	1597	1706	1839	1979	2139	2316
	Fixed Back; Adjustable A									
	DEC1-M121C	1760	1827	1898	1990	2100	2217	2366	2527	2710
	DES1-M121S	1641	1715	1781	1871	1982	2103	2252	2412	2591
	DEB1-M121B	1455	1522	1592	1683	1792	1924	2062	2221	2398
	Fixed Back; Adjustable A	Arms - Syno	chro/Seat	Slider						
	DEC1-M122C	1844	1912	1982	2076	2185	2303	2452	2611	2791
8 / 8	DES1-M122S	1728	1801	1867	1957	2065	2186	2339	2496	2676
	DEB1-M122B	1538	1607	1677	1768	1879	2010	2146	2307	2486
	DED! WILED									
	Fixed Back; Fixed Arms	(Leather/Fa	abric Pad)	- Synchro						
	DEC1-M131C	` 1777	1856 ^	1934	2034	2149	2280	2437	2623	2803
	DES1-M131S	1709	1782	1862	1960	2080	2218	2366	2552	2727
	Fixed Back; Fixed Arms	(Leather/Fa	abric Pad)	- Synchro	/Seat Slide	er				
	DEC1-M132C	` 1861	1942 ′	2018	2119	2238	2364	2523	2707	2886
	DES1-M132S	1795	1869	1947	2045	2165	2304	2536	2636	2812
0										
	Fixed Back; Armless - Sy	ynchrρ	1509	1581	1668	1778	1911	2048	2211	2388
	DEC1-M101C	1304	1373	1443	1533	1643	1772	2046 1911	2073	2366 2250
	DES1-M101S	1227	1297	1369	1455	1566	1695	1835	1997	2173
	DEB1-M101B	1441	1231	1309	1433	1300	1093	1000	1881	2113
	Fixed Back; Armless - Sy	ynchroy∕§ea	it Sji gle ji	1664	1752	1862	1995	2133	2295	2473
6 4	DEC1-M102C	1387	1456	1529	1617	1729	1856	1995	2158	2333
ο H -	DES1-M102S	1311	1381	1452	1538	1651	1779	1920	2083	2257
	DEB1-M102B									

Each chair features the Synchro Tilt mechanism

ORDERING NOTES: The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of \$64 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	M	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		
				Fixed Captilever		

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO E-LINE | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE	BRIC GRA	DES 6	7	LEATHER 8	9
					•			•		
	Adjustable Back; Fixed	-		4744	4000	4044	0004	04.05	00.45	0504
N \	DEC1-M211C	1572	1644	1714	1806	1914	2034	2185	2345	2524
	DES1-M211S	1506	1572	1643	1732	1842	1976	2112	2274	2452
	DEB1-M211B	1318	1387	1456	1548	1659	1789	1927	2087	2265
	Adjustable Back; Fixed	Arms - Syn	chro/Seat	Slider						
6	DEC1-M212C	1660	1730	1798	1892	1999	2119	2268	2430	2458
® 7	DES1-M212S	1590	1660	1729	1817	1927	2060	2196	2359	2536
	DEB1-M212B	1404	1473	1539	1632	1741	1871	2012	2172	2348
	Adjustable Back; Adjus	table Arms	- Svnchro							
	DEC1-M221C	1795	1861	1932	2024	2133	2252	2398	2562	2742
U /	DES1-M221S	1672	1749	1817	1908	2017	2134	2283	2447	2628
	DEB1-M221B	1488	1557	1626	1715	1825	1957	2096	2256	2433
	DEDT WILLIE	1 100	1007	1020	17.10	1020	1001	2000	2200	2100
3	Adjustable Back; Adjust	table Arms	- Synchro	/Seat Slide	er					
S S S S S S S S S S S S S S S S S S S	DEC1-M222C	1880	1946	2017	2108	2217	2339	2486	2643	2827
& <u>_</u> }	DES1-M222S	1760	1835	1902	1991	2103	2218	2370	2530	2712
	DEB1-M222B	1572	1641	1712	1801	1911	2042	2180	2342	2520
	Adivetable Deels Fixed	Arman (Loot	hay/Cabyia	Dod\ Cu	nobro					
	Adjustable Back; Fixed					0100	0015	0.470	0057	0005
	DEC1-M231C	1811	1887	1967	2066	2186	2315	2472	2657	2835
	DES1-M231S	1745	1818	1897	1995	2112	2254	2398	2586	2763
	Adjustable Back; Fixed	Arms (Leat	her/Fabric	Pad) - Sy	nchro/Sea	t Slider				
3	DEC1-M232C	1894	1976	2054	2154	2272	2397	2557	2741	2920
	DES1-M232S	1827	1905	1981	2080	2196	2340	2486	2670	2848
o d										
	Adjustable Back; Armle	ss - Synchr	о о							
	DEC1-M201C	1473	1540	1613	1703	1813	1945	2084	2242	2422
	DES1-M201S	1336	1405	1478	1565	1677	1804	1945	2107	2282
	DEB1-M201B	1260	1332	1402	1488	1601	1730	1867	2031	2210
	Adiustoble Deals Assessed	oo Cumaha	10 a at 01:	dau						
	Adjustable Back; Armle	-			1700	1007	0000	0107	0007	0500
0 0	DEC1-M202C	1557	1629	1697	1786	1897	2030	2167	2327	2506
~ a	DES1-M202S	1421	1491	1562	1647	1761	1887	2030	2192	2369
	DEB1-M202B	1345	1416	1485	1572	1686	1815	1953	2113	2294

Each chair features the Synchro Tilt mechanism

ORDERING NOTES: The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of \$64 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

PRODUCT CODE KEY

THODOOT CODE	- IXL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	M	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)		-			Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO E-LINE | HIGH BACK

		СОМ		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms -	- Synchro								
	DEC1-H111C	1590	1678	1772	1892	2032	2201	2405	2631	2879
	DES1-H111S	1522	1609	1703	1821	1960	2131	2332	2560	2808
	DEB1-H111B	1318	1405	1499	1619	1756	1927	2131	2357	2608
	Fired Deals Fired Asses	O ala /	0+ 0:	_						
	Fixed Back; Fixed Arms -	•			4077	0447	0000	0.407	0740	0004
	DEC1-H112C	1672	1764	1856	1977	2117	2286	2487	2716	2964
	DES1-H112S	1607	1693	1786	1908	2045	2214	2417	2642	2893
Φ B	DEB1-H112B	1404	1491	1584	1704	1842	2012	2214	2441	2692
	Fixed Back; Adjustable A	rms - Syn	chro							
	DEC1-H121C	1811	1898	1990	2110	2250	2419	2618	2839	3099
	DES1-H121S	1745	1834	1924	2040	2184	2348	2549	2772	3031
	DEB1-H121B	1538	1631	1719	1837	1980	2146	2346	2569	2828
		_								
	Fixed Back; Adjustable A	-								
	DEC1-H122C	1894	1982	2076	2195	2333	2504	2703	2922	3184
0 0	DES1-H122S	1827	1915	2010	2126	2266	2433	2635	2857	3115
⊗ H	DEB1-H122B	1623	1714	1804	1922	2063	2232	2431	2656	2913
	Fixed Back; Fixed Arms (Leather/Fa	abric Pad)	- Synchro						
	DEC1-H131C	1827	1922	2026	2154	2303	2481	2691	2942	3189
	DES1-H131S	1760	1855	1955	2085	2232	2410	2621	2872	3120
	Fixed Back; Fixed Arms (I eather/Fa	abric Pad)	- Synchro	/Seat Slide	<u>-</u> r				
	DEC1-H132C	1912	2007	2109	2239	2387	2566	2774	3027	3273
	DES1-H132S	1844	1938	2040	2168	2316	2493	2705	2956	3206

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES: The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**.

PRODUCT CODE KEY

THODOOT CODE	- 1 1 - 1					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	M	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		
				Fixed Cantilover		

DORSO E-LINE | HIGH BACK

		СОМ		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed A	rms - Syn	chro							
	DEC1-H211C	1623	1713	1804	1926	2064	2238	2436	2664	2913
	DES1-H211S	1557	1643	1735	1857	1995	2165	2366	2593	2845
	DEB1-H211B	1355	1440	1534	1653	1792	1960	2165	2390	2639
	Adjustable Back; Fixed A	ırms - Syn	chro/Seat	Slider						
	DEC1-H212C	1709	1797	1887	2011	2148	2322	2522	2747	2998
	DES1-H212S	1641	1729	1819	1942	2080	2249	2452	2678	2928
	DEB1-H212B	1439	1526	1618	1736	1879	2045	2249	2476	2723
-										
	Adjustable Back; Adjusta	ıble Arms	- Svnchro							
	DEC1-H221C	1844	1932	2024	2145	2282	2453	2654	2873	3134
	DES1-H221S	1777	1866	1957	2076	2215	2384	2585	2806	3067
	DEB1-H221B	1572	1664	1753	1870	2014	2180	2382	2606	2861
	Adjustable Back; Adjusta	ble Arms	- Synchro/	Seat Slide	r					
	DEC1-H222C	1928	2017	2108	2230	2369	2538	2739	2957	3217
	DES1-H222S	1861	1951	2042	2160	2301	2470	2669	2891	3148
	DEB1-H222B	1660	1748	1839	1955	2098	2265	2463	2688	2947
	Adjustable Back; Fixed A	rms (Lost)	oor/Enbrio	Pad) Sur	ochro					
	DEC1-H231C					0000	0540	0704	0070	0000
	DES1-H231S	1861	1957	2060	2190	2339	2516	2721	2973	3222
	DEG1 112010	1795	1886	1990	2118	2265	2443	2656	2906	3156
	Adjustable Back; Fixed A	rms (Leati	ner/Fabric	Pad) - Svr	nchro/Seat	Slider				
	DEC1-H232C	1946	2042	2144	2273	2420	2602	2807	3059	3308
""	DES1-H232S	1880	2042 1974	2076	2273	2348	2527	2740	2988	3239
		1000	1974	2010	2201	2340	2321	2140	2900	3239
% J/ 8										
••										

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES: The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**. Please see page 333 for more information.

PRODUCT CODE KEY


THODOOT CODE	- IXL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		
				Fixed Cantilever		

Fixed Cantilever (Upholstered)

DORSO T-LINE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.91%

POST-CONSUMER RECYCLED CONTENT = 18.91%

Up to 63.75% of this Dorso T product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO T-LINE | MID BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	- Synchro								
	DTC1-M111C	1417	1483	1548	1632	1731	1841	1979	2129	2293
	DTS1-M111S	1355	1417	1482	1563	1664	1782	1913	2061	2227
	DTB1-M111B	1183	1245	1310	1390	1492	1615	1741	1887	2054
	Fixed Back; Fixed Arms	- Synchro/	Seat Slide	r						
	DTC1-M112C	1501	1566	1632	1715	1816	1926	2062	2212	2376
	DTS1-M112S	1439	1501	1565	1643	1748	1869	1998	2145	2308
о в	DTB1-M112B	1268	1332	1394	1477	1579	1698	1825	1976	2135
	Fixed Back; Adjustable	Arms - Svn	chro							
	DTC1-M121C	1619 [°]	1683	1747	1833	1932	2040	2176	2324	2492
	DTS1-M121S	1509	1581	1641	1723	1822	1934	2073	2218	2384
	DTB1-M121B	1338	1402	1465	1548	1646	1771	1897	2045	2210
	Fixed Back; Adjustable	Arms - Syn	chro/Seat	Slider						
000	DTC1-M122C	1704	1768	1833	1914	2017	2126	2263	2410	2577
& A &	DTS1-M122S	1594	1664	1728	1806	1909	2018	2158	2304	2470
	DTB1-M122B	1422	1485	1552	1632	1732	1855	1981	2131	2294
	Fixed Back; Armless - S	ynchro								
	DTC1-M101C	1320	1389	1452	1535	1638	1756	1884	2033	2196
	DTS1-M101S	1199	1263	1330	1409	1512	1631	1756	1908	2069
	DTB1-M101B	1127	1193	1257	1338	1441	1560	1688	1837	1999
	Fixed Back; Armless - S	vnchro/Sea	at Slider							
6 8 m	DTC1-M102C	1408	1474	1536	1619	1719	1842	1968	2118	2266
& <i>B</i> .	DTS1-M102S	1284	1347	1414	1494	1596	1714	1842	1991	2157
	DTB1-M102B	1212	1276	1341	1422	1527	1644	1773	1921	2085

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**. Please see page 333 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
223	231	239	245	255	261	270	291	301

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO T-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed Ar	ms - Sync	chro							
	DTC1-M211C	1449	1513	1579	1664	1761	1871	2011	2158	2323
	DTS1-M211S	1386	1449	1512	1594	1695	1817	1945	2090	2255
	DTB1-M211B	1215	1275	1340	1422	1526	1644	1773	1921	2085
	Adjustable Back; Fixed Ar	ms - Sync	chro/Seat	Slider						
	DTC1-M212C	1534	1597	1663	1748	1845	1957	2094	2241	2408
	DTS1-M212S	1468	1534	1596	1678	1779	1902	2030	2174	2341
.	DTB1-M212B	1302	1359	1423	1508	1609	1730	1858	2003	2168
	Adjustable Back; Adjustat	ole Arms -	Synchro							
	DTC1-M221C	1647	1713	1778	1861	1964	2073	2210	2357	2523
	DTS1-M221S	1539	1609	1670	1753	1856	1965	2104	2250	2415
\$1	DTB1-M221B	1372	1431	1495	1581	1680	1801	1928	2077	2240
	Adjustable Back; Adjustab	ole Arms -	Synchro/S	Seat Slide	•					
	DTC1-M222C	1734	1797	1862	1946	2046	2158	2294	2441	2608
	DTS1-M222S	1626	1693	1755	1839	1942	2048	2190	2333	2500
Bod	DTB1-M222B	1455	1515	1582	1664	1767	1884	2014	2163	2324
	Adjustable Back; Armless	- Synchro)							
	DTC1-M201C	1357	1422	1485	1568	1669	1792	1920	2065	2232
	DTS1-M201S	1231	1297	1361	1443	1545	1664	1792	1942	2106
	DTB1-M201B	1163	1227	1290	1373	1477	1594	1719	1870	2033
	Adjustable Back; Armless	- Synchro	/Seat Slid	er						
C A A	DTC1-M202C	1441	1508	1569	1653	1753	1879	2002	2149	2329
8	DTS1-M202S	1316	1381	1447	1529	1631	1748	1879	2026	2191
	DTB1-M202B	1247	1311	1376	1456	1560	1678	1804	1955	2118

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**. Please see page 333 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
223	231	239	245	255	261	270	291	301

PRODUCT CODE KEY

THODOOT CODE	- 11-1					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	M	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever Upholstered

DORSO T-LINE | HIGH BACK

DESCRIPTION/MODEL					COL FABRIC GRADES 3 4 5 6				LEATHER 7 8 9			
DESCRIPTION/MODEL				<u> </u>	4	<u> </u>	0		0			
	Fixed Back; Fixed Arms	-										
	DTC1-H111C	1464	1545	1631	1741	1869	2028	2211	2420	2650		
	DTS1-H111S	1402	1482	1566	1677	1803	1959	2146	2355	2586		
	DTB1-H111B	1215	1294	1380	1488	1618	1773	1959	2168	2397		
	Fixed Back; Fixed Arms	- Synchro/	Seat Slide	r								
	DTC1-H112C	1551	1631	1714	1825	1954	2110	2295	2505	2736		
	DTS1-H112S	1485	1565	1651	1761	1886	2043	2232	2440	2670		
	DTB1-H112B	1302	1380	1464	1572	1703	1858	2043	2254	2483		
G C												
	Fixed Back; Adjustable A	rms - Syn	chro									
	DTC1-H121C	1666	1747	1833	1944	2069	2228	2410	2611	2851		
	DTS1-H121S	1604	1686	1771	1880	2010	2164	2345	2552	2789		
	DTB1-H121B	1417	1499	1584	1690	1819	1976	2160	2362	2605		
		able Arms - Synchro/Seat Slider										
	DTC1-H122C	1749	1833	1914	2028	2157	2310	2493	2696	2935		
	DTS1-H122S	1689	1771	1855	1964	2091	2244	2430	2636	2874		
	DTB1-H122B	1501	1584	1668	1776	1906	2060	2261	2448	2686		
	Fixed Back; Armless - Sy	nchro/										
	DTC1-H101C	1361	1443	1529	1640	1769	1926	2032	2321	2548		
	DTS1-H101S	1231	1311	1398	1508	1636	1790	1979	2186	2415		
	DTB1-H101B	1157	1236	1318	1430	1558	1714	1899	2109	2341		
	Fixed Back; Armless - Sy											
	DTC1-H102C	1447	1529	1613	1724	1853	2011	2193	2406	2632		
\$ 1 B	DTS1-H102S	1316	1396	1332	1592	1717	1878	2062	2272	2500		
949	DTB1-H102B	1241	1318	1404	1514	1643	1798	1985	2194	2423		

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**. Please see page 333 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

- poa. go .o.		ото. ор	olotolou oup.					
GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
223	231	239	245	255	261	270	291	301

PRODUCT CODE KEY

PRODUCT CODE	. NL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO T-LINE | HIGH BACK

		COM		COL		BRIC GRAI			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed Arms - Synchro									
	DTC1-H211C	1494	1573	1663	1772	1899	2059	2241	2452	2680
	DTS1-H211S	1431	1512	1597	1706	1836	1991	2176	2386	2615
	DTB1-H211B	1334	1414	1497	1607	1735	1892	2079	2286	2518
	Adjustable Back; Fixed A									
	DTC1-H212C	1581	1662	1747	1856	1985	2143	2326	2536	2764
6 N	DTS1-H212S	1515	1596	1683	1792	1921	2077	2263	2471	2701
Q H	DTB1-H212B	1419	1497	1583	1692	1819	1977	2164	2373	2605
	Adjustable Back; Adjustable Arms - Synchro									
	DTC1-H221C	1697	1778	1861	1976	2103	2256	2441	2641	2883
	DTS1-H221S	1636	1716	1801	1909	2039	2193	2377	2581	2820
	DTB1-H221B	1451	1534	1618	1724	1855	2010	2193	2396	2636
	Adjustable Back; Adjustal		•							
	DTC1-H222C	1780	1862	1946	2060	2186	2342	2526	2726	2966
	DTS1-H222S	1717	1802	1884	1993	2124	2278	2461	2668	2906
ΘΗΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕΕ<	DTB1-H222B	1535	1618	1703	1810	1938	2091	2278	2481	2719
	Adjustable Back; Armless	- Synchr	0							
	DTC1-H201C	1396	1478	1562	1671	1802	1959	2143	2354	2581
	DTS1-H201S	1267	1345	1431	1539	1668	1822	2012	2218	2449
	DTB1-H201B	1191	1270	1355	1464	1592	1748	1934	2144	2374
		1101	1270	1000	1101	1002	17.10	1001		207
	Adjustable Back; Armless	- Synchr	o/Seat Slid	ler						
	DTC1-H202C	1482	1562	1645	1756	1885	2043	2228	2437	2668
	DTS1-H202S	1351	1430	1515	1626	1752	1909	2096	2218	2449
\$ J \$	DTB1-H202B	1273	1355	1439	1551	1677	1834	2018	2229	2459
**										

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **59 list per yard**. Please see page 333 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
223	231	239	245	255	261	270	291	301


PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		

DORSO WEAVE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 11.32%

POST-CONSUMER RECYCLED CONTENT = 21.48%

Up to 74.04% of this Dorso Weave product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO WEAVE | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

S-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

N-I INF

Fixed cantilever and adjustable arms are available in black textured plastic only.



BASE STYLES

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



pull of the lever. BACK HEIGHT

SEAT HEIGHT

BACK TENSION

preferences.

SEAT SLIDER

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

In the seated position, a pull upwards on the

height adjustment lever located under the seat of

the user's right side adjusts the height up or down

Back tension on the mechanism is controlled with

an adjustment knob under the seat. It has been

designed to provide a range of back tension

adjustment suitable for users of varying sizes and

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment

front to back when seated. The lever to

activate this feature is located under the seat of the user's right side and is activated by an upward

with a total height range of 4.5".



DORSO CONTROLS

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.

BACK COLOR OPTIONS

Black • Warm Grey • Tan • Soft Beige • Winter White

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed	24.5	22.5	42.5	18-22	27-30.5	20	18	51	15	0.75
	Adjustable	25	22.5	42.5	18-22	25.5-32	19.5	18	51	15	0.75
	Armless	19.5	22.5	42.5	18-22	N/A	N/A	18	46	15	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	47	18-22	27-30.5	20	18	52	18	0.75
	Adjustable	25	22.5	47	18-22	25.5-32	19.5	18	52	18	0.75
	Armless	19.5	22.5	47	18-22	N/A	N/A	18	47	18	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	50.5	18-22	27-30.5	20	18	54	18	0.75
with Headrest	Adjustable	25	22.5	50.5	18-22	25.5-32	19.5	18	54	18	0.75
N-LINE MID BACK	Fixed	24.5	21.5	41	18-22	27-30.5	20	18	50	15	0.75
	Adjustable	25	21.5	41	18-22	25.5-32	19.5	18	50	15	0.75
	Armless	19.5	21.5	41	18-22	N/A	N/A	18	45	15	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	45.5	18-22	27-30.5	20	18	51	18	0.75
	Adjustable	25	21.5	45.5	18-22	25.5-32	19.5	18	51	18	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	50.5	18-22	27-30.5	20	18	53	19.5	0.75
with Headrest	Adjustable	25	21.5	50.5	18-22	25.5-32	19.5	18	53	19.5	0.75

Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso seating. For information on COM approval process see page 333.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position.

All dimensions are in inches and approximate and are subject to change without notice.

Contact Customer Service if dimensions are critical.

DORSO WEAVE S-LINE | MID BACK

		COM COL FABRIC GRADES			DES	LEATHER				
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black with r	netal acce	ent)							
(5555) (5555)	DOS1-M2211M	1792	1810	1825	1853	1880	1906	1938	1976	2011
	Silver Metallic									
	DOS1-M2231M	2014	2040	2063	2096	2133	2167	2210	2266	2312
	Silver Metallic									
	DOC1-M2211M	1878	1893	1911	1935	1964	1988	2024	2059	2091
	Polished Chrome									
0 -	DOC1-M2231M	2098	2122	2148	2180	2217	2250	2295	2348	2392
	Polished Chrome									
	ADJUSTABLE ARMS (Blad	ck with me	etal accent	t)						
(COCCO)	DOS1-M2221M	1719	1736	1753	1780	1806	1835	1867	1905	1936
¥ 7	Silver Metallic									
	DOC1-M2221M	1810	1825	1844	1869	1897	1922	1957	1991	2028
	Polished Chrome									
	ARMLESS									
(5555)	DOS1-M2201M	1606	1622	1640	1667	1692	1717	1752	1789	1821
(********* 	Silver Metallic									
W. 1000	DOC1-M2201M	1683	1698	1716	1745	1769	1796	1833	1863	1899
	Polished Chrome									

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$80 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. Please see page 333 for more information.



PRODUCT CODE KEY

11102001 001	JE IXET						
Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Mechanism	Base
DOS	1	М	2	2	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating			Weave			
DOC	_	Н		3	1	2	J
Dorso S-Line		High Back		Headrest (No trim)	Fixed Cantilever	Synchro/	Jury Base
(Polished Chrome	e)			(High back only)		Seat Slider	
				Weave	2		
					Adjustable (Black)		
					3		

Fixed Cantilever Upholstered

DORSO WEAVE S-LINE | HIGH BACK

		COM		COL	FAB	FABRIC GRADES		LEATHER			
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9	
	FIXED ARMS (Black w	ith metal acc	ent)								
	DOS1-H2211M	1935	1954	1970	1997	2024	2048	2085	2118	2154	
	Silver Metallic										
	DOS1-H2231M	2157	2185	2210	2241	2278	2310	2355	2410	2453	
	DOC1-H2211M	2020	2039	2058	2084	2108	2134	2168	2206	2240	
	Polished Chrome										
	DOC1-H2231M	2242	2269	2296	2328	2361	2396	2438	2496	2541	
	ADJUSTABLE ARMS (Black with metal accent)										
(00004 (00000) (00000)	DOS1-H2221M	1867	1884	1905	1928	1955	1981	2017	2053	2086	
	Silver Metallic										
	DOC1-H2221M	1955	1974	1990	2017	2042	2066	2104	2139	2172	
	Polished Chrome										
DORSO WE	AVE S-LINE H	IIGH BA	ACK W	/ITH H	HEADF	REST					
	FIXED ARMS (Black w	ith metal acc	ent)								
(655)	DOS1-H2311M	2132	2147	2166	2193	2217	2243	2279	2315	2347	
(6533)	Silver Metallic	2102	2171	2100	2100	2211	2240	2210	2010	2041	
57	DOS1-H2331M	2354	2378	2405	2438	2471	2506	2549	2607	2649	
	Silver Metallic										
	DOC1-H2311M	2217	2236	2254	2279	2306	2329	2366	2398	2436	
6 70 8	Polished Chrome										
0 -	DOC1-H2331M	2438	2464	2492	2524	2560	2591	2636	2690	2738	
	Polished Chrome										
	ADJUSTABLE ARMS (Black with m	etal accer	n+)							
	DOS1-H2321M			,	0.105		- · - ·	2215			
(0.000) (0.000) (0.000)	Silver Metallic	2063	2083	2098	2126	2148	2174	2212	2244	2280	

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

2167

2186

2212

Clearly indicate on order fabric selection for seat and weave selection for back.

Silver Metallic DOC1-H2321M

Polished Chrome

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$80 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. Please see page 333 for more information.

2148



2369

2332

2299

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DOS	1	М	2	2	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		Weave 3	1	2	J
Dorso S-Line (Polished Chrome	a)	High Back		Headrest (No trim) (High back only) Weave	Fixed Cantilever	Synchro/ Seat Slider	Jury Base

Adjustable (Black)

3

2239

2264

Fixed Cantilever Upholstered

DORSO WEAVE N-LINE | MID BACK

		COM		COL	COL FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL	_	1	2	3	4	5	6	7	8	9
1	FIXED ARMS (Black) DON1-M1211B No back adjustment DON1-M2211B	1572 1666	1590 1683	1609 1698	1636 1728	1663 1751	1688 1778	1723 1813	1755 1846	1792 1882
	With back adjustment									
(2333)	ADJUSTABLE ARMS (BI	ack)								
(00000) (00000)	DON1-M1221B	1506	1522	1539	1566	1592	1619	1653	1689	1724
	No back adjustment DON1-M2221B With back adjustment	1594	1613	1631	1659	1683	1706	1745	1778	1813
	ARMLESS									
	DON1-M1201B No back adjustment	1387	1404	1421	1449	1474	1501	1535	1569	1606
	DON1-M2201B With back adjustment	1465	1484	1501	1527	1555	1581	1615	1646	1685

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$199**. Seat slider option is available on all tilter chair models at an upcharge of **\$80 list**.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
		Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
				Weave	2		
					Adjustable (Black)		

DORSO WEAVE N-LINE | HIGH BACK

DESCRIPTION/MODEL		COM COL FABRIC GRADES 1 2 3 4 5 6		LEATHER 7 8		9				
	FIXED ARMS (Black) DON1-H1211B No back adjustment DON1-H2211B With back adjustment	1760 1846	1778 1863	1796 1882	1819 1909	1846 1934	1871 1960	1909 1995	1944 2031	1979 2064
	ADJUSTABLE ARMS (BI DON1-H1221B No back adjustment DON1-H2221B With back adjustment	ack) 1692 1778	1709 1796	1729 1813	1752 1839	1779 1863	1804 1892	1841 1926	1878 1960	1911 1995
DORSO WEA	VE N-LINE HI	GH BA	ACK w	⁄ith H€	eadres	st				
	FIXED ARMS (Black) DON1-H1311B No back adjustment DON1-H2311B With back adjustment	1955 2043	1974 2061	1990 2080	2017 2106	2042 2132	2066 2158	2104 2193	2139 2228	2172 2263
	ADJUSTABLE ARMS (BI DON1-H1321B No back adjustment DON1-H2321B With back adjustment	ack) 1885 1976	1906 1991	1922 2011	1949 2034	1976 2061	1999 2087	2034 2124	2069 2158	2106 2193

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$199**. Seat slider option is available on all tilter chair models at an upcharge of **\$80 list**.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$77** to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64** list **per yard.** See page 333 for more information.



PRODUCT CODE KEY


11100001 00	DE IXET						
Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
		Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only) Weave	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					Adjustable (Black)		

3
Fixed Cantilever
Upholstered

DORSO S-LINE & N-LINE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 21.68%

POST-CONSUMER
RECYCLED CONTENT = 20.03%

Up to 77.88% of Dorso S product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO S-LINE & N-LINE | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.



Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

N-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



BASE STYLES

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



S-LINE

Dorso seating is available in three base styles: Cantilever

4-Leq

4-Leg with twin wheel casters

Each is offered in a Silver Metallic or Polished Chrome steel frame. Cantilever and 4-Leg versions of Guest Seating feature rubber glides.



Dorso seating is available in three base styles: Cantilever

4-Lea

4-Leg with twin wheel casters

Each is offered in a Silver Metallic steel frame.



BACK HEIGHT

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

BACK TENSION

Back tension on the synchro tilt mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.



DORSO CONTROLS

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. One of the best engineered and most user-friendly chair controls, the synchro tilt mechanism is unique in providing a single, easy-accessed lever to adjust tilt lock positions and seat height. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines. The synchro tilt mechanism also features an anti-kickback lock release, providing a smooth transition from locked to unlocked tilt adjustment.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

SEAT SLIDER

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DORSO S-LINE & N-LINE | DIMENSIONS & COM REQUIREMENTS

Presenting one of the world's most advanced seating concepts: new technology that offers outstanding ergonomics in a strikingly modern chair design, while providing a level of long-term sitting comfort and support that has been the hallmark of European seating. DORSO: Designed by Gabriel Teixidó

		Overall Width	Overall Depth	Overall Height	Seat Height		ht of om Floor		idth en Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	42.5 42.5 42.5	18-22 18-22 18-22	25.	30.5 5-32 /A	1	20 9.5 VA	18 18 18	51 51 46	15 15 15	1.7 1.7 1.7
S-LINE HIGH BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	47 47 47	18-22 18-22 18-22	25.	30.5 5-32 /A	1	20 9.5 I/A	18 18 18	52 52 47	18 18 18	1.9 1.9 1.9
S-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	22.5 22.5	50.5 50.5	18-22 18-22		30.5 5-32		20 9.5	18 18	54 54	18 18	1.9 1.9
N-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	21.5 21.5 21.5	41 41 41	18-22 18-22 18-22	25.	30.5 5-32 /A	1	20 9.5 I/A	18 18 18	50 50 45	15 15 15	1.7 1.7 1.7
N-LINE HIGH BACK	Fixed Adjustable	24.5 25	21.5 21.5	45.5 45.5	18-22 18-22		30.5 5-32		20 9.5	18 18	51 51	18 18	1.9 1.9
N-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	21.5 21.5	50.5 50.5	18-22 18-22		30.5 5-32		20 9.5	18 18	53 53	19.5 19.5	1.9 1.9
GUEST		Overall Width	Overall Depth	Seat Height	Heigl Arms fro		Wid		Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless Fixed	20.75 24.5	25.50 25.50	18.5 18.5	27 27		19. 19.		19.5 19.5	36 36	32 37	14 14	1.3 1.3
S-LINE/4LEG with Casters	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	36 36	33 38	14 14	1.3 1.3
S-LINE/ Cantilever Base	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	36 36	39 44	14 14	1.3 1.3
N-LINE/4LEG	Armless Fixed	20.75 24.5	25.50 25.50	18.5 18.5	27 27		19. 19.		19.5 19.5	34.75 34.75	31 36	14 14	1.3 1.3
N-LINE/4LEG with Casters	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	34.75 34.75	32 37	14 14	1.3 1.3
N-LINE/ Cantilever Base	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	34.75 34.75	38 43	14 14	1.3 1.3

ORDERING NOTE

Add 0.5 yards for seating with leather wrapped arm option.

Note: Some vinyls are not suitable for application on Dorso seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for an approval process at time of order.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

ORDERING NOTES

All Dorso swivel and tilter models are available with an optional seat slider mechanism at an upcharge of **\$80 list**.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

2025 | SEATING & OCCASIONAL TABLES | CANADA | 42

DORSO S-LINE | MID BACK

		COM		COL	FAE	RIC GRAD	DES		LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9		
	FIXED ARMS (Black wit	h metal acc	ent)									
[\ _	DOS1-M2011M	1884	1955	2028	2118	2232	2366	2511	2676	2858		
-57	Silver Metallic											
	DOS1-M2031M	2107	2186	2265	2364	2486	2629	2781	2966	3159		
	Silver Metallic											
	DOC1-M2011M	1976	2046	2118	2214	2326	2449	2606	2768	2955		
4 8	Polished Chrome	0100	0070	0057	0.400	0500	0710	0074	0050	0055		
	DOC1-M2031M Polished Chrome	2196	2278	2357	2460	2580	2713	2874	3058	3255		
	Folished Chilome											
	ADJUSTABLE ARMS (Black with metal accent)											
\ _	DOS1-M2021M	1810	1884	1955	2046	2163	2282	2437	2606	2788		
77-7	Silver Metallic											
	DOC1-M2021M	1906	1976	2046	2140	2254	2377	2530	2695	2881		
	Polished Chrome											
원 원												
	ARMLESS											
	DOS1-M2001M	1689	1760	1835	1924	2039	2172	2315	2481	2664		
	Silver Metallic											
	DOC1-M2001M	1771	1842	1913	2003	2118	2254	2396	2563	2745		
	Polished Chrome											
	DOS1-M2001M Silver Metallic DOC1-M2001M				1924 2003							

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



PRODUCT CODE KEY

PRODUCT COL	JE KET						
Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	М	2	0	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		1	1	2	J
Dorso S-Line (Polished Chrome	e)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black)		

Fixed Cantilever Upholstered

DORSO S-LINE | HIGH BACK

		COM		COL	FA	BRIC GRA	DES		LEATHER	₹
DESCRIPTION/MODEL	•	1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wir	th metal ac	cent)							
	DOS1-H2011M	2039	2130	2221	2347	2491	2664	2873	3105	3366
	Silver Metallic									
	DOS1-H2031M	2261	2359	2461	2593	2744	2927	3142	3397	3665
	Silver Metallic									
	DOC1-H2011M	2132	2220	2316	2441	2585	2746	2965	3200	3458
	Polished Chrome									
· ·	DOC1-H2031M	2354	2451	2554	2686	2838	3010	3236	3490	3760
	Polished Chrome									
	ADJUSTABLE ARMS (E									
	DOS1-H2021M Silver Metallic	1966	2060	2149	2273	2419	2590	2800	3027	3293
	DOC1-H2021M	0000	01.40	00.40	0000	0511	0000	0001	0117	0004
	Polished Chrome	2060	2149	2242	2366	2511	2686	2891	3117	3384
	1 olistica officiale									
		DO	RSO 9	1 INI	E HIC	H RA	CK W	/ITH L	IEADE	PEST
		DO	1100	3-LIIVI	_	תם ווג	CIT VV	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		ILO I
	FIXED ARMS (Black with	th metal acc	cent)							
H	DOS1-H2111M	2242	2357	2460	2606	2768	2964	3187	3434	3712
	Silver Metallic									
1	DOS1-H2131M	2464	2587	2697	2849	3022	3224	3457	3727	4013
	Silver Metallic									
	DOC1-H2111M	2333	2449	2553	2695	2858	3055	3283	3532	3810
	Polished Chrome									
	DOC1-H2131M	2555	2681	2791	2940	3112	3316	3553	3639	4110
	Polished Chrome									
	AD HIOTADI E ADMO (5	No alaman		- 1\						
\square	ADJUSTABLE ARMS (E			,						
	DOS1-H2121M Silver Metallic	2172	2273	2386	2530	2695	2891	3105	3366	3642
	DOC1-H2121M	2001	0000	0.404	0005	0700	2005	2005	0.456	070-
	Polished Chrome	2264	2366	2481	2625	2788	2985	3202	3456	3735
	i olistica ottiottic									

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of **\$80 list**.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



PRODUCT CODE KEY

1 1100001 000	/L IXL I						
Line	Series	Back Style	Back Adjustmen	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	M
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		1	1	2	J
Dorso S-Line (Polished Chrome	e)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black)		

Fixed Cantilever Upholstered

DORSO N-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1011B No back adjustment	1659	1730	1811	1906	2003	2140	2282	2460	2642
	DON1-M2011B With back adjustment	1751	1819	1906	1997	2103	2232	2377	2553	2738
	ADJUSTABLE ARMS (Bla	ıck)								
	DON1-M1021B No back adjustment	1585	1659	1730	1819	1934	2065	2214	2377	2563
	DON1-M2021B With back adjustment	1678	1751	1819	1913	2028	2163	2306	2470	2656
	ARMLESS DON1-M1001B No back adjustment	1460	1534	1615	1706	1811	1946	2089	2264	2449
	DON1-M2001B With back adjustment	1540	1626	1698	1792	1906	2028	2180	2347	2530
& No Se										

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$199.

Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



PRODUCT CODE KEY

PRODUCT COL	JE KET						
Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black
	& Conference Seating						Nylon Base
	_	Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim)	Fixed (Black)	Synchro/	Jury Base
				(High back only)	Cantilever	Seat Slider	
					2		

Adjustable (Black)

DORSO N-LINE | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	RIC GRAD	DES 6	7	LEATHER 8	9
	FIXED ARMS (Black) DON1-H1011B No back adjustment	1852	1946	2039	2163	2306	2481	2686	2921	3181
	DON1-H2011B With back adjustment	1946	2039	2130	2254	2396	2571	2778	3016	3271
	ADJUSTABLE ARMS (BI	,								
	DON1-H1021B No back adjustment	1779	1870	1966	2089	2232	2410	2612	2839	3105
	DON1-H2021B With back adjustment	1870	1966	2060	2180	2326	2500	2707	2933	3202

DORSO N-LINE | HIGH BACK WITH HEADREST



FIXED ARMS (Black) DON1-H1111B No back adjustment DON1-H2111B With back adjustment



ADJUSTABLE ARMS (Black) DON1-H1121B No back adjustment DON1-H2121B With back adjustment

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$199.

Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black
3	& Conference Seating						Nylon Base
		Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black)	


2025 | SEATING & OCCASIONAL TABLES | CANADA | 46

ME | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 4.67%

POST-CONSUMER RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Me products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Me products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Me and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

Me brings new meaning to custom seating. Your comfort. Your style. Your chair.

With Me, options, styling and versatility are virtually endless, and comfort is superior. With Me, Krug has created a chair that not only provides unprecedented comfort and natural posture support, but also exceptional styling. Me is an adaptable seating solution for any management, task and conference environment.



ARM STYLES

Four arm styles are available on Me. In addition to the armless version, is the urethane over molded steel supported fixed cantilever arm, or the adjustable pad arms: urethane pad arms, or upholstered pad arms. Both adjustable arm versions feature: pivoting arms that adjust 30 degrees inward or outward, 1 1/2" left and right width adjustment control, and a 6 stop position arm height range with a total of 2.6" of height adjustment. When specifying leather on the upholstered arm pad version, the user has the option of a perforated arm pad (available when specifying Krug's stock leather only). When specifying polished aluminum bases on Me, the arm upright will also be finished in polished aluminum (on adjustable arm versions only).



BASE STYLES

Me seating is available in two base options. Choose from an injection molded, glass reinforced black nylon base or polished cast aluminum base, both with 2 1/4" dual wheel casters.



ME CONTROLS

Me features a standard synchro tilt mechanism that allows the back and the seat to articulate synchronously in a 2:1 ratio. This feature insures that the upward tilt of the seat is minimized as the back reclines. The mechanism that also features a standard tilt lock mechanism that allows the user an infinite number of recline lock positions. Simply push the tilt lock lever downward to lock and upward to free-float the back.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of:

Standard gas lift: 4.25" without seat slider and 4.0" with seat slider.

Low gas lift: 3.5" without seat slider and 3.5" with seat slider.

BACK TENSION

The back tension adjustment knob is located on the front underside of the seat. A simple turn of the knob provides a range of back tension adjustment suitable for users of varying sizes and preferences.

UPHOLSTERY OPTIONS

With Me comes the ability to choose contrasting fabrics/leathers for the seat, upper and lower back sections, as well as the upholstered arm pads. This option allows for an endless possibility of custom designed seating options (see upcharges on the following pages). When specifying leather from Krug's in-stock leather program, the option to perforate the leather on the lower back and upholstered pad arms is available (see pricing on the following pages).

SEAT SLIDER

All Me adjustable arm versions are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.

BACK HEIGHT

Me is available in three back heights: low, mid and high. Back height adjustment is a standard feature on all Me models. This feature offers an adjustment range of 11 positions over a 2 1/2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand of the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered to the first and lowest stop position.



OPTIONAL GAS LIFT HEIGHT RANGES

Me is available with two gas lift ranges. Unless clearly specified on order, Me seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows:

Non Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16" when lowered and no less than 20" when extended. Low gas lifts give a seat height of no greater than 15 1/8" when lowered and no less than 18 5/16" when extended.

Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16 1/4" when lowered and no less than 20 5/16" when extended. Low gas lifts give a seat height of no greater than 15 3/8" when lowered and no less than 18 15/16" when extended. If dimensions are critical, please contact Customer Service.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

ME | DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
LOW BACK	Armless	20	21.75	36.5	N/A	N/A	19	39	16	1.7
	Fixed	23	21.75	36.5	27.13	19	19	46	16	1.7
	Adjustable Urethane	24.75	21.75	36.5	24	17.25	19	46	16	1.7
	Adjustable Upholstered	25.5	21.75	36.5	24.25	16.75	19	46	16	1.7
MID BACK	Armless	20	21.75	39	N/A	N/A	19	43	18	1.8
	Fixed	23	21.75	39	27.13	19	19	48	18	1.8
	Adjustable Urethane	24.75	21.75	39	24	17.25	19	48	18	1.8
	Adjustable Upholstered	25.5	21.75	39	24.25	16.75	19	48	18	1.8
HIGH BACK	Armless	20	21.75	41.6	N/A	N/A	19	45	20	1.9
	Fixed	23	21.75	41.6	27.13	19	19	50	20	1.9
	Adjustable Urethane	24.75	21.75	41.6	24	17.25	19	50	20	1.9
	Adjustable Upholstered	25.5	21.75	41.6	24.25	16.75	19	50	20	1.9

Height measurements of Me are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

Note: Some vinyls are not suitable for upholstery on Me seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order. For Maharam or Momentum fabric, Krug will obtain the fabric sample.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

COM REQUIREMENTS PER CHAIR SECTION

Upper Back*	Lower Back*	Seat	Arm Pads
0.7	0.5	0.75	0.4

Measurements above are provided in yards.



Me | LOW BACK



Me | MID BACK



^{*}Upper and Lower Backs consist of both the inside and outside back.

		COM	COL	FA	ABRIC GRA	DES			LEATHER	l
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 L2 11B Standard back upholstery, MTH1 L2 21B Perforated back upholster			1460	1659	1751	1835	1988	2315 2500	2590
	MTH1 L2 11A Standard back upholstery, MTH1 L2 21A Perforated back upholstery			1604 e	1801	1893	1966	2118	2460 2642	2738
	ADJUSTABLE URETHANE MTH1 L2 12B Standard back upholstery, MTH1 L2 22B Perforated back upholstery	1298 black ba	1357 ase	1421	1583	1689	1760	1913	2221 2410	2507
9 9	MTH1 L2 12A Standard back upholstery, MTH1 L2 22A Perforated back upholstery			1555 e	1730	1835	1906	2045	2366 2553	2656
	UPHOLSTERED ADJUSTA MTH1 L2 13B Standard back upholstery, MTH1 L2 23B Perforated back upholster	1357 black ba	1421 ase	1491	1666	1771	1852	1997	2333 2522	2642
	MTH1 L2 13A Standard back upholstery, MTH1 L2 23A Perforated back upholstery	1504 silver me	1555 etallic base	1626 e	1811	1913	1997	2139	2470 2656	2778
	ARMLESS MTH1 L2 10B Standard back upholstery, MTH1 L2 20B Perforated back upholster			1347	1540	1626	1706	1861	2198 2386	2470
and the second	MTH1 L2 10A Standard back upholstery, MTH1 L2 20A Perforated back upholstery			1483 e	1677	1771	1842	1997	2333 2522	2612

ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$80 list**. For Jury Base version of this chair, please add a **'J'** for the base style at the end of the model number and **add \$77** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**

DUCT CO	DE KEY Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating		•	Upholstery		
		M		2	1	А
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metall
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
				A	Adjustable Upholstered	
					Pad Arms	

ME | MID BACK

		COM	COL	FA	BRIC GRA	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 M2 11B Standard back upholstery MTH1 M2 21B Perforated back upholster			1573	1779	1884	1966	2130	2491 2676	2788
	MTH1 M2 11A Standard back upholstery, MTH1 M2 21A Perforated back upholster			1717 e	1913	2018	2103	2273	2635 2820	2921
	ADJUSTABLE URETHANE MTH1 M2 12B Standard back upholstery MTH1 M2 22B Perforated back upholster	1389 , black ba	1460 ase	1526	1706	1811	1893	2045	2386 2571	2695
	MTH1 M2 12A Standard back upholstery MTH1 M2 22A Perforated back upholster			1659 e	1852	1954	2039	2180	2530 2717	2839
	UPHOLSTERED ADJUSTA MTH1 M2 13B Standard back upholstery, MTH1 M2 23B Perforated back upholster	1460 , black ba	1534 ase	1596	1792	1913	1988	2149	2507 2695	2839
	MTH1 M2 13A Standard back upholstery, MTH1 M2 23A Perforated back upholster			1730 e	1924	2045	2118	2282	2656 2839	2970
	ARMLESS MTH1 M2 10B Standard back upholstery, MTH1 M2 20B Perforated back upholster			1441	1645	1751	1835	1997	2366 2553	2656
& J 3	MTH1 M2 10A Standard back upholstery MTH1 M2 20A Perforated back upholster			1583 e	1792	1893	1976	2139	2500 2686	2800

ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$80 list**. For Jury Base version of this chair, please add a **'J'** for the base style at the end of the model number and **add \$77** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**

DUCT CO Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating			Upholstery		
		М		2	1	Α
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metall
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	b
					Pad Arms	

ME | HIGH BACK

		COM	COL	FABRIC GRADES			LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 H2 11B Standard back upholstery MTH1 H2 21B Perforated back upholster			1730	1966	2080	2172	2366	2768 2955	3097
	MTH1 H2 11A Standard back upholstery MTH1 H2 21A Perforated back upholster			1870 e	2089	2214	2306	2500	2913 3097	3232
	ADJUSTABLE URETHANE MTH1 H2 12B Standard back upholstery MTH1 H2 22B Perforated back upholster MTH1 H2 12A	1512 r, black bas ry, black bas 1645	1596 se ase 1730	1666	1884	1997 2139	2089	2273 2410	2664 2858 2808	2992
	Standard back upholstery MTH1 H2 22A Perforated back upholster			e					2992	
	UPHOLSTERED ADJUSTA MTH1 H2 13B Standard back upholstery MTH1 H2 23B Perforated back upholster	1583 , black bas	1677 se	1751	1976	2103	2180	2386	2800 2998	3138
& J 3	MTH1 H2 13A Standard back upholstery MTH1 H2 23A Perforated back upholster			1893 e	2109	2242	2326	2522	2943 3127	3283


ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$80 list**. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$77** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**

DUCT CO Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task & Conference Seating	Low Back	Adjustable	Standard Back Upholstery	Armless	Black Base
		M		2	1	Α
		Mid Back		Perforated Back Upholstery	Fixed Cantilever	Silver Metalli Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	t
					Pad Arms	

PAN AM | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.29%

POST-CONSUMER RECYCLE CONTENT = 18.32%

Up to 24.19% of Pan Am product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Pan Am products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Pan Am products are supplied air-emissions certified. Contact customer service for information.

FSC® Certification. Contact customer service for further information, pricing and lead times.

FSCº C021699



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Pan Am and other Krug products can be specified with

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating

PAN AM | FEATURES



ARM STYLES

Pan Am features three styles of fixed arms, including open urethane, closed upholstered and open upholstered versions.



BACK STYLES

Available with two different back options, Mid and High, Pan Am is perfect for desk and conference applications.



BASE STYLES

Featuring a five blade caster base with 2 1/4" hooded dual wheel casters, Pan Am bases are available in both glass reinforced molded nylon base and polished cast aluminum base. (upcharge applies.)



SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of: Standard gas lift: 3.5"

Low gas lift: 3.0"



TILT TENSION

A tilt tension knob is located under the seat for all versions of Pan Am. For Knee Tilt versions a push of the height adjustment lever toward the gas lift cylinder activates the tilt lock feature.

PAN AM CONTROLS

Pam Am is available with either a Swivel Tilt of Knee Tilt mechanism. All Pan Am seating features an adjustable tilt tension knob, and height adjustment lever. On the Knee Tilt version of Pan Am, the height adjustment lever also operates a forward tilt lock.

OPTIONAL GAS LIFT HEIGHT RANGES

PAN AM is available with two gas lift ranges. Unless clearly specified on order, PAN AM seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows: Pan Am standard gas lift give a seat height no greater than 16.4" when lowered and no less that 20.2" when extended. Low gas lift give a seat height no greater that 15.04" when lowered and no less than 18" when extended.

OPTIONAL JURY BASE

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
MID BACK	Open Urethane	24.5	24.5	34.5	25	18.5	19	31	15.03	1.8
	Closed Upholstered	27.25	24.5	34.5	26.75	19	19	33	15.03	2.7
	Open Upholstered	24.5	24.5	34.5	25	18.5	19	31	15.03	2.2
HIGH BACK	Open Urethane	24.5	24.5	40	25	18.5	19	35	17.06	1.9
	Closed Upholstered	27.25	24.5	40	26.75	19	19	37	17.06	2.8
	Open Upholstered	24.5	24.5	40	25	18.5	19	35	17.06	2.3
HIGH BACK	Open Urethane	24.5	24.5	46	25	18.5	19	37	18.75	2.5
with Headrest	Closed Upholstered	27.25	24.5	46	26.75	19	19	39	18.75	3.4
	Open Upholstered	24.5	24.5	46	25	18.5	19	37	18.75	2.9

Note: Some vinyls are not suitable for upholstery on Pan Am seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for a pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

Please contact Customer Service for more information on options for the Pan Am series. Height measurements of Pan Am are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

PAN AM | MID BACK

		СОМ		COL	FABR	IC GRADE	ES .	L	EATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-M11B Black base, swivel tilt PAN1-M12B Black base, knee tilt	1168 1316	1268 1425	1386 1534	1487 1643	1604 1761	1713 1860	1819 1980	1928 2080	2117 2265
	PAN1-M11A Polished aluminum base, s PAN1-M12A Polished aluminum base, k	1464	1425 1572	1534 1685	1636 1792	1752 1911	1860 2010	1968 2129	2080 2228	2265 2415
	i olistied aldiffillum base, k	ilee tiit								
	CLOSED UPHOLSTERED A PAN1-M21B Black base, swivel tilt	ARMS 1713	1869	2039	2195	2355	2513	2681	2842	3028
	PAN1-M22B Black base, knee tilt	1869	2030	2195	2355	2513	2672	2829	2998	3185
a a	PAN1-M21A Polished aluminum base, s	1860 wivel tilt	2019	2190	2345	2503	2660	2829	2987	3177
	PAN1-M22A Polished aluminum base, k	2019 inee tilt	2177	2345	2503	2660	2820	2978	3146	3333
	OPEN UPHOLSTERED AR	MS								
	PAN1-M31B Black base, swivel tilt	1834	1988	2147	2315	2476	2632	2789	2952	3137
	PAN1-M32B Black base, knee tilt	1980	2147	2306	2461	2623	2789	2952	3105	3294
	PAN1-M31A Polished aluminum base, s		2135	2298	2461	2623	2779	2919	3097	3287
	PAN1-M32A Polished aluminum base, k	2129 nee tilt	2298	2453	2611	2770	2938	3097	3252	3444

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.



Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	a comorones coaming	Н	2	2	А
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

PAN AM | HIGH BACK

		COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
\bigcap	OPEN URETHANE ARMS PAN1-H11B	1178	1288	1404	1526	1636	1752	1860	1980	2166
	Black base, swivel tilt PAN1-H12B Black base, knee tilt	1327	1447	1565	1685	1792	1911	2019	2135	2326
	PAN1-H11A Polished aluminum base, s	1327 swivel tilt	1434	1555	1671	1780	1899	2010	2129	2315
	PAN1-H12A Polished aluminum base, k	1473 knee tilt	1592	1713	1834	1936	1998	2166	2286	2476
	CLOSED UPHOLSTERED	ARMS								
	PAN1-H21B Black base, swivel tilt	1723	1892	2059	2228	2391	2553	2732	2890	3076
	PAN1-H22B Black base, knee tilt	1881	2046	2217	2384	2553	2713	2881	3045	3236
	PAN1-H21A Polished aluminum base, s	1869 swivel tilt	2039	2206	2376	2543	2701	2881	3037	3223
	PAN1-H22A Polished aluminum base, k	2030 knee tilt	2195	2366	2532	2701	2857	3028	3194	3382
	OPEN UPHOLSTERED AR	MS								
	PAN1-H31B Black base, swivel tilt	1841	2010	2177	2333	2503	2672	2842	3008	3194
	PAN1-H32B Black base, knee tilt	1998	2166	2333	2493	2660	2829	2998	3165	3354
	PAN1-H31A Polished aluminum base, s	1988 swivel tilt	2158	2326	2486	2652	2820	2987	3156	3345
	PAN1-H32A Polished aluminum base, k	2147 knee tilt	2315	2486	2639	2808	2978	3146	3314	3501

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.



NODOOT CODE RET					
Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	М	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	Ŭ	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

PAN AM | HIGH BACK WITH HEADREST

	CC			COL		IC GRADE			EATHER	
DESCRIPTION/MODEL	1	1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-HR-11B 12 Black base, swivel tilt	247	1357	1474	1594	1704	1821	1928	2048	2236
	PAN1-HR-12B 13 Black base, knee tilt	396	1515	1636	1752	1861	1980	2089	2209	2384
.	PAN1-HR-11A 13 Polished aluminum base, swiv		1505	1622	1745	1852	1968	2079	2195	2384
	PAN1-HR-12A 15 Polished aluminum base, knee		1664	1781	1902	2010	2066	2236	2359	2543
	CLOSED UPHOLSTERED ARI	RMS								
			1960	2130	2298	2461	2623	2802	2958	3146
	PAN1-HR-22B 19 Black base, knee tilt	951	2117	2286	2453	2623	2781	2952	3115	3304
Ø - Ø	PAN1-HR-21A 19 Polished aluminum base, swix		2108	2274	2445	2612	2770	2952	3105	3294
	PAN1-HR-22A 20 Polished aluminum base, knee		2265	2436	2605	2770	2926	3097	3265	3452
	OPEN UPHOLSTERED ARMS	3								
			2079	2249	2406	2570	2742	2910	3076	3265
	·	066	2236	2406	2563	2732	2899	3068	3237	3424
w w	Polished aluminum base, swiv		2228	2394	2555	2719	2890	3058	3223	3414
	PAN1-HR-32A 22 Polished aluminum base, knee		2384	2555	2713	2881	3047	3216	3383	3573

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.




Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	9	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

CADENCE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CADENCE | FEATURES



RECLINE ADJUSTMENT

The recline adjustment on the Cadence series allows a 24 degree range of motion. The foremost lever located on the right-hand side (when you are in a seated position) engages a device to lock the back in any position within the chair's range of movement. Lowering the lever locks the back at any position within the range. Raising the lever releases the lock and the back will move freely through the entire range.



BACK HEIGHT ADJUSTMENT

(on selected models only)

The back height is adjustable on selected models of Cadence series. The mechanism adjusts the back while in the seated position. The adjustable height back has a 4 inch range of movement with an 8 position stop mechanism. Place both hands on either side of the lower back cushion and lift and click to the desired height. Raise the back to the highest position to release the back height lock and lower to the first and lowest position.



BACK TENSION

A hand wheel centrally located near the front underside of the chair controls the amount of tension applied to the back. Turning the knob clockwise when you are in the seated position lessens the tension. Turning the knob counterclockwise increases the tension.



ARM HEIGHT

(on selected models only)

A trigger release button located outside and below the arm pad adjusts the arm height. Depress the trigger to raise arm through its height range of 3.5 inches and 8 settings. Depress the trigger to raise the arm, release when desired height is reached to lock in position.



SEAT HEIGHT ADJUSTMENTS

The rear-most lever located in the right-hand side (when you are in the seated position) activates the seat height adjustment. Pull up on the lever to adjust seat height up or down through a range of adjustment of 3 inches.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

		Overall Width		Overall Height		Height of Arms from floo	Width r between Arms	Seat Depth		Shipping Weight	Cube	COM Yardage
MID BACK	Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
Narrow Width	Adjustable	25	26	36.75	17.75	24.25-30.25	19.5	19.75	4	43	18	2.3
	Wood & Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
	Wood & Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.8
	Completely Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	3.0
	Armless	19.5	26	36.75	17.75	-	-	19.75	4	41	18	2.3
Wide Width	Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Adjustable	26.5	26	36.75	17.75	24.25-30.25	21	19.75	4	45	18	2.3
	Wood & Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Wood & Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.8
	Completely Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	3.0
	Armless	21	26	36.75	17.75	-	-	19.75	4	43	18	2.3
HIGH BACK	Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
Narrow Width	Adjustable	25	26	43	17.75	24.25-30.25	19.5	19.75	4	46	20	2.5
	Wood & Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
	Wood & Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.0
	Completely Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.2
Wide Width	Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Adjustable	26.5	26	43	17.75	24.25-30.25	21	19.75	4	48	20	2.5
	Wood & Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Wood & Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.0
	Completely Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.2
ARM CHAIR		27.25	27	36	18.25	26	18.75	18	_	23	18	1.7

Height measurements are taken with the pneumatic lift (and adjustable arm and back when applicable) in the lowest position.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

CADENCE | MID BACK

S S S S S S S S S S S S S S S S S S S		WOOD	COM		COL	FAE	RIC GRA	DES		LEATHE	3
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARI CAD1-MW11B CAD1-MN11B CAD1-MW21B CAD1-MN21B	MS	1597	1680	1751	1974	2090	2195	2364	2764	3013
	CAD1-MW11W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre	1898	1980	2046	2272	2392	2483	2664	3067	3303
	CAD1-MW21W	Cherry, Maple,									
	CAD1-MN21W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	ADJUSTABLE A	RMS									
7	CAD1-MW15B		1536	1615	1685	1905	2016	2104	2278	2658	2913
	CAD1-MN15B										
	CAD1-MW25B										
	CAD1-MN25B		1000	1014	1000	0107	0010	0.406	0570	2050	2002
	CAD1-MW15W	Cherry, Maple, Walnut, Medium Anigre	1839	1914	1982	2197	2312	2406	2579	2959	3203
o o	CAD1-MN15W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MW25W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN25W	Cherry, Maple, Walnut, Medium Anigre									
		TES: .D-MN25 versions are avant may add additional lea									
	WOOD AND UR CAD1-MW12B	ETHANE ARMS	1698	1780	1920	2098	2221	2318	2515	2934	3180
	CAD1-MN12B CAD1-MW22B										
	CAD1-MW22B		1997	2084	2160	2397	2523	2623	2816	3236	3465
	CAD1-MW12W	Cherry, Maple,	1991	2004	2100	2001	کاکا	2020	2010	0200	0400
	CAD1-MN12W	Walnut, Medium Anigre Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW22W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN22W	Cherry, Maple,									

ORDERING NOTES: Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator. For jury base version of this chair, please add a '**J**' for the base style at the end of the model number and **add \$77** to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**

Walnut, Medium Anigre



PHODUCT CODE	KEI					
	Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
	CAD	1	MW	1	1	W
Ca	dence N	Management Seating	Mid Back Wide	Fixed Back	Urethane	Wood
			MN	2	2	В
			Mid Back Narrow	Adjustable Back	Wood And Urethane	Black Nylon
					5	J
					Adjustable	Jury Base


CADENCE | MID BACK

DESCRIPTION	/MODEL	WOOD FINISH	COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHE 8	R 9
	WOOD AND UP	PHOLSTERED ARM									
\int	CAD1-MW13B		1920	2002	2143	2318	2447	2542	2738	3158	3465
	CAD1-MN13B										
$M \coprod$	CAD1-MW23B										
	CAD1-MN23B	Olasson Marala	0010	0000	0000	0000	0740	0045	0007	0.450	0757
	CAD1-MW13W	Cherry, Maple, Walnut, Medium Anigre	2218	2306	2383	2623	2743	2845	3037	3458	3757
8000	CAD1-MN13W	Cherry, Maple,									
	0/12 / 1111 / 071	Walnut, Medium Anigre									
	CAD1-MW23W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MN23W	Cherry, Maple,									
		Walnut, Medium Anigre									
	COMPLETELY I	UPHOLSTERED									
	CAD1-MW14B	OI HOLOTENED	1863	1951	2087	2264	2387	2487	2681	3101	3445
1/ 7 -	CAD1-MN14B										
	CAD1-MW24B										
	CAD1-MN24B										
H	CAD1-MW14W	7,,	2164	2250	2326	2566	2691	2788	2984	3404	3735
	CAD1-MN14W	Walnut, Medium Anigre Cherry, Maple,									
9 0	CAD I-IVIIN 14VV	Walnut, Medium Anigre									
	CAD1-MW24W										
		Walnut, Medium Anigre									
	CAD1-MN24W	• • • • • • • • • • • • • • • • • • • •									
		Walnut, Medium Anigre									
	ARMLESS										
	CAD1-MW10B		1431	1512	1583	1804	1924	2030	2196	2595	2874
]	CAD1-MN10B										
	CAD1-MW20B										
	CAD1-MN20B										
J. A.	CAD1-MW10W	Cherry, Maple,	1731	1813	1883	2107	2228	2315	2497	2894	3141
	CAD1-MN10W	Walnut, Medium Anigre Cherry, Maple,									
<i>y y</i>	CALL IVIIVIOV	Walnut, Medium Anigre									
	CAD1-MW20W	_									
		Walnut, Medium Anigre									
	CAD1-MN20W	Cherry, Maple,									
		Walnut, Medium Anigre									

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.





Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	0	W
Cadence	Management Seating	Mid Back Wide	Fixed Back	Armless	Wood
		MN Mid Back Narrow	2 Adjustable Back	Wood And Upholstered	Black Nylon
				4 Completely Upholstered	J Jury Base

CADENCE | HIGH BACK

		WOOD	СОМ		COL	FAE	BRIC GRA	ADES		LEATHE	R
DESCRIPTION/I	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARI CAD1-HW11B CAD1-HN11B CAD1-HW21B CAD1-HN21B	MS	1735	1842	1922	2163	2306	2407	2623	3074	3345
	CAD1-HW11W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	2039	2143	2221	2462	2608	2707	2921	3374	3634
	CAD1-HW21W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN21W	Cherry, Maple, Walnut, Anigre									
	ADJUSTABLE A	RMS									
	CAD1-HW15B		1668	1771	1849	2084	2217	2315	2523	2959	3234
	CAD1-HN15B										
	CAD1-HW25B										
	CAD1-HN25B CAD1-HW15W	Charm, Manla	1970	2069	2148	2383	2520	2618	2824	3259	3520
	CADT-HW15W	Cherry, Maple, Walnut, Medium Anigre	1070	2000	2140	2000	2020	2010	2024	0200	0020
	CAD1-HN15W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW25W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN25W	Cherry, Maple, Walnut, Medium Anigre									
	ORDERING NO	TES: CAD-MW25 versions	are avail	able with	ontional se	eat slider m	nechanism	n at an un	charge of	\$80 list	Specifying

ORDERING NOTES: CAD-MW25 versions are available with optional seat slider mechanism at an upcharge of \$80 list. Specifying seat slider option may add additional lead time to production schedules. Please contact Customer Service for more information.



WOOD AND URETHANE ARM CAD1-HW12B 1844 1957 2042 2303 2452 2559 2783 3266 3529 CAD1-HN12B CAD1-HW22B CAD1-HN22B 2146 2255 2345 2605 2747 2854 3084 3566 3816 CAD1-HW12W Cherry, Maple, Walnut, Medium Anigre CAD1-HN12W Cherry, Maple,

Walnut, Medium Anigre

CAD1-HW22W Cherry, Maple,

Walnut, Medium Anigre

CAD1-HN22W Cherry, Maple,

Walnut, Medium Anigre

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.



	Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
C	CAD	1 Management Seating	HW High Back Wide	1 Fixed Back	1 Urethane	Wood
			HN High Back Narrow	2 Adjustable Back	Wood And Urethane	B Black Nylon
					5 Adjustable	J Jury Base


CADENCE | HIGH BACK

		WOOD COM			COL	COL FABRIC GRADES			LEATHER		
DESCRIPTION/	/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	WOOD AND UP	HOLSTERED ARM									
J)	CAD1-HW13B		2065	2177	2264	2523	2673	2778	3006	3488	3816
	CAD1-HN13B										
	CAD1-HW23B										
	CAD1-HN23B										
	CAD1-HW13W	Cherry, Maple, Walnut, Medium Anigre	2366	2479	2566	2824	2971	3081	3305	3790	4107
	CAD1-HN13W	Cherry, Maple,									
Q Q		Walnut, Medium Anigre									
	CAD1-HW23W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-HN23W	Cherry, Maple,									
		Walnut, Medium Anigre									
		JPHOLSTERED ARM							0050	0.400	0705
1	CAD1-HW14B		2014	2124	2209	2464	2618	2720	2952	3432	3795
	CAD1-HN14B										
	CAD1-HW24B										
	CAD1-HN24B	Charm, Manla	2310	2422	2511	2768	2919	3027	3249	3735	4083
	CAD1-HW14W	Cherry, Maple, Walnut, Medium Anigre	2310	2422	2311	2700	2919	3021	3249	3733	4003
	CAD1-HN14W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW24W	Cherry, Maple,									
	OAD 1-11002400	Walnut, Medium Anigre									
	CAD1-HN24W	Cherry, Maple,									
	57 15 1 1 1 VZ TVV	Walnut, Medium Anigre									

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.





Line	Series	Back Style	Back Adjustmer	nt Arm Style	Base Style
CAD Cadence	1 Management Seating	HW High Back Wide	1 Fixed Back	3 Wood and Upholstered	W Wood
	2 Guest Seating	HN High Back Narrow	2 Adjustable Back	Completely Upholstered	B Black Nylon
		A Arm Chair			J Jury Base

GUEST SEATING


65 Addison
 68 Blake
 71 Dorso
 74 Bali
 76 Kita
 78 Spence
 80 Cadence
 82 Faeron Wood
 88 Faeron Metal

ADDISON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .69%

POST-CONSUMER RECYCLED CONTENT = 13.10%

Up to 13.79% of this Addison product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Addison products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Addison products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Addison and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ADDISON

		WOOD	COM COL FA		FAE	FABRIC GRADES			LEATHER		
DESCRIPTIO	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, ADD-2-A-1	OPEN BACK Cherry, Oak,Walnut, Beech, Medium Anigre	1003	1031	1059	1114	1169	1226	1282	1336	1449
		Maple	1082	1109	1138	1193	1247	1304	1358	1416	1527
	OPEN ARM, FULLY UPHOLSTERED BACK										
	ADD-2-A-2	Cherry, Oak, Walnut, Beech, Medium Anigre	1056	1103	1153	1247	1342	1440	1535	1632	1821
		Maple	1122	1171	1223	1317	1414	1509	1606	1702	1893
	OPEN ARM.	UPPER UPHOLSTERED	BACK								
	ADD-2-A-3	Cherry, Oak, Walnut, Beech, Medium Anigre	1037	1072	1110	1181	1253	1323	1396	1466	1613
		Maple	1117	1153	1190	1260	1333	1403	1474	1548	1690

ORDERING NOTES:

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.

Ganging is optional on all wood arm and side chairs at an upcharge of \$80 list per chair. Please specify at time of order. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE	PRODUCT	CODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
To order please specify the following.	ADD	2	А	1
Krug product model number Select a finish for the chair frame Select a textile or leather	Addison	Guest Seating	Arm Chair	Open Arm, Open Back
				Open Arm, Fully Upholstered Back
Dimensions are in inches and approximate. Contact Customer Service if dimensions				3
are critical.				Open Arm, Upper Upholstered Back
				4
				Open Arm, Horizontal Slat Back
				5
				Open Arm.Solid Wood Back

ADDISON

		WOOD	COM		COL	FABF	RIC GRAD	ES	L	EATHER.	
DESCRIPTION	I/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM ADD-2-A-4	, HORIZONTAL SLAT BA Cherry, Oak,Walnut, Beech, Medium Anigre	ACK 1021	1046	1074	1131	1187	1243	1298	1355	1474
		Maple	1090	1118	1143	1218	1257	1314	1370	1423	1535
	OPEN ARM ADD-2-A-5	, SOLID WOOD BACK Cherry, Oak, Walnut, Beech, Medium Anigre	1030	1058	1086	1140	1197	1252	1309	1361	1474
		Maple	1097	1124	1155	1209	1267	1319	1377	1433	1545

ORDERING NOTES:

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.

Ganging is optional on all wood arm and side chairs at an upcharge of **\$80 list** per chair. Please specify at time of order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.**

DIMENSIONS & COM REQUIREMENTS


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE	PRODUCT (CODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
to order please speetly the following.	ADD	2	А	1
Krug product model number	Addison	Guest Seating	Arm Chair	Open Arm, Open Back
Select a finish for the chair frame Select a textile or leather				2
5. 55.65t & toxinio 5. 154.115.				Open Arm, Fully Upholstered Back
Dimensions are in inches and approximate. Contact Customer Service if dimensions				3
are critical.				Open Arm, Upper Upholstered Back
				4
				Open Arm, Horizontal Slat Back
				5
				Open Arm, Solid Wood Back

BLAKE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 14%

POST-CONSUMER
RECYCLED CONTENT = 86%

Up to 86% of this Blake product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Blake products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Blake products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Blake and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

BLAKE

	WOOD		COM		COL	FABR	RIC GRAD	ES	LEATHER		
DESCRIPTION	/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, BLA-2-A-1	OPEN BACK Cherry, Oak,Walnut, Beech, Medium Anigre	915	942	973	1029	1084	1139	1194	1251	1359
		Maple	985	1012	1039	1095	1153	1207	1266	1318	1431
	OPEN ARM,	FULLY UPHOLSTERED	BACK								
	BLA-2-A-2	Cherry, Oak, Walnut, Beech, Medium Anigre	959	1008	1058	1153	1247	1342	1440	1535	1729
		Maple	1030	1080	1124	1223	1317	1414	1509	1606	1797
	OPEN ARM,	UPPER UPHOLSTERE	D BACK								_
	BLA-2-A-3	Cherry, Oak, Walnut, Beech, Medium Anigre	952	987	1026	1094	1166	1237	1310	1381	1526
		Maple	1021	1058	1093	1165	1236	1309	1380	1451	1594
	OPEN ARM	VERTICAL SLAT BACK									
	BLA-2-A-4	Cherry, Oak, Walnut, Beech, Medium Anigre	989	1018	1045	1102	1158	1212	1270	1323	1438
		Maple	1056	1084	1110	1166	1223	1276	1334	1389	1501

ORDERING NOTES

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8
ORDERING PR	OCEDURE		PRO	DUCT CO	DE KEY					
			Line	,	Series	Chair Type		Chair	Style	

To order please specify the following:

Line Series Chair Type Chair Style

BLA 2 A 1

1. Krug product model number
2. Select a finish for the chair frame

Blake Guest Seating Arm Chair Open Arm, Open Ba

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

3. Select a textile or leather

BLA		_ ^	<u>'</u>
Blake	Guest Seating	Arm Chair	Open Arm, Open Back
			2
			Open Arm, Fully Upholstered Back
			3
			Open Arm, Upper Upholstered Back
			4
			Open Arm, Vertical Slat Back
			5
			Open Arm, Lower Upholstered Back
			6
			Closed Arm, Lower Upholstered Back
			7
			Closed Arm. Fully Upholstered Back

		WOOD	COM		COL	FABR	IC GRADE	S	LI	EATHER	
DESCRIPTION	I/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, LO BLA-2-A-5	OWER UPHOLSTERE Cherry, Oak,Walnut, Beech, Medium Anig	988	1030	1067	1149	1228	1310	1389	1467	1631
		Maple	1062	1103	1142	1224	1304	1384	1464	1545	1704
	CLOSED ARM	LOWER UPHOLSTE	RED BACK	<							
	BLA-2-A-6	Cherry, Oak, Walnut, Beech, Medium Anig		1095	1165	1302	1438	1570	1706	1844	2113
		Maple	1107	1173	1243	1380	1514	1647	1786	1921	2194
	CLOSED ARM BLA-2-A-7	FULLY UPHOLSTER Cherry, Oak, Walnut,		1124	1199	1341	1487	1632	1777	1921	2211
		Beech, Medium Anig Maple	re 1122	1197	1268	1411	1557	1702	1845	1990	2279

ORDERING NOTES

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

DIMENSIONS & COM REQUIREMENTS


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8

ORDERING PROCEDURE PRODUCT CODE KEY Line Series Chair Type Chair Style To order please specify the following: BLA 2 Α 1. Krug product model number Blake Arm Chair Open Arm, Open Back **Guest Seating** 2. Select a finish for the chair frame 2 3. Select a textile or leather Open Arm, Fully Upholstered Back Dimensions are in inches and approximate. Contact Customer Service if dimensions Open Arm, Upper Upholstered Back are critical. 4 Open Arm, Vertical Slat Back 5 Open Arm, Lower Upholstered Back 6 Closed Arm, Lower Upholstered Back Closed Arm, Fully Upholstered Back

DORSO GUEST | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 9.82%

POST-CONSUMER RECYCLED CONTENT = 19.98%

Up to 73.17% of this Dorso product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.



DORSO S-LINE | GUEST

DESCRIPTION/	/MODEL	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	4 Leg Base, armless with Silver IDOS2-10	1131	1185	1244	1317	1409	1526	1645	1801	1966
	4 Leg Base, armless with Polished DOC2-10	1244	base 1298	1347	1431	1526	1626	1760	1906	2080
	4 Leg Base, fixed arms with Silve DOS2-11	1288	1347	1398	1473	1565	1678	1811	1955	2118
	4 Leg Base, fixed arms with Polis DOC2-11	sned Chron 1421	ne base 1473	1534	1604	1698	1811	1934	2089	2254
	4 Leg Base with Casters, armles DOS2-20	s with Silve 1270	r Metallic k 1275	oase 1338	1409	1504	1615	1736	1893	2060
	4 Leg Base with Casters, armles DOC2-20	s with Polis 1275	hed Chron 1338	ne base, 1389	1460	1555	1666	1801	1946	2109
	4 Leg Base with Casters, fixed a DOS2-21	1380	1441	1494	1565	1659	1771	1906	2046	2214
	4 Leg Base with Casters, fixed a DOC2-21	rms and Po 1512	lished Chr 1565	ome base 1626	1698	1792	1906	2028	2180	2347
	Cantilever Base, armless with Sil		base 1307	1057	1441	1504	1600	1771	1010	2000
	DOS2-30 Cantilever Base, armless with Po DOC2-30	1254 olished Chro 1372		1357 1483	1441 1555	1534 1645	1639 1760	1771 1893	1913 2039	2089 2198
	Cantilever Base, fixed arms with DOS2-31	Silver Meta 1565	Illic base 1626	1678	1751	1842	1955	2089	2232	2396
	Cantilever Base, fixed arms with DOC2-31	Polished C 1626	hrome bas 1689	se 1736	1811	1906	2018	2149	2297	2460

ORDERING NOTES

Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.

ORDERING PROCEDURE

PRODUCT CODE KEY

OTIDETIING T TIOOLDOTTE	PRODUCTIO	DEKEI		
To order please specify the following:	Line	Series	Base	Arm Style
To order please specify the following.	DOS	2	1	0
Krug product model number	Dorso S-Line	Guest Seating	Four Leg	Armless
2. Select a textile or leather	(Silver Metallic)			
	DOC		2	1
Dimensions are in inches and approximate.	Dorso S-Line		Four Leg	Fixed
Contact Customer Service if dimensions are critical.	(Polished Chrome)		with Casters	Cantilever
	DON		3	
	Dorso N-Line		Cantilever	
	(Silver Metallic)			

DORSO N-LINE | GUEST

DESCRIPTION/MC	אסכו	COM	0	COL 3		RIC GRAD			LEATHER	0
DESCRIPTION/MC		1	2	3	4	5	6	7	8	9
	4 Leg Base, armless with Sil DON2-10	ver Metallic 979	6 base 1031	1081	1165	1254	1357	1494	1639	1811
	4 Leg Base, fixed arms with	Silver Meta	allic base							
	DON2-11	1092	1152	1203	1275	1372	1483	1615	1760	1924
	4 Leg Base with Casters, arr DON2-20	nless with 9	Silver Meta 1121	allic base 1173	1254	1347	1452	1585	1730	1906
	4 Leg Base with Casters, fixed DON2-21	ed arms an	d Silver M	etallic bas 1298	e 1372	1460	1573	1706	1852	2018
	DOINE ZI	1107	1241	1230	1072	1400	1070	1700	1002	2010
	Cantilever Base, armless wit DON2-30	h Silver Me 1092	etallic base 1152	1203	1275	1372	1483	1615	1760	1924
	Cantilever Base, fixed arms DON2-31	with Silver l 1288	Metallic ba 1347	ase 1398	1473	1565	1678	1811	1955	2118

ORDERING NOTES


Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless Fixed	20.75 24.5	25.50 25.50	18.5 18.5	27.5 27.5	19.5 19.5	19.5 19.5	36 36	32 37	14 14	1.3 1.3
S-LINE/4LEG	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	33	14	1.3
with Casters	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	38	14	1.3
S-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	39	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	44	14	1.3
N-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	34.75	31	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	34.75	36	14	1.3
N-LINE/4LEG	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	32	14	1.3
with Casters	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	37	14	1.3
N-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	38	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	43	14	1.3

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.68%

POST-CONSUMER
RECYCLED CONTENT = 16.42%

Up to 74.19% of this Bali product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bali products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Bali products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bali and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



BALI

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	i.
DESCRIPTION	N/MODEL	1	2	3	4	5	6	7	8	9
	Wood with Black back leg BAL2A1B	890								
	Wood with Chrome back leg BAL2A1C	982								
	Upholstered Front with Black back	leg								
	BAL2A2B	1207	1251	1309	1370	1430	1499	1581	1660	1790
	Upholstered Front with Chrome bac BAL2A2C	ck leg 1332	1380	1430	1488	1551	1631	1706	1798	1936
	Upholstered Seat Cushion with Blad	ck back le	9							
# P	BAL2A3B	1161	1199	1239	1289	1332	1380	1430	1508	1588
	Upholstered Seat Cushion with Chr BAL2A3C	ome back 1239	leg 1289	1332	1380	1439	1519	1581	1667	1749
	Caddie DOL6	838								

DIMENSIONS & COM REQUIREMENTS

	Overall Width				Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage
WOOD SHELL	23.25	23	34.25	17.25	26	19.5	18	30	15.3	-
UPHOLSTERED FRONT	23.25	23	34.25	18.11	26	19.5	17	30	15.3	0.8
UPHOLSTERED SEAT CUSHION	23.25	23	34.25	18.25	26	19.5	18	30	15.3	0.4

ORDERING NOTES

Bali Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair. Bali Guest Chairs are available with a removable upholstered back cover at an upcharge of \$48 list per chair. Ganging is optional on all wood arm and side chairs at an upcharge of \$80 list per chair. Please specify at time of order. When used with Caddie (stacking cart), Bali stacks to a maximum of 10 chairs high, and 6 high without Caddie.

Chair frames are available in Cherry and Beech finishes. Please see page 335 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64** list per yard. See page 333 for more information.


ORDERING PROCEDURE

PRODUCT CODE KEY

To order please specify the following:	Line	Series	Base	Chair Style	Back Leg Style
to dradi pleade opeany the lone wing.	BAL	2	А	1	В
Krug product model number Select a finish for the chair frame	Bali	Guest Seating	Arm Chair	Wood	Black
3. Select a textile or leather				2	С
				Upholstered Front	Chrome
Dimensions are in inches and approximate. Contact Customer Service if dimensions			11	3	hian
are critical.			U	pholstered Seat Cus	nion

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = .80%

POST-CONSUMER RECYCLED CONTENT = 15.28%

Up to 16% of this Kita product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Kita products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Kita products are supplied air-emissions certified. Contact customer service for information.

Ir

FSC®

REN B DILON IN COUNTY OF THE PROPERTY OF THE P

he mark of responsible foresti

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Kita and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

KITA

			COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION	/MODEL	Species	1	2	3	4	5	6	7	8	9
	Open Arm, I	Full Width Upholster	ed Back								
	1320-OA	Maple	1411	1466	1509	1607	1668	1719	1811	2020	2174
	Closed Arm	, Full Width Upholsto	ered Back								
	1320-CA	Maple	1836	1911	1960	2090	2174	2238	2355	2628	2903
	3/4 Width U	pholstered Back									
	1321-A	Maple	1411	1466	1509	1607	1668	1719	1811	2020	2174
	Slat Back 1322-A	Maple	1466	1522	1555	1644	1697	1731	1804	1970	2096
	Shoji Back 1323-A	Maple	1391	1443	1477	1563	1615	1644	1729	1892	2016

ORDERING NOTES

Kita Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1320-OA	22	24	32	18.5	26	18.75	19	25	12	1
1320-CA	22	24	32	18.5	26	18.75	19	25	12	1.8
1321-A	22	24	32	18.5	26	18.75	19	25	12	1
1322-A	22	24	32	18.5	26	18.75	19	26	12	0.8*
1323-A	22	24	32	18.5	26	18.75	19	26	12	0.8*

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.

GANGING


Ganging is optional on all wood arm and side chairs at an upcharge of **\$80 list** per chair. Please specify at time of order.

SPENCE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .45%

POST-CONSUMER RECYCLED CONTENT = 17.27%

Up to 18.18% of this Spence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Spence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Spence products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Spence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



SPENCE

		WOOD	COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MOD	DEL	FINISH	1	2	3	4	5	6	7	8	9
	Slat Bac 1400	k Oak	1273	1345	1439	1533	1641	1761	1884	2042	2149
		Cherry, Maple, Walnut, Medium Anigre	1429	1501	1592	1686	1790	1911	2034	2190	2297
	Slat & U	pholstered Back									
	1401	Oak	1315	1387	1483	1573	1690	1816	1936	2106	2257
		Cherry, Maple, Walnut, Medium Anigre	1466	1545	1641	1734	1842	1967	2096	2254	2410
	Split Upl	nolstered Back									
	1402	Oak	1338	1411	1509	1607	1719	1849	1977	2146	2339
		Cherry, Maple, Walnut, Medium Anigre	1497	1573	1668	1769	1882	2002	2135	2298	2491
	Full Uph	olstered Back									
	1403	Oak	1349	1430	1526	1622	1735	1866	1997	2164	2394
		Cherry, Maple, Walnut, Medium Anigre	1509	1590	1690	1781	1894	2026	2157	2316	2552

ORDERING NOTES

Spence Guest Chairs are available with a removable upholstered seat cover at an upcharge of **\$80 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1400	22	24	33	18	27	18	20	21	13	0.7
1401	22	24	33	18	27	18	20	22	13	1.0
1402	22	24	33	18	27	18	20	22	13	1.25
1403	22	24	33	18	27	18	20	23	13	1.5

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.


GANGING

Ganging is optional on all wood arm and side chairs at an upcharge of \$80 list per chair. Please specify at time of order.

CADENCE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = .43%

POST-CONSUMER RECYCLED CONTENT = 16.46%

Up to 16.91% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CADENCE | GUEST

DECORPTION /N	WOOD DESCRIPTION/MODEL FINISH		СОМ	0	COL		RIC GRAI		7	LEATHER	
DESCRIPTION/M	ODEL	FINISH	1	2	3	4	5	6		8	9
	CAD2A	Cherry, Maple, Walnut, Medium Anigre	1622	1697	1771	1887	2010	2130	2252	2397	2661

ORDERING NOTES

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

DIMENSIONS & COM REQUIREMENTS

			Overall Height		Height of Arms from Floor			Shipping Weight		COM Yardage
CAD2A	22.75	27	36	18.25	26	18.75	18	23	18	1.7

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES


Chair frames are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see Page 335 for finish color selection and clearly mark on your purchase order.

FAERON WOOD | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.25%

POST-CONSUMER
RECYCLED CONTENT = 13.64%

Up to 31.82% of this Faeron product is recyclable at the end of its useful life

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



CLEAN OUT

All Faeron seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



FLEX BACK

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. In addition they ease re-configurability and on-site replacement of damaged or degraded components.



SEAT COMFORT

Seats feature a spring suspension across the entire model range for exceptional comfort while high grade foam provides superior support and longevity.



PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.



GLIDES

Faeron's Beech wood legs feature non-marring glides.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

REPLACEABLE COMPONENTS

Faeron chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

WEIGHT CAPACITIES

Faeron weight capacities are as follows:
Guest & Patient Chairs (21" & 24") - 500 lbs
Plus Chairs (30" & 44") - 750 lbs
Easy Access Chairs - 500 lbs
Multiple Seating & Pre-configured - 500 lbs per seat
2-Seat Freespan - 625 lbs per unit
3-Seat Freespan - 750 lbs per unit

FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



ARM PANELS

Panel arms are available in semi and fully closed styles for optimum design flexibility.



URETHANE ARM CAP

The optional Urethane Arm Cap provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



SOLID SURFACE ARM FRAME

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



COMBINATION UPHOLSTERY OPTIONS

Faeron can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



KINETIC BACK OPTION

Provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



CLEANABLE UNDER-SEAT SPLASHGUARD

All Faeron seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

GANGING

All Faeron freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$50 list per chair.

REMOVABLE COVERS

Faeron chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

FAERON WOOD | GUEST, DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	44	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	48	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	54	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	71	28

COM- YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.8
30" - One Chair	2.3	0.9	1.4	0.8
44" - One Chair	2.9	1.5	1.6	0.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

WEIGHT CAPACITIES

Faeron weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Guest Plus Chairs (30" & 44") - 750 lbs

Faeron Option Upcharges	\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	64	Solid Surface Arm Cap (per pair) - Gr A White	364	
Ganging Bracket	58	Solid Surface Arm Cap (per pair) - Gr A Color	376	
Kinetic Back (not available for 30" & 44")	120	Solid Surface Arm Cap (per pair) - Gr B	396	
21" & 24" Under-seat Splashguard	58	Solid Surface Arm Cap (per pair) - Gr C	410	
30" Under-seat Splashguard	72	Solid Surface Arm (per pair) - Gr A White	573	
44" Under-seat Splashguard	91	Solid Surface Arm (per pair) - Gr A Color	598	
Removeable Seat Cover	90	Solid Surface Arm (per pair) - Gr B	645	
Removable Back Cover	58	Solid Surface Arm (per pair) - Gr C	678	
Urethane Arm Cap (per pair)	138	• • •		

FAERON WOOD | GUEST

			COM		COL	FA	ABRIC GR	ADES		LEATHER	
DESCRIPTION	/MODEL	Species	1	2	3	4	5	6	7	8	9
	21" Open Arm FAE2-G21ONC	Beech Palette	1257	1309	1358	1460	1560	1663	1765	1865	2066
	21" Semi Closed FAE2-G21SNC	Arm Beech Palette	1712	1788	1862	2016	2167	2319	2472	2623	2928
	21" Closed Arm FAE2-G21CNC	Beech Palette	1724	1801	1878	2030	2182	2332	2486	2637	2942
	24" Open Arm FAE2-G24ONC	Beech Palette	1348	1399	1451	1552	1653	1753	1856	1956	2160
	24" Semi Closed FAE2-G24SNC	Arm Beech Palette	1802	1879	1954	2107	2257	2410	2563	2715	3017
	24" Closed Arm FAE2-G24CNC	Beech Palette	1816	1892	1967	2119	2272	2422	2577	2727	3032

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA) replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 85.

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style
FAE	2	G	21	0	NC
Faeron	Chair	Guest Seating		Open Arm	No Cap
			24	S	UC
				Semi Closed Arm	Urethane Cap
			30	С	SC
				Closed Arm	Solid Surface Cap
			44		SA
					Solid Surface Arm

FAERON WOOD | GUEST


				COM		COL	F	ABRIC GF	RADES		LEATHEF	2
DESCR	IPTION/M	ODEL	Species	1	2	3	4	5	6	7	8	9
2		30" Open Arm FAE2-G30ONC	Beech Palette	1538	1611	1685	1831	1976	2121	2266	2412	2705
PRODUCTS	1	30" Semi Closed FAE2-G30SNC	Arm Beech Palette	1991	2089	2189	2385	2581	2778	2972	3169	3563
THESE		30" Closed Arm FAE2-G30CNC	Beech Palette	2006	2105	2201	2398	2594	2791	2987	3185	3578
PLIES TO		44" Open Arm FAE2-G44ONC	Beech Palette	1890	1981	2073	2256	2441	2625	2807	2992	3358
DISCOUNT APPLIES		44" Semi Closed FAE2-G44SNC	Arm Beech Palette	2343	2461	2579	2812	3047	3280	3515	3748	4219
/// \/II		44" Closed Arm FAE2-G44CNC	Beech Palette	2357	2474	2591	2827	3059	3294	3530	3763	4234
replace	"NC" in t	TES: Faeron chairs he model number									Solid Surfac	ce Arm (SA
	CT CODE K											
	Line	Series		Chair Type	•	Size	•	Arm 1	Гуре		Arm Style	
		2		G		21	7)		NC	

OOT OODLIKET	l				
Line	Series	Chair Type	Size	Arm Type	Arm Style
	2	G	21	0	NC
Faeron	Chair	Guest Seating		Open Arm	No Cap
			24	S	UC
				Semi Closed Arm	Urethane Cap
			30	С	SC
				Closed Arm	Solid Surface Cap
			44		SA
					Solid Surface Arm

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT =10.87 %

POST-CONSUMER RECYCLED CONTENT = 17.48%

Up to 50% of this Faeron Metal product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



CLEAN OUT

All Faeron Metal seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



FLEX BACK

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. The seats features a spring system that substantially enhances comfort and extends product life cycle. Seats are removable, and field replaceable.



SEAT COMFORT

Seats feature a spring suspension for exceptional comfort while high grade foam provides superior support and longevity.



POLYMER ARM

Faeron arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey and Taupe.



Faeron Metal chairs are available in two metal finishes; Sliver Metallic and Brushed Nickel.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer and is especially suited to the demands of healthcare environments.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

REPLACEABLE COMPONENTS

Faeron Metal chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

WEIGHT CAPACITIES

Faeron Metal weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 500 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 625 lbs per unit 3-Seat Freespan - 750 lbs per unit

PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

Faeron Metal Images | www.krug.ca

FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



ARM PANEL

Upholstered arm panels are available in both semi- and fully-closed styles, and are field replaceable if damaged.



SOLID SURFACE ARM

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard Corian colors, and custom colors (at an upcharge). Arms are replaceable as a full side frame if they become damaged or degraded.



WOOD ARM

Wood arms are solid Beech and available in standard and custom finishes. Krug's wood finish is a proprietary high-durability formulation that has been shown to be an industry leader in abrasion resistance. Arms can be replaced if they do become damaged or degraded.



COMBINATION UPHOLSTERY OPTIONS

Faeron Metal can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



KINETIC BACK OPTION

The optional Kinetic Back provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



CLEANABLE UNDER-SEAT SPLASHGUARD

All Faeron Metal seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the anti-microbial and germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.



REMOVABLE COVERS

Faeron Metal chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$64 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$64 list per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

GANGING

All Faeron Metal freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$58 list per chair.

FAERON METAL | GUEST

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	56	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	60	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	66	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	83	28

Height of

Width

COM- YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.96
30" - One Chair	2.3	0.9	1.4	0.96
44" - One Chair	2.9	1.5	1.6	0.96

ORDERING NOTES:

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron Metal seating.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron Metal upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Solid Surface Arm (per pair) - Gr A White	573
Ganging Bracket	58	Solid Surface Arm (per pair) - Gr A Color	598
Kinetic Back (not available for Plus)	120	Solid Surface Arm (per pair) - Gr B	645
21" & 24" Under-seat Splashguard	58	Solid Surface Arm (per pair) - Gr C	678
30" Under-seat Splashguard	72	Beech/Palette Wood Arm (per pair)	215
44" Under-seat Splashguard	91		
Removeable Seat Cover	90		
Removable Back Cover	58		
Non-Marring Glides	16		

WEIGHT CAPACITIES

Faeron Metal weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs

FAERON METAL | GUEST

DESCRIPTION/	MODEL	COM 1	2	COL 3	FAE	BRIC GRA	DES 6	7	LEATHER 8	9
DEGOTHI TIOTA										
	21" Open Polymer Arm, Silver N FAE2M-G21OPAS	Metallic F 1126	rame 1173	1222	1318	1415	1512	1610	1705	1898
	21" Open Polymer Arm, Brushe FAE2M-G21OPAN	ed Nickel 1341	Frame 1390	1437	1535	1631	1728	1823	1921	2113
	21" Semi Closed Polymer Arm, FAE2M-G21SPAS				1010	1001	0400	0000	0.400	0717
	TALZIVI-GZ TOFAO	1558	1631	1703	1848	1991	2136	2282	2428	2717
	21" Semi Closed Polymer Arm,	Brushad	Nickel Fra	ame						
	FAE2M-G21SPAN	1773	1845	1918	2063	2209	2353	2497	2641	2933
$\overline{}$	21" Closed Polymer Arm, Silver	Metallic	Frame							
	FAE2M-G21CPAS	1570	1643	1715	1861	2006	2149	2296	2440	2730
	21" Closed Polymer Arm, Brush	ned Nicke	el Frame							
	FAE2M-G21CPAN	1788	1858	1930	2077	2220	2366	2510	2656	2946
	24" Open Polymer Arm, Silver N	Metallic F	rame							
	FAE2M-G24OPAS	1213	1262	1310	1405	1504	1598	1695	1792	1985
	24" Open Polymer Arm, Brushe	d Nickel	Frame							
	FAE2M-G24OPAN	1429	1478	1526	1620	1717	1815	1911	2007	2198
	04" Carri Classel Dalamer A	0:1	-1-II:- F							
	24" Semi Closed Polymer Arm, FAE2M-G24SPAS	1644	1716	ne 1790	1935	2080	2222	2369	2513	2804
	04" Comi Classed Dalymar Arm	Druched	Niekal Er							
	24" Semi Closed Polymer Arm, FAE2M-G24SPAN	1860	1932	2004	2149	2295	2438	2585	2728	3017
-										
	24" Closed Polymer Arm, Silver	Metallic	Frame							
	FAE2M-G24CPAS	1659	1730	1802	1947	2091	2237	2383	2527	2817
	04" Closed Delumer Ares Desire	and Niele	l France							
	24" Closed Polymer Arm, Brush FAE2M-G24CPAN	1872	1945	2017	2164	2307	2452	2596	2742	3032
* U *	I / LEIVI GETOI AIN	1012	1940	2017	2104	2307	2402	2090	2142	3032

ORDERING NOTES:

Faeron Metal chairs can also be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	573
Solid Surface Arm (per pair) - Gr A Color	598
Solid Surface Arm (per pair) - Gr B	645
Solid Surface Arm (per pair) - Gr C	678
Beech/Palette Wood Arm (per pair)	215

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE Faeron	2M Chair	G Guest Seating	21	O Open Arm	PA Polymer Arm	Silver Metallic
			24	Semi Closed Arm	WA Wood Arm	N Brushed
			30	C Closed Arm	SA Solid Surface Arm	Nickel
			44			

2025 | SEATING & OCCASIONAL TABLES | CANADA | 92

FAERON METAL | GUEST

		СОМ		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	30" Open Polymer Arm, S FAE2M-G30OPAS	ilver Metal 1394	llic Frame 1462	1533	1670	1810	1949	2087	2227	2505
	30" Open Polymer Arm, B FAE2M-G30OPAN	rushed Nio 1610	ckel Frame 1677	1747	1885	2026	2165	2302	2441	2719
	30" Semi Closed Polymer FAE2M-G30SPAS	Arm, Silve 1825	er Metallic F 1920	rame 2012	2198	2386	2574	2761	2948	3322
	30" Semi Closed Polymer FAE2M-G30SPAN	Arm, Brus 2041	shed Nickel 2134	Frame 2228	2415	2602	2789	2977	3163	3537
	30" Closed Polymer Arm, FAE2M-G30CPAS	Silver Met 1839	allic Frame 1932	2026	2213	2399	2587	2773	2962	3336
	30" Closed Polymer Arm, FAE2M-G30CPAN	Brushed N 2055	Nickel Fram 2147	e 2240	2429	2614	2803	2988	3177	3552
	44" Open Polymer Arm, S FAE2M-G44OPAS	ilver Metal 1729	llic Frame 1816	1904	2079	2254	2429	2605	2779	3129
	44" Open Polymer Arm, B FAE2M-G44OPAN	rushed Nio 1944	ckel Frame 2031	2118	2294	2470	2642	2818	2994	3343
	44" Semi Closed Polymer FAE2M-G44SPAS	Arm, Silve 2161	er Metallic F 2272	rame 2384	2608	2830	3054	3277	3499	3948
	44" Semi Closed Polymer FAE2M-G44SPAN	Arm, Brus 2376	shed Nickel 2487	Frame 2597	2822	3045	3268	3491	3714	4162
	44" Closed Polymer Arm, FAE2M-G44CPAS	Silver Met 2173	allic Frame 2285	2397	2619	2844	3067	3290	3513	3960
	44" Closed Polymer Arm, FAE2M-G44CPAN	Brushed N 2388	Nickel Fram 2502	e 2612	2835	3058	3281	3505	3728	4176

ORDERING NOTES:

Faeron Metal chairs can also be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	573
Solid Surface Arm (per pair) - Gr A Color	598
Solid Surface Arm (per pair) - Gr B	645
Solid Surface Arm (per pair) - Gr C	678
Beech/Palette Wood Arm (per pair)	215

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE	2M	G	21	0	PA	S
Faeron	Chair	Guest Seating		Open Arm	Polymer Arm	Silver Metallic
			24	S	WA	N
				Semi Closed Arm	Wood Arm	Brushed
			30	С	SA	Nickel
				Closed Arm	Solid Surface Arm	
			44			

MULTI-PURPOSE SEATING

95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri


124 Bank of England

LIBRA | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 18.68%

POST-CONSUMER RECYCLED CONTENT = 28.64%

Up to 74.71% of this Krug product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Krug products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Krug products are supplied air-emissions certified. Contact customer service for information.

LIBRA | FEATURES & OPTIONS

FEATURES



POLYMER BACK & SEAT

Libra chairs feature Black polymer seat and back. The polymer back provides contoured lumbar support and flex for greater comfort. The seat tilts down for the sitting position and flips up when ready to nest the chairs.



OPTIONS

TABLET

Libra swivel folding tablet is available in Black polymer. The tablet is fastened to the left side (facing.



UPHOLSTERED SEAT & BACK

Libra chairs are available with upholstered seat and Black polymer back or upholstered seat and back



BOOK BACK

The wire book rack is available in Black or Silver Metallic to coordinate with the frame selection. It can conveniently remain in place when the chairs are nested but is also removable without tools if needed.



FRAME

Metal frame finish is available in Black or Silver Metallic.

COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

California Technical Bulletin 133 is a flammability



ARMS

Libra chairs are available in both Armless and Armed chair styles. Armed chairs feature a fixed, forward-sloping Black polymer armrest.

CAL 133 & MOISTURE BARRIER

test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing

laboratory) at a charge of \$917 per item, plus the

cost of the product to be tested. Lead time for

certification testing is typically 4-8 weeks. Krug

assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact

Customer Service for additional information.



GLIDES

Libra Black nylon glides are non-adjustable, non-marring and field-replaceable if damaged or degraded.



CASTERS

The twin-wheel casters promote easy storage and repositioning and are also available with a locking option.



Libra chairs nest by raising the seat into its upright position, they can be nested with both the book rack and tablet in place.



REPLACEABLE COMPONENTS

Libra is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



WEIGHT CAPACITIES

Libra has been laboratory tested to meet a weight capacity of 300lbs, for arm and armless versions.

LIBRA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	Cubes	
Armless	22	23	33.5	18	n/a	n/a	17.5	25	13	
Fixed Arm	25.5	23	33.5	18	26.25	22	17.5	27	13	
Tablet Arm	27	24	33.5	18	29	n/a	17.5	35	13	

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical. Overall dimensions shown are for chairs with glides. Tablet arm dimensions are with tablet folded down.

COM Yardage

Seat & Back 1.19 Seat only 0.56 Back only 0.65



		COM		COL	FA	BRIC GRA	ADES		LEATHE	R
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Polymer Back & Seat with LIB2111B	n Glides and 434	d Black Fra	ame						
	Polymer Back & Seat with LIB2111S	n Glides and 434	d Silver Fra	ame						
	Polymer Back & Upholste LIB2121B	ered Seat w 553	ith Glides a	and Black 583	Frame 605	630	652	677	708	739
	Polymer Back & Upholste LIB2121S	ered Seat w 553	ith Glides a 568	and Silver 583	Frame 605	630	652	677	708	739
	Upholstered Back & Seat LIB2131B	with Glides 633	and Black	k Frame 699	746	800	847	901	970	1037
	Upholstered Back & Seat LIB2131S	with Glides 633	and Silve 664	r Frame 699	746	800	847	901	970	1037
	Polymer Back & Seat with LIB2112B	n Casters ai 442	nd Black F	rame						
	Polymer Back & Seat with LIB2112S	n Casters ai 442	nd Silver F	rame						
	Polymer Back & Upholste LIB2122B	ered Seat w 560	ith Casters 574	and Blac 590	k Frame 612	637	659	683	715	746
	Polymer Back & Upholste LIB2122S	ered Seat w 560	ith Casters 574	and Silve 590	er Frame 612	637	659	683	715	746
	Upholstered Back & Seat LIB2132B	with Caste 640	rs and Bla 672	ck Frame 705	752	807	854	909	976	1044
	Upholstered Back & Seat LIB2132S	with Caste 640	rs and Silv 672	er Frame 705	752	807	854	909	976	1044
ORDERING NOTES	To specify casters locking,	change the	e base sele	ection (sho	wn below) from a "ź	2" to a "3"			
LIBRA OPTION UPO	CHARGES	\$ List								
CAL 133 & Moisture Removable Wire Bas		64 76								

PRODUCT	CODE KEY

DOO! CODE	. IXE I				
Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

LIBRA | FIXED ARM

		COM		COL	FA	BRIC GRA	ADES	LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Polymer Back & Seat w LIB2211B	ith Glides 505	and Black	k Frame							
	Polymer Back & Seat w LIB2211S	ith Glides 505	and Silve	r Frame							
	Polymer Back & Uphols	tered Sea	at with Glid	des and Bla	ack Frame	2				_	
	LIB2221B	623	638	654	675	700	722	747	778	809	
	Polymer Back & Uphols	tered Sea	at with Glid	des and Sil	ver Frame)					
	LIB2221S	623	638	654	675	700	722	747	778	809	
	Upholstered Back & Sea	at with GI	ides and F	Plack Fram	0						
	LIB2231B	703	735	769	e 816	870	917	972	1039	1107	
	Upholstered Back & Sea LIB2231S	at with GI 703	ides and 9 735	Silver Fram 769	e 816	870	917	972	1039	1107	
	Polymer Back & Seat w LIB2212B	ith Caster 511	rs and Bla	ck Frame							
	Polymer Back & Seat w LIB2212S	ith Caster 511	rs and Silv	er Frame							
	Polymer Back & Uphols	torod Soc	nt with Co	store and B	Nack Fran	30					
	LIB2222B	631	644	660	682	707	729	753	785	816	
	Polymer Back & Uphols LIB2222S	tered Sea 631	at with Cas 644	sters and S 660	Silver Fram 682	ne 707	729	753	785	816	
	Upholstered Back & Sea	at with Ca	asters and	Black Fran	me						
	LIB2232B	710	742	775	823	877	925	979	1046	1114	
	Upholstered Back & Sea										
()	LIB2232S	710	742	775	823	877	925	979	1046	1114	
U											
ORDERING NOTES : To	specify casters locking, cl	hange the	e base sele	ection (sho	wn below) from a ":	2" to a "3"				

LIBRA OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Removable Wire Basket	76

PRODUCT CODE KEY

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

Polymer Back & Seat with Glides and Black Frame LiB23118			COM		COL	FAE	BRIC GR	ADES		LEATHE	R
Polymer Back & Seat with Glides and Silver Frame LIB2311S 625	ESCRIPTION/MODE	ΞL	1	2	3	4	5	6	7	8	Ş
Polymer Back & Upholstered Seat with Glides and Black Frame LIB2321B 745 759 774 796 822 844 868 899				d Black Fr	rame						
LIB2321B 745 759 774 796 822 844 868 899 Polymer Back & Upholstered Seat with Glides and Silver Frame LIB2321S 745 759 774 796 822 844 868 899 Upholstered Back & Seat with Glides and Black Frame LIB2331B 825 856 890 937 992 1039 1094 1161 Upholstered Back & Seat with Glides and Silver Frame LIB2331S 825 856 890 937 992 1039 1094 1161 Polymer Back & Seat with Glides and Silver Frame LIB2312B 633 Polymer Back & Seat with Casters and Black Frame LIB2312B 633 Polymer Back & Seat with Casters and Silver Frame LIB2312S 633 Polymer Back & Upholstered Seat with Casters and Black Frame LIB2312S 633 Polymer Back & Upholstered Seat with Casters and Black Frame LIB2322B 751 766 782 804 828 850 875 907 Polymer Back & Upholstered Seat with Casters and Silver Frame LIB2322B 751 766 782 804 828 850 875 907 Upholstered Back & Seat with Casters and Black Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232B 831 864 897 945 999 1046 1100 1168				d Silver Fr	ame						
LIB2321B 745 759 774 796 822 844 868 899 Polymer Back & Upholstered Seat with Glides and Silver Frame LIB2321S 745 759 774 796 822 844 868 899 Upholstered Back & Seat with Glides and Black Frame LIB2331B 825 856 890 937 992 1039 1094 1161 Upholstered Back & Seat with Glides and Silver Frame LIB2331S 825 856 890 937 992 1039 1094 1161 Polymer Back & Seat with Casters and Black Frame LIB2312B 633 Polymer Back & Seat with Casters and Silver Frame LIB2312S 633 Polymer Back & Upholstered Seat with Casters and Black Frame LIB2312S 633 Polymer Back & Upholstered Seat with Casters and Black Frame LIB2322B 751 766 782 804 828 850 875 907 Polymer Back & Upholstered Seat with Casters and Silver Frame LIB2322B 751 766 782 804 828 850 875 907 Upholstered Back & Seat with Casters and Black Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2332B 831 864 897 945 999 1046 1100 1168											
LIB2321S 745 759 774 796 822 844 868 899 Upholstered Back & Seat with Glides and Black Frame LIB2331B 825 856 890 937 992 1039 1094 1161 Upholstered Back & Seat with Glides and Silver Frame LIB2331S 825 856 890 937 992 1039 1094 1161 Polymer Back & Seat with Casters and Black Frame LIB2312B 633 Polymer Back & Seat with Casters and Silver Frame LIB2312S 633 Polymer Back & Upholstered Seat with Casters and Black Frame LIB2322B 751 766 782 804 828 850 875 907 Polymer Back & Upholstered Seat with Casters and Silver Frame LIB2322S 751 766 782 804 828 850 875 907 Upholstered Back & Upholstered Seat with Casters and Silver Frame LIB2322S 751 766 782 804 828 850 875 907 Upholstered Back & Seat with Casters and Black Frame LIB2332B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB2322S 831 864 897 945 999 1046 1100 1168 URBERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3".							822	844	868	899	93
LIB2321S 745 759 774 796 822 844 868 899 Upholstered Back & Seat with Glides and Black Frame LIB2331B 825 856 890 937 992 1039 1094 1161 Upholstered Back & Seat with Glides and Silver Frame LIB2331S 825 856 890 937 992 1039 1094 1161 Polymer Back & Seat with Casters and Black Frame LIB2312B 633 Polymer Back & Seat with Casters and Silver Frame LIB2312S 633 Polymer Back & Upholstered Seat with Casters and Black Frame LIB2322B 751 766 782 804 828 850 875 907 Polymer Back & Upholstered Seat with Casters and Silver Frame LIB2322B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232S 831 864 897 945 999 1046 1100 1168		Polymer Back & Uphol	stered Seat wi	th Glides	and Silver	Frame					
LiB2331B 825 856 890 937 992 1039 1094 1161 Upholstered Back & Seat with Glides and Silver Frame LiB2331S 825 856 890 937 992 1039 1094 1161 Polymer Back & Seat with Casters and Black Frame LiB2312B 633 Polymer Back & Seat with Casters and Silver Frame LiB2312S 633 Polymer Back & Upholstered Seat with Casters and Black Frame LiB2322B 751 766 782 804 828 850 875 907 Polymer Back & Upholstered Seat with Casters and Silver Frame LiB2322S 751 766 782 804 828 850 875 907 Upholstered Back & Seat with Casters and Black Frame LiB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LiB23232S 831 864 897 945 999 1046 1100 1168 DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3".							822	844	868	899	93
LiB2331B 825 856 890 937 992 1039 1094 1161 Upholstered Back & Seat with Glides and Silver Frame LiB2331S 825 856 890 937 992 1039 1094 1161 Polymer Back & Seat with Casters and Black Frame LiB2312B 633 Polymer Back & Seat with Casters and Silver Frame LiB2312S 633 Polymer Back & Upholstered Seat with Casters and Black Frame LiB2322B 751 766 782 804 828 850 875 907 Polymer Back & Upholstered Seat with Casters and Silver Frame LiB2322S 751 766 782 804 828 850 875 907 Upholstered Back & Seat with Casters and Black Frame LiB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LiB23232S 831 864 897 945 999 1046 1100 1168 DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3".		Upholstered Back & Se	eat with Glides	and Blac	k Frame						
LiB2331S 825 856 890 937 992 1039 1094 1161 Polymer Back & Seat with Casters and Black Frame LiB2312B 633 Polymer Back & Seat with Casters and Silver Frame LiB2312S 633 Polymer Back & Upholstered Seat with Casters and Black Frame LiB2322B 751 766 782 804 828 850 875 907 Polymer Back & Upholstered Seat with Casters and Silver Frame LiB2322S 751 766 782 804 828 850 875 907 Upholstered Back & Seat with Casters and Black Frame LiB2322S 751 766 782 804 828 850 875 907 Upholstered Back & Seat with Casters and Black Frame LiB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LiB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LiB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LiB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LiB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LiB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LiB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LiB2322S 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LiB2322S 831 864 897 945 999 1046 1100 1168		•				937	992	1039	1094	1161	122
LiB2331S		Liphalatarad Paak 9 Co	act with Clides	and Cily	or Eromo						
LIB2312B 633 Polymer Back & Seat with Casters and Silver Frame LIB2312S 633		•				937	992	1039	1094	1161	122
Polymer Back & Upholstered Seat with Casters and Black Frame LIB2322B 751 766 782 804 828 850 875 907				nd Black I	Frame						
LIB2322B 751 766 782 804 828 850 875 907 Polymer Back & Upholstered Seat with Casters and Silver Frame LIB2322S 751 766 782 804 828 850 875 907 Upholstered Back & Seat with Casters and Black Frame LIB2332B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232S 831 864 897 945 999 1046 1100 1168 ORDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3".		-		nd Silver I	-rame						
LIB2322B 751 766 782 804 828 850 875 907 Polymer Back & Upholstered Seat with Casters and Silver Frame LIB2322S 751 766 782 804 828 850 875 907 Upholstered Back & Seat with Casters and Black Frame LIB2332B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232S 831 864 897 945 999 1046 1100 1168 DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3". LIBRA OPTION UPCHARGES \$ List CAL 133 & Moisture Barrier (per yard) 64	d										
Polymer Back & Upholstered Seat with Casters and Silver Frame LIB2322S 751 766 782 804 828 850 875 907 Upholstered Back & Seat with Casters and Black Frame LIB2332B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232S 831 864 897 945 999 1046 1100 1168 ORDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3". CAL 133 & Moisture Barrier (per yard) 64		Polymer Back & Uphol	stered Seat wi	th Caster	s and Blac	k Frame					
Upholstered Back & Seat with Casters and Black Frame LIB2332B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232S 831 864 897 945 999 1046 1100 1168 DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3". LIBRA OPTION UPCHARGES \$ List CAL 133 & Moisture Barrier (per yard) 64		LIB2322B	751	766	782	804	828	850	875	907	93
Upholstered Back & Seat with Casters and Black Frame LIB2332B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LIB23232S 831 864 897 945 999 1046 1100 1168 DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3". BRA OPTION UPCHARGES \$ List CAL 133 & Moisture Barrier (per yard) 64		Polymer Back & Uphol	stered Seat wi	th Caster	s and Silve	r Frame					
LiB2332B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LiB23232S 831 864 897 945 999 1046 1100 1168 DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3". DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3". DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3". DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3".							828	850	875	907	93
LiB2332B 831 864 897 945 999 1046 1100 1168 Upholstered Back & Seat with Casters and Silver Frame LiB23232S 831 864 897 945 999 1046 1100 1168 DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3". LIBRA OPTION UPCHARGES \$ List CAL 133 & Moisture Barrier (per yard) 64		Lipholetered Back & Se	at with Caste	re and Bla	ack Frame						
LIB23232S 831 864 897 945 999 1046 1100 1168 DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3". LIBRA OPTION UPCHARGES \$ List CAL 133 & Moisture Barrier (per yard) 64		-				945	999	1046	1100	1168	123
LIB23232S 831 864 897 945 999 1046 1100 1168 DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3". LIBRA OPTION UPCHARGES \$ List CAL 133 & Moisture Barrier (per yard) 64					_						
DRDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3". LIBRA OPTION UPCHARGES \$ List CAL 133 & Moisture Barrier (per yard) 64						0.45	000	1046	1100	1160	123
LIBRA OPTION UPCHARGES \$ List CAL 133 & Moisture Barrier (per yard) 64	,	LIB232323	031	004	697	945	999	1046	1100	1100	123
LIBRA OPTION UPCHARGES \$ List CAL 133 & Moisture Barrier (per yard) 64	•										
CAL 133 & Moisture Barrier (per yard) 64	ORDERING NOTES:	To specify casters locking	ng, change the	base sel	ection (sho	wn below)	from a "	2" to a "3'	·.		
CAL 133 & Moisture Barrier (per yard) 64	IBRA OPTION LIPC	HARGES	\$ List								
Removable wire basket /6	Removable Wire Basl	" ,	76								
	DUCT CODE KI	EV									

DD	UCI	$\Gamma \cap \cap$	DE	KEV

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

LIBRA | REPLACEMENT COMPONENTS


		СОМ	COL		FAE	BRIC GRAI	DES		LEATHER	1			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	Yds	Weight	Cube
	Replacemei LIB2-RA2	nt Fixed 66	Arm (Pa	air)								2.5	0.8
	Replacemei LIB2-RA3	nt Table 159	t Arm (p	er arm)								11.3	2.3
	Replacemer LIB2-RS1	nt Polyn 115	ner Seat									3.8	0.7
	Replacemen	nt Upho	Istered S	Seat									
	LIB2-RS2	201	216	232	253	278	300	325	355	387	0.65	5.9	0.7
	Replacemer LIB2-RB1	nt Glide 17	s (Set of	4)								0.2	0.1
	Replacement LIB2-RB2 Replacement LIB2-RB3	39			4)							0.6	0.1

MOBI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 13.78%

POST-CONSUMER
RECYCLED CONTENT = 14.33%

Up to 55.11% of this Mobi product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Mobi products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Mobi products are supplied with air emissions-certified materials. Contact customer service for specific test results.

MOBI | FEATURES, OPTIONS, DIMENSIONS & COM REQUIREMENTS



ARMS

Arms are available in the full range of polymer colors: Black, White, Grey, Taupe, Yellow, Red, Blue, Green. Please specify when ordering.



CADDIE

The Mobi caddie provides enhanced stackability, along with the ease of movement and storage. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. Its design allows for the stacking and storage of all Krug stackable chairs.



ARMLESS



COMBINATION COLORS

More than one polymer color can be selected in any combination for seats, backs and arms. Please specify when ordering.



POLYMER SEATS & BACKS

Available Polymer colors: White, Grey, Taupe, Yellow, Red, Blue, Green and Black.



UPHOLSTERED SEATS & BACKS

Optional Removable covers can be quickly installed on Mobi products that were originally ordered with the removable cover option.



MESH BACKS

Available mesh colors: Grey, Black & White. Please specify when ordering.



STACKABILITY

Mobi chairs are stackable to a maximum of 8 chairs high on the floor as well as dolly.



LEGS & GLIDES

Mobi legs are structural steel legs in Polished Chrome with non-marring glides.



WEIGHT CAPACITY

Mobi has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Mobi has been load tested up to 300lbs.

OPTIONS

REPLACEMENT AND REMOVABLE COMPONENTS

Mobi is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Mobi Chairs are available with Removable Seat and Removable Back Covers,

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping		COM
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes	YRD
MOB210P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB211P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB220P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB221P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB230P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB231P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB240P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB241P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB250P	18	21	31	17	n/a	n/a	18.75	21	14	1.22
MOB251P	21.25	21	31	17	27	20.5	18.75	21	14	1.22

		COM	COM COL FABRIC GRADES		ES	LEATHER				
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Polymer Seat and Back, Arn MOB210P	nless 383								
	Polymer Seat and Back, with MOB211P	h Arms 423								
	Polymer Back and Upholste MOB220P		Armless 529	552	598	646	694	740	789	885
	Polymer Back and Upholste MOB221P	red Seat, v 555 t	vith Arm 576	s 599	647	695	743	790	837	932
	Mesh Back and Upholstered MOB230P	d Seat, Arm 513	nless 537	561	610	656	703	752	798	894
Mobi Option Upcharge	e	\$ List								
CAL 133 & Moisture Barn Removable Seat Covers Removeable Back Cover	rier (per yard)	64 71 71								
PRODUCT CODE KEY										
Line	Series	C	Chair Styl	9			Style		N	letal Finish
MOB Mobi	2 Multi-Purpose	Po	1 olymer Se & Back	at			0 nless		Poli	P shed Chrome
			ymer Bac olstered				1 med			
			3 esh Back olstered							
			4 esh Back olymer Se							
		Fully So	5 Upholst eat & Bac	ered ck						

MOBI


DESCRIPTION/MODEL		COM 1	2	COL 3	FABI 4	RIC GRA	ADES 6	7	LEATHE 8	:R 9
	Mesh Back and Upholstere MOB231P	d Seat, 562	with Arms 586	611	658	705	753	799	848	942
	Mesh Back and Polymer Se MOB240P	eat, Arm 392	ıless							
	Mesh Back and Polymer Se MOB241P	eat, with 441	Arms							
	Fully Upholstered Seat and MOB250P	Back, <i>F</i> 611	Armless 647	686	761	838	914	989	1065	1220
	Fully Upholstered Seat and MOB251P	Back, v 648	vith Arms 687	725	803	877	955	1031	1107	1257
	Caddie DOL6	838								
Mobi Option Upcharges		\$ List								
CAL 133 & Moisture Barrie Removable Seat Covers Removeable Back Covers		64 71 71								
PRODUCT CODE KEY	Cavias		Chair Ch	do			was Otherla			Metal Finish
Line	Series		Chair Sty	7 7			rm Style			P
Mobi	MOB 2 2 Multi-Purpose		1_ Polymer Seat & Back			0 Armless			Polished Chrome	
			Polymer Ba Upholstered	ck & Seat			1 Armed			
			Mesh Bac Upholstered							
	4 Mesh Back & Polymer Seat									
			5 Fully Uphols Seat & Ba	tered ack						

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 5.51%

POST-CONSUMER
RECYCLED CONTENT = 24.98%

Up to 73.47% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.




All Karma produc

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC* C021699

FSC®





KARMA | FEATURES & OPTIONS



DESIGNED FOR COMFORT

The seat features an enhanced standard foam thickness, combined with our proprietary webbing suspension system, to provide superior comfort and a longer life cycle. The back is contoured and angled to provide supportive sitting.



LIGHT GREY POLYMER BACK

Polypropylene backs are injection molded, with Light Grey pigment diffused throughout the mold, featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



POLYMER ARM

Karma arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey, Light Grey and Taupe.



STANDARD GLIDE

Karma's black domed polymer glides are nonadjustable, and field-replaceable if damaged or degraded. Ideal for carpeted flooring.



STACKING

Karma stacks 7 high on the floor, and 12 chairs on the Caddie. The optional Underseat Cover can be specified to help prevent indenting of seat upholstery on chairs that will be stacked. Karma chairs with the Sled Base option do not stack.



TANDEM SEATING

Karma chairs, and in-line tables, are designed to be instantly converted to (or ordered as) tandem seating. Armed and armless chairs can be connected -when joining arm chairs the positioning prevents a pinch point between the arms. In-line tables can be configured between chairs or as end tables. And the tandem components can be easily removed to convert to freestanding.



REPLACEABLE COMPONENTS

Karma is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



FRAME COLORS AVAILABLE

The Karma Leg is available in 2 standard finishes; Silver Metallic and Matte Black. Polished Chrome is also available for an upcharge.

WEIGHT CAPACITIES

Karma has been laboratory tested to meet a weight capacity of 500 lbs, in all versions: arm and armless, and all widths.

OPTIONS

SLED BASE OPTION

Optional Sled Base frames are available in Silver Metallic and Matte Black. The integrated steel rail spans between the front and rear legs which are fitted with black nylon glides. Karma chairs with the Sled Base option do not stack.



UNDERSEAT COVER

As an alternative to the standard dust cover under the seat, this option, in black polymer, closes off the underside of the chair, functioning as a cleanable Splashguard to protect the interior from moisture. It also assists in chair stacking, by distributing the weight to eliminate any indentations in the seat upholstery.



CASTERS OPTION

Karma features durable low profile 1 ½" diameter casters in black nylon offering an impressive 500lb load rating. Karma chairs with the caster option do not stack.



FLOOR SAVER GLIDE

Karma's Floor Saver Glides are a larger, white, nylon glide incorporating a much larger surface area, and is a self-adjusting to help protect LVT, vinyl, tile, or hardwood where risk of marking might occur. Available at a \$37 list upcharge.



NON-SLIP GLIDE

Features a much larger surface area and is also self-adjusting. It also features a softer outer coating to hold and prevent chair from sliding on LVT, vinyl, or tile flooring. Perfect for more slippery/smooth floor areas where prevention of chair movement is required. Available at a \$37 list upcharge.



COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



Optional Removeable covers can be quickly installed on Karma products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Karma products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. See page 333 for more information.

KARMA | DIMENSIONS & COM REQUIREMENTS

	0 "	0 "	0 "	0 1		5.	0 .	Shipp	ing Wei	-	0014	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	1 Chair	2 Chairs	3 Chairs	COM YRD	Cubes
Leg Base Stac Armless	king Chair l	Jpholstered										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	24	44	64	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22 KAR2C-26	28 32	21.9 21.9	33.9 33.9	18 18	26.8 26.8	22 26	17 17	25.5 27	47 50	68.5 73	1 1.7	18 21
Leg Base Stac			00.0	10	20.0	20	.,,	21	50	70	1.7	21
Armless	00.0	01.0	00.0	10	/	-/-	47	00.5	44	FO F	0.7	10
KAR2C-18.5 KAR2C-22	20.2 23.7	21.9 21.9	33.9 33.9	18 18	n/a n/a	n/a n/a	17 17	22.5 24	41 44	59.5 64	0.7 0.7	18 18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	0.7	21
With Arms			00.0		.,, &	., .				00.0	0	
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	27	50	73	0.7	21
Leg Base Stac Armless	king Chair F	Polymer Back										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	n/a	18
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	n/a	18
Caster Base C	hair Uphols	tered - With A	Arms									
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	1	18
Caster Base C												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
Caster Base C KAR2C-18.5	nair Polyme 24.5	r Back - With 21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
Sled Base Cha	ir Upholster	red										
Armless					,	,						
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	-	1	18
KAR2C-22 KAR2C-26	23.7 27.7	21.9 21.9	33.9 33.9	18 18	n/a n/a	n/a n/a	17 17	27 28.5	-	-	1 1.7	18 21
With Arms	21.1	21.5	00.0	10	Π/α	Π/α	17	20.5	_	_	1.7	21
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	_	_	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	28.5	_	_	1	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	30	-	-	1.7	21
Sled Base Cha Armless	ir Wood Ba	ck										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	_	_	0.7	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	-	-	0.7	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	-	-	0.7	21
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	_	_	0.7	18
KAR2C-16.5 KAR2C-22	24.5 28	21.9	33.9	18	26.8	22	17	28.5	-	-	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	30	-	-	0.7	21
Sled Base Cha												
Armless KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	_	_	0.7	18
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	0.7	18
Yardage for Inc Fabric 18.5" Fabric 22" Fabric 26"	dividual Con	nponents	Back 0.50 0.50 0.50	Seat 0.75 0.75 0.75								

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

KARMA | LEG BASE

DESCRIPTION/MO	DEL	COM 1	COL 2 3	FABRIC GRA	ADES 6 7	LEATHER 8	9_
	18.5" Leg Base, Matte KAR2C-18.5L_PNAD	Black or Silver N 450	Metallic - Upholste 477 501	red Seat & Polymer Ba 540 583	ack, No Arm with Sta 620 662	andard Dus 716	st Cover 768
	18.5" Leg Base, Polish KAR2C-18.5LCPNAD	ned Chrome - Ար 559	oholstered Seat & l 586 613	Polymer Back, No Arn 651 694	n with Standard Dus 731 773	t Cover 825	878
	18.5" Leg Base, Matte KAR2C-18.5L_UNAD	Black or Silver N 486	Metallic - Fully Uph 513 538	olstered, No Arm with 576 619	Standard Dust Cov 656 697	ver 751	805
	18.5" Leg Base, Polish KAR2C-18.5LCUNAD	ned Chrome - Fu 596	lly Upholstered, N 622 648	o Arm, and Standard 687 730	Dust Cover 766 808	861	914
	18.5" Leg Base, Matte KAR2C-18.5L_WNAD	Black or Silver N 518	Metallic - Upholste 535 546	red Seat & Wood Back 565 588	k, No Arm with Stand 605 627	dard Dust (655	Cover 680
	18.5" Leg Base, Polish KAR2C-18.5LCWNAD		oholstered Seat & \ 644 658	Nood Back, No Arm v 676 697	vith Standard Dust C 716 738	Cover 765	793
	18.5" Leg Base, Matte KAR2C-18.5L_PA_D	Black or Silver N 487	Metallic - Upholste 513 541	red Seat & Polymer Ba 580 620	ack, with Arm and Si 658 701	tandard Du 753	ust Cover 807
	18.5" Leg Base, Polish KAR2C-18.5LCPA_D	ned Chrome - Up 599	oholstered Seat & I 625 652	Polymer Back, with Ar 690 731	m and Standard Dus 768 810	st Cover 866	917
	18.5" Leg Base, Matte KAR2C-18.5L_UA_D	Black or Silver N 522	Metallic - Fully Uph 548 577	olstered, with Arm an 615 656	d Standard Dust Co 694 737	ver 789	843
	18.5" Leg Base, Polish KAR2C-18.5LCUA_D	ned Chrome - Fu 634	lly Upholstered, w 661 688	ith Arm and Standard 725 766	Dust Cover 805 846	900	954
	18.5" Leg Base, Matte KAR2C-18.5L_WA_D	Black or Silver N 547	Metallic - Upholste 562 576	red Seat & Wood Back 595 617	k, with Arm and Star 634 656	ndard Dust 685	Cover 710
	18.5" Leg Base, Polish KAR2C-18.5LCWA_D	ned Chrome - Ար 659	oholstered Seat & \ 673 687	Nood Back, with Arm 705 727	and Standard Dust (744 766	Cover 794	821
Varra Ontian Ha	ORDERING NOTES:	_		m Style please see Pr	oduct Code Key bel	low.	
Karma Option Upo		\$ L					
CAL 133 & Moisture Removable Seat Co	. ,		64 71				
Removable Back C			71				
Polymer Underseat			47				
Combination Uphol	,		33				
PRODUCT CODE KE		- o					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Unders	seat Shroud
KAR Karma	2C Stacking Chair 1:	18.5L 8.5" Leg Base	B Matte Black S Silver Metallic C Polished Chrome	Fully Upholstered W Beech Wood Back P Polymer Back	NA No Arm AB Black AG Grey ALG	Sta	s ner Shroud D andard st Cover
					Light Grey AT Taupe		

KARMA | LEG BASE

		СОМ		COL	FΔF	BRIC GRA	DES		LEATHER	₹
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	22" Leg Base, Matte B	lack or Silv	ver Metalli	ic - Fully U	pholstered	, No Arm v	with Stand	ard Dust C	over	
	KAR2C-22L_UNAD	529	555	582	618	659	696	739	793	845
	22" Leg Base, Polished	l Chrome	- Fully Ur	holstered	No Arm a	nd Standa	rd Dust Co	over		
	KAR2C-22LCUNAD	662	688	715	752	794	832	873	928	981
	22" Leg Base, Matte Bl			•						
	KAR2C-22L_WNAD	567	582	595	614	634	654	674	701	729
	22" Leg Base, Polished	Chrome	- Upholst	ered Seat	& Wood ba	ick, No Arr	n with Sta	ndard Dus	t Cover	
	KAR2C-22LCWNAD	702	715	730	747	768	786	809	835	864
	22" Leg Base, Matte B	lack or Silv	ver Metalli	ic - Fully U	Ipholstered	, with Arm	and Stand	dard Dust (Cover	
	KAR2C-22L_U_D	564	591	618	655	697	733	778	830	883
	22" Leg Base, Polished	d Chrome	- Fully Up	holstered.	with Arm a	and Standa	ard Dust C	over		
	KAR2C-22LCU_D	699	727	752	789	833	869	912	962	1017
	22" Leg Base, Matte Bl	ack or Silv	ver Metalli	c- I Inholst	ered Seat 8	R Wood ha	ck with A	rm and Sta	ındard Du	ıst Cover
	KAR2C-22L_W_D	596	610	622	642	664	680	703	730	757
	22" Leg Base, Polished	d Chrome	- Upholst	ered Seat	& Wood ba	ıck, with A	rm and Sta	andard Dus	st Cover	
	KAR2C-22LCW_D	731	743	759	778	798	816	838	865	890

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Removable Seat Covers	71
Removable Back Covers	71
Polymer Underseat Shroud 22"	63
Combination Upholstery - dual fabrics	33

PRODUCT COL	DE KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	22L	В	U	NA	S
Karma	Stacking Chair	22" Leg Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

KARMA | LEG BASE

		COM		COL	FAI	BRIC GRA	DES		LEATHER	3
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	26" Leg Base, Matte Bl KAR2C-26L_UNAD	ack or Sil 632	ver Metalli 680	c - Fully L 733	Ipholstered 806	l, Armless 887	with Stand 958	dard Dust 1039	Cover 1141	1244
	26" Leg Base, Polished KAR2C-26LCUNAD	Chrome 767	- Fully Up 819	holstered 870	, Armless, 1 941	with Stand 1022	dard Dust (1094	Cover 1177	1279	1380
	26" Leg Base, Matte Bl	ack or Silv	ver Metallio	c - Uphols	tered Seat	& Wood b	ack. Armle	ss. with St	andard Du	ıst Cover
	KAR2C-26L_WNAD	651	674	697	732	768	805	843	889	937
	26" Leg Base, Polished					-				
ı I	KAR2C-26LCWNAD	785	810	834	869	906	940	979	1027	1072
	26" Leg Base, Matte Bl	ack or Sil	ver Metalli	c - Fully L	Ipholstered	l, with Arn	n and Stan	dard Dust	Cover	
	KAR2C-26L_U_D	669	721	769	843	924	995	1080	1179	1283
	26" Leg Base, Polished	l Chrome	- Fully Up	holstered	with Arm a	and Stand	ard Dust C	Cover		
/	KAR2C-26LCU_D	806	856	908	979	1061	1134	1213	1315	1419
	26" Leg Base, Matte Bl	ack or Silv	er Metallio	- Upholste	ered Seat 8	Wood ba	ck, with Ar	m and Sta	ndard Dus	t Cover
	KAR2C-26L_W_D	678	703	727	761	798	833	871	917	963
	26" Leg Base, Polished	Chrome	- Upholst	ered Seat	& Wood ba	ack, with A	Arm and St	tandard Du	ıst Cover	
	KAR2C-26LCW_D	815	840	864	896	934	968	1008	1056	1102

ORDERING NOTES:

When selecting Frame Color and Arm Style please see Product Code Key below. See following page for additional options. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed on page 112.

Description/Model		Price
9	Tandem Seating Bracket KAR2C-GB BA	-Matte Black (for armed chair) 80
	Tandem Seating Bracket- KAR2C-GB BSA	Silver Metallic (for armed chair) 80
	Tandem Seating Bracket- KAR2C-GB BCA	Polished Chrome (for armed chair) 91
	Tandem Seating Bracket- KAR2C-GB BNA	Matte Black (for chairs without arms) 71
	Tandem Seating Bracket- KAR2C-GB BSNA	Silver Metallic (for chairs without arms) 71
	Tandem Seating Bracket- KAR2C-GB BCNA	Polished Chrome (for chairs without arms) 81
	Caddie DOL6	838

PRODUCT COL	DE KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26L	В	U	NA	S
Karma	Stacking Chair	26" Leg Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

KARMA | CASTER BASE

DESCRIPTION/MODEL		COM 1	2	COL 3	FABRI	C GRADES	S 6	7	LEATHER 8	9
	18.5" Caster Base, Silv KAR2CS-18.5MSP_D	er Metallic - 571	Upholstere 598	ed Seat & 625	Polymer Ba 662		rm with Sta 741	andard 783	Dust Cover 835	890
	18.5" Caster Base, Silv KAR2CS-18.5MSU_D	er Metallic - 606	Fully Upho 633	olstered, w 661	rith Arm and 697	l Standard 739	Dust Cove 778	er 820	871	927
	18.5" Caster Base, Silv KAR2CS-18.5MSW_D	er Metallic - I 632	Upholstered 645	d Seat & W 659	ood back, v 677		nd Standard 717	d Dust (Cover 766	793
	22" Caster Base, Silver KAR2C-22MSU_D	Metallic - F 646	ully Uphols 674	stered, with 701	n Arm and S 738	Standard D 781	Oust Cover 816	859	913	963
	22" Caster Base, Silver KAR2C-22MSW_D	Metallic- Uμ 678	oholstered 691	Seat & Wo	ood back, w 723	rith Arm an 746	nd Standar 764	d Dust 785	Cover 811	840
	ORDERING NOTES: W Karma chairs all include upcharge listed below.							ange "D	o" to "S" and	add
Karma Option Upcharg	ges	\$ Lis	st							
CAL 133 & Moisture Bar Removable Seat Covers Removable Back Covers Polymer Underseat Shro Polymer Underseat Shro Polymer Underseat Shro Combination Upholstery	rrier (per yard) s s bud 18.5" bud 22" bud 26"	6 7 7 4 6 8	64 71 71 77 73 73 73 73 73 73 74 74 75 75 75 75 75 75 75 75 75 75 75 75 75							
PRODUCT CODE KEY	Sorion Framo	Sizo	Erama (`alor	Stylo		Arm St	vlo	Lindoraca	t Chroud
KAR	Series Frame 2C 18.5 sking Chair 18.5" Cas	iM ster Base	Frame C	etallic	Style U Fully Uphols W Beech Wood P Polymer Ba	Back	Arm St AB Black AG Grey ALG Light G	``````````````````````````````````````	Undersea S Polymer D Stand	Shroud

AT Taupe

KARMA | SLED BASE

DESCRIPTION/MOI	DEL	COM 1	2	COL 3	FABI 4	RIC GRAD 5	ES 6	LI 7	EATHER 8	9
	18.5" Sled Base, Matte Black KAR2C-18.5S_PNAD	or Silver 586	Metallic 600	- Upholstered 614	Seat & P 632	olymer Ba 655	ck, No Arm 672	with Stan 694	dard Dust 721	Cover 747
	18.5" Sled Base, Matte Black KAR2C-18.5S_UNAD	or Silver 622	Metallic - 635	- Fully Uphols 649	stered, No 667	Arm with 690	Standard D 707	ust Cover 730	757	783
	18.5" Sled Base, Matte Black KAR2C-18.5S_WNAD	or Silver 658	Metallic - 672	Upholstered 686	Seat & Wo 703	od back, N 725	No Arm with 743	Standard 765	Dust Cove 793	er 820
	18.5" Sled Base, Matte Black KAR2C-18.5S_P_D	or Silver 626	r Metallic 652	- Upholstered 679	I Seat & P 718	olymer Ba 759	ck, No Arm 796	with Stan 838	dard Dust 892	Cover 945
	18.5" Sled Base, Matte Black KAR2C-18.5S_U_D	or Silver 662	r Metallic 688	- Fully Uphols 716	stered, wit 753	h Arm and 794	Standard [832	Oust Cove 873	r 928	981
	18.5" Sled Base, Matte Black KAR2C-18.5S_W_D ORDERING NOTES: When s Karma chairs all include the S	687	701 Frame Co	715	732 Style pleas	754 se see Pro	771 duct Code I	794 Key below	822 v.	848
Karma Option Upo	charge listed below.	\$	List							
CAL 133 & Moistur Removable Seat Con Removable Back Con Polymer Underseat	e Barrier (per yard) overs covers : Shroud 18.5" Istery - dual fabrics	•	64 71 71 47 33							
Line	Series Frame S	Size	Fram	e Color	Style)	Arm S	tyle	Undersea	t Shroud
KAR Karma	2C 18.58 Chair 18.5" Sled			B e Black S Metallic	Fully Upho W Beech Woo P	d Back	NA No Ar AB Blacc AG Gree ALC Light G	rm k k	Polymer D Stand Dust C	Shroud

KARMA | SLED BASE

COM COL **FABRIC GRADES LEATHER** DESCRIPTION/MODEL 2 9 3 5 6 8 22" Sled Base, Matte Black or Silver Metallic - Fully Upholstered, No Arm with Standard Dust Cover KAR2C-22S_UNAD 665 691 719 756 796 834 877 983 22" Sled Base, Matte Black or Silver Metallic - Upholstered Seat & Wood back, No Arm with Standard Dust Cover KAR2C-22S_WNAD 719 752 22" Sled Base, Matte Black or Silver Metallic - Fully Upholstered, with Arm and Standard Dust Cover KAR2C-22S_U_D 702 730 756 793 835 1019 22" Sled Base, Matte Black or Silver Metallic- Upholstered Seat & Wood back, with Arm and Standard Dust Cover KAR2C-22S_W_D 733 746 761 803 820 842 ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ Lis	t
CAL 133 & Moisture Barrier (per yard)	6	4
Removable Seat Covers	7	1
Removable Back Covers	7	1
Polymer Underseat Shroud 22"	6	3
Combination Upholstery - dual fabrics	3	3

PRODUCT CODE	KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	228	В	U	NA	S
Karma	Chair	22" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG	Dust Cover
					Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

KARMA | SLED BASE

		СОМ		COL	FAI	BRIC GRA	DES		LEATHER	3
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	26" Sled Base, Matte B	ack or Silv	er Metallio	c - Fully U	pholstered	, Armless	with Stanc	dard Dust C	Cover	
	KAR2C-26S_UNAD	768	820	871	942	1026	1095	1178	1281	1381
	26" Sled Base, Matte B	ack or Silv	er Metallic	- Linholst	tered Seat	& Wood h	ack Armle	ss with St	andard Di	ıst Cover
	KAR2C-26S_WNAD	789	811	835	870	908	941	981	1029	1074
	26" Sled Base, Matte B	ack or Silv	er Metallio	c - Fully U	pholstered	, with Arm	and Stand	dard Dust (Cover	
	KAR2C-26S_U_D	807	859	909	981	1062	1135	1216	1316	1420
	26" Sled Base, Matte Bl	ack or Silv	er Metallic	- Upholste	ered Seat &	Wood bad	k. with An	m and Star	ndard Dus	t Cover
	KAR2C-26S_W_D	816	842	865	898	935	971	1009	1058	1103
	ORDERING NOTES: \ Karma chairs all includupcharge listed below.	e the Stan								and add


Karma Option Upcharges	\$ Lis	st
CAL 133 & Moisture Barrier (per yard)	6	64
Removable Seat Covers	7	71
Removable Back Covers	7	71
Polymer Underseat Shroud 26"	8	80
Combination Upholstery - dual fabrics	3	33

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26S	В	U	NA	S
Karma	Chair	26" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG Grey	Dust Cover
					ALG	
					Light Grey	
					AT	
					Taupe	

CORFU | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 26.34%

POST-CONSUMER RECYCLED CONTENT = 22.74

Up to 55.38% of this Corfu product is recyclable at the end of its useful life.

(COR2-61S)

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CORFU | FEATURES & OPTIONS



SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Polished Chrome.



UNDER SEAT COVER

Each Corfu includes an underseat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.



PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection:

White, Black, Grey, Red, Blue, Sand



WOOD FINISH

Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.

Wood seats and backs are made with

European Beech hardwood veneers,

featuring nine (9) plys of cross grain for

added strength and durability.

OPTIONS

COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



STACKING

BEECH PLYWOOD

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the



California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



version with arms.


The Corfu caddie provides enhanced stackability, along with the ease of movement and storage. Its design allows for the stacking and storage of all Krug stackable chairs. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. This caddie is designed to stack and transport Krug's other stacking chairs.

GANGING

Corfu can be ordered with the option of ganging for the upcharge of \$33 list per chair. Please specify ganging when ordering.

PACKAGING

Corfu packaging features recycled, recyclable cardboard. The arm and armless chairs are shipped 4 units per carton.



DIMENSIONS

					Height of	Width	Shipping Weights & Cubes					
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	1 unit W C	2 units W C	3 units W C	4 units W C	
COR2-10S COR2-10C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	28 16	46 17	65 18	83 20	
COR2-11S COR2-11C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	30 16	51 17	73 18	93 20	
COR2-20S COR2-20C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	30 16	51 17	73 18	94 20	
COR2-21S COR2-21C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	36 16	63 17	92 18	119 20	
COR2-30S COR2-30C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20	
COR2-31S COR2-31C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20	
COR2-40S CORS-40C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20	
COR2-41S COR2-41C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20	
COR2-50S COR2-50C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	29 16	48 17	69 18	89 20	
COR2-51S COR2-51C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	32 16	54 17	77 18	99 20	
COR2-60S COR2-60C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20	
COR2-61S COR2-61C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	82 18	106 20	
COR6	24	31	15.75									

COM REQUIREMENTS

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

WEIGHT CAPACITY

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

	COM		COL	FABR	IIC GRAD			LEATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9



Plastic Seat & Back, Armless, with Silver Metallic Frame

COR2-10S 49

Plastic Seat & Back, Armless, with Polished Chrome Frame

COR2-10C 556



Plastic Seat & Back, Plastic Arms, with Silver Metallic Frame

COR2-11S 569

Plastic Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame

COR2-11C 624



Plastic Seat & Back with Upholstered Pads, Armless, with Silver Metallic Frame COR2-20S 658 693 727 761 796 832 866 900 935

Plastic Seat & Back with Upholstered Pads, Armless, with Polished Chrome Frame

COR2-20C 721 756 789 823 859 894 929 961 999



Plastic Seat & Back with Upholstered Pads, Plastic Arms, with Silver Metallic Frame

COR2-21S 737 769 806 840 875 910 943 979 1015

Plastic Seat & Back with Upholstered Pads, Polished Aluminum Arms, with Polished Chrome Frame

COR2-21C 791 827 861 895 930 963 1001 1034 1067

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Chrome frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$33 list per chair, please specify on order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	2	1	0	S
	Multi-Purpose	Plastic Seat &	Armless	Silver Metallic
		Back		
		2	1	С
		Plastic with Upholstered	Arms	Polished Chrome
		Seat & Back Pads		
		3 Wood Seat & Back		
		4		
		Fully Upholstered		
		Seat & Back		
		5		
		Plastic Back, Plastic Seat with		
		Upholstered Pad		
		6		
		Wood Back, Fully Upholstered Seat		

DESCRIPTION/MODE	=1	SPECIES	COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	9
BEGOTHI TIOTA/MOBE		0. 20.20	•			•			·		
	·	Plastic Seat wit	•								
	COR2-50S		610	633	658	679	705	729	752	777	799
	Diagtic Book	Plastic Seat wit	h I Inhalat	arad Dad	Armlooo	with Doli	ohod Chro	mo Erom	_		
	COR2-50C	Flaslic Seat Wit	673	696	, Anniess, 721	743	767	791	e 815	838	864
	00112 300		073	090	721	743	701	751	015	000	004
	,	Plastic Seat wit	•		*						
	COR2-51S		689	711	737	760	783	807	832	853	878
	Diantia Dani	Diantia Cantucit	لم ا ما ما ما	d Dd	Daliahaal	۸۱ ا		ith Daliah	l Ob		
	COR2-51C	Plastic Seat wit	n upnoist 743	ered Pad 767	, Polisnea 791	815	n Arms, w 838	ith Polishe 864	ea Chrome 886	910	932
	00112 010		740	707	751	010	000	004	000	310	302
	Wood Seat 8	Back, Armless,	with Silve	r Metallio	c Frame						
	COR2-30S	Beech	711								
	Wood Seat 8	Back, Armless,	with Polis	shed Chro	ome Fram	е					
	COR2-30C	Beech	783								
	Wood Seat 8	Back, Silver Me	etallic Arm	s, with S	ilver Metal	llic Frame					
	COR2-31S	Beech	853								
	Wood Seat 8	Back, Polished	Aluminun	n Arms, v	vith Polish	ed Chron	ne Frame				

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

941

When ordering the Polished Chrome frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$33 list per chair, please specify on order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic
		Plastic with Upholstered Seat & Back Pads	1 Arms	C Polished Chrome
		Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with Upholstered Pad		
		6 Wood Back, Fully Upholstered Seat		

			COM		COL		FABR	IC GRADE	S	LEATHE	R
DESCRIPTION/MOI	DEL	SPECIES	1	2	3	4	5	6	7	8	9
	Wood Back, Fully	Upholstered	Seat, Arr	nless, wit	h Silver M	1etallic Fra	ame				
1	COR2-60S	Beech	777	809	845	879	914	952	984	1018	1054
	West Deals Falls	I I a la a la Laura d	0 1 - 4		l. D. P. L.		-				
	Wood Back, Fully COR2-60C	Upnoistered Beech	Seat, Arr	niess, wit 882	n Polisne 915	a Cnrome 953	Frame 985	1019	1056	1090	1124
	00112 000	Decem	040	002	313	330	303	1013	1000	1000	1124
U											
	Wood Back, Fully	Linholetered	Spat Silv	vor Motall	ic Arme	with Silver	Metallic	Frame			
	COR2-61S	Beech	916	954	987	1021	1058	1092	1126	1162	1195
	Wood Back, Fully									1017	1000
	COR2-61C	Beech	1004	1038	1073	1109	1142	1178	1213	1247	1283
	Fully Upholstered COR2-40S	Seat & Back	, Armless 807	s, with Silv 853	er Metalli/ 901	c Frame 952	997	1044	1092	1139	1187
	00112-403		007	033	901	932	991	1044	1092	1133	1101
	Fully Upholstered	Seat & Back	, Armless								
/ //	COR2-40C		878	927	974	1019	1066	1116	1163	1209	1257
w U											
	Fully Upholstered COR2-41S	Seat & Back	, Silver M 952	letallic Ari 997	ns, with S 1044	Silver Meta 1092	allic Fram 1139	e 1187	1232	1282	1330
	00112-410		332	331	1044	1032	1100	1107	1202	1202	1000
	Fully Upholstered	Seat & Back									
	COR2-41C		1036	1084	1131	1178	1226	1273	1319	1370	1416
u u											
	Caddie										
	DOL6		838								
<i>\$</i>											

ORDERING NOTES:


When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum. Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms. Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$33 list per chair, please specify on order. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Chair Style 1 Plastic Seat &	Arm Style 0 Armless	Frame Finish
	Armless	0" 14 1 11
Back		Silver Metallic
2	1	С
Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
3 Wood Seat & Back		
4		
Fully Upholstered Seat & Back		
5		
Plastic Back, Plastic Seat with Upholstered Pad		
6 lood Back, Fully Upholstered Seat		
	Wood Seat & Back 4 Fully Upholstered Seat & Back 5 Plastic Back, Plastic Seat with Upholstered Pad 6	Wood Seat & Back 4 Fully Upholstered Seat & Back 5 Plastic Back, Plastic Seat with Upholstered Pad 6

CAPRI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 15.13%

POST-CONSUMER
RECYCLED CONTENT = 30.97%

Up to 66.28% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Capri products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CAPRI

			COM		COL FAB		ABRIC GF	ABRIC GRADES			LEATHER	
DESCRIPTION/MODEL/FINISHES		3	1	2	3	4	5	6	7	8	9	
	ARM CHAI	R										
	CAP2A1	Cherry, Beech	1084									
	CAP2A2		1316	1369	1411	1474	1536	1607	1688	1778	1932	
	CAP2A3	Cherry, Beech	1194	1241	1289	1342	1398	1455	1509	1603	1697	
	CAP2A4	Cherry, Beech	1226									
/ // (CAP2A5	Cherry, Beech	1334	1383	1429	1483	1536	1592	1646	1741	1836	
"												
	SIDE CHAI	R										
_ \	CAP2S1	Cherry, Beech	999									
1 1	CAP2S2		1226	1273	1327	1389	1455	1521	1585	1678	1835	
	CAP2S3	Cherry, Beech	1114	1162	1203	1258	1316	1373	1429	1521	1612	
/ / (CAP2S4	Cherry, Beech	1140									
	CAP2S5	Cherry, Beech	1252	1276	1342	1398	1455	1509	1566	1660	1752	
ŭ												
	CADDIE DOL6		838									



DIMENSIONS & COM REQUIREMENTS

			_							
	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube (2)	COM Yardage
ARM CHAIR										
Wood with arms	22	22.75	33.75	18.5	27	20.5	17.25	12	13	-
Fully Upholstered with arms	22	22.75	34	19	27	20.5	17.75	14	13	1.0
Upholstered seat with arms	22	22.75	33.75	19	27	20.5	17.75	13	13	0.6
SIDE CHAIR										
Wood with arms	19.75	22.75	33.75	18.5	-	-	17.25	12	13	-
Fully Upholstered	19.75	22.75	34	19	-	-	17.75	14	13	1.0
Upholstered seat	19.75	22.75	33.75	19	-	-	17.75	13	13	0.6
ARM CHAIR										
Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	-
Fully Upholstered with arms	22	22.75	44	29.5	38.5	20.5	17.75	17	18	1.0
Upholstered seat with arms	22	22.75	43.75	29.5	38.5	20.5	17.75	16	18	0.6
CADDIE	25.5	41	43.75	-	-	-	-	20	17	-

ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. .

PRODUCT CODE KEY

Line	Series	Chair Type	Chair Style
CAP	2	А	1
Capri	Guest Seating	Arm Chair	Wood
	5 Barstool	Side Chair	Fully Upholstered
			3 Upholstered Seat Cushion
			Wood With Holes
			5 Upholstered Seat Back with Holes

When used with Caddie, Capri stacks to a maximum of 15 chairs high (10 high for upholstered versions). Barstool versions cannot be stacked with Caddie.

REMOVABLE UPHOLSTERED BACK COVER


Capri Chairs are available with removable upholstered back cover at an upcharge of \$48 list per chair.

BANK OF ENGLAND | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .34%

POST-CONSUMER
RECYCLED CONTENT = 13.10%

Up to 96.55% of this Bank of England product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bank of England products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Bank of England products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bank of England and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



BANK OF ENGLAND

	COM COL FABRIC GRADES			DES	LEATHER						
DESCRIPTION/MODE	L/FINISHES		1	2	3	4	5	6	7	8	9
	WOOD SE 177-A	AT Oak, Cherry	1327								
	177-J	Oak, Cherry Jury Base	1501								
	REMOVAB	SLE CUSHION									
	178-A	Oak, Cherry	1618	1693	1769	1841	1912	1985	2054	2129	2242
	178-J	Oak, Cherry Jury Base	1804	1885	1964	2040	2113	2193	2264	2341	2462
	UPHOLST 179-A	ERED SEAT Oak, Cherry	1618	1693	1769	1841	1912	1985	2054	2129	2242
	179-J	Oak, Cherry Jury Base	1804	1885	1964	2040	2113	2193	2264	2341	2462

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
177-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	_
178-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75
179-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75

ORDERING NOTES

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available. For jury base version of this chair, please select model number '177-J' for Wood Seat, '178-J' for Removable Cushion, or '179-J' for Removable Cushion Upholstered Seat.



CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. .

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finish

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

BANK OF ENGLAND

For a complete list of standard wood finishes please see page 335.

BARSTOOL & COUNTER HEIGHT SEATING


127	Manol
131	Karma
133	Capri
135	Corfu

MANOLO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 14.89%

POST-CONSUMER
RECYCLED CONTENT = 34.84%

Up to 69.20% of this Manolo product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Manolo products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



of responsible forest

AIR EMISSIONS

All Manolo products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Manolo and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



MANOLO | FEATURES & OPTIONS



SEATS

Manolo seats are available, with two back heights; Backless Seat and Low Back Seat, in Upholstered, Beech and Walnut veneers and Palette finishes.



BASES

Manolo Stool bases feature Polished Chrome structural steel base frames with non-marring polycarbonate glides. Manolo Stool bases are available in two heights; Counter Height or Bar Height.

WEIGHT CAPACITY

Manolo complies with ANSI/BIFMA x5.1-2011 test standards. Manolo has been load tested up to 300lbs.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

OPTIONS

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

MANOLO | DIMENSIONS & COM

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Width	Seat Depth	Seat Height	Shipping Weight	Cube	COM Yardage	
Barstool										
Backless Seat	19	22.5	36	15.75	16	31	19.5	12	1	
Low Back Seat	19	22.5	41	15.75	16	31	20	13	1	
Counter Stool										
Backless Seat	19	22.5	30	15.75	16	25	18.5	10	1	
Low Back Seat	19	22.5	35	15.75	16	25	19	11	1	

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

MANOLO | BARSTOOL & COUNTER STOOL

			COM		COL	FABRIC GRADES			LEATHER		
Description	Model	Species	1	2	3	4	5	6	7	8	9
	MAN5B01	ood, Backless Seat Beech Walnut	810 851								
	MAN5B03	Palette	780								
	Counter Sto	ol, Wood Seat, Backles	ss Seat								
	MAN5C01	Beech	784								
		Walnut	824								
	MAN5C03	Palette	756								
	Barstool, Fu	lly Upholstered, backle	ess seat								
	MAN5B02		853	886	916	981	1043	1108	1170	1232	1360
	Counter Sto	ol, Fully Upholstered, E	Backless S	Seat							
	MAN5C02	, , ,	827	859	890	955	1017	1082	1143	1207	1334
	MAN5B11 MAN5B13	ood, Low Back Seat Beech Walnut Palette ol, Wood, Low Back Seach Walnut	827 869 793 eat 799 842								
	MAN5C13	Palette	768								
	Barstool Ful MAN5B12	ly Upholstered, Low Ba	ack Seat 906	939	974	1039	1107	1171	1240	1306	1438
	Counter Sto MAN5C12	ol Fully Upholstered, L	ow Back \$ 878	Seat 913	946	1012	1080	1146	1212	1279	1412

Manolo Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	64


PRODUCT CODE KEY					
Line	Series	Base Height	Seat Style	Seat Type	
MAN Manolo	5 Stool	B Bar Height	0 Backless Seat	1 Wood	
		C Counter Height	1 Low Back Seat	2 Fully Upholstered	
				3 Palette	

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



KARMA | COUNTER STOOL


DESCRIPTION/	MODEL			COM 1	2 3		ABRIC GRA 5	ADES 6		LI 7	EATHER 8	9
		' Leg Frame, 2C-18.5C_U		k or Silver	Metallic - Full 705 731	y Upholstered 767	d, No Arm, 810	with Sta 848		Dust Co 89	ver 942	995
		' Leg Frame, 2C-18.5CCU		throme - I 730	Fully Upholster 757 782	ed, No Arm, 9 820	with Stand 864	ard Dust 900		41	994	1046
		' Leg Frame, 2C-18.5C_W		k or Silver	Metallic- Uph	olstered Seat 759	& Wood b	ack, No 798		ith Stan 20	dard Dus	st Cove
		' Leg Frame, 2C-18.5CCV		hrome - l 764	Jpholstered Se 779 791	eat & Wood b 809	ack, No Ar 832	m, with 8		d Dust (71	Cover 898	927
				k or Silve	Metallic - Full	y Upholstered	d, with Arm	n, with S	tandard	Dust C	over	
		2C-18.5C_U	_	716	737 768	807	848	886		29	982	1034
		' Leg Frame, 2C-18.5CCU		throme - I	Fully Upholster 794 821	ed, with Arm 857	, with Stan 900	dard Dus 937			1033	1087
		Leg Frame, 2C-18.5C_W		or Silver N	Metallic- Uphols	stered Seat &	Wood back 808	, with Ar 827		Standar 48	d Dust C 875	over 904
	KAR			740	130 101	700						304
		_	Polished C	hrome - l	Jpholstered Se	eat & Wood b	ack, with A	Arm, with	ı Standa	ard Dust	t Cover	
	18.5' KAR ORD Karm	Leg Frame, 2C-18.5CCV ERING NOT na chairs all i	V_D FES : When s nclude the S	793 selecting F Standard	Jpholstered Se 807 820 Frame Color an Dust Cover (se	838 d Arm Style _l lect "D" belo	859 olease see w), for opti	878 Product onal Pol	90 Code K	00 Key beld	928 ow.	955)" to "S
	18.5' KAR: ORD Karm and a	" Leg Frame, 2C-18.5CCW PERING NOT na chairs all i add upcharg	V_D FES : When s nclude the S	793 selecting F Standard	807 820 Frame Color an	838 d Arm Style _l lect "D" belonsions and Co	859 olease see w), for opti OM require	878 Product onal Polements.	90 Code Kymer Sh	00 Key beld	928 ow.)" to "S \$ Lis
CAL 133 & Moi Removable Se	18.5' KAR: ORD Karm and a Upcharges Isture Barrier at Covers	" Leg Frame, 2C-18.5CCW PERING NOT na chairs all i add upcharg	V_D FES : When s nclude the S	793 selecting F Standard I ow. See pa	807 820 Frame Color an Dust Cover (se	838 d Arm Style lect "D" belonsions and Co Polymer U Combinat	859 olease see w), for opti	878 Product onal Polyements. Shroud 1	90 Code K ymer Sh 18.5" ual fabric	00 Key beld iroud ch	928 ow. nange "D	" to "S \$ Lis 47
CAL 133 & Moi Removable Se Removable Ba DIMENSIONS:	18.5' KAR2 ORD Karm and a Upcharges sture Barrier at Covers ck Covers	" Leg Frame, 2C-18.5CCW PERING NOT na chairs all i add upcharg ar (per yard)	V_D TES: When sometimes and the selection in the selecti	793 selecting F Standard l ow. See pa \$ List 64 71 71	807 820 Frame Color an Dust Cover (se age 4 for dimer	838 d Arm Style lect "D" below nsions and Co Polymer U Combinat See page	859 blease see w), for opti OM require Jnderseat S ion Uphols 3 for more	878 Product onal Polyments. Shroud 1 stery - du informa	90 Code Kymer Sh	00 Key beld roud ch	928 Dw. nange "D and featons are cr	\$ Lis 47 33 tures.
CAL 133 & Moi Removable Se Removable Ba DIMENSIONS:	18.5' KAR2 ORD Karm and a Upcharges sture Barrier at Covers ck Covers are in inches	"Leg Frame, 2C-18.5CCW PERING NOT na chairs all i add upcharg r (per yard) and approximate overall	V_D TES: When s nclude the s e listed below mate and ar Overall	793 selecting F Standard I bw. See pa \$ List 64 71 71 e subject t Seat	807 820 Frame Color an Dust Cover (se age 4 for dimer	838 d Arm Style lect "D" below nsions and Co Polymer U Combinat See page out notice. Co Between	859 Dlease see W), for opti DM require Jnderseat S ion Uphols 3 for more ntact Custo Seat	878 Product onal Polyments. Shroud 1 stery - du informa	90 to Code K tymer Sh 18.5" ual fabrication on or the code of th	600 Key belong the provided character of th	928 Dw. nange "D and feathers are critical COM	\$ Lis 47 33 tures.
Karma Option CAL 133 & Moi Removable Sei Removable Ba DIMENSIONS: All dimensions Easy Access o	18.5' KAR: ORD Karm and a Upcharges sture Barrier at Covers ck Covers are in inches Overall Width	"Leg Frame, 2C-18.5CCW PERING NOT na chairs all i add upcharg r (per yard) and approximate and approximate approx	V_D TES: When sometimes and are and are overall Height	793 selecting F Standard I ow. See pa \$ List 64 71 71 e subject t	807 820 Frame Color an Dust Cover (se age 4 for dimer	838 d Arm Style lect "D" belonsions and Combinat See page	859 Dlease see w), for opti DM require Jnderseat S ion Uphols 3 for more	878 Product onal Polyments. Shroud 1 stery - du informa	90 Code K Symer Sh 18.5" Just fabrication on a convice if di ing Weiging	600 Key belong the provided character of th	928 Dw. nange "D and feathers are critical COM	\$ Lis 47 33 tures.
CAL 133 & Moi Removable Sea Removable Ba DIMENSIONS: All dimensions Easy Access of Armless KAR2-18.5	18.5' KAR: ORD Karm and a Upcharges sture Barrier at Covers ck Covers are in inches Overall Width	"Leg Frame, 2C-18.5CCW PERING NOT na chairs all i add upcharg r (per yard) and approximate and approximate approx	V_D TES: When sometimes and are and are overall Height	793 selecting F Standard I bw. See pa \$ List 64 71 71 e subject t Seat	807 820 Frame Color an Dust Cover (se age 4 for dimer	838 d Arm Style lect "D" below nsions and Co Polymer U Combinat See page out notice. Co Between	859 Dlease see W), for opti DM require Jnderseat S ion Uphols 3 for more ntact Custo Seat	878 Product onal Polyments. Shroud 1 stery - du informa	90 to Code K tymer Sh 18.5" ual fabrication on or the code of th	600 Key belong the provided character of th	928 Dw. nange "D and feathers are critical COM	\$ Lis 47 30 tures.
CAL 133 & Moi Removable Sea Removable Ba DIMENSIONS: All dimensions Easy Access of Armless KAR2-18.5 with Arms	18.5' KAR: ORD Karm and a Upcharges sture Barrier at Covers ck Covers are in inches Overall Width r Counter Se	"Leg Frame, 2C-18.5CCW PERING NOT na chairs all i add upcharg r (per yard) and approximate of the period of the p	V_D TES: When sometimes and are and are overall Height red	793 selecting F Standard I bw. See pa \$ List 64 71 71 e subject t Seat Heigh	Frame Color an Dust Cover (se age 4 for dimer to change without Arms From t Floor	838 d Arm Style plect "D" below below and Combinat See page but notice.	859 Dlease see W), for opti DM require Underseat S ion Uphols 3 for more ntact Custo Seat Depth	878 Product onal Polyments. Shroud 1 stery - du informa omer Ser Shipp 1 Chair	90 to Code K tymer Sh 18.5" ual fabrication on or the code of th	600 Key belong the provided character of th	928 Dw. Danange "E	\$ Lis \$ Lis 47 30 tures. ritical.
CAL 133 & Moi Removable Sei Removable Bai DIMENSIONS: All dimensions Easy Access of Armless KAR2-18.5 with Arms KAR2-18.5 Easy Access of	18.5' KAR2 ORD Karm and a Upcharges Sture Barrier at Covers ck Covers are in inches Overall Width r Counter Se 20.2 24.5	"Leg Frame, 2C-18.5CCW PERING NOT na chairs all i add upcharg r (per yard) and approximate the period of the peri	red 39.9 39.9	793 selecting F Standard I bw. See pa \$ List 64 71 71 e subject t Seat Heigh	807 820 Frame Color an Dust Cover (se age 4 for dimer co change without Arms From t Floor	838 d Arm Style plect "D" below below below below by the combination of the combination o	859 blease see w), for opti OM require Underseat S ion Uphols 3 for more ntact Custo Seat Depth	878 Product onal Polyments. Shroud 1 stery - du informa Dimer Ser Shipp 1 Chair	90 to Code K tymer Sh 18.5" ual fabrication on or the code of th	600 Key belong the provided character of th	928 bow. and fear ons are cr COM YRD	\$ List 47 33 tures. Cube
CAL 133 & Moi Removable Sea Removable Ba DIMENSIONS: All dimensions Easy Access o Armless KAR2-18.5 with Arms KAR2-18.5 Easy Access o Armless KAR2-18.5	18.5' KAR2 ORD Karm and a Upcharges Sture Barrier at Covers ck Covers are in inches Overall Width r Counter Se 20.2 24.5	"Leg Frame, 2C-18.5CCW PERING NOT na chairs all i add upcharg r (per yard) and approximate the period of the peri	red 39.9 39.9	793 selecting F Standard I bw. See pa \$ List 64 71 71 e subject t Seat Heigh	807 820 Frame Color an Dust Cover (se age 4 for dimer co change without Arms From t Floor	838 d Arm Style plect "D" below below below below by the combination of the combination o	859 blease see w), for opti OM require Underseat S ion Uphols 3 for more ntact Custo Seat Depth	878 Product onal Polyments. Shroud 1 stery - du informa Dimer Ser Shipp 1 Chair	90 to Code K tymer Sh 18.5" ual fabrication on or the code of th	600 Key belong the provided character of th	928 bow. and fear ons are cr COM YRD	\$ List 47 33 tures. Cube
CAL 133 & Moi Removable Sea Removable Bar DIMENSIONS: All dimensions Easy Access of Armless KAR2-18.5 with Arms KAR2-18.5 Easy Access of Armless	18.5' KAR: ORD Karm and a Upcharges Isture Barrier at Covers ck Covers are in inches Overall Width r Counter Se 20.2 24.5 r Counter Se	"Leg Frame, 2C-18.5CCW PERING NOT na chairs all i add upcharg r (per yard) and approximate the company of the	red 39.9 ck	selecting F Standard I bw. See pa \$ List 64 71 71 e subject t Seat Heigh	Frame Color an Dust Cover (se age 4 for dimer or change without the Floor of the Fl	838 d Arm Style plect "D" below below and Combinate See page but notice. Combinate See page but notice. Combinate See page but notice. The second sec	859 Dlease see w), for opti OM require Underseat S ion Uphols 3 for more ntact Custo Seat Depth 17 17	878 Product onal Polyments. Shroud 1 stery - due informa Dimer Sei Shipp 1 Chair 43 44.5	90 to Code K tymer Sh 18.5" ual fabrication on or the code of th	600 Key belong the provided character of th	928 Dow. Downange "E and feather and fe	\$ List 47 33 tures. Cube
CAL 133 & Moi Removable Sea Removable Ba DIMENSIONS: All dimensions Easy Access o Armless KAR2-18.5 with Arms KAR2-18.5 with Arms KAR2-18.5 with Arms KAR2-18.5	18.5' KAR2 ORD Karm and a Upcharges sture Barrier at Covers ck Covers are in inches Overall Width r Counter Se 20.2 24.5 r Counter Se 20.2 24.5	"Leg Frame, 2C-18.5CCW PERING NOT na chairs all i add upcharg i r (per yard) and approximate of the control of	mate and ar Overall Height red 39.9 39.9 ck 39.9	793 selecting F Standard I bw. See pa \$ List 64 71 71 se subject t Seat Heigh 24 24 24 24	807 820 Frame Color an Dust Cover (se age 4 for dimer co change without the Floor n/a 32.8 n/a 32.8	838 d Arm Style plect "D" belownsions and Combinate See page out notice. See page out notice. Combinate See page out notice. See page out notice. Combinate See page out notice. See page out not	859 Dlease see w), for opti DM required Signature Signature Signature Signature Seat Depth 17 17 17 17	878 Product onal Polyments. Shroud 1 stery - durinforma Dimer Ser Shipp 1 Chair 43 44.5	90 Code K Symer Sh 18.5" ual fabrication on of rvice if di ing Weig 2 Chairs	OO Key belong the control of the co	928 bow. and fear and fear compared to the	\$ Lis 47 33 tures. Cube 20 20 20 20
CAL 133 & Moi Removable Sea Removable Ba DIMENSIONS: All dimensions Easy Access o Armless KAR2-18.5 with Arms KAR2-18.5 Easy Access o Armless KAR2-18.5 with Arms	18.5' KAR2 ORD Karm and a Upcharges sture Barrier at Covers ck Covers are in inches Overall Width r Counter Se 20.2 24.5 r Counter Se 20.2 24.5	"Leg Frame, 2C-18.5CCW PERING NOT na chairs all i add upcharg i r (per yard) and approximate the period of the pe	red 39.9 specific colors 39.9	793 selecting F Standard I bw. See pa \$ List 64 71 71 e subject t Seat Heigh 24 24 24 24	807 820 Frame Color an Dust Cover (se age 4 for dimer co change without the Floor n/a 32.8	838 d Arm Style plect "D" belownsions and Combinate See page out notice. See page out notice. Combinate See page out notice. See page out notice. Combinate See page out notice. See page out not	859 Dlease see w), for opti DM require Underseat S ion Uphols 3 for more ntact Custo Seat Depth 17 17	878 Product onal Polyments. Shroud 1 stery - durinforma Dimer Ser Shipp 1 Chair 43 44.5	90 to Code K tymer Sh 18.5" ual fabrication on or the code of th	OO Key belong the control of the co	928 bow. and fear and fear compared to the	\$ Lis 47 33 tures. Cube 20 20

CAPRI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Capri products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CAPRI | BARSTOOL

			COM		COL	F	ABRIC GRA	ADES		LEATHE	7
DESCRIPTION/MODE	L/FINISHES		1	2	3	4	5	6	7	8	9
	BARSTOOI CAP5A1	Cherry, Beech	1303			4-00					
	CAP5A2		1581	1640	1693	1769	1844	1927	2024	2133	2287
	CAP5A3	Cherry, Beech	1434	1491	1545	1613	1680	1746	1813	1924	2018
	CAP5A4	Cherry, Beech	1466								
	CAP5A5	Cherry, Beech	1601	1659	1712	1778	1844	1912	1977	2089	2180

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BARSTOOL Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	
Fully Upholstered with arms Upholstered seat with arms	22	22.75 22.75 22.75	43.75 44 43.75	29.5 29.5	38.5 38.5	20.5 20.5 20.5	17.25 17.75 17.75	15 17 16	18 18	1.0 0.6


ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Lin	e Series	Chair Type	Chair Style	BARSTOOL
CAI		A Arm Chair	1 Wood	The Capri barstool version is available with arms only. Capri barstool versions are suitable for use with bar heights in the range of 40" to 42".
			Fully Upholstered 3 Upholstered Seat Cushion 4 Wood With Holes	REMOVABLE UPHOLSTERED BACK COVER Capri Chairs are available with removable upholstered back cover at an upcharge of \$48 list per chair.
			5 Upholstered Seat, Back with Holes	

CORFU | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 27.77%

POST-CONSUMER RECYCLED CONTENT = 18.44%

Up to 86.71% of this Corfu product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CORFU | BARSTOOL - FEATURES & OPTIONS

SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.

BEECH PLYWOOD

Wood seats and backs are made with European Beech hardwood veneers, featuring nine (9) plys of cross grain for added strength and durability.

STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Chrome.

PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection: White, Black, Grey, Red, Blue, Sand



UNDER SEAT COVER

Each Corfu includes an under-seat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.

OPTIONS

COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

CORFU | BARSTOOL - DIMENSIONS & COM REQUIREMENTS

COM REQUIREMENTS

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
COR5-10S	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-10C	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-11S	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-11C	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-20S	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-20C	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-21S	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-21C	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-30S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-30C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-31S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-31C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-40S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-40C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-41S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-41C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-50S	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-50C	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-51S	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-51C	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-60S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-60C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-61S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-61C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22

WEIGHT CAPACITY

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

CORFU | BARSTOOL

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	ABRIC GRA	ADES 6	7	LEATHEF 8	9
	Plastic Seat & Back, Armless, COR5-10S	878								
	Plastic Seat & Back, Armless, COR5-10C	1029	ried Crirc	ome Fran	ie					
	Plastic Seat & Back, Plastic Al COR5-11S	rms with S 971	Silver Me	tallic Fran	ne					
	Plastic Seat & Back, Polished COR5-11C	Aluminum 1134	n Arms w	ith Polish	ed Chrom	ne Frame				
	Plastic with Upholstered Seat COR5-20S	& Back Pa 1169	ads, Arm 1186	less, with 1205	Silver Me 1242	etallic Fran 1276	ne 1314	1349	1386	1459
	Plastic with Upholstered Seat COR5-20C	& Back Pa 1318	ads, Arm 1335	less, with 1355	Polished 1391	Chrome F 1428	Frame 1463	1501	1536	1609
	Plastic with Upholstered Seat COR5-21S	& Back Pa 1262	ads, Plas 1281	tic Arms, 1297	with Silve	er Metallic 1371	Frame 1407	1441	1480	1552

Plastic with Upholstered Seat & Back Pads, Polished Aluminum Arms, with Polished Chrome Frame

1460

1494

1533

1567

1604

1641

1713

ORDERING NOTES:

COR5-21C

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

1422 1440

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3 Beech Wood Seat & Back		
		4		
		Fully Upholstered Seat & Back		
		5		
		Plastic Back, Plastic Seat with Upholstered Pad		
	-	6		
		Beech Wood Back, Fully Upholstered Seat		

CORFU | BARSTOOL

DESCRIPTION/MODE	L	SPECIES	COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	9
	Diactic Back	Plastic Seat with	h I Inholet	orod Dag	Armloco	with Cilv	or Motallic	Framo			
	COR5-50S	Flastic Seat with	1116	1126	1, Anniess 1137	1160	1180	1201	1222	1243	1285
		Plastic Seat wit								1000	1 405
	COR5-50C		1266	1275	1288	1309	1330	1351	1372	1393	1435
	Plastic Back,	Plastic Seat with	h Upholst	ered Pac	d, Plastic A	Arms with	Silver Me	tallic Fram	ne		
	COR5-51S		1127	1138	1148	1169	1192	1213	1232	1254	1296
	Plastic Back.	Plastic Seat with	h Upholst	ered Pac	d. Polished	d Aluminur	m Arms. w	ith Polish	ed Chrome	e Frame	
	COR5-51C		1371	1380	1391	1412	1434	1455	1477	1495	1539
, , ,											
	Wood Seat &	Back, Armless,	with Silve	er Metalli	c Frame						
	COR5-30S	Beech	1218								
Wood Seat & Back, Armless, with Polished Chrome Frame											
	COR5-30C	Beech	1292	5110 4 0111	omo i ran	.0					
	Wood Seat & COR5-31S	Back, Silver Me Beech	etallic Arm 1342	ns, with S	ilver Meta	allic Frame					

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

Wood Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame

1396

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Beech

COR5-31C

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3 Beech Wood Seat & Back		
		4		
		Fully Upholstered		
		Seat & Back		
		5		
		Plastic Back, Plastic Seat with		
		Upholstered Pad		
	E	6 Beech Wood Back, Fully Upholstered Seat	t	

CORFU | BARSTOOL

		COM			COL		FABRIC (GRADES	LEATHER		
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Wood Back, Fully	Upholstered	Seat Armle	ss. with S	Silver Meta	llic frame					
	COR5-60S	Beech	1114	1127	1139	1163	1187	1212	1236	1260	1309
	Wood Back, Fully	Upholstered	Seat Armle	ss, with F	Polished Cl	nrome frai	me				
	COR5-60C	Beech	1190	1201	1213	1239	1262	1286	1310	1333	1381
	Wood Back, Fully	Unholstered	Seat Silver	r Metallic	Arms with	Silver Me	etallic Fra	me			
	COR5-61S	Beech	1240	1251	1263	1288	1311	1335	1359	1383	1433
	Wood Back, Fully COR5-61C	Upholstered Beech	Seat, Polisl 1292	hed Alum 1306	inum Arms	s, with Pol	lished Chi 1367	rome Fram 1390	ne 1414	1438	1487
		200011	1232	1000	1017	1041	1007	1030	1414	1400	1401
$\overline{\Box}$	Fully Upholstered	Seat & Back,	Armless, v	vith Silver	Metallic F	rame					
	COR5-40S		1124	1151	1177	1227	1281	1331	1381	1434	1536
	Fully Upholstered	Seat & Back,	Armless, v	vith Polish	ned Chrom	e Frame					
	COR5-40C		1199	1224	1251	1303	1354	1404	1456	1507	1610
	Fully I limbalatavad	Coot & Dools	Cilver Met	allia Armaa	with Cilv	ar Matallia	Гиото				
	Fully Upholstered COR5-41S	Seal & Back,	1249	1273	1302	1352	1403	1455	1506	1557	1660
	Fully Upholstered	Seat & Back,	Polished A	Numinum	Arms, with	n Polished	d Chrome	Frame			
H	COR5-41C		1304	1330	1355	1405	1458	1509	1560	1612	1714

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

PRODUCT CODE KEY

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3 Beech Wood Seat & Back		
		4		
		Fully Upholstered Seat & Back		
		5		
		Plastic Back, Plastic Seat with Upholstered Pad		
		6		

Beech Wood Back, Fully Upholstered Seat

LOUNGE SEATING


- 142 Avatar
- 145 Cressida
- 155 Leyton
- 170 Zola
- 187 Zola Privacy
- 253 Faeron
- 265 Sutton
- 267 Carlyle
- 269 Brio
- 271 Sloane

AVATAR | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.21%

POST-CONSUMER
RECYCLED CONTENT = 18.77%

Up to 45.10% of this Avatar product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



AVATAR | FEATURES & OPTIONS



STYLE FIXED ARM



ARMLESS



LEGS

Avatar legs feature Polished Chrome aluminum foot with nylon glides.

REPLACEABLE COMPONENTS

Avatar is uniquely designed to allow major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Chair legs, arms, table tops and bases are field replaceable.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

WEIGHT CAPACITIES

Avatar complies with ANSI/BIFMA x5.1-2011 test standards. Avatar has a load tested up to 300lbs.

OPTIONS

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Width Between Arms	Arm Height	Shipping Weight	Cube	COM Yardage
AVA3-1	29	28	30.5	16	18.5	27.5	22	49	17.5	2.65
AVA3-0	26.5	28	30.5	16	18.5	n/a	n/a	46	17.5	2.65

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

AVATAR | LOUNGE

		COM		COL	FABI	RIC GRA	DES		EATHER	
Description	Model	1	2	3	4	5	6	7	8	9
	Armless AVA3-0	1883	1954	2026	2126	2239	2340	2453	2595	2739
	Fixed Arm AVA3-1	2100	2170	2241	2342	2458	2555	2670	2812	2956

Avatar Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	


PRODUCT CODE KEY			
Line	Series	Arm Style	
AVA	3	1	
Avatar	Soft Seating	Fixed Arm	
		0	
		Armless	

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 4.22%

POST-CONSUMER RECYCLED CONTENT - 14.49%

Up to 24.32% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Cressida products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | LOUNGE FEATURES & OPTIONS



CLEAN OUT

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



ARMS AND ARMLESS

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.



GLIDES

Cressida Lounge arm and armless versions are standard with nylon glides.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: One-Seat-350 lbs One-Seat (Plus) -750 lbs One-Seat Wide - 350lbs One-Seat Wide (Plus) - 750lbs Two-Seat - 525 lbs

Two-Seat (Plus) - 975lbs Three-Seat - 850 lbs Three-Seat (Plus) - 1200 lbs

REPLACEABLE COMPONENTS

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.





CASTERS

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



PUSH BAR

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar powder-coated steel in Silver Metallic finish.

PLUS UPGRADE

Cressida seating is available with optional Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

TABLETS

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

COMBINATION UPHOLSTERY

More than one upholstery cover within the same unit, is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$64 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$64 list per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with removable seat and back covers.

DIMENSIONS & COM REQUIREMENTS

					Height of	Width		Shipping Weight	Shipping Weight	
	Overall	Overall	Overall	Seat	Arms from	Between	Seat	Open	Closed	
	Width	Depth	Height	Height	Floor	Arms	Depth	Arm	Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Wide	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Wide	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida plus two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

COM - YARDAGE REQUIREN	/FNTS				
- TANDAGE NEGOTIEN	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Wide - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Wide - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Wide - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Wide - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to page 333 for C.O.M approval process.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	64	One-Seat Removable Back Covers	152	
Push Bar	64	One-Seat Wide Removable Back Covers	228	
Caster Combination (2 legs & 2 rear casters)	152	Two-Seat Removable Back Covers	302	
Casters (set of 4)	228	Three-Seat Removable Back Covers	453	
One-Seat Removable Seat Covers	152	One-Seat - Plus Upgrade	92	
One-Seat Wide Removable Seat Covers	228	One-Seat Wide - Plus Upgrade	121	
Two-Seat Removable Seat Covers	302	Two-Seat - Plus Upgrade	199	
Three-Seat Removable Seat Covers	453	Three-Seat - Plus Upgrade	228	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/M	ODEL/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat, Armless CRE3-F1ALS1 n/a	1566	1647	1747	1875	2018	2145	2287	2470	2650
	One-Seat, Open Arm CRE3-F1OPS1 Beech, Map Palette One-Seat, Open Arm with a CRE3-F1OPP1 Beech, Map Palette	rm cap	1897 1974	1988	2103 2174	2252	2394	2536 2612	2703 2778	2891 2966
	One-Seat, Closed Arm CRE3-F1CLS1 Beech, Map Palette One-Seat, Closed Arm with CRE3-F1CLP1 Beech, Map Palette	arm cap	2686 2764	2853 2928	3088 3162	3357 3432	3591 3666	3862 3936	4203 4277	4532 4608

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	64	One-Seat Removable Seat Covers	152	
Push Bar	64	One-Seat Removable Back Covers	152	
Caster Combination (2 legs & 2 rear casters) Casters (set of 4)	152 228	One-Seat - Plus Upgrade	92	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	Casters 3 Caster Combination 2 legs & 2 Rear Casters
			3 Three-Seat	CLS Closed Arm	Ü
				CLP Closed Arm Polymer Arm Cap	

DESCRIPTION/MODE	I /SDECIES	COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHER 8	9
DESCRIPTION/MODE	One-Seat Wide, Armless CRE3-FB1.5ALS1 n/a	1657	1765	1872	2026	2198	2353	2527	2744	2963
	One-Seat Wide, Open Arm CRE3-FB1.5OPS1 Beech, Maple Palette One-Seat Wide, Open Arm with arn CRE3-FB1.5OPP1 Beech, Maple Palette	1923 n cap 1998	2031 2107	2140 2217	2294 2369	2466 2542	2620 2705	2794 2870	3013 3090	3232
	One-Seat Wide, Closed Arm CRE3-FB1.5CLS1 Beech, Maple Palette One-Seat Wide, Closed Arm with ar CRE3-FB1.5CLP1 Beech, Maple Palette	2639 m cap 2715	2824 2899	3011 3088	3271 3346	3568 3644	3829 3906	4128 4204	4494 4570	5159 5235

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote-please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	64
One-Seat Wide - Plus Upgrade	121
One-Seat Wide Removable Seat Covers	228
One-Seat Wide Removable Back Covers	228

NOTE: One-Seat Wide Lounge is not available with caster options.

00. 00DE NE.					
Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

			COM		COL	FAB	RIC GRA	DES		LEATHER	ł
DESCRIPTION/MODEL/S	PECIES		1	2	3	4	5	6	7	8	9
	Two-Seat, Armless CRE3-F2ALS1	n/a	2590	2726	2853	3049	3260	3448	3666	3931	4203
	Two-Seat, Open Al	Beech, Maple Palette		2958 3035	3095 3167	3283 3357	3499 3577	3688 3763	3899 3975	4171 4245	4442 4515
	Two-Seat, Closed of CRE3-F2CLP1	Beech, Maple Palette		3757 3830	3966 4041	4261 4336	4600 4675	4893 4968	5232 5307	5660 5738	6081

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List	
Moisture Barrier (per yard)	64	
Two-Seat - Plus Upgrade	199	
Two-Seat Removable Seat Covers	290	
Two-Seat Removable Back Covers	290	

NOTE: Two-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm	
				Polymer Arm Cap	

			COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Three-Seat, Armless CRE3-F3ALS1 n/a	3516	3706	3885	4141	4442	4697	4992	5361	5727
Three-Seat, Open Arm CRE3-F3OPS1 Beech, Maple Palette Three-Seat, Open Arm with arm CRE3-F3OPP1 Beech, Maple Palette	сар	3936 4011	4127 4203	4381 4381	4675 4750	4939 5012	5232 5307	5602 5677	5969 6045
Three-Seat, Closed Arm CRE3-F3CLS1 Beech, Maple Palette Three-Seat, Closed Arm with arm CRE3-F3CLP1 Beech, Maple Palette	п сар	4735 4812	4998 5075	5361 5436	5782 5857	6149 6225	6565 6640	7091 7164	7611 7684

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote-please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List	
Moisture Barrier (per yard)	64	
Three-Seat - Plus Upgrade	228	
Three-Seat Removable Seat Covers	453	
Three-Seat Removable Back Covers	453	

NOTE: Three-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide	OPS Open Arm OPP	
			Two-Seat	Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm	
				Polymer Arm Cap	

CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE				WEIGHT	CUBE
	Wood Tablet CRE3 T1	Beech/Maple	589				12	2
	Tablet with Palette Fir CRE3 T2	iish n/a	437				12	2
	Laminate Tablet CRE3 T4 ORDERING NOTES:	n/a The laminate tal	589 blet comes sta	andard with a	polymer e	dge. Please no	12 ite Cressida Table	2 ts need to
	be specified right or l				, ,	-9		
	Colid Curfoco Toblet		A-White	Grades A-Color	В	С		
Solid Surface Ta CRE3 RT3			673	686	721	781	12	2

CRESSIDA | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FAI 4	BRIC GF	RADES 6	7	LEATHE 8		WEIGHT	CUBE
LOUNGE	One-Seat Replacement Back CRE3-RB1	715	778	837	922	1021	1108	1205	1330	1451	23	4.2
	One-Seat Wide Replacement B CRE3-RB1.5B	ack 808	872	935	1026	1126	1215	1317	1446	1570	28	5.7
	Two-Seat Replacement Back CRE3-RB2	1058	1146	1237	1363	1509	1636	1779	1962	2143	38	8.8
	Three-Seat Replacement Back CRE3-RB3		1528	1642	1802	1984	2143	2324	2554	2780	52	12
	One-Seat Replacement Back C	Cover 290	348	410	494	595	679	780	901	1026	2.0	1.0
	One-Seat Wide Replacement B CRE3-RBC1.5	ack Co 302		428	517	620	710	810	939	1065	2.5	1.2
	Two-Seat Replacement Back C CRE3-RBC2	over 403	492	584	710	853	982	1126	1307	1487	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 463	577	693	851	1033	1194	1376	1604	1833	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	603	648	693	752	821	883	954	1039	1126	28	9.5
	One-Seat Wide Replacement S CRE3-RS1.5	eat 782	838	892	971	1060	1137	1226	1334	1446	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	939	995	1054	1135	1224	1304	1394	1509	1622	53	18
	Three-Seat Replacement Seat CRE3-RS3	1257	1345	1431	1555	1691	1813	1954	2130	2302	79	24
	One-Seat Replacement Seat C											
	CRE3-RSC1	208	253	297	357	427	487	559	644	731	2.0	1.0
	One-Seat Wide Replacement S CRE3-RSC1.5	eat Cov 259	ver 313	369	448	536	613	701	811	922	2.5	1.2
	Two-Seat Replacement Seat Co CRE3-RSC2	over 276	334	390	471	561	641	732	846	959	3.5	1.8
	Three-Seat Replacement Seat CRE3-RSC3	Cover 352	438	527	648	785	909	1048	1224	1396	5.0	2.5
	Replacement Lounge Front Arn	n & Leg										
	Open Arm CRE3-LROPS Beech, Maple Palette	185									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	223										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	el 406	454	502	569	648	716	794	892	988	20	3.8
6	Lounge Replacement Push-Bar CRE3-RPB	f 61									2	0.3

CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	PRICE		WEIGH	TCUBE
	Replacement Polymer Arm Cap CRE3-RACB	Black 38		1.0	0.5
	Replacement Polymer Arm Cap CRE3-RACB	Grey 38			
*	Lounge Replacement Front Leg CRE3-RLAF*	for armless version) 59		0.5	0.5
8**	Lounge Replacement Front Leg CRE3-RGAF**	for armless version) Glide 18		0.1	0.2
*	Lounge Replacement Plus Upgra	nde Center Leg 54		0.5	0.5
**	Lounge Replacement Plus Upgra CRE3-RCG**	nde Center Leg Glide 23		0.5	0.5
*	Lounge Replacement Back Leg CRE3-RLB*	78		1.8	0.5
**	Lounge Replacement Glide CRE3-RGB**	19		0.1	0.2
	Lounge Replacement Front Leg CRE3-RLCF*	for caster version) 54		0.5	0.5
*	Lounge Replacement Back Leg (CRE3-RLCB**	for caster version) 54		0.5	0.5
* 1:**	Replacement Casters Non-Locki CRE3-RC1*	ng 74		.75	0.3
	Replacement Casters Locking CRE3-RC2**	74		.75	0.3
	Wood Tablet & Mounting Plate Or CRE3 RT1 Beech/Maple	aly 397		5	0.32
	Tablet with Palette finish & Moun CRE3 RT2 n/a	ting Plate Only 278		5	0.32
	Tablet & Mounting Plate Only - So CRE3 RT3 n/a	olid Surface Grades A-White A-Color B	С	7	0.32
Ц		539 547 577	624		
	Laminate Tablet & Mounting Plate CRE3 RT4 n/a	e Only 397		5	0.32

LEYTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 28.61%

POST-CONSUMER RECYCLED CONTENT = 9.91%

Up to 8.81% of this Leyton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



he mark of responsible forest

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

LEYTON | FINISHES & FEATURES

WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak Espresso Oak Harvest Oak Mahogany

MAPLE Clear Maple

Honey Maple Wheat Maple

Mellow oak

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut Cordovan Walnut

CHERRY Appalachian Cherry

American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

ANIGRE Clear Anigre Medium Anigre

SYCAMORE Clear Sycamore

Please note Cherry, Anigre and Sycamore species require a minimum quantity order, of 5 units for seating and 5 units for tables, per species.

PALETTE Black

White Sand Soft Green Steel Blue Slate

VENEERS

Leyton veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Leyton can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Leyton's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

ENDURAGUARD FINISH

Leyton features the Krug finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

IN-STOCK LAMINATE

Krug's in-stock laminates are available on Leyton Table surfaces in 4 solid laminate selections. Laminate surfaces are self-edged.

SOLID LAMINATES

Designer White - Platinum - Earth - Charcoal

LEYTON | FEATURES



ARM STYLE

Leyton features four design styles Upholstered Armless, Upholstered Full Arm, Wood Surround Armless and Wood Surround Full Arm.

Upholstered Armless



Upholstered Full Arm



Wood Surround Armless



Wood Surround Full Arm



LEGS

Leyton Lounge and Tables feature Polished Chrome structural steel legs with Black glides. Non-marring glides are available upon request.

REPLACEABLE COMPONENTS

Leyton chairs are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Seats, backs, arms and frames are field replaceable, with the only exceptions being the Upholstered Armless, Upholstered Full Arm and Upholstered Front Panel as it is one piece.

WEIGHT CAPACITIES

All Leyton seating feature Plus Weight capacities.

One-Seat - 750lbs One-seat Wide - 750lbs Two-Seat - 975lbs Three-Seat - 1200lbs

Leyton has been tested to ANSI / BIFMA.

PLUS UPGRADE

Leyton models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

LEYTON | OPTIONS



OPTIONS Solid Surface Arm Cap

Leyton Lounge Full Arm version is available with an optional Solid Surface Arm Cap providing enhanced durability, protection and cleanability for the arms. This is field replaceable if it becomes damaged or degraded and is available in 8 standard colors.



TABLET

Leyton Solid Surface tablet can be specified left or right as seated. The tablet can be used alone or with solid surface arm cap and is 1/2" thick.



PUSH BAR

This is an optional feature on Leyton One Seat lounge chairs, designed to assist caregiving staff in the movement and relocation of the chair. It is Silver Metallic in color and retractable for ease of use. The Push bar is field replaceable if necessary.



CASTERS

Optional on Leyton lounge chairs are four - 4" diameter soft wheel swivel locking casters, featuring a large, easy-access foot activation and release lever. The caster locks both directionally and rotationally, keeping the chair securely in place when locked. Note: lounge chairs with casters are not designed or intended as patient transport devices.



CLEAN OUT

Leyton lounge seating models have an optional built-in clean out feature: a space at the back of the seat that allows dirt debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product. Clean Out option is available for an upcharge,



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables.

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable covers (with the exception of the Upholstered Armless, Upholstered Full Arm and Front panel) can be quickly installed on Leyton products that were originally ordered with the Removable cover option. Replacement covers (with the exception of the Upholstered Armless, Full Upholstered Arm and front panel) can also be installed on Leyton products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge, please see page 158.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

LEYTON | DIMENSIONS, COM REQUIREMENTS, MOISTURE BARRIER & OPTION UPCHARGES

DIMENSIONS									
	Overall	Overall	Overall	Seat Height	Height of	Width			
	Width	Depth	Height	min/max	Arms from	between	Seat	Shipping	
					Floor	Arms	Depth	Weight	Cube
LEY31UF	28.5	29.25	31	17.75	26.25	23.25	19.25	82	18.5
LEY31.5UF	35.5	29.25	31	17.75	26.25	30.25	19.25	107	25.2
LEY32UF	52	29.25	31	17.75	26.25	47	19.25	131	32.5
LEY33UF	75.75	29.25	31	17.75	26.25	70.5	19.25	179	46.5
LEY31UN	28.5	29.25	31	17.75	n/a	23.25	19.25	78	18.5
LEY31.5UN	35.5	29.25	31	17.75	n/a	30.25	19.25	103	25.2
LEY32UN	52	29.25	31	17.75	n/a	47	19.25	127	32.5
LEY33UN	75.75	29.25	31	17.75	n/a	70.5	19.25	175	46.5
LEY31WF	28.25	29.25	31	17.75	26.25	23.75	19.25	79	18.5
LEY31.5WF	35.25	29.25	31	17.75	26.25	30.25	19.25	104	25.2
LEY32WF	51.75	29.25	31	17.75	26.25	47.25	19.25	128	32.5
LEY33WF	75.5	29.25	31	17.75	26.25	71	19.25	176	46.5
LEY31WN	28.25	29.25	31	17.75	n/a	23.75	19.25	75	18.5
LEY31.5WN	35.25	29.25	31	17.75	n/a	30.25	19.25	100	25.2
LEY32WN	51.75	29.25	31	17.75	n/a	47.25	19.25	124	32.5
LEY33WN	75.5	29.25	31	17.75	n/a	71	19.25	172	46.5

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

COM YARDAGE REQUIREMENTS

	Fully	Wood				Armless		Full body
	Upholstered (Complete Unit)	Surround (Seat and Back only)	Seat Cushion only (Wood or Full Uph)	Back Cushion only (Wood or Full Uph)	Full Arm & front panel (Pair)	panel & front panel (pair)	Back Panel only	with arm, Front panel & Back panel
One-Seat - One	Chair							
Armless	3.75	1.6	0.9	0.8		1.75	.75	2.5
Full Arm	4.6	1.6	0.9	0.8	2.6		.75	3.35
One & Half-Seat	t - One Chair							
Armless	5.2	2.3	1.3	1		2.1	.75	2.85
Full Arm	5.7	2.3	1.3	1	2.6		.75	3.35
Two-Seat - One	Chair							
Armless	5.7	3	1.5	1.5		2	.75	2.75
Full Arm	6.3	3	1.5	1.5	2.6		.75	3.35
Three-Seat - On	e Chair							
Armless	8	4.6	2.4	2.2		2.3	1.5	3.8
Full Arm	8.7	4.6	2.4	2.2	3		1.5	4.5

COM APPROVAL PROCESS:

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

CAL 133 MOISTURE BARRIER

Model	Upcharge	Model	Upcharge	Model	Upcharge	Model	Upcharge
LEY31UN	297	LEY32UN	436	LEY31.5UN	384	LEY33UN	740
LEY31UF	368	LEY32UF	512	LEY31.5UF	478	LEY33UF	810
LEY31WN	136	LEY32WN	208	LEY31.5WN	176	LEY33WN	457
LEY31WF	136	LEY32WF	208	LEY31.5WF	176	LEY33WF	457
Leyton Option	Upcharges		\$ List				\$ List
One-Seat Clean	out		47	One-Seat Remov	able Seat & Ba	ck Covers	152
One & Half-Seat Clean out 68				One & Half-Seat	Removable Sea	at & Back Cover	s 212
Two-Seat Clean	out	92	Two-Seat Remov	able Seat & Ba	ck Covers	302	
Three-Seat Clear	n out		137	Three-Seat Remo	ovable Seat & B	Back Covers	453
Solid Surface Arr Solid Surface Arr	1 (1)		359 363	Seat or Back Cor One-Seat	77		
Solid Surface Arr	,		368	One & Half-Seat			107
Solid Surface Arm Cap (per pair) - Gr C 404				Two-Seat			152
Solid Surface Tablet - Gr A White 539				Three-Seat			228
Solid Surface Tablet - Gr A Color 547 Solid Surface Tablet - Gr B 577				Casters	la la au		180
Solid Surface Tal	blet) - Gr C		624	Casters with Pus	n bar		466

LEYTON

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-seat, Uph LEY31NUN	noistered, Armiess N/A	2056	2185	2304	2478	2681	2853	3049	3297	3545
	One-seat, Uph LEY31NUF	nolstered, Full Arm N/A	2185	2394	2590	2878	3200	3487	3811	4208	4622
		OTE: Leyton Loung learly note color se S									
	One-seat, Woo LEY31NPN LEY31NWN	od Surround, Armle Palette Oak, Maple Walnut, Cherry, Anigre Sycamore,	2545 2545 2545 3071	2596 2596 3126	2658 2658 3185	2735 2735 3260	2817 2817 3343	2891 2891 3418	2972 2972 3499	3088 3088 3613	3192 3192 3718
	One-seat, Woo LEY31NPF LEY31NWF	od Surround, Full A Palette Oak, Maple Walnut, Palette Cherry, Anigre	Arm 2523 2523 3049	2576 2576 3102	2629 2629 3156	2703 2703 3231	2789 2789 3315	2867 2867 3396	2952 2952 3479	3057 3057 3582	3162 3162 3688
u u		Sycamore,									

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below, clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List	
Casters	180	Solid Surface Arm Cap (per pair) - Gr A White	359	
Casters with Pushbar	466	Solid Surface Arm Cap (per pair) - Gr A Color	363	
One-Seat Clean out	47	Solid Surface Arm Cap (per pair) - Gr B	368	
One-Seat Removable Seat & Back Covers	152	Solid Surface Arm Cap (per pair) - Gr C	404	
		Solid Surface Tablet - Gr A White	539	
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	547	
One-Seat	77	Solid Surface Tablet - Gr B	577	
		Solid Surface Tablet) - Gr C	624	

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY	3	1	N	UF	S
Leyton	Soft Seating	One-Seat	No Clean Out	Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	1
				PN	

			COM	1	COL	FAE	BRIC GR	ADES		LEATHER	?
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One & Half-sea LEY31.5NUN	at, Upholstered, A N/A	Armless 2639	2822	3004	3260	3553	3809	4099	4462	4830
	One & Half-sea LEY31.5NUF	at, Upholstered, F N/A	ull Arm 2772	2955	3136	3393	3684	3939	4234	4596	4962
		OTE: Leyton Lour nd clearly note co 31NUF <u>S</u>	•								-
		at, Wood Surroun									
	LEY31.5NPN LEY31.5NWN	Palette Oak, Maple Walnut, Palette	3025 3025	3122 3122	3220 3220	3355 3355	3512 3512	3647 3647	3803 3803	3997 3997	4192 4192
		Cherry, Anigre Sycamore	3552	3646	3743	3880	4037	4172	4328	4524	4718
	One & Half-sea	at, Wood Surroun	d Full A	m							
	LEY31.5NPF LEY31.5NWF	Palette Oak, Maple Walnut, Palette	3001 3001	3099 3099	3195 3195	3331 3331	3488 3488	3624 3624	3781 3781	3974 3974	4169 4169
		Cherry, Anigre Sycamore	3529	3622	3720	3855	4011	4147	4306	4499	4692

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List
Casters	180	Solid Surface Arm Cap (per pair) - Gr A White	359
Casters with Pushbar	466	Solid Surface Arm Cap (per pair) - Gr A Color	363
One & Half-Seat Clean out	68	Solid Surface Arm Cap (per pair) - Gr B	368
One & Half-Seat Removable Seat & Back Covers	212	Solid Surface Arm Cap (per pair) - Gr C	404
		Solid Surface Tablet - Gr A White	539
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	547
One & Half-Seat	107	Solid Surface Tablet - Gr B	577
		Solid Surface Tablet) - Gr C	624

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	No Clean Out	UF Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
			Б	PAllet Finish Surround Full Arm	
			Г	allet i illisii Surrouliu i uli Ailii	
				PN	
			F	Pallet Finish Surround Armless	

LEYTON

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FABF 4	RIC GRAD	DES L	EATHER 7	8	9
		olstered, Armless N/A	3297	3487	3666	3921	4208	4471	4757	5125	5488
	LEY32NUF ORDERING N	olstered, Full Arm N/A OTE: Leyton Loun d clearly note cold	•								•
	Two-seat, Woo LEY32NPN LEY32NWN	od Surround Armle Palette Oak, Maple Walnut, Palette Cherry, Anigre Sycamore	ss 3599 3599 4203	3697 3697 4296	3802 3802 4402	3936 3936 4539	4103 4103 4706	4245 4245 4846	4402 4402 5006	4608 4608 5210	4802 4802 5406
	Two-seat, Woo LEY32NPF LEY32NWF	od Surround Full A Palette Oak, Maple Walnut, Palette Cherry, Anigre,	3577 3577 3577 4179	3672 3672 4277	3781 3781 4381	3915 3915 4515	4088 4088 4690	4222 4222 4823	4402 4402 5006	4576 4576 5179	4781 4781 5384

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List
Casters	180	Solid Surface Arm Cap (per pair) - Gr A White	359
Casters with Pushbar	466	Solid Surface Arm Cap (per pair) - Gr A Color	363
Two-Seat Clean out	92	Solid Surface Arm Cap (per pair) - Gr B	368
Two-Seat Removable Seat & Back Covers	302	Solid Surface Arm Cap (per pair) - Gr C	404
		Solid Surface Tablet - Gr A White	539
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	547
Two-Seat	152	Solid Surface Tablet - Gr B	577
		Solid Surface Tablet) - Gr C	624

Sycamore

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	
				PN	

			COM		COL	FA	BRIC GF	RADES		LEATHE	R
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-seat, U _I LEY33NUN	oholstered, Armles N/A	ss 4381	4608	4812	5125	5479	5787	6136	6571	7007
	Three-seat, Up LEY33NUF	oholstered, Full Ar N/A	m 4486	4757	5022	5395	5827	6203	6630	7164	7700
		I OTE: Leyton Lour nd clearly note co 31NUF <u>S</u>									
	Three-seat, W	ood Surround, Arr	nless								
	LEY3NPN	Palette	4697	4856	4998	5223	5466	5684	5932	6241	6549
	LEY33NWN	Oak, Maple Walnut, Palette	4697	4856	4998	5223	5466	5684	5932	6241	6549
		Cherry, Anigre Sycamore	5373	5532	5677	5902	6141	6360	6609	6916	7227
	Three-seat, W LEY3NPF	ood Surround, Fu Palette	II Arm 4675	4834	4992	5203	5450	5660	5910	6218	6527

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List
Casters	180	Solid Surface Arm Cap (per pair) - Gr A White	359
Casters with Pushbar	466	Solid Surface Arm Cap (per pair) - Gr A Color	363
Three-Seat Clean out	137	Solid Surface Arm Cap (per pair) - Gr B	368
Three-Seat Removable Seat & Back Covers	453	Solid Surface Arm Cap (per pair) - Gr C	404
		Solid Surface Tablet - Gr A White	539
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	547
Three-Seat	228	Solid Surface Tablet - Gr B	577
		Solid Surface Tablet) - Gr C	624

5352 5509

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

LEY33NWF

Oak, Maple

Sycamore

Walnut, Palette Cherry, Anigre,

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	
				PN	
			F	Pallet Finish Surround Armless	

DECODIDE ON A CODE		0050150	COM		COL		ABRIC G		-	LEATH	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-seat, No 0	Clean Out, Uphols	stered, /	۹rmless ۱	with Sled	Base					
	LEY31NUN1	N/A	2109	2231	2345	2510	2704	2868	3054	3290	3527
	One-seat No.(Clean Out, Uphols	stered I	- - ull Δrm v	with Slad	Rasa					
\sim	LEY31NUF1	N/A	2231	2430	2617	2891	3198	3471	3780	4158	4552
				00			0.00	•	0.00		.002
		OTE: Leyton Lour early note color s 1 <u>S</u>	•								•
	One-seat, No 0	Clean Out, Wood	Surrour	nd, Armle	ss with S	led Base					
	LEY31NPN1	Palette	2574	2623	2682	2755	2833	2904	2981	3091	3190
	LEY31NWN1	Oak, Maple Walnut,	2574	2623	2682	2755	2833	2904	2981	3091	3190
		Cherry, Anigre	3075	3128	3184	3255	3334	3406	3483	3591	3691
		Sycamore,	00.0	0120	0101	0200	0001	0.100	0 100	0001	0001
	One-seat No.(Clean Out, Wood	Surrour	od Full A	rm with S	led Base					
^	LEY31NPF1	Palette	2553	2604	2654	2725	2807	2881	2962	3062	3162
	LEY31NWF1	Oak, Maple	2553	2604	2654	2725	2807	2881	2962	3062	3162
		Walnut, Palette									
		Cherry, Anigre	3054	3105	3156	3228	3308	3385	3464	3562	3663
		Sycamore,									

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below, clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUF1S

Leyton Option Upcharges	\$ List		\$ List	
One-Seat Clean out	45	Solid Surface Arm Cap (per pair) - Gr A White	342	
One-Seat Removable Seat & Back Covers	145	Solid Surface Arm Cap (per pair) - Gr A Color	346	
		Solid Surface Arm Cap (per pair) - Gr B	351	
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	385	
One-Seat	74	Solid Surface Tablet - Gr A White	514	
		Solid Surface Tablet - Gr A Color	521	
		Solid Surface Tablet - Gr B	550	
		Solid Surface Tablet) - Gr C	595	

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	0 Leg Base	Solid Surface
		1.5	С	UN	1	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	Sled Base	
		2		WF		
		Two-Seat		Wood Surround Full Arm		
		3		WN		
		Three-Seat		Wood Surround Armless		
				PF		
				Pallet Finish Surround Full Arm		
				PN		
				Pallet Finish Surround Armless		

			COM	I	COL	FAE	BRIC GR	ADES		LEATHER	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One & Half-sea LEY31.5NUN1	it, No Clean Out, N/A	Upholst 2664	ered, Arr 2838	nless with 3011	h Sled Ba 3255	ase 3534	3778	4054	4400	4750
	One & Half-sea LEY31.5NUF1	it, No Clean Out, N/A	Upholst 2790	ered, Ful 2965	ll Arm wit 3137	h Sled Ba 3382	ase 3659	3902	4183	4528	4876
		OTE: Leyton Lour d clearly note co s1.5NUF1 <u>S</u>									
	One & Half-sea	t, No Clean Out,	Wood S	urround	Armless	with Sled	Base				
	LEY31.5NPN1 LEY31.5NWN1		3031 3031	3124 3124	3217 3217	3346 3346	3495 3495	3624 3624	3772 3772	3957 3957	4143 4143
		Cherry, Anigre Sycamore	3533	3623	3715	3846	3995	4124	4272	4459	4644
	One & Half-sea	t, No Clean Out,	Wood S	Surround	Full Arm	with Sled	l Base				
	LEY31.5NPF1 LEY31.5NWF1	Palette	3009 3009	3102 3102	3193 3193	3323 3323	3472 3472	3602 3602	3751 3751	3935 3935	4121 4121
		Cherry, Anigre Sycamore	3511	3600	3693	3822	3970	4100	4251	4435	4619

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31.5NUF1S

Leyton Option Upcharges	\$ List		\$ List
One & Half-Seat Clean out	65	Solid Surface Arm Cap (per pair) - Gr A White	342
One & Half-Seat Removable Seat & Back Covers	202	Solid Surface Arm Cap (per pair) - Gr A Color	346
		Solid Surface Arm Cap (per pair) - Gr B	351
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	385
One & Half-Seat	102	Solid Surface Tablet - Gr A White	514
		Solid Surface Tablet - Gr A Color	521
		Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY


Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Optior (Full Arm Only)
LEY _eyton	Soft Seating	1 One-Seat 1.5 One & Half-Seat 2 Two-Seat 3 Three-Seat	N No Clean Out C Clean Out	UF Upholstered Full Arm UN Upholstered Armless WF Wood Surround Full Arm WN Wood Surround Armless	Leg Base 1 Sled Base	S Solid Surface Full Arm Cap
				PF Pallet Finish Surround Full Arm		

Pallet Finish Surround Armless

		, _									
			COM		COL	FABF	RIC GRAI	DES	LEATHER		
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Two-seat, No	Clean Out, Upho	Istered, Arı	nless wi	th Sled Ba	ase					
	LEY32NUN1	N/A	3290	3471	3642	3885	4158	4409	4681	5031	5377
	Two-seat, No	Clean Out, Upho	Istered, Fu	ll Arm wi	th Sled B	ase					
	LEY32NUF1	N/A	3419	3657	3894	4224	4603	4933	5312	5786	6257
	ODDEDING N	IOTE: Louton Lou	ungo Eull /	۱rm io o،	نبد ماطمانه	th an an	ional Cal	lid Curfo	oo Arm C	on for upo	haraa aaa



ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY32NUF1S



ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY32NUF1S

Leyton Option Upcharges	\$ List		\$ List	
Two-Seat Clean out	88	Solid Surface Arm Cap (per pair) - Gr A White	342	
Two-Seat Removable Seat & Back Covers	288	Solid Surface Arm Cap (per pair) - Gr A Color	346	
		Solid Surface Arm Cap (per pair) - Gr B	351	
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	385	
Two-Seat	145	Solid Surface Tablet - Gr A White	514	
		Solid Surface Tablet - Gr A Color	521	
		Solid Surface Tablet - Gr B	550	
		Solid Surface Tablet) - Gr C	595	

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	0 Leg Base	Solid Surface
		1.5	С	UN	1	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	Sled Base	
		2		WF		
		Two-Seat		Wood Surround Full Arm		
		3		WN		
		Three-Seat		Wood Surround Armless		
				PF		
				Pallet Finish Surround Full Arm		
				PN		
				Pallet Finish Surround Armless		

3054

3054

2868

2868


3290

3290

3527

3527

			COM		001	_	ADDIC C	DADEC			-D
DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	. г. 4	ABRIC G	RADES	7	LEATHE 8	=K 9
	Three-seat No	Clean Out, Upho	olstered	Armless	with Sled	Base					
	Inree-seat, No LEY33NUN1	o Clean Out, Opno N/A	4323		4733	5031	5369	5662	5994	6409	6824
	Three-seat No	Clean Out, Upho	olstered	Full Arm	with Sled	l Base					
	LEY33NUF1	N/A	4423	4681	4933	5289	5700	6058	6465	6973	7484
		OTE: Leyton Lour nd clearly note co 33NUF1 <u>S</u>									
	Three-seat, No	Clean Out, Wood	d Surrou	ınd Arml	ess with S	Sled Base					
	LEY33NPN1 LEY33NWN1	Palette Oak, Maple Walnut, Palette	4624 4624	4775 4775	4910 4910	5125 5125	5356 5356	5564 5564	5800 5800	6094 6094	6388 6388
		Cherry, Anigre Sycamore	2109	2231	2345	2510	2704	2868	3054	3290	3527
	Three-seat, No	Clean Out, Wood	d Surrou	ınd Full <i>i</i>	Arm with S	Sled Base	Э				



2345

2345 2510 2704

2510

2704

Leyton Option Upcharges	\$ List		\$ List
Three-Seat Clean out	131	Solid Surface Arm Cap (per pair) - Gr A White	342
Three-Seat Removable Seat & Back Covers	432	Solid Surface Arm Cap (per pair) - Gr A Color	346
		Solid Surface Arm Cap (per pair) - Gr B	351
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	385
Three-Seat	218	Solid Surface Tablet - Gr A White	514
		Solid Surface Tablet - Gr A Color	521
		Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	505

2109 2231

2109 2231

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

LEY33NPF1

LEY33NWF1

eg. LEY33NUF1S

Palette

Oak, Maple

Walnut, Palette

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Optior (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	0 Leg Base	S Solid Surface
		1.5	С	UN	1	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	Sled Base	
		2		WF		
		Two-Seat		Wood Surround Full Arm		
		3		WN		
		Three-Seat		Wood Surround Armless		
				PF		
				Pallet Finish Surround Full Arm		
				PN Pallet Finish Surround Armless		

Pallet Finish Surround Armless

LEYTON | REPLACEMENT COMPONENTS

		СОМ		COL	FAE	BRIC GE	RADES	I	EATHE	:R		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	WEIGHTS	CUBES
	Replacement Back LEY3RB	485	511	535	569	610	644	687	735	784	12	3.5
	One & Half-Seat Re LEY3R1.5B	placem 527	nent Back 560	592	637	689	735	785	851	916	15	4.5
	Replacement Seat LEY3RS	695	725	756	796	845	887	935	995	1058	11	2.5
	One & Half-Seat Re LEY3R1.5S	placem 799	ent Seat 843	887	952	1021	1084	1155	1244	1333	14	4
	Replacement Back LEY3RBC	Cover 250	278	302	338	380	412	454	507	556	1	0.75
	One & Half-Seat Re LEY3R1.5BC	placem 284	ent Back 319	Cover 350	397	449	493	544	611	676	1.25	1
	Replacement Seat (LEY3RSC	Cover 253	280	309	350	394	435	481	538	596	1.25	0.75
	One & Half-Seat Re LEY3R1.5SC	placem 319	ent Seat 363	Cover 408	470	541	602	669	764	852	1.5	1
	One-Seat - Replace LEY3R1OBPU	ement U 245	Jpholster 271	ed Outs 297	ide Bad 333	ck Pane 372	408	449	497	547	10	1.5
	One-Seat - Replace LEY3R1OBPUPB	ement L 259	Jpholster 282	ed Outs 308	ide Bad 343	ck Pane 383	l for Pu 418	sh bar d 457	ption 511	560	10	1.5
	One & Half-Seat - F LEY3R1.50BPU	Replace 273	ment Upl 299	nolstere 321	d Outsi 359	de Bac 402	k Panel 434	477	522	573	13	2.5
	One & Half-Seat - F LEY3R1.50BPUPB		ment Upl 309	nolstere 336	d Outsi 369	de Bac 410	k Panel 446	for Pus 486	h bar o _l 536	ption 586	13	2.5
	Two-Seat - Replace LEY3R2OBPU	ement U 315	Jpholstere 340	ed Outsi 365	de Bac 403	k Pane 438	l 478	516	567	617	19	3.5
	Three-Seat - Replace LEY3R3OBPU	cement 415	Upholste 464	ered Out 515	side Ba 585	ack Par 666	nel 737	816	916	1018	28	5

LEYTON | REPLACEMENT COMPONENTS

<u>DESCRIPTION</u>	MODEL One-Seat - Replacement Wood Outside Back	OAK MAPLE WALNUT PALETTE	CHERRY ANIGRE SYCAMORE	WEIGHTS	CUBES
	LEY3R10BPW	334	397	10	1.5
	One-Seat - Replacement Wood Outside Back LEY3R1OBPWPB	R Panel for P 352	Push bar option 415	10	1.5
	One & Half-Seat - Replacement Wood Outsid LEY3R1.5OBPW	le Back Pan 410	el 508	13	2.5
	One & Half-Seat - Replacement Wood Outsid LEY3R1.5OBPWPB	le Back Pan 428	el for Push bar option 521	13	2.5
	Two-Seat - Replacement Wood Outside Back LEY3R2OBPW	Panel 458	584	19	3.5
	Three-Seat - Replacement Wood Outside Bac LEY3R3OBPW	ck Panel 501	688	28	5
	One-Seat - Replacement Wood Front Panel LEY3R1FP	226	258	4	0.75
	One & Half-Seat - Replacement Wood Front I LEY3R1.5FP	Panel 258	278	5	1
	Two-Seat - Replacement Wood Front Panel LEY3R2FP	287	350	6	1.25
	Three-Seat - Replacement Wood Front Panel LEY3R3FP	319	412	8	2
	Replacement Wood Surround Full Arm with a LEY3RWFLL LEY3RWFLR	rm cap (Left 610	r, right specified as seated 822	30	1.5
	Replacement Wood Surround Full Arm with c LEY3RWFCL LEY3RWFCR	aster (Left, r 768	ight specified as seated) 983	30	1.5
	Replacement Wood Surround Full Arm with c LEY3RWFCHL LEY3RWFCHR	up holder (L 789	eft, right specified as seat 1003	ed) 30	1.5
	Replacement Wood Surround Full Arm with Ir LEY3RWFICHL LEY3RWFICHR	ntegrated cu 820	ip holder (Left, right specif 1033	ied as seated) 30	1.5
	Replacement Wood Surround Full Arm Tablet LEY3RWFTL LEY3RWFTR	(Left, right s 878	specified as seated) 1092	30	1.5
	Replacement Wood Surround Full Arm Integral LEY3RWFITL LEY3RWFITR	ated Tablet (984	(Left, right specified as sea 1198	ated) 30	1.5
	Replacement Wood Surround Armless (Left, r LEY3RWNLL LEY3RWNLR	right specifie 620	ed as seated) 833	26	1.5
	Replacement Wood Surround Armless with context LEY3RWNCL LEY3RWNCR	asters (Left, 780	, right specified as seated, 990	26	1.5

LEYTON | REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	PRICE				WEIGHTS	CUBES			
	One-Seat Replace LEY3R1L	ment Leg set (pa 180	air)			8	1.25			
	One-Seat Wide Re	placement Leg	set (pair)			10	1.5			
	Two-Seat Replace LEY3R2L	ment Leg set (pa 238	air)			13	2.5			
Ų	Three-Seat Replace LEY3R3L	ement Leg set (358	pair)			22	3			
	Push bar - One-Se LEY3RPB-1	eat 70				2.0	1.8			
	Push bar - One-Se LEY3RPB-1.5	eat Wide 78				2.5	2.0			
	Push bar Gromme LEY3RPBG	t (pair) 10				.2	.1			
	Note: Pushbar opt	ion is available o	on One-Seat ar	nd One-Seat Wi	de only.					
	Caster LEY3RC	81				3.4	0.2			
	Replacement Glide LEY3RG	es - Lounge & Ta 18	able (set of four)		1	.25			
	LEY3-POWERDO	C - Undermount	573				0.075			
0 D 0 0		Can be field installed to the underside of Seats and Tables as a replacement part or installed on units no previously specified with a PowerDoc. Standard with 2 Power and USB A & C outlets. PowerDoc's have a 10								
Solid Surface		Grade A- White	Grade A- Color	Grade- B	Grade- C					
	Replacement Table LEY3RT	et with Mounting 539	Plate - Solid S 547	Surface 577	624	5.0	.7			
	Replacement Arm LEY3TAC	•	•		107	1	.3			
	Replacement Arm LEY3RAC	114 Cap - Solid Suri 180	116 face 182	119 185	137 202	1	.25			

ORDERING NOTE: Please note Replacement Arm Cap can only be installed on product originally ordered with the Solid Surface Arm Cap option.

ZOLA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT



PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.




The mark of responsible forestry

AIR-EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

FSC®





Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | FEATURES & OPTIONS



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



ZOLA LOUNGE & ZOLA MODULAR

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the



RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



FINISH DURABILITY

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



CLEAN OUT

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)



LEGS

Zola legs are Silver Metallic or Matte Black and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



FULL DEPTH BENCHES

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs One-Seat Plus - 750 lbs Two-seat (Straight or curved) - 525lbs Two-seat Plus - 975 lbs Three-seat - 750 lbs Three-seat Plus - 1150 lbs

ZOLA | FEATURES & OPTIONS



TABLETS

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



LINKING BRACKETS

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



POWER

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See page 190 for locations and page 251 for pricing.



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables. See page 251 for pricing.



COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

MOISTURE BARRIER & CAL 133


California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for \$64 list per yard.

ZOLA | RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



ZOLA | SEAM LOCATIONS

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1/2"	1"
45 Deg	2"	1 1/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"



Zola seat photo indicates location of seam.



Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.




Outside Curve


Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.


ZOLA | SAMPLE CONFIGURATIONS






Model	Qty	Price (\$) Beech	
ZOL3 M1201	5	1377	_
ZOL3 MS1S1	1	871	
ZOL4 LKM12	1	988	
ZOL4 LKE18	1	1098	
ZOL4 LKC90	1	1283	
ZOL4 241815	1	1187	
Total List	\$	12 312	_






Model	Qty.	Price (\$)	
ZOL3 MS2F1	2	1420	
ZOL4 LKM18	2	1044	
ZOL3 M1101	2	1518	
ZOL3 MCIS90D	2	3487	
ZOL3 M2101	2	2657	
ZOL4 LKC90X2	1	2548	

	000 000
Total List	\$22.800





Model	Qty.	Price (\$)	
ZOL3 MS1S1	2	871	
ZOL3 MS21	2	1218	
ZOL4 LKC90	2	1283	
ZOL4 LKM18	2	1044	
Total List	\$8,832		

ZOLA | LOUNGE

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

COM YARDAGES (Individual Components)

COM TANDAGES	COM TANDAGES (Individual Components)										
	COM	COM	COM	COM	COM	COM	COM				
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per				
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs				
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5				
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08				
Three-seat	2.5	4.6	7	9	3.5	6.25	9				
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25				

COM YARDAGES (Individual Components)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

ORDERING NOTES:

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

FEATURES: For a complete listing of features see page 171.

ZOLA | LOUNGE

		COM		COL	F	ABRIC GR	ADES	LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 F1111	2182	2301	2419	2625	2830	3036	3242	3283	3745
	One-Seat Plus ZOL3 FB1111	2419	2536	2657	2861	3068	3273	3479	3684	3983
	NOTE: One-Seat Plus is 30" wide between arms.									
	Two-seat ZOL3 F2111	3223	3376	3517	3739	3960	4182	4401	4623	4971
	Two-seat Plus ZOL3 FB2111	3313	3462	3605	3825	4045	4268	4488	4710	5059
	NOTE: The Two-Seat Plus	comes s	standard w	vith a fifth I	eg for ext	ra support				
					-					
	Three-seat ZOL3 F3111	4379	4602	4821	5263	5708	6149	6594	7036	7793
	Three-seat Plus ZOL3 FB3111	4483	4705	4924	5366	5810	6253	6692	7136	7896

NOTE: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges Option	List	Option	A-White	Grades A-Color	В	С
4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below)	107 77	Solid Surface Arm Cap (per pair)	454	464	489	514
Urethane Arm Caps (pair)	242					

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See page 171 for more information on Zola options and features. Plus versions are not available with Caster options.

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	F Freestanding	1 One-Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Plus Upgrade	Two-seat		Urethane Arm Cap	Casters
			3		3	3
			Three-seat		Solid Surface Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

DIMENSIONS - ARMLESS UNITS

	Overall Width	Overall Depth Uph. Back	Overall Depth Wood Back	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5
DIMENSIONS - W	/ITH ARMS							
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes	
One-Seat	29	27	34	18.5	19.25	88	9.75	
Two-seat	52	27	34	18.5	19.25	120	17.6	
Three-seat	75	27	34	18.5	19.25	154	26.3	
One-Seat (Plus)	36	27	34	18.5	19.25	96	11.5	

COM YARDAGES - ARMLESS UNITS

	COM Yardage Entire Unit wo/ Arms	COM Yardage 2 Entire Units wo/ Arms	COM Yardage 3 Entire Units wo/ Arms	COM Yardage 4 Entire Units wo/ Arms	
One-Seat	2.2	4.6	6.38	8.8	
Two-seat	3.8	7.9	10.75	14.5	
Three-seat	5.75	11	16	22	
One-Seat (Plus)	3.0	6.3	9.5	13.86	

COM YARDAGES - WITH ARMS

	COM Yardage Entire Unit w/ Arms	COM Yardage 2 Entire Units w/ Arms	COM Yardage 3 Entire Units w/ Arms	COM Yardage 4 Entire Units w/ Arms
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18.3

COM YARDAGES - Individual Components

	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

PACKAGING

All Modular Units, and tables will be shipped KD (Knocked Down)

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List		
Arms (Right or Left)	77	One-Seat - seat	47		
Interim Arm	61	Two-seat - seat	68		
One-Seat - back	68	Three-seat - seat	85		
Two-seat - back	97	One-Seat Plus - seat	61		
Three-seat - back	121				
One-Seat Plus - back	77				

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see page 312, Zola Benches see page 280 and Zola Tablets see page 182.

ZOLA | MODULAR -WOOD BACK

			CON	Л	CC)L	FABRIC	GRADES		LEAT	HER	
DESCRIPTION/MODE	EL/SPECIES		1	2	3		4	5 6	7	8	9	
	One-Seat, Wood	or Palett	e Back,	Armless								
	ZOL3 MW1201	Beech	1377	1409	1440	1504	1566	1631	1692	1755	1852	
		Maple/	1416	1447	1480	1540	1606	1668	1732	1796	1890	
		Cherry										
		Palette	1377	1409	1440	1504	1566	1631	1692	1755	1852	
-												
	One-Seat, Wood	or Palett	e Back	w/ Uphols	tered Pad	l, Armles	s					_
	ZOL3 MW1301	Beech	1597	1644	1676	1755	1818	1883	1946	2010	2135	
		Maple/	1638	1685	1715	1796	1858	1922	1985	2048	2173	
		Cherry										
		Palette	1597	1644	1676	1755	1818	1883	1946	2010	2135	

ORDERING NOTE: Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	107	
2 Casters/2 Legs (#3 Leg Type below)	77	

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

DESCRIPTION/MOD	EL	SPECIES	COM 1	2	COL 3	FA 4	BRIC G 5	RAD 6	ES 7	LEATHER 8	9		OM DAGE	SHII WE			JBES_
	One-Seat Woo	od/Palette E	Back w/	UPH F	Pad												
	ZOL3 MB13	Beech	619	633	3	648	68	0	714	744		778	0.6	808	21	853	3.1
		Maple /Cherry	665	680	0	696	72	9	760	791		808	0.6	840	21	904	3.1
		Palette	619	633	3	648	68	0	714	744		778	0.6	808	25	853	3.1
	One-Seat Woo	od/Palette E	Back														
)\\\	ZOL3 MB12	Beech	428										-		19		3.1
		Maple /Cherry	468										-		19		3.1
		Palette	428										-		23		3.1

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
				71.	71	
ZOL Zola	3 Soft Seating	MW Modular	1 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
		Wood Back		3		2
				Wood Back with Uph Pad		Casters
						3
						Combination
						2 Front Standard Legs
						& 2 Rear Casters

ZOLA | MODULAR

DESCRIPTION/MOD	EL	COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHER 8	٦ 9
	One-Seat, Upholstered Bac ZOL3 M1101 n/a	k Armless 1518	1597	1676	1818	1960	2105	2244	2387	2640
	One-Seat Plus, Upholstered ZOL3 MB1101 n/a	1644	1692	1772	1914	2056	2197	2341	2483	2738
	ORDERING NOTES: One-S	Seat Plus se	eat is 30"	wide.						
	One-Seat, Upholstered Bac ZOL3 M1111	k with Arm 2324	s 2443	2554	2760	2964	3167	3376	3580	3890
	One-Seat Plus, Upholstered ZOL3 MB1111	d Back with 2451	Arms 2568	2681	2884	3092	3294	3501	3708	4014
	ORDERING NOTES: One-S	Seat Plus is	30" wide	e between	the arms.					
	Two-seat, Upholstered Back ZOL3 M2101 n/a	k Armless 2657	2806	2948	3167	3390	3610	3831	4057	4401
	Two-seat Plus, Upholstered ZOL3 MB2101 n/a	Back, Arm 2743	less 2893	3036	3257	3477	3699	3920	4142	4488
	Two-seat, Upholstered Back ZOL3 M2111	k with Arms 3462	3610	3756	3977	4197	4420	4639	4861	5210
	Two-seat Plus, Upholstered ZOL3 MB2111	Back with 3547	Arms 3699	3843	4064	4286	4505	4728	4948	5296
	Three-seat, Upholstered Ba ZOL3 M3101	ck Armless 3812	4033	4252	4694	5139	5581	6023	6466	7225
	Three-seat Plus Upholstered ZOL3 MB3101	d Back Arm 3914	nless 4133	4355	4796	5241	5684	6124	6568	7327
	There are 11-billion 15	-1								
	Three-seat, Upholstered Ba ZOL3 M3111 n/a	4615	ns 4838	5059	5502	5943	6387	6829	7270	8031
	Three-seat Plus Upholstered ZOL3 MB3111 n/a	d Back with 4719	Arms 4941	5160	5604	6046	6491	6931	7373	8131

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

						Gra	des	
Zola Option Upcharges		List	Option		A-White	A-Colo	or B	С
4 Casters (#2 Leg Type below)		107	Solid Surface Arm Cap (per arm)	227 23		31 244	257
2 Casters/2 Legs (#3 Leg Type below)		77	Solid Surface Arm Cap (per pair)	454	464	489	514
Urethane Arm Caps			Interim (per arm)	185	186	189	193	
PRODUCT CODE KE	ΞΥ							
Line	Series	Chair Type	Seat Count	Back Type	Arm Typ	ре	Leg Type	е
ZOL	3	M	1	1	0		1	
Zola	Lounge	Modular	One-Seat	Fully Uph Back	Armles	s 5	Standard Leg	+ Glide
		MB	2		1		2	
		Modular	Two-seat		Uph Arr	m	4 Caster	s
		Plus Upgrad	le 3		2		3	
			Three-seat		Urethane Arr		Combinati	
					3	2	Front Standa & 2 Rear Ca	0
					Solid Surf Arm Ca			

ZOLA | MODULAR BACKS & ARMS

		COM		COL	FA	BRIC (GRADI	ES L	EATHE	R	COM	SHIPPING	ì
DESCRIPTION/MC	DEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or Interim Arn ZOL3 MAL	n 491	532	569	651	729	808	886	963	1074	1.5	19	3.1
	ZOL3 MAR ZOL3 MAI	348	365	381	411	444	477	509	538	586	0.33	13	1.8
	Left, Right,or Interim Arn	n - Uret	hane C	ар									
	ZOL3 MALU	619	658	696	778	853	934	1014	1092	1202	1.5	20.5	3
	ZOL3 MARU ZOL3 MAIU	443	457	476	497	537	568	599	632	678	0.33	13	1.8

ORDERING NOTES:

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3 MAL3, and clearly state color choice. (See page 336 for color selection)

		Grades	5	
Option	A-White	A-Color	В	С
Solid Surface Arm Cap (per arm)	227	231	244	257
Solid Surface Arm Cap (per pair)	454	464	489	514
Solid Surface Arm Cap - Interim (per arm)	185	186	189	193

		COM		COL	FA	BRIC	GRAD	ES	LEATHE	R	COM	SHIPPING	i
DESCRIPTION/MODEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
UPH Back ZOL3 MB11* ZOL3 MB21 ZOL3 MB31 ZOL3 MBB11		783 1030 1251 871	846 1116 1359 934	910 1202 1473 997	1377	1551 1913	1289 1724 2135 1377	1572 1897 2356 1504	2072 2579	1852 2278 2847 1796	1.75 2.5 3.5 2	23 39 54 28	5.2 9.4 14 6.1

ORDERING NOTES: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

ZOLA | SEATABLES

DECODIDEION	11005	СОМ	•	COL		BRIC GF		_	LEATHE		COM	WEIGHT	OUDE
DESCRIPTION	MODEL	1	2	3	4	5	6		8	9	YARDAGE	WEIGHT	CUBE
	Round Seatable												
	ZOL5-18D	693	716	739	771	809	843	879	928	974	1.3	18	5.2
	ZOL5-24D	894	943	994	1064	1143	1215	1297	1396	1497	1.5	26	8.5
	ZOL5-30D	1124	1181	1240	1318	1412	1492	1583	1695	1810	1.7	38	10.5
<u> </u>													
	Square Seatable												
/ 7	ZOL5-1818	759	805	848	912	984	1048	1120	1210	1303	1.3	27	5.2
	ZOL5-2424	905	956	1004	1074	1155	1227	1307	1408	1508	1.5	38	8.5
	Rectangular Seatable												
	ZOL5-2418	832	875	921	985	1059	1120	1194	1284	1374	1.3	31	6.6
	ZOL5-4824	1178	1240	1303	1389	1487	1572	1672	1798	1922	2.4	62	12.6

ORDERING NOTES:

The seat height is 17.5" from floor.

ZOLA | MODULAR - REPLACEMENT COMPONENTS

DESCRIPTION	N/MODEL	SPECIES	COM 1	2	COL 3	. FA	ABRIC 5	GRAD	ES 7	LEATHE 8	ER 9	COM S YARDAGE	SHIPPING WEIGHT	
	Replacement	Modular One-Se	eat Wo	od Bac	k									
///,//)	ZOL3 RBM12		365									-	19	3.1
		Maple/Cherry	405									-	19	3.1
		Palette	365									-	23	3.1
		Modular One-Se	eat Wo	od Bac	k w/ U	pholste	ered Pa	ad						
	ZOL3 RBM13		556	569	586	619	651	680	714	744	791	0.6	21	3.1
		Maple/Cherry	601	619	633	665	696	729	744	778	840	0.6	21	3.1
		Palette	556	569	586	619	651	680	714	744	791	0.6	25	3.1
	ZOL3 RP	Back Pad -only	223	239	255	284	318	348	381	411	458	0.6	1.6	2
	Replacement	Upholstered Ba	ck											
Γ	ZOL3 RBM11		721	783	846	974	1098	1227	1510	1638	1788	1.75	23	5.2
// (ZOL3 RBM21		963	1053	1139	1314	1485	1662	1835	2010	2214	2.5	39	9.4
	ZOL3 RBM31		1187	1297	1409	1631	1852	2072	2294	2516	2781	3.5	54	14
	ZOL3 RBBM1	1	808	871	934	1061	1187	1314	1440	1566	1732	2	28	6.1
	and Replacen component to	ackets on site ponent Seat/Benchother the replacement Replacement Up	es do i	not inc conent	lude leg	gs and	joining	g bracl	kets. Th	ne hardv	vare can	be transferre	ed from the	original
	ZOL3 RAMR	теріасеттеті ор	435	477	514	595	672	752	832	910	1019	1.5	14	3
	ZOL3 RAML ZOL3 RAMRU	J	562	601	641	721	799	878	957	1036	1146	1.5	15.5	3
		I												
	modular hardy	IOTES: Zola Rep ware. Replaceme	ent Arm	is do r	not incl	ude mo	ounting	g brac	kets. Z	OL3 RA	MRU &	ZOL3 RAML	U are repla	acement
	ordering N modular hards arms with ure page 179. Wo	IOTES: Zola Rep	ent Arm replac re not c	ns do r ement lesigne	not incl arms a ed to be	ude mo are ava e speci	ounting ilable fied wi	g brac with S ith stai	kets. Z olid Su ndard Z	OL3 RA	MRU & rm Caps	ZOL3 RAML , see option	U are repla upcharge	acement chart on
	ordering N modular hards arms with ure page 179. Wo units only as a	IOTES: Zola Rep ware. Replaceme thane cap. Zola od back units ar	ent Arm replace re not ce e conta	ns do r ement lesigne act Cus	not incli arms a ed to be stomer	ude mo are ava e speci Service	ounting ilable fied wi e for as	g brac with S ith star ssistar	kets. Z olid Su ndard Z ice.	OL3 RA rface A Zola arm	MRU & rm Caps is. Arms	ZOL3 RAML , see option can be speci	U are repli upcharge fied on wo	acement chart on ood back
	ordering N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1*	IOTES: Zola Rep ware. Replaceme thane cap. Zola od back units ar a special - pleaso	ent Arm replace re not de e conta at 778	ns do r ement lesigne act Cus	arms and to be stomer	ude mo are ava e speci Service 957	ounting ilable fied wi for as 1044	g brac with S ith star ssistar	kets. Z olid Su ndard Z ice.	OL3 RA rface Ai cola arm	MRU & rm Caps ss. Arms	ZOL3 RAML , see option can be speci	U are replayed apcharge fied on wo	acement chart on ood back 5.2
	ordering N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2	IOTES: Zola Rep ware. Replaceme thane cap. Zola od back units ar a special - pleaso	ent Arm replace re not de e conta at 778 1122	ement lesigne act Cus 822 1178	arms a ed to be stomer	ude mo are ava e speci Service 957 1354	ounting ilable fied wi e for as 1044 1473	g brac with S ith star ssistar 1134 1589	kets. Z olid Su ndard Z ice. 1218 1708	OL3 RA rface Ar cola arm 1305 1827	MRU & rm Caps is. Arms	ZOL3 RAML , see option can be speci	U are repli upcharge fied on wo 25 39	acement chart on ood back 5.2 9.4
	ordering N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM3	IOTES: Zola Rep ware. Replaceme thane cap. Zola od back units ar a special - please Upholstered Sea	replace replac	ement lesigne act Cus 822 1178 1540	arms and to be stomer and to be stored a	ude mo are ava e speci Service 957 1354 1788	ounting ilable fied with for as 1044 1473 1954	g brac with S ith star ssistar 1134 1589 2118	kets. Z olid Sundard Z ice. 1218 1708 2283	OL3 RA rface Ar rface	1482 2024 2657	ZOL3 RAML, see option can be speci	U are replayed appendix on working the distribution with the distribution with the distribution of the distribution with the distribution of the distribution with the distribution of the	scement chart on bod back 5.2 9.4 14
	ORDERING N modular hardy arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM3 ZOL3 RSMB1	IOTES: Zola Rep ware. Replaceme thane cap. Zola od back units ar a special - please Upholstered Sea	ent Arm replace re not de e conta at 778 1122 1463 1004	s do r ement designe act Cus 822 1178 1540 1053	arms a ed to be stomer 871 1232 1620 1098	957 1354 1195	ounting ilable fied with for as 1044 1473 1954 1289	g brac with S ith star ssistar 1134 1589 2118 1384	kets. Z olid Sundard Z oce. 1218 1708 2283 1480	OL3 RA rface Al cola arm 1305 1827 2451 1572	1482 2024 2657 1715	ZOL3 RAML, see option can be speci	U are replayed and are replayed and are replayed and are replayed as a second and are replayed as a second are replayed a	5.2 9.4 14 6.1
	ORDERING N modular hardy arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB1	IOTES: Zola Rep ware. Replaceme thane cap. Zola od back units ar a special - please Upholstered Sea	ent Arm replace re not ce e conta at 778 1122 1463 1004 1202	822 1178 1540 1053 1266	871 1232 1620 1098 1330	957 1354 1788 1195	1044 1473 1954 1566	g brac with S ith star ssistar 1134 1589 2118 1384 1685	kets. Z olid Sundard Z ice. 1218 1708 2283 1480 1803	OL3 RA rface Ai cola arm 1305 1827 2451 1572 1922	1482 2024 2657 1715 2118	ZOL3 RAML, see option can be speci	U are replayed and a	5.2 9.4 14 6.1 9.4
	ordering N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM3 ZOL3 RSMB1	IOTES: Zola Rep ware. Replaceme thane cap. Zola od back units ar a special - please Upholstered Sea	ent Arm replace re not ce e conta at 778 1122 1463 1004 1202	822 1178 1540 1053 1266	arms a ed to be stomer 871 1232 1620 1098	957 1354 1788 1195	ounting ilable fied with for as 1044 1473 1954 1289	g brac with S ith star ssistar 1134 1589 2118 1384 1685	kets. Z olid Sundard Z ice. 1218 1708 2283 1480 1803	OL3 RA rface Al cola arm 1305 1827 2451 1572	1482 2024 2657 1715	ZOL3 RAML, see option can be speci	U are replayed and are replayed and are replayed and are replayed as a second and are replayed as a second are replayed a	5.2 9.4 14 6.1
	ORDERING No modular hards with ure page 179. Wo units only as a selection of the page 179. Wo units only as a selection of the page 179. Wo units only as a selection of the page 179. Wo units only as a selection of the page 179. We have a selection of the page 179. We h	IOTES: Zola Rep ware. Replaceme thane cap. Zola od back units ar a special - please Upholstered Sea	ent Arm replace re not de e conta 778 1122 1463 1004 1202 1755	822 1178 1540 1053 1266 1835	871 1232 1620 1098 1330	957 1354 1788 1195 1447 2056	1044 1473 1954 1289 1566 2197	g brac with S ith star ssistar 1134 1589 2118 1384 1685 2341	kets. Z olid Sundard Z ice. 1218 1708 2283 1480 1803 2483	1305 1827 2451 1572 1922 2625	1482 2024 2657 1715 2118 2847	ZOL3 RAML , see option can be speci 1.33 1.75 2.5 1.75 1.75 2.5	U are repli upcharge fied on wo 25 39 50 26 39 50	scement chart on you back
	ORDERING N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB1 ZOL3 RSMB3 Back Cover ZOL3 RCB1*	IOTES: Zola Rep ware. Replaceme thane cap. Zola od back units ar a special - please Upholstered Sea	ent Arm replace re not de e conta at 778 1122 1463 1004 1202 1755	822 1178 1540 1053 1266 1835	871 1232 1620 1098 1330 1914	957 1354 1788 1195 1447 2056	1044 1473 1954 1289 1566 2197	g brac with S ith star ssistar 1134 1589 2118 1384 1685 2341	kets. Z olid Sundard Z ice. 1218 1708 2283 1480 1803 2483	1305 1827 2451 1572 1922 2625	1482 2024 2657 1715 2118 2847	2OL3 RAML , see option can be speci 1.33 1.75 2.5 1.75 2.5	U are repli upcharge fied on wo 25 39 50 26 39 50	5.2 9.4 14 6.1 9.4 14
	ORDERING N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM81 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB1*	IOTES: Zola Rep ware. Replaceme thane cap. Zola od back units ar a special - please Upholstered Sea	ent Arm replace re not de e conta at 778 1122 1463 1004 1202 1755	822 1178 1540 1053 1266 1835	871 1232 1620 1098 1330 1914 428 601	957 1354 1788 1195 1447 2056	1044 1473 1954 1289 1566 2197	g brac with S ith star ssistar 1134 1589 2118 1384 1685 2341 808 1170	kets. Z olid Sundard Z ice. 1218 1708 2283 1480 1803 2483 934 1359	1305 1827 2451 1572 1922 2625	1482 2024 2657 1715 2118 2847	20L3 RAML, see option can be speci	U are repli upcharge fied on wo 25 39 50 26 39 50 28 3.6	5.2 9.4 14 6.1 9.4 14 1.7
	ORDERING N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB1 ZOL3 RSMB3 Back Cover ZOL3 RCB1*	NOTES: Zola Repware. Replacementa cap. Zola od back units and special - please Upholstered Section 1	ent Arm replace re not de e conta at 778 1122 1463 1004 1202 1755	822 1178 1540 1053 1266 1835	871 1232 1620 1098 1330 1914	957 1354 1788 1195 1447 2056	1044 1473 1954 1289 1566 2197 680 982 1266	g brac with S ith star ssistar 1134 1589 2118 1384 1685 2341 808 1170	xets. Zolid Sundard Zice. 1218 1708 2283 1480 1803 2483 934 1359 1772	1305 1827 2451 1572 1922 2625	1482 2024 2657 1715 2118 2847	2OL3 RAML , see option can be speci 1.33 1.75 2.5 1.75 2.5	U are repli upcharge fied on wo 25 39 50 26 39 50	5.2 9.4 14 6.1 9.4 14
	ORDERING N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM81 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB1 ZOL3 RCB1 ZOL3 RCB3 ZOL3 RCB3	NOTES: Zola Repware. Replacementa cap. Zola od back units and special - please Upholstered Section 1	ent Arm replace re not de e conta at 778 1122 1463 1004 1202 1755 302 411 509 336	822 1178 1540 1053 1266 1835 365 509 633	871 1232 1620 1098 1330 1914 428 601 760	957 1354 1788 1195 1447 2056 556 791 1014	1044 1473 1954 1289 1566 2197 680 982 1266	g brace with S ith stars ssistar 1134 1589 2118 1384 1685 2341 808 1170 1518 840	xets. Zolid Sundard Zice. 1218 1708 2283 1480 1803 2483 934 1359 1772	1305 1827 2451 1572 1922 2625 1061 1551 2024	1482 2024 2657 1715 2118 2847 1266 1788 2341	20L3 RAML, see option can be speci	U are replayed appearance on work of the department of the depth of th	5.2 9.4 14 6.1 9.4 14 1.7 1.7
	ORDERING N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM81 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB1 ZOL3 RCB3 ZOL3 RCB3 ZOL3 RCB3	NOTES: Zola Repware. Replacementa cap. Zola od back units ara special - please Upholstered Sea	ent Arm replace re not de e conta at 778 1122 1463 1004 1202 1755 302 411 509 336	822 1178 1540 1053 1266 1835 365 509 633 397	871 1232 1620 1098 1330 1914 428 601 760 458	957 1354 1788 1195 1447 2056 556 791 1014 586	1044 1473 1954 1289 1566 2197 680 982 1266 714	g brace with S ith starssistar 1134 1589 2118 1384 1685 2341 808 1170 1518 840	kets. Z olid Sundard Z ice. 1218 1708 2283 1480 1803 2483 934 1359 1772 963	1305 1827 2451 1572 1922 2625 1061 1551 2024 1092	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283	ZOL3 RAML, see option can be speci 1.33 1.75 2.5 1.75 1.75 2.5 2 3 3.75 2 1.5	25 39 50 26 39 50 2.8 3.6 4.3 2.8	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7
	ORDERING N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSM81 ZOL3 RSMB2 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 ACB1* ZOL3 RCB1 ZOL3 RCB1 ZOL3 RCB1 Arm Covers F ZOL3 RCAR ZOL3 RCAR ZOL3 RCAR ZOL3 RCAR ZOL3 RCAR	NOTES: Zola Repware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	ent Arm replace re not de e conta at 778 1122 1463 1004 1202 1755 302 411 509 336	822 1178 1540 1053 1266 1835 365 509 633 397	871 1232 1620 1098 1330 1914 428 601 760 458	957 1354 1788 1195 1447 2056 556 791 1014 586	1044 1473 1954 1289 1566 2197 680 982 1266 714	g brace with S ith starssistar 1134 1589 2118 1384 1685 2341 808 1170 1518 840 651 302	kets. Z olid Sundard Z ice. 1218 1708 2283 1480 1803 2483 934 1359 1772 963	1305 1827 2451 1572 1922 2625 1061 1551 2024 1092	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283	20L3 RAML, see option can be speci	U are replayed appearance on work of the department of the departm	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7
	ORDERING No modular hards arms with ure page 179. Wo units only as a selection of the page 179. Wo units only as a selection of the page 179. Wo units only as a selection of the page 179. Wo units only as a selection of the page 179. Wo units only as a selection of the page 179. Wo units only as a selection of the page 179. Wo units only as a selection of the page 179. Wo units of the page 179. Wo units only as a selection of the pa	NOTES: Zola Repware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	at 778 1122 1463 1004 1202 1755 302 411 509 336 470 476 270	822 1178 1540 1053 1266 1835 365 509 633 397 318	871 1232 1620 1098 1330 1914 428 601 760 458 365 207 365	957 1354 1788 1195 1447 2056 556 791 1014 586 458 239 458	1044 1473 1954 1289 1566 2197 680 982 1266 714 556	g brace with S ith starssistar 1134 1589 2118 1384 1685 2341 808 1170 1518 840 651 302 651	1218 1708 2283 1480 1803 2483 934 1359 1772 963 744 334 744	1305 1827 2451 1572 1922 2625 1061 1551 2024 1092 840 365 840	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283 963 405 963	20L3 RAML, see option can be speci 1.33 1.75 2.5 1.75 1.75 2.5 2 3 3.75 2 1.5 0.33 1.5	25 39 50 26 39 50 28 3.6 4.3 2.8 2.5	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7
	ORDERING N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM82 ZOL3 RSM81 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB3 ZOL3 RCB3 ZOL3 RCB1 Arm Covers F ZOL3 RCAR ZOL3 RCAL ZO	NOTES: Zola Repware. Replacementhane cap. Zola od back units are a special - please Upholstered Seat Upholstered Seat Right, Left or Interview NOTES: Replace	at 778 1122 1463 1004 1202 1755 302 411 509 336 arim 270 ament A ane and an arise and an arise and arise and arise	822 1178 1540 1053 1266 1835 365 509 633 397 318	871 1232 1620 1098 1330 1914 428 601 760 458 365 207 365	957 1354 1788 1195 1447 2056 556 791 1014 586 458 239 458	1044 1473 1954 1289 1566 2197 680 982 1266 714 556 270 556	g brace with S with State stars 1134 1589 2118 1384 1685 2341 808 1170 1518 840 651 302 651 e species	1218 1708 2283 1480 1803 2483 934 1359 1772 963 744 334 744 siffied as	1305 1827 2451 1572 1922 2625 1061 1551 2024 1092 840 365 840	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283 963 405 963	ZOL3 RAML, see option can be speci 1.33 1.75 2.5 1.75 1.75 2.5 2 3 3.75 2 1.5 0.33 1.5	25 39 50 26 39 50 2.8 3.6 4.3 2.8 2.5 1.5 2.5 L3 RCALU	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7
	ORDERING N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB3 ZOL3 RCB3 ZOL3 RCB2 ZOL3 RCB1 Arm Covers F ZOL3 RCAR ZOL3 RCAL	NOTES: Zola Repware. Replacementhane cap. Zola od back units are a special - please Upholstered Seat Upholstered Seat Right, Left or Interview NOTES: Replace	ent Arm replace re not de conta et at 778 1122 1463 1004 1202 1755 302 411 509 336 erim 270 176 270 erment Alane ari 270	822 1178 1540 1053 1266 1835 365 509 633 397 318	871 1232 1620 1098 1330 1914 428 601 760 458 365 207 365	957 1354 1788 1195 1447 2056 556 791 1014 586 458 239 458	1044 1473 1954 1289 1566 2197 680 982 1266 714 556 270 556	g brace with S w	kets. Zolid Sundard Zice. 1218 1708 2283 1480 1803 2483 934 1359 1772 963 744 334 744 diffied as	1305 1827 2451 1572 1922 2625 1061 1551 2024 1092 840 365 840	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283 963 405 963	ZOL3 RAML, see option can be speci 1.33 1.75 2.5 1.75 2.5 1.75 2.5 1.75 2.5 2 3 3.75 2 1.5 0.33 1.5 RCARU & ZO 1.33	U are replayed and a	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7
	ORDERING N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 ACR COVER ZOL3 RCB1* ZOL3 RCB1 ZOL3 RCB2 ZOL3 RCB3 ZOL3 RCB1 COVERS F ZOL3 RCAL	NOTES: Zola Repware. Replacementhane cap. Zola od back units are a special - please Upholstered Seat Upholstered Seat Right, Left or Interview NOTES: Replace	ent Arm replace e not de conta e conta	822 1178 1540 1053 1266 1835 365 509 633 397 318 190 318 Arm Com cap	871 1232 1620 1098 1330 1914 428 601 760 458 365 207 365 overs (le option.	957 1354 1788 1195 1447 2056 556 791 1014 586 458 239 458 eft or rig	1044 1473 1954 1289 1566 2197 680 982 1266 714 556 270 556 ght) are	g brace with S ith star ssistar 1134 1589 2118 1384 1685 2341 808 1170 1518 840 651 302 651 651 853	kets. Zolid Sundard Zice. 1218 1708 2283 1480 1803 2483 934 1359 1772 963 744 334 744 siffied as	OL3 RA rface Al cola arm 1305 1827 2451 1572 1922 2625 1061 1551 2024 1092 840 365 840 s seated 840 1108	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283 963 405 963 . ZOL3 F	2OL3 RAML, see option can be specifican be s	U are replayed and a	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7
	ORDERING N modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB3 ZOL3 RCB3 ZOL3 RCB2 ZOL3 RCB1 Arm Covers F ZOL3 RCAR ZOL3 RCAL	NOTES: Replacements and special - please Upholstered Second Secon	ent Arm replace re not de conta et at 778 1122 1463 1004 1202 1755 302 411 509 336 erim 270 176 270 erment Alane ari 270	822 1178 1540 1053 1266 1835 365 509 633 397 318	871 1232 1620 1098 1330 1914 428 601 760 458 365 207 365	957 1354 1788 1195 1447 2056 556 791 1014 586 458 239 458	1044 1473 1954 1289 1566 2197 680 982 1266 714 556 270 556 ght) are	g brace with S ith star ssistar 1134 1589 2118 1384 1685 2341 808 1170 1518 840 651 302 651 651 853	kets. Zolid Sundard Zice. 1218 1708 2283 1480 1803 2483 934 1359 1772 963 744 334 744 iified as	1305 1827 2451 1572 1922 2625 1061 1551 2024 1092 840 365 840 365 840	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283 963 405 963	ZOL3 RAML, see option can be speci 1.33 1.75 2.5 1.75 2.5 1.75 2.5 1.75 2.5 2 3 3.75 2 1.5 0.33 1.5 RCARU & ZO 1.33	U are replayed and a	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7

ZOLA | MODULAR - REPLACEMENT COMPONENTS & TABLETS

ESCRIPTIO	N/MODEL	PRICE					SHIPPING WEIGHT	
	Caster Without Brake ZOL3 RC1	58					0.4	0125
	ORDERING NOTE: Casters	cannot be orde	ered as replac	cement item	s for plus	s units.		
	Caster With Brake ZOL3 RC2	70					0.4	0.125
	ORDERING NOTE: Casters	cannot be orde	ered as replac	cement item	s for plus	s units.		
	Urethane Arm Cap ZOL3 AUR ZOL3 AUL	127					1.5 1.5	0.3 0.3
	Urethane Arm Cap - Interim ZOL3 AIU	Arm 94					1.0	0.3
			A-White	Grade A-Color	es B	С		
	Solid Surface Arm Cap (per a ZOL3 ASR ZOL3 ASL		227	231	244	257	1.5	0.3
	Solid Surface Arm Cap - Inte ZOL3 ASI	erim (per arm)	185	186	189	193	1.0	0.3
ESCRIPTIC	N MODEL	SPECIES	PRICE				WEIGH	IT CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	514 538				12	2
	Tablet with Palette F ZOL3 T2	Finish n/a	411				12	2
	Clear Glass Tablet ZOL3 T3	n/a	783				13	2
	Laminate Tablet ZOL3 T4	n/a	532				12	2
	ORDERING NOTES handed and do not					mer edge. Ple	ease note Zola Tablets are u	niversall
	Solid Surface Table ZOL3 T5AW	t - Grade A Wh n/a	iite 641				14	2
	Solid Surface Table ZOL3 T5AC	t - Grade A Co n/a	lor 651				14	2
	2020 . 07.10							
	Solid Surface Table ZOL3 T5B	t - Grade B n/a	686				14	2

ZOLA | MODULAR CURVE

DIMENSIONS	INSIDE	CURVE


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

COM Yardages

oom raraagoo	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat 30°	3.70	7.4	44.4	14.8	
45°	4.40	8.8	11.1 13.2	17.6	
60°	4.40 4.61	8.8 9.2	13.2 13.83	17.6 18.44	
Double seat		0.2			
30°	6.3	12.6	18.9	25.2	
45° 60°	6.4 8.2	12.8 16.4	19.2 24.6	25.6 32.8	
90°	8.2	16.4	24.6	32.8	

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
Double seat								
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6




Single Seat, Uph 30° Inside Curve




Single Seat, Uph 45° Inside Curve




Single Seat, Uph 60° Inside Curve




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside



Double Seat, Uph 45° Inside Curve



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

DIMENSIONS OUTSIDE CURVE

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
60°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

COM Yardages

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat 30° 45° 60° 90°	3.32 3.32 3.32 3.32	6.14 6.14 6.14 6.14	9.46 9.46 9.46 9.46	12.28 12.28 12.28 12.28	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	13.0 13.0 13.0 13.0	19.5 19.5 19.5 19.5	26.0 26.0 26.0 26.0	

COM Yardages - Individual Components

· ·	COM Yardage Per Back	COM Yardage Per	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
	Per back	2 Backs	3 Backs	4 backs	Per Seat	2 Seals	3 Seals	4 Seats
Single seat 30° 45° 60° 90°	1.7 1.7 1.7 1.7	2.95 2.95 2.95 2.95	4.65 4.65 4.65 4.65	5.9 5.9 5.9 5.9	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90° 6.8	3.1 3.1 3.1 3.1 10.2	6.2 6.2 6.2 6.2 13.6	9.3 9.3 9.3 9.3	12.4 12.4 12.4 12.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8	10.2 10.2 10.2	13.6 13.6 13.6




Single Seat, Uph 30° Outside Curve




Single Seat, Uph 45° Outside Curve




Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

ZOLA | MODULAR CURVE

DESCRIPTION/MOD	DEL	COM 1	2	COL 3	FA	ABRIC GRA	ADES 6	7	LEATHER 8	R 9
	Single-Seat, 30° Inside Curve ZOL3 MCIS30D1	2302	2432	2559	2741	2947	3131	3336	3592	3851
	Single-Seat, 30° Inside Curve ZOL3 MCBIS30D1	Plus 2399	2530	2657	2838	3045	3226	3432	3691	3949
	Single-Seat, 45° Inside Curve ZOL3 MCIS45D1	2709	2873	3038	3271	3538	3770	4037	4369	4704
	Single-Seat, 45° Inside Curve ZOL3 MCBIS45D1	Plus 2818	2984	3147	3383	3648	3880	4146	4480	4813
	Single-Seat, 60° Inside Curve ZOL3 MCIS60D1	3069	3235	3399	3634	3899	4131	4397	4730	5063
	Single-Seat, 60° Inside Curve ZOL3 MCBIS60D1	Plus 3193	3358	3523	3759	4024	4257	4522	4855	5188
	Single-Seat, 90° Inside Curve ZOL3 MCIS90D1	3487	3696	3904	4196	4530	4821	5155	5574	5993
	Single-Seat, 90° Inside Curve ZOL3 MCBIS90D1	Plus 3652	3862	4068	4362	4694	4987	5320	5740	6159
	Single-Seat, 30° Outside Curv ZOL3 MCOS30D1	/e 2072	2190	2304	2465	2654	2817	3001	3235	3465
	Single-Seat, 30° Outside Curv ZOL3 MCBOS30D1	e Plus 2169	2286	2403	2564	2748	2913	3097	3331	3562
	Single-Seat, 45° Outside Curv ZOL3 MCOS45D1	/e 2436	2586	2738	2946	3185	3395	3634	3934	4233
	Single-Seat, 45° Outside Curv ZOL3 MCBOS45D1	e Plus 2546	2696	2847	3056	3294	3505	3743	4044	4341
	Single-Seat, 60° Outside Curv ZOL3 MCOS60D1	/e 2763	2911	3061	3270	3510	3718	3958	4258	4557
	Single-Seat, 60° Outside Curv ZOL3 MCBOS60D1	e Plus 2888	3036	3187	3396	3635	3844	4083	4381	4681
	Single-Seat, 90° Outside Curv ZOL3 MCOS90D1	/e 3137	3323	3513	3774	4077	4340	4641	5017	5393
	Single-Seat, 90° Outside Curv ZOL3 MCBOS90D1	e Plus 3303	3489	3679	3940	4242	4506	4809	5183	5559

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY

THODOOT CODE IX						
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	I	S	30D	1
Zola	Soft Seating	Modular MCB	Inside Curve	Single	30 Degree 45D	Standard Leg + Glide
		Modular Plus Upgrade	Outside Curve	Double	45 Degree 60D	
					60 Degree 90D	

90 Degree

ZOLA | MODULAR CURVE

	C	MOC		COL	FA	BRIC GRA	DES		LEATHER	3
DESCRIPTION/MODE	L	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Inside Curve ZOL3 MCID30D1	4028	4252	4481	4795	5157	5473	5836	6289	6739
	Double-Seat, 30° Inside Curve ZOL3 MCBID30D1	Plus 4182	4405	4633	4947	5309	5628	5989	6441	6893
	Double-Seat, 45° Inside Curve ZOL3 MCID45D1	4736	5028	5318	5722	6188	6598	7064	7644	8225
	Double-Seat, 45° Inside Curve ZOL3 MCBID45D1	Plus 4917	5209	5497	5903	6369	6778	7242	7822	8406
	Double-Seat, 60° Inside Curve ZOL3 MCID60D1	5367	5659	5948	6357	6821	7229	7696	8276	8858
	Double-Seat, 60° Inside Curve ZOL3 MCBID60D1	Plus 5560	5852	6141	6549	7016	7421	7888	8469	9051
	Double-Seat, 90° Inside Curve ZOL3 MCID90D1	6099	6465	6831	7342	7925	8438	9022	9755	10485
	Double-Seat, 90° Inside Curve ZOL3 MCBID90D1	Plus 6319	6686	7049	7564	8146	8658	9244	9975	10705
	Double-Seat, 30° Outside Curv ZOL3 MCOD30D1	re 3626	3828	4033	4316	4643	4928	5254	5659	6069
	Double-Seat, 30° Outside Curv ZOL3 MCBOD30D1	re Plus 3777	3980	4185	4468	4795	5080	5405	5811	6221
	Double-Seat, 45° Outside Curv ZOL3 MCOD45D1	re 4263	4525	4786	5152	5571	5938	6357	6881	7402
	Double-Seat, 45° Outside Curv ZOL3 MCBOD45D1	re Plus 4442	4706	4966	5331	5751	6117	6536	7060	7582
	Double-Seat, 60° Outside Curv ZOL3 MCOD60D1	re 4831	5093	5355	5720	6139	6506	6925	7447	7971
	Double-Seat, 60° Outside Curv ZOL3 MCBOD60D1	e Plus 5023	5286	5548	5914	6333	6699	7119	7641	8164
	Double-Seat, 90° Outside Curv ZOL3 MCOD90D1 5	re 5488	5819	6146	6607	7134	7594	8121	8781	9438
	Double-Seat, 90° Outside Curv ZOL3 MCBOD90D1 5	e Plus 5708	6039	6366	6828	7356	7815	8342	8999	9657

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY


NODGOT GODE N	L-1					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	I Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D 90 Degree	

ZOLA PRIVACY | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

	001111112012010	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS

All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.





(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA PRIVACY | FEATURES & OPTIONS



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



PRECONFIGURED

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



BACK CONNECTION

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



LINKING SEAT-TO-SEAT

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



LINKING TABLE-TO-SEAT

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



CLEAN OUT

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



TWIN BACK

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).



ANTI-MICROBIAL FINISH

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.



Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat plus - 975 lbs
Three-seat - 750 lbs
Three-seat plus - 1150 lbs

ZOLA PRIVACY | OPTIONS



PRIVACY SCREEN

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start, Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.



TABI FT

Optional Tablets are available in veneer, clear glass, laminate and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees. Solid surface is available, contact Customer Service for pricing.

Tables are available in veneer, high pressure

laminate or Palette finishes - and an optional solid

surface top. An optional flush-mounted Table

PowerDoc provides dual power/USB A & C out-

lets for multiple devices can be located on the



REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.



front face of Middle or End Tables (not available on curvilinear models). PowerDoc's have a 10' cord.

MODULAR ARM Modular arms can attach to the left or right ends of seating units as well as interim locations between units. They are fully upholstered and can optionally be trimmed with urethane or solid surface arm caps.



REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded.




SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.





SHELVES & POWER

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available - contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB A & C outlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.



The flush-mounted power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 251 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.

ZOLA PRIVACY | POWER LOCATIONS



Seat Power


When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



Shelf Power

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.



B - for left side of seat (facing)



Table Power

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$647 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




Under-mount Power

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables.

ZOLA PRIVACY | CONNECTING MULTIPLE UNITS


SEATING

Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.





SIDE PANELS

Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.



ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING









Model	Qty	Price (ea)
ZOP3-M1F1S	1	2364
ZOP3-MCIS90DF1C	2	5866
ZOP3-M2F1C	4	3563
ZOP3-M1F1S	1	2364


Total \$30,712






Model	Qty	Price (ea)
ZOP3-MCID60DF0S	1	5910
ZOP3-MCID60DF0C	3	5910
ZOP3-MCID60DF0E	1	5910
ZOL4-30D15	1	1391
Total		\$30,941


ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING






Model	Qty	Price (\$)
ZOP3-M2M0S	1	2595
ZOP3-MCIS90DM0C	2	4571
ZOP3-M2M0C	1	2595
ZOP3-M2M0E	1	2595
ZOL4-242415	1	1187


Total \$18,114






Qty 4	Price (\$) 1098
2	2866
2	7873
2	2866
1	2016
	4 2 2 2

Total \$33,618





Total		\$13,744
ZOP4-E482915	1	2016
ZOP3-MPF0E	2	946
ZOP3-M3F0C	2	3972
ZOP3-MPF0S	2	946
Model	Qty	Price (\$)

ZOLA PRIVACY | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

	I B. A	10	\sim	NS
1 7	IIVI	u.¬		IV.5

DIMENSIONS		VA (* -111)						
	Overall	Width Between	Overall	Overall	Seat	Seat	Shipping	
	Width	Panels	Depth	Height	Height	Depth	Weight	Cubes
Preconfigured Fu	ıll Height Back	•						
One-Seat Plus	36	30	27	50	18.5	19.25	134	28.3
Two-seat	52	46	27	50	18.5	19.25	161	40.4
Three-seat	75	69	27	50	18.5	19.25	194	57.5
Preconfigured M	id Height Bacl	k						
One-Seat Plus	36	30	27	37.5	18.5	19.25	114	20.4
Two-seat	52	46	27	37.5	18.5	19.25	141	29.1
Three-seat	75	69	27	37.5	18.5	19.25	174	41.3
COM YARDAGES								
COM TANDAGES	Yardage	Yardage	Yardage	Yardage				
	Entire	2 Entire	3 Entire	4 Entire				
	Unit	Units	Units	Units				
Preconfigured Fu	III Height Back	c/Privacy Panel						
One-Seat Plus	9.59	13.78	17.97	22.16				
Two-seat	11.48	16.13	20.83	26.56				
Three-seat	13.56	21.32	29.38	37.04				
Preconfigured M	id Height Bacl	k/Privacy Panel						
One-Seat Plus	7.31	10.96	14.61	18.26				
Two-seat	8.49	12.22	16.72	21.20				
Three-seat	10.60	18.36	26.42	34.08				
Preconfigured Fu	ıll Height Back	κ/Semi-Private∃	Panel					
One-Seat Plus	6.63	10.82	15.01	19.20				
Two-seat	8.52	13.17	17.87	23.60				
Three-seat	10.60	18.36	25.42	34.08				
Preconfigured M	id Height Bacl	k/Semi-Private	Panel					
One-Seat Plus	5.41	9.06	12.71	16.36				
Two-seat	6.59	10.32	14.82	19.30				
Three-seat	8.48	14.80	21.42	27.20				

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat Plus with Privat ZOP3-PCB1MPF0	e Modular S 3956	Side Panel 4268	and Full H 4583	leight Back 5132	5708	6258	6835	7463	8461
	One-Seat Plus with Semi- ZOP3-PCB1SMPF0	Private Mod 3229	dular Side 3455	Panel and 3683	Full Heigh 4059	t Back 4461	4838	5241	5695	6347
	One-Seat Plus with Privat ZOP3-PCB1MPM0	te Modular S 3489	Side Panel 3717	and Mid F 3943	leight Back 4339	4752	5142	5559	6014	6715
	One-Seat Plus with Semi- ZOP3-PCB1SMPM0	-Private Mod 2983	dular Side 3166	Panel and 3354	Mid Heigh 3663	t Back 3994	4302	4634	5005	5539

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTI	ON UPCHARGES	\$ List			
CAL 133 & Moisture Barrier (per yard) Seat Power (per power unit) Plus Upgrade option		64 641 included			
PRODUCT CODE KEY	Y				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PCB	1	MP	F0
Zola Privacy	Lounge	Pre-Configured Plus	One-Seat (30")	Private Modular Side Panel	Full Height
			2	SMP	MO
			Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAI	BRIC GRA	DES		LEATHER	1		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9		
	Two-Seat with Privat ZOP3-PC2MPF0	e Modula 4571	r Side Pan 4947	el and Ful 5327	l Height B 5970	ack 6653	7295	7977	8739	9879		
	Two-Seat Plus with F ZOP3-PCB2MPF0	Private Mo 4702	odular Side 5078	e Panel an 5456	d Full Heig 6099	ght Back 6783	7424	8107	8868	10008		
	Two-Seat with Semi-	Private M	lodular Sic	de Panel a	nd Full He	ight Back						
	ZOP3-PC2SMPF0	3843	4134	4426	4897	5407	5876	6386	6970	7764		
	Two-Seat Plus with S	Two-Seat Plus with Semi-Private Modular Side Panel and Full Height Back										
	ZOP3-PCB2SMPF0		4265	4557	5027	5537	6007	6515	7101	7894		
- V	Tue Coat with Drivet	- M	- C:-l- D	al anal Mi	d I I ai a la t D							
	Two-Seat with Privat ZOP3-PC2MPM0	3780	4059	4337	4811	аск 5307	5775	6276	6836	7651		
	Two-Seat Plus with F	Private Mo	odular Side	e Panel an	d Mid Hei	aht Back						
	ZOP3-PCB2MPM0	3909	4189	4467	4941	5437	5905	6406	6965	7780		
	Two-Seat with Semi-	Private M	lodular Sic	de Panel a	nd Mid He	ight Back						
	ZOP3-PC2SMPM0	3271	3510	3746	4133	4548	4933	5349	5825	6474		
	Two-Seat Plus with S ZOP3-PCB2SMPM0		ate Modula 3640	ar Side Pa 3877	nel and M 4264	id Height E 4679	3ack 5064	5481	5956	6604		

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Seat Power (per power unit)	641

PRODUCT CODE KEY

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	M0
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAI	DES 6	7	LEATHER 8	9
DEGGIIII TIGIQINGBEE		•			· ·			•		
	Three-Seat with Privat				0					
	ZOP3-PC3MPF0	5495	5940	6390	7131	7923	8663	9457	10354	11632
	There are Discovering			D		lat David				
	Three-Seat Plus with F ZOP3-PCB3MPF0	rivate ivio 5691	aular Side 6136	6585	7327	8119	8859	9652	10548	11828
	ZOF3-PGB3MFF0	2091	0130	0000	1321	0119	0009	9002	10546	11020
• 1										
	Three-Seat with Semi-	Private Mo	odular Sid	e Panel ar	nd Full Hei	ght Back				
	ZOP3-PC3SMPF0	4768	5128	5488	6057	6678	7243	7864	8587	9518
	Three-Seat Plus with S					•		0050	0700	0740
	ZOP3-PCB3SMPF0	4964	5322	5684	6253	6872	7441	8059	8783	9713
	Three-Seat with Privat	e Modular	Side Pane	el and Mic	Height Ba	ack				
	ZOP3-PC3MPM0	4903	5244	5584	6148	6750	7309	7911	8595	9548
	Three-Seat Plus with F				_	•				
	ZOP3-PCB3MPM0	5098	5441	5781	6344	6945	7504	8107	8790	9744
	Three-Seat with Semi-	Private Mo	odular Sid	e Panel ar	nd Mid Hei	ight Back				
	ZOP3-PC3SMPM0	4396	4696	4995	5471	5990	6466	6985	7586	8371
	Three-Seat Plus with S					U				
	ZOP3-PCB3SMPM0	4591	4891	5191	5666	6185	6662	7180	7781	8568
•										

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	
Seat Power (per power unit)	641	

PRODUCT CODE KEY

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

						Overall			
	Overall Width	Overall Depth	Depth w/ Shelf	Overall Height	Height w/Screen	Seat Height	Seat Depth	Shipping Weight	Cubes
Full Height Back									
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8
Mid Height Back									
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6
Modular Corner Seat w	rith Full Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26
Modular Corner Seat w	rith Mid Height	Back							
One-Seat	27	27	40	37.5	50	18.5	20.25	93	26
One-Seat (Plus)	27	27	40	37.5	50	18.5	20.25	93	26

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
	Offic	Offics	Offics	Offics	Dack	Dacks	Dacks	Баско	Ocai	Ocais	Ocais	
Full Height Back												
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	4.33	7.33	11.66	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner Se	eat with Fu	ull Height	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner Se	eat with M	id Height	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8

ZOLA PRIVACY PLUS OPTION UPCHARGES

	\$ List	
Plus Upgrade Two-Seat	129	_
Plus Upgrade Three-Seat	195	

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

Dimensions a	00	ZOII ILIVILI										
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Singl	e Full Hei	aht No Scr	reen									
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
2010 1011 102	LIIG	2.70	21	40.00	00	O	2.1	0.00	0.00	10.70	10.44	10.10
Side Panel, Single	e, Full Hei	ght with So	creen									
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	e, Mid Hei	ght No Sc	reen									
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
Side Panel, Singl	a Mid Hai	aht with S	creen									
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
		-										
Semi-Private Side												
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Side	e Panel, S	ingle, Mid	Height									
ZOP3-MSPM0S	Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0C	Center	2.75	14.25	31.4	23	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0E	End	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
Modular Upholste	ered Arm											
ZOP3-MAUPHL*		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHR		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHC		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholste	ered Arm v	w/Urethane	e Cap									
ZOP3-MAUREL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholsto	orod Arm.	w/8alid 6	rface Con									
	ered Arm \			20 2F	20	1 1	1 22	0.11	2.0	2 56	1 11	5
ZOP3-MASSCL ZOP3-MASSCR		3 3	14.5 14.5	20.25 20.25	28 28	1.1	1.33 1.33	2.11 2.11	2.8	3.56 3.56	4.44 4.44	5 5
		3		20.25	28 28	1.1			2.8			5 5
ZOP3-MASSCI*		3	14.5	20.25	20	1.1	1.33	2.11	2.8	3.56	4.44	5

			COM		COL	FAB	RIC GR	ADES		LEATHE	R
ESCRIPTION	I/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	One-Seat, Full Height Ba ZOP3-M1F0F	ick	1924	2060	2195	2388	2610	2804	3025	3294	358
	_	ack with Shelf Option h/Laminate e/Palette	2364 2460	2500 2594	2636 2732	2829 2924	3052 3144	3244 3340	3463 3560	3736 3829	402 411
	ORDERING NOTES: Wh 42", 36" or 30". Freestan unit, please add \$303 lis	ding, Start and End	units with	n the she	elf option i	require co	ounterba	lance we	eight add	led to ea	ch se
	One-Seat, Full Height Ba ZOP3-M1F2F	ck with Privacy Sc	reen Optio 2209	on 2342	2479	2671	2892	3087	3307	3578	386
	ORDERING NOTES: Un	its with Privacy Scr	een Optio	n are not	available	with Rem	novable E	Back Cov	ver option	l .	
	One-Seat, Mid Height Ba ZOP3-M1M0F	ack	1811	1918	2026	2176	2348	2502	2673	2888	310
	-	ack with Shelf Option h/Laminate e/Palette	on 2252 2346	2357 2452	2464 2560	2615 2713	2789 2883	2942 3036	3114 3209	3327 3424	354 364
	unit, please add \$303 lis One-Seat, Mid Height Ba ZOP3-M1M2F	ack with Privacy Sc	reen Optio 2092	on 2198	2307	2460	2632	2783	2957	3169	339
	ORDERING NOTES: Uni	•	een Optio	n are not	available	with Rem	novable E	Back Cov	er option		
	Option Upcharges	\$ List						\$	List		
emovable Se emovable Ba	er & CAL 133(per yard) at Covers One-Seat ick Covers One-Seat Multiple unit configurations)	64 47 68 80	Sł	eat Powe nelf Powe able Pow		wer unit)			641 600 647		
RODUCT COL											
Line	Series	Chair Type	Se	eat Count		Back	Туре		Le	g Type	
ZOP	3 Lounge	M Modular		1 One Seat		Full Heid	0 ght Back		Freesta	F Inding Uni	it
				2		F			_	S	-
			Ī	wo Seat	ı	Full Height	 t Back wit Option	th	Sta	art Unit	
			[3		E	2			С	
			TI	hree Seat		Full Height Privacy Sci			_	ter Unit	
						Mid Heig	0 ght Back			E d Unit	
						М	ı				
					1	Mid Heigh		th			

M2 Mid Height Back with Privacy Screen Option

DESCRIPTION,	/MODEL/SPECIES		COM 1	2	COL 3	FAI 4	BRIC GR	ADES 6	7	LEATHE 8	R 9						
	One-Seat Plus, Full Height ZOP3-MB1F0F	Back	2413	2549	2684	2879	3099	3292	3513	3785	407						
	One-Seat Plus, Full Height ZOP3-MB1F1_ Beech/La Maple/Pa	aminate	Option 2866 2963	3001 3097	3137 3235	3330 3428	3553 3647	3744 3843	3965 4063	4237 4334	452 461						
	42", 36" or 30". Freestandi	ng, Start and Enc	l units wit	h the sh	elf optior	n require c	ounterba	alance w	rder the required shelf heigl ce weight added to each s movable Back Cover option.								
	One-Seat Plus, Full Height ZOP3-MB1F2F	Back with Privac	cy Screen 2770	Option 2906	3040	3236	3456	3648	3870	4141	44						
	ORDERING NOTES: Units	with Privacy Scr	een Optic	on are no	t availabl	le with Rer	movable	Back Co	ver optio	n.							
	One-Seat Plus, Mid Height ZOP3-MB1M0F	: Back	2304	2411	2518	2670	2844	2994	3166	3382	36						
	One-Seat Plus, Mid Height ZOP3-MB1M1_ Beech/La Maple/Pa	aminate alette	2757 2853	2863 2959	2970 3068	3122 3219	3294 3390	3448 3542	3620 3715	3834 3931	40 41						
T	ORDERING NOTES: Whe 42", 36" or 30". Freestandi unit, please add \$303 list	ng, Start and End	l units wit	h the sh	elf optior	n require c	ounterba	alance w	eight ad	ded to ea	ch s						
	One-Seat Plus, Mid Height ZOP3-MB1M2F	Back with Priva	cy Screer 2661	Option 2768	2877	3028	3200	3352	3523	3739	39						
	ORDERING NOTES: Units	with Privacy Scr	een Optic	on are no	t availabl	le with Rer	movable	Back Co	ver optio	n.							
	Option Upcharges	\$ List						;	\$ List								
emovable Se emovable Ba	er & CAL 133(per yard) at Covers One-Seat ack Covers One-Seat fultiple unit configurations)	64 47 68 80	S T	Shelf Povable Pov	wer . wer	oower unit	,	مام	641 600 647								
uai Leg (ioi iv	nulliple unit configurations)	60		ле-оеа	t Flus IIIc	Judes Flu	s opgra	ue									
RODUCT COE	DE KEY Series	Chair Type		Seat Cour	h+	Pac	k Type		1.	eg Type							
ZOP	3	М		1			FO T			F							
Zola	Lounge	Modular		One Seat	t		ight Back		Frees	' tanding Uni	t						
		MB		2			F1			S							
		Modular Plus Upgrade		Two Seat		Full Heigh Shelf	nt Back w Option	ith	S	tart Unit							
				3			F2			С							
			7	Three Sea	ıt	Full Heigh Privacy So			Ce	nter Unit							
							M0			E Ind I Init							
							eight Back	•		nd Unit							
						Mid Heigl		rith									
							140										

M2 Mid Height Back with Privacy Screen Option

			COM		COL	FAF	BRIC GR	ADES		LEATHER	3
DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	. 9
	Two-Seat, Full Height Back ZOP3-M2F0F	X.	3029	3231	3430	3717	4044	4334	4658	5061	5490
	Two-Seat, Full Height Back ZOP3-M2F1_ Beech/L Maple/P	aminate	3563 3663	3763 3864	3963 4064	4252 4352	4580 4679	4867 4967	5192 5292	5595 5693	6023 6122
	ORDERING NOTES: When 42", 36" or 30". Freestanding unit, please add \$303 list unit.	ng, Start and End	units with	the she	elf option	require c	ounterba	lance we	eight add	ded to ead	ch seat
	Two-Seat, Full Height Back ZOP3-M2F2F	with Privacy Scr	reen Optio 3519	on 3718	3920	4207	4534	4822	5006	5549	5978
	ORDERING NOTES: Units	with Privacy Scre	een Option	n are not	available	with Ren	novable E	Back Cov	er option	ı.	
	Two-Seat, Mid Height Back ZOP3-M2M0F	<	2595	2754	2913	3141	3399	3628	3886	4205	4537
	Two-Seat, Mid Height Bacl ZOP3-M2M1_ Beech/L Maple/F	.aminate	on 3132 3231	3290 3388	3449 3546	3678 3774	3934 4035	4162 4261	4421 4520	4738 4838	5072 5171
	ORDERING NOTES: When 42", 36" or 30". Freestanding unit, please add \$303 list to	ng, Start and End	units with	the she	elf option	require c	ounterba	lance we	eight add	ded to ead	ch seat
	Two-Seat, Mid Height Back ZOP3-M2M2F	k with Privacy Sc	reen Optio 3087	on 3245	3404	3633	3891	4117	4377	4693	5030
	ORDERING NOTES: Units	with Privacy Scre	een Optio	n are not	available	with Ren	novable E	Back Cov	er option	l.	
Zola Privacy C	Option Upcharges	\$ List						\$	List		
Removable Sea Removable Ba	er & CAL 133(per yard) at Covers One-Seat ck Covers One-Seat lultiple unit configurations)	64 68 97 80	SI Ta	helf Pow able Pow	/er "	ower unit) -Seat (B))		641 600 647 129		
PRODUCT COD	DE KEY										
Line	Series	Chair Type	S	eat Coun	t	Bacl	k Type		Le	g Type	

\$ List			\$ List
64 68 97	Shelf Power Table Power	,	641 600 647
80	Plus Upgrade	Iwo-Seat (B)	129
Chair Type	Seat Count	Back Type	Leg Type
M Modular MB Modular Plus Upgrade	1 One Seat 2 Two Seat 3 Three Seat	F0 Full Height Back F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option M0 Mid Height Back M1 Mid Height Back with Shelf Option M2 Mid Height Back with	F Freestanding Unit S Start Unit C Center Unit E End Unit
	64 68 97 80 Chair Type M Modular MB Modular	64 Seat Power (p 68 Shelf Power 97 Table Power 80 Plus Upgrade Chair Type Seat Count M 1 Modular One Seat MB 2 Modular Two Seat Plus Upgrade 3	64 Seat Power (per power unit) 68 Shelf Power 97 Table Power 80 Plus Upgrade Two-Seat (B) Chair Type Seat Count Back Type M 1 F0 Modular One Seat Full Height Back MB 2 F1 Modular Plus Upgrade Two Seat Full Height Back with Shelf Option 3 F2 Three Seat Full Height Back with Privacy Screen Option M0 Mid Height Back M1 Mid Height Back with Shelf Option

DESCRIPTION/N	MODEL/SPECIES		COM 1	2	COL 3	FAE 4	RIC GR.	ADES 6	7	LEATHEI 8	R 9
	Three-Seat, Full F ZOP3-M3F0F	leight Back	3983	4252	4524	4906	5345	5730	6166	6707	7271
	Three-Seat, Full F ZOP3-M3F1_	leight Back Shelf Option Beech/Laminate Maple/Palette	4610 4713	4879 4984	5149 5255	5534 5638	5971 6077	6358 6463	6793 6897	7332 7437	7899 8005
	- 42", 36" or 30". I	ES: When ordering units w Freestanding, Start and End 303 list upcharge per unit.	units with	n the she	elf option r	equire co	ounterba	lance we	ight add	ed to eac	h seat
	Three-Seat, Full F ZOP3-M3F2F	leight Back with Privacy So	creen Opt 4683	ion 4952	5220	5608	6045	6431	6867	7405	7972
	ORDERING NOT	ES: Units with Privacy Scre	en Optior	n are not	available [,]	with Rem	novable E	Back Cov	er option.		
	Three-Seat, Mid H ZOP3-M3M0F	Height Back	3748	3972	4192	4510	4870	5190	5552	5994	6466
	Three-Seat, Mid F ZOP3-M3M1_	Height Back Shelf Option Beech/Laminate Maple/Palette	4377 4481	4599 4705	4818 4923	5138 5242	5498 5604	5815 5920	6180 6284	6621 6725	7092 7197
	- 42", 36" or 30". I	ES: When ordering units w Freestanding, Start and End 303 list upcharge per unit.	units with	n the she	elf option r	equire co	ounterba	lance we	ight add	ed to eac	h seat
	Three-Seat, Mid F ZOP3-M3M2F	Height Back with Privacy So	creen Opt 4449	ion 4670	4891	5211	5572	5890	6252	6692	7164
	ORDERING NOT	ES: Units with Privacy Scre	en Optior	n are not	available	with Rem	novable E	Back Cov	er option.		
Zola Privacy Or	otion Upcharges	\$ List						\$	List		
Removable Seat Removable Bacl	& CAL 133(per yar t Covers Three-Sea k Covers Three-Sea ultiple unit configura	ıt [°] 85 at 121	St Ta	nelf Pow ible Pow					641 600 647 195		
PRODUCT CODE	KEY										
Line	Series	Chair Type	Se	eat Count		Back	Туре		Leç	у Туре	
ZOP Zola	3 Loungo	M Modular		1 One Seat		Full Hoi	0 ght Back			F nding Uni	
201a	Lounge	MB	Г	2		F				S	
		Modular	L T	wo Seat	F		t Back wi	th		rt Unit	
		Plus Upgrade	Г	3			Option 2			С	
			L Th	ree Seat	ı	- <u>' </u> Full Heigh		th		ter Unit	
					F		reen Opti 10 ght Back	on		E d Unit	
					1	Mid Heigh	1 t Back wi	ith	LIP		
						Shalf	Option				

	DESCRIPTION/MODEL/SPECIES		_	COL		RIC GRA		LEATHER		
DESCRIPTION/	MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Modular Corner Seat with Full Height Ba ZOP3-MCF0	ack 4058	4290	4522	4846	5219	5546	5917	6382	6848
	Modular Corner Seat, Full Height Back	with Shelves								
	ZOP3-MCF1LR Beech/Laminate Maple/Palette	4937 5033	5169 5264	5403 5497	5727 5823	6099 6196	6424 6521	6796 6893	7262 7358	7729 7822
	Modular Corner Seat, Full Height Back V ZOP3-MCF1L Beech/Laminate	with single she	If left* 4988	5233	5574	5966	6308	6697	7185	7333
	Maple/Palette	4749	4992	5236	5579	5970	6312	6703	7190	7337
	Modular Corner Seat, Full Height Back v ZOP3-MCF1R Beech/Laminate	with single she 4744	If right 4988	5233	5574	5966	6308	6697	7185	7333
	Maple/Palette	4744	4992	5236	5579	5970	6312	6703	7190	7337
	Modular Corner Seat, Full Height Back v ZOP3-MCF2LR	with Privacy Sc 4624	creens 4857	5089	5414	5787	6113	6484	6948	7416
	Modular Corner Seat, Full Height Back ZOP3-MCF2L	with Privacy So 4573	creen Le 4816	ft 5061	5404	5793	6136	6524	7015	7161
	Modular Corner Seat, Full Height Back v ZOP3-MCF2R	with Privacy So 4573	creen Rig 4816	ght 5061	5404	5793	6136	6524	7015	7161

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	64
Shelf Power	600
Dual Leg (for Multiple unit configurations)	80
Plus Upgrade- Corner Seat	64

PRODUCT CODE KEY

THODOOT CODE KET				
Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP Zola	3 Lounge	MC Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option	R Right Side

Left & Right Sides

DESCRIPTION/MODEL/SPECIES		COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	ER 9
	Modular Corner Seat with Mid Height Back ZOP3-MCM0	3263	3455	3646	3916	4222	4491	4798	5183	5568
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1LR Beech/Laminate Maple/Palette	n Shelves 4141 4237	4335 4429	4527 4622	4795 4890	5103 5197	5370 5468	5679 5773	6061 6158	6447 6542
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1L Beech/Laminate Maple/Palette	n Single S 3909 3914	helf left 4112 4116	4313 4385	4595 4600	4919 4922	5201 5205	5524 5528	5925 5929	6052 6055
Ĭ [*] ─₩[*	Modular Corner Seat, Mid Height Back witl ZOP3-MCM1R Beech/Laminate Maple/Palette	n Single S 3909 3914	helf Righ 4112 4116	nt* 4313 4385	4595 4600	4919 4922	5201 5205	5524 5528	5925 5929	6052 6055
	Modular Corner Seat, Mid Height Back with ZOP3-MCM2LR	n Privacy 3829	Screens 4022	4214	4483	4790	5059	5366	5748	6135
	Modular Corner Seat, Full Height Back with ZOP3-MCM2L	Privacy 3738	Screen L 3940	.eft* 4141	4423	4746	5030	5351	5755	5880
	Modular Corner Seat, Full Height Back with ZOP3-MCM2R	Privacy 3738	Screen F 3940	Right 4141	4423	4746	5030	5351	5755	5880

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	64
Shelf Power	600
Dual Leg (for Multiple unit configurations)	80
Plus Upgrade- Corner Seat	64

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3	MC	MO	L
Zola	Lounge	Modular Corner Seat	Mid Height Back	Left Side
		MCB	M1	R
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
			M2	LR

Mid Height Back with Privacy Screen Option

Left & Right Sides

ZOLA PRIVACY | SIDE PANELS

		COM		COL		FABRIC GRADES			LEATHER			
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Singl	e, Full Height No	Screen									
	ZOP3-MPF0S	Start	948	1036	1124	1304	1481	1660	1836	2016	2370	
	ZOP3-MPF0C	Center	1222	1310	1398	1578	1753	1932	2109	2286	2642	
	ZOP3-MPF0E	End	948	1036	1124	1304	1481	1660	1836	2016	2370	
$\overline{}$	Side Panel, Single, Full Height with Screen											
	ZOP3-MPF2S	Start	1243	1332	1420	1597	1776	1954	2132	2310	2665	
	ZOP3-MPF2C	Center	1515	1606	1693	1871	2051	2228	2406	2584	2938	
	ZOP3-MPF2E	End	1243	1332	1420	1597	1776	1954	2132	2310	2665	
	Side Panel, Singl	e. Mid Height No	Screen									
	ZOP3-MPM0S	Start	767	829	888	1011	1131	1251	1372	1492	1732	
	ZOP3-MPM0C	Center	1052	1110	1170	1290	1412	1533	1653	1773	2016	
	ZOP3-MPM0E	End	767	829	888	1011	1131	1251	1372	1492	1732	
	Side Panel, Singl	e, Mid Height wi	th Screen									—
	ZOP3-MPM2S	Start	1063	1122	1183	1306	1425	1547	1667	1788	2029	
	ZOP3-MPM2C	Center	1346	1405	1465	1587	1706	1827	1947	2066	2310	
	ZOP3-MPM2E	End	1063	1122	1183	1306	1425	1547	1667	1788	2029	
	ODDEDING NOT	F. Cida Danala	و مراجو الله		0	4::	4- 11-4-		0	O+:		دادادا:

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	E	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	3	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side ZOP3-MSPF0S ZOP3-MSPF0C ZOP3-MSPF0E	Panel, Single, I Start Center End	Full Height 583 857 583	628 905 628	674 952 674	765 1041 765	856 1134 856	949 1224 949	1039 1315 1039	1132 1407 1132	1314 1589 1314	
	Semi-Private Side	Panel, Single, I	Mid Height									
	ZOP3-MSPM0S	Start	514	555	592	672	751	829	909	987	1143	
	ZOP3-MSPM0C	Center	796	835	875	955	1033	1111	1191	1269	1428	
	ZOP3-MSPM0E	End	514	555	592	672	751	829	909	987	1143	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center	
				E End	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FA	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	702 702 784	740 740 823	778 778 859	853 853 935	930 930 1012	1004 1004 1087	1081 1081 1163	1155 1155 1239	1307 1307 1390	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 840 840 906	878 878 942	914 914 981	990 990 1058	1066 1066 1134	1141 1141 1207	1218 1218 1284	1292 1292 1358	1445 1445 1510	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col	-	С	
Solid Surface Arm Cap (per arm)	129	136	151	157	

PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP	3	MA	UPH	L	
Zola	Lounge	Modular Arm	Upholstered	Left Hand Facing	
			URE	R	
			Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC	С	
			Upholstered Arm w/Solid Surface Cap	Center	

ZOLA PRIVACY | TWIN - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width	Width with Arms	Overall Depth	Depth w/ Shelf	Overall Height	Overall Height w/Screen	Seat Height	Seat Depth	Shipping Weight	Cubes
Twin Full Height Back										
One-Seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-Seat (Plus)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Back										
One-Seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-Seat (Plus)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height B	ack											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height B	ack											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES

	\$ List	
Plus Upgrade Twin Two-Seat	259	
Plus Upgrade Twin Three-Seat	388	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | TWIN MODULAR PANELS & MODULAR ARMS

DIMENSIONS & COM REQUIREMENTS

DIMENSIONS &	OOM HEQU											
		Overall Width	Overall	Overall	Shipping	0	COM	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
		vviatri	Depth	Height	Weight	Cubes	1-unit	Z-units	3-units	4-units	5-units	o-units
Side Panel, Single	e. Full Heiaht	No Scree	n									
ZOP3-MPTF0U	Universal	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF0C	Center	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single	e, Full Height	with Scre	en									
ZOP3-MPTF2U	Universal	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF2C	Center	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single												
ZOP3-MPTM0U	Universal	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM0C	Center	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
Side Panel, Single	Mid Hoigh	t with Soro	on									
ZOP3-MPTM2U	Universal	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM2C	Center	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
201 3-1011 110120	Ceritei	2.75	31.3	40.00	40	4	2.32	4.32	0.51	0.30	10.5	10.02
Twin Semi-Private	Side Panel.	Single, Fu	III Height									
ZOP3-MSPTF0U	Universal	2.75	26.5	44	43	2.5	2.69	5.38	8.06	10.75	13.44	16.13
ZOP3-MSPTF0C	Center	2.75	26.5	44	52	2.5	2.69	5.38	8.06	10.75	13.44	16.13
Twin Semi-Private		•	id Height									
ZOP3-MSPTM0U		2.75	26.5	31.4	32	1.7	1.75	3.99	5.98	7.97	9.97	11.96
ZOP3-MSPTM0C	Center	2.75	26.5	31.4	39	1.7	1.75	3.99	5.98	7.97	9.97	11.96
Twin Modular Uph	noletered Arn	n										
ZOP3-MATUPHU		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUPHC		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
20101111101110		Ü	1 1.0	10.10		2.0		0.00	Ü	0.0	7.0	0.00
Twin Modular Uph	nolstered Arn	n w/Uretha	ane Cap									
ZOP3-MATUREU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUREC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	nolstered Arn	n w/Solid S										
ZOP3-MATSSCU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATSSCC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MODI	ΞL	COM 1	2	COL 3	4	FABRIC GRA 5	DES 6	7	LEATHEF 8	₹ 9
	Twin One-Seat, Full Height ZOP3-MT1F0F	Back 2851	3016	3184	3424	3691	3932	4203	4533	4888
	Twin One-Seat, Full Height ZOP3-MT1F2F	Back with 3134	Privacy S 3299	Screen Opti 3465	on 3707	3975	4214	4484	4816	5170
	ORDERING NOTES: Units	with Privac	cy Screen	Option are	not ava	ilable with Re	emovable	Back Cove	er option.	
	Twin One-Seat, Mid Height ZOP3-MT1M0F	Back 2713	2853	2995	3200	3430	3635	3866	4149	4454
	Twin One-Seat, Mid Height ZOP3-MT1M2F	Back with 2994	Privacy S 3136	Screen Opti 3278	ion 3483	3712	3918	4147	4432	4735
	ORDERING NOTES: Units	with Privac	cy Screen	Option are	not ava	ilable with Re	emovable	Back Cove	er option.	
	Twin One-Seat Plus, Full He ZOP3-MBT1F0F	eight Back 3816	3982	4147	4389	4656	4897	5167	5498	5853
	Twin One-Seat Plus, Full He ZOP3-MBT1F2F	eight Back 4172	with Priva 4339	acy Screen 4505	Option 4744	5012	5255	5524	5856	6210
	ORDERING NOTES: Units	with Privac	cy Screen	Option are	not ava	ilable with Re	emovable	Back Cove	er option.	
	Twin One-Seat Plus, Mid Ho ZOP3-MBT1M0F	eight Back 3664	3806	3949	4152	4381	4587	4817	5103	5404
	Twin One-Seat Plus, Mid Ho ZOP3-MBT1M2F	eight Back 4021	with Priv	acy Screen 4306	Option 4507	4738	4944	5174	5457	5761
	ORDERING NOTES: Units	with Privac	cy Screen	Option are	not ava	ilable with Re	emovable	Back Cove	er option.	
PRODUCT CODE KEY Line	Series Cl	hair Type		Seat Coun	t	Back Ty	pe		Leg Type	
ZOP	3 [Lounge Mo Mo Plus	MT dular Twin MTB dular Twin s Upgrade age 207)		1 One Seat 2 Two Seat 3 Three Seat		F0 Full Height F2 Full Height Ba Privacy Screet M0 Mid Height	Back Control Contro		F estanding Ur S Start Unit C C	nit
						Mid Height Ba Privacy Screen			End Unit	

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MO	DEL	COM 1	2	COL 3	F/ 4	ABRIC GRA 5	ADES 6	7	LEATHE 8	ER 9
	Twin Two-Seat, Full Heig ZOP3-MT2F0F	ht Back 4235	4496	4756	5143	5578	5966	6399	6921	7516
	Twin Two-Seat, Full Heig ZOP3-MT2F2F	ht Back Priva 4723	cy Screer 4986	Option 5245	5635	6069	6456	6889	7411	8008
	ORDERING NOTES: Un	its with Privac	y Screen	Option are	not availa	able with Re	movable E	Back Cove	option.	
	Twin Two-Seat, Mid Heig ZOP3-MT2M0F	ht Back 4029	4256	4480	4809	5174	5502	5868	6318	6808
	Twin Two-Seat, Mid Heig ZOP3-MT2M2F	ht Back with 4520	Privacy S 4744	creen Opt 4970	on 5296	5664	5992	6359	6808	7298
	ORDERING NOTES: Un	its with Privac	y Screen	Option are	not availa	able with Re	movable E	Back Cove	option.	
	Twin Three-Seat, Full H	eight Back 5819	6155	6489	6962	7504	7977	8516	9186	9878
	Twin Three-Seat, Full Ho ZOP3-MT3F2F	eight Back Pr 6518	ivacy Scre 6854	een Optior 7186	n 7660	8203	8678	9217	9885	10575
	ORDERING NOTES: U	nits with Priva	cy Screer	n Option a	e not ava	ilable with R	emovable	Back Cove	er option.	
	Twin Three-Seat, Mid H ZOP3-MT3M0F	eight Back 5355	5649	5941	6363	6839	7260	7735	8324	8944
	Twin Three-Seat, Mid H ZOP3-MT3M2F ORDERING NOTES: U	6054	6348	6641	7064	7539	7961 emovable	8435 Back Cove	9023 er option.	9645
PRODUCT CODE KE	:v									
Line	Series	Chair Type		Seat Cou	nt	Back T	уре		Leg Type	
ZOP	3 Lounge	MT Modular Twin MTB Modular Twin Plus Upgrade (page 207)		1 One Sea 2 Two Sea 3] it	F0 Full Heigh F2 Full Height E Privacy Screen	Back with en Option	Fre	F estanding S Start Unit	

Three Seat

Mid Height Back

Mid Height Back with Privacy Screen Option Center Unit

Е

End Unit

ZOLA PRIVACY | TWIN - SIDE PANELS

	COM		COL	FAB	RIC GRAD			LEATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No Son ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center	creen 1428 2139	1559 2272	1691 2405	1955 2668	2218 2932	2483 3193	2745 3457	3010 3720	3536 4248
Twin Side Panel,, Full Height with	Screen								
ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center	2006 2718	2138 2851	2271 2984	2533 3246	2798 3510	3061 3772	3324 4037	3589 4297	4114 4828
Twin Side Panel, Med. Height No ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center	Screen 1187 1897	1275 1988	1363 2077	1543 2254	1720 2432	1898 2610	2077 2788	2254 2965	2610 3322
Twin Side Panel, Med. Height with ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center	1767 2478	1855 2567	1944 2657	2122 2833	2301 3011	2479 3188	2657 3367	2833 3543	3188 3902
ORDERING NOTE: Side Panels w	rill only conn	ect to Ce	nter seatir	ng units. U	nits with P	rivacy Scre	en Option	n are not a	vailable

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See page 207 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			M0 Mid Height		
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	3	
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private	Side Panel, Sir	ngle, Full H	leight								
	ZOP3-MSPTF0U	Universal	1012	1092	1172	1286	1415	1528	1659	1819	1981	
	ZOP3-MSPTF0C	Center	1724	1804	1885	1999	2129	2240	2370	2532	2694	
	Twin Semi-Private	Side Panel, Sir	ngle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	868	919	973	1045	1131	1203	1288	1393	1497	
	ZOP3-MSPTM0C	Center	1581	1633	1686	1758	1842	1915	2001	2106	2211	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 207 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/N	MODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1120 1846	1197 1909	1262 1974	1349 2062	1451 2164	1539 2253	1641 2354	1768 2481	1894 2608	
	Twin Modular Upholstered Arm v ZOP3-MATUREU ZOP3-MATUREC	v/Urethane 1252 1979	Cap 1329 2041	1393 2106	1481 2193	1582 2295	1670 2384	1772 2485	1899 2612	2026 2739	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col		С
Solid Surface Arm Cap (per arm)	276	288	318	328

PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

222

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | CURVED - DIMENSIONS

DIMENSIONS

		Width				Overall					
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping		
	Width	Arms	Depth	w/ Shelf	Height	w/Screen		Depth	Weight	Cubes	
Curved Single-Sea	t - Full He	eight Bac	k								
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15	
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19	
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24	
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36	
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12	
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13	
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15	
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16	
Curved Single-Sea	t - Mid He	eight Bac	k								
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13	
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16	
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20	
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28	
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10	
45° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12	
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13	
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14	
Curved Double-Se	at - Full H	eight Ba	ck								
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28	
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37	
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46	
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65	
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24	
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28	
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32	
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37	
Curved Double-Se	ot - Mid U	loight Da	ok								
30° Inside Curve	58	64	30	42	37.5	50	18.5	20.25	110	24	
45° Inside Curve	64.5	70.5	31.5	42 43.5	37.5 37.5	50 50	18.5	20.25	116	31	
60° Inside Curve		70.5 76.5				50 50	18.5			38	
	70.5		33	45 49	37.5			20.25	123		
90° Inside Curve	81	87	36	48	37.5	50	18.5	20.25	141	52	
30° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21	
45° Outside Curve	61	67	31	43	37.5	50	18.5	20.25	99	25	
60° Outside Curve	65.5	71.5	32	44	37.5	50	18.5	20.25	105	28	
90° Outside Curve	74.5	80.5	34.5	46.5	37.5	50	18.5	20.25	115	32	

Upcharge for Plus Upgrade Option:

charman and the charman			
Option	List	Option	\$ List
Plus Upgrade -Single-seat curve 30° seat	96	Plus Upgrade -Double-seat curve 30° seat	152
Plus Upgrade -Single-seat curve 45° seat	111	Plus Upgrade -Double-seat curve 45° seat	180
Plus Upgrade -Single-seat curve 60° seat	123	Plus Upgrade -Double-seat curve 60° seat	193
Plus Upgrade -Single-seat curve 90° seat	165	Plus Upgrade -Double-seat curve 90° seat	220

ZOLA PRIVACY | CURVED - COM REQUIREMENTS

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea	t - Full H	eight Bacl	K									
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	nt - Mid H	eight Bac	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H	Height Bac	:k									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se	at - Mid I	Height Bad	ck									
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List	
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93	
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101	
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123	
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127	

ZOLA PRIVACY | CURVED

	COM		COL	FAE	BRIC GRAI	DES		LEATHE	R
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Single-Seat, 30° Inside Curve, Full Heigh ZOP3-MCIS30DF0F	t Back 3430	3618	3806	4068	4369	4634	4931	5308	5684
Single-Seat, 30° Inside Curve, Full Heigh ZOP3-MCIS30DF1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a bad - 42", 36" or 30" and chose required leg t balance weight added to each seat unit,	4047 4141 ck with S type belo	4236 4328 Shelf options w. Freest	anding, S	tart and E	nd units wi				
Single-Seat, 30° Inside Curve, Full Heigh ZOP3-MCIS30DF2F	t Back w 4023	vith Privac 4212	cy Screen 4398	4664	4962	5227	5527	5902	6277
Single-Seat, 30° Inside Curve, Mid Heigh ZOP3-MCIS30DM0F	nt Back 3273	3437	3604	3834	4098	4328	4592	4922	5250
Single-Seat, 30° Inside Curve, Mid Heigh ZOP3-MCIS30DM1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a bac - 36" or 30" and chose required leg type	3892 3984 ck with S below. F	4058 4149 Shelf option	4221 4315 on please ing, Start	and End u					
ance weight added to each seat unit, ple Single-Seat, 30° Inside Curve, Mid Heigh ZOP3-MCIS30DM2F				<u> </u>	4691	4922	5187	5516	5844
Zola Privacy Option Upcharges \$ List							\$ List		

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133(per yard)	64	Plus Upgrade - Single-Seat, 30° Curve	96
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 30° Curve	61
Table Power	647	Note: Removable back covers are not available on c	urved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with	Center Unit
					Privacy Screen Option	
			OD	90D	M0	E
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2	
					Mid Height Back with	
					Privacy Screen Options	

	***************************************		COM		COL		RIC GRAD			LEATHER	
ESCRIPTION/	MODEL/SPECIES Single-Seat, 45° Inside ZOP3-MCIS450DF0F	e Curve, Full Hei	1 ght Back 3847	4057	4263	4565	5 4904	5209	5548	5964	9 6418
	Single-Seat, 45° Inside ZOP3-MCIS45DF1_ ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	Beech/Laminate Maple/Palette /hen ordering a b chose required	4483 4576 ack with	4690 4785 Shelf opt below. I	4898 4993 tion please Freestand	ing, Start	and End	units with			
	Single-Seat, 45° Inside ZOP3-MCIS45DF2F	e Curve, Full Hei	ght Back 4447	with Priv 4655	acy Scree 4863	n 5167	5506	5809	6149	6565	7018
	Single-Seat, 45° Inside ZOP3-MCIS45DM0F	e Curve, Mid Hei	ght Back 3642	3811	3979	4215	4486	4722	4994	5329	5673
	Single-Seat, 45° Inside		ght Back 4278	with She	elf 4614	4848	5121	5360	5631	5965	6307
	ORDERING NOTE: W - 36" or 30" and ch counterbalance weigh	Maple/Palette hen ordering a bose required le	4371 eack with	4539 Shelf optelow. Fre	4709 tion please eestanding	g, Start ar	5216 ecify on y	5453 your order inits with	5722 the requ	6059 iired Shel	f Heig
	ORDERING NOTE: W - 36" or 30" and ch	Maple/Palette Then ordering a boose required let t added to each	4371 eack with a g type be seat unit,	4539 Shelf opt elow. Fre please a	4709 ion please eestanding add \$303 l i	e clearly sp g, Start ar ist upchar	5216 ecify on y	5453 your order inits with	5722 the requ	6059 iired Shel	f Heigl requi
loisture Barrie eat Power (pe helf Power able Power	ORDERING NOTE: W 36" or 30" and ch counterbalance weigh Single-Seat, 45° Inside ZOP3-MCIS45DM2F Option Upcharges er & CAL 133(per yard) er power unit)	Maple/Palette Then ordering a boose required let t added to each	4371 ack with a graph be seat unit, ght Back 4243	4539 Shelf opticleow. Freplease a with Priv 4411 us Upgraual Leg (fremovable	4709 ion please estanding add \$303 liver acy Scree 4580 de -Single or Multiple e Seat Cov	e clearly sp g, Start ar ist upchar	5216 secify on your deciry on your ge per un 5086 Curve gurations 2-Seat, 48	your order inits with it. 5323	5722 the requirements she she she she she she she she she sh	6059 sired Shellf option 5931	f Heigl requi
	ORDERING NOTE: W 36" or 30" and ch counterbalance weigh Single-Seat, 45° Inside ZOP3-MCIS45DM2F Option Upcharges er & CAL 133(per yard) er power unit)	Maple/Palette Then ordering a bose required let added to each e Curve, Mid Hei \$ List 64 641 600	4371 Pack with a graph be seat unit, ght Back 4243 Plu Du Re	4539 Shelf opticleow. Freplease a with Priv 4411 us Upgraual Leg (fremovable	de -Single or Multiple Seat Covovable back	e clearly sp g, Start ar ist upchare in Option 4816	5216 secify on your ge per un 5086 Curve gurations e-Seat, 48 are not av	your order inits with it. 5323	5722 the requirements she she she she she she she she she sh	6059 sired Shellf option 5931	6271

M2 Mid Height Back with Privacy Screen Options

	CO		COL		BRIC GRAI		LEATHER		
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Single-Seat, 60° Inside Curve ZOP3-MCIS60DF0F	, Full Height B 43		4891	5267	5696	6067	6492	7012	7567
Single-Seat, 60° Inside Curve ZOP3-MCIS60DF1_ Beech/I Maple/F	Laminate 51 Palette 52	85 5444 81 5541	5705 5800	6080 6179 se clearly sp	6504 6600 pecify on y	6879 6974 rour order	7303 7399 the requir	7822 7920 red Shelf	8380 8474 Height
 42", 36" or 30" and chose counterbalance weight added 							the shelf	foption	require
Single-Seat, 60° Inside Curve ZOP3-MCIS60DF2F		ack with Pr 74 5236	ivacy Scre 5496	en 5870	6293	6670	7093	7615	8169
Single-Seat, 60° Inside Curve ZOP3-MCIS60DM0F		ack 64 4350	4537	4801	5103	5364	5664	6039	6416
Single-Seat, 60° Inside Curve ZOP3-MCIS60DM1_ Beech/I Maple/F	Laminate 49		nelf 5351 5447	5614 5712	5914 6009	6179 6271	6477 6574	6852 6946	7229 7324
ORDERING NOTE: When ord - 36" or 30" and chose red counterbalance weight added	quired leg type	e below. F	reestandin	g, Start a	nd End u	nits with			
Single-Seat, 60° Inside Curve ZOP3-MCIS60DM2F		ack with Pi 67 4953	ivacy Scre 5141	en Option 5406	5705	5968	6268	6642	7019
Zola Privacy Option Upcharges	\$ List						\$ List		
Moisture Barrier & CAL 133 (per yard)	64	Plus Upar	ade - Singl	e-Seat 60	° Curve		123		

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Single-Seat, 60° Curve	123
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 60° Curve	86
Table Power	647	Note: Removable back covers are not available on o	urved backs

DUCT CODE KE	Υ					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

DESCRIPTIO	N/MODEL/SPECIES		COM 1	2	COL 3	FABR	IC GRAD	ES 6	7	LEATHEF 8	8
	Single-Seat, 90° Inside of ZOP3-MCIS90DF0F	Curve, Full Height	Back 4992	5263	5538	5920	6359	6742	7180	7728	8275
	_	Beech/Laminate Maple/Palette en ordering a back hose required leg	5866 5964 c with Sh	6139 6237 elf option elow. Fre	estandi	ng, Start an	d End u				
	Single-Seat, 90° Inside (ZOP3-MCIS90DF2F	Curve, Full Height	Back wit 5943	h Privacy 6216	Screen 6492	6872	7311	7695	8131	8679	9225
	Single-Seat, 90° Inside COP3-MCIS90DM0F	Curve, Mid Height	Back 4571	4786	5000	5299	5641	5943	6286	6713	7144
	_	Beech/Laminate Maple/Palette en ordering a back quired leg type bel	5444 5544 with Sh ow. Free:	5660 5758 elf option standing,	Start ar	nd End units					
	Single-Seat, 90° Inside COP3-MCIS90DM2F	Curve, Mid Height	Back wit 5524	h Privacy 5739	Screen 5953	Option 6252	6595	6895	7237	7662	8093
Zola Privacy	Option Upcharges	\$ List							\$ Lis	st	
Seat Power (_I Shelf Power Table Power	rier & CAL 133 (per yard) per power unit)	64 641 600 647	Du Re	al Leg (fo movable	r Multip Seat Co	gle-Seat, 90° le unit config overs -Single ack covers a	jurations) -Seat, 90	o Curve	11	0 3	
PRODUCT COI Line	Series	Chair Type	Cı	ırve Style		Seat Degree	E	Back Type		Leg Type	
ZOP Zola	3 Lounge	MC Modular Curve	Inside	IS Curve -Sin	ale	30D	Full	F0 Height Back		F	Unit

		COM	_	COL		RIC GRAD		_	EATHER	
DESCRIPTION	N/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Outside Curve, Full Heigl ZOP3-MCOS30DF0F	nt Back 3252	3431	3609	3859	4145	4395	4680	5036	5392
	Single-Seat, 30° Outside Curve, Full Heigl ZOP3-MCOS30DF1_ Beech/Laminate Maple/Palette	3554 3642	3732 3819	3910 3999	4160 4248	4444 4533	4693 4784	4979 5068	5337 5425	5692 5782
•	ORDERING NOTE: When ordering a back 42", 36" or 30" and chose required leg counterbalance weight added to each sea	type be	low. Fre	estanding	, Start an	d End un				
	Single-Seat, 30° Outside Curve, Full Heigl	nt Back w	ith Privac	y Screen						
	ZOP3-MCOS30DF2F	3607	3786	3963	4214	4500	4749	5034	5391	5746
	Single-Seat, 30° Outside Curve, Mid Heig	ht Back								
	ZOP3-MCOS30DM0F	3135	3290	3445	3664	3914	4131	4380	4690	5007
	0: 1 0 1 000 0 1 1 0 1 1 1 1		0							
\square	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM1 Beech/Laminate	nt Back w 3433	ith Shelf 3589	3743	3962	4213	4429	4680	4990	5307
	Maple/Palette	3522	3679	3831	4053	4213	4520	4769	5079	5394
	ORDERING NOTE: When ordering a back 36" or 30" and chose required leg type bel weight added to each seat unit, please added to each seat unit, please added to each seat unit.	low. Frees	tanding,	Start and	End units					
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM2F	ht Back w 3489	ith Privac 3643	cy Screen 3797	Option 4019	4267	4485	4735	5043	5362

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Single-Seat, 30° Curve	96
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 30° Curve	61
Table Power	647	Note: Removable back covers are not available on o	curved backs

DUCT CODE KE	Υ					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Uni
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	E
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

						20	JLA F	TIVA) Y	יחטכ	/ED
	4.4055. (0550.50		СОМ		COL		RIC GRAD			EATHER	
DESCRIPTION	/MODEL/SPECIES Single-Seat, 45° Outsic ZOP3-MCOS450DF0F	de Curve, Full Heiç	1 ght Back 3508	3685	3 3864	4113	5 4398	6 4648	4932	5288	9 5646
	ORDERING NOTE: Wh 42", 36" or 30" and cho	Beech/Laminate Maple/Palette nen ordering a bac ose required leg ty	3803 3892 ck with S pe belov	3981 4068 Shelf option w. Freest	4158 4247 on please o anding, St	art and Er	nd units w				
	Single-Seat, 45° Outsic ZOP3-MCOS45DF2F				-		4752	5002	5286	5641	5999
	Single-Seat, 45° Outsic ZOP3-MCOS45DM0F	de Curve, Mid Hei	ght Back 3382	3536	3690	3909	4158	4378	4628	4937	5254
	Single-Seat, 45° Outsid ZOP3-MCOS45DM1_ ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s	Beech/Laminate Maple/Palette nen ordering a bac equired leg type be	3678 3766 ck with Selow.Free	3830 3920 Shelf options	3985 4074 on please og, Start and	d End unit					
	Single-Seat, 45° Outsic ZOP3-MCOS45DM2F	-					4510	4730	4979	5288	5605
Zola Privacy C	Option Upcharges	\$ List							\$ List	:	
Moisture Barrie Seat Power (pe Shelf Power Table Power	er & CAL 133 (per yard) er power unit)	64 641 600 647	Du Re	ial Leg (fo movable	de - Single or Multiple Seat Cove ovable bac	unit confi ers -Single	igurations) e-Seat, 45		111 80 64 curved ba)	
PRODUCT COD	E KEY										
ZOP Zola	Series 3 Lounge	Chair Type MC Modular Curve MCB Modular Curve Plus	Inside	IS Curve -Si ID Curve -Do	ingle	30D 45D	Full Full H	F0 Height Back F1 leight Back withelf Option		F eestanding S Start Un	g Unit
				OS		60D		F2		С]

OS Outside Curve -Single

OD

Outside Curve -Double

F2

Full Height Back with Privacy Screen Option

M0

Mid Height Back

M1 Mid Height Back with Shelf Option

60D

90D

С

Center Unit Е

End Unit

	СОМ		COL	FAE	BRIC GRAI	DES	1	LEATHER	3
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Single-Seat, 60° Outside Curve, Full He ZOP3-MCOS60DF0F	ight Back 3655	3831	4011	4261	4546	4795	5082	5437	5793
Single-Seat, 60° Outside Curve, Full He ZOP3-MCOS60DF1_ Beech/Laminate Maple/Palette ORDERING NOTES: When ordering a beauty of the company o	a 3948 4036 back with s g type bel unit, pleas	4125 4213 Shelf opt ow. Free: e add \$3	4305 4393 ion please standing, 03 list up	Start and charge pe	End units				_
Single-Seat, 60° Outside Curve, Full He ZOP3-MCOS60DF2F	ight Back 3988	with Priv 4168	vacy Scree 4347	en 4595	4882	5131	5416	5769	6127
Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM0F	eight Back 3535	3690	3846	4064	4313	4532	4781	5091	5407
Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a baren or 36" or 30" and chose required leg type ance weight added to each seat unit, pl	3825 3915 ack with S	3982 4070 Shelf option	4138 4224 on please ling, Start	and End u					
Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM2F	eight Back 3869	with Priv 4024	vacy Scre 4180	en Option 4397	4646	4866	5113	5425	5741

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Single-Seat, 60° Curve	123
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 60° Curve	86
Table Power	647	Note: Removable back covers are not available on o	curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	E
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAI	DES 6	7	LEATHER 8	R 9
DESCRIPTION OF THE PROPERTY OF	Single-Seat, 90° Outside ZOP3-MCOS90DF0F	Curve, Full Heigl		4586	4763	5011	5298	5547	5833	6188	6545
	Single-Seat, 90° Outside ZOP3-MCOS90DF1_ B M ORDERING NOTE: Whe 42", 36" or 30" and chos balance weight added to	eech/Laminate aple/Palette n ordering a back e required leg typ	4686 4773 with Shoe below	4866 4952 nelf optio	5043 5131 n please inding, S	tart and End	l units wi				
	Single-Seat, 90° Outside ZOP3-MCOS90DF2F	Curve, Full Heigl	nt Back v 4737	with Priva 4918	acy Scre 5095	en 5344	5631	5878	6163	6520	6877
	Single-Seat, 90° Outside ZOP3-MCOS90DM0F	Curve, Mid Heig	ht Back 3949	4103	4258	4477	4725	4944	5192	5503	5821
	Single-Seat, 90° Outside ZOP3-MCOS90DM1_ B M ORDERING NOTE: Whe 36" or 30" and chose req weight added to each se	eech/Laminate aple/Palette n ordering a back uired leg type bel	4229 4315 with Show. Free	4382 4469 nelf optio	4537 4623 n please , Start ar	nd End units					
	Single-Seat, 90° Outside ZOP3-MCOS90DM2F	Curve, Mid Heig	ht Back 4279	with Priv 4433	acy Scre 4588	en Option 4810	5057	5275	5525	5834	6153
Moisture Barri	Option Upcharges er & CAL 133 (per yard) er power unit)	\$ List 64 641 600	Du	al Leg (fo	or Multipl	ıle-Seat, 90° le unit confiç vers -Single	gurations		\$ Lis	5 0	
Table Power		647	No	te: Rem	ovable ba	ack covers a	ire not av	/ailable on	curved b	oacks	
PRODUCT COL	DE KEY Series	Chair Type	C	Curve Style	e	Seat Degree		Back Type		Leg Typ	ре
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outsid	IS Curve -S Curve -D OS Le Curve -C OD e Curve -C	ouble	30D 45D 60D	Full I ; Full I Privad	F0 Ill Height Back F1 Height Back Shelf Optior F2 Height Back cy Screen C M0 Id Height Ba	with with option	Freestandir S Start U C Center U E End Ur	nit Jnit

			COM		COL		RIC GRA			LEATHE	
DESCRIPTION	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Insid ZOP3-MCID30DF0F	e Curve, Full Height	t Back 4943	5245	5548	5973	6461	6884	7368	7973	8581
	Double-Seat, 30° Insid	e Curve Full Height	Back v	vith Shelf	:						
	·	Beech/Laminate	5715	6017	6319	6745	7230	7655	8141	8745	9353
		Maple/Palette	5811	6114	6418	6842	7329	7754	8236	8843	9447
1	ORDERING NOTE: Wi 42", 36" or 30" and che balance weight added	ose required leg typ	e belov	v. Freesta	ınding, S	tart and En	d units wi				
	Double-Seat, 30° Insid	e Curve, Full Height	Back v	vith Priva	cy Scree	n					
	ZOP3-MCID30DF2F		5888	6190	6494	6918	7403	7829	8312	8918	9525
	Double-Seat, 30° Insid	e Curve, Mid Heigh	t Back								
	ZOP3-MCID30DM0F		4678	4932	5191	5552	5964	6322	6734	7248	776
	Double-Seat, 30° Insid	e Curve, Mid Heigh	t Back v	with Shelf	f						
	ZOP3-MCID30DM1_		5448	5705	5964	6322	6734	7093	7506	8017	853
		Maple/Palette	5546	5802	6060	6420	6832	7191	7603	8117	8632
	ORDERING NOTE: Will 36" or 30" and chose re weight added to each s	equired leg type belo seat unit, please ad	ow. Free d \$303	estanding list upcha	, Start an arge per	nd End units unit.					
	Double-Seat, 30° Insid ZOP3-MCID30DM2F	e Curve, Mid Heigh	t Back \ 5620	with Priva 5878	icy Scree 6137	en Option 6496	6909	7267	7680	8193	8706
	ZOI O MOIDOODINEI		3020	3070	0137	0430	0303	1201	7000	0190	0700
Zola Privacy	Option Upcharges	\$ List							\$ List	t	
	er & CAL 133 (per yard)	64				ole-Seat, 30			152		
	er power unit)	641				e unit confiç			80		
Shelf Power Table Power		600 647				vers -Doubl ack covers a			93 urved b		
RODUCT COD	E KEY										
Line	Series	Chair Type	Cı	urve Style		Seat Degree	E	Back Type		Leg Type)
ZOP	3	MC	[IS		30D		F0		F	
Zola	Lounge	Modular Curve	Inside	Curve -Sir	ngle		Full	Height Back	Fre	eestanding	Unit
		MCB		ID		45D		F1		S	
		Modular Curve Plus	Inside	Curve -Do	uble			eight Back w helf Option	ith	Start Uni	t
			[OS		60D		F2		С	
			Outside	e Curve -S	ingle			eight Back w Screen Opt		Center Ur	nit

OD

Outside Curve -Double

Mid Height Back with Shelf Option

M0

Mid Height Back

90D

Е

End Unit

Mid Height Back with Privacy Screen Options

ESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABR	IIC GRAD	ES 6	7 L	EATHEF	₹ 9
	Double-Seat, 45° Insid ZOP3-MCID45DF0F	e Curve, Full Heigl	nt Back 5360	5666	5975	6411	6909	7343	7839	8457	9086
		Beech/Laminate Maple/Palette	6161 6260	6469 6568	6779 6877	7214 7314	7711 7809	8146 8247	8643 8741	9261 9359	988
	ORDERING NOTE: W 42", 36" or 30" and ch balance weight added	ose required leg ty	pe belov	w. Freestar	nding, Sta	art and En	d units w				
	Double-Seat, 45° Insid ZOP3-MCID45DF2F	e Curve, Full Heigl	nt Back v 6313	with Privac 6621	cy Screen 6931	7367	7863	8298	8792	9412	1004
	Double-Seat, 45° Insid ZOP3-MCID45DM0F	e Curve, Mid Heig	ht Back 5103	5367	5635	6014	6444	6822	7255	7787	834
	Double-Seat, 45° Insid ZOP3-MCID45DM1_ I	Beech/Laminate Maple/Palette	5904 6003	6170 6269	6438 6537	6817 6914	7248 7345	7625 7725	8056 8155	8590 8688	914 924
	weight added to each Double-Seat, 45° Insid ZOP3-MCID45DM2F						7399	7778	8207	8741	929
ola Privacy	Option Upcharges	A.									
	- p p 3	\$ List							\$ List	t	
eat Power (p helf Power able Power	er & CAL 133 (per yard) er power unit)	64 641 600 647	Du Re	us Upgrade lal Leg (for movable S late: Remov	Multiple Seat Cove	unit confiç ers -Doubl	gurations) e-Seat, 4		180 80 101)	
	er & CAL 133 (per yard) er power unit)	64 641 600	Du Re No	ial Leg (for movable S	Multiple Seat Cove vable bac	unit confiç ers -Doubl	gurations) e-Seat, 4 are not av	5° Curve	180 80 101)	ne e

M2 Mid Height Back with Privacy Screen Options

DESCRIPTION			COM		COL		RIC GRAI			LEATHE	
	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 60° Insid ZOP3-MCID60DF0F	∍ Curve, Full Heigh	t Back 5910	6263	6616	7127	7704	8215	8791	9499	1026
	Double-Seat, 60° Insid	= Curve, Full Heigh	t Back w	rith Shelf							
	_	Beech/Laminate Maple/Palette	6766 6867	7122 7219	7476 7573	7986 8085	8563 8662	9074 9172	9652 9751	10358 10458	
	ORDERING NOTE: WI 42", 36" or 30" and che balance weight added	ose required leg typ	pe below	. Freestan	ding, St	art and End	units wi				
	Double-Seat, 60° Insid ZOP3-MCID60DF2F	∍ Curve, Full Heigh	t Back w 6869	rith Privac 7222	y Screer 7577	n 8088	8666	9174	9754	10460	1122
	Double-Seat, 60° Insid ZOP3-MCID60DM0F	- ∍ Curve, Mid Heigh	nt Back 5588	5884	6175	6595	7069	7487	7963	8548	916
	Double-Seat, 60° Insid	 e Curve, Mid Heigh	nt Back w	ith Shelf							
	ZOP3-MCID60DM1_	Beech/Laminate Maple/Palette	6447 6545	6742 6840	7035 7132	7452 7550	7927 8026	8344 8445	8820 8918	9408 9506	
· v	ORDERING NOTE: WI 36" or 30" and chose re weight added to each	equired leg type bel seat unit, please ac	low. Free dd \$303 I	standing, ist upchar	Start and ge per u	d End units unit.					
	Double-Seat, 60° Insid ZOP3-MCID60DM2F	∍ Curve, Mid Heigh	nt Back w 6549	vith Privac 6842	y Screer 7135	n Option 7553	8029	8447	8920	9508	1012
Zala Drivaav	Option Upcharges	\$ List									
Zoia Privacy									\$ List	t	
	rier & CAL 133 (per yard)	64	Plus	s Upgrade	- Doub	le-Seat, 60°	^o Curve		\$ List 183		
Moisture Barr Seat Power (p	rier & CAL 133 (per yard) per power unit)	64 641	Dua	al Leg (for	Multiple	unit config	urations)		183	3	
Moisture Barr	u ,	64	Dua Rer	al Leg (for novable S	Multiple eat Cov		urations) -Seat, 60	0° Curve	183 80 123	3	
Moisture Barr Seat Power (p Shelf Power Table Power	per power unit)	64 641 600	Dua Rer	al Leg (for novable S	Multiple eat Cov	unit config ers -Double	urations) -Seat, 60	0° Curve	183 80 123	3	
Moisture Barr Seat Power (p Shelf Power Table Power	per power unit)	64 641 600	Dua Rer No t	al Leg (for novable S	Multiple eat Cov able bad	unit config ers -Double	urations) -Seat, 60 re not av	0° Curve	183 80 123	3)
Moisture Barr Seat Power (p Shelf Power Table Power PRODUCT COL Line	DE KEY Series	64 641 600 647 Chair Type	Dua Rer No 1	al Leg (for movable S te: Remov	Multiple eat Cov able bad	unit config ers -Double ck covers a	urations) e-Seat, 60 re not av	O° Curve ailable on c Back Type	183 80 123 curved b	Leg Type	
Moisture Barr Seat Power (p Shelf Power Table Power	DE KEY Series	64 641 600 647 Chair Type	Dua Rer No 1	al Leg (for movable S te: Remov	Multiple eat Cov able bad	e unit config ers -Double ck covers a leat Degree	urations) e-Seat, 60 re not av	O° Curve ailable on c Back Type F0 Height Back	183 80 123 curved b	Leg Type	
Moisture Barr Seat Power (p Shelf Power Table Power PRODUCT COL Line	DE KEY Series	64 641 600 647 Chair Type MC Modular Curve	Cu Inside C	al Leg (for movable Ste: Removerve Style IS Curve -Sing	Multiple eat Cov able bac S	e unit config ers -Double ck covers a leat Degree	urations) e-Seat, 60 re not av E Full	O° Curve ailable on c Back Type F0 Height Back F1 eight Back wi	183 80 123 curved b	Leg Type F eestanding	Unit
Moisture Barr Seat Power (p Shelf Power Table Power PRODUCT COL Line	DE KEY Series	64 641 600 647 Chair Type MC Modular Curve MCB Modular Curve	Cu Inside C	al Leg (for movable S te: Remov	Multiple eat Cov able bac S	e unit config ers -Double ck covers a leat Degree	urations) e-Seat, 60 re not av E Full	O° Curve ailable on c Back Type F0 Height Back	183 80 123 curved b	Leg Type F Resestanding	Unit
Moisture Barr Seat Power (p Shelf Power Table Power PRODUCT COL Line	DE KEY Series	64 641 600 647 Chair Type MC Modular Curve MCB Modular Curve	Cu Inside C	al Leg (for movable Ste: Remover Style IS Curve -Sing ID Curve -Doub	Multiple eat Cov able bad S	e unit config ers -Double ck covers a seat Degree 30D	urations) e-Seat, 6t re not av Full Full He St Full He	O° Curve ailable on c Back Type F0 Height Back F1 sight Back winelf Option	183 80 123 curved b	Leg Type Feestanding Start Uni	Unit

Outside Curve -Double

Mid Height Back with Shelf Option

Mid Height Back

M1

End Unit

			СОМ	_	COL		RIC GRAD			LEATHER	
ESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 90° Insid ZOP3-MCID90DF0F	le Curve, Full Hei	ght Back 6937	7303	7673	8211	8813	9354	9959	10694	1151
	Double-Seat, 90° Insid	le Curve, Full Hei	ght Back	with Sh	elf						
	ZOP3-MCID90DF1_	Beech/Laminate Maple/Palette	7873 7973	8239 8341	8610 8709	9147 9249	9753 9853	10291 10390	10895 10994	11630 11732	
	ORDERING NOTE: W - 42", 36" or 30" and c terbalance weight add	chose required leg	g type be	low. Free	estanding	, Start and	End unit				
	Double-Seat, 90° Insid	le Curve, Full Hei	ght Back	with Pri	vacy Scre	een					
	ZOP3-MCID90DF2F		7942	8308	8678	9217	9818	10358	10963	11699	125
	Double-Seat, 90° Insid	le Curve, Mid Hei	ght Back	<							
	ZOP3-MCID90DM0F		6441	6735	7028	7446	7921	8340	8813	9403	100
	Double-Seat, 90° Insid	le Curve, Mid Hei	ght Back	k with Sh	elf						
	Double-Seat, 90° Insid ZOP3-MCID90DM1_			with Sh 7674 7773	elf 7966 8067	8385 8485	8859 8959	9277 9379	9753 9853	10339 10440	
		Beech/Laminate Maple/Palette then ordering a bate required leg type	7379 7480 ack with	7674 7773 Shelf opt	7966 8067 tion pleas ding, Sta	8485 e clearly sp t and End i	8959 ecify on units with	9379 your order	9853 the requ	10440 iired She	110 If He
	ZOP3-MCID90DM1_ ORDERING NOTE: W - 36" or 30" and chose	Beech/Laminate Maple/Palette hen ordering a bate required leg type each seat unit, p	7379 7480 ack with be below. lease add	7674 7773 Shelf opt Freestand d \$303 li	7966 8067 tion pleas ding, Star st upchar	8485 e clearly sp t and End u ge per unit	8959 ecify on units with	9379 your order	9853 the requ	10440 iired She	110 If He Inter
Cola Privacy O	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insid	Beech/Laminate Maple/Palette hen ordering a bate required leg type each seat unit, p	7379 7480 ack with be below. lease add	7674 7773 Shelf opt Freestand d \$303 li	7966 8067 sion pleas ding, Star st upchar	8485 e clearly sprt and End urge per unit	8959 pecify on units with	9379 your order the shelf o	9853 the requ	10440 hired Shei quire cou 10408	110 If He Interl
/loisture Barrie	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insid ZOP3-MCID90DM2F	Beech/Laminate Maple/Palette hen ordering a ba e required leg type each seat unit, p de Curve, Mid Hei \$ List 64	7379 7480 ack with below. lease add ght Back 7446	7674 7773 Shelf opt Freestand d \$303 lid x with Pri 7740	7966 8067 sion pleas ding, Star st upchar vacy Scre 8033	8485 e clearly sp t and End uge per unit een Option 8450 ble-Seat, 96	8959 secify on units with 8925	9379 your order the shelf o	9853 the requestion reconstruction reconstruction 9818	10440 irred Shell quire cou	110: If Hei
Moisture Barrie Seat Power (pe	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insid ZOP3-MCID90DM2F	Beech/Laminate Maple/Palette hen ordering a bae required leg type each seat unit, p le Curve, Mid Hei \$ List 64 641	7379 7480 ack with below. lease add ght Back 7446	7674 7773 Shelf opt Freestand d \$303 li: < with Pri 7740 us Upgra	7966 8067 sion pleas ding, Star st upchar vacy Scre 8033 de - Doul or Multipl	8485 e clearly sp t and End u ge per unit een Option 8450 ble-Seat, 90 e unit confi	8959 secify on units with 8925 O° Curve gurations	9379 your order the shelf of	9853 the requipption reconstruction set of the requipption set of the requipment of the requipption set of the requipption set of the requipment set of the requipption set of the requippti	10440 irred Shell quire cou 10408	110 If He Inter
Moisture Barrie Seat Power (pe Shelf Power	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insid ZOP3-MCID90DM2F	Beech/Laminate Maple/Palette hen ordering a ba e required leg type each seat unit, p de Curve, Mid Hei \$ List 64	7379 7480 ack with below. lease add ght Back 7446	7674 7773 Shelf opt Freestand d \$303 lin < with Pri 7740 us Upgra all Leg (fremovable	7966 8067 sion pleas ding, Star st upchar vacy Scre 8033 de - Doul or Multiple Seat Co	8485 e clearly sp t and End uge per unit een Option 8450 ble-Seat, 96	8959 secify on units with 8925 O° Curve gurations ole-Seat,	9379 your order the shelf of 9342 s) 90° Curve	9853 the requiperion reconstruction	10440 irred Shell quire cou 10408 st 0 0 7	110 If He Interl
Moisture Barrie Seat Power (pe Shelf Power Sable Power	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insid ZOP3-MCID90DM2F Option Upcharges r & CAL 133 (per yard) or power unit)	Beech/Laminate Maple/Palette hen ordering a bae required leg type each seat unit, p le Curve, Mid Hei \$ List 64 641 600	7379 7480 ack with below. lease add ght Back 7446	7674 7773 Shelf opt Freestand d \$303 lin < with Pri 7740 us Upgra all Leg (fremovable	7966 8067 sion pleas ding, Star st upchar vacy Scre 8033 de - Doul or Multiple Seat Co	8485 e clearly sp t and End u ge per unit een Option 8450 ble-Seat, 90 e unit confi vers - Doub	8959 secify on units with 8925 O° Curve gurations ole-Seat,	9379 your order the shelf of 9342 s) 90° Curve	9853 the requiperion reconstruction	10440 irred Shell quire cou 10408 st 0 0 7	110: If Hei
Moisture Barrie Seat Power (pe Shelf Power Sable Power	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insid ZOP3-MCID90DM2F Option Upcharges r & CAL 133 (per yard) or power unit)	Beech/Laminate Maple/Palette hen ordering a bae required leg type each seat unit, p le Curve, Mid Hei \$ List 64 641 600	7379 7480 ack with e below. lease add ght Back 7446	7674 7773 Shelf opt Freestand d \$303 lin < with Pri 7740 us Upgra all Leg (fremovable	7966 8067 dion pleas ding, Star st upchar vacy Scre 8033 de - Doul or Multipl e Seat Co ovable ba	8485 e clearly sp t and End u ge per unit een Option 8450 ble-Seat, 90 e unit confi vers - Doub	8959 Decify on units with 8925 O° Curve gurations ole-Seat, are not a	9379 your order the shelf of 9342 s) 90° Curve	9853 the requiperion reconstruction	10440 irred Shell quire cou 10408 st 0 0 7	110:
Moisture Barrie Seat Power (pe Shelf Power able Power Line ZOP	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insid ZOP3-MCID90DM2F Option Upcharges r & CAL 133 (per yard) or power unit) KEY Series	Beech/Laminate Maple/Palette hen ordering a base required leg type each seat unit, p de Curve, Mid Hei \$ List 64 641 600 647 Chair Type	7379 7480 ack with a below. lease add ght Back 7446	7674 7773 Shelf opt Freestand d \$303 li < with Pri 7740 us Upgra ual Leg (fremovable othe: Rem	7966 8067 dion pleas ding, Star st upchar vacy Scre 8033 de - Doul or Multiple Seat Co ovable ba	e clearly sp t and End I ge per unit een Option 8450 ble-Seat, 90 e unit confit vers - Douk ack covers	8959 Decify on units with 8925 O° Curve gurations ole-Seat, are not a	9379 your order the shelf of 9342 s) 90° Curve vailable on Back Type	9853 the requiperion reconstruction	10440 irred Shell quire cou 10408 st 0 0 7 backs Leg Typ	1100 If Heinterli 110
Moisture Barrie Seat Power (pe Shelf Power Table Power Line	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insid ZOP3-MCID90DM2F Option Upcharges r & CAL 133 (per yard) or power unit) KEY Series	Beech/Laminate Maple/Palette then ordering a base required leg type each seat unit, p de Curve, Mid Hei \$ List 64 641 600 647 Chair Type MC Modular Curve	7379 7480 ack with a below. lease add ght Back 7446	7674 7773 Shelf opt Freestan d \$303 li with Pri 7740 us Upgra ial Leg (freestan Leg) is use the context of th	7966 8067 dion pleas ding, Star st upchar vacy Scre 8033 de - Doul or Multiple Seat Co ovable ba	e clearly sp t and End uge per unit ge per unit een Option 8450 ble-Seat, 90 e unit confi vers - Douk ack covers	8959 Decify on units with 8925 O° Curve gurations ole-Seat, are not a	9379 your order the shelf of 9342 s) 90° Curve vailable on Back Type F0 II Height Back	9853 the requiperion reconstruction	10440 irred Shelquire coul 10408 st 0 0 7 backs Leg Typ Freestandin	1109 If Heinterk
Moisture Barrie Seat Power (pe Shelf Power able Power Line ZOP	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insid ZOP3-MCID90DM2F Option Upcharges r & CAL 133 (per yard) or power unit) KEY Series	Beech/Laminate Maple/Palette hen ordering a base required leg type each seat unit, p de Curve, Mid Hei \$ List 64 641 600 647 Chair Type	7379 7480 ack with a below. lease add ght Back 7446	7674 7773 Shelf opt Freestand d \$303 li < with Pri 7740 us Upgra ual Leg (fremovable othe: Rem	7966 8067 sion pleas ding, Star st upchar vacy Scre 8033 de - Doul or Multiple Seat Co ovable ba	e clearly sp t and End uge per unit een Option 8450 ble-Seat, 90 e unit confi vers - Doub ack covers	8959 Decify on units with 8925 O° Curve gurations ole-Seat, are not a	9379 your order the shelf of 9342 s) 90° Curve vailable on Back Type	9853 the requiperion reconstruction	10440 irred Shell quire cou 10408 st 0 0 7 backs Leg Typ	1100 If Heinterk
Moisture Barrie Seat Power (pe Shelf Power able Power Line ZOP	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insid ZOP3-MCID90DM2F Option Upcharges r & CAL 133 (per yard) or power unit) KEY Series	Beech/Laminate Maple/Palette hen ordering a bae required leg type each seat unit, p le Curve, Mid Hei \$ List 64 641 600 647 Chair Type MC Modular Curve MCB	7379 7480 ack with a below. lease add ght Back 7446	7674 7773 Shelf opt Freestand d \$303 li with Pri 7740 LIS Upgra lial Leg (fremovable ote: Rem LIS Curve -Si LID Curve -Do	7966 8067 sion pleas ding, Star st upchar vacy Scre 8033 de - Doul or Multiple Seat Co ovable ba	e clearly sp t and End u ge per unit een Option 8450 ble-Seat, 90 e unit confi wers - Doub ack covers Seat Degree	8959 Decify on units with 8925 0° Curve gurations ble-Seat, are not a	9379 your order the shelf of 9342 \$\begin{align*} 9342 \$\begin{align*} 90^\text{o} \text{Curve} \text{vailable on} \text{d} \text{Back Type} \text{F0} \text{II Height Back Shelf Option}	9853 the requiperion reconstruction	10440 site outside desired Sheld quire could set outside the set outside set o	1100 If Heinterk
Moisture Barrie Seat Power (pe Shelf Power able Power Line ZOP	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insid ZOP3-MCID90DM2F Option Upcharges r & CAL 133 (per yard) or power unit) KEY Series	Beech/Laminate Maple/Palette hen ordering a bate required leg type each seat unit, p le Curve, Mid Heil \$ List 64 641 600 647 Chair Type MC Modular Curve MCB Modular Curve	7379 7480 ack with a below. lease add ght Back 7446 Plu Du Re No	7674 7773 Shelf opt Freestand d \$303 li with Pri 7740 Jus Upgra Jual Leg (fremovable ote: Rem Jurve Style IS Curve -Si ID	7966 8067 sion pleas ding, Star st upchar vacy Scre 8033 de - Dou or Multipl s Seat Co ovable ba	e clearly sp t and End uge per unit ge per unit een Option 8450 ble-Seat, 90 e unit confi vers - Douk ack covers	8959 Decify on units with 8925 O° Curve gurations ole-Seat, are not a	9379 your order the shelf of 9342 s) 90° Curve vailable on Back Type F0 II Height Back F1 Height Back	9853 the requiperion reconstruction	10440 sit 0 0 0 7 backs Leg Typ Freestandin	110 If He interl 110 geographic graphic gra

M1
Mid Height Back with Shelf Option

M2
Mid Height Back with Privacy Screen Options

DESCRIPTION	Double-Seat, 30° Outs ZOP3-MCOD30DF0F Double-Seat, 30° Outs ZOP3-MCOD30DF1_ ORDERING NOTES: \(-42^{\circ}, 36^{\circ} \text{ or } 30^{\circ} \text{ and c} \text{ balance weight added} \) Double-Seat, 30° Outs ZOP3-MCOD30DF2F	ide Curve, Full He Beech/Laminate Maple/Palette When ordering a ba hose required leg to each seat unit,	ight Back 5155 5248 ack with S	5441 5534 helf optio	5726 5821	5563 6126 6219	6020 6582 6676	6 6419 6981 7073	7 6873 7437 7531	8 7445 8008 8099	801
	Double-Seat, 30° Outs ZOP3-MCOD30DF1_ ORDERING NOTES: \(-42^\text{"}, 36^\text{" or 30" and c} \) balance weight added Double-Seat, 30° Outs	ide Curve, Full He Beech/Laminate Maple/Palette When ordering a ba hose required leg to each seat unit,	ight Back 5155 5248 ack with S	with Shel 5441 5534 helf optio	f 5726 5821	6126	6582	6981	7437	8008	
	ORDERING NOTES: \(\) - 42", 36" or 30" and c balance weight added Double-Seat, 30° Outs	Beech/Laminate Maple/Palette When ordering a bahose required leg to each seat unit,	5155 5248 ack with S type below	5441 5534 helf optio	5726 5821						857
	ORDERING NOTES: \(\) - 42", 36" or 30" and c balance weight added Double-Seat, 30° Outs	Beech/Laminate Maple/Palette When ordering a bahose required leg to each seat unit,	5155 5248 ack with S type below	5441 5534 helf optio	5726 5821						857
	- 42", 36" or 30" and c balance weight added Double-Seat, 30° Outs	hose required leg t to each seat unit,	ype below						7001	0000	867
		ide Curve, Full He			nding, St	tart and End	d units wit				
	ZOP3-MCOD30DF2F		ight Back	with Priva	acy Scree	en					
			5192	5478	5764	6163	6620	7018	7474	8044	86
	Double-Seat, 30° Outs ZOP3-MCOD30DMOF	•	ight Back 4398	4637	4873	5206	5586	5918	6296	6770	72
	Double-Seat, 30° Outs	ide Curve, Mid He	ight Back	with Shel	lf						
	ZOP3-MCOD30DM1_	Beech/Laminate Maple/Palette	4961 5054	5199 5292	5436 5529	5767 5861	6147 6242	6480 6574	6859 6953	7333 7427	78 79
	Double-Seat, 30° Outs ZOP3-MCOD30DM2F	ide Curve, Mid He	ight Back 4998	with Priva 5236	acy Scre 5472	en Option 5806	6185	6518	6896	7371	78
ola Privacy	Option Upcharges	\$ List							\$ List		
	ier & CAL 133 (per yard)	64				le-Seat, 30°			152		
eat Power (p helf Power able Power	er power unit)	641 600 647	Ren	novable S	Seat Cov	unit config ers -Double ck covers a	-Seat, 30		80 93 curved ba		
RODUCT COD	DE KEY										
Line	Series	Chair Type	Cu	ırve Style	5	Seat Degree	В	Back Type		Leg Type	•
ZOP Zola	3 Lounge	MC Modular Curve	Inside (IS Curve -Sin	ale	30D	Full	F0 Height Bacl	k Fre	Festanding	ı Unit
	· ·	MCB Modular Curve Plus		ID Curve -Dou		45D	Full He	F1 eight Back v		S Start Uni	
		Flus	Outside	OS Curve -Sir	ngle	60D		F2 eight Back v	with	C Center Ur	nit
							Privacy	Screen On			
			Outside	OD Curve -Do	uble	90D	[Screen Op M0 Height Bac	otion	End Unit	

Mid Height Back with Privacy Screen Options

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABRI 4	C GRAD	ES 6	185 7642 8212 281 7734 8306 der the required Shelf I e shelf option require of 222 7680 8250 099 6478 6954	9	
	Double-Seat, 45° Outsid ZOP3-MCOD45DFOF	le Curve, Full Hei			5368	5767	6225	6624			8221
	Double-Seat, 45° Outsic ZOP3-MCOD45DF1_ E	Beech/Laminate	5362	5646	5932	6331	6788	7185			8784
	ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added to	se required leg ty	pe below	. Freesta	anding, S	Start and End	l units wi		ne require	ed Shelf H	
	Double-Seat, 45° Outsic ZOP3-MCOD45DF2F	le Curve, Full Hei	ght Back 5397	with Pri 5684	vacy Sci 5969	reen 6366	6823	7222	7680	8250	8820
	Double-Seat, 45° Outsic ZOP3-MCOD45DMOF	de Curve, Mid Hei	ight Back 4581	4817	5056	5388	5766	6099	6478	6954	7428
	Double-Seat, 45° Outsic ZOP3-MCOD45DM1_ E		ight Back 5142 5236	with Sh 5381 5472	nelf 5616 5712	5947 6043	6330 6421	6661 6754			798 808
	36" or 30" and chose rec weight added to each so Double-Seat, 45° Outsic ZOP3-MCOD45DM2F	eat unit, please a	dd \$303 I	list upch	arge per	unit.	6365	shelf optio	7079	7552	802
Zola Privacy (Option Upcharges	\$ List							\$ Lis	t	
	er & CAL 133 (per yard) er power unit)	64 641 600 647	Du: Rei	al Leg (fo movable	or Multip Seat Co	ible-Seat, 45 le unit config overs - Doubl ack covers a	urations) e-Seat, 4	15° Curve	180 80 10 curved b	0 1	
PRODUCT COD		Chair Tina	0:	un co Ctudo		Coat Dagge		Deals Time		Log Tro	
ZOP Zola	Series 3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Inside	IS Curve -Si ID Curve -Do Curve -Do OS Curve -S	ingle ouble Single	30D 45D 60D 90D	Full H S Full H Privac	F0 I Height Back F1 leight Back shelf Option F2 leight Back y Screen Option M0	with with ption	Leg Typ Freestanding S Start Ur C Center U	g Unit init nit
			Outside	Curve -D	ouble		Mid H S Mid H	M1 leight Back thelf Option M2 leight Back y Screen Op	with	End Un	ΙΤ

DESCRIPTION	J/MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAD 5	DES 6	7	LEATHEF 8	₹ 9
	Double-Seat, 60° Outsic ZOP3-MCOD60DFOF	de Curve, Full Heiq		5336	5619	6019	6474	6873	7331	7900	8471
	ORDERING NOTE: Wh 42", 36" or 30" and cho	Beech/Laminate Maple/Palette en ordering a back se required leg type	5609 5702 k with Shepe below.	5894 5986 elf option Freestan	6181 6270 please c ding, Sta	art and End	units wit				
	Double-Seat, 60° Outsic ZOP3-MCOD60DF2F						7072	7472	7928	8499	9067
	Double-Seat, 60° Outsic ZOP3-MCOD60DMOF	de Curve, Mid Hei	ght Back 4798	5035	5274	5607	5985	6317	6696	7173	7646
	Double-Seat, 60° Outside ZOP3-MCOD60DM1_ Is a common of the common of th	Beech/Laminate Maple/Palette en ordering a back quired leg type bel	5360 5450 k with She low. Frees	5595 5686 elf option standing,	5833 5924 please c Start and	I End units v					
	Double-Seat, 60° Outsic ZOP3-MCOD60DM2F						6582	6914	7294	7768	824
Zola Privacy	Option Upcharges	\$ List							\$ List		
Moisture Barri	ier & CAL 133 (per yard) eer power unit)	64 641 600 647	Dua Rem	Il Leg (for novable S	Multiple Seat Cove	e-Seat, 60° unit config ers - Double ck covers ar	urations) e-Seat, 6		193 80 123		
PRODUCT COE Line	Series	Chair Type	Cu	rve Style	S	Seat Degree	E	Back Type		Leg Type)
ZOP Zola	3 Lounge	MC Modular Curve	Inside (IS Curve -Sin	gle	30D	Full	F0 Height Back	: Fre	F	Unit

M2 Mid Height Back with Privacy Screen Options

			COM		COL	EADDI		NEC		LEATHER	5
DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	4	C GRAD 5	6 6	7	LEATHEF 8	9
	Double-Seat, 90° Outsic ZOP3-MCOD90DF0F	de Curve, Full He	eight Bacl	k 5944	6229	6628	7084	7484	7940	8511	9080
	Double-Seat, 90° Outsid ZOP3-MCOD90DF1_ E M ORDERING NOTES: W - 42", 36" or 30" and che balance weight added to	Beech/Laminate Maple/Palette hen ordering a ba ose required leg t	6212 6304 ack with type belo	6497 6587 Shelf opt	6784 6873 tion pleas tanding, \$	Start and En	d units w				
	Double-Seat, 90° Outsic ZOP3-MCOD90DF2F	de Curve, Full He	ight Bacl 6247	k with Pri 6534	ivacy Scr 6819	reen 7216	7674	8073	8529	9099	9668
	Double-Seat, 90° Outsic ZOP3-MCOD90DM0F	de Curve, Mid He	eight Bac 5507	5833	6159	6663	7216	7722	8276	8930	9737
	Double-Seat, 90° Outsid ZOP3-MCOD90DM1_ E N ORDERING NOTES: W - 36" or 30" and chose re weight added to each so	Beech/Laminate Maple/Palette hen ordering a baequired leg type b	6060 6154 ack with pelow. Fre	6387 6477 Shelf opt eestandin	6713 6805 tion pleas ng, Start a	and End units				9573 uired Shel	
	Double-Seat, 90° Outsic ZOP3-MCOD90DM2F	de Curve, Mid He	eight Bac 6097	k with Pr 6421	ivacy Scr 6749	reen Option 7255	7807	8310	8865	9517	10328
Zola Privacy C	Option Upcharges	\$ List							\$ Lis	st	
Seat Power (pe Shelf Power Table Power	er & CAL 133 (per yard) er power unit)	64 641 600 647	Du Re	ual Leg (fo emovable	or Multipl Seat Co	ble-Seat, 90 le unit config overs - Doubl ack covers a	jurations) e-Seat, 9	90° Curve	12	30 27	
Line	Series	Chair Type		Curve Style		Seat Degree		Back Type		Leg Typ	
ZOP	Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outsid	IS Curve -Si ID Curve -Do OS ee Curve -S OD e Curve -D	ouble	30D 45D 60D 90D	Full H S Full H Privac Mic Mid H	F0 II Height Back F1 Height Back Shelf Option F2 Height Back y Screen Op M0 Id Height Back M1 Height Back	with with ption ck with	Freestandin S Start Ur C Center L E End Ur	nit Juit

ZOLA PRIVACY | SIDE PANELS

			COM		COL	FAI	BRIC GRA	DES		LEATHE	R
DESCRIPTION/N	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Side Panel, Single ZOP3-MPF0S ZOP3-MPF0C ZOP3-MPF0E	e, Full Height No Sc Start Center End	reen 948 1222 948	1036 1310 1036	1124 1398 1124	1304 1578 1304	1481 1753 1481	1660 1932 1660	1836 2109 1836	2016 2286 2016	2370 2642 2370
	Side Panel, Single ZOP3-MPF2S ZOP3-MPF2C ZOP3-MPF2E	e, Full Height with S Start Center End	1243 1515 1243	1332 1606 1332	1420 1693 1420	1597 1871 1597	1776 2051 1776	1954 2228 1954	2132 2406 2132	2310 2584 2310	2665 2938 2665
0 0	Side Panel, Single ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E	e, Mid Height No So Start Center End	767 1052 767	829 1110 829	888 1170 888	1011 1290 1011	1131 1412 1131	1251 1533 1251	1372 1653 1372	1492 1773 1492	1732 2016 1732
	Side Panel, Single ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E	e, Mid Height with S Start Center End	Screen 1063 1346 1063	1122 1405 1122	1183 1465 1183	1306 1587 1306	1425 1706 1425	1547 1827 1547	1667 1947 1667	1788 2066 1788	2029 2310 2029

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See page 198 for Dimensions and COM.

Line	Series	Chair Type	Height	Position		
ZOP	3	MP	F0	S		
Zola	Lounge	Modular Side Panel	Full Height	Start		
			F2	С		
			Full Height with Privacy Screen Option	Center		
			MO	Е		
			Mid Height	End		
			M2			
			Mid Height with Privacy Screen Option			

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	3	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side	Panel, Single,	Full Height									
	ZOP3-MSPF0S	Start	583	628	674	765	856	949	1039	1132	1314	
	ZOP3-MSPF0C	Center	857	905	952	1041	1134	1224	1315	1407	1589	
	ZOP3-MSPF0E	End	583	628	674	765	856	949	1039	1132	1314	
	Semi-Private Side	Panel, Single,	Mid Height									
	ZOP3-MSPM0S	Start	514	555	592	672	751	829	909	987	1143	
	ZOP3-MSPM0C	Center	796	835	875	955	1033	1111	1191	1269	1428	
	ZOP3-MSPM0E	End	514	555	592	672	751	829	909	987	1143	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP Zola	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height	Start	
			M0 Mid Height	Center	
				E	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FA	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	702 702 784	740 740 823	778 778 859	853 853 935	930 930 1012	1004 1004 1087	1081 1081 1163	1155 1155 1239	1307 1307 1390	
	Modular Upholstered Arm w/Urr ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 840 840 906	878 878 942	914 914 981	990 990 1058	1066 1066 1134	1141 1141 1207	1218 1218 1284	1292 1292 1358	1445 1445 1510	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col		С
Solid Surface Arm Cap (per arm)	129	136	151	157

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C	

ZOLA PRIVACY | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

DIN	ИE	NS	10	١S
-----	----	----	----	----

		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Sing	le-Seat - Fu	ll Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Sing	le-Seat - Mi	d Height Ba	ck						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Dou	ble-Seat - Fu	ıll Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Dou	ble-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs
Curved Sing	le-Seat - Full H	leight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	leight Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

ZOLA PRIVACY | TWIN CURVED - COM REQUIREMENTS

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid I	Height Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Do	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Do	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

DESCRIPTION/MODE	ïL		CO 1		COL 2 3	- FAI	BRIC GRAI 5	DES 6	L 7	EATHER 8	9
	Twin Single-Seat ZOP3-MCTS30E		Full Height 520		5830	6268	6767	7208	7709	8335	8960
	Twin Single-Seat ZOP3-MCTS30E		Full Height 579		n Privacy S 6422	Screen Opt 6862	ion 7362	7800	8302	8930	9555
	Twin Single-Seat ZOP3-MCTS30E		Mid Heigh 493		5494	5888	6336	6731	7180	7741	8305
	Twin Single-Seat ZOP3-MCTS30E		Mid Heigh 552		-	Screen Op 6480	otion 6931	7323	7773	8337	8896
	Twin Single-Seat ZOP3-MCTS45E		Full Height 586		6519	6977	7498	7953	8477	9130	9781
	Twin Single-Seat ZOP3-MCTS45E		Full Height 646			Screen Op 7577	tion 8098	8555	9079	9730	10382
Zola Privacy Option	Upcharges	\$ L	ist						\$ Lis	t	
Moisture Barrier & CA Seat Power (per power Shelf Power Table Power Dual Leg (for Multiple	AL 133 (per yard) er unit)	6 6	64 641 600 647	Plus Upgr Removab Removab	ade - Twin le Seat Co le Seat Co	Single-Se vers -Twin vers -Twin	eat, 30° Cui eat, 45° Cui Single-Sea Single-Sea are not av	rve at, 30° Cur at, 45° Cur	rve 166	5 5 8	
Line PRODUCT CODE KEY	Series	Chair Typ	e	Curve Style	е :	Seat Degree	э В	ack Type		Leg Type	e
ZOP Zola	3 Lounge	MCT Modular Curve		Small Radiu Single Widt		30D	Full	F0 Height Back	k Fre	F estanding] J Unit
		MCTB Modular Cu Twin Plus		D Small Radiu Double Wid		45D		F2 eight Back w		S Start Un	it
						90D	Mid	M0 Height Bacl	k	C Center Ui	nit
								eight Back v Screen Opt		End Uni	t

Privacy Screen Options

DESCRIPTION/MOD	EL		COM 1	COL 2 3	FABI 4	RIC GRA 5	ADES 6	7	EATHER 8	9
	Twin Single-Seat, ZOP3-MCTS45DI	45° Curve, Mid Hei MOF 5	ight Back 5556 5850	6142	6556	7027	7438	7909	8499	908
	Twin Single-Seat, ZOP3-MCTS45DI	45° Curve, Mid Hei M2F 5	ight Back wit 5531 5812		creen Optio	on 6938	7331	7781	8342	890
	Twin Single-Seat, ZOP3-MCTS60DI	60° Curve, Full Hei FOF 6	ght Back 6662 7045	7430	7966	8580	9116	9729	10495	1126
	Twin Single-Seat, ZOP3-MCTS60DI	60° Curve, Full Hei F2F 7	ght Back wit 7266 7649		creen Optic 8569	on 9184	9719	10333	11098	1186
	Twin Single-Seat, ZOP3-MCTS60DI	60° Curve, Mid Hei MOF 6	ight Back 6304 6644	6983	7460	8002	8477	9020	9697	1037
	Twin Single-Seat, ZOP3-MCTS60DI	60° Curve, Mid Hei M2F 7	ight Back wit 7480 7913	-	creen Optio 8955	on 9650	10259	10953	11820	1268
Zola Privacy Option		\$ List						\$ Lis		
Moisture Barrier & C Seat Power (per pov Shelf Power Table Power Dual Leg (for Multipl	wer unit)	64 641 600 647 (s) 80	Plus Upg Removak Removak	rade - Twin rade - Twin ble Seat Cov ble Seat Cov movable ba	Single-Sea vers -Twin s vers -Twin s	at, 60° C Single-S Single-S	urve eat, 45° Cu eat, 60° Cu	rve 21	4 6 2	
PRODUCT CODE KEY Line	Series	Chair Type	Curve Sty	/le	Seat Degree		Back Type		Leg Typ	oe
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radi Single Wid		30D	Fu	F0	ck F	F] lg Unit
		MCTB Modular Curve Twin Plus	D Small Radi Double Wi		45D		F2 Height Back cy Screen O		S Start U	nit

M0

Mid Height Back

M2

Mid Height Back with Privacy Screen Options C Center Unit

Е

End Unit

60D

90D

		COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Single-Seat, 90° Curve, Full	Height B	ack							
	ZOP3-MCTS90DF0F	8312	8702	9091	9644	10270	10818	11446	12225	13017
	Twin Single-Seat, 90° Curve, Full I	Height Ba	ack with	Privacy S	creen Opt	ion				
	ZOP3-MCTS90DF2F	9265	9654	10044	10594	11223	11769	12396	13175	13969
	Twin Single-Seat, 90° Curve, Mid	Height B	ack							
	ZOP3-MCTS90DM0F	7814	8159	8506	8994	9550	10040	10594	11286	11991
	Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM2F	Height B 7447	ack with 7838	Privacy \$	Screen Op 8775	otion 9398	9945	10570	11349	12130

Zola Privacy Option Upcharges	\$ List	\$ List	t
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Single-Seat, 90° Curve 516	 3
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations) 80)
Shelf Power	600	Removable Seat Covers -Twin Single-Seat, 90° Curve 240)
Table Power	647	Note: Removable back covers are not available on curved b	acks

HODOOT CODE IL	•					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

DESCRIPTION/MOD	NEI /SDECIES	COM	2	COL 3	FABRIC GRADES 4 5 6		ES 6	LEATHER 7 8		R 9
DESCRIPTION MOD	Twin Double-Seat, 30° Curve, F ZOP3-MCTD30DF0F	Full Height 6875		7743	8350	9046	9654	10348		12086
	Twin Double-Seat, 30° Curve, F ZOP3-MCTD30DF2F	Full Height 7820	Back with 8256	Privacy \$	Screen Op 9296	otion 9991	10598	11293	12163	13029
	Twin Double-Seat, 30° Curve, N ZOP3-MCTD30DM0F	1id Height B 6496	3ack 6886	7279	7822	8447	8993	9619	10399	11179
	Twin Double-Seat, 30° Curve, N ZOP3-MCTD30DM2F	lid Height E 7441	Back with	Privacy S 8222	Screen Op 8768	tion 9393	9938	10564	11344	12122

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 30° Curve	404
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Twin Double-Seat, 30° Cur	ve 186
Table Power	647	Note: Removable back covers are not available on c	urved backs

PRODUCT CODE RE	•					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius-	30D	F0 Full Height Back	F Freestanding Unit
			Single Width			
		MCTB Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	MO	С
					Mid Height Back	Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FABRIC GRADES		DES	LEATHER		R
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF0F	Height Ba	ack 8198	8645	9269	9983	10606	11320	12211	13105
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF2F	Height Ba 8706	ack with F 9156	Privacy So 9600	creen Opt 10222	ion 10937	11561	12274	13167	14058
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM0F	Height B 7346	ack 7750	8152	8715	9358	9919	10564	11367	12171
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM2F	Height B	ack with 1 8703	Privacy S 9108	creen Opt 9668	ion 10312	10875	11517	12320	13127

ORDERING NOTES:

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 45° Curve	458
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers - Twin Double-Seat, 45° C	urve 204
Table Power	647	Note: Removable back covers are not available on	curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	Е
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FABI	FABRIC GRADES		LEATHER		
DESCRIPTION/MOI	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 60° Curve, Ful ZOP3-MCTD60DF0F	l Height Ba 8458	ck 8912	9363	9996	10721	11353	12079	12983	13887
	Twin Double-Seat, 60° Curve, Fu ZOP3-MCTD60DF2F	ll Height Ba 9418	ack with 9873	Privacy S 10324	creen Opt 10958	ion 11680	12315	13038	13944	14848
	Twin Double-Seat, 60° Curve, Mi ZOP3-MCTD60DM0F	d Height Ba 7994	ack 8404	8811	9383	10039	10609	11264	12083	12897
	Twin Double-Seat, 60° Curve, Mic ZOP3-MCTD60DM2F	d Height Ba 8955	ick with F	Privacy So 9772	creen Opti 10344	on 10995	11568	12225	13042	13858

Zola Privacy Option Upcharges	\$ List	\$ List	
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 60° Curve 543	
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations) 80	
Shelf Power	600	Removable Seat Covers -Twin Double-Seat, 60° Curve 248	
Table Power	647	Note: Removable back covers are not available on curved backs	

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

ZOLA PRIVACY | TWIN SIDE PANELS

	COM		COL	FAB	RIC GRAD	ES	LEATHER		
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No Screen ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center	1428 2139	1559 2272	1691 2405	1955 2668	2218 2932	2483 3193	2745 3457	3010 3720	3536 4248
Twin Side Panel, Full Height with Screen ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center	2006 2718	2138 2851	2271 2984	2533 3246	2798 3510	3061 3772	3324 4037	3589 4297	4114 4828
Twin Side Panel, Med. Height No Screen ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center	- 1187 1897	1275 1988	1363 2077	1543 2254	1720 2432	1898 2610	2077 2788	2254 2965	2610 3322
Twin Side Panel, Med. Height with Scree ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center ORDERING NOTE: Side Panels will only with Removable Back Cover option. See page 2015.	1767 2478 connect		•		2301 3011 s with Priva	2479 3188 acy Screer	2657 3367 n Option a	2833 3543 are not av	3188 3902 ailable

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			M0		
			Mid Height		
			M2		
			Mid Height with		
			Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	3
DESCRIPTION/I	DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Twin Semi-Private S	Side Panel, Sin	gle, Full H	leight							
	ZOP3-MSPTF0U U	Jniversal	1012	1092	1172	1286	1415	1528	1659	1819	1981
	ZOP3-MSPTF0C (Center	1724	1804	1885	1999	2129	2240	2370	2532	2694
	Twin Semi-Private S	Side Panel, Sin	gle, Mid H	leight							
	ZOP3-MSPTM0U U	Jniversal	868	919	973	1045	1131	1203	1288	1393	1497
	ZOP3-MSPTM0C (Center	1581	1633	1686	1758	1842	1915	2001	2106	2211

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 207 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1120 1846	1197 1909	1262 1974	1349 2062	1451 2164	1539 2253	1641 2354	1768 2481	1894 2608	
	Twin Modular Upholstered Arm v ZOP3-MATUREU ZOP3-MATUREC	v/Urethane 1252 1979	Cap 1329 2041	1393 2106	1481 2193	1582 2295	1670 2384	1772 2485	1899 2612	2026 2739	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	A-Cole	-	С
Solid Surface Arm Cap (per arm)	276	288	318	328

PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE				
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	514 538	12	2				
	Tablet with Palette Finis ZOL3 T2	sh n/a	411	12	2				
	Clear Glass Tablet ZOL3 T3	n/a	783	13	2				
	Laminate Tablet ZOL3 T4	n/a	532	12	2				
	ORDERING NOTES : The laminate tablet comes standard with a polymer edge. Please note Zola Tablets are universally handed and do not need to be specified right or left when ordering.								
	Solid Surface Tablet - CZOL3 T5AW	Grade A White n/a	641	14	2				
	Solid Surface Tablet - C ZOL3 T5AC	Grade A Color n/a	651	14	2				
€	Solid Surface Tablet - CZOL3 T5B	Grade B n/a	686	14	2				
	Solid Surface Tablet - C ZOL3 T5C	Grade C n/a	741	14	2				

ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS



RECONFIGURABILITY

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



RUNOFF TABLES

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.



BACK CONNECTION

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or ends



LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



SOLID SURFACE OVERLAY


The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see page 336 for color options.




MEDIA & POWER

Inline walls can be optioned with Media provisions and Powerdocs.

ZOLA PRIVACY | INLINE WALLS | SAMPLE CONFIGURATIONS



Total		\$12,922
ZOP3-RO48532416	1	1066
ZOP3-ICWF0R	1	1697
ZOP3-ICWF0L	1	1697
ZOP3-IWF048MP	1	2404
ZOP3-M2F0F	2	3029
Model	Qty	Price (\$)



Model	Qty	Price (\$)
ZOP3-M2M0F ZOP3-ICTWM0I	3	2595 1715
ZOP3-ICTWM0R	1	1715
Total	9	\$11.215

ZOLA PRIVACY | INLINE WALLS

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH ⁻	T CUBE
	Inline Wall, Full Height 42"								
	ZOP3-IWF042N	1172	1985	1673	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1262	2167	1774	48	12	50	121	21.5
	Inline Wall, Full Height 54" ZOP3-IWF054N	1349	2255	1875	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1437	2343	1974	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1095	1683	1588	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1184	1863	1688	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1271	1953	1789	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1359	2040	1886	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	12" 1318	2131	1820	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	1407	2313	1921	48	12	50	121	21.5
	Inline Wall Media, Full Height & ZOP3-IWF054M	54" 1494	2401	2019	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	60" 1583	2488	2119	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	1242 1242	1827	88 2119 60 12 50 147 26.	13.5				
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	1330	2010	1834	48	12	37	102	15.25
	Inline Wall Media, Mid Height & ZOP3-IWM054M	54" 1417	2096	1934	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	60" 1506	2186	2033	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

OO! OODL KE!					
Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Me

ZOLA PRIVACY | INLINE WALLS WITH POWER

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Full ZOP3-IWF042P	Height 42" 2169	2982	2671	42	12	50	150	19
	Inline Wall w/Power Docs, Full ZOP3-IWF048P	Height 48" 2257	3163	2770	48	12	50	212	21.5
3	Inline Wall w/Power Docs, Full ZOP3-IWF054P	Height 54" 2345	3251	2870	54	12	50	135	24
	Inline Wall w/Power Docs, Full ZOP3-IWF060P	Height 60" 2433	3340	2970	60	12	50	147	26.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM042P	Height 42" 2091	2678	2585	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM048P	Height 48" 2180	2860	2684	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM054P	Height 54" 2268	2948	2785	54	12	37	116	17
	Inline Wall w/Power Docs, Mid ZOP3-IWM060P	Height 60" 2356	3036	2883	60	12	37	126	18.75
	Inline Wall Media w/Power Doo ZOP3-IWF042MP	cs, Full Height 42" 2316	3127	2817	42	12	50	150	19
	Inline Wall Media w/Power Doo ZOP3-IWF048MP	cs, Full Height 48" 2404	3310	2917	48	12	50	212	21.5
	Inline Wall Media w/Power Doo ZOP3-IWF054MP	es, Full Height 54" 2491	3397	3015	54	12	50	135	24
	Inline Wall Media w/Power Doo ZOP3-IWF060MP	es, Full Height 60" 2580	3486	3116	60	12	50	147	26.5
	Inline Wall Media w/Power Doo ZOP3-IWM042MP	cs, Mid Height 42" 2238	2823	2730	42	12	37	92	13.5
	Inline Wall Media w/Power Doo ZOP3-IWM048MP	es, Mid Height 48" 2326	3007	2830	48	12	37	102	15.5
	Inline Wall Media w/Power Doo ZOP3-IWM054MP	es, Mid Height 54" 2413	3093	2929	54	12	37	116	17
	Inline Wall Media w/Power Dod ZOP3-IWM060MP	es, Mid Height 60" 2503	3182	3030	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Media

ZOLA PRIVACY | INLINE CORNER WALLS

DESCRIPTION/MODEL		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH ⁻	T CUBE
ZOP3	Corner Wall, Full Height 3-ICWF0L 3-ICWF0R	1697 1697	2388 2388	2045 2045	26.5 26.5	12 12	50 50	85 85	14.75 14.75
ZOP3	Corner Wall, Mid Height 3-ICWM0L 3-ICWM0R	1638 1638	2278 2278	1976 1976	26.5 26.5	12 12	37 37	70 70	11 11

ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES

		Gra	ides	
Option	A-White	A-Color	В	С
ZOP3-IWF042N	427	446	556	662
ZOP3-IWF048N	478	500	622	745
ZOP3-IWF054N	530	555	693	829
ZOP3-IWF060N	555	607	761	913

ORDERING NOTES:

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see page 336 for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Position	
ZOP	3	ICW	F0	L	
Zola	Lounge	Inline Corner Wall	Full Height	Left	
			MO	R	
			Mid Height	Right	

ZOLA PRIVACY | INLINE TABLE WALLS

DESCRIPTION/M(THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Table Wall, Full Height 23° ZOP3-ITWF023N	987	1582	1494	23	25.7	50	100	21
	Inline Table Wall, Full Height 30 ZOP3-ITWF030N	, 1163	1946	1684	30	25.7	50	125	26.5
	Inline Table Wall, Mid Height 23 ZOP3-ITWM023N	910	1279	1408	23	25.7	37	90	15
	Inline Table Wall, Mid Height 30 ZOP3-ITWM030N	1086	1643	1596	30	25.7	37	115	18.5
	Inline Table Wall w/Power Docs ZOP3-ITWF023P	Full Height 23", 1984	2579	2491	23	25.7	50	100	21
	Inline Table Wall w/Power Docs ZOP3-ITWF030P	, Full Height 30" 2160	2943	2680	30	25.7	50	125	26.5
5									
	Inline Table Wall w/Power Docs ZOP3-ITWM023P	, Mid Height 23" 1906	2274	2405	23	25.7	37	90	15
	Inline Table Wall w/Power Docs ZOP3-ITWM030P	, Mid Height 30" 2083	2639	2592	30	25.7	37	115	18.5

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	ITW	F0	23	N
Zola	Lounge	Inline Table Wall	Full Height	23"	None
			MO	30	Р
			Mid Height	30"	Power

ZOLA PRIVACY | INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

DESCRIPTION/MO	DEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Corner Table Wall, Full	Height							
	ZOP3-ICTWF0L	1776	2678	2178	28	28	50	140	31
	ZOP3-ICTWF0R	1776	2678	2178	28	28	50	140	31
	Inline Corner Table Wall, Mid	Height							
	ZOP3-ICTWM0L	1715	2566	2108	28	28	37	127	23
	ZOP3-ICTWM0R	1715	2566	2108	28	28	37	127	23

ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

ZOLA INLINE IA	20LA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES Grades								
Option	A-White	A-Color	В	С					
ZOP3-ITWF023N	483	508	632	756					
ZOP3-ITWF030N	605	635	796	957	ORDERING	NOTE	S:		
ZOP3-ITWM023N	483	508	632	756	The Solid Su			otion is pr	iced as
ZOP3-ITWM030N	605	635	796	957	an upcharg				
ZOP3-ITWF023P	483	508	632	756	Please add a				
ZOP3-ITWF030P	605	635	796	957	number and				
ZOP3-ITWM023P	483	508	632	756	Zola Solid S	Surfac	e tab	les have	a 1/2"
ZOP3-ITWM030P	605	635	796	957	thickness or	n top	of the	e existing	table,
ZOP3-ICTWF0	607	637	801	961	with a 1 mm	overh	ang (soft radiu	s verti-
ZOP3-ICTWM0	607	637	801	961	cal edge). Pl options.	ease s	ee pa	age 336 fo	or color
PRODUCT CODE K									
Line	Series	Chair Type		Height		Pos	tion		
ZOP	3	ICTW		F0		L			
Zola	Lounge	Inline Corner Table V	Vall	Full Height		Le	eft		
				MO		F	R		
				Mid Height		Rig	nht		
				wiid i leigi it		Πţ	JIIL		
			HIGH	CHERRY					
		THERMOFUSED	PRESSURI						
DESCRIPTION/MO	ODEL	LAMINATE	LAMINATE	BEECH	W	D	Н	WEIGH1	CUBE
	Run-off Table for 48" Inline Wa								
	ZOL4-RO48-302416	904	1279	1389	30	24	16	25	3.75
	ZOL4-RO48-372416	954	1380	1455	37	24	16	30	4.5
	ZOL4-RO48-532416	1066	1615	1603	53	24	16	40.5	5.75
U	ZOL4-RO48-762416	1231	1953	1818	76	24	16	56	7.5
	Run-off Table for 54" Inline Wa	ıll 957	1252	1459	20	20	16	25	4.05
	ZOL4-RO54-303016 ZOL4-RO54-373016	1018	1379	1540	30 37	30 30	16 16	35 41	4.25 5.25
T	ZOL4-RO54-573016 ZOL4-RO54-533016	1163	1671	1728	57 53	30	16	41 54	5.25 6.75
U	ZOL4-RO54-533016 ZOL4-RO54-763016	1370	2092	1995	76	30	16	54 74	8.75
	20211100+100010	1070	2002	.000	70	00	10	, -	0.70

ZOLA | COLLECTION COMPONENTS

DESCRIPTION/MO	DDEL	PRICE	WEIGHT	CUBE
	Wood Tablet & Mounting Plate Only ZOL3 RT1 Beech Maple /Cherry	381 405	5 5	0.32 0.32
	Painted Tablet & Mounting Plate Only ZOL3 RT2 n/a	278	5	0.32
	Clear Glass Tablet & Mounting Plate Only ZOL3 RT3 n/a	651	6	0.32
	Laminate Tablet & Mounting Plate Only ZOL3 RT4 n/a	397	5	0.32
	Solid Surface Tablet & Mounting Plate Or ZOL3 RT5 Grade - A-White Grade - A-Color Grade - B Grade - C	nly 539 547 577 624		
	ORDERING NOTES: The Zola replacem	nent tablets on this page include the top with mountin	ng plate only.	
	Leg ZOL3 RLS	58	1	0.125
7	Caster Leg ZOL3 RLC	39	0.4	0.125
	Dual leg ZOL3 RDL	100	1	0.125
	Leg Glide (4) ZOL3 RLG	24	0.2	0.01
000	Replacement Seat-to-Seat Bracket ZOL3 RLKB2	95	1	0.125
		each seat is automatically supplied with two seat to se		020
	Replacement Table-to-Seat Bracket ZOL3 RLKB1	114	3	0.125
	ZOL3-POWERDOC1 - Undermount	570	3	0.375
D ^{est} D ^{est} G		Seats and Tables as a replacement part or installed on u Power and 2 USB A & C outlets. PowerDoc's have a 10		ously spec-
	ZOL3-POWERDOC2	647	3	0.375
of of B		es or Square/Rectangular tables which were originally B A & C outlets. PowerDoc's have a 10' cord.	ordered with	this power
	Wire Manager Shroud ZOL3 WM10	120	1	0.375
	ORDERING NOTES: Comes in a 10' len	gth when ordered. Can be cut to size on site.		

ZOLA PRIVACY | COMPONENTS


DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 67	2	0.32
(I)	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 58	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 74	2	0.32
	Back-to-Seat Linking hardware ZOP3-RLKS 169	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 187	4	0.32
0.00 8	ZOP3-POWERDOC3 - Shelves only 661 Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and 2 USB A & C outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3 WM 187	1	0.375

FAERON LOUNGE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 12.67%

POST-CONSUMER RECYCLED CONTENT =9.40%

Up to 18.93% of this Faeron product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FAERON LOUNGE | DIMENSIONS & COM

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Entire Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Only
One-Seat -	wood arm												
lounge	27	28.5	31.5	17.8	24	23	21	55	20	4.2	1.3	1.7	1.2
high back	27	28.5	41.5	17.8	24	23	21	59	24	4.8	1.3	2.3	1.2
One-Seat -	armless												
lounge	23	28.5	31.5	17.8	-	-	21	52	20	3	1.3	1.7	-
nigh back	23	28.5	41.5	17.8	_	-	21	55	24	3.6	1.3	2.3	_
	upholstere												
ounge	28	28.5	31.5	17.8	24	23	21	75	20	5.9	1.3	1.7	2.9
nigh back	28	28.5	41.5	17.8	24	23	21	79	24	6.5	1.3	2.3	2.9
wingback	32	28.5	42.5	17.8	24	23	21	84	27	7.5	1.3	3.3	2.9
	vide - wood		01.5	17.0	0.4	20	21	6.4	00	4.4	1.5	4.7	1.0
ounge	34	28.5	31.5	17.8	24	30		64	23	4.4	1.5	1.7	1.2
nigh back	34	28.5	41.5	17.8	24	30	21	68	27	5	1.5	2.3	1.2
	vide - armle						. .						
ounge	30	28.5	31.5	17.8	-	-	21	61	23	3.2	1.5	1.7	-
nigh back	30	28.5	41.5	17.8	-	-	21	65	27	3.8	1.5	2.3	-
	vide - upho												
lounge	35	28.5	31.5	17.8	24	30	21	84	23	6.1	1.5	1.7	2.9
high back	35	28.5	41.5	17.8	24	30	21	88	27	6.7	1.5	2.3	2.9
wingback	39	28.5	42.5	17.8	24	30	21	93	30	7.5	1.3	3.3	2.9
Two-seat -	wood arm												
lounge	50	28.5	31.5	17.8	24	46	21	88	36	5.5	1.7	2.6	1.2
high back	50	28.5	41.5	17.8	24	46	21	95	43	6.4	1.7	3.5	1.2
Two-seat -		_5.0				.0		55	.5	J. 1		0.0	
ounge	46	28.5	31.5	17.8	_	_	21	87	36	4.3	1.7	2.6	_
nigh back	46	28.5	41.5	17.8	_	_	21	94	43	5.2	1.7	3.5	_
Two-seat -			71.0	17.0	-	-	41	54	70	٥.٤	1.1	0.0	-
ounge	51	28.5	31.5	17.8	24	46	21	108	36	7.2	1.7	2.6	2.9
high back	51	28.5	41.5	17.8	24	46	21	115	43	8.1	1.7	3.5	2.9
wingback	55	28.5	42.5	17.8	24	46	21	120	43 46	9.1	1.7	4.5	2.9
Miligback	33	20.5	42.5	17.0	24	40	۷۱	120	40	9.1	1.7	4.5	2.9
Three-seat	- wood arr	n											
lounge	73	28.5	31.5	17.8	24	69	21	120	52	7.1	2.5	3.4	1.2
high back	73	28.5	41.5	17.8	24	69	21	130	61	8.4	2.5	4.7	1.2
Three-seat	- armless												
lounge	69	28.5	31.5	17.8	-	-	21	122	52	5.9	2.5	3.4	-
high back	69	28.5	41.5	17.8	-	-	21	132	61	7.2	2.5	4.7	-
Three-seat	- upholste	red arm											
ounge	74	28.5	31.5	17.8	24	69	21	140	52	8.8	2.5	3.4	2.9
high back	74	28.5	41.5	17.8	24	69	21	150	61	10.1	2.5	4.7	2.9
wingback	78	28.5	42.5	17.8	24	69	21	155	64	10.3	1.7	5.7	2.9
-					= •								
Combinations with uphorapholstery is of where ear	ing BACKs on upholsted distery of the s selected, u ch fabric is	ery (more to same grause the high to be app	than one u de or COM hest grade died on the	pholstery <i>I</i> , an upcle upholste product	cover within harge for dual ery selected of in order to o approval prod	fabrics is \$ r contact Cu btain a quo	33 list per istomer S	unit and \$6 ervice for a c	4 list per ur quote -pleas	nit for three false provide the	brics. When fabrics spe	graded in o	combination description
One -Seat - One -Seat - One-Seat W	ght capaciti	lbs	follows:										
One-Seat W Two- Seat - Two- Seat I Three - Sea Three - Sea	Plus- 975 lb t - 850 lbs												
「wo- Seat - 「wo- Seat I 「hree - Sea 「hree - Sea	Plus- 975 lk t - 850 lbs t Plus- 120	00 lbs			\$ L	ist						\$ List	
Two- Seat - Two- Seat I Three - Seat Three - Seat Three - Seat	Plus- 975 lt t - 850 lbs t Plus- 120 ption Upcl	00 lbs harges	per yard)			ist	Solid Su	urface Arm	Cap (per	pair) - Gr A	White	\$ List 384	
Two- Seat - Two- Seat I Three - Sea	Plus- 975 lt t - 850 lbs t Plus- 120 ption Upcl	00 lbs harges Barrier (p	,		-	64			1 (1	pair) - Gr A '			

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Solid Surface Arm Cap (per pair) - Gr A White	384
One-Seat Removable Back Covers	152	Solid Surface Arm Cap (per pair) - Gr A Color	397
One-Seat Wide Removable Back Covers	228	Solid Surface Arm Cap (per pair) - Gr B	422
Two-Seat Removable Back Covers	302	Solid Surface Arm Cap (per pair) - Gr C	435
Three-Seat Removable Back Covers	453	Solid Surface Arm (per pair) - Gr A White	677
One-Seat Removable Seat Covers	152	Solid Surface Arm (per pair) - Gr A Color	708
One-Seat Wide Removable Seat Covers	228	Solid Surface Arm (per pair) - Gr B	768
Two-Seat Removable Seat Covers	302	Solid Surface Arm (per pair) - Gr C	810
Three-Seat Removable Seat Covers	453	Urethane Arm Cap (per pair)	152
		Upholstered Lounge Wood Arm Cap (per pair)	193

FAERON WOOD | LOUNGE FEATURES & OPTIONS



WOOD ARM

Faeron Wood Arm Lounge chairs are available with optional Arm Caps in Urethane and Solid Surface. As well as a Solid Surface Arm.



OPTIONS URETHANE ARM CAP

The optional Urethane Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



ARMLESS

Faeron Armless Lounge seating can be specified with a full wood base providing an enhanced base profile.



WOOD ARM CAP

The optional Solid Beech Arm Cap is available on Upholstered Arm and Wingback Lounge. This is field replaceable if this becomes damaged or degraded.



UPHOLSTERED ARM

Faeron Upholstered arm lounge chairs are available with optional arm caps in Wood, Solid Surface and Urethane (Wingback lounge is not available with Urethane cap).



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



ARM PANEL

Arm Panels are available on Faeron Wood Arm Lounge seating in semi and fully closed styles for optimum design flexibility.



SOLID SURFACE ARM

The optional Solid Surface Arm is available on Wood Arm Lounge and provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



BEECH WOOD LEGS

Faeron Lounge legs and bases are solid Beech available in 22 finish selections.



COMBINATION UPHOLSTERY

When combination upholstery (more than one upholstery cover within the same unit) is specified with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded-in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote



METAL LEGS

Faeron Upholstered Arm models are also available with Metal Legs; Silver Metallic or Brushed Nickle finish.



LOUNGE WALL SAVER

Faeron Lounge models include a wall saver feature in which the angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage for Faeron High Back Lounge or Faeron



to both the chair and the wall. Not included Wingback Lounge due to back height.



CLEAN OUT

All Faeron Lounge seating has a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the



comfort or appearance of the product.



California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non- flammable upholstery covers, that may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components thereby conferring sanitary and anti-infection benefits. So when CAL133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per yard.



REMOVABLE AND REPLACEABLE COVERS

Faeron Lounge Chairs are available with a Removable Seat & Back Covers.

FAERON WOOD | ARMLESS LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	ADES 6	7	LEATHER 8	9	_
	One-Seat, Arm FAE3-AL1S	less Lounge, Beech	Standard 2020	Base 2103	2180	2339	2496	2656	2815	2971	3290	
	One-Seat Plus FAE3-ALB1S	Armless Lour Beech	nge, Stand 2096	dard Base 2176	2255	2413	2571	2732	2890	3048	3366	
	One-Seat, Arm FAE3-AL1F	less Lounge, Beech	Full Wood 2186	d Base 2264	2343	2502	2659	2818	2977	3135	3453	THE N
	One-Seat Plus, FAE3-ALB1F	Armless Lou Beech	nge, Full \ 2261	Wood Base 2340	e 2419	2577	2736	2893	3053	3210	3529	H
	One-Seat Wide FAE3-AL1+S	e, Armless Lou Beech	unge, Stai 2283	ndard Base 2391	e 2502	2716	2932	3145	3363	3578	4008	CA
	One-Seat Wide FAE3-ALB1+S		s Lounge 2367	, Standard 2474	Base 2583	2797	3013	3229	3444	3661	4089	R
	One-Seat Wide FAE3-AL1+F	e, Armless Lou Beech	ınge, Full 2493	Wood Bas 2602	se 2712	2926	3140	3356	3573	3787	4217	DIS
	One-Seat Wide FAE3-ALB1+F		s Lounge 2577	Full Wood 2684	d Base 2791	3008	3222	3437	3654	3870	4297	COU
	Two-Seat, Arm	less Lounge, Beech	Standard 2863	Base 2984	3102	3340	3578	3815	4053	4290	4765	Z
	Two-Seat Plus, FAE3-ALB2S	Armless Lou Beech	nge, Stan 2982	dard Base 3099	3217	3455	3692	3931	4169	4405	4882	API
	Two-Seat, Arm	less Lounge, Beech	Full Wood 3159	Base 3278	3397	3634	3872	4110	4348	4586	5061	
	Two-Seat Plus, FAE3-ALB2F	Armless Lou Beech	nge, Full \ 3273	Wood Base 3395	9 3513	3748	3987	4224	4462	4702	5176	EST
	Three-Seat, Arr	•										C
	FAE3-AL3S Three-Seat Plus	Beech s. Armless Lo	3796 unae. Sta	3984 andard Bas	4176 se	4557	4937	5317	5696	6078	6837	H
	FAE3-ALB3S	Beech	3988	4180	4370	4750	5131	5510	5891	6271	7031	SE
	Three-Seat, Arr FAE3-AL3F	nless Lounge Beech	4184	4373	4564	4945	5324	5705	6083	6465	7227	P
	Three-Seat Plu FAE3-ALB3F	s, Armless Lo Beech	unge, Ful 4378	l Wood Ba 4567	se 4758	5139	5519	5898	6280	6660	7420	RODU
PRODUCT CODE KEY												C
Line	Series	Chair Typ	е		Size	D 4		В	Base			S
FAE Faeron L	3-A ounge Seating	Lounge		One-Sea	t	B1 One-Sea	_ t Plus	Stand	S ard Base			
		H High Back	ζ.	1+ One-Seat W	/ide O	B1+	Wide Plus	Full Wo	F ood Base			

Lounge

B2

Two-Seat Plus

В3

Three-Seat Plus

2 Two-Seat

3

Three-Seat

HEALTHCARE DISCOUNT APPLIES TO THESE PRODUCTS

FAERON WOOD | ARMLESS HIGH BACK LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRAI 5	DES 6	7	LEATHER 8	9
A	One-Seat, Arm FAE3-AH1S	less High back Beech	Lounge, 2271	Standard 2368	Base 2464	2658	2852	3045	3239	3432	3819
	One-Seat Plus, FAE3-AHB1S	Armless High Beech	back Lou 2346	unge, Stan 2444	dard Base 2541	2735	2928	3120	3315	3509	3895
	One-Seat, Arm FAE3-AH1F	less High back Beech	Lounge, 2434	Full Wood 2531	Base 2629	2822	3014	3209	3403	3596	3983
	One-Seat Plus, FAE3-AHB1F	Armless High Beech	back Lou 2510	unge, Full \ 2608	Nood Base 2703	e 2898	3091	3286	3478	3671	4060
	One-Seat Wide FAE3-AH1+S	, Armless High Beech	back Lo 2552	unge, Star 2678	ndard Base 2803	e 3054	3304	3555	3806	4057	4558
	One-Seat Wide FAE3-AHB1+S		High bad 2635	ck Lounge 2761	, Standard 2884	Base 3135	3385	3636	3888	4139	4639
	One-Seat Wide FAE3-AH1+F	, Armless High Beech	back Lo 2762	unge, Full 2886	Wood Bas 3012	se 3264	3514	3765	4015	4266	4767
	One-Seat Wide FAE3-AHB1+F		High bad 2845	ck Lounge 2969	, Full Wood 3095	d Base 3344	3595	3846	4097	4348	4847
	Two-Seat, Arm	ess High back Beech	Lounge, 3052	Standard 3187	Base 3323	3596	3870	4142	4416	4686	5233
	Two-Seat Plus, FAE3-AHB2S	Armless High Beech	back Lou 3165	inge, Stand 3303	dard Base 3439	3712	3984	4259	4531	4802	5347
	Two-Seat, Armi FAE3-AH2F	ess High back Beech	Lounge, 3345	Full Wood 3483	Base 3619	3892	4164	4437	4709	4981	5528
	Two-Seat Plus, FAE3-AHB2F	Armless High Beech	back Lou 3461	ınge, Full \ 3598	Nood Base 3735	e 4007	4281	4554	4826	5097	5642
	Three-Seat, Arr FAE3-AH3S	nless High bac Beech	ck Lounge 4055	e, Standard 4281	d Base 4505	4956	5407	5857	6308	6759	7659
	Three-Seat Plu FAE3-AHB3S	s, Armless Hig Beech	h back Lo 4248	ounge, Sta 4474	ndard Bas 4698	se 5150	5602	6052	6501	6954	7855
	Three-Seat, Arr FAE3-AH3F	nless High bad Beech	k Lounge 4443	e, Full Woo 4667	od Base 4893	5344	5794	6245	6696	7147	8046
	Three-Seat Plu FAE3-AHB3F	s, Armless Hig Beech	h back Lo 4637	ounge, Full 4862	Wood Ba 5087	se 5538	5990	6439	6889	7340	8240
PRODUCT CODE KEY											
Line	Series	Chair Type			Size			Bas			
FAE Faeron	3-A Armless	L L Lounge		1 One-Seat	One	B1 e-Seat F	Plus	Standar	d Base		
	ounge Seating	Н		1+	3.10	B1+		_	F		
		High Back	O	ne-Seat Wic	le One-		l ide Plus	Full Woo	d Base		
		Lounge		2	T :	B2)				
				Two-Seat	IWC	o-Seat F B3	rius				
				Three-Seat	Thre	e-Seat	Plus				

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	ADES 6	7	LEATHER 8	9
	One-Seat, Wood FAE3-WL1ONC	•	e, Open <i>F</i>		2204	0451	0610	0760	2027	2004	2402
	One-Seat Plus, V FAE3-WL1BONC	Vood Arm Lo		2214 pen Arm 2291	2368	24512527	2610 2685	2768 2845	2927 3003	3084 3161	3403
	One-Seat Wood FAE3-WL1SNC	Arm Lounge, Beech	, Semi C 2724	losed Arm 2844	2959	3193	3429	3663	3896	4131	4600
	One-Seat Plus W FAE3-WL1BSNC		unge, Se 2802	mi Closed 2919	Arm 3036	3269	3505	3739	3974	4207	4677
	One-Seat Wood FAE3-WL1CNC	Beech	2746	2864	2983	3216	3452	3685	3919	4154	4623
	One-Seat Plus W FAE3-WL1BCNC		unge, Clo 2823	2940	3057	3292	3528	3761	3995	4230	4698
	One-Seat Wood FAE3-WH1ONC	Beech	2385	2481	2579	2772	2965	3160	3353	3546	3934
	One-Seat Plus W FAE3-WH1BONG		gh Back 2461	Lounge, O 2557	pen Arm 2655	2848	3040	3236	3429	3622	4009
	One-Seat Wood FAE3-WH1SNC	Arm High Ba Beech	ick Loun	ge, Semi C 3111	Closed Arm 3244	3514	3785	4053	4322	4592	5132
	One-Seat Plus W FAE3-WH1BSNC		gh Back I 3052	Lounge, So 3186	emi Closed 3320	d Arm 3589	3859	4129	4398	4668	5209
	One-Seat Wood FAE3-WH1CNC	Arm High Ba Beech	ick Loun	ge, Closed 3133	Arm 3266	3536	3806	4074	4345	4615	5154
	One-Seat Plus W FAE3-WH1BCN0		gh Back I 3073	Lounge, C 3208	osed Arm 3342	3610	3881	4152	4421	4691	5231
ORDERING NOTES: replace "NC" in the n										id Surface A	Arm (SA),
Line	Series	Chair Type			Size		Δrr	n Style	Arm	Can	<u> </u>
FAE Faeron	3-W Wood Arm bunge Seating	Lounge		1 One-Seat		B1 ne-Seat Plus		O en Arm	No C	 C	

PRODUCT CODE KEY

Line	Series	Chair Type	Siz	:e	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			2 Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3	B3		SA

Three-Seat

Three-Seat

Solid Surface Arm

DESCRIPTION/MODE	L	Species	COM 1	2	COL 3	4	FABRIC GRA	DES 6	7	LEATHER 8	9
	One-Seat Wide W FAE3-WL1+ONC	ood Arm Lou Beech	unge, Ope 2345	en Wood <i>A</i> 2452	Arm 2560	2774	2991	3207	3423	3638	4067
	One-Seat Wide Pl FAE3-WLB1+ONC		n Lounge, 2427	, Open Ari 2533	m 2640	2858	3073	3289	3505	3718	4152
	One-Seat Wide W FAE3-WL1+SNC	ood Arm Lou Beech	unge, Sem 2935	ni Closed . 3081	Arm 3224	3517	3810	4102	4393	4684	5267
	One-Seat Wide Pl FAE3-WLB1+SNC		n Lounge, 3015	, Semi Clo 3162	osed Arm 3308	3599	3892	4183	4474	4765	5347
	One-Seat Wide W FAE3-WL1+CNC	ood Arm Lou Beech	unge, Clos 2957	sed Arm 3103	3247	3539	3830	4124	4415	4707	5288
	One-Seat Wide Pl FAE3-WLB1+CNC		n Lounge, 3038	, Closed <i>A</i> 3185	Arm 3330	3621	3914	4205	4498	4788	5369
	One-Seat Wide W FAE3-WH1+ONC	ood Arm Hig Beech	h Back Lo 2612	ounge, Op 2739	pen Arm 2863	3114	3364	3614	3866	4116	4617
	One-Seat Wide Pl FAE3-WHB1+ONG		n High Ba 2694	ick Loung 2819	e, Open A 2944	rm 3194	3446	3697	3949	4197	4698
	One-Seat Wide, W FAE3-WH1+SNC	ood Arm Hig Beech	gh Back L 3203	ounge, Se 3366	emi Closed 3530	d Arm 3855	4183	4509	4837	5162	5814
	One-Seat Wide Pl FAE3-WHB1+SNC		n High Ba 3285	ick Loung 3448	e, Semi Cl 3609	osed Arn 3936	n 4264	4590	4918	5243	5897
	One-Seat Wide W FAE3-WH1+CNC	ood Arm Hig Beech	h Back Lo 3223	ounge, Clo 3386	osed Arm 3552	3877	4205	4531	4859	5185	5838
	One-Seat Wide Pl FAE3-WHB1+CNC		n High Ba 3305	ick Loung 3470	e, Closed 3633	Arm 3959	4287	4613	4942	5267	5919

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254.

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

DESCRIPTION/MODI	= 1	Species	COM 1	2	COL 3	F 4	ABRIC GR	ADES	7	LEATHE 8	R 9
DESCRIT HON/WODI			· ·					- 0	'	- 0	
	Two-Seat Wood FAE3-WL2ONC	Arm Lounge Beech	e, Open A 2955	rm 3073	3190	3430	3666	3906	4142	4379	4856
	Two-Seat Plus W FAE3-WLB2ONC		ounge, Op 3042	en Arm 3161	3280	3517	3757	3994	4231	4469	4945
	Two-Seat Wood FAE3-WL2SNC	Arm Lounge Beech	e, Semi Cl 3543	osed Arm 3701	3858	4171	4485	4798	5112	5425	6054
	Two-Seat Plus W FAE3-WLB2SNC		ounge, Se 3633	mi Closed 3789	d Arm 3948	4261	4573	4888	5201	5516	6141
	Two Cost Wood	A 1		Δ							
	Two-Seat Wood FAE3-WL2CNC	Beech	3565	3723	3880	4193	4507	4819	5135	5449	6077
	Two-Seat Plus W FAE3-WLB2CNC	lood Arm Lo Beech	ounge, Clo 3655	osed Arm 3812	3969	4284	4595	4911	5221	5537	6164
	T O. al Ma a d	A I I'- I- D									
	Two-Seat Wood FAE3-WH2ONC	•		•							
	TALO WIIZONO	DCCCII	3140	3277	3412	3686	3959	4233	4505	4778	5323
	Two-Seat Plus W		gh back l	₋ounge, O	pen arm						
	FAE3-WHB2ON(C Beech	3231	3367	3501	3773	4047	4319	4592	4866	5412
	Two-Seat Wood	Δrm High R	ack Loun	na Sami (Closed Arn	n					
	FAE3-WH2SNC		3731	3906	4080	4427	4778	5127	5474	5824	6521
	Two-Seat Plus W	ood Arm Hi	gh Back I	_ounge, S	emi Close	d Arm					
	FAE3-WHB2SNC	Beech	3819	3994	4169	4517	4866	5215	5562	5913	6610
	Two Soot Mood	Arm Lliah D	ack Lours	no Cloos	d Arm						
	Two-Seat Wood FAE3-WH2CNC		3753	3929	4102	4452	4799	5149	5497	5846	6543
	Two-Seat Plus W	ood Arm Hi	gh Back I	_ounge, C	losed Arm						
	FAE3-WHB2CN0	2 Beech	3843	4015	4190	4539	4888	5236	5586	5935	6632

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA) replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254.

PRODUCT CODE KEY

00001 000	LKLI					
Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	S Semi Closed Arm	UC Urethane Cap
			2 Two-Seat	B2 Two-Seat Plus	Closed Arm	SC Solid Surface Cap
			3	B3		SA

Three-Seat

Three-Seat Plus Solid Surface Arm

				COM	_	COL		ABRIC_GR		_	LEATHER	
DES	CRIPTION/MODEL	-	Species	1	2	3	4	5	6	7	8	9
	F	Three-Seat Wood FAE3-WL3ONC	Beech	3797	3985	4177	4558	4939	5318	5698	6079	6839
SI		Fhree-Seat Plus V FAE3-WLB3ONC		Lounge, O 3953	pen Arm 4142	4334	4712	5093	5472	5853	6233	6995
PRODUCTS		FAE3-WL3SNC	l Arm Loun Beech	ge, Semi C 4389	Closed Arm 4615	4843	5300	5757	6212	6668	7125	8038
PRO	71L I	Fhree-Seat Plus N FAE3-WLB3SNC		Lounge, Se 4542	emi Closed 4771	d Arm 4998	5454	5912	6366	6822	7281	8193
ESE —		Fhree-Seat Wood FAE3-WL3CNC		ge, Closed 4410	Arm 4637	4866	5322	5780	6235	6690	7148	8059
THE		Fhree-Seat Plus V FAE3-WLB3CNC		Lounge, Cl 4564	osed Arm 4793	5021	5477	5933	6389	6846	7302	8213
SI TO		Three-Seat Wood FAE3-WH3ONC		Back Lour 4057	nge, Open 4282	Arm 4506	4957	5408	5859	6310	6760	7660
APPLIE		Three-Seat Plus N FAE3-WHB3ONC		High Back 4212	Lounge, C 4436	pen Arm 4663	5111	5561	6014	6464	6914	7816
T.	F	Three-Seat Wood FAE3-WH3SNC	Beech	4645	4908	5171	5698	6227	6753	7281	7807	8859
DISCOUNT	N	Three-Seat Plus V FAE3-WHB3SNC		High Back 4801	Lounge, S 5064	emi Clos 5328	ed Arm 5854	6381	6909	7435	7961	9014
		Three-Seat Wood FAE3-WH3CNC	•	Back Lour 4667	nge, Closed 4930	d Arm 5194	5721	6247	6775	7302	7829	8881
A P		Three-Seat Plus \ FAE3-WHB3CNC		High Back 4822	Lounge, C 5086	Closed Arı 5349	m 5876	6403	6930	7457	7984	9037
ORD repla	DERING NOTES: Face "NC" in the mod										Surface A	rm (SA),
PROI	DUCT CODE KEY											
4 _	Line	Series	Chair Typ	ре		Size		Ar	m Style	Arm C	Зар	
PROI		3-W Vood Arm Inge Seating	L Lounge		1 One-Seat	(B1 One-Seat Plus	Op	O pen Arm	No C		

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	S Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

FAERON UPHOLSTERED | LOUNGE

		COM		COL	FAB	RIC GRA	DES		LEATHER	ł
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
_	One-Seat Upholstered Arn	n Lounae.	No Arm C	ap. Beec	h Wood le	a				
	FAE3-UL1NCW	2899	3070	3241	3583	3927	4267	4611	4952	5636
	One Seet Plus I Inhelatore	d Arm Lau	ngo No o	rm oon l	Mood log					
	One-Seat Plus Upholstered FAE3-ULB1NCW	2973	3145	3316	3661	4003	4343	4686	5030	5713
ш	., 0 0	2913	3143	3310	3001	4003	4343	4000	3030	3713
	One-Seat Wide Upholstere	ed Arm Lo	unae. No a	arm cap.	Wood lea					
	FAE3-UL1+NCW	3109	3308	3509	3908	4308	4707	5107	5504	6304
	One Cost Wide Dive Hele	lataa.l A		NIs sum	\\/					1
	One-Seat Wide Plus Upho FAE3-ULB1+NCW	3190	n Lounge, 3390	3589	3988	4391	4788	5188	5587	6386
U	TALO OLDITION	3190	3390	3589	3988	4391	4788	5188	5587	6386
	Two-seat Upholstered Arm	l ounge l	No arm ca	n Wood	lea					
	FAE3-UL2NCW	3718	3930	4140	4561	4983	5406	5825	6246	7091
		07.10	0000	1110	1001	1000	0.00	0020	02 10	7001
	T . D									
	Two-seat Plus Upholstered FAE3-ULB2NCW		0 /	1 /	0	5074	E 40 4	5045	0005	7470
V	TALO OLDZINOW	3809	4019	4230	4649	5071	5494	5915	6335	7179
										1
	Three-seat Upholstered Ar	m Lounge	No arm	can Woo	d lea					
	FAE3-UL3NCW	4561	4843	5125	5691	6254	6818	7382	7945	9074
		1001	10.10	0.20	5001	320 1	00.0	1002		00. 1
	There are Discussion		N		14 / 1 1					
	Three-seat Plus Upholstere FAE3-ULB3NCW		-		-		0070	7507	0400	0000
	TALO OLDONOV	4718	4998	5281	5844	6409	6972	7537	8100	9229

ORDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm Caps (WC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on on page 254. To specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel.

Line	Series	Chair Type	Siz	:e	Arm Cap	Leg Type	
FAE	3-U	L	1	B1	NC	W	
Faeron	Upholstered Arm Lounge Seating	Lounge	One-Seat	One-Seat Plus	No Cap	Beech Wood Leg	
		Н	1+	B1+	UC	S	
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Urethane Cap	Silver Metallic Leg	
			2	B2	SC	N	
			Two-Seat	Two-Seat Plus	Solid Surface Cap	Brushed Nickel Leg	
			3	B3	WC		
			Three-Seat	Three-Seat	Wood Arm Cap		

FAERON UPHOLSTERED | HIGH BACK LOUNGE

			COM		COL	FAB	RIC GRAI	DES		LEATHER	3
	DESCRIPTION/MODEL	<u>_</u>	1	2	3	4	5	6	7	8	9
		One-Seat Upholstered Arm Hi	igh Back L	ounge, N	o Arm Ca	p, Wood I	eg				
		FAE3-UH1NCW	3147	3339	3528	3904	4282	4659	5035	5413	6167
7		One-Seat Plus, Upholstered A	•		•		lood leg				
		FAE3-UHB1NCW	3223	3412	3603	3980	4357	4735	5112	5490	6244
)											
5											
1		One-Seat Wide, Upholstered	Arm High I	Back Lou	nge, No A	rm Cap, V	Vood leg				
		FAE3-UH1+NCW	3378	3594	3812	4245	4680	5113	5549	5985	6852
		One-Seat Wide Plus, Upholsto	ered Arm H	High Back	Lounge,	No Arm C	ap, Wood	leg			
j		FAE3-UHB1+NCW	3458	3678	3893	4327	4763	5196	5632	6064	6935
,	Ψ										
		Two-seat, Upholstered Arm H	igh Back L	ounae. N	o Arm Ca	p. Wood I	ea				
		FAE3-UH2NCW	3906	4133	4362	4817	5275	5733	6187	6646	7557
		Two-seat Plus, Upholstered A	rm High B	ack Loun	ge, No Arı	n Cap, W	ood leg				
מ		FAE3-UHB2NCW	3994	4222	4452	4906	5364	5821	6277	6734	7647
Ú											
Ī											
		Three-seat, Upholstered Arm	High Back	Lounge	No Arm C	an Wood	l lea				
Ļ		FAE3-UH3NCW	4819	5138	5454	6088	6723	7358	7992	8627	9894
		Three-seat Plus, Upholstered	Arm High	Back Lou	nge. No A	rm Cap. \	Nood lea				
Z		FAE3-UHB3NCW	4974	5292	5611	6244	6879	7512	8148	8783	10050
	WI										

ODUCT COI	DE KEY					
Line	Series	Chair Type	Siz	e	Arm Style	Leg Type
FAE	3-U	L	1	B1	NC	W
Faeron	Upholstered Arm Lounge Seating	Lounge	One-Seat	One-Seat Plus	No Cap	Beech Wood Leg
		Н	1+	B1+	UC	S
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Urethane Cap	Silver Metallic
			2	B2	SC	N

		COM		COL	FA	BRIC GRA	DES		LEATHE	R		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9		
	One-Seat Upholstered Ar	m Wingba	ack, No Ar	rm Cap, W	lood leg							
	FAE3-UW1NCW	3589	3780	3966	4345	4721	5098	5477	5854	6608		
	One-Seat Plus Upholstere	ed Arm W	ingback, I	No Arm C	ap, Wood	leg						
	FAE3-UWB1NCW	3665	3854	4042	4421	4796	5174	5553	5931	6685		
Ш												
	One-Seat Wide Upholster	red Arm V	/ingback,	No Arm C	Cap, Wood	d leg						
	FAE3-UW1+NCW	3817	4036	4251	4685	5121	5556	5990	6422	7293		
	One-Seat Wide Plus Upholstered Arm Wingback, No Arm Cap, Wood leg											
	FAE3-UWB1+NCW	3898	4116	4335	4768	5203	5636	6072	6506	7374		
Ų												
	Two-seat Upholstered Arr	n Wingba	ck, No Ar	m Cap, W	ood leg							
	FAE3-UW2NCW	4345	4573	4802	5259	5716	6171	6629	7085	7998		
	Two-seat Plus Upholstere	ed Arm Wi	ngback, N	No Arm Ca	ap, Wood	leg						
	FAE3-UWB2NCW	4435	4663	4890	5346	5806	6262	6716	7174	8088		
	Three-seat Upholstered A	ırm Winat	ack. No A	Arm Cap.	Wood lea							
	FAE3-UW3NCW	5260	5579	5895	6529	7163	7799	8433	9067	10336		
	Three-seat Plus Upholste	red Arm V	Vingback,	No Arm (Cap, Woo	d leg						
	FAE3-UWB3NCW	5416	5734	6050	6685	7318	7953	8589	9222	10490		
- W												

ORDERING NOTES: Faeron upholstered chairs can be specified with Solid Surface Arm Caps (SC), or Wood Arm Caps (WC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254. To specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel.


Line	Series	Chair Type	Siz	e.	Arm Cap	Leg Type
FAE Faeron	3-U Upholstered Arm Lounge Seating	Wingback	1 One-Seat	B1 One-Seat Plus	NC No Cap	W Beech Wood Leg
			1+ One-Seat Wide	B1+ One-Seat Wide Plus	WC Wood Arm Cap	Silver Metallic
			2 Two-Seat	B2 Two-Seat Plus	SC Solid Surface Cap	N Brushed Nickel
			3	B3		
			Three-Seat	Three-Seat Plus		

SUTTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS







PRE-CONSUMER
RECYCLED CONTENT = 8.09%

POST-CONSUMER RECYCLED CONTENT = 15.29%

Up to 23.38% of Sutton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Sutton products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SUTTON

			COM		COL	FAB	RIC GRAD	DES	1	LEATHER	
DESCRIPTION/M	IODEL/FINISH	IES	1	2	3	4	5	6	7	8	9
	ONE-SEAT SUT3-1-0-1	Cherry, Oak, Maple, Walnut, Anigre	2230	2432	2669	3028	3249	3497	3793	4529	5436
	SUT3-1-0-2	Trainat, 7 tingro	2443	2678	2938	3369	3614	3885	4219	5034	5975
8	SUT3-1-1-1	Cherry, Oak, Maple, Walnut, Anigre	2373	2602	2852	3270	3509	3772	4095	4888	5799
	SUT3-1-1-2	, 0	2824	3053	3271	3497	3721	3952	4170	4441	5349
	TWO-SEAT SUT3-2-0-1	Cherry, Oak, Maple,	2984	3162	3352	3581	3851	4116	4904	5566	6728
	SUT3-2-0-2	Walnut, Anigre	3316	3519	3727	3987	4281	4581	5142	6191	7386
• 1	SUT3-2-1-1	Cherry, Oak, Maple,	3221	3415	3618	3871	4156	4446	4990	6012	7171
	SUT3-2-1-2	Walnut, Anigre Cherry, Oak, Maple, Walnut, Anigre	3668	3899	4134	4421	4709	4992	5280	5647	6802
	THREE-SEA	Т									
	SUT3-3-0-1	Cherry, Oak, Maple, Walnut, Anigre	4045	4278	4529	4772	5012	5264	5536	6707	8325
	SUT3-3-0-2	, .	4505	4758	5034	5307	5581	5856	6155	7460	9129
	SUT3-3-1-1	Cherry, Oak, Maple, Walnut, Anigre	4372	4620	4888	5152	5416	5685	5975	7243	8860
	SUT3-3-1-2	Cherry, Oak, Maple, Walnut, Anigre	4795	5166	5545	6006	6471	6936	7403	7935	9557

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SUT3101	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3102	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3111	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3112	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3201	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3202	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3211	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3212	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3301	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3302	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3311	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5
SUT3312	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5

PRODU Line	CT CODE KEY Series	Seat Count	Arm/Back Style	Base Style
SUT	3	1	0	1
Sutton	Soft Seating	One-Seat	Fully Upholstered Surround	Wood Base & Legs
		2	1	2
		Two-Seat	Wood Surround	Metal Base & Leas

3 Three-Seat

STANDARD FINISHES

Oak finishes on wood surround versions are applied on Rift Oak. For a complete list of standard wood finishes please see page 14.

METAL BASE OPTION

Metal base is available in Silver Metallic only. Note: Rift Oak surround can only be specified with a Silver Metallic base.

REMOVABLE UPHOLSTERED SEAT COVERS

Sutton Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$159 list per one-seater chair, \$318 list per two-seater chair and \$477 list per three-seater chair.


MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of **\$64 list** per vard.

CARLYLE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 3.96%

POST-CONSUMER RECYCLED CONTENT = 14.38%

Up to 37.5% of Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

	001111111111111111111111111111111111111	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CARLYLE | LOUNGE

			COM	COM COL FABRIC GRADES			ADES	LEATHER			
DESCRIPTION/MO	DEL/FINISHES		1	2	3	4	5	6	7	8	9
	ONE-SEAT CAR311	Cherry, Maple, Walnut, Anigre	3519	3633	3742	3962	4183	4406	4631	5035	5729
	CAR312	Silver Metallic	3519	3633	3742	3962	4183	4406	4631	5035	5729
	TWO-SEAT										
	CAR321	Cherry, Maple, Walnut, Anigre	4752	4919	5083	5363	5640	5918	6192	6795	7915
	CAR322	Silver Metallic	4752	4919	5083	5363	5640	5918	6192	6795	7915
	THREE-SEAT	Charny Manla	6406	6611	6814	7184	7556	7924	8296	9037	10424
	CAR331	Cherry, Maple, Walnut, Anigre	0400	0011	0014	7 104	7556	1924	0290	9037	10424
	CAR332	Silver Metallic	6406	6611	6814	7184	7556	7924	8296	9037	10424

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR311	33	30	32	17.5	26	20	22	60	24	4.5
CAR312	33	30	32	17.5	26	20	22	60	24	4.5
CAR321	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR322	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR331	84	30	32	17.5	26	70.5	22	135	62	9.0
CAR332	84	30	32	17.5	26	70.5	22	135	62	9.0

ORDERING NOTES


Carlyle Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$159 list per one-seater chair, \$318 list per two-seater chair and \$477 list per three-seater chair.

PRODUCT COL	DE KEY Series	Seat Count	Base Style	STANDARD FINISHES For a complete list of standard wood finishes please see page 335.
CAR	3	1	1	
Carlyle	Soft Seating	One-Seat 2 Two-Seat	Wood Base & Legs 2 Metal Base & Legs	CARLYLE LOUNGE Carlyle is available in both wood base and Silver Metallic base versions. MOISTURE BARRIER & CAL 133 Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per yard.
		Three-Seat		

BRIO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 7.09%

POST-CONSUMER RECYCLED CONTENT = 9.43%

Up to 11.34% of Brio product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Brio products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Brio products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Brio and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

			COM		COL		RIC GRAD			EATHER	
DESCRIPTION/MODE	L	FINISHES	1	2	3	4	5	6	7	8	9
	ONE-SEAT 4100-1	Cherry, Maple, Walnut, Anigre	2230	2432	2669	3028	3249	3497	3793	4529	5436
	TWO-SEAT 4100-2	Cherry, Maple, Walnut, Anigre	2984	3162	3352	3581	3851	4116	4904	5566	6728
	THREE-SEA 4100-3	AT Cherry, Maple, Walnut, Anigre	4045	4278	4529	4772	5012	5264	5536	6707	8325

ORDERING NOTES

Brio Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$159 list per one-seater chair, \$318 list per two-seater chair, and \$477 list per three-seater chair.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
4100-1	31.5	31.5	34	18	26	22.5	20.75	97	22	5.9
4100-2	54	31.5	34	18	26	45	20.75	120	41	7.5
4100-3	76	31.5	34	18	26	67.5	20.75	145	55	10.5

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Color name and number

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 335.

BRIO

Brio has fixed seat cushions.


MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per yard.

SLOANE | LEED CI CREDIT SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.94%

POST-CONSUMER RECYCLED CONTENT = 15.22%

Up to 29.22% of Sloane product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION









level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sloane products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

All Sloane products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sloane and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	ABRIC GRA	ADES 6	7	LEATHEF 8	R 9
	ONE-SEAT SLO3-10 SLO3-11	2824 3081	3053 3308	3271 3532	3497 3810	3721 4138	3952 4264	4170 4481	4441 4755	5349 5666
	TWO-SEAT SLO3-20 SLO3-21	3668 4132	3899 4362	4134 4599	4421 4931	4709 5227	4992 5502	5280 5797	5647 6157	6802 7315
	THREE-SEAT SLO3-30	4795	5166	5545	6006	6471	6936	7403	7935	9557
	SLO3-31	5258	5631	6007	6522	6989	7447	7921	8450	10072

DIMENSIONS & COM REQUIREMENTS

			Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SLO3-10	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-11	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-20	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-21	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-30	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5
SLO3-31	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5

ORDERING NOTES

Sloane Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$159 list per one-seater chair, \$318 list per two-seater chair and \$477 list per three-seater chair.

PRODUCT COL	DE KEY Series	Seat Count	Upholstery Style	SLOANE LEG FINISH Legs are available in metal with a Silver Metallic finish only, as shown.
SLO	3	1	0	
Sloane	Soft Seating	One-Seat	Standard	MOISTURE BARRIER & CAL 133
	· ·		Upholstery	Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per
		2	1	yard.
		Two-Seat	Top Stitching	
			& Buttons	
		3		
		Three-Seat		

BENCHES


274 Tate280 Zola290 Carlyle

TATE BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





PRE-CONSUMER RECYCLED CONTENT = 9.09%

POST-CONSUMER RECYCLED CONTENT = 24.26%

Up to 26.97% of this Tate product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





certification program for furniture, certification through third-party verification against the e3 standard. **AIR EMISSIONS**

level® CERTIFICATION

All Tate Bench products are supplied air-emissions certified. Contact customer service for information.

FSC* C021699



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Tate and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Tate Bench products have earned level®, BIFMA's sustainability



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

TATE BENCHES | FEATURES & OPTIONS

STYLE

Tate Bench features three design styles; Fully Upholstered, Gable End and Table End.



Fully Upholstered



Gable End

Tate Bench gable ends are 2" wide x 20" deep x 6" high on standard depth units and 2" wide x 25" deep x 6" high on deep seat units



Table End

Tate Bench table ends are 10" wide \times 20" deep \times 6" high on standard depth units and 10" wide \times 25" deep \times 6" high on deep seat units.



LEGS

Tate Bench legs feature polished chrome structural steel legs with non-marring glides.

REPLACEABLE COMPONENTS

Tate Benches are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Gable ends, table ends and legs are field replaceable.

WEIGHT CAPACITIES

Tate Bench have the following maximum weight ratings: 2 seater - 975 lbs 3 seater - 1,200 lbs

OPTIONS

Removable Covers

Optional Removeable covers can be quickly installed on Tate Bench products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Tate Bench products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall Length	Overall Depth	Overall Height	Seat Length	Shipping Weight	Cube	COM Yardage	
TAT5-2210	43	21	17	43	48	10.7	1.4	
TAT5-2260	43	26	17	43	57	13.2	1.6	
TAT5-3210	65	21	17	65	62	15.7	2.0	
TAT5-3260	65	26	17	65	74	19.4	2.3	
TAT5-2211	47	21	17	43	56	10.7	1.4	
TAT5-2261	47	26	17	43	65	13.2	1.6	
TAT5-3211	69	21	17	65	70	15.7	2.0	
TAT5-3261	69	26	17	65	82	19.4	2.3	
TAT5-2212	63	21	17	43	70	14.3	1.4	
TAT5-2262	63	26	17	43	83	17.7	1.6	
TAT5-3212	84.5	21	17	65	84	19.2	2.0	
TAT5-3262	84.5	26	17	65	100	23.8	2.3	

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

TATE BENCHES | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak

Espresso Oak

MAPLE Clear Maple

Wheat Maple

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut

PALETTE FINISHES

Black White Sand Soft Green Steel Blue Slate

VENEERS

Tate Benches veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Tate can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Tate's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

ENDURAGUARD FINISH

Tate Benches features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

TATE BENCHES | FULLY UPHOLSTERED & GABLE END

			СОМ		COL		RIC GRA			LEATHE	
DESCRIPTION/MODEL		CIES	1	2	3	4	5	6	7	8	9
	Two-seat, 21", full TAT5-2210	y upholstered	992	1042	1088	1152	1228	1294	1370	1463	1558
	Two-seat, 26", full TAT5-2260	y upholstered	1107	1166	1227	1311	1409	1493	1589	1709	1832
	Three-seat, 21", fu TAT5-3210	ully upholstered	1193	1258	1327	1420	1527	1620	1728	1861	1995
	Three-seat, 26", fu TAT5-3260	ully upholstered	1315	1395	1478	1589	1717	1832	1959	2119	2281
	Two-seat, 21", gat TAT5-2211 Map	ole end ole, Oak, Laminate	1495	1538	1585	1645	1717	1780	1854	1941	2030
	Wal	nut, Palette	1572	1620	1667	1734	1809	1875	1951	2043	2136
		ole end ole, Oak, Laminate nut, Palette		1678 1769	1736 1828	1817 1913	1908 2010	1989 2092	2080	2195 2312	2310
	•	able end ole, Oak, Laminate nut, Palette		1746 1837	1809 1905	1898 1998	1999 2106	2089 2198	2192 2307	2319 2441	2447 2576
Tate Bench Option Upo	harges	\$ List							\$	List	
CAL 133 & Moisture Bari Two-seat, 21" - Remova Two-seat, 26" - Remove	ble Seat Covers	64 77 80			at, 21" - R at, 26" - R					97 101	
PRODUCT CODE KEY											
Line	Series	Seat Count		S	eat Depth		Arm S	ityle			
TAT Tate	5 Bench	2 Two-Seat			21"		0 Fully Upho				
		3 Three-Seat			26 26"		1 Gable				
		55 5040					2 Table				

TATE BENCHES | GABLE END & TABLE END

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	LEATHEI 8	R 9
	Three-seat, 2 TAT5-3261	26", gable end Maple, Oak, Laminate	1832	1907	1984	2090	2212	2319	2443	2594	2746
		Walnut, Palette	1926	2007	2087	2198	2327	2441	2569	2734	2892
	Two-seat, 21 TAT5-2212	", table end Maple, Oak, Laminate	2023	2066	2110	2173	2247	2308	2382	2470	2559
		Walnut, Palette	2131	2174	2221	2287	2364	2431	2505	2597	2692
	Two-seat, 26 TAT5-2262	S", table end Maple, Oak, Laminate		2254 2374	2312	2390 2518	2486 2614	2564 2699	2657 2795	2770 2917	2884
		Walnut, Palette	2313	2374	2433	2316	2014	2099	2193	2917	3037
	Three-seat, 2	21", table end Maple, Oak, Laminate	2210	2274	2337	2427	2529	2618	2718	2848	2972
	1713 0212	Walnut, Palette	2324	2391	2460	2554	2660	2756	2861	2996	3132
	Three-seat, 2 TAT5-3262	26", table end Maple, Oak, Laminate	2407	2481	2560	2665	2789	2894	3016	3167	3322
		Walnut, Palette	2532	2612	2694	2805	2934	3047	3175	3339	3497

Tate Bench Option Upcharges	\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	64	Three-seat, 21" - Removable Seat Covers	97	
Two-seat, 21" - Removable Seat Covers	77	Three-seat, 26" - Removable Seat Covers	101	
Two-seat, 26" - Removeable Seat Covers	80			

PRODUCT CODE KEY

Line	Series	Seat Count	Seat Style	Arm Style	
TAT	5	2	21	0	
Tate	Bench	Two-Seat	21"	Fully Upholstered	
		3	26	1	
		Three-Seat	26"	Gable End	
				2	

Table End

TATE BENCHES | REPLACEMENT COMPONENTS

		COM	1	COL	. FA	ABRIC	GRAD	ES I	EATH	ER		
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9	WEIGHT	CUBE
	Two-seat, 21" Replacement Seat TAT5-RS221	766	812	861	928	1002	1065	1141	1237	1331	34	4.5
	Two-seat, 26" Replacement Seat TAT5-RS226	832	883	937	1014	1096	1172	1260	1367	1477	43	5.5
	Three-seat, 21" Replacement Seat TAT5-RS321	961	1031	1096	1193	1298	1393	1440	1634	1769	52	6
	Three-seat, 26" Replacement Seat TAT5-RS326	104	51121	1201	1307	1431	1538	1663	1817	1970	74	7.3
	Two-seat, 21" Replacement Seat Covers TAT5-RSC221		350	397	460	537	602	678	771	868	5 5	1.0
	Two-seat, 26" Replacement Seat Covers TAT5-RSC226		382	434	511	596	670	757	866	973	6	1.2
	Three-seat, 21" Replacement Seat Cover TAT5-RSC321		458	527	620	729	821	929	1063	1198	3 7	1.5
	Three-seat, 26" Replacement Seat Cover TAT5-RSC326		501	580	687	809	916	1042	1197	1349	8	1.7
	Replacement Gable End 21" TAT5-RGE21 Maple, Oak, Laminat Walnut, Palette	e 365 437									4	.30
	Replacement Gable End 26" TAT5-RGE26 Maple, Oak, Laminat Walnut, Palette	e 409 515									5	.50
	Replacement Table End 21" TAT5-RTE21 Maple, Oak, Laminat Walnut, Palette	e 615 752									11	1.1
	Replacement Table End 26" TAT5-RTE26 Maple, Oak, Laminat Walnut, Palette	e 672 815									13	1.3
H	21" Replacement Legs TAT5-RL21	183									7	1.1
U.	26" Replacement Legs TAT5-RL26	199									9	1.5

ZOLA BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION BIFMA's e3 Furniture Su

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-Seat (Plus)	1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes	
One-Seat	23	27	18.5	33	11.5	
Two-seat	46	27	18.5	55	21	
Three-seat	69	27	18.5	72	32	
One-Seat (Plus)	30	27	18.5	45	16	
Two-seat (Plus)	46	27	18.5	57	21	
Three-seat (Plus)	69	27	18.5	75	32	

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-Seat (Plus)	1.85	3.7	5.6	7.4	
Two-seat (Plus)	1.85	3.7	5.6	7.4	
Three-seat (Plus)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Arms (Right or Left)	77	One-Seat standard depth seat	47
Interim Arm	61	Two-seat standard depth seat	68
One-Seat back	68	Three-seat standard depth seat	85
Two-seat back	97	One-Seat plus standard depth seat	61
Three-seat back	121	One-Seat full depth seat	52
One-Seat plus back	78	Two-seat full depth seat	74
		Three-seat full depth seat	85
		One-Seat plus full depth seat	67

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

		COM		COL	FAE	FABRIC GRADES		LEATHER		
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1S1	871	916	963	1053	1139	1227	1314	1398	1535
	One-Seat Plus ZOL3 MSB1S1	1098	1146	1195	1289	1384	1480	1572	1668	1810
- 4	ORDERING NOTES: One-	Seat Plus E	sench is 30	J" wide.						
	Two-Seat ZOL3 MS2S1	1218	1272	1330	1447	1566	1685	1803	1922	2118
	Two-Seat Plus ZOL3 MSB2S1	1297	1359	1422	1540	1662	1778	1897	2017	2214
	ORDERING NOTES: The Two-Seat Plus comes standard with a fifth leg for extra support.									
	Three-Seat ZOL3 MS3S1	1558	1638	1715	1883	2048	2214	2381	2548	2748
	Three-Seat Plus ZOL3 MSB3S1	1852	1928	2010	2148	2294	2434	2579	2718	2946
	ORDERING NOTES: The	Three-Seat	Plus come	es standar	d with a fif	th leg for e	extra supp	ort.		

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1F1	961	1011	1058	1121	1198	1263	1336	1431	1555
	One-Seat Plus ZOL3 MSB1F1	1158	1222	1284	1371	1467	1557	1657	1778	1905
	ORDERING NOTES: One-Seat Plus Bench is 30" wide.									
	Two-Seat ZOL3 MS2F1	1420	1482	1545	1632	1730	1817	1918	2040	2166
	Two-Seat Plus ZOL3 MSB2F1	1474	1536	1597	1685	1781	1870	1968	2238	2218
	ORDERING NOTES: The Two-Seat Plus comes standard with a fifth leg for extra support.									
	Three-Seat ZOL3 MS3F1 Three-Seat Plus ZOL3 MSB3F1	1921 1988	2016 2085	2108 2176	2236 2310	2388 2460	2522 2591	2671 2742	2859 2928	3047 3117

ORDERING NOTES: Zola Bench Seating is available with 4 casters, for an upcharge of \$107 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of \$77 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options.

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	Standard Depth	1 Standard Leg &
2010	con county	oadidi	0.10 0041	otalidala Doptii	Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs &

DIMENSIONS STANDARD DEPTH (INSIDE/OUTSIDE)

	Overall	Overall	Seat	Seat	Shipping	Out has	
	Width	Depth	Height	Depth	Weight	Cubes	
Single seat							
30°	34	24	18.5	22.5	48	18	
45°	39	24.5	18.5	22.5	49	19	
60°	43.5	25	18.5	22.5	50	22	
90°	52	26.5	18.5	22.5	51	26	
Double seat							
30°	55.5	25	18.5	22.5	83	32	
45°	61	26.5	18.5	22.5	84	33	
60°	66.5	28	18.5	22.5	86	39	
90°	74	31	18.5	22.5	96	46	

COM YARDAGES

COM TARDAGES	•				
	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	per Seat	2 Seats	3 Seats	4 Seats	
Single seat					
30°	1.8	3.6	5.4	7.2	
45°	1.8	3.6	5.4	7.2	
60°	1.8	3.6	5.4	7.2	
90°	1.8	3.6	5.4	7.2	
Double seat					
30°	3.4	6.8	10.2	13.6	
45°	3.4	6.8	10.2	13.6	
60°	3.4	6.8	10.2	13.6	
90°	3.4	6.8	10.2	13.6	


SINGLE SEAT








45° Curve



60° Curve




90° Curve


DOUBLE SEAT




30° Curve



45° Curve



60° Curve



UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	126

DIMENSIONS FULL DEPTH (INSIDE/OUTSIDE)

	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
Cincila anat				_ = =			
Single seat							
30°	36	28.5	18.5	27	50	23	
45°	42	28.5	18.5	27	54	24	
60°	48	29	18.5	27	57	29	
90°	59	31	18.5	27	69	34	
Double seat							
30°	58	30	18.5	27	90	36	
45°	64	31	18.5	27	97.2	40	
60°	70	33	18.5	27	102.6	45	
90°	81	36	18.5	27	124.2	56	

COM Yardages

001414	001414	001111	001414
COM Yardage	COM Yardage	COM Yardage	COM Yardage
Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
1.94	3.88	5.82	7.76
1.94	3.88	5.82	7.76
1.94	3.88	5.82	7.76
1.94	3.88	5.82	7.76
3.7	7.4	11.1	14.8
3.7	7.4	11.1	14.8
3.7	7.4	11.1	14.8
3.7	7.4	11.1	14.8
	1.94 1.94 1.94 1.94 3.7 3.7 3.7	Entire Unit 2 Entire Units 1.94 3.88 1.94 3.88 1.94 3.88 1.94 3.88 3.88 3.88 3.7 7.4 3.7 7.4 3.7 7.4 3.7 7.4 3.7 7.4	Entire Unit 2 Entire Units 3 Entire Units 1.94 3.88 5.82 1.94 3.88 5.82 1.94 3.88 5.82 1.94 3.88 5.82 3.88 5.82 3.7 7.4 11.1 3.7 7.4 11.1 3.7 7.4 11.1 3.7 7.4 11.1

SINGLE SEAT




30° Curve



45° Curve





60° Curve





90° Curve

DOUBLE SEAT









UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	126

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Curve, Stan ZOL3 MCS30DS1	dard Depti 1251	h 1361	1478	1634	1813	1970	2149	2378	2602
	Single-Seat, 45° Curve, Stan ZOL3 MCS45DS1	dard Depti 1361	h 1528	1691	1922	2186	2415	2678	3008	3336
	Single-Seat, 60° Curve, Stan ZOL3 MCS60DS1	dard Dept	h 1705	1869	2100	2360	2591	2854	3184	3513
	Single-Seat, 90° Curve, Stan ZOL3 MCS90DS1	dard Dept	h 1956	2136	2390	2681	2934	3222	3587	3949
	Single-Seat, 30° Curve, Full I ZOL3 MCS30DF1	Depth 1376	1499	1623	1797	1995	2168	2368	2613	2861
	Single-Seat, 45° Curve, Full I ZOL3 MCS45DF1	Depth 1501	1680	1861	2113	2405	2657	2946	3307	3669
	Single-Seat, 60° Curve, Full I ZOL3 MCS60DF1	Depth 1693	1875	2056	2308	2596	2851	3138	3501	3864
	Single-Seat, 90° Curve, Full I ZOL3 MCS90DF1	Depth 1954	2149	2352	2631	2948	3229	3545	3946	4343

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE KE	т					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular MCB Modular Plus	S Single D Double	30D 30 Degree 45D 45 Degree 60D 60 Degree	S Standard F Full	1 Standard Leg + Glide
				90 Degree		

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, S	tandard De	pth							
	ZOL3 MCD30DS1	2190	2385	2584	2858	3173	3452	3766	4160	4555
	Double-Seat, 45° Curve, S	tandard De	pth							
	ZOL3 MCD45DS1	2385	2672	2959	3363	3820	4223	4684	5259	5834
	Double-Seat, 60° Curve, S	tandard De	pth							
	ZOL3 MCD60DS1	2694	2983	3269	3671	4131	4533	4994	5569	6142
	Double-Seat, 90° Curve, S	tandard De	pth							
	ZOL3 MCD90DS1	3105	3424	3740	4184	4691	5135	5640	6273	6909

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	93
Double-seat curve 45° seat	101
Double-seat curve 60° seat	123
Double-seat curve 90° seat	127

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

	· - ·					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola		MC Modular	Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	Modular Double	45D 45 Degree 60D 60 Degree	45 Degree Full	
				90D 90 Degree		

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Full ZOL3 MCD30DF1	Depth 2516	2742	2969	3287	3648	3966	4331	4784	5236
	Double-Seat, 45° Curve, Full ZOL3 MCD45DF1	Depth 2742	3073	3403	3866	4395	4859	5388	6048	6709
	Double-Seat, 60° Curve, Full ZOL3 MCD60DF1	Depth 3099	3429	3760	4221	4752	5214	5742	6405	7066
	Double-Seat, 90° Curve, Full ZOL3 MCD90DF1	Depth 3573	3935	4297	4812	5393	5904	6486	7215	7945

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	93
Double-seat curve 45° seat	101
Double-seat curve 60° seat	123
Double-seat curve 90° seat	127

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

ODUCT CODE K	- 1					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

ZOLA | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS

		COM		COL	FAE	BRIC GR	ADES	l	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Back Sin ZOL3 RMCBIS30D ZOL3 RMCBIS45D ZOL3 RMCBIS60D ZOL3 RMCBIS90D	1168 1355 1647 1841	1247 1443	1330 1533 1893	1443 1659 2064 2272	1569 1801 2257 2476	1686 1924 2431 2652	1815 2066 2628 2854	1977 2244 2870 3109	2136 2423 3113 3363	2.6 2.6	20 22 23 28	8 8 10 11
	Replacement Back Do ZOL3 RMCBID30D ZOL3 RMCBID45D ZOL3 RMCBID60D ZOL3 RMCBID90D	uble-se 2042 2369 2884 3220	2185 2524 3099	2324	2524 2898 3610 3975	2747 3147 3954 4331	2947 3367 4252 4641	3172 3617 4595 4995	3456 3929 5022 5440	3739 4239 5448 5884	3 4.8	38 42 43 52.5	13 13.5 16 18
	Replacement Back Sir ZOL3 RMCBOS30D ZOL3 RMCBOS45D ZOL3 RMCBOS60D ZOL3 RMCBOS90D	-	1122	1197 1380 1704	re 1298 1492 1858 2045	1415 1620 2033 2228	1515 1732 2190 2386	1633 1861 2361 2569	1778 2020 2584 2798	1923 2182 2803 3028	1.7 1.7	15 17 20 25	5.0 7.0 9.0 9.0
	Replacement Back Do ZOL3 RMCBOD30D ZOL3 RMCBOD45D ZOL3 RMCBOD60D ZOL3 RMCBOD90D	uble-sea 1839 2133 2596 2898	1965 2272 2789	2092		2473 2833 3559 3896	2652 3030 3827 4177	2857 3252 4133 4498	3111 3535 4520 4897	3366 3816 4903 5295	3.1 3.1	30 34 35 40	9.0 11.0 14.0 14.0
	Replacement Seat Sing ZOL3 RMCSS30DS ZOL3 RMCSS45DS ZOL3 RMCSS60DS ZOL3 RMCSS90DS	-	1258 1421 1598		1529 1816 1993	1708 2080	1866 2312 2487 2794	2046 2570 2747 3082	2272 2902 3077 3446	2496 3231 3408 3809	1.8 1.8	30 32 34 41	11 12 13 16
	Replacement Seat Dou ZOL3 RMCSD30DS ZOL3 RMCSD45DS ZOL3 RMCSD60DS ZOL3 RMCSD90DS		2280 2567 2878	2478	epth Cu 2751 3257 3565 4042	3069 3714 4027	3344 4118 4427 4994	3662 4579 4888 5502	4057 5605 5464 6136	4449 5727 6039 6767	3.4 3.4	52.2 56 60 72	19.5 21 23 28
	Replacement Seat Sing ZOL3 RMCSS30DF ZOL3 RMCSS45DF ZOL3 RMCSS60DF ZOL3 RMCSS90DF	1270 1394 1589	1393 1573 1771	1518	1691 2010 2202	1890 2298 2492 2807	2063 2552 2744 3090	2263 2839 3035 3405	2507 3202 3397 3804	2757 3563 3759 4205	1.94 1.94	36 39 41 49	13.5 14.5 15.5 19
	Replacement Seat Dot ZOL3 RMCSD30DF ZOL3 RMCSD45DF ZOL3 RMCSD60DF ZOL3 RMCSD90DF	2410	2637 2968 3322	Depth C 2863 3297 3654 4160	3182 3761	4289 4645	4754 5109	4223 5281 5636 6347	4678 5941 6297 7074	5131 6603 6960 7806	3.7 3.7	63 69 72 86	24 25.5 27 33.5
	Replacement Seat Cov ZOL3 RMCBSCS30DS ZOL3 RMCBSCS45DS ZOL3 RMCBSCS60DS ZOL3 RMCBSCS90DS	223 229 265	le-seat 279 286 321 345	Standa 337 344 380 404	416 424 458 483	510 516 512 573	590 597 632 655	680 689 725 746	796 805 840 864	912 917 955 978	1.8 1.8	2.5 3.1 3.7 4.3	1 1 1.5 1.5
	Replacement Seat Cov ZOL3 RMCBSCD30DS ZOL3 RMCBSCD45DS ZOL3 RMCBSCD60DS ZOL3 RMCBSCD90DS	388 394 446	50e-sea 494 507 556 571	t Stand 603 614 664 679	ard De 757 765 815 833	930 939 988	1083 1090	1257 1265 1314 1333	1474 1482 1533 1551	1691 1698 1748 1768	3.4 3.4	4.8 5.9 7.0 8.2	1.5 1.5 2.5 2.5

ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS

		COM		COL	FABF	RIC GRA	ADES	L	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	ver Sing	le-seat	Full De	pth Cu	ırve							
	ZOL3 RMCBSCS30DF	246	312	380	470	571	665	768	898	1030	1.94	2.9	1
	ZOL3 RMCBSCS45DF	256	320	386	478	582	672	778	906	1036	1.94	3.6	1
	ZOL3 RMCBSCS60DF	295	359	424	515	620	710	812	943	1073	1.94	4.3	1.5
	ZOL3 RMCBSCS90DF	= 313	380	444	536	640	730	835	962	1094	1.94	4.9	1.5
	Replacement Seat Co	ver Dou	ble-sea	ıt Full D	epth C	urve							
	ZOL3 RMCBSCD30DI	433	557	680	853	1054	1228	1423	1672	1922	3.7	5.5	1.5
	ZOL3 RMCBSCD45DI	441	565	689	865	1062	1236	1434	1683	1929	3.7	6.8	1.5
	ZOL3 RMCBSCD60DI	493	619	743	915	1116	1289	1487	1735	1984	3.7	8.1	2.5
	ZOL3 RMCBSCD90DI	= 530	654	778	952	1147	1320	1522	1771	2017	3.7	9.4	2.5

CARLYLE BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 15%

POST-CONSUMER RECYCLED CONTENT = 17.97%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CARLYLE BENCH

DESCRIPTION/MODEL	C	COM 1	2	COL 3	FABI 4	RIC GRAD	ES 6	7	LEATHER 8	9
		· ·			4					
TWO- CAR5		834	1924	2017	2109	2210	2306	2407	2535	2718
TWO-	-SEAT - BUTTON DETA	II ING								
CARS			2453	2545	2638	2739	2833	2935	3062	3248
THRE	E-SEAT -3-0 2	2411	2542	2669	2795	2922	3053	3182	3336	3746
THRE	:E-SEAT - BUTTON DET 5-3-1 3		3358	3486	3613	3742	3867	3997	4153	4565

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR5-2-0	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-2-1	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-3-0	81	26.5	17.5	-	-	-	-	110	25	3.6
CAR5-3-1	81	26.5	17.5	-	-	-	-	110	25	3.6

and Buttons

PRODUCT CODE	E KEY Series	Seat Count	Upholstery Style
CAR	5	2	0
Carlyle	Bench	Two-Seat	Upholstery Standard
		3	1
		Three-Seat	Top Stitching

CARLYLE

Base is available in Silver Metallic only.

MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per yard.

OCCASIONAL TABLES


293 Chit Chat 296 Avatar 298 Karma 303 Cressida 306 Leyton 308 Faeron Wood 310 Faeron Metal 312 Zola 317 Sutton 319 Virtu 321 Millennium 323 Prado 325 Carlyle

CHIT CHAT | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Chit Chat products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Chit Chat products are supplied with air-emissions certified. Contact customer service for information.




FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Chit Chat and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CHIT CHAT | PRODUCT FEATURES & OPTIONS


TOP SHAPE & GRAIN DIRECTION



EDGE PROFILES



BASES



SOLID SURFACE

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

DIMENSIONS

Model	Width	Depth	Height	Shipping Weight	Cubes	
Occasional						
Square Table -Rounded Corners						
7261242416	24	24	16	35	10.25	
7261303016	30	30	16	40	15	
7261363616	36	36	16	47	20.5	
Rectangular Table -Rounded Corne						
7261233016	23	30	16	37	12.5	
7261243016	24	30	16	37	12.5	
7261463016	45.75	30	16	54	21.75	
7261483016	48	30	16	75	22.75	
7261693016	68.75	30	16	91	31.5	
7261723016	72	30	16	107	32.75	
Round Table						
72052416	24D		16	35	10.25	
72053016	30D		16	40	15	
72053616	36D		16	57	20.5	

CHIT CHAT | OCCASIONAL

DESCRIPTION/MODE	EL.	Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Base 7261242416SQ 7261303016SQ 7261363616SQ	868 937 1068	1041 1124 1284	1380 1569 2060	1465 1671 2201	1570 1835 2449	1731 2058 2778
Rectangular Table,	Square Plate Base						
-Rounded Corners	7261233016SQ	885	1062	1458	1551	1672	1856
	7261243016SQ	885	1062	1458	1551	1672	1856
	7261463016SQ	1386	1663	2377	2522	2778	3114
	7261483016SQ	1416	1699	2458	2609	2878	3231
	7261693016SQ	1535	1841	3157	3370	3741	4231
	7261723016SQ	1570	1884	3274	3501	3890	4404
$\langle \psi \rangle$	Round Disc Base						
	7261233016DB	851	1020	1422	1515	1640	1821
	7261243016DB	851	1020	1422	1515	1640	1821
	7261463016DB	1317	1582	2310	2455	2712	3047
	7261483016DB	1351	1620	2390	2541	2810	3163
	7261693016DB	1465	1758	3089	3304	3672	4163
	7261723016DB	1505	1804	3208	3433	3822	4337
	ORDERING NOTES:						
	Rectangular Chit Ch (68.75) coordinate wi					note table sizes 2	3", 46" & 69
Round Table	Round Disc Base						
	72052416DB	834	1002	1320	1405	1530	1705
	72053016DB	900	1081	1507	1609	1802	2033
	72053616DB	1042	1251	1999	2136	2312	2434
4							
Model		Price				Shipping Weight	Cubes
Square Plate Base	72541815	344				37	1.1
	72542415	344 404				58	1.4
	ORDERING NOTES:	:					
	A single 18" base car		ops up to	a maximum of 30	inches.		
Round Disc Base	72141815	309				37	1.1
	72142415	200				58	1 4

\dashv	A	single 18" base	can be used with	tops up to a maximum	of 30 inches.
----------	---	-----------------	------------------	----------------------	---------------

72142415

ORDERING NOTES:

)

380

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select top material
- 3. Select a color for top
- 4. Select base finish
- 5. Select edge profile

BASE FINISH

Round Disc Base, Brushed Stainless- DB-13 Square Plate Base, Brushed Stainless- SQ-13 Round Disc Base, White- DB-44 Square Plate Base, White- SQ-44

Round Disc Base, Matte Black- DB-14

Square Plate Base, Matte Black- SQ-14

MATERIALS & FINISHES

For a complete list of Solid Surface colors please see page 336. Solid Surface is only available in the D Radius edge profile.

1.4


For a complete list of Laminate colors please see page 336..

AVATAR | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 48.95%

POST-CONSUMER RECYCLED CONTENT = 20.26%

Up to 61.05% of this Avatar product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



AVATAR | TABLES

Description	Model	Rift Oak	W	D	Н	WEIGHT	CUBE
天	Square AVA4-S181817 AVA4-S222217	1148 1240	18 22	18 22	17 17	24 29	6.6 9
	Rectangular AVA4-R442217	2011	44	22	17	53	16
7	Round AVA4-R18D17 AVA4-R22D17	1146 1232	18 22	18 22	17 17	23 27	6.6 9
	Elliptical AVA4-E442217	2006	44	22	17	53	16

AVATAR | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Rift Oak

Light Oak
Harvest Oak
SilverGrey on Oak
Mahogany Oak
Medium Cherry on Oak
Mellow Oak
Walnut on Oak
Espresso on Oak

VENEERS

Avatar veneers are rift cut White Oak, which provides a straight grain appearance.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Avatar can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Avatar's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.


FINISH

Avatar features the Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 29.17%

POST-CONSUMER RECYCLED CONTENT = 42.67%

Up to 46.67% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

	0011111120112010	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

Ir

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



KARMA | FREE STANDING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ Polymer Edge	W	D	Н	Weight	Cube
	Square & Rectangular Tables, N	latte Black o	r Silver Metallic	leas					
	KAR4C 18-18-18	746	904	601	17.5	17.5	17.5	15	2.6
	KAR4C 22-18-18	783	929	618	22		17.5	16.5	2.6
	KAR4C 42-18-18	1177	1458	1042	42		17.5	24.5	4.6
	KAR4C 18-18-21	763	915	618	17.5	17.5	21	17	3
u	KAR4C 22-18-21	799	942	632	22	17.5	21	18.5	3
	KAR4C 42-18-21	1193	1474	1056	42	17.5	21	26.5	4.6
	Square & Rectangular Tables, P	olished Chro	me leas						
	KAR4C 18-18-18	882	1036	735	17.5	17.5	17.5	15	2.6
	KAR4C 22-18-18	917	1062	751	22	17.5	17.5	16.5	2.6
	KAR4C 42-18-18	1310	1195	1173	42	17.5	17.5	24.5	4.6
	KAR4C 18-18-21	912	1064	765	17.5	17.5	21	17	3
	KAR4C 22-18-21	949	1092	781	22	17.5	21	16.5	2.6
	KAR4C 42-18-21	1341	1401	1203	42	17.5	21	24.5	4.6
	ORDERING NOTE: For leg fin C for Polished Chrome	ish add to th	ne end of the n	nodel number; B	for Matte Blac	k, S f	or Silv	er Metal	lic and
	Round Tables, Matte Black or S	ilver Metallic	legs						
	KAR4C 24D-18	927	1265	725	24	-	17.5	19	3.5
	KAR4C 36D-18	1267	1425	796	36	-	17.5	31	7.3
	KAR4C 24D-21	940	1281	740	24	_	21	21	3.5
	KAR4C 36D-21	1282	1440	810	36	-	21	33	7.3
	Round Tables, Polished Chrome	e legs							
	KAR4C 24D-18	1061	1398	857	24	-	17.5	19	3.5
	KAR4C 36D-18	1439	1597	968	36	-	17.5	31	7.3
	KAR4C 24D-21	1089	1429	889	24	_	21	21	3.5
	KAR4C 36D-21	1467	1629	999	36	-	21	33	7.3

ORDERING NOTE: For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome

KARMA | LINKING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	W	D	Н	Weight	Cube
~	Square Straight Linking Table,	Matte Black o	or Silver Metal	lic, Left or Right handed (Same c	directio	n sea	ting)	
	KAR4C-LKII-18-18	722	877	576	•	17.5	-	15	2.5
	Square Straight Linking Table, KAR4C-LKIL-18-18	Matte Black o 722	or Silver Metal 877	lic, Left handed as seated 576		sed se 17.5	Ο,	15	2.5
	Square Straight Linking Table,			. 0			seatin	g)	
	KAR4C-LKIR-18-18	722	877	576	17.5	17.5	-	15	2.5
	Square Straight Linking Table, KAR4C-LKII-18-18	Polished Chro 882	ome, Left or R 1036	light handed (Same direct 735		ting) 17.5	_	15	2.5
	Square Straight Linking Table, KAR4C-LKIL-18-18	Polished Chro 882	ome, Left hand 1036	ded as seated (Opposed 735	Ο,) 17.5	-	15	2.5
	Square Straight Linking Table, KAR4C-LKIR-18-18	Polished Chro 882	ome, Right ha 1036	nded as seated (Opposed 735		g) 17.5	-	15	2.5
	Square Straight Linking End Ta	ble, Matte Bla	ack or Silver N	Metallic legs, Left handed	as seat	ed			
*	KAR4C-LKEL-18-18*	732	886	586		17.5	17.5	15	2.5
	Square Straight Linking End Ta KAR4C-LKER-18-18	ible, Matte Bla 732	ack or Silver N 886	Metallic legs, Right hande 586		ated 17.5	17.5	15	2.5
U	Square Straight Linking End Ta KAR4C-LKEL-18-18*	895	1052	751	17.5	17.5	17.5	15	2.5
	Square Straight Linking End Ta KAR4C-LKER-18-18	ıble, Polished 895	Chrome legs, 1052	, Right handed as seated 751	17.5	17.5	17.5	15	2.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 302 for suggested configurations.

KARMA | LINKING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/ PVC					
Description	Model	Palette	Edge	Edge	W	D	Н	Weight	
•	Rectangular Straight Linking KAR4C-LKII-22-18	Table, Matte Bla 761	ack or Silver 905	Metallic, Left or Rig 591	ht handed (Sa 22	ame dire 17.5	ection -	seating) 16.5	2.8
	Rectangular Straight Linking KAR4C-LKIL-22-18				ed as seated (ed sea		2.8
	Rectangular Straight Linking KAR4C-LKIR-22-18	Table, Matte Bla 761	ack or Silver 905	Metallic, Right hand 591		l (Oppos 17.5	sed se	eating) 16.5	2.8
	Rectangular Straight Linking KAR4C-LKII-22-18	919	1063	751	22	17.5	ng) -	16.5	2.8
	Rectangular Straight Linking KAR4C-LKIL-22-18	919	1063	751	22	17.5	-	16.5	2.8
	Rectangular Straight Linking KAR4C-LKIR-22-18	Table, Polished 919	Chrome, Rig 1063	ht handed as seate 751		seating) 17.5	-	16.5	2.8
*	Rectangular Straight Linking KAR4C-LKEL-22-18*	End Table, Matt 768	e Black or S 913	lver Metallic, Left h 601		ted (Op	•	d seating)	2.8
	Rectangular Straight Linking KAR4C-LKER-22-18	End Table, Matt 768	e Black or S 913	lver Metallic, Right 601	handed as se	eated (O 17.5		ed seatin 16.5	g) 2.8
U	Rectangular Straight Linking KAR4C-LKEL-22-18*	End Table, Polis 932	shed Chrome 1074	, Left handed as se 765		ed seatir 17.5		16.5	2.8
	Rectangular Straight Linking KAR4C-LKER-22-18	End Table, Polis 932	shed Chrome 1074	, Right handed as s 765		sed sea		16.5	2.8
	Curvilinear Connector Table 4 KAR4C-LKCI-RF45	5°, Matte Black	or Silver Me	tallic, Left or Right 824	handed (Sam	ne direct	ion, i i	nward se	eating)
	Curvilinear Connector Table 44 KAR4C-LKCO-RF45						n, out -		
	Curvilinear Connector Table 4 KAR4C-LKCL-RF45	5°, Matte Black 1039	or Silver Me 1514	tallic, Left handed 824	as seated (O p 28	posed 24	seatir	ng) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RF45	5°, Matte Black 1039	or Silver Me 1514	tallic, Right handed 824	d as seated (C 28	Opposed 24	d sea	ting) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCI-RF45	1198	1533	984	28	24	-	19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCO-RF45	1198	1533	984	28	24	d sea -	ting) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCL-RF45	1198	1533	984	28	24	-	19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RF45					24	-	19	4.2
	Curvilinear Connector Table 4	5° Matte Black	or Silver Me	tallic,with Flat edge	, Left or Right	handed	d (Sar	me direct	ion,
	KAR4C-LKCI-RR45	1073	1559	865	28	24	-	19	4.2
	Curvilinear Connector Table 45 outward seating)	5° Matte Black o	or Silver Meta	allic, with Flat edge,	Left or Right I	nanded	(Same	e directior	٦,
	KAR4C-LKCO-RR45	1073	1559	865	28	24	-	19	4.2
	Curvilinear Connector Table 45			_					
	KAR4C-LKCL-RR45 Curvilinear Connector Table 49 KAR4C-LKCR-RR45	1073 5° Matte Black o 1073	1559 or Silver Meta 1559	865 Ilic, with Flat edge, 865	28 Right handed 28	24 as seate 24	- ed (O ; -	19 oposed s 19	4.2 eating) 4.2
	Curvilinear Connector Table 45 KAR4C-LKCI-RR45			edge, Left or Right h	anded (Same	direction 24	n, inw a	ard seatin	g) 4.2
	Curvilinear Connector Table 45° KAR4C-LKCO-RR45						outw		
	Curvilinear Connector Table 4 KAR4C-LKCL-RR45	1232	1717	1022	28	24	-	19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RR45	5° Polished Ch 1232	rome, with F 1717	at edge, Right hand 1022	ded as seated 28	24	sed s	eating) 19	4.2


ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 302 for suggested configurations.

KARMA | LINKING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/ PVC					
Description	Model	Palette	Edge	Edge	W	D	Н	Weight	Cube
	Curvilinear Connector Table 90 KAR4C-LKCI-RR90 Curvilinear Connector Table 90 KAR4C-LKCO-RR90 Curvilinear Connector Table 90	1351 ² , Matte Black 1351 ¹ ⁹ , Matte Black	1959 or Silver Me 1959 k or Silver Me	1084 tallic, Left or Right ha 1084 etallic, Left handed a	38 anded (Same o 38 as seated (Opp	24 direction 24 cosed	- on, ou -	22 I tward se 22 ng)	5.5 eating) 5.5
	KAR4C-LKCL-RR90 Curvilinear Connector Table 90	1351 Natte Black	1959 k or Silver Ma	1084 Stallic Right handed	38	24	- d spa	22 tina)	5.5
	KAR4C-LKCR-RR90	1351	1959	1084	38	24	-	22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCI-RR90	1510	2118	1243	38	24	-	22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCO-RR90	1510	nrome, Leπ α 2118	or Right handed (Sar 1243	ne direction, (38	24	ra sea	ating) 22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCL-RR90	1510	2118	1243	38	24	-	22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCR-RR90	1510	2118	1243	Opposed sea 38	uing) 24	-	22	5.5
	Curvilinear Connector Table 90 inward seating)		Black or Silv				nded	•	
4	KAR4C-LKCI-RF90 Curvilinear Connector Table 90	1273 °. Matte Blac		1117 letallic, with Flat edd	38 ae. Left or Ric	24 aht han	- nded	22 (Same di	5.5 rection.
	outward seating)	, mano biao	ik or olivor iv	otamo, with high out			iaca		
	KAR4C-LKCO-RF90 Curvilinear Connector Table 90°	1273 Matta Black	2018	1117	38 Loft handed (24	- -	22	5.5
	KAR4C-LKCL-RF90	1273	2018	1117	38	24	ea (0 -	22	5.5
	Curvilinear Connector Table 90°, KAR4C-LKCR-RF90	, Matte Black of 1273	or Silver Meta 2018	allic, with Flat edge, F 1117	Right handed a	s seate 24	ed (O -	pposed s 22	seating) 5.5
	Curvilinear Connector Table 90° KAR4C-LKCI-RF90	Polished Chr 1552	rome, with Fl 2174	at edge, Left or Right 1275	t handed (Sam 38	ne dired 24	ction, -	inward s	seating) 5.5
	Curvilinear Connector Table 90° KAR4C-LKCO-RF90	1552	2174	1275	38	24	-	22	seating) 5.5
	Curvilinear Connector Table 90 KAR4C-LKCL-RF90	° Polished Ch 1552	nrome, with F 2174	Flat edge, Left hande 1275	ed as seated (38	Oppos 24	ed se	eating) 22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCR-RF90	° Polished Ch 1552	nrome, with F 2174	Flat edge, Right hand 1275	ded as seated 38	(Oppo	sed s	seating) 22	5.5
	Rectilinear Corner Connector 1	Table 90° Matt	te Black or S	ilver Metallic, with Fla	at edge, Left o	r Righ	t han	ded (San	
	direction, inward seating) KAR4C-LKCI-SF90	1512	2192	1212	00	00		00	<i></i>
	Rectilinear Connector Table 90				30 Left or Right	30 hande	- d (Sa	26 me direc	5.5 tion,
	outward seating) KAR4C-LKCO-SF90	1512	2192	1212	30	30	-	26	5.5
	Rectilinear Connector Table 90°					s seate 30	ed (O p		
	KAR4C-LKCL-SF90 Rectilinear Connector Table 90°	1512 Matte Black o	2192 or Silver Meta	1212 allic. with Flat edge. F	30 Right handed a		- ed (O ı	26 pposed s	5.5 seating)
	KAR4C-LKCR-SF90	1512	2192	1212	30	30	-	26	5.5
	Rectilinear Corner Connector T ward seating)				ŭ	•	Same		
	KAR4C-LKCI-SF90 Rectilinear Connector Table 90° KAR4C-LKCO-SF90			1437 at edge, Left or Right 1437	30 handed (Same 30	30 direct 30	ion, c	26 outward s 26	
	Rectilinear Connector Table 90	1735 °, Polished Cl		Flat edge Left hande			ed se		5.5
	KAR4C-LKCL-SF90	1735	2415	1437	30	30 (Onn	-	26	5.5
	Rectilinear Connector Table 90 KAR4C-LKCR-SF90	1735	2415	1437	ded as seated 30	30	-	seating) 26	5.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 302 for suggested configurations.

KARMA | LINKING TABLES CONFIGURATIONS




ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:




PRE-CONSUMER RECYCLED CONTENT - 36.34%

POST-CONSUMER RECYCLED CONTENT - 26.4%

Up to 31.25% of this Cressida product is recyclable at the end of its useful life.



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 30.77%

POST-CONSUMER RECYCLED CONTENT - 25.68%

Up to 27.88% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CRESSIDA | TABLE FEATURES

ANTI-MICROBIAL FINISH

Cressida wood surfaces include an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 335. Cressida tables are available in 22 standard finishes.

LAMINATE

Cressida Box-style tables are available in laminate with wood side or laminate side. See page 336 for laminate information.

SOLID SURFACE

Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote.


CRESSIDA | BOX-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	H V	VEIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	1179 1458	1227 1515	1224 1508	1271 1567	18 24		15.75 15.75	24 34	3 5
	Rectangular Tabl CRE4A 241816 CRE4A 482416	es 1295 2085	1347 2167	1338 2158	1393 2241	24 48		15.75 15.75	28 56	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	973 1187 2079	1012 1236 2163	1003 1338 2272	1044 1393 2361	18 24 30	-	15.75 15.75 15.75	16 23 34	3 5 8
	Rectangular Rou CRE4 B181816 CRE4 B241816 CRE4 B242416 CRE4 B482416	nd Corner 1265 1425 1583 2299	1315 1483 1644 2390	1311 1485 1686 2461	1361 1545 1752 2559	18 24 24 48	18 24	15.75 15.75 15.75 15.75	21 25 30 51	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1312 1620 2058	1363 1686 2139	1443 1753 2201	1501 1825 2287	24 32 48	24	15.75 15.75 15.75	23 34 56	4 7 12
	Triangular Round CRE4B T1618-45 CRE4B T2124-45 CRE4B T2529-45 CRE4B T2818-90 CRE4B T3624-90 CRE4B T4429-90	5 1187 5 1359 5 1666 0 1477 0 1758	1236 1415 1732 1534 1832 2198	1205 1411 1760 1534 1841 2135	1253 1465 1833 1594 1915 2220	16 21 25 28 36 44	18 24 29 18 24 29	15.75 15.75 15.75	23 28 24 30	2.5 4.5 7 3 7.5 11


TRIANGULAR TABLE DIMENSIONS














CRESSIDA | LIGHT-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH [*]	Γ CUBE
	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	589 601 832	613 626 865	672 687 997	699 714 1036	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Tables CRE4D 181816S CRE4D 242416S CRE4D 363616S	533 591 845	555 615 878	596 688 1014	620 715 1054	18 24 36	18 24 36	16 16 16	22 33 65	3 5 12
	CRE4D 181821S CRE4D 242421S	543 603	565 628	610 699	633 729	18 24	18 24	21 21	25 35	4 5

LEYTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 34.73%

POST-CONSUMER RECYCLED CONTENT = 15.68%

Up to 62.16% of this Leyton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



LEYTON | TABLES

DESCRIPTION/MODEL		Maple, Oak Walnut Palette Laminate	Cherry Anigre Sycamore (5 UNIT MIN.)	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	LEY4122412	584	648	824	869	958	1019
~	LEY4182412	611	695	940	1002	1120	1202
	LEY4242412	641	744	1062	1137	1288	1390
	LEY4302412	670	794	1173	1265	1440	1563
	LEY4362412	699	842	1317	1422	1633	1778
□	LEY4422412	851	1015	1438	1559	1801	1966
u	LEY4183012	666	765	1053	1122	1266	1361
	LEY4243012	701	832	1183	1271	1449	1570
	LEY4303012	743	890	1309	1414	1624	1769
	LEY4363012	781	953	1462	1587	1836	2009
	LEY4423012	922	1117	1613	1756	2041	2238
	LEY4182416	626	710	946	1005	1124	1207
	LEY4242416	656	760	1065	1141	1291	1395
	LEY4302416	687	809	1179	1268	1446	1568
	LEY4362416	715	854	1320	1428	1639	1781
	LEY4422416	868	1030	1443	1565	1804	1970
	LEY4183016	680	781	1081	1151	1291	1390
	LEY4243016	716	845	1209	1297	1478	1598
	LEY4303016	759	906	1334	1440	1651	1796
	LEY4363016	795	963	1488	1613	1863	2034
	LEY4423016	937	1134	1641	1781	2068	2264
	LEY4-SB122412	622	683	850	893	978	1036
	LEY4-SB182412	647	727	961	1020	1132	1210
	LEY4-SB242412	676	774	1077	1148	1292	1389
	LEY4-SB302412	704	822	1183	1270	1437	1554
	LEY4-SB362412	731	867	1320	1420	1621	1759
	LEY4-SB422412	876	1032	1435	1550	1781	1938
	LEY4-SB183012	700	794	1068	1134	1271	1362
V	LEY4-SB243012	733	858	1192	1276	1445	1561
	LEY4-SB303012	773	913	1312	1412	1612	1750
	LEY4-SB363012	809	973	1458	1577	1814	1979
	LEY4-SB423012	944	1129	1602	1738	2009	2197

Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 tables (any combination of sizes) per species.

DESCRIPTION/MODEL		Price	Weight	Cubes
	Replacement Table Legs (pair) LEY4R2412 LEY4R2416 LEY4R3012 LEY4R3016	238 246 276 305	8 10 10 12	1 1.25 2 2.25
	Replacement Glides - Lounge & T LEY3RG	Table (set of four) 18	1	.25
De De G	LEY3-POWERDOC - Undermount	t 570	3	0.375

DIMENSIONS


Model	W	D	Н	Shipping Weight	Cubes	Model	W	D	Н	Shipping Weight	Cubes
LEY4122412	12	24	12	17.5	.7	LEY4182416	18	24	16	27	1.4
LEY4182412	18	24	12	22	1.1	LEY4242416	24	24	16	33	1.8
LEY4242412	24	24	12	28	1.4	LEY4302416	30	24	16	39	2.2
LEY4302412	30	24	12	32	1.8	LEY4362416	36	24	16	45	2.7
LEY4362412	36	24	12	37	2.2	LEY4422416	42	24	16	51	3.1
LEY4422412	42	24	12	41.5	2.5	LEY4183016	18	30	16	28	1.4
LEY4183012	18	30	12	23	1.1	LEY4243016	24	30	16	34	1.8
LEY4243012	24	30	12	28	1.4	LEY4303016	30	30	16	40	2.2
LEY4303012	30	30	12	33	1.8	LEY4363016	36	30	16	46	2.7
LEY4363012	36	30	12	37.5	2.2	LEY4423016	42	30	16	52	3.1
LFY4423012	42	30	12	42.5	2.5						

FAERON WOOD | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





F	10.87% Cardboard 2.17% Hardwood Veneer 34.78% Hardwood 52.17% Particle Board Up to	CONSUMER CLED CONTENT = 54.89% CONSUMER CLED CONTENT = 10.33% 10.87% of this Faeron prodrecyclable at the end of its life. 1-2 point(s) 1 point 1 point 1 point
	CONTRIBUTES TO	
REDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
REDIT 3.3	Resource Reuse	1 point
REDIT 4.1	Recycled Content	1 point
REDIT 4.2	Recycled Content	1 point
REDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
REDIT 5.1	Regional Materials*	1 point
REDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
nanufactured withir	y applicable if in total 20% of the combined value of the procurement of construction mat in a radius of 500 miles. This credit will apply if the installation of the finished product occurs within TIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION	500 miles of Kitchener, Ontario.
level	BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard is sustainability of furniture. This standard evaluates product and company environment systems in a wide range of elements which include Materials, Energy & Atmosphere,	al attributes and compliance





facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



FAERON WOOD | FREE STANDING TABLES

WOOD SPECIES

Solid Beech frames, and edges. Veneer tops.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 331. Faeron tables are available in 22 standard finishes.

LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge. See page 336 for color selection.

DESCRIPTION/MODEL	Round Tables	Beech	Laminate with Polymer Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	FAE4-22D-21 FAE4-30D-16 FAE4-44D-16	1384 1558 2860	1030 1153 2088	2034 2367 4180	2177 2532 4471	2299 2753 4877	2523 3078 5460
	Elliptical FAE4-E44-22-16	1780	1298	2619	2804	3055	3419
	Square Tables FAE4-22-22-21 FAE4-30-30-16 FAE4-44-44-16	1371 1587 2920	1018 1177 2131	1942 2386 4265	2080 2553 4564	2211 2820 4977	2434 3186 5572
	Rectangular Table FAE4-44-22-16	1802	1315	2634	2817	3071	3441

DIMENSIONS


Model	Width	Depth	Height	Shipping Weight	Cubes
Round Tables					
FAE4-22D-21	22" Diamet	er	21	22	8
FAE4-30D-16	30" Diamet	er	16	35	11
FAE4-44D-16	40" Diamet	er	16	45	14
Elliptical					
FAE4-E44-22-16	44	22	16	65	21
Square Tables					
FAE4-22-22-21	22	22	21	34	8
FAE4-30-30-16	30	30	16	42	11
FAE4-44-46	44	44	16	47	12
Rectangular Table					
FAE4-44-22-16	44	22	16	55	12

FAERON METAL | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



H	2% Hardwood Veneer 12% Cardboard 29% Steel 57% Particle Board	PRE-CONSUMER RECYCLED CONTENT = 67.26% POST-CONSUMER RECYCLED CONTENT =17.02% Up to 40.48% of this Faeron Metal product is recyclable at the end of its useful life.
	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
REDIT 3.3	Resource Reuse	1 point
REDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
REDIT 4.5	Low Emitting Materials, Systems & Seating	1-2 point(s) 1 point 1 point 1 point 1 point 1 point 1 point
REDIT 5.1	Regional Materials*	1 point
REDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
nanufactured within a ra	licable if in total 20% of the combined value of the procurement of combined by the installation of the finished production of th	uct occurs within 500 miles of Kitchener, Ontario.
level	level® CERTIFICATION BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attr sustainability of furniture. This standard evaluates product and compasystems in a wide range of elements which include Materials, Energy and Social Responsibility. Faeron products have earned level®, BIFMA's signification through third-party verification against the e3 standard.	ribute standard that measures the degree of any environmental attributes and compliance y & Atmosphere, Human & Ecosystem Health sustainability certification program for furniture,
S FSC	AIR-EMISSIONS All Faeron products are supplied with air-emissions certified. Contact of FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of facilities. The FSC® Chain-of-Custody tracks certified wood from see for our FSC® certified products only come from well-managed, FSC®-FSC® is dedicated to the promotion of responsible forest management.	of-Custody certification for our manufacturing edling to final sale. It verifies that the material ecertified forests and other controlled sources.





In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing (facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



FAERON METAL | FREE STANDING TABLES

FRAME FINISH

Faeron Metal table frames are available in Krug Sliver Metallic or Brushed Nickel.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$64 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$64 list per

arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 335. Faeron tables are available in 22 standard finishes.

LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge. See page 336 for color selection.

are available for an up	ocharge of \$64 list per	Obtain	a quoto.		occ page coo .	01 00101 0010011	0111			
DESCRIPTION/MODI		Beech	Laminate with	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C			
			, ,							
	Round Tables, Silver				0054	2.1=2				
	FAE4-M22D-21S	1257	901	1907	2051	2172	2396			
	FAE4-M30D-16S	1359	956	2168	2333	2554	2880			
	FAE4-M44D-16S	2559	1788	3877	4170	4574	5159			
	Round Tables, Brush									
- ш	FAE4-M22D-21N	1437	1082	2087	2230	2353	2576			
	FAE4-M30D-16N	1539	1136	2347	2513	2735	3059			
	FAE4-M44D-16N	2955	2184	4273	4566	4971	5556			
	Elliptical, Silver Meta	ıllic Fram	e							
	FAE4-ME44-22-16S	1527	1044	2366	2549	2800	3164			
	Elliptical, Brushed N	ickel Frar	ne							
	FAE4-ME44-22-16N	1885	1404	2724	2908	3160	3523			
	Square Tables, Silve	r Metallic	Frame							
	FAE4-M22-22-21S	1243	890	1816	1951	2083	2306			
	FAE4-M30-30-16S	1389	978	2188	2355	2620	2986			
	FAE4-M44-44-16S	2616	1828	3962	4263	4675	5271			
	Square Tables, Brushed Nickel Frame									
₩ - U w	FAE4-M22-22-21N	1422	1071	1995	2131	2262	2486			
	FAE4-M30-30-16N	1568	1158	2367	2535	2802	3165			
	FAE4-M44-44-16N	3013	2223	4360	4659	5071	5666			
	Rectangular Table, S	Silver Met	allic Frame							
	FAE4-M44-22-16S	1547	1061	2378	2563	2817	3186			
	Rectangular Table, E	Brushed N	lickel Frame							
	_	1907	1420	2739	2922	3177	3545			
DIMENSIONS										
Model	Width		Depth	Height	Shipping Weigh	t Cul	bes			
Round Tables										
FAE4-M22D-21		Diameter		21	30		8			
FAE4-M30D-16	30"	Diameter		16	42		11			
FAE4-M44D-16	44"	Diameter		16	72	2	21			
Elliptical	4.4		00	40	40		10			
FAE4-ME44-22-16	44		22	16	42		12			
Square Tables										
FAE4-M22-22-21	22		22	21	32		8			
FAE4-M30-30-16	30		30	16	47	-	11			
FAE4-M44-44-16	44		44	16	83		21			
Rectangular Table										
	11		22	16	17	-	10			

16

47

12


44

FAE4-M44-22-16

ZOLA TABLES | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 58.82%

POST-CONSUMER
RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Zola products are supplied air emissions-certified. Contact customer service for information.

The second of second 18 to 6

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



ZOLA | TABLES FEATURES

TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

POWER OPTION

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$647 list.

UNDER-MOUNT POWER OPTION

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below tables. See page 251 for pricing.

ZOLA | MODULAR LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Middle Linking Modu	ılar Table								
	ZOL4 LKM12	988	1036	1088	1140	12	16	_	22	2.8
	ZOL4 LKM18	1044	1098	1147	1209	18	16	_	24	4.5
	ZOL4 LKM24	1074	1155	1181	1270	24	16	-	29	5.7
	ORDERING NOTE:	Middle Linkin	g Modular Tal	ble ships with 2 K	B1 brackets.					
	Rectangular End Tab	ole Square Co	rner							
	ZOL4 LKE12	1053	1108	1158	1218	12	16	14.75	5 19	2.8
	ZOL4 LKE18	1098	1155	1209	1270	18	16	14.75	5 23	4.5
	ZOL4 LKE24	1146	1202	1263	1323	24	16	14.75	5 28	5.7
•	ORDERING NOTE:	End Linking N	1odular Table	ships with 1 KB1	bracket.					
	End Table Rounded	Corner								
	ZOL4 ECLKH12	1199	1246	1232	1284	12	12	14.75	5 18	2.5
	ZOL4 ECLKH18	1295	1347	1342	1395	18	12	14.75	5 24	3
Ų •	ORDERING NOTE:	End Linking M	1odular Table	ships with 1 KB1	bracket.					
	Curvilinear 30° Table ZOL4 LKC30	1019	1074	1122	1181	16	16.5	-	15	2.3
	Curvilinear 45° Table ZOL4 LKC45	1098	1155	1209	1270	16	17	-	17	2.9

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table.

Zolo Colid Surface Uncharges	A-White	Grades A-Color	В	С
Zola Solid Surface Upcharges	A-wnite	A-Color	В	
ZOL4-LKM12	218	229	260	295
ZOL4-LKM18	269	286	332	383
ZOL4-LKM24	381	406	522	621
ZOL4-LKE12	218	229	260	295
ZOL4-LKE18	269	286	332	383
ZOL4-LKE24	381	406	522	621
ZOL4-ECLKH12	218	229	260	295
ZOL4-ECLKH18	269	286	332	383
ZOL4-LKC30	246	260	299	340
ZOL4-LKC45	308	328	384	446

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

ZOLA | MODULAR LINKING TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Curvilinear 60° Table ZOL4 LKC60	1146	1209	1263	1332	16	17.5	-	20	3.7
⊕	Curvilinear 90° Table ZOL4 LKC90	e 1283	1354	1411	1487	16	19	-	24	5.4
	Curvilinear 90°x2 Ta ZOL4 LKC90X2	ble 2548	2625	2802	2886	16	19	-	55	10
	Curvilinear Table ZOL4 LKH12	1116	1170	1228	1288	16	19	14.75	5 18	2.3

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKC60	379	402	473	559
ZOL4-LKC90	562	596	719	857
ZOL4-LKC90X2	894	933	1141	1378
ZOL4-LKH12	218	229	260	295

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

CURVILINEAR TABLE DIMENSIONS



ZOLA | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOF W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	H W	/EIGHT	Γ CUBE
	Square Tables ZOL4 181815 ZOL4 242415	1098 1187	1155 1251	1209 1305	1270 1374	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4 241815 ZOL4 482415	1139 1359	1203 1443	1253 1495	1327 1587	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15	1170 1251 1391	1244 1318 1474	1288 1374 1530	1367 1452 1619	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Rot ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415	und Corners 1275 1434 1578 2264	1328 1492 1639 2354	1320 1493 1686 2408	1376 1555 1752 2504	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915	1327 1610 2016	1378 1673 2096	1499 1788 2254	1559 1858 2345	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 1818	287	301	352	409
ZOL4 2424	460	469	560	662
ZOL4 2418	343	364	433	510
ZOL4 4824	771	791	970	1170
ZOL4 18D	274	290	339	396
ZOL4 24D	410	443	533	633
ZOL4 30D	658	716	942	1136
ZOL4 EC1818	287	301	352	409
ZOL4 EC2418	343	364	433	510
ZOL4 EC2424	460	469	560	662
ZOL4 EC4824	771	791	970	1170
ZOL4 E2418	343	364	433	510
ZOL4 E3224	543	581	699	834
ZOL4 E4829	908	949	1164	1405

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


ZOLA | FREESTANDING TABLES

		BEECH		LAMINATE TOP	LAMINATE TOP W/					
		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
	Triangular Tables -	Rounded Cor	ners							
	ZOL4 CR45D1815	1192	1240	1207	1257	15.75	18	14.75	17	2.5
	ZOL4 CR45D2415	1354	1408	1404	1459	20.5	24	14.75	22	4.5
	ZOL4 CR45D2915	1639	1705	1734	1803	25	29	14.75	27	7
Ţ	ZOL4 CR90D1815	1465	1526	1529	1585	17.5	18	14.75	23	3
	ZOL4 CR90D2415	1400	1801	1813	1885	36.25	24	14.75	29	7.5
	ZOL4 CR90D2915	1700	2148	2109	2194	44.5	29	14.75		11
	2021 01100D2010	2000	Z140	∠109	Z 194	. 7.0		. 7.70	. 50	

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 CR45D18	270	286	333	386
ZOL4 CR45D24	403	432	512	602
ZOL4 CR45D29	542	573	687	815
ZOL4 CR90D18	339	371	441	518
ZOL4 CR90D24	576	613	740	885
ZOL4 CR90D29	815	846	1033	1242


The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

TRIANGULAR TABLE DIMENSIONS



SUTTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 75.72%

POST-CONSUMER
RECYCLED CONTENT = 10.43%

Up to 5.80% of this Sutton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



mark of responsible forest

AIR EMISSIONS All Sutton produc

All Sutton products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



SUTTON | OCCASIONAL TABLES

FINISHES

			OAK, CHERRY, MAPLE	DII	MENSIC	NS	SHIPPING	CUBIC
DESCRIPTION/MOD	EL	LAMINATE	WALNUT, MEDIUM ANIGRE	W	D	Н	WEIGHT	FEET
	SUTTON SQUAF	RE						
	SUT4-24-24-16	1062	1181	24	24	16	48	8
	SUT4-24-24-21	1114	1236	24	24	21	49	10
	SUT4-30-30-11	1194	1327	30	30	11	65	7
	SUT4-30-30-16	1220	1355	30	30	16	69	11
Ψ	SUT4-48-24-16	1376	1529	48	24	16	83	14
	SUT4-48-24-21	1409	1565	48	24	21	84	18
	SUT4-48-30-11	1477	1639	48	30	11	96	11
	SUT4-48-30-16	1508	1672	48	30	16	98	15

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish or laminate for the table

STANDARD FINISHES

Sutton is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer.

For a complete list of standard wood finishes please see page 335.

STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

LAMINATE

Sutton is available in laminate. Please seep pricing above. Please see page 336 for laminate selection.

Laminate is not available on KrugExpress.


BASES

Bases are available in Silver Metallic only.

VIRTU TABLES | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION





PRE-CONSUMER
RECYCLED CONTENT = 67.31%

POST-CONSUMER RECYCLED CONTENT = 12.15%

Up to 45.80% of this Virtu product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Virtu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Virtu products are supplied air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Virtu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



VIRTU | OCCASIONAL TABLES

		Oak, Cherry,					
		Maple	Di	mensio	ons	Shipping	Cubic
DESCRIPTION/MODEL		STYLE 1			Н	Weight	Feet
	Square - Frosted Glass	Тор					
	VIR4-18-18-21-1	1618	18	18	21	40	8
	VIR4-24-24-16-1	1727	24	24	16	52	13
	VIR4-24-24-21-1	1921	24	24	21	52	13
	VIR4-30-30-21-1	2332	30	30	21	63	19
U	VIR4-36-36-16-1	2772	36	36	16	85	27
	VIR4-42-42-16-1	3030	42	42	16	95	21
	VIR4-48-24-16-1	3300	48	24	16	78	25
	Round - Frosted Glass 1	Гор					
	VIR4-24D-16-1	1873	24	-	16	52	13
	VIR4-36D-16-1	3316	36	-	16	85	27
	VIR4-24D-21-1	2159	24	-	21	52	13

		Oak, C	Cherry,						
		Maple			Di	mensic	ns	Shipping	Cubic
DESCRIPTION/MODEL		STYLE 1	STYLE 2	LAMINATE	W	D	Н	Weight	Feet
	Square - Wood Top								
	VIR4-18-18-21-0	1309	1403	1412	18	18	21	40	8
	VIR4-24-24-16-0	1371	1442	1498	24	24	16	52	13
	VIR4-24-24-21-0	1466	1568	1593	24	24	16	52	13
	VIR4-30-30-21-0	1739	1860	1854	30	30	21	63	19
σ	VIR4-36-36-16-0	2045	2174	2208	36	36	16	85	27
	VIR4-42-42-16-0	2983	3127	3142	42	42	16	95	21
	VIR4-48-24-16-0	2738	2928	2819	48	24	16	78	25
	ORDERING NOTES								
	A Style (1 or 2) must	be selected a	nd noted clearly	on Purchase Orc	ler.				
	Round - Wood Top								
	VIR4-24D-16-0	981	1046	1129	24	_	16	52	13
	VIR4-36D-16-0	1867	1999	2128	36	_	16	85	27
	VIR4-24D-21-0	1269	1355	1418	24	_	21	52	13
								3 -	. 3

ORDERING NOTES

A Style (1 or 2) must be selected and noted clearly on Purchase Order.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select Style 1 or Style 2

CODE DESCRIPTION

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

STANDARD FINISHES

Virtu is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer. For a complete list of standard wood finishes please see page 335.

STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

METAL DETAILING

Metal detailing is available in Silver Metallic only.


GLASS

Glass is available in frosted only. Glass tempered and 8mm thick. Floats on clear rubber bumpers.

MILLENNIUM | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER
RECYCLED CONTENT = 16.25%

Up to 38.93% of this Millennium product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Millennium products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Millennium products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Millennium and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.




MILLENNIUM | OCCASIONAL TABLES

			FINISHES					
			CHERRY, MAPLE	DIN	/ENSIO	NS	SHIPPING	CUBIC
DESCRIPTION/MODEL	-	OAK	WALNUT, MEDIUM ANIGRE	L	W	Н	WEIGHT	FEET
	MILLENNIUM SQUAF	RE, AND RE	ECTANGLE					
	6800-18-18-21	781	896	18	18	21	19	5
	6800-18-18-29	821	948	18	18	29	23	9
	6800-24-18-21	857	995	24	18	21	20	6
	6800-24-24-21	892	1018	24	24	21	23	8
V	6800-26-26-21	929	1054	26	26	21	26	9
\bigvee	6800-30-30-16	1031	1169	30	30	16	34	8
	6800-48-18-16	1121	1302	48	18	16	36	9
	6800-48-18-29	1355	1527	48	18	29	46	15
	MILLENNIUM ROUNE)						
	6800-24Dia.	1289	1483	24 Dia.		21	27	8
	6800-30Dia.	1361	1548	30 Dia.		16	38	8
	6800-36Dia.	1478	1663	36 Dia.		16	42	12
u								

CINICHEC

MILLENNIUM EDGE DETAIL PROFILES



An edge detail profile must be selected for Millennium occasional tables.

ORDERING NOTES

Optional laminate inlay available at a 10% upcharge. Please contact Customer Service for more information. Laminate is not available on *KrugExpress*.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select and edge detail profile

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Millennium tables are available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes, please see page 335.

STANDARD WOOD SPECIES

Standard wood species available: Oak, Cherry & Maple.


BIRDSEYE MAPLE

Bookmatched Birdseye Maple Veneer is available on Millenium occasional tables at an upcharge of **\$60 list** per square foot. Birdseye Maple is recommended in a clear finish only.

PRADO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 60%

POST-CONSUMER
RECYCLED CONTENT = 15%

Up to 88.5% of this Prado product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Prado products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Prado products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Prado and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



PRADO | OCCASIONAL TABLES

FINISHES

		CHERRY, I WALNUT, MEI	,		זום	MENSI	ONS	SHIPPING	CUBIC
DESCRIPTION/MODE	<u>_</u>	STYLE 1	STYLE 2	LAMINATE	L	W	Н	WEIGHT	FEET
~	PRADO SQUARE	AND RECTANG	ULAR						
	5610-18-18-16	1423	1534	1423	18	18	16	40	3
	5610-18-18-21	1439	1555	1439	18	18	21	42	4
	5610-18-24-16	1477	1585	1477	18	24	16	47	4
\ \] \]	5610-18-24-21	1499	1609	1499	18	24	21	49	5
	5610-24-24-16	1530	1645	1530	24	24	16	53	5
9	5610-24-24-21	1558	1672	1558	24	24	21	55	7
	5610-30-30-16	1587	1734	1587	30	30	16	69	8
	5610-30-30-21	1641	1767	1641	30	30	21	72	11
	5610-36-36-16	1680	1803	1680	36	36	16	88	14
	5610-36-36-21	1705	1835	1705	36	36	21	90	15
	5610-48-24-16	1728	1860	1728	48	24	16	102	11
	5610-48-24-21	1755	1887	1755	48	24	21	108	14
	ORDERING NOT A Style (1 or 2) mi		and noted clea	rly on Purchase Ord	er.				
	PRADO ROUND								
	5611-18D-16	1598	1717	1598	18 Dia.	-	16	35	3
	5611-18D-21	1641	1767	1641	18 Dia.	-	21	37	4
	5611-24D-16	1697	1819	1697	24 Dia.	-	16	46	5
/ / <u> </u> \	5611-24D-21	1728	1856	1728	24 Dia.	-	21	49	7
* // J	5611-30D-16	1837	1974	1837	30 Dia.	-	16	59	11
l.	5611-30D-21	1886	2028	1886	30 Dia.	-	21	63	12
	5611-36D-16	2164	2327	2164	36 Dia.	-	16	74	12
	5611-36D-21	2230	2397	2230	36 Dia.	-	21	79	15
	ORDERING NOTES A Style (1 or 2) must be selected and noted clearly on Purchase Order.								
	PRADO OVAL								
	5612-18-24-16	2139	2297	2139	18	24	16	47	5
	5612-18-24-21	2254	2419	2254	18	24	21	49	6
	5612-42-24-16	2587	2787	2587		24	16	102	9
	5612-42-24-21	2718	2924	2718	42	24	21	104	14
a a									

ORDERING NOTES

Prado comes with Silver Metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select Style 1 or Style 2
- 3. Select a finish for the table

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

STANDARD FINISHES

Prado is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see page 335.

STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.


METAL DETAILING

Prado comes with Silver Metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

CARLYLE TABLE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 50%

POST-CONSUMER RECYCLED CONTENT = 15%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CARLYLE | OCCASIONAL TABLES

		FINISHES					
		CHERRY, MAPLE				SHIPPING	CUBIC
DESCRIPTION/MODEL		WALNUT, MEDIUM ANIGRE	W	D	Н	WEIGHT	FEET
	CAR4-18-18-24	1272	18	18	24	30	5.5
	CAR4-24-24-22	1373	24	24	22	32	9
	CAR4-42-21-16	1712	42	21	16	65	9.9

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the wood frame

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Carlyle is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see page 335.

STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.

METAL DETAILING

The legs on the Carlyle series feature a Silver Metallic finish.

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warrantv

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 1

ARLO





KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY











84 TEAK

98 NICKLE

93 GRAY

YATES









25 JUNIPER

305 INDIGO







109 CRANBERRY

MCCOY







92 ZINC













608 TUNDRA



94 MERCURY

84 BARK

108 CORDOVAN

ORIS











604 BARK





902 ZINC

64 PUTTY

2025 | SEATING & OCCASIONAL TABLES | CANADA | 330

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ















9008 CHARCOAL

82 CLAY

304 CAPRI

LORENZO





24 ALPINE









601 CREAM

106 HENNA

91 FLANNEL

604 STUCCO

32 MIST

BISCOTTI



















27 OLIVE

805 PECAN





601 OYSTER

331 | CANADA | SEATING & OCCASIONAL TABLES | 2025



Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$22 Grade 2 \$34 Grade 3 \$46

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2 Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is <u>not</u> available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

WOOD FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry
American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry

Standard Cherry Light Oak

Light Oak Harvest Oak

Mahogany

Mellow Oak

Espresso

Cordovan Walnut Natural Walnut

Regular Walnut

SilverGrey on Walnut

Dark Walnut

Clear Beech

Medium Anigre

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to 6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES			
Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry Park Avenue Walnut	Tafisa T472CR Wilsonart 7984–38	Solid Laminates	
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR

PHASE OUT LAMINATES


Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



BASE STYLES

Base Styles	Description	Description						
Black Nylon	5 blade glass rei	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.						
Polished Aluminum	5 blade polished	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.)						
Seat Slider		Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.						
Wood	5 blade steel bar	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.						
Chrome	5 blade polished	5 blade polished chrome base with 2 1/4" dual wheel casters.						
Jury Bases		Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning						
Jury Bases	height feature w	height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.						
Pan Am Pan1-M11 <u>J</u>	Bank of England 177- <u>J</u>	Dorso D0S1-H2011 <u>J</u>	Cadence CAD1-HW12 <u>J</u>	C5 C5E1MB41A <u>J</u>	Aqua AQU1M33 <u>J</u>			



krug







All products are air emissions certified and are available as FSC® certified