
# **SEATING & OCCASIONAL TABLES**

Price and Specification Guide GSA GS-03F-084DA



krug

Advancing Design Through Innovation

# **TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES**

# General Services Administration Federal Supply Schedule

FSC Groups 7110, 7125 Subcategory: Furniture

CONTRACT NUMBER: GS-03F-084DA

CONTRACT PERIOD: April 1, 2016 through March 31, 2026 CONTRACTOR/ ADMINISTRATOR: Mira Jaksic-Husic

Krug Inc.

421 Manitou Drive

Kitchener, Ontario, Canada Tel: 1-800-265-2796 Fax: 1-800-265-2798

# 1. List of Special Item Numbers on Contract

33721P Packaged Office Furniture w Ancillary Installation Services
 33721 Office Furniture w Ancillary Installation Services
 339113H Healthcare Furniture w Ancillary Installation Services
 OLM Order Level Materials

2. SPECIAL ITEM	MAXIMUM
NUMBER	ORDER
33721P	\$5,000,000
33721	\$250,000
339113H	\$500,000
OLM	\$250,000

MINIMUM
ORDER
\$100.00
\$100.00
\$100.00
NA

# 4. Geographic Coverage

48 contiguous States and Washington, DC

## 5. Point of Production

Krug Inc. 421 Manitou Drive Kitchener, Ontario, CANADA N2C 15L

# 6. Discount from List Prices

33721P	Package Office Furniture	Krug	Product	Discounts	As	Below
		GSA	Teaming F	artner Prod	ucts	at their
		Appro	ved GSA	Discount 1	erm	s. Krug
		Install	ation Cha	rge 12.75%	of Ne	et Order
		(Max.)	. No Charo	e for Proiect N	∕lat S	Services.

	(
33721 Office Furniture	
Executive Office Furniture	56.6%
Executive Conference Furniture	56.6%
Tables and Accessories	56.6%
Fully Upholstered Lounge Furniture	56.6%
Multiple Seating	56.6%
Multi-Purpose Seating	56.6%
Stacking Chairs	56.6%
Installation Ancillary to these products	12.75% Charge of Net Order (Max.)
339113H Healthcare Furniture Hospital Patient Room Furniture Hospital Geriatric Chairs & Lounge Sea	56.6% ating 56.6%
Patient Service Systems	56.6%
Installation Ancillary to these products	12.75% Charge of Net Order (Max.)

# 7. Quantity Discounts (off Net pricing)

Multiple Seating, Multipurpose Chairs	Seating, Stack	ing
25,001 - 50,000	1%	
50,001 - 100,000	2%	
100,001 - 150,000	3%	
150,001 – 250,000	4%	
Lounge Seating, Tables & Acces	ssories	
25,000 - 50,000	1%	
50,001 - 75,000	2%	
75,001 – 100,000	3%	
100,001 - 180,000	4%	
180,001 – 200,000	5%	
200,001 - 250,000	6%	

Hosp/Geriatric Chairs and Lounge, Patient Room Furniture, Patient Service Systems

\$100,000 - \$200,000	1%
\$200,000.01 - \$300,000	1.5%
\$300,000.01 - \$400,000	2%
\$400,000.01 - \$500,000	2.5%

Quantity Discounts for Executive Office and Executive Conference are no longer applicable based on the MAS Consolidation revisions to Maximum Order Limits.

# 8. Prompt Payment Terms

Net 30 Days

 Visa and MasterCard are accepted above and below the micro-purchase threshold.

NOTE: No additional discount will be offered on orders placed using credit cards.

# 10. Foreign Items

All items manufactured in Canada.

# 11a. Time of Delivery

60-90 Days ARO for all items.

# 11b. Expedited Delivery

Please contract Krug GSA Customer Service for information on Expedited Delivery/Krug Express Program. 1-800-265-2796

# 11c. Overnight & 2 day Delivery

N/A

# 11d. Urgent Requirements

Please contact Krug for urgent requirements.

## 12. F.O.B. Point

Destination

# 13. Payment Address

Same as above

# **TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES**

## 14. Warranty

For commercial products, Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. For Krug Healthcare products (as outlined in the US Healthcare price and specification Guide dated March 1, 2019), Krug warrants the construction and finish of all Healthcare products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug.

Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug: Height Adjustable Mechanism Warranty Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase: a) Electronic components such as control boxes, hand switches and motors - two (2) years b) Mechanical components such as crank drives, spindles - five (5) years c) Structural components such as J-channels, feet and top supports - ten (10) years. The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced. Juno and Trevisa Overbed Tables have a 2-year warranty.

## 15. Export Packing Charges

Quoted upon request

# 16. Terms and Conditions of Government Commercial Credit Card

ACCEPTANCE: KRUG will accept the government commercial credit card but will not Offer any additiona discount for orders placed using the credit card

# 17. Term and Conditions of Rental Maintenance and Repair.

# 18. Term and Conditions of Installation

19. Term and Conditions of Repair

# 20a. Term and Conditions for any other services

## 20. Service and Distribution points

Call contractor

# 21. Participating Dealers

Call contractor

# 22. Preventative Maintenance

N/A

# 23. Environmental Attributes

Krug maintains a program to reduce the impact on the environment of our products and operations.

# 24. Data Universal Number System (DUNS) number 251476669

# 25. Notification regarding registration in SAM.

Krug Inc.'s registration in SAM is current, accurate and valid

**26 Cage Code:** 37310

# **TABLE OF CONTENTS**

### i **GSA Terms & Conditions** 292 **Occasional Tables** 293 Chit Chat **PRICING & SPECIFICATIONS** 296 Avatar 298 Karma 2 **Management & Task Seating** 303 Cressida 3 Callisto 306 Leyton 7 C5 308 Faeron Wood 16 Aqua 310 Faeron Metal 22 Dorso E 312 Zola 29 Dorso T 317 Sutton 34 Dorso Weave 319 Virtu 40 Dorso 321 Millennium 47 Me 323 Prado 53 Pan Am 325 Carlyle 58 Cadence **General Information Guest Seating** 64 65 Addison 327 General Information 68 Blake 329 Krug Textiles - Upholstery Fabrics 71 Dorso 332 Krug Textiles - Leather & Luxe Faux Leather 74 Bali 333 C.O.M. 76 Kita 334 Graded-In Upholstery Programs 78 Spence 334 KrugExpress Program 80 Cadence 335 Wood Finishes 82 Faeron Wood 336 Laminate Program 88 Faeron Metal 336 Solid Surface Program 337 Base Styles 94 **Multi-Purpose Seating** 95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri 124 Bank of England 126 **Barstools & Counter Height Seating** 127 Manolo Karma 131 133 Capri 135 Corfu 141 **Lounge Seating** Avatar 142 Cressida 145 155 Leyton 170 Zola Zola Privacy 187 253 Faeron 265 Sutton 267 Carlyle 269 Brio 271 Sloane 273 **Benches** 274 Tate 280 Zola

290

Carlyle

# MANAGEMENT & TASK SEATING


- Callisto 3
  - C5
- 7 16
- Aqua Dorso E 22
- 29 Dorso T
- Dorso Weave
- 40 Dorso
- 47 Me 53
- Pan Am 58 Cadence

# CALLISTO | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



## MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 28.83%

POST-CONSUMER
RECYCLED CONTENT = 21.67%

Up to 70.56% of this Callisto product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Callisto products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## **AIR EMISSIONS**

All Callisto products are supplied air-emissions certified. Contact customer service for information.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CALLISTO | FEATURES & OPTIONS**



## **BREATHABLE MESH**

Mesh Seats and Backs are available in 2 colors: Black and Grey.



# **UPHOLSTERED CUSHIONING**

Upholstered Seats and Backs are available in a wide range of textiles, and seat features molded foam that is supportive for extended periods of sitting.



## ADJUSTABLE LUMBAR SUPPORT

This optional feature provides enhanced support in the lower lumbar area of the back with 3" of adjustment range.



# **FIXED CANTILEVER ARM**

This arm features Polished Aluminum with an integrated urethane pad surface.



## ADJUSTABLE ARM

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards.



# **ARMLESS**

Callisto models are available armless.



# **SELF-ADJUSTING SYNCHRO MECHANISM**

The tilt feature adjusts automatically to the user's weight. It includes a standard seat slider feature adding an adjustment range of 2", and 4 position tilt lock with anti-kickback, and height adjustability.



## **BASES**

Base options include Polished Aluminum and Black Polymer, and a soft wheel caster option.



# STOOL BASE

A stool version is available on all Callisto models. It has a standard height adjustment range of 7.5". Foot ring is Polished Chrome, and standard gas lift is Black.

The Seat Slider and Seat Slider Plus option is not available with the Stool base. Stool base is only available with a swivel mechanism.

## **WEIGHT CAPACITIES**

Callisto has been tested and complies with ANSI/BIFMA x5.1-2011 standards.
Callisto has been load tested to 450lbs

# **OPTIONS**



## **ADJUSTABLE ARMS PLUS**

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards. Adjustable Arms Plus provides a width adjustment range of 3".

# **SEAT SLIDER PLUS**

The optional enhanced seat slider, has an adjustment range of 3". When the 3" seat slider option is selected a larger chair base is included. Seat Slider Plus option is not available with the Stool base.

# **COMBINATION UPHOLSTERY OPTION**

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

## REPLACEABLE COMPONENTS

Callisto is uniquely designed to allow major components to be field replaced, providing a very cost-effective means to significantly extend the life of the product.

# **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with nonflammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **CALLISTO | DIMENSIONS & COM REQUIREMENTS**

							Height	Height					
				Overall	Seat	Seat	Arms From	Arms From	Width				
	Overall	Overall	Overall	Height	Height	Height -Stool	Floor	Floor-Stool	Between	Seat	Shipping		COM
	Width	Depth	Height	-Stool	Min/Max	Min/Max	Min/Max	Min/Max	Arms	Depth	Weight	Cubes	YRD
CAL1M10	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	-
CAL1M11	25	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	-
CAL1M12	24	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	17	19	45	14.5	-
CAL1M20	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	.85
CAL1M21	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	.85
CAL1M22	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	.85
CAL1M30	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	1.68
CAL1M31	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	1.68
CAL1M32	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	1.68

# **CALLISTO**

 COM
 COL
 FABRIC GRADES
 LEATHER

 DESCRIPTION/MODEL
 1
 2
 3
 4
 5
 6
 7
 8
 9



Mesh Back & Seat, Armless with Black Base

CAL1M10B 865

Mesh Back & Seat, Armless with Polished Aluminum Base

CAL1M10P 889



Mesh Back & Seat, Adjustable T-Arm with Black Base

CAL1M12B 968

Mesh Back & Seat, Adjustable T-Arm with Polished Aluminum Base

CAL1M12P 992



Mesh Back & Seat, Fixed Cantilever Arm with Black Base

CAL1M11B 992

Mesh Back & Seat, Fixed Cantilever Arm with Polished Aluminum Base

CAL1M11P 1017

**ORDERING NOTES:** To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Seat Slider Plus (S)	71
Soft Wheel Casters	64		
Adjustable Lumbar Support (L)	59		
Adjustable Arms Plus (W)	94		
Stool Base	108		

# PRODUCT CODE KEY

Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL	1	M	1	0	В	
Callisto	Management, Task & Conference Seating	Mid Back	Mesh Back & Seat	Armless	Black Polymer	
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3	2		
			Fully Upholstered	Adjustable T-Arm		

# **CALLISTO**

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRAD 5	ES 6	7	LEATHER 8	9
	Mesh Back & Uphols	stered Sea	t. Armles	s with Bla	ck Base					
	CAL1M20B	931	953	976	1017	1062	1106	1149	1194	1281
	Mesh Back & Uphols						4404	4470	1010	4007
	CAL1M20P	956	978	1001	1042	1087	1134	1173	1218	1307
6 9 m										
	Mesh back & Uphols	stered Sea	t, Adjusta	able T-Arm	with Black	k Base				
	CAL1M22B		1059	1081	1122	1166	1210	1256	1298	1386
							_			
	Mesh back & Uphols CAL1M22P		it, Adjusta 1084	able I-Arm 1106	with Polis	hed Alumin 1194	um Base 1237	1281	1323	1412
	CAL IIVIZZP	1002	1004	1100	1140	1134	1231	1201	1323	1412
ar 8 a										
	Mesh Back & Uphols	stered Sea	nt Fixed (	Cantilever	Arm with F	Black Base				
	CAL1M21B		1083	1106	1148	1193	1237	1281	1323	1411
	Mesh Back & Uphols									
	CAL1M21P	1087	1109	1131	1173	1218	1262	1306	1348	1437
	Fully Upholstered Ba	ock & Spat	Armlees	with Blac	k Base					
	CAL1M30B	976	1018	1063	1148	1236	1323	1408	1495	1668
	Fully Upholstered Ba		-				=		.=	
	CAL1M30P	1003	1043	1087	1173	1262	1347	1436	1521	1693
	Follo Hala de Como 2 B	-1.00.	Λ -1: -1	bla T A		Dana				
	Fully Upholstered Ba CAL1M32B		i, Adjusta 1124	ble I-Arm 1168	with Black 1253	1340	1429	1513	1601	1773
<b>\</b>	OAL IIVIOZD	1002	1124	1100	1233	1340	1429	1313	1001	1773
	Fully Upholstered Ba	ick & Seat	, Adjusta	ble T-Arm	with Polish	ned Aluminu	ım Base			
	CAL1M32P	1108	1149	1194	1281	1369	1453	1539	1624	1798
	Fully Upholstered Ba									
1 \	CAL1M31B	1107	1149	1194	1281	1367	1453	1539	1624	1798
7	Fully Upholstered Ba	ick & Seat	, Fixed C	antilever A	rm with Po	olished Alur	ninum Bas	е		
	CAL1M31P	1135	1177	1218	1306	1393	1479	1565	1653	1825

ORDERING NOTES: To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Seat Slider Plus (S)	71
Soft Wheel Casters	64	Combination Upholstery - dual	33
Adjustable Lumbar Support (L)	59		
Adjustable Arms Plus (W)	94		
Stool Base	108		


PRODUCT CODE	KEY					
Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL	1	М	1	0	В	
Callisto	Management, Task & Conference Seating	Mid Back	Mesh Back & Seat	Armless	Black Polymer	
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3	2		
			Fully Upholstered	Adjustable T-Arm		

# C5 | ENVIRONMENTAL SUMMARY

# **LEED CI CREDITS**







PRE-CONSUMER
RECYCLED CONTENT = 24.5%

POST-CONSUMER
RECYCLED CONTENT = 19.4%

Up to 60.1% of this C5 product is recyclable at the end of its useful life.

# **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. C5 products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

# **AIR-EMISSIONS**

All C5 products are supplied with air-emissions certified. Contact customer service for information.



## **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. C5 and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **ARM STYLES**

C5 features four styles of fixed arms; polished aluminum with polymer pad, polished aluminum with upholstered pad, full black polymer arm, and fully upholstered arm.



Polished Aluminum Arm with Polymer Pad



Polished Aluminum Arm with Upholstered Pad



**Black Polymer Arm** 



**Fully Upholstered -** Leather or Fabric wrapped upholstered arm with detailed top stitching.



# **MECHANISM OPTIONS**

Swivel-Tilt - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment. Right side activated tension control. Available in Black only.



**Knee Tilt** - Right side activated tension control and vertical adjustment. Left side 4 position activated tilt lock. Available in Black powdercoat or Polished Aluminum.

# BASE STYLES

C5 seating is available in two base options. Choose from a black nylon, or a polished aluminum.



Polished Aluminum



**Black Glass Reinforced Nylon** 



# **Jury Base**

The C5 series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

# C5 | FEATURES & OPTIONS

## **SEAT**

The seat has been carefully researched and shaped to provide extended sitting comfort, with a foam density that provides an optimal combination of softness and firmness.

## REPLACEABLE COMPONENTS

C5 chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable.

# **OPTIONS**

## **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

## **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# C5 | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight		COM Yardage
Mid Back										_
Polished Aluminum Arm with Polymer pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Polished Aluminum Arm with Uph. Pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.9
Black Polymer Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Upholstered Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	2.5
High Back										
Polished Aluminum Arm with Polymer Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Polished Aluminum Arm with Uph. Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.3
Black Polymer Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Upholstered Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.9

# **MULTIPLE YARDAGE REQUIREMENTS**

	Yardage Seat & Back Rest	Yardage Seat only	Yardage Back rest only	Yardage Upholstered Arm Pad (2)	Yardage Full Upholstered Arm (2)	
Mid Back						
1 Chair	1.7	.9	1.5	.19	.8	
2 Chairs	3.3	1.14	2.4	.19	1.06	
3 Chairs	5	2.04	3.2	.19	1.5	
4 Chairs	6.6	2.28	4	.19	2.19	
High Back						
1 Chair	2.1	.9	1.95	.19	.8	
2 Chairs	3.4	1.14	3.1	.19	1.06	
3 Chairs	5.5	2.04	4.2	.19	1.5	
4 Chairs	7.4	2.28	5.8	.19	2.19	

# **DIMENSIONS:**

Height measurements of C5 tilter are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# **COM APPROVAL PROCESS:**

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

# WEIGHT CAPACITY:

C5 has been tested to ANSI BIFMA.

C5 is load rated to 300lbs

# C5 EXECUTIVE | MID BACK

DESCRIPTION/MODEL	COM COL F. 1 2 3 4					FABRIC GRADES 4 5 6 7			LEATHER 7 8 9	
	FULLY UPHOLSTERE	D ARM								
	C5E1MB41A Polished Aluminum ki	1381 nee tilt, P	1447 olished A	1514 Juminum b	1609 ase	1716	1810	1918	2053	2188
	C5E1MB42B Black Aluminum knee	1342 tilt, Blac	1411 k base	1479	1569	1677	1773	1880	2014	2146
	POLISHED ALUMINU	IM ARM \	WITH PO	LYMER PA	D					
	C5E1MB11A Polished Aluminum ki	1205 nee tilt, P	1265 olished A	1320 Iuminum b	1404 ase	1499	1581	1673	1792	1909
	C5E1MB12B Black Aluminum knee	1168 e tilt, Blac	1227 k base	1285	1367	1461	1540	1636	1752	1870
	BLACK POLYMER AF	RM								
	C5E1MB32B Black Aluminum knee	1082 e tilt, Blac	1139 k base	1198	1315	1433	1551	1667	1782	2018
<u> </u>	BLACK POLYMER AF	RM								
	C5E1MB33C Black Swivel tilt, Polis	1039 shed Alun	1096 ninum ba	1157 se	1240	1333	1416	1509	1626	1745
	C5E1MB33D Black Swivel tilt, Blac	1012 k base	1068	1127	1209	1305	1386	1481	1597	1715



# **ORDERING NOTES:**

For jury base, please add a 'J' for the base style at the end of the model number and add \$80 list. Hard casters are the standard and soft wheel casters can be ordered for \$64 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
114	120	126	136	145	155	164	178	190

# PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

# C5 EXECUTIVE | HIGH BACK

		СОМ		COL	FAI	BRIC GRAI	DES		LEATHER	3
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTERE	D ARM	1508	1584	1689	1809	1915	2035	2188	2339
	Polished Aluminum kr					1609	1915	2035	2100	2339
	C5E1HB42B Black Aluminum knee	1393 tilt, Blac	1468 k base	1545	1651	1772	1878	1998	2147	2299
	POLISHED ALUMINU	M ARM \	WITH POLY	MER PAI	)					
	C5E1HB11A Polished Aluminum kr	1257 nee tilt, P	1320 olished Alu	1390 minum b	1483 ase	1592	1686	1792	1927	2061
	C5E1HB12B Black Aluminum knee	1218 tilt, Blac	1285 k base	1354	1446	1555	1646	1753	1887	2023
	BLACK POLYMER AF	RM								
	C5E1HB32B Black Aluminum knee	1134 tilt, Blac	1198 k base	1266	1358	1465	1560	1667	1802	1935
	BLACK POLYMER AF	RM								
	C5E1HB33C Black Swivel tilt, Polis	1090 shed Alun	1158 ninum base	1226	1318	1425	1519	1629	1764	1896
	C5E1HB33D Black Swivel tilt, Blac	1062 k base	1127	1197	1289	1396	1492	1597	1732	1866
	ORDERING NOTES: For jury base, please Hard casters are the s Barrier options are av For UPHOLSTERED	standard ailable fo	and soft w	heel casterge of \$6	ers can be <b>4 list per y</b>	ordered fo	or <b>\$64 list</b>	per chair.	CAL 133 a	

PRODUCT CODE KEY	114	120	126	136	145	155	164	1/8	190		
Line		Series		Back St	yle	Arm	Style	Ме	chanism	Base Style	
C5E C5 Executive (Horizontal Ribbed)		1 Tilter		MB Mid Bad HB High Ba		Arm with P Polished Arm with	Aluminum olymer Pad 2 Aluminum Uph. Pad	K Black	1   ed Aluminum   nee Tilt   2   x Aluminum   nee Tilt   3	Polished Aluminum for Knee Tilt B Black Base for Knee Tilt C	Base
						4	ymer Arm  ph. Arm	Black	s Swivel Tilt	Polished Aluminum for Swivel Tilt  D  Black Base for Swive	

Jury Base

# C5 CONTEMPORARY | MID BACK

									•	
		СОМ		COL		BRIC GRA			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTERE C5C1MB41A Polished Aluminum kn	1245	1314 olished Al	1380 uminum b	1477 ase	1583	1673	1781	1918	2053
	C5C1MB42B Black Aluminum knee	1216 tilt, Blacl	1284 k base	1351	1445	1555	1645	1752	1886	2020
	POLISHED ALUMINUI	M ARM V	WITH POL	YMER PA	D					
	C5C1MB11A Polished Aluminum kn	1068 iee tilt, Po	1127 olished Al	1187 uminum b	1270 ase	1361	1446	1538	1659	1774
	C5C1MB12B Black Aluminum knee	1042 tilt, Blacl	1098 k base	1158	1240	1334	1416	1510	1629	1746
	BLACK POLYMER AR	M								
	C5C1MB32B Black Aluminum knee	943 tilt, Blacl	1003 k base	1062	1143	1239	1319	1415	1533	1647
	BLACK POLYMER AR	M								
	C5C1MB33C Black Swivel tilt, Polis	906 hed Alum	962 ninum bas	1022 e	1106	1199	1282	1376	1493	1610
	C5C1MB33D Black Swivel tilt, Black	875 k base	934	992	1074	1169	1252	1346	1463	1581
	ORDERING NOTES: For jury base, please a Hard casters are the s Barrier options are ava For UPHOLSTERED	tandard a ailable for	and soft w r an upcha	heel caste arge of <b>\$6</b>	ers can be <mark>4 list per y</mark>	ordered for ard.	or <b>\$64 list</b> p	oer chair.	CAL 133 a	
ط	1 2 3	4	5	6	5 7		3 9			
PRODUCT CODE KEY	114 120 126	136						)		
Line	Series	Ba	ıck Style		Arm Style	<u> </u>	Mechani	sm	Base	Style
C5C Contemporary	1 Tilter		MB id Back		1 lished Alumi	inum	1 Polished Alu Knee Ti	minum	Polished Alu	A Iminum Base
		Hiq	HB gh Back	Po Arı	2 lished Alumim with Uph.  3 ack Polymer	inum Pad	2 Black Alum Knee Ti 3 Black Swiv	] inum It	Black for Kr Polished Alu for Sw	B Sase nee Tilt C Siminum Base rivel Tilt
					4				1	)

2025 | SEATING & OCCASIONAL TABLES | USA | 12

Fully Uph. Arm

D Black Base for Swivel Tilt

J Jury Base

# C5 CONTEMPORARY | HIGH BACK

		COM COL FABRIC GRADES				)FS	LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTERE	D ARM								
	C5C1HB41A	1292	1369	1443	1548	1669	1776	1896	2046	2196
	Polished Aluminum kı	nee tilt, Po	olished Alı	uminum ba	ase					
	C5C1HB42B	1263	1336	1415	1519	1640	1746	1866	2018	2168
	Black Aluminum knee	tilt, Black	k base							
	POLISHED ALUMINU	JM ARM V	VITH POL	YMER PAD	)					
	C5C1HB11A	1117	1183	1251	1346	1452	1545	1653	1788	1922
	Polished Aluminum kı	nee tilt, Po	olished Alı	uminum ba	ase					
	C5C1HB12B	1087	1153	1223	1315	1421	1515	1623	1756	1892
	Black Aluminum knee	tilt, Black	c base							
	BLACK POLYMER AF	RM								
	C5C1HB32B	990	1059	1124	1218	1328	1420	1528	1662	1796
	Black Aluminum knee	tilt, Black	k base							
	BLACK POLYMER AF	RM								
	C5C1HB33C	953	1018	1087	1179	1286	1381	1487	1622	1755
	Black Swivel tilt, Polis	shed Alum	inum bas	е						
	C5C1HB33D	922	988	1058	1149	1258	1351	1458	1592	1728
	Black Swivel tilt, Blac	k base								
	ORDERING NOTES:									
	For jury base, please	add a 'J'								
	Hard casters are the standard and soft wheel casters can be ordered for \$64 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.									

Barrier options are available for an upcharge of **\$64** list per yard.

For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
114	120	126	136	145	155	164	178	190

ODUCT CODE KEY					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5C Contemporary	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Til

Jury Base

# C5 PULLS | MID BACK

		COM		COL		RIC GRAD			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTER	ED ARM								
	C5P1MB41A	1267	1334	1402	1495	1603	1695	1804	1938	2072
	Polished Aluminum k	nee tilt, Po	olished Alu	uminum ba	ise					
	C5P1MB42B	1229	1295	1361	1456	1565	1660	1767	1899	2034
	Black Aluminum knee	e tilt, Black	base							
	POLISHED ALUMINU	JM ARM W	/ITH POL	YMER PAD	)					
	C5P1MB11A	1090	1149	1207	1290	1384	1466	1560	1677	1796
	Polished Aluminum k	nee tilt. Po	lished Alı	ıminum ba	ise					
	r onoriou / warminarri k									
	C5P1MB12B	1054	1111	1170	1253	1347	1429	1524	1640	1756
	Black Aluminum knee	e tilt, Black	base							
4 B 60										
	BLACK POLYMER AI	RM								
		000	1000	1001	4400	1000	1010	4 407	4555	1000
	C5P1MB32B	963	1026	1084	1166	1260	1342	1437	1555	1669
	Black Aluminum knee	e tiit, black	base							
5										
	BLACK POLYMER AI	RM								
							4000			
	C5P1MB33C	928	985	1044	1124	1222	1303	1395	1513	1632
	Black Swivel tilt, Polis	shed Alum	inum bas	е						
	C5P1MB33D	896	956	1015	1095	1192	1272	1367	1483	1601
	Black Swivel tilt, Blac	ck base								
6	•									
	ORDERING NOTES	:								
	For jury base, please	add a 'J'		•						
	Hard casters are the						or <b>\$64 list</b> p	oer chair. C	AL 133 ar	nd Moisture
	Barrier options are a			•			rm style 2	and add u	ncharge h	elow



For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
114	120	126	136	145	155	164	178	190

PRC	DUCT	KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D  Black Base for Swivel Tilt

# C5 PULLS | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAI 4	BRIC GRA 5	DES 6	7	LEATHER 8	R 9
	FULLY UPHOLS	TERED ARM								
	C5P1HB41A Polished Aluminu	1323 um knee tilt, P	1398 olished A	1477 Iuminum ba	1581 ase	1703	1808	1927	2079	2229
	C5P1HB42B Black Aluminum	1286 knee tilt, Blac	1360 k base	1438	1540	1663	1769	1890	2040	2192
	POLISHED ALUN	MINUM ARM V	NITH POL	YMER PAD	)					
	C5P1HB11A Polished Aluminu	1147 um knee tilt, P	1215 olished A	1283 Iuminum ba	1376 ase	1483	1578	1685	1818	1954
	C5P1HB12B Black Aluminum	1110 knee tilt, Blac	1177 k base	1244	1336	1445	1538	1645	1779	1914
	BLACK POLYME	R ARM								
	C5P1HB32B Black Aluminum	1022 knee tilt, Blac	1089 k base	1157	1251	1357	1452	1559	1692	1827
	BLACK POLYME	R ARM								
	DE TOTAL OF THE									
	C5P1HB33C Black Swivel tilt,	962 Polished Alun	1031 ninum bas	1096 se	1193	1302	1393	1501	1634	1771
	C5P1HB33D Black Swivel tilt,	934 Black base	1002	1066	1164	1270	1361	1473	1606	1741
	ORDERING NO For jury base, ple Hard casters are Barrier options a For UPHOLSTE	ease add a 'J' the standard are available fo ERED ARM PA	and soft or an upch	wheel caste narge of <b>\$6</b> 4 ished arm v	ers can be  4 list per y  versions of	ordered for yard.  nly select a	or <b>\$64 list</b> p	er chair.	CAL 133 a	
	1 2 114 120	3 4 126 13		5 6 45 15				<u> </u>		
PRODUCT CODE KEY Line	Series		ck Style		Arm Style		Mechanisn		Base	Style
C5P	1		MB		1		1		A	
C5 Pulls	Tilter	Mi	d Back		shed Alumir		olished Alum Knee Tilt	inum Po	olished Alur for Kne	ninum Base ee Tilt
		_	HB Jh Back		2 shed Alumir with Uph. I		Black Alumin Knee Tilt	um	Black for Kne	Base e Tilt
				Blac	k Polymer A	Arm	Black Swivel	Tilt Po	olished Alur for Swiv	
				Fu	ılly Uph. Arı	m		ВІ	lack Base fo	or Swivel Tilt


Jury Base

# **AQUA** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



# MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.5%

POST-CONSUMER RECYCLE CONTENT = 21.91%

Up to 47.7% of Aqua product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Aqua products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

# **AIR-EMISSIONS**

All Aqua products are supplied with air-emissions certified. Contact customer service for information.



## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Aqua and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **AQUA** | FEATURES & OPTIONS

## **ARM STYLE**

Four arm styles are available on Aqua - Armless, T-Arm, Height Adjustable T-Arm and Fixed Cantilever Arm.



**T-Arm** - A comfortable and supportive urethane pad, 10" in length by 3.5" wide, which can be field replaced if damaged, as can the entire arm.



**Height Adjustable T-Arm** - In addition to the same features as the T-Arm version, the arm pad has a 3-position rotation horizontally: center, left and right. The arm pad also adjusts forward and rearward in 5 positions, and is height-adjustable in 9 positions ranging over 4".



Cantilever Arm - The top surface of this arm has been proportioned to provide comfortable arm support, with a resting surface of 10" x 2".



## ARM WIDTH ADJUSTMENT

Width adjustment is a standard feature on Aqua arm styles. T-Arms, and Height Adjustable T-Arms, can be width adjusted, operated by the handwheel located under the seat. The T-Arms are width adjustable in a range of 1.5" per arm, or 3" per chair. Cantilever arms can be width adjusted with tools instead of a handwheel, with adjustment range of 1" per arm, or 2" per chair.



## **MECHANISM OPTIONS**

Synchro-Tilt Mechanism - There are 5 recline/lock positions, in addition to a full range of free-flowing movement. The forward position of the pivot point allows the back and seat to adjust in a 2:1 ratio synchronously, providing comfortable recline of the back with minimal incline of the seat.



Swivel-Tilt Mechanism - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment - ideal for short-term use environments, such as meeting rooms, where numerous adjustability features may not be desirable or necessary. Aqua Stools are only available with a Swivel Mechanism.



**Seat-Slider Option** - Available on the Synchro-Tilt Mechanism, this offers a 2" range of forward and rearward adjustment of the seat, with a locking feature. The addition of the seat slider adds 1/2" to the height of the seat and arms.



# **BASE STYLE**

Aqua seating is available with Black five star base and black gas cylinder, or optional Polished Aluminum five star base and chrome cylinder for an upcharge of \$40 list. Both bases come standard with dual wheel black casters. Hard casters are the standard and soft wheel casters can be ordered for \$64 list per chair. Aqua bases are also available with a fixed height option for an upcharge of \$40 list per chair.



## **JURY BASE**

The Aqua series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.



## MESH BACKS

Mesh Backs are made of breathable polyester elastomers, the Mesh Back has an ideal tension that provides comfortable lumbar and thoracic support for extended use and healthy sitting enhanced further with the air circulation provided by the mesh's unique design, and an easy-to-clean surface. The mesh back is also replaceable. Mesh colors available:

• White • Warm Grey • Black • Sky• Clay • Neo

Sunset • Cardinal



A unique construction with a mesh suspension core, combined with extensively-researched ergonomic curvature, gives the Aqua back a form-fitting comfort and a thin profile that is designed for healthy long-term sitting.



Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

# REPLACEABLE COMPONENTS

Aqua chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

## **OPTIONS**

# **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

# **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **AQUA** | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
Standard Height										
Mesh Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	40	18	0.75
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	40	18	0.75
Upholstered Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	41	18	1.4
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	41	18	1.4
Stool Height										
Mesh Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	40	20	0.75
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	40	20	0.75
Upholstered Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	41	20	1.4
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	41	20	1.4

# **MULTIPLE YARDAGE REQUIREMENTS**

	Yardage MESH BACK Seats Only	Yardage UPHOLSTERED BACK Back Only	Yardage UPHOLSTERED Full Chair		
1 Chair	.75	.94	1.28		
2 Chairs	.75	1.8	2.53		
3 Chairs	1.5	2.74	3.81		
4 Chairs	1.5	3.6	5.06		

Height measurements of Aqua tilter and teller chairs are taken with the pneumatic lift in the lowest position and with a standard height range gas lift.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

# Aqua Standard Height Aqua Stool Height Armless Fixed T- Arms Adjustable T - Arms Cantilever Arms

# WEIGHT CAPACITY:

Aqua has been tested to 300lbs.

# AQUA | MESH BACK

DESCRIPTION/MO	DDEL	COM 1	2	COL 3	FAB 4	RIC GRAD 5	ES 6	7	LEATHER 8	9
	Aqua Mesh Back, Ar	mless with Swi	vel Tilt, 5 s	star base ir	n black					
	AQU1M03B	829	843	854	883	912	940	968	997	1053
	Aqua Mesh Back, Ar AQU1M01B	mless with Syn 852	chro Tilt, 5 868	5 star base 882	in black 910	939	963	992	1021	1081
	Aqua Mesh Back, An	mless with Svn	chro Tilt/S	Seat Slider.	5 star base	in black				
	AQU1M02B	900	914	929	957	985	1014	1039	1067	1126
	Aqua Mesh Back, T-A									
	AQU1M13B	976	987	1002	1031	1060	1087	1116	1141	1199
	Aqua Mesh Back, T-A		•							
	AQU1M11B	1001	1015	1030	1056	1084	1111	1140	1169	1224
0	Aqua Mesh Back, T-A									
€0 ⊙9	AQU1M12B	1046	1062	1074	1102	1131	1161	1190	1216	1271
-										
	Aqua Mesh Back, He AQU1M23B	eight Adjustable 1019		black with 1048	Swivel Tilt, 1080	5 star bas 1107	e in black 1134	1162	1191	1246
	Aqua Mesh Back, He			black, with	Synchro T	ïlt, 5 star b	ase in blad			
	AQU1M21B	1045	1061	1073	1102	1131	1161	1190	1215	1271
	Aqua Mesh Back, He	eight Adjustable	T-Arm in	black with	Synchro Ti	lt/Seat Slid	ler, 5 star b	oase in bla	ack	
~ 60 B) ~	AQU1M22B	1093	1108	1121	1151	1178	1206	1236	1263	1317
	Aqua Mesh Back, Ca AQU1M33B	intilever Arm in 889	black with 905	n Swivel Ti 916	t, 5 star bas 943	se in black 974	1002	1031	1060	1114
	Aqua Mesh Back, Ca	ıntilever Arm in	black, wit	h Synchro	Tilt, 5 star l	base in bla	ck			
	AQU1M31B	914	929	942	973	1001	1029	1056	1084	1140
	Aqua Mesh Back, Ca	ıntilever Arm in	black with	n Synchro	Tilt/Seat Sli	der, 5 star	base in bla	ack		
	AQU1M32B	960	977	989	1018	1046	1073	1102	1131	1190
00000000000000000000000000000000000000					_		-		_	

# **ORDERING NOTES**

For jury base version, please add a 'J' for the base style at the end of the model number and add \$80 list.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add **\$40 list**.

Hard casters are the standard and **soft wheel casters** can be ordered for **\$64 list** per chair.

Mesh Colors available are listed on page 17.









PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	М	0	1	В
Aqua	Management, Task & Conference Seating	Mesh Back	Armless	Synchro Tilt	Black (5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3		
			Cantilever		

# **AQUA** | UPHOLSTERED BACK

DESCRIPTION/MO	DDEL	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	Aqua Upholstered Back, Arı AQU1U03B	mless wit 943	h Swivel <sup>-</sup> 992	Tilt, 5 star 1043	base in blac 1141	ck 1240	1338	1438	1536	1732
	Aqua Upholstered Back, Arı AQU1U01B	mless wit 971	h Synchro 1018	o Tilt, 5 sta 1067	r base in bl 1168	lack 1266	1363	1463	1560	1758
	Aqua Upholstered Back, Ari AQU1U02B	mless wit 1017	h Synchro 1065	Tilt/Seat 1117	Slider, 5 sta 1215	ar base in I 1312	black 1414	1510	1609	1806
	Aqua Upholstered Back, T-AAQU1U13B	Arm in bla 1092	nck, with 9 1140	Swivel Tilt, 1191	5 star base 1286	e in black 1387	1484	1585	1683	1881
	Aqua Upholstered Back, T-AAQU1U11B	Arm in bla 1117	ick, with 9 1166	Synchro Ti 1215	lt, 5 star ba 1314	se in black 1414	1512	1610	1708	1907
	Aqua Upholstered Back, T-A AQU1U12B	Arm in bla 1164	ack, with 9 1213	Synchro Ti 1263	lt/Seat Slide 1360	er, 5 star b 1460	ase in blac 1559	ck 1659	1755	1954
	Aqua Upholstered Back, He AQU1U23B	eight Adju 1138	stable T-A	Arm in blac 1237	k with Swiv 1335	vel Tilt, 5 s 1433	tar base in 1533	black 1603	1730	1926
	Aqua Upholstered Back, He AQU1U21B	eight Adju 1164	stable T-A	Arm in blac 1263	k with Synd 1359	chro Tilt, 5 1460	star base 1558	in black 1659	1755	1954
	Aqua Upholstered Back, He AQU1U22B	eight Adju 1212	stable T-A	Arm in blac 1310	k, with Syn 1408	nchro Tilt/S 1508	Seat Slider, 1606	5 star bas 1704	e in black 1803	2001
	Aqua Upholstered Back, Ca	ntilever A	Arm in bla 1056	ck with Sw 1106	vivel Tilt, 5 s 1203	star base ii 1303	n black 1401	1499	1597	1795
	Aqua Upholstered Back, Ca AQU1U31B	ntilever A 1032	arm in bla 1082	ck with Sy 1131	nchro Tilt, 5 1229	5 star base 1328	in black 1425	1526	1622	1819
	Aqua Upholstered Back, Ca AQU1U32B	ntilever A 1081	Arm in bla 1127	ck, with Sy 1178	/nchro Tilt/s 1276	Seat Slider 1374	; 5 star ba 1477	se in black 1570	1669	1867

# ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add \$80 list.

CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.** 

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$40 list.

Hard casters are the standard and **soft wheel casters** can be ordered for **\$64 list** per chair.

Mesh Colors available are listed on page 17.









PRODUCT CODE KEY

J					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	М	0	1	В
Aqua	Management, Task	Mesh Back	Armless	Synchro Tilt	Black
	& Conference Seating				(5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/	(Jury Base)
				Seat Slider	
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3		

Cantilever

# AQUA | STOOL

DESCRIPTION/MODEL	COM 1	2	COL 3	FAE 4	BRIC GRA 5	DES 6	7	LEATHER 8	₹ 9
Aqua Stool Mesh Ba AQT1M0G (glides) AQT1M0B (casters)	ack, Armle 895	ess, 5 star 910	in black v 924	vith glides 954	or casters 982	1008	1036	1064	1121
Aqua Stool Upholste AQT1U0G (glides) AQT1U0B (casters)		x, Armless 1062	, 5 star ba 1111	se in black 1209	with glide 1309	es or caste 1408	rs 1506	1606	1802
Aqua Stool Mesh Ba AQT1M1G (glides) AQT1M1B (casters)	ack, T-Arn 1043	n in black, 1058	, with 5 sta 1068	ar base in b	plack with	glides or c 1155	asters 1183	1212	1268
Aqua Stool Upholsto AQT1U1G (glides) AQT1U1B (casters)	ered Back 1161	x, T-Arm in 1207	black, 5 s 1257	star base in 1357	black wit 1455	h glides or 1556	casters 1653	1749	1947
Aqua Stool Mesh Ba AQT1M2G (glides) AQT1M2B (casters)	ack, Heigh 1090	nt Adjusta 1102	ble T-Arm 1117	in black, 5 1143	star base 1172	in black w 1202	ith glides o	or casters 1257	1314
Aqua Stool Upholste AQT1U2G (glides) AQT1U2B (casters)	ered Back 1206	x, Height <i>A</i> 1254	Adjustable 1306	T-Arm in b 1403	lack, 5 sta 1503	r base in b 1601	olack with o	glides or o 1798	easters 1995
Aqua Stool Mesh Ba AQT1M3G (glides) AQT1M3B (casters)	ack, Canti 957	lever Arm 973	in black, 985	5 star base 1015	in black v 1043	vith glides 1067	or casters 1096	1126	1183
Aqua Stool Upholste AQT1U3G (glides) AQT1U3B (casters)	ered Back 1073	x, Cantilev 1122	er Arm in I	black, 5 sta 1271	ar base in l 1371	black with 1467	glides or o	asters 1667	1862

# **ORDERING NOTES**

Hard casters are the standard and soft wheel casters can be ordered for \$64 list per chair.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Mesh Colors available are listed on page 17.

Aqua Stools are only available with a Swivel Mechanism.

## PRODUCT CODE KEY

PHODUCT COL	DE RET				
Line	Series	Back Style	Arm Style	Base Style	
AQT Aqua Stool	1 Management, Task & Conference Seating	M Mesh Back	0 Armless	B Black (Casters)	
		U	1	G	
		Upholstered	T-Arm	(Glides)	
			2		
			Height Adjustable T-Arm		


3 Cantilever

# **DORSO E-LINE | ENVIRONMENTAL SUMMARY**

# **LEED CI CREDITS**



# MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 17.95%

POST-CONSUMER
RECYCLED CONTENT = 17.72%

Up to 61.36% of Dorso E product is recyclable at the end of its useful life.

## CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

# **AIR-EMISSIONS**

All Dorso products are supplied with air-emissions certified. Contact customer service for information.



## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Dorso and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# DORSO E & T | FEATURES



## **ARM STYLES**

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

## E-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

## T-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



## **BASE STYLES**

## **E-LINE & T-LINE**

Dorso seating features optional Silver Metallic, polished Chrome or Black finish and dual wheel casters.



## **DORSO CONTROLS**

All Dorso E-Line and T-Line come with synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.



# **BACK HEIGHT**

Back height adjustment is an option on Dorso E & T Line. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

## **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

## BACK TENSION

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

## **SEAT SLIDER**

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever

# **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **DORSO E-LINE | DIMENSIONS & COM REQUIREMENTS**

Dorso E features a generous seat & back that provides unparalleled comfort and support.

Model Number				Overall Height	Seat Height Min/Max	Height of Arms from Floor	Width between Arms	-		Shipping Weight	Cube	COM Yardage
DEC1-HB/DES1-H	B Fixed	25.25	25	50	17.5-22.125	25.6875-30.25	21	47-52	18	44	19	2.2
DEB1-HB	Fixed Upholstered	25.5	25	50	17.5-22.125	25.6875-30.25	20.5	47-52	18	44	19	2.5
	Adjustable	25.5	25	50	17.5-22.125	26-34	21	47-52	18	44	19	2.2
	Armless	20.5	25	50	17.5-22.125	N/A	N/A	47-52	18	40	19	2.2
DEC1-MB/DES1-M	IB Fixed	25.25	25	43	17.5-22.125	25.6875-30.25	21	40-45	18	41	16	2
DEB1-MB	Fixed Upholstered	25.5	25	43	17.5-22.125	25.6875-30.25	20.5	40-45	18	41	16	2.3
	Adjustable	25.5	25	43	17.5-22.125	26-34	21	40-45	18	41	16	2
	Armless	20.5	25	43	17.5-22.125	N/A	N/A	40-45	18	37	16	2

## DORSO | E-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso E seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

# **ORDERING NOTES:**

Height measurements of Dorso E are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# DORSO T-LINE | DIMENSIONS & COM REQUIREMENTS

Dorso T - a strikingly modern chair design, provides a level of long term sitting comfort and support.

Model Number		Overall Width	Overall Depth	Overall Height	Seat Height Min/Max	Height of Arms from Floor	Width between Arms	Height Range		Shipping Weight	Cube	COM Yardage
DTC1-HB/DTS1-HB/	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	40	19	2
DTB1-HB	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	37	19	2
DTC1-MB/DTS1-MB	Fixed	25.25	24	42	16.75-21.375	27.5-30.25	20	39-44	18	41	16	1.8
DTB1-MB	Adjustable	25.5	24	42	16.75-21.375	26-34	20	39-44	18	41	16	1.8
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	39-44	18	37	16	1.8

# DORSO | T-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso T seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

# **OPTIONS**

Height measurements of Dorso T are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# DORSO E-LINE | MID BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODE	L	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	- Svnchro								-
_	DEC1-M111C	1439	1506	1569	1659	1758	1870	2010	2161	2327
	DES1-M111S	1376	1439	1504	1588	1691	1815	1944	2092	2257
	DEB1-M111B	1202	1266	1331	1415	1515	1640	1771	1920	2086
	223									
	Fixed Back; Fixed Arms	- Synchro/S	Seat Slide	r						
	DEC1-M112C	1518	1585	1647	1736	1837	1949	2088	2239	2407
	DES1-M112S	1455	1518	1584	1667	1771	1893	2023	2172	2340
<b>Θ</b> B	DEB1-M112B	1282	1345	1409	1493	1594	1717	1849	1999	2165
	Fixed Back; Adjustable A	rms - Synd	chro							
	DEC1-M121C	1644	1708	1774	1860	1962	2072	2212	2361	2531
	DES1-M121S	1534	1604	1667	1749	1854	1964	2105	2254	2421
	DEB1-M121B	1359	1422	1487	1570	1673	1798	1927	2079	2242
455								.02.	_0.0	
	Fixed Back; Adjustable A	rms - Synd	chro/Seat	Slider						
	DEC1-M122C	1724	1788	1854	1940	2040	2154	2293	2441	2610
	DES1-M122S	1613	1683	1746	1832	1932	2042	2185	2333	2502
	DEB1-M122B	1439	1503	1567	1651	1753	1879	2006	2158	2323
	Fixed Back; Fixed Arms (	Leather/Fa	abric Pad)	- Synchro						
	DEC1-M131C	1662	1734	1808	1902	2011	2132	2279	2451	2618
	DES1-M131S	1597	1668	1743	1834	1944	2073	2212	2385	2551
	Fixed Back; Fixed Arms (									
	DEC1-M132C	1741	1815	1885	1981	2090	2211	2357	2530	2697
	DES1-M132S	1676	1747	1819	1912	2023	2155	2370	2463	2630
o a										
	Fixed Back; Armless - Sy	nchro								
	DEC1-M101C	1345	1411	1478	1559	1663	1786	1914	2064	2234
	DES1-M101S	1218	1283	1348	1431	1536	1657	1786	1938	2104
	DEB1-M101B	1146	1212	1279	1359	1464	1585	1714	1866	2032
	Fixed Back; Armless - Sy	nchro/Sea	t Slider							
Q 4 100	DEC1-M102C	1422	1491	1556	1639	1743	1863	1993	2144	2312
<ul><li>Θ</li><li>Η</li><li>Ξ</li></ul>	DES1-M102S	1297	1360	1429	1510	1615	1734	1863	2017	2182
	DEB1-M102B	1226	1290	1357	1439	1543	1664	1792	1945	2110

# Each chair features the Synchro Tilt mechanism

**ORDERING NOTES:** The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of \$64 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

# PRODUCT CODE KEY

THODOOT CODE	. IXL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC Dorso E-Line	1 Management, Task	M Mid Back	1 Fixed	0 Armless	1 Synchro	C Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO E-LINE | MID BACK

DECODIDITION/MODEL		COM	0	COL	FAE	BRIC GRA		7	LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
_	Adjustable Back; Fixed	Arms - Syn	chro							
	DEC1-M211C	1468	1537	1603	1689	1790	1902	2040	2192	2359
	DES1-M211S	1408	1468	1536	1619	1723	1845	1976	2126	2293
	DEB1-M211B	1232	1297	1360	1446	1548	1670	1802	1951	2117
	Adjustable Back; Fixed	Arms - Syn	chro/Seat	Slider						
6 8 6	DEC1-M212C	1551	1617	1680	1769	1869	1981	2119	2271	2437
© B	DES1-M212S	1485	1551	1615	1698	1802	1924	2055	2205	2370
	DEB1-M212B	1312	1376	1440	1526	1626	1749	1881	2031	2195
	Adjustable Back; Adjus	tabla Arma	Cunchro							
	DEC1-M221C	1676	- Syricino 1741	1806	1892	1993	2105	2242	2392	2563
$\bigcap$	DES1-M221S									
		1565	1636	1698	1781	1884	1995	2135	2285	2453
	DEB1-M221B	1391	1455	1521	1604	1706	1832	1959	2109	2274
	Adjustable Back; Adjus	table Arms	- Synchro	/Seat Slide	er					
	DEC1-M222C	1755	1818	1884	1970	2072	2185	2323	2472	2640
	DES1-M222S	1644	1714	1777	1861	1964	2073	2215	2364	2532
00	DEB1-M222B	1468	1534	1598	1683	1786	1909	2037	2190	2355
_	Adjustable Back; Fixed	Arms (Leat	her/Fabric	Pad) - Sy	nchro					
	DEC1-M231C	1692	1767	1839	1934	2042	2164	2310	2483	2650
	DES1-M231S	1631	1699	1773	1863	1976	2107	2242	2417	2581
455	Adjustable Back; Fixed	Arms (Leat	her/Fabric	Pad) - Sy	nchro/Sea	t Slider				
	DEC1-M232C	1772	1845	1918	2012	2122	2241	2388	2562	2728
	DES1-M232S	1708	1778	1853	1944	2055	2186	2323	2495	2661
<u> </u>	Adjustable Back; Armle	ss - Synchr	0							
	DEC1-M201C	1376	1441	1508	1590	1693	1817	1946	2096	2265
	DES1-M201S	1249	1314	1380	1463	1567	1688	1817	1968	2134
	DEB1-M201B	1178	1244	1310	1391	1495	1617	1746	1897	2063
	Adjustable Back; Armle	ss - Synchr	o/Seat Sli	der						
	DEC1-M202C	1455	1522	1587	1669	1773	1896	2026	2174	2343
6 - 1 0	DES1-M202S	1330	1393	1460	1540	1645	1767	1896	2048	2214
	DEB1-M202B	1257	1320	1389	1468	1573	1695	1823	1977	2143
	:	1231	1020	1008	1400	1373	1033	1023	1311	۱40

# Each chair features the Synchro Tilt mechanism

\*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

**ORDERING NOTES:** The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of \$64 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

# PRODUCT CODE KEY

THODOOT CODE	- IXL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating				•	
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

# DORSO E-LINE | HIGH BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms -	Synchro								
	DEC1-H111C	1485	1568	1657	1769	1898	2059	2244	2459	2691
	DES1-H111S	1422	1504	1590	1703	1834	1990	2180	2391	2628
	DEB1-H111B	1232	1314	1402	1513	1642	1802	1990	2202	2436
	Fixed Back; Fixed Arms -	Cunobro/6	Soot Clido	~						
	DEC1-H112C	1565	1646	1734	1846	1979	2138	2324	2538	2770
	DES1-H112S	1503	1584	1669	1781	1979	2069	2324 2257	2536 2471	2770
	DEB1-H112B	1312	1393	1481	1592	1723	1881	2069	2281	2516
٥	DEB1-III12B	1312	1393	1401	1392	1723	1001	2009	2201	2310
	Fixed Back; Adjustable A	rms - Syno	chro							
	DEC1-H121C	1692	1774	1860	1974	2104	2263	2448	2654	2896
	DES1-H121S	1631	1713	1798	1908	2039	2195	2383	2591	2833
	DEB1-H121B	1439	1524	1609	1716	1852	2006	2193	2403	2641
	Fixed Back; Adjustable A	rme - Syno	chro/Seat	Slider						
	DEC1-H122C	1772	1854	1940	2054	2182	2341	2527	2734	2973
	DES1-H122S	1708	1791	1879	1987	2118	2274	2462	2670	2912
	DEB1-H122B	1518	1603	1688	1796	1928	2086	2272	2481	2721
	Fixed Back; Fixed Arms (	Leather/Fa	hric Pad)	- Synchro						
	DEC1-H131C	1708	1796	1893	2012	2154	2319	2515	2747	2983
	DES1-H131S	1644	1732	1827	1947	2086	2252	2449	2683	2903
	220: :::0:0	1044	1702	1021	1047	2000	2202	2440	2000	2017
	Fixed Back; Fixed Arms (	Leather/Fa	abric Pad)	- Synchro	/Seat Slide	er				
WE 3	DEC1-H132C	1788	1878	1971	2091	2232	2397	2593	2828	3059
	DES1-H132S	1724	1811	1908	2028	2165	2329	2529	2763	2995

# Each chair features the Synchro Tilt mechanism

**ORDERING NOTES:** The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**.

# PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		
				Fixed Captilover		

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO E-LINE | HIGH BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODEL	_	1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed A	rms - Syn	chro							
	DEC1-H211C	1518 <sup>°</sup>	1601	1688	1801	1929	2090	2278	2489	2721
	DES1-H211S	1455	1536	1622	1734	1863	2023	2212	2422	2658
	DEB1-H211B	1266	1346	1433	1545	1673	1834	2023	2236	2466
	Adjustable Back; Fixed A	rms - Syn	chro/Seat	Slider						
	DEC1-H212C	1597	1678	1767	1880	2010	2169	2356	2569	2803
	DES1-H212S	1534	1615	1702	1815	1944	2103	2293	2503	2738
	DEB1-H212B	1345	1423	1512	1623	1753	1912	2103	2313	2548
	Adjustable Back; Adjusta	ble Arms -	- Synchro							
	DEC1-H221C	1724	1806	1892	2004	2134	2294	2480	2684	2928
	DES1-H221S	1662	1745	1832	1940	2070	2228	2415	2623	2864
	DEB1-H221B	1468	1556	1640	1748	1882	2037	2223	2433	2673
	Adjustable Back; Adjusta	ble Arms -	- Synchro/	Seat Slide	r					
	DEC1-H222C	1803	1884	1970	2085	2214	2373	2559	2764	3008
	DES1-H222S	1741	1822	1909	2018	2148	2307	2493	2701	2944
Q // Q	DEB1-H222B	1551	1634	1717	1827	1960	2117	2303	2513	2754
	Adjustable Back; Fixed A	rme (l path	ner/Fahric	Pad) - Svr	nchro					
	DEC1-H231C	1741	1832	1924	2045	2185	2352	2545	2780	3013
	DES1-H231S	1676	1765	1860	2045 1980	2105	2352 2282	2545 2481	2760 2715	2948
	220112010	1070	1700	1000	1960	2117	2202	2401	2/15	2946
	Adjustable Back; Fixed A	rms (Leath	ner/Fabric	Pad) - Svr	nchro/Seat	t Slider				
	DEC1-H232C	1818	1909	2003	2124	2264	2431	2625	2859	3092
	DES1-H232S	1755	1844	1940	2059	2195	2361	2560	2793	3028
			1011	10.10	2000	2.00	2001	2000	2.00	0020
& // o										

# Each chair features the Synchro Tilt mechanism

\*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

**ORDERING NOTES:** The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**. Please see page 333 for more information.

# PRODUCT CODE KEY


THODOOT CODE	- IXL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC Dorso E-Line	1 Management, Task	M Mid Back	1 Fixed	0 Armless	1 Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

# **DORSO T-LINE | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS

## MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.91%

POST-CONSUMER RECYCLED CONTENT = 18.91%

Up to 63.75% of this Dorso T product is recyclable at the end of its useful life.

# **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



# **AIR EMISSIONS**

All Dorso products are supplied air-emissions certified. Contact customer service for information.

# **DORSO T-LINE | MID BACK**

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	- Synchro								
	DTC1-M111C	1323	1386	1446	1526	1618	1720	1849	1988	2140
	DTS1-M111S	1266	1323	1384	1461	1556	1668	1789	1926	2080
	DTB1-M111B	1107	1164	1224	1302	1394	1509	1626	1767	1918
	Fixed Back; Fixed Arms	- Synchro/	Seat Slide	r						
	DTC1-M112C	1403	1464	1526	1604	1697	1801	1927	2065	2219
	DTS1-M112S	1345	1403	1463	1539	1634	1747	1867	2004	2160
В	DTB1-M112B	1185	1244	1304	1378	1477	1588	1706	1845	1997
-	Fixed Back; Adjustable A	Arms - Syn	chro							
	DTC1-M121C	1513	1570	1633	1712	1806	1908	2034	2172	2328
	DTS1-M121S	1411	1478	1534	1610	1704	1808	1938	2073	2228
	DTB1-M121B	1251	1310	1371	1446	1539	1654	1773	1912	2063
	F: 15 1 A I: 1 1 1			01: 1						
	Fixed Back; Adjustable A				4700	4004	4007	0440	0050	0.400
	DTC1-M122C DTS1-M122S	1592 1491	1651 1556	1712 1613	1790 1689	1884 1782	1987 1885	2113 2017	2252 2155	2408 2307
0 8	DTB1-M122B	1331	1389	1449	1526	1619	1732	1853	1990	2143
	DIBI-WIIZZB	1331	1369	1449	1526	1019	1732	1000	1990	2143
	Fixed Back; Armless - S	ynchro								
	DTC1-M101C	1237	1298	1357	1434	1529	1642	1761	1899	2055
	DTS1-M101S	1120	1179	1241	1316	1414	1524	1642	1781	1935
	DTB1-M101B	1056	1116	1173	1251	1347	1459	1578	1716	1869
	Fixed Back; Armless - S	vnchro/Sea	t Slider							
	DTC1-M102C	1315	1377	1437	1513	1609	1723	1840	1980	2118
Q A	DTS1-M102S	1199	1260	1319	1396	1492	1603	1723	1861	2016
	DTB1-M102B	1135	1194	1253	1331	1425	1537	1657	1796	1947

# Each chair features the Synchro Tilt mechanism

# **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**. Please see page 333 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
223	231	239	245	255	261	270	291	301

# PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO T-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed Ar	ms - Syno	chro							
	DTC1-M211C	1355	1415	1477	1556	1645	1749	1880	2017	2170
	DTS1-M211S	1295	1355	1414	1491	1585	1698	1817	1955	2108
	DTB1-M211B	1137	1193	1252	1331	1423	1537	1659	1795	1947
	Adjustable Back; Fixed Ar	ms - Svno	chro/Seat	Slider						
	DTC1-M212C	1433	1493	1555	1634	1727	1832	1957	2094	2250
	DTS1-M212S	1374	1433	1492	1568	1664	1777	1896	2033	2188
о в П	DTB1-M212B	1215	1271	1332	1409	1504	1617	1736	1872	2028
	Adjustable Back; Adjustab	ole Arms -	Synchro							
	DTC1-M221C	1540	1601	1663	1741	1835	1938	2063	2202	2357
	DTS1-M221S	1440	1504	1562	1640	1734	1836	1965	2104	2256
	DTB1-M221B	1282	1338	1398	1478	1569	1683	1803	1941	2092
	Adjustable Back; Adjustab	ole Arms -	Synchro/	Seat Slide	r					
	DTC1-M222C	1620	1678	1743	1818	1913	2017	2143	2281	2436
& A &	DTS1-M222S	1521	1584	1641	1717	1815	1914	2045	2182	2337
	DTB1-M222B	1359	1417	1479	1556	1647	1761	1882	2019	2172
	Adjustable Back; Armless	- Synchro	)							
	DTC1-M201C	1268	1331	1389	1465	1560	1673	1792	1932	2086
	DTS1-M201S	1152	1212	1273	1348	1445	1556	1673	1815	1967
	DTB1-M201B	1087	1146	1206	1283	1378	1491	1609	1748	1899
	Adjustable Back; Armless	- Synchro	o/Seat Slid	ler						
0 4	DTC1-M202C	1347	1409	1466	1545	1640	1753	1871	2011	2177
v b	DTS1-M202S	1230	1290	1354	1429	1524	1634	1753	1893	2046
	DTB1-M202B	1166	1226	1285	1360	1459	1568	1688	1827	1980

# Each chair features the Synchro Tilt mechanism

## **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**. Please see page 333 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
223	231	239	245	255	261	270	291	301

# PRODUCT CODE KEY

THOBOOT COBE	- 1 ( - 1					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	M	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						
				2		

Fixed Cantilever Upholstered

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO T-LINE | HIGH BACK

		COM		COL		BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms -	Synchro								
	DTC1-H111C	1370	1445	1524	1626	1747	1894	2064	2264	2478
	DTS1-H111S	1310	1384	1464	1567	1686	1833	2006	2201	2417
	DTB1-H111B	1137	1209	1289	1391	1512	1659	1833	2028	2241
	Fixed Back; Fixed Arms -	•								
	DTC1-H112C	1447	1524	1603	1706	1825	1974	2144	2342	2555
	DTS1-H112S	1389	1463	1543	1645	1765	1911	2086	2280	2495
& A .	DTB1-H112B	1215	1289	1370	1468	1590	1736	1911	2107	2321
	Fixed Back; Adjustable A	rms - Svn	chro							
	DTC1-H121C	1557	1633	1712	1816	1935	2083	2252	2441	2664
	DTS1-H121S	1499	1573	1654	1755	1879	2020	2192	2385	2608
	DTB1-H121B	1323	1402	1481	1581	1702	1845	2018	2210	2432
	Fixed Back; Adjustable A	rms - Syn	chro/Seat	Slider						
	DTC1-H122C	1636	1712	1790	1894	2016	2161	2329	2520	2743
	DTS1-H122S	1579	1654	1732	1835	1956	2100	2271	2463	2685
	DTB1-H122B	1403	1481	1559	1661	1779	1924	2112	2286	2511
	Fixed Back; Armless - Sy	nchro								
	DTC1-H101C	1273	1348	1429	1533	1653	1801	1970	2168	2382
	DTS1-H101S	1152	1226	1307	1409	1528	1671	1849	2042	2256
	DTB1-H101B	1082	1155	1232	1336	1456	1603	1776	1971	2188
	Fixed Back; Armless - Sy									
	DTC1-H102C	1354	1429	1508	1611	1731	1880	2051	2247	2460
9	DTS1-H102S	1230	1306	1386	1487	1607	1752	1927	2122	2337
ü	DTB1-H102B	1161	1232	1312	1416	1536	1680	1855	2053	2266

# Each chair features the Synchro Tilt mechanism

\*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**. Please see page 333 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
223	231	239	245	255	261	270	291	301

## PRODUCT CODE KEY

PHODUCT CODE	- NL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC Dorso T-Line (Polished Chrome)	1 Management, Task & Conference Seating	M Mid Back	1 Fixed	0 Armless	1 Synchro	Chrome Base
DTS Dorso T-Line	a comorone coaming	H High Back	2 Adjustable	1 Fixed Cantilever	2 Synchro/	S Silver Metallic
(Silver Metallic)		Ü	•		Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever Upholstered		

# **DORSO T-LINE | HIGH BACK**

		COM		COL		BRIC GRAD			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed Ar	ms - Synd	chro							
	DTC1-H211C	1396	1473	1555	1657	1776	1923	2094	2293	2504
	DTS1-H211S	1338	1414	1493	1594	1715	1861	2034	2230	2447
	DTB1-H211B	1246	1319	1401	1503	1622	1769	1942	2138	2354
	Adjustable Back; Fixed Ar	•								
	DTC1-H212C	1478	1554	1633	1734	1855	2002	2173	2370	2584
6 N	DTS1-H212S	1417	1492	1570	1673	1795	1941	2113	2308	2526
& A	DTB1-H212B	1327	1401	1480	1583	1702	1846	2020	2217	2432
	Adjustable Back; Adjustab		•							
	DTC1-H221C	1587	1663	1741	1845	1964	2109	2281	2470	2695
	DTS1-H221S	1528	1606	1683	1782	1907	2051	2220	2412	2636
	DTB1-H221B	1356	1433	1512	1611	1732	1879	2051	2240	2463
	Adiustable Deels Adiustab	ala Aumaa	Cumahua/	Coot Clida						
	Adjustable Back; Adjustate DTC1-H222C	ne Arms - 1666	- Synchro/: 1743	1818	r 1924	2042	2190	2360	2549	2773
	DTS1-H222S	1607	1685	1761	1862	1985	2130	2300	2549 2492	2715
	DTB1-H222B	1434	1512	1590	1691	1811	1956	2130	2319	2542
o a	D1B1-0222B	1434	1312	1590	1091	1011	1950	2130	2319	2342
	Adjustable Back; Armless	- Synchro								
	DTC1-H201C	1306	1380	1460	1563	1685	1833	2002	2198	2412
	DTS1-H201S	1183	1257	1338	1440	1559	1704	1881	2073	2287
	DTB1-H201B	1111	1187	1266	1370	1487	1634	1808	2003	2218
	<u>~</u>		1107	1200	1070	1-01	1004	1000	2000	2210
	Adjustable Back; Armless	- Synchro	o/Seat Slid	er						
	DTC1-H202C	1384	1460	1538	1642	1764	1911	2083	2279	2492
	DTS1-H202S	1263	1336	1417	1521	1639	1782	1959	2155	2369
A 3	DTB1-H202B	1192	1266	1345	1447	1567	1713	1885	2084	2298
W										

# Each chair features the Synchro Tilt mechanism

\*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **59 list per yard**. Please see page 333 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
223	231	239	245	255	261	270	291	301

# PRODUCT CODE KEY


Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating				•	
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		

Fixed Cantilever Upholstered

## DORSO WEAVE | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 11.32%

POST-CONSUMER RECYCLED CONTENT = 21.48%

Up to 74.04% of this Dorso Weave product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Dorso products are supplied air-emissions certified. Contact customer service for information.

## **DORSO WEAVE | FEATURES**



#### **ARM STYLES**

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

#### S-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

#### **N-LINE**

Fixed cantilever and adjustable arms are available in black textured plastic only.



#### **BASE STYLES**

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



# pull of the lever. **BACK HEIGHT**

**SEAT HEIGHT** 

**BACK TENSION** 

preferences.

**SEAT SLIDER** 

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

In the seated position, a pull upwards on the

height adjustment lever located under the seat of

the user's right side adjusts the height up or down

Back tension on the mechanism is controlled with

an adjustment knob under the seat. It has been

designed to provide a range of back tension

adjustment suitable for users of varying sizes and

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment

front to back when seated. The lever to

activate this feature is located under the seat of the user's right side and is activated by an upward

with a total height range of 4.5".



#### **DORSO CONTROLS**

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.

#### **BACK COLOR OPTIONS**

Black • Warm Grey • Tan • Soft Beige • Winter White

## **DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed	24.5	22.5	42.5	18-22	27-30.5	20	18	51	15	0.75
	Adjustable	25	22.5	42.5	18-22	25.5-32	19.5	18	51	15	0.75
	Armless	19.5	22.5	42.5	18-22	N/A	N/A	18	46	15	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	47	18-22	27-30.5	20	18	52	18	0.75
	Adjustable	25	22.5	47	18-22	25.5-32	19.5	18	52	18	0.75
	Armless	19.5	22.5	47	18-22	N/A	N/A	18	47	18	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	50.5	18-22	27-30.5	20	18	54	18	0.75
with Headrest	Adjustable	25	22.5	50.5	18-22	25.5-32	19.5	18	54	18	0.75
N-LINE MID BACK	Fixed	24.5	21.5	41	18-22	27-30.5	20	18	50	15	0.75
	Adjustable	25	21.5	41	18-22	25.5-32	19.5	18	50	15	0.75
	Armless	19.5	21.5	41	18-22	N/A	N/A	18	45	15	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	45.5	18-22	27-30.5	20	18	51	18	0.75
	Adjustable	25	21.5	45.5	18-22	25.5-32	19.5	18	51	18	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	50.5	18-22	27-30.5	20	18	53	19.5	0.75
with Headrest	Adjustable	25	21.5	50.5	18-22	25.5-32	19.5	18	53	19.5	0.75

Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso seating. For information on COM approval process see page 333.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position.

All dimensions are in inches and approximate and are subject to change without notice.

Contact Customer Service if dimensions are critical.

## DORSO WEAVE S-LINE | MID BACK

		COM		COL	FAE	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
==3	FIXED ARMS (Black wit	h metal acc	cent)							
(50000) (00000)	DOS1-M2211M	1673	1691	1706	1731	1755	1779	1811	1845	1880
	Silver Metallic									
	DOS1-M2231M	1897	1922	1945	1977	2009	2042	2083	2136	2180
	Silver Metallic									
	DOC1-M2211M	1752	1771	1786	1809	1835	1857	1892	1923	1956
6	Polished Chrome									
0 -	DOC1-M2231M	1974	2001	2024	2055	2088	2118	2163	2214	2256
	Polished Chrome									
	ADJUSTABLE ARMS (E	lack with m	netal accer	nt)						
V60066\ V60060\ 	DOS1-M2221M	1609	1623	1640	1666	1689	1714	1746	1778	1810
	Silver Metallic									
	DOC1-M2221M	1691	1706	1724	1747	1773	1796	1832	1861	1894
	Polished Chrome									
6										
<b>6</b> 8										
	ARMLESS									
	DOS1-M2201M	1501	1515	1533	1558	1583	1607	1639	1670	1703
\(\)	Silver Metallic									
10007	DOC1-M2201M	1570	1588	1606	1631	1653	1677	1712	1744	1776
	Polished Chrome									
150										

### **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$80 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. Please see page 333 for more information.



### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DOS	1	М	2	2	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating			Weave			
DOC		Н		3	1	2	J
Dorso S-Line		High Back		Headrest (No trim)	Fixed Cantilever	Synchro/	Jury Base
(Polished Chrome	e)			(High back only)		Seat Slider	
				Weave	2		
					Adjustable (Black)		
					3		

Fixed Cantilever Upholstered

## **DORSO WEAVE S-LINE | HIGH BACK**

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wit	h metal acc	ent)							
(0000) (0000)	DOS1-H2211M	1809	1825	1841	1866	1892	1914	1947	1980	2012
(0000) (0000) (0000)	Silver Metallic									
	DOS1-H2231M	2031	2056	2081	2112	2145	2176	2218	2271	2313
	DOC1-H2211M	1887	1907	1922	1946	1970	1995	2028	2061	2092
	Polished Chrome									
	DOC1-H2231M	2110	2136	2161	2192	2222	2256	2297	2353	2394
	ADJUSTABLE ARMS (B	lack with m	etal accen	nt)						
(5555) (5555)	DOS1-H2221M	1746	1761	1778	1803	1827	1853	1884	1915	1949
W	Silver Metallic									
	DOC1-H2221M	1827	1844	1860	1884	1909	1934	1965	1999	2031
	Polished Chrome									
6 00										
	VE C LINE   LI			/I <del>T</del> LLL		огот				
DORSO WEA	VE S-LINE   HI	GH BA	ion vi	/	1EADF	1501				
	FIXED ARMS (Black wit	h metal acc	ent)							
	DOS1-H2311M	1991	2007	2024	2051	2072	2098	2131	2164	2194
(8533) (8533)	Silver Metallic	1001	2001	2024	2001	2012	2000	2101	2104	2154
<b>***</b>	DOS1-H2331M	2214	2238	2263	2296	2326	2360	2401	2453	2495
	Silver Metallic								00	50
	DOC1-H2311M	2072	2088	2107	2131	2157	2177	2212	2242	2278
6700	Polished Chrome									
U U	DOC1-H2331M	2295	2319	2345	2376	2410	2440	2481	2533	2579
	Polished Chrome									

### **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of **\$80 list**.

1945

2026

1960

2042

1987

2065

2010

2091

2033

2114

2065

2147

2100

2180

2132

2214

Clearly indicate on order fabric selection for seat and weave selection for back.

DOS1-H2321M

Polished Chrome

Silver Metallic DOC1-H2321M

ADJUSTABLE ARMS (Black with metal accent)

1928

2010

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$80 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. Please see page 333 for more information.



### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DOS	1	М	2	2	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		Weave 3	1	2	J
Dorso S-Line (Polished Chrome		High Back		Headrest (No trim) (High back only) Weave	Fixed Cantilever	Synchro/ Seat Slider	Jury Base

Adjustable (Black)

3

Fixed Cantilever Upholstered

## DORSO WEAVE N-LINE | MID BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER	i
DESCRIPTION/MODEL	=	1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1211B No back adjustment	1468	1485	1504	1528	1555	1578	1610	1641	1673
	DON1-M2211B With back adjustment	1557	1570	1588	1613	1638	1663	1693	1728	1758
	ADJUSTABLE ARMS (BI	ack)								
	DON1-M1221B	1408	1422	1440	1464	1487	1513	1545	1579	1611
	No back adjustment DON1-M2221B With back adjustment	1491	1508	1524	1548	1570	1594	1631	1663	1693
000										
	ARMLESS DON1-M1201B No back adjustment	1297	1312	1330	1355	1377	1403	1434	1466	1501
	DON1-M2201B With back adjustment	1371	1387	1403	1425	1452	1478	1509	1539	1572

### **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$199**. Seat slider option is available on all tilter chair models at an upcharge of **\$80 list**.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
		Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
				Weave	2		
					Adjustable (Black)		

## DORSO WEAVE N-LINE | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	FIXED ARMS (Black) DON1-H1211B No back adjustment	1644	1663	1677	1702	1728	1749	1782	1816	1849
	DON1-H2211B With back adjustment	1728	1744	1758	1782	1808	1834	1863	1897	1929
(653)	ADJUSTABLE ARMS (BI	ack)								
	DON1-H1221B  No back adjustment	1583	1597	1615	1639	1664	1688	1720	1752	1786
	DON1-H2221B With back adjustment	1663	1677	1693	1717	1744	1769	1801	1834	1863
DORSO WEA	VE N-LINE   HI	GH BA	ACK w	rith He	eadres	t				
	FIXED ARMS (Black) DON1-H1311B	1827	1844	1860	1884	1909	1934	1965	1999	2031
	No back adjustment DON1-H2311B With back adjustment	1911	1926	1944	1967	1991	2017	2051	2083	2113
$\overline{\Box}$	ADJUSTABLE ARMS (BI	,								
	DON1-H1321B  No back adjustment	1764	1779	1796	1821	1845	1869	1902	1935	1967
	DON1-H2321B With back adjustment	1845	1861	1880	1902	1926	1951	1985	2017	2051
6										

Each chair features the Synchro Tilt mechanism

#### **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$199**. Seat slider option is available on all tilter chair models at an upcharge of **\$80 list**.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



### PRODUCT CODE KEY


11100001 00	DE IXET						
Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task & Conference Seating	Mid Back	No Adjustment	No Headrest Weave	Armless	Synchro	Black Base
	a comercines coaming	Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only) Weave	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					Adjustable (Black)		
					3		

Fixed Cantilever Upholstered

## **DORSO S-LINE & N-LINE | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 21.68%

POST-CONSUMER
RECYCLED CONTENT = 20.03%

Up to 77.88% of Dorso S product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

## DORSO S-LINE & N-LINE | FEATURES



#### **ARM STYLES**

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

#### S-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

#### **N-LINE**

Fixed cantilever and adjustable arms are available in black textured plastic.



#### **BASE STYLES**

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



#### S-LINE

Dorso seating is available in three base styles:

4-Leq

4-Leg with twin wheel casters

Each is offered in a Silver Metallic or Polished Chrome steel frame. Cantilever and 4-Leg versions of Guest Seating feature rubber glides.

## N-LINE

Dorso seating is available in three base styles: Cantilever

4-Leg

4-Leg with twin wheel casters

Each is offered in a Silver Metallic steel frame.



#### **BACK HEIGHT**

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

#### **BACK TENSION**

Back tension on the synchro tilt mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.



#### **DORSO CONTROLS**

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. One of the best engineered and most user-friendly chair controls, the synchro tilt mechanism is unique in providing a single, easy-accessed lever to adjust tilt lock positions and seat height. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines. The synchro tilt mechanism also features an anti-kickback lock release, providing a smooth transition from locked to unlocked tilt adjustment.

#### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

## **SEAT SLIDER**

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

## **DORSO S-LINE & N-LINE | DIMENSIONS & COM REQUIREMENTS**

Presenting one of the world's most advanced seating concepts: new technology that offers outstanding ergonomics in a strikingly modern chair design, while providing a level of long-term sitting comfort and support that has been the hallmark of European seating. DORSO: Designed by Gabriel Teixidó

		Overall Width	Overall Depth	Overall Height	Seat Height		ht of om Floor		idth en Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	42.5 42.5 42.5	18-22 18-22 18-22	25.5	30.5 5-32 ⁄A	1	20 9.5 VA	18 18 18	51 51 46	15 15 15	1.7 1.7 1.7
S-LINE HIGH BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	47 47 47	18-22 18-22 18-22	25.5	30.5 5-32 /A	1	20 9.5 I/A	18 18 18	52 52 47	18 18 18	1.9 1.9 1.9
S-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	22.5 22.5	50.5 50.5	18-22 18-22		30.5 5-32		20 9.5	18 18	54 54	18 18	1.9 1.9
N-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	21.5 21.5 21.5	41 41 41	18-22 18-22 18-22	25.5	30.5 5-32 /A	1	20 9.5 I/A	18 18 18	50 50 45	15 15 15	1.7 1.7 1.7
N-LINE HIGH BACK	Fixed Adjustable	24.5 25	21.5 21.5	45.5 45.5	18-22 18-22		30.5 5-32		20 9.5	18 18	51 51	18 18	1.9 1.9
N-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	21.5 21.5	50.5 50.5	18-22 18-22		30.5 5-32		20 9.5	18 18	53 53	19.5 19.5	1.9 1.9
GUEST		Overall Width	Overall Depth	Seat Height	Heigl Arms fro		Wid		Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless Fixed	20.75 24.5	25.50 25.50	18.5 18.5	27 27		19. 19.		19.5 19.5	36 36	32 37	14 14	1.3 1.3
S-LINE/4LEG with Casters	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	36 36	33 38	14 14	1.3 1.3
S-LINE/ Cantilever Base	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	36 36	39 44	14 14	1.3 1.3
N-LINE/4LEG	Armless Fixed	20.75 24.5	25.50 25.50	18.5 18.5	27 27		19. 19.		19.5 19.5	34.75 34.75	31 36	14 14	1.3 1.3
N-LINE/4LEG with Casters	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	34.75 34.75	32 37	14 14	1.3 1.3

#### ORDERING NOTE

Add 0.5 yards for seating with leather wrapped arm option.

Note: Some vinyls are not suitable for application on Dorso seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for an approval process at time of order.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

#### **ORDERING NOTES**

All Dorso swivel and tilter models are available with an optional seat slider mechanism at an upcharge of \$80 list.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

## DORSO S-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wit	h metal acc	ent)							
[ \ _	DOS1-M2011M	1761	1827	1894	1980	2086	2212	2346	2502	2671
	Silver Metallic									
	DOS1-M2031M	1984	2058	2133	2223	2340	2473	2615	2791	2971
	Silver Metallic									
	DOC1-M2011M	1845	1913	1980	2069	2173	2287	2433	2587	2761
8	Polished Chrome DOC1-M2031M	2066	2144	2218	2315	2429	2551	2703	2879	3059
	Polished Chrome	2000	2144	2210	2313	2429	2551	2703	2019	3059
	Tolistica Officiale									
	ADJUSTABLE ARMS (B	lack with m	etal accer	nt)						
	DOS1-M2021M	1691	1761	1827	1913	2019	2134	2279	2433	2607
	Silver Metallic									
	DOC1-M2021M	1779	1845	1913	2001	2107	2220	2364	2518	2694
	Polished Chrome									
6 6										
	ARMLESS									
	DOS1-M2001M	1579	1644	1714	1798	1907	2031	2164	2319	2489
\\ \)	Silver Metallic									
	DOC1-M2001M	1654	1723	1789	1872	1980	2107	2240	2394	2567
	Polished Chrome									

### **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of **\$80 list**.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$77** to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64** list **per yard.** See page 333 for more information.



### PRODUCT CODE KEY

11100001 000							
Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		1	1	2	J
Dorso S-Line (Polished Chrome	a)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black)		

Fixed Cantilever Upholstered

## **DORSO S-LINE | HIGH BACK**

		COM		COL	FAI	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wi	th metal acc	cent)							
	DOS1-H2011M	1907	1989	2079	2194	2327	2489	2684	2903	3144
	Silver Metallic									
	DOS1-H2031M	2130	2219	2316	2440	2581	2751	2955	3192	3445
	Silver Metallic									
	DOC1-H2011M	1991	2077	2165	2281	2415	2577	2772	2989	3234
	Polished Chrome DOC1-H2031M	0014	0000	0404	0507	0000	0000	0040	0000	0504
	Polished Chrome	2214	2306	2404	2527	2669	2838	3042	3280	3534
	i olisilea officiale									
	ADJUSTABLE ARMS (E	Black with m	netal acce	nt)						
	DOS1-H2021M	1837	1924	2011	2124	2263	2420	2614	2828	3078
	Silver Metallic									
	DOC1-H2021M	1924	2011	2096	2212	2346	2511	2701	2913	3163
	Polished Chrome									
<b>&amp;</b> ⊗										
		DO		- I INII				//		ГОТ
		DO	K50 (	2-LIIVI			CK W	IIH F	IEADR	E91
	FIXED ARMS (Black wir	th metal acc	cent)							
H	DOS1-H2111M	2096	2202	2299	2433	2587	2770	2982	3210	3470
	Silver Metallic									
-57	DOS1-H2131M	2319	2433	2538	2680	2842	3032	3249	3501	3770
	Silver Metallic									
	DOC1-H2111M	2182	2287	2386	2518	2671	2854	3068	3299	3560
	Polished Chrome DOC1-H2131M	0404	0510	0005	0704	0000	0117	0000	0504	0050
	Polished Chrome	2404	2518	2625	2764	2926	3117	3339	3591	3859
	i olistied officiale									
	ADJUSTABLE ARMS (E	Black with m	netal acce	nt)						
H	DOS1-H2121M	2031	2124	2229	2364	2518	2701	2903	3144	3404
\ \	Silver Metallic									
HI	DOC1-H2121M	2114	2212	2319	2452	2607	2789	2991	3231	3490
	Polished Chrome									
mu -										

### **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of **\$80 list**.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



### PRODUCT CODE KEY

PHODUCT COL	DEKET						
Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	M
Dorso S-Line (Silver Metallic)	Management, Task & Conference Seating	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
DOC	& Contended Seating	Н		1	1	2	J
Dorso S-Line (Polished Chrome	e)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
					2		

Adjustable (Black)

3

Fixed Cantilever Upholstered

## DORSO N-LINE | MID BACK

		COM		COL	FABRIC GRADES		DES	LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1011B No back adjustment	1548	1617	1692	1779	1872	2001	2134	2299	2471
	DON1-M2011B With back adjustment	1638	1702	1779	1866	1964	2086	2220	2386	2557
	ADJUSTABLE ARMS (Blad DON1-M1021B No back adjustment	ack) 1482	1548	1617	1702	1808	1932	2069	2220	2394
	DON1-M2021B With back adjustment	1568	1638	1702	1789	1894	2019	2157	2307	2481
	ARMLESS DON1-M1001B	1363	1433	1509	1594	1692	1818	1954	2114	2287
	No back adjustment DON1-M2001B With back adjustment	1441	1521	1588	1673	1779	1894	2037	2194	2364

Each chair features the Synchro Tilt mechanism

## ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$199.

Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



1 1100001 00	JUL IKLI						
Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black
	& Conference Seating						Nylon Base
	_	Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black	<b>(</b> )	

## DORSO N-LINE | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	BRIC GRAI 5	DES 6	7	LEATHER 8	9
	FIXED ARMS (Black) DON1-H1011B No back adjustment DON1-H2011B With back adjustment	1730 1818	1818 1907	1907 1989	2019 2107	2157 2240	2319 2406	2511 2595	2732 2819	2971 3058
	ADJUSTABLE ARMS (BI	ack)								
	DON1-H1021B  No back adjustment	1664	1748	1837	1954	2086	2252	2443	2654	2903
	DON1-H2021B With back adjustment	1748	1837	1924	2037	2173	2337	2530	2741	2991

## DORSO N-LINE | HIGH BACK WITH HEADREST



FIXED ARMS (Black)									
DON1-H1111B	1924	2031	2124	2263	2415	2595	2807	3038	3299
No back adjustment									
DON1-H2111B	2011	2114	2212	2346	2502	2684	2894	3127	3383
With back adjustment									



ADJUSTABLE ARMS (Black)										
DON1-H1121B	1857	1954	2058	2194	2346	2530	2732	2971	3231	
No back adjustment										
DON1-H2121B	1944	2037	2145	2279	2433	2614	2819	3058	3316	
With back adjustment										

### **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$199.

Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task & Conference Seating	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Nylon Base
	d conference ceating	Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		


Adjustable (Black)

## **ME | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS



## MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Me products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## AIR-EMISSIONS

All Me products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Me and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

Me brings new meaning to custom seating. Your comfort. Your style. Your chair.

With Me, options, styling and versatility are virtually endless, and comfort is superior. With Me, Krug has created a chair that not only provides unprecedented comfort and natural posture support, but also exceptional styling. Me is an adaptable seating solution for any management, task and conference environment.



#### **ARM STYLES**

Four arm styles are available on Me. In addition to the armless version, is the urethane over molded steel supported fixed cantilever arm, or the adjustable pad arms: urethane pad arms, or upholstered pad arms. Both adjustable arm versions feature: pivoting arms that adjust 30 degrees inward or outward, 1 1/2" left and right width adjustment control, and a 6 stop position arm height range with a total of 2.6" of height adjustment. When specifying leather on the upholstered arm pad version, the user has the option of a perforated arm pad (available when specifying Krug's stock leather only). When specifying polished aluminum bases on Me, the arm upright will also be finished in polished aluminum (on adjustable arm versions only).



#### **BASE STYLES**

Me seating is available in two base options. Choose from an injection molded, glass reinforced black nylon base or polished cast aluminum base, both with 2 1/4" dual wheel casters.



#### **ME CONTROLS**

Me features a standard synchro tilt mechanism that allows the back and the seat to articulate synchronously in a 2:1 ratio. This feature insures that the upward tilt of the seat is minimized as the back reclines. The mechanism that also features a standard tilt lock mechanism that allows the user an infinite number of recline lock positions. Simply push the tilt lock lever downward to lock and upward to free-float the back.

#### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of:

Standard gas lift: 4.25" without seat slider and 4.0" with seat slider.

Low gas lift: 3.5" without seat slider and 3.5" with seat slider.

#### **BACK TENSION**

The back tension adjustment knob is located on the front underside of the seat. A simple turn of the knob provides a range of back tension adjustment suitable for users of varying sizes and preferences.

### **UPHOLSTERY OPTIONS**

With Me comes the ability to choose contrasting fabrics/leathers for the seat, upper and lower back sections, as well as the upholstered arm pads. This option allows for an endless possibility of custom designed seating options (see upcharges on the following pages). When specifying leather from Krug's in-stock leather program, the option to perforate the leather on the lower back and upholstered pad arms is available (see pricing on the following pages).

## SEAT SLIDER

All Me adjustable arm versions are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.

#### **BACK HEIGHT**

Me is available in three back heights: low, mid and high. Back height adjustment is a standard feature on all Me models. This feature offers an adjustment range of 11 positions over a 2 1/2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand of the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered to the first and lowest stop position.



#### **OPTIONAL GAS LIFT HEIGHT RANGES**

Me is available with two gas lift ranges. Unless clearly specified on order, Me seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows:

Non Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16" when lowered and no less than 20" when extended. Low gas lifts give a seat height of no greater than 15 1/8" when lowered and no less than 18 5/16" when extended.

**Seat Slider Versions**: Standard gas lifts give a seat height of no greater than 16 1/4" when lowered and no less than 20 5/16" when extended. Low gas lifts give a seat height of no greater than 15 3/8" when lowered and no less than 18 15/16" when extended. If dimensions are critical, please contact Customer Service.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

## **ME | DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
LOW BACK	Armless	20	21.75	36.5	N/A	N/A	19	39	16	1.7
	Fixed	23	21.75	36.5	27.13	19	19	46	16	1.7
	Adjustable Urethane	24.75	21.75	36.5	24	17.25	19	46	16	1.7
	Adjustable Upholstered	25.5	21.75	36.5	24.25	16.75	19	46	16	1.7
MID BACK	Armless	20	21.75	39	N/A	N/A	19	43	18	1.8
	Fixed	23	21.75	39	27.13	19	19	48	18	1.8
	Adjustable Urethane	24.75	21.75	39	24	17.25	19	48	18	1.8
	Adjustable Upholstered	25.5	21.75	39	24.25	16.75	19	48	18	1.8
HIGH BACK	Armless	20	21.75	41.6	N/A	N/A	19	45	20	1.9
	Fixed	23	21.75	41.6	27.13	19	19	50	20	1.9
	Adjustable Urethane	24.75	21.75	41.6	24	17.25	19	50	20	1.9
	Adjustable Upholstered	25.5	21.75	41.6	24.25	16.75	19	50	20	1.9

Height measurements of Me are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

**Note**: Some vinyls are not suitable for upholstery on Me seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service.

### The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order. For Maharam or Momentum fabric, Krug will obtain the fabric sample.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

### COM REQUIREMENTS PER CHAIR SECTION

Upper Back*	ack* Lower Back*	Seat	Arm Pads
0.7	0.5	0.75	0.4

Measurements above are provided in yards.



Me | LOW BACK



Me | MID BACK



<sup>\*</sup>Upper and Lower Backs consist of both the inside and outside back.

## ME | LOW BACK

		COM	COL	F	ABRIC GRA	DES			LEATHER	}
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 L2 11B Standard back upholstery MTH1 L2 21B Perforated back upholster			1363	1548	1638	1714	1857	2164 2337	2420
	MTH1 L2 11A Standard back upholstery MTH1 L2 21A Perforated back upholster			1499 e	1683	1771	1837	1980	2299 2471	2557
	ADJUSTABLE URETHANE MTH1 L2 12B Standard back upholstery MTH1 L2 22B Perforated back upholster	1213 , black ba	1268 ase	1330	1480	1579	1644	1789	2079 2252	2345
о ф	MTH1 L2 12A Standard back upholstery MTH1 L2 22A Perforated back upholster			1452 e	1617	1714	1779	1912	2212 2386	2481
	UPHOLSTERED ADJUSTA MTH1 L2 13B Standard back upholstery MTH1 L2 23B Perforated back upholster	1268 , black ba	1330 ase	1393	1557	1654	1730	1866	2182 2356	2471
	MTH1 L2 13A Standard back upholstery MTH1 L2 23A Perforated back upholster	1404 , silver me	1452 etallic base	1521 e	1692	1789	1866	1999	2307 2481	2595
	ARMLESS MTH1 L2 10B Standard back upholstery MTH1 L2 20B Perforated back upholster			1260	1441	1521	1594	1741	2058 2230	2307
and the second	MTH1 L2 10A Standard back upholstery MTH1 L2 20A Perforated back upholster			1386 e	1567	1654	1723	1866	2182 2356	2443

**ORDERING NOTES:** Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$80 list**. For Jury Base version of this chair, please add a **'J'** for the base style at the end of the model number and **add \$77** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.** 

DUCT CO Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Bas
	& Conference Seating		•	Upholstery		
		M		2	1	Α
		Mid Back		Perforated Back	Fixed Cantilever	Silver Meta
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
				,	Adjustable Upholstered	
					Pad Arms	

## ME | MID BACK

		COM	COL	FA	BRIC GRA	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 M2 11B Standard back upholstery,	1347 black b	1414 ase	1473	1664	1761	1837	1989	2327	2607
	MTH1 M2 21B Perforated back upholster	y, black	base						2502	
& J .	MTH1 M2 11A Standard back upholstery,	1473 silver m	1538 etallic base	1607	1789	1885	1964	2124	2462	2732
	MTH1 M2 21A								2636	
	Perforated back upholster	y, silver i	metallic bas	е						
	ADJUSTABLE URETHANE		RMS 1363	1400	1504	1600	1771	1010	0000	0510
	MTH1 M2 12B Standard back upholstery,	1298 black b		1423	1594	1692	1771	1912	2230	2518
	MTH1 M2 22B Perforated back upholster	v. black	base						2406	
	MTH1 M2 12A	1433	1492	1548	1730	1825	1907	2037	2364	2654
8	Standard back upholstery, MTH1 M2 22A	silver m	etallic base						2665	
	Perforated back upholster	y, silver ı	metallic bas	е					2000	
	UPHOLSTERED ADJUSTA	BLE PAI	D ARMS							
	MTH1 M2 13B	1363	1433	1492	1673	1789	1857	2011	2345	2654
PI	Standard back upholstery, MTH1 M2 23B	DIACK D	ase						2518	
	Perforated back upholster	y, black	base							
	MTH1 M2 13A Standard back upholstery,	1499 silver m	1557 etallic base	1617	1798	1912	1980	2134	2481	2776
	MTH1 M2 23A								2654	
	Perforated back upholster	y, silver i	metallic bas	е						
	ARMLESS	1000	1000	4047	4500	1000	4744	1000	0010	0.404
	MTH1 M2 10B Standard back upholstery,	1222 black b	1289 ase	1347	1538	1638	1714	1866	2212	2481
	MTH1 M2 20B Perforated back upholster	y, black	base						2386	
8 A 3	MTH1 M2 10A Standard back upholstery,	1347	1422	1480	1594	1771	1845	1999	2337	2614
	MTH1 M2 20A								2511	
	Perforated back upholster	y, siiver i	metallic bas	е						

**ORDERING NOTES:** Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$80 list**. For Jury Base version of this chair, please add a **'J'** for the base style at the end of the model number and **add \$77** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.** 

Line	Series	Back Style	Back Adjustment	<b>Back Details</b>	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating		•	Upholstery		
		М		2	1	Α
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metalli
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	d
					Pad Arms	

## ME | HIGH BACK

	COM	COL	FAE	BRIC GRAI	DES			LEATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
MTH1 H2 21E	3 1463 k upholstery, black ba		1617	1837	1944	2031	2212	2587 2761	2894
MTH1 H2 21A	k upholstery, silver me			1954	2069	2157	2337	2721 3039	3021
MTH1 H2 12E Standard bac MTH1 H2 22E Perforated ba  MTH1 H2 12A Standard bac MTH1 H2 22A	k upholstery, black ba 3 ck upholstery, black b 1538 k upholstery, silver me	1492 use pase 1617 etallic base		1761 1885	1866	1954	2124	2489 2671 2628 2795	2795 2921
MTH1 H2 13E Standard bac MTH1 H2 23E Perforated ba  MTH1 H2 13A Standard bac MTH1 H2 23A	k upholstery, black ba 3 ck upholstery, black b 4 1617 k upholstery, silver me	1567 ise pase 1692 etallic base		1845 1971	1964	2037	2230	2614 2789 2748 2921	2934


**ORDERING NOTES:** Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$80 list**. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$77** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.** 

ODUCT CO	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task & Conference Seating	Low Back	Adjustable	Standard Back Upholstery	Armless	Black Base
		M		2	1	Α
		Mid Back		Perforated Back Upholstery	Fixed Cantilever	Silver Metalli Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	b
					Pad Arms	

## PAN AM | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 6.29%

POST-CONSUMER
RECYCLE CONTENT = 18.32%

Up to 24.19% of Pan Am product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



#### level® CERTIFICATION

**AIR EMISSIONS** 


BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Pan Am products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



www.fsc.org

All Pan Am products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®





Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## PAN AM | FEATURES



#### **ARM STYLES**

Pan Am features three styles of fixed arms, including open urethane, closed upholstered and open upholstered versions.



#### **BACK STYLES**

Available with two different back options, Mid and High, Pan Am is perfect for desk and conference applications.



### **BASE STYLES**

Featuring a five blade caster base with 2 1/4" hooded dual wheel casters, Pan Am bases are available in both glass reinforced molded nylon base and polished cast aluminum base. (upcharge applies.)



#### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of: Standard gas lift: 3.5"

Low gas lift: 3.5



#### **TILT TENSION**

A tilt tension knob is located under the seat for all versions of Pan Am. For Knee Tilt versions a push of the height adjustment lever toward the gas lift cylinder activates the tilt lock feature.

### PAN AM CONTROLS

Pam Am is available with either a Swivel Tilt of Knee Tilt mechanism. All Pan Am seating features an adjustable tilt tension knob, and height adjustment lever. On the Knee Tilt version of Pan Am, the height adjustment lever also operates a forward tilt lock.

#### **OPTIONAL GAS LIFT HEIGHT RANGES**

PAN AM is available with two gas lift ranges. Unless clearly specified on order, PAN AM seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows: Pan Am standard gas lift give a seat height no greater than 16.4" when lowered and no less that 20.2" when extended. Low gas lift give a seat height no greater that 15.04" when lowered and no less than 18" when extended.

#### **OPTIONAL JURY BASE**

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### **DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
MID BACK	Open Urethane	24.5	24.5	34.5	25	18.5	19	31	15.03	1.8
	Closed Upholstered	27.25	24.5	34.5	26.75	19	19	33	15.03	2.7
	Open Upholstered	24.5	24.5	34.5	25	18.5	19	31	15.03	2.2
HIGH BACK	Open Urethane	24.5	24.5	40	25	18.5	19	35	17.06	1.9
	Closed Upholstered	27.25	24.5	40	26.75	19	19	37	17.06	2.8
	Open Upholstered	24.5	24.5	40	25	18.5	19	35	17.06	2.3
HIGH BACK	Open Urethane	24.5	24.5	46	25	18.5	19	37	18.75	2.5
with Headrest	Closed Upholstered	27.25	24.5	46	26.75	19	19	39	18.75	3.4
	Open Upholstered	24.5	24.5	46	25	18.5	19	37	18.75	2.9

Note: Some vinyls are not suitable for upholstery on Pan Am seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for a pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

Please contact Customer Service for more information on options for the Pan Am series. Height measurements of Pan Am are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

## PAN AM | MID BACK

		COM		COL	FAB	RIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-M11B Black base, swivel tilt PAN1-M12B Black base, knee tilt	1092 1230	1185 1333	1295 1433	1390 1536	1499 1645	1601 1738	1702 1852	1803 1944	1979 2117
	PAN1-M11A Polished aluminum base, s PAN1-M12A Polished aluminum base, k	1370	1333 1468	1433 1572	1528 1673	1639 1786	1738 1879	1840 1988	1944 2083	2117 2256
	Polistied aldminum base, i	triee tiit								
	CLOSED UPHOLSTERED PAN1-M21B Black base, swivel tilt	ARMS 1601	1747	1907	2054	2201	2347	2505	2656	2829
	PAN1-M22B Black base, knee tilt	1747	1896	2054	2201	2347	2497	2642	2803	2978
8	PAN1-M21A Polished aluminum base, s	1738 swivel tilt	1886	2045	2192	2340	2487	2642	2791	2968
	PAN1-M22A Polished aluminum base, I	1886 knee tilt	2035	2192	2340	2487	2636	2781	2942	3115
	OPEN UPHOLSTERED AF	RMS								
	PAN1-M31B Black base, swivel tilt	1713	1857	2007	2164	2313	2460	2608	2757	2933
	PAN1-M32B Black base, knee tilt	1852	2007	2157	2301	2451	2608	2757	2903	3080
	PAN1-M31A Polished aluminum base, s		1997	2146	2301	2451	2596	2727	2894	3071
	PAN1-M32A Polished aluminum base, I	1988 knee tilt	2146	2294	2441	2590	2746	2894	3040	3217

### **ORDERING NOTES**

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.



Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	a 33g	Н	2	2	А
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

## PAN AM | HIGH BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-H11B Black base, swivel tilt PAN1-H12B	1098 1240	1203 1354	1312 1463	1423 1572	1528 1673	1639 1786	1738 1886	1852 1997	2024 2173
	Black base, knee tilt	1240	1004	1400	1072	1070	1700	1000	1007	2170
	PAN1-H11A Polished aluminum base, s		1341	1452	1563	1666	1776	1879	1988	2164
	PAN1-H12A Polished aluminum base, k	1376 nee tilt	1487	1601	1713	1810	1867	2024	2138	2313
	CLOSED UPHOLSTERED	ARMS								
	PAN1-H21B Black base, swivel tilt	1610	1769	1923	2083	2237	2386	2552	2699	2877
	PAN1-H22B Black base, knee tilt	1756	1913	2072	2228	2386	2533	2694	2847	3024
	PAN1-H21A Polished aluminum base, s	1747 wivel tilt	1907	2061	2219	2378	2526	2694	2838	3014
	PAN1-H22A Polished aluminum base, k	1896 inee tilt	2054	2212	2366	2526	2670	2829	2986	3161
$\sim$	OPEN UPHOLSTERED AR									
	PAN1-H31B Black base, swivel tilt	1720	1879	2035	2182	2340	2497	2656	2810	2986
	PAN1-H32B Black base, knee tilt	1867	2024	2182	2329	2487	2642	2803	2959	3135
	PAN1-H31A Polished aluminum base, s	1857 wivel tilt	2017	2173	2323	2479	2636	2791	2948	3127
	PAN1-H32A Polished aluminum base, k	2007 nee tilt	2164	2323	2466	2628	2781	2942	3097	3271

## **ORDERING NOTES**

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.



PRODUCT CODE RET					
Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	ŭ	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

## PAN AM | HIGH BACK WITH HEADREST

	(	СОМ		COL		RIC GRAD	ES		EATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Black base, swivel tilt	1166	1268	1377	1491	1592	1703	1803	1914	2088
	Black base, knee tilt	1306	1417	1528	1639	1741	1852	1954	2062	2239
	Polished aluminum base, sv	1306 wivel tilt	1405	1515	1631	1730	1840	1942	2054	2228
	PAN1-HR-12A Polished aluminum base, ki	1441 nee tilt	1556	1667	1777	1879	1934	2088	2205	2378
	CLOSED UPHOLSTERED A									
	Black base, swivel tilt	1673	1834	1989	2146	2301	2451	2615	2765	2942
	PAN1-HR-22B Black base, knee tilt	1822	1979	2138	2294	2451	2601	2757	2912	3088
9 9	PAN1-HR-21A Polished aluminum base, sv	1811 wivel tilt	1970	2126	2283	2443	2590	2757	2903	3080
	PAN1-HR-22A Polished aluminum base, kr	1960 nee tilt	2117	2278	2432	2590	2736	2894	3052	3223
	OPEN UPHOLSTERED ARM	MS								
	PAN1-HR-31B Black base, swivel tilt	1786	1942	2103	2247	2405	2563	2718	2877	3052
	PAN1-HR-32B Black base, knee tilt	1934	2088	2247	2394	2552	2712	2866	3025	3200
	PAN1-HR-31A Polished aluminum base, sv	1923 wivel tilt	2083	2239	2387	2542	2699	2858	3014	3189
	PAN1-HR-32A Polished aluminum base, ki	2072 nee tilt	2228	2387	2533	2694	2848	3006	3162	3340

### **ORDERING NOTES**

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.




Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	9	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

## **CADENCE** | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### AIR-EMISSIONS

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CADENCE | FEATURES**



#### **RECLINE ADJUSTMENT**

The recline adjustment on the Cadence series allows a 24 degree range of motion. The foremost lever located on the right-hand side (when you are in a seated position) engages a device to lock the back in any position within the chair's range of movement. Lowering the lever locks the back at any position within the range. Raising the lever releases the lock and the back will move freely through the entire range.



#### **BACK HEIGHT ADJUSTMENT**

(on selected models only)

The back height is adjustable on selected models of Cadence series. The mechanism adjusts the back while in the seated position. The adjustable height back has a 4 inch range of movement with an 8 position stop mechanism. Place both hands on either side of the lower back cushion and lift and click to the desired height. Raise the back to the highest position to release the back height lock and lower to the first and lowest position.



#### **BACK TENSION**

A hand wheel centrally located near the front underside of the chair controls the amount of tension applied to the back. Turning the knob clockwise when you are in the seated position lessens the tension. Turning the knob counterclockwise increases the tension.



#### **ARM HEIGHT**

(on selected models only)

A trigger release button located outside and below the arm pad adjusts the arm height. Depress the trigger to raise arm through its height range of 3.5 inches and 8 settings. Depress the trigger to raise the arm, release when desired height is reached to lock in position.



#### **SEAT HEIGHT ADJUSTMENTS**

The rear-most lever located in the right-hand side (when you are in the seated position) activates the seat height adjustment. Pull up on the lever to adjust seat height up or down through a range of adjustment of 3 inches.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

## **DIMENSIONS & COM REQUIREMENTS**

		Overall Width		Overall Height		Height of Arms from floo	Width r between Arms	Seat Depth		Shipping Weight	Cube	COM Yardage
MID BACK	Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
Narrow Width	Adjustable	25	26	36.75	17.75	24.25-30.25	19.5	19.75	4	43	18	2.3
	Wood & Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
	Wood & Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.8
	Completely Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	3.0
	Armless	19.5	26	36.75	17.75	-	-	19.75	4	41	18	2.3
Wide Width	Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Adjustable	26.5	26	36.75	17.75	24.25-30.25	21	19.75	4	45	18	2.3
	Wood & Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Wood & Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.8
	Completely Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	3.0
	Armless	21	26	36.75	17.75	-	-	19.75	4	43	18	2.3
<b>HIGH BACK</b>	Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
Narrow Width	Adjustable	25	26	43	17.75	24.25-30.25	19.5	19.75	4	46	20	2.5
	Wood & Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
	Wood & Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.0
	Completely Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.2
Wide Width	Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Adjustable	26.5	26	43	17.75	24.25-30.25	21	19.75	4	48	20	2.5
	Wood & Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Wood & Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.0
	Completely Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.2
<b>ARM CHAIR</b>		27.25	27	36	18.25	26	18.75	18	_	23	18	1.7

Height measurements are taken with the pneumatic lift (and adjustable arm and back when applicable) in the lowest position.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

## CADENCE | MID BACK

		WOOD	СОМ		COL		BRIC GRA			LEATHE	
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARM	MS									
<i>SI</i> 1	CAD1-MW11B		1493	1569	1638	1844	1955	2054	2211	2584	2817
	CAD1-MN11B										
	CAD1-MW21B										
	CAD1-MN21B										
	CAD1-MW11W	Cherry, Maple,	1774	1852	1913	2122	2238	2321	2489	2864	3087
	CAD1 MAN111M	Walnut, Medium Anigre									
	CAD1-MN11W	Cherry, Maple,									
	CAD1-MW21W	Walnut, Medium Anigre									
	CAD I-IVIVVZ I VV	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN21W	Cherry, Maple,									
	OAD I-WINZ IVV	Walnut, Medium Anigre									
		Walliut, Medium Alligie									
	ADJUSTABLE A	RMS									
	CAD1-MW15B		1437	1509	1572	1778	1883	1965	2130	2485	2721
	CAD1-MN15B										
	CAD1-MW25B										
	CAD1-MN25B										
	CAD1-MW15W	Cherry, Maple, Walnut, Medium Anigre	1717	1790	1854	2056	2163	2247	2410	2767	2992
8 9	CAD1-MN15W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW25W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MN25W	Cherry, Maple,									
		Walnut, Medium Anigre									
	ORDERING NO	TES:									
	CAD-MW25 CA	D-MN25 versions are av	ailable w	ith option	al seat sli	der mech	anism at a	an upcha	rge of <b>\$8</b>	<b>0 list</b> . Sp	pecifying
		n may add additional lea	d time to	producti	on sched	ules. Plea	se contac	t Custom	er Servi	ce for mo	ore infor-
	mation.										
	WOOD AND UR	ETHANE ARMS	1588	1666	1792	1960	2079	2166	2348	2742	2970
]/ /	CAD1-MW12B	ETTI/ (IVE / II IIVIO	1000	1000	1752	1300	2013	2100	2040	2172	2010
	CAD1-MN12B										
	CAD1-MW22B										
	CAD1-MN22B		1866	1946	2018	2241	2357	2451	2632	3024	3239
	CAD1-MW12W	Cherry, Maple,			_0.0						0200
8 20		Walnut, Medium Anigre									
	CAD1-MN12W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW22W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MN22W	Cherry, Maple,									

**ORDERING NOTES:** Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator. For jury base version of this chair, please add a '**J**' for the base style at the end of the model number and **add \$77** to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.** 

Walnut, Medium Anigre



PRODUCT COL	LKLI					
	Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
	CAD	1	MW	1	1	W
C	Cadence	Management Seating	Mid Back Wide	Fixed Back	Urethane	Wood
			MN	2	2	В
			Mid Back Narrow	Adjustable Back	Wood And Urethane	Black Nylon
					5	J
					Adjustable	Jury Base


## **CADENCE** | MID BACK

DESCRIPTION	/MODEL	WOOD FINISH	COM 1	2	COL 3	FAE	BRIC GRA	DES 6	7	LEATHE 8	R 9
	WOOD AND UF CAD1-MW13B CAD1-MN13B CAD1-MW23B	PHOLSTERED ARM	1792	1871	2002	2166	2285	2377	2557	2949	3239
	CAD1-MN23B CAD1-MW13W CAD1-MN13W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	2073	2157	2227	2451	2564	2658	2838	3234	3512
	CAD1-MW23W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN23W	Cherry, Maple, Walnut, Medium Anigre									
	COMPLETELY U CAD1-MW14B CAD1-MN14B	JPHOLSTERED	1744	1822	1951	2114	2232	2324	2505	2898	3219
	CAD1-MW24B CAD1-MN24B CAD1-MW14W	Cherry, Maple, Walnut, Medium Anigre	2020	2104	2173	2397	2515	2607	2788	3182	3490
	CAD1-MN14W CAD1-MW24W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN24W	Walnut, Medium Anigre									
	ARMLESS CAD1-MW10B CAD1-MN10B CAD1-MW20B		1338	1414	1480	1688	1798	1896	2055	2427	2685
	CAD1-MN20B CAD1-MW10W	Cherry, Maple, Walnut, Medium Anigre	1618	1693	1760	1968	2083	2164	2334	2707	2936
	CAD1-MN10W CAD1-MW20W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,									
	CAD1-MN20W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									

### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.





Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	0	W
Cadence	Management Seating	Mid Back Wide	Fixed Back	Armless	Wood
		MN Mid Back Narrow	2 Adjustable Back	Wood And Upholstered	Black Nylon
				4 Completely Upholstered	J Jury Base

## **CADENCE** | HIGH BACK

		WOOD	СОМ		COL	FAB	RIC GRA	ADES		LEATHE	R
DESCRIPTION/I	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARI CAD1-HW11B CAD1-HN11B CAD1-HW21B CAD1-HN21B	MS	1622	1723	1796	2019	2157	2249	2451	2874	3127
	CAD1-HW11W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	1907	2002	2079	2302	2436	2530	2732	3155	3396
g g g	CAD1-HW21W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN21W	Cherry, Maple, Walnut, Anigre									
	ADJUSTABLE A CAD1-HW15B CAD1-HN15B CAD1-HW25B CAD1-HN25B	RMS	1559	1654	1729	1946	2072	2164	2357	2767	3022
	CAD1-HW15W CAD1-HN15W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre	1841	1935	2010	2227	2355	2448	2639	3043	3290
	CAD1-HW25W CAD1-HN25W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
		,									

ORDERING NOTES: CAD-MW25 versions are available with optional seat slider mechanism at an upcharge of \$80 list. Specifying seat slider option may add additional lead time to production schedules. Please contact Customer Service for more information.



WOOD AND UR	RETHANE ARM										
CAD1-HW12B		1724	1832	1909	2154	2293	2390	2602	3053	3295	
CAD1-HN12B											
CAD1-HW22B											
CAD1-HN22B											
CAD1-HW12W	Cherry, Maple,	2006	2108	2192	2432	2569	2669	2882	3333	3565	
	Walnut, Medium Anigre										
CAD1-HN12W	Cherry, Maple,										

Walnut, Medium Anigre

CAD1-HW22W Cherry, Maple,

Walnut, Medium Anigre

CAD1-HN22W Cherry, Maple,

Walnut, Medium Anigre

### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.



Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
 CAD	1 Management Seating	HW High Back Wide	1 Fixed Back	1 Urethane	Wood
		HN High Back Narrow	2 Adjustable Back	Wood And Urethane	B Black Nylon
				5 Adjustable	J Jury Base


## **CADENCE** | HIGH BACK

		WOOD	СОМ		COL	FAB	RIC GRAI	DES	ı	_EATHER	3
DESCRIPTION/	/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	WOOD AND UP	HOLSTERED ARM									
1	CAD1-HW13B		1932	2035	2114	2357	2500	2595	2808	3260	3565
	CAD1-HN13B										
	CAD1-HW23B										
	CAD1-HN23B										
	CAD1-HW13W	Cherry, Maple, Walnut, Medium Anigre	2212	2316	2397	2639	2778	2880	3090	3542	3840
	CAD1-HN13W	Cherry, Maple,									
	OAD I-III IOW	Walnut, Medium Anigre									
	CAD1-HW23W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-HN23W	Cherry, Maple,									
-											
	COMPLETELY U	IPHOLSTERED ARM									
	CAD1-HW14B		1882	1985	2062	2304	2448	2543	2757	3208	3546
	CAD1-HN14B										
	CAD1-HW24B										
	CAD1-HN24B	Observe Manda	2161	2265	2346	2587	2727	2828	3038	3490	3816
	CAD1-HW14W	Cherry, Maple,	2101	2203	2340	2301	2121	2020	3030	3490	3010
	CAD1-HN14W	Walnut, Medium Anigre Cherry, Maple,									
8 3 8	CADT-IIN14W	Walnut, Medium Anigre									
	CAD1-HW24W	Cherry, Maple,									
	Walnut, Medium Anio										
	CAD1-HN24W	Cherry, Maple,									
		Walnut, Medium Anigre									

### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.





Line	Series	Back Style	Back Adjustmen	nt Arm Style	Base Style
CAD	1	HW	1	3	W
Cadence	Management Seating	High Back Wide	Fixed Back	Wood and Upholstered	Wood
	2	HN	2	4	В
	Guest Seating	High Back Narrow	Adjustable Back	Completely Upholstered	Black Nylon
		А			J
		Arm Chair			Jury Base

## **GUEST SEATING**


65 Addison
 68 Blake
 71 Dorso
 74 Bali
 76 Kita
 78 Spence
 80 Cadence
 82 Faeron Wood
 88 Faeron Metal

## **ADDISON | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = .69%

POST-CONSUMER RECYCLED CONTENT = 13.10%

Up to 13.79% of this Addison product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Addison products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Addison products are supplied with air-emissions certified. Contact customer service for information.



### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Addison and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **ADDISON**

	WOOD		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTIO	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM ADD-2-A-1	, OPEN BACK Cherry, Oak,Walnut, Beech, Medium Anigre	937	961	988	1039	1093	1143	1198	1249	1355
		Maple	1011	1036	1063	1116	1166	1218	1270	1320	1425
	OPEN ARM	, FULLY UPHOLSTERED	BACK								
	ADD-2-A-2	Cherry, Oak, Walnut, Beech, Medium Anigre	985	1032	1080	1166	1254	1346	1434	1526	1703
		Maple	1052	1095	1141	1231	1319	1411	1501	1589	1771
	OPEN ARM	, UPPER UPHOLSTERED	BACK								
	ADD-2-A-3	Cherry, Oak, Walnut, Beech, Medium Anigre	971	1003	1037	1106	1171	1239	1306	1372	1508
		Maple	1043	1080	1110	1178	1245	1311	1377	1446	1581

### **ORDERING NOTES:**

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.

Ganging is optional on all wood arm and side chairs at an upcharge of \$80 list per chair. Please specify at time of order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE	PRODUCT	CODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
To order please specify the following.	ADD	2	А	1
Krug product model number     Select a finish for the chair frame     Select a textile or leather	Addison	Guest Seating	Arm Chair	Open Arm, Open Back
				Open Arm, Fully Upholstered Back
Dimensions are in inches and approximate.  Contact Customer Service if dimensions				3 0 A H H - h - h - h B h
are critical.				Open Arm, Upper Upholstered Back
				4
				Open Arm, Horizontal Slat Back
				5
				Open Arm.Solid Wood Back

## **ADDISON**

		WOOD	COM		COL	FABF	RIC GRADE	S	L	EATHER	
DESCRIPTION	I/MODEL	FINISH	1	2	3	4	5	6	7	8	9
		, HORIZONTAL SLAT BA Cherry, Oak,Walnut, Beech, Medium Anigre	ACK 955	979	1006	1058	1109	1162	1213	1266	1371
		Maple	1018	1044	1068	1138	1173	1228	1281	1332	1434
		, SOLID WOOD BACK Cherry, Oak, Walnut, Beech, Medium Anigre	960	987	1015	1065	1118	1170	1223	1273	1377
		Maple	1029	1053	1081	1131	1183	1236	1286	1340	1445

### **ORDERING NOTES:**

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.

Ganging is optional on all wood arm and side chairs at an upcharge of **\$80 list** per chair. Please specify at time of order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.** 

## **DIMENSIONS & COM REQUIREMENTS**


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE	PRODUCT (	CODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
to order please speetly the following.	ADD	2	А	1
Krug product model number	Addison	Guest Seating	Arm Chair	Open Arm, Open Back
Select a finish for the chair frame     Select a textile or leather				2
5. 55.65t & toxinio 5. 154.115.				Open Arm, Fully Upholstered Back
Dimensions are in inches and approximate.  Contact Customer Service if dimensions				3
are critical.				Open Arm, Upper Upholstered Back
				4
				Open Arm, Horizontal Slat Back
				5
				Open Arm, Solid Wood Back

## **BLAKE | ENVIRONMENTAL SUMMARY**

## **LEED CI CREDITS**





PRE-CONSUMER
RECYCLED CONTENT = 14%

POST-CONSUMER
RECYCLED CONTENT = 86%

Up to 86% of this Blake product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Blake products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Blake products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Blake and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **BLAKE**

		WOOD	COM COL FABRIC GRADES				ES	LEATHER			
DESCRIPTION	/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM,	OPEN BACK									
	BLA-2-A-1	Cherry, Oak, Walnut,	854	882	909	959	1014	1064	1117	1169	1271
		Beech, Medium Anigre									
		Manufa									
W    V		Maple	921	946	974	1026	1080	1128	1181	1232	1338
V											
	OPEN ARM,	FULLY UPHOLSTERED	BACK								
	BLA-2-A-2	Cherry, Oak, Walnut,	896	941	987	1080	1166	1254	1346	1434	1615
		Beech, Medium Anigre									
		Manla	960	1008	1053	1141	1231	1319	1411	1501	1670
Ψ    Ψ		Maple	960	1006	1053	1141	1231	1319	1411	1501	1678
	OPEN ARM,	UPPER UPHOLSTERE	D BACK								
	BLA-2-A-3	Cherry, Oak, Walnut,	888	922	957	1022	1090	1157	1224	1290	1423
		Beech, Medium Anigre									
		Manla	955	987	1021	1089	1155	1223	1289	1356	1491
		Maple	900	301	1021	1003	1133	1220	1203	1000	1431
	OPEN ARM,	VERTICAL SLAT BACK									
	BLA-2-A-4	Cherry, Oak, Walnut,	927	954	978	1031	1083	1135	1187	1239	1342
		Beech, Medium Anigre									
		Maple	985	1014	1037	1090	1141	1194	1246	1298	1403

#### **ORDERING NOTES**

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair. Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8

### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

PRODUCT CODE KEY			
Line	Series	Chair Type	Chair Style
BLA	2	А	1
Blake	Guest Seating	Arm Chair	Open Arm, Open Back
			2
			Open Arm, Fully Upholstered Back
			3
			Open Arm, Upper Upholstered Back
			4
			Open Arm, Vertical Slat Back
			5
			Open Arm, Lower Upholstered Back
			6
			Closed Arm, Lower Upholstered Back
			7
			Closed Arm, Fully Upholstered Back

# **BLAKE**

		WOOD	COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, I BLA-2-A-5	LOWER UPHOLSTER Cherry, Oak,Walnu Beech, Medium Ani	t, 924	960	999	1073	1147	1224	1298	1373	1524
		Maple	992	1032	1067	1142	1218	1294	1370	1445	1592
	CLOSED ARM	Л, LOWER UPHOLST	ERED BAC	CK							
	BLA-2-A-6	Cherry, Oak, Walnu Beech, Medium Ani		1026	1089	1215	1342	1467	1594	1724	1977
		Maple	1034	1096	1162	1289	1416	1540	1669	1796	2053
	CLOSED ARN	Л, FULLY UPHOLSTE	RED BACI	 К							
	BLA-2-A-7	Cherry, Oak, Walnu Beech, Medium Ani		1053	1120	1253	1390	1526	1662	1795	2064
		Maple	1052	1118	1185	1317	1455	1589	1727	1860	2131

#### **ORDERING NOTES**

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

# **DIMENSIONS & COM REQUIREMENTS**


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8

#### **ORDERING PROCEDURE** PRODUCT CODE KEY Line Series Chair Type Chair Style To order please specify the following: BLA 2 Α 1. Krug product model number Blake Arm Chair Open Arm, Open Back **Guest Seating** 2. Select a finish for the chair frame 2 3. Select a textile or leather Open Arm, Fully Upholstered Back Dimensions are in inches and approximate. Contact Customer Service if dimensions Open Arm, Upper Upholstered Back are critical. 4 Open Arm, Vertical Slat Back 5 Open Arm, Lower Upholstered Back 6 Closed Arm, Lower Upholstered Back Closed Arm, Fully Upholstered Back

# **DORSO GUEST | ENVIRONMENTAL SUMMARY**

# **LEED CI CREDITS**





PRE-CONSUMER
RECYCLED CONTENT = 9.82%

POST-CONSUMER RECYCLED CONTENT = 19.98%

Up to 73.17% of this Dorso product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

# **AIR EMISSIONS**

All Dorso products are supplied air-emissions certified. Contact customer service for information.



# **DORSO S-LINE | GUEST**

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	4 Leg Base, armless with Silver DOS2-10	1058	1108	1163	1231	1316	1423	1538	1683	1837
	4 Leg Base, armless with Polisho DOC2-10	ed Chrome 1163	1213	1260	1338	1423	1521	1644	1779	1944
	4 Leg Base, fixed arms with Silve DOS2-11 4 Leg Base, fixed arms with Political Control of the P	1203	1260	1307	1376	1463	1568	1692	1827	1980
	DOC2-11	1330	1376	1433	1499	1588	1692	1808	1954	2107
	4 Leg Base with Casters, armles DOS2-20	s with Silve 1146	r Metallic 1193	base 1251	1316	1404	1509	1623	1771	1924
	4 Leg Base with Casters, armles DOC2-20	s with Polis 1193	hed Chror 1251	me base, 1298	1363	1452	1557	1683	1818	1971
	4 Leg Base with Casters, fixed a DOS2-21	rms and Sil 1289	ver Metalli 1347	ic base 1396	1463	1548	1654	1779	1913	2069
H	4 Leg Base with Casters, fixed a DOC2-21	rms and Po 1414	lished Chi 1463	rome base 1521	1588	1673	1779	1894	2037	2194
	Cantilever Base, armless with Si DOS2-30	lver Metallio	base 1222	1268	1347	1433	1530	1654	1789	1954
	Cantilever Base, armless with Po DOC2-30			1386	1452	1538	1644	1771	1907	2058
	Cantilever Base, fixed arms with DOS2-31	Silver Meta 1463	ıllic base 1521	1568	1638	1723	1827	1954	2086	2240
B	Cantilever Base, fixed arms with DOC2-31	Polished C 1521	hrome bas 1579	se 1623	1692	1779	1885	2011	2145	2299

# **ORDERING NOTES**

Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.

# **ORDERING PROCEDURE**

OTTO THE OTTO THE	11100001 001	DEIXEI		
To order please specify the following:	Line	Series	Base	Arm Style
Krug product model number     Select a textile or leather	DOS  Dorso S-Line (Silver Metallic)	2 Guest Seating	1 Four Leg	0 Armless
Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.	DOC Dorso S-Line (Polished Chrome)  DON Dorso N-Line (Silver Metallic)		Four Leg with Casters  3 Cantilever	Fixed Cantilever

# **DORSO N-LINE | GUEST**

		СОМ		COL	FAB	RIC GRAD	DES	LEATHER			
DESCRIPTION/MO	ODEL	1	2	3	4	5	6	7	8	9	
	4 Leg Base, armless with Si DON2-10	lver Metallid 914	961	1009	1089	1172	1268	1396	1530	1692	
	4 Leg Base, fixed arms with DON2-11	Silver Meta 1019	allic base 1074	1124	1193	1282	1386	1509	1644	1798	
	4 Leg Base with Casters, an DON2-20	mless with 1002	Silver Meta 1048	allic base 1096	1172	1260	1357	1482	1617	1779	
	4 Leg Base with Casters, fix DON2-21	ed arms an 1109	d Silver M 1161	etallic bas 1213	e 1282	1363	1473	1594	1730	1885	
	Cantilever Base, armless wi DON2-30	th Silver Me 1019	etallic base 1074	1124	1193	1282	1386	1509	1644	1798	
	Cantilever Base, fixed arms DON2-31	with Silver 1203	Metallic ba 1260	ase 1307	1376	1463	1568	1692	1827	1980	

# **ORDERING NOTES**


Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.

# **DIMENSIONS & COM REQUIREMENTS**

DIMILIAGIONS	X COIVI NL	QUINE	IAIL IAI	3							
		Overall Width	Overall Depth	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	36	32	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	36	37	14	1.3
S-LINE/4LEG with Casters	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	33	14	1.3
	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	38	14	1.3
S-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	39	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	44	14	1.3
N-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	34.75	31	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	34.75	36	14	1.3
N-LINE/4LEG with Casters	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	32	14	1.3
	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	37	14	1.3
N-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	38	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	43	14	1.3

# LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.68%

POST-CONSUMER
RECYCLED CONTENT = 16.42%

Up to 74.19% of this Bali product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bali products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Bali products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bali and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **BALI**

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Wood with Black back leg BAL2A1B	833								
	Wood with Chrome back leg BAL2A1C	916								
	Upholstered Front with Black back	lea								
	BAL2A2B	1128	1169	1223	1281	1336	1402	1478	1551	1671
	Upholstered Front with Chrome bar BAL2A2C	ck leg 1244	1289	1336	1391	1447	1524	1594	1680	1810
	Upholstered Seat Cushion with Black			4450	4005	4044	1000	4000	4 400	4 40 4
hh	BAL2A3B	1084	1120	1158	1205	1244	1289	1336	1409	1484
	Upholstered Seat Cushion with Chr	ome back	leg							
	BAL2A3C	1158	1205	1244	1289	1345	1420	1478	1558	1636
	Caddie DOL6	838								

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width				Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage
WOOD SHELL	23.25	23	34.25	17.25	26	19.5	18	30	15.3	-
UPHOLSTERED FRONT	23.25	23	34.25	18.11	26	19.5	17	30	15.3	8.0
UPHOLSTERED SEAT CUSHION	23.25	23	34.25	18.25	26	19.5	18	30	15.3	0.4

### **ORDERING NOTES**

Bali Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Bali Guest Chairs are available with a removable upholstered back cover at an upcharge of \$48 list per chair.

Ganging is optional on all wood arm and side chairs at an upcharge of \$80 list per chair. Please specify at time of order.

When used with Caddie (stacking cart), Bali stacks to a maximum of 10 chairs high, and 6 high without Caddie.

Chair frames are available in Charry and Beach finishes. Please see page 335 for finish color selection and clearly mark of


Chair frames are available in Cherry and Beech finishes. Please see page 335 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64** list per yard. See page 333 for more information.

# ORDERING PROCEDURE

To order please specify the following:	Line	Series	Base	Chair Style	Back Leg Style
Krug product model number	BAL Bali	2 Guest Seating	A Arm Chair	1 Wood	Black
Select a finish for the chair frame     Select a textile or leather		, and the second		2	С
Dimensions are in inches and approximate				Upholstered Front	t Chrome
Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.			U	3 pholstered Seat Cus	hion

# **LEED CI CREDITS**





PRE-CONSUMER
RECYCLED CONTENT = .80%

POST-CONSUMER
RECYCLED CONTENT = 15.28%

Up to 16% of this Kita product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Kita products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



he mark of responsible foresti

# **AIR EMISSIONS**

All Kita products are supplied air-emissions certified. Contact customer service for information.

# FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Kita and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **KITA**

			COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION	/MODEL	Species	1	2	3	4	5	6	7	8	9
	Open Arm, I 1320-OA	Full Width Upholste Maple	ered Back 1317	1372	1411	1503	1559	1609	1692	1887	2033
	Closed Arm 1320-CA	, Full Width Uphols Maple	tered Back 1715	1786	1834	1955	2033	2090	2201	2453	2714
	3/4 Width U 1321-A	pholstered Back Maple	1317	1372	1411	1503	1559	1609	1692	1887	2033
	Slat Back 1322-A	Maple	1372	1422	1452	1537	1587	1618	1688	1841	1959
	Shoji Back 1323-A	Maple	1303	1348	1378	1461	1509	1537	1615	1769	1883

# **ORDERING NOTES**

Kita Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1320-OA	22	24	32	18.5	26	18.75	19	25	12	1
1320-CA	22	24	32	18.5	26	18.75	19	25	12	1.8
1321-A	22	24	32	18.5	26	18.75	19	25	12	1
1322-A	22	24	32	18.5	26	18.75	19	26	12	0.8*
1323-A	22	24	32	18.5	26	18.75	19	26	12	0.8*

# ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

# STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.

### **GANGING**


Ganging is optional on all wood arm and side chairs at an upcharge of **\$80 list** per chair. Please specify at time of order.

# **SPENCE | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS



### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .45%

POST-CONSUMER RECYCLED CONTENT = 17.27%

Up to 18.18% of this Spence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Spence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



# AIR EMISSIONS

All Spence products are supplied air-emissions certified. Contact customer service for information.

# **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Spence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **SPENCE**

		WOOD	COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MOD	DEL	FINISH	1	2	3	4	5	6	7	8	9
	Slat Bac 1400	k Oak	1192	1257	1345	1431	1534	1645	1761	1909	2011
		Cherry, Maple, Walnut, Medium Anigre	1335	1403	1487	1573	1671	1786	1902	2045	2145
	Slat & Up	pholstered Back									
	1401	Oak	1229	1297	1386	1473	1581	1697	1810	1967	2110
		Cherry, Maple, Walnut, Medium Anigre	1372	1445	1534	1620	1723	1839	1959	2107	2252
	Split Upl	holstered Back									
	1402	Oak	1251	1317	1411	1503	1609	1729	1846	2006	2185
		Cherry, Maple, Walnut, Medium Anigre	1401	1473	1559	1653	1758	1871	1997	2146	2327
	Full Uph	olstered Back									
	1403	Oak	1262	1336	1423	1515	1622	1745	1866	2020	2239
		Cherry, Maple, Walnut, Medium Anigre	1411	1485	1581	1667	1772	1893	2016	2165	2385

### **ORDERING NOTES**

Spence Guest Chairs are available with a removable upholstered seat cover at an upcharge of **\$80 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.** 

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1400	22	24	33	18	27	18	20	21	13	0.7
1401	22	24	33	18	27	18	20	22	13	1.0
1402	22	24	33	18	27	18	20	22	13	1.25
1403	22	24	33	18	27	18	20	23	13	1.5

# ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

# STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.


#### **GANGING**

Ganging is optional on all wood arm and side chairs at an upcharge of **\$80 list** per chair. Please specify at time of order.

# **CADENCE | ENVIRONMENTAL SUMMARY**

# **LEED CI CREDITS**





PRE-CONSUMER
RECYCLED CONTENT = .43%

POST-CONSUMER RECYCLED CONTENT = 16.46%

Up to 16.91% of this Cadence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CADENCE | GUEST**

		WOOD	COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/N	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	CAD2A	Cherry, Maple, Walnut, Medium Anigre	1515	1587	1654	1767	1879	1989	2105	2241	2488

# **ORDERING NOTES**

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

# **DIMENSIONS & COM REQUIREMENTS**

			Overall Height		Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage
CAD2A	22.75	27	36	18.25	26	18.75	18	23	18	1.7

# **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

# STANDARD FINISHES


Chair frames are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see Page 335 for finish color selection and clearly mark on your purchase order.

# FAERON WOOD | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.25%

POST-CONSUMER
RECYCLED CONTENT = 13.64%

Up to 31.82% of this Faeron product is recyclable at the end of its useful life

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES

### **CLEAN OUT**

All Faeron seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



#### **FLEX BACK**

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



#### **WALL SAVER**

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



### STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. In addition they ease re-configurability and on-site replacement of damaged or degraded components.



## **SEAT COMFORT**

Seats feature a spring suspension across the entire model range for exceptional comfort while high grade foam provides superior support and longevity.



#### PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.



#### **GLIDES**

Faeron's Beech wood legs feature non-marring

#### FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

#### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

#### REPLACEABLE COMPONENTS

Faeron chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

#### **CUSTOM CAPABILITIES**

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

#### WEIGHT CAPACITIES

Faeron weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 500 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 625 lbs per unit 3-Seat Freespan - 750 lbs per unit

# FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



#### **ARM PANELS**

Panel arms are available in semi and fully closed styles for optimum design flexibility.



### **URETHANE ARM CAP**

The optional Urethane Arm Cap provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



### **SOLID SURFACE ARM CAP**

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



#### **SOLID SURFACE ARM FRAME**

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



#### **COMBINATION UPHOLSTERY OPTIONS**

Faeron can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



# KINETIC BACK OPTION

Provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



# **CLEANABLE UNDER-SEAT SPLASHGUARD**

All Faeron seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

#### **GANGING**

All Faeron freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$50 list per chair.

### **REMOVABLE COVERS**

Faeron chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

# FAERON WOOD | GUEST, DIMENSIONS & COM REQUIREMENTS

#### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	44	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	48	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	54	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	71	28

Haight of

Width

### **COM- YARDAGE REQUIREMENTS**

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.8
30" - One Chair	2.3	0.9	1.4	0.8
44" - One Chair	2.9	1.5	1.6	0.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

#### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

### **WEIGHT CAPACITIES**

Faeron weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Guest Plus Chairs (30" & 44") - 750 lbs

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Solid Surface Arm Cap (per pair) - Gr A White	364
Ganging Bracket	58	Solid Surface Arm Cap (per pair) - Gr A Color	376
Kinetic Back (not available for 30" & 44")	120	Solid Surface Arm Cap (per pair) - Gr B	396
21" & 24" Under-seat Splashguard	58	Solid Surface Arm Cap (per pair) - Gr C	410
30" Under-seat Splashguard	72	Solid Surface Arm (per pair) - Gr A White	573
44" Under-seat Splashguard	91	Solid Surface Arm (per pair) - Gr A Color	598
Removeable Seat Cover	90	Solid Surface Arm (per pair) - Gr B	645
Removable Back Cover	58	Solid Surface Arm (per pair) - Gr C	678
Urethane Arm Cap (per pair)	138	• • •	

# FAERON WOOD | GUEST

					COL	FA	ABRIC GR	ADES		LEATHER	
DESCRIPTION	I/MODEL	Species	1	2	3	4	5	6	7	8	9
	21" Open Arm FAE2-G21ONC	Beech Palette	1134	1178	1223	1314	1404	1495	1588	1678	1861
	21" Semi Closec FAE2-G21SNC	I Arm Beech Palette	1539	1609	1676	1813	1951	2087	2222	2361	2635
	21" Closed Arm FAE2-G21CNC	Beech Palette	1554	1619	1689	1825	1964	2100	2237	2374	2646
	24" Open Arm FAE2-G24ONC	Beech Palette	1213	1258	1305	1396	1487	1580	1669	1760	1944
	24" Semi Closec FAE2-G24SNC	l Arm Beech Palette	1620	1690	1758	1896	2032	2169	2306	2443	2717
	24" Closed Arm FAE2-G24CNC	Beech Palette	1634	1703	1772	1908	2044	2184	2319	2457	2728

**ORDERING NOTES:** Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA) replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 85.

Line	Series	Chair Type	Size	Arm Type	Arm Style
FAE	2	G	21	0	NC
Faeron	Chair	Guest Seating		Open Arm	No Cap
			24	S	UC
				Semi Closed Arm	Urethane Cap
			30	С	SC
				Closed Arm	Solid Surface Cap
			44		SA
					Solid Surface Arm

# FAERON WOOD | GUEST

DESCRIPTION/MODEL	Species	COM 1	2	COL 3	F. 4	ABRIC GF 5	RADES 6	7	LEATHER 8	9
30" Open Arm FAE2-G30ONC	Beech Palette	1384	1451	1514	1645	1778	1909	2040	2170	2433
30" Semi Close FAE2-G30SNC		1792	1881	1968	2146	2323	2500	2678	2853	3207
30" Closed Arr FAE2-G30CNC		1804	1893	1981	2160	2334	2511	2690	2866	3219
44" Open Arm FAE2-G44ONC	Beech Palette	1702	1782	1866	2032	2196	2362	2529	2694	3025
44" Semi Close FAE2-G44SNC		2109	2214	2321	2531	2742	2954	3163	3374	3797
44" Closed Arr FAE2-G44CNC		2121	2227	2332	2543	2754	2965	3177	3386	3811

**ORDERING NOTES:** Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 85.


ODOOT OODL KLT					
Line	Series	Chair Type	Size	Arm Type	Arm Style
Faeron	2 Chair	G Guest Seating	21	O Open Arm	NC No Cap
			24	Semi Closed Arm	UC Urethane Cap
			30	C Closed Arm	SC Solid Surface Cap
			44		SA
			·		Solid Surface Arm

# FAERON METAL | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT =10.87 %

POST-CONSUMER RECYCLED CONTENT = 17.48%

Up to 50% of this Faeron Metal product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



# **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



### **CLEAN OUT**

All Faeron Metal seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



#### **FLEX BACK**

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



#### **WALL SAVER**

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.




#### STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. The seats features a spring system that substantially enhances comfort and extends product life cycle. Seats are removable, and field replaceable.



# **SEAT COMFORT**

Seats feature a spring suspension for exceptional comfort while high grade foam provides superior support and longevity.



### POLYMER ARM

Faeron arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey and Taupe.

finishes; Sliver Metallic and Brushed Nickel.



# **FINISH DURABILITY**

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer and is especially suited to the demands of healthcare environments.

### **LATEX FREE**

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

### REPLACEABLE COMPONENTS

Faeron Metal chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

#### **CUSTOM CAPABILITIES**

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

#### **WEIGHT CAPACITIES**

Faeron Metal weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 500 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 625 lbs per unit 3-Seat Freespan - 750 lbs per unit

## PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

Faeron Metal Images | www.krug.ca

# FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



### **ARM PANEL**

Upholstered arm panels are available in both semi- and fully-closed styles, and are field replaceable if damaged.



### **SOLID SURFACE ARM**

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard Corian colors, and custom colors (at an upcharge). Arms are replaceable as a full side frame if they become damaged or degraded.



#### **WOOD ARM**

Wood arms are solid Beech and available in standard and custom finishes. Krug's wood finish is a proprietary high-durability formulation that has been shown to be an industry leader in abrasion resistance. Arms can be replaced if they do become damaged or degraded.



#### **COMBINATION UPHOLSTERY OPTIONS**

Faeron Metal can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



# KINETIC BACK OPTION

The optional Kinetic Back provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



# CLEANABLE UNDER-SEAT SPLASHGUARD

All Faeron Metal seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the anti-microbial and germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.



## **REMOVABLE COVERS**

Faeron Metal chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs.

#### **METAL FINISH OPTIONS**

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$64 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$64 list per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

#### **GANGING**

All Faeron Metal freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$58 list per chair.

# FAERON METAL | GUEST

#### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	56	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	60	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	66	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	83	28

Height of

Width

# **COM- YARDAGE REQUIREMENTS**

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.96
30" - One Chair	2.3	0.9	1.4	0.96
44" - One Chair	2.9	1.5	1.6	0.96

# **ORDERING NOTES:**

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron Metal seating.

#### A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron Metal upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Solid Surface Arm (per pair) - Gr A White	573
Ganging Bracket	58	Solid Surface Arm (per pair) - Gr A Color	598
Kinetic Back (not available for Plus)	120	Solid Surface Arm (per pair) - Gr B	645
21" & 24" Under-seat Splashguard	58	Solid Surface Arm (per pair) - Gr C	678
30" Under-seat Splashguard	72	Beech/Palette Wood Arm (per pair)	215
44" Under-seat Splashguard	91		
Removeable Seat Cover	90		
Removable Back Cover	58		
Non-Marring Glides	16		

#### WEIGHT CAPACITIES

Faeron Metal weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9
	21" Open Polymer Arm, Silver N FAE2M-G21OPAS	Metallic F 1014	rame 1059	1098	1187	1272	1360	1447	1535	1708
	21" Open Polymer Arm, Brushe FAE2M-G21OPAN	d Nickel 1207	Frame 1251	1294	1380	1466	1555	1642	1729	1902
	21" Semi Closed Polymer Arm, FAE2M-G21SPAS	Silver Mo	etallic Frar 1466	ne 1533	1663	1793	1923	2055	2185	2445
	21" Semi Closed Polymer Arm, FAE2M-G21SPAN	Brushed 1596	Nickel Fra 1661	ame 1727	1857	1987	2117	2249	2378	2639
	21" Closed Polymer Arm, Silver FAE2M-G21CPAS	Metallic 1414	Frame 1480	1543	1673	1804	1935	2065	2195	2458
	21" Closed Polymer Arm, Brush FAE2M-G21CPAN	ned Nicke 1609	el Frame 1671	1737	1869	1999	2130	2261	2390	2652
	24" Open Polymer Arm, Silver N FAE2M-G24OPAS	Metallic F 1092	rame 1136	1179	1266	1354	1438	1527	1613	1788
	24" Open Polymer Arm, Brushe FAE2M-G24OPAN	d Nickel 1285	Frame 1330	1373	1460	1545	1633	1719	1806	1980
	24" Semi Closed Polymer Arm,	Silver M	etallic Frar	ne						
	FAE2M-G24SPAS	1481	1544	1611	1743	1871	2002	2133	2263	2523
	24" Semi Closed Polymer Arm, FAE2M-G24SPAN	Brushed 1672	Nickel Fra 1738	ame 1803	1935	2064	2194	2326	2457	2717
	24" Closed Polymer Arm, Silver FAE2M-G24CPAS	Metallic 1492	Frame 1557	1622	1753	1883	2013	2145	2274	2535
	24" Closed Polymer Arm, Brush FAE2M-G24CPAN	ned Nicke 1686	el Frame 1751	1816	1946	2077	2208	2339	2466	2728

## **ORDERING NOTES:**

Faeron Metal chairs can also be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	573
Solid Surface Arm (per pair) - Gr A Color	598
Solid Surface Arm (per pair) - Gr B	645
Solid Surface Arm (per pair) - Gr C	678
Beech/Palette Wood Arm (per pair)	215

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE Faeron	2M Chair	G Guest Seating	21	O Open Arm	PA Polymer Arm	Silver Metallic
			24	Semi Closed Arm	WA Wood Arm	N Brushed
			30	C Closed Arm	SA Solid Surface Arm	Nickel
			44			

# FAERON METAL | GUEST

		COM		COL	EAD	RIC GRAI	DEC		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	30" Open Polymer Arm, Si	Iver Metal	llic Frame							
	FAE2M-G300PAS	1254	1316	1378	1505	1629	1755	1879	2003	2254
		1201	1010	1010	1000	1020	1700	1010	2000	LLO I
	30" Open Polymer Arm, Bi	rushed Ni	ckel Frame							
	FAE2M-G30OPAN	1447	1509	1571	1697	1822	1947	2072	2196	2448
	30" Semi Closed Polymer									
	FAE2M-G30SPAS	1643	1728	1811	1980	2147	2317	2485	2654	2989
	30" Semi Closed Polymer	Arm Brus	had Nickal	Frame						
	FAE2M-G30SPAN	1837	1921	2004	2173	2342	2510	2678	2847	3185
		1001	1021	2001	2170	2012	2010	2010	2011	0100
	30" Closed Polymer Arm,				1000	0.1.00	0000	0.400	0004	0000
	FAE2M-G30CPAS	1656	1738	1822	1990	2160	2328	2496	2664	3003
	30" Closed Polymer Arm, I	Brushed N	lickel Fram	e						
	FAE2M-G30CPAN	1849	1932	2016	2186	2354	2523	2690	2859	3195
Ш Ш										
	44" O D . l A O'	N 4 - 1 - 1	r. F							
	44" Open Polymer Arm, Si FAE2M-G44OPAS			1710	1070	0000	0400	00.40	0500	0010
	FAEZIVI-G44OFAS	1556	1634	1713	1870	2029	2186	2343	2502	2816
	44" Open Polymer Arm, Bi	rushed Ni	ckel Frame							
	FAE2M-G44OPAN	1749	1827	1907	2063	2221	2381	2536	2695	3009
Ш	447.0	A O'!	N.A111° F							
	44" Semi Closed Polymer FAE2M-G44SPAS	4rm, 511ve	er Metallic i 2044	-rame 2145	2345	2546	2746	2948	3147	3553
	TALZIVI GTTOLAG	1344	2044	2143	2343	2340	2740	2940	3147	3333
	44" Semi Closed Polymer	Arm, Brus	shed Nickel	Frame						
	FAE2M-G44SPAN	2138	2239	2340	2539	2741	2942	3142	3343	3745
	44" Closed Polymer Arm,	Silver Met	allia Erama							
	FAE2M-G44CPAS	Silver iviet 1956	2058	2157	2357	2559	2760	2959	3161	3563
	TALLINI GHTOTAG	1900	2000	2101	2001	2000	2100	2000	3101	0000
	44" Closed Polymer Arm, I	Brushed N	lickel Fram	е						
	FAE2M-G44CPAN	2149	2252	2352	2552	2753	2954	3156	3355	3759
//    U										

# **ORDERING NOTES:**

Faeron Metal chairs can also be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	573
Solid Surface Arm (per pair) - Gr A Color	598
Solid Surface Arm (per pair) - Gr B	645
Solid Surface Arm (per pair) - Gr C	678
Beech/Palette Wood Arm (per pair)	215

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE	2M	G	21	0	PA	S
Faeron	Chair	Guest Seating		Open Arm	Polymer Arm	Silver Metallic
			24	S	WA	N
				Semi Closed Arm	Wood Arm	Brushed
			30	С	SA	Nickel
				Closed Arm	Solid Surface Arm	
			44			

# **MULTI-PURPOSE SEATING**

95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri


124 Bank of England

# **LIBRA** | ENVIRONMENTAL SUMMARY

# LEED CI CREDIT



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 18.68%

POST-CONSUMER RECYCLED CONTENT = 28.64%

Up to 74.71% of this Krug product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Krug products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### **AIR EMISSIONS**

All Krug products are supplied air-emissions certified. Contact customer service for information.

# **LIBRA** | FEATURES & OPTIONS

### **FEATURES**



#### **POLYMER BACK & SEAT**

Libra chairs feature Black polymer seat and back. The polymer back provides contoured lumbar support and flex for greater comfort. The seat tilts down for the sitting position and flips up when ready to nest the chairs.



# **OPTIONS TABLET**

Libra swivel folding tablet is available in Black polymer. The tablet is fastened to the left side (facing.



#### **UPHOLSTERED SEAT & BACK**

Libra chairs are available with upholstered seat and Black polymer back or upholstered seat and back



# BOOK BACK

The wire book rack is available in Black or Silver Metallic to coordinate with the frame selection. It can conveniently remain in place when the chairs are nested but is also removable without tools if needed.



#### **FRAME**

Metal frame finish is available in Black or Silver Metallic.

#### **COMBINATION UPHOLSTERY COVERS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



### **ARMS**

Libra chairs are available in both Armless and Armed chair styles. Armed chairs feature a fixed, forward-sloping Black polymer armrest.



# **GLIDES**

Libra Black nylon glides are non-adjustable, non-marring and field-replaceable if damaged or degraded.

**CAL 133 & MOISTURE BARRIER** California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the

cost of the product to be tested. Lead time for

certification testing is typically 4-8 weeks. Krug

assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact

Customer Service for additional information.



# **CASTERS**

The twin-wheel casters promote easy storage and repositioning and are also available with a locking option.



Libra chairs nest by raising the seat into its upright position, they can be nested with both the book rack and tablet in place.



### REPLACEABLE COMPONENTS

Libra is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



### **WEIGHT CAPACITIES**

Libra has been laboratory tested to meet a weight capacity of 300lbs, for arm and armless versions.

# **LIBRA** | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	Cubes	
Armless	22	23	33.5	18	n/a	n/a	17.5	25	13	
Fixed Arm	25.5	23	33.5	18	26.25	22	17.5	27	13	
Tablet Arm	27	24	33.5	18	29	n/a	17.5	35	13	

# **DIMENSIONS:**

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical. Overall dimensions shown are for chairs with glides. Tablet arm dimensions are with tablet folded down.

# **COM Yardage**

Seat & Back 1.19 Seat only 0.56 Back only 0.65



# LIBRA | ARMLESS

		COM		COL	FA	BRIC GRA	ADES		LEATHE	R
DESCRIPTION/MOI	DEL	1	2	3	4	5	6	7	8	9
	Polymer Back & Seat w LIB2111B	vith Glides and 434	d Black Fra	ame						
	Polymer Back & Seat w LIB2111S	vith Glides and 434	d Silver Fra	ame						
	Polymer Back & Uphol: LIB2121B	stered Seat wi 553	th Glides 568	and Black 583	Frame 605	630	652	677	708	739
	Polymer Back & Uphole LIB2121S	stered Seat wi 553	th Glides 568	and Silver 583	Frame 605	630	652	677	708	739
	Upholstered Back & Se LIB2131B	eat with Glides 633	and Blac 664	k Frame 699	746	800	847	901	970	103
	Upholstered Back & Se LIB2131S	eat with Glides 633	and Silve 664	r Frame 699	746	800	847	901	970	1037
	Polymer Back & Seat v LIB2112B	vith Casters ar 442	nd Black F	rame						
	Polymer Back & Seat w LIB2112S	vith Casters ar 442	nd Silver F	rame						
	Polymer Back & Uphol: LIB2122B	stered Seat wi 560	th Casters 574	s and Blac 590	k Frame 612	637	659	683	715	74
	Polymer Back & Uphol: LIB2122S	stered Seat wi 560	th Casters 574	s and Silve 590	er Frame 612	637	659	683	715	74
	Upholstered Back & Se LIB2132B	eat with Caster 640	rs and Bla 672	ck Frame 705	752	807	854	909	976	104
	Upholstered Back & Se LIB2132S	eat with Caster 640	rs and Silv 672	er Frame 705	752	807	854	909	976	104
RDERING NOTES	S: To specify casters locking	ng, change the	base sele	ection (sho	own below	) from a "	2" to a "3"			
IBRA OPTION UP	CHARGES	\$ List								
CAL 133 & Moisture Removable Wire Ba	" , ,	64 76								

PRODUCT	CODE	<b>KEY</b>

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

# **LIBRA** | FIXED ARM

		COM		COL	FAI	BRIC GRA	ADES		LEATHE	R
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Polymer Back & Seat w LIB2211B	ith Glides 505	and Black	Frame						
	Polymer Back & Seat w LIB2211S	ith Glides 505	and Silver	Frame						
	Polymer Back & Uphols	tered Sea	t with Glid	les and Bla	ack Frame	<del>)</del>				
	LIB2221B	623	638	654	675	700	722	747	778	809
	Polymer Back & Uphols	tered Sea	t with Glid	les and Sil	ver Frame	<u>,</u>				
	LIB2221S	623	638	654	675	700	722	747	778	809
	Upholstered Back & Sea	at with Gli	des and B	lack Fram	e					
	LIB2231B	703	735	769	816	870	917	972	1039	1107
	Upholstered Back & Sea	at with Gli	des and S	ilver Fram	е					
	LIB2231S	703	735	769	816	870	917	972	1039	1107
	Daliman Bash & Cost	:41- 04	Dl	-I. Fusina						
	Polymer Back & Seat w LIB2212B	511	s and Biad	ж ғтатте						
	LIDZZ IZD	311								
	Polymer Back & Seat w	ith Casters	s and Silve	er Frame						
	LIB2212S	511								
	Polymer Back & Uphols	torod Soo	t with Coo	tors and F	Nack From	20				
	LIB2222B	631	644	660	682	707	729	753	785	816
		001	044	000	002	707	123	755	700	010
	Polymer Back & Uphols	tered Sea	t with Cas	ters and S	Silver Fram	ne				
	LIB2222S	631	644	660	682	707	729	753	785	816
	Upholstered Back & Sea	at with Ca	sters and	Black Fran	me					
	LIB2232B	710	742	775	823	877	925	979	1046	1114
b 12										
	Upholstered Back & Sea									
( // d )	LIB2232S	710	742	775	823	877	925	979	1046	1114
q <sub>i</sub>										

**ORDERING NOTES**: To specify casters locking, change the base selection (shown below) from a "2" to a "3".

LIBRA OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Removable Wire Basket	76

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

# LIBRA | TABLET ARM

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	Polymer Back & Seat wi	th Glides and	d Black Fr	ame						
	LIB2311B	625								
	Polymer Back & Seat wi	th Glides and	d Silver Fr	ame						
	LIB2311S	625								
, A a										
	Dalumar Daale 9 Unhala	tored Coet	ith Olidaa	and Diagle	Гиото					
	Polymer Back & Uphols LIB2321B	tered Seat w 745	759	774	796	000	844	060	000	931
	LIB232 IB	745	759	774	790	822	044	868	899	931
	Polymer Back & Uphols	tered Seat w	ith Glides	and Silver	Frame					
	LIB2321S	745	759	774	796	822	844	868	899	931
( / 1 )		, 10	700		100	OLL	011	000	000	001
	Upholstered Back & Sea									
	LIB2331B	825	856	890	937	992	1039	1094	1161	1229
			1.011	_						
	Upholstered Back & Sea				007	000	4000	1001	4404	4000
A7 \	LIB2331S	825	856	890	937	992	1039	1094	1161	1229
, )										
	Polymer Back & Seat wi	th Casters a	nd Black I	rame						
	LIB2312B	633								
	Polymer Back & Seat wi		nd Silver F	rame						
{ // a //	LIB2312S	633								
qq.										
	Polymer Back & Uphols	tered Seat w	ith Caster	s and Blac	k Frame					
	LIB2322B	751	766	782	804	828	850	875	907	937
		701	7 00	702	001	020	000	0.0	001	001
	Polymer Back & Uphols	tered Seat w	ith Caster	s and Silve	r Frame					
	LIB2322S	751	766	782	804	828	850	875	907	937
as as										
		0 .								
	Upholstered Back & Sea				0.45	000	1010	1100	4400	1005
	LIB2332B	831	864	897	945	999	1046	1100	1168	1235
	Upholstered Back & Sea	at with Caste	rs and Silv	ver Frame						
	LIB23232S	831	864	897	945	999	1046	1100	1168	1235
4 / 4		001	004	001	0-10	000	10-10	1100	1100	1200
09										
ORDERING NOTES	3: To specify casters locking	g, change the	e base sel	ection (sho	wn below)	from a "	2" to a "3'			
LIBRA OPTION UP	CHARGES	\$ List								

LIBRA OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Removable Wire Basket	76

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

# **LIBRA** | REPLACEMENT COMPONENTS


DESCRIPTION/MODEL		COM 1	COL 2	3	FAE	RIC GRAI	DES 6	7	LEATHER 8	9	Vda	Weight	Cube
DESCRIPTION MODEL	Replacemer LIB2-RA2	-			4	3	0	,		9	Tus	2.5	0.8
	Replacemer LIB2-RA3	nt Tablet 159	t Arm (pe	er arm)								11.3	2.3
	Replacemer LIB2-RS1	nt Polyn 115	ner Seat									3.8	0.7
	Replacemer LIB2-RS2	nt Upho 201	Istered S 216	Seat 232	253	278	300	325	355	387	0.65	5.9	0.7
	Replacemer LIB2-RB1	nt Glides 17	s (Set of	4)								0.2	0.1
	Replacemer LIB2-RB2 Replacemer LIB2-RB3	39			4)							0.6	0.1

# **MOBI** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 13.78%

POST-CONSUMER
RECYCLED CONTENT = 14.33%

Up to 55.11% of this Mobi product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION & AIR EMISSIONS



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Mobi products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### **AIR EMISSIONS**

All Mobi products are supplied with air emissions-certified materials. Contact customer service for specific test results.

# **MOBI** | FEATURES, OPTIONS, DIMENSIONS & COM REQUIREMENTS



#### **ARMS**

Arms are available in the full range of polymer colors: Black, White, Grey, Taupe, Yellow, Red, Blue, Green. Please specify when ordering.



#### **CADDIE**

The Mobi caddie provides enhanced stackability, along with the ease of movement and storage. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. Its design allows for the stacking and storage of all Krug stackable chairs.



#### **ARMLESS**



# **COMBINATION COLORS**

More than one polymer color can be selected in any combination for seats, backs and arms. Please specify when ordering.




### POLYMER SEATS & BACKS

Available Polymer colors: White, Grey, Taupe, Yellow, Red, Blue, Green and Black.



# **UPHOLSTERED SEATS & BACKS**

Optional Removable covers can be quickly installed on Mobi products that were originally ordered with the removable cover option.



#### **MESH BACKS**

Available mesh colors: Grey, Black & White. Please specify when ordering.



# STACKABILITY

Mobi chairs are stackable to a maximum of 8 chairs high on the floor as well as dolly.



#### **LEGS & GLIDES**

Mobi legs are structural steel legs in Polished Chrome with non-marring glides.



# **WEIGHT CAPACITY**

Mobi has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Mobi has been load tested up to 300lbs.

# **OPTIONS**

### REPLACEMENT AND REMOVABLE **COMPONENTS**

Mobi is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Mobi Chairs are available with Removable Seat and Removable Back Covers.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	Cubes	COM YRD
MOB210P	18	21	31	17	n/a	n/a	18.75	21	14	_
MOB211P	21.25	21	31	17	27	20.5	18.75	21	14	_
MOB220P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB221P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB230P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB231P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB240P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB241P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB250P	18	21	31	17	n/a	n/a	18.75	21	14	1.22
MOB251P	21.25	21	31	17	27	20.5	18.75	21	14	1.22

LEATHER

DESCRIPTION/MODEL		1	2	3	4	5	6 6	7	8 8	۱ 9
	Polymer Seat and Back, Arm MOB210P	nless 383								
	Polymer Seat and Back, with MOB211P	Arms 423								
	Polymer Back and Upholster MOB220P	red Seat 505	, Armless 529	5 552	598	646	694	740	789	885
	Polymer Back and Upholster MOB221P	red Seat 555	, with Arr 576	ns 599	647	695	743	790	837	932
	Mesh Back and Upholstered MOB230P	l Seat, A 513	rmless 537	561	610	656	703	752	798	894
Mobi Option Upcharges	<b>3</b>	\$ List								
CAL 133 & Moisture Barr Removable Seat Covers Removeable Back Cover	ier (per yard)	64 71 71								
PRODUCT CODE KEY	Carias		Ob - in Ob			Δ	- Otrolo			Matal Finish
LineMOBMobi	Series  2  Multi-Purpose		Chair Sty  1 Polymer S & Back	eat			0 mless			P ished Chrome
		P U <sub>l</sub>	olymer Ba	ck & Seat		A	1 urmed			
			Mesh Bac							
			4 Mesh Bac Polymer S							
		Fu	5 Illy Uphols Seat & Ba	ıck						
				0	OOF LOE	ATINIO 9	0000	CIONIA	TADIF	C   110 A   10 A

COM

COL

FABRIC GRADES

# **MOBI**


		СОМ		COL	FAB	RIC GRADES			LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Mesh Back and Upholstere MOB231P	ed Seat, 562	with Arms 586	611	658	705	753	799	848	942	
	Mesh Back and Polymer S MOB240P	eat, Arm 392	less								
	Mesh Back and Polymer S MOB241P	eat, with 441	Arms								
	Fully Upholstered Seat and MOB250P	d Back, <i>A</i> 611	Armless 647	686	761	838	914	989	1065	1220	
	Fully Upholstered Seat and MOB251P	d Back, v 648	vith Arms 687	725	803	877	955	1031	1107	1257	
	Caddie DOL6	838									
Mobi Option Upcharges		\$ List									
CAL 133 & Moisture Barric Removable Seat Covers Removeable Back Covers	er (per yard)	64 71 71									
PRODUCT CODE KEY Line	Series		Chair S	tvle			Arm Style			Metal Finish	
MOB Mobi	2 Multi-Purpose		Polymer & Bac	Seat ck			0 Armless 1 Armed		F	P olished Chrome	
			Upholstere  3  Mesh Ba Upholstere	ed Seat			7 inica				
			Mesh Ba Polymer 5 Fully Upho	Seat							
			Seat & E								

## KARMA | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 5.51%

POST-CONSUMER
RECYCLED CONTENT = 24.98%

Up to 73.47% of this Karma product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

## FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## KARMA | FEATURES & OPTIONS



#### **DESIGNED FOR COMFORT**

The seat features an enhanced standard foam thickness, combined with our proprietary webbing suspension system, to provide superior comfort and a longer life cycle. The back is contoured and angled to provide supportive sitting.



## LIGHT GREY POLYMER BACK

Polypropylene backs are injection molded, with Light Grey pigment diffused throughout the mold, featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance.



### **WALL SAVER**

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



#### **POLYMER ARM**

Karma arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey, Light Grey and Taupe.



## STANDARD GLIDE

Karma's black domed polymer glides are nonadjustable, and field-replaceable if damaged or degraded. Ideal for carpeted flooring.



## **STACKING**

Karma stacks 7 high on the floor, and 12 chairs on the Caddie. The optional Underseat Cover can be specified to help prevent indenting of seat upholstery on chairs that will be stacked. Karma chairs with the Sled Base option do not stack.



### **TANDEM SEATING**

Karma chairs, and in-line tables, are designed to be instantly converted to (or ordered as) tandem seating. Armed and armless chairs can be connected -when joining arm chairs the positioning prevents a pinch point between the arms. In-line tables can be configured between chairs or as end tables. And the tandem components can be easily removed to convert to freestanding.



## REPLACEABLE COMPONENTS

Karma is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



The Karma Leg is available in 2 standard finishes; Silver Metallic and Matte Black. Polished Chrome is also available for an upcharge.

### **WEIGHT CAPACITIES**

Karma has been laboratory tested to meet a weight capacity of 500 lbs, in all versions: arm and armless, and all widths.



## SLED BASE OPTION

Optional Sled Base frames are available in Silver Metallic and Matte Black. The integrated steel rail spans between the front and rear legs which are fitted with black nylon glides. Karma chairs with the Sled Base option do not stack.



#### **UNDERSEAT COVER**

As an alternative to the standard dust cover under the seat, this option, in black polymer, closes off the underside of the chair, functioning as a cleanable Splashguard to protect the interior from moisture. It also assists in chair stacking, by distributing the weight to eliminate any indentations in the seat upholstery.



#### **CASTERS OPTION**

Karma features durable low profile 1 ½" diameter casters in black nylon offering an impressive 500lb load rating. Karma chairs with the caster option do not stack.



### FLOOR SAVER GLIDE

Karma's Floor Saver Glides are a larger, white, nylon glide incorporating a much larger surface area, and is a self-adjusting to help protect LVT, vinyl, tile, or hardwood where risk of marking might occur. Available at a \$37 list upcharge.



#### **NON-SLIP GLIDE**

Features a much larger surface area and is also self-adjusting. It also features a softer outer coating to hold and prevent chair from sliding on LVT, vinyl, or tile flooring. Perfect for more slippery/smooth floor areas where prevention of chair movement is required. Available at a \$37 list upcharge.



### **COMBINATION UPHOLSTERY COVERS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



Optional Removeable covers can be quickly installed on Karma products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Karma products that were not originally ordered with the Removable cover option, with some simple staple removal.

## **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. See page 333 for more information.

# KARMA | DIMENSIONS & COM REQUIREMENTS

	0 "	0 "	0 "	0 .		D .	0 .	Shipp	ing Wei	-	0014	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	1 Chair	2 Chairs	3 Chairs	COM YRD	Cubes
Leg Base Stac Armless	king Chair l	Jpholstered										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	24	44	64	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22 KAR2C-26	28 32	21.9 21.9	33.9 33.9	18 18	26.8 26.8	22 26	17 17	25.5 27	47 50	68.5 73	1 1.7	18 21
Leg Base Stac			00.0	10	20.0	20	17	21	50	70	1.7	21
Armless	00.0	01.0	00.0	10	/	-/-	47	00.5	44	FO F	0.7	10
KAR2C-18.5 KAR2C-22	20.2 23.7	21.9 21.9	33.9 33.9	18 18	n/a n/a	n/a n/a	17 17	22.5 24	41 44	59.5 64	0.7 0.7	18 18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	0.7	21
With Arms	21.1	21.0	00.0	10	11/4	11/α	.,	20.0	7,	00.0	0.7	21
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	27	50	73	0.7	21
Leg Base Stac	king Chair F	Polymer Back	(									
Armless	-											
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	n/a	18
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	n/a	18
Caster Base C KAR2C-18.5	nair Opnois 24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	1	18
Caster Base C	hair Wood E	Back - With A	rms									
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
Caster Base C KAR2C-18.5	hair Polyme 24.5	er Back - With 21.9	n Arms 33.9	18	26.8	18.5	17	24	44	64	0.7	18
				10	20.0	10.5	17	24			0.7	10
Sled Base Cha Armless	ir Upholstei	red										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	-	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	-	-	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	-	-	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	1	18
KAR2C-22 KAR2C-26	28 32	21.9	33.9	18	26.8	22	1/	28.5	-	-	1	18
Sled Base Cha		21.9	33.9	18	26.8	26	17	30	-	-	1.7	21
Armless	iii vvood Da	CK										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	-	0.7	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	-	-	0.7	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	-	-	0.7	21
With Arms	045	04.0	00.0	40	00.0	10.5	47	07			0.7	40
KAR2C-18.5	24.5 28	21.9 21.9	33.9 33.9	18	26.8	18.5	17 17	27	-	-	0.7	18
KAR2C-22 KAR2C-26	28 32	21.9	33.9	18 18	26.8 26.8	22 26	17 17	28.5 30	-	-	0.7 0.7	18 21
Sled Base Cha			50.0	10	20.0	20	.,	00			5.1	۱ ک
Armless KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	_	_	0.7	18
With Arms	۷٠.۷	۵.13	55.5	10	ıμα	11/a	17	20.0	-	-	0.7	10
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	0.7	18
Yardage for Inc	dividual Con	nponents	Back	Seat								
Fabric 18.5"			0.50	0.75								
Fabric 22"			0.50	0.75								
Fabric 26"			0.50	0.75								

**DIMENSIONS:** 

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

## KARMA | LEG BASE

DESCRIPTION/MC	DDEL		OM 1 2	COL 3	FABF 4	RIC GRAD	DES 6	7	LEATHER 8	9
	18.5" Leg Base, Ma KAR2C-18.5L_PNA			- Upholstere 501	d Seat & Pol 540	ymer Bac 583	k, No Arm 620	with Star 662	ndard Dust 716	Cover 768
	18.5" Leg Base, Po KAR2C-18.5LCPNA			ed Seat & Po 613	olymer Back, 651	No Arm v 694	with Stand 731	ard Dust (	Cover 825	878
	18.5" Leg Base, Ma KAR2C-18.5L_UNA			- Fully Uphol 538	Istered, No A 576	rm with S 619	Standard D 656	Oust Cover	r 751	805
	18.5" Leg Base, Po KAR2C-18.5LCUNA			olstered, No 648	Arm, and Sta 687	andard Du 730	ust Cover 766	808	861	914
	18.5" Leg Base, Ma KAR2C-18.5L_WNA			- Upholstere 546	d Seat & Wo 565	od Back, 588	No Arm w 605	ith Standa 627	ard Dust Co 655	over 680
	18.5" Leg Base, Po KAR2C-18.5LCWN		•	ed Seat & Wo 658	ood Back, N 676	o Arm wit 697	h Standar 716	d Dust Co 738	over 765	793
	18.5" Leg Base, Ma KAR2C-18.5L_PA_I			- Upholstere 541	d Seat & Pol 580	ymer Bac 620	k, with Arr 658	m and Sta 701	andard Dust 753	t Cover 807
	18.5" Leg Base, Po KAR2C-18.5LCPA_		•	ed Seat & Po 652	olymer Back, 690	with Arm 731	and Stand 768	dard Dust 810	Cover 866	917
	18.5" Leg Base, Ma KAR2C-18.5L_UA_			- Fully Uphol 577	Istered, with 615	Arm and 656	Standard   694	Dust Cove	er 789	843
	18.5" Leg Base, Po KAR2C-18.5LCUA_			olstered, with 688	n Arm and St 725	andard D 766	ust Cover 805	846	900	954
	18.5" Leg Base, Ma KAR2C-18.5L_WA_			- Upholstere 576	d Seat & Wo 595	od Back, 617	with Arm a	and Stand 656	lard Dust C 685	over 710
	18.5" Leg Base, Po KAR2C-18.5LCWA		•	ed Seat & Wo 687	ood Back, w 705	ith Arm ai 727	nd Standa 744	rd Dust C 766	over 794	821
↓ Karma Option Up	ORDERING NOTES		ng Frame C	olor and Arm	Style please	e see Prod	duct Code	Key belo	w.	
	re Barrier (per yard)		64							
Removable Seat C	Covers		71							
Removable Back ( Polymer Undersea			71 47							
•	olstery - dual fabrics		33							
PRODUCT CODE K	EY									
Line	Series	Frame Size	Frai	me Color	Style		Arm	Style	Undersea	at Shroud
KAR Karma	2C Stacking Chair	[18.5L] 18.5" Leg Base		B  tte Black S  er Metallic C	Fully Uphols W Beech Wood	]	No A Bla	B	Polymer [	Shroud D dard Cover
			Polish	ed Chrome	Polymer E	J Back	Gr	ey _G Grey		

## KARMA | LEG BASE

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	?
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	22" Leg Base, Matte Bl	ack or Silv	ver Metalli	c - Fully U	pholstered	, No Arm v	vith Stand	ard Dust C	over	
	KAR2C-22L_UNAD	529	555	582	618	659	696	739	793	845
	00" Lag Daga Daliahad	Chromo	Fully Lla	halatarad	No Arma	nd Ctanda	rd Duct C			
	22" Leg Base, Polished KAR2C-22LCUNAD	662	- rully Op	715	752	na Standa 794	832	873	928	981
		002			. 02		002	0.0	020	
Į.										
	00" Las Dans Matta Di	- al. au Oil.	N A - t - II: -	I lada alak		11/2	ala Nia Assa		alaual Duas	
	22" Leg Base, Matte Bla KAR2C-22L WNAD	ack or Silv 567	er Metallic 582	: - Upnoist 595	ered Seat 8 614	634	ck, No Am 654	1 with Stan 674	dard Dusi 701	729
النب ا	TANZO ZZE_WNAD	307	302	333	014	004	004	074	701	123
	22" Leg Base, Polished	Chrome	- Upholste	ered Seat	& Wood ba	ck, No Arr	n with Sta	ndard Dus	t Cover	
	KAR2C-22LCWNAD	702	715	730	747	768	786	809	835	864
U U										
	22" Leg Base, Matte Bl			•	•	, with Arm	and Stand		Cover	
	KAR2C-22L_U_D	564	591	618	655	697	733	778	830	883
	22" Leg Base, Polished	Chrome	- Fully Un	holstered	with Arm a	and Standa	ard Dust C	over		
	KAR2C-22LCU_D	699	727	752	789	833	869	912	962	1017
U										
	22" Leg Base, Matte Bl	ack or Silv	er Metallio	c- Upholst	ered Seat 8	& Wood ba	ck, with A	rm and Sta	ındard Du	st Cover
	KAR2C-22L_W_D	596	610	622	642	664	680	703	730	757
	20" Log Page Deliched	Chromo	Linholat	orad Cast	9 Mood bo	ok with A	rm and Ct	andord D	ot Cover	
	22" Leg Base, Polished KAR2C-22LCW D	731	743	ered Seat 759	& wood ba 778	ck, with A 798	rm and Sta 816	andard Du: 838	865	890
	TO WILL ELLOW_D	751	740	133	770	7 30	010	000	000	030

**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	
Removable Seat Covers	71	
Removable Back Covers	71	
Polymer Underseat Shroud 22"	63	
Combination Upholstery - dual fabrics	33	

### PRODUCT CODE KEY

PHODUCT COL	DE KET					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	22L	В	U	NA	S
Karma	Stacking Chair	22" Leg Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					ALG	
					Light Grey	
					AT	

Taupe

## KARMA | LEG BASE

		COM		COL	FAI	BRIC GRA	NDES		LEATHER	3
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	26" Leg Base, Matte Bl KAR2C-26L_UNAD	ack or Sil 632	ver Metalli 680	c - Fully U 733	Ipholstered 806	d, Armless 887	with Stan 958	dard Dust 1039	Cover 1141	1244
	26" Leg Base, Polished		, ,							
	KAR2C-26LCUNAD	767	819	870	941	1022	1094	1177	1279	1380
	26" Leg Base, Matte Bl	ack or Silv	ver Metallio	c - Uphols	tered Seat	& Wood b	ack, Armle	ess, with St	andard Du	ust Cover
	KAR2C-26L_WNAD	651	674	697	732	768	805	843	889	937
	26" Leg Base, Polished				& Wood ba	ack, Armle	ess, with S	tandard Du	ust Cover	
	KAR2C-26LCWNAD	785	810	834	869	906	940	979	1027	1072
	26" Leg Base, Matte Bl	ack or Sil	ver Metalli	c - Fully U	Ipholstered	d, with Arn	n and Stan	ndard Dust	Cover	
	KAR2C-26L_U_D	669	721	769	843	924	995	1080	1179	1283
	26" Leg Base, Polished	Chrome	- Fully Up	holstered,	with Arm a	and Stand	ard Dust C	Cover		
	KAR2C-26LCU_D	806	856	908	979	1061	1134	1213	1315	1419
	26" Leg Base, Matte Bla	ack or Silv	er Metallic	- Upholste	ered Seat 8	& Wood ba	ıck, with Ar	rm and Sta	ndard Dus	t Cover
	KAR2C-26L_W_D	678	703	727	761	798	833	871	917	963
	26" Leg Base, Polished				& Wood ba	ack, with A		tandard Du	ıst Cover	
	KAR2C-26LCW_D	815	840	864	896	934	968	1008	1056	1102

## ORDERING NOTES:

When selecting Frame Color and Arm Style please see Product Code Key below. See following page for additional options. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed on page 112.

Description/Model		Price
	Tandem Seating Bracket KAR2C-GB BA	-Matte Black (for armed chair) 80
	Tandem Seating Bracket- KAR2C-GB BSA	Silver Metallic (for armed chair) 80
	Tandem Seating Bracket- KAR2C-GB BCA	Polished Chrome (for armed chair) 91
	Tandem Seating Bracket- KAR2C-GB BNA	Matte Black (for chairs without arms) 71
	Tandem Seating Bracket- KAR2C-GB BSNA	Silver Metallic (for chairs without arms) 71
	Tandem Seating Bracket- KAR2C-GB BCNA	Polished Chrome (for chairs without arms) 81
5 5 5	Caddie DOL6	838

PRODUCT COL	DE KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26L	В	U	NA	S
Karma	Stacking Chair	26" Leg Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

## KARMA | CASTER BASE

DESCRIPTION/MODEL			COM 1	2	COL 3	FABF	RIC GRAD	ES 6	7	LEATHER 8	9
	18.5" Caster Bas KAR2CS-18.5MS		Metallic 571			Polymer B 662					890
	18.5" Caster Bas KAR2CS-18.5MS		Vetallic 606	- Fully Uph 633	nolstered, v 661	with Arm ar 697	nd Standa 739	rd Dust Co 778	over 820	871	927
	18.5" Caster Base KAR2CS-18.5MS		/letallic - 632	Upholstere 645	ed Seat & \ 659	Wood back, 677	with Arm 699	and Stand 717	dard Dust 739	Cover 766	793
	22" Caster Base, KAR2C-22MSU_		etallic - F 646	Fully Upho 674	Istered, wi 701	th Arm and 738	Standard 781	Dust Cov 816	ver 859	913	963
	22" Caster Base, KAR2C-22MSW_		etallic- U 678	Ipholstered	d Seat & W 706	lood back, 723	with Arm	and Stanc 764	dard Dust 785	Cover 811	840
# J #	ORDERING NOT Karma chairs all i upcharge listed b	nclude th								O" to "S" and	l add
Karma Option Upcharg	ges		\$ Li	st							
CAL 133 & Moisture Bar	rier (per yard)			64							
Removable Seat Covers Removable Back Covers				71 71							
Polymer Underseat Shro				7 1 47							
Polymer Underseat Shro	oud 22"			63							
Polymer Underseat Shro Combination Upholstery				80 33							
PRODUCT CODE KEY											
Line	Series	Frame Siz	ze	Frame	Color	Style	•	Arm	Style	Undersea	at Shroud
KAR	2C	18.5M		S	$\overline{}$	U		A	.B	S	
		5" Caster	Base	Silver M		Fully Upho	_l Istered		lack	Polymer	

Silver Metallic

Fully Upholstered

Beech Wood Back

Р Polymer Back

18.5" Caster Base

22M

22" Caster Base

Stacking Chair

Karma

Black

AG

Grey

ALG

Light Grey AT Taupe

Polymer Shroud

Standard **Dust Cover** 


D

# KARMA | SLED BASE

		COM		COL	FABF	RIC GRAI	DES	L	EATHER	
DESCRIPTION/MOI	DEL	1	2	3	4	5	6	7	8	9
	18.5" Sled Base, Matte Blac KAR2C-18.5S_PNAD	k or Silve 586	r Metallic - 600	- Upholste 614	red Seat & Po 632	olymer B 655	ack, No Arm 672	with Star 694	ndard Dus 721	t Cover 747
	18.5" Sled Base, Matte Blac KAR2C-18.5S_UNAD	k or Silve 622	r Metallic - 635	- Fully Uph 649	olstered, No 667	Arm with 690	n Standard D 707	oust Cove 730	r 757	783
	18.5" Sled Base, Matte Black KAR2C-18.5S_WNAD	or Silver 658	Metallic - 672	Upholstere 686	ed Seat & Wo 703	od back, 725	No Arm with 743	n Standard 765	d Dust Cov 793	/er 820
	18.5" Sled Base, Matte Blac KAR2C-18.5S_P_D	k or Silve 626	r Metallic - 652	- Upholste 679	red Seat & Po 718	olymer B 759	ack, No Arm 796	with Star 838	ndard Dus 892	t Cover 945
	18.5" Sled Base, Matte Blac KAR2C-18.5S_U_D	k or Silve 662	r Metallic - 688	Fully Uph 716	olstered, with 753	h Arm an 794	d Standard I 832	Dust Cove 873	er 928	981
	18.5" Sled Base, Matte Black KAR2C-18.5S_W_D  ORDERING NOTES: When a Karma chairs all include the charge listed below.	687	701 Frame Co	715  Ior and Arr	732 n Style pleas	754 e see Pro	771 oduct Code	794 Key belov	822 v.	848
Karma Option Upo	charges	\$	List							
CAL 133 & Moistur Removable Seat Conference Combination Upho	overs Covers t Shroud 18.5" Istery - dual fabrics		64 71 71 47 33							_
Line	Series Frame	Size	Fram	e Color	Style		Arm S	tyle	Underse	at Shroud
KAR Karma	2C 18.5 Sleet		Matte	B e Black S Metallic	Fully Uphol W Beech Woo P	d Back	NA No A AE Blac AG Gre ALC	rm B Ck G	Polyme Star	r Shroud D Idard Cover

AT Taupe

## KARMA | SLED BASE



**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ Lis	st
CAL 133 & Moisture Barrier (per yard)	6	64
Removable Seat Covers	7	71
Removable Back Covers	7	71
Polymer Underseat Shroud 22"	6	63
Combination Upholstery - dual fabrics	3	33

PRODUCT CODE	EKEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	228	В	U	NA	S
Karma	Chair	22" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG Grey	Dust Cover
					ALG	
					Light Grey	
					AT	
					Taupe	

## KARMA | SLED BASE

		COM		COL	FAE	BRIC GRA	DES		LEATHER	}
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	26" Sled Base, Matte Bla	ck or Silv	er Metallic	- Fully Up	oholstered.	, Armless	with Stand	ard Dust C	Cover	
	KAR2C-26S_UNAD	768	820	871	942	1026	1095	1178	1281	1381
	26" Sled Base, Matte Bla	ck or Silve	er Metallic	- Upholst	ered Seat 8	& Wood ba	ack. Armles	ss. with Sta	andard Du	 ust Cover
	KAR2C-26S_WNAD	789	811	835	870	908	941	981	1029	1074
	26" Sled Base, Matte Bla	ck or Silv	er Metallic	- Fully Up	oholstered.	, with Arm	and Stanc	dard Dust (	Cover	
	KAR2C-26S_U_D	807	859	909	981	1062	1135	1216	1316	1420
	OC" OL LD Matta Dia	-l C:l	\	I lala alaka		10/2 2 2 2 2			alaud Dua	
	26" Sled Base, Matte BlackAR2C-26S_W_D	ck or Silve 816	er Metallic- 842	- Upholste 865	red Seat & 898	935	ck, with Arr 971	n and Star 1009	idard Dusi 1058	1103
$\Rightarrow$										

**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.


Karma Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	
Removable Seat Covers	71	
Removable Back Covers	71	
Polymer Underseat Shroud 26"	80	
Combination Upholstery - dual fabrics	33	

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26S	В	U	NA	S
Karma	Chair	26" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG	Dust Cover
					Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

## **CORFU | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 26.34%

POST-CONSUMER RECYCLED CONTENT = 22.74

Up to 55.38% of this Corfu product is recyclable at the end of its useful life.

(COR2-61S)

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## **AIR-EMISSIONS**

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CORFU | FEATURES & OPTIONS**



## SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



#### STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Polished Chrome.



## **UNDER SEAT COVER**

Each Corfu includes an underseat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.



## PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection:

White, Black, Grey, Red, Blue, Sand



## WOOD FINISH

**BEECH PLYWOOD** 

Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.

Wood seats and backs are made with

European Beech hardwood veneers,

featuring nine (9) plys of cross grain for

added strength and durability.



## **COMBINATION UPHOLSTERY COVERS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



# STACKING

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.



California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



The Corfu caddie provides enhanced stackability, along with the ease of movement and storage. Its design allows for the stacking and storage of all Krug stackable chairs. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. This caddie is designed to stack and transport Krug's other stacking chairs.

## **GANGING**

Corfu can be ordered with the option of ganging for the upcharge of \$33 list per chair. Please specify ganging when ordering.

## **PACKAGING**

Corfu packaging features recycled, recyclable cardboard. The arm and armless chairs are shipped 4 units per carton.



## **DIMENSIONS**

					Height of Width			Shipping Weights & Cubes				
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	1 unit W C	2 units W C	3 units W C	4 units W C	
COR2-10S COR2-10C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	28 16	46 17	65 18	83 20	
COR2-11S COR2-11C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	30 16	51 17	73 18	93 20	
COR2-20S COR2-20C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	30 16	51 17	73 18	94 20	
COR2-21S COR2-21C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	36 16	63 17	92 18	119 20	
COR2-30S COR2-30C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20	
COR2-31S COR2-31C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20	
COR2-40S CORS-40C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20	
COR2-41S COR2-41C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20	
COR2-50S COR2-50C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	29 16	48 17	69 18	89 20	
COR2-51S COR2-51C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	32 16	54 17	77 18	99 20	
COR2-60S COR2-60C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20	
COR2-61S COR2-61C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	82 18	106 20	
COR6	24	31	15.75									

## **COM REQUIREMENTS**

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

## **WEIGHT CAPACITY**

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

 COM
 COL
 FABRIC GRADES
 LEATHER

 DESCRIPTION/MODEL
 1
 2
 3
 4
 5
 6
 7
 8
 9



Plastic Seat & Back, Armless, with Silver Metallic Frame

COR2-10S 49

Plastic Seat & Back, Armless, with Polished Chrome Frame

COR2-10C 556



Plastic Seat & Back, Plastic Arms, with Silver Metallic Frame

COR2-11S 569

Plastic Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame

COR2-11C 624



Plastic Seat & Back with Upholstered Pads, Armless, with Silver Metallic Frame COR2-20S 658 693 727 761 796 832 866 900 935

Plastic Seat & Back with Upholstered Pads, Armless, with Polished Chrome Frame

COR2-20C 721 756 789 823 859 894 929 961 999



Plastic Seat & Back with Upholstered Pads, Plastic Arms, with Silver Metallic Frame

COR2-21S 737 769 806 840 875 910 943 979 1015

Plastic Seat & Back with Upholstered Pads, Polished Aluminum Arms, with Polished Chrome Frame

COR2-21C 791 827 861 895 930 963 1001 1034 1067

## **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Chrome frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$33 list per chair, please specify on order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	2	1	0	S
	Multi-Purpose	Plastic Seat &	Armless	Silver Metallic
		Back		
		2	1	С
		Plastic with Upholstered	Arms	Polished Chrome
		Seat & Back Pads		
		3 Wood Seat & Back		
		4		
		Fully Upholstered		
		Seat & Back		
		5		
		Plastic Back, Plastic Seat with		
		Upholstered Pad		
		6		
		Wood Back, Fully Upholstered Seat		

DESCRIPTION (MODE)		0050150	СОМ	0	COL		BRIC GRA			LEATHER	0
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
F	Plastic Back.	Plastic Seat with	n Upholst	ered Pad	Armless.	with Silve	er Metallic	Frame			
In W	COR2-50S		610	633	658	679	705	729	752	777	799
F	Plastic Back.	Plastic Seat with	n Upholst	ered Pad	Armless.	with Polis	shed Chro	me Frame	e		
// V	COR2-50C		673	696	721	743	767	791	815	838	864
F	Plastic Back,	Plastic Seat with	n Upholst	ered Pad	Plastic A	rms with	Silver Met	allic Fram	ne		
	COR2-51S		689	711	737	760	783	807	832	853	878
	Plastic Back.	Plastic Seat with	n Upholst	ered Pad	Polished	l Aluminun	n Arms. w	ith Polish	ed Chrome	Frame	
	COR2-51C	. idolo odal iiii	743	767	791	815	838	864	886	910	932
	Wood Seat &	Back, Armless,	with Silve	er Metallic	Frame						
ff \\\	COR2-30S	Beech	711								
	Wood Seat &	Back, Armless,	with Polis	shed Chro	me Fram	е					
	COR2-30C	Beech	783								
m //	Wood Seat & COR2-31S	Back, Silver Me Beech	tallic Arm 853	ıs, with Si	lver Meta	llic Frame					
11 70	Wood Seat & COR2-31C	Back, Polished	Aluminur 941	n Arms, w	rith Polish	ed Chrom	e Frame				

## **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Chrome frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$33 list per chair, please specify on order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic
		Plastic with Upholstered Seat & Back Pads	1 Arms	C Polished Chrome
		Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with Upholstered Pad		
		6 Wood Back, Fully Upholstered Seat		

550051551011/140		0050150	COM		COL			C GRADE		LEATHE	
DESCRIPTION/MO	DEL	SPECIES	1	2	3	4	5	6	7	8	9
	Wood Back, Fully	Upholstered	Seat, Arr	nless, wit	h Silver M	letallic Fra	ame				
	COR2-60S	Beech	777	809	845	879	914	952	984	1018	1054
	Weed Deale Fells	I lada alakan al	0 1 - 4		l. D. P. L.						
	Wood Back, Fully COR2-60C	Beech	Seat, Arr	niess, wit 882	n Polisne 915	a Chrome 953	Frame 985	1019	1056	1090	1124
	COH2-00C	Deecn	040	002	913	933	903	1019	1030	1090	1124
U											
	Wood Back, Fully COR2-61S	Uphoistered Beech	Seat, Silv	ver Metall 954	987	with Silver 1021	Metallic 1	Frame 1092	1126	1162	1195
	COn2-013	Беесп	910	954	907	1021	1036	1092	1120	1102	1195
	Wood Back, Fully	Upholstered	Seat, Po	lished Alu	ıminum ar	ms, with I	Polished (	Chrome Fr	ame		
	COR2-61C	Beech	1004	1038	1073	1109	1142	1178	1213	1247	1283
	Fully Upholstered	Seat & Back	, Armless	, with Silv	er Metalli	c Frame					
	COR2-40S		807	853	901	952	997	1044	1092	1139	1187
	E. II. Halada I. Land	0 1 0 D 1	A								
	Fully Upholstered COR2-40C	Seat & Back	, Armiess 878	927	isned Chr 974	ome Fran 1019	1066	1116	1163	1209	1257
	00112 400		070	321	314	1013	1000	1110	1100	1203	1231
U											
	Fully Upholstered	Seat & Back	Silver M	letallic An	ne with S	Silver Mete	allic Fram	Δ			
	COR2-41S	Ocal a Dack	952	997	1044	1092	1139	1187	1232	1282	1330
	Fully Upholstered	Seat & Back			,						
/ \/ \/	COR2-41C		1036	1084	1131	1178	1226	1273	1319	1370	1416
	Caddie										
	DOL6		838								
<b>9 99 9</b>											

## **ORDERING NOTES:**


When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum. Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms. Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$33 list per chair, please specify on order. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Chair Style  1  Plastic Seat &	Arm Style  0  Armless	Frame Finish
	Armless	0" 14 1 11
Back		Silver Metallic
2	1	С
Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
3 Wood Seat & Back		
4		
Fully Upholstered Seat & Back		
5		
Plastic Back, Plastic Seat with Upholstered Pad		
6 lood Back, Fully Upholstered Seat		
	Wood Seat & Back  4  Fully Upholstered Seat & Back  5  Plastic Back, Plastic Seat with Upholstered Pad  6	Wood Seat & Back  4  Fully Upholstered Seat & Back  5  Plastic Back, Plastic Seat with Upholstered Pad  6

## **CAPRI | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 15.13%

POST-CONSUMER
RECYCLED CONTENT = 30.97%

Up to 66.28% of this Capri product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Capri products are supplied with air-emissions certified. Contact customer service for information.



### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CAPRI**

	DESCRIPTION/MODEL/FINISHES				COL FABRIC GRADES			RADES	LEATHER		
DESCRIPTION/MODI	EL/FINISHES	i	1	2	3	4	5	6	7	8	9
	ARM CHAI	R									
	CAP2A1	Cherry, Beech	1014								
	CAP2A2		1230	1279	1317	1377	1437	1503	1578	1663	1806
	CAP2A3	Cherry, Beech	1117	1161	1205	1254	1307	1359	1411	1497	1587
	CAP2A4	Cherry, Beech	1143								
/ // (	CAP2A5	Cherry, Beech	1246	1292	1335	1386	1437	1487	1539	1626	1715
*											
	SIDE CHAI	R									
	CAP2S1	Cherry, Beech	932								
4	CAP2S2	,,	1143	1192	1240	1298	1359	1421	1482	1568	1714
	CAP2S3	Cherry, Beech	1039	1086	1124	1177	1230	1283	1335	1421	1506
/ / /	CAP2S4	Cherry, Beech	1065								
, ,	CAP2S5	Cherry, Beech	1170	1194	1254	1307	1359	1411	1464	1551	1639
•											
	CADDIE DOL6		838								



## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube (2)	COM Yardage
ARM CHAIR										
Wood with arms	22	22.75	33.75	18.5	27	20.5	17.25	12	13	-
Fully Upholstered with arms	22	22.75	34	19	27	20.5	17.75	14	13	1.0
Upholstered seat with arms	22	22.75	33.75	19	27	20.5	17.75	13	13	0.6
SIDE CHAIR										
Wood with arms	19.75	22.75	33.75	18.5	-	-	17.25	12	13	-
Fully Upholstered	19.75	22.75	34	19	-	-	17.75	14	13	1.0
Upholstered seat	19.75	22.75	33.75	19	-	-	17.75	13	13	0.6
ARM CHAIR										
Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	-
Fully Upholstered with arms	22	22.75	44	29.5	38.5	20.5	17.75	17	18	1.0
Upholstered seat with arms	22	22.75	43.75	29.5	38.5	20.5	17.75	16	18	0.6
CADDIE	25.5	41	43.75	-	-	-	-	20	17	-

ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. .

## PRODUCT CODE KEY

Line	Series	Chair Type	Chair Style
CAP	2	А	1
Capri	Guest Seating	Arm Chair	Wood
	5 Barstool	Side Chair	2 Fully Upholstered
			3 Upholstered Seat Cushion
			Wood With Holes
			5 Upholstered Seat, Back with Holes

When used with Caddie, Capri stacks to a maximum of 15 chairs high (10 high for upholstered versions). Barstool versions cannot be stacked with Caddie.

## REMOVABLE UPHOLSTERED BACK COVER


Capri Chairs are available with removable upholstered back cover at an upcharge of \$48 list per chair.

## **BANK OF ENGLAND | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS



## MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .34%

POST-CONSUMER
RECYCLED CONTENT = 13.10%

Up to 96.55% of this Bank of England product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bank of England products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## **AIR-EMISSIONS**

All Bank of England products are supplied with air-emissions certified. Contact customer service for information.



### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bank of England and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **BANK OF ENGLAND**

		СОМ		COL	FAI	BRIC GRA	DES		LEATHER		
DESCRIPTION/MODE	EL/FINISHES		1	2	3	4	5	6	7	8	9
	WOOD SE 177-A 177-J	Oak, Cherry Oak, Cherry Jury Base	1240 1403								
	REMOVAE 178-A 178-J	BLE CUSHION Oak, Cherry Oak, Cherry Jury Base	1512 1688	1584 1764	1653 1835	1720 1908	1788 1977	1855 2051	1918 2114	1988 2188	2096 2302
	UPHOLST 179-A 179-J	ERED SEAT Oak, Cherry Oak, Cherry Jury Base	1512 1688	1584 1764	1653 1835	1720 1908	1788 1977	1855 2051	1918 2114	1988 2188	2096

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
177-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	_
178-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75
179-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75

### **ORDERING NOTES**

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available. For jury base version of this chair, please select model number '177-J' for Wood Seat, '178-J' for Removable Cushion, or '179-J' for Removable Cushion Upholstered Seat.



CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. .

## **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finish

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

## **BANK OF ENGLAND**

For a complete list of standard wood finishes please see page 335.

## **BARSTOOL & COUNTER HEIGHT SEATING**


127 Manolo 131 Karma 133 Capri 135 Corfu

## MANOLO | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 14.89%

POST-CONSUMER
RECYCLED CONTENT = 34.84%

Up to 69.20% of this Manolo product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Manolo products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



of responsible forest

### AIR EMISSIONS

All Manolo products are supplied air-emissions certified. Contact customer service for information.

## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Manolo and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **MANOLO | FEATURES & OPTIONS**



#### SEATS

Manolo seats are available, with two back heights; Backless Seat and Low Back Seat, in Upholstered, Beech and Walnut veneers and Palette finishes.



#### BASES

Manolo Stool bases feature Polished Chrome structural steel base frames with non-marring polycarbonate glides. Manolo Stool bases are available in two heights; Counter Height or Bar Height.

#### WEIGHT CAPACITY

Manolo complies with ANSI/BIFMA x5.1-2011 test standards. Manolo has been load tested up to 300lbs.

#### **FINISH DURABILITY**

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

### **OPTIONS**

#### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# MANOLO | DIMENSIONS & COM

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Width	Seat Depth	Seat Height	Shipping Weight	Cube	COM Yardage	
Barstool										
Backless Seat	19	22.5	36	15.75	16	31	19.5	12	1	
Low Back Seat	19	22.5	41	15.75	16	31	20	13	1	
Counter Stool										
Backless Seat	19	22.5	30	15.75	16	25	18.5	10	1	
Low Back Seat	19	22.5	35	15.75	16	25	19	11	1	

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# MANOLO | BARSTOOL & COUNTER STOOL

			COM		COL	FAB	RIC GRA	ADES		LEATHE	3
Description	Model	Species	1	2	3	4	5	6	7	8	9
	Barstool, Wo	ood, Backless Seat									
	MAN5B01	Beech	810								
	1111 11 10 10 1	Walnut	851								
/ /  \	MAN5B03	Palette	780								
	1111 11 10 200	raiotto	700								
	Countar Sta	ol, Wood Seat, Backle	ce Soat								
	MAN5C01	Beech	55 Seat 784								
	MANSCUI										
	NANIFOOO	Walnut	824								
	MAN5C03	Palette	756								
	Barstool, Fu	lly Upholstered, backle	ess seat								
	MAN5B02	, ,	853	886	916	981	1043	1108	1170	1232	1360
/ /   \	Counter Sto	ol, Fully Upholstered, E	Backless S	Seat							
	MAN5C02		827	859	890	955	1017	1082	1143	1207	1334
	Barstool, Wo	ood, Low Back Seat									
	MAN5B11	Beech	827								
		Walnut	869								
	MAN5B13	Palette	793								
/ // \											
	Countar Sta	ol, Wood, Low Back S	oot								
/ LI \	MAN5C11	Beech	799								
	MANSCII	Walnut	842								
	NANIFOAO		768								
	MAN5C13	Palette	700								
	Barstool Ful	ly Upholstered, Low Ba	ack Seat								
	MAN5B12		906	939	974	1039	1107	1171	1240	1306	1438
/ // \		ol Fully Upholstered, L									
	MAN5C12		878	913	946	1012	1080	1146	1212	1279	1412

Manolo Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	64


Line	Series	Base Height	Seat Style	Seat Type	
MAN Manolo	5 Stool	B Bar Height	0 Backless Seat	1 Wood	
		C Counter Height	1 Low Back Seat	2 Fully Upholstered	
				3 Palette	

## KARMA | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



## MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

### AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## KARMA | COUNTER STOOL


				COM	COL	FAE	BRIC GRA	DES		LE	ATHER	
DESCRIPTION	/MODEL			1	2 3	4	5	6	-	7	8	9
		" Leg Frame 2C-18.5C_U			Metallic - Fully l 705 731	Jpholstered, 767	No Arm, 810	with Sta 848		ust Cov 39	/er 942	995
		" Leg Frame 2C-18.5CCL			ully Upholstered 757 782	, No Arm, wi 820	ith Standa 864	ard Dust 900	Cover 94	11	994	1046
					Metallic- Uphols							
		2C-18.5C_W			727 739	759	780	798		20	846	873
		" Leg Frame 2C-18.5CCV			pholstered Seat 779 791	809	ek, No Ari 832	n, with 8 849	Standard 87		898	927
					Metallic - Fully l	Jpholstered,	with Arm	, with St	andard	Dust Co	over	
	KAR	2C-18.5C_U	_D	716 7	737 768	807	848	886	92	29	982	1034
		" Leg Frame 2C-18.5CCL			ully Upholstered							1007
	rvan.	20-18.3000	)_D	767 7	794 821	857	900	937	98	31 1	1033	1087
				or Silver Me	etallic- Upholste	red Seat & W	ood back	, with An	m, with S	Standard	d Dust C	over
	KAR	2C-18.5C_W	/_D	740 7	756 767	785	808	827	84	18	875	904
		" Leg Frame 2C-18.5CCV			pholstered Seat 807 820	& Wood bad 838	ck, with A 859	rm, with 878		rd Dust 00	Cover 928	955
	Karm	na chairs all i	include the	Standard D	ame Color and ust Cover (seled ge 4 for dimensi	ct "D" below)	, for option	onal Poly		•		" to "S"
Karma Option	n Upcharges	;		\$ List								\$ List
CAL 133 & Mo Removable Se Removable Ba	eat Covers	r (per yard)		64 71 71		Polymer Un Combinatio See page 3	n Uphols	tery - du	ıal fabric		and feat	47 33 tures.
<b>DIMENSIONS</b> All dimensions		and approxi	mate and ar	e subiect to	change without	notice. Cont	act Custo	mer Ser	vice if di	mensior	ns are cr	itical.
		and approxi		0 00.0,001 10	onango minoa				ing Weig			
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	1 Chair	2 Chairs	3 Chairs	COM YRD	Cubes
Easy Access of Armless	or Counter Se	eat Upholste	red									
KAR2-18.5 with Arms	20.2	21.9	39.9	24	n/a	n/a	17	43	-	-	1	20
KAR2-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	-	-	1	20
Easy Access of	or Counter Se	eat Wood Ba	ck									
Armless KAR2-18.5	20.2	21.9	39.9	24	n/a	n/a	17	43	-	-	1	20
WHILE AFTER												
with Arms KAR2-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	-	-	1	20
		21.9	39.9	24	32.8	18.5	17	44.5	-	-	1	20
KAR2-18.5			39.9 Frame Si		32.8 Frame Color	18.5 Sty			- Arm Style	- e		
KAR2-18.5  PRODUCT COD	DE KEY	ies		ize			rle olstered		Arm Style  NA  No Arm  AB  Black  AG  Grey	-	Unders Polym	eat Shroud S er Shroud D andard t Cover

## **CAPRI | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS



### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## **AIR-EMISSIONS**

All Capri products are supplied with air-emissions certified. Contact customer service for information.



### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## CAPRI | BARSTOOL

		COM		COL	F	ABRIC GRA	ADES		LEATHE	3
DESCRIPTION/MODEL/FI	NISHES	1	2	3	4	5	6	7	8	9
C/ C/ C/	ARSTOOL AP5A1 Cherry, Beech AP5A2 AP5A3 Cherry, Beech AP5A4 Cherry, Beech AP5A5 Cherry, Beech	1478 1341 1372	1533 1393 1548	1584 1445 1598	1653 1508 1663	1724 1569 1724	1802 1632 1788	1892 1693 1846	1993 1798 1954	2139 1885 2037

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BARSTOOL Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	
Fully Upholstered with arms Upholstered seat with arms	22	22.75 22.75 22.75	43.75 44 43.75	29.5 29.5	38.5 38.5	20.5 20.5 20.5	17.75 17.75	17 16	18 18	1.0 0.6


ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Line	Series	Chair Type	Chair Style	BARSTOOL
CAP Capri	5 Barstool	A Arm Chair	1 Wood	The Capri barstool version is available with arms only. Capri barstool versions are suitable for use with bar heights in the range of 40" to 42".
			Fully Upholstered  3 Upholstered Seat Cushion  4 Wood With Holes  5 Upholstered Seat, Back with Holes	REMOVABLE UPHOLSTERED BACK COVER Capri Chairs are available with removable upholstered back cover at an upcharge of \$48 list per chair.

## **CORFU** | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 27.77%

POST-CONSUMER RECYCLED CONTENT = 18.44%

Up to 86.71% of this Corfu product is recyclable at the end of its useful life.

(COR5-11S)

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## CORFU | BARSTOOL - FEATURES & OPTIONS

## SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



#### **WOOD FINISH**

Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.



Wood seats and backs are made with European Beech hardwood veneers, featuring nine (9) plys of cross grain for added strength and durability.

## STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Chrome.



## PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection: White, Black, Grey, Red, Blue, Sand



## **UNDER SEAT COVER**

Each Corfu includes an under-seat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.

## **OPTIONS**

#### **COMBINATION UPHOLSTERY COVERS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

## **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

## **CORFU | BARSTOOL - DIMENSIONS & COM REQUIREMENTS**

## **COM REQUIREMENTS**

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

## **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
COR5-10S	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-10C	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-11S	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-11C	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-20S	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-20C	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-21S	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-21C	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-30S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-30C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-31S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-31C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-40S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-40C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-41S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-41C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-50S	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-50C	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-51S	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-51C	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-60S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-60C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-61S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-61C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22

## WEIGHT CAPACITY

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

## **CORFU | BARSTOOL**

 COM
 COL
 FABRIC GRADES
 LEATHER

 DESCRIPTION/MODEL
 1
 2
 3
 4
 5
 6
 7
 8
 9



Plastic Seat & Back, Armless, with Silver Metallic Frame

COR5-10S 878

Plastic Seat & Back, Armless, with Polished Chrome Frame

COR5-10C 1029



Plastic Seat & Back, Plastic Arms with Silver Metallic Frame

COR5-11S 97

Plastic Seat & Back, Polished Aluminum Arms with Polished Chrome Frame

COR5-11C 1134



Plastic with Upholstered Seat & Back Pads, Armless, with Silver Metallic Frame

COR5-20S 1169 1186 1205 1242 1276 1314 1349 1386 1459

Plastic with Upholstered Seat & Back Pads, Armless, with Polished Chrome Frame

COR5-20C 1318 1335 1355 1391 1428 1463 1501 1536 1609



Plastic with Upholstered Seat & Back Pads, Plastic Arms, with Silver Metallic Frame

COR5-21S 1262 1281 1297 1333 1371 1407 1441 1480 1552

Plastic with Upholstered Seat & Back Pads, Polished Aluminum Arms, with Polished Chrome Frame

COR5-21C 1422 1440 1460 1494 1533 1567 1604 1641 1713

## **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5 Barstool	1 Plastic Seat & Back	0 Armless	Silver Metallic
		2 Plastic with Upholstered Seat & Back Pads	1 Arms	C Polished Chrome
		3 Beech Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with Upholstered Pad		
	ı	6 Beech Wood Back Fully Upholstered Seat		

## CORFU | BARSTOOL

DESCRIPTION/MODE	L	SPECIES	COM 1	2	COL 3	FAI 4	BRIC GRA 5	ADES 6	7	LEATHER 8	9
	COR5-50S  Plastic Back,	Plastic Seat with	1116 Upholst	1126 ered Pad	1137 I, Armless	1160 s, with Poli	1180 ished Chr	1201 ome Frame		1243	1285
	COR5-51S	Plastic Seat with	upholst 1127 Upholst	1138	1148 I, Polished	1169 d Aluminu	1192 m Arms, v	1213 vith Polish	1232 ed Chrome		1296
	Wood Seat & COR5-30S	Back, Armless, Beech Back, Armless, Beech	1218	er Metallio		1412	1434	1455	1477	1495	1539
	Wood Seat & COR5-31S	Back, Silver Me Beech	tallic Arm	ns, with S	ilver Meta	allic Frame	<del></del>				

## **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

Wood Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame

1396

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Beech

COR5-31C

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3  Beech Wood Seat & Back		
		4		
		Fully Upholstered Seat & Back		
		5		
		Plastic Back, Plastic Seat with Upholstered Pad		
		6  Beech Wood Back, Fully Upholstered Seat		

## CORFU | BARSTOOL

			COM	COL			FABRIC (	GRADES	LEATHER		
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Wood Back, Fully Upholstered Seat Armless, with Silver Metallic frame										
	COR5-60S	Beech	1114	1127	1139	1163	1187	1212	1236	1260	1309
	Wood Back, Fully	Upholstered	Seat Armle	ss, with F	Polished Ch	hrome fra	me				
	COR5-60C	Beech	1190	1201	1213	1239	1262	1286	1310	1333	1381
	Wood Back, Fully	Upholstered	Seat. Silve	· Metallic	Arms, with	n Silver Me	etallic Fra	me			
	COR5-61S	Beech	1240	1251	1263	1288	1311	1335	1359	1383	1433
	Wood Back, Fully COR5-61C	Upholstered Beech	Seat, Polisl 1292	hed Alum 1306	inum Arms 1317	s, with Pol	lished Chi 1367	rome Fram 1390	ne 1414	1438	1487
	COR5-40S		1124	1151	1177	1227	1281	1331	1381	1434	1536
	Fully Upholstered Seat & Back, Armless, with Polished Chrome Frame										
	COR5-40C	•	1199	1224	1251	1303	1354	1404	1456	1507	1610
	Fully Upholstered COR5-41S	Seat & Back,			•			1 455	1500	4557	1000
	UUN3-413		1249	1273	1302	1352	1403	1455	1506	1557	1660
Fully Upholstered Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame											
HSH	COR5-41C		1304	1330	1355	1405	1458	1509	1560	1612	1714
"   \											

## **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

## PRODUCT CODE KEY

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5 Barstool	1 Plastic Seat & Back	0 Armless	Silver Metallic
		Plastic with Upholstered Seat & Back Pads  3  Beech Wood Seat & Back	1 Arms	C Polished Chrome
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with Upholstered Pad		
		6		

Beech Wood Back, Fully Upholstered Seat

## LOUNGE SEATING


- 142 Avatar
- 145 Cressida
- 155 Leyton
- 170 Zola
- 187 Zola Privacy
- 253 Faeron
- 265 Sutton
- 267 Carlyle
- 269 Brio
- 271 Sloane

# **AVATAR** | ENVIRONMENTAL SUMMARY

# **LEED CI CREDITS**



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.21%

POST-CONSUMER
RECYCLED CONTENT = 18.77%

Up to 45.10% of this Avatar product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### AIR-EMISSIONS

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **AVATAR** | FEATURES & OPTIONS



STYLE FIXED ARM



**ARMLESS** 



Avatar legs feature Polished Chrome aluminum foot with nylon glides.

#### REPLACEABLE COMPONENTS

Avatar is uniquely designed to allow major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Chair legs, arms, table tops and bases are field replaceable.

#### **FINISH DURABILITY**

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### **WEIGHT CAPACITIES**

Avatar complies with ANSI/BIFMA x5.1-2011 test standards. Avatar has a load tested up to 300lbs.

### **OPTIONS**

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Width Between Arms	Arm Height	Shipping Weight	Cube	COM Yardage
AVA3-1	29	28	30.5	16	18.5	27.5	22	49	17.5	2.65
AVA3-0	26.5	28	30.5	16	18.5	n/a	n/a	46	17.5	2.65

#### **DIMENSIONS:**

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# AVATAR | LOUNGE

		COM		COL	FABI	RIC GRA	DES	L	EATHER	
Description	Model	1	2	3	4	5	6	7	8	9
	Armless AVA3-0	1883	1954	2026	2126	2239	2340	2453	2595	2739
	Fixed Arm AVA3-1	2100	2170	2241	2342	2458	2555	2670	2812	2956



Avatar Option Upcharges	\$ List	

CAL 133 & Moisture Barrier (per yard) 64


_

# **CRESSIDA** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 4.22%

POST-CONSUMER RECYCLED CONTENT - 14.49%

Up to 24.32% of this Cressida product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### **AIR EMISSIONS**

All Cressida products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CRESSIDA** | LOUNGE FEATURES & OPTIONS



#### **CLEAN OUT**

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



#### **ARMS AND ARMLESS**

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



#### POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.



#### **GLIDES**

Cressida Lounge arm and armless versions are standard with nylon glides.

#### **WEIGHT CAPACITIES**

Cressida weight capacities are as follows: One-Seat-350 lbs One-Seat (Plus) -750 lbs One-Seat Wide - 350lbs One-Seat Wide (Plus) - 750lbs Two-Seat - 525 lbs Two-Seat (Plus) - 975lbs Three-Seat - 850 lbs

#### REPLACEABLE COMPONENTS

Three-Seat (Plus) - 1200 lbs

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.





#### **CASTERS**

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



#### **PUSH BAR**

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar powder-coated steel in Silver Metallic finish.

### **PLUS UPGRADE**

Cressida seating is available with optional Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

#### **TABLETS**

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

#### **COMBINATION UPHOLSTERY**

More than one upholstery cover within the same unit, is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **METAL FINISH OPTIONS**

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$64 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$64 list per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

### REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with removable seat and back covers.

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight Open Arm	Shipping Weight Closed Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Wide	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										_
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Wide	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida plus two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

COM - YARDAGE REQUIREN	/FNTS				
- TANDAGE NEGOTIEN	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Wide - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Wide - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Wide - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Wide - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to page 333 for C.O.M approval process.

### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	64	One-Seat Removable Back Covers	152	
Push Bar	64	One-Seat Wide Removable Back Covers	228	
Caster Combination (2 legs & 2 rear casters)	152	Two-Seat Removable Back Covers	302	
Casters (set of 4)	228	Three-Seat Removable Back Covers	453	
One-Seat Removable Seat Covers	152	One-Seat - Plus Upgrade	92	
One-Seat Wide Removable Seat Covers	228	One-Seat Wide - Plus Upgrade	121	
Two-Seat Removable Seat Covers	302	Two-Seat - Plus Upgrade	199	
Three-Seat Removable Seat Covers	453	Three-Seat - Plus Upgrade	228	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

. . . .

5505555000	000	COM		COL		RIC GRAD			LEATHER	
DESCRIPTION/MO	ODEL/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat, Armless CRE3-F1ALS1 n/a	1566	1647	1747	1875	2018	2145	2287	2470	2650
	One-Seat, Open Arm CRE3-F1OPS1 Beech, Maple Palette One-Seat, Open Arm with arm CRE3-F1OPP1 Beech, Maple Palette	і сар	1897 1974	1988	2103 2174	2252 2326	2394	2536 2612	2703 2778	2891
	- alotto									
	One-Seat, Closed Arm CRE3-F1CLS1 Beech, Maple Palette	2523	2686	2853	3088	3357	3591	3862	4203	4532
	One-Seat, Closed Arm with an CRE3-F1CLP1 Beech, Maple Palette		2764	2928	3162	3432	3666	3936	4277	4608

#### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	64	One-Seat Removable Seat Covers	152	
Push Bar	64	One-Seat Removable Back Covers	152	
Caster Combination (2 legs & 2 rear casters) Casters (set of 4)	152 228	One-Seat - Plus Upgrade	92	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding	1.5 One-Seat Wide	OPS Open Arm	2 Casters
		Plus	2 Two-Seat	OPP Open Arm Polymer Arm Cap	3 Caster Combinatio 2 legs & 2 Rear Cast
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

DESCRIPTION/MODE	DESCRIPTION/MODEL/SPECIES		2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHER 8	9
	One-Seat Wide, Armless CRE3-FB1.5ALS1 n/a	1657	1765	1872	2026	2198	2353	2527	2744	2963
	One-Seat Wide, Open Arm CRE3-FB1.5OPS1 Beech, Maple Palette One-Seat Wide, Open Arm with arn CRE3-FB1.5OPP1 Beech, Maple Palette	n cap	2031 2107	2140 2217	2294 2369	2466 2542	2620 2705	2794 2870	3013 3090	3232 3307
	One-Seat Wide, Closed Arm CRE3-FB1.5CLS1 Beech, Maple Palette One-Seat Wide, Closed Arm with ar CRE3-FB1.5CLP1 Beech, Maple Palette	т сар	2824 2899	3011 3088	3271 3346	3568 3644	3829 3906	4128 4204	4494 4570	5159 5235

### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	64
One-Seat Wide - Plus Upgrade	121
One-Seat Wide Removable Seat Covers	228
One-Seat Wide Removable Back Covers	228

NOTE: One-Seat Wide Lounge is not available with caster options.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

		COM	COM		COL FABRIC GRADES			LEATHER			
DESCRIPTION/MODEL/S	PECIES	1	2	3	4	5	6	7	8	9	
	Two-Seat, Armless CRE3-F2ALS1 n/a	2590	2726	2853	3049	3260	3448	3666	3931	4203	
	Pale Two-Seat, Open Arm w	ith arm cap ch, Maple 2898		3095 3167	3283 3357	3499 3577	3688 3763	3899 3975	4171 4245	4442 4515	
	Pale Two-Seat, Closed Arm		3757 3830	3966 4041	4261 4336	4600 4675	4893 4968	5232 5307	5660 5738	6081	
- N	Pale	πe									

### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

\$ List		
64		
199		
290		
290		
	64 199 290	64 199 290

**NOTE**: Two-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
Oressida	Lounge	FB	1.5	OPS	Legs
		Freestanding Plus	One-Seat Wide	Open Arm OPP	
			Two-Seat	Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
			Tilloo Coul	CLP	
				Closed Arm Polymer Arm Cap	

			COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Three-Seat, Armless CRE3-F3ALS1 n/a	3516	3706	3885	4141	4442	4697	4992	5361	5727
Three-Seat, Open Arm CRE3-F3OPS1 Beech, Maple Palette Three-Seat, Open Arm with arm CRE3-F3OPP1 Beech, Maple Palette	сар	3936 4011	4127 4203	4381 4381	4675 4750	4939 5012	5232 5307	5602 5677	5969 6045
Three-Seat, Closed Arm CRE3-F3CLS1 Beech, Maple Palette  Three-Seat, Closed Arm with arm CRE3-F3CLP1 Beech, Maple Palette	п сар	4735 4812	4998 5075	5361 5436	5782 5857	6149 6225	6565 6640	7091 7164	7611 7684

#### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	64
Three-Seat - Plus Upgrade	228
Three-Seat Removable Seat Covers	453
Three-Seat Removable Back Covers	453

NOTE: Three-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3	F	1	ALS	1
Cressida	Lounge	Freestanding FB	One-Seat	Armless OPS	Legs
		Freestanding Plus	One-Seat Wide	Open Arm	
			2 Two-Seat	OPP Open Arm	
				Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP	
				Closed Arm Polymer Arm Cap	

# CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE				WEIGHT	CUBE
	Wood Tablet CRE3 T1	Beech/Maple	589				12	2
	Tablet with Palette Fin CRE3 T2	ish n/a	437				12	2
	Laminate Tablet CRE3 T4  ORDERING NOTES:			andard with a	polymer e	dge. Please no	12 ite Cressida Table	2 ts need to
	be specified right or le	eft when orderin	ng.					
	Solid Surface Tablet		A-White	Grades A-Color	В	С		
	CRE3 RT3		673	686	721	781	12	2

# **CRESSIDA** | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FAI 4	BRIC GF 5	RADES 6	7	LEATHE 8		WEIGHT	CUBE
LOUNGE	One-Seat Replacement Back CRE3-RB1	715	778	837	922	1021	1108	1205	1330	1451	23	4.2
	One-Seat Wide Replacement B CRE3-RB1.5B	ack 808	872	935	1026	1126	1215	1317	1446	1570	28	5.7
	Two-Seat Replacement Back CRE3-RB2	1058	1146	1237	1363	1509	1636	1779	1962	2143	38	8.8
	Three-Seat Replacement Back CRE3-RB3	1414	1528	1642	1802	1984	2143	2324	2554	2780	52	12
	One-Seat Replacement Back C CRE3-RBC1	over 290	348	410	494	595	679	780	901	1026	2.0	1.0
	One-Seat Wide Replacement B CRE3-RBC1.5	ack Co 302	ver 365	428	517	620	710	810	939	1065	2.5	1.2
	Two-Seat Replacement Back C CRE3-RBC2	over 403	492	584	710	853	982	1126	1307	1487	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 463	577	693	851	1033	1194	1376	1604	1833	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	603	648	693	752	821	883	954	1039	1126	28	9.5
	One-Seat Wide Replacement S CRE3-RS1.5	eat 782	838	892	971	1060	1137	1226	1334	1446	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	939	995	1054	1135	1224	1304	1394	1509	1622	53	18
	Three-Seat Replacement Seat CRE3-RS3	1257	1345	1431	1555	1691	1813	1954	2130	2302	79	24
	One-Seat Replacement Seat Co CRE3-RSC1	over 208	253	297	357	427	487	559	644	731	2.0	1.0
	One-Seat Wide Replacement S CRE3-RSC1.5	eat Co 259	ver 313	369	448	536	613	701	811	922	2.5	1.2
	Two-Seat Replacement Seat Co CRE3-RSC2	over 276	334	390	471	561	641	732	846	959	3.5	1.8
	Three-Seat Replacement Seat 0 CRE3-RSC3	Cover 352	438	527	648	785	909	1048	1224	1396	5.0	2.5
	Replacement Lounge Front Arm	n & Leg										
	Open Arm CRE3-LROPS Beech, Maple Palette	185									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	223										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	406	454	502	569	648	716	794	892	988	20	3.8
	Lounge Replacement Push-Bar CRE3-RPB	61									2	0.3

# CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	PRICE	WEIGHT CUBE				
	Replacement Polymer Arm Cap Black CRE3-RACB	38				1.0	0.5
	Replacement Polymer Arm Cap Grey CRE3-RACB	38					
*	Lounge Replacement Front Leg (for armless CRE3-RLAF*	version) 59				0.5	0.5
<b>8</b> **	Lounge Replacement Front Leg (for armless CRE3-RGAF**	version) Gl 18	ide			0.1	0.2
*	Lounge Replacement Plus Upgrade Center CRE3-RLC*	Leg 54				0.5	0.5
**	Lounge Replacement Plus Upgrade Center CRE3-RCG**	Leg Glide 23				0.5	0.5
*	Lounge Replacement Back Leg CRE3-RLB*	78				1.8	0.5
**	Lounge Replacement Glide CRE3-RGB**	19				0.1	0.2
	Lounge Replacement Front Leg (for caster v CRE3-RLCF*	version) 54				0.5	0.5
**	Lounge Replacement Back Leg (for caster v CRE3-RLCB**	version) 54				0.5	0.5
* 4 **	Replacement Casters Non-Locking CRE3-RC1*	74				.75	0.3
	Replacement Casters Locking CRE3-RC2**	74				.75	0.3
	Wood Tablet & Mounting Plate Only CRE3 RT1 Beech/Maple	397				5	0.32
	Tablet with Palette finish & Mounting Plate C CRE3 RT2 n/a	9nly 278				5	0.32
	Tablet & Mounting Plate Only - Solid Surface CRE3 RT3 n/a	A-White	Grades A-Color	В	С	7	0.32
J		539	547	577	624		
	Laminate Tablet & Mounting Plate Only CRE3 RT4 n/a	397				5	0.32

# **LEYTON** | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 28.61%

POST-CONSUMER
RECYCLED CONTENT = 9.91%

Up to 8.81% of this Leyton product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR EMISSIONS**

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



FSC\* C021699

### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **LEYTON | FINISHES & FEATURES**

#### **WOOD FINISHES**

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak Espresso Oak Harvest Oak Mahogany

MAPLE Clear Maple

Honey Maple Wheat Maple

Mellow oak

WALNUT Natural Walnut SilverGrey on Walnut

Regular Walnut
Dark Walnut
Cordovan Walnut

CHERRY Appalachian Cherry

American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

ANIGRE Clear Anigre Medium Anigre

SYCAMORE Clear Sycamore

Please note Cherry, Anigre and Sycamore species require a minimum quantity order, of 5 units for seating and 5 units for tables, per species.

PALETTE Black

White Sand Soft Green Steel Blue Slate **VENEERS** 

Leyton veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Leyton can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Leyton's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

**CUSTOM WOOD FINISHES** 

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

**ENDURAGUARD FINISH** 

Leyton features the Krug finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

**IN-STOCK LAMINATE** 

Krug's in-stock laminates are available on Leyton Table surfaces in 4 solid laminate selections. Laminate surfaces are self-edged.

**SOLID LAMINATES** 

Designer White - Platinum - Earth - Charcoal

# **LEYTON | FEATURES**



#### ARM STYLE

Leyton features four design styles Upholstered Armless, Upholstered Full Arm, Wood Surround Armless and Wood Surround Full Arm.

Upholstered Armless



Upholstered Full Arm



Wood Surround Armless



Wood Surround Full Arm



### LEGS

Leyton Lounge and Tables feature Polished Chrome structural steel legs with Black glides. Non-marring glides are available upon request.

#### REPLACEABLE COMPONENTS

Leyton chairs are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Seats, backs, arms and frames are field replaceable, with the only exceptions being the Upholstered Armless, Upholstered Full Arm and Upholstered Front Panel as it is one piece.

#### **WEIGHT CAPACITIES**

All Leyton seating feature Plus Weight capacities. One-Seat - 750lbs

One-seat Wide - 750lbs Two-Seat - 975lbs

Three-Seat - 1200lbs Leyton has been tested to ANSI / BIFMA.

#### **PLUS UPGRADE**

Leyton models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

# **LEYTON | OPTIONS**



# OPTIONS Solid Surface Arm Cap

Leyton Lounge Full Arm version is available with an optional Solid Surface Arm Cap providing enhanced durability, protection and cleanability for the arms. This is field replaceable if it becomes damaged or degraded and is available in 8 standard colors.



#### TARI FT

Leyton Solid Surface tablet can be specified left or right as seated. The tablet can be used alone or with solid surface arm cap and is 1/2" thick.



#### **PUSH BAR**

This is an optional feature on Leyton One Seat lounge chairs, designed to assist caregiving staff in the movement and relocation of the chair. It is Silver Metallic in color and retractable for ease of use. The Push bar is field replaceable if necessary.



#### **CASTERS**

Optional on Leyton lounge chairs are four - 4" diameter soft wheel swivel locking casters, featuring a large, easy-access foot activation and release lever. The caster locks both directionally and rotationally, keeping the chair securely in place when locked. Note: lounge chairs with casters are not designed or intended as patient transport devices.



#### **CLEAN OUT**

Leyton lounge seating models have an optional built-in clean out feature: a space at the back of the seat that allows dirt debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product. Clean Out option is available for an upcharge,



#### **UNDER-MOUNT POWER**

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables.

#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

# REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable covers (with the exception of the Upholstered Armless, Upholstered Full Arm and Front panel) can be quickly installed on Leyton products that were originally ordered with the Removable cover option. Replacement covers (with the exception of the Upholstered Armless, Full Upholstered Arm and front panel) can also be installed on Leyton products that were not originally ordered with the Removable cover option, with some simple staple removal.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge, please see page 158.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **LEYTON** | DIMENSIONS, COM REQUIREMENTS, MOISTURE BARRIER & OPTION UPCHARGES

DIMENSIONS									
	Overall	Overall	Overall	Seat Height	Height of	Width			
	Width	Depth	Height	min/max	Arms from	between	Seat	Shipping	
					Floor	Arms	Depth	Weight	Cube
LEY31UF	28.5	29.25	31	17.75	26.25	23.25	19.25	82	18.5
LEY31.5UF	35.5	29.25	31	17.75	26.25	30.25	19.25	107	25.2
LEY32UF	52	29.25	31	17.75	26.25	47	19.25	131	32.5
LEY33UF	75.75	29.25	31	17.75	26.25	70.5	19.25	179	46.5
LEY31UN	28.5	29.25	31	17.75	n/a	23.25	19.25	78	18.5
LEY31.5UN	35.5	29.25	31	17.75	n/a	30.25	19.25	103	25.2
LEY32UN	52	29.25	31	17.75	n/a	47	19.25	127	32.5
LEY33UN	75.75	29.25	31	17.75	n/a	70.5	19.25	175	46.5
LEY31WF	28.25	29.25	31	17.75	26.25	23.75	19.25	79	18.5
LEY31.5WF	35.25	29.25	31	17.75	26.25	30.25	19.25	104	25.2
LEY32WF	51.75	29.25	31	17.75	26.25	47.25	19.25	128	32.5
LEY33WF	75.5	29.25	31	17.75	26.25	71	19.25	176	46.5
LEY31WN	28.25	29.25	31	17.75	n/a	23.75	19.25	75	18.5
LEY31.5WN	35.25	29.25	31	17.75	n/a	30.25	19.25	100	25.2
LEY32WN	51.75	29.25	31	17.75	n/a	47.25	19.25	124	32.5
LEY33WN	75.5	29.25	31	17.75	n/a	71	19.25	172	46.5

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

#### **COM YARDAGE REQUIREMENTS**

	Fully	Wood				Armless		Full body
	Upholstered (Complete Unit)	Surround (Seat and Back only)	Seat Cushion only (Wood or Full Uph)	Back Cushion only (Wood or Full Uph)	Full Arm & front panel (Pair)	panel & front panel (pair)	Back Panel only	with arm, Front panel & Back panel
One-Seat - One	Chair							
Armless	3.75	1.6	0.9	0.8		1.75	.75	2.5
Full Arm	4.6	1.6	0.9	0.8	2.6		.75	3.35
One & Half-Seat	t - One Chair							
Armless	5.2	2.3	1.3	1		2.1	.75	2.85
Full Arm	5.7	2.3	1.3	1	2.6		.75	3.35
Two-Seat - One	Chair							
Armless	5.7	3	1.5	1.5		2	.75	2.75
Full Arm	6.3	3	1.5	1.5	2.6		.75	3.35
Three-Seat - On	e Chair							
Armless	8	4.6	2.4	2.2		2.3	1.5	3.8
Full Arm	8.7	4.6	2.4	2.2	3		1.5	4.5

### **COM APPROVAL PROCESS:**

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

### **CAL 133 MOISTURE BARRIER**

OAL 100 MO	O O I L DA						
Model	Upcharge	Model	Upcharge	Model	Upcharge	Model	Upcharge
LEY31UN	297	LEY32UN	436	LEY31.5UN	384	LEY33UN	740
LEY31UF	368	LEY32UF	512	LEY31.5UF	478	LEY33UF	810
LEY31WN	136	LEY32WN	208	LEY31.5WN	176	LEY33WN	457
LEY31WF	136	LEY32WF	208	LEY31.5WF	176	LEY33WF	457
Leyton Option	Upcharges		\$ List				\$ List
One-Seat Clean out 47				One-Seat Remov	152		
One & Half-Seat	Clean out		68	68 One & Half-Seat Removable Seat & Back			
Two-Seat Clean	out		92	Two-Seat Remov	302		
Γhree-Seat Clear	n out		137	Three-Seat Remo	ovable Seat & E	Back Covers	453
Solid Surface Arr Solid Surface Arr Solid Surface Arr	rface Arm Cap (per pair) - Gr A White 359 rface Arm Cap (per pair) - Gr A Color 363 rface Arm Cap (per pair) - Gr B 368 rface Arm Cap (per pair) - Gr C 404 rface Tablet - Gr A White 539			Seat or Back Cor One-Seat One & Half-Seat Two-Seat Three-Seat	77 107 152 228		
Solid Surface Tal Solid Surface Tal Solid Surface Tal	blet - Gr B		547 577 624	Casters Casters with Pus	180 466		

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-seat, Uph LEY31NUN	nolstered, Armless N/A	2056	2185	2304	2478	2681	2853	3049	3297	3545
	One-seat, Uph LEY31NUF	nolstered, Full Arm N/A	2185	2394	2590	2878	3200	3487	3811	4208	4622
	<b>ORDERING NOTE:</b> Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below, clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS										
	One-seat, Woo	od Surround, Armle	ess								
	LEY31NPN LEY31NWN	Palette Oak, Maple Walnut,	2545 2545	2596 2596	2658 2658	2735 2735	2817 2817	2891 2891	2972 2972	3088 3088	3192 3192
		Cherry, Anigre Sycamore,	3071	3126	3185	3260	3343	3418	3499	3613	3718
	One-seat Wor	od Surround, Full A	\rm								
	LEY31NPF LEY31NWF	Palette Oak, Maple Walnut, Palette	2523 2523	2576 2576	2629 2629	2703 2703	2789 2789	2867 2867	2952 2952	3057 3057	3162 3162
		Cherry, Anigre Sycamore,	3049	3102	3156	3231	3315	3396	3479	3582	3688
Ų	ODDEDING N	OTE I sydem I sum	~~ F	\	شيد ملطمانه	th an anti	anal Cali	d Curfoo	A ## C 0	n farak	

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below, clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List	
Casters	180	Solid Surface Arm Cap (per pair) - Gr A White	359	
Casters with Pushbar	466	Solid Surface Arm Cap (per pair) - Gr A Color	363	
One-Seat Clean out	47	Solid Surface Arm Cap (per pair) - Gr B	368	
One-Seat Removable Seat & Back Covers	152	Solid Surface Arm Cap (per pair) - Gr C	404	
		Solid Surface Tablet - Gr A White	539	
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	547	
One-Seat	77	Solid Surface Tablet - Gr B	577	
		Solid Surface Tablet) - Gr C	624	

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

#### LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY	3	1	N	UF	S
Leyton	Soft Seating	One-Seat	No Clean Out	Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			Р	allet Finish Surround Full Arm	l

Pallet Finish Surround Armless

			COM	1	COL	FAE	<b>BRIC GR</b>	ADES		<b>LEATHER</b>	}
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One & Half-sea LEY31.5NUN	at, Upholstered, A N/A	armless 2639	2822	3004	3260	3553	3809	4099	4462	4830
	One & Half-sea LEY31.5NUF	at, Upholstered, F N/A	ull Arm 2772	2955	3136	3393	3684	3939	4234	4596	4962
		<b>OTE:</b> Leyton Lour nd clearly note co 31NUF <u>S</u>	•								•
		at, Wood Surroun									
	LEY31.5NPN LEY31.5NWN	Palette Oak, Maple Walnut, Palette	3025 3025	3122 3122	3220 3220	3355 3355	3512 3512	3647 3647	3803 3803	3997 3997	4192 4192
		Cherry, Anigre Sycamore	3552	3646	3743	3880	4037	4172	4328	4524	4718
	One & Half-sea	at, Wood Surroun	d Full A	rm							
	LEY31.5NPF LEY31.5NWF	Palette Oak, Maple Walnut, Palette	3001 3001	3099 3099	3195 3195	3331 3331	3488 3488	3624 3624	3781 3781	3974 3974	4169 4169
		Cherry, Anigre Sycamore	3529	3622	3720	3855	4011	4147	4306	4499	4692

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List
Casters	180	Solid Surface Arm Cap (per pair) - Gr A White	359
Casters with Pushbar	466	Solid Surface Arm Cap (per pair) - Gr A Color	363
One & Half-Seat Clean out	68	Solid Surface Arm Cap (per pair) - Gr B	368
One & Half-Seat Removable Seat & Back Covers	212	Solid Surface Arm Cap (per pair) - Gr C	404
		Solid Surface Tablet - Gr A White	539
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	547
One & Half-Seat	107	Solid Surface Tablet - Gr B	577
		Solid Surface Tablet) - Gr C	624

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
			_	PF	
			P	allet Finish Surround Full Arm	
				PN	
			F	Pallet Finish Surround Armless	

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FABF	RIC GRAD		EATHER 7	8	9
DESCRIPTION/MODEL	-	SPECIES	ı		ა	4	<u> </u>	6	- /	0	9
	Two-seat, Uph LEY32NUN	olstered, Armless N/A	3297	3487	3666	3921	4208	4471	4757	5125	5488
	Two-seat, Uph LEY32NUF	olstered, Full Arm N/A	3432	3682	3931	4277	4675	5022	5420	5917	6412
		OTE: Leyton Loun and clearly note colo									
	Two-seat, Woo	od Surround Armle	ss								
	LEY32NPN	Palette	3599	3697	3802	3936	4103	4245	4402	4608	4802
	LEY32NWN	Oak, Maple Walnut, Palette	3599	3697	3802	3936	4103	4245	4402	4608	4802
		Cherry, Anigre Sycamore	4203	4296	4402	4539	4706	4846	5006	5210	5406
	Two-seat Woo	od Surround Full Ar	m								
	LEY32NPF LEY32NWF	Palette Oak, Maple Walnut, Palette	3577 3577	3672 3672	3781 3781	3915 3915	4088 4088	4222 4222	4402 4402	4576 4576	4781 4781
		Cherry, Anigre, Sycamore	4179	4277	4381	4515	4690	4823	5006	5179	5384

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List
Casters	180	Solid Surface Arm Cap (per pair) - Gr A White	359
Casters with Pushbar	466	Solid Surface Arm Cap (per pair) - Gr A Color	363
Two-Seat Clean out	92	Solid Surface Arm Cap (per pair) - Gr B	368
Two-Seat Removable Seat & Back Covers	302	Solid Surface Arm Cap (per pair) - Gr C	404
		Solid Surface Tablet - Gr A White	539
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	547
Two-Seat	152	Solid Surface Tablet - Gr B	577
		Solid Surface Tablet) - Gr C	624

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			Р	allet Finish Surround Full Arm	
				PN	

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FA 4	BRIC GF 5	RADES 6	7	LEATHER 8	R 9
DECOMM NOTWODEL	, ,	pholstered, Armles	ss								
	LEY33NUN	N/A	4381	4608	4812	5125	5479	5787	6136	6571	7007
	Three-seat, U LEY33NUF	pholstered, Full An N/A	m 4486	4757	5022	5395	5827	6203	6630	7164	7700
		<b>IOTE:</b> Leyton Lour nd clearly note co 31NUF <u>S</u>	•								•
	,	ood Surround, Arr									
	LEY3NPN LEY33NWN	Palette Oak, Maple Walnut, Palette	4697 4697	4856 4856	4998 4998	5223 5223	5466 5466	5684 5684	5932 5932	6241 6241	6549 6549
		Cherry, Anigre Sycamore	5373	5532	5677	5902	6141	6360	6609	6916	7227
	Three-seat, W	ood Surround, Ful	l Arm								
	LEY3NPF LEY33NWF	Palette Oak, Maple Walnut, Palette	4675 4675	4834 4834	4992 4992	5203 5203	5450 5450	5660 5660	5910 5910	6218 6218	6527 6527
		Cherry, Anigre, Sycamore	5352	5509	5667	5878	6127	6337	6585	6895	7204

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List	
Casters	180	Solid Surface Arm Cap (per pair) - Gr A White	359	-
Casters with Pushbar	466	Solid Surface Arm Cap (per pair) - Gr A Color	363	
Three-Seat Clean out	137	Solid Surface Arm Cap (per pair) - Gr B	368	
Three-Seat Removable Seat & Back Covers	453	Solid Surface Arm Cap (per pair) - Gr C	404	
		Solid Surface Tablet - Gr A White	539	
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	547	
Three-Seat	228	Solid Surface Tablet - Gr B	577	
		Solid Surface Tablet) - Gr C	624	

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
			_	PF	
			F	Pallet Finish Surround Full Arm	l
				PN	
			F	Pallet Finish Surround Armless	

DESCRIPTION (MODE)		0050150	COM		COL		ABRIC GI		-	LEATH	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-seat, No ( LEY31NUN1	Clean Out, Uphols N/A	stered, <i>i</i> 2109	Armless v 2231	vith Sled 2345	Base 2510	2704	2868	3054	3290	3527
	One-seat. No (	Clean Out, Uphols	stered. I	-ull Arm	with Sled	Base					
$\sim$	LEY31NUF1	N/A	2231	2430	2617	2891	3198	3471	3780	4158	4552
		<b>OTE:</b> Leyton Lour early note color s 1 <u>S</u>									
	,	Clean Out, Wood		,							
	LEY31NPN1	Palette	2574	2623	2682	2755	2833	2904	2981	3091	3190
	LEY31NWN1	Oak, Maple Walnut,	2574	2623	2682	2755	2833	2904	2981	3091	3190
		Cherry, Anigre Sycamore,	3075	3128	3184	3255	3334	3406	3483	3591	3691
	One-seat, No (	Clean Out, Wood	Surrour	id, Full A	rm with S	led Base	,				
$\wedge$	LEY31NPF1	Palette	2553	2604	2654	2725	2807	2881	2962	3062	3162
	LEY31NWF1	Oak, Maple Walnut, Palette	2553	2604	2654	2725	2807	2881	2962	3062	3162
		Cherry, Anigre Sycamore,	3054	3105	3156	3228	3308	3385	3464	3562	3663

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below, clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUF1S

Leyton Option Upcharges	\$ List		\$ List	
One-Seat Clean out	45	Solid Surface Arm Cap (per pair) - Gr A White	342	_
One-Seat Removable Seat & Back Covers	145	Solid Surface Arm Cap (per pair) - Gr A Color	346	
		Solid Surface Arm Cap (per pair) - Gr B	351	
Seat <u>or</u> Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	385	
One-Seat	74	Solid Surface Tablet - Gr A White	514	
		Solid Surface Tablet - Gr A Color	521	
		Solid Surface Tablet - Gr B	550	
		Solid Surface Tablet) - Gr C	595	

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Optior (Full Arm Only)
LEY	3	1	N	UF	0	S
Leyton	Soft Seating	One-Seat	No Clean Out	Upholstered Full Arm	Leg Base	Solid Surface
		1.5	С	UN	1	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	Sled Base	
		2		WF		
		Two-Seat		Wood Surround Full Arm		
		3		WN		
		Three-Seat		Wood Surround Armless		
				PF		
				Pallet Finish Surround Full Arm		
				PN		
				Pallet Finish Surround Armless		

			COM	l	COL	FAE	BRIC GR	ADES		LEATHER	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One & Half-sea	t, No Clean Out,	Upholst	ered. Arr	nless witl	h Sled Ba	ase				
	LEY31.5NUN1		•	2838	3011	3255	3534	3778	4054	4400	4750
	One & Half-sea	t, No Clean Out,	Upholst	ered. Fu	II Arm wit	h Sled Ba	ase				
^	LEY31.5NUF1		2790	2965	3137	3382	3659	3902	4183	4528	4876
		<b>DTE:</b> Leyton Lour d clearly note co 11.5NUF1 <u>S</u>									
	One & Half-sea	t, No Clean Out,	Wood S	urround	Armless	with Sled	Base				
	LEY31.5NPN1	, ,	3031	3124	3217	3346	3495	3624	3772	3957	4143
	LEY31.5NWN1	Oak, Maple Walnut, Palette	3031	3124	3217	3346	3495	3624	3772	3957	4143
		Cherry, Anigre Sycamore	3533	3623	3715	3846	3995	4124	4272	4459	4644
-	One & Half-sea	it, No Clean Out,	Wood S	urround	Full Arm	with Sled	Rase				
$\sim$	LEY31.5NPF1		3009	3102	3193	3323	3472	3602	3751	3935	4121
	LEY31.5NWF1	Oak, Maple Walnut, Palette	3009	3102	3193	3323	3472	3602	3751	3935	4121
		Cherry, Anigre Sycamore	3511	3600	3693	3822	3970	4100	4251	4435	4619

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31.5NUF1S

Leyton Option Upcharges	\$ List		\$ List
One & Half-Seat Clean out	65	Solid Surface Arm Cap (per pair) - Gr A White	342
One & Half-Seat Removable Seat & Back Covers	202	Solid Surface Arm Cap (per pair) - Gr A Color	346
		Solid Surface Arm Cap (per pair) - Gr B	351
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	385
One & Half-Seat	102	Solid Surface Tablet - Gr A White	514
		Solid Surface Tablet - Gr A Color	521
		Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

# LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Optior (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	0 Leg Base	Solid Surface
		1.5 One & Half-Seat	C Clean Out	UN Upholstered Armless	1 Sled Base	Full Arm Cap
		2 Two-Seat	0.00	WF Wood Surround Full Arm	0.00 2000	
		3 Three-Seat		WN Wood Surround Armless		
				PF Pallet Finish Surround Full Arm		
				PN		

Pallet Finish Surround Armless

DESCRIPTION/MODEL		SPECIES	COM	2	COL 3	FABF 4	RIC GRAI 5	DES 6	LEATHER 7	8	9
DESCRIPTION/WODEL											
_		Clean Out, Uphols					4450	4.400	1001	5004	-077
	LEY32NUN1	N/A	3290	3471	3642	3885	4158	4409	4681	5031	5377
		Clean Out, Uphols	-								
	LEY32NUF1	N/A	3419	3657	3894	4224	4603	4933	5312	5786	6257
		<b>OTE:</b> Leyton Lour nd clearly note cold 1 <u>S</u>									
	Two-seat, No	Clean Out, Wood S	Surround	Armless	with Sled	Base					
				0074				4400	40.40		
	LEY32NPN1	Palette	3578	3671	3771	3899	4058	4193	4343	4539	4724
	LEY32NPN1 LEY32NWN1	Palette Oak, Maple Walnut, Palette	3578 3578	3671	3771 3771	3899 3899	4058 4058	4193	4343	4539 4539	4724 4724
		Oak, Maple									
	LEY32NWN1	Oak, Maple Walnut, Palette Cherry, Anigre	3578 4153	3671 4242 Full Arm	3771 4343	3899 4473	4058	4193	4343	4539	4724

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY32NUF1S

4323

3879

4450

4044

4617

4744

4343

4918

4509

5083

4704

5278

Leyton Option Upcharges	\$ List		\$ List	
Two-Seat Clean out	88	Solid Surface Arm Cap (per pair) - Gr A White	342	
Two-Seat Removable Seat & Back Covers	288	Solid Surface Arm Cap (per pair) - Gr A Color	346	
		Solid Surface Arm Cap (per pair) - Gr B	351	
Seat <u>or</u> Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	385	
Two-Seat	145	Solid Surface Tablet - Gr A White	514	
		Solid Surface Tablet - Gr A Color	521	
		Solid Surface Tablet - Gr B	550	
		Solid Surface Tablet) - Gr C	595	

3557

4130 4224

3648

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

### LEYTON LOUNGE PRODUCT CODE KEY

LEY32NWF1

Oak, Maple

Walnut, Palette

Cherry, Anigre, Sycamore

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	0 Leg Base	Solid Surface
		1.5	С	UN	1	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	Sled Base	
		2		WF		
		Two-Seat		Wood Surround Full Arm		
		3		WN		
		Three-Seat		Wood Surround Armless		
				PF		
				Pallet Finish Surround Full Arm		
				PN		
				Pallet Finish Surround Armless		

			COM		COL	_ F	ABRIC G	RADES		LEATH	ΞR
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-seat, No	Clean Out, Upho	olstered	Armless	with Sled	Base					
	LEY33NUN1	N/A	4323	4539	4733	5031	5369	5662	5994	6409	6824
	Thurs and No	Olasa Out Hala	.	Г	مان ملائد،	I D					
	LEY33NUF1	o Clean Out, Upho N/A	4423	4681	4933	5289	5700	6058	6465	6973	7484
		<b>OTE:</b> Leyton Lour nd clearly note co 33NUF1 <u>S</u>									
	Three-seat, No	Clean Out, Wood	d Surrou	and Arml	ess with S	Sled Base	Э				
	LEY33NPN1	Palette	4624	4775	4910	5125	5356	5564	5800	6094	6388
	LEY33NWN1	Oak, Maple Walnut, Palette	4624	4775	4910	5125	5356	5564	5800	6094	6388
		Cherry, Anigre Sycamore	2109	2231	2345	2510	2704	2868	3054	3290	3527
	Three-seat, No	Clean Out, Wood	d Surrou	und Full /	Arm with S	Sled Base	e				
	LEY33NPF1	Palette	2109	2231	2345	2510	2704	2868	3054	3290	3527
	LEY33NWF1	Oak, Maple Walnut, Palette	2109	2231	2345	2510	2704	2868	3054	3290	3527
		Cherry, Anigre, Sycamore	2109	2231	2345	2510	2704	2868	3054	3290	3527

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY33NUF1<u>S</u>

Leyton Option Upcharges	\$ List		\$ List
Three-Seat Clean out	131	Solid Surface Arm Cap (per pair) - Gr A White	342
Three-Seat Removable Seat & Back Covers	432	Solid Surface Arm Cap (per pair) - Gr A Color	346
		Solid Surface Arm Cap (per pair) - Gr B	351
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	385
Three-Seat	218	Solid Surface Tablet - Gr A White	514
		Solid Surface Tablet - Gr A Color	521
		Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

#### LEYTON LOUNGE PRODUCT CODE KEY

LEY					(Full Arm Only)
Leyton	One-Seat	No Clean Out	UF Upholstered Full Arm	0 Leg Base	S Solid Surface Full Arm Cap
	1.5 One & Half-Seat	Clean Out	UN Upholstered Armless	l 1 Sled Base	
	2	Clour out	WF	Olog Baco	
	Two-Seat		Wood Surround Full Arm		
	3		WN		
	Three-Seat		Wood Surround Armless		
			PF		
			Pallet Finish Surround Full Arm		

Pallet Finish Surround Armless

# **LEYTON | REPLACEMENT COMPONENTS**

DESCRIPTION	MODEL	COM 1	2	COL 3	FAB 4	RIC GF 5	RADES 6	L 7	EATHE 8	R 9	WEIGHTS	CUBES
	Replacement Back LEY3RB	485	511	535	569	610	644	687	735	784	12	3.5
	One & Half-Seat Re LEY3R1.5B	placem 527	ent Back 560	592	637	689	735	785	851	916	15	4.5
$\sim$	Replacement Seat LEY3RS	695	725	756	796	845	887	935	995	1058	11	2.5
	One & Half-Seat Re LEY3R1.5S	placem 799	ent Seat 843	887	952	1021	1084	1155	1244	1333	14	4
	Replacement Back LEY3RBC	Cover 250	278	302	338	380	412	454	507	556	1	0.75
	One & Half-Seat Re LEY3R1.5BC	placem 284	nent Back 319	Cover 350	397	449	493	544	611	676	1.25	1
	Replacement Seat ( LEY3RSC	Cover 253	280	309	350	394	435	481	538	596	1.25	0.75
	One & Half-Seat Re LEY3R1.5SC	placem 319	ent Seat 363	Cover 408	470	541	602	669	764	852	1.5	1
	One-Seat - Replace LEY3R1OBPU	ement U 245	Jpholster 271	ed Outsi 297	ide Baci 333	k Pane 372	l 408	449	497	547	10	1.5
	One-Seat - Replace LEY3R1OBPUPB	ement U 259	Jpholster 282	ed Outsi 308	de Bac 343	k Pane 383	l for Pus 418	sh bar o 457	ption 511	560	10	1.5
	One & Half-Seat - F LEY3R1.5OBPU	Replace 273	ment Upl 299	holstered 321	d Outsid 359	de Bacl 402	k Panel 434	477	522	573	13	2.5
	One & Half-Seat - F LEY3R1.5OBPUPB		ment Upl 309	holstered 336	d Outsid 369	de Bacl 410	k Panel 446	for Pusl 486	n bar o <sub>l</sub> 536	otion 586	13	2.5
	Two-Seat - Replace LEY3R2OBPU	ement U 315	Jpholster 340	ed Outsi 365	de Bacl 403	k Panel 438	478	516	567	617	19	3.5
	Three-Seat - Replace LEY3R3OBPU	cement 415	Upholste 464	ered Out 515	side Ba 585	ick Pan 666	el 737	816	916	1018	28	5

# **LEYTON | REPLACEMENT COMPONENTS**

DESCRIPTION	MODEL  One-Seat - Replacement Wood Outside Back	OAK MAPLE WALNUT PALETTE	CHERRY ANIGRE SYCAMORE	WEIGHTS	CUBES
	LEY3R1OBPW	334	397	10	1.5
	One-Seat - Replacement Wood Outside Back LEY3R1OBPWPB	Panel for Po 352	ush bar option 415	10	1.5
	One & Half-Seat - Replacement Wood Outsid LEY3R1.5OBPW	e Back Pane 410	el 508	13	2.5
	One & Half-Seat - Replacement Wood Outsid LEY3R1.5OBPWPB	e Back Pane 428	el for Push bar option 521	13	2.5
	Two-Seat - Replacement Wood Outside Back LEY3R2OBPW	Panel 458	584	19	3.5
	Three-Seat - Replacement Wood Outside Bac LEY3R3OBPW	ck Panel 501	688	28	5
	One-Seat - Replacement Wood Front Panel LEY3R1FP	226	258	4	0.75
	One & Half-Seat - Replacement Wood Front F LEY3R1.5FP	Panel 258	278	5	1
	Two-Seat - Replacement Wood Front Panel LEY3R2FP	287	350	6	1.25
	Three-Seat - Replacement Wood Front Panel LEY3R3FP	319	412	8	2
	Replacement Wood Surround Full Arm with a LEY3RWFLL LEY3RWFLR	rm cap (Left, 610	right specified as seated) 822	30	1.5
	Replacement Wood Surround Full Arm with content of the LEY3RWFCL LEY3RWFCR	aster (Left, ri 768	ght specified as seated) 983	30	1.5
	Replacement Wood Surround Full Arm with c LEY3RWFCHL LEY3RWFCHR	up holder (Le 789	eft, right specified as seated 1003	d) 30	1.5
	Replacement Wood Surround Full Arm with In LEY3RWFICHL LEY3RWFICHR	ntegrated cup 820	o holder (Left, right specifie 1033	ed as seated) 30	1.5
	Replacement Wood Surround Full Arm Tablet LEY3RWFTL LEY3RWFTR	(Left, right s 878	pecified as seated) 1092	30	1.5
	Replacement Wood Surround Full Arm Integra LEY3RWFITL LEY3RWFITR	ated Tablet (I 984	eft, right specified as seat 1198	ed) 30	1.5
	Replacement Wood Surround Armless (Left, r LEY3RWNLL LEY3RWNLR	ight specified	d as seated) 833	26	1.5
	Replacement Wood Surround Armless with ca LEY3RWNCL LEY3RWNCR	asters (Left, 780	right specified as seated) 990	26	1.5

# **LEYTON | REPLACEMENT COMPONENTS**

DESCRIPTION	MODEL	PRICE				WEIGHTS	CUBES
	One-Seat Replace LEY3R1L	ement Leg set (pa 180	air)			8	1.25
	One-Seat Wide R LEY3R1.5L	eplacement Leg : 214	set (pair)			10	1.5
	Two-Seat Replace LEY3R2L	ement Leg set (pa 238	air)			13	2.5
Ų	Three-Seat Repla LEY3R3L	cement Leg set ( 358	pair)			22	3
	Push bar - One-S LEY3RPB-1	eat 70				2.0	1.8
	Push bar - One-S LEY3RPB-1.5	eat Wide 78				2.5	2.0
	Push bar Gromme LEY3RPBG	et (pair) 10				.2	.1
U	Note: Pushbar op	otion is available o	on One-Seat a	nd One-Seat Wi	de only.		
	Caster LEY3RC	81				3.4	0.2
	Replacement Glic LEY3RG	des - Lounge & Ta 18	able (set of four	)		1	.25
	LEY3-POWERDC	C - Undermount	573				
۵ ۵ ۵ ۵	Can be field insta previously specifi cord.						
Solid Surface		Grade A- White	Grade A- Color	Grade- B	Grade- C		
	Replacement Tab LEY3RT	let with Mounting 539	Plate - Solid S 547	Surface 577	624	5.0	.7
	Replacement Arm				107	1	.3
	Replacement Arm LEY3RAC	114 n Cap - Solid Surf 180	116 face 182	119 185	137 202	1	.25


**ORDERING NOTE:** Please note Replacement Arm Cap can only be installed on product orignally ordered with the Solid Surface Arm Cap option.

# **ZOLA** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



#### MATERIAL CONTENT



PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



# AIR-EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **ZOLA | FEATURES & OPTIONS**



#### INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



#### **ZOLA LOUNGE & ZOLA MODULAR**

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the



#### RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



#### LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



#### REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



### **FINISH DURABILITY**

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



#### **CLEAN OUT**

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



### **CASTERS**

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)



#### **LEGS**

Zola legs are Silver Metallic or Matte Black and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



#### **URETHANE ARM CAP**

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



#### SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



#### **FULL DEPTH BENCHES**

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



### **PLUS UPGRADE**

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

### WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs One-Seat Plus - 750 lbs Two-seat (Straight or curved) - 525lbs Two-seat Plus - 975 lbs Three-seat - 750 lbs Three-seat Plus - 1150 lbs

# **ZOLA | FEATURES & OPTIONS**



#### **TABLETS**

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



#### **TABLES MATERIALS OPTION**

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



#### **SOLID SURFACE TOPS**

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



#### LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



### LINKING BRACKETS

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



#### **POWER**

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See page 190 for locations and page 251 for pricing.



#### **UNDER-MOUNT POWER**

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables. See page 251 for pricing.



#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

#### REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

#### **REMOVABLE UPHOLSTERY COVERS**

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

#### **MOISTURE BARRIER & CAL 133**


California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$64 list** per yard.

# **ZOLA | RECONFIGURABILITY**

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



# **ZOLA | SEAM LOCATIONS**

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1/2"	1"
45 Deg	2"	1 1/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"



Zola seat photo indicates location of seam.



Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.




**Outside Curve** 


Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.


# **ZOLA** | SAMPLE CONFIGURATIONS






Model	Qty	Price (\$) Beech	
ZOL3 M1201	5	1377	
ZOL3 MS1S1	1	871	
ZOL4 LKM12	1	988	
ZOL4 LKE18	1	1098	
ZOL4 LKC90	1	1283	
ZOL4 241815	1	1187	
Total List	\$	19 319	






Model	Qty.	Price (\$)
ZOL3 MS2F1	2	1420
ZOL4 LKM18	2	1044
ZOL3 M1101	2	1518
ZOL3 MCIS90D	2	3487
ZOL3 M2101	2	2657
ZOL4 LKC90X2	1	2548

Total	List	\$22,800
-------	------	----------





Model	Qty.	Price (\$)	
ZOL3 MS1S1	2	871	
ZOL3 MS21	2	1218	
ZOL4 LKC90	2	1283	
ZOL4 LKM18	2	1044	
Total List		\$8,832	

# **ZOLA | LOUNGE**

#### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

#### **COM YARDAGES (Lounge Product Only Available with Arms)**

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

#### COM YARDAGES (Individual Components)

COM TANDAGES (Individual Components)											
	COM COM		COM	COM	COM	COM	COM				
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per				
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs				
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5				
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08				
Three-seat	2.5	4.6	7	9	3.5	6.25	9				
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25				

### **COM YARDAGES (Individual Components)**

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

#### **ORDERING NOTES:**

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

**FEATURES:** For a complete listing of features see page 171.

# **ZOLA | LOUNGE**

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MODE	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 F1111	2182	2301	2419	2625	2830	3036	3242	3283	3745
	One-Seat Plus ZOL3 FB1111	2419	2536	2657	2861	3068	3273	3479	3684	3983
NOTE: One-Seat Plus is 30" wide between arms.										
	Two-seat ZOL3 F2111	3223	3376	3517	3739	3960	4182	4401	4623	4971
	Two-seat Plus ZOL3 FB2111	3313	3462	3605	3825	4045	4268	4488	4710	5059
	NOTE: The Two-Seat Plus	comes s	standard w	rith a fifth l	eg for ext	ra support				
					-					
	Three-seat ZOL3 F3111	4379	4602	4821	5263	5708	6149	6594	7036	7793
	Three-seat Plus ZOL3 FB3111	4483	4705	4924	5366	5810	6253	6692	7136	7896

**NOTE**: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges Option	List	Option	A-White	Grades A-Color	В	С
4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below) Urethane Arm Caps (pair)	107 77 242	Solid Surface Arm Cap (per pair)	454	464	489	514

**ORDERING NOTES:** See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See page 171 for more information on Zola options and features. Plus versions are not available with Caster options.

	<del></del>					
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	F Freestanding	1 One-Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Plus Upgrade	Two-seat		Urethane Arm Cap	Casters
			3		3	3
			Three-seat		Solid Surface Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

# **ZOLA | MODULAR**

#### **DIMENSIONS - ARMLESS UNITS**

	Overall	Overall Depth	Overall Depth	Overall	Seat	Seat	Shipping	
	Width	Uph. Back	Wood Back	Height	Height	Depth	Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5
DIMENSIONS - W	/ITH ARMS							
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes	
One-Seat	29	27	34	18.5	19.25	88	9.75	
Two-seat	52	27	34	18.5	19.25	120	17.6	
Three-seat	75	27	34	18.5	19.25	154	26.3	
One-Seat (Plus)	36	27	34	18.5	19.25	96	11.5	

#### **COM YARDAGES - ARMLESS UNITS**

COM TAMBAGE	-3 - AINIVILLOS O	INITO		
	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	wo/ Arms	wo/ Arms	wo/ Arms	wo/ Arms
One-Seat	2.2	4.6	6.38	8.8
Two-seat	3.8	7.9	10.75	14.5
Three-seat	5.75	11	16	22
One-Seat (Plus)	3.0	6.3	9.5	13.86

#### **COM YARDAGES - WITH ARMS**

	COM Yardage Entire Unit w/ Arms	COM Yardage 2 Entire Units w/ Arms	COM Yardage 3 Entire Units w/ Arms	COM Yardage 4 Entire Units w/ Arms
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18.3

#### **COM YARDAGES - Individual Components**

	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 1 unit 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

#### **PACKAGING**

All Modular Units, and tables will be shipped KD (Knocked Down)

#### **Upcharge for Removable Upholstery Covers:**

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	77	One-Seat - seat	47
Interim Arm	61	Two-seat - seat	68
One-Seat - back	68	Three-seat - seat	85
Two-seat - back	97	One-Seat Plus - seat	61
Three-seat - back	121		
One-Seat Plus - back	77		

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see page 312, Zola Benches see page 280 and Zola Tablets see page 182.

### **ZOLA** | MODULAR -WOOD BACK

			CON	M	CC	)L	FABRIC	GRADES		LEAT	HER	
DESCRIPTION/MOD	EL/SPECIES		1	2	3	}	4	5 6	7	8	9	9
	One-Seat, Wood	or Palett	e Back,	Armless								
	ZOL3 MW1201	Beech	1377	1409	1440	1504	1566	1631	1692	1755	1852	
		Maple/	1416	1447	1480	1540	1606	1668	1732	1796	1890	
		Cherry										
		Palette	1377	1409	1440	1504	1566	1631	1692	1755	1852	
-												
	One-Seat, Wood	or Palett	e Back	w/ Uphols	tered Pac	l, Armles	S					
	ZOL3 MW1301	Beech	1597	1644	1676	1755	1818	1883	1946	2010	2135	
		Maple/	1638	1685	1715	1796	1858	1922	1985	2048	2173	
		Cherry										
		Palette	1597	1644	1676	1755	1818	1883	1946	2010	2135	

**ORDERING NOTE:** Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	107	
2 Casters/2 Legs (#3 Leg Type below)	77	

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

DESCRIPTION/MODI	EL	SPECIES	COM 1	2	COL 3	FA 4	BRIC G 5	RADI 6	ES 7	LEATHER 8	9		OM DAGE		PPIN IGH		JBES
	One-Seat Woo	od/Palette E	Back w/	UPH F	ad												
	ZOL3 MB13	Beech	619	633	3	648	680	)	714	744		778	0.6	808	21	853	3.1
		Maple /Cherry	665	680	)	696	729	9	760	791		808	0.6	840	21	904	3.1
		Palette	619	633	3	648	680	)	714	744		778	0.6	808	25	853	3.1
	One-Seat Woo	od/Palette E	Back														
J///_//)	ZOL3 MB12	Beech	428										-		19		3.1
ر ق		Maple /Cherry	468										-		19		3.1
		Palette	428										-		23		3.1

PRODUCT CODE K	.E I					
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	MW Modular	1 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
		Wood Back		3		2
				Wood Back with Uph Pad		Casters
						3
						Combination
						2 Front Standard Legs
						& 2 Rear Casters

### **ZOLA** | MODULAR

DESCRIPTION/MOD	EL	COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHEF 8	٦ 9
	One-Seat, Upholstered Bac ZOL3 M1101 n/a	k Armless 1518	1597	1676	1818	1960	2105	2244	2387	2640
	One-Seat Plus, Upholstered ZOL3 MB1101 n/a	1644	1692	1772	1914	2056	2197	2341	2483	2738
	ORDERING NOTES: One-S	Seat Plus se	eat is 30"	wide.						
	One-Seat, Upholstered Bac ZOL3 M1111	k with Arm 2324	s 2443	2554	2760	2964	3167	3376	3580	3890
	One-Seat Plus, Upholstered ZOL3 MB1111	d Back with 2451	Arms 2568	2681	2884	3092	3294	3501	3708	4014
	ORDERING NOTES: One-S	Seat Plus is	30" wide	e between	the arms.					
	Two-seat, Upholstered Back ZOL3 M2101 n/a	k Armless 2657	2806	2948	3167	3390	3610	3831	4057	4401
	Two-seat Plus, Upholstered ZOL3 MB2101 n/a	Back, Arm 2743	lless 2893	3036	3257	3477	3699	3920	4142	4488
	Two-seat, Upholstered Back ZOL3 M2111	k with Arms 3462	3610	3756	3977	4197	4420	4639	4861	5210
	Two-seat Plus, Upholstered ZOL3 MB2111	Back with 3547	Arms 3699	3843	4064	4286	4505	4728	4948	5296
	Three-seat, Upholstered Ba ZOL3 M3101	ck Armless 3812	4033	4252	4694	5139	5581	6023	6466	7225
	Three-seat Plus Upholstered ZOL3 MB3101	d Back Arm 3914	nless 4133	4355	4796	5241	5684	6124	6568	7327
	Three-seat, Upholstered Ba ZOL3 M3111 n/a	4615	4838	5059	5502	5943	6387	6829	7270	8031
	Three-seat Plus Upholstered ZOL3 MB3111 n/a	d Back with 4719	1 Arms 4941	5160	5604	6046	6491	6931	7373	8131

**ORDERING NOTES:** See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

						Gra	ides	
Zola Option Upcha	arges	List	Option		A-White	A-Colo	or B	С
4 Casters (#2 Leg T	Type below)	107	Solid Surface Arm Cap (	per arm)	227	231	244	257
2 Casters/2 Legs (#	#3 Leg Type below)	77	Solid Surface Arm Cap (	per pair)	454	464	489	514
Urethane Arm Caps	s (pair)	242	Solid Surface Arm Cap -	Interim (per arm)	185	186	189	193
PRODUCT CODE KE	ΞΥ							
Line	Series	Chair Type	Seat Count	Back Type	Arm Typ	ре	Leg Typ	е
ZOL	3	М	1	1	0		1	
Zola	Lounge	Modular	One-Seat	Fully Uph Back	Armles	ss :	Standard Leg	+ Glide
		MB	2		1		2	
		Modular	Two-seat		Uph Ar	m	4 Caster	rs
		Plus Upgrad	de 3		2		3	
			Three-seat		Urethane Ar		Combinat	
					3	2	Front Standa & 2 Rear Ca	0
					Solid Surl Arm Ca			

### **ZOLA | MODULAR BACKS & ARMS**

		COM		COL	FA	BRIC (	GRAD	ES L	EATHE	R	COM	SHIPPING	à
DESCRIPTION/MC	DDEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or Interim Arr	n											
	ZOL3 MAL	491	532	569	651	729	808	886	963	1074	1.5	19	3.1
	ZOL3 MAR												
	ZOL3 MAI	348	365	381	411	444	477	509	538	586	0.33	13	1.8
	Left, Right, or Interim Arr	n - Uret	hane C	ap									
	ZOL3 MALU	619	658	696	778	853	934	1014	1092	1202	1.5	20.5	3
	ZOL3 MARU												
	ZOL3 MAIU	443	457	476	497	537	568	599	632	678	0.33	13	1.8

#### **ORDERING NOTES:**

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3 MAL3, and clearly state color choice. (See page 336 for color selection)

		Grades	5	
Option	A-White	A-Color	В	С
Solid Surface Arm Cap (per arm)	227	231	244	257
Solid Surface Arm Cap (per pair)	454	464	489	514
Solid Surface Arm Cap - Interim (per arm)	185	186	189	193

DESCRIPTION/MODEL	SPECIES	COM 1	2	COL 3	FA 4	ABRIC 5	GRAD	ES 7	LEATHE 8	:R 9	COM YARDAGE	SHIPPING WEIGHT	-
UPH Back ZOL3 MB11* ZOL3 MB21 ZOL3 MB31 ZOL3 MBB11			846 1116 1359 934	910 1202 1473 997	1377	1551	1289 1724 2135 1377	1572 1897 2356 1504	2072 2579	1852 2278 2847 1796	1.75 2.5 3.5 2	23 39 54 28	5.2 9.4 14 6.1

**ORDERING NOTES**: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

### **ZOLA | SEATABLES**

		COM		COL	FAE	BRIC GF	RADES		LEATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Round Seatable												
	ZOL5-18D	693	716	739	771	809	843	879	928	974	1.3	18	5.2
	ZOL5-24D	894	943	994	1064	1143	1215	1297	1396	1497	1.5	26	8.5
	ZOL5-30D	1124	1181	1240	1318	1412	1492	1583	1695	1810	1.7	38	10.5
u	Square Seatable												
	ZOL5-1818	759	805	848	912	984	1048	1120	1210	1303	1.3	27	5.2
	ZOL5-2424	905	956	1004	1074	1155	1227	1307	1408	1508	1.5	38	8.5
	ZOL0-2424	903	930	1004	1074	1133	1221	1307	1400	1300	1.5	30	0.5
	Rectangular Seatable ZOL5-2418	832	875	921	985	1059	1120	1194	1284	1374	1.3	31	6.6
	ZOL5-4824	1178	1240	1303	1389	1487	1572	1672	1798	1922	2.4	62	12.6

#### **ORDERING NOTES:**

The seat height is 17.5" from floor.

# **ZOLA** | MODULAR - REPLACEMENT COMPONENTS

DESCRIPTION	I/MODEL	SPECIES	COM 1	2	COL 3	. FA	ABRIC 5	GRAD	ES 7	LEATHE 8	ER 9	COM S YARDAGE	SHIPPING WEIGHT	
	Replacement	Modular One-Se	eat Woo	od Bac	ck									
J/1,.//)	ZOL3 RBM12	Beech	365									-	19	3.1
		Maple/Cherry	405									-	19	3.1
		Palette	365									-	23	3.1
		Modular One-Se	eat Wo	od Bac	k w/ U	pholste	ered Pa	ad						
	ZOL3 RBM13		556	569	586	619			714	744	791	0.6	21	3.1
		Maple/Cherry Palette	601	619	633	665	696		744	778	840	0.6 0.6	21 25	3.1 3.1
	Replacement	Back Pad -only	556	569	586	619	651		714	744	791	0.0	25	0.1
	ZOL3 RP	Dack rad Only	223	239	255	284	318	348	381	411	458	0.6	1.6	2
	Replacement	Upholstered Ba	ck											
$\Lambda$ )	ZOL3 RBM11		721	783	846	974	1098	1227	1510	1638	1788	1.75	23	5.2
	ZOL3 RBM21		963		1139		1485			2010	2214	2.5	39	9.4
	ZOL3 RBM31			1297				2072			2781	3.5	54	14
	ZOL3 RBBM1	1	808	871	934	1061	1187	1314	1440	1566	1732	2	28	6.1
	existing "L" br and Replacen	NOTES: Modular rackets on site prenent Seat/Bench the replacemen	ior to a	asseml not inc	oly to th lude le	ne beno gs and	ch. Re joining	placen g bracl	nent Ba kets. Th	icks do ne hardv	not inclu ware can	ide mounting be transferre	brackets d from the	and legs e original
		Replacement Up				505	070	750	000	010	1010	4.5	4.4	0
( ) ( )	ZOL3 RAMR ZOL3 RAML		435	477	514	595	672	752	832	910	1019	1.5	14	3
	ZOL3 RAMRU	J	562	601	641	721	799	878	957	1036	1146	1.5	15.5	3
	modular hardy arms with ure page 179. Wo	NOTES: Zola Repware. Replacements  thane cap. Zola  tod back units ar	ent Arm replac e not c	ns do r ement lesigne	not incl arms a ed to be	ude me are ava e speci	ounting ilable fied w	g brac with S ith stai	kets. Z olid Su ndard Z	OL3 RA	MRU & rm Caps	, see option	U are repla upcharge	acement chart on
	modular hards arms with ure page 179. Wo units only as a	ware. Replacementhane cap. Zola nod back units ar a special - please	ent Arm replac e not c e conta	ns do r ement lesigne	not incl arms a ed to be	ude me are ava e speci	ounting ilable fied w	g brac with S ith stai	kets. Z olid Su ndard Z	OL3 RA	MRU & rm Caps	, see option	U are repla upcharge	acement chart on
	modular hards arms with ure page 179. Wo units only as a	ware. Replacement hane cap. Zola ood back units ar	ent Arm replac e not c e conta	ns do r ement lesigne act Cus	not incl arms a ed to be stomer	ude mo are ava e speci Service	ounting ilable fied w e for as	g brac with S ith star ssistar	kets. Z olid Su ndard Z ice.	OL3 RA rface A ola arm	MRU & rm Caps is. Arms	, see option	U are repla upcharge	acement chart on
	modular hards arms with ure page 179. Wo units only as a	ware. Replacementhane cap. Zola nod back units ar a special - please	ent Arm replac e not c e conta at 778	ns do r ement lesigne act Cus	not incl arms a ed to be stomer	ude mo are ava e speci Service 957	ounting ilable fied w	g brac with S ith star ssistar	kets. Z olid Su ndard Z ice.	OL3 RA rface A cola arm	MRU & rm Caps	s, see option can be speci	U are replaupcharge fied on wo	acement chart on ood back
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1*	ware. Replacementhane cap. Zola nod back units ar a special - please	ent Arm replace e not de conta at 778 1122	ement lesigne act Cus 822 1178	arms a ed to be stomer 871 1232	ude mo are ava e speci Service 957 1354	ounting illable fied w e for as 1044 1473	g brac with S ith star ssistar 1134 1589	kets. Z olid Su ndard Z ice. 1218 1708	OL3 RA rface A cola arm 1305 1827	AMRU & rm Caps ns. Arms 1482 2024	s, see option can be speci	U are replaupcharge fied on wo	acement chart on ood back
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	ent Arm replace e not de e conta at 778 1122 1463	ement lesigne act Cus 822 1178 1540	not incl arms a ed to be stomer	ude me are ava e speci Service 957 1354 1788	ounting ilable fied w e for as 1044	g brac with S ith star ssistar 1134 1589 2118	kets. Z olid Sundard Z ice. 1218 1708 2283	OL3 RA rface A cola arm	AMRU & rm Caps ns. Arms	s, see option can be speci	U are repla upcharge fied on wo 25 39	acement chart on ood back 5.2 9.4
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB1	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	ent Arm replace e not ce conta at 778 1122 1463 1004	s do rement designa act Cus 822 1178 1540 1053	arms a ed to be stomer 871 1232 1620 1098	957 1354 1195	ounting ilable fied we for as 1044 1473 1954	g brac with S ith star ssistar 1134 1589 2118 1384	kets. Z olid Su ndard Z ice. 1218 1708 2283 1480	OL3 RA rface A cola arm 1305 1827 2451	1482 2024 2657	1.33 1.75 2.5 1.75	U are replaupcharge fied on wo	5.2 9.4 14 6.1 9.4
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM2 ZOL3 RSM3 ZOL3 RSMB1	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	ent Arm replace e not ce e conta at 778 1122 1463 1004 1202	822 1178 1540 1053 1266	arms a ed to be stomer 871 1232 1620	957 1354 1788 1195	ounting ilable fied we for as 1044 1473 1954 1289 1566	g brac with S ith star ssistar 1134 1589 2118 1384	kets. Z olid Sundard Z ice. 1218 1708 2283 1480 1803	OL3 RA rface A cola arm 1305 1827 2451 1572	1482 2024 2657 1715	1.33 1.75 2.5 1.75	U are replayed appendix on working the dependence of the control o	5.2 9.4 14 6.1
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM3 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 Back Cover	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	ent Arm replace e not ce e conta at 778 1122 1463 1004 1202 1755	822 1178 1540 1053 1266 1835	871 1232 1620 1098 1330	957 1354 1788 1195 1447 2056	1044 1473 1954 1289 1566 2197	g brac with S ith star ssistar 1134 1589 2118 1384 1685 2341	kets. Z olid Sundard Z ice. 1218 1708 2283 1480 1803 2483	1305 1827 2451 1572 1922 2625	1482 2024 2657 1715 2118 2847	1.33 1.75 2.5 1.75 2.5	U are replaupcharge fied on wo	5.2 9.4 14 6.1 9.4 14
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM81 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 Back Cover ZOL3 RCB1*	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	ent Arm replace e not ce e conta at 778 1122 1463 1004 1202 1755	822 1178 1540 1053 1266 1835	871 1232 1620 1098 1330 1914	957 1354 1788 1195 1447 2056	1044 1473 1954 1289 1566 2197	g brac with S ith star ssistar 1134 1589 2118 1384 1685 2341	kets. Z olid Sundard Z ice. 1218 1708 2283 1480 1803 2483	OL3 RA rface A Cola arm 1305 1827 2451 1572 1922 2625	1482 2024 2657 1715 2118 2847	1.33 1.75 2.5 1.75 2.5	U are replayed appendix on working the domination of the dominatio	5.2 9.4 14 6.1 9.4 14
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM81 ZOL3 RSMB1 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3 ZOL3 RSMB3	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	ent Arm replace e not de e conta at 778 1122 1463 1004 1202 1755	822 1178 1540 1053 1266 1835	871 1232 1620 1098 1330 1914 428 601	957 1354 1788 1195 1447 2056	1044 1473 1954 1289 1566 2197	g brac with S ith star ssistar 1134 1589 2118 1384 1685 2341 808 1170	kets. Z olid Sundard Z ice. 1218 1708 2283 1480 1803 2483 934 1359	1305 1827 2451 1572 1922 2625	1482 2024 2657 1715 2118 2847	1.33 1.75 2.5 1.75 2.5 2.5	U are replayed appendix on working the domination of the dominatio	5.2 9.4 14 6.1 9.4 14
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM81 ZOL3 RSMB1 ZOL3 RSMB2 ZOL3 RSMB3 Back Cover ZOL3 RCB1*	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	ent Arm replace e not ce e conta at 778 1122 1463 1004 1202 1755	822 1178 1540 1053 1266 1835	871 1232 1620 1098 1330 1914	957 1354 1788 1195 1447 2056	1044 1473 1954 1289 1566 2197 680 982 1266	g brac with S ith star ssistar 1134 1589 2118 1384 1685 2341 808 1170	xets. Z olid Sundard Z ice.  1218 1708 2283 1480 1803 2483 934 1359 1772	OL3 RA rface A Cola arm 1305 1827 2451 1572 1922 2625	1482 2024 2657 1715 2118 2847	1.33 1.75 2.5 1.75 2.5	U are replayed appendix on working the domination of the dominatio	5.2 9.4 14 6.1 9.4 14
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM82 ZOL3 RSM82 ZOL3 RSM82 ZOL3 RSM83 Back Cover ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB3 ZOL3 RCB3	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	ent Arm replace e not de e conta at 778 1122 1463 1004 1202 1755 302 411 509 336	822 1178 1540 1053 1266 1835 365 509 633	871 1232 1620 1098 1330 1914 428 601 760	957 1354 1788 1195 1447 2056 556 791 1014	1044 1473 1954 1289 1566 2197 680 982 1266	g brac with S ith star ssistar 1134 1589 2118 1384 1685 2341 808 1170 1518	xets. Z olid Sundard Z ice.  1218 1708 2283 1480 1803 2483 934 1359 1772	1305 1827 2451 1572 1922 2625 1061 1551 2024	1482 2024 2657 1715 2118 2847 1266 1788 2341	1.33 1.75 2.5 1.75 2.5 2.5	U are replayed appendix on working the domination of the dominatio	5.2 9.4 14 6.1 9.4 14
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM82 ZOL3 RSM82 ZOL3 RSM82 ZOL3 RSM83 Back Cover ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB3 ZOL3 RCB3	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	ent Arm replace e not de e conta at 778 1122 1463 1004 1202 1755 302 411 509 336	822 1178 1540 1053 1266 1835 365 509 633	871 1232 1620 1098 1330 1914 428 601 760	957 1354 1788 1195 1447 2056 556 791 1014	1044 1473 1954 1289 1566 2197 680 982 1266 714	g brace with S ith stars ssistar 1134 1589 2118 1384 1685 2341 808 1170 1518 840	xets. Z olid Sundard Z ice.  1218 1708 2283 1480 1803 2483 934 1359 1772	1305 1827 2451 1572 1922 2625 1061 1551 2024	1482 2024 2657 1715 2118 2847 1266 1788 2341	1.33 1.75 2.5 1.75 2.5 2.5	U are replayed appendix on working the domination of the dominatio	5.2 9.4 14 6.1 9.4 14
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM81 ZOL3 RSMB2 ZOL3 RSMB3 ZOL3 RSMB3 Back Cover ZOL3 RCB1* ZOL3 RCB3 ZOL3 RCB1 Arm Covers F	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	ent Arm replace e not de e conta at 778 1122 1463 1004 1202 1755 302 411 509 336	822 1178 1540 1053 1266 1835 365 509 633 397	871 1232 1620 1098 1330 1914 428 601 760 458	957 1354 1788 1195 1447 2056 556 791 1014 586	1044 1473 1954 1289 1566 2197 680 982 1266 714	g brac with S ith star ssistar 1134 1589 2118 1384 1685 2341 808 1170 1518	kets. Z olid Sundard Z ice.  1218 1708 2283 1480 1803 2483  934 1359 1772 963	1305 1827 2451 1572 1922 2625 1061 1551 2024 1092	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283	1.33 1.75 2.5 1.75 2.5 2.5 2.3 3.75 2	25 39 50 26 39 50 28 3.6 4.3 2.8	5.2 9.4 14 6.1 9.4 14 
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM82 ZOL3 RSM82 ZOL3 RSM82 ZOL3 RSM83 ZOL3 RSM83 ZOL3 RCB1* ZOL3 RCB1* ZOL3 RCB3 ZOL3 RCB3 ZOL3 RCB3 ZOL3 RCB3 ZOL3 RCB1	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	ent Arm replace e not de e conta at 778 1122 1463 1004 1202 1755 302 411 509 336	822 1178 1540 1053 1266 1835 365 509 633 397	871 1232 1620 1098 1330 1914 428 601 760 458	957 1354 1788 1195 1447 2056 556 791 1014 586	1044 1473 1954 1289 1566 2197 680 982 1266 714	g brace with S ith starssistar 1134 1589 2118 1384 1685 2341 808 1170 1518 840	kets. Z olid Sundard Z ice.  1218 1708 2283 1480 1803 2483  934 1359 1772 963	1305 1827 2451 1572 1922 2625 1061 1551 2024 1092	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283	1.33 1.75 2.5 1.75 2.5 2.5 2 3 3.75 2	25 39 50 26 39 50 2.8 3.6 4.3 2.8	5.2 9.4 14 6.1 9.4 14 ——————————————————————————————————
	modular hards arms with ure page 179. Wo units only as a Replacement ZOL3 RSM1* ZOL3 RSM82 ZOL3 RSM83 ZOL3 RSM83 ZOL3 RSM83 ZOL3 RCB1* ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB1 Arm Covers F ZOL3 RCAR ZOL3 RCAR ZOL3 RCAR	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	at 778 1122 1463 1004 1202 1755 302 411 509 336 rrim 270	822 1178 1540 1053 1266 1835 365 509 633 397	871 1232 1620 1098 1330 1914 428 601 760 458	957 1354 1788 1195 1447 2056 556 791 1014 586	1044 1473 1954 1289 1566 2197 680 982 1266 714	g brace with S ith starssistar 1134 1589 2118 1384 1685 2341 808 1170 1518 840	kets. Z olid Sundard Z ice.  1218 1708 2283 1480 1803 2483 934 1359 1772 963	1305 1827 2451 1572 1922 2625 1061 1551 2024 1092	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283	1.33 1.75 2.5 1.75 2.5 2.5 2.3 3.75 2	25 39 50 26 39 50 2.8 3.6 4.3 2.8	5.2 9.4 14 6.1 9.4 14 
	modular hards arms with ure page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only a RSM1. ZOL3 RSMB2 ZOL3 RCB1. ZOL3 RCB1. Arm Covers F ZOL3 RCAR ZOL3 RCAL ZOL3 RCALU	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea	at 778 1122 1463 1004 1202 1755 302 411 509 336 rim 270 ment A	822 1178 1540 1053 1266 1835 365 509 633 397 318	871 1232 1620 1098 1330 1914 428 601 760 458 365 207 365	957 1354 1788 1195 1447 2056 556 791 1014 586 458	1044 1473 1954 1289 1566 2197 680 982 1266 714 556	g brace with S ith starssistar 1134 1589 2118 1384 1685 2341 808 1170 1518 840 651 302 651	1218 1708 2283 1480 1803 2483 934 1359 1772 963 744 334 744	1305 1827 2451 1572 1922 2625 1061 1551 2024 1092 840 365 840	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283 963 405 963	1.33 1.75 2.5 1.75 2.5 2.5 1.75 2.5 2 3 3.75 2	25 39 50 26 39 50 28 3.6 4.3 2.8 2.5 1.5 2.5	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7
	modular hards arms with ure page 179. Wo units only as a second page 179. Wo units only a RSM1 to L3 RSM2 ZOL3 RSMB2 ZOL3 RCB1 to ZOL3 RCB1 Arm Covers FZOL3 RCAL ZOL3 RCAL	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea Upholstered Sea Right, Left or Interplace I	at 778 1122 1463 1004 1202 1755 302 411 509 336 rim 270 ment A ane an	822 1178 1540 1053 1266 1835 365 509 633 397 318	871 1232 1620 1098 1330 1914 428 601 760 458 365 207 365	957 1354 1788 1195 1447 2056 556 791 1014 586 458 239 458	1044 1473 1954 1289 1566 2197 680 982 1266 714 556 270 556	g brace with S with State stars 1134 1589 2118 1384 1685 2341 808 1170 1518 840 651 302 651 e species	kets. Z olid Sundard Z ice.  1218 1708 2283 1480 1803 2483  934 1359 1772 963  744 334 744  iified as	1305 1827 2451 1572 1922 2625 1061 1551 2024 1092 840 365 840	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283 963 405 963	1.33 1.75 2.5 1.75 2.5 2.5 1.75 2.5 2 3 3.75 2	25 39 50 26 39 50 2.8 3.6 4.3 2.8 2.5 1.5 2.5	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7
	modular hards arms with ure page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only a RSM1* ZOL3 RSM1* ZOL3 RSM1* ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB3 ZOL3 RCB1* ZOL3 RCAL	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea Upholstered Sea Right, Left or Interplace I	at 778 1122 1463 1004 1202 1755 302 411 509 336 rim 270 176 270 ment A ane arr	822 1178 1540 1053 1266 1835 365 509 633 397 318	871 1232 1620 1098 1330 1914 428 601 760 458 365 207 365	957 1354 1788 1195 1447 2056 556 791 1014 586 458 239 458	1044 1473 1954 1289 1566 2197 680 982 1266 714 556 270 556	g brace with S ith star ssistar 1134 1589 2118 1384 1685 2341 808 1170 1518 840 651 651	kets. Z olid Sundard Z ice.  1218 1708 2283 1480 1803 2483  934 1359 1772 963  744 334 744  iified as	OL3 RA rface A fola arm  1305 1827 2451 1572 1922 2625  1061 1551 2024 1092  840 365 840  s seated	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283 963 405 963	1.33 1.75 2.5 1.75 2.5 2.5 2 3 3.75 2 1.5 0.33 1.5	25 39 50 26 39 50 2.8 3.6 4.3 2.8 2.5 1.5 2.5	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7
	modular hards arms with ure page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only a RSM1 to L3 RSM82 ZOL3 RSM83 ZOL3 RCB1 Arm Covers FZOL3 RCAL ZOL3 RCAL ZOL3 RCAL ZOL3 RCAL ZOL3 RCAL ZOL3 RCALU COVERS FOR ARCAL ZOL3 RCALU COVERS FOR ARCAL ZOL3 RCALU COVERS FOR ARCAL ZOL3 RCS1 TO L3 RCS2 TO L3 RCS1 TO L3 RCS2	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Sea Upholstered Sea Right, Left or Interplace I	at 778 1122 1463 1004 1202 1755 302 411 509 336 rim 270 176 270 ment A ane ari	822 1178 1540 1053 1266 1835 365 509 633 397 318 190 318 Arm Com cap	871 1232 1620 1098 1330 1914 428 601 760 458 365 207 365 option.	957 1354 1788 1195 1447 2056 556 791 1014 586 458 239 458 eft or rig	1044 1473 1954 1289 1566 2197 680 982 1266 714 556 270 556 ght) ar	g brace with S ith star ssistar ssista	kets. Z olid Sundard Z ice.  1218 1708 2283 1480 1803 2483  934 1359 1772 963  744 334 744  iified as	OL3 RA rface A fola arm  1305 1827 2451 1572 1922 2625  1061 1551 2024 1092  840 365 840  365 840 1108	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283 963 405 963 1. ZOL3 F	1.33 1.75 2.5 1.75 2.5 1.75 2.5 2 3 3.75 2 1.5 0.33 1.5	U are replay upcharge fied on work field	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7
	modular hards arms with ure page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only as a series of the page 179. Wo units only a RSM1* ZOL3 RSM1* ZOL3 RSM1* ZOL3 RCB1* ZOL3 RCB2 ZOL3 RCB3 ZOL3 RCB1* ZOL3 RCAL	ware. Replacementhane cap. Zola od back units are a special - please Upholstered Season as the special	at 778 1122 1463 1004 1202 1755 302 411 509 336 rim 270 176 270 ment A ane arr	822 1178 1540 1053 1266 1835 365 509 633 397 318	871 1232 1620 1098 1330 1914 428 601 760 458 365 207 365	957 1354 1788 1195 1447 2056 556 791 1014 586 458 239 458	1044 1473 1954 1289 1566 2197 680 982 1266 714 556 270 556 ght) ar	g brace with S ith star ssistar ssista	kets. Z olid Sundard Z ice.  1218 1708 2283 1480 1803 2483  934 1359 1772 963  744 334 744  iffied as 744 982 916	OL3 RA rface A fola arm  1305 1827 2451 1572 1922 2625  1061 1551 2024 1092  840 365 840  s seated	1482 2024 2657 1715 2118 2847 1266 1788 2341 1283 963 405 963	1.33 1.75 2.5 1.75 2.5 2.5 2 3 3.75 2 1.5 0.33 1.5	25 39 50 26 39 50 2.8 3.6 4.3 2.8 2.5 1.5 2.5	5.2 9.4 14 6.1 9.4 14 1.7 1.7 1.7 1.7

# **ZOLA** | MODULAR - REPLACEMENT COMPONENTS & TABLETS

ESCRIPTIO	N/MODEL	PRICE					SHIPPIN WEIGHT	G CUBES
	Caster Without Brake ZOL3 RC1	58					0.4	0125
	ORDERING NOTE: Casters	cannot be orde	ered as replac	cement items	for plu	s units.		
<b>*</b>	Caster With Brake ZOL3 RC2	70					0.4	0.125
	ORDERING NOTE: Casters	cannot be orde	ered as replac	cement items	for plu	s units.		
	Urethane Arm Cap ZOL3 AUR ZOL3 AUL	127					1.5 1.5	0.3 0.3
	Urethane Arm Cap - Interim ZOL3 AIU	Arm 94					1.0	0.3
	0.1510		A-White	Grades A-Color	s B	С		
	Solid Surface Arm Cap (per a ZOL3 ASR ZOL3 ASL		227	231	244	257	1.5	0.3
	Solid Surface Arm Cap - Inte ZOL3 ASI	erim (per arm)	185	186	189	193	1.0	0.3
DESCRIPTIO	N MODEL	SPECIES	PRICE				WEIGH	HT CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	514 538				12	2
	Tablet with Palette F ZOL3 T2	Finish n/a	411				12	2
	Clear Glass Tablet ZOL3 T3	n/a	783				13	2
	Laminate Tablet ZOL3 T4	n/a	532				12	2
	ORDERING NOTES handed and do not					mer edge. I	Please note Zola Tablets are ι	ıniversall
	Solid Surface Table ZOL3 T5AW	t - Grade A Wh n/a	iite 641				14	2
	Solid Surface Table ZOL3 T5AC	t - Grade A Co n/a	lor 651				14	2
<b>!</b>	Solid Surface Table ZOL3 T5B	t - Grade B n/a	686				14	2
	Solid Surface Table	t Grado C						

DIMENSIONS INS	IDE CURVE Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat 30° 45° 60° 90°	36 42 48 59	28.5 29 29 31	34 34 34 34	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5	50 54 57 69	18 19 22 26
Double seat 30° 45° 60° 90°	58 64 70 81	30 31 33 36	34 34 34 34	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5	90 97.2 102.6 124.2	32 33 39 46
COM Yardages	COM Yardage Entire Unit	e COM Yardage 2 Entire Units		COM Yardage 3 Entire Units		l Yardage tire Units	
Single seat 30° 45° 60° 90°	3.70 4.40 4.40 4.61	7.4 8.8 8.8 9.2		11.1 13.2 13.2 13.83		14.8 17.6 17.6 18.44	

90° COM Yardages - I	8.2 ndividual Components
60°	8.2
45°	6.4
Double seat 30°	6.3

OOM Taraages	illaiviadai oc	marriada Componento										
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats				
Single seat												
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2				
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2				
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2				
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2				
Double seat												
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6				
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6				
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6				
au <sub>o</sub>	4.8	8.8	13.5	17 <i>4</i>	3.4	6.8	10.2	13.6				

12.6 12.8


16.4 16.4



Single Seat, Uph 30° Inside Curve




Single Seat, Uph 45° Inside Curve



18.9


19.2 24.6 24.6

Single Seat, Uph 60° Inside Curve




25.2 25.6 32.8 32.8


Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside



Double Seat, Uph 45° Inside Curve



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

#### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List					
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93					
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101					
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123					
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127					

#### **DIMENSIONS OUTSIDE CURVE**


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
60°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

#### **COM Yardages**

· ·	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat 30° 45° 60° 90°	3.32 3.32 3.32 3.32 3.32	6.14 6.14 6.14 6.14	9.46 9.46 9.46 9.46	12.28 12.28 12.28 12.28	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	13.0 13.0 13.0 13.0	19.5 19.5 19.5 19.5	26.0 26.0 26.0 26.0	

#### **COM Yardages - Individual Components**

	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.7 1.7 1.7 1.7	2.95 2.95 2.95 2.95	4.65 4.65 4.65 4.65	5.9 5.9 5.9 5.9	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90° 6.8	3.1 3.1 3.1 3.1 10.2	6.2 6.2 6.2 6.2 13.6	9.3 9.3 9.3 9.3	12.4 12.4 12.4 12.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8	10.2 10.2 10.2	13.6 13.6 13.6




Single Seat, Uph 30° Outside




Single Seat, Uph 45° Outside Curve




Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

#### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

DESCRIPTION/MOD		COM 1	2	COL 3	F <i>A</i> 4	ABRIC GRA	ADES 6	7	LEATHEF 8	3 9
	Single-Seat, 30° Inside Curve ZOL3 MCIS30D1	2302	2432	2559	2741	2947	3131	3336	3592	3851
	Single-Seat, 30° Inside Curve F ZOL3 MCBIS30D1	Plus 2399	2530	2657	2838	3045	3226	3432	3691	3949
	Single-Seat, 45° Inside Curve ZOL3 MCIS45D1	2709	2873	3038	3271	3538	3770	4037	4369	4704
	Single-Seat, 45° Inside Curve ZOL3 MCBIS45D1	Plus 2818	2984	3147	3383	3648	3880	4146	4480	4813
	Single-Seat, 60° Inside Curve ZOL3 MCIS60D1	3069	3235	3399	3634	3899	4131	4397	4730	5063
	Single-Seat, 60° Inside Curve F ZOL3 MCBIS60D1	Plus 3193	3358	3523	3759	4024	4257	4522	4855	5188
	Single-Seat, 90° Inside Curve ZOL3 MCIS90D1	3487	3696	3904	4196	4530	4821	5155	5574	5993
	Single-Seat, 90° Inside Curve F ZOL3 MCBIS90D1	Plus 3652	3862	4068	4362	4694	4987	5320	5740	6159
	Single-Seat, 30° Outside Curve ZOL3 MCOS30D1	e 2072	2190	2304	2465	2654	2817	3001	3235	3465
	Single-Seat, 30° Outside Curve ZOL3 MCBOS30D1	Plus 2169	2286	2403	2564	2748	2913	3097	3331	3562
	Single-Seat, 45° Outside Curve ZOL3 MCOS45D1	2436	2586	2738	2946	3185	3395	3634	3934	4233
	Single-Seat, 45° Outside Curve ZOL3 MCBOS45D1	Plus 2546	2696	2847	3056	3294	3505	3743	4044	4341
	Single-Seat, 60° Outside Curve ZOL3 MCOS60D1	e 2763	2911	3061	3270	3510	3718	3958	4258	4557
	Single-Seat, 60° Outside Curve ZOL3 MCBOS60D1	e Plus 2888	3036	3187	3396	3635	3844	4083	4381	4681
	Single-Seat, 90° Outside Curve ZOL3 MCOS90D1	9 3137	3323	3513	3774	4077	4340	4641	5017	5393
	Single-Seat, 90° Outside Curve ZOL3 MCBOS90D1	Plus 3303	3489	3679	3940	4242	4506	4809	5183	5559

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

#### PRODUCT CODE KEY

2001 002211						
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	I	S	30D	1
Zola	Soft Seating	Modular MCB	Inside Curve	Single	30 Degree 45D	Standard Leg + Glide
		Modular Plus Upgrade	Outside Curve	Double	45 Degree 60D	
					60 Degree	

90 Degree

DESCRIPTION (MODE)		1	COL		ABRIC GRA		7	LEATHE	
DESCRIPTION/MODE	L 1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Inside Curve ZOL3 MCID30D1 402	8 4252	4481	4795	5157	5473	5836	6289	6739
	Double-Seat, 30° Inside Curve Plu ZOL3 MCBID30D1 418		4633	4947	5309	5628	5989	6441	6893
	Double-Seat, 45° Inside Curve ZOL3 MCID45D1 473	6 5028	5318	5722	6188	6598	7064	7644	8225
	Double-Seat, 45° Inside Curve Plu ZOL3 MCBID45D1 491		5497	5903	6369	6778	7242	7822	8406
	Double-Seat, 60° Inside Curve ZOL3 MCID60D1 536	7 5659	5948	6357	6821	7229	7696	8276	8858
	Double-Seat, 60° Inside Curve Plu ZOL3 MCBID60D1 556		6141	6549	7016	7421	7888	8469	9051
	Double-Seat, 90° Inside Curve ZOL3 MCID90D1 609	9 6465	6831	7342	7925	8438	9022	9755	10485
	Double-Seat, 90° Inside Curve Plu ZOL3 MCBID90D1 631		7049	7564	8146	8658	9244	9975	10705
	Double-Seat, 30° Outside Curve ZOL3 MCOD30D1 362	6 3828	4033	4316	4643	4928	5254	5659	6069
	Double-Seat, 30° Outside Curve P ZOL3 MCBOD30D1 377		4185	4468	4795	5080	5405	5811	6221
	Double-Seat, 45° Outside Curve ZOL3 MCOD45D1 426	3 4525	4786	5152	5571	5938	6357	6881	7402
	Double-Seat, 45° Outside Curve P ZOL3 MCBOD45D1 444		4966	5331	5751	6117	6536	7060	7582
	Double-Seat, 60° Outside Curve ZOL3 MCOD60D1 483	1 5093	5355	5720	6139	6506	6925	7447	7971
	Double-Seat, 60° Outside Curve P ZOL3 MCBOD60D1 502		5548	5914	6333	6699	7119	7641	8164
	Double-Seat, 90° Outside Curve ZOL3 MCOD90D1 548	8 5819	6146	6607	7134	7594	8121	8781	9438
	Double-Seat, 90° Outside Curve P ZOL3 MCBOD90D1 570		6366	6828	7356	7815	8342	8999	9657

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).


THODOOT CODE IN						
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D 90 Degree	

### **ZOLA PRIVACY | ENVIRONMENTAL SUMMARY**

#### **LEED CI CREDIT**



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

	001111112012010	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

**AIR EMISSIONS** 


All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Zola Privacy products can be specified with one of two types of FSC® Certification:

(a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)



(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.



### **ZOLA PRIVACY | FEATURES & OPTIONS**



#### REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



#### RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



#### **PRECONFIGURED**

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



#### INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



#### **BACK CONNECTION**

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



#### **LINKING SEAT-TO-SEAT**

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



#### **LINKING TABLE-TO-SEAT**

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



#### **CLEAN OUT**

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



#### **LEGS**

The legs offered on Zola Lounge are Silver Metallic or Matte Black and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



#### **TWIN BACK**

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).



#### **ANTI-MICROBIAL FINISH**

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.



Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### **PLUS UPGRADE**

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

#### WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat plus - 975 lbs
Three-seat - 750 lbs
Three-seat plus - 1150 lbs

### **ZOLA PRIVACY | OPTIONS**



#### **PRIVACY SCREEN**

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



#### SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start, Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.



#### TABI FT

Optional Tablets are available in veneer, clear glass, laminate and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees. Solid surface is available, contact Customer Service for pricing.

Tables are available in veneer, high pressure

laminate or Palette finishes - and an optional solid

surface top. An optional flush-mounted Table

PowerDoc provides dual power/USB A & C out-

lets for multiple devices can be located on the front face of Middle or End Tables (not available on



#### REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.



### curvilinear models). PowerDoc's have a 10' cord.

**MODULAR ARM** Modular arms can attach to the left or right ends of seating units as well as interim locations between units. They are fully upholstered and can optionally be trimmed with urethane or solid surface arm caps.



#### REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.



#### **URETHANE ARM CAP**

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded.




#### **SOLID SURFACE ARM CAP**

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.





### **SHELVES & POWER**

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available - contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB A & C outlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.



The flush-mounted power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 251 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



#### PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.

### **ZOLA PRIVACY | POWER LOCATIONS**



#### **Seat Power**

When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



#### **Shelf Power**

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.




B - for left side of seat (facing)



#### **Table Power**

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$647 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




#### **Under-mount Power**

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables.

# **ZOLA PRIVACY** | CONNECTING MULTIPLE UNITS


#### **SEATING**

Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.





#### SIDE PANELS


Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.



# **ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING**









Model	Qty	Price (ea)
ZOP3-M1F1S	1	2364
ZOP3-MCIS90DF1C	2	5866
ZOP3-M2F1C	4	3563
ZOP3-M1F1S	1	2364


Total \$30,712






Model	Qty	Price (ea)
ZOP3-MCID60DF0S	1	5910
ZOP3-MCID60DF0C	3	5910
ZOP3-MCID60DF0E	1	5910
ZOL4-30D15	1	1391
Total		\$30,941


# **ZOLA PRIVACY** | SAMPLE CONFIGURATIONS & PRICING






Model	Qty	Price (\$)
ZOP3-M2M0S	1	2595
ZOP3-MCIS90DM0C	2	4571
ZOP3-M2M0C	1	2595
ZOP3-M2M0E	1	2595
ZOL4-242415	1	1187


Total \$18,114






Model	Qtv	Price (\$)
ZOL4-LKE18	4	1098
ZOP3-MB1F1S	2	2866
ZOP3-MCID90DF1C	2	7873
ZOP3-MB1F1E	2	2866
ZOL4 E482915	1	2016

Total \$33,618





Model	Qty	Price (\$)
ZOP3-MPF0S	2	946
ZOP3-M3F0C	2	3972
ZOP3-MPF0E	2	946
ZOP4-E482915	1	2016

Total \$13,744

# **ZOLA PRIVACY** | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

#### **DIMENSIONS**

DIMENSIONS		\ \ / !: =  <del>     </del>						
	Overall Width	Width Between Panels	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Preconfigured Fu	ıll Height Back	<						
One-Seat Plus	36	30	27	50	18.5	19.25	134	28.3
Two-seat	52	46	27	50	18.5	19.25	161	40.4
Three-seat	75	69	27	50	18.5	19.25	194	57.5
Preconfigured M	id Height Bacl	k						
One-Seat Plus	36	30	27	37.5	18.5	19.25	114	20.4
Two-seat	52	46	27	37.5	18.5	19.25	141	29.1
Three-seat	75	69	27	37.5	18.5	19.25	174	41.3
COM YARDAGES								
JOHN IANDAGES	Yardage	Yardage	Yardage	Yardage				
	Entire	2 Entire	3 Entire	4 Entire				
	Unit	Units	Units	Units				
Preconfigured Fu	ıll Height Back	√Privacy Panel						
One-Seat Plus	9.59	13.78	17.97	22.16				
Two-seat	11.48	16.13	20.83	26.56				
Three-seat	13.56	21.32	29.38	37.04				
Preconfigured M	id Height Bacl	k/Privacy Panel						
One-Seat Plus	7.31	10.96	14.61	18.26				
Two-seat	8.49	12.22	16.72	21.20				
Three-seat	10.60	18.36	26.42	34.08				
Preconfigured Fu	ıll Height Back	c/Semi-Private	Panel					
One-Seat Plus	6.63	10.82	15.01	19.20				
Two-seat	8.52	13.17	17.87	23.60				
Three-seat	10.60	18.36	25.42	34.08				
Preconfigured M	id Height Bacl	k/Semi-Private						
One-Seat Plus	5.41	9.06	12.71	16.36				
Two-seat	6.59	10.32	14.82	19.30				
Three-seat	8.48	14.80	21.42	27.20				

### **ZOLA PRIVACY | PRECONFIGURED**

		COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat Plus with Private	Modular S	ide Panel	and Full H	eight Back	:				
	ZOP3-PCB1MPF0	3956	4268	4583	5132	5708	6258	6835	7463	8461
	One-Seat Plus with Semi-F	rivate Mod	lular Side I	Panel and	Full Heigh	t Back				
	ZOP3-PCB1SMPF0	3229	3455	3683	4059	4461	4838	5241	5695	6347
	0 0 10 11 0 1									
	One-Seat Plus with Private ZOP3-PCB1MPM0	3489	3717	and Mid F 3943	leight Back 4339	4752	5142	5559	6014	6715
	One-Seat Plus with Semi-F ZOP3-PCB1SMPM0	Private Mod 2983	lular Side I 3166	Panel and 3354	Mid Heigh 3663	t Back 3994	4302	4634	5005	5539

#### **ORDERING NOTES:**

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES		\$ List			
CAL 133 & Moisture Barrier (per yard) Seat Power (per power unit) Plus Upgrade option		64 641 included			
PRODUCT CODE KEY	<b>Y</b>				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PCB	1	MP	F0
Zola Privacy	Lounge	Pre-Configured Plus	One-Seat (30")	Private Modular Side Panel	Full Height
			2	SMP	MO
			Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

# **ZOLA PRIVACY | PRECONFIGURED**

		COM		COL	FAE	BRIC GRA	DES		LEATHER	ł
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Two-Seat with Privat ZOP3-PC2MPF0	e Modula 4571	r Side Pan 4947	el and Ful 5327	l Height Ba 5970	ack 6653	7295	7977	8739	9879
	Two-Seat Plus with F ZOP3-PCB2MPF0	Private Mo 4702	odular Side 5078	e Panel an 5456	d Full Heiç 6099	ght Back 6783	7424	8107	8868	10008
	Two-Seat with Semi-	Private M	odular Sic	de Panel a	nd Full He	ight Back				
	ZOP3-PC2SMPF0	3843	4134	4426	4897	5407	5876	6386	6970	7764
	Two-Seat Plus with S	Semi-Priva	ate Modula	ar Side Pa	nel and Fu	ıll Height E	Back			
	ZOP3-PCB2SMPF0	3972	4265	4557	5027	5537	6007	6515	7101	7894
	Two Soot with Drivet	a Madula	r Cido Don	al and Mic	d Unight D	aak				
	Two-Seat with Privat ZOP3-PC2MPM0	3780	4059	4337	4811	5307	5775	6276	6836	7651
	Two-Seat Plus with F	Private Mo	dular Side	e Panel an	d Mid Hei	aht Back				
	ZOP3-PCB2MPM0	3909	4189	4467	4941	5437	5905	6406	6965	7780
	Two-Seat with Semi-	Private M	odular Sic	de Panel a	nd Mid He	ight Back				
	ZOP3-PC2SMPM0	3271	3510	3746	4133	4548	4933	5349	5825	6474
	Two-Seat Plus with S	Semi-Priva	ate Modula	ar Side Pa	nel and Mi	id Height E	Back			
	ZOP3-PCB2SMPM0		3640	3877	4264	4679	5064	5481	5956	6604

#### **ORDERING NOTES:**

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Seat Power (per power unit)	641

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

### **ZOLA PRIVACY | PRECONFIGURED**

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	RIC GRAI	DES 6	7	LEATHER 8	9
	Thurs Cook with Drivet	- M	C:da Dan	al and Full	I I lata lat Da	-1-				
	Three-Seat with Privat ZOP3-PC3MPF0	e Modular 5495	5940	6390	7131	тек 7923	8663	9457	10354	11632
	Three-Seat Plus with F ZOP3-PCB3MPF0	Private Mo 5691	dular Side 6136	Panel and 6585	d Full Heig 7327	ht Back 8119	8859	9652	10548	11828
	Three-Seat with Semi-	Private M	odular Sid	e Panel ar	nd Full Hei	ght Back				
	ZOP3-PC3SMPF0	4768	5128	5488	6057	6678	7243	7864	8587	9518
	Three-Seat Plus with S	Semi-Priva	te Modula	r Side Par	nel and Fu	ll Height B	ack			
	ZOP3-PCB3SMPF0	4964	5322	5684	6253	6872	7441	8059	8783	9713
-	Three-Seat with Privat	o Modular	· Sido Dan	ol and Mic	l Hoight B	nok				
	ZOP3-PC3MPM0	4903	5244	5584	6148	6750	7309	7911	8595	9548
	Three-Seat Plus with F	Private Mo	dular Side	Panel and	d Mid Heid	ht Back				
	ZOP3-PCB3MPM0	5098	5441	5781	6344	6945	7504	8107	8790	9744
	Three-Seat with Semi-	.Privata M	odular Sid	o Panol ar	nd Mid Hei	aht Back				
	ZOP3-PC3SMPM0	4396	4696	4995	5471	5990	6466	6985	7586	8371
	Three-Seat Plus with S	Semi-Priva	te Modula	r Side Par	nel and Mi	d Height E	Back			
	ZOP3-PCB3SMPM0	4591	4891	5191	5666	6185	6662	7180	7781	8568

#### **ORDERING NOTES:**

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

<b>ZOLA PRIVACY OPTION UPCHARGES</b>	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	
Seat Power (per power unit)	641	

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

### **ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS**

#### **DIMENSIONS**

DIMENSIONS						Overall			
	Overall	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Full Height Back									
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8
Mid Height Back									
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6
Modular Corner Seat wit	th Full Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26
Modular Corner Seat wit	th Mid Height	Back							
One-Seat	27	27	40	37.5	50	18.5	20.25	93	26
One-Seat (Plus)	27	27	40	37.5	50	18.5	20.25	93	26

#### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Full Height Back												
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	4.33	7.33	11.66	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner So	eat with F	ull Height	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner So	eat with M	lid Height	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8

#### **ZOLA PRIVACY PLUS OPTION UPCHARGES**

	\$ List	
Plus Upgrade Two-Seat	129	_
Plus Upgrade Three-Seat	195	

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

# **ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS**

#### **DIMENSIONS & COM REQUIREMENTS**

DINIENSIONS &	COIVI RE	QUINEIVIE	NIS									
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Singl	o Full Hoi	ight No Sc	roon									
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
201 3-WII 1 0L	LIIU	2.75	21	40.00	30	5	2.1	3.30	0.00	10.75	10.44	10.10
Side Panel, Singl		•										
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	e Mid He	iaht No Sc	reen									
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOI O IVII IVIOL	LIIG	2.70	21	01.00	20	2	1.00	0.00	5.50	1.51	5.57	11.50
Side Panel, Singl												
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
Semi-Private Sid	e Panel, S	Single, Full	Height									
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Sid	o Danol S	ingle Mid	∐oight									
ZOP3-MSPM0S	e Fariel, S Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
		2.75	14.25		23	1	.88			3.72	4.65	5.56
ZOP3-MSPM0C	Center End			31.4	23 19	1	.00 .88	1.99	2.92			
ZOP3-MSPM0E	Ena	2.75	14.25	31.4	19	ı	.00	1.99	2.92	3.72	4.65	5.56
Modular Upholsto	ered Arm	_		46 ==	c=		4.65			0		_
ZOP3-MAUPHL*		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHR		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHC		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholsto	ered Arm	w/Urethan	e Cap									
ZOP3-MAUREL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
2. 2		ū		_ 3 0								-
Modular Upholsto	ered Arm											
ZOP3-MASSCL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCR		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCI*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5

DESCRIPTION	J/MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GR/ 5	ADES 6	7	LEATHE 8	R 9
	One-Seat, Full H ZOP3-M1F0F	eight Back	1924	2060	2195	2388	2610	2804	3025	3294	3581
	One-Seat, Full Ho ZOP3-M1F1_	eight Back with Shelf Op Beech/Laminate Maple/Palette	otion 2364 2460	2500 2594	2636 2732	2829 2924	3052 3144	3244 3340	3463 3560	3736 3829	4022 4116
	42", 36" or 30". F	<b>TES:</b> When ordering unit Freestanding, Start and E <b>\$303 list</b> upcharge per u	nd units with	the she	elf option i	require co	ounterba	lance we	ight add	ed to ea	ch seat
	One-Seat, Full He ZOP3-M1F2F	eight Back with Privacy	Screen Option 2209	on 2342	2479	2671	2892	3087	3307	3578	3865
	ORDERING NOT	TES: Units with Privacy S	Screen Optio	n are not	available	with Rem	novable E	Back Cov	er option.		
	One-Seat, Mid H ZOP3-M1M0F		Screen Optio	n are not	available 2026	with Rem	novable E 2348	3ack Cov 2502	er option.	2888	3109
	One-Seat, Mid H ZOP3-M1M0F		1811								3109 3547 3643
	One-Seat, Mid H ZOP3-M1M0F  One-Seat, Mid H ZOP3-M1M1_  ORDERING NOT 42", 36" or 30". F	leight Back leight Back with Shelf Ol	otion 2252 2346 s with shelf c	1918 2357 2452 option plo	2026 2464 2560 ease clea	2176 2615 2713 rly specif	2348 2789 2883 Ty on you	2502 2942 3036 ir order tl	2673 3114 3209 ne require	2888 3327 3424 ed shelf ed to ea	3547 3643 height -
	One-Seat, Mid H ZOP3-M1M0F  One-Seat, Mid H ZOP3-M1M1_  ORDERING NOT 42", 36" or 30". F unit, please add	leight Back with Shelf Op Beech/Laminate Maple/Palette FES: When ordering units Freestanding, Start and E	1811  otion 2252 2346  s with shelf of and units with units with units with units with units.	1918  2357 2452  option ploes the shelf of t	2026 2464 2560 ease clea	2176 2615 2713 rly specif	2348 2789 2883 Ty on you	2502 2942 3036 ir order tl	2673 3114 3209 ne require	2888 3327 3424 ed shelf ed to ea	3547 3643 height -

Zola Privacy Optio	n Upcharges	\$ List			\$ List			
Moisture Barrier & C Removable Seat Co Removable Back Co Dual Leg (for Multip	overs One-Seat	64 47 68 80	Seat Power (po Shelf Power Table Power	er power unit)	641 600 647			
PRODUCT CODE KE	Y							
Line	Series	Chair Type	Seat Count	Back Type	Leg Type			
ZOP Zola	3 Lounge	M Modular	1 One Seat	F0 Full Height Back	F Freestanding Unit			
			2 Two Seat	F1 Full Height Back with Shelf Option	Start Unit			
			3 Three Seat	F2 Full Height Back with Privacy Screen Option	Center Unit			
				M0	E			
				Mid Height Back	End Unit			
				M1  Mid Height Back with  Shelf Option				
				M2 Mid Height Back with Privacy Screen Option				

					•	LUL	1 FM	VAC	IIIV	IODO	
			COM		COL		BRIC GR			LEATHE	
DESCRIPTION/	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	One-Seat Plus, Full Heiç ZOP3-MB1F0F	ght Back	2413	2549	2684	2879	3099	3292	3513	3785	4070
	_	ght Back with She /Laminate /Palette	elf Option 2866 2963	3001 3097	3137 3235	3330 3428	3553 3647	3744 3843	3965 4063	4237 4334	4525 4618
	ORDERING NOTES: WI 42", 36" or 30". Freestar unit, please add \$303 lis	nding, Start and E	nd units wit	h the sh	elf option	require o	counterba	ılance w	eight ad	ded to ea	ch seat
	One-Seat Plus, Full Heig ZOP3-MB1F2F	ght Back with Priv	acy Screen 2770	Option 2906	3040	3236	3456	3648	3870	4141	4427
	ORDERING NOTES: Ur	nits with Privacy S	creen Optic	on are no	ot available	e with Rei	movable I	Back Co	ver optio	n.	
	One-Seat Plus, Mid Heig ZOP3-MB1M0F	ght Back	2304	2411	2518	2670	2844	2994	3166	3382	3603
	One-Seat Plus, Mid Heig ZOP3-MB1M1_ Beech Maple,		elf Option 2757 2853	2863 2959	2970 3068	3122 3219	3294 3390	3448 3542	3620 3715	3834 3931	4057 4152
1	ORDERING NOTES: WI 42", 36" or 30". Freestar unit, please add \$303 lis	nding, Start and E	nd units wit	h the sh	elf option	require o	counterba	ılance w	eight ad	ded to ea	ch seat
	One-Seat Plus, Mid Heig ZOP3-MB1M2F	ght Back with Priv	acy Screer 2661	Option 2768	2877	3028	3200	3352	3523	3739	3959
	ORDERING NOTES: Ur	nits with Privacy S	creen Optic	on are no	ot available	e with Rer	movable I	Back Co	ver optio	n.	
-	ption Upcharges	\$ List						;	\$ List		
	r & CAL 133(per yard)	64			ver (per po	ower unit	:)		641		
	at Covers One-Seat ck Covers One-Seat	47 68		Shelf Pov Table Pov					600 647		
	ultiple unit configurations)	80			wer t Plus incl	ludes Plu	s Upgrad	de	047		
PRODUCT CODE	E KEY										
Line	Series	Chair Type		Seat Cour	nt	Bac	k Type		Le	eg Type	
ZOP Zola	3 Lounge	M Modular		1 One Seat	t		F0 eight Back		Freest	F anding Uni	it
		MB Modular		2 Two Seat	t		F1 ht Back wi	ith	St	S tart Unit	

3

Three Seat

Plus Upgrade

	DESCRIPTION/MODEL/SPECIES				COL	FAE	BRIC GR	ADES		LEATHER	
DESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Two-Seat, Full He ZOP3-M2F0F	ight Back	3029	3231	3430	3717	4044	4334	4658	5061	5490
	ZOP3-M2F1_	eight Back Shelf Option Beech/Laminate Maple/Palette	3563 3663	3763 3864	3963 4064	4252 4352	4580 4679	4867 4967	5192 5292	5595 5693	6023 6122
	42", 36" or 30". F	ES: When ordering units was a constant of the	d units with	the she	elf option	require c	ounterba	lance we	eight ad	ded to each	n seat
	Two-Seat, Full He ZOP3-M2F2F	eight Back with Privacy Sc	reen Optic 3519	on 3718	3920	4207	4534	4822	5006	5549	5978
	ORDERING NOT	<b>'ES:</b> Units with Privacy Scr	een Option	n are not	available	with Ren	novable E	Back Cov	er optior	n.	
	Two-Seat, Mid He ZOP3-M2M0F	eight Back	2595	2754	2913	3141	3399	3628	3886	4205	4537
	Two-Seat, Mid He ZOP3-M2M1_	eight Back with Shelf Optio Beech/Laminate Maple/Palette	on 3132 3231	3290 3388	3449 3546	3678 3774	3934 4035	4162 4261	4421 4520	4738 4838	5072 5171
	42", 36" or 30". F	TES: When ordering units was reestanding, Start and End \$303 list upcharge per unit	d units with	the she	elf option	require c	ounterba	lance we	eight ad	ded to eacl	n seat
	Two-Seat, Mid He ZOP3-M2M2F	eight Back with Privacy Sc	creen Optio 3087	on 3245	3404	3633	3891	4117	4377	4693	5030
	ORDERING NOT	<b>'ES:</b> Units with Privacy Scr	een Option	n are not	available	with Ren	novable E	Back Cov	er optior	1.	

\$ List **Zola Privacy Option Upcharges** \$ List Moisture Barrier & CAL 133(per yard) 641 64 Seat Power (per power unit) 600 Removable Seat Covers One-Seat 68 Shelf Power 97 Table Power 647

Removable Back Covers One-Seat
Dual Leg (for Multiple unit configura

Dual Leg (for Multiple	e unit configurations)	80	Plus Upgrade	Two-Seat (B)	129
PRODUCT CODE KEY	,				
Line	Series	Chair Type	Seat Count	Back Type	Leg Type
ZOP Zola	3 Lounge	M Modular	1 One Seat	F0 Full Height Back	F Freestanding Unit
		MB Modular Plus Upgrade	Z Two Seat	F1 Full Height Back with Shelf Option	Start Unit
			3 Three Seat	F2 Full Height Back with	C Center Unit
				Privacy Screen Option M0	Е
				Mid Height Back	End Unit
				M1  Mid Height Back with  Shelf Option	
				M2 Mid Height Back with Privacy Screen Option	

DESCRIPTION!/	SCRIPTION/MODEL/SPECIES  Three-Seat, Full Height Back		COM 1	2	COL 3	FAE 4	RIC GR 5	ADES 6	7	LEATHER 8	R 9
ESCRIPTION/I					<u> </u>		<u> </u>	- 0		0	9
	zop3-M3F0F	gnt Back	3983	4252	4524	4906	5345	5730	6166	6707	7271
	ZOP3-M3F1_ E	ght Back Shelf Option Beech/Laminate Maple/Palette	4610 4713	4879 4984	5149 5255	5534 5638	5971 6077	6358 6463	6793 6897	7332 7437	7899 8005
	- 42", 36" or 30". Fre	5: When ordering units weestanding, Start and End 13 list upcharge per unit.	d units with	h the she	elf option r	equire co	ounterba	lance we	ight add	ed to eac	h seat
	Three-Seat, Full He ZOP3-M3F2F	ght Back with Privacy So	creen Opt 4683	ion 4952	5220	5608	6045	6431	6867	7405	7972
	ORDERING NOTES	S: Units with Privacy Scre	en Optior	n are not	available	with Rem	ovable E	Back Cov	er option.		
	Three-Seat, Mid He ZOP3-M3M0F	ight Back	3748	3972	4192	4510	4870	5190	5552	5994	6466
	ZOP3-M3M1_	ight Back Shelf Option Beech/Laminate Maple/Palette	4377 4481	4599 4705	4818 4923	5138 5242	5498 5604	5815 5920	6180 6284	6621 6725	7092 7197
	- 42", 36" or 30". Fro	5: When ordering units weestanding, Start and Enc 03 list upcharge per unit.	d units with	h the she	elf option r	equire co	ounterba	lance we	ight add	ed to eac	h seat
	Three-Seat, Mid He ZOP3-M3M2F	ight Back with Privacy S	creen Opt 4449	tion 4670	4891	5211	5572	5890	6252	6692	7164
	ORDERING NOTES	S: Units with Privacy Scre	en Optior	n are not	available	with Rem	ovable E	Back Cov	er option.		
ola Privacy O	ption Upcharges	\$ List						\$	List		
Removable Sea Removable Bac	* & CAL 133(per yard) t Covers Three-Seat k Covers Three-Seat ultiple unit configurati	64 85 121 ons) 80	Sł Ta	helf Pow able Pow		,	)		641 600 647 195		
PRODUCT CODE											
Line	Series	Chair Type	Se	eat Count		Back	Туре		Leç	у Туре	
ZOP	3	M		1 One Seat		F				F I Init	
Zola	Lounge	Modular MB		2		Full Hei	ght Back			nding Unit	
		Modular	Ţ	wo Seat	ı	 Full Heigh		th	L	rt Unit	
		Plus Upgrade	Г				Option				
			_ Ti	3 hree Seat		Full Heigh	2 t Back wi	th		C ter Unit	
						Privacy Sc					
						Mid Hei	l0 ght Back			E d Unit	
						М	1				
					1	Mid Heigh Shelf	t Back wi Option	th			
					_		12				
						Mid Heigh Privacy Sc					

DESCRIPTION/I	DESCRIPTION/MODEL/SPECIES		2	COL 3	FABI 4	RIC GRA	DES 6	7	LEATHER 8	R 9
	Modular Corner Seat with Full Height Back ZOP3-MCF0	4058	4290	4522	4846	5219	5546	5917	6382	6848
	Modular Corner Seat, Full Height Back with ZOP3-MCF1LR Beech/Laminate Maple/Palette	Shelves 4937 5033	5169 5264	5403 5497	5727 5823	6099 6196	6424 6521	6796 6893	7262 7358	7729 7822
	Modular Corner Seat, Full Height Back with ZOP3-MCF1L Beech/Laminate Maple/Palette  Modular Corner Seat, Full Height Back with ZOP3-MCF1R Beech/Laminate Maple/Palette	4744 4749	4988 4992	5233 5236 5233 5236	5574 5579 5574 5579	5966 5970 5966 5970	6308 6312 6308 6312	6697 6703 6697 6703	7185 7190 7185 7190	7333 7337 7333 7337
	Modular Corner Seat, Full Height Back with ZOP3-MCF2LR	Privacy So 4624	creens 4857	5089	5414	5787	6113	6484	6948	7416
	Modular Corner Seat, Full Height Back with ZOP3-MCF2L Modular Corner Seat, Full Height Back with ZOP3-MCF2R	4573	4816	5061	5404 5404	5793 5793	6136 6136	6524 6524	7015 7015	7161

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	64
Shelf Power	600
Dual Leg (for Multiple unit configurations)	80
Plus Upgrade- Corner Seat	64

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3 Lounge	MC Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option	Right Side

DESCRIPTION/N	MODEL/SPECIES	COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	ER 9
	Modular Corner Seat with Mid Height Back ZOP3-MCM0	3263	3455	3646	3916	4222	4491	4798	5183	5568
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1LR Beech/Laminate Maple/Palette	n Shelves 4141 4237	4335 4429	4527 4622	4795 4890	5103 5197	5370 5468	5679 5773	6061 6158	6447 6542
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1L Beech/Laminate Maple/Palette	3909 3914	4112 4116	4313 4385	4595 4600	4919 4922	5201 5205	5524 5528	5925 5929	6052 6055
עע יי	Modular Corner Seat, Mid Height Back with ZOP3-MCM1R Beech/Laminate Maple/Palette	3909 3914	4112 4116 4116	4313 4385	4595 4600	4919 4922	5201 5205	5524 5528	5925 5929	6052 6055
	Modular Corner Seat, Mid Height Back with ZOP3-MCM2LR	n Privacy 3829	Screens 4022	4214	4483	4790	5059	5366	5748	6135
	Modular Corner Seat, Full Height Back with ZOP3-MCM2L	Privacy \$	Screen L 3940	eft* 4141	4423	4746	5030	5351	5755	5880
	Modular Corner Seat, Full Height Back with ZOP3-MCM2R	n Privacy 3 3738	Screen F 3940	Right 4141	4423	4746	5030	5351	5755	5880

Zola Privacy Option Upcharges	\$ List	
Moisture Barrier & CAL 133(per yard)	64	
Shelf Power	600	
Dual Leg (for Multiple unit configurations)	80	
Plus Upgrade- Corner Seat	64	

#### PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3	MC	MO	L
Zola	Lounge	Modular Corner Seat	Mid Height Back	Left Side
		MCB	M1	R
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
			M2	LR

Mid Height Back with Privacy Screen Option

Left & Right Sides

# **ZOLA PRIVACY | SIDE PANELS**

			COM		COL		BRIC GR	ADES		R		
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Single		Screen									
	ZOP3-MPF0S	Start	948	1036	1124	1304	1481	1660	1836	2016	2370	
	ZOP3-MPF0C	Center	1222	1310	1398	1578	1753	1932	2109	2286	2642	
	ZOP3-MPF0E	End	948	1036	1124	1304	1481	1660	1836	2016	2370	
$\overline{}$	Side Panel, Single	e, Full Height wi	th Screen									_
م	ZOP3-MPF2S	Start	1243	1332	1420	1597	1776	1954	2132	2310	2665	
	ZOP3-MPF2C	Center	1515	1606	1693	1871	2051	2228	2406	2584	2938	
	ZOP3-MPF2E	End	1243	1332	1420	1597	1776	1954	2132	2310	2665	
	Side Panel, Single	e, Mid Height No	Screen									
	ZOP3-MPM0S	Start	767	829	888	1011	1131	1251	1372	1492	1732	
	ZOP3-MPM0C	Center	1052	1110	1170	1290	1412	1533	1653	1773	2016	
	ZOP3-MPM0E	End	767	829	888	1011	1131	1251	1372	1492	1732	
	Side Panel, Single	e Mid Height wi	th Screen									_
	ZOP3-MPM2S	Start	1063	1122	1183	1306	1425	1547	1667	1788	2029	
	ZOP3-MPM2C	Center	1346	1405	1465	1587	1706	1827	1947	2066	2310	
	ZOP3-MPM2E	End	1063	1122	1183	1306	1425	1547	1667	1788	2029	
				1122			1425	5	1007			

**ORDERING NOTE**: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	E	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

### **ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION	/MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side ZOP3-MSPF0S ZOP3-MSPF0C ZOP3-MSPF0E	Panel, Single, Start Center End	Full Height 583 857 583	628 905 628	674 952 674	765 1041 765	856 1134 856	949 1224 949	1039 1315 1039	1132 1407 1132	1314 1589 1314	
	Semi-Private Side	Panel, Single,	Mid Height									
	ZOP3-MSPM0S	Start	514	555	592	672	751	829	909	987	1143	
	ZOP3-MSPM0C	Center	796	835	875	955	1033	1111	1191	1269	1428	
	ZOP3-MSPM0E	End	514	555	592	672	751	829	909	987	1143	

**ORDERING NOTE**: Semi-Private Side Panels will only connect to Center seating units.

#### PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP Zola	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center	
				E End	

### **ZOLA PRIVACY | MODULAR ARMS**

				COL		FABRIC GRADES			LEATHER		
DESCRIPTION	I/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	702 702 784	740 740 823	778 778 859	853 853 935	930 930 1012	1004 1004 1087	1081 1081 1163	1155 1155 1239	1307 1307 1390	
	Modular Upholstered Arm w/Ui ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	rethane Cap 840 840 906	878 878 942	914 914 981	990 990 1058	1066 1066 1134	1141 1141 1207	1218 1218 1284	1292 1292 1358	1445 1445 1510	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole	-	С	
Solid Surface Arm Cap (per arm)	129	136	151	157	

THODOG GODE ILE	<u>•</u>				
Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	R Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

### **ZOLA PRIVACY | TWIN - DIMENSIONS & COM REQUIREMENTS**

#### **DIMENSIONS**

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Full Height Back										
One-Seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-Seat (Plus)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Back										
One-Seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-Seat (Plus)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

#### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height E	Back											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height E	Back											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

#### **ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES**

	\$ List	
Plus Upgrade Twin Two-Seat	259	
Plus Upgrade Twin Three-Seat	388	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

# **ZOLA PRIVACY |** TWIN MODULAR PANELS & MODULAR ARMS

#### **DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Single	e, Full Height	No Scree	n									
ZOP3-MPTF0U ZOP3-MPTF0C	Universal Center	2.75 2.75	51.5 51.5	43.9 43.9	66 66	6 6	4 4	5.5 5.5	9.34 9.34	12.03 12.03	14.72 14.72	18.7 18.7
Side Panel, Single	e. Full Height	with Scre	en									
ZOP3-MPTF2U	Universal	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF2C	Center	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single	e, Mid Heigh	t No Scree	en									
ZOP3-MPTM0U	Universal	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM0C	Center	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
Side Panel, Single	e, Mid Heigh	t with Scre	en									
ZOP3-MPTM2U	Universal	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM2C	Center	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
Twin Semi-Private	Side Panel,	Single, Fu	ıll Height									_
ZOP3-MSPTF0U	Universal	2.75	26.5	44	43	2.5	2.69	5.38	8.06	10.75	13.44	16.13
ZOP3-MSPTF0C	Center	2.75	26.5	44	52	2.5	2.69	5.38	8.06	10.75	13.44	16.13
Twin Semi-Private		•	_									
ZOP3-MSPTM0U		2.75	26.5	31.4	32	1.7	1.75	3.99	5.98	7.97	9.97	11.96
ZOP3-MSPTM0C	Center	2.75	26.5	31.4	39	1.7	1.75	3.99	5.98	7.97	9.97	11.96
Twin Modular Uph	alatarad Ara											
ZOP3-MATUPHU	ioistered Am	3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUPHC		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9 7.9	9.33
201 3-WATOT 110		3	14.5	19.75	22	2.0	2.11	3.30	3	0.5	7.9	9.00
Twin Modular Uph	nolstered Arn	n w/Uretha	ane Cap									
ZOP3-MATUREU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUREC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	nolstered Arn	n w/Solid s	Surface Ca									
ZOP3-MATSSCU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATSSCC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33

# **ZOLA PRIVACY | TWIN SEATS**

DESCRIPTION/MO	)DFI	COM 1	2	COL 3	F/ 4	ABRIC GRA 5	DES 6	7	LEATHE 8	R 9
	Twin One-Seat, Full Heig ZOP3-MT1F0F	<u> </u>	3016	3184	3424	3691	3932	4203	4533	4888
	Twin One-Seat, Full Heig ZOP3-MT1F2F	ht Back with 3134	Privacy S 3299	creen Opti 3465	on 3707	3975	4214	4484	4816	5170
	ORDERING NOTES: Uni	ts with Privac	y Screen	Option are	not avail	able with Re	emovable	Back Cove	er option.	
	Twin One-Seat, Mid Heig ZOP3-MT1M0F	ht Back 2713	2853	2995	3200	3430	3635	3866	4149	4454
	Twin One-Seat, Mid Heig ZOP3-MT1M2F	ht Back with 2994	Privacy S 3136	Screen Opti 3278	on 3483	3712	3918	4147	4432	4735
	ORDERING NOTES: Uni	ts with Privac	y Screen	Option are	not avail	able with Re	emovable	Back Cove	er option.	
	Twin One-Seat Plus, Full ZOP3-MBT1F0F	Height Back 3816	3982	4147	4389	4656	4897	5167	5498	5853
	Twin One-Seat Plus, Full ZOP3-MBT1F2F	Height Back 4172	with Priva 4339	acy Screen 4505	Option 4744	5012	5255	5524	5856	6210
	ORDERING NOTES: Uni	ts with Privac	y Screen	Option are	not avail	able with Re	emovable	Back Cove	er option.	
	Twin One-Seat Plus, Mid ZOP3-MBT1M0F	Height Back 3664	3806	3949	4152	4381	4587	4817	5103	5404
	Twin One-Seat Plus, Mid ZOP3-MBT1M2F	Height Back 4021	with Priv	acy Screen 4306	Option 4507	4738	4944	5174	5457	5761
	ORDERING NOTES: Uni	ts with Privac	y Screen	Option are	not avail	able with Re	emovable	Back Cove	er option.	
PRODUCT CODE KE		01 : 7		0.10		D 1 T				
Line	Series	Chair Type		Seat Coun	τ	Back Ty	pe 		Leg Type	
ZOP	3 Lounge	MT Modular Twin		One Seat		Full Height	_ Back	Fre	F estanding U	nit
		MTB		2		F2			S	
		Modular Twin Plus Upgrade		Two Seat		Full Height Barivacy Scree			Start Unit	
		(page 207)		3		M0	]		С	
				Three Seat	t	Mid Height	Back		Center Unit	
						M2			Е	

Mid Height Back with Privacy Screen Option

End Unit

# **ZOLA PRIVACY |** TWIN SEATS

		COM		COL	FΑ	BRIC GRA	DES		LEATHE	·R
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Twin Two-Seat, Full Height E ZOP3-MT2F0F	3ack 4235	4496	4756	5143	5578	5966	6399	6921	7516
	Twin Two-Seat, Full Height E ZOP3-MT2F2F	Back Priva 4723	cy Screer 4986	Option 5245	5635	6069	6456	6889	7411	8008
	ORDERING NOTES: Units v	vith Privac	y Screen	Option are	not availa	ble with Re	movable E	Back Cover	option.	
	Twin Two-Seat, Mid Height E ZOP3-MT2M0F	3ack 4029	4256	4480	4809	5174	5502	5868	6318	6808
	Twin Two-Seat, Mid Height E ZOP3-MT2M2F	Back with 4520	Privacy S 4744	creen Opti 4970	on 5296	5664	5992	6359	6808	7298
	ORDERING NOTES: Units v	vith Privac	y Screen	Option are	not availa	ble with Re	movable E	Back Cover	option.	
	Twin Three-Seat, Full Heigh ZOP3-MT3F0F	nt Back 5819	6155	6489	6962	7504	7977	8516	9186	9878
	Twin Three-Seat, Full Heigh ZOP3-MT3F2F	nt Back Pri 6518	vacy Scre 6854	een Optior 7186	7660	8203	8678	9217	9885	10575
	ORDERING NOTES: Units	with Priva	cy Screer	n Option ar	e not avail	able with R	emovable	Back Cove	er option.	
	Twin Three-Seat, Mid Heigh ZOP3-MT3M0F	nt Back 5355	5649	5941	6363	6839	7260	7735	8324	8944
	Twin Three-Seat, Mid Heigh ZOP3-MT3M2F	nt Back wi 6054	th Privacy 6348	/ Screen C 6641	ption 7064	7539	7961	8435	9023	9645
	ORDERING NOTES: Units	with Priva	cy Screer	n Option ar	e not avail	able with R	emovable	Back Cove	er option.	
PRODUCT CODE KEY	,									
Line	Series C	hair Type		Seat Cou	nt	Back T	уре		Leg Type	
ZOP Zola	_	MT dular Twin		1 One Sea	] it	F0 Full Heigh	t Back	Fre	F estanding	Unit

DUCT CODE KI	EY				
Line	Series	Chair Type	Seat Count	Back Type	Leg Type
ZOP Zola	3 Lounge	MT Modular Twin	1 One Seat	F0 Full Height Back	F Freestanding Unit
		MTB Modular Twin Plus Upgrade	2 Two Seat	F2 Full Height Back with Privacy Screen Option	S Start Unit
		(page 207)	3	MO	С
			Three Seat	Mid Height Back	Center Unit
				M2	Е
				Mid Height Back with Privacy Screen Option	End Unit

### **ZOLA PRIVACY | TWIN - SIDE PANELS**

		COM COL FABRIC GRADES LEATHER									
DESCRIPTION	I/MODEL		1	2	3	4	5	6	7	8	9
	Twin Side Panel, I ZOP3-MPTF0U	Full Height No Sc Universal End		4550	1001	1055	0040	0.400	0745	0040	0500
	ZOP3-MPTF0C	Center	1428 2139	1559 2272	1691 2405	1955 2668	2218 2932	2483 3193	2745 3457	3010 3720	3536 4248
	Twin Side Panel,,	Full Height with S	Screen								
	ZOP3-MPTF2U ZOP3-MPTF2C	Universal End Center	2006 2718	2138 2851	2271 2984	2533 3246	2798 3510	3061 3772	3324 4037	3589 4297	4114 4828
	Twin Side Panel, I	Med. Height No S	creen								
	ZOP3-MPTM0U ZOP3-MPTM0C	Universal End Center	1187 1897	1275 1988	1363 2077	1543 2254	1720 2432	1898 2610	2077 2788	2254 2965	2610 3322
	Twin Side Panel, I	Med. Height with	Screen								
المصما	ZOP3-MPTM2U	Universal End	1767	1855	1944	2122	2301	2479	2657	2833	3188
	ZOP3-MPTM2C	Center	2478	2567	2657	2833	3011	3188	3367	3543	3902
	ORDERING NOTI	E: Side Panels wil	I only conn	ect to Ce	nter seatir	na units. U	nits with P	rivacv Scre	en Optior	n are not av	vailable

**ORDERING NOTE**: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See page 207 for dimensions and COM.

I HODOUT GODE KET					
Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			M0 Mid Height		
			M2		
			Mid Height with Privacy Screen Option		

### **ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

COM			COL	FAE	BRIC GR	ADES		LEATHE	R			
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private	Side Panel, Sin	gle, Full H	leight								
	ZOP3-MSPTF0U	Universal	1012	1092	1172	1286	1415	1528	1659	1819	1981	
	ZOP3-MSPTF0C	Center	1724	1804	1885	1999	2129	2240	2370	2532	2694	
	Twin Semi-Private	Side Panel, Sin	gle, Mid F	leight								
	ZOP3-MSPTM0U	Universal	868	919	973	1045	1131	1203	1288	1393	1497	
	ZOP3-MSPTM0C	Center	1581	1633	1686	1758	1842	1915	2001	2106	2211	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 207 for dimensions and COM.

#### PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

### **ZOLA PRIVACY | TWIN MODULAR ARMS**

		COM		COL	FAE	BRIC GR	ADES		LEATHE	3	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1120 1846	1197 1909	1262 1974	1349 2062	1451 2164	1539 2253	1641 2354	1768 2481	1894 2608	
	Twin Modular Upholstered Arm w/Urethane Cap										
	ZOP3-MATUREU	1252	1329	1393	1481	1582	1670	1772	1899	2026	
	ZOP3-MATUREC	1979	2041	2106	2193	2295	2384	2485	2612	2739	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col	С	
Solid Surface Arm Cap (per arm)	276	288	318	328

#### PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE	Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

# **ZOLA PRIVACY** | CURVED - DIMENSIONS

#### **DIMENSIONS**

	Width Overall										
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping		
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes	
Curved Single-Sea	ıt - Full He	eight Bac	k								
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15	
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19	
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24	
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36	
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12	
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13	
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15	
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16	
Curved Single-Sea	t - Mid He	eight Bac	:k								
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13	
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16	
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20	
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28	
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10	
45° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12	
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13	
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14	
Curved Double-Se	at - Full H	eight Ba	ck								
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28	
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37	
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46	
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65	
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24	
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28	
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32	
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37	
Compand Davible Co	at 14:41:1	laiak± P-	ale								
Curved Double-Se				40	07.5	50	10.5	00.05	110	0.4	
30° Inside Curve	58	64	30	42	37.5	50	18.5	20.25	110	24	
45° Inside Curve	64.5	70.5	31.5	43.5	37.5	50	18.5	20.25	116	31	
60° Inside Curve	70.5	76.5	33	45	37.5	50	18.5	20.25	123	38	
90° Inside Curve	81	87	36	48	37.5	50	18.5	20.25	141	52	
30° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21	
45° Outside Curve	61	67	31	43	37.5	50	18.5	20.25	99	25	
60° Outside Curve	65.5	71.5	32	44	37.5	50	18.5	20.25	105	28	
90° Outside Curve	74.5	80.5	34.5	46.5	37.5	50	18.5	20.25	115	32	

### **Upcharge for Plus Upgrade Option:**

oberiar go tor i ino obgrado obarem			
Option	List	Option	\$ List
Plus Upgrade -Single-seat curve 30° seat	96	Plus Upgrade -Double-seat curve 30° seat	152
Plus Upgrade -Single-seat curve 45° seat	111	Plus Upgrade -Double-seat curve 45° seat	180
Plus Upgrade -Single-seat curve 60° seat	123	Plus Upgrade -Double-seat curve 60° seat	193
Plus Upgrade -Single-seat curve 90° seat	165	Plus Upgrade -Double-seat curve 90° seat	220

# **ZOLA PRIVACY** | CURVED - COM REQUIREMENTS

#### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea	t - Full H	eight Bacl	K									
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	nt - Mid H	eight Bac	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H	Height Bac	:k									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se	at - Mid I	Height Bad	ck									
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

#### Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List	
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93	
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101	
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123	
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127	

		COM		COL	FAE	BRIC GRA	DES		LEATHE	R
DESCRIPTION	N/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Inside Curve, Full Heig ZOP3-MCIS30DF0F	ht Back 3430	3618	3806	4068	4369	4634	4931	5308	5684
	Single-Seat, 30° Inside Curve, Full Heig ZOP3-MCIS30DF1_ Beech/Laminate Maple/Palette  ORDERING NOTE: When ordering a ba-42", 36" or 30" and chose required leg balance weight added to each seat unit	4047 4141 ack with S type belo	4236 4328 Shelf options w. Freest	4423 4515 on please anding, S	tart and E	nd units wi				_
	Single-Seat, 30° Inside Curve, Full Heig ZOP3-MCIS30DF2F	ht Back v 4023	vith Privac 4212	cy Screen 4398	4664	4962	5227	5527	5902	6277
	Single-Seat, 30° Inside Curve, Mid Heig ZOP3-MCIS30DM0F	ht Back 3273	3437	3604	3834	4098	4328	4592	4922	5250
	Single-Seat, 30° Inside Curve, Mid Heig ZOP3-MCIS30DM1_ Beech/Laminate Maple/Palette  ORDERING NOTE: When ordering a ba-36" or 30" and chose required leg type ance weight added to each seat unit, pl	3892 3984 ack with Se below. F	4058 4149 Shelf option	4221 4315 on please ing, Start	and End u	, ,				_
	Single-Seat, 30° Inside Curve, Mid Heig ZOP3-MCIS30DM2F				·	4691	4922	5187	5516	5844

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133(per yard)	64	Plus Upgrade - Single-Seat, 30° Curve	96
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 30° Curve	61
Table Power	647	Note: Removable back covers are not available on c	urved backs

PRODUCT CODE KEY	Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with	Center Unit
					Privacy Screen Option	
			OD	90D	MO	E
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

DESCRIPTION/N	MODEL/SPECIES	COM 1	1 2	COL 3	FAB 4	RIC GRAD	ES 6	7	_EATHEF 8	R 9
	Single-Seat, 45° Inside Curve ZOP3-MCIS450DF0F	, Full Height Bac 3847	ck	4263	4565	4904	5209	5548	5964	6418
	Single-Seat, 45° Inside Curve ZOP3-MCIS45DF1_ Beech/l Maple/F  ORDERING NOTE: When ord - 42", 36" or 30" and chose counterbalance weight added	aminate 4483 Palette 4576  dering a back with required leg type	3 4690 6 4785 th Shelf or pe below.	4898 4993 otion pleas Freestand	ling, Start	and End	units with			
	Single-Seat, 45° Inside Curve ZOP3-MCIS45DF2F	, Full Height Bac 4447		vacy Scree 4863	en 5167	5506	5809	6149	6565	7018
	Single-Seat, 45° Inside Curve ZOP3-MCIS45DM0F	, Mid Height Bad 3642		3979	4215	4486	4722	4994	5329	5673
	Single-Seat, 45° Inside Curve ZOP3-MCIS45DM1_ Beech/I Maple/F ORDERING NOTE: When ord - 36" or 30" and chose red counterbalance weight added	Laminate 4278 Palette 4377  dering a back with a back	3 4444 1 4539 th Shelf op below. Fi	4614 4709 otion pleas reestandin	g, Start a	and End u	nits with			_
	Single-Seat, 45° Inside Curve ZOP3-MCIS45DM2F	, Mid Height Bac 4243		vacy Scree 4580	en Option 4816	5086	5323	5595	5931	6271
Zola Privacy O	ption Upcharges	\$ List						\$ Lis	t	
Moisture Barrier Seat Power (per Shelf Power Table Power	r & CAL 133(per yard) r power unit)	641 600	Dual Leg ( Removabl	ade -Single for Multiple e Seat Con novable ba	e unit con vers -Sing	figurations le-Seat, 45	5° Curve	111 80 64 curved b	) 4	

Moisture Barrier & C	AL 133(per yard)	64	Plus Upgrade -Sin	gle-Seat, 45° C	urve	111		
Seat Power (per pov	ver unit)	641	Dual Leg (for Multi	ple unit configu	rations)	80		
Shelf Power		600	Removable Seat C	Covers -Single-S	Seat, 45° Curve	64		
Table Power		647	Note: Removable	back covers are	e not available on curve	ed backs		
PRODUCT CODE KEY								
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type		
ZOP	3	MC	IS	30D	F0	F		
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit		
		MCB	ID	45D	F1	S		
		Modular Curve	Inside Curve -Double		Full Height Back with	Start Unit		
		Plus			Shelf Option			
			OS	60D	F2	С		
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit		
			OD	90D	MO	Е		
			Outside Curve -Double		Mid Height Back	End Unit		
					M1 Mid Height Back with Shelf Option			
					M2 Mid Height Back with Privacy Screen Options			

DECODIDEION /A	AODEL (ODEOLEO	COM	0	COL		BRIC GRAI			LEATHE	-
DESCRIPTION/N	MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 60° Inside Curve, Full He ZOP3-MCIS60DF0F	ight Back 4371	4634	4891	5267	5696	6067	6492	7012	7567
	Single-Seat, 60° Inside Curve, Full He	ight Back	with She	elf						
	ZOP3-MCIS60DF1_ Beech/Laminate Maple/Palette		5444 5541	5705 5800	6080 6179	6504 6600	6879 6974	7303 7399	7822 7920	8380 8474
A	ORDERING NOTE: When ordering a be 42", 36" or 30" and chose required counterbalance weight added to each	d leg type	below. I	- reestand	ling, Start	and End	units with			
	Single-Seat, 60° Inside Curve, Full He	ight Back	with Priv	acy Scree	en					
	ZOP3-MCIS60DF2F	4974	5236	5496	5870	6293	6670	7093	7615	8169
	Single Seet 60° Incide Curve Mid He	ight Pool								
	Single-Seat, 60° Inside Curve, Mid He ZOP3-MCIS60DM0F	4164	4350	4537	4801	5103	5364	5664	6039	6416
	Single-Seat, 60° Inside Curve, Mid He ZOP3-MCIS60DM1_ Beech/Laminate Maple/Palette	0	with She 5164 5259	5351 5447	5614 5712	5914 6009	6179 6271	6477 6574	6852 6946	7229 7324
- 11 -	ORDERING NOTE: When ordering a term of the second of the s	g type be	elow. Fre	estanding	g, Start a	nd Énd ú	nits with			
	Single-Seat, 60° Inside Curve, Mid He ZOP3-MCIS60DM2F	eight Back 4767	with Priv 4953	acy Scree	en Option 5406	5705	5968	6268	6642	7019

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Single-Seat, 60° Curve	123
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 60° Curve	86
Table Power	647	Note: Removable back covers are not available on c	urved backs

PRODUCT CODE KEY						
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	E
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

									•		
DESCRIPTIO	N/MODEL/SPECIES	Pinside Curve, Full Height Back PFOF 4992 5263 5538  Pinside Curve, Full Height Back with Shelf PF1_ Beech/Laminate 5866 6139 6412 Maple/Palette 5964 6237 6511  PTE: When ordering a back with Shelf option please clared in the company weight added to each seat unit, please add \$303 list of the company weight added to each seat unit, please add \$303 list of the company weight added to each seat unit, please add \$303 list of the company weight added to each seat unit, please add \$303 list of the company weight added to each seat unit, please add \$303 list of the company weight added to each seat unit, please add \$4571 4786 5000  Pinside Curve, Mid Height Back with Shelf option please clared seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the company weight added to each seat unit, please add \$303 list upcharge per unit of the co	FABR 4	IC GRAD 5	ES 6	7	LEATHER 7 8 9				
	Single-Seat, 90° Inside ZOP3-MCIS90DF0F	Curve, Full Height		5263	5538	5920	6359	6742	7180	7728	8275
	ZOP3-MCIS90DF1_ <b>ORDERING NOTE:</b> Wh 42", 36" or 30" and c	Beech/Laminate Maple/Palette en ordering a back hose required leg	5866 5964 k with Sh g type be	6139 6237 elf option elow. Fre	6511 please estandir	ng, Start an	d End u				
	Single-Seat, 90° Inside ZOP3-MCIS90DF2F	Curve, Full Height		-		6872	7311	7695	8131	8679	9225
	Single-Seat, 90° Inside ZOP3-MCIS90DM0F	Curve, Mid Height		4786	5000	5299	5641	5943	6286	6713	7144
	ZOP3-MCIS90DM1_  ORDERING NOTE: Wh 36" or 30" and chose re	Beech/Laminate Maple/Palette en ordering a back quired leg type be	5444 5544 k with Sh low. Free	5660 5758 elf option standing,	5971 please Start an	d End units					
	Single-Seat, 90° Inside ZOP3-MCIS90DM2F	Curve, Mid Height		-		Option 6252	6595	6895	7237	7662	8093
Moisture Barı	r Option Upcharges rier & CAL 133 (per yard) per power unit)	64 641 600	Du Re	al Leg (fo movable	r Multipl Seat Co	e unit config vers -Single	jurations) -Seat, 90	° Curve	11	3 3	
RODUCT COI	DE KEY										
ZOP Zola	Series  3  Lounge	MC Modular Curve MCB Modular Curve	Inside	IS Curve -Sin ID Curve -Dou	gle	30D 45D 60D	Full Full He	F0 Height Back F1 eight Back whelf Option F2		Leg Typ  F reestanding S Start Un	] g Unit

		СОМ		COL	FAB	RIC GRAD	ES	L	EATHER	
DESCRIPTIO	N/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Outside Curve, Full Heigl ZOP3-MCOS30DF0F	nt Back 3252	3431	3609	3859	4145	4395	4680	5036	5392
	Single-Seat, 30° Outside Curve, Full Heigl ZOP3-MCOS30DF1_ Beech/Laminate			3910	4160	1111	4602	4070	5227	5600
	Maple/Palette	3554 3642	3732 3819	3999	4160 4248	4444 4533	4693 4784	4979 5068	5337 5425	5692 5782
	ORDERING NOTE: When ordering a back 42", 36" or 30" and chose required leg counterbalance weight added to each sea	g type be	low. Free	estanding	, Start an	d End un				
П	Single-Seat, 30° Outside Curve, Full Heigh	ht Back w	ith Privac	y Screen						
	ZOP3-MCOS30DF2F	3607	3786	3963	4214	4500	4749	5034	5391	5746
	Single-Seat, 30° Outside Curve, Mid Heig	ht Back								
	ZOP3-MCOS30DM0F	3135	3290	3445	3664	3914	4131	4380	4690	5007
	Single-Seat, 30° Outside Curve, Mid Heig	ht Back w	ith Shelf							
	ZOP3-MCOS30DM1_ Beech/Laminate Maple/Palette	3433 3522	3589 3679	3743 3831	3962 4053	4213 4299	4429 4520	4680 4769	4990 5079	5307 5394
·	ORDERING NOTE: When ordering a back 36" or 30" and chose required leg type be weight added to each seat unit, please actions of the seat unit.	low. Frees	tanding,	Start and	End units					
$\Box$	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM2F	ht Back w 3489	ith Privac	cy Screen 3797	Option 4019	4067	4485	4735	5043	5362
	ZOF 3-INIOU33UDINIZF	3469	3043	3191	4019	4267	4400	4733	5043	5362

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Single-Seat, 30° Curve	96
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 30° Curve	61
Table Power	647	Note: Removable back covers are not available on c	curved backs

DOC! CODE KE	T					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAD	ES 6	L 7	EATHER 8	9
	Single-Seat, 45° Outside Curve ZOP3-MCOS450DF0F	, Full Heig	ht Back 3508	3685	3864	4113	4398	4648	4932	5288	5646
	Single-Seat, 45° Outside Curve ZOP3-MCOS45DF1_ Beech/L Maple/P.	aminate	ht Back 3803 3892	with She 3981 4068	elf 4158 4247	4407 4499	4693 4784	4944 5033	5230 5318	5584 5674	5941 6031
	ORDERING NOTE: When orde 42", 36" or 30" and chose requ balance weight added to each	ired leg typ	pe belov	v. Freest	anding, St	art and Er	nd units wi				•
	Single-Seat, 45° Outside Curve ZOP3-MCOS45DF2F	, Full Heig	ht Back 3859	with Priv 4038	vacy Scree 4215	en 4466	4752	5002	5286	5641	5999
	Single-Seat, 45° Outside Curve ZOP3-MCOS45DM0F	, Mid Heig	ht Back 3382	3536	3690	3909	4158	4378	4628	4937	5254
	Single-Seat, 45° Outside Curve ZOP3-MCOS45DM1_ Beech/L Maple/P	aminate	ht Back 3678 3766	with Sho 3830 3920	elf 3985 4074	4205 4292	4455 4542	4672 4762	4922 5010	5232 5320	5547 5636
	ORDERING NOTE: When orde 36" or 30" and chose required keeping added to each seat unit	eg type be	low.Free	estanding	g, Start and	d End units					
	Single-Seat, 45° Outside Curve ZOP3-MCOS45DM2F	, Mid Heig	ht Back 3735	with Priv 3890	vacy Scree 4042	en Option 4261	4510	4730	4979	5288	5605
Zola Privacy C	Option Upcharges	\$ List							\$ List		
Moisture Barrie Seat Power (pe Shelf Power Table Power	er & CAL 133 (per yard) er power unit)	64 641 600 647	Du Re	al Leg (fo movable	or Multiple Seat Cov	e-Seat, 45 unit confi ers -Single	gurations) e-Seat, 45	° Curve	111 80 64		
PRODUCT CODI	E KEY	047	140	ic. neili	Svable Dal	CR COVEIS	aic not av	anable off	caivea Di	aono	

DDODI	ICT	CODE	KEV

PRODUCT CODE KEY	Υ					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with	Center Unit
					Privacy Screen Option	
			OD	90D	M0	E
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

		COM		COL		BRIC GRAI			LEATHE	
DESCRIPTION/	MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 60° Outside Curve, Full He ZOP3-MCOS60DF0F	eight Back 3655	3831	4011	4261	4546	4795	5082	5437	5793
	Single-Seat, 60° Outside Curve, Full He	eight Back	with She	elf						
$\Box$	ZOP3-MCOS60DF1_ Beech/Laminate	e 3948	4125	4305	4553	4838	5086	5370	5727	6083
	Maple/Palette	4036	4213	4393	4641	4927	5176	5463	5815	6174
	ORDERING NOTES: When ordering a late 142", 36" or 30" and chose required leterbalance weight added to each seat to	g type bel	ow. Free	standing,	Start and	End units				_
	Single-Seat, 60° Outside Curve, Full He	eight Back	with Priv	acy Scree	en					
	ZOP3-MCOS60DF2F	3988	4168	4347	4595	4882	5131	5416	5769	6127
	Single-Seat, 60° Outside Curve, Mid He	eight Back	······································							
	ZOP3-MCOS60DM0F	3535	3690	3846	4064	4313	4532	4781	5091	5407
	0'1-0			- 16						
	Single-Seat, 60° Outside Curve, Mid He ZOP3-MCOS60DM1 Beech/Laminate	•	with Sh 3982	elf 4138	4354	4604	4822	5071	5384	5696
	Maple/Palette	3915	4070	4224	4443	4692	4914	5160	5471	5786
·	ORDERING NOTE: When ordering a b - 36" or 30" and chose required leg typ ance weight added to each seat unit, p	e below. F	reestand	ing, Start	and End i	ınits with t				
	Single-Seat, 60° Outside Curve, Mid Ho ZOP3-MCOS60DM2F	eight Back 3869	with Pri 4024	vacy Scre 4180	en Option 4397	4646	4866	5113	5425	5741

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Single-Seat, 60° Curve	123
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 60° Curve	86
Table Power	647	Note: Removable back covers are not available on o	curved backs

PRODUCT CODE KE	Υ					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD Outside Curve -Double	90D	M0 Mid Height Back	E End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IIC GRAI	DES 6	7	LEATHEF 8	₹ 9
	Single-Seat, 90° Outside Co ZOP3-MCOS90DF0F	urve, Full Heigh	nt Back 4405	4586	4763	5011	5298	5547	5833	6188	6545
	Single-Seat, 90° Outside Ct ZOP3-MCOS90DF1_ Beed Map ORDERING NOTE: When ct 42", 36" or 30" and chose in balance weight added to ear	ch/Laminate le/Palette ordering a back required leg typ	4686 4773 with Shoe below	4866 4952 nelf option	5043 5131 n please clanding, Star	t and End	units wi				
	Single-Seat, 90° Outside Co ZOP3-MCOS90DF2F	urve, Full Heigh	nt Back v 4737	with Priva 4918	acy Screen 5095	5344	5631	5878	6163	6520	6877
	Single-Seat, 90° Outside Co ZOP3-MCOS90DM0F	urve, Mid Heigh	nt Back 3949	4103	4258	4477	4725	4944	5192	5503	5821
	Single-Seat, 90° Outside Co ZOP3-MCOS90DM1_ Beed Map ORDERING NOTE: When of 36" or 30" and chose require weight added to each seat	ch/Laminate le/Palette ordering a back ed leg type belo	4229 4315 with Show. Free	4382 4469 nelf option standing,	4537 4623 n please cl , Start and	End units					
	Single-Seat, 90° Outside Co ZOP3-MCOS90DM2F	urve, Mid Heigh	nt Back 4279	with Priva 4433	acy Screen 4588	Option 4810	5057	5275	5525	5834	6153
Zola Privacy	Option Upcharges	\$ List							\$ Lis	t	
Moisture Barri Seat Power (p Shelf Power Table Power	ier & CAL 133 (per yard) eer power unit)	64 641 600 647	Du Re	al Leg (fo movable	de - Single or Multiple Seat Cove ovable bac	unit config rs -Single	urations -Seat, 90	,	16 8 11	5 0 3	
PRODUCT COI	Series	Chair Type	C	Curve Style	. S	eat Degree		Back Type		Leg Typ	oe .
ZOP Zola	3 Lounge	MC  Modular Curve  MCB  Modular Curve  Plus	Inside Outsid	IS  Curve -Si  ID  Curve -Do  OS  e Curve -S  OD  e Curve -D	ouble Single	30D 45D 60D 90D	Full I Full I Priva	F0  Ill Height Back F1  Height Back Shelf Option F2  Height Back cy Screen O  M0  d Height Back M1  Height Back	with with ption ck	Freestandin S Start U C Center U	nit Juit

M2 Mid Height Back with Privacy Screen Options

			COM	_	COL		BRIC GRAD			LEATHE	
DESCRIPTION	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Insi ZOP3-MCID30DF0F	de Curve, Full Heigh	t Back 4943	5245	5548	5973	6461	6884	7368	7973	8581
	Double-Seat, 30° Insi ZOP3-MCID30DF1_	de Curve, Full Heigh Beech/Laminate Maple/Palette	t Back v 5715 5811	vith Shelf 6017 6114	6319 6418	6745 6842	7230 7329	7655 7754	8141 8236	8745 8843	9353 9447
	ORDERING NOTE: W 42", 36" or 30" and cl balance weight added	hose required leg typ	pe below	. Freesta	nding, Sta	rt and En	d units wit				_
	Double-Seat, 30° Insi ZOP3-MCID30DF2F	de Curve, Full Heigh	t Back v 5888	vith Privac 6190	cy Screen 6494	6918	7403	7829	8312	8918	9525
	Double-Seat, 30° Insi ZOP3-MCID30DM0F	de Curve, Mid Heigh	nt Back 4678	4932	5191	5552	5964	6322	6734	7248	7762
	Double-Seat, 30° Insi ZOP3-MCID30DM1_		nt Back v 5448 5546	vith Shelf 5705 5802	5964 6060	6322 6420	6734 6832	7093 7191	7506 7603	8017 8117	8535 8632
	ORDERING NOTE: W 36" or 30" and chose weight added to each	required leg type bel	low. Free	standing,	Start and	End units	, ,				•
	Double-Seat, 30° Insi ZOP3-MCID30DM2F	de Curve, Mid Heigh	nt Back v 5620	vith Priva 5878	cy Screen 6137	Option 6496	6909	7267	7680	8193	8706
Zola Privacy	Option Upcharges	\$ List							\$ List		
Seat Power (p Shelf Power Table Power	ier & CAL 133 (per yard) per power unit)	64 641 600 647	Dua Rei	al Leg (for	Seat Cove	unit confi rs -Doub	0° Curve gurations) le-Seat, 30 are not ava		152 80 93 curved ba		
PRODUCT COD	DE KEY										

Zola Privacy Option	on Upcharges	\$ List			\$	List
Moisture Barrier &	CAL 133 (per yard)	64	Plus Upgrade - Do	ouble-Seat, 30°	Curve	152
Seat Power (per po	ower unit)	641	Dual Leg (for Mult	iple unit configu	ırations)	80
Shelf Power		600	Removable Seat (	Covers -Double-	-Seat, 30° Curve	93
Table Power		647	Note: Removable	back covers ar	e not available on curve	ed backs
PRODUCT CODE KE	Υ					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1  Mid Height Back with  Shelf Option	
					M2	

Mid Height Back with Privacy Screen Options

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD 5	ES 6	7	EATHEF 8	} 9
	Double-Seat, 45° Insi ZOP3-MCID45DF0F	de Curve, Full Heigl	nt Back 5360	5666	5975	6411	6909	7343	7839	8457	9086
	Double-Seat, 45° Insi ZOP3-MCID45DF1_		nt Back v 6161 6260	with Shelf 6469 6568	6779 6877	7214 7314	7711 7809	8146 8247	8643 8741	9261 9359	988 998
	ORDERING NOTE: V 42", 36" or 30" and c balance weight added	hose required leg ty	pe belov	v. Freesta	nding, S	Start and En	d units w				
	Double-Seat, 45° Insi ZOP3-MCID45DF2F	de Curve, Full Heigl	nt Back v 6313	with Privac 6621	cy Scree 6931	en 7367	7863	8298	8792	9412	1004
	Double-Seat, 45° Insi ZOP3-MCID45DM0F	de Curve, Mid Heig	ht Back 5103	5367	5635	6014	6444	6822	7255	7787	834
	Double-Seat, 45° Insi	de Curve, Mid Heig	ht Back	with Shelf			70.40	7605	8056	8590	914
	ZOP3-MCID45DM1_ ORDERING NOTE: V	Maple/Palette  When ordering a bac							8155 ne require	8688 ed Shelf	924 Heigh
	ZOP3-MCID45DM1_	Maple/Palette  When ordering a back required leg type be a seat unit, please a	6003 k with S low. Free dd <b>\$303</b>	6269 helf optior estanding, list upcha	6537 n please Start a arge per	6914 clearly spec nd End units unit.	7345 cify on yo	7725 our order th	8155 ne require	8688 ed Shelf	924 Heigh balan
Cola Privacy (	ORDERING NOTE: V 36" or 30" and chose weight added to each Double-Seat, 45° Insi	Maple/Palette  When ordering a back required leg type be a seat unit, please a	6003 k with Silow. Freedd \$303 ht Back	6269 helf optionestanding, list upcha	6537  n please Start and arge per cy Screen	6914 e clearly spec nd End units r unit. en Option	7345 cify on you with the	7725 our order th shelf optio	8155 ne require on require	8688 ed Shelf counter 8741	924 Heigh
Moisture Barri Seat Power (poshelf Power	ORDERING NOTE: V 36" or 30" and chose weight added to each Double-Seat, 45° Insi ZOP3-MCID45DM2F	Maple/Palette  When ordering a back required leg type be a seat unit, please and de Curve, Mid Height	k with Slow. Freedd \$303 ht Back 16055	helf optionestanding, list upcha with Priva 6322  us Upgrad lal Leg (for	6537  n please Start an arge per cy Scree 6587  e - Dou r Multipl Seat Co	6914 e clearly specind End units r unit. en Option	7345 city on you with the 7399 ° Curve gurations', e-Seat, 4	7725 our order the shelf option 7778	8155 ne require n require 8207 \$ Lis: 180 80 101	8688 ed Shelf counter  8741	924 Heigh baland
Moisture Barrio Seat Power (po Shelf Power Sable Power	ORDERING NOTE: V 36" or 30" and chose weight added to each  Double-Seat, 45° Insi ZOP3-MCID45DM2F  Option Upcharges ier & CAL 133 (per yard) per power unit)	Maple/Palette When ordering a backerequired leg type been seat unit, please and de Curve, Mid Height State 1988  \$ List 64 641 600	k with Slow. Freedd \$303 ht Back 16055	helf optionestanding, list upcha with Priva 6322  us Upgrad lal Leg (for	6537  n please Start an arge per cy Scree 6587  e - Dou r Multipl Seat Co	e clearly spec nd End units unit. en Option 6968 ble-Seat, 45 le unit configuers -Double	7345 city on you with the 7399 ° Curve gurations', e-Seat, 4	7725 our order the shelf option 7778	8155 ne require n require 8207 \$ Lis: 180 80 101	8688 ed Shelf counter  8741	924 Heigh baland
Moisture Barriceat Power (pohelf Power able Power	ORDERING NOTE: V 36" or 30" and chose weight added to each  Double-Seat, 45° Insi ZOP3-MCID45DM2F  Option Upcharges ier & CAL 133 (per yard) per power unit)	Maple/Palette When ordering a backerequired leg type been seat unit, please and de Curve, Mid Height State 1988  \$ List 64 641 600	k with Slow. Freedd \$303 ht Back 16055	helf optionestanding, list upcha with Priva 6322  us Upgrad lal Leg (for	6537  n please Start an arge per cy Scree 6587  e - Dou r Multipl Seat Co	e clearly spec nd End units unit. en Option 6968 ble-Seat, 45 le unit configuers -Double	7345 cify on you with the 7399  Ourve gurations; e-Seat, 4 are not av	7725 our order the shelf option 7778	8155 ne require n require 8207 \$ Lis: 180 80 101	8688 ed Shelf counter  8741	924 Heigh baland 929
Moisture Barri Seat Power (po Shelf Power Sable Power RODUCT COD	ORDERING NOTE: V 36" or 30" and chose weight added to each Double-Seat, 45° Insi ZOP3-MCID45DM2F  Option Upcharges ier & CAL 133 (per yard) ier power unit)	Maple/Palette When ordering a backerequired leg type been seat unit, please and de Curve, Mid Height State 1	k with Silow. Freedd \$303 htt Back v 6055  Plu Du Re No	helf optionestanding, list upcha with Priva 6322  us Upgrad lal Leg (for	e - Dou Multipl Seat Co	e clearly spec nd End units unit. en Option 6968 ble-Seat, 45 le unit config vers -Double ack covers a	o Curve gurations; e-Seat, 4 are not av	7725  our order the shelf option  7778  7778  5° Curve railable on  Back Type  F0  I Height Back of the shelf option  F1  leight Back of the shelf option  F1	\$155 ne require no require 8207  \$ Lis 180 80 101 curved b	8688 ed Shelf counter  8741	924 Height baland 9299
Moisture Barric Seat Power (problem of Power Schelf Power Sable Power RODUCT COD Line	ORDERING NOTE: V 36" or 30" and chose weight added to each Double-Seat, 45° Insi ZOP3-MCID45DM2F  Option Upcharges ier & CAL 133 (per yard) eer power unit)  DE KEY  Series	Maple/Palette When ordering a backerequired leg type been seat unit, please and de Curve, Mid Height State 1	k with Silow. Freedd \$303 htt Back v 6055  Plu Du Re No	helf optionestanding, list upcha 6322  us Upgrad hal Leg (for movable some Remount of Source Style IS Curve -Sin ID	e - Dou Multipl Seat Co vable ba	6914 e clearly special region of End units unit. en Option 6968  ble-Seat, 45 le unit configuers -Double ack covers a  Seat Degree	° Curve gurations', e-Seat, 4 ure not av	7725  our order the shelf option  7778  7778  5° Curve railable on  Back Type  F0  I Height Back  F1	\$155 ne require 8207  \$ Lis 180 80 101 curved b	8688 ed Shelf counter  8741  t 0 0 1 acks  Leg Typ Feestandin S	924 Heigh baland 929  929  g Unit

Mid Height Back

M1
Mid Height Back with
Shelf Option
M2
Mid Height Back with

DESCRIPTION/MODEL/SPECIES	COM 1	0	COL 3	FAB 4	RIC GRAD	DES 6		LEATHE	
DESCRIPTION/MODEL/SPECIES	•	2	3	4	5	ь	7	8	9
Double-Seat, 60° Inside Curve, Full Heig ZOP3-MCID60DF0F	ght Back 5910	6263	6616	7127	7704	8215	8791	9499	10262
Double-Seat, 60° Inside Curve, Full Heig	aht Back v	vith Shelf							
ZOP3-MCID60DF1_ Beech/Laminate Maple/Palette	6766 6867	7122 7219	7476 7573	7986 8085	8563 8662	9074 9172	9652 9751	10358 10458	
ORDERING NOTE: When ordering a ba 42", 36" or 30" and chose required leg t balance weight added to each seat unit.	ype below	v. Freesta	nding, Sta	art and En	d units wit				
Double-Seat, 60° Inside Curve, Full Heig	ght Back v	vith Priva	cv Screen	)					
ZOP3-MCID60DF2F	6869	7222	7577	8088	8666	9174	9754	10460	11224
Double-Seat, 60° Inside Curve, Mid Heig ZOP3-MCID60DM0F	ght Back 5588	5884	6175	6595	7069	7487	7963	8548	9161
Double-Seat, 60° Inside Curve, Mid Heid	nht Back v	with Shelf							
ZOP3-MCID60DM1_ Beech/Laminate Maple/Palette	6447 6545	6742 6840	7035 7132	7452 7550	7927 8026	8344 8445	8820 8918		10020 10120
ORDERING NOTE: When ordering a ba 36" or 30" and chose required leg type b weight added to each seat unit, please a	elow. Free	standing.	Start and	d End units					
Double-Seat, 60° Inside Curve, Mid Heig ZOP3-MCID60DM2F	ght Back v 6549	vith Priva 6842	cy Screer 7135	Option 7553	8029	8447	8920	9508	10123
Zola Privacy Option Upcharges \$ List								:	

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Double-Seat, 60° Curve	183
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Double-Seat, 60° Curve	123
Table Power	647	Note: Removable back covers are not available on c	urved backs

DUCT CODE KE	Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Uni
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

									'		
DESCRIPTION!/	MODEL /CDEOIEC		COM	0	COL		IC GRAD			LEATHEF	
ESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 90° Insi ZOP3-MCID90DF0F	de Curve, Full Hei	ight Back 6937	7303	7673	8211	8813	9354	9959	10694	11512
	Double-Seat, 90° Insi	de Curve, Full Hei	ght Back	with Sh	elf						
	ZOP3-MCID90DF1_	Beech/Laminate Maple/Palette	7873 7973	8239 8341	8610 8709	9147 9249	9753 9853	10291 10390	10895 10994	11630 11732	
	ORDERING NOTE: V - 42", 36" or 30" and terbalance weight add	chose required leg	g type be	low. Fre	estanding	, Start and	End units				
	Double-Seat, 90° Insi	de Curve, Full Hei	ight Back	with Pri	vacy Scre	en en					
	ZOP3-MCID90DF2F		7942	8308	8678	9217	9818	10358	10963	11699	12514
· 1	Double-Seat, 90° Insi	de Curve Mid He	ight Back	·							
	ZOP3-MCID90DM0F		6441	6735	7028	7446	7921	8340	8813	9403	10014
	Double-Seat, 90° Insi	de Curve. Mid He	ight Back	with Sh	nelf						
	ZOP3-MCID90DM1_			7674 7773	7966 8067	8385 8485	8859 8959	9277 9379	9753 9853	10339 10440	
	ORDERING NOTE: V - 36" or 30" and chos ance weight added to	e required leg type	e below. I	Freestan	ding, Star	rt and End ι	units with				
	Double-Seat, 90° Insi ZOP3-MCID90DM2F	de Curve, Mid He	ight Back 7446	with Pr 7740	ivacy Scre 8033	een Option 8450	8925	9342	9818	10408	11018
Zola Privacy O	ption Upcharges	\$ List							\$ Lis	st	
<del>-</del>	r & CAL 133 (per yard)	64	Plı	ıs Upara	ide - Doul	ble-Seat, 90	0° Curve		22	0	
	r power unit)	641				e unit confi		s)		0	
Shelf Power		600				vers - Doub			12		
Table Power		647	No	ote: Rem	ovable ba	ack covers	are not a	vailable on	curved	backs	
RODUCT CODE	KEY										
Line	Series	Chair Type	Cı	urve Style		Seat Degree		Back Type		Leg Typ	e
ZOP	3	MC		IS		30D		F0		F	
Zola	Lounge	Modular Curve	Inside	Curve -Si	ingle		Ful	Height Bac	ck Fr	reestandin	g Unit
		MCB		ID		45D		F1		S	
		Modular Curve	Inside	Curve -Do	ouble		Full H	leight Back	with	Start Ur	- nit

DDUCT CODE KE						
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1	
					Mid Height Back with Shelf Option	
					M2	
					Mid Height Back with Privacy Screen Options	

			COM		COL	FAB	RIC GRAD	DES		LEATHE	R
ESCRIPTIO	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Outsic ZOP3-MCOD30DFOF	le Curve, Full Heiç	ght Back 4593	4879	5166	5563	6020	6419	6873	7445	801
<u> </u>	Double-Seat, 30° Outsic		ght Back	with She	lf						
	ZOP3-MCOD30DF1_ E	seech/Laminate //aple/Palette	5155 5248	5441 5534	5726 5821	6126 6219	6582 6676	6981 7073	7437 7531	8008 8099	857 867
1	ORDERING NOTES: W - 42", 36" or 30" and che balance weight added to	ose required leg ty	pe below	. Freesta	nding, St	art and End	d units wit				
	Double-Seat, 30° Outsic	le Curve, Full Heiç	ght Back	with Priva	acy Scree	en					
	ZOP3-MCOD30DF2F		5192	5478	5764	6163	6620	7018	7474	8044	861
_	Double-Seat, 30° Outsic	le Curve, Mid Hei	ght Back								
	ZOP3-MCOD30DMOF		4398	4637	4873	5206	5586	5918	6296	6770	724
	Double-Seat, 30° Outsic ZOP3-MCOD30DM1_ E		•			F707	01.47	0400	6050	7000	700
		/laple/Palette	4961 5054	5199 5292	5436 5529	5767 5861	6147 6242	6480 6574	6859 6953	7333 7427	780 790
	Double-Seat, 30° Outsid ZOP3-MCOD30DM2F	le Curve, Mid Hei	ght Back 4998	with Priv 5236	acy Scree 5472	en Option 5806	6185	6518	6896	7371	784
Zola Privacy	Option Upcharges	\$ List							\$ List		
	rier & CAL 133 (per yard) per power unit)	64 641 600 647	Dua Ren	al Leg (for novable S	Multiple Seat Cove	e-Seat, 30° unit config ers -Double ck covers a	urations) -Seat, 30		152 80 93 curved ba	acks	
PRODUCT CO											
Line	Series	Chair Type MC	Cu	IS IS		Seat Degree	E	Back Type		Leg Type	e 
ZOP Zola	3 Lounge	Modular Curve	Inside (	Curve -Sin	gle	30D	Full	F0 Height Back	κ Fre	estanding	Unit
		MCB Modular Curve	[ Inside (	ID Curve -Dou	uble	45D		F1 eight Back w	vith	Start Un	it
		Plus	Outside	OS Curve -Si	ngle	60D		nelf Option F2 eight Back w	vith	C Center Ur	nit
				OD Curve -Do		90D	Privacy	Screen Op M0 Height Back	tion	E End Uni	  -
			Outside	Sui ve -DC	, udile			M1		LIG OIII	
								eight Back w nelf Option	vith		

Mid Height Back with Privacy Screen Options

DESCRIPTION	PTION/MODEL/SPECIES		COM 1	2	COL 3	FABR	IC GRAD 5	ES 6	7	LEATHEF 8	8 9
	Double-Seat, 45° Outs ZOP3-MCOD45DFOF	de Curve, Full He	ight Back 4798		5368	5767	6225	6624	7080	7651	822
	Double-Seat, 45° Outs ZOP3-MCOD45DF1_  ORDERING NOTE: With 42", 36" or 30" and chubalance weight added	Beech/Laminate Maple/Palette nen ordering a bac ose required leg ty	5362 5454 ck with Sh pe below	5646 5740 elf optio	5932 6024 In please anding, S	Start and End	d units wi				
	Double-Seat, 45° Outs ZOP3-MCOD45DF2F	de Curve, Full He	ight Back 5397	with Pri 5684	vacy Scr 5969	een 6366	6823	7222	7680	8250	8820
	Double-Seat, 45° Outs ZOP3-MCOD45DMOF	de Curve, Mid He	eight Back 4581	4817	5056	5388	5766	6099	6478	6954	742
	Double-Seat, 45° Outs ZOP3-MCOD45DM1_ ORDERING NOTE: Wi 36" or 30" and chose re weight added to each s	Beech/Laminate Maple/Palette nen ordering a bac equired leg type be	5142 5236 ck with Shelow. Free	5381 5472 elf optio standing	5616 5712 n please j, Start a	nd End units					
	Double-Seat, 45° Outs ZOP3-MCOD45DM2F	-					6365	6697	7079	7552	802
Moisture Barrio Seat Power (po Shelf Power	Option Upcharges er & CAL 133 (per yard) er power unit)	\$ List 64 641 600 647	Dua Rei	al Leg (fo movable	or Multip Seat Co	ble-Seat, 45 le unit confiç overs - Doub ack covers a	gurations) le-Seat, 4	5° Curve	\$ Lis 180 80 10° curved b	0 0 1	
Moisture Barri	er & CAL 133 (per yard) er power unit)	64 641 600	Dua Rei <b>No</b>	al Leg (fo movable	or Multip Seat Co ovable b	le unit confiç vers - Doub	gurations) le-Seat, 4 ire not av	5° Curve	180 80	0 0 1	e

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAD	DES 6	7	LEATHEF 8	R 9
	Double-Seat, 60° Outs ZOP3-MCOD60DFOF	ide Curve, Full He	eight Back 5050	5336	5619	6019	6474	6873	7331	7900	8471
	ORDERING NOTE: Wh 42", 36" or 30" and cho	Beech/Laminate Maple/Palette nen ordering a ba ose required leg t	5609 5702 ack with Shary type below.	5894 5986 elf option Freestar	6181 6270 n please onding, Sta	art and End	units with				
	Double-Seat, 60° Outs ZOP3-MCOD60DF2F						7072	7472	7928	8499	9067
	Double-Seat, 60° Outs ZOP3-MCOD60DMOF	de Curve, Mid H	eight Back 4798	5035	5274	5607	5985	6317	6696	7173	7646
	ORDERING NOTE: Wh	Beech/Laminate Maple/Palette nen ordering a ba equired leg type b	5360 5450 ack with Shelow. Frees	5595 5686 elf option standing,	5833 5924 please of Start and	d End units					
	weight added to each some pouble-Seat, 60° Outsing ZOP3-MCOD60DM2F						6582	6914	7294	7768	8241
Moisture Barri	Option Upcharges ier & CAL 133 (per yard) ier power unit)	\$ List 64 641 600 647	Dua Rer	al Leg (for novable s	r Multiple Seat Cov	ole-Seat, 60° e unit config ers - Double ck covers a	urations) e-Seat, 60		<b>\$ List</b> 193 80 123 curved b	 	
PRODUCT COD	Series	Chair Type	Cı	ırve Style		Seat Degree	E	Back Type		Leg Type	<del></del>
ZOP Zola	3 Lounge	MC Modular Curve	e Inside	IS Curve -Sir ID	ngle	30D 45D	Full	F0 Height Back	k Fr	F eestanding S	) Unit

M2 Mid Height Back with Privacy Screen Options

			0014		001	L FABRIC GRADES				LEATHER		
DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	4	5	6	7	LEATHEF 8	9	
	Double-Seat, 90° Outsic ZOP3-MCOD90DF0F	le Curve, Full He	ight Bacl 5659	k 5944	6229	6628	7084	7484	7940	8511	9080	
•	Double-Seat, 90° Outsic	le Curve, Full He	ight Bacl	k with Sh	nelf							
	ZOP3-MCOD90DF1_ E		6212 6304	6497 6587	6784 6873	7182 7271	7638 7730	8038 8129	8493 8584	9064 9157	9632 9725	
	ORDERING NOTES: WI - 42", 36" or 30" and cho balance weight added to	se required leg	type belo	w. Frees	tanding,	Start and En	d units w					
	Double-Seat, 90° Outsic	e Curve, Full He	ight Bacl	k with Pr	ivacy Sc	reen						
	ZOP3-MCOD90DF2F		6247	6534	6819	7216	7674	8073	8529	9099	9668	
	Double-Seat, 90° Outsic	e Curve. Mid He	eight Bac	k								
	ZOP3-MCOD90DM0F	,,,,,,	5507	5833	6159	6663	7216	7722	8276	8930	9737	
	Double Seet 90% Outsid	la Curua Mid Ha	ight Doo	le with Cl	aolf							
	Double-Seat, 90° Outsic ZOP3-MCOD90DM1_ E		6060	6387	6713	7216	7770	8276	8830	9482	10291	
	N	laple/Palette	6154	6477	6805	7310	7863	8367	8919		10382	
•	ORDERING NOTES: WI - 36" or 30" and chose re weight added to each se	quired leg type b	oelow. Fre	estandir	ng, Start a	and End units						
	Double-Seat, 90° Outsid	e Curve, Mid He	-		•	-						
	ZOP3-MCOD90DM2F		6097	6421	6749	7255	7807	8310	8865	9517	10328	
Zola Privacy (	Option Upcharges	\$ List							\$ Li	st		
Moisture Barrie Seat Power (pe Shelf Power Table Power	er & CAL 133 (per yard) er power unit)	64 641 600 647	Du Re	ıal Leg (f movable	or Multip Seat Co	ible-Seat, 90 le unit confiç overs - Doub ack covers a	gurations le-Seat, 9	90° Curve	1:	20 80 27 backs		
PRODUCT COD	E KEY											
Line	Series	Chair Type	С	urve Style	)	Seat Degree		Back Type		Leg Typ	ре	
ZOP	3	MC		IS		30D		F0		F		
Zola	Lounge	Modular Curve	Inside	Curve -S	ingle		Ful	l Height Bad	ck	Freestandir	ng Unit	
		MCB		ID		45D		F1		S		
		Modular Curve Plus	Inside	Curve -Do	ouble			leight Back Shelf Option		Start U	nit	
		1 100		OS		60D		F2		С		
			Outsid	e Curve -	Single			leight Back		Center U	Jnit	
			Outside	OD e Curve -D	)oublo	90D		ey Screen O <sub>l</sub> M0 d Height Bad		E End Ur		
			Outside	Juive -L	JUUDIE		IVIIC		UI <b>N</b>	LIIU UI		
								M1 Height Back Shelf Option				
								M2 leight Back				
						_	Privac	y Screen Op	OLIONS			

### **ZOLA PRIVACY | SIDE PANELS**

			COM		COL	FAI	BRIC GRA	DES		LEATHE	R
DESCRIPTION/N	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Side Panel, Single ZOP3-MPF0S ZOP3-MPF0C ZOP3-MPF0E	e, Full Height No Si Start Center End	948 1222 948	1036 1310 1036	1124 1398 1124	1304 1578 1304	1481 1753 1481	1660 1932 1660	1836 2109 1836	2016 2286 2016	2370 2642 2370
	Side Panel, Single ZOP3-MPF2S ZOP3-MPF2C ZOP3-MPF2E	e, Full Height with S Start Center End	Screen 1243 1515 1243	1332 1606 1332	1420 1693 1420	1597 1871 1597	1776 2051 1776	1954 2228 1954	2132 2406 2132	2310 2584 2310	2665 2938 2665
0 0	Side Panel, Singl ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E	e, Mid Height No S Start Center End	creen 767 1052 767	829 1110 829	888 1170 888	1011 1290 1011	1131 1412 1131	1251 1533 1251	1372 1653 1372	1492 1773 1492	1732 2016 1732
	Side Panel, Singl ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E	e, Mid Height with Start Center End	Screen 1063 1346 1063	1122 1405 1122	1183 1465 1183	1306 1587 1306	1425 1706 1425	1547 1827 1547	1667 1947 1667	1788 2066 1788	2029 2310 2029

**ORDERING NOTE**: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See page 198 for Dimensions and COM.

Line	Series	Chair Type	Height	Position
ZOP Zola	3 Lounge	MP  Modular Side Panel	F0 Full Height	S Start
	-		F2	С
			Full Height with Privacy Screen Option	Center
			M0 Mid Height	E End
			M2	
			Mid Height with Privacy Screen Option	

### **ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side	Panel, Single, I	Full Height									
	ZOP3-MSPF0S	Start	583	628	674	765	856	949	1039	1132	1314	
	ZOP3-MSPF0C	Center	857	905	952	1041	1134	1224	1315	1407	1589	
	ZOP3-MSPF0E	End	583	628	674	765	856	949	1039	1132	1314	
	Semi-Private Side	Panel, Single, I	Mid Height									
	ZOP3-MSPM0S	Start	514	555	592	672	751	829	909	987	1143	
	ZOP3-MSPM0C	Center	796	835	875	955	1033	1111	1191	1269	1428	
	ZOP3-MSPM0E	End	514	555	592	672	751	829	909	987	1143	

**ORDERING NOTE**: Semi-Private Side Panels will only connect to Center seating units.

#### PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP Zola	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center	
				E End	

### **ZOLA PRIVACY | MODULAR ARMS**

		COM		COL	FA	BRIC GR	ADES		LEATHE	R	
DESCRIPTION	/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	702 702 784	740 740 823	778 778 859	853 853 935	930 930 1012	1004 1004 1087	1081 1081 1163	1155 1155 1239	1307 1307 1390	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 840 840 906	878 878 942	914 914 981	990 990 1058	1066 1066 1134	1141 1141 1207	1218 1218 1284	1292 1292 1358	1445 1445 1510	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col		С
Solid Surface Arm Cap (per arm)	129	136	151	157

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

# **ZOLA PRIVACY** | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

#### **DIMENSIONS**

		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Sing	le-Seat - Ful	l Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Sing	le-Seat - Mid	d Height Ba	ick						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Dou	ble-Seat - Fι	ıll Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Dou	ble-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

#### **COM YARDAGES**

	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	per Back	per 2 Backs	per 3 Backs	per 4 Backs
	Offic	Offics	Offics	Offics	Dack	Dacks	Dacks	Dacks
Curved Sing	jle-Seat - Full I	leight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	Height Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

# **ZOLA PRIVACY | TWIN CURVED - COM REQUIREMENTS**

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid I	Height Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Do	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Do	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

DESCRIPTION/MODE	EL		COM 1	2	COL 3	- FABF 4	RIC GRA	ADES 6	7 L	EATHER 8	9
	Twin Single-Sea ZOP3-MCTS30I	t, 30° Curve, Full H DF0F	leight Bad 5204	ck 5517	5830	6268	6767	7208	7709	8335	8960
	Twin Single-Seat ZOP3-MCTS30I	t, 30° Curve, Full H DF2F	leight Bad 5796	ck with F 6111	Privacy S 6422	creen Optio 6862	n 7362	7800	8302	8930	9555
	Twin Single-Sea ZOP3-MCTS30I	t, 30° Curve, Mid I DM0F	Height Ba	ack 5213	5494	5888	6336	6731	7180	7741	8305
	Twin Single-Sea ZOP3-MCTS30D	t, 30° Curve, Mid I DM2F	Height Ba	ack with 5806	Privacy 5 6085	Screen Optio	on 6931	7323	7773	8337	8896
	Twin Single-Sea ZOP3-MCTS45I	t, 45° Curve, Full h DF0F	Height Ba 5867	ck 6191	6519	6977	7498	7953	8477	9130	9781
	Twin Single-Sea ZOP3-MCTS45E	t, 45° Curve, Full h DF2F	Height Ba 6468	ck with 6793	Privacy \$ 7120	Screen Optio 7577	on 8098	8555	9079	9730	10382
Zola Privacy Option	Upcharges	\$ List							\$ Lis	t	
Moisture Barrier & CA Seat Power (per pow Shelf Power Table Power Dual Leg (for Multiple	AL 133 (per yard) er unit)	64 641 600 647	Plus Rer Rer	s Upgrad novable novable	de - Twin Seat Co Seat Co	Single-Sea Single-Sea vers -Twin S vers -Twin S ack covers a	t, 45° Cu ingle-Se ingle-Se	urve eat, 30° Cur eat, 45° Cur	28 <sup>2</sup> 34 <sup>2</sup> ve 15 <sup>2</sup> ve 16 <sup>0</sup>	7 5 5 6	
Line PRODUCT CODE KEY	Series	Chair Type	Cur	ve Style		Seat Degree		Back Type		Leg Type	<del></del>
ZOP Zola	3 Lounge	MCT Modular Curve Twin		S I Radius- le Width		30D	Ful	F0 I Height Back	Fre	F	Unit
		MCTB  Modular Curve Twin Plus		D I Radius- ole Width		45D		F2 leight Back w y Screen Opt		S Start Uni	it
						60D	Mic	M0 Height Back		C Center Ur	nit
						90D		M2		E	

Mid Height Back with

Privacy Screen Options

End Unit

DESCRIPTION/MOD	EL		COM 1	2	COL 3	FABR	RIC GRA	DES 6	7	-EATHER 8	9
	Twin Single-Seat, 4 ZOP3-MCTS45DM0		Height Ba 5556	ack 5850	6142	6556	7027	7438	7909	8499	9087
	Twin Single-Seat, 4 ZOP3-MCTS45DM2		Height Ba	ack with 5812	Privacy S 6093	creen Optio 6489	n 6938	7331	7781	8342	8905
	Twin Single-Seat, 6 ZOP3-MCTS60DF0		Height Ba	ack 7045	7430	7966	8580	9116	9729	10495	11261
	Twin Single-Seat, 6 ZOP3-MCTS60DF2		Height Ba	ack with I 7649	Privacy So 8033	creen Option 8569	n 9184	9719	10333	11098	11866
	Twin Single-Seat, 6 ZOP3-MCTS60DM0		Height Ba 6304	ack 6644	6983	7460	8002	8477	9020	9697	10379
	Twin Single-Seat, 6 ZOP3-MCTS60DM2		Height Ba 7480	ack with 1 7913	Privacy S 8345	creen Optio 8955	n 9650	10259	10953	11820	12688
Zola Privacy Option	n Upcharges	\$ List							\$ Lis	st	
	ver unit) le unit configurations)	64 641 600 647 80	Plu Re Re	us Upgra movable movable	de - Twin Seat Cov Seat Cov	Single-Seat Single-Seat vers -Twin S vers -Twin S ck covers a	t, 60° Cı ingle-Se ingle-Se	urve eat, 45° Cu eat, 60° Cu	rve 21	)4 66 2	
Line	Series	Chair Type	Cı	urve Style	5	Seat Degree		Back Type		Leg Typ	
ZOP Zola	3 Lounge M	MCT   lodular Curve Twi		S all Radius		30D	Fu	F0	ck F	F	g Unit
		MCTB  Modular Curve Twin Plus		D all Radius uble Width		45D		F2 Height Back cy Screen O <sub>l</sub>		S Start U	nit

M0

Mid Height Back

M2

С

Center Unit

End Unit

Е

60D

90D

		COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Single-Seat, 90° Curve, Full ZOP3-MCTS90DF0F	Height B 8312	ack 8702	9091	9644	10270	10818	11446	12225	13017
	Twin Single-Seat, 90° Curve, Full ZOP3-MCTS90DF2F	Height Ba 9265	ack with 9654	Privacy So 10044	creen Opti 10594	ion 11223	11769	12396	13175	13969
	Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM0F	Height B 7814	ack 8159	8506	8994	9550	10040	10594	11286	11991
	Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM2F	Height B 7447	ack with 7838	Privacy 8 8230	Screen Op 8775	tion 9398	9945	10570	11349	12130

Zola Privacy Option Upcharges	\$ List	\$	S List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Single-Seat, 90° Curve	516
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Twin Single-Seat, 90° Curve	240
Table Power	647	Note: Removable back covers are not available on curv	red backs

PRODUCT CODE RE	1					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT  Modular Curve Twin	S Small Radius-	30D	F0 Full Height Back	Freestanding Unit
2018	Lounge	Woddiai Guive IWiii	Single Width		i dii i leigiti back	Treestanding Offic
		MCTB  Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0	С
					Mid Height Back	Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM	_	COL		RIC GRAD		_	EATHER	
DESCRIPTION/MODI	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 30° Curve, Fe	ull Height I	Back							
	ZOP3-MCTD30DF0F	6875	7311	7743	8350	9046	9654	10348	11216	12086
	Twin Double-Seat, 30° Curve, F	ull Height I	Back with	n Privacy S	Screen Op	tion				
	ZOP3-MCTD30DF2F	7820	8256	8688	9296	9991	10598	11293	12163	13029
1 11										
	Twin Double-Seat, 30° Curve, M	id Hoight E	Rook							
	ZOP3-MCTD30DM0F	6496	6886	7279	7822	8447	8993	9619	10399	11179
The fred										
	Twin Double-Seat, 30° Curve, MizOP3-MCTD30DM2F	Ü		,	•		0000	10501	44044	10100
	ZOF3-IVIC I D3UDIVIZF	7441	7833	8222	8768	9393	9938	10564	11344	12122

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 30° Curve	404
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Twin Double-Seat, 30° Cur	/e 186
Table Power	647	Note: Removable back covers are not available on c	urved backs

RODUCT CODE KE	Ť					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL				LEATHER			
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9	
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF0F	Height Ba 7754	ack 8198	8645	9269	9983	10606	11320	12211	13105	
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF2F	Height Barrier 8706	ack with I 9156	Privacy S 9600	creen Opt 10222	ion 10937	11561	12274	13167	14058	
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM0F	Height B 7346	ack 7750	8152	8715	9358	9919	10564	11367	12171	
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM2F	Height B 8304	ack with 8703	Privacy S 9108	Screen Opt 9668	tion 10312	10875	11517	12320	13127	

#### **ORDERING NOTES:**

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 45° Curve	458
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers - Twin Double-Seat, 45° C	urve 204
Table Power	647	Note: Removable back covers are not available on	curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	Е
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FABI	RIC GRAD	ES	LEATHER		
DESCRIPTION/MO	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 60° Curve, Full ZOP3-MCTD60DF0F	Height Ba 8458	ck 8912	9363	9996	10721	11353	12079	12983	13887
	Twin Double-Seat, 60° Curve, Fu ZOP3-MCTD60DF2F	II Height Ba 9418	ack with 9873	Privacy So 10324	creen Opt 10958	ion 11680	12315	13038	13944	14848
	Twin Double-Seat, 60° Curve, Mi ZOP3-MCTD60DM0F	d Height Ba 7994	ack 8404	8811	9383	10039	10609	11264	12083	12897
	Twin Double-Seat, 60° Curve, Mic ZOP3-MCTD60DM2F	I Height Ba 8955	ick with I	Privacy So 9772	creen Opti 10344	on 10995	11568	12225	13042	13858

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 60° Curve 543
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations) 80
Shelf Power	600	Removable Seat Covers -Twin Double-Seat, 60° Curve 248
Table Power	647	Note: Removable back covers are not available on curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB  Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

# **ZOLA PRIVACY |** TWIN SIDE PANELS

	COM COL FABRIC GRADES				ES	LEATHER			
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No Screen ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center	en 1428 2139	1559 2272	1691 2405	1955 2668	2218 2932	2483 3193	2745 3457	3010 3720	3536 4248
Twin Side Panel, Full Height with Screen ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center	2006 2718	2138 2851	2271 2984	2533 3246	2798 3510	3061 3772	3324 4037	3589 4297	4114 4828
Twin Side Panel, Med. Height No Screen ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center	een - 1187 1897	1275 1988	1363 2077	1543 2254	1720 2432	1898 2610	2077 2788	2254 2965	2610 3322
Twin Side Panel, Med. Height with Sc ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center  ORDERING NOTE: Side Panels will of with Removable Back Cover option. Se	1767 2478 only connect		•		2301 3011 s with Priva	2479 3188 acy Screer	2657 3367 n Option a	2833 3543 are not av	3188 3902 ailable

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			MO		
			Mid Height		
			M2		
			Mid Height with Privacy Screen Option		

### **ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM		COL		FABRIC GRADES			LEATHER		
DESCRIPTION/M	IODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private		•	leight								
	ZOP3-MSPTF0U	Universal	1012	1092	1172	1286	1415	1528	1659	1819	1981	
	ZOP3-MSPTF0C	Center	1724	1804	1885	1999	2129	2240	2370	2532	2694	
	Twin Semi-Private	Side Panel, Sin	gle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	868	919	973	1045	1131	1203	1288	1393	1497	
	ZOP3-MSPTM0C	Center	1581	1633	1686	1758	1842	1915	2001	2106	2211	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 207 for dimensions and COM.

#### PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

### **ZOLA PRIVACY | TWIN MODULAR ARMS**

		COM		OM COL			FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9		
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1120 1846	1197 1909	1262 1974	1349 2062	1451 2164	1539 2253	1641 2354	1768 2481	1894 2608		
	Twin Modular Upholstered Arm w/Urethane Cap											
	ZOP3-MATUREU	1252	1329	1393	1481	1582	1670	1772	1899	2026		
	ZOP3-MATUREC	1979	2041	2106	2193	2295	2384	2485	2612	2739		

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	A-Cole	С	
Solid Surface Arm Cap (per arm)	276	288	318	328

#### PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

# **ZOLA PRIVACY** | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	514 538	12	2
	Tablet with Palette Fini ZOL3 T2	sh n/a	411	12	2
	Clear Glass Tablet ZOL3 T3	n/a	783	13	2
	Laminate Tablet ZOL3 T4	n/a	532	12	2
			olet comes standard with a polymer edge. Please note Zola Tabl fied right or left when ordering.	lets are univ	versally
	Solid Surface Tablet - ZOL3 T5AW	Grade A White n/a	641	14	2
	Solid Surface Tablet - ZOL3 T5AC	Grade A Color n/a	651	14	2
	Solid Surface Tablet - ZOL3 T5B	Grade B n/a	686	14	2
	Solid Surface Tablet - ZOL3 T5C	Grade C n/a	741	14	2

#### **ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS**



#### RECONFIGURABILITY

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



#### **RUNOFF TABLES**

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.



#### **BACK CONNECTION**

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or



#### LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.



#### **LEGS**

The legs offered on Zola Lounge are Silver Metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



#### SOLID SURFACE OVERLAY


The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see page 336 for color options.




#### MEDIA & POWER

Inline walls can be optioned with Media provisions and Powerdocs.

# **ZOLA PRIVACY** | INLINE WALLS | SAMPLE CONFIGURATIONS



Total		\$12,922
ZOP3-RO48532416	1	1066
ZOP3-ICWF0R	1	1697
ZOP3-ICWF0L	1	1697
ZOP3-IWF048MP	1	2404
ZOP3-M2F0F	2	3029
Model	Qty	Price (\$)



Model	Qty	Price (\$)
ZOP3-M2M0F ZOP3-ICTWM0L ZOP3-ICTWM0R	3 1 1	2595 1715 1715
Total		\$11.215

# **ZOLA PRIVACY** | INLINE WALLS

DESCRIPTION/M	IODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH1	Γ CUBE
	Inline Wall, Full Height 42"								
	ZOP3-IWF042N	1172	1985	1673	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1262	2167	1774	48	12	50	121	21.5
	Inline Wall, Full Height 54"								
	ZOP3-IWF054N	1349	2255	1875	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1437	2343	1974	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1095	1683	1588	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1184	1863	1688	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1271	1953	1789	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1359	2040	1886	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	2" 1318	2131	1820	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	8" 1407	2313	1921	48	12	50	121	21.5
	Inline Wall Media, Full Height 5 ZOP3-IWF054M	1494	2401	2019	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	1583	2488	2119	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	1242 1242	1827	1734	42	12	37	92	13.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	18" 1330	2010	1834	48	12	37	102	15.25
<b>*</b>	Inline Wall Media, Mid Height & ZOP3-IWM054M	54" 1417	2096	1934	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	50" 1506	2186	2033	60	12	37	126	18.75

**ORDERING NOTE:** Inline Walls only connect to Inline Corner Walls.

DOOT OODE KET					
Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Me

# **ZOLA PRIVACY** | INLINE WALLS WITH POWER

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Full ZOP3-IWF042P	Height 42" 2169	2982	2671	42	12	50	150	19
	Inline Wall w/Power Docs, Full ZOP3-IWF048P	Height 48" 2257	3163	2770	48	12	50	212	21.5
	Inline Wall w/Power Docs, Full ZOP3-IWF054P	Height 54" 2345	3251	2870	54	12	50	135	24
	Inline Wall w/Power Docs, Full ZOP3-IWF060P	Height 60" 2433	3340	2970	60	12	50	147	26.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM042P	Height 42" 2091	2678	2585	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM048P	Height 48" 2180	2860	2684	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM054P	Height 54" 2268	2948	2785	54	12	37	116	17
	Inline Wall w/Power Docs, Mid ZOP3-IWM060P	Height 60" 2356	3036	2883	60	12	37	126	18.75
	Inline Wall Media w/Power Doo ZOP3-IWF042MP	cs, Full Height 42" 2316	3127	2817	42	12	50	150	19
	Inline Wall Media w/Power Doo ZOP3-IWF048MP	cs, Full Height 48" 2404	3310	2917	48	12	50	212	21.5
	Inline Wall Media w/Power Doo ZOP3-IWF054MP	cs, Full Height 54" 2491	3397	3015	54	12	50	135	24
	Inline Wall Media w/Power Doo ZOP3-IWF060MP	es, Full Height 60" 2580	3486	3116	60	12	50	147	26.5
	Inline Wall Media w/Power Doo ZOP3-IWM042MP	cs, Mid Height 42" 2238	2823	2730	42	12	37	92	13.5
	Inline Wall Media w/Power Doo ZOP3-IWM048MP	cs, Mid Height 48" 2326	3007	2830	48	12	37	102	15.5
	Inline Wall Media w/Power Doo ZOP3-IWM054MP	cs, Mid Height 54" 2413	3093	2929	54	12	37	116	17
	Inline Wall Media w/Power Doo ZOP3-IWM060MP	es, Mid Height 60" 2503	3182	3030	60	12	37	126	18.75

**ORDERING NOTE:** Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Media

#### **ZOLA PRIVACY | INLINE CORNER WALLS**

DESCRIPTION/N	10DEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH	Γ CUBE
	Inline Corner Wall, Full Height ZOP3-ICWF0L ZOP3-ICWF0R	1697 1697	2388 2388	2045 2045	26.5 26.5	12 12	50 50	85 85	14.75 14.75
	Inline Corner Wall, Mid Height ZOP3-ICWM0L ZOP3-ICWM0R	1638 1638	2278 2278	1976 1976	26.5 26.5	12 12	37 37	70 70	11 11

#### **ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES**

	Grades					
Option	A-White	A-Color	В	С		
ZOP3-IWF042N	427	446	556	662		
ZOP3-IWF048N	478	500	622	745		
ZOP3-IWF054N	530	555	693	829		
ZOP3-IWF060N	555	607	761	913		

#### **ORDERING NOTES:**

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see page 336 for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Position	
ZOP	3	ICW	F0	L	
Zola	Lounge	Inline Corner Wall	Full Height	Left	
			MO	R	
			Mid Height	Right	

### **ZOLA PRIVACY | INLINE TABLE WALLS**

DESCRIPTION/MG		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH	T CUBE
	Inline Table Wall, Full Height 23" ZOP3-ITWF023N	987	1582	1494	23	25.7	50	100	21
	Inline Table Wall, Full Height 30" ZOP3-ITWF030N	1163	1946	1684	30	25.7	50	125	26.5
5									
	Inline Table Wall, Mid Height 23° ZOP3-ITWM023N	910	1279	1408	23	25.7	37	90	15
	Inline Table Wall, Mid Height 30° ZOP3-ITWM030N	1086	1643	1596	30	25.7	37	115	18.5
	Inline Table Wall w/Power Docs,	Full Height 23"							
	ZOP3-ITWF023P	1984	2579	2491	23	25.7	50	100	21
	Inline Table Wall w/Power Docs, ZOP3-ITWF030P	Full Height 30" 2160	2943	2680	30	25.7	50	125	26.5
	Inline Table Wall w/Power Docs, ZOP3-ITWM023P	Mid Height 23" 1906	2274	2405	23	25.7	37	90	15
	Inline Table Wall w/Power Docs, ZOP3-ITWM030P	Mid Height 30" 2083	2639	2592	30	25.7	37	115	18.5

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	ITW	F0	23	N
Zola	Lounge	Inline Table Wall	Full Height	23"	None
			MO	30	Р
			Mid Height	30"	Power

# **ZOLA PRIVACY |** INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

DESCRIPTION/MO	DEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	нν	WEIGHT	CUBE
	Inline Corner Table Wall, Fu	ll Height							
	ZOP3-ICTWF0L	1776	2678	2178	28	28	50	140	31
	ZOP3-ICTWF0R	1776	2678	2178	28	28	50	140	31
	Inline Corner Table Wall, Mi	d Height							
	ZOP3-ICTWM0L	1715	2566	2108	28	28	37	127	23
	ZOP3-ICTWM0R	1715	2566	2108	28	28	37	127	23

# ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

ZOLA INLINE IAE	BLE WALLS SOLID SURFACE (	Grade:	nues e						
Option	A-White	A-Color	В	С					
ZOP3-ITWF023N	483	508	632	756					
ZOP3-ITWF030N	605	635	796	957	ORDERING	NOTE	S:		
ZOP3-ITWM023N	483	508	632	756	The Solid Su			otion is pri	iced as
ZOP3-ITWM030N	605	635	796	957	an upcharg				
ZOP3-ITWF023P	483	508	632	756	Please add a				
ZOP3-ITWF030P	605	635	796	957	number and				
ZOP3-ITWM023P	483	508	632	756	Zola Solid S				
ZOP3-ITWM030P	605	635	796	957	thickness or	n top	of the	e existing	table,
ZOP3-ICTWF0	607	637	801	961	with a 1 mm	overh	ang (	soft radiu	s verti-
ZOP3-ICTWM0	607	637	801	961	cal edge). Pl options.	ease s	see pa	age 336 fo	or color
PRODUCT CODE KI	EY								
Line	Series	Chair Type		Height		Pos	ition		
ZOP	3	ICTW		F0		L	-		
Zola	Lounge	Inline Corner Table V	Vall	Full Height		Le	eft		
			MO			F	?		
				Mid Height		Dic	 ght		
				wiid Fleight		Πίζ	JIIL		
			HIGH	CHERRY					
		THERMOFUSED	PRESSURE						
DESCRIPTION/MO	ODEL	LAMINATE	LAMINATE		W	D	Н	WEIGHT	CUBE
	Run-off Table for 48" Inline Wa	dl							
	ZOL4-RO48-302416	904	1279	1389	30	24	16	25	3.75
	ZOL4-RO48-372416	954	1380	1455	37	24	16	30	4.5
	ZOL4-RO48-532416	1066	1615	1603	53	24	16	40.5	5.75
U	ZOL4-RO48-762416	1231	1953	1818	76	24	16	56	7.5
	Run-off Table for 54" Inline Wa	ıll 957	1050	1450	00	00	10	0.5	4.05
	ZOL4-RO54-303016		1252 1379	1459	30	30	16	35	4.25
	ZOL4-RO54-373016	1018 1163	1671	1540 1728	37	30	16	41 54	5.25
U	ZOL4-RO54-533016 ZOL4-RO54-763016	1370	2092	1995	53 76	30 30	16 16	54 74	6.75 8.75
	ZOL4-NOJ4-100010	1370	2032	1995	10	30	10	74	0.73

# **ZOLA** | COLLECTION COMPONENTS

DESCRIPTION/MO	DDEL	PRICE	WEIGHT	CUBE
	Wood Tablet & Mounting Pl ZOL3 RT1 Beech Maple /Cherry	ate Only 381 405	5 5	0.32 0.32
	Painted Tablet & Mounting ZOL3 RT2 n/a	Plate Only 278	5	0.32
	Clear Glass Tablet & Mount ZOL3 RT3 n/a	ing Plate Only 651	6	0.32
	Laminate Tablet & Mounting ZOL3 RT4 n/a	g Plate Only 397	5	0.32
	Solid Surface Tablet & Mou ZOL3 RT5 Grade - A-V Grade - A-C Grade - B Grade - C	Vhite 539		
	ORDERING NOTES: The 2	Ola replacement tablets on this page include the top with n	nounting plate only.	
	Leg ZOL3 RLS	58	1	0.125
	Caster Leg ZOL3 RLC	39	0.4	0.125
	Dual leg ZOL3 RDL	100	1	0.125
	Leg Glide (4) ZOL3 RLG	24	0.2	0.01
	Replacement Seat-to-Seat ZOL3 RLKB2	Bracket 95	1	0.125
	NOTE: Zola Modular Seats	s are ordered, each seat is automatically supplied with two se	at to seat brackets	
	Replacement Table-to-Seat ZOL3 RLKB1	Bracket 114	3	0.125
	ZOL3-POWERDOC1 - Und	ermount 573	3	0.375
D D D D D D D D D D D D D D D D D D D		underside of Seats and Tables as a replacement part or installed and with 2 Power and USB A & C outlets. PowerDoc's have		ously spec-
	ZOL3-POWERDOC2	647	3	0.375
		Seats, Benches or Square/Rectangular tables which were or wer and USB A & C outlets. PowerDoc's have a 10' cord.	iginally ordered with	this power
	Wire Manager Shroud ZOL3 WM10	120	1	0.375
	ORDERING NOTES: Come	es in a 10' length when ordered. Can be cut to size on site.		

# **ZOLA PRIVACY | COMPONENTS**


DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 67	2	0.32
(B)	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 58	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 74	2	0.32
***	Back-to-Seat Linking hardware ZOP3-RLKS 169	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 187	4	0.32
	ZOP3-POWERDOC3 - Shelves only 610  Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and USB A & C outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3 WM 187	1	0.375

# FAERON LOUNGE | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 12.67%

POST-CONSUMER RECYCLED CONTENT =9.40%

Up to 18.93% of this Faeron product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# FAERON LOUNGE | DIMENSIONS & COM

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Entire Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Only
One-Seat -	wood arm												
lounge	27	28.5	31.5	17.8	24	23	21	55	20	4.2	1.3	1.7	1.2
high back	27	28.5	41.5	17.8	24	23	21	59	24	4.8	1.3	2.3	1.2
One-Seat -	armless												
lounge	23	28.5	31.5	17.8	-	-	21	52	20	3	1.3	1.7	_
high back	23	28.5	41.5	17.8	_	_	21	55	24	3.6	1.3	2.3	_
	upholstere												
lounge	28	28.5	31.5	17.8	24	23	21	75	20	5.9	1.3	1.7	2.9
high back	28	28.5	41.5	17.8	24	23	21	79	24	6.5	1.3	2.3	2.9
wingback	32	28.5	42.5	17.8	24	23	21	84	27	7.5	1.3	3.3	2.9
	vide - wood												
lounge	34	28.5	31.5	17.8	24	30	21	64	23	4.4	1.5	1.7	1.2
high back	34	28.5	41.5	17.8	24	30	21	68	27	5	1.5	2.3	1.2
One-Seat v	vide - armle												
lounge	30	28.5	31.5	17.8	-	-	21	61	23	3.2	1.5	1.7	-
high back	30	28.5	41.5	17.8	-	-	21	65	27	3.8	1.5	2.3	-
One-Seat v	vide - upho		m										
lounge	35	28.5	31.5	17.8	24	30	21	84	23	6.1	1.5	1.7	2.9
high back	35	28.5	41.5	17.8	24	30	21	88	27	6.7	1.5	2.3	2.9
wingback	39	28.5	42.5	17.8	24	30	21	93	30	7.5	1.3	3.3	2.9
	wood orre												
Two-seat -		29 5	21 5	170	24	16	21	90	36	E E	17	2.6	1.0
lounge	50 50	28.5	31.5	17.8		46 46		88		5.5	1.7	2.6	1.2
high back	50	28.5	41.5	17.8	24	46	21	95	43	6.4	1.7	3.5	1.2
Two-seat -		00.5	04.5	47.0			0.1	67	00	4.0	4 7	0.0	
lounge	46	28.5	31.5	17.8	-	-	21	87	36	4.3	1.7	2.6	-
high back	46	28.5	41.5	17.8	-	-	21	94	43	5.2	1.7	3.5	-
	upholstere		a · -			4-	<i>a</i> .		0.5				
lounge	51	28.5	31.5	17.8	24	46	21	108	36	7.2	1.7	2.6	2.9
high back	51	28.5	41.5	17.8	24	46	21	115	43	8.1	1.7	3.5	2.9
wingback	55	28.5	42.5	17.8	24	46	21	120	46	9.1	1.7	4.5	2.9
Three-seat	- wood arr	m											
lounge	73	28.5	31.5	17.8	24	69	21	120	52	7.1	2.5	3.4	1.2
-				17.8		69	21		61	8.4		3.4 4.7	
high back	73 - armless	28.5	41.5	17.0	24	09	۷۱	130	01	0.4	2.5	4./	1.2
Three-seat		00 E	94 E	170			01	100	EO	F O	0.5	2.4	
lounge	69	28.5	31.5	17.8	-	-	21	122	52	5.9	2.5	3.4	-
high back	69	28.5	41.5	17.8	-	-	21	132	61	7.2	2.5	4.7	-
	- upholste		a · -				<i>a</i> .						
lounge	74	28.5	31.5	17.8	24	69	21	140	52	8.8	2.5	3.4	2.9
high back	74	28.5	41.5	17.8	24	69	21	150	61	10.1	2.5	4.7	2.9
wingback	78	28.5	42.5	17.8	24	69	21	155	64	10.3	1.7	5.7	2.9
ORDERING	NOTES:												
CONTRAST Combinations with uphosupholstery is of where ear	ring BACKS on upholste olstery of the s selected, u och fabric is	ery (more to same graduse the high to be app	than one under or CON ghest grade olied on th	ipholstery M, an upcl e upholste e product	harge for dual ery selected o	fabrics is \$3 r contact Cu btain a quo	<b>33 list</b> pe istomer S	r unit and <b>\$6</b> ervice for a c	<b>4 list</b> per ui juote -pleas	olstered produ nit for three fal se provide the dupholsteries	orics. When fabrics spe	graded in o	combination description
WEIGHT C	APACITIES.	,	-		•								
Faeron wei One -Seat - One -Seat - One-Seat W One-Seat W Two- Seat -	ght capaciti 500 lbs Plus - 750 /ide - 500 lb /ide Plus - 7 625 lbs Plus- 975 lk	ies are as t lbs os 750 lbs	follows:										
Three - Sea		00 lbs											
Faeron Op	tion Upcl	harges			\$ L	ist						\$ List	
CAL 133 &			ner vard)			64	Solid Si	ırface Arm	Can (ner	pair) - Gr A	White	384	
One-Seat						52			1 (1	pair) - Gr A		397	
one-Seal I	· ····································	C Dack C	010			J2	Jona J	anace Ailli	Jap (per	pair) - Gr A	COIOI	331	

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Solid Surface Arm Cap (per pair) - Gr A White	384
One-Seat Removable Back Covers	152	Solid Surface Arm Cap (per pair) - Gr A Color	397
One-Seat Wide Removable Back Covers	228	Solid Surface Arm Cap (per pair) - Gr B	422
Two-Seat Removable Back Covers	302	Solid Surface Arm Cap (per pair) - Gr C	435
Three-Seat Removable Back Covers	453	Solid Surface Arm (per pair) - Gr A White	677
One-Seat Removable Seat Covers	152	Solid Surface Arm (per pair) - Gr A Color	708
One-Seat Wide Removable Seat Covers	228	Solid Surface Arm (per pair) - Gr B	768
Two-Seat Removable Seat Covers	302	Solid Surface Arm (per pair) - Gr C	810
Three-Seat Removable Seat Covers	453	Urethane Arm Cap (per pair)	152
		Upholstered Lounge Wood Arm Cap (per pair)	193

# FAERON WOOD | LOUNGE FEATURES & OPTIONS



### WOOD ARM

Faeron Wood Arm Lounge chairs are available with optional Arm Caps in Urethane and Solid Surface. As well as a Solid Surface Arm.



# **OPTIONS URETHANE ARM CAP**

The optional Urethane Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is

available in three colors; Black, Grey and Taupe.



### **ARMLESS**

Faeron Armless Lounge seating can be specified with a full wood base providing an enhanced base profile.



### WOOD ARM CAP

The optional Solid Beech Arm Cap is available on Upholstered Arm and Wingback Lounge. This is field replaceable if this becomes damaged or degraded.



### **UPHOLSTERED ARM**

Faeron Upholstered arm lounge chairs are available with optional arm caps in Wood, Solid Surface and Urethane (Wingback lounge is not available with Urethane cap).



### SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



### ARM PANEL

Arm Panels are available on Faeron Wood Arm Lounge seating in semi and fully closed styles for optimum design flexibility.



### **SOLID SURFACE ARM**

The optional Solid Surface Arm is available on Wood Arm Lounge and provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



# **BEECH WOOD LEGS**

Faeron Lounge legs and bases are solid Beech available in 22 finish selections.



# **COMBINATION UPHOLSTERY**

When combination upholstery (more than one upholstery cover within the same unit) is specified with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded-in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote



### **METAL LEGS**

Faeron Upholstered Arm models are also available with Metal Legs; Silver Metallic or Brushed Nickle finish.



### **LOUNGE WALL SAVER**

Faeron Lounge models include a wall saver feature in which the angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chair and the wall. Not included for Faeron High Back Lounge or Faeron Wingback Lounge due to back height.





### **CLEAN OUT**

All Faeron Lounge seating has a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



Faeron Lounge Images | www.krug.ca

### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non- flammable upholstery covers, that may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components thereby conferring sanitary and anti-infection benefits. So when CAL133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per yard.

# REMOVABLE AND REPLACEABLE COVERS

Faeron Lounge Chairs are available with a Removable Seat & Back Covers.

# FAERON WOOD | ARMLESS LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	ADES 6	7	LEATHER 8	9
	One-Seat, Arml FAE3-AL1S	ess Lounge, Beech	Standard 1819	Base 1890	1962	2105	2247	2388	2532	2673	2959
	One-Seat Plus FAE3-ALB1S	Armless Lou Beech	nge, Stand 1886	dard Base 1959	2030	2172	2315	2459	2601	2743	3029
	One-Seat, Arml FAE3-AL1F	ess Lounge, Beech	Full Wood 1982	d Base 2055	2124	2268	2410	2553	2695	2838	3122
	One-Seat Plus, FAE3-ALB1F	Armless Lou Beech	unge, Full \ 2051	Wood Bas 2121	se 2193	2334	2479	2620	2764	2906	3190
	One-Seat Wide FAE3-AL1+S	, Armless Lo Beech	unge, Star 2056	ndard Bas 2154	se 2250	2444	2638	2831	3027	3220	3607
	One-Seat Wide FAE3-ALB1+S		ss Lounge 2131	, Standar 2227	d Base 2324	2517	2713	2906	3099	3293	3682
	One-Seat Wide FAE3-AL1+F	, Armless Lo Beech	unge, Full 2266	Wood Ba 2362	ase 2460	2655	2848	3040	3236	3430	3817
	One-Seat Wide FAE3-ALB1+F		ss Lounge 2340	Full Woo 2436	od Base 2533	2726	2921	3115	3308	3503	3891
	Two-Seat, Arml FAE3-AL2S	ess Lounge, Beech	Standard 2579	Base 2684	2791	3006	3219	3432	3647	3862	4289
	Two-Seat Plus, FAE3-ALB2S	Armless Lou Beech	inge, Stan 2682	dard Bas 2789	e 2896	3111	3323	3537	3752	3963	4394
	Two-Seat, Arml FAE3-AL2F	ess Lounge, Beech	Full Wood 2873	d Base 2980	3087	3299	3514	3728	3941	4156	4584
	Two-Seat Plus, FAE3-ALB2F	Armless Lou Beech	inge, Full \ 2977	Wood Bas 3083	se 3189	3405	3619	3831	4045	4260	4689
	Three-Seat, Arr FAE3-AL3S	nless Loung Beech	e, Standar 3415	d Base 3587	3759	4102	4443	4785	5128	5470	6155
	Three-Seat Plus FAE3-ALB3S	s, Armless Lo Beech	ounge, Sta 3591	andard Ba 3762	ise 3933	4277	4617	4959	5302	5644	6330
	Three-Seat, Arr FAE3-AL3F	nless Loung Beech	e, Full Woo 3804	od Base 3977	4146	4487	4833	5173	5516	5857	6542
	Three-Seat Plus FAE3-ALB3F	s, Armless Lo Beech	ounge, Ful 3980	l Wood B 4152	ase 4321	4664	5006	5347	5691	6032	6716
Ψ											

PRODL	<b>JCT</b>	CODE	KFY

Line	Series	Chair Type	Siz	ze	Base	·
FAE Faeron	3-A Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	S Standard Base	
		Н	1+	B1+	F	
		High Back Lounge	One-Seat Wide  2  Two-Seat	One-Seat Wide Plus  B2  Two-Seat Plus	Full Wood Base	
			3 Three-Seat	B3 Three-Seat Plus		

# HEALTHCARE DISCOUNT APPLIES TO THESE PRODUCTS

# FAERON WOOD | ARMLESS HIGH BACK LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	ADES 6	7	LEATHER 8	9
A	One-Seat, Arm FAE3-AH1S	less High back Beech	Lounge 2044	s, Standard 2132	Base 2218	2391	2567	2741	2916	3090	3437
	One-Seat Plus, FAE3-AHB1S	Armless High Beech	back Lo 2112	unge, Stan 2197	dard Bas 2286	se 2461	2635	2808	2984	3159	3508
	One-Seat, Arm FAE3-AH1F	less High back Beech	Lounge 2209	Full Wood 2295	d Base 2383	2555	2728	2905	3078	3252	3603
	One-Seat Plus, FAE3-AHB1F	Armless High Beech	back Lo 2277	unge, Full \ 2362	Wood Ba 2449	se 2623	2798	2971	3146	3321	3669
	One-Seat Wide FAE3-AH1+S	e, Armless High Beech	n back Lo 2297	ounge, Star 2410	ndard Ba 2523	se 2747	2972	3200	3427	3651	4103
	One-Seat Wide FAE3-AHB1+S		High ba 2370	ick Lounge 2483	, Standar 2595	rd Base 2822	3048	3271	3498	3724	4176
	One-Seat Wide FAE3-AH1+F	e, Armless High Beech	back Lo 2506	ounge, Full 2618	Wood Ba 2734	ase 2958	3184	3409	3635	3859	4312
	One-Seat Wide FAE3-AHB1+F		High ba 2581	ick Lounge 2694	, Full Woo 2805	od Base 3031	3259	3483	3709	3934	4385
<del>M</del>	Two-Seat, Arm	less High back Beech	Lounge 2744	Standard, 2869	Base 2991	3237	3483	3728	3974	4217	4710
	Two-Seat Plus, FAE3-AHB2S	Armless High Beech	back Lo 2849	unge, Stan 2971	dard Bas 3095	se 3341	3587	3831	4079	4322	4814
	Two-Seat, Arm	less High back Beech	Lounge 3039	, Full Wood 3163	Base 3287	3533	3776	4022	4267	4512	5006
	Two-Seat Plus, FAE3-AHB2F	Armless High Beech	back Lo 3144	unge, Full \ 3267	Wood Ba 3389	se 3635	3881	4128	4372	4617	5109
	Three-Seat, Arr FAE3-AH3S	mless High bad Beech	ck Loung 3648	ge, Standar 3851	d Base 4055	4460	4866	5272	5677	6082	6894
	Three-Seat Plu FAE3-AHB3S	s, Armless Hig Beech	h back L 3823	ounge, Sta 4027	andard Ba 4230	ase 4635	5040	5447	5852	6256	7069
	Three-Seat, Arr FAE3-AH3F	mless High bad Beech	ck Loung 4038	ge, Full Woo 4239	od Base 4443	4846	5255	5660	6064	6470	7283
	Three-Seat Plu FAE3-AHB3F	s, Armless Hig Beech	h back L 4212	ounge, Ful. 4416	l Wood B 4617	8ase 5023	5428	5834	6241	6646	7457
PRODUCT CODE KEY											
Line FAE	Series  3-A	Chair Type		1	Size	B1	<u> </u>	Ba	se S		
Faeron	Armless	Lounge		One-Seat	O	ne-Seat F	l Plus	Standar			
Lo	unge Seating	Н		1+		B1+	]		F		
		High Back Lounge	C	One-Seat Wid	de One	e-Seat W B2	ide Plus ]	Full Woo	od Base		
				Two-Seat	Tv	vo-Seat F	Plus ]				
				Three-Seat	Th	ree-Seat	] Plus				

# FAERON WOOD | LOUNGE & HIGH BACK LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	DES 6	7	LEATHER 8	9	
	One-Seat, Wood FAE3-WL1ONC	_	e, Open <i>F</i> 1922	Arm 1991	2063	2209	2348	2491	2635	2776	3061	
	One-Seat Plus, N FAE3-WL1BONG		ounge, O 1989	pen Arm 2061	2133	2274	2417	2560	2701	2846	3132	픎
	One-Seat Wood FAE3-WL1SNC	Arm Lounge Beech	, Semi C 2452	losed Arm 2557	2663	2874	3084	3295	3508	3717	4141	ALT
	One-Seat Plus V FAE3-WL1BSNO		unge, Se 2520	emi Closed 2628	Arm 2732	2943	3156	3366	3577	3787	4208	HCA
	One-Seat Wood FAE3-WL1CNC	Arm Lounge Beech	, Closed 2472	Arm 2579	2683	2894	3105	3316	3529	3739	4160	RE D
	One-Seat Plus V FAE3-WL1BCN0		unge, Clo 2541	osed Arm 2643	2751	2963	3173	3384	3595	3806	4230	ISC
	One-Seat Wood FAE3-WH1ONC		ick Loun 2146	ge, Open / 2234	Arm 2321	2495	2669	2844	3016	3190	3539	
	One-Seat Plus V FAE3-WH1BON	,	gh Back I 2214	Lounge, O 2301	pen Arm 2388	2563	2739	2911	3084	3261	3608	T AP
	One-Seat Wood FAE3-WH1SNC	Arm High Ba Beech	ick Loun	ge, Semi ( 2798	Closed Arm 2920	3162	3405	3647	3891	4133	4618	PLIE
	One-Seat Plus V FAE3-WH1BSN0		gh Back I 2744	Lounge, S 2867	emi Closec 2988	l Arm 3232	3473	3715	3959	4203	4686	STC
	One-Seat Wood FAE3-WH1CNC		ick Loun	ge, Closed 2818	d Arm 2940	3184	3427	3668	3910	4154	4638	Ħ
	One-Seat Plus V FAE3-WH1BCN0		gh Back   2765	Lounge, C 2886	losed Arm 3009	3249	3493	3736	3979	4221	4708	ESE
ORDERING NOTES: replace "NC" in the n										d Surface A	urm (SA),	PROD
Line	Series	Chair Type			Size		A 200	n Styla	Arm (	^an		Ž
FAE Faeron	3-W Wood Arm bunge Seating	L Lounge		1 One-Seat		B1 ne-Seat Plus		O en Arm	No C	5		CTS

## PRODUCT CODE KEY

Line	Series	Chair Type	Siz	że	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			2 Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3	B3		SA

Three-Seat

Three-Seat

Solid Surface Arm

# FAERON WOOD | LOUNGE & HIGH BACK LOUNGE

DESCRIPTION/MODE	L	Species	COM 1	2	COL 3	4	FABRIC GRA 5	DES 6	7	LEATHER 8	9
	One-Seat Wide Wo FAE3-WL1+ONC	ood Arm Lou Beech	nge, Ope 2110	n Wood A 2209	rm 2303	2497	2692	2884	3080	3273	3662
	One-Seat Wide Plu FAE3-WLB1+ONC		Lounge, 2185	Open Arr 2280	n 2378	2570	2765	2959	3156	3346	3736
	One-Seat Wide Work FAE3-WL1+SNC	ood Arm Lou Beech	nge, Sem 2640	ni Closed A	Arm 2904	3165	3429	3690	3954	4215	4740
	One-Seat Wide Plu FAE3-WLB1+SNC		Lounge, 2715	Semi Clo 2847	sed Arm 2978	3239	3501	3765	4027	4289	4814
	One-Seat Wide Wo FAE3-WL1+CNC	ood Arm Lou Beech	nge, Clos 2660	sed Arm 2793	2924	3186	3448	3711	3974	4235	4759
	One-Seat Wide Plu FAE3-WLB1+CNC		Lounge, 2736	Closed A 2866	rm 2996	3261	3521	3785	4047	4310	4835
	One-Seat Wide Work FAE3-WH1+ONC	ood Arm High Beech	n Back Lo 2352	ounge, Op 2463	en Arm 2577	2803	3028	3252	3479	3706	4156
	One-Seat Wide Plu FAE3-WHB1+ONC		n High Ba 2423	ck Lounge 2538	e, Open A 2650	rm 2877	3102	3327	3553	3780	4230
	One-Seat Wide, W FAE3-WH1+SNC	ood Arm Hig Beech	h Back L 2882	ounge, Se 3029	emi Closed 3177	d Arm 3470	3765	4059	4352	4646	5234
	One-Seat Wide Plu FAE3-WHB1+SNC		n High Ba 2956	ck Lounge 3103	e, Semi Cl 3248	osed Arr 3543	n 3839	4131	4426	4720	5308
	One-Seat Wide Wo	ood Arm Higl Beech	n Back Lo 2903	ounge, Clo 3049	sed Arm 3194	3490	3785	4079	4372	4666	5256
	One-Seat Wide Plu FAE3-WHB1+CNC		n High Ba 2977	ck Lounge 3121	e, Closed 3269	Arm 3563	3858	4153	4445	4738	5328

**ORDERING NOTES:** Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254.

# PRODUCT CODE KEY

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

# HEALTHCARE DISCOUNT APPLIES TO THESE PRODUCT

# FAERON WOOD | LOUNGE & HIGH BACK LOUNGE

DESCRIPTION/MODI	FI	Species	COM 1	2	COL 3	4	FABRIC GR 5	ADES	7	LEATHE 8	R 9
<u>BECOMM MONTHOD</u>		•	•						•		
	Two-Seat Wood	Arm Lounge Beech	e, Open A 2659	rm 2765	2873	3087	3299	3514	3728	3941	4370
	Two-Seat Plus W FAE3-WLB2ONC		ounge, Op 2740	en Arm 2846	2954	3165	3381	3594	3809	4022	4449
	Two-Seat Wood FAE3-WL2SNC	Arm Lounge Beech	e, Semi Cl 3189	osed Arm 3330	n 3472	3756	4037	4318	4602	4885	5448
	Two-Seat Plus W FAE3-WLB2SNC		ounge, Se 3269	mi Closed 3410	d Arm 3553	3834	4116	4398	4681	4965	5528
	Two-Seat Wood FAE3-WL2CNC	Arm Lounge Beech	e, Closed 3209	Arm 3352	3491	3773	4058	4339	4620	4903	5469
	Two-Seat Plus W FAE3-WLB2CNC	lood Arm Lo Beech	ounge, Clo 3290	osed Arm 3431	3573	3854	4138	4420	4702	4983	5548
Ш											
	Two-Seat Wood	Arm High B	ack Loun	no Opon	orm						
	FAE3-WH2ONC		2827	2948	3073	3319	3563	3810	4055	4297	4792
	Two-Seat Plus Wood Arm High back Lounge, Open arm										
	FAE3-WHB2ON0	C Beech	2906	3029	3153	3398	3643	3890	4133	4379	4870
	T Cast Was d	A I Ii ada D		0:	Ola a a al A						
	Two-Seat Wood FAE3-WH2SNC	Beech	ack Loung	3514	3670	n 3984	4297	4614	4928	5241	5869
	Two-Seat Plus W	ood Arm Hi	gh Back I	_ounge, S	Semi Close	d Arm					
	FAE3-WHB2SNC		3437	3594	3752	4065	4379	4693	5008	5320	5948
	Two-Seat Wood	Arm High B	ack Loun	ge, Close	d Arm						
	FAE3-WH2CNC	Beech	3378	3535	3691	4006	4318	4634	4947	5261	5890
	Two-Seat Plus W		gh Back I	_ounge, C	Closed Arm	ı					
	FAE3-WHB2CNO	3 Beech	3457	3614	3771	4086	4398	4712	5028	5341	5970

**ORDERING NOTES:** Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA) replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254.

# PRODUCT CODE KEY

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	S Semi Closed Arm	UC Urethane Cap
			2 Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3	B3		SA

Three-Seat

Three-Seat Plus Solid Surface Arm

# HEALTHCARE DISCOUNT APPLIES TO THESE PRODUCTS

# FAERON WOOD | LOUNGE & HIGH BACK LOUNGE

		COM		COL	F.	ABRIC GF	RADES		LEATHER	3
DESCRIPTION/MODEL	Species	1	2	3	4	5	6	7	8	9
Three-Seat Woo FAE3-WL3ONC		ige, Open 3417	Arm 3588	3760	4103	4444	4786	5128	5471	6156
Three-Seat Plus FAE3-WLB3ON		Lounge, 0 3557	Open Arm 3728	3899	4242	4584	4924	5269	5611	6293
Three-Seat Woo FAE3-WL3SNC	Beech	3949	4154	4360	4769	5181	5590	6002	6412	7235
Three-Seat Plus FAE3-WLB3SN0		Lounge, \$ 4088	Semi Clos 4292	ed Arm 4499	4908	5319	5730	6140	6553	7373
Three-Seat Woo FAE3-WL3CNC	Beech	3969	4173	4379	4790	5201	5612	6021	6432	7255
Three-Seat Plus FAE3-WLB3CN0		Lounge, ( 4108	Closed Arr 4313	n 4518	4929	5340	5751	6162	6573	7393
Three-Seat Woo FAE3-WH3ONC		Back Lou 3651	unge, Ope 3852	n Arm 4057	4460	4867	5273	5678	6082	6895
Three-Seat Plus FAE3-WHB3ON		High Bac 3789	k Lounge, 3993	Open Arn 4194	n 4602	5007	5412	5815	6224	7035
Three-Seat Woo FAE3-WH3SNC		Back Lou 4182	unge, Sem 4418	i Closed A 4655	Arm 5130	5604	6078	6553	7025	7972
Three-Seat Plus FAE3-WHB3SN		High Bac 4319	k Lounge, 4558	Semi Clos 4794	sed Arm 5269	5742	6216	6690	7164	8115
Three-Seat Wood FAE3-WH3CNC	Beech	4203	4439	4677	5149	5622	6097	6571	7045	7993
Three-Seat Plus FAE3-WHB3CN		High Bac 4340	k Lounge, 4579	Closed Al 4815	rm 5288	5764	6237	6710	7184	8132

**ORDERING NOTES:** Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254.

# PRODUCT CODE KEY

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	S Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

# FAERON UPHOLSTERED | LOUNGE

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	LEATHER 8	9		
_	One-Seat Upholstered Arm	1 Lounae.	No Arm C	ap. Beec	h Wood le	a						
	FAE3-UL1NCW	2610	2764	2917	3224	3534	3843	4149	4458	5072		
	One-Seat Plus Upholstered	d Arm Lou	inge, No a	rm cap, ۱	Nood leg							
	FAE3-ULB1NCW	2678	2831	2986	3293	3603	3909	4217	4527	5141		
	One-Seat Wide Upholstere	ed Arm Lo	unge, No a	arm cap,	Wood leg							
	FAE3-UL1+NCW	2798	2978	3159	3516	3876	4236	4593	4953	5673		
	One-Seat Wide Plus Uphol FAE3-ULB1+NCW		•		•	•		4000		40		
Ш	TALS-OLD THINOVV	2872	3053	3232	3591	3950	4310	4668	5028	5746		
	Two-seat Upholstered Arm Lounge, No arm cap, Wood leg											
	FAE3-UL2NCW	3346	3536	3727	4105	4484	4864	5243	5622	6381		
	T											
	Two-seat Plus Upholstered FAE3-ULB2NCW		0 /		0	4504	40.44	5000	F700	0.400		
V	TALO OLDZIVOVV	3428	3617	3806	4185	4564	4944	5323	5703	6462		
	Three-seat Upholstered Ar	•	-	• •	•							
	FAE3-UL3NCW	4105	4360	4614	5121	5630	6136	6644	7152	8167		
	Three-seat Plus Upholstere FAE3-ULB3NCW	ed Arm Lo 4245	unge, No 4500	arm cap, 4754	Wood leg 5260		6076	6704	7000	8307		
		4240	4500	4754	3200	5767	6276	6784	7290	0307		

**ORDERING NOTES:** Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm Caps (WC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on on page 254. To specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel.

# PRODUCT CODE KEY

Line	Series	Chair Type	Siz	ze .	Arm Cap	Leg Type	
FAE	3-U	L	1	B1	NC	W	
Faeron	Upholstered Arm Lounge Seating	Lounge	One-Seat	One-Seat Plus	No Cap	Beech Wood Leg	
		Н	1+	B1+	UC	S	
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Urethane Cap	Silver Metallic Leg	
			2	B2	SC	N	
			Two-Seat	Two-Seat Plus	Solid Surface Cap	Brushed Nickel Leg	
			3	В3	WC		
			Three-Seat	Three-Seat	Wood Arm Cap		

# FAERON UPHOLSTERED | HIGH BACK LOUNGE

			COM		COL	FAI	BRIC GRA	DES		LEATHE	R
	DESCRIPTION/MODEL	<u></u>	1	2	3	4	5	6	7	8	9
		One-Seat Upholstered Arm H	Ü	•		•	J				
		FAE3-UH1NCW	2833	3004	3173	3514	3852	4193	4532	4873	5552
)		One-Seat Plus, Upholstered A FAE3-UHB1NCW	Arm High E 2903	Back Lour 3073	nge, No A 3242	ırm Cap, \ 3581	Nood leg 3921	4261	4602	4942	5619
1		One-Seat Wide, Upholstered	Arm High	Back Lou	ınge, No A	Arm Cap,	Wood leg				
2		FAE3-UH1+NCW	3039	3235	3430	3820	4213	4603	4994	5387	6166
		One-Seat Wide Plus, Upholsto		•	•			•			
Į		FAE3-UHB1+NCW	3113	3308	3505	3894	4287	4678	5066	5457	6241
		Two-seat, Upholstered Arm H	igh Back I	Lounge, N	No Arm Ca	ap, Wood	leg				
		FAE3-UH2NCW	3515	3720	3927	4337	4748	5159	5569	5980	6804
-		Two-seat Plus, Upholstered A	rm High B	Back Loun	ige, No Ai	rm Cap, V	Vood leg				
		FAE3-UHB2NCW	3595	3799	4006	4417	4828	5238	5649	6059	6883
	W										
		Three-seat, Upholstered Arm	High Back	k Lounae.	No Arm (	Cap, Woo	d leg				
		FAE3-UH3NCW	4338	4623	4908	5481	6052	6623	7192	7764	8908
		Three-seat Plus, Upholstered	Δrm High	Back I o	ınge No	Arm Can	Wood lea				
		FAE3-UHB3NCW	4478	4763	5050	5619	6190	6762	7333	7905	9045

FAE 3-U L 1 B1 NC W Faeron Upholstered Arm Lounge One-Seat One-Seat No Cap Beech Woo  H 1+ B1+ UC S  High Back Lounge One-Seat Wide One-Seat Wide Plus  2 B2 SC N  Two-Seat Solid Surface Cap Brushe							
Line Series Chair Type Size Arm Style Leg Ty  FAE 3-U L 1 B1 NC W  Faeron Upholstered Arm Lounge Seating H 1+ B1+ UC S  High Back Lounge One-Seat Wide One-Seat Wide Plus  One-Seat Wide One-Seat Wide Urethane Cap Silver Me Plus  2 B2 SC N  Two-Seat Solid Surface Cap Brushe Nicker							
FAE 3-U L 1 B1 NC W Faeron Upholstered Arm Lounge One-Seat One-Seat No Cap Beech Woo Plus  H 1+ B1+ UC S  High Back Cone-Seat Wide One-Seat Wide Urethane Cap Silver Me Plus  2 B2 SC N  Two-Seat Solid Surface Cap Brushe Nicke	ODUCT CODE	EKEY					
Faeron Upholstered Arm Lounge Seating  Upholstered Arm Lounge Seating  H  1+  B1+  UC  S  High Back One-Seat Wide One-Seat Wide Urethane Cap Silver Me Plus  2  B2  SC  N  Two-Seat Solid Surface Cap Brushe Nicke	Line	Series	Chair Type	Siz	е	Arm Style	Leg Type
Lounge Seating  Plus  High Back One-Seat Wide One-Seat Wide Urethane Cap Silver Me Plus  2 B2 SC N  Two-Seat Two-Seat Solid Surface Cap Brushe Nicke	FAE	3-U	L	1	B1	NC	W
H	Faeron		Lounge	One-Seat		No Cap	Beech Wood Leg
High Back Lounge One-Seat Wide One-Seat Wide Urethane Cap Silver Me Plus  2 B2 SC N Two-Seat Two-Seat Solid Surface Cap Brushe Nicke		Lounge Seating			Plus		
Lounge Plus  2 B2 SC N  Two-Seat Two-Seat Solid Surface Cap Brushe Plus Nicke			Н	1+	B1+	UC	S
2 B2 SC N Two-Seat Two-Seat Solid Surface Cap Brushe Plus Nicke			High Back	One-Seat Wide	One-Seat Wide	Urethane Cap	Silver Metallic
Two-Seat Two-Seat Solid Surface Cap Brushe Plus Nicke			Lounge		Plus		
Plus Nicke				2	B2	SC	N
				Two-Seat	Two-Seat	Solid Surface Cap	Brushed
3 B3 WC					Plus		Nickel
				3	B3	WC	
Three-Seat Three-Seat Wood Arm Cap Plus				Three-Seat		Wood Arm Cap	

# FAERON UPHOLSTERED | WINGBACK LOUNGE

		COM		COL		BRIC GRA			LEATHE		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	One-Seat Upholstered Ar	m Wingba	ack, No Ai	m Cap, W	lood leg						
	FAE3-UW1NCW	3232	3402	3568	3909	4249	4589	4929	5269	5947	
	One-Seat Plus Upholstere	ed Arm W	ingback, I	No Arm Ca	ap, Wood	leg					
	FAE3-UWB1NCW	3298	3469	3638	3979	4317	4658	4996	5338	6017	
Ш											
	One-Seat Wide Upholstered Arm Wingback, No Arm Cap, Wood leg										
	FAE3-UW1+NCW	3434	3631	3827	4217	4609	5000	5391	5782	6565	
	One-Seat Wide Plus Upho	olstered A	Arm Wingb	ack, No A	rm Cap,	Wood leg					
	FAE3-UWB1+NCW	3510	3706	3899	4291	4683	5072	5465	5856	6638	
· W											
	Two-seat Upholstered Arm Wingback, No Arm Cap, Wood leg										
	FAE3-UW2NCW	3910	4116	4321	4733	5143	5556	5966	6377	7198	
	Two-seat Plus Upholstered Arm Wingback, No Arm Cap, Wood leg										
	FAE3-UWB2NCW	3991	4196	4401	4813	5223	5635	6046	6456	7279	
	Three-seat Upholstered A	rm Wingh	nack No.4	Arm Cap. \	Wood lea						
	FAE3-UW3NCW	4735	5021	5306	5876	6448	7019	7591	8160	9305	
	Three-seat Plus Upholste	red Arm V	Vingback.	No Arm C	Cap, Woo	d leg					
	FAE3-UWB3NCW	4874	5160	5444	6016	6586	7158	7730	8300	9442	
<b>"</b> T											

**ORDERING NOTES:** Faeron upholstered chairs can be specified with Solid Surface Arm Caps (SC), or Wood Arm Caps (WC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254. To specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel.


# PRODUCT CODE KEY

Line	Series	Chair Type	Siz	e	Arm Cap	Leg Type
FAE Faeron	3-U Upholstered Arm	W Wingback	1 One-Seat	B1 One-Seat	NC No Cap	W Beech Wood Leg
	Lounge Seating		1+	Plus B1+	WC	S
			One-Seat Wide	One-Seat Wide Plus	Wood Arm Cap	Silver Metallic
			2 Two-Seat	B2 Two-Seat	SC Solid Surface Cap	N Brushed
				Plus	Cona Carrace Cap	Nickel
			3	B3		
			Three-Seat	Three-Seat Plus		

# **SUTTON | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS





14% Urethane Foam

PRE-CONSUMER
RECYCLED CONTENT = 8.09%

POST-CONSUMER RECYCLED CONTENT = 15.29%

Up to 23.38% of Sutton product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



# AIR EMISSIONS All Sutton produc

All Sutton products are supplied air-emissions certified. Contact customer service for information.

### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **SUTTON**

			COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/M	ODEL/FINISH	IES	1	2	3	4	5	6	7	8	9
	ONE-SEAT										
	SUT3-1-0-1	Cherry, Oak, Maple, Walnut, Anigre	2085	2273	2493	2829	3038	3268	3545	4233	5080
	SUT3-1-0-2	-	2282	2503	2746	3147	3379	3631	3941	4706	5584
	SUT3-1-1-1	Cherry, Oak, Maple, Walnut, Anigre	2217	2431	2665	3057	3279	3528	3827	4567	5420
	SUT3-1-1-2	Cherry, Oak, Maple, Walnut, Anigre	2639	2852	3058	3268	3479	3691	3896	4149	5000
	TWO-SEAT										
	SUT3-2-0-1	Cherry, Oak, Maple, Walnut, Anigre	2788	2956	3133	3348	3599	3847	4584	5203	6288
	SUT3-2-0-2	, 3	3101	3289	3484	3727	4001	4282	4809	5786	6902
U	SUT3-2-1-1	Cherry, Oak, Maple, Walnut, Anigre	3011	3192	3382	3618	3885	4155	4664	5617	6703
	SUT3-2-1-2	Cherry, Oak, Maple, Walnut, Anigre	3429	3644	3865	4131	4399	4665	4932	5279	6358
	THREE-SEAT	Т									
	SUT3-3-0-1	Cherry, Oak, Maple, Walnut, Anigre	3783	3997	4233	4459	4685	4922	5173	6267	7781
	SUT3-3-0-2	, 3	4209	4447	4706	4959	5215	5472	5751	6970	8530
	SUT3-3-1-1	Cherry, Oak, Maple, Walnut, Anigre	4086	4318	4567	4815	5062	5315	5584	6769	8282
	SUT3-3-1-2	Cherry, Oak, Maple, Walnut, Anigre	4483	4826	5182	5613	6049	6482	6918	7416	8933

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SUT3101	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3102	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3111	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3112	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3201	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3202	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3211	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3212	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3301	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3302	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3311	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5
SUT3312	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5

PRODU Line	CT CODE KEY Series	Seat Count	Arm/Back Style	Base Style
SUT	3	1	0	1
Sutton	Soft Seating	One-Seat	Fully Upholstered Surround	Wood Base & Legs
		2	1	2
		Two-Seat	Wood Surround	Metal Base & Legs

3

Three-Seat

# STANDARD FINISHES

Oak finishes on wood surround versions are applied on Rift Oak. For a complete list of standard wood finishes please see page 14.

### **METAL BASE OPTION**

Metal base is available in Silver Metallic only. Note: Rift Oak surround can only be specified with a Silver Metallic base.

# REMOVABLE UPHOLSTERED SEAT COVERS

Sutton Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$159 list per one-seater chair, \$318 list per two-seater chair and \$477 list per three-seater chair.


## **MOISTURE BARRIER & CAL 133**

Moisture Barrier  $\,\&$  CAL 133 is available for an upcharge of \$64 list per yard.

# **CARLYLE | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 3.96%

POST-CONSUMER RECYCLED CONTENT = 14.38%

Up to 37.5% of Carlyle product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

	3323.23.13	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CARLYLE** | LOUNGE

			COM COL			FA	BRIC GRA	NDES		LEATHER		
DESCRIPTION/MO	DEL/FINISHES		1	2	3	4	5	6	7	8	9	
	ONE-SEAT CAR311	Cherry, Maple, Walnut, Anigre	3289	3395	3497	3706	3909	4118	4327	4707	5355	
	CAR312	Silver Metallic	3289	3395	3497	3706	3909	4118	4327	4707	5355	
	TWO-SEAT											
	CAR321	Cherry, Maple, Walnut, Anigre	4441	4596	4750	5010	5273	5531	5787	6352	7398	
	CAR322	Silver Metallic	4441	4596	4750	5010	5273	5531	5787	6352	7398	
	THREE-SEAT	Charne Manla	5000	6101	6266	6714	7064	7405	7755	9446	9741	
	CAR331	Cherry, Maple, Walnut, Anigre	5989	6181	6366	0/14	7004	7400	1155	8446	9/41	
	CAR332	Silver Metallic	5989	6181	6366	6714	7064	7405	7755	8446	9741	

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR311	33	30	32	17.5	26	20	22	60	24	4.5
CAR312	33	30	32	17.5	26	20	22	60	24	4.5
CAR321	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR322	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR331	84	30	32	17.5	26	70.5	22	135	62	9.0
CAR332	84	30	32	17.5	26	70.5	22	135	62	9.0

# **ORDERING NOTES**


Carlyle Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$159 list per one-seater chair, \$318 list per two-seater chair and \$477 list per three-seater chair.

PRODUCT COL Line	DE KEY Series	Seat Count	Base Style	STANDARD FINISHES For a complete list of standard wood finishes please see page 335.
CAR	3	1	1	
Carlyle	Soft Seating	One-Seat  2  Two-Seat	Wood Base & Legs 2 Metal Base & Legs	CARLYLE LOUNGE Carlyle is available in both wood base and Silver Metallic base versions.  MOISTURE BARRIER & CAL 133 Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per
		Three-Seat		yard.

# **BRIO | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 7.09%

POST-CONSUMER RECYCLED CONTENT = 9.43%

Up to 11.34% of Brio product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Brio products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Brio products are supplied with air-emissions certified. Contact customer service for information.



### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Brio and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

		COM			COL		FABRIC GRADES			LEATHER		
DESCRIPTION/MODE	L	FINISHES	1	2	3	4	5	6	7	8	9	
	ONE-SEAT 4100-1	Cherry, Maple, Walnut, Anigre	2085	2273	2493	2829	3038	3268	3545	4233	5080	
	TWO-SEAT 4100-2	Cherry, Maple, Walnut, Anigre	2788	2956	3133	3348	3599	3847	4584	5203	6288	
	THREE-SEA 4100-3	AT Cherry, Maple, Walnut, Anigre	3783	3997	4233	4459	4685	4922	5173	6267	7781	

### **ORDERING NOTES**

Brio Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$159 list per one-seater chair, \$318 list per two-seater chair, and \$477 list per three-seater chair.

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
4100-1	31.5	31.5	34	18	26	22.5	20.75	97	22	5.9
4100-2	54	31.5	34	18	26	45	20.75	120	41	7.5
4100-3	76	31.5	34	18	26	67.5	20.75	145	55	10.5

# **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Color name and number

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 335.

# **BRIO**

Brio has fixed seat cushions.


### **MOISTURE BARRIER & CAL 133**

Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per yard.

# **SLOANE** | LEED CI CREDIT SUMMARY

# LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.94% POST-CONSUMER

RECYCLED CONTENT = 15.22%

Up to 29.22% of Sloane product is recyclable at the end of its useful life.

### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION









### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sloane products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

All Sloane products are supplied air-emissions certified. Contact customer service for information.

### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sloane and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **SLOANE**

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHER 8	9
	ONE-SEAT SLO3-10 SLO3-11	2639 2880	2852 3092	3058 3299	3268 3560	3479 3866	3691 3984	3896 4187	4149 4443	5000 5295
	TWO-SEAT SLO3-20 SLO3-21	3429 3862	3644 4077	3865 4295	4131 4610	4399 4886	4665 5141	4932 5419	5279 5755	6358 6836
	THREE-SEAT SLO3-30	4483	4826	5182	5613	6049	6482	6918	7416	8933
	SLO3-31	4915	5260	5614	6097	6532	6961	7403	7898	9413

# **DIMENSIONS & COM REQUIREMENTS**

			Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SLO3-10	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-11	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-20	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-21	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-30	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5
SLO3-31	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5

# **ORDERING NOTES**

Sloane Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$159 list per one-seater chair, \$318 list per two-seater chair and \$477 list per three-seater chair.

PRODUCT COD	DE KEY Series	Seat Count	Upholstery Style	SLOANE LEG FINISH Legs are available in metal with a Silver Metallic finish only, as shown.
SLO	3	1	0	
Sloane	Soft Seating	One-Seat  2 Two-Seat  3 Three-Seat	Standard Upholstery  1  Top Stitching & Buttons	MOISTURE BARRIER & CAL 133  Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per yard.

# **BENCHES**


274 Tate280 Zola290 Carlyle

# TATE BENCH | ENVIRONMENTAL SUMMARY

# **LEED CI CREDITS**

### MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 9.09%

POST-CONSUMER
RECYCLED CONTENT = 24.26%

Up to 26.97% of this Tate product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION BIFMA's e3 Furniture Su

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Tate Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



# AIR EMISSIONS

All Tate Bench products are supplied air-emissions certified. Contact customer service for information.

# **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Tate and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# TATE BENCHES | FEATURES & OPTIONS

### **STYLE**

Tate Bench features three design styles; Fully Upholstered, Gable End and Table End.



Fully Upholstered



### Gable End

Tate Bench gable ends are 2" wide x 20" deep x 6" high on standard depth units and 2" wide x 25" deep x 6" high on deep seat units



### Table End

Tate Bench table ends are 10" wide  $\times$  20" deep  $\times$  6" high on standard depth units and 10" wide  $\times$  25" deep  $\times$  6" high on deep seat units.



### **LEGS**

Tate Bench legs feature polished chrome structural steel legs with non-marring glides.

### REPLACEABLE COMPONENTS

Tate Benches are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Gable ends, table ends and legs are field replaceable.

### **WEIGHT CAPACITIES**

Tate Bench have the following maximum weight ratings: 2 seater - 975 lbs 3 seater - 1,200 lbs

### **OPTIONS**

### **Removable Covers**

Optional Removeable covers can be quickly installed on Tate Bench products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Tate Bench products that were not originally ordered with the Removable cover option, with some simple staple removal.

### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Length	Overall Depth	Overall Height	Seat Length	Shipping Weight	Cube	COM Yardage	
TAT5-2210	43	21	17	43	48	10.7	1.4	
TAT5-2260	43	26	17	43	57	13.2	1.6	
TAT5-3210	65	21	17	65	62	15.7	2.0	
TAT5-3260	65	26	17	65	74	19.4	2.3	
TAT5-2211	47	21	17	43	56	10.7	1.4	
TAT5-2261	47	26	17	43	65	13.2	1.6	
TAT5-3211	69	21	17	65	70	15.7	2.0	
TAT5-3261	69	26	17	65	82	19.4	2.3	
TAT5-2212	63	21	17	43	70	14.3	1.4	
TAT5-2262	63	26	17	43	83	17.7	1.6	
TAT5-3212	84.5	21	17	65	84	19.2	2.0	
TAT5-3262	84.5	26	17	65	100	23.8	2.3	

## **DIMENSIONS:**

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# TATE BENCHES | VENEERS & FINISHES

### **WOOD FINISHES**

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak

Espresso Oak

MAPLE Clear Maple

Wheat Maple

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut

### PALETTE FINISHES

Black White Sand Soft Green Steel Blue Slate

### **VENEERS**

Tate Benches veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

### **NON-STANDARD VENEER SPECIES**

In addition to range of standard wood species, Tate can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Tate's standard offering.

### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

### **CUSTOM WOOD FINISHES**

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

### **ENDURAGUARD FINISH**

Tate Benches features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

# TATE BENCHES | FULLY UPHOLSTERED & GABLE END

DESCRIPTION/MODEL	SPECIES	CON 1	M 2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHEI 8	R 9
	Two-seat, 21", fully upholst TAT5-2210	ered 99:	2 1042	2 1088	1152	1228	1294	1370	1463	1558
	Two-seat, 26", fully upholst TAT5-2260	ered 110	07 1166	3 1227	1311	1409	1493	1589	1709	1832
	Three-seat, 21", fully uphols TAT5-3210	stered 119	93 1258	3 1327	1420	1527	1620	1728	1861	1995
	Three-seat, 26", fully uphols TAT5-3260	stered 13	15 1395	5 1478	1589	1717	1832	1959	2119	2281
	Two-seat, 21", gable end TAT5-2211 Maple, Oak,	Laminate 14	95 1538	3 1585	1645	1717	1780	1854	1941	2030
IV.	Walnut, Palet	te 15 <sup>-</sup>	72 1620	1667	1734	1809	1875	1951	2043	2136
	Two-seat, 26", gable end TAT5-2261 Maple, Oak, Walnut, Palet		22 1678 08 1769		1817 1913	1908 2010	1989 2092	2080	2195 2312	2310
	Three-seat, 21", gable end TAT5-3211 Maple, Oak,		80 1746		1898	1999	2089	2192	2319	2447
	Walnut, Palet	te 17	71 1837	' 1905	1998	2106	2198	2307	2441	2576
Tate Bench Option Upo	harges	\$ List						\$	List	
CAL 133 & Moisture Barı Two-seat, 21" - Removal Two-seat, 26" - Remove	ble Seat Covers	64 77 80		eat, 21" -   eat, 26" -					97 101	
PRODUCT CODE KEY										
Line	Series	Seat Count		Seat Depth		Arm S	Style			
TAT Tate	5 Bench	2 Two-Seat		21 21"		0 Fully Uph				
		3 Three-Seat		26"		1 Gable				
						2 Table				

# TATE BENCHES | GABLE END & TABLE END

			COM		COL	FAB	RIC GRA	DES		LEATHE	3
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-seat, 2 TAT5-3261	6", gable end Maple, Oak, Laminate	1832	1907	1984	2090	2212	2319	2443	2594	2746
		Walnut, Palette	1926	2007	2087	2198	2327	2441	2569	2734	2892
	Two-seat, 21	", table end									
4	TAT5-2212	Maple, Oak, Laminate	2023	2066	2110	2173	2247	2308	2382	2470	2559
		Walnut, Palette	2131	2174	2221	2287	2364	2431	2505	2597	2692
	Two-seat, 26 TAT5-2262	", table end Maple, Oak, Laminate Walnut, Palette		2254 2374	2312 2433	2390 2518	2486 2614	2564 2699	2657 2795	2770 2917	2884
	Three-seat, 2 TAT5-3212	11", table end Maple, Oak, Laminate Walnut, Palette	2210 2324	2274 2391	2337 2460	2427 2554	2529 2660	2618 2756	2718 2861	2848 2996	2972 3132
	Three-seat, 2 TAT5-3262	6", table end Maple, Oak, Laminate	2407	2481	2560	2665	2789	2894	3016	3167	3322
	J	Walnut, Palette	2532	2612	2694	2805	2934	3047	3175	3339	3497

Tate Bench Option Upcharges	\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	64	Three-seat, 21" - Removable Seat Covers	97	
Two-seat, 21" - Removable Seat Covers	77	Three-seat, 26" - Removable Seat Covers	101	
Two-seat, 26" - Removeable Seat Covers	80			

# PRODUCT CODE KEY

Line	Series 5	Seat Count	Seat Style	Arm Style	
	5	2	21		
Tate	Bench	Two-Seat	21"	Upholstered	
		3	26	1	
		Three-Seat	26"	Gable End	

Table End

# TATE BENCHES | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL		COM 1	l 2	COL 3	. FA	BRIC 5	GRAD 6	ES I	_EATH 8		WEIGHT	CUBE
	Two-seat, 21" Replacement Seat TAT5-RS221	766	812	861	928	1002	1065	1141	1237	1331	34	4.5
	Two-seat, 26" Replacement Seat TAT5-RS226	832	883	937	1014	1096	1172	1260	1367	1477	43	5.5
	Three-seat, 21" Replacement Seat TAT5-RS321	961	1031	1096	1193	1298	1393	1440	1634	1769	52	6
	Three-seat, 26" Replacement Seat TAT5-RS326	104	51121	1201	1307	1431	1538	1663	1817	1970	74	7.3
	Two-seat, 21" Replacement Seat Covers TAT5-RSC221	302	350	397	460	537	602	678	771	868	5	1.0
	Two-seat, 26" Replacement Seat Covers TAT5-RSC226	328	382	434	511	596	670	757	866	973	6	1.2
	Three-seat, 21" Replacement Seat Cover TAT5-RSC321		458	527	620	729	821	929	1063	1198	7	1.5
	Three-seat, 26" Replacement Seat Cover TAT5-RSC326		501	580	687	809	916	1042	1197	1349	8	1.7
	Replacement Gable End 21" TAT5-RGE21 Maple, Oak, Laminate Walnut, Palette	e 365 437									4	.30
	Replacement Gable End 26" TAT5-RGE26 Maple, Oak, Laminate Walnut, Palette	e 409 515									5	.50
	Replacement Table End 21" TAT5-RTE21 Maple, Oak, Laminate Walnut, Palette	e 615 752									11	1.1
	Replacement Table End 26" TAT5-RTE26 Maple, Oak, Laminate Walnut, Palette	e 672 815									13	1.3
11	21" Replacement Legs TAT5-RL21	183									7	1.1
U/	26" Replacement Legs TAT5-RL26	199									9	1.5

# **ZOLA BENCH** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



PRE-CONSUMER RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





FSC\* C021699

# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

# **AIR EMISSIONS**

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH**

### **DIMENSIONS**

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

### **COM YARDAGES**

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-Seat (Plus)	1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

# **ZOLA** | MODULAR & MODULAR PLUS BENCH FULL DEPTH

### **DIMENSIONS**

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes	
One-Seat	23	27	18.5	33	11.5	
Two-seat	46	27	18.5	55	21	
Three-seat	69	27	18.5	72	32	
One-Seat (Plus)	30	27	18.5	45	16	
Two-seat (Plus)	46	27	18.5	57	21	
Three-seat (Plus)	69	27	18.5	75	32	

### **COM YARDAGES**

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-Seat (Plus)	1.85	3.7	5.6	7.4	
Two-seat (Plus)	1.85	3.7	5.6	7.4	
Three-seat (Plus)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Arms (Right or Left)	77	One-Seat standard depth seat	47
Interim Arm	61	Two-seat standard depth seat	68
One-Seat back	68	Three-seat standard depth seat	85
Two-seat back	97	One-Seat plus standard depth seat	61
Three-seat back	121	One-Seat full depth seat	52
One-Seat plus back	78	Two-seat full depth seat	74
		Three-seat full depth seat	85
		One-Seat plus full depth seat	67

# **ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH**

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1S1	871	916	963	1053	1139	1227	1314	1398	1535
	One-Seat Plus ZOL3 MSB1S1	1098	1146	1195	1289	1384	1480	1572	1668	1810
	ORDERING NOTES: One-Seat Plus Bench is 30" wide.									
	Two-Seat ZOL3 MS2S1	1218	1272	1330	1447	1566	1685	1803	1922	2118
	Two-Seat Plus ZOL3 MSB2S1	1297	1359	1422	1540	1662	1778	1897	2017	2214
	ORDERING NOTES: The	Two-Seat Pl	lus comes	standard	with a fifth	leg for ex	tra suppoi	t.		
	Three-Seat ZOL3 MS3S1	1558	1638	1715	1883	2048	2214	2381	2548	2748
	Three-Seat Plus ZOL3 MSB3S1	1852	1928	2010	2148	2294	2434	2579	2718	2946
	<b>ORDERING NOTES:</b> The	Three-Seat	Plus come	es standar	d with a fif	th leg for e	extra supp	ort.		

# **ZOLA** | MODULAR & MODULAR PLUS BENCH FULL DEPTH

		COM		COL	FAE	BRIC GRA	DES		LEATHER	1
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1F1	961	1011	1058	1121	1198	1263	1336	1431	1555
	One-Seat Plus ZOL3 MSB1F1	1158	1222	1284	1371	1467	1557	1657	1778	1905
	ORDERING NOTES: One	-Seat Plus E	Bench is 30	O" wide.						
	Two-Seat ZOL3 MS2F1	1420	1482	1545	1632	1730	1817	1918	2040	2166
	Two-Seat Plus ZOL3 MSB2F1	1474	1536	1597	1685	1781	1870	1968	2238	2218
	ORDERING NOTES: The	Two-Seat P	lus comes	standard	with a fifth	leg for ex	tra suppor	rt.		
	Three-Seat ZOL3 MS3F1 Three-Seat Plus ZOL3 MSB3F1	1921	2016	2108	2236	2388	2522	2671	2859	3047
· V	ZOLO MIODOI 1	1988	2085	2176	2310	2460	2591	2742	2928	3117

**ORDERING NOTES:** Zola Bench Seating is available with 4 casters, for an upcharge of \$107 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of \$77 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options.

**ORDERING NOTES:** The Three-Seat Plus comes standard with a fifth leg for extra support.

## PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	S Standard Depth	1 Standard Leg &
2014	Soft Seating	Wodular	One Seat	Standard Deptil	Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs & 2 Casters

# **ZOLA** | MODULAR CURVE BENCH

# **DIMENSIONS STANDARD DEPTH** (INSIDE/OUTSIDE)

	Overall	Overall	Seat	Seat	Shipping		
	Width	Depth	Height	Depth	Weight	Cubes	
Single seat							
30°	34	24	18.5	22.5	48	18	
45°	39	24.5	18.5	22.5	49	19	
60°	43.5	25	18.5	22.5	50	22	
90°	52	26.5	18.5	22.5	51	26	
Double seat							
30°	55.5	25	18.5	22.5	83	32	
45°	61	26.5	18.5	22.5	84	33	
60°	66.5	28	18.5	22.5	86	39	
90°	74	31	18.5	22.5	96	46	


# **COM YARDAGES**

	COM Yardage per Seat	COM Yardage 2 Seats	COM Yardage 3 Seats	COM Yardage 4 Seats	
Single seat					
30°	1.8	3.6	5.4	7.2	
45°	1.8	3.6	5.4	7.2	
60°	1.8	3.6	5.4	7.2	
90°	1.8	3.6	5.4	7.2	
Double seat					
30°	3.4	6.8	10.2	13.6	
45°	3.4	6.8	10.2	13.6	
60°	3.4	6.8	10.2	13.6	
90°	3.4	6.8	10.2	13.6	


# SINGLE SEAT




30° Curve



45° Curve




60° Curve




**DOUBLE SEAT** 




30° Curve



45° Curve



60° Curve



# **UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	126

# **ZOLA** | MODULAR CURVE BENCH

# **DIMENSIONS FULL DEPTH** (INSIDE/OUTSIDE)

	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
	VVIGITI	Бериі	Height	Берин	vveigitt	Cubes	
Single seat							
30°	36	28.5	18.5	27	50	23	
45°	42	28.5	18.5	27	54	24	
60°	48	29	18.5	27	57	29	
90°	59	31	18.5	27	69	34	
Double seat							
30°	58	30	18.5	27	90	36	
45°	64	31	18.5	27	97.2	40	
60°	70	33	18.5	27	102.6	45	
90°	81	36	18.5	27	124.2	56	

## **COM Yardages**

COM Yardage 4 Entire Units 7.76
7.76
7.76
7.76
7.76
7.76
14.8
14.8
14.8
14.8

# SINGLE SEAT




30° Curve



45° Curve





60° Curve





90° Curve

# **DOUBLE SEAT**









# **UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	126

# **ZOLA** | MODULAR CURVE BENCH

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Curve, Stan ZOL3 MCS30DS1	dard Depti 1251	h 1361	1478	1634	1813	1970	2149	2378	2602
	Single-Seat, 45° Curve, Stan ZOL3 MCS45DS1	dard Depti 1361	h 1528	1691	1922	2186	2415	2678	3008	3336
	Single-Seat, 60° Curve, Stan ZOL3 MCS60DS1	dard Dept	h 1705	1869	2100	2360	2591	2854	3184	3513
	Single-Seat, 90° Curve, Stan ZOL3 MCS90DS1	dard Dept	h 1956	2136	2390	2681	2934	3222	3587	3949
	Single-Seat, 30° Curve, Full I ZOL3 MCS30DF1	Depth 1376	1499	1623	1797	1995	2168	2368	2613	2861
	Single-Seat, 45° Curve, Full I ZOL3 MCS45DF1	Depth 1501	1680	1861	2113	2405	2657	2946	3307	3669
	Single-Seat, 60° Curve, Full I ZOL3 MCS60DF1	Depth 1693	1875	2056	2308	2596	2851	3138	3501	3864
	Single-Seat, 90° Curve, Full I ZOL3 MCS90DF1	Depth 1954	2149	2352	2631	2948	3229	3545	3946	4343

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

### PRODUCT CODE KEY

PRODUCT CODE K	EY					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

# **ZOLA** | MODULAR CURVE BENCH

DESCRIPTION/MODEL		COM		COL	FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, S	Standard De	pth							
	ZOL3 MCD30DS1	2190	2385	2584	2858	3173	3452	3766	4160	4555
	Double-Seat, 45° Curve, S	Standard De	pth							
	ZOL3 MCD45DS1	2385	2672	2959	3363	3820	4223	4684	5259	5834
	Double-Seat, 60° Curve, S ZOL3 MCD60DS1	Standard De 2694	pth 2983	3269	3671	4131	4533	4994	5569	6142
	Double-Seat, 90° Curve, S ZOL3 MCD90DS1	Standard De 3105	pth 3424	3740	4184	4691	5135	5640	6273	6909

# **Upcharge for Removable Upholstery Covers:**

Option	\$ List
Double-seat curve 30° seat	93
Double-seat curve 45° seat	101
Double-seat curve 60° seat	123
Double-seat curve 90° seat	127

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

# PRODUCT CODE KEY

	<del></del> -					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	Soft Seating	MC Modular MCB Modular Plus	Single D Double	30D 30 Degree 45D 45 Degree 60D 60 Degree	Standard F Full	1 Standard Leg + Glide
				90 Degree		

# **ZOLA** | MODULAR CURVE BENCH

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Full ZOL3 MCD30DF1	Depth 2516	2742	2969	3287	3648	3966	4331	4784	5236
	Double-Seat, 45° Curve, Full ZOL3 MCD45DF1	Depth 2742	3073	3403	3866	4395	4859	5388	6048	6709
	Double-Seat, 60° Curve, Full ZOL3 MCD60DF1	Depth 3099	3429	3760	4221	4752	5214	5742	6405	7066
	Double-Seat, 90° Curve, Full ZOL3 MCD90DF1	Depth 3573	3935	4297	4812	5393	5904	6486	7215	7945

# **Upcharge for Removable Upholstery Covers:**

Option	\$ List
Double-seat curve 30° seat	93
Double-seat curve 45° seat	101
Double-seat curve 60° seat	123
Double-seat curve 90° seat	127

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

## PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

# **ZOLA** | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS

DECODIDEION	MODEL	COM	0	COL		BRIC GF			_EATHE		COM	MEIOLIT	CLIDE
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	COBE
	Replacement Back Sir ZOL3 RMCBIS30D ZOL3 RMCBIS45D ZOL3 RMCBIS60D ZOL3 RMCBIS90D	-	1247 1443	1330 1533 1893	1443 1659 2064 2272	1569 1801 2257 2476	1686 1924 2431 2652	1815 2066 2628 2854	1977 2244 2870 3109	2136 2423 3113 3363	1.9 2.6 2.6 2.8	20 22 23 28	8 8 10 11
	Replacement Back Do ZOL3 RMCBID30D ZOL3 RMCBID45D ZOL3 RMCBID60D ZOL3 RMCBID90D		2185	2324 2681 3313	2524 2898 3610 3975	2747 3147 3954 4331	2947 3367 4252 4641	3172 3617 4595 4995	3456 3929 5022 5440	3739 4239 5448 5884	2.8 3 4.8 4.8	38 42 43 52.5	13 13.5 16 18
	Replacement Back Sir	nale-sea	t Outsi	de Curv	re								_
	ZOL3 RMCBOS30D ZOL3 RMCBOS45D ZOL3 RMCBOS60D ZOL3 RMCBOS90D	1053 1218 1458	1122 1298 1593 1772	1197 1380 1704	1298 1492 1858 2045	1415 1620 2033 2228	1515 1732 2190 2386	1633 1861 2361 2569	1778 2020 2584 2798	1923 2182 2803 3028	1.7 1.7 1.7 1.7	15 17 20 25	5.0 7.0 9.0 9.0
	Replacement Back Do ZOL3 RMCBOD30D ZOL3 RMCBOD45D ZOL3 RMCBOD60D ZOL3 RMCBOD90D	1839 2133 2596 2898	at Outs 1965 2272 2789 3099	2092 2412 2983	2271 2610 3249 3578	2473 2833 3559 3896	2652 3030 3827 4177	2857 3252 4133 4498	3111 3535 4520 4897	3366 3816 4903 5295	3.1 3.1 3.1 3.1	30 34 35 40	9.0 11.0 14.0 14.0
	Replacement Seat Sin ZOL3 RMCSS30DS ZOL3 RMCSS45DS ZOL3 RMCSS60DS ZOL3 RMCSS90DS	1143 1258 1437		1372 1443 1765		1708 2080 2255	1866 2312 2487 2794	2046 2570 2747 3082	2272 2902 3077 3446	2496 3231 3408 3809	1.8 1.8 1.8 1.8	30 32 34 41	11 12 13 16
	Replacement Seat Do ZOL3 RMCSD30DS ZOL3 RMCSD45DS ZOL3 RMCSD60DS ZOL3 RMCSD90DS	uble-sea 2084 2280 2589 2966	2280 2567 2878	2478	epth Cu 2751 3257 3565 4042	rve 3069 3714 4027 4551	3344 4118 4427 4994	3662 4579 4888 5502	4057 5605 5464 6136	4449 5727 6039 6767	3.4 3.4 3.4 3.4	52.2 56 60 72	19.5 21 23 28
	Replacement Seat Sin	ale-seat	Full De	enth Cu	Ir\/e								
	ZOL3 RMCSS30DF ZOL3 RMCSS45DF ZOL3 RMCSS60DF ZOL3 RMCSS90DF	1270 1394 1589	1393	1518 1755 1951	1691 2010 2202 2491	1890 2298 2492 2807	2063 2552 2744 3090	2263 2839 3035 3405	2507 3202 3397 3804	2757 3563 3759 4205	1.94 1.94 1.94 1.94	36 39 41 49	13.5 14.5 15.5 19
	Replacement Seat Do ZOL3 RMCSD30DF ZOL3 RMCSD45DF ZOL3 RMCSD60DF ZOL3 RMCSD90DF	2410 2637 2992	2637 2968 3322	Depth C 2863 3297 3654 4160	3182 3761 4116	4289 4645	4754 5109	4223 5281 5636 6347	4678 5941 6297 7074	5131 6603 6960 7806	3.7 3.7 3.7 3.7	63 69 72 86	24 25.5 27 33.5
	Replacement Seat Co ZOL3 RMCBSCS30DS ZOL3 RMCBSCS45DS ZOL3 RMCBSCS60DS ZOL3 RMCBSCS90DS	223 229 265	e-seat 279 286 321 345	Standa 337 344 380 404	416 424 458 483	th Curve 510 516 552 573	590 597 632 655	680 689 725 746	796 805 840 864	912 917 955 978	1.8	2.5 3.1 3.7 4.3	1 1 1.5 1.5
	Replacement Seat Co ZOL3 RMCBSCD30DS ZOL3 RMCBSCD45DS ZOL3 RMCBSCD60DS ZOL3 RMCBSCD90DS	388 394 346	ble-sea 494 507 556 571	t Stand 603 614 664 679	ard De 757 765 815 833	pth Cur 930 939 988 1008	1083 1090 1140	1257 1265 1314 1333	1474 1482 1533 1551	1691 1698 1748 1768	3.4 3.4 3.4 3.4	4.8 5.9 7.0 8.2	1.5 1.5 2.5 2.5

# **ZOLA** | MODULAR CURVE - REPLACEMENT COMPONENTS

		COM		COL	FABF	RIC GRA	ADES	L	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	ver Sing	le-seat	Full De	pth Cu	ırve							
	ZOL3 RMCBSCS30DF	246	312	380	470	571	665	768	898	1030	1.94	2.9	1
	ZOL3 RMCBSCS45DF	256	320	386	478	582	672	778	906	1036	1.94	3.6	1
	ZOL3 RMCBSCS60DF	295	359	424	515	620	710	812	943	1073	1.94	4.3	1.5
	ZOL3 RMCBSCS90DF	: 313	380	444	536	640	730	835	962	1094	1.94	4.9	1.5
	Replacement Seat Co	ver Dou	ble-sea	ıt Full D	epth C	urve							
	ZOL3 RMCBSCD30DF	433	557	680	853	1054	1228	1423	1672	1922	3.7	5.5	1.5
	ZOL3 RMCBSCD45DF	441	565	689	865	1062	1236	1434	1683	1929	3.7	6.8	1.5
	ZOL3 RMCBSCD60DF	493	619	743	915	1116	1289	1487	1735	1984	3.7	8.1	2.5
	ZOL3 RMCBSCD90DF	530	654	778	952	1147	1320	1522	1771	2017	3.7	9.4	2.5

# **CARLYLE BENCH | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 15%

POST-CONSUMER
RECYCLED CONTENT = 17.97%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## **AIR-EMISSIONS**

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



## FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# **CARLYLE BENCH**

	COM	0	COL					LEATHER	0
	l l	2	3	4	5	ь	1	8	9
TWO-SEAT CAR5-2-0	1713	1798	1884	1971	2063	2157	2249	2369	2541
TWO-SEAT - BUTTON DET	TAILING								
CAR5-2-1	2209	2294	2381	2465	2559	2649	2743	2861	3037
THREE-SEAT CAR5-3-0	2253	2377	2493	2612	2734	2852	2972	3117	3503
THREE-SEAT - BUTTON D CAR5-3-1	ETAILING 3017	3140	3257	3378	3497	3614	3738	3881	4267
T	TWO-SEAT - BUTTON DET CAR5-2-1 THREE-SEAT CAR5-3-0	THREE-SEAT - BUTTON DETAILING CAR5-3-0  2253	THREE-SEAT DARS-3-0 2253 2377	1 2 3  WO-SEAT CAR5-2-0 1713 1798 1884  WO-SEAT - BUTTON DETAILING CAR5-2-1 2209 2294 2381  CHREE-SEAT CAR5-3-0 2253 2377 2493	THREE-SEAT - BUTTON DETAILING  THREE-SEAT - BUTTON DETAILING  CAR5-3-0  2253  2377  2493  2612	THREE-SEAT 2253 2377 2493 2612 2734	THREE-SEAT DARS-3	THREE-SEAT - BUTTON DETAILING THREE-SEAT - BUTTON DETAILING THREE-SEAT - BUTTON DETAILING THREE-SEAT - BUTTON DETAILING	THREE-SEAT - BUTTON DETAILING

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR5-2-0	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-2-1	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-3-0	81	26.5	17.5	-	-	-	-	110	25	3.6
CAR5-3-1	81	26.5	17.5	-	-	-	-	110	25	3.6

and Buttons

PRODUCT CODE	E KEY Series	Seat Count	Upholstery Style
CAR	5	2	0
Carlyle	Bench	Two-Seat	Upholstery Standard
		3	1
		Three-Seat	Top Stitching

# **CARLYLE**

Base is available in Silver Metallic only.

MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per yard.

# **OCCASIONAL TABLES**


293 Chit Chat 296 Avatar 298 Karma 303 Cressida 306 Leyton 308 Faeron Wood 310 Faeron Metal 312 Zola 317 Sutton 319 Virtu 321 Millennium 323 Prado 325 Carlyle

# CHIT CHAT | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



## MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Chit Chat products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## **AIR-EMISSIONS**

All Chit Chat products are supplied with air-emissions certified. Contact customer service for information.




## **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Chit Chat and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# **CHIT CHAT | PRODUCT FEATURES & OPTIONS**


# **TOP SHAPE & GRAIN DIRECTION**



# **EDGE PROFILES**



## **BASES**



# **SOLID SURFACE**

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

# **DIMENSIONS**

Model	Width	Depth	Height	Shipping Weight	Cubes				
Occasional									
Square Table -Rounded Corners									
7261242416	24	24	16	35	10.25				
7261303016	30	30	16	40	15				
7261363616	36	36	16	47	20.5				
Rectangular Table -Rounded Corners									
7261233016	23	30	16	37	12.5				
7261243016	24	30	16	37	12.5				
7261463016	45.75	30	16	54	21.75				
7261483016	48	30	16	75	22.75				
7261693016	68.75	30	16	91	31.5				
7261723016	72	30	16	107	32.75				
Round Table									
72052416	24D		16	35	10.25				
72053016	30D		16	40	15				
72053616	36D		16	57	20.5				

# **CHIT CHAT | OCCASIONAL**

DESCRIPTION/MODEL		Laminate PVC	HPL PVC	Solid Surface top Grade	Solid Surface top Grade	Solid Surface top	Solid Surface top
DESCRIPTION/MODEL		Edge	Edge	A - White	A - Color	Grade B	Grade C
Square Table, -Rounded Corners	Square Plate Base 7261242416SQ 7261303016SQ 7261363616SQ	868 937 1068	1041 1124 1284	1380 1569 2060	1465 1671 2201	1570 1835 2449	1731 2058 2778
Rectangular Table, -Rounded Corners	Square Plate Base 7261233016SQ 7261243016SQ 7261463016SQ 7261483016SQ 7261693016SQ 7261723016SQ	885 885 1386 1416 1535 1570	1062 1062 1663 1699 1841 1884	1458 1458 2377 2458 3157 3274	1551 1551 2522 2609 3370 3501	1672 1672 2778 2878 3741 3890	1856 1856 3114 3231 4231 4404
	Round Disc Base 7261233016DB 7261243016DB 7261463016DB 7261483016DB 7261693016DB 7261723016DB  ORDERING NOTES: Rectangular Chit Chat (68.75) coordinate with	,	,	•		1640 1640 2712 2810 3672 3822 note table sizes 2	1821 1821 3047 3163 4163 4337
Round Table	Round Disc Base 72052416DB 72053016DB 72053616DB	834 900 1042	1002 1081 1251	1320 1507 1999	1405 1609 2136	1530 1802 2312	1705 2033 2434
Model		Price				Shipping Weight	Cubes
Square Plate Base	72541815 72542415	344 404				37 58	1.1 1.4
	ORDERING NOTES: A single 18" base can	be used with to	ops up to	a maximum of 30	inches.		

$\mathcal{I}$			0	RD	ER	ING	NO	TES
- 11								

72141815

72142415

A single 18" base can be used with tops up to a maximum of 30 inches.

# **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select top material
- 3. Select a color for top
- 4. Select base finish

Round Disc Base

5. Select edge profile

# **BASE FINISH**

309

380

Round Disc Base, Brushed Stainless- DB-13 Square Plate Base, Brushed Stainless- SQ-13 Round Disc Base, White- DB-44 Square Plate Base, White-SQ-44

Round Disc Base, Matte Black- DB-14

Square Plate Base, Matte Black- SQ-14

## **MATERIALS & FINISHES**

For a complete list of Solid Surface colors please see page 336. Solid Surface is only available in the D Radius edge profile.

58

1.1

1.4


For a complete list of Laminate colors please see page 336..

# **AVATAR** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 48.95%

POST-CONSUMER RECYCLED CONTENT = 20.26%

Up to 61.05% of this Avatar product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## **AIR-EMISSIONS**

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# **AVATAR | TABLES**

Description	Model	Rift Oak	W	D	Н	WEIGHT	CUBE
吴	Square AVA4-S181817 AVA4-S222217	1148 1240	18 22	18 22	17 17	24 29	6.6 9
	Rectangular AVA4-R442217	2011	44	22	17	53	16
	Round AVA4-R18D17 AVA4-R22D17	1146 1232	18 22	18 22	17 17	23 27	6.6
	Elliptical AVA4-E442217	2006	44	22	17	53	16

# **AVATAR | VENEERS & FINISHES**

## **WOOD FINISHES**

Standard wood finishes are:

## Finishes on Rift Oak

Light Oak
Harvest Oak
SilverGrey on Oak
Mahogany Oak
Medium Cherry on Oak
Mellow Oak
Walnut on Oak
Espresso on Oak

## **VENEERS**

Avatar veneers are rift cut White Oak, which provides a straight grain appearance.

# **NON-STANDARD VENEER SPECIES**

In addition to range of standard wood species, Avatar can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Avatar's standard offering.

## **NATURAL CHARACTERISTICS OF WOOD**

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

## **CUSTOM WOOD FINISHES**

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.


## **FINISH**

Avatar features the Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

# KARMA | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS

#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 29.17%

POST-CONSUMER RECYCLED CONTENT = 42.67%

Up to 46.67% of this Karma product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



# AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# KARMA | FREE STANDING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ Polymer Edge	W	D	Н	Weight	Cube
	Square & Rectangular Tables, M	latte Black o	r Silver Metallic	· leas					
	KAR4C 18-18-18	746	904	601	17.5	17.5	17.5	15	2.6
	KAR4C 22-18-18	783	929	618	22		17.5	16.5	2.6
	KAR4C 42-18-18	1177	1458	1042	42	17.5	17.5	24.5	4.6
	KAR4C 18-18-21	763	915	618	17.5	17.5	21	17	3
ш	KAR4C 22-18-21	799	942	632	22	17.5	21	18.5	3
	KAR4C 42-18-21	1193	1474	1056	42	17.5	21	26.5	4.6
	Square & Rectangular Tables, Pe	olished Chro	me leas						
	KAR4C 18-18-18	882	1036	735	17.5	17.5	17.5	15	2.6
	KAR4C 22-18-18	917	1062	751	22	17.5	17.5	16.5	2.6
	KAR4C 42-18-18	1310	1195	1173	42	17.5	17.5	24.5	4.6
	KAR4C 18-18-21	912	1064	765	17.5	17.5	21	17	3
	KAR4C 22-18-21	949	1092	781	22	17.5	21	16.5	2.6
	KAR4C 42-18-21	1341	1401	1203	42	17.5	21	24.5	4.6
	<b>ORDERING NOTE:</b> For leg fini C for Polished Chrome	sh add to th	ne end of the r	model number; B	for Matte Blac	ck, S f	or Silv	er Metal	lic and
	Round Tables, Matte Black or Si	ilver Metallic	legs						
	KAR4C 24D-18	927	1265	725	24	-	17.5	19	3.5
	KAR4C 36D-18	1267	1425	796	36	-	17.5	31	7.3
	KAR4C 24D-21	940	1281	740	24	_	21	21	3.5
	KAR4C 36D-21	1282	1440	810	36	-	21	33	7.3
	Round Tables, Polished Chrome	eleas							
	KAR4C 24D-18	1061	1398	857	24	_	17.5	19	3.5
	KAR4C 36D-18	1439	1597	968	36	-	17.5	31	7.3
	KAR4C 24D-21	1089	1429	889	24	_	21	21	3.5
	KAR4C 36D-21	1467	1629	999	36	-	21	33	7.3
							0		

**ORDERING NOTE:** For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome

# KARMA | LINKING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	W	D	Н	Weight	Cube
	Square Straight Linking Table,				•		n seat	٠,	
	KAR4C-LKII-18-18	722	877	576		17.5	-	15	2.5
	Square Straight Linking Table, KAR4C-LKIL-18-18	Matte Black of 722	or Silver Meta 877	allic, Left handed as 576	`	sed se 17.5	ating) -	15	2.5
	Square Straight Linking Table,	Matte Black	or Silver Meta	allic. Right handed a	s seated (Opr	osed s	eating	a)	
	KAR4C-LKIR-18-18	722	877	576		17.5	-	″ 15	2.5
	Square Straight Linking Table, Polished Chrome, Left or Right handed (Same direction seating)								
	KAR4C-LKII-18-18	882	1036	735		17.5	-	15	2.5
	Square Straight Linking Table,	Polished Chr	ome, Left hai	nded as seated (Opp	osed seating	)			
	KAR4C-LKIL-18-18	882	1036	735	17.5	17.5	-	15	2.5
	Square Straight Linking Table,	Polished Chr	ome, Right h	anded as seated (Op	posed seatin	g)			
	KAR4C-LKIR-18-18	882	1036	735	17.5	17.5	-	15	2.5
	Square Straight Linking End Ta	ble, Matte Bl	ack or Silver	Metallic legs, Left ha	anded as seat	ed			
*	KAR4C-LKEL-18-18*	732	886	586	17.5	17.5	17.5	15	2.5
	Square Straight Linking End Ta	able, Matte Bl	ack or Silver	Metallic legs, Right I	nanded as se	ated			
	KAR4C-LKER-18-18	732	886	586	17.5	17.5	17.5	15	2.5
U	Square Straight Linking End Ta	ble, Polished	Chrome legs	s, Left handed as sea	ated				
	KAR4C-LKEL-18-18*	895	1052	751		17.5	17.5	15	2.5
	Square Straight Linking End Ta	ble, Polished	Chrome legs	s, Right handed as s	eated				
	KAR4C-LKER-18-18	895	1052	751	17.5	17.5	17.5	15	2.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 302 for suggested configurations.

# KARMA | LINKING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/ PVC				
Description	Model	Palette	Edge	Edge	W	D H	Weight	Cube
	Rectangular Straight Linking			•	•		0,	
	KAR4C-LKII-22-18 Rectangular Straight Linking KAR4C-LKIL-22-18	761 Table, Matte Bl 761	905 ack or Silver 905	591 Metallic, Left hanc 591	ded as seated (	17.5 - Opposed s 17.5 -	16.5 seating) 16.5	2.8
	Rectangular Straight Linking KAR4C-LKIR-22-18				nded as seated			2.8
	Rectangular Straight Linking KAR4C-LKII-22-18	Table, Polished 919	Chrome, Lef 1063	t or Right handed 751	(Same directio	n seating) 17.5 -	16.5	2.8
	Rectangular Straight Linking KAR4C-LKIL-22-18	Table, Polished 919	Chrome, Lef 1063	t handed as seate 751	d (Opposed se 22	eating) 17.5 -	16.5	2.8
	Rectangular Straight Linking KAR4C-LKIR-22-18	Table, Polished 919	Chrome, Rig 1063	ht handed as seat 751	ted (Opposed s 22	seating) 17.5 -	16.5	2.8
*	Rectangular Straight Linking KAR4C-LKEL-22-18*	End Table, Mat 768	te Black or S 913	lver Metallic, Left 601		ted (Oppos 17.5 17.5	0.	2.8
	Rectangular Straight Linking KAR4C-LKER-22-18	End Table, Mat 768	te Black or S 913	lver Metallic, Righ 601		eated (Oppo 17.5 17.5		g) 2.8
U	Rectangular Straight Linking KAR4C-LKEL-22-18*	End Table, Poli 932	shed Chrome 1074	, Left handed as s 765	`	ed seating) 17.5 17.5	5 16.5	2.8
	Rectangular Straight Linking KAR4C-LKER-22-18	End Table, Poli 932	shed Chrome 1074	, Right handed as 765		sed seating 17.5 17.	.,	2.8
	Curvilinear Connector Table 4	45°, Matte Blac 1039	k or Silver Me	etallic, Left or Righ 824	t handed (Sam 28	ne direction	, <b>inward</b> se	eating)
	Curvilinear Connector Table 4 KAR4C-LKCO-RF45							
	Curvilinear Connector Table 4 KAR4C-LKCL-RF45	15°, Matte Blac 1039	k or Silver Me 1514	etallic, Left handed 824	l as seated ( <b>O</b> p 28	oposed sea 24 -	ating) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RF45	15°, Matte Blac 1039	k or Silver Me 1514	etallic, Right hande 824	ed as seated ( <b>C</b> 28	Opposed se 24 -	eating) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCI-RF45	15°, Polished C 1198	hrome, Left o 1533	r Right handed (Sa 984	ame direction, 28	inward sea 24 -	ating) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCO-RF45	1198	1533	984	28	24 -	eating) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCL-RF45	1198	1533	984	28	24 -	19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RF45		nrome, Right 1533			24 -	19	4.2
	Curvilinear Connector Table 4	15° Matte Black	or Silver Me	tallic,with Flat edg	e, Left or Right	t handed (S	Same direct	ion,
	KAR4C-LKCI-RR45	1073	1559	865	28	24 -	19	4.2
	Curvilinear Connector Table 49 outward seating)	o Matte Black	or Silver Meta	allic, with Flat edge	e, Left or Right h	nanded (Sai	me directioi	٦,
	KAR4C-LKCO-RR45	1073	1559	865	28	24 -	19	4.2
	Curvilinear Connector Table 45 KAR4C-LKCL-RR45	° Matte Black o 1073	or Silver Meta 1559	llic, with Flat edge, 865	Left handed as 28	s seated ( <b>Op</b> 24 -	<b>posed</b> seat 19	ting) 4.2
	Curvilinear Connector Table 4: KAR4C-LKCR-RR45							
	Curvilinear Connector Table 45 KAR4C-LKCI-RR45	° Polished Chro 1232	me, with Flat o	edge, Left or Right I 1022	handed (Same o	direction, <b>in</b> 24 -	ward seatin 19	ng) 4.2
	Curvilinear Connector Table 45' KAR4C-LKCO-RR45	1232	1717	1022	28	24 -	19	ng) 4.2
	Curvilinear Connector Table 4 KAR4C-LKCL-RR45	15° Polished Ch 1232	nrome, with F 1717	at edge, Left hand 1022	ded as seated ( 28	Opposed s	seating) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RR45	15° Polished Ch 1232	nrome, with F 1717	at edge, Right har 1022	nded as seated 28	d ( <b>Opposed</b>	seating) 19	4.2


**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 302 for suggested configurations.

# KARMA | LINKING TABLES

Description	Mandal	Beech/	Laminate top w/Wood	Laminate top w/ PVC	W . D		W/s:shi	Out
Description	Model	Palette	Edge	Edge	W D		Weight	
	Curvilinear Connector Table 90	o, Matte Blac 1351		tallic, Left or Right h	anded (Same di 38 24		, <b>inward</b> s 22	
	KAR4C-LKCI-RR90 Curvilinear Connector Table 90°		1959 k or Silver Met					5.5 eating)
	KAR4C-LKCO-RR90	1351	1959	1084	38 2	-	22	5.5
	Curvilinear Connector Table 90	o, Matte Blac	ck or Silver Me	tallic, Left handed as	seated (Oppos	ed seat	ting)	
	KAR4C-LKCL-RR90	1351	1959	1084	38 2		22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCR-RR90	o, Matte Blac 1351	ck or Silver Me 1959	stallic, Right handed a 1084	as seated ( <b>Oppo</b> 38 2		ating) 22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCI-RR90	o, Polished 0	Chrome, Left of 2118	or Right handed (Sam 1243	e direction, <b>inw</b> 38 2		ating) 22	5.5
	Curvilinear Connector Table 90							5.5
	KAR4C-LKCO-RR90	1510	2118	1243	38 2	4 -	22	5.5
	Curvilinear Connector Table 90							
	KAR4C-LKCL-RR90	1510	2118	1243	38 2	-	22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCR-RR90	1510	nrome, Rignt 2118	1243	pposed seating 38 24	,	22	5.5
	NALI4O-ENOTI-NITSU	1310	2110	1240	JO 2.		22	J.J
	Curvilinear Connector Table 90 inward seating)	o with Matte	Black or Silv	er Metallic, Flat edg	e, Left or Right	handed	l (Same di	rection,
	KAR4C-LKCI-RF90	1273	2018	1117	38 2	4 -	22	5.5
-	Curvilinear Connector Table 90	o, Matte Bla	ck or Silver M	etallic, with Flat edg	e, Left or Right	nanded	(Same di	rection,
	outward seating)							
	KAR4C-LKCO-RF90	1273	2018	1117	38 2		22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCL-RF90	1273	2018	1117	38 2	4 -	22	5.5
	Curvilinear Connector Table 90°, KAR4C-LKCR-RF90	, Matte Black 1273	or Silver Meta 2018	llic, with Flat edge, Ri 1117	ight handed as s 38 2	•	Opposed s 22	seating) 5.5
	Curvilinear Connector Table 90° KAR4C-LKCI-RF90	Polished Ch	nrome, with Fla	at edge, Left or Right 1275	handed (Same c		, <b>inward</b> s	seating) 5.5
	Curvilinear Connector Table 90° KAR4C-LKCO-RF90					rection,		
	Curvilinear Connector Table 90 KAR4C-LKCL-RF90	° Polished C 1552	hrome, with F 2174	lat edge, Left handed 1275	d as seated ( <b>Op</b> )		seating) 22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCR-RF90	° Polished C 1552	throme, with F 2174	lat edge, Right hande 1275	ed as seated (O <sub>l</sub> 38 2	•	seating) 22	5.5
	Rectilinear Corner Connector 1 direction, <b>inward</b> seating)	Table 90° Ma	tte Black or Si	lver Metallic, with Fla	t edge, Left or R	ight ha	nded (San	ne
	KAR4C-LKCI-SF90	1512	2192	1212	30 30	1	26	5.5
No.	Rectilinear Connector Table 90							
•	outward seating) KAR4C-LKCO-SF90	1512	2192	1212	30 3	,	26	5.5
	Rectilinear Connector Table 90°							
	KAR4C-LKCL-SF90	1512	2192	1212	30 3		<b>26</b>	5.5
	Rectilinear Connector Table 90°							
	KAR4C-LKCR-SF90	1512	2192	1212	30 30		26	5.5
	Rectilinear Corner Connector T ward seating)	Table 90° Pol	ished Chrome	, with Flat edge, Left	or Right hande	d (Same	e direction	, in-
	KAR4C-LKCI-SF90	1735	2415	1437	30 30		26	5.5
	Rectilinear Connector Table 90° KAR4C-LKCO-SF90	Polished Ch 1735	rome, with Fla 2415	t edge, Left or Right h 1437	anded (Same dii 30 3		outward s 26	seating) 5.5
	Rectilinear Connector Table 90				,		seating)	
	KAR4C-LKCL-SF90 Rectilinear Connector Table 90	1735 ° Polished C	2415 hrome, with F	1437 lat edge, Right hande	30 30 ed as seated ( <b>O</b> )		26 I seating)	5.5
	KAR4C-LKCR-SF90	1735	2415	1437	30 30	) -	26	5.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 302 for suggested configurations.

# KARMA | LINKING TABLES CONFIGURATIONS




ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

# **CRESSIDA** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



#### MATERIAL CONTENT:




PRE-CONSUMER RECYCLED CONTENT - 36.34%

POST-CONSUMER RECYCLED CONTENT - 26.4%

Up to 31.25% of this Cressida product is recyclable at the end of its useful life.



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 30.77%

POST-CONSUMER RECYCLED CONTENT - 25.68%

Up to 27.88% of this Cressida product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

# AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# **CRESSIDA** | TABLE FEATURES

# **ANTI-MICROBIAL FINISH**

Cressida wood surfaces include an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

#### STANDARD FINISHES

For a complete list of standard wood finishes, please see page 335. Cressida tables are available in 22 standard finishes.

# **LAMINATE**

Cressida Box-style tables are available in laminate with wood side or laminate side. See page 336 for laminate information.

#### **SOLID SURFACE**

Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote.

# CRESSIDA | BOX-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	H V	VEIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	1179 1458	1227 1515	1224 1508	1271 1567	18 24		15.75 15.75	24 34	3 5
	Rectangular Tabl CRE4A 241816 CRE4A 482416	es 1295 2085	1347 2167	1338 2158	1393 2241	24 48		15.75 15.75	28 56	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	973 1187 2079	1012 1236 2163	1003 1338 2272	1044 1393 2361	18 24 30	-	15.75 15.75 15.75	16 23 34	3 5 8
	Rectangular Rou CRE4 B181816 CRE4 B241816 CRE4 B242416 CRE4 B482416	nd Corner 1265 1425 1583 2299	1315 1483 1644 2390	1311 1485 1686 2461	1361 1545 1752 2559	18 24 24 48	18 24	15.75 15.75 15.75 15.75	21 25 30 51	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1312 1620 2058	1363 1686 2139	1443 1753 2201	1501 1825 2287	24 32 48	24	15.75 15.75 15.75	23 34 56	4 7 12
	Triangular Round CRE4B T1618-45 CRE4B T2124-45 CRE4B T2529-45 CRE4B T2818-90 CRE4B T3624-90 CRE4B T4429-90	5 1187 5 1359 5 1666 0 1477 0 1758	1236 1415 1732 1534 1832 2198	1205 1411 1760 1534 1841 2135	1253 1465 1833 1594 1915 2220	16 21 25 28 36 44	18 24 29 18 24 29	15.75 15.75 15.75	23 28 24 30	2.5 4.5 7 3 7.5 11


## TRIANGULAR TABLE DIMENSIONS














# CRESSIDA | LIGHT-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGHT	Γ CUBE
	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	589 601 832	613 626 865	672 687 997	699 714 1036	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Tables CRE4D 181816S CRE4D 242416S CRE4D 363616S	533 591 845 543	555 615 878 565	596 688 1014 610	620 715 1054 633	18 24 36	18 24 36	16 16 16	22 33 65	3 5 12
	CRE4D 181821S CRE4D 242421S	603	628	699	729	18 24	18 24	21 21	25 35	4 5

# **LEYTON** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS

#### MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 34.73%

POST-CONSUMER RECYCLED CONTENT = 15.68%

Up to 62.16% of this Leyton product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## **AIR EMISSIONS**

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



# **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# **LEYTON | TABLES**

DESCRIPTION/MODEL		Maple, Oak Walnut Palette Laminate	Cherry Anigre Sycamore (5 UNIT MIN.)	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	LEY4122412	584	648	824	869	958	1019
_	LEY4182412	611	695	940	1002	1120	1202
	LEY4242412	641	744	1062	1137	1288	1390
	LEY4302412	670	794	1173	1265	1440	1563
	LEY4362412	699	842	1317	1422	1633	1778
<u> </u>	LEY4422412	851	1015	1438	1559	1801	1966
J	LEY4183012	666	765	1053	1122	1266	1361
	LEY4243012	701	832	1183	1271	1449	1570
	LEY4303012	743	890	1309	1414	1624	1769
	LEY4363012	781	953	1462	1587	1836	2009
	LEY4423012	922	1117	1613	1756	2041	2238
	LEY4182416	626	710	946	1005	1124	1207
	LEY4242416	656	760	1065	1141	1291	1395
	LEY4302416	687	809	1179	1268	1446	1568
	LEY4362416	715	854	1320	1428	1639	1781
	LEY4422416	868	1030	1443	1565	1804	1970
	LEY4183016	680	781	1081	1151	1291	1390
	LEY4243016	716	845	1209	1297	1478	1598
	LEY4303016	759	906	1334	1440	1651	1796
	LEY4363016	795	963	1488	1613	1863	2034
	LEY4423016	937	1134	1641	1781	2068	2264
	LEY4-SB122412	622	683	850	893	978	1036
	LEY4-SB182412	647	727	961	1020	1132	1210
	LEY4-SB242412	676	774	1077	1148	1292	1389
	LEY4-SB302412	704	822	1183	1270	1437	1554
	LEY4-SB362412	731	867	1320	1420	1621	1759
	LEY4-SB422412	876	1032	1435	1550	1781	1938
	LEY4-SB183012	700	794	1068	1134	1271	1362
4	LEY4-SB243012	733	858	1192	1276	1445	1561
	LEY4-SB303012	773	913	1312	1412	1612	1750
	LEY4-SB363012	809	973	1458	1577	1814	1979
	LEY4-SB423012	944	1129	1602	1738	2009	2197

Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 tables (any combination of sizes) per species.

DESCRIPTION/MODEL	•	Price	Weight	Cubes
	Replacement Table Legs (pair) LEY4R2412 LEY4R2416 LEY4R3012 LEY4R3016	238 246 276 305	8 10 10 12	1 1.25 2 2.25
	Replacement Glides - Lounge & T LEY3RG	Table (set of four) 18	1	.25
D D D D D D D D D D D D D D D D D D D	LEY3-POWERDOC - Undermoun	t 573	3	0.375

# **DIMENSIONS**


Model	W	D	Н	Shipping Weight	Cubes	Model	W	D	Н	Shipping Weight	Cubes	
LEY4122412	12	24	12	17.5	.7	LEY4182416	18	24	16	27	1.4	
LEY4182412	18	24	12	22	1.1	LEY4242416	24	24	16	33	1.8	
LEY4242412	24	24	12	28	1.4	LEY4302416	30	24	16	39	2.2	
LEY4302412	30	24	12	32	1.8	LEY4362416	36	24	16	45	2.7	
LEY4362412	36	24	12	37	2.2	LEY4422416	42	24	16	51	3.1	
LEY4422412	42	24	12	41.5	2.5	LEY4183016	18	30	16	28	1.4	
LEY4183012	18	30	12	23	1.1	LEY4243016	24	30	16	34	1.8	
LEY4243012	24	30	12	28	1.4	LEY4303016	30	30	16	40	2.2	
LEY4303012	30	30	12	33	1.8	LEY4363016	36	30	16	46	2.7	
LEY4363012	36	30	12	37.5	2.2	LEY4423016	42	30	16	52	3.1	
LEY4423012	42	30	12	42.5	2.5							

# FAERON WOOD | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS

#### MATERIAL CONTENT:





F	10.87% Cardboard 2.17% Hardwood Veneer 34.78% Hardwood 52.17% Particle Board Up	EE-CONSUMER CYCLED CONTENT = 54.89%  DST-CONSUMER CYCLED CONTENT = 10.33%  Into 10.87% of this Faeron product is recyclable at the end of its eful life.  1-2 point(s) 1 point 1 point 1 point
	CONTRIBUTES TO	
REDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
REDIT 3.3	Resource Reuse	1 point
REDIT 4.1	Recycled Content	1 point
REDIT 4.2	Recycled Content	1 point
REDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
REDIT 5.1	Regional Materials*	1 point
REDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
nanufactured withir	r applicable if in total 20% of the combined value of the procurement of construction in a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 miles. This credit will apply if the installation of the finished product occurs with a radius of 500 mil	CATION  and that measures the degree of lental attributes and compliance ere, Human & Ecosystem Health
0	and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability c certification through third-party verification against the e3 standard.  AIR-EMISSIONS  All Faeron products are supplied with air-emissions certified. Contact customer ser	·





facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# FAERON WOOD | FREE STANDING TABLES

## **WOOD SPECIES**

Solid Beech frames, and edges. Veneer tops.

# STANDARD FINISHES

For a complete list of standard wood finishes, please see page 331. Faeron tables are available in 22 standard finishes.

## LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge. See page 336 for color selection.

DESCRIPTION/MODEL		Beech	Laminate with Polymer Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	Round Tables FAE4-22D-21 FAE4-30D-16 FAE4-44D-16	1246 1402 2574	928 1038 1880	1833 2131 3762	1960 2279 4024	2070 2479 4391	2271 2769 4915
	Elliptical FAE4-E44-22-16	1603	1169	2359	2524	2748	3077
	Square Tables FAE4-22-22-21 FAE4-30-30-16 FAE4-44-44-16	1232 1429 2628	916 1060 1918	1748 2147 3839	1870 2298 4108	1989 2538 4480	2191 2867 5016
	Rectangular Table FAE4-44-22-16	1622	1184	2369	2536	2765	3096

# **DIMENSIONS**


Model	Width	Depth	Height	Shipping Weight	Cubes	
Round Tables						
FAE4-22D-21	22" Diamet	ter	21	22	8	
FAE4-30D-16	30" Diamet	ter	16	35	11	
FAE4-44D-16	40" Diamet	ter	16	45	14	
Elliptical						
FAE4-E44-22-16	44	22	16	65	21	
Square Tables						
FAE4-22-22-21	22	22	21	34	8	
FAE4-30-30-16	30	30	16	42	11	
FAE4-44-46	44	44	16	47	12	
Rectangular Table						
FAE4-44-22-16	44	22	16	55	12	

# FAERON METAL | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 67.26%

A	12% Cardb 29% Steel 57% Particl	11E010EED CONTENT = 07.2070
	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1-2 point(s) 1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
	ole if in total 20% of the combined value of the procuremer of 500 miles. This credit will apply if the installation of the finished	

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## **AIR-EMISSIONS**

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing ( facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# FAERON METAL | FREE STANDING TABLES

## **FRAME FINISH**

Faeron Metal table frames are available in Krug Sliver Metallic or Brushed Nickel.

## **METAL FINISH OPTIONS**

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$64 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$64 list per

arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

## STANDARD FINISHES

For a complete list of standard wood finishes, please see page 335. Faeron tables are available in 22 standard finishes.

## LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge. See page 336 for color selection.

are available for an up	ocharge of <b>\$64 list</b> per	. Obtain	a quote.		See page 330 i	oi coloi selecti	OH.			
DESCRIPTION/MODE		Beech	Laminate with	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C			
	Daynad Tablaa Cibaa	Matallia								
	Round Tables, Silve					40.50				
	FAE4-M22D-21S	1132	810	1716	1845	1956	2157			
	FAE4-M30D-16S	1223	859	1953	2100	2298	2592			
// [[]] \\	FAE4-M44D-16S	2302	1609	3490	3753	4117	4643			
	Round Tables, Brusl	hed Nicke	el Frame							
<b>ч</b> П	FAE4-M22D-21N	1294	974	1879	2007	2117	2318			
	FAE4-M30D-16N	1386	1021	2113	2263	2461	2754			
	FAE4-M44D-16N	2659	1965	3846	4110	4473	5000			
	Elliptical, Silver Meta	allic Fram	e							
	FAE4-ME44-22-16S		939	2130	2295	2520	2848			
	Elliptical, Brushed N	lickel Fran	me							
	FAE4-ME44-22-16N		1265	2452	2616	2844	3172			
	Square Tables, Silve	er Metallic	: Frame							
	FAE4-M22-22-21S	1118	803	1634	1755	1872	2076			
	FAE4-M30-30-16S									
		1249	882	1967	2119	2359	2688			
// [[]] \\	FAE4-M44-44-16S	2356	1645	3565	3836	4207	4743			
	Square Tables, Brushed Nickel Frame									
	FAE4-M22-22-21N	1282	962	1795	1918	2035	2238			
ū	FAE4-M30-30-16N	1412	1042	2131	2281	2522	2849			
	FAE4-M44-44-16N	2713	2003	3922	4192	4564	5099			
	.,	2110	2000	0022	4102	4004	0000			
	Rectangular Table, S	Silver Met	allic Frame							
	FAE4-M44-22-16S	1393	955	2140	2306	2535	2867			
	Rectangular Table, E	Bruched N	lickel Frame							
	FAE4-M44-22-16N	1716	1279	2463	2630	2859	3190			
	7,21,011,22,1014	1710	1275	2400	2000	2000	0100			
DIMENSIONS	145 111		5		01:					
Model	Width	1	Depth	Height	Shipping Weigh	nt Cu	bes			
Round Tables										
FAE4-M22D-21	22"	Diameter		21	30		8			
FAE4-M30D-16	30"	Diameter		16	42		11			
FAE4-M44D-16	44"	Diameter		16	72		21			
Elliptical										
FAE4-ME44-22-16	44		22	16	42		12			
Square Tables										
FAE4-M22-22-21	22		22	21	32		8			
FAE4-M30-30-16	30		30	16	47		11			
FAE4-M44-44-16	44		44	16	83		21			
Rectangular Table			* *	. •		•				
TATA MAA OO 10	11		00	16	47		10			

44

22

16

47


12

FAE4-M44-22-16

# **ZOLA TABLES | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 58.82%

POST-CONSUMER
RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

Construction Waste Management	1-2 point(s)
Resource Reuse	1 point
Recycled Content	1 point
Recycled Content	1 point
Low Emitting Materials,	
Systems & Seating	1 point
Regional Materials*	1 point
Certified Wood (MUST BE REQUESTED)	1 point(s)
	Resource Reuse  Recycled Content  Recycled Content  Low Emitting Materials,  Systems & Seating  Regional Materials*  Certified Wood

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## **AIR EMISSIONS**

All Zola products are supplied air emissions-certified. Contact customer service for information.

## FSC\* C021699

## ECC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# **ZOLA | TABLES FEATURES**

#### **TABLES MATERIALS OPTION**

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

#### **SOLID SURFACE TOPS**

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

## **POWER OPTION**

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$647 list.

## **UNDER-MOUNT POWER OPTION**

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below tables. See page 251 for pricing.

# **ZOLA | MODULAR LINKING TABLES**

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Middle Linking Modu	ılar Table								
	ZOL4 LKM12	988	1036	1088	1140	12	16	-	22	2.8
	ZOL4 LKM18	1044	1098	1147	1209	18	16	-	24	4.5
1	ZOL4 LKM24	1074	1155	1181	1270	24	16	-	29	5.7
	ORDERING NOTE:	Middle Linkin	g Modular Ta	ble ships with 2 K	B1 brackets.					
	Rectangular End Tab	le Square Co	rner							
	ZOL4 LKE12	1053	1108	1158	1218	12	16	14.75	5 19	2.8
	ZOL4 LKE18	1098	1155	1209	1270	18	16	14.75	5 23	4.5
	ZOL4 LKE24	1146	1202	1263	1323	24	16	14.75	5 28	5.7
	ORDERING NOTE:	End Linking M	1odular Table	ships with 1 KB1	bracket.					
	End Table Rounded	Corner								
$\leftarrow$	ZOL4 ECLKH12	1199	1246	1232	1284	12	12	14.75	5 18	2.5
	ZOL4 ECLKH18	1295	1347	1342	1395	18	12	14.75	5 24	3
	ORDERING NOTE:	End Linking M	lodular Table	ships with 1 KB1	bracket.					
	Curvilinear 30° Table ZOL4 LKC30	1019	1074	1122	1181	16	16.5	-	15	2.3
	Curvilinear 45° Table ZOL4 LKC45	1098	1155	1209	1270	16	17	-	17	2.9

**ORDERING NOTES:** Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
	A Willie	7 00101		
ZOL4-LKM12	218	229	260	295
ZOL4-LKM18	269	286	332	383
ZOL4-LKM24	381	406	522	621
ZOL4-LKE12	218	229	260	295
ZOL4-LKE18	269	286	332	383
ZOL4-LKE24	381	406	522	621
ZOL4-ECLKH12	218	229	260	295
ZOL4-ECLKH18	269	286	332	383
ZOL4-LKC30	246	260	299	340
ZOL4-LKC45	308	328	384	446

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

# **ZOLA | MODULAR LINKING TABLES**


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Curvilinear 60° Tabl ZOL4 LKC60	e 1146	1209	1263	1332	16	17.5	-	20	3.7
<b>⊕</b>	Curvilinear 90° Tabl ZOL4 LKC90	e 1283	1354	1411	1487	16	19	-	24	5.4
	Curvilinear 90°x2 Ta ZOL4 LKC90X2	able 2548	2625	2802	2886	16	19	-	55	10
	Curvilinear Table ZOL4 LKH12	1116	1170	1228	1288	16	19	14.75	5 18	2.3

**ORDERING NOTES:** Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKC60	379	402	473	559
ZOL4-LKC90	562	596	719	857
ZOL4-LKC90X2	894	933	1141	1378
ZOL4-LKH12	218	229	260	295

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

## **CURVILINEAR TABLE DIMENSIONS**



# **ZOLA** | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	H V	VEIGHT	CUBE
	Square Tables ZOL4 181815 ZOL4 242415	1098 1187	1155 1251	1209 1305	1270 1374	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4 241815 ZOL4 482415	1139 1359	1203 1443	1253 1495	1327 1587	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15	1170 1251 1391	1244 1318 1474	1288 1374 1530	1367 1452 1619	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Rot ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415	und Corners 1275 1434 1578 2264	1328 1492 1639 2354	1320 1493 1686 2408	1376 1555 1752 2504	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915	1327 1610 2016	1378 1673 2096	1499 1788 2254	1559 1858 2345	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 1818	287	301	352	409
ZOL4 2424	460	469	560	662
ZOL4 2418	343	364	433	510
ZOL4 4824	771	791	970	1170
ZOL4 18D	274	290	339	396
ZOL4 24D	410	443	533	633
ZOL4 30D	658	716	942	1136
ZOL4 EC1818	287	301	352	409
ZOL4 EC2418	343	364	433	510
ZOL4 EC2424	460	469	560	662
ZOL4 EC4824	771	791	970	1170
ZOL4 E2418	343	364	433	510
ZOL4 E3224	543	581	699	834
ZOL4 E4829	908	949	1164	1405

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


# **ZOLA | FREESTANDING TABLES**

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Triangular Tables -	Rounded Corr	ners							
	ZOL4 CR45D1815	1192	1240	1207	1257	15.75	18	14.75	17	2.5
	ZOL4 CR45D2415	1354	1408	1404	1459	20.5	24	14.75	22	4.5
	ZOL4 CR45D2915	1639	1705	1734	1803	25	29	14.75	27	7
	ZOL4 CR90D1815 ZOL4 CR90D2415 ZOL4 CR90D2915	1465 1730 2066	1526 1801 2148	1529 1813 2109	1585 1885 2194	17.5 36.25 44.5	18 24 29	14.75 14.75 14.75	29	3 7.5 11

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 CR45D18	270	286	333	386
ZOL4 CR45D24	403	432	512	602
ZOL4 CR45D29	542	573	687	815
ZOL4 CR90D18	339	371	441	518
ZOL4 CR90D24	576	613	740	885
ZOL4 CR90D29	815	846	1033	1242


The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

# TRIANGULAR TABLE DIMENSIONS



# **SUTTON | ENVIRONMENTAL SUMMARY**

# **LEED CI CREDITS**



PRE-CONSUMER
RECYCLED CONTENT = 75.72%

POST-CONSUMER
RECYCLED CONTENT = 10.43%

Up to 5.80% of this Sutton product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



mark of responsible forest

# AIR EMISSIONS

All Sutton products are supplied air-emissions certified. Contact customer service for information.

## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# **SUTTON** | OCCASIONAL TABLES

# **FINISHES**

			OAK, CHERRY, MAPLE	DI	MENSIC	NS	SHIPPING	CUBIC
DESCRIPTION/MODEL		LAMINATE	WALNUT, MEDIUM ANIGRE	W	D	Н	WEIGHT	FEET
	SUTTON SQUAR	E						
	SUT4-24-24-16	992	1106	24	24	16	48	8
	SUT4-24-24-21	1039	1155	24	24	21	49	10
	SUT4-30-30-11	1117	1240	30	30	11	65	7
	SUT4-30-30-16	1139	1266	30	30	16	69	11
Ψ.	SUT4-48-24-16	1285	1429	48	24	16	83	14
	SUT4-48-24-21	1316	1463	48	24	21	84	18
	SUT4-48-30-11	1378	1530	48	30	11	96	11
	SUT4-48-30-16	1409	1565	48	30	16	98	15

## **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select a finish or laminate for the table

## STANDARD FINISHES

Sutton is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer.

For a complete list of standard wood finishes please see page 335.

# STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

# **LAMINATE**

Sutton is available in laminate. Please seep pricing above. Please see page 336 for laminate selection.

Laminate is not available on KrugExpress.


## BASES

Bases are available in Silver Metallic only.

# **VIRTU TABLES | ENVIRONMENTAL SUMMARY**

## **LEED CERTIFICATION**





PRE-CONSUMER
RECYCLED CONTENT = 67.31%

POST-CONSUMER RECYCLED CONTENT = 12.15%

Up to 45.80% of this Virtu product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Virtu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

# AIR EMISSIONS

All Virtu products are supplied air-emissions certified. Contact customer service for information.



# **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Virtu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# **VIRTU** | OCCASIONAL TABLES

		Oak, Cherry, Maple	Di	mensio	Shipping	Cubic	
DESCRIPTION/MODEL		STYLE 1	W	D	Н	Weight	Feet
	Square - Frosted Glass	s Тор					
	VIR4-18-18-21-1	1588	18	18	21	40	8
	VIR4-24-24-16-1	1693	24	24	16	52	13
	VIR4-24-24-21-1	1884	24	24	21	52	13
	VIR4-30-30-21-1	2286	30	30	21	63	19
U	VIR4-36-36-16-1	2718	36	36	16	85	27
	VIR4-42-42-16-1	2971	42	42	16	95	21
	VIR4-48-24-16-1	3239	48	24	16	78	25
	Round - Frosted Glass	з Тор					
	VIR4-24D-16-1	1837	24	-	16	52	13
	VIR4-36D-16-1	3251	36	-	16	85	27
	VIR4-24D-21-1	2118	24	-	21	52	13

	Oak, Cherry, Maple					mensio	ons	Shipping	Cubic
DESCRIPTION/MODEL		STYLE 1	STYLE 2	LAMINATE	W	D	Н	Weight	Feet
	Square - Wood Top								
	VIR4-18-18-21-0	1284	1376	1384	18	18	21	40	8
	VIR4-24-24-16-0	1345	1416	1468	24	24	16	52	13
	VIR4-24-24-21-0	1440	1539	1565	24	24	16	52	13
	VIR4-30-30-21-0	1706	1823	1818	30	30	21	63	19
0	VIR4-36-36-16-0	2007	2134	2166	36	36	16	85	27
	VIR4-42-42-16-0	2926	3068	3082	42	42	16	95	21
	VIR4-48-24-16-0	2685	2874	2767	48	24	16	78	25
	ORDERING NOTES A Style (1 or 2) must be selected and noted clearly on Purchase Order.								
	Round - Wood Top								
	VIR4-24D-16-0	960	1030	1108	24	-	16	52	13
	VIR4-36D-16-0	1834	1960	2087	36	-	16	85	27
	VIR4-24D-21-0	1244	1331	1391	24	-	21	52	13

# **ORDERING NOTES**

A Style (1 or 2) must be selected and noted clearly on Purchase Order.

## **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select Style 1 or Style 2

# CODE DESCRIPTION

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

## STANDARD FINISHES

Virtu is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer. For a complete list of standard wood finishes please see page 335.

# STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

## **METAL DETAILING**

Metal detailing is available in Silver Metallic only.


# **GLASS**

Glass is available in frosted only. Glass tempered and 8mm thick. Floats on clear rubber bumpers.

# **MILLENNIUM | ENVIRONMENTAL SUMMARY**

## **LEED CERTIFICATION**





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER
RECYCLED CONTENT = 16.25%

Up to 38.93% of this Millennium product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Millennium products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

## **AIR-EMISSIONS**

All Millennium products are supplied with air-emissions certified. Contact customer service for information.



## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Millennium and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.




# **MILLENNIUM | OCCASIONAL TABLES**

Е	INI	ıçı	HES	2
г	ш	IJГ	163	•

			CHERRY, MAPLE	DIN	MENSIO	NS	SHIPPING	CUBIC
DESCRIPTION/MODEL		OAK	WALNUT, MEDIUM ANIGRE	L	W	Н	WEIGHT	FEET
	MILLENNIUM SQUAF	RE, AND RE	ECTANGLE					
	6800-18-18-21	730	838	18	18	21	19	5
	6800-18-18-29	767	886	18	18	29	23	9
	6800-24-18-21	804	931	24	18	21	20	6
	6800-24-24-21	834	954	24	24	21	23	8
w	6800-26-26-21	869	984	26	26	21	26	9
$\Psi$	6800-30-30-16	961	1093	30	30	16	34	8
	6800-48-18-16	1048	1215	48	18	16	36	9
	6800-48-18-29	1266	1425	48	18	29	46	15
	MILLENNIUM ROUND	)						
	6800-24Dia.	1205	1386	24 Dia.		21	27	8
	6800-30Dia.	1273	1446	30 Dia.		16	38	8
	6800-36Dia.	1380	1555	36 Dia.		16	42	12

### MILLENNIUM EDGE DETAIL PROFILES



An edge detail profile must be selected for Millennium occasional tables.

### **ORDERING NOTES**

Optional laminate inlay available at a 10% upcharge. Please contact Customer Service for more information. Laminate is not available on *KrugExpress*.

### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select and edge detail profile

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

### STANDARD FINISHES

Millennium tables are available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes, please see page 335.

### STANDARD WOOD SPECIES

Standard wood species available: Oak, Cherry & Maple.


# **BIRDSEYE MAPLE**

Bookmatched Birdseye Maple Veneer is available on Millenium occasional tables at an upcharge of **\$76 list** per square foot. Birdseye Maple is recommended in a clear finish only.

# PRADO | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 60%

POST-CONSUMER
RECYCLED CONTENT = 15%

Up to 88.5% of this Prado product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Prado products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### **AIR EMISSIONS**

All Prado products are supplied air-emissions certified. Contact customer service for information.

### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Prado and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# PRADO | OCCASIONAL TABLES

### **FINISHES**

		CHERRY,	MAPLE,						
		WALNUT, ME	DIUM ANIGRE		DII	MENSI	ONS	SHIPPING	CUBIC
DESCRIPTION/MODEL	-	STYLE 1	STYLE 2	LAMINATE	L	W	Н	WEIGHT	FEET
	PRADO SQUARE	AND RECTANG	GULAR						
	5610-18-18-16	1332	1433	1332	18	18	16	40	3
	5610-18-18-21	1345	1452	1345	18	18	21	42	4
	5610-18-24-16	1378	1482	1378	18	24	16	47	4
/ T 1	5610-18-24-21	1402	1504	1402	18	24	21	49	5
g \	5610-24-24-16	1430	1538	1430	24	24	16	53	5
8	5610-24-24-21	1456	1565	1456	24	24	21	55	7
	5610-30-30-16	1483	1620	1483	30	30	16	69	8
	5610-30-30-21	1534	1647	1534	30	30	21	72	11
	5610-36-36-16	1569	1686	1569	36	36	16	88	14
	5610-36-36-21	1593	1714	1593	36	36	21	90	15
	5610-48-24-16	1613	1738	1613	48	24	16	102	11
	5610-48-24-21	1641	1767	1641	48	24	21	108	14
	ORDERING NOTE			D b O	l				
	A Style (1 or 2) mu	st de selected a	and noted cleari	y on Purchase Ord	ier.				
	PRADO ROUND								
	5611-18D-16	1494	1607	1494	18 Dia.	_	16	35	3
	5611-18D-21	1534	1647	1534	18 Dia.		21	37	4
	5611-24D-16	1587	1702	1587	24 Dia.		16	46	5
	5611-24D-21	1613	1734	1613	24 Dia.	-	21	49	7
n	5611-30D-16	1716	1844	1716	30 Dia.	_	16	59	11
<b>V</b>	5611-30D-21	1765	1894	1765	30 Dia.	_	21	63	12
	5611-36D-16	2020	2174	2020	36 Dia.	-	16	74	12
	5611-36D-21	2085	2241	2085	36 Dia.	-	21	79	15
	000000000000000000000000000000000000000								
	ORDERING NOTE		and a start at a st	D					
	A Style (1 or 2) mu	st be selected	and noted clear	y on Purchase Ord	der.				
	PRADO OVAL								
	5612-18-24-16	1999	2145	1999	18	24	16	47	5
	5612-18-24-21	2107	2263	2107		24	21	49	6
	5612-42-24-16	2418	2606	2418	42	24	16	102	9
	5612-42-24-21	2541	2735	2541		24	21	104	14
y    \ \		2011	2.00	2011				-	
// 4									

### **ORDERING NOTES**

Prado comes with Silver Metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

# **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select Style 1 or Style 2
- 3. Select a finish for the table

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

# **CODE DESCRIPTION**

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

# STANDARD FINISHES

Prado is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see page 335.

### STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.


### **METAL DETAILING**

Prado comes with Silver Metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

# **CARLYLE TABLE | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 50%

POST-CONSUMER RECYCLED CONTENT = 15%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CARLYLE** | OCCASIONAL TABLES

		FINISHES CHERRY, MAPLE		_		SHIPPING	CUBIC
DESCRIPTION/MODEL		WALNUT, MEDIUM ANIGRE	W	D	Н	WEIGHT	FEET
	CAR4-18-18-24	1191	18	18	24	30	5.5
	CAR4-24-22	1283	24	24	22	32	9
	CAR4-42-21-16	1598	42	21	16	65	9.9

# ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the wood frame

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

### STANDARD FINISHES

Carlyle is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see page 335.

# STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.

### **METAL DETAILING**

The legs on the Carlyle series feature a Silver Metallic finish.

# GENERAL INFORMATION

### **Terms and Conditions**

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

#### Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

**Customer Service Hours** 

Please note customer service hours are:

8:30 am to 5:00 pm est

#### **Customer Satisfaction**

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

### **Order Acknowledgments**

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

### Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

### **Pricing**

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

### Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

#### Warrantv

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

# **Blanket Wrapping**

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

### **Export Packaging**

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

**Important:** Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

### **Dimensions**

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

# Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

# GENERAL INFORMATION

### **Freight Terms and Conditions**

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

# **Product Strength and Durability Testing**

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.

# **Damaged Shipments**

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

### Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

#### Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

### **Custom Capabilities**

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

#### These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address <a href="mailto:engineering.co.">engquotes@krug.ca</a>.

### **Care and Maintenance Leather**

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

### **Fabric Upholstery**

Professional upholstery cleaning is recommended.

### Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

# KRUG TEXTILES - UPHOLSTERY FABRICS



# Krug Textiles - Stocked Fabric Program

### Grade 1

# **ARLO**





# KRUG TEXTILES - UPHOLSTERY FABRICS

# Krug Textiles - Stocked Fabric Program

# Grade 2

# **GRADDY**











34 SLATE

84 TEAK

98 NICKLE

**YATES** 















92 ZINC



908 CHARCOAL

**MCCOY** 











608 TUNDRA





108 CORDOVAN

# **ORIS**











908 DOMINO



64 PUTTY

205 CHARTREUSE

# KRUG TEXTILES - UPHOLSTERY FABRICS



# Krug Textiles - Stocked Fabric Program

### Grade 3

# **MORITZ**













9008 CHARCOAL

82 CLAY

304 CAPRI

31 AEGEAN

**LORENZO** 



306 INDIGO









601 CREAM

24 ALPINE

106 HENNA

91 FLANNEL

604 STUCCO

32 MIST

**BISCOTTI** 









91 GRANITE

302 CAPRI

# **INTRIGUE**



















### Krug Textiles - Faux Leather Program - Grade 2



### Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



# Krug Textiles - Cut fabric NET price per yard

Grade 1 \$22 Grade 2 \$34 Grade 3 \$46

### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

# CUSTOMER'S OWN MATERIAL - C.O.M.

### Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

### **Application of Directional Upholstery cover**

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

# COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2 Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

### C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

# **Upholstery Cover Yardage Calculation**

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

# **GRADED-IN UPHOLSTERY PROGRAMS**

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

### **Upholstery Grades**

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

### **Upholstery Samples**

If you require additional samples or memos for presentation, please contact fabric supplier directly.

### Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

### **Special Conditions**

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

# KRUG EXPRESS PROGRAM

### **PROGRAM DETAILS**

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

### **SEATING & OCCASIONAL TABLES PROGRAM**

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

# WOOD FINISHES

### **WOOD FINISHES**

Standard wood finishes are:

### Finishes on Beech

Appalachian Cherry
American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry

Light Oak Harvest Oak Mahogany Mellow Oak

Espresso

Cordovan Walnut Natural Walnut

Regular Walnut

SilverGrey on Walnut Dark Walnut

Clear Beech

Medium Anigre

### Finishes on Maple Clear Maple

Clear Maple Honey Maple Wheat Maple

#### **PALETTE**

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

# WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

### **NATURAL CHARACTERISTICS OF WOOD**

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

### **Custom Wood Finishes**

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

### **Dual Finishes**

Add 10% list per item if specifying dual finish.

### **Standard Wood Finishes**

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

### **LAMINATES**

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

<b>IN-STOCK LAMINATES</b>			
<b>Wood Grain Laminates</b>	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry Park Avenue Walnut	Tafisa T472CR Wilsonart 7984–38	Solid Laminates	
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR

### **PHASE OUT LAMINATES**


Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

### **Non-Stocked Laminates**

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

# SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



# **BASE STYLES**

Base Styles	Description								
Black Nylon	5 blade glass rei	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.							
Polished Aluminum	5 blade polished	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.)							
Seat Slider	l l	Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.							
Wood	5 blade steel ba	r stock base with finishe	ed wood caps and 2" t	olack hooded dual w	heel casters.				
Chrome	5 blade polished	5 blade polished chrome base with 2 1/4" dual wheel casters.							
Jury Bases	,	Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor.  Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning							
Jury Bases	height feature w	hen exiting the chair. All	lows for full 360 degree	e rotation. Limited de	grees of rotation are not available				
Pan Am Pan1-M11 <u>J</u>	Bank of England 177- <u>J</u>	Dorso D0S1-H2011 <u>J</u>	Cadence CAD1-HW12 <u>J</u>	C5 C5E1MB41A <u>J</u>	Aqua AQU1M33 <u>J</u>				



# krug







All products are air emissions certified and are available as FSC® certified