SEATING & OCCASIONAL TABLES

Price and Specification Guide GSA GS-03F-084DA



krug

Advancing Design Through Innovation

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

General Services Administration Federal Supply Schedule

FSC Groups 7110, 7125 Subcategory: Furniture

CONTRACT NUMBER: GS-03F-084DA

CONTRACT PERIOD: April 1, 2016 through March 31, 2026 CONTRACTOR/ ADMINISTRATOR: Mira Jaksic-Husic

Krug Inc.

421 Manitou Drive

Kitchener, Ontario, Canada Tel: 1-800-265-2796 Fax: 1-800-265-2798

1. List of Special Item Numbers on Contract

33721P Packaged Office Furniture w Ancillary Installation Services Office Furniture w Ancillary Installation Services 339113H Healthcare Furniture w Ancillary Installation Services **OLM** Order Level Materials

2. SPECIAL ITEM **MAXIMUM NUMBER ORDER** 33721P \$5,000,000

\$250,000 33721 339113H \$500,000 OLM \$250,000

3. SPECIAL ITEM **MINIMUM NUMBER ORDER** 33721P \$100.00 33721 \$100.00 339113H \$100.00

4. Geographic Coverage

48 contiguous States and Washington, DC

NA

5. Point of Production

Krug Inc. 421 Manitou Drive

Kitchener, Ontario, CANADA

N2C 15L

OLM

6. Discount from List Prices

33721P Package Office Furniture Krug Product Discounts As Below GSA Teaming Partner Products at their

> Approved GSA Discount Terms. Krug Installation Charge 12.75% of Net Order (Max.). No Charge for Project Mgt Services.

33721 Office Furniture

Executive Office Furniture 56.6% 56.6% **Executive Conference Furniture** Tables and Accessories 56.6% Fully Upholstered Lounge Furniture 56.6% Multiple Seating 56.6% Multi-Purpose Seating 56.6% Stacking Chairs 56.6%

Installation Ancillary to these products 12.75% Charge of Net Order (Max.)

339113H Healthcare Furniture

Hospital Patient Room Furniture 56.6% Hospital Geriatric Chairs & Lounge Seating 56.6% Patient Service Systems 56.6%

Installation Ancillary to these products 12.75% Charge of Net Order (Max.)

Quantity Discounts (off Net pricing)

Multiple Seating, Multipurpose Seating, Stacking

25,001 - 50,000 1% 50,001 - 100,000 2% 100,001 - 150,000 3% 150,001 - 250,000 4%

Lounge Seating, Tables & Accessories

25,000 - 50,000 50,001 - 75,0002% 75,001 - 100,000 3% 100,001 - 180,000 4% 180,001 - 200,000 5% 200,001 - 250,000 6%

Hosp/Geriatric Chairs and Lounge, Patient Room Furniture, Patient Service Systems

\$100,000 - \$200,000 \$200,000.01 - \$300,000 1.5% \$300,000.01 - \$400,000 2%

Quantity Discounts for Executive Office and Executive Conference are no longer applicable based on the MAS Consolidation revisions to Maximum Order Limits.

2.5%

Prompt Payment Terms

\$400,000.01 - \$500,000

Net 30 Days

Visa and MasterCard are accepted above and below the micro-purchase threshold.

NOTE: No additional discount will be offered on orders placed using credit cards.

10. Foreign Items

All items manufactured in Canada.

11a. Time of Delivery

60-90 Days ARO for all items.

11b. Expedited Delivery

Please contract Krug GSA Customer Service for information on Expedited Delivery/Krug Express Program. 1-800-265-2796

11c. Overnight & 2 day Delivery

11d. Urgent Requirements

Please contact Krug for urgent requirements.

12. F.O.B. Point

Destination

13. Payment Address

Same as above

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

14. Warranty

For commercial products, Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. For Krug Healthcare products (as outlined in the US Healthcare price and specification Guide dated March 1, 2019), Krug warrants the construction and finish of all Healthcare products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug.

Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug: Height Adjustable Mechanism Warranty Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase: a) Electronic components such as control boxes, hand switches and motors - two (2) years b) Mechanical components such as crank drives, spindles - five (5) years c) Structural components such as J-channels, feet and top supports - ten (10) years. The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced. Juno and Trevisa Overbed Tables have a 2-year warranty.

15. Export Packing Charges

Quoted upon request

16. Terms and Conditions of Government Commercial Credit Card

ACCEPTANCE: KRUG will accept the government commercial credit card but will not Offer any additiona discount for orders placed using the credit card

17. Term and Conditions of Rental Maintenance and Repair.

18. Term and Conditions of Installation

19. Term and Conditions of Repair

20a. Term and Conditions for any other services

20. Service and Distribution points

Call contractor

21. Participating Dealers

Call contractor

22. Preventative Maintenance

N/A

23. Environmental Attributes

Krug maintains a program to reduce the impact on the environment of our products and operations.

24. Data Universal Number System (DUNS) number 251476669

25. Notification regarding registration in SAM.

Krug Inc.'s registration in SAM is current, accurate and valid.

26 Cage Code: 37310

TABLE OF CONTENTS

PRICING & SPECIFICATIONS

Management & Task Seating Callisto
C5
Aqua
Dorso E
Dorso T
Dorso Weave
Dorso
Me
Pan Am
Cadence

70 **Guest Seating** 71 Addison

74 Blake 77 Dorso 80 Bali 82 Kita 84 Spence 86 Cadence 88 Faeron Wood

94

100 **Multi-Purpose Seating**

Faeron Metal

101 Libra 108 Mobi 112 Karma 122 Corfu 128 Capri

130 Bank of England

132 **Barstools & Counter Height Seating**

133 Manolo 137 Karma 139 Capri Corfu 141

147 **Lounge Seating**

148 Avatar 151 Cressida 161 Leyton 176 Zola Zola Privacy 193 259 Faeron 271 Sutton 273 Carlyle

Brio

Sloane

275

277

279 **Benches** 280 Tate 286 Zola 296 Carlyle

298 **Occasional Tables**

299 Chit Chat 302 Avatar 304 Karma 309 Cressida 312 Leyton 314 Faeron Wood 316 Faeron Metal 318 Zola 323 Sutton 325 Virtu 327 Millennium 329 Prado 331 Carlyle

General Information General Information 333 335 Krug Textiles - Upholstery Fabrics 338 Krug Textiles - Leather & Luxe Faux Leather 339 C.O.M. 340 Graded-In Upholstery Programs 340 KrugExpress Program 341 Wood Finishes 342 Laminate Program 342 Solid Surface Program 343 Glide Selection Chart 344 Base Styles

MANAGEMENT & TASK SEATING


- Callisto 3
 - C5
- 7 16
- Aqua Dorso E 22
- 29 Dorso T Dorso Weave
- 40 Dorso
- 47 Me
- 53 Pan Am 58 Cadence

CALLISTO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 28.83%

POST-CONSUMER
RECYCLED CONTENT = 21.67%

Up to 70.56% of this Callisto product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Callisto products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Callisto products are supplied air-emissions certified. Contact customer service for information.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CALLISTO | FEATURES & OPTIONS



BREATHABLE MESH

Mesh Seats and Backs are available in 2 colors: Black and Grey.



UPHOLSTERED CUSHIONING

Upholstered Seats and Backs are available in a wide range of textiles, and seat features molded foam that is supportive for extended periods of sitting.



ADJUSTABLE LUMBAR SUPPORT

This optional feature provides enhanced support in the lower lumbar area of the back with 3" of adjustment range.



FIXED CANTILEVER ARM

This arm features Polished Aluminum with an integrated urethane pad surface.



ADJUSTABLE ARM

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards.



ARMLESS

Callisto models are available armless.



SELF-ADJUSTING SYNCHRO MECHANISM

The tilt feature adjusts automatically to the user's weight. It includes a standard seat slider feature adding an adjustment range of 2", and 4 position tilt lock with anti-kickback, and height adjustability.



BASES

Base options include Polished Aluminum and Black Polymer, and a soft wheel caster option.



STOOL BASE

A stool version is available on all Callisto models. It has a standard height adjustment range of 7.5". Foot ring is Polished Chrome, and standard gas lift is Black.

The Seat Slider and Seat Slider Plus option is not available with the Stool base. Stool base is only available with a swivel mechanism.

WEIGHT CAPACITIES

Callisto has been tested and complies with ANSI/BIFMA x5.1-2011 standards.
Callisto has been load tested to 450lbs

OPTIONS



ADJUSTABLE ARMS PLUS

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards. Adjustable Arms Plus provides a width adjustment range of 3".

SEAT SLIDER PLUS

The optional enhanced seat slider, has an adjustment range of 3". When the 3" seat slider option is selected a larger chair base is included. Seat Slider Plus option is not available with the Stool base.

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

REPLACEABLE COMPONENTS

Callisto is uniquely designed to allow major components to be field replaced, providing a very cost-effective means to significantly extend the life of the product.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with nonflammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

CALLISTO | DIMENSIONS & COM REQUIREMENTS

							Height	Height					
				Overall	Seat	Seat	Arms From	Arms From	Width				
	Overall	Overall	Overall	Height	Height	Height -Stool	Floor	Floor-Stool	Between	Seat	Shipping		COM
	Width	Depth	Height	-Stool	Min/Max	Min/Max	Min/Max	Min/Max	Arms	Depth	Weight	Cubes	YRD
CAL1M10	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	-
CAL1M11	25	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	-
CAL1M12	24	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	17	19	45	14.5	-
CAL1M20	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	.85
CAL1M21	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	.85
CAL1M22	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	.85
CAL1M30	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	1.68
CAL1M31	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	1.68
CAL1M32	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	1.68

CALLISTO

 COM
 COL
 FABRIC GRADES
 LEATHER

 DESCRIPTION/MODEL
 1
 2
 3
 4
 5
 6
 7
 8
 9



Mesh Back & Seat, Armless with Black Base

CAL1M10B 908

Mesh Back & Seat, Armless with Polished Aluminum Base

CAL1M10P 933




Mesh Back & Seat, Adjustable T-Arm with Black Base

CAL1M12B 1016

Mesh Back & Seat, Adjustable T-Arm with Polished Aluminum Base

CAL1M12P 1041



Mesh Back & Se

Mesh Back & Seat, Fixed Cantilever Arm with Polished Aluminum Base

CAL1M11P 1067

ORDERING NOTES: To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	
Soft Wheel Casters	67	
Adjustable Lumbar Support (L)	61	
Adjustable Arms Plus (W)	98	
Stool Base	113	
Seat Slider Plus (S)	74	

Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL	1	М	1	0	В	
Callisto	Management, Task & Conference Seating	Mid Back	Mesh Back & Seat	Armless	Black Polymer	
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3	2		
			Fully Upholstered	Adjustable T-Arm		

CALLISTO

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRAD 5	ES 6	7	LEATHER 8	9
	Mesh Back & Uphols	stered Sea	at. Armles	s with Bla	ck Base					
	CAL1M20B	977	1000	1024	1067	1115	1161	1206	1253	1345
	Mesh Back & Uphols									
	CAL1M20P	1003	1026	1051	1094	1141	1190	1231	1278	1372
<u> </u>	Mesh back & Uphols	stered Sea	at, Adjusta	able T-Arm	with Black	k Base				
	CAL1M22B	1088	1111	1135	1178	1224	1270	1318	1362	1455
	Mooh book 9 I Inholo	torod Co	at Adiust	abla T Arm	with Dolio	had Alumin	um Paga			
	Mesh back & Uphols CAL1M22P		1138	1161	1205	ned Alumin 1253	um base 1298	1345	1389	1482
	O/ IL TIVILLE				00	.200	.200		.000	
	Mesh Back & Uphols	stered Sea	at, Fixed (Cantilever	Arm with E	Black Base				
	CAL1M21B		1137	1161	1205	1252	1298	1345	1389	1481
7				o			. 5			
	Mesh Back & Uphols CAL1M21P								4.445	1500
	OALTIVIZIT	1141	1164	1187	1231	1278	1325	1371	1415	1508
a 9 9										
	Fully Upholstered Ba	ick & Sea	t, Armless	s with Blac	k Base					
	CAL1M30B	1024	1068	1116	1205	1297	1389	1478	1569	1751
	Fully Upholstered Ba	rck & Spa	t Armlace	with Polis	shed Alumi	num Rasa				
	CAL1M30P		1095	1141	1231	1325	1414	1507	1597	1777
a										
	Fully Upholstered Ba	ick & Sea	t, Adjusta	ble T-Arm	with Black	Base				
	CAL1M32B	1136	1180	1226	1315	1407	1500	1588	1681	1861
	Fully Upholstered Ba	rck & Sea	t Adiusta	hle T-Arm	with Polish	ned Alumini	ım Rase			
	CAL1M32P		1206	1253	1345	1437	1525	1615	1705	1887
		1100	1200	1200	1040	1407	1020	1013	1705	1007
	Fully Upholstered Ba	ick & Sea	t, Fixed C	antilever A	rm with BI	ack Base				
	CAL1M31B		1206	1253	1345	1435	1525	1615	1705	1887
7	Fully Upholstered Ba	ok & Soo	+ Eivad C	antilover 1	rm with D	aliched Alur	ninum Boo	^		
	CAL1M31P	1191		1278	1371	1462	1552	e 1643	1735	1916
	-	1.01	1200	12.0	1071	1 102	1002	1010	.,	1010
60 - A - 60										

ORDERING NOTES: To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.


Seat Slider Flus	and upcharge below.					
Callisto Option	Upcharges	\$	List			\$ List
CAL 133 & Moisture Barrier (per yard) Soft Wheel Casters Adjustable Lumbar Support (L) Adjustable Arms Plus (W) Stool Base Seat Slider Plus (S)			67 Combina 67 61 98 113 74	tion Upholstery - dual		34
PRODUCT CODE	KEY					
Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL Callisto	1 Management, Task & Conference Seating	M Mid Back	1 Mesh Back & Seat	0 Armless	B Black Polymer	
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3 Fully Upholstered	2 Adjustable T-Arm		

C5 | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 24.5%

POST-CONSUMER RECYCLED CONTENT = 19.4%

Up to 60.1% of this C5 product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. C5 products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All C5 products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. C5 and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

C5 | FEATURES & OPTIONS

ARM STYLES

C5 features four styles of fixed arms; polished aluminum with polymer pad, polished aluminum with upholstered pad, full black polymer arm, and fully upholstered arm.



Polished Aluminum Arm with Polymer Pad



Polished Aluminum Arm with Upholstered Pad



Black Polymer Arm



Fully Upholstered - Leather or Fabric wrapped upholstered arm with detailed top stitching.



MECHANISM OPTIONS

Swivel-Tilt - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment. Right side activated tension control. Available in Black only.



Knee Tilt - Right side activated tension control and vertical adjustment. Left side 4 position activated tilt lock. Available in Black powdercoat or Polished Aluminum.

BASE STYLES

C5 seating is available in two base options. Choose from a black nylon, or a polished aluminum.



Polished Aluminum



Black Glass Reinforced Nylon



Jury Base

The C5 series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

SEAT

The seat has been carefully researched and shaped to provide extended sitting comfort, with a foam density that provides an optimal combination of softness and firmness.

REPLACEABLE COMPONENTS

C5 chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable.

OPTIONS

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C5 | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight		COM Yardage
Mid Back										_
Polished Aluminum Arm with Polymer pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Polished Aluminum Arm with Uph. Pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.9
Black Polymer Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Upholstered Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	2.5
High Back										
Polished Aluminum Arm with Polymer Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Polished Aluminum Arm with Uph. Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.3
Black Polymer Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Upholstered Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.9

MULTIPLE YARDAGE REQUIREMENTS

	Yardage Seat & Back Rest	Yardage Seat only	Yardage Back rest only	Yardage Upholstered Arm Pad (2)	Yardage Full Upholstered Arm (2)	
Mid Back						
1 Chair	1.7	.9	1.5	.19	.8	
2 Chairs	3.3	1.14	2.4	.19	1.06	
3 Chairs	5	2.04	3.2	.19	1.5	
4 Chairs	6.6	2.28	4	.19	2.19	
High Back						
1 Chair	2.1	.9	1.95	.19	.8	
2 Chairs	3.4	1.14	3.1	.19	1.06	
3 Chairs	5.5	2.04	4.2	.19	1.5	
4 Chairs	7.4	2.28	5.8	.19	2.19	

DIMENSIONS:

Height measurements of C5 tilter are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

COM APPROVAL PROCESS:

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

WEIGHT CAPACITY:

C5 has been tested to ANSI BIFMA.

C5 is load rated to 300lbs

C5 EXECUTIVE | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB	RIC GRA 5	DES 6	7	LEATHER 8	9
	FULLY UPHOLSTERE	D ARM								
	C5E1MB41A Polished Aluminum kr	1450 nee tilt, Po	1519 olished Al	1589 uminum b	1689 ase	1801	1900	2013	2155	2297
	C5E1MB42B Black Aluminum knee	1409 tilt, Black	1481 c base	1552	1647	1760	1861	1974	2114	2253
	FULLY UPHOLSTERE	D ARM								
	C5E1MB43C Black Swivel tilt, Polis	1363 hed Alum	1434 iinum bas	1508 se	1604	1716	1821	1930	2072	2212
	C5E1MB43D Black Swivel tilt, Blac	1335 k base	1404	1477	1571	1687	1790	1901	2042	2180
	POLISHED ALUMINU	M ARM W	VITH POL	YMER PA	D					
	C5E1MB11A Polished Aluminum kr	1265 nee tilt, Po	1328 olished Al	1386 uminum b	1474 ase	1573	1660	1756	1881	2004
	C5E1MB12B Black Aluminum knee	1226 tilt, Black	1288 (base	1349	1435	1534	1617	1717	1839	1963
	POLISHED ALUMINU	M ARM W	VITH POL	YMER PA	D					
	C5E1MB13C Black Swivel tilt, Polis	1181 hed Alum	1241 ninum bas	1305 se	1392	1489	1577	1674	1797	1922
	C5E1MB13D Black Swivel tilt, Blac	1152 k base	1211	1273	1359	1460	1545	1645	1767	1891
	ORDERING NOTES: For jury base, please a Hard casters are the s Barrier options are ava For UPHOLSTERED 1 2 3	tandard a ailable for	nd soft wan upcha	wheel caste arge of \$6 7 shed arm v	ers can be o 7 list per ya versions onl	ordered fo ard.	or \$67 list pe arm style 2 ar	r chair.	CAL 133 and	
DDODUOT CODE KEV	119 126 132	142	15	2 16	2 172	18	6 199			
PRODUCT CODE KEY Line	Series	Back	c Style		Arm Style		Mechanism		Base St	cyle
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	Mid	MB Back		1 shed Aluminu vith Polymer I		1 olished Alumin Knee Tilt	um P	A olished Alumi for Knee	num Base
			HB Back		2 shed Aluminu with Uph. Pa		2 Black Aluminui Knee Tilt	m	Black Barton Knee	
				Blac	k Polymer Ar	m	Black Swivel T	ilt P	olished Alumi for Swive	
				Fu	ılly Uph. Arm			В	lack Base for	Swivel Tilt

J Jury Base

C5 EXECUTIVE | MID BACK

		COM	COL FABRIC GRADES		LEATHER		1						
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9			
	BLACK POLYMER ARM												
	C5E1MB31A	1164	1224	1286	1409	1533	1656	1778	1899	2147			
	Polished Aluminum k	nee tilt, P	olished A	luminum b	oase								
	C5E1MB32B Black Aluminum knee	1136 e tilt, Blac	1198 k base	1258	1345	1443	1526	1627	1749	1873			
	BLACK POLYMER AF	RM											
	C5E1MB33C 1090 1150 1214 1302 1399 1486 1584 1707 Black Swivel tilt, Polished Aluminum base									1832			
	C5E1MB33D Black Swivel tilt, Blac	1062 k base	1121	1183	1269	1370	1455	1555	1676	1800			



ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add \$84 list.

Hard casters are the standard and soft wheel casters can be ordered for \$67 list per chair. CAL 133 and Moisture For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1 2 3 4 5 6 7 8 9

1	2	3	4	5	6		8	9
119	126	132	142	152	162	172	186	199

TODOUT GODE IXET					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3	3	С
			Black Polymer Arm	Black Swivel Tilt	Polished Aluminum Base for Swivel Tilt
			4		D
			Fully Uph. Arm		Black Base for Swivel Tilt
					J

C5 EXECUTIVE | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAI 4	BRIC GRAI		7	LEATHE	R 9
DESCRIPTION/MODEL	FULLY UPHOLSTERED	-		3	4	5	6	/	8	<u> </u>
	C5E1HB41A Polished Aluminum kne	1504	1583 Polished	1663 Aluminum	1773 pase	1899	2010	2136	2297	2455
	C5E1HB42B Black Aluminum knee t	1462 tilt, Blac	1541 ck base	1622	1733	1860	1971	2097	2254	2413
	FULLY UPHOLSTERED	O ARM								
	C5E1HB43C Black Swivel tilt, Polish	1416 ned Alui	1499 minum ba	1580 ase	1691	1818	1928	2058	2214	2373
	C5E1HB43D Black Swivel tilt, Black	1387 base	1466	1549	1661	1788	1900	2024	2180	2341
	POLISHED ALUMINUM	M ARM	WITH PC	DLYMER PA	AD					
	C5E1HB11A Polished Aluminum kne	1319 ee tilt, F	1386 Polished	1459 Aluminum	1557 pase	1671	1770	1881	2023	2164
	C5E1HB12B Black Aluminum knee t	1278 tilt, Blad	1349 ck base	1421	1518	1632	1728	1840	1981	2124
	POLISHED ALUMINUM	M ARM	WITH PC	DLYMER PA	AD.					
	C5E1HB13C Black Swivel tilt, Polish	1234 ned Alui	1306 minum ba	1377 ase	1474	1586	1685	1800	1942	2081
	C5E1HB13D Black Swivel tilt, Black	1205 base	1273	1347	1443	1556	1656	1767	1908	2049
	ORDERING NOTES: For jury base, please as Hard casters are the sta Barrier options are avai	andard	and soft	wheel cast	ers can be	ordered fo				and Moisture

Barrier options are available for an upcharge of \$67 list per yard.

For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
119	126	132	142	152	162	172	186	199

RODUCT CODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E	1	MB	1	1	А
C5 Executive	Tilter	Mid Back	Polished Aluminum	Polished Aluminum	Polished Aluminum Base
(Horizontal Ribbed)			Arm with Polymer Pad	Knee Tilt	for Knee Tilt
		НВ	2	2	В
		High Back	Polished Aluminum	Black Aluminum	Black Base
			Arm with Uph. Pad	Knee Tilt	for Knee Tilt
			3	3	С
			Black Polymer Arm	Black Swivel Tilt	Polished Aluminum Base
					for Swivel Tilt
			4		D
			Fully Uph. Arm		Black Base for Swivel Tilt

C5 EXECUTIVE | HIGH BACK

		COM		COL	FAB	RIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	BLACK POLYMER AF	RM								
	C5E1HB31A Polished Aluminum ki	1190 nee tilt, P	1257 olished A	1329 Iuminum b	1425 pase	1538	1638	1750	1892	2031
	C5E1HB32B Black Aluminum knee	1219 tilt, Blac	1286 k base	1357	1454	1566	1666	1778	1920	2060
	BLACK POLYMER AF	RM								
	C5E1HB33C Black Swivel tilt, Polis	1144 shed Alum	1215 ninum bas	1287 se	1383	1496	1594	1710	1852	1990
	C5E1HB33D Black Swivel tilt, Blac	1115 k base	1183	1256	1353	1465	1566	1676	1818	1959



ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add \$84 list. Hard casters are the standard and soft wheel casters can be ordered for \$67 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.

For UPHOLSTERED ARM PAD on polished arm versions only select arm style 2 and add upcharge below.

Jury Base

1	2	3	4	5	6	- /	8	9
119	126	132	142	152	162	172	186	199

PRODUCT CODE KEY					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E C5 Executive (Horizontal Ribbed)	Tilter	MB Mid Back HB High Back	Polished Aluminum Arm with Polymer Pad 2 Polished Aluminum Arm with Uph. Pad 3 Black Polymer Arm	Polished Aluminum Knee Tilt 2 Black Aluminum Knee Tilt 3 Black Swivel Tilt	Polished Aluminum Base for Knee Tilt B Black Base for Knee Tilt C Polished Aluminum Base
			4 Fully Uph. Arm		for Swivel Tilt D Black Base for Swivel Tilt J

C5 CONTEMPORARY | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRAI 5	DES 6	7	LEATHEF 8	R 9
	FULLY UPHOLSTER	RED ARM								
	C5C1MB41A Polished Aluminum	1307 knee tilt, P	1379 Polished A	1449 Numinum b	1550 pase	1662	1756	1870	2013	2155
	C5C1MB42B Black Aluminum kne	1276 ee tilt, Blac	1348 k base	1418	1517	1632	1727	1839	1980	2121
ра 15 «V 										
	FULLY UPHOLSTEF	RED ARM								
	C5C1MB43C Black Swivel tilt, Po	1237 lished Alur	1305 ninum ba	1376 se	1478	1590	1688	1798	1938	2082
	C5C1MB43D Black Swivel tilt, Bla	1205 ack base	1275	1345	1444	1559	1656	1767	1906	2051
	POLISHED ALUMIN	IUM ARM	WITH PO	LYMER PA	.D					
	C5C1MB11A Polished Aluminum	1121 knee tilt, P	1183 Polished A	1246 Numinum b	1333 pase	1429	1518	1614	1741	1862
	C5C1MB12B Black Aluminum kne	1094 ee tilt, Blac	1152 k base	1215	1302	1400	1486	1585	1710	1833
	POLISHED ALUMIN	II IM ARM	MITH PO	I VMED DA	D.					
	C5C1MB13C Black Swivel tilt, Po	1041	1100	1163	1251	1349	1436	1535	1657	1780
	C5C1MB13D Black Swivel tilt, Bla	1009 ack base	1071	1131	1218	1317	1404	1503	1626	1750
• •	ORDERING NOTES For jury base, please		for the ba	ase style at	the end of	f the mode	el number a	and add \$8	34 list.	



Hard casters are the standard and soft wheel casters can be ordered for \$67 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.

For UPHOLSTERED ARM PAD on polished arm versions only select arm style 2 and add upcharge below.

1 2 3 4 5 6 7 8 9

1	2	3	4	5	6	7	8	9
119	126	132	142	152	162	172	186	199

PRODUCT CODE KEY					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5C C5 Contemporary	Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

C5 CONTEMPORARY | MID BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	1
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	BLACK POLYMER AR	М								
	C5C1MB31A Polished Aluminum kn	1018 nee tilt, P	1081 olished A	1143 luminum b	1228 pase	1329	1413	1514	1638	1757
	C5C1MB32B Black Aluminum knee	990 tilt, Blac	1053 k base	1115	1200	1300	1384	1485	1609	1729
.	BLACK POLYMER AR	M								
	C5C1MB33C Black Swivel tilt, Polis	951 hed Alun	1010 ninum bas	1073 se	1161	1258	1346	1444	1567	1690
	C5C1MB33D Black Swivel tilt, Black	918 k base	980	1041	1127	1227	1314	1413	1536	1660



ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add \$84 list. Hard casters are the standard and soft wheel casters can be ordered for \$67 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.

For UPHOLSTERED ARM PAD on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	- /	8	9
119	126	132	142	152	162	172	186	199

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5C C5 Contemporary	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base
			4		for Swivel Tilt D
			Fully Uph. Arm		Black Base for Swivel Tilt J
					Jury Base

C5 CONTEMPORARY | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAI	DES 6	7	LEATHER 8	9
	FULLY UPHOLSTER	RED ARM								
	C5C1HB41A Polished Aluminum I	1356 knee tilt, P	1437 olished Al	1515 uminum b	1625 pase	1752	1864	1990	2148	2305
	C5C1HB42B Black Aluminum kne	1326 e tilt, Black	1402 k base	1485	1594	1722	1833	1959	2118	2276
	FULLY UPHOLSTER	RED ARM								
	C5C1HB43C Black Swivel tilt, Pol	1289 ished Alum	1366 ninum bas	1447 se	1556	1680	1795	1919	2077	2234
	C5C1HB43D Black Swivel tilt, Bla	1256 ck base	1334	1417	1524	1650	1764	1888	2046	2206
	POLISHED ALUMIN	UM ARM V	WITH POL	YMER PA	D					
	C5C1HB11A Polished Aluminum I	1172 knee tilt, P	1242 olished Al	1313 uminum b	1413 pase	1524	1622	1735	1877	2018
	C5C1HB12B Black Aluminum kne	1141 e tilt, Blac	1210 k base	1284	1380	1492	1590	1704	1843	1986
	POLISHED ALUMIN	UM ARM V	WITH POL	YMER PA	D					
	C5C1HB13C Black Swivel tilt, Pol	1090 ished Alum	1159 ninum bas	1231 se	1328	1440	1540	1651	1793	1933
	C5C1HB13D Black Swivel tilt, Bla	1058 ck base	1127	1201	1296	1411	1508	1621	1761	1904
	ORDERING NOTES For jury base, please		for the ba	se style a	t the end of	the mode	l number a	and add \$8	4 list.	



Hard casters are the standard and soft wheel casters can be ordered for \$67 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.

For UPHOLSTERED ARM PAD on polished arm versions only select arm style 2 and add upcharge below.

1 2 3 4 5 6 7 8 9

1	2	3	4	5	6	7	8	9
119	126	132	142	152	162	172	186	199

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5C C5 Contemporary	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

C5 CONTEMPORARY | HIGH BACK

		COM		COL		BRIC GRAD			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	BLACK POLYMER AR	RM								
	C5C1HB31A	1067	1140	1208	1307	1422	1519	1632	1773	1914
	Polished Aluminum kr	nee tilt, P	olished A	luminum b	ase					
	C5C1HB32B	1039	1111	1180	1278	1394	1491	1604	1745	1885
	Black Aluminum knee	tilt, Blac	k base							
	BLACK POLYMER AR	RM								
	C5C1HB33C Black Swivel tilt, Polis	1000 hed Alun	1068 ninum ba	1141 se	1237	1350	1450	1561	1703	1842
	C5C1HB33D Black Swivel tilt, Black	968 k base	1037	1110	1206	1320	1418	1530	1671	1814





For jury base, please add a 'J' for the base style at the end of the model number and add \$84 list. Hard casters are the standard and soft wheel casters can be ordered for \$67 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.
For UPHOLSTERED ARM PAD on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
119	126	132	142	152	162	172	186	199

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5C C5 Contemporary	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3	3	С
			Black Polymer Arm	Black Swivel Tilt	Polished Aluminum Base for Swivel Tilt
			4		D
			Fully Uph. Arm		Black Base for Swivel Tilt
					J

C5 PULLS | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FABI 4	RIC GRAD	ES 6	ا 7	_EATHER 8	9
DEGOTIII TION/MOBEL	FULLY UPHOLSTER	-			-					
	C5P1MB41A Polished Aluminum I	1330	1400 Polished Al	1472 uminum b	1569 ase	1683	1779	1894	2034	2175
	C5P1MB42B Black Aluminum kne	1290 e tilt, Blac	1359 k base	1429	1528	1643	1743	1855	1993	2135
	FULLY UPHOLSTER	ED ARM								
	C5P1MB43C Black Swivel tilt, Pol	1265 ished Alur	1329 minum bas	1401 se	1497	1614	1710	1821	1962	2108
	C5P1MB43D Black Swivel tilt, Bla	1231 ck base	1298	1371	1466	1583	1677	1792	1930	2075
	POLISHED ALUMIN	UM ARM V	WITH POL	YMER PA	D					
	C5P1MB11A Polished Aluminum I	1144 knee tilt, P	1206 Polished Al	1267 uminum b	1354 ase	1453	1539	1638	1760	1885
	C5P1MB12B Black Aluminum kne	1106 e tilt, Blac	1166 k base	1228	1315	1414	1500	1600	1722	1843
	POLISHED ALUMIN	UM ARM \	WITH POL	YMER PA	D					
	C5P1MB13C Black Swivel tilt, Pol	1064 ished Alur	1124 ninum bas	1186 se	1270	1373	1458	1555	1678	1803
	C5P1MB13D Black Swivel tilt, Bla	1031 ck base	1094	1156	1240	1341	1425	1525	1647	1771
•	ORDERING NOTES	:								





For jury base, please add a 'J' for the base style at the end of the model number and add **\$84 list**. Hard casters are the standard and soft wheel casters can be ordered for **\$67 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard**.

For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
119	126	132	142	152	162	172	186	199

PRODUCT CODE KEY

FINODOOT GODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3	3	С
			Black Polymer Arm	Black Swivel Tilt	Polished Aluminum Base for Swivel Tilt
			4		D
			Fully Uph. Arm		Black Base for Swivel Tilt

Jury Base

C5 PULLS | MID BACK

		COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	BLACK POLYMER AR	М								
	C5P1MB31A Polished Aluminum kn	1039 ee tilt, F	1105 Polished A	1166 Iuminum b	1252 pase	1351	1437	1537	1661	1780
	C5P1MB32B Black Aluminum knee	1011 tilt, Blac	1077 ck base	1138	1224	1323	1409	1508	1632	1752
	BLACK POLYMER AR	М								
	C5P1MB33C Black Swivel tilt, Polis	974 hed Alur	1034 minum ba	1096 se	1180	1283	1368	1464	1588	1713
	C5P1MB33D Black Swivel tilt, Black	940 base	1003	1065	1149	1251	1335	1435	1557	1681
5										



ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add \$84 list. Hard casters are the standard and soft wheel casters can be ordered for \$67 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.
For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
119	126	132	142	152	162	172	186	199

HODGOT GODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3	3	С
			Black Polymer Arm	Black Swivel Tilt	Polished Aluminum Base for Swivel Tilt
			4		D
			Fully Uph. Arm		Black Base for Swivel Tilt
					J

C5 PULLS | MID BACK

		CON	Л	COL	FΔ	BRIC GRA	DES		LEATHER	3
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOL	STERED AR	M							
	C5P1HB41A Polished Alumii	138 num knee tili		1550 Aluminum	1660 base	1788	1898	2023	2182	2340
	C5P1HB42B Black Aluminur	135 n knee tilt, B		1509	1617	1746	1857	1984	2142	2301
	FULLY UPHOLS	STERED ARI	M							
	C5P1HB43C Black Swivel til	128 t Polished A		1445 nase	1556	1688	1795	1923	2081	2242
	C5P1HB43D Black Swivel til	125	7 1336	1414	1525	1654	1761	1894	2051	2211
	Black GWIVEI III	i, Diaok bask	,							
	POLISHED ALL	JMINUM AR	M WITH P	OLYMER PA	AD					
	C5P1HB11A Polished Alumin	120 num knee till		1347 Aluminum	1444 base	1557	1656	1769	1908	2051
	C5P1HB12B Black Aluminur	116 n knee tilt, B		1306	1402	1517	1614	1727	1867	2009
	POLISHED ALL	JMINUM AR	M WITH P	OLYMER PA	AD					
	C5P1HB13C Black Swivel til	110 t, Polished A		1241 pase	1342	1457	1552	1666	1806	1949
	C5P1HB13D Black Swivel til	107 t, Black base		1209	1312	1423	1519	1636	1776	1918
	ODDEDING NO	TEC.								
	For jury base, pl Hard casters are Barrier options a For UPHOLSTI	lease add a e the standa are available	rd and soft for an upo	wheel cast harge of \$6	ters can be 37 list per y	ordered fo	r \$67 list p	er chair. (CAL 133 a	
	1 2	3	4			7 8		and dud t	aponaige i	JO10 VV.
₩	119 126	132				72 18)		
PRODUCT CODE KEY										

FRODUCT GODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

J Jury Base

C5 PULLS | HIGH BACK

DECORIDION /MODEL		COM	0	COL		BRIC GRAI			LEATHER	
DESCRIPTION/MODEL		ı	2	3	4	5	6	7	8	9
	BLACK POLYMER AR	М								
	C5P1HB31A Polished Aluminum kn	1101 iee tilt, Po	1171 olished Al	1243 uminum b	1341 ase	1453	1552	1665	1804	1946
	C5P1HB32B Black Aluminum knee	1073 tilt, Blacl	1143 k base	1214	1313	1424	1524	1636	1776	1918
	BLACK POLYMER AR	M								
	BEAGITI GETWEITAIT	101								
	C5P1HB33C Black Swivel tilt, Polis	1010 hed Alum	1082 ninum bas	1150 e	1252	1367	1462	1576	1715	1859
	C5P1HB33D Black Swivel tilt, Black	980 c base	1052	1119	1222	1333	1429	1546	1686	1828

ORDERING NOTES:



For jury base, please add a 'J' for the base style at the end of the model number and add **\$84 list**. Hard casters are the standard and soft wheel casters can be ordered for **\$67 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard**.

For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
119	126	132	142	152	162	172	186	199


Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt
					J Jury Base

AQUA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.5%

POST-CONSUMER
RECYCLE CONTENT = 21.91%

Up to 47.7% of Aqua product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Aqua products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Aqua products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Aqua and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

AQUA | FEATURES & OPTIONS

ARM STYLE

Four arm styles are available on Aqua - Armless, T-Arm, Height Adjustable T-Arm and Fixed Cantilever Arm.



T-Arm - A comfortable and supportive urethane pad, 10" in length by 3.5" wide, which can be field replaced if damaged, as can the entire arm.



Height Adjustable T-Arm - In addition to the same features as the T-Arm version, the arm pad has a 3-position rotation horizontally: center, left and right. The arm pad also adjusts forward and rearward in 5 positions, and is height-adjustable in 9 positions ranging over 4".



Cantilever Arm - The top surface of this arm has been proportioned to provide comfortable arm support, with a resting surface of 10" x 2".



ARM WIDTH ADJUSTMENT

Width adjustment is a standard feature on Aqua arm styles. T-Arms, and Height Adjustable T-Arms, can be width adjusted, operated by the handwheel located under the seat. The T-Arms are width adjustable in a range of 1.5" per arm, or 3" per chair. Cantilever arms can be width adjusted with tools instead of a handwheel, with adjustment range of 1" per arm, or 2" per chair.



MECHANISM OPTIONS

Synchro-Tilt Mechanism - There are 5 recline/lock positions, in addition to a full range of free-flowing movement. The forward position of the pivot point allows the back and seat to adjust in a 2:1 ratio synchronously, providing comfortable recline of the back with minimal incline of the seat.



Swivel-Tilt Mechanism - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment - ideal for short-term use environments, such as meeting rooms, where numerous adjustability features may not be desirable or necessary. Aqua Stools are only available with a Swivel Mechanism.



Seat-Slider Option - Available on the Synchro-Tilt Mechanism, this offers a 2" range of forward and rearward adjustment of the seat, with a locking feature. The addition of the seat slider adds 1/2" to the height of the seat and arms.



BASE STYLE

Aqua seating is available with Black five star base and black gas cylinder, or optional Polished Aluminum five star base and chrome cylinder for an upcharge of \$42 list. Both bases come standard with dual wheel black casters. Hard casters are the standard and soft wheel casters can be ordered for \$67 list per chair. Aqua bases are also available with a fixed height option for an upcharge of \$42 list per chair.



JURY BASE

The Aqua series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.



MESH BACKS

Mesh Backs are made of breathable polyester elastomers, the Mesh Back has an ideal tension that provides comfortable lumbar and thoracic support for extended use and healthy sitting enhanced further with the air circulation provided by the mesh's unique design, and an easy-to-clean surface. The mesh back is also replaceable. Mesh colors available:

• White • Warm Grey • Black • Sky• Clay • Neo

Sunset • Cardinal

UPHOLSTERED BACKS

A unique construction with a mesh suspension core, combined with extensively-researched ergonomic curvature, gives the Aqua back a form-fitting comfort and a thin profile that is designed for healthy long-term sitting.



Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

REPLACEABLE COMPONENTS

Aqua chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

OPTIONS

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

AQUA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
Standard Height										
Mesh Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	40	18	0.75
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	40	18	0.75
Upholstered Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	41	18	1.4
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	41	18	1.4
Stool Height										
Mesh Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	40	20	0.75
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	40	20	0.75
Upholstered Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	41	20	1.4
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	41	20	1.4

MULTIPLE YARDAGE REQUIREMENTS

	Yardage MESH BACK Seats Only	Yardage UPHOLSTERED BACK Back Only	Yardage UPHOLSTERED Full Chair
1 Chair	.75	.94	1.28
2 Chairs	.75	1.8	2.53
3 Chairs	1.5	2.74	3.81
4 Chairs	1.5	3.6	5.06

Height measurements of Aqua tilter and teller chairs are taken with the pneumatic lift in the lowest position and with a standard height range gas lift.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

Aqua Standard Height Aqua Stool Height Armless Fixed T- Arms Adjustable T - Arms Cantilever Arms

WEIGHT CAPACITY:

Aqua has been tested to 300lbs.

AQUA | MESH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAD 5	ES 6	7	LEATHER 8	9
	Aqua Mesh Back, Armless AQU1M03B	with Swiv	el Tilt, 5 si 885	tar base ir 896	black 927	957	987	1016	1046	1105
	Aqua Mesh Back, Armless AQU1M01B	with Sync 894	hro Tilt, 5 911	star base 926	in black 955	985	1011	1041	1072	1135
	Aqua Mesh Back, Armless AQU1M02B	with Sync 945	hro Tilt/Se 959	eat Slider, 975	5 star base 1004	in black 1034	1064	1090	1120	1182
	Aqua Mesh Back, T-Arm ir AQU1M13B	black with	n Swivel T 1036	ilt, 5 star l 1052	pase in blac 1082	ck 1113	1141	1171	1198	1258
	Aqua Mesh Back, T-Arm ir AQU1M11B	black with 1051	n Synchro 1065	Tilt, 5 sta 1081	r base in bl 1108	ack 1138	1166	1197	1227	1285
	Aqua Mesh Back, T-Arm ir AQU1M12B	n black, wit 1098	th Synchro	Tilt/Seat 1127	Slider, 5 sta 1157	ar base in I 1187	olack 1219	1249	1276	1334
	Aqua Mesh Back, Height A AQU1M23B	Adjustable 1069	T-Arm in b 1085	plack with 1100	Swivel Tilt, 1134	5 star bas 1162	e in black 1190	1220	1250	1308
	Aqua Mesh Back, Height A AQU1M21B	Adjustable 1097	T-Arm in b 1114	olack, with 1126	Synchro T 1157	ilt, 5 star b 1187	ase in blad 1219	ck 1249	1275	1334
	Aqua Mesh Back, Height A AQU1M22B	Adjustable 1147	T-Arm in b 1163	plack with 1177	Synchro Ti 1208	lt/Seat Slid 1236	er, 5 star b 1266	pase in bla 1297	ck 1326	1382
	Aqua Mesh Back, Cantilev AQU1M33B	er Arm in b	olack with 950	Swivel Til 961	t, 5 star bas 990	se in black 1022	1052	1082	1113	1169
	Aqua Mesh Back, Cantilev AQU1M31B	er Arm in b 959	olack, with 975	Synchro 989	Tilt, 5 star I 1021	base in bla 1051	ck 1080	1108	1138	1197
	Aqua Mesh Back, Cantilev AQU1M32B	er Arm in b 1008	olack with 1025	Synchro 1038	Tilt/Seat Sli 1068	der, 5 star 1098	base in bla 1126	ack 1157	1187	1249
ORDERING NOTES)		-		Œ	

ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add \$84 list.

CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$42 list.

Hard casters are the standard and **soft wheel casters** can be ordered for **\$67 list** per chair.

Mesh Colors available are listed on page 23.









PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	М	0	1	В
Aqua	Management, Task & Conference Seating	Mesh Back	Armless	Synchro Tilt	Black (5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3		
			Cantilever		

AQUA | UPHOLSTERED BACK

DESCRIPTION/MODEL	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	EATHER 8	9
Aqua Upholstered Back, A AQU1U03B	Armless wit 990	h Swivel ¹ 1041	Tilt, 5 star 1095	base in blac 1198	ck 1302	1404	1509	1612	1818
Aqua Upholstered Back, AAQU1U01B	Armless wit 1019	h Synchro 1068	o Tilt, 5 sta 1120	r base in bl 1226	ack 1329	1431	1536	1638	1845
Aqua Upholstered Back, AAQU1U02B	Armless wit 1067	h Synchro 1118	o Tilt/Seat 1172	Slider, 5 sta 1275	ar base in 1 1377	black 1484	1585	1689	1896
Aqua Upholstered Back, AQU1U13B	T-Arm in bla 1146	ick, with 9 1197	Swivel Tilt, 1250	5 star base 1350	in black 1456	1558	1664	1767	1975
Aqua Upholstered Back, AQU1U11B	T-Arm in bla 1172	ick, with \$ 1224	Synchro Ti 1275	t, 5 star ba 1379	se in black 1484	1587	1690	1793	2002
Aqua Upholstered Back, AQU1U12B	T-Arm in bla 1222	ack, with 9 1273	Synchro Ti 1326	t/Seat Slide 1428	er, 5 star b 1533	ase in blac 1636	ck 1741	1842	2051
Aqua Upholstered Back, I AQU1U23B	Height Adju 1194	stable T-A	Arm in blac	k with Swiv	vel Tilt, 5 s 1504	tar base in 1609	black 1683	1816	2022
Aqua Upholstered Back, I AQU1U21B	Height Adju 1222	stable T-A	Arm in blac 1326	k with Synd 1426	chro Tilt, 5 1533	star base 1635	in black 1741	1842	2051
Aqua Upholstered Back, I AQU1U22B	Height Adju 1272	stable T-A 1325	Arm in blac 1375	k, with Syn 1478	chro Tilt/S 1583	Seat Slider, 1686	5 star base 1789	e in black 1893	2101
Aqua Upholstered Back, (AQU1U33B	Cantilever A	Arm in bla 1108	ck with Sw 1161	vivel Tilt, 5 s 1263	star base i	n black 1471	1573	1676	1884
Aqua Upholstered Back, (AQU1U31B	Cantilever A 1083	Arm in bla 1136	ck with Sy 1187	nchro Tilt, 5 1290	star base 1394	in black 1496	1602	1703	1909
Aqua Upholstered Back, (AQU1U32B	Cantilever A 1135	Arm in bla 1183	ck, with Sy 1236	rnchro Tilt/9 1339	Seat Slider 1442	r, 5 star ba 1550	se in black 1648	1752	1960

ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add \$84 list.

CAL 133 and Moisture Barrier options are available for an upcharge of **\$67** list per yard.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$42 list.

Hard casters are the standard and ${\bf soft\ wheel\ casters}$ can be ordered for ${\bf \$67\ list}$ per chair.

Mesh Colors available are listed on page 23.









PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	М	0	1	В
Aqua	Management, Task	Mesh Back	Armless	Synchro Tilt	Black
	& Conference Seating				(5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3		

Cantilever

AQUA | STOOL

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRAI 5	DES 6	7	LEATHER 8	9
\ A	Aqua Stool Mesh Bac AQT1M0G (glides) AQT1M0B (casters)	k, Armle 939	ss, 5 star 955	in black w 970	rith glides o	or casters 1031	1058	1087	1117	1177
A	Aqua Stool Upholster AQT1U0G (glides) AQT1U0B (casters)		Armless, 1115	5 star bas 1166	se in black 1269	with glide 1374	s or caster 1478	s 1581	1686	1892
A	Aqua Stool Mesh Bac AQT1M1G (glides) AQT1M1B (casters)	k, T-Arm 1095	in black, 1110	with 5 sta 1121	r base in b 1151	lack with o	glides or ca	asters 1242	1272	1331
A	Aqua Stool Upholster AQT1U1G (glides) .QT1U1B (casters)	ed Back, 1219	T-Arm in 1267	black, 5 s 1319	tar base in 1424	black with 1527	n glides or 1633	casters 1735	1836	2044
A	Aqua Stool Mesh Bac AQT1M2G (glides) AQT1M2B (casters)	k, Heigh 1144	t Adjustab 1157	ble T-Arm i 1172	n black, 5 1200	star base	in black wi 1262	th glides o	or casters 1319	1379
A	Aqua Stool Upholster AQT1U2G (glides) AQT1U2B (casters)	ed Back, 1266	Height A	djustable ⁻ 1371	T-Arm in bl 1473	lack, 5 stai 1578	r base in bi	lack with o	glides or c 1887	asters 2094
A	Aqua Stool Mesh Bac AQT1M3G (glides) AQT1M3B (casters)	k, Cantil	ever Arm	in black, 5 1034	star base 1065	in black w 1095	rith glides o	or casters 1150	1182	1242
A	Aqua Stool Upholster AQT1U3G (glides) AQT1U3B (casters)	ed Back, 1126	Cantileve	er Arm in b 1230	olack, 5 sta 1334	ar base in t 1439	olack with o	glides or c 1645	asters 1750	1955

ORDERING NOTES

Hard casters are the standard and soft wheel casters can be ordered for \$67 list per chair.

CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.

Mesh Colors available are listed on page 23.

Aqua Stools are only available with a Swivel Mechanism. Aqua Stool with glides feature plastic glides.

PRODUCT CODE KEY

PRODUCT COD	E KEY				
Line	Series	Back Style	Arm Style	Base Style	
AQT Aqua Stool	1 Management, Task & Conference Seating	M Mesh Back	0 Armless	B Black (Casters)	
		U	1	G	
		Upholstered	T-Arm	(Glides)	
			2		
			Height Adjustable T-Arm		


3 Cantilever

DORSO E-LINE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 17.95%

POST-CONSUMER
RECYCLED CONTENT = 17.72%

Up to 61.36% of Dorso E product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Dorso products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Dorso and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DORSO E & T | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

E-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

T-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



BASE STYLES

E-LINE & T-LINE

Dorso seating features optional Silver Metallic, polished Chrome or Black finish and dual wheel casters.



DORSO CONTROLS

All Dorso E-Line and T-Line come with synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.



BACK HEIGHT

Back height adjustment is an option on Dorso E & T Line. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

BACK TENSION

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

SEAT SLIDER

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DORSO E-LINE | DIMENSIONS & COM REQUIREMENTS

Dorso E features a generous seat & back that provides unparalleled comfort and support.

Model Number				Overall Height	Seat Height Min/Max	Height of Arms from Floor	Width between Arms	-		Shipping Weight	Cube	COM Yardage
DEC1-HB/DES1-H	B Fixed	25.25	25	50	17.5-22.125	25.6875-30.25	21	47-52	18	44	19	2.2
DEB1-HB	Fixed Upholstered	25.5	25	50	17.5-22.125	25.6875-30.25	20.5	47-52	18	44	19	2.5
	Adjustable	25.5	25	50	17.5-22.125	26-34	21	47-52	18	44	19	2.2
	Armless	20.5	25	50	17.5-22.125	N/A	N/A	47-52	18	40	19	2.2
DEC1-MB/DES1-M	/IB Fixed	25.25	25	43	17.5-22.125	25.6875-30.25	21	40-45	18	41	16	2
DEB1-MB	Fixed Upholstered	25.5	25	43	17.5-22.125	25.6875-30.25	20.5	40-45	18	41	16	2.3
	Adjustable	25.5	25	43	17.5-22.125	26-34	21	40-45	18	41	16	2
	Armless	20.5	25	43	17.5-22.125	N/A	N/A	40-45	18	37	16	2

DORSO | E-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso E seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

ORDERING NOTES:

Height measurements of Dorso E are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO T-LINE | DIMENSIONS & COM REQUIREMENTS

Dorso T - a strikingly modern chair design, provides a level of long term sitting comfort and support.

Model Number		Overall Width	Overall Depth	Overall Height	Seat Height Min/Max	Height of Arms from Floor	Width between Arms	Height Range		Shipping Weight	Cube	COM Yardage
DTC1-HB/DTS1-HB/	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	40	19	2
DTB1-HB	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	37	19	2
DTC1-MB/DTS1-MB	Fixed	25.25	24	42	16.75-21.375	27.5-30.25	20	39-44	18	41	16	1.8
DTB1-MB	Adjustable	25.5	24	42	16.75-21.375	26-34	20	39-44	18	41	16	1.8
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	39-44	18	37	16	1.8

DORSO | T-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso T seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

OPTIONS

Height measurements of Dorso T are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO E-LINE | MID BACK

DESCRIPTION/MODEL	_	COM 1	2	COL 3	FAE 4	BRIC GRAI	DES 6	7	LEATHER 8	9
	Fixed Back; Fixed Arms	Synchro								
	DEC1-M111C	1510	1581	1647	1741	1845	1963	2110	2269	2443
	DES1-M111S	1444	1510	1579	1667	1775	1905	2041	2196	2369
	DEB1-M111B	1262	1329	1397	1485	1590	1722	1859	2016	2190
	Fixed Back; Fixed Arms	- Synchro/	Seat Slide	r						
	DEC1-M112C	1593	1664	1729	1822	1928	2046	2192	2350	2527
	DES1-M112S	1527	1593	1663	1750	1859	1987	2124	2280	2457
	DEB1-M112B	1346	1412	1479	1567	1673	1802	1941	2098	2273
	BEST WITES	1040	1712	1475	1307	1070	1002	1041	2000	2210
	Fixed Back; Adjustable A									
	DEC1-M121C	1726	1793	1862	1953	2060	2175	2322	2479	2657
	DES1-M121S	1610	1684	1750	1836	1946	2062	2210	2366	2542
	DEB1-M121B	1426	1493	1561	1648	1756	1887	2023	2182	2354
	Fixed Back; Adjustable A	rms - Synd	chro/Seat	Slider						
6 8 0	DEC1-M122C	1810	1877	1946	2037	2142	2261	2407	2563	2740
& A	DES1-M122S	1693	1767	1833	1923	2028	2144	2294	2449	2627
	DEB1-M122B	1510	1578	1645	1733	1840	1972	2106	2265	2439
	Fixed Deals Unhalatored	Fixed Amo	o Cumoh							
	Fixed Back; Upholstered		-		4007	0444	0000	0000	0.570	07.40
	DEC1-M131C	1745	1820	1898	1997	2111	2238	2392	2573	2748
	DES1-M131S	1676	1751	1830	1925	2041	2176	2322	2504	2678
45)	Fixed Back; Upholstered	Fixed Arm	ıs - Synch	ro/Seat SI	der					
	DEC1-M132C	1828	1905	1979	2080	2194	2321	2474	2656	2831
	DES1-M132S	1759	1834	1909	2007	2124	2262	2488	2586	2761
	Fixed Back; Armless - Sy	nchro								
	DEC1-M101C	1412	1481	1551	1636	1746	1875	2009	2167	2345
	DES1-M101S	1278	1347	1415	1502	1612	1739	1875	2034	2209
	DEB1-M101B	1203	1272	1342	1426	1537	1664	1799	1959	2133
	Fixed Back; Armless - Synchro/Seat Slider									
6 4	DEC1-M102C	1493	1565	1633	1720	1830	1956	2092	2251	2427
8 B	DES1-M102S	1361	1428	1500	1585	1695	1820	1956	2117	2291
	DEB1-M102B	1287	1354	1424	1510	1620	1747	1881	2042	2215

ORDERING NOTES:

*The finish refers to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents. The upholstered cantilever arm is available in the Polished Chrome and Silver Metallic arm only.

Dorso Option Upcharges\$ ListCAL 133 & Moisture Barrier (per yard)67Soft Wheel Casters67Dual Upholstery34

PRODUCT CODE KEY

	· · ·					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome*)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic*)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black*)						
				3		

Fixed Cantilever (Upholstered)

DORSO E-LINE | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	9
DESCRIPTION/WODEL				<u> </u>	4	<u> </u>	0		0	
	Adjustable Back; Fixed A	ırms - Syn	chro							
	DEC1-M211C	1541	1613	1683	1773	1879	1997	2142	2301	2476
	DES1-M211S	1478	1541	1612	1699	1809	1937	2074	2232	2407
	DEB1-M211B	1293	1361	1428	1518	1625	1753	1892	2048	2222
45)										
	Adjustable Back; Fixed A	ırms - Syn	chro/Seat	Slider						
6	DEC1-M212C	1628	1697	1764	1857	1962	2080	2224	2384	2558
& B	DES1-M212S	1559	1628	1695	1782	1892	2020	2157	2315	2488
	DEB1-M212B	1377	1444	1512	1602	1707	1836	1975	2132	2304
	Adjustable Back; Adjustable Arms - Synchro									
	DEC1-M221C	1759	1828	1896	1986	2092	2210	2354	2511	2691
\int	DES1-M221S	1643	1717	1782	1870	1978	2094	2241	2399	2575
	DEB1-M221B	1460	1527	1597	1684	1791	1923	2056	2214	2387
	Adjustable Back; Adjustable Arms - Synchro/Seat Slider									
	DEC1-M222C	1842	1908	1978	2068	2175	2294	2439	2595	2772
	DES1-M222S	1726	1799	1865	1954	2062	2176	2325	2482	2658
V 8	DEB1-M222B	1541	1610	1677	1767	1875	2004	2138	2299	2472
	Adjustable Back; Fixed A	rms (Leatl	her/Fabric	Pad) - Sy	nchro					
ſſ \	DEC1-M231C	1776	1855	1930	2030	2144	2272	2425	2607	2782
	DES1-M231S	1712	1783	1861	1956	2074	2212	2354	2537	2710
	Adiantalida Danta Eirad A	(1	/ - . l	D1\ O -		. 01:-1				
	Adjustable Back; Fixed A						0050	0507	0000	0004
	DEC1-M232C	1860	1937	2013	2112	2228	2353	2507	2690	2864
	DES1-M232S	1793	1866	1945	2041	2157	2295	2439	2619	2794
	Adjustable Back; Armless	s - Synchr	0							
\mathcal{T}	DEC1-M201C	1444	1513	1583	1669	1777	1907	2043	2200	2378
	DES1-M201S	1311	1379	1449	1536	1645	1772	1907	2066	2240
	DEB1-M201B	1236	1306	1375	1460	1569	1697	1833	1991	2166
	Adjustable Back; Armless	-								
	DEC1-M202C	1527	1598	1666	1752	1861	1990	2127	2282	2460
~ a	DES1-M202S	1396	1462	1533	1617	1727	1855	1990	2150	2324
	DEB1-M202B	1319	1386	1458	1541	1651	1779	1914	2075	2250

ORDERING NOTES:

*The finish refers to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents. The upholstered cantilever arm is available in the Polished Chrome and Silver Metallic arm only.

Dorso Option Upo	charges	\$	List			
CAL 133 & Moistur Soft Wheel Casters Dual Upholstery	re Barrier (per yard) s		67 67 34			
PRODUCT CODE	KEY					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC Dorso E-Line (Polished Chrome*)	1 Management, Task & Conference Seating	M Mid Back	1 Fixed	0 Armless	1 Synchro	Chrome Base
DES Dorso E-Line (Silver Metallic*)	Ü	High Back	2 Adjustable	1 Fixed Cantilever	2 Synchro/ Seat Slider	Silver Metallic Base
DEB Dorso E-Line (Black*)				2 Adjustable		B Black Base
				Fired Contileres		

Fixed Cantilever (Upholstered)

DORSO E-LINE | HIGH BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms -	Synchro								
	DEC1-H111C	1559	1646	1739	1857	1992	2161	2356	2581	2825
	DES1-H111S	1493	1579	1669	1788	1925	2089	2289	2510	2759
	DEB1-H111B	1293	1379	1472	1588	1724	1892	2089	2312	2557
	Fixed Back; Fixed Arms -	Synchro/9	Seat Slide	r						
	DEC1-H112C	1643	1728	1820	1938	2077	2244	2440	2664	2908
	DES1-H112S	1578	1663	1752	1870	2007	2172	2369	2594	2840
	DEB1-H112B	1377	1462	1555	1671	1809	1975	2172	2395	2641
	Fixed Back; Adjustable Arms - Synchro									
	DEC1-H121C	1776	1862	1953	2072	2209	2376	2570	2786	3040
	DES1-H121S	1712	1798	1887	2003	2140	2304	2502	2720	2974
	DEB1-H121B	1510	1600	1689	1801	1944	2106	2302	2523	2773
	Fixed Back; Adjustable A	rms - Svno	chro/Seat	Slider						
	DEC1-H122C	1860	1946	2037	2156	2291	2458	2653	2870	3121
	DES1-H122S	1793	1880	1972	2086	2223	2387	2585	2803	3057
6 - 1	DEB1-H122B	1593	1683	1772	1885	2024	2190	2385	2605	2857
	Fixed Back; Fixed Arms (I	Leather/Fa	abric Pad)	- Synchro						
	DEC1-H131C	1793	1885	1987	2112	2261	2434	2640	2884	3132
	DES1-H131S	1726	1818	1918	2044	2190	2364	2571	2817	3062
	Fixed Back; Fixed Arms (I	Leather/Ea	hric Dad	- Synchro	/Spat Slid	ar.				
D	DEC1-H132C		,	•			0540	0700	0000	0011
	DES1-H132S	1877 1810	1971 1901	2069 2003	2195 2129	2343 2273	2516 2445	2722 2655	2969 2901	3211 3144
	DECT THOLO	1010	1901	2003	2129	2213	2445	2000	2901	3144

ORDERING NOTES:

*The finish refers to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents. The upholstered cantilever arm is available in the Polished Chrome and Silver Metallic arm only.

Dorso Option Upcharges		\$ List				
CAL 133 & Moisture Barrier (per yard) Soft Wheel Casters Dual Upholstery			67 67 34			
PRODUCT CODE KEY						
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC Dorso E-Line (Polished Chrome*)	1 Management, Task & Conference Seating	M Mid Back	1 Fixed	0 Armless	1 Synchro	C Chrome Base
DES Dorso E-Line (Silver Metallic*)		High Back	2 Adjustable	1 Fixed Cantilever	2 Synchro/ Seat Slider	Silver Metallic Base
DEB Dorso E-Line (Black*)				2 Adjustable		Black Base
				3 Fixed Cantilever		

DORSO E-LINE | HIGH BACK

	8 9
DESCRIPTION/MODEL 1 2 3 4 5 6 7	0 9
Adjustable Back; Fixed Arms - Synchro	
DEC1-H211C 1593 1681 1772 1891 2025 2194 2391	2613 2857
DES1-H211S 1527 1612 1703 1820 1956 2124 2322	2543 2790
DEB1-H211B 1329 1413 1504 1622 1756 1925 2124	2347 2589
Adjustable Back; Fixed Arms - Synchro/Seat Slider	
	2697 2943
	2628 2874
₩ DEB1-H212B 1412 1494 1587 1704 1840 2007 2208	2428 2675
Adjustable Back; Adjustable Arms - Synchro	
DEC1-H221C 1810 1896 1986 2104 2240 2408 2604	2818 3074
DES1-H221S 1745 1832 1923 2037 2173 2339 2535	2754 3007
DEB1-H221B 1541 1633 1722 1835 1976 2138 2334	2554 2806
Adjustable Back; Adjustable Arms - Synchro/Seat Slider	
	2902 3158
B/L T	2836 3091
₩ ¼ DEB1-H222B 1628 1715 1802 1918 2058 2222 2418	2638 2891
Adjustable Back; Fixed Arms (Leather/Fabric Pad) - Synchro	
	2919 3163
	2850 3095
Adjustable Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider	
DEC1-H232C 1908 2004 2103 2230 2377 2552 2756	3246
DES1-H232S 1842 1936 2037 2161 2304 2479 2688	2932 3179

ORDERING NOTES:

*The finish refers to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents. The upholstered cantilever arm is available in the Polished Chrome and Silver Metallic arm only.

Dorso Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	
Soft Wheel Casters	67	
Dual Upholstery	34	

PRODUCT CODE KEY


Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC Dorso E-Line	1 Management, Task	M Mid Back	1 Fixed	0 Armless	1 Synchro	C Chrome Base
(Polished Chrome*)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic*)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black*						

Fixed Cantilever (Upholstered)

DORSO T-LINE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.91%

POST-CONSUMER RECYCLED CONTENT = 18.91%

Up to 63.75% of this Dorso T product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO T-LINE | MID BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Cant	ilever Arms	- Synchro							
	DTC1-M111C	1389	1455	1518	1602	1698	1806	1941	2087	2247
	DTS1-M111S	1329	1389	1453	1534	1633	1751	1878	2022	2184
	DTB1-M111B	1162	1222	1285	1367	1463	1584	1707	1855	2013
	Fixed Back; Fixed Cant	ilever Arms	- Synchro	/Seat Slide	er					
	DTC1-M112C	1473	1537	1602	1684	1781	1891	2023	2168	2329
	DTS1-M112S	1412	1473	1536	1615	1715	1834	1960	2104	2268
u u	DTB1-M112B	1244	1306	1369	1446	1550	1667	1791	1937	2096
	Fixed Back; Adjustable	Arms - Syn	chro							-
	DTC1-M121C	1588	1648	1714	1797	1896	2003	2135	2280	2444
	DTS1-M121S	1481	1551	1610	1690	1789	1898	2034	2176	2339
	DTB1-M121B	1313	1375	1439	1518	1615	1736	1861	2007	2166
	Fixed Back; Adjustable	Arms - Syne	chro/Seat	Slider						
	DTC1-M122C	1671	1733	1797	1879	1978	2086	2218	2364	2528
8 /	DTS1-M122S	1565	1633	1693	1773	1871	1979	2117	2262	2422
	DTB1-M122B	1397	1458	1521	1602	1699	1818	1945	2089	2250
	Fixed Back; Armless - S	Synchro								
	DTC1-M101C	1298	1362	1424	1505	1605	1724	1849	1993	2157
	DTS1-M101S	1176	1237	1303	1381	1484	1600	1724	1870	2031
	DTB1-M101B	1108	1171	1231	1313	1414	1531	1656	1801	1962
	Fixed Back; Armless - S	Synchro/Soc	t Slider							
	DTC1-M102C	,		4500	4500	1000	1000	4000	0070	0000
8 - 1 0	DTS1-M102S	1380	1445	1508	1588	1689	1809	1932	2079	2223
	DTB1-M102B	1258	1323	1384	1465	1566	1683	1809	1954	2116
	DIDI MIOZD	1191	1253	1315	1397	1496	1613	1739	1885	2044

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of \$67 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard. Please see page 339 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
234	242	250	257	267	274	283	305	316

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC Dorso T-Line	1 Management, Task	M Mid Back	1 Fixed	0 Armless	1 Synchro	Chrome Base
(Polished Chrome*)	& Conference Seating	IVIIU Dack	rixed	Alliless	Syricino	Officiale Base
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic*)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black*)				3		
				Fixed Cantilever		
				Upholstered		

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO T-LINE | MID BACK

Adjustable Back; Fixed Cantilever Arms - Synchro DTC1-M211C 1422 1485 1550 1633 1727 1836 1974 2117 22 DTS1-M211S 1359 1422 1484 1565 1664 1782 1907 2052 22 DTB1-M211B 1193 1252 1314 1397 1494 1613 1741 1884 20 Adjustable Back; Cantilever Fixed Arms - Synchro/Seat Slider DTC1-M212C 1504 1567 1632 1715 1813 1923 2054 2198 23 DTS1-M212S 1442 1504 1566 1646 1747 1865 1990 2134 22	LEATHER	
DTC1-M211C 1422 1485 1550 1633 1727 1836 1974 2117 22 DTS1-M211S 1359 1422 1484 1565 1664 1782 1907 2052 22 DTB1-M211B 1193 1252 1314 1397 1494 1613 1741 1884 20 Adjustable Back; Cantilever Fixed Arms - Synchro/Seat Slider DTC1-M212C 1504 1567 1632 1715 1813 1923 2054 2198 23 DTS1-M212S 1442 1504 1566 1646 1747 1865 1990 2134 22	9	
DTC1-M211C 1422 1485 1550 1633 1727 1836 1974 2117 22 DTS1-M211S 1359 1422 1484 1565 1664 1782 1907 2052 22 DTB1-M211B 1193 1252 1314 1397 1494 1613 1741 1884 20 Adjustable Back; Cantilever Fixed Arms - Synchro/Seat Slider DTC1-M212C 1504 1567 1632 1715 1813 1923 2054 2198 23 DTS1-M212S 1442 1504 1566 1646 1747 1865 1990 2134 22		
DTS1-M211S 1359 1422 1484 1565 1664 1782 1907 2052 22 DTB1-M211B 1193 1252 1314 1397 1494 1613 1741 1884 20 Adjustable Back; Cantilever Fixed Arms - Synchro/Seat Slider DTC1-M212C 1504 1567 1632 1715 1813 1923 2054 2198 23 DTS1-M212S 1442 1504 1566 1646 1747 1865 1990 2134 22	278	
Adjustable Back; Cantilever Fixed Arms - Synchro/Seat Slider DTC1-M212C 1504 1567 1632 1715 1813 1923 2054 2198 23 DTS1-M212S 1442 1504 1566 1646 1747 1865 1990 2134 22	213	
DTC1-M212C 1504 1567 1632 1715 1813 1923 2054 2198 23 DTS1-M212S 1442 1504 1566 1646 1747 1865 1990 2134 22	044	
DTS1-M212S 1442 1504 1566 1646 1747 1865 1990 2134 22		
N	362	
DTB1-M212B 1275 1334 1398 1479 1579 1697 1822 1965 2 ⁻	297	
	129	
Adjustable Back; Adjustable Arms - Synchro		
DTC1-M221C 1617 1681 1746 1828 1926 2034 2166 2312 24	474	
DTS1-M221S 1512 1579 1640 1722 1820 1927 2063 2209 23	368	
DTB1-M221B 1346 1404 1467 1551 1647 1767 1893 2038 2 ⁻¹	196	
Adjustable Back; Adjustable Arms - Synchro/Seat Slider		
DTC1-M222C 1701 1761 1830 1908 2008 2117 2250 2395 28	557	
6 DTS1-M222S 1597 1663 1723 1802 1905 2009 2147 2291 24	453	
DTB1-M222B 1426 1487 1552 1633 1729 1849 1976 2119 22	280	
Adjustable Back; Armless - Synchro		
	190	
DTS1-M201S 1209 1272 1336 1415 1517 1633 1756 1905 20	065	
DTB1-M201B 1141 1203 1266 1347 1446 1565 1689 1835 19	993	
Adjustable Back; Armless - Synchro/Seat Slider		
O A P	285	
	148	
	079	

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of \$67 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard. Please see page 339 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
234	242	250	257	267	274	283	305	316

PRODUCT CODE KEY

THOBOOT COBE	- 1 (- 1					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1 _	M	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						
				2		

Fixed Cantilever Upholstered

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO T-LINE | HIGH BACK

DESCRIPTION/MODE		COM 1	2	COL 3	FAE 4	BRIC GRAI 5	DES 6	7	LEATHER 8	9
					•			· ·		
	Fixed Back; Fixed Cantil DTC1-H111C	ever Arms 1438	- Synchro 1517	1600	1707	1004	1988	2167	2377	2601
	DTS1-H111S	1375	1453	1537	1645	1834 1770	1986	2107	2311	2537
	DTB1-H111B	1193	1269	1353	1460	1587	1741	1924	2129	2353
	סוווח-ומוט	1193	1209	1333	1460	1367	1741	1924	2129	2333
	Fixed Back; Fixed Cantil	ever Arms	- Svnchro	Seat Slide	er					
	DTC1-H112C	1519	1600	1683	1791	1916	2072	2251	2459	2682
	DTS1-H112S	1458	1536	1620	1727	1853	2006	2190	2394	2619
	DTB1-H112B	1275	1353	1438	1541	1669	1822	2006	2212	2437
O										
	Fixed Back; Adjustable	Arms - Syn	chro							
	DTC1-H121C	1634	1714	1797	1906	2031	2187	2364	2563	2797
	DTS1-H121S	1573	1651	1736	1842	1972	2121	2301	2504	2738
1 1	DTB1-H121B	1389	1472	1555	1660	1787	1937	2118	2320	2553
	Fixed Back; Adjustable	Arms - Syn	chro/Seat	Slider						
	DTC1-H122C	1717	1797	1879	1988	2116	2269	2445	2646	2880
	DTS1-H122S	1657	1736	1818	1926	2053	2205	2384	2586	2819
9	DTB1-H122B	1473	1555	1636	1744	1867	2020	2217	2400	2636
	Fixed Back; Armless - S	ynchro								
	DTC1-H101C	1336	1415	1500	1609	1735	1891	2068	2276	2501
	DTS1-H101S	1209	1287	1372	1479	1604	1754	1941	2144	2368
	DTB1-H101B	1136	1212	1293	1402	1528	1683	1864	2069	2297
	E: 15 1 4 1 0		. 0							
	Fixed Back; Armless - S	•								
	DTC1-H102C	1421	1500	1583	1691	1817	1974	2153	2359	2583
\$ 1 b	DTS1-H102S	1291	1371	1455	1561	1687	1839	2023	2228	2453
₩	DTB1-H102B	1219	1293	1377	1486	1612	1764	1947	2155	2379

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of \$67 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard. Please see page 339 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
234	242	250	257	267	274	283	305	316

PRODUCT CODE	NET					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating				·	
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO T-LINE | HIGH BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed Ca	antilever A	Arms - Syn	chro						
	DTC1-H211C	1465	1546	1632	1739	1864	2019	2198	2407	2629
	DTS1-H211S	1404	1484	1567	1673	1800	1954	2135	2341	2569
	DTB1-H211B	1308	1384	1471	1578	1703	1857	2039	2244	2471
	Adjustable Back; Fixed Ca		•							
	DTC1-H212C	1551	1631	1714	1820	1947	2102	2281	2488	2713
6 N	DTS1-H212S	1487	1566	1648	1756	1884	2038	2218	2423	2652
& A	DTB1-H212B	1393	1471	1554	1662	1787	1938	2121	2327	2553
	Adjustable Back; Adjustab		•							
	DTC1-H221C	1666	1746	1828	1937	2062	2214	2395	2593	2829
	DTS1-H221S	1604	1686	1767	1871	2002	2153	2331	2532	2767
	DTB1-H221B	1423	1504	1587	1691	1818	1972	2153	2352	2586
	Adimetalala Daalii Adimetala	.l. A	C l /	O+ OI:-I -						
	Adjustable Back; Adjustab DTC1-H222C	ne Arms - 1749	•			0144	0000	2478	0676	0011
	DTS1-H222S	1687	1830 1769	1908 1849	2020 1955	2144	2299 2236	2478	2676 2616	2911 2850
						2084				
o a	DTB1-H222B	1505	1587	1669	1775	1901	2053	2236	2434	2669
	Adjustable Back; Armless	- Synchro								
	DTC1-H201C	1371	1449	1533	1641	1769	1924	2102	2307	2532
	DTS1-H201S	1242	1319	1404	1512	1636	1789	1975	2307	2332
	DTB1-H201B	1166	1246	1329	1438	1561	1769	1898	2176	2328
	0101-112010	1100	1240	1329	1430	1001	1715	1090	2103	2328
	Adjustable Back; Armless	- Synchro	o/Seat Slid	ler						
	DTC1-H202C	1453	1533	1614	1724	1852	2006	2187	2392	2616
	DTS1-H202S	1326	1402	1487	1597	1720	1871	2056	2262	2487
	DTB1-H202B	1251	1329	1412	1519	1645	1798	1979	2188	2412
W										

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of \$67 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard. Please see page 339 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

- 1								
GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
234	242	250	257	267	274	283	305	316

PRODUCT CODE KEY


Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating				•	
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		

Fixed Cantilever Upholstered

DORSO WEAVE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 11.32%

POST-CONSUMER RECYCLED CONTENT = 21.48%

Up to 74.04% of this Dorso Weave product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO WEAVE | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

S-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

N-LINE

Fixed cantilever and adjustable arms are available in black textured plastic only.



BASE STYLES

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



pull of the lever. **BACK HEIGHT**

SEAT HEIGHT

BACK TENSION

preferences.

SEAT SLIDER

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

In the seated position, a pull upwards on the

height adjustment lever located under the seat of

the user's right side adjusts the height up or down

Back tension on the mechanism is controlled with

an adjustment knob under the seat. It has been

designed to provide a range of back tension

adjustment suitable for users of varying sizes and

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment

front to back when seated. The lever to

activate this feature is located under the seat of the user's right side and is activated by an upward

with a total height range of 4.5".



DORSO CONTROLS

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.

BACK COLOR OPTIONS

Black • Warm Grey • Tan • Soft Beige • Winter White

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed	24.5	22.5	42.5	18-22	27-30.5	20	18	51	15	0.75
	Adjustable	25	22.5	42.5	18-22	25.5-32	19.5	18	51	15	0.75
	Armless	19.5	22.5	42.5	18-22	N/A	N/A	18	46	15	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	47	18-22	27-30.5	20	18	52	18	0.75
	Adjustable	25	22.5	47	18-22	25.5-32	19.5	18	52	18	0.75
	Armless	19.5	22.5	47	18-22	N/A	N/A	18	47	18	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	50.5	18-22	27-30.5	20	18	54	18	0.75
with Headrest	Adjustable	25	22.5	50.5	18-22	25.5-32	19.5	18	54	18	0.75
N-LINE MID BACK	Fixed	24.5	21.5	41	18-22	27-30.5	20	18	50	15	0.75
	Adjustable	25	21.5	41	18-22	25.5-32	19.5	18	50	15	0.75
	Armless	19.5	21.5	41	18-22	N/A	N/A	18	45	15	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	45.5	18-22	27-30.5	20	18	51	18	0.75
	Adjustable	25	21.5	45.5	18-22	25.5-32	19.5	18	51	18	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	50.5	18-22	27-30.5	20	18	53	19.5	0.75
with Headrest	Adjustable	25	21.5	50.5	18-22	25.5-32	19.5	18	53	19.5	0.75

Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso seating. For information on COM approval process see page 339.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position.

All dimensions are in inches and approximate and are subject to change without notice.

Contact Customer Service if dimensions are critical.

DORSO WEAVE S-LINE | MID BACK

		COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black with	th metal acc	ent)							
(70000) (00000)	DOS1-M2211M	1756	1775	1791	1817	1842	1867	1901	1937	1974
- W	Silver Metallic									
	DOS1-M2231M	1991	2018	2042	2075	2109	2144	2187	2242	2289
	Silver Metallic	4000	4050	4075	4000	4000	1010	4000	0040	0050
	DOC1-M2211M Polished Chrome	1839	1859	1875	1899	1926	1949	1986	2019	2053
	DOC1-M2231M	2072	2101	2125	2157	2192	2223	2271	2324	2368
	Polished Chrome	2012	2101	2120	2101	2102	LLLO	2211	2024	2000
(50000)	ADJUSTABLE ARMS (E			,						
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	DOS1-M2221M	1689	1704	1722	1749	1773	1799	1833	1866	1900
	Silver Metallic	4775	4704	1010	4004	1001	1005	1000	4054	4000
#5-)	DOC1-M2221M Polished Chrome	1775	1791	1810	1834	1861	1885	1923	1954	1988
	Polistied Chrome									
000										
6 6										
=3)	ARMLESS									
(5.555) (5.555)	DOS1-M2201M	1576	1590	1609	1635	1662	1687	1720	1753	1788
(*************************************	Silver Metallic	1016	400=	1000	4740	4705	4700	4707	1001	4001
	DOC1-M2201M Polished Chrome	1648	1667	1686	1712	1735	1760	1797	1831	1864
	Folistied Chrottie									

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of **\$84 list**.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$84 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard. Please see page 339 for more information.



PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	2	0	1	M
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		Weave 3	1	2	J
Dorso S-Line (Polished Chrome))	High Back		Headrest (No trim) (High back only) Weave	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
					Adjustable (Black)		

Fixed Cantilever Upholstered

3

DORSO WEAVE S-LINE | HIGH BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODE	-	1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black w	ith metal acc	ent)							
	DOS1-H2211M	1899	1916	1933	1959	1986	2009	2044	2079	2112
(0000) 	Silver Metallic									
	DOS1-H2231M	2132	2158	2185	2217	2252	2284	2328	2384	2428
- 6 -6-2										
	DOC1-H2211M	1981	2002	2018	2043	2068	2094	2129	2164	2196
6 0	Polished Chrome									
Q .	DOC1-H2231M	2215	2242	2269	2301	2333	2368	2411	2470	2513
	ADJUSTABLE ARMS (Black with m	etal accer	nt)						
(0000)	DOS1-H2221M	1833	1849	1866	1893	1918	1945	1978	2010	2046
(0000) (0000)	Silver Metallic	1000	1043	1000	1000	1310	1343	1370	2010	2040
	DOC1-H2221M	1918	1936	1953	1978	2004	2030	2063	2098	2132
6-b-1	Polished Chrome	1010	1000	1000	1070	2004	2000	2000	2000	2102
DORSO WEA	AVE S-LINE H	IGH BA	ACK W	/ITH F	HEADF	REST				
	FIXED ARMS (Black w	ith metal acc	ent)							
(555) (555)	DOS1-H2311M	2090	2107	2125	2153	2175	2202	2237	2272	2303
(6666) (6666)	Silver Metallic									
57	DOS1-H2331M	2324	2349	2376	2410	2442	2478	2521	2575	2619
#D	Silver Metallic									
	DOC1-H2311M	2175	2192	2212	2237	2264	2285	2322	2354	2391
6 70 8	Polished Chrome									
0 -	DOC1-H2331M	2409	2434	2462	2494	2530	2562	2605	2659	2707
	Polished Chrome									
	AD II ICTADI E ADMO //	Dlaak with ~	otal ages	.+\						
	ADJUSTABLE ARMS (I DOS1-H2321M			,	0006	0110	0104	0160	0005	0000
[0005] [0005]	Silver Metallic	2024	2042	2058	2086	2110	2134	2168	2205	2238
(0000) 	DOC1-H2321M	0110	0107	0111	0400	0405	0010	0054	0000	0004
##I	Polished Chrome	2110	2127	2144	2168	2195	2219	2254	2289	2324
	Folistied Chronie									

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of **\$84 list**.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$84 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard. Please see page 339 for more information.



PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DOS	1	М	2	2	0	1	M
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		Weave 3	1	2	J
Dorso S-Line (Polished Chrome	a)	High Back		Headrest (No trim) (High back only) Weave	Fixed Cantilever	Synchro/ Seat Slider	Jury Base

Adjustable (Black)

3

Fixed Cantilever Upholstered

DORSO WEAVE N-LINE | MID BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER	i
DESCRIPTION/MODEL	=	1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1211B No back adjustment	1541	1559	1579	1604	1632	1656	1690	1723	1756
	DON1-M2211B With back adjustment	1634	1648	1667	1693	1719	1746	1777	1814	1845
· · · · · · · · · · · · · · · · · · ·	ADJUSTABLE ARMS (BI	ack)								
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	DON1-M1221B No back adjustment	1478	1493	1512	1537	1561	1588	1622	1657	1691
	DON1-M2221B With back adjustment	1565	1583	1600	1625	1648	1673	1712	1746	1777
000										
	ARMLESS DON1-M1201B No back adjustment	1361	1377	1396	1422	1445	1473	1505	1539	1576
	DON1-M2201B With back adjustment	1439	1456	1473	1496	1524	1551	1584	1615	1650

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$208**. Seat slider option is available on all tilter chair models at an upcharge of **\$84 list**.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$84 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard. See page 339 for more information.



Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	М	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
	_	Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
				Weave	2		
					Adjustable (Black)		

DORSO WEAVE N-LINE | HIGH BACK

DESCRIPTION/MODEL		COM 2		COL 3	FABRIC GRADES 4 5 6			7	9	
	FIXED ARMS (Black) DON1-H1211B No back adjustment DON1-H2211B With back adjustment	1726 1814	1746 1831	1760 1845	1787 1871	1814 1898	1836 1925	1871 1956	1906 1991	1941 2025
	ADJUSTABLE ARMS (BIDON1-H1221B) No back adjustment DON1-H2221B With back adjustment	ack) 1662 1746	1676 1760	1695 1777	1720 1802	1747 1831	1772 1857	1806 1891	1839 1925	1875 1956
DORSO WEA	VE N-LINE HI	GH BA	ACK w	rith He	eadres	t				
	FIXED ARMS (Black) DON1-H1311B No back adjustment DON1-H2311B With back adjustment	1918 2006	1936 2022	1953 2041	1978 2065	2004	2030 2117	2063 2153	2098 2187	2132 2218
	ADJUSTABLE ARMS (Blad DON1-H1321B No back adjustment DON1-H2321B With back adjustment	1852 1937	1867 1954	1885 1974	1912 1997	1937 2022	1962 2048	1997 2084	2031 2117	2065 2153

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$208**. Seat slider option is available on all tilter chair models at an upcharge of **\$84 list**.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$84** to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67** list per yard. See page 339 for more information.



PRODUCT CODE KEY


Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
	· ·	Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
				Weave	2		
					Adjustable (Black)		

3
Fixed Cantilever
Upholstered

DORSO S-LINE & N-LINE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 21.68%

POST-CONSUMER
RECYCLED CONTENT = 20.03%

Up to 77.88% of Dorso S product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO S-LINE & N-LINE | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

S-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

N-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



BASE STYLES

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



Dorso seating is available in three base styles: Cantilever

4-Leg

4-Leg with twin wheel casters

Each is offered in a Silver Metallic or Polished Chrome steel frame.



Dorso seating is available in three base styles: Cantilever

4-Leg

4-Leg with twin wheel casters

Each is offered in a Silver Metallic steel frame.



BACK HEIGHT

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

BACK TENSION

Back tension on the synchro tilt mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.



DORSO CONTROLS

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. One of the best engineered and most user-friendly chair controls, the synchro tilt mechanism is unique in providing a single, easy-accessed lever to adjust tilt lock positions and seat height. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines. The synchro tilt mechanism also features an anti-kickback lock release, providing a smooth transition from locked to unlocked tilt adjustment.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

SEAT SLIDER

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DORSO S-LINE & N-LINE | DIMENSIONS & COM REQUIREMENTS

Presenting one of the world's most advanced seating concepts: new technology that offers outstanding ergonomics in a strikingly modern chair design, while providing a level of long-term sitting comfort and support that has been the hallmark of European seating. DORSO: Designed by Gabriel Teixidó

		Overall Width	Overall Depth	Overall Height	Seat Height		ht of om Floor		/idth en Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	42.5 42.5 42.5	18-22 18-22 18-22	25.	30.5 5-32 /A	1	20 9.5 \/A	18 18 18	51 51 46	15 15 15	1.7 1.7 1.7
S-LINE HIGH BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	47 47 47	18-22 18-22 18-22	25.	30.5 5-32 /A	1	20 9.5 V/A	18 18 18	52 52 47	18 18 18	1.9 1.9 1.9
S-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	22.5 22.5	50.5 50.5	18-22 18-22		30.5 5-32		20 9.5	18 18	54 54	18 18	1.9 1.9
N-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	21.5 21.5 21.5	41 41 41	18-22 18-22 18-22	25.	30.5 5-32 /A	1	20 9.5 N/A	18 18 18	50 50 45	15 15 15	1.7 1.7 1.7
N-LINE HIGH BACK	Fixed Adjustable	24.5 25	21.5 21.5	45.5 45.5	18-22 18-22		30.5 5-32		20 9.5	18 18	51 51	18 18	1.9 1.9
N-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	21.5 21.5	50.5 50.5	18-22 18-22		30.5 5-32		20 9.5	18 18	53 53	19.5 19.5	1.9 1.9
GUEST		Overall Width	Overall Depth	Seat Height	Heigl Arms fro		Wid		Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless Fixed	20.75 24.5	25.50 25.50	18.5 18.5	27 27		19. 19.		19.5 19.5	36 36	32 37	14 14	1.3 1.3
S-LINE/4LEG with Casters	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	36 36	33 38	14 14	1.3 1.3
S-LINE/ Cantilever Base	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	36 36	39 44	14 14	1.3 1.3
N-LINE/4LEG	Armless Fixed	20.75 24.5	25.50 25.50	18.5 18.5	27 27		19. 19.		19.5 19.5	34.75 34.75	31 36	14 14	1.3 1.3
N-LINE/4LEG with Casters	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	34.75 34.75	32 37	14 14	1.3 1.3
N-LINE/ Cantilever Base	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	34.75 34.75	38 43	14 14	1.3 1.3

ORDERING NOTE

Add 0.5 yards for seating with leather wrapped arm option.

Note: Some vinyls are not suitable for application on Dorso seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for an approval process at time of order.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

ORDERING NOTES

All Dorso swivel and tilter models are available with an optional seat slider mechanism at an upcharge of \$84 list.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO S-LINE | MID BACK

		COM		COL	FAE	RIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wit	h metal acc	ent)							
	DOS1-M2011M	1849	1918	1988	2079	2190	2322	2463	2627	2804
	Silver Metallic									
	DOS1-M2031M	2083	2160	2239	2334	2457	2596	2745	2930	3119
	Silver Metallic									
	DOC1-M2011M	1937	2008	2079	2172	2281	2401	2554	2716	2899
	Polished Chrome									
	DOC1-M2031M	2169	2251	2328	2430	2550	2678	2838	3022	3211
	Polished Chrome									
	ADJUSTABLE ARMS (B	lack with m	etal accer	nt)						
	DOS1-M2021M	1775	1849	1918	2008	2119	2240	2392	2554	2737
	Silver Metallic									
	DOC1-M2021M	1867	1937	2008	2101	2212	2331	2482	2643	2828
	Polished Chrome									
8 8										
	ARMLESS									
	DOS1-M2001M	1657	1726	1799	1887	2002	2132	2272	2434	2613
	Silver Metallic									
	DOC1-M2001M	1736	1809	1878	1965	2079	2212	2352	2513	2695
	Polished Chrome									
& _O_\										

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of **\$84 list**.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$84** to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67** list **per yard.** See page 339 for more information.



PRODUCT CODE KEY

FRODUCT COL	JE KEI						
Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		1	1	2	J
Dorso S-Line (Polished Chrome	e)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black)		

3

Fixed Cantilever Upholstered

DORSO S-LINE | HIGH BACK

		COM		COL	FAI	BRIC GRA	DES	LEATHER			
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9	
	FIXED ARMS (Black with	metal acc	cent)								
	DOS1-H2011M	2002	2088	2182	2303	2443	2613	2818	3048	3301	
	Silver Metallic										
	DOS1-H2031M	2236	2329	2431	2562	2710	2888	3102	3351	3617	
	Silver Metallic										
	DOC1-H2011M	2090	2180	2273	2395	2535	2705	2910	3138	3395	
	Polished Chrome DOC1-H2031M	2324	2421	2524	2653	2802	2979	3194	3444	3710	
	Polished Chrome	2324	2421	2324	2000	2002	2313	3134	3444	37 10	
	T Ollotted Otherne										
	ADJUSTABLE ARMS (Bla	ck with m	netal accer	nt)							
	DOS1-H2021M	1928	2020	2111	2230	2376	2541	2744	2969	3231	
	Silver Metallic										
	DOC1-H2021M	2020	2111	2200	2322	2463	2636	2836	3058	3321	
	Polished Chrome										
€ ⊗											
		DO	RSO S	S-LINI	= HIG	H BA	CK W	ITH F	IEADR	EST	
_	FIXED ARMS (Black with	metal acc	cent)								
H	DOS1-H2111M	2200	2312	2413	2554	2716	2908	3131	3370	3643	
	Silver Metallic							0.0.	00.0	00.0	
-57	DOS1-H2131M	2434	2554	2664	2814	2984	3183	3411	3676	3958	
	Silver Metallic										
	DOC1-H2111M	2291	2401	2505	2643	2804	2996	3221	3463	3738	
	Polished Chrome										
	DOC1-H2131M Polished Chrome	2524	2643	2756	2902	3072	3272	3505	3770	4051	
	Polished Chrome										
	ADJUSTABLE ARMS (Bla	ok with m	netal accor	n+)							
	DOS1-H2121M	2132	2230	2340	2482	2643	2836	3048	3301	3574	
	Silver Metallic	2102	2200	2040	L-10L	2040	2000	00-10	0001	0014	
	DOC1-H2121M	2219	2322	2434	2574	2737	2928	3140	3392	3664	
	Polished Chrome										

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of **\$84 list**.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$84 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard. See page 339 for more information.



PRODUCT CODE KEY

PRODUCT COL	JE KEY						
Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	M
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating						
DOC		Н		1	1	2	J
Dorso S-Line		High Back		Headrest (No trim)	Fixed Cantilever	Synchro/	Jury Base
(Polished Chrome	e)			(High back only)		Seat Slider	
					2		

Adjustable (Black)

3

Fixed Cantilever Upholstered

DORSO N-LINE | MID BACK

		COM		COL	FAB	RIC GRAI	DES	LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1011B No back adjustment	1625	1697	1776	1867	1965	2101	2240	2413	2594
	DON1-M2011B With back adjustment	1719	1787	1867	1959	2062	2190	2331	2505	2684
	ADJUSTABLE ARMS (BI DON1-M1021B No back adjustment	ack) 1556	1625	1697	1787	1898	2028	2172	2331	2513
	DON1-M2021B With back adjustment	1646	1719	1787	1878	1988	2119	2264	2422	2605
	ARMLESS	4.404	4504	4504	1070	4770	1000	0054	0010	0.404
	DON1-M1001B No back adjustment	1431	1504	1584	1673	1776	1908	2051	2219	2401
	DON1-M2001B With back adjustment	1513	1597	1667	1756	1867	1988	2138	2303	2482
6 0										

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$208.

Seat slider option is available on all tilter chair models at an upcharge of \$84 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$84 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard. See page 339 for more information.



	, , , , , , , , , , , , , , , , , , ,						
Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	e Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black
	& Conference Seating						Nylon Base
	_	Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black	:)	

DORSO N-LINE | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	RIC GRAD	DES 6	7	LEATHER 8	9
	FIXED ARMS (Black) DON1-H1011B No back adjustment	1816	1908	2002	2119	2264	2434	2636	2868	3119
	DON1-H2011B With back adjustment	1908	2002	2088	2212	2352	2526	2724	2959	3210
	ADJUSTABLE ARMS (BI	ack)								
	DON1-H1021B No back adjustment	1747	1835	1928	2051	2190	2364	2565	2786	3048
	DON1-H2021B With back adjustment	1835	1928	2020	2138	2281	2453	2656	2878	3140

DORSO N-LINE | HIGH BACK WITH HEADREST



FIXED ARMS (Black)									
DON1-H1111B	2020	2132	2230	2376	2535	2724	2947	3189	3463
No back adjustment									
DON1-H2111B	2111	2219	2322	2463	2627	2818	3038	3283	3552
With back adjustment									



ADJUSTABLE ARMS (Bla	ck)								
DON1-H1121B No back adjustment	1949	2051	2160	2303	2463	2656	2868	3119	3392
DON1-H2121B	2041	2138	2252	2392	2554	2744	2959	3210	3481
With back adjustment									

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$208.

Seat slider option is available on all tilter chair models at an upcharge of \$84 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$84 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard. See page 339 for more information.




Line	Series	Back Style	Back Adjustment	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black
8	& Conference Seating						Nylon Base
	· ·	Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black))	

ME | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Me products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Me products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Me and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ME | FEATURES

Me brings new meaning to custom seating. Your comfort. Your style. Your chair.

With Me, options, styling and versatility are virtually endless, and comfort is superior. With Me, Krug has created a chair that not only provides unprecedented comfort and natural posture support, but also exceptional styling. Me is an adaptable seating solution for any management, task and conference environment.



ARM STYLES

Four arm styles are available on Me. In addition to the armless version, is the urethane over molded steel supported fixed cantilever arm, or the adjustable pad arms: urethane pad arms, or upholstered pad arms. Both adjustable arm versions feature: pivoting arms that adjust 30 degrees inward or outward, 1 1/2" left and right width adjustment control, and a 6 stop position arm height range with a total of 2.6" of height adjustment. When specifying leather on the upholstered arm pad version, the user has the option of a perforated arm pad (available when specifying Krug's stock leather only). When specifying polished aluminum bases on Me, the arm upright will also be finished in polished aluminum (on adjustable arm versions only).



BASE STYLES

Me seating is available in two base options. Choose from an injection molded, glass reinforced black nylon base or polished cast aluminum base, both with 2 1/4" dual wheel casters.



ME CONTROLS

Me features a standard synchro tilt mechanism that allows the back and the seat to articulate synchronously in a 2:1 ratio. This feature insures that the upward tilt of the seat is minimized as the back reclines. The mechanism that also features a standard tilt lock mechanism that allows the user an infinite number of recline lock positions. Simply push the tilt lock lever downward to lock and upward to free-float the back.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of: Standard gas lift: 4.25" without seat slider and

Standard gas lift: 4.25" without seat slider and 4.0" with seat slider.

Low gas lift: 3.5" without seat slider and 3.5" with seat slider.

BACK TENSION

The back tension adjustment knob is located on the front underside of the seat. A simple turn of the knob provides a range of back tension adjustment suitable for users of varying sizes and preferences.

UPHOLSTERY OPTIONS

With Me comes the ability to choose contrasting fabrics/leathers for the seat, upper and lower back sections, as well as the upholstered arm pads. This option allows for an endless possibility of custom designed seating options (see upcharges on the following pages). When specifying leather from Krug's in-stock leather program, the option to perforate the leather on the lower back and upholstered pad arms is available (see pricing on the following pages).

SEAT SLIDER

All Me adjustable arm versions are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.

BACK HEIGHT

Me is available in three back heights: low, mid and high. Back height adjustment is a standard feature on all Me models. This feature offers an adjustment range of 11 positions over a 2 1/2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand of the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered to the first and lowest stop position.



OPTIONAL GAS LIFT HEIGHT RANGES

Me is available with two gas lift ranges. Unless clearly specified on order, Me seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows:

Non Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16" when lowered and no less than 20" when extended. Low gas lifts give a seat height of no greater than 15 1/8" when lowered and no less than 18 5/16" when extended.

Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16 1/4" when lowered and no less than 20 5/16" when extended. Low gas lifts give a seat height of no greater than 15 3/8" when lowered and no less than 18 15/16" when extended. If dimensions are critical, please contact Customer Service.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

ME | DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
LOW BACK	Armless	20	21.75	36.5	N/A	N/A	19	39	16	1.7
	Fixed	23	21.75	36.5	27.13	19	19	46	16	1.7
	Adjustable Urethane	24.75	21.75	36.5	24	17.25	19	46	16	1.7
	Adjustable Upholstered	25.5	21.75	36.5	24.25	16.75	19	46	16	1.7
MID BACK	Armless	20	21.75	39	N/A	N/A	19	43	18	1.8
	Fixed	23	21.75	39	27.13	19	19	48	18	1.8
	Adjustable Urethane	24.75	21.75	39	24	17.25	19	48	18	1.8
	Adjustable Upholstered	25.5	21.75	39	24.25	16.75	19	48	18	1.8
HIGH BACK	Armless	20	21.75	41.6	N/A	N/A	19	45	20	1.9
	Fixed	23	21.75	41.6	27.13	19	19	50	20	1.9
	Adjustable Urethane	24.75	21.75	41.6	24	17.25	19	50	20	1.9
	Adjustable Upholstered	25.5	21.75	41.6	24.25	16.75	19	50	20	1.9

Height measurements of Me are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

Note: Some vinyls are not suitable for upholstery on Me seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order. For Maharam or Momentum fabric, Krug will obtain the fabric sample.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

COM REQUIREMENTS PER CHAIR SECTION

Upper Back*	Lower Back*	Seat	Arm Pads
0.7	0.5	0.75	0.4

Measurements above are provided in yards.



Me | LOW BACK



Me | MID BACK



^{*}Upper and Lower Backs consist of both the inside and outside back.

ME | LOW BACK

		COM	COL	FA	BRIC GRA	DES			LEATHER	l
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 L2 11B Standard back upholstery, MTH1 L2 21B Perforated back upholster			1431	1625	1719	1799	1949	2272 2453	2541
	MTH1 L2 11A Standard back upholstery, MTH1 L2 21A Perforated back upholster			1573 e	1767	1859	1928	2079	2413 2594	2684
	ADJUSTABLE URETHANE MTH1 L2 12B Standard back upholstery, MTH1 L2 22B Perforated back upholster	1273 , black ba	1331 ase	1396	1554	1657	1726	1878	2182 2364	2462
9 9	MTH1 L2 12A Standard back upholstery, MTH1 L2 22A Perforated back upholster			1524 e	1697	1799	1867	2007	2322 2505	2605
	UPHOLSTERED ADJUSTA MTH1 L2 13B Standard back upholstery, MTH1 L2 23B Perforated back upholster	1331 , black ba	1396 ase	1462	1634	1736	1816	1959	2291 2473	2594
8 9 8	MTH1 L2 13A Standard back upholstery, MTH1 L2 23A Perforated back upholster			1597 e	1776	1878	1959	2098	2422 2605	2724
	ARMLESS MTH1 L2 10B Standard back upholstery, MTH1 L2 20B Perforated back upholster			1323	1513	1597	1673	1828	2160 2341	2422
and the second	MTH1 L2 10A Standard back upholstery, MTH1 L2 20A Perforated back upholster			1455 e	1645	1736	1809	1959	2291 2473	2565

ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$84 list**. For Jury Base version of this chair, please add a **'J'** for the base style at the end of the model number and **add \$84** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard.**

DUCT CO	DE KEY					
Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating			Upholstery		
		M		2	1	Α
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metalli
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
				A	Adjustable Upholstered	
					Pad Arms	

ME | MID BACK

		СОМ	COL		BRIC GRA	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 M2 11B Standard back upholstery, MTH1 M2 21B			1546	1747	1849	1928	2088	2443 2627	2737
	Perforated back upholster MTH1 M2 11A Standard back upholstery, MTH1 M2 21A Perforated back upholster	1546 , silver m	1614 netallic base	1687 e	1878	1979	2062	2230	2585 2767	2868
	ADJUSTABLE URETHANE MTH1 M2 12B Standard back upholstery, MTH1 M2 22B Perforated back upholster	1362 , black b	1431 ase	1494	1673	1776	1859	2007	2341 2526	2643
	MTH1 M2 12A Standard back upholstery, MTH1 M2 22A Perforated back upholster			1625 e	1816	1916	2002	2138	2482 2798	2786
	UPHOLSTERED ADJUSTA MTH1 M2 13B Standard back upholstery, MTH1 M2 23B Perforated back upholster	1431 , black b	1504 ase	1566	1756	1878	1949	2111	2462 2643	2786
	MTH1 M2 13A Standard back upholstery, MTH1 M2 23A Perforated back upholster			1697 e	1887	2007	2079	2240	2605 2786	2914
	ARMLESS MTH1 M2 10B Standard back upholstery, MTH1 M2 20B Perforated back upholster			1414	1614	1719	1799	1959	2322 2505	2605
& J. D	MTH1 M2 10A Standard back upholstery, MTH1 M2 20A Perforated back upholster			1554 e	1673	1859	1937	2098	2453 2636	2744

ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$84 list**. For Jury Base version of this chair, please add a **'J'** for the base style at the end of the model number and **add \$84** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard.**

DUCT CO Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating			Upholstery		
		M		2	1	Α
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metall
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	b
					Pad Arms	

ME | HIGH BACK

		COM	COL	FAE	BRIC GRAI	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 H2 11B Standard back upholstery MTH1 H2 21B Perforated back upholste			1697	1928	2041	2132	2322	2716 2899	3038
	MTH1 H2 11A Standard back upholstery MTH1 H2 21A Perforated back upholste				2051	2172	2264	2453	2857 3190	3172
	ADJUSTABLE URETHANI MTH1 H2 12B Standard back upholstery MTH1 H2 22B Perforated back upholste	1486 , black ba	1566 se	1634	1849	1959	2051	2230	2613 2804	2934
	MTH1 H2 12A Standard back upholstery MTH1 H2 22A Perforated back upholste				1979	2098	2182	2364	2759 2934	3067
	UPHOLSTERED ADJUST MTH1 H2 13B Standard back upholstery MTH1 H2 23B Perforated back upholste	1554 v, black ba	1645 se	1719	1937	2062	2138	2341	2744 2928	3080
	MTH1 H2 13A Standard back upholstery MTH1 H2 23A Perforated back upholste				2069	2200	2281	2472	2885 3067	3221


ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$84 list**. For Jury Base version of this chair, please add a **'J'** for the base style at the end of the model number and **add \$84** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$67 list per yard.**

ODUCT CO	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task & Conference Seating	Low Back	Adjustable	Standard Back Upholstery	Armless	Black Base
		M		2	1	Α
		Mid Back		Perforated Back Upholstery	Fixed Cantilever	Silver Metalli Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	b
					Pad Arms	

PAN AM | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 6.29%

POST-CONSUMER
RECYCLE CONTENT = 18.32%

Up to 24.19% of Pan Am product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Pan Am products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

All Pan Am products are supplied air-emissions certified. Contact customer service for information.



FSC* C021699

FSC®

AIR EMISSIONS

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Pan Am and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

PAN AM | FEATURES



ARM STYLES

Pan Am features three styles of fixed arms, including open urethane, closed upholstered and open upholstered versions.



BACK STYLES

Available with two different back options, Mid and High, Pan Am is perfect for desk and conference applications.



BASE STYLES

Featuring a five blade caster base with 2 1/4" hooded dual wheel casters, Pan Am bases are available in both glass reinforced molded nylon base and polished cast aluminum base. (upcharge applies.)



SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of: Standard gas lift: 3.5"

Low gas lift: 3.0"



TILT TENSION

A tilt tension knob is located under the seat for all versions of Pan Am. For Knee Tilt versions a push of the height adjustment lever toward the gas lift cylinder activates the tilt lock feature.

PAN AM CONTROLS

Pam Am is available with either a Swivel Tilt of Knee Tilt mechanism. All Pan Am seating features an adjustable tilt tension knob, and height adjustment lever. On the Knee Tilt version of Pan Am, the height adjustment lever also operates a forward tilt lock.

OPTIONAL GAS LIFT HEIGHT RANGES

PAN AM is available with two gas lift ranges. Unless clearly specified on order, PAN AM seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows: Pan Am standard gas lift give a seat height no greater than 16.4" when lowered and no less that 20.2" when extended. Low gas lift give a seat height no greater that 15.04" when lowered and no less than 18" when extended.

OPTIONAL JURY BASE

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
MID BACK	Open Urethane	24.5	24.5	34.5	25	18.5	19	31	15.03	1.8
	Closed Upholstered	27.25	24.5	34.5	26.75	19	19	33	15.03	2.7
	Open Upholstered	24.5	24.5	34.5	25	18.5	19	31	15.03	2.2
HIGH BACK	Open Urethane	24.5	24.5	40	25	18.5	19	35	17.06	1.9
	Closed Upholstered	27.25	24.5	40	26.75	19	19	37	17.06	2.8
	Open Upholstered	24.5	24.5	40	25	18.5	19	35	17.06	2.3
HIGH BACK	Open Urethane	24.5	24.5	46	25	18.5	19	37	18.75	2.5
with Headrest	Closed Upholstered	27.25	24.5	46	26.75	19	19	39	18.75	3.4
	Open Upholstered	24.5	24.5	46	25	18.5	19	37	18.75	2.9

Note: Some vinyls are not suitable for upholstery on Pan Am seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for a pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

Please contact Customer Service for more information on options for the Pan Am series. Height measurements of Pan Am are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

PAN AM | MID BACK

COM			COL	FABRIC GRADES LEATHER						
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-M11B Black base, swivel tilt PAN1-M12B Black base, knee tilt	1146 1291	1244 1399	1359 1504	1459 1612	1573 1727	1681 1824	1787 1944	1893 2041	2077 2222
	PAN1-M11A Polished aluminum base, s		1399	1504	1604	1720	1824	1932	2041	2222
	PAN1-M12A	1438	1541	1650	1756	1875	1972	2087	2187	2368
	Polished aluminum base, k									
\bigcap	CLOSED UPHOLSTERED		1001	0000	0450	0011	0.40.4	0000	0700	0070
	PAN1-M21B Black base, swivel tilt	1681	1834	2002	2156	2311	2464	2630	2788	2970
	PAN1-M22B	1834	1990	2156	2311	2464	2621	2774	2943	3126
	Black base, knee tilt		.000						20.0	0.20
	PAN1-M21A Polished aluminum base, s	1824 swivel tilt	1980	2147	2301	2457	2611	2774	2930	3116
	PAN1-M22A	1980	2136	2301	2457	2611	2767	2920	3089	3270
	Polished aluminum base, k	knee tilt								
	OPEN UPHOLSTERED AR	MS								
	PAN1-M31B Black base, swivel tilt	1798	1949	2107	2272	2428	2583	2738	2894	3079
	PAN1-M32B Black base, knee tilt	1944	2107	2264	2416	2573	2738	2894	3048	3234
6 9 0	PAN1-M31A Polished aluminum base, s	1944 swivel tilt	2096	2253	2416	2573	2725	2863	3038	3224
	PAN1-M32A Polished aluminum base, k	2087 knee tilt	2253	2408	2563	2719	2883	3038	3192	3377

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$84 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.



I HODGOT GODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	М	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	a comercine coaling	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

PAN AM | HIGH BACK

		СОМ		COL	FAE	BRIC GRA	DES		LEATHER	1
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-H11B Black base, swivel tilt	1152	1263	1377	1494	1604	1720	1824	1944	2125
	PAN1-H12B Black base, knee tilt	1302	1421	1536	1650	1756	1875	1980	2096	2281
	PAN1-H11A Polished aluminum base, s	1302 wivel tilt	1408	1524	1641	1749	1864	1972	2087	2272
	PAN1-H12A Polished aluminum base, k	1444 Inee tilt	1561	1681	1798	1900	1960	2125	2244	2428
	CLOSED UPHOLSTERED A PAN1-H21B Black base, swivel tilt	ARMS 1690	1857	2019	2187	2348	2505	2679	2833	3020
	PAN1-H22B Black base, knee tilt	1843	2008	2175	2339	2505	2659	2828	2989	3175
	PAN1-H21A Polished aluminum base, s	1834 swivel tilt	2002	2164	2329	2496	2652	2828	2979	3164
	PAN1-H22A Polished aluminum base, k	1990 Inee tilt	2156	2322	2484	2652	2803	2970	3135	3319
	OPEN UPHOLSTERED AR PAN1-H31B Black base, swivel tilt	MS 1806	1972	2136	2291	2457	2621	2788	2950	3135
	PAN1-H32B Black base, knee tilt	1960	2125	2291	2445	2611	2774	2943	3106	3291
	PAN1-H31A Polished aluminum base, s	1949 wivel tilt	2117	2281	2439	2602	2767	2930	3095	3283
	PAN1-H32A Polished aluminum base, k	2107	2272	2439	2589	2759	2920	3089	3251	3434

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$84 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.



PRODUCT CODE RE	<u> </u>				
Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	М	1	1	В
PAN A	M Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	0	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

PAN AM | HIGH BACK WITH HEADREST

	(СОМ		COL		RIC GRADI			EATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Black base, swivel tilt PAN1-HR-12B	1224 1371	1331 1487	1445 1604	1565 1720	1671 1828	1788 1944	1893 2051	2009 2165	2192 2350
		1371	1475	1590	1712	1816	1932	2039	2156	2339
	Polished aluminum base, sv PAN1-HR-12A Polished aluminum base, kr	1513	1633	1750	1865	1972	2030	2192	2315	2496
	CLOSED UPHOLSTERED A	ARMS								
	Black base, swivel tilt	1756	1925	2088	2253	2416	2573	2745	2903	3089
	Black base, knee tilt	1913	2077	2244	2408	2573	2731	2894	3057	3242
<i>v</i>	Polished aluminum base, sv	1901 wivel tilt	2068	2232	2397	2565	2719	2894	3048	3234
	PAN1-HR-22A Polished aluminum base, kr	2058 nee tilt	2222	2391	2553	2719	2872	3038	3204	3384
	ODEN LIDUOLOTEDED ADA	10								
	OPEN UPHOLSTERED ARM PAN1-HR-31B Black base, swivel tilt	1875	2039	2208	2359	2525	2691	2853	3020	3204
	·	2030	2192	2359	2513	2679	2847	3009	3176	3360
	Polished aluminum base, sv		2187	2350	2506	2669	2833	3000	3164	3348
	PAN1-HR-32A Polished aluminum base, kr	2175 nee tilt	2339	2506	2659	2828	2990	3156	3320	3507

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$84 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.




Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	· ·	Н	2	2	А
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

CADENCE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CADENCE | FEATURES



RECLINE ADJUSTMENT

The recline adjustment on the Cadence series allows a 24 degree range of motion. The foremost lever located on the right-hand side (when you are in a seated position) engages a device to lock the back in any position within the chair's range of movement. Lowering the lever locks the back at any position within the range. Raising the lever releases the lock and the back will move freely through the entire range.



BACK HEIGHT ADJUSTMENT

(on selected models only)

The back height is adjustable on selected models of Cadence series. The mechanism adjusts the back while in the seated position. The adjustable height back has a 4 inch range of movement with an 8 position stop mechanism. Place both hands on either side of the lower back cushion and lift and click to the desired height. Raise the back to the highest position to release the back height lock and lower to the first and lowest position.



CAL 133 & MOISTURE BARRIER

SEAT HEIGHT ADJUSTMENTS

(when you are in

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$67 list per yard.

The rear-most lever located in the right-hand side

activates the seat height adjustment. Pull up on

the lever to adjust seat height up or down

through a range of adjustment of 3 inches.

the seated position)

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



BACK TENSION

A hand wheel centrally located near the front underside of the chair controls the amount of tension applied to the back. Turning the knob clockwise when you are in the seated position lessens the tension. Turning the knob counterclockwise increases the tension.



ARM HEIGHT

(on selected models only)

A trigger release button located outside and below the arm pad adjusts the arm height. Depress the trigger to raise arm through its height range of 3.5 inches and 8 settings. Depress the trigger to raise the arm, release when desired height is reached to lock in position.

DIMENSIONS & COM REQUIREMENTS


		Overall Width		Overall Height		Height of Arms from floo	Width r between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
MID BACK	Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
Narrow Width	Adjustable	25	26	36.75	17.75	24.25-30.25	19.5	19.75	4	43	18	2.3
	Wood & Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
	Wood & Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.8
	Completely Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	3.0
	Armless	19.5	26	36.75	17.75	-	-	19.75	4	41	18	2.3
Wide Width	Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Adjustable	26.5	26	36.75	17.75	24.25-30.25	21	19.75	4	45	18	2.3
	Wood & Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Wood & Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.8
	Completely Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	3.0
	Armless	21	26	36.75	17.75	-	-	19.75	4	43	18	2.3
HIGH BACK	Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
Narrow Width	Adjustable	25	26	43	17.75	24.25-30.25	19.5	19.75	4	46	20	2.5
	Wood & Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
	Wood & Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.0
	Completely Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.2
Wide Width	Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Adjustable	26.5	26	43	17.75	24.25-30.25	21	19.75	4	48	20	2.5
	Wood & Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Wood & Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.0
	Completely Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.2
ARM CHAIR		27.25	27	36	18.25	26	18.75	18	-	23	18	1.7

Height measurements are taken with the pneumatic lift (and adjustable arm and back when applicable) in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

CADENCE | MID BACK

		WOOD	COM		COL	FABF	RIC GRAD	DES	l	EATHER	?
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARM CAD1-MW11B CAD1-MN11B CAD1-MW21B CAD1-MN21B	MS	1567	1647	1719	1936	2052	2156	2321	2713	2957
	CAD1-MW11W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	1862	1944	2008	2228	2349	2437	2613	3007	3241
	CAD1-MW21W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN21W	Cherry, Maple, Walnut, Medium Anigre									
	ADJUSTABLE AI CAD1-MW15B CAD1-MN15B CAD1-MW25B CAD1-MN25B	RMS	1508	1584	1650	1866	1977	2063	2236	2609	2857
	CAD1-MW15W CAD1-MN15W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	1802	1879	1946	2158	2271	2359	2530	2905	3141
	CAD1-MW25W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN25W	Cherry, Maple, Walnut, Medium Anigre									

ORDERING NOTES: Optional seat slider mechanism can be ordered with all arm options, at an upcharge of \$84 list.



ORDERING NOTES: Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator. For jury base version of this chair, please add a '**J**' for the base style at the end of the model number and **add \$84** to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 341 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**



PRODUCT COL	LKLI					
	Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
	CAD	1	MW	1	1	W
C	Cadence	Management Seating	Mid Back Wide	Fixed Back	Urethane	Wood
			MN	2	2	В
			Mid Back Narrow	Adjustable Back	Wood And Urethane	Black Nylon
					5	J
					Adjustable	Jury Base


CADENCE | MID BACK

DESCRIPTION	/MODEL	WOOD FINISH	COM 1	2	COL 3	FAE	BRIC GRA	DES 6	7	LEATHE 8	R 9
	CAD1-MW13B CAD1-MN13B	PHOLSTERED ARM	1881	1964	2102	2274	2399	2495	2684	3096	3400
	CAD1-MW23B CAD1-MN23B CAD1-MW13W	Cherry, Maple, Walnut, Medium Anigre	2176	2264	2338	2573	2692	2790	2979	3395	3687
8 3 0	CAD1-MN13W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MW23W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN23W	Cherry, Maple, Walnut, Medium Anigre									
	COMPLETELY	JPHOLSTERED									
\prod	CAD1-MW14B CAD1-MN14B		1831	1913	2048	2219	2343	2440	2630	3042	3379
	CAD1-MW24B CAD1-MN24B										
	CAD1-MW14W	Cherry, Maple, Walnut, Medium Anigre	2121	2209	2281	2516	2640	2737	2927	3341	3664
8000	CAD1-MN14W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MW24W	-									
	CAD1-MN24W										
$\overline{\mathbb{N}}$	ARMLESS CAD1-MW10B CAD1-MN10B		1404	1484	1554	1772	1887	1990	2157	2548	2819
	CAD1-MW20B CAD1-MN20B	Ohama Maala	1698	1777	1848	2066	2187	2272	2450	2842	3082
	CAD1-MW10W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	1000	1777	1040	2000	2107	LLIL	2400	2042	0002
	CAD1-MW20W	Walnut, Medium Anigre Cherry, Maple,									
	CAD1-MN20W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$84 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 341 for finish color selection and clearly mark on your purchase order.





TODOOT CODE KET					
Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	0	W
Cadence	Management Seating	Mid Back Wide	Fixed Back	Armless	Wood
		MN Mid Back Narrow	2 Adjustable Back	Wood And Upholstered	Black Nylon
				4 Completely Upholstered	J Jury Base

CADENCE | HIGH BACK

		WOOD	COM		COL	FAE	BRIC GRA	ADES		LEATHE	R
DESCRIPTION/MODEL FINISH		1	2	3	4	5	6	7	8	9	
	URETHANE ARI CAD1-HW11B CAD1-HW21B CAD1-HW21B		1703	1809	1885	2119	2264	2361	2573	3017	3283
	CAD1-HW11W CAD1-HN11W CAD1-HW21W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	2002	2102	2182	2417	2557	2656	2868	3312	3565
	CAD1-HN21W	Walnut, Medium Anigre Cherry, Maple, Walnut, Anigre									
	ADJUSTABLE A	ARMS									
	CAD1-HW15B		1636	1736	1815	2043	2175	2272	2474	2905	3173
// /	CAD1-HN15B										
	CAD1-HW25B										
	CAD1-HN25B										
	CAD1-HW15W	Cherry, Maple, Walnut, Medium Anigre	1933	2031	2110	2338	2472	2570	2770	3195	3454
	CAD1-HN15W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW25W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN25W	Cherry, Maple, Walnut, Medium Anigre									
	ODDEDING NO	TEC. Optional cost slide	r maaha	niom oon k	o ordoro	م الم طانيين ام	arm antia	no ot on	unahara	o of ¢0 4	liot

ORDERING NOTES: Optional seat slider mechanism can be ordered with all arm options, at an upcharge of \$84 list.



ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$84 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 341 for finish color selection and clearly mark on your purchase order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.

Walnut, Medium Anigre



3205

3499

3459

3743

	Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
L	CAD adence	1 Management Seating	HW High Back Wide	1 Fixed Back	1 Urethane	Wood
			HN High Back Narrow	2 Adjustable Back	Wood And Urethane	B Black Nylon
					5 Adjustable	J Jury Base


CADENCE | HIGH BACK

		WOOD COM			COL	FABRIC GRADES			LEATHER		
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	WOOD AND UP	HOLSTERED ARM									
	CAD1-HW13B		2028	2136	2219	2474	2625	2724	2948	3423	3743
	CAD1-HN13B										
	CAD1-HW23B										
	CAD1-HN23B										
	CAD1-HW13W	Cherry, Maple, Walnut, Medium Anigre	2322	2431	2516	2770	2916	3024	3244	3719	4032
	CAD1-HN13W	Cherry, Maple,									
92 93		Walnut, Medium Anigre									
	CAD1-HW23W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-HN23W	Cherry, Maple,									
		Walnut, Medium Anigre									
		IPHOLSTERED ARM	1070	0004	0105	0.440	0570	0070	0004	0000	0700
	CAD1-HW14B		1976	2084	2165	2419	2570	2670	2894	3368	3723
// /	CAD1-HN14B										
	CAD1-HW24B										
	CAD1-HN24B	Observe Marala	2269	2378	2463	2716	2863	2969	3189	3664	4006
	CAD1-HW14W	Cherry, Maple, Walnut, Medium Anigre	2200	2010	2400	2710	2000	2000	0100	0004	4000
	CAD1-HN14W	Cherry, Maple,									
0 0		Walnut, Medium Anigre									
	CAD1-HW24W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-HN24W	Cherry, Maple,									
		Walnut, Medium Anigre									

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number **and add \$84** to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 341 for finish color selection and clearly mark on your purchase order.





Line	Series	Back Style	Back Adjustmer	nt Arm Style	Base Style
CAD	1	HW	1	3	W
Cadence	Management Seating	High Back Wide	Fixed Back	Wood and Upholstered	Wood
	2	HN	2	4	В
	Guest Seating	High Back Narrow	Adjustable Back	Completely Upholstered	Black Nylon
		А			J
		Arm Chair			Jury Base

GUEST SEATING


65	Addison
68	Blake
71	Dorso
74	Bali
76	Kita
78	Spence
80	Cadence
82	Faeron Wood
88	Faeron Metal

ADDISON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS







PRE-CONSUMER RECYCLED CONTENT = .69%

POST-CONSUMER RECYCLED CONTENT = 13.10%

Up to 13.79% of this Addison product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Addison products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Addison products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Addison and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



ADDISON

		WOOD	СОМ		COL	FAE	RIC GRAI	DES	LEATHER		
DESCRIPTIO	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, ADD-2-A-1	OPEN BACK Cherry, Oak,Walnut, Beech, Medium Anigre	983	1009	1037	1090	1147	1200	1257	1311	1422
		Maple	1061	1087	1116	1171	1224	1278	1333	1386	1496
	OPEN ARM,	FULLY UPHOLSTERED	BACK								
	ADD-2-A-2	Cherry, Oak, Walnut, Beech, Medium Anigre	1034	1083	1134	1224	1316	1413	1505	1602	1788
		Maple	1104	1149	1198	1292	1384	1481	1576	1668	1859
	OPEN ARM,	UPPER UPHOLSTERED	BACK								
	ADD-2-A-3	Cherry, Oak, Walnut, Beech, Medium Anigre	1019	1053	1088	1161	1229	1300	1371	1440	1583
		Maple	1095	1134	1165	1236	1307	1376	1445	1518	1660

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 341 for finish color selection and clearly mark on your purchase order. Addison guest chairs feature a floor-saver nylon glide to specify optional glides add upcharge from the chart below and clearly mark on the purchase order.

OPTION UPCHARGES	\$ LIST
Removable Seat Cover	84
Ganging Bracket	84
CAL 133 & Moisture Barrier (per yard)	67
Metal Glides	26
Plastic Glides	8

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE	PRODUCT (CODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
to order please specify the following.	ADD	2	А	1
Krug product model number Select a finish for the chair frame Select a textile or leather	Addison	Guest Seating	Arm Chair	Open Arm, Open Back
				Open Arm, Fully Upholstered Back
Dimensions are in inches and approximate.				3
Contact Customer Service if dimensions are critical.				Open Arm, Upper Upholstered Back
are ornioa.				4
				Open Arm, Horizontal Slat Back
				5
				Open Arm, Solid Wood Back

ADDISON

		WOOD	COM		COL	FABI	RIC GRAD	ES	1	LEATHER	
DESCRIPTION	I/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM ADD-2-A-4	, HORIZONTAL SLAT BA Cherry, Oak,Walnut, Beech, Medium Anigre	ACK 1002	1027	1056	1110	1164	1220	1273	1329	1439
		Maple	1068	1096	1121	1194	1231	1289	1345	1398	1505
	OPEN ARM ADD-2-A-5	, SOLID WOOD BACK Cherry, Oak, Walnut, Beech, Medium Anigre	1008	1036	1065	1118	1173	1228	1284	1336	1445
		Maple	1080	1105	1135	1187	1242	1297	1350	1407	1517

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 341 for finish color selection and clearly mark on your purchase order. Addison guest chairs feature a floor-saver nylon glide to specify optional glides add upcharge from the chart below and clearly mark on the purchase order.

OPTION UPCHARGES	\$ LIST
Removable Seat Cover	84
Ganging Bracket	84
CAL 133 & Moisture Barrier (per yard)	67
Metal Glides	26
Plastic Glides	8

DIMENSIONS & COM REQUIREMENTS


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE	PRODUCT C	ODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
To order please specify the following.	ADD	2	А	1
Krug product model number	Addison	Guest Seating	Arm Chair	Open Arm, Open Back
Select a finish for the chair frame Select a textile or leather				2
o. Goldot a textile of loatiful				Open Arm, Fully Upholstered Back
Dimensions are in inches and approximate.				3
Contact Customer Service if dimensions are critical.				Open Arm, Upper Upholstered Back
4.5 554				4
				Open Arm, Horizontal Slat Back
				5
				Open Arm, Solid Wood Back

BLAKE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 14%

POST-CONSUMER
RECYCLED CONTENT = 86%

Up to 86% of this Blake product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Blake products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Blake products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Blake and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



BLAKE

			COM		COL	FAB	RIC GRAD	ES			
DESCRIPTION	I/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM,	OPEN BACK									
	BLA-2-A-1	Cherry, Oak,Walnut, Beech, Medium Anigre	896	926	954	1006	1064	1117	1172	1227	1334
		Maple	967	993	1022	1077	1134	1184	1240	1293	1404
	OPEN ARM.	FULLY UPHOLSTERED	BACK								
	BLA-2-A-2	Cherry, Oak, Walnut, Beech, Medium Anigre	940	988	1036	1134	1224	1316	1413	1505	1695
		Maple	1008	1058	1105	1198	1292	1384	1481	1576	1761
	OPEN ARM,	UPPER UPHOLSTERE	D BACK								
	BLA-2-A-3	Cherry, Oak, Walnut, Beech, Medium Anigre	932	968	1004	1073	1144	1214	1285	1354	1494
		Maple	1002	1036	1072	1143	1212	1284	1353	1423	1565
	OPEN ARM,	VERTICAL SLAT BACK									
	BLA-2-A-4	Cherry, Oak, Walnut, Beech, Medium Anigre	973	1001	1026	1082	1137	1191	1246	1300	1409
		Maple	1034	1064	1088	1144	1198	1253	1308	1362	1473

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 341 for finish color selection and clearly mark on your purchase order. Blake guest chairs feature a floor-saver nylon glide to specify optional --s add upcharge from the chart below and clearly mark on the purchase order.

OPTION UPCHARGES	\$ LIST		\$ LIST
Removable Seat Cover	84	Metal Glides	26
Ganging Bracket	84	Plastic Glides	8
CAL 133 & Moisture Barrier (per yard)	67	Floor-saver Felt Glides	30

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BI A-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8

ORDERING PROCEDURE PRODUCT CODE KEY Line Series Chair Type Chair Style To order please specify the following: BLA 2 Α 1 1. Krug product model number Arm Chair Blake **Guest Seating** Open Arm, Open Back 2. Select a finish for the chair frame 3. Select a textile or leather Open Arm, Fully Upholstered Back Dimensions are in inches and approximate. 3 Contact Customer Service if dimensions Open Arm, Upper Upholstered Back are critical. 4 Open Arm, Vertical Slat Back 5 Open Arm, Lower Upholstered Back 6 Closed Arm, Lower Upholstered Back Closed Arm, Fully Upholstered Back

BLAKE

	WOOD COM COL FABRIC GRADES		DES	LEATHER							
DESCRIPTION	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, I	OWER UPHOLSTER	RED BACK								
	BLA-2-A-5	Cherry, Oak,Walnu Beech, Medium An	*	1008	1048	1126	1204	1285	1362	1441	1600
		Maple	1041	1083	1120	1199	1278	1358	1438	1517	1671
	CLOSED ARM, LOWER UPHOLSTERED BACK										
	BLA-2-A-6	Cherry, Oak, Walnu Beech, Medium An		1077	1143	1275	1409	1540	1673	1810	2075
		Maple	1085	1150	1220	1353	1486	1617	1752	1885	2155
	CLOSED ARN	И, FULLY UPHOLSTE	ERED BACI	K							
	BLA-2-A-7	Cherry, Oak, Walnu Beech, Medium An		1105	1176	1315	1459	1602	1745	1884	2167
		Maple	1104	1173	1244	1382	1527	1668	1813	1953	2237

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 341 for finish color selection and clearly mark on your purchase order. Blake guest chairs feature a floor-saver nylon glide to specify optional glides add upcharge from the chart below and clearly mark on the purchase order. Please see page 343 for more information.

OPTION UPCHARGES	\$ LIST		\$ LIST
Removable Seat Cover	84	Metal Glides	26
Ganging Bracket	84	Plastic Glides	8
CAL 133 & Moisture Barrier (per yard)	67	Floor-Saver Felt Glides	30

DIMENSIONS & COM REQUIREMENTS


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8

ORDERING PROCEDURE PRODUCT CODE KEY Line Series Chair Type Chair Style To order please specify the following: BLA 2 Α 1. Krug product model number Blake Arm Chair Open Arm, Open Back **Guest Seating** 2. Select a finish for the chair frame 2 3. Select a textile or leather Open Arm, Fully Upholstered Back Dimensions are in inches and approximate. Contact Customer Service if dimensions Open Arm, Upper Upholstered Back are critical. 4 Open Arm, Vertical Slat Back 5 Open Arm, Lower Upholstered Back 6 Closed Arm, Lower Upholstered Back Closed Arm, Fully Upholstered Back

DORSO GUEST | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 9.82%

POST-CONSUMER RECYCLED CONTENT = 19.98%

Up to 73.17% of this Dorso product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.



DORSO S-LINE | GUEST

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9
	4 Leg Base, armless with Silver DOS2-10	1110	1163	1221	1292	1381	1494	1614	1767	1928
	4 Leg Base, armless with Polish DOC2-10	1221	base 1273	1323	1404	1494	1597	1726	1867	2041
	4 Leg Base, fixed arms with Silv	er Metallic 1263	base 1323	1372	1444	1536	1646	1776	1918	2079
1	4 Leg Base, fixed arms with Pol			1372	1444	1330	1040	1770	1910	2019
	DOC2-11	1396	1444	1504	1573	1667	1776	1898	2051	2212
	4 Leg Base with Casters, armles	es with Silv	or Motallic	hase						
	DOS2-20	1203	1252	1313	1381	1474	1584	1704	1859	2020
	4 Leg Base with Casters, armles DOC2-20				1431	1524	1634	1767	1908	2069
	4 Las Dass with Castons fined		:1	lia haaa						
	4 Leg Base with Casters, fixed a DOS2-21	1353	1414	1465	1536	1625	1736	1867	2008	2172
	4 Leg Base with Casters, fixed a DOC2-21	arms and P 1484	olished Ch 1536	rome base 1597	1667	1756	1867	1988	2138	2303
	Cantilever Base, armless with S	ilvor Motalli	io baso							
	DOS2-30	1230	1283	1331	1414	1504	1606	1736	1878	2051
))	Cantilever Base, armless with P					1001	1000	1700	1070	2001
	DOC2-30	1346	1404	1455	1524	1614	1726	1859	2002	2160
	Contileurs Dans final and a way	Oilean N4:1	و معاماً الم							
	Cantilever Base, fixed arms with DOS2-31	1536	1597	1646	1719	1809	1918	2051	2190	2352
B	Cantilever Base, fixed arms with DOC2-31	n Polished (1597	Chrome ba 1657	1704	1776	1867	1979	2111	2252	2413

OPTION UPCHARGES	\$ LIST
Removable Seat Cover	84
CAL 133 & Moisture Barrier (per yard)	67
Non-Slip Rubber Glides	18
Metal Glides	26
Floor-Saver Felt Glides	30

Dorso guest chairs feature a plastic glide to specify optional glides add upcharge from the chart above and clearly mark on the purchase order. Please see page 343 for more information.

ORDERING PROCEDURE

PRODUCT CODE KEY

To order please specify the following:	Line	Series	Base	Arm Style
	DOS	2	1	0
Krug product model number Select a textile or leather	Dorso S-Line (Silver Metallic)	Guest Seating	Four Leg	Armless
Dimensions are in inches and approximate. Contact Customer Service if dimensions	DOC Dorso S-Line		Four Leg	Fixed
are critical.	(Polished Chrome)		with Casters	Cantilever
	Dorso N-Line (Silver Metallic)		Cantilever	

DORSO N-LINE | GUEST

		COM		COL	FAB	RIC GRAD	DES	LEATHER		
DESCRIPTION/MC	DDEL	1	2	3	4	5	6	7	8	9
	4 Leg Base, armless with Sil DON2-10	lver Metallio 959	base 1009	1059	1143	1230	1331	1465	1606	1776
	4 Leg Base, fixed arms with DON2-11	Silver Meta 1069	allic base 1127	1180	1252	1346	1455	1584	1726	1887
	4 Leg Base with Casters, an DON2-20	mless with 3 1052	Silver Meta 1100	allic base 1150	1230	1323	1424	1556	1697	1867
	4 Leg Base with Casters, fix DON2-21	ed arms an 1164	d Silver Mo 1219	etallic base 1273	e 1346	1431	1546	1673	1816	1979
	Cantilever Base, armless wit DON2-30	th Silver Me 1069	etallic base 1127	1180	1252	1346	1455	1584	1726	1887
	Cantilever Base, fixed arms DON2-31	with Silver 1263	Metallic ba 1323	ase 1372	1444	1536	1646	1776	1918	2079
OPTION UPCHAR	OPTION UPCHARGES \$ LIST \$ LIST									

OPTION UPCHARGES	\$ LIST		\$ LIST	
Removable Seat Cover	84	Metal Glides	26	
CAL 133 & Moisture Barrier (per yard)	67	Floor-Saver Felt Glides	30	
Non-Slip Rubber Glides	18			

Dorso guest chairs feature a plastic glide to specify optional glides add upcharge from the chart above and note on the purchase order. Please see page 343 for more information.

DIMENSIONS & COM REQUIREMENTS


		Overall Width	Overall Depth	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	36	32	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	36	37	14	1.3
S-LINE/4LEG	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	33	14	1.3
with Casters	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	38	14	1.3
S-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	39	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	44	14	1.3
N-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	34.75	31	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	34.75	36	14	1.3
N-LINE/4LEG with Casters	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	32	14	1.3
	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	37	14	1.3
N-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	38	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	43	14	1.3

79 | GSA | SEATING & OCCASIONAL TABLES | 2026

BALI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.68%

POST-CONSUMER
RECYCLED CONTENT = 16.42%

Up to 74.19% of this Bali product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bali products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Bali products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bali and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



BALI

		COM		COL	FAE	FABRIC GRADES			LEATHER		
DESCRIPTION	N/MODEL	1	2	3	4	5	6	7	8	9	
50	Wood with Black back leg BAL2A1B	874									
	Wood with Chrome back leg BAL2A1C	961									
	Upholstered Front with Black back	lea									
	BAL2A2B	1184	1227	1284	1345	1402	1472	1551	1628	1754	
	Upholstered Front with Chrome ba BAL2A2C	ick leg 1306	1353	1402	1460	1519	1600	1673	1764	1900	
	Upholstered Seat Cushion with Bla	ck back led	a								
	BAL2A3B	1138	1176	1215	1265	1306	1353	1402	1479	1558	
9-7	Upholstered Seat Cushion with Chi	rome back	leg								
	BAL2A3C	1215	1265	1306	1353	1412	1491	1551	1635	1717	
	Carlelia										
	Caddie DOL6	879									

DIMENSIONS & COM REQUIREMENTS

			Overall Height		Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage
WOOD SHELL	23.25	23	34.25	17.25	26	19.5	18	30	15.3	-
UPHOLSTERED FRONT	23.25	23	34.25	18.11	26	19.5	17	30	15.3	0.8
UPHOLSTERED SEAT CUSHION	23.25	23	34.25	18.25	26	19.5	18	30	15.3	0.4

ORDERING NOTES

When used with Caddie (stacking cart), Bali stacks to a maximum of 10 chairs high, and 6 high without Caddie.

Chair frames are available in Cherry and Beech finishes. Please see page 341 for finish color selection and clearly mark on your purchase order. Bali chairs feature a floor-saver nylon glide to specify optional glides add upcharge from the chart below and for all options clearly mark on the purchase order. Please see page 343 for more information.

OPTION UPCHARGES	\$ LIST		\$ LIST
Removable Seat Cover	84	Metal Glides	26
Removable Back Cover	50	Floor-saver Felt Glides	30
CAL 133 & Moisture Barrier (per yard)	67		
Ganging Bracket	84		

ORDERING PROCEDURE


PRODUCT CODE KEY

BAL	2	А		
Pali			I	В
Dali	Guest Seating	Arm Chair	Wood	Black
			2	С
			Upholstered Front	Chrome
		Uŗ	3 holstered Seat Cusl	hion
			Uρ	Upholstered Front Upholstered Seat Cust

KITA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = .80%

POST-CONSUMER
RECYCLED CONTENT = 15.28%

Up to 16% of this Kita product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Kita products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



he mark of responsible foresti

AIR EMISSIONS

All Kita products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Kita and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



KITA

	COM COL FABRIC GRADES		DES	LEATHER							
DESCRIPTION	/MODEL	Species	1	2	3	4	5	6	7	8	9
	Open Arm. I	Full Width Upholste	red Back								
	1320-OA	Maple	1382	1440	1481	1578	1636	1689	1776	1981	2134
	Closed Arm	, Full Width Uphols	tered Back								
	1320-CA	Maple	1800	1875	1925	2052	2134	2194	2311	2575	2849
	3/4 Width Upholstered Back										
	1321-A	Maple	1382	1440	1481	1578	1636	1689	1776	1981	2134
	Slat Back 1322-A	Maple	1440	1493	1524	1613	1666	1698	1772	1933	2056
	Shoji Back 1323-A	Maple	1368	1415	1446	1534	1584	1613	1695	1857	1977

Kita guest chairs feature a floor-saver nylon glide to specify optional glides add upcharge from the chart below and clearly mark on the purchase order.

OPTION UPCHARGES	\$ LIST		\$ LIST
Removable Seat Cover	84	Metal Glides	26
Ganging Bracket	84	Plastic Glides	8
CAL 133 & Moisture Barrier (per yard)	67	Floor-saver Felt Glides	30

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1320-OA	22	24	32	18.5	26	18.75	19	25	12	1
1320-CA	22	24	32	18.5	26	18.75	19	25	12	1.8
1321-A	22	24	32	18.5	26	18.75	19	25	12	1
1322-A	22	24	32	18.5	26	18.75	19	26	12	0.8*
1323-A	22	24	32	18.5	26	18.75	19	26	12	0.8*

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 341 for finish color selection and clearly mark on your purchase order.

GANGING

Ganging is optional on all wood arm and side chairs at an upcharge of \$84 list per chair. Please specify at time of order.


83 | GSA | SEATING & OCCASIONAL TABLES | 2026

SPENCE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS







PRE-CONSUMER
RECYCLED CONTENT = .45%

POST-CONSUMER RECYCLED CONTENT = 17.27%

Up to 18.18% of this Spence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Spence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Spence products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Spence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



SPENCE

	\ <u></u>	WOOD	COM	0	COL		RIC GRAD			LEATHER	0
DESCRIPTION/MOD		FINISH	1	2	3	4	5	6	7	8	9
	Slat Back 1400	c Oak	1251	1319	1412	1502	1610	1727	1849	2004	2111
		Cherry, Maple, Walnut, Medium Anigre	1401	1473	1561	1651	1754	1875	1997	2147	2252
	Slat & Up	holstered Back									
	1401	Oak	1290	1361	1455	1546	1660	1781	1900	2065	2215
		Cherry, Maple, Walnut, Medium Anigre	1440	1517	1610	1701	1809	1930	2056	2212	2364
	Split Uph	nolstered Back									
	1402	Oak	1313	1382	1481	1578	1689	1815	1938	2106	2294
		Cherry, Maple, Walnut, Medium Anigre	1471	1546	1636	1735	1845	1964	2096	2253	2443
	Full Upho	olstered Back									
	1403	Oak	1325	1402	1494	1590	1703	1832	1959	2121	2350
		Cherry, Maple, Walnut, Medium Anigre	1481	1559	1660	1750	1860	1987	2116	2273	2504

Spence chairs feature a floor-saver nylon glide to specify optional glides add upcharge from the chart below and clearly mark on the purchase order. Please see page 343 for more information.

OPTION UPCHARGES	\$ LIST		\$ LIST
Removable Seat Cover	84	Metal Glides	26
Ganging Bracket	84	Plastic Glides	8
CAL 133 & Moisture Barrier (per yard)	67	Floor Saver Felt Glides	30

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1400	22	24	33	18	27	18	20	21	13	0.7
1401	22	24	33	18	27	18	20	22	13	1.0
1402	22	24	33	18	27	18	20	22	13	1.25
1403	22	24	33	18	27	18	20	23	13	1.5

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 341 for finish color selection and clearly mark on your purchase order.


GANGING

Ganging is optional on all wood arm and side chairs at an upcharge of **\$84 list** per chair. Please specify at time of order.

CADENCE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = .43%

POST-CONSUMER RECYCLED CONTENT = 16.46%

Up to 16.91% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CADENCE | GUEST

DESCRIPTION/MODEL		WOOD FINISH	COM 1	2	COL 3	FAE 4	RIC GRAI 5	DES 6	7	LEATHER 8	9
	CAD2A	Cherry, Maple, Walnut, Medium Anigre	1590	1666	1736	1855	1972	2088	2210	2353	2612

DIMENSIONS & COM REQUIREMENTS

			Overall Height		Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage
CAD2A	22.75	27	36	18.25	26	18.75	18	23	18	1.7

Cadence chairs feature a floor-saver nylon glide to specify optional glides add upcharge from the chart below and clearly mark on the purchase order. Please see page 343 for more information.

OPTION UPCHARGES	\$ LIST		\$ LIST
Removable Seat Cover	84	Metal Glides	26
Ganging Bracket	84	Plastic Glides	8
CAL 133 & Moisture Barrier (per yard)	67	Floor Saver Felt Glides	30

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES


Chair frames are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 341 for finish color selection and clearly mark on your purchase order.

FAERON WOOD | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.25%

POST-CONSUMER
RECYCLED CONTENT = 13.64%

Up to 31.82% of this Faeron product is recyclable at the end of its useful life

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



CLEAN OUT

All Faeron seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



FLEX BACK

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. In addition they ease re-configurability and on-site replacement of damaged or degraded components.



SEAT COMFORT

Seats feature a spring suspension across the entire model range for exceptional comfort while high grade foam provides superior support and longevity.



PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.



GLIDES

Faeron's Beech wood legs feature floor-saver nylon glides. Optional floor-saver felt, metal or plastic glides are also available see pricing pages for upcharges. Please see page 343 for more information.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

REPLACEABLE COMPONENTS

Faeron chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

WEIGHT CAPACITIES

Faeron weight capacities are as follows:
Guest & Patient Chairs (21" & 24") - 500 lbs
Plus Chairs (30" & 44") - 750 lbs
Easy Access Chairs - 500 lbs
Multiple Seating & Pre-configured - 500 lbs per seat
2-Seat Freespan - 625 lbs per unit
3-Seat Freespan - 750 lbs per unit

FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



ARM PANELS

Panel arms are available in semi and fully closed styles for optimum design flexibility.



URETHANE ARM CAP

The optional Urethane Arm Cap provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



SOLID SURFACE ARM FRAME

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



COMBINATION UPHOLSTERY OPTIONS

Faeron can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



KINETIC BACK OPTION

Provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



CLEANABLE UNDER-SEAT SPLASHGUARD

All Faeron seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

GANGING

All Faeron freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge.

REMOVABLE COVERS

Faeron chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

FAERON WOOD | GUEST, DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	44	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	48	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	54	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	71	28

COM- YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.8
30" - One Chair	2.3	0.9	1.4	0.8
44" - One Chair	2.9	1.5	1.6	0.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

WEIGHT CAPACITIES

Faeron weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Guest Plus Chairs (30" & 44") - 750 lbs

Faeron Option Upcharges	\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm Cap (per pair) - Gr A White	382	
Ganging Bracket	60	Solid Surface Arm Cap (per pair) - Gr A Color	394	
Kinetic Back (not available for 30" & 44")	126	Solid Surface Arm Cap (per pair) - Gr B	415	
21" & 24" Under-seat Splashguard	60	Solid Surface Arm Cap (per pair) - Gr C	430	
30" Under-seat Splashguard	75	Solid Surface Arm (per pair) - Gr A White	601	
44" Under-seat Splashguard	95	Solid Surface Arm (per pair) - Gr A Color	627	
Removeable Seat Cover	94	Solid Surface Arm (per pair) - Gr B	677	
Removable Back Cover	60	Solid Surface Arm (per pair) - Gr C	711	
Urethane Arm Cap (per pair)	144			
Floor-saver Felt Glides	30			
Metal Glides	26			
Metal Glides	8			

FAERON WOOD | GUEST

			COM		COL	FA	ABRIC GR	ADES		LEATHER	
DESCRIPTION	I/MODEL	Species	1	2	3	4	5	6	7	8	9
	21" Open Arm FAE2-G21ONC	Beech Palette	1190	1236	1236	1284	1379	1474	1569	1667	1761
	21" Semi Closed FAE2-G21SNC	Arm Beech Palette	1615	1689	1689	1759	1903	2048	2191	2333	2479
	21" Closed Arm FAE2-G21CNC	Beech Palette	1631	1699	1699	1773	1916	2062	2205	2348	2492
	24" Open Arm FAE2-G24ONC	Beech Palette	1273	1320	1320	1370	1465	1561	1659	1752	1848
	24" Semi Closed FAE2-G24SNC	Arm Beech Palette	1701	1774	1774	1845	1990	2133	2277	2421	2565
	24" Closed Arm FAE2-G24CNC	Beech Palette	1715	1788	1788	1860	2003	2146	2293	2434	2579

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA) replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 91.

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style
FAE	2	G	21	0	NC
Faeron	Chair	Guest Seating		Open Arm	No Cap
			24	S	UC
				Semi Closed Arm	Urethane Cap
			30	С	SC
				Closed Arm	Solid Surface Cap
			44		SA
					Solid Surface Arm

FAERON WOOD | GUEST

			COM		COL	F	ABRIC GF	RADES		LEATHER	
DESCRIPT	ION/MODEL	Species	1	2	3	4	5	6	7	8	9
SI	30" Open Arm FAE2-G30ONC	Beech Palette	1453	1523	1523	1589	1727	1866	2004	2142	2278
HESE PRODUCTS	30" Semi Closec FAE2-G30SNC	d Arm Beech Palette	1881	1975	1975	2066	2253	2439	2625	2811	2995
THESE	30" Closed Arm FAE2-G30CNC	Beech Palette	1894	1987	1987	2080	2268	2450	2636	2824	3009
APPLIES TO	44" Open Arm FAE2-G44ONC	Beech Palette	1787	1871	1871	1959	2133	2305	2480	2655	2828
	44" Semi Closed FAE2-G44SNC	d Arm Beech Palette	2214	2324	2324	2437	2657	2879	3101	3321	3542
CARE DISCOUNT	44" Closed Arm FAE2-G44CNC	Beech Palette	2227	2338	2338	2448	2670	2891	3113	3335	3555
	G NOTES: Faeron chai C" in the model numbe									olid Surfac	e Arm (SA
Lin			Chair Type		Size	`	Arm T	īvne		Arm Style	
<u> </u>	Cones		Onan Type		Size	_				Aiii Style	

PRODUCT CODE KEY


OCT CODE RET	I .				
Line	Series	Chair Type	Size	Arm Type	Arm Style
Faeron	2 Chair	G Guest Seating	21	O Open Arm	NC No Cap
			24	S Semi Closed Arm	UC Urethane Cap
			30	C Closed Arm	SC Solid Surface Cap
			44		SA
					Solid Surface Arm

FAERON METAL | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT =10.87 %

POST-CONSUMER RECYCLED CONTENT = 17.48%

Up to 50% of this Faeron Metal product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



CLEAN OUT

All Faeron Metal seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



FLEX BACK

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. The seats features a spring system that substantially enhances comfort and extends product life cycle. Seats are removable, and field replaceable.



SEAT COMFORT

Seats feature a spring suspension for exceptional comfort while high grade foam provides superior support and longevity.



POLYMER ARM

Faeron arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey and Taupe.



Faeron Metal chairs are available in two metal finishes; Sliver Metallic and Brushed Nickel.

Faeron's metal legs feature floor-saver nylon glides. Optional floor-saver felt, metal or Non-slip rubber glides are also available see pricing pages for upcharges. Please see page 343 for more information.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer and is especially suited to the demands of healthcare environments.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

REPLACEABLE COMPONENTS

Faeron Metal chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

WEIGHT CAPACITIES

Faeron Metal weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 500 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 625 lbs per unit 3-Seat Freespan - 750 lbs per unit

PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

Faeron Metal Images | www.krug.ca

FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



ARM PANEL

Upholstered arm panels are available in both semi- and fully-closed styles, and are field replaceable if damaged.



SOLID SURFACE ARM

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard Corian colors, and custom colors (at an upcharge). Arms are replaceable as a full side frame if they become damaged or degraded.



WOOD ARM

Wood arms are solid Beech and available in standard and custom finishes. Krug's wood finish is a proprietary high-durability formulation that has been shown to be an industry leader in abrasion resistance. Arms can be replaced if they do become damaged or degraded.



COMBINATION UPHOLSTERY OPTIONS

Faeron Metal can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



KINETIC BACK OPTION

The optional Kinetic Back provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



CLEANABLE UNDER-SEAT SPLASHGUARD

All Faeron Metal seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the anti-microbial and germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.



REMOVABLE COVERS

Faeron Metal chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$67 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$67 list per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

GANGING

All Faeron Metal freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$60 list per chair.

FAERON METAL | GUEST

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	56	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	60	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	66	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	83	28

Height of

Width

COM- YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.96
30" - One Chair	2.3	0.9	1.4	0.96
44" - One Chair	2.9	1.5	1.6	0.96

ORDERING NOTES:

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron Metal seating.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron Metal upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm (per pair) - Gr A White	601
Ganging Bracket	60	Solid Surface Arm (per pair) - Gr A Color	627
Kinetic Back (not available for Plus)	126	Solid Surface Arm (per pair) - Gr B	677
21" & 24" Under-seat Splashguard	60	Solid Surface Arm (per pair) - Gr C	711
30" Under-seat Splashguard	75	Beech/Palette Wood Arm (per pair)	225
44" Under-seat Splashguard	95		
Removeable Seat Cover	94		
Removable Back Cover	60		
Floor-saver Felt Glides	16		
Metal Glides	30		
Non-slip Rubber Glides	26		

WEIGHT CAPACITIES

Faeron Metal weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs

FAERON METAL | GUEST

	COM COL FABRIC GRADES		DES	LEATHER						
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9
	21" Open Polymer Arm, Silver I FAE2M-G21OPAS	Metallic F 1064	rame 1111	1152	1246	1335	1428	1519	1611	1793
	21" Open Polymer Arm, Brushe FAE2M-G21OPAN	ed Nickel 1267	Frame 1313	1358	1449	1539	1632	1724	1815	1997
	21" Semi Closed Polymer Arm, FAE2M-G21SPAS	Silver M	etallic Frar 1539	ne 1609	1746	1882	2019	2157	2294	2567
	21" Semi Closed Polymer Arm, FAE2M-G21SPAN	Brushed 1675	l Nickel Fra 1744	ame 1813	1949	2086	2222	2361	2496	2770
	21" Closed Polymer Arm, Silver FAE2M-G21CPAS	Metallic 1484	Frame 1554	1620	1756	1894	2031	2168	2304	2580
	21" Closed Polymer Arm, Brusl FAE2M-G21CPAN	ned Nicke 1689	el Frame 1754	1823	1962	2098	2236	2374	2509	2784
	24" Open Polymer Arm, Silver I FAE2M-G24OPAS	Metallic F 1146	rame 1192	1237	1329	1421	1509	1603	1693	1877
	24" Open Polymer Arm, Brushe FAE2M-G24OPAN	ed Nickel 1349	Frame 1396	1441	1533	1622	1714	1804	1896	2079
	24" Semi Closed Polymer Arm,	Silver M	etallic Fran	me						
	FAE2M-G24SPAS	1555	1621	1691	1830	1964	2102	2239	2376	2649
	24" Semi Closed Polymer Arm, FAE2M-G24SPAN	Brushed 1755	Nickel Fra 1824	ame 1893	2031	2167	2303	2442	2579	2852
	24" Closed Polymer Arm, Silver FAE2M-G24CPAS	Metallic 1566	Frame 1634	1703	1840	1977	2113	2252	2387	2661
	24" Closed Polymer Arm, Brusl FAE2M-G24CPAN	ned Nicke 1770	el Frame 1838	1906	2043	2180	2318	2455	2589	2864

ORDERING NOTES:

Faeron Metal chairs can also be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	601
Solid Surface Arm (per pair) - Gr A Color	627
Solid Surface Arm (per pair) - Gr B	677
Solid Surface Arm (per pair) - Gr C	711
Beech/Palette Wood Arm (per pair)	225

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE Faeron	2M Chair	G Guest Seating	21	O Open Arm	PA Polymer Arm	Silver Metallic
			24	Semi Closed Arm	WA Wood Arm	N Brushed
		30	C Closed Arm	SA Solid Surface Arm	Nickel	
			44			

FAERON METAL | GUEST

		COM	COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MC	DEL	1 2	3	4	5	6	7	8	9
	30" Open Polymer Ar FAE2M-G30OPAS	m, Silver Metallic Frame 1316 1381	e 1446	1580	1710	1842	1972	2103	2366
S	30" Open Polymer Ar FAE2M-G30OPAN	m, Brushed Nickel Fran 1519 1584	ne 1649	1781	1913	2044	2175	2305	2570
	30" Semi Closed Poly FAE2M-G30SPAS	mer Arm, Silver Metalli 1725 1814	c Frame 1901	2079	2254	2432	2609	2786	3138
PRODUCTS	30" Semi Closed Poly FAE2M-G30SPAN	mer Arm, Brushed Nicl 1928 2017	xel Frame 2104	2281	2459	2635	2811	2989	3344
Ш	30" Closed Polymer / FAE2M-G30CPAS	Arm, Silver Metallic Fran 1738 1824	ne 1913	2089	2268	2444	2620	2797	3153
HES	30" Closed Polymer / FAE2M-G30CPAN	Arm, Brushed Nickel Fra 1941 2028	ame 2116	2295	2471	2649	2824	3001	3354
0	44" Open Polymer Ar FAE2M-G44OPAS	m, Silver Metallic Fram 1633 1715	e 1798	1963	2130	2295	2460	2627	2956
	44" Open Polymer Ar FAE2M-G44OPAN	m, Brushed Nickel Fran 1836 1918	ne 2002	2166	2332	2500	2662	2829	3159
	44" Semi Closed Poly FAE2M-G44SPAS	mer Arm, Silver Metalli 2041 2146	c Frame 2252	2462	2673	2883	3095	3304	3730
TAPPI TAPPI	44" Semi Closed Poly FAE2M-G44SPAN	rmer Arm, Brushed Nicl 2244 2350	kel Frame 2457	2665	2878	3089	3299	3510	3932
	44" Closed Polymer / FAE2M-G44CPAS	Arm, Silver Metallic Fran 2053 2160	ne 2264	2474	2686	2898	3106	3319	3741
DISCOUN	44" Closed Polymer / FAE2M-G44CPAN	Arm, Brushed Nickel Fra 2256 2364	ame 2469	2679	2890	3101	3313	3522	3946
ORDERING NOTE	S:		Arm S	tyle Optio	n Upchar	ges		\$ L	.ist
Solid Surface Arm	s can also be specified v (SA), replace "PA" in th n below and add the upo	e model number with t	he Solid S Solid S Solid S Solid S	Gurface Arr Gurface Arr Gurface Arr Gurface Arr /Palette W	n (per pai n (per pai n (per pai	r) - Gr A C r) - Gr B r) - Gr C		6 7	601 627 677 711 225
PRODUCT CODE KE	EY								
Line	Series	Chair Type	Size	Arn	п Туре	Α	rm Style	Met	al Finish

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	601
Solid Surface Arm (per pair) - Gr A Color	627
Solid Surface Arm (per pair) - Gr B	677
Solid Surface Arm (per pair) - Gr C	711
Beech/Palette Wood Arm (per pair)	225

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE	2M	G	21	0	PA	S
Faeron	Chair	Guest Seating		Open Arm	Polymer Arm	Silver Metallic
			24	S	WA	N
				Semi Closed Arm	Wood Arm	Brushed
			30	С	SA	Nickel
				Closed Arm	Solid Surface Arm	
			44			

MULTI-PURPOSE SEATING

95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri


124 Bank of England

LIBRA | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 18.68%

POST-CONSUMER RECYCLED CONTENT = 28.64%

Up to 74.71% of this Krug product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Krug products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Krug products are supplied air-emissions certified. Contact customer service for information.

LIBRA | FEATURES & OPTIONS

FEATURES



POLYMER BACK & SEAT

Libra chairs feature Black polymer seat and back. The polymer back provides contoured lumbar support and flex for greater comfort. The seat tilts down for the sitting position and flips up when ready to nest the chairs.

and Black polymer back or upholstered seat



OPTIONS

TABLET

Libra swivel folding tablet is available in Black polymer. The tablet is fastened to the left side (facing).



BOOK BACK

The wire book rack is available in Black or Silver Metallic to coordinate with the frame selection. It can conveniently remain in place when the chairs are nested but is also removable without tools if needed.



FRAME

and back

Metal frame finish is available in Black or Silver Metallic.

COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



ARMS

Libra chairs are available in both Armless and Armed chair styles. Armed chairs feature a fixed, forward-sloping Black polymer armrest.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$67 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



GLIDES

Libra features floor-saver nylon glides which are field-replaceable if damaged or degraded.



CASTERS

The twin-wheel casters promote easy storage and repositioning and are also available with a locking option.



Libra chairs nest by raising the seat into its upright position, they can be nested with both the book rack and tablet in place.



REPLACEABLE COMPONENTS

Libra is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.

WEIGHT CAPACITIES

Libra has been laboratory tested to meet a weight capacity of 300lbs, for arm and armless versions.

LIBRA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	Cubes	
Armless	22	23	33.5	18	n/a	n/a	17.5	25	13	
Fixed Arm	25.5	23	33.5	18	26.25	22	17.5	27	13	
Tablet Arm	27	24	33.5	18	29	n/a	17.5	35	13	

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical. Overall dimensions shown are for chairs with glides. Tablet arm dimensions are with tablet folded down.

COM Yardage

Seat & Back 1.19 Seat only 0.56 Back only 0.65



LIBRA | ARMLESS

		COM		COL	FA	BRIC GRA	ADES		LEATHE	:R
DESCRIPTION/MO	DDEL	1	2	3	4	5	6	7	8	9
	Polymer Back & Seat with LIB2111B	n Glides and 455	d Black Fra	ame						
	Polymer Back & Seat with LIB2111S	n Glides and 455	d Silver Fra	ame						
	Polymer Back & Upholste LIB2121B	ered Seat wi	ith Glides	and Black 612	Frame 635	661	684	710	743	775
	Polymer Back & Upholste LIB2121S	ered Seat wi 580	ith Glides 596	and Silver 612	Frame 635	661	684	710	743	775
	Upholstered Back & Seat LIB2131B	with Glides 664	and Blac 697	k Frame 733	783	840	889	946	1018	1088
	Upholstered Back & Seat LIB2131S	with Glides 664	and Silve 697	r Frame 733	783	840	889	946	1018	1088
	Polymer Back & Seat with LIB2112B	n Casters ar 464	nd Black F	rame						
	Polymer Back & Seat with LIB2112S	n Casters ar 464	nd Silver F	rame						
	Polymer Back & Upholste LIB2122B	ered Seat wi	th Casters 602	and Blac 619	k Frame 642	668	691	717	750	783
	Polymer Back & Upholste LIB2122S	ered Seat wi 588	th Casters 602	and Silve 619	r Frame 642	668	691	717	750	783
	Upholstered Back & Seat LIB2132B	with Caste 672	rs and Bla 705	ck Frame 740	789	847	896	954	1024	1096
	Upholstered Back & Seat LIB2132S	with Caste 672	rs and Silv 705	ver Frame 740	789	847	896	954	1024	1096
ORDERING NOTE	:S : To specify casters locking,	change the	e base sele	ection (sho	wn below) from a "2	2" to a "3"			
LIBRA OPTION U	PCHARGES	\$ List								

LIBRA OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	67
Removable Wire Basket	79

PRODUCT CODE KEY

DOO! CODE	- INE I				
Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

LIBRA | FIXED ARM

		COM		COL	FAI	BRIC GRA	ADES		LEATHE	:R
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Polymer Back & Seat w LIB2211B	rith Glides 530	and Black	Frame						
	Polymer Back & Seat w LIB2211S	rith Glides 530	and Silver	Frame						
	Polymer Back & Upholstered Seat with Glides and Black Frame									
	LIB2221B	654	669	686	708	735	758	784	816	849
	Polymer Back & Uphols	stered Sea	t with Glid	les and Sil	ver Frame	;				
	LIB2221S	654	669	686	708	735	758	784	816	849
	Upholstered Back & Se	at with Gli	des and B	Black Fram	ie.					
	LIB2231B	738	771	807	856	913	962	1020	1090	1162
	Upholstered Back & Seat with Glides and Silver Frame									
	LIB2231S	738	771	807	856	913	962	1020	1090	1162
	Polymer Back & Seat w	ith Caster	s and Blac	rk Frame						
	LIB2212B	536	o ana biac	ok i idilio						
	Polymer Back & Seat with Casters and Silver Frame									
	LIB2212S	536								
	Polymer Back & Uphols	stered Sea	t with Cas	ters and F	Black Fram	ne.				
	LIB2222B	662	676	693	716	742	765	790	824	856
	Polymer Back & Uphols	stered Sea	t with Cas	ters and S	Silver Fram	ne				
	LIB2222S	662	676	693	716	742	765	790	824	856
	Upholstered Back & Se	at with Ca	etare and	Black Fra	me					
	LIB2232B	745	779	813	864	920	971	1027	1098	1169
b 12										
	Upholstered Back & Se					000	074	4007	1000	4400
() 1	LIB2232S	745	779	813	864	920	971	1027	1098	1169

ORDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3".

LIBRA OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	67
Removable Wire Basket	79

PRODUCT CODE KEY

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

LIBRA | TABLET ARM

		COM		COL	FA	FABRIC GRADES LEA			LEATHE	R
DESCRIPTION/MODE	EL .	1	2	3	4	5	6	7	8	9
	Polymer Back & Seat with (LIB2311B Polymer Back & Seat with (656								
	LIB2311S	656								
	Polymer Back & Upholstere LIB2321B	782	796	812	835	863	886	911	943	977
	Polymer Back & Upholstere LIB2321S	d Seat wit 782	h Glides a 796	and Silver 812	Frame 835	863	886	911	943	977
	Upholstered Back & Seat w LIB2331B	rith Glides 866	and Blacl 898	k Frame 934	983	1041	1090	1148	1219	1290
	Upholstered Back & Seat w LIB2331S	rith Glides 866	and Silve 898	r Frame 934	983	1041	1090	1148	1219	1290
	Polymer Back & Seat with 0 LIB2312B	Casters and 664	d Black F	rame						
	Polymer Back & Seat with 0 LIB2312S	Casters and 664	d Silver F	rame						
	Polymer Back & Upholstere LIB2322B	d Seat wit 788	h Casters 804	and Blac 821	k Frame 844	869	892	918	952	983
	Polymer Back & Upholstere LIB2322S	ed Seat wit 788	h Casters 804	and Silve 821	er Frame 844	869	892	918	952	983
	Upholstered Back & Seat w LIB2332B	rith Casters 872	s and Bla 907	ck Frame 941	992	1048	1098	1155	1226	1296
	Upholstered Back & Seat w LIB23232S	rith Casters 872	s and Silv 907	er Frame 941	992	1048	1098	1155	1226	1296

ORDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3".

LIBRA OPTION UPCHARGES	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	
Removable Wire Basket	79	

PRODUCT CODE KEY

DOCT CODE	. KET				
Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

LIBRA | REPLACEMENT COMPONENTS


		COM	COL		FAE	BRIC GRAI	DES		LEATHER				
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	Yds	Weight	Cube
	Replaceme LIB2-RA2	nt Fixed 69	Arm (Pa	air)								2.5	0.8
	Replaceme LIB2-RA3	nt Table 166	t Arm (po	er arm)								11.3	2.3
	Replaceme LIB2-RS1	nt Polyn 120	ner Seat									3.8	0.7
	Replaceme	nt Upho	Istered S	Seat									
	LIB2-RS2	211	226	243	265	291	315	341	372	406	0.65	5.9	0.7
	Replaceme LIB2-RB1	nt Glide 17	s (Set of	4)								0.2	0.1
	Replaceme LIB2-RB2 Replaceme LIB2-RB3	40			4)							0.6	0.1

MOBI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 13.78%

POST-CONSUMER RECYCLED CONTENT = 14.33%

Up to 55.11% of this Mobi product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Mobi products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Mobi products are supplied with air emissions-certified materials. Contact customer service for specific test results.

MOBI | FEATURES, OPTIONS, DIMENSIONS & COM REQUIREMENTS



ARMS

Arms are available in the full range of polymer colors: Black, White, Grey, Taupe, Yellow, Red, Blue, Green. Please specify when ordering.



CADDIE

The Mobi caddie provides enhanced stackability, along with the ease of movement and storage. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. Its design allows for the stacking and storage of all Krug stackable chairs.



ARMLESS



COMBINATION COLORS

More than one polymer color can be selected in any combination for seats, backs and arms. Please specify when ordering.



POLYMER SEATS & BACKS

Available Polymer colors: White, Grey, Taupe, Yellow, Red, Blue, Green and Black.



UPHOLSTERED SEATS & BACKS

Optional Removable covers can be quickly installed on Mobi products that were originally ordered with the removable cover option.



MESH BACKS

Available mesh colors: Grey, Black & White. Please specify when ordering.



STACKABILITY

Mobi chairs are stackable to a maximum of 8 chairs high on the floor as well as dolly.



LEGS & GLIDES

Mobi legs are structural steel legs in Polished Chrome with floor-saver nylon glides. Optional floor-saver felt, non-slip rubber and plastic glides are available at an upcharge. Please see page 343 for more information.

WEIGHT CAPACITY

Mobi has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Mobi has been load tested up to 300lbs.

OPTIONS

REPLACEMENT AND REMOVABLE COMPONENTS

Mobi is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Mobi Chairs are available with Removable Seat and Removable Back Covers,

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping		COM
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes	YRD
MOB210P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB211P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB220P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB221P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB230P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB231P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB240P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB241P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB250P	18	21	31	17	n/a	n/a	18.75	21	14	1.22
MOB251P	21.25	21	31	17	27	20.5	18.75	21	14	1.22

		COM				RIC GRADES			LEATHER		
DESCRIPTION/MODEL	5. 65.	1	2	3	4	5	6	7	8	9	
	Polymer Seat and Back, A MOB210P	rmless 402									
	Polymer Seat and Back, w MOB211P	rith Arms									
	Polymer Back and Uphols MOB220P	tered Seat, 530	Armless 555	s 579	627	678	728	777	828	929	
	Polymer Back and Uphols MOB221P	tered Seat, 582	with Arr 604	ms 628	679	729	780	829	878	978	
	Mesh Back and Upholster MOB230P	ed Seat, Ar 538	mless 563	589	640	688	738	789	837	938	
Mobi Option Upcharges		\$ List									
CAL 133 & Moisture Barri Removable Seat Covers Removeable Back Covers Floor-saver Felt Glides Non-slip Rubber Glides Plastic Glides	er (per yard)	67 74 74 30 18 8									
Line	Series		Chair Sty	/le		Arr	n Style		1	Metal Finish	
MOB Mobi	2 Multi-Purpose		1 Polymer S & Back	Seat			0 rmless			P ished Chrome	
		Pc Up	blymer Ba holstered	ack & I Seat		A	1 armed				
		Up	Mesh Backholstered	l Seat							
		F Ful	Mesh Bac Polymer S 5 Iy Uphols Seat & Ba	Seat							

MOBI


		COM		COL	FAR	RIC GR	ADES		LEATHE	R
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Mesh Back and Upholster MOB231P	ed Seat, v 590	with Arms 615	641	690	740	790	838	890	989
	Mesh Back and Polymer S MOB240P	Seat, Arml 411	less							
	Mesh Back and Polymer S MOB241P	Seat, with 463	Arms							
	Fully Upholstered Seat an MOB250P	d Back, A 641	rmless 679	720	799	879	959	1038	1118	1281
	Fully Upholstered Seat an MOB251P	d Back, w 680	vith Arms 721	761	843	920	1002	1082	1162	1319
	Caddie DOL6	879								
Mobi Option Upcharges		\$ List								
CAL 133 & Moisture Barri		67								
Removable Seat Covers Removeable Back Covers Floor-saver Felt Glides Non-slip Rubber Glides Plastic Glides		74 74 30 18								
PRODUCT CODE KEY										
Line	Series		Chair S	tyle			Arm Style			Metal Finish
MOB	Multi-Purpose	l	Polymer E Upholstere 3 Mesh Ba Upholstere 4 Mesh Ba Polymer 5 Fully Upho	Seat Sack & do Seat Cock & do Seat Cock & do Seat Cock & Seat			0 Armless		Р	P olished Chrome

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 5.51%

POST-CONSUMER
RECYCLED CONTENT = 24.98%

Up to 73.47% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



KARMA | FEATURES & OPTIONS



DESIGNED FOR COMFORT

The seat features an enhanced standard foam thickness, combined with our proprietary webbing suspension system, to provide superior comfort and a longer life cycle. The back is contoured and angled to provide supportive sitting.



LIGHT GREY POLYMER BACK

Polypropylene backs are injection molded, with Light Grey pigment diffused throughout the mold, featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



POLYMER ARM

Karma arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey, Light Grey and Taupe.



STANDARD GLIDE

Karma's black domed polymer glides are nonadjustable, and field-replaceable if damaged or degraded. Ideal for carpeted flooring.



STACKING

Karma stacks 7 high on the floor, and 12 chairs on the Caddie. The optional Underseat Cover can be specified to help prevent indenting of seat upholstery on chairs that will be stacked. Karma chairs with the Sled Base option do not stack.



TANDEM SEATING

Karma chairs, and in-line tables, are designed to be instantly converted to (or ordered as) tandem seating. Armed and armless chairs can be connected -when joining arm chairs the positioning prevents a pinch point between the arms. In-line tables can be configured between chairs or as end tables. And the tandem components can be easily removed to convert to freestanding.



REPLACEABLE COMPONENTS

Karma is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



FRAME COLORS AVAILABLE

The Karma Leg is available in 2 standard finishes; Silver Metallic and Matte Black. Polished Chrome is also available for an upcharge.

WEIGHT CAPACITIES

Karma has been laboratory tested to meet a weight capacity of 500 lbs, in all versions: arm and armless, and all widths.

OPTIONS

SLED BASE OPTION

Optional Sled Base frames are available in Silver Metallic and Matte Black. The integrated steel rail spans between the front and rear legs which are fitted with black nylon glides. Karma chairs with the Sled Base option do not stack.



UNDERSEAT COVER

As an alternative to the standard dust cover under the seat, this option, in black polymer, closes off the underside of the chair, functioning as a cleanable Splashguard to protect the interior from moisture. It also assists in chair stacking, by distributing the weight to eliminate any indentations in the seat upholstery.



CASTERS OPTION

Karma features durable low profile 1 1/2" diameter casters in black nylon offering an impressive 500lb load rating. Karma chairs with the caster option do not stack.



FLOOR-SAVER GLIDES

Karma's floor-saver glides are a larger, white, nylon glide incorporating a much larger surface area, and is a self-adjusting to help protect LVT, vinyl, tile, or hardwood where risk of marking might occur. Available in floor-saver felt as well. See pricing pages for upcharges.



NON-SLIP GLIDE

Features a much larger surface area and is also self-adjusting. It also features a softer outer coating to hold and prevent chair from sliding on LVT, vinyl, or tile flooring. Perfect for more slippery/smooth floor areas where prevention of chair movement is required.



COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



Optional Removeable covers can be quickly installed on Karma products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Karma products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. See page 339 for more information.

KARMA | DIMENSIONS & COM REQUIREMENTS

	0 "	0 "	0 "	0 .			0 .	Shipp	ing Wei	-	0014	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	1 Chair	2 Chairs	3 Chairs	COM YRD	Cubes
Leg Base Stac	king Chair l	Jpholstered										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	24	44	64	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22 KAR2C-26	28 32	21.9 21.9	33.9 33.9	18 18	26.8 26.8	22 26	17 17	25.5 27	47 50	68.5 73	1 1.7	18 21
Leg Base Stac			55.5	10	20.0	20	17	21	30	73	1.7	21
Armless	00.0	01.0	00.0	10	/	/-	47	00.5	44	FO F	0.7	10
KAR2C-18.5 KAR2C-22	20.2 23.7	21.9 21.9	33.9 33.9	18 18	n/a n/a	n/a n/a	17 17	22.5 24	41 44	59.5 64	0.7 0.7	18 18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	0.7	21
With Arms			00.0		.,,	., .	• •			00.0	0	
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	27	50	73	0.7	21
Leg Base Stac Armless	king Chair F	Polymer Back	(
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	n/a	18
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	n/a	18
Caster Base C	hair I Inhols	tered - With A	Δrms									
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	1	18
Caster Base C	hair Wood E	Back - With A	ırms									
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
Caster Base C KAR2C-18.5	hair Polyme 24.5	er Back - With 21.9	n Arms 33.9	18	26.8	18.5	17	24	44	64	0.7	18
Sled Base Cha	air I Inholste	red										
Armless	ин ортоюю	.00										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	-	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	-	-	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	-	-	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	1	18
KAR2C-22 KAR2C-26	28 32	21.9 21.9	33.9 33.9	18 18	26.8 26.8	22 26	1 <i>7</i> 17	28.5	-	-	1 1.7	18 21
Sled Base Cha			33.9	10	20.0	20	17	30	-	-	1.7	21
Armless	00.0	04.0	00.0	10	,	,	. -	o			o =	
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17 17	25.5	-	-	0.7	18
KAR2C-22 KAR2C-26	23.7 27.7	21.9 21.9	33.9 33.9	18 18	n/a n/a	n/a n/a	17 17	27 28.5	-	-	0.7 0.7	18 21
With Arms	۲۱.۱	۵۱۰۵	00.9	10	ıı/a	11/4	17	۷.5	=	=	0.7	۷.
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	_	_	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	28.5	-	_	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	30	-	-	0.7	21
Sled Base Cha	air Polymer I	Back										
Armless KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	_	_	0.7	18
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	0.7	18
Yardage for Inc Fabric 18.5"	dividual Cor	nponents	Back 0.50	Seat 0.75				_				
Fabric 22" Fabric 26"			0.50 0.50	0.75 0.75								
DIMENSIONS			0.50	0.75								

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

KARMA | LEG BASE

DESCRIPTION/MO	DEL	CON 1	1 2	COL 3	FABRIC (7	LEATHER 8	9
	18.5" Leg Base, Ma KAR2C-18.5L_PNA			nolstered 526	Seat & Polyme 567 61	•	n with Star 695	ndard Dust 751	Cover 806
	18.5" Leg Base, Po KAR2C-18.5LCPNA			eat & Poly 643	mer Back, No 2 683 729		dard Dust (811	Cover 866	921
	18.5" Leg Base, Ma KAR2C-18.5L_UNA			y Upholst 564	ered, No Arm v 604 64		Dust Cover 731	788	845
	18.5" Leg Base, Po KAR2C-18.5LCUNA		, ,	red, No Ar 680	rm, and Standa 721 76		848	904	959
	18.5" Leg Base, Ma KAR2C-18.5L_WNA			nolstered 573	Seat & Wood B		vith Standa 658	ard Dust C 687	over 714
	18.5" Leg Base, Po KAR2C-18.5LCWN		•	eat & Woo 690	od Back, No Arı 709 73		rd Dust Co 774	ver 803	832
	18.5" Leg Base, Ma KAR2C-18.5L_PA_I			nolstered 568	Seat & Polyme 609 65		m and Sta 736	ndard Dus	st Cover 847
	18.5" Leg Base, Po KAR2C-18.5LCPA_		•	eat & Poly 684	mer Back, with 724 76		ndard Dust 850	Cover 909	962
	18.5" Leg Base, Ma KAR2C-18.5L_UA_			y Upholst 605	ered, with Arm 645 68		Dust Cove	er 828	885
	18.5" Leg Base, Po KAR2C-18.5LCUA_		, ,	red, with A 722	Arm and Standa 761 80		888	945	1001
	18.5" Leg Base, Ma KAR2C-18.5L_WA_			nolstered 604	Seat & Wood B 624 64		and Stand 688	lard Dust (719	Cover 745
	18.5" Leg Base, Po KAR2C-18.5LCWA		•	eat & Woo 721	od Back, with A 740 76		ard Dust Co 804	over 833	862
ŭ	ORDERING NOTES	S: When selecting	Frame Color a	and Arm S	Style please see	Product Code	e Key belo	w.	
Karma Option Upo	charges	\$	List						\$ List
CAL 133 & Moisturn Removable Seat Co Removable Back C Polymer Underseat Combination Upho	overs covers s Shroud 18.5"		67 74 74 49 34	Floor- Metal	-saver Nylon G -saver Felt Glid I Glides slip Rubber Glio	es			38 30 26 18
PRODUCT CODE KE	Š		01						
Line	Series	Frame Size	Frame Co	olor	Style	Arm	Style	Underse	eat Shroud
KAR Karma	2C Stacking Chair	18.5L 18.5" Leg Base	B Matte Bla S Silver Met C Polished Ch	allic I	Fully Upholstered W Beech Wood Bac P Polymer Back	d No	Arm AB ack AG rey	Polyme	S Proud D Proud D Proud Cover
						Ligh	LG t Grey AT		

KARMA | LEG BASE

		COM		COL					LEATHER	R
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	2" Leg Base, Matte Blac	k or Silve	er Metallio	: - Fully Ur	oholstered.	No Arm v	vith Standa	ard Dust C	over	
	(AR2C-22L_UNAD	555	582	611	648	691	730	775	832	887
22	2" Leg Base, Polished C	Chrome -	Fully Upl	nolstered,	No Arm, ar	nd Standa	rd Dust Co	over		
К.	(AR2C-22LCUNAD	695	722	750	789	833	873	916	974	1030
	2" Leg Base, Matte Blac	k or Silve	r Metallic	- I Inholste	ered Seat &	Wood had	sk No Arm	with Stan	ıdard Dust	Cover
	(AR2C-22L_WNAD	595	611	624	644	665	686	707	736	765
22	2" Leg Base, Polished C	hrome -	Linhoiste	red Seat 8	Wood ba	sk No Arr	n with Star	ndard Dus	t Cover	
	(AR2C-22LCWNAD	737	750	766	784	806	825	849	876	907
// I										
	2" Leg Base, Matte Blac	k or Silve	er Metallic	- Fully Up	oholstered,	with Arm	and Stanc	lard Dust (Cover	
K	(AR2C-22L_U_D	592	620	648	687	731	769	816	871	927
22	2" Leg Base, Polished C	Chrome -	Fully Upl	nolstered,	with Arm a	nd Standa	ard Dust C	over		
	(AR2C-22LCU_D	733	763	789	828	874	912	957	1010	1067
U U										
	2" Leg Base, Matte Blac	k or Silve	r Metallic	- Upholste	ered Seat &	. Wood ba	ck. with Ar	m and Sta	andard Du	st Cover
	(AR2C-22L_W_D	625	640	653	674	697	714	738	766	794
22	2" Leg Base, Polished C	Chrome -	Upholste	red Seat 8	& Wood ba	ck, with A	rm and Sta	andard Du	st Cover	
	(AR2C-22LCW_D	767	780	796	816	837	856	879	908	934
	DRDERING NOTES: Wh.	on coloot	ina Franc	Color on	d Arros Ctude		a a Dwadii a	t Codo Vo	v balavi	

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option	n Upcharges	\$ L	ist			\$ List		
CAL 133 & Moisture Barrier (per yard) Removable Seat Covers Removable Back Covers Polymer Underseat Shroud 22" Combination Upholstery - dual fabrics PRODUCT CODE KEY			74 FI 74 M 66 N	Floor-saver Nylon Glides Floor-saver Felt Glides Metal Glides Non-slip Rubber Glides Polymer Underseat Shroud 26"				
Line	DE KEY Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud		
KAR Karma	2C Stacking Chair	22L 22" Leg Base	B Matte Black S Silver Metallic C Polished Chrome	U Fully Upholstered W Beech Wood Back	NA No Arm AB Black AG Grey ALG Light Grey	Polymer Shroud D Standard Dust Cover		

Taupe

KARMA | LEG BASE

		COM		COL	FA	BRIC GRA	ADES		LEATHER	3
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	26" Leg Base, Matte Black KAR2C-26L_UNAD	ack or Silv 663	ver Metalli 714	c - Fully U 769	Ipholstere 846	d, Armless 931	with Stan 1005	dard Dust 1090	Cover 1198	1306
	26" Leg Base, Polished KAR2C-26LCUNAD	Chrome 805	- Fully Up 859	holstered, 913	Armless, 988	with Stand 1073	dard Dust (1148	Cover 1235	1342	1449
	26" Leg Base, Matte Bla	ack or Silv	er Metallio	c - Upholst	tered Seat	& Wood b	ack, Armle	ss, with St	andard Du	ust Cover
	KAR2C-26L_WNAD	683	707	731	768	806	845	885	933	983
	26" Leg Base, Polished KAR2C-26LCWNAD	Chrome 824	- Upholst 850	ered Seat 875	& Wood b 912	ack, Armle 951	ess, with S 987	tandard Du 1027	ust Cover 1078	1125
	26" Leg Base, Matte Bl	ack or Silv	ver Metalli	c - Fully U	Inholstere	d with Arn	n and Star	idard Dust	Cover	
	KAR2C-26L_U_D	702	757	807	885	970	1044	1134	1237	1347
	26" Leg Base, Polished		, ,							
	KAR2C-26LCU_D	846	898	953	1027	1114	1190	1273	1380	1489
	26" Leg Base, Matte Bla	ack or Silv	er Metallic	:- Upholste	ered Seat	& Wood ba	ıck, with Aı	m and Sta	ndard Dus	at Cover
	KAR2C-26L_W_D	711	738	763	799	837	874	914	962	1011
	26" Leg Base, Polished	Chrome	- Upholst	ered Seat	& Wood b	ack, with	Arm and S	tandard Du	ıst Cover	
	KAR2C-26LCW_D	855	882	907	940	980	1016	1058	1108	1157

ORDERING NOTES:

When selecting Frame Color and Arm Style please see Product Code Key below. See following page for additional options. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add \$84 list.

Description/Model		Price
	Tandem Seating Bracket KAR2C-GB BA	-Matte Black (for armed chair) 84
	Tandem Seating Bracket- KAR2C-GB BSA	Silver Metallic (for armed chair) 84
	Tandem Seating Bracket- KAR2C-GB BCA	Polished Chrome (for armed chair) 95
	Tandem Seating Bracket- KAR2C-GB BNA	Matte Black (for chairs without arms) 74
	Tandem Seating Bracket- KAR2C-GB BSNA	Silver Metallic (for chairs without arms) 74
V	Tandem Seating Bracket- KAR2C-GB BCNA	Polished Chrome (for chairs without arms) 85
	Caddie DOL6	879
DDODUOT CODE VEV		

PRODUCT COL	DE KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26L	В	U	NA	S
Karma	Stacking Chair	26" Leg Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

KARMA | CASTER BASE

		COM		COL	FAB	RIC GRAD			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	18.5" Caster Base, Silve KAR2CS-18.5MSP_D	er Metallic 599	- Upholste 627	red Seat 8 656	k Polymer E 695	Back, with 738	Arm with 778	Standard 822	Dust Cover 876	934
	18.5" Caster Base, Silve KAR2CS-18.5MSU_D	er Metallic 636	- Fully Uph 664	nolstered, 694	with Arm al 731	nd Standa 775	ard Dust Co 816	over 861	914	973
	10 F" Contar Dago Cilva	Motollio	Linhalataw	ad Coat 0 1	Mood book	with Arm	and Ctana	dard Duct	Cover	
	18.5" Caster Base, Silve KAR2CS-18.5MSW_D	663	677	691	710	733	752	775	804	832
	22" Caster Base, Silver	Motallia	Fully Llobo	lotorod wi	th Arm one	l Ctandara	1 Duet Cov	·or		
	KAR2C-22MSU_D	678	707	736	774	820	856	901	958	1011
	22" Caster Base, Silver	Metallic- I	Inholstered	d Seat & W	lood back	with Arm	and Stanc	dard Dust	Cover	
	KAR2C-22MSW_D	711	725	741	759	783	802	824	851	882
¶	ORDERING NOTES: W Karma chairs all include upcharge listed below.								o" to "S" and	d add
Karma Option Upcharg	ges	\$ L	ist							
CAL 133 & Moisture Bar	rier (per yard)	67	7							
Removable Seat Covers Removable Back Covers Polymer Underseat Shro	s oud 18.5"	74 74	4 9							
Polymer Underseat Shro Combination Upholstery		66 34								

P	RO	DU	CT	CO	DE	KEY

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR Karma	2C Stacking Chair	18.5M 18.5" Caster Base 22M 22" Caster Base	Silver Metallic	Fully Upholstered W Beech Wood Back P Polymer Back	AB Black AG Grey ALG Light Grey AT Taupe	Polymer Shroud D Standard Dust Cover

KARMA | SLED BASE

		COM		COL	FABRI	C GRADI	≣S	LE	EATHER	
DESCRIPTION/MOI	DEL	1	2	3	4	5	6	7	8	9
	18.5" Sled Base, Matte Black KAR2C-18.5S_PNAD	or Silver 615	Metallic - 630	- Upholstere 644	d Seat & Pol 663	lymer Bad 687	ck, No Arm 705	with Stan 728	dard Dus 757	t Cover 784
	18.5" Sled Base, Matte Black KAR2C-18.5S_UNAD	or Silver 653	Metallic - 666	- Fully Uphol 681	stered, No A 700	Arm with 9 724	Standard Di 742	ust Cover 766	794	822
	18.5" Sled Base, Matte Black KAR2C-18.5S_WNAD	or Silver 690	Metallic - 705	Upholstered 720	Seat & Woo 738	d back, N 761	lo Arm with 780	Standard 803	Dust Cov 832	ver 861
	18.5" Sled Base, Matte Black KAR2C-18.5S_P_D	or Silver 657	Metallic - 684	- Upholstere 712	d Seat & Pol 753	lymer Bad 796	ck, No Arm 835	with Stan 879	dard Dus 936	t Cover 992
	18.5" Sled Base, Matte Black KAR2C-18.5S_U_D	or Silver 695	Metallic - 722	- Fully Uphol 751	stered, with 790	Arm and 833	Standard D 873	Oust Cove 916	r 974	1030
	18.5" Sled Base, Matte Black KAR2C-18.5S_W_D ORDERING NOTES: When s Karma chairs all include the Scharge listed below.	721 electing I	736 Frame Co	750	768 Style please	791 see Prod	809 duct Code l	833 Key below	863 v.	890
Karma Option Upo	charges	\$1	List							
CAL 133 & Moistur Removable Seat Con Removable Back Con Polymer Underseat	re Barrier (per yard) overs covers t Shroud 18.5" Istery - dual fabrics		67 74 74 49 34							
Line	Series Frame S	Size	Fram	e Color	Style		Arm St	yle	Underse	at Shroud
KAR Karma	2C [18.55] Chair 18.5" Sled		Matte	B e Black S Metallic	Fully Uphols W Beech Wood P Polymer Ba	Back	NA No Ar AB Blacc AG Grey ALG	m k /	Polyme I Star	s r Shroud D ndard Cover

AT Taupe

KARMA | SLED BASE

COM COL **FABRIC GRADES LEATHER** DESCRIPTION/MODEL 22" Sled Base, Matte Black or Silver Metallic - Fully Upholstered, No Arm with Standard Dust Cover KAR2C-22S_UNAD 22" Sled Base, Matte Black or Silver Metallic - Upholstered Seat & Wood back, No Arm with Standard Dust Cover KAR2C-22S_WNAD 22" Sled Base, Matte Black or Silver Metallic - Fully Upholstered, with Arm and Standard Dust Cover KAR2C-22S_U_D 22" Sled Base, Matte Black or Silver Metallic- Upholstered Seat & Wood back, with Arm and Standard Dust Cover KAR2C-22S_W_D

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List	st
CAL 133 & Moisture Barrier (per yard)	6	37
Removable Seat Covers	74	74
Removable Back Covers	74	74
Polymer Underseat Shroud 22"	66	66
Combination Upholstery - dual fabrics	34	34

PRODUCT CODE KEY

PRODUCT CODE	KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	228	В	U	NA	S
Karma	Chair	22" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG	Dust Cover
					Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

KARMA | SLED BASE

		COM		COL	FAB	RIC GRA	DES		LEATHER	?
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	26" Sled Base, Matte Blad	ck or Silve	r Metallic	- Fully Up	holstered,	Armless	with Stand	ard Dust C	Cover	
	KAR2C-26S_UNAD	806	861	914	989	1077	1149	1236	1345	1450
	26" Sled Base, Matte Blad	k or Silve	r Metallic	- I Inholste	ered Seat &	Wood ha	ack Armles	ss with St	andard Di	ıst Cover
	KAR2C-26S_WNAD	828	851	876	913	953	988	1030	1080	1127
	26" Sled Base, Matte Blac KAR2C-26S U D	ck or Silve 847	r Metallic 901	- Fully Up 954	pholstered,	with Arm	and Stand	lard Dust (Cover 1381	1491
	26" Sled Base, Matte Blac KAR2C-26S_W_D	k or Silver 856	Metallic- 884	Upholstei 908	red Seat & \ 942	Wood bad 981	ck, with Arr 1019	n and Star 1059	ndard Dus 1110	t Cover 1158

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	
Removable Seat Covers	74	
Removable Back Covers	74	
Polymer Underseat Shroud 26"	84	
Combination Upholstery - dual fabrics	34	


PRODUCT CODE KEY

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26S	В	U	NA	S
Karma	Chair	26" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG	Dust Cover
					Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

CORFU | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 26.34%

POST-CONSUMER RECYCLED CONTENT = 22.74

Up to 55.38% of this Corfu product is recyclable at the end of its useful life.

(COR2-61S)

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CORFU | FEATURES & OPTIONS



SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Polished Chrome. Legs feature Floor-saver nylon glides, metal glides are optional. Please see page 343 for more information.



UNDER SEAT COVER

WOOD FINISH

BEECH PLYWOOD

Each Corfu includes an underseat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.



PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection:

White, Black, Grey, Red, Blue, Sand



with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.

Wood seats and backs are made with

European Beech hardwood veneers,

featuring nine (9) plys of cross grain for

added strength and durability.

Krug's Enduraguard™ finish is a catalyzed

conversion varnish topcoat, combined

OPTIONS

COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



STACKING

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.



California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



The Corfu caddie provides enhanced stackability, along with the ease of movement and storage. Its design allows for the stacking and storage of all Krug stackable chairs. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. This caddie is designed to stack and transport Krug's other stacking chairs.

GANGING

Corfu can be ordered with the option of ganging for the upcharge of \$34 list per chair. Please specify ganging when ordering.

PACKAGING

Corfu packaging features recycled, recyclable cardboard. The arm and armless chairs are shipped 4 units per carton.

DIMENSIONS

					Height of	Width	Shipping Weights & Cubes				
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	1 unit W C	2 units W C	3 units W C	4 units W C
COR2-10S COR2-10C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	28 16	46 17	65 18	83 20
COR2-11S COR2-11C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	30 16	51 17	73 18	93 20
COR2-20S COR2-20C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	30 16	51 17	73 18	94 20
COR2-21S COR2-21C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	36 16	63 17	92 18	119 20
COR2-30S COR2-30C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-31S COR2-31C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20
COR2-40S CORS-40C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-41S COR2-41C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20
COR2-50S COR2-50C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	29 16	48 17	69 18	89 20
COR2-51S COR2-51C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	32 16	54 17	77 18	99 20
COR2-60S COR2-60C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-61S COR2-61C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	82 18	106 20
COR6	24.76	31	16.65								

COM REQUIREMENTS

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

WEIGHT CAPACITY

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

		COM		COL		RIC GRAD			LEATHER	
DESCRIPTION/MO		1	2	3	4	5	6	7	8	9
	Plastic Seat & Back, Armless COR2-10S Plastic Seat & Back, Armless	515 s, with Polish			e					
	COR2-10C	583								
	Plastic Seat & Back, Plastic A COR2-11S	597								
	Plastic Seat & Back, Polisher COR2-11C	d Aluminum 655	Arms, wi	th Polish	ed Chrome	e Frame				
	Plastic Seat & Back with Uph COR2-20S	nolstered Pa 690	ids, Armle 727	ess, with 727	Silver Meta 763	allic Frame 799	835	873	909	945
	Plastic Seat & Back with Upl COR2-20C	nolstered Pa 757	ids, Armle 793	ess, with 793	Polished C 828	Chrome Fra 864	ame 901	938	975	1009
	Plastic Seat & Back with Uph COR2-21S	nolstered Pa 773	ids, Plasti 807	ic Arms, 807	with Silver 846	Metallic Fi 882	rame 918	955	990	1027
	Plastic Seat & Back with Uph COR2-21C	nolstered Pa 830	ids, Polisł 868	ned Alum 868	iinum Arms 904	s, with Poli 939	shed Ch	rome Fram 1011	ie 1051	1085
Color Selection: W	S: Silver Metallic frame with Plasti hite, Black, Grey, Red, Blue, Sa Polished Chrome frame, arms a	and			or matches	the seat a	and back			
Corfu Option Upch		\$ List								
CAL 133 & Moisture Combination Uphol Metal Glides	Barrier (per yard)	67 34 26								
PRODUCT CODE KE	Y									
Line	Series		Chair Style	9		Arm Style)	Fi	rame Finish	1
COR	2 Multi-Purpose	Р	lastic Seat Back	&		0 Armless		Si	S Iver Metalli	С
			2 with Upho at & Back F			1 Arms		Poli	Shed Chro	me
		Woo	3 od Seat & E	Back						
			4 ly Upholste Seat & Bac							
			5 ack, Plastic							
		Wood Back,	6		eat					

						. • .			. 002	02/11	
			COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODE	L	SPECIES	1	2	3	4	5	6	7	8	9
	Plastic Back,	Plastic Seat with	th Uphols	tered Pad	, Armless.	, with Silve	er Metallio	Frame			
	COR2-50S		640	664	664	690	712	740	765	789	815
	Plastic Back,	Plastic Seat with	th Uphols	tered Pad	, Armless,	, with Poli	shed Chro	ome Frame	e		
	COR2-50C		706	730	730	757	780	805	830	855	879
	,	Plastic Seat with			,						
	COR2-51S		723	746	746	773	798	822	847	873	895
		Plastic Seat wit	•								
	COR2-51C		780	805	805	830	855	879	907	930	955
	Wood Seat 8	Back, Armless	, with Silve	er Metallio	Frame						
	COR2-30S	Beech	746								
	Wood Seat 8	Back, Armless	, with Poli	shed Chro	ome Fram	е					
	COR2-30C	Beech	822								
	Wood Seat 8	Back, Silver M	etallic Arn	ns, with Si	lver Meta	llic Frame					
	COR2-31S	Beech	895								
	Wood Seat & COR2-31C	Back, Polished Beech	l Aluminur 988	n Arms, v	vith Polish	ed Chrom	ne Frame				

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. Color Selection: White, Black, Grey, Red, Blue, Sand

When ordering the Polished Chrome frame, arms are Polished Aluminum.

Corfu Option Upchar	ges	\$ List		
	& Moisture Barrier (per yard) tion Upholstery - dual fabrics des CODE KEY Line Series	67 34 26		
PRODUCT CODE KEY				
Line	Series	Chair Style	Arm Style	Frame Finish
COR		Plastic Seat & Back 2 Plastic with Upholstered	O Armless	Silver Metallic C Polished Chrome
		Seat & Back Pads 3 Wood Seat & Back	Aillis	Tollshed Officine
		4 Fully Upholstered Seat & Back		
		5		

Plastic Back, Plastic Seat with Upholstered Pad 6

Wood Back, Fully Upholstered Seat

			COM		COL		FABR	IC GRADE	S	LEATHE	R
DESCRIPTION/MO	DEL	SPECIES	1	2	3	4	5	6	7	8	9
	Wood Back, Fully	Unholstered	Seat Ari	mless wi	th Silver M	/letallic Fra	ame				
	COR2-60S	Beech	815	849	887	922	959	999	1033	1068	1106
	Wood Back, Fully										
/ //	COR2-60C	Beech	888	926	960	1000	1034	1069	1108	1144	1180
	Wood Back, Fully		Seat, Sil	ver Metal				Frame			
	COR2-61S	Beech	961	1001	1036	1072	1110	1146	1182	1220	1254
	Wood Dook Fully	Linhalatarad	Coot Do	المامط ال		ا مانین مصد	Daliahad	Chromo Fr			
	Wood Back, Fully COR2-61C	Beech		1089	ımınum aı 1126	rms, with i 1164	7011SNea 1199	onrome Fr 1236	ame 1273	1309	1347
/ / /	00112 010	Вссоп	1004	1005	1120	1104	1133	1200	1270	1003	1047
U											
	Fully Upholstered COR2-40S	Seat & Back	, Armless 847	s, with Silv 895	ver Metall 946	ic Frame 999	1046	1096	1146	1195	1246
	CON2-403		047	093	940	999	1046	1090	1140	1195	1240
	Fully Upholstered	Seat & Back	, Armless	s, with Po	lished Ch	rome Fram	ne				
	COR2-40C		921	973	1022	1069	1119	1171	1221	1269	1319
	Fully Upholstered	Seat & Back	, Silver M	1etallic Ar	ms, with S	Silver Meta	allic Fram	е			
	COR2-41S		999	1046	1096	1146	1195	1246	1293	1346	1396
	F. II. 11 - I. 1-1-1-1-1	0 1 0 D 1	Deliate		Δ						
	Fully Upholstered COR2-41C	Seat & Back		a Alumini 1138	ım Arms, 1 1187	with Polisi 1236	ned Chro 1287	me Frame 1336	1384	1438	1486
	00H2-410		1007	1130	1101	1200	1201	1000	1004	1400	1400
	Caddie										
	COR6		879								
<i>D D</i>											

ORDERING NOTES:


When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

Corfu Option Upchar	raec	\$ List		
CAL 133 & Moisture B Combination Upholste Metal Glides PRODUCT CODE KEY	Barrier (per yard)	67 34 26		
Line	Series	Chair Style	Arm Style	Frame Finish
COR	2 Multi-Purpose	Plastic Seat & Back 2 Plastic with Upholstered Seat & Back Pads 3 Wood Seat & Back 4 Fully Upholstered Seat & Back	O Armless 1 Arms	S Silver Metallic C Polished Chrome
		Plastic Back, Plastic Seat with Upholstered Pad		

CAPRI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 15.13%

POST-CONSUMER
RECYCLED CONTENT = 30.97%

Up to 66.28% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Capri products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CAPRI

			COM		COL	F	ABRIC GF	RADES		LEATHE	:R
DESCRIPTION/MODE	EL/FINISHES	;	1	2	3	4	5	6	7	8	9
	ARM CHAI	R									
	CAP2A1	Cherry, Beech	1064								
	CAP2A2	•	1291	1342	1382	1445	1508	1578	1656	1746	1896
	CAP2A3	Cherry, Beech	1172	1219	1265	1316	1372	1426	1481	1571	1666
	CAP2A4	Cherry, Beech	1200								
/ // /	CAP2A5	Cherry, Beech	1308	1356	1401	1455	1508	1561	1615	1707	1800
,											
•											
	SIDE CHAI										
	CAP2S1	Cherry, Beech	978								
	CAP2S2		1200	1251	1302	1362	1426	1492	1556	1646	1799
	CAP2S3	Cherry, Beech	1090	1140	1180	1235	1291	1347	1401	1492	1581
/ // (CAP2S4	Cherry, Beech	1118								
<i>I</i> \	CAP2S5	Cherry, Beech	1228	1253	1316	1372	1426	1481	1537	1628	1720
0											
	CADDIE										
	DOL6		879								
	DOLO										
@ @# @											

DIMENSIONS & COM REQUIREMENTS

			_							
	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube (2)	COM Yardage
ARM CHAIR										
Wood with arms	22	22.75	33.75	18.5	27	20.5	17.25	12	13	-
Fully Upholstered with arms	22	22.75	34	19	27	20.5	17.75	14	13	1.0
Upholstered seat with arms	22	22.75	33.75	19	27	20.5	17.75	13	13	0.6
SIDE CHAIR										
Wood with arms	19.75	22.75	33.75	18.5	-	-	17.25	12	13	-
Fully Upholstered	19.75	22.75	34	19	-	-	17.75	14	13	1.0
Upholstered seat	19.75	22.75	33.75	19	-	-	17.75	13	13	0.6
ARM CHAIR										
Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	-
Fully Upholstered with arms	22	22.75	44	29.5	38.5	20.5	17.75	17	18	1.0
Upholstered seat with arms	22	22.75	43.75	29.5	38.5	20.5	17.75	16	18	0.6
CADDIE	25.5	41	43.75	-	-	-	-	20	17	-

ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard. .

PRODUCT CODE KEY

Line	Series	Chair Type	Chair Style
CAP Capri	2 Guest Seating	A Arm Chair	1 Wood
	5 Barstool	Side Chair	Eully Upholstered 3 Upholstered Seat Cushion 4 Wood With Holes 5 Upholstered Seat,
			Back with Holes

CADDIE

When used with Caddie, Capri stacks to a maximum of 15 chairs high (10 high for upholstered versions). Barstool versions cannot be stacked with Caddie.

REMOVABLE UPHOLSTERED BACK COVER


Capri Chairs are available with removable upholstered back cover at an upcharge of \$50 list per chair.

BANK OF ENGLAND | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .34%

POST-CONSUMER
RECYCLED CONTENT = 13.10%

Up to 96.55% of this Bank of England product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bank of England products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Bank of England products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bank of England and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



BANK OF ENGLAND

			COM		COL	FA	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODE	EL/FINISHES		1	2	3	4	5	6	7	8	9
	WOOD SE 177-A 177-J	AT Oak, Cherry Oak, Cherry Jury Base	1302 1473								
	REMOVAE 178-A 178-J	Oak, Cherry Oak, Cherry Jury Base	1587 1772	1663 1852	1735 1926	1806 2003	1877 2075	1947 2153	2013 2219	2087 2297	2200
	UPHOLST 179-A 179-J	ERED SEAT Oak, Cherry Oak, Cherry Jury Base	1587 1772	1663 1852	1735 1926	1806 2003	1877 2075	1947 2153	2013 2219	2087 2297	2200 2417

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
177-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	-
178-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75
179-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75

ORDERING NOTES

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available. For jury base version of this chair, please select model number '177-J' for Wood Seat, '178-J' for Removable Cushion, or '179-J' for Removable Cushion Upholstered Seat.



Bank of England Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	
Combination Upholstery - dual fabrics	34	
Metal Glides	26	
Floor-saver Felt Glides	30	
Floor-saver Felt Glides	3	0

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finish

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

For a complete list of standard wood finishes please see page 341. Bank of England chairs feature Floor-saver nylon glides, Floor-saver felt glides & metal glides are optional. Please see page 343 for more information.

BARSTOOL & COUNTER HEIGHT SEATING


127 Manolo 131 Karma 133 Capri 135 Corfu

MANOLO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 14.89%

POST-CONSUMER
RECYCLED CONTENT = 34.84%

Up to 69.20% of this Manolo product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Manolo products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



rk of responsible forest

AIR EMISSIONS

All Manolo products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Manolo and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



MANOLO | FEATURES & OPTIONS



SFATS

Manolo seats are available, with two back heights; Backless Seat and Low Back Seat, in Upholstered, Beech and Walnut veneers and Palette finishes.



BASES

Manolo Stool bases are available in two heights; Counter Height or Bar Height. Bases feature Polished Chrome structural steel base frames with plastic glides. Floorsaver felt glides are optional. Please see page 343 for more information.

WEIGHT CAPACITY

Manolo complies with ANSI/BIFMA x5.1-2011 test standards. Manolo has been load tested up to 300lbs.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

OPTIONS

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$67 list.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

MANOLO | DIMENSIONS & COM

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Width	Seat Depth	Seat Height	Shipping Weight	Cube	COM Yardage	
Barstool										
Backless Seat	19	22.5	36	15.75	16	31	19.5	12	1	
Low Back Seat	19	22.5	41	15.75	16	31	20	13	1	
Counter Stool										
Backless Seat	19	22.5	30	15.75	16	25	18.5	10	1	
Low Back Seat	19	22.5	35	15.75	16	25	19	11	1	

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

MANOLO | BARSTOOL & COUNTER STOOL

			COM		COL	FABRIC GRADES		ı	LEATHER		
Description	Model	Species	1	2	3	4	5	6	7	8	9
	Barstool, Wo	ood, Backless Seat									
	MAN5B01	Beech	850								
	1020 .	Walnut	893								
/ // \	MAN5B03	Palette	819								
	10200		0.0								
	0 . 0.										
		ol, Wood Seat, Backles									
	MAN5C01	Beech	823								
		Walnut	865								
	MAN5C03	Palette	793								
	Barstool Fu	lly Upholstered, backles	ee eeat								
	MAN5B02	ily Opriolatorea, backies	895	930	961	1030	1095	1163	1228	1293	
	MANODOZ		000	000	001	1000	1000	1100	1220	1200	
	Counter Sto	ol, Fully Upholstered, B	ackless S	Seat							
/ / \	MAN5C02	,, -	868	901	934	1002	1067	1136	1200	1267	
	10002										
		ood, Low Back Seat	000								
	MAN5B11	Beech	868								
		Walnut	912								
/ / \	MAN5B13	Palette	832								
/ // \											
	Counter Sto	ol, Wood, Low Back Se	at								
	MAN5C11	Beech	838								
		Walnut	884								
	MAN5C13	Palette	806								
	Developing "		-1-01								
		y Upholstered, Low Ba		005	1000	1000	1100	1000	1000	1071	
	MAN5B12		951	985	1022	1090	1162	1229	1302	1371	
	Countar Sta	ol Fully Upholstered, Lo	w Book 9	Soat							
	MAN5C12	or runy Opinoistered, LC	921	958	993	1062	1134	1203	1272	1342	
	IVIAINOU 12		3 <u>2</u> I	900	990	1002	1104	1203	1212	1042	

Manolo Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	67
Floor-saver Felt Glides	30

PRODUCT CODE KEY


Line	Series	Base Height	Seat Style	Seat Type	
MAN Manolo	5 Stool	B Bar Height	0 Backless Seat	1 Wood	
		C Counter Height	1 Low Back Seat	2 Fully Upholstered	
				3 Palette	

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



KARMA | COUNTER STOOL


				COM	C	DL F	ABRIC GRA	ADES		LE	EATHER	R	
DESCRIPTION/I	MODEL			1	2 3	3 4	5	6		7	8	9	
		' Leg Frame, 2C-18.5C_U			Metallic - Ful 740 767		ed, No Arm, 850	with Sta 890		Oust Cov 33	/er 989	1044	
		' Leg Frame, 2C-18.5CCU			ully Upholste 794 821		with Stand 907	ard Dust 945		88 1	1043	1098	
		Leg Frame, 2C-18.5C_W			Metallic- Uph		at & Wood b	ack, No		th Stand	dard Du	st Cover 916	
		' Leg Frame, 2C-18.5CCV		hrome - L	Ipholstered S 817 830	eat & Wood			Standard			973	
		Leg Frame, 2C-18.5C_U			Metallic - Ful 773 806		ed, with Arm 890	n, with St 930			over 1031	1085	
		' Leg Frame, 2C-18.5CCU			ully Upholste 833 862		n, with Stan 945	dard Dus 983	st Cover 100		1084	1141	
					letallic- Uphol								
		2C-18.5C_W	_		793 805 Ipholstered S		848 hack with 4	868 Arm with		90 Ird Dust	918 Cover	949	
		2C-18.5CCV			847 861		901	921		45	974	1002	
Karma Option CAL 133 & Mo	Upcharges	S	Cover (selec	ct "D" belov \$ Lis 6		Floor-save	r Nylon Glid	les	and ad	ld upcha	arge liste	\$ List 38	
Removable Sea Removable Ba Polymer Under Combination U	ck Covers seat Shroud			74 74 34	4 9	Floor-saver Felt Glides Metal Glides Non-slip Rubber Glides See page 113 for more information on o				options	30 26 18 otions and features.		
DIMENSIONS: All dimensions a			mate and are	e subject to	o change with	out notice. C	ontact Cust		vice if di		ns are c	ritical.	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms Fron Floor	n Betwee Arms	n Seat Depth	1 Chair	2 Chairs	3 Chairs	COM YRD	Cubes	
Easy Access or	Counter Se	eat Upholster	red										
Armless KAR2-18.5 with Arms	20.2	21.9	39.9	24	n/a	n/a	17	43	-	-	1	20	
KAR2-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	-	-	1	20	
Easy Access or Armless	Counter Se	eat Wood Ba	ck										
KAR2-18.5 with Arms	20.2	21.9	39.9	24	n/a	n/a	17	43	-	-	1	20	
KAR2-18.5 PRODUCT CODI	24.5	21.9	39.9	24	32.8	18.5	17	44.5	-	-	1	20	
Line	Seri	es	Frame Si	ze	Frame Color		Style		Arm Style	<u> </u>	Under	seat Shroud	
KAR	20	;	18.5C	:	В		U		NA			S	
Karma	Cha	air 18.	5" Counter He	eight Stool	Matte Black S Silver Metalli C Polished Chro	e Beech	Jpholstered W Wood Back		No Arm AB Black AG Grey		St	ner Shroud D tandard st Cover	
						0000	NEATING O	000	Taupe	T45'	F0 6	041405	

CAPRI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Capri products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CAPRI | BARSTOOL

			COM		COL	F	ABRIC GRA	ADES		LEATHE	R
DESCRIPTION/MODE	L/FINISHES		1	2	3	4	5	6	7	8	9
\sim	BARSTOOL	_									
	CAP5A1	Cherry, Beech	1276								
	CAP5A2		1551	1609	1663	1735	1810	1892	1986	2092	2245
	CAP5A3	Cherry, Beech	1408	1462	1517	1583	1647	1713	1777	1887	1979
	CAP5A4	Cherry, Beech	1440								
	CAP5A5	Cherry, Beech	1569	1625	1677	1746	1810	1877	1938	2051	2138

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BARSTOOL Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	
Fully Upholstered with arms Upholstered seat with arms	22	22.75 22.75 22.75	43.75 44 43.75	29.5 29.5	38.5 38.5	20.5 20.5 20.5	17.25 17.75 17.75	17 16	18 18	1.0 0.6

ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$67 list per yard.


PRODUCT CODE KEY

Line	Series	Chair Type	Chair Style	BARSTOOL
CAP Capri	5 Barstool	A Arm Chair	1 Wood	The Capri barstool version is available with arms only. Capri barstool versions are suitable for use with bar heights in the range of 40" to 42".
			Fully Upholstered 3 Upholstered Seat Cushion 4 Wood With Holes 5 Upholstered Seat, Back with Holes	REMOVABLE UPHOLSTERED BACK COVER Capri Chairs are available with removable upholstered back cover at an upcharge of \$50 list per chair.

CORFU | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 27.77%

POST-CONSUMER
RECYCLED CONTENT = 18.44%

Up to 86.71% of this Corfu product is recyclable at the end of its useful life.

CONTRIBUTES TO

	661111112612616	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CORFU | BARSTOOL - FEATURES & OPTIONS

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.

BEECH PLYWOOD

European Beech hardwood veneers, featuring nine (9) plys of cross grain for added strength and durability.

STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Chrome.

PLASTIC COMPONENTS


Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection: White, Black, Grey, Red, Blue, Sand

UNDER SEAT COVER

Each Corfu includes an under-seat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.







Wood seats and backs are made with





OPTIONS

COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$67 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



CORFU | BARSTOOL - DIMENSIONS & COM REQUIREMENTS

COM REQUIREMENTS

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
COR5-10S	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-10C	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-11S	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-11C	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-20S	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-20C	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-21S	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-21C	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-30S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-30C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-31S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-31C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-40S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-40C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-41S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-41C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-50S	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-50C	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-51S	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-51C	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-60S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-60C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-61S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-61C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22

WEIGHT CAPACITY

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

CORFU | BARSTOOL

COM COL **FABRIC GRADES LEATHER** DESCRIPTION/MODEL 9 1 3 4 5 6 8 Plastic Seat & Back, Armless, with Silver Metallic Frame **COR5-10S** 921 Plastic Seat & Back, Armless, with Polished Chrome Frame COR5-10C Plastic Seat & Back, Plastic Arms with Silver Metallic Frame COR5-11S Plastic Seat & Back, Polished Aluminum Arms with Polished Chrome Frame COR5-11C 1190 Plastic with Upholstered Seat & Back Pads, Armless, with Silver Metallic Frame **COR5-20S** 1227 1245 1265 1304 1339 1379 1416 1455 1531 Plastic with Upholstered Seat & Back Pads, Armless, with Polished Chrome Frame COR5-20C 1689 1383 1401 1422 1460 1499 1536 1576 1612 Plastic with Upholstered Seat & Back Pads, Plastic Arms, with Silver Metallic Frame **COR5-21S** 1325 1345 1361 1399 1439 1477 1513 1554 1629 Plastic with Upholstered Seat & Back Pads, Polished Aluminum Arms, with Polished Chrome Frame COR5-21C 1493 1512 1533 1568 1609 1645 1684 1723 1798 **ORDERING NOTES:** When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

Corfu Option Upcharg	jes	\$ List								
CAL 133 & Moisture Barrier (per yard) Combination Upholstery - dual fabrics (per chair)		67 34								
RODUCT CODE KEY										
Line	Series	Chair Style	Arm Style	Frame Finish						
COR	5 Barstool	1 Plastic Seat & Back	0 Armless	Silver Metallic						
		2 Plastic with Upholstered Seat & Back Pads	1 Arms	C Polished Chrome						
		3 Beech Wood Seat & Back								
		4 Fully Upholstered Seat & Back								
		5 Plastic Back, Plastic Seat with Upholstered Pad								
	_	6								

Beech Wood Back, Fully Upholstered Seat

CORFU | BARSTOOL

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	F/ 4	ABRIC GF 5	RADES 6	7	LEATHE 8	R 9
			•			·			·		
1 1	lastic Back, F OR5-50S	Plastic Seat with	•		-	-			1000	1040	1005
	OR5-505		1116	1126	1137	1160	1180	1201	1222	1243	1285
PI	lastic Back, F	Plastic Seat with	n Uphols	stered Pa	d, Armles	s, with Po	olished Ch	rome Fran	ne		
C	OR5-50C		1266	1275	1288	1309	1330	1351	1372	1393	1435
, , ,											
PI	lastic Back, F	Plastic Seat with	n Uphols	stered Pa	d, Plastic	Arms wit	h Silver M	letallic Fra	me		
CO CO	OR5-51S		1127	1138	1148	1169	1192	1213	1232	1254	1296
	lastia Daale F	Nastia Cast with	امطعاله	stared De	d Daliaha	منصبا ۸ ام	A wma.a	with Dalia	had Chrom	a France	
N II——— N	OR5-51C	Plastic Seat with	1371	1380	.a, Polishe 1391	1412	um Arms, 1434	1455	1477	1495	1539
			1071	1000	1001	1712	1404	1400	1477	1400	1000
	Vood Seat & F	Back, Armless,	with Silv	ver Metall	lic Frame						
I 1	OR5-30S	Beech	1218	voi iviotali	no i ramo						
/ I I I I		Back, Armless,		lished Ch	rome Frai	ne					
	COR5-30C	Beech	1292								
1 1		Back, Silver Me		ms, with	Silver Met	allic Fram	ne				
A C	OR5-31S	Beech	1342								
	Vood Seat & E	Back, Polished	Aluminu	ım Arms,	with Polis	hed Chro	me Fram	e			

ORDERING NOTES:

COR5-31C

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

Corfu Option Upcharg	es	\$ List				
CAL 133 & Moisture Barrier (per yard) Combination Upholstery - dual fabrics (per chair)		67) 34				
PRODUCT CODE KEY						
Line	Series	Chair Style	Arm Style	Frame Finish		
COR	5	1	0	S		
	Barstool	Plastic Seat & Back	Armless	Silver Metallic		
		2	1	С		
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome		
		3 Beech Wood Seat & Back				
		4 Fully Upholstered Seat & Back				
		5				
		Plastic Back, Plastic Seat with Upholstered Pad				
		6				
	Bee	ch Wood Back, Fully Upholstered Sea	t			

CORFU | BARSTOOL

			COM		COL		FABRIC (GRADES	LE	EATHER	
DESCRIPTION/MO	DEL	SPECIES	1	2	3	4	5	6	7	8	9
	Wood Back, Fully COR5-60S	Upholstered Beech	Seat Armle 1169	ss, with S	Silver Meta 1195	llic frame 1221	1246	1272	1297	1323	1374
	Wood Back, Fully COR5-60C	Upholstered Beech	Seat Armle 1249	ss, with F 1261	Polished Ch 1273	nrome fran 1300	me 1325	1350	1375	1399	1450
$\overline{\Box}$	Wood Back, Fully	Upholstered	Seat. Silver	Metallic	Arms, with	Silver Me	etallic Fra	me			
	COR5-61S	Beech	1302	1313	1326	1352	1376	1401	1426	1452	1504
	Wood Back, Fully COR5-61C	Upholstered Beech	Seat, Polisl 1356	ned Alum 1371	inum Arms 1382	s, with Pol 1408	ished Chi 1435	rome Fram 1459	ne 1484	1509	1561
$\overline{\Box}$	Fully Upholstered	Seat & Back,	Armless, v	vith Silver	Metallic F	rame					
	COR5-40S	,	1180	1208	1235	1288	1345	1397	1450	1505	1612
	Fully Upholstered	Seat & Back,	,				4404	4.474	1500	4500	1000
	COR5-40C		1258	1285	1313	1368	1421	1474	1528	1582	1690
$\overline{\Box}$	Fully Upholstered	Seat & Back,	Silver Meta	allic Arms	, with Silve	er Metallic	Frame				
	COR5-41S	,	1311	1336	1367	1419	1473	1527	1581	1634	1743
	Fully Upholstered COR5-41C	Seat & Back,	Polished A	luminum 1396	Arms, with 1422	n Polished 1475	I Chrome 1530	Frame 1584	1638	1692	1799
- II II											

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chromo
		3 Beech Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5		
		Plastic Back, Plastic Seat with Upholstered Pad		

Beech Wood Back, Fully Upholstered Seat

SIN 33721 - Lounge Seating

LOUNGE SEATING


- 142 Avatar
- 145 Cressida
- 155 Leyton
- 170 Zola
- 187 Zola Privacy
- 253 Faeron
- 265 Sutton
- 267 Carlyle
- 269 Brio
- 271 Sloane

AVATAR | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.21%

POST-CONSUMER
RECYCLED CONTENT = 18.77%

Up to 45.10% of this Avatar product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

AVATAR | FEATURES & OPTIONS



STYLE FIXED ARM



ARMLESS



LEGS

Avatar legs feature Polished Chrome aluminum foot with floor-saver nylon glides.

REPLACEABLE COMPONENTS

Avatar is uniquely designed to allow major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Chair legs, arms, table tops and bases are field replaceable.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

WEIGHT CAPACITIES

Avatar complies with ANSI/BIFMA x5.1-2011 test standards. Avatar has a load tested up to 300lbs.

OPTIONS

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Width Between Arms	Arm Height	Shipping Weight	Cube	COM Yardage
AVA3-1	29	28	30.5	16	18.5	27.5	22	49	17.5	2.65
AVA3-0	26.5	28	30.5	16	18.5	n/a	n/a	46	17.5	2.65

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

AVATAR | LOUNGE

		COM		COL	FABI	RIC GRA	DES	L	EATHER	
Description	Model	1	2	3	4	5	6	7	8	9
	Armless AVA3-0	1977	2051	2127	2232	2350	2457	2575	2724	2875
	Fixed Arm AVA3-1	2205	2278	2353	2459	2580	2682	2803	2952	3103

Avatar Option Upcharges \$ List

CAL 133 & Moisture Barrier (per yard)

67

PRODUCT	CODE	KEY


Line	Series	Arm Style
AVA	3	1
Avatar	Soft Seating	Fixed Arm
		0
		Armless

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 4.22%

POST-CONSUMER **RECYCLED CONTENT - 14.49%**

Up to 24.32% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Cressida products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | LOUNGE FEATURES & OPTIONS



CLEAN OUT

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



ARMS AND ARMLESS

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.



GLIDES

Cressida Lounge arm and armless versions feature floor-saver nylon glides.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: One-Seat-350 lbs One-Seat (Plus) -750 lbs One-Seat Wide - 350lbs One-Seat Wide (Plus) - 750lbs Two-Seat - 525 lbs Two-Seat (Plus) - 975lbs Three-Seat - 850 lbs

REPLACEABLE COMPONENTS

Three-Seat (Plus) - 1200 lbs

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.





CASTERS

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



PUSH BAR

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar is powder-coated steel in Silver Metallic finish.

PLUS UPGRADE

Cressida seating is available with optional Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

TABLETS

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

COMBINATION UPHOLSTERY

More than one upholstery cover within the same unit, is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$67 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$67 list per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with removable seat and back covers.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight Open Arm	Shipping Weight Closed Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Wide	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Wide	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida plus two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Wide - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Wide - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Wide - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Wide - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to page 339 for C.O.M approval process.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	67	One-Seat Removable Back Covers	159	
Push Bar	67	One-Seat Wide Removable Back Covers	239	
Caster Combination (2 legs & 2 rear casters)	159	Two-Seat Removable Back Covers	317	
Casters (set of 4)	239	Three-Seat Removable Back Covers	475	
One-Seat Removable Seat Covers	159	One-Seat - Plus Upgrade	96	
One-Seat Wide Removable Seat Covers	239	One-Seat Wide - Plus Upgrade	127	
Two-Seat Removable Seat Covers	317	Two-Seat - Plus Upgrade	208	
Three-Seat Removable Seat Covers	475	Three-Seat - Plus Upgrade	239	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MO	ODEL/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat, Armless CRE3-F1ALS1 n/a	1644	1729	1834	1968	2118	2252	2401	2593	2782
	One-Seat, Open Arm CRE3-F10PS1 Beech, Ma Palette One-Seat, Open Arm with a CRE3-F10PP1 Beech, Ma Palette	arm cap	1991	2087	2208	2364	2513 2593	2662 2742	2838 2916	3035
	One-Seat, Closed Arm CRE3-F1CLS1 Beech, Ma Palette One-Seat, Closed Arm with CRE3-F1CLP1 Beech, Ma	arm cap	2820	2995	3242	3524 3603	3770 3849	4055 4132	4413 4490	4758 4838
M	Palette									

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List	\$ List	
Moisture Barrier (per yard)	67	One-Seat Removable Seat Covers 159	
Push Bar	67	One-Seat Removable Back Covers 159	
Caster Combination (2 legs & 2 rear casters)	159	One-Seat - Plus Upgrade 96	
Casters (set of 4)	239		

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	Casters 3 Caster Combinatio 2 legs & 2 Rear Cast
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

		COM		COL		BRIC GRA			LEATHER	
DESCRIPTION/MODE	L/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat Wide, Armless CRE3-FB1.5ALS1 n/a	1739	1853	1965	2127	2307	2470	2653	2881	3111
	One-Seat Wide, Open Arm CRE3-FB1.5OPS1 Beech, Maple Palette One-Seat Wide, Open Arm with arn CRE3-FB1.5OPP1 Beech, Maple Palette		2132 2212	2247 2327	2408 2487	2589 2669	2751 2840	2933 3013	3163 3244	3393 3472
	One-Seat Wide, Closed Arm CRE3-FB1.5CLS1 Beech, Maple Palette One-Seat Wide, Closed Arm with ar CRE3-FB1.5CLP1 Beech, Maple Palette	2770 m cap 2850	2965 3043	3161 3242	3434 3513	3746 3826	4020 4101	4334 4414	4718 4798	5416 5496

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	67
One-Seat Wide - Plus Upgrade	127
One-Seat Wide Removable Seat Covers	239
One-Seat Wide Removable Back Covers	228

NOTE: One-Seat Wide Lounge is not available with caster options.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

COM		COL	FAB	RIC GRA	ADES		LEATHER	1
1	2	3	4	5	6	7	8	9
2719	2862	2995	3201	3423	3620	3849	4127	4413
ap		3249 3325	3447 3524	3673 3755	3872 3951	4093 4173	4379 4457	4664 4740
cap	3944 4021	4164 4243	4474 4552	4830 4908	5137 5216	5493 5572	5943 6024	6385 6465
	2719 2719	1 2 2719 2862 2719 2862 2964 3105 29 3042 3186 29 3722 3944 Cap	1 2 3 2719 2862 2995 2964 3105 3249 29 3042 3186 3325 2 3722 3944 4164 cap	1 2 3 4 2719 2862 2995 3201 2964 3105 3249 3447 29 3042 3186 3325 3524 2 3722 3944 4164 4474 Cap	1 2 3 4 5 2719 2862 2995 3201 3423 2964 3105 3249 3447 3673 29 3042 3186 3325 3524 3755 2 3722 3944 4164 4474 4830 Cap	1 2 3 4 5 6 2719 2862 2995 3201 3423 3620 2994 3105 3249 3447 3673 3872 29 3042 3186 3325 3524 3755 3951 2 3722 3944 4164 4474 4830 5137 cap	1 2 3 4 5 6 7 2719 2862 2995 3201 3423 3620 3849 2964 3105 3249 3447 3673 3872 4093 28 3042 3186 3325 3524 3755 3951 4173 29 3722 3944 4164 4474 4830 5137 5493 Cap	1 2 3 4 5 6 7 8 2719 2862 2995 3201 3423 3620 3849 4127 2964 3105 3249 3447 3673 3872 4093 4379 29 3042 3186 3325 3524 3755 3951 4173 4457 29 3722 3944 4164 4474 4830 5137 5493 5943 Cap

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	67
Two-Seat - Plus Upgrade	208
Two-Seat Removable Seat Covers	304
Two-Seat Removable Back Covers	304

NOTE: Two-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE 3 Cressida Lounge		Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

1 3691	3891	3 4079	4	5	6	7	8	9
3691	3891	<i>4</i> 079						
		4070	4348	4664	4931	5241	5629	6013
3944 o 4021	4132 4211	4333 4413	4600 4600	4908 4987	5185 5262	5493 5572	5882 5960	6267 6347
4694 ap 4773	4971 5052	5247 5328	5629 5707	6071 6149	6456 6536	6893 6972	7445 7522	7991 8068
о 4	4021 4694	4021 4211 4694 4971	4021 4211 4413 4694 4971 5247	4021 4211 4413 4600 4694 4971 5247 5629	4021 4211 4413 4600 4987 4694 4971 5247 5629 6071	4021 4211 4413 4600 4987 5262 4694 4971 5247 5629 6071 6456	4021 4211 4413 4600 4987 5262 5572 4694 4971 5247 5629 6071 6456 6893	4021 4211 4413 4600 4987 5262 5572 5960 4694 4971 5247 5629 6071 6456 6893 7445

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	67
Three-Seat - Plus Upgrade	239
Three-Seat Removable Seat Covers	475
Three-Seat Removable Back Covers	475
Combination Upholstery - dual fabrics	34
Combination Upholstery -Three fabrics	67

NOTE: Three-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3	F	1	ALS	1
Cressida	Lounge	Freestanding	One-Seat	Armless	Legs
		FB	1.5	OPS	
		Freestanding	One-Seat Wide	Open Arm	
		Plus	2	OPP	
			Two-Seat	Open Arm	
				Polymer Arm Cap	
			3	CLS	
			Three-Seat	Closed Arm	
				CLP	
				Closed Arm	
				Polymer Arm Cap	

CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE				WEIGHT	CUBE
	Wood Tablet CRE3 T1	Beech/Maple	618				12	2
	Tablet with Palette Fin CRE3 T2	ish n/a	458				12	2
	Laminate Tablet CRE3 T4 ORDERING NOTES:			andard with a	ı polymer ed	dge. Please no	12 te Cressida Table	2 ts need to
	be specified right or le	eft when orderin	ıg.					
	Solid Surface Tablet		A-White	Grades A-Color	В	С		
	CRE3 RT3		706	720	757	820	12	2

CRESSIDA | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FABRIC GRADES 4 5 6		RADES 6	LEATHER			WEIGHT	CLIBE
LOUNGE	One-Seat Replacement Back											
	CRE3-RB1 One-Seat Wide Replacement E	750 Back	816	878	968	1072	1163	1265	1396	1523	23	4.2
	CRE3-RB1.5B	848	915	981	1077	1182	1275	1382	1518	1648	28	5.7
	Two-Seat Replacement Back CRE3-RB2	1110	1203	1298	1431	1584	1717	1867	2060	2250	38	8.8
	Three-Seat Replacement Back CRE3-RB3		1604	1724	1892	2083	2250	2440	2681	2919	52	12
	One-Seat Replacement Back C CRE3-RBC1	Cover 304	365	430	518	624	712	819	946	1077	2.0	1.0
	One-Seat Wide Replacement E CRE3-RBC1.5	Back Co 317	ver 383	449	542	651	745	850	985	1118	2.5	1.2
	Two-Seat Replacement Back CCRE3-RBC2	Cover 423	516	613	745	895	1031	1182	1372	1561	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 486	605	727	893	1084	1253	1444	1684	1924	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	633	680	727	789	862	927	1001	1090	1182	28	9.5
	One-Seat Wide Replacement S CRE3-RS1.5	Seat 821	879	936	1019	1113	1193	1287	1400	1518	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	985	1044	1106	1191	1285	1369	1463	1584	1703	53	18
	Three-Seat Replacement Seat CRE3-RS3	1319	1412	1502	1632	1775	1903	2051	2236	2417	79	24
	One-Seat Replacement Seat C		005	044	074	440		500	070	707		
	CRE3-RSC1 One-Seat Wide Replacement S	218 Seat Co	265 ver	311	374	448	511	586	676	767	2.0	1.0
	CRE3-RSC1.5	271	328	387	470	562	643	736	851	968	2.5	1.2
	Two-Seat Replacement Seat C CRE3-RSC2	over 289	350	409	494	589	673	768	888	1006	3.5	1.8
	Three-Seat Replacement Seat CRE3-RSC3	Cover 369	459	553	680	824	954	1100	1285	1465	5.0	2.5
	Replacement Lounge Front Arr	n & Leg	I									
	Open Arm CRE3-LROPS Beech, Maple Palette	194									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	234										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	el 426	476	527	597	680	751	833	936	1037	20	3.8
6	Lounge Replacement Push-Ba CRE3-RPB	r 64									2	0.3

CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	PRICE		WEIGHTCUBE							
	Replacement Polymer Arm Cap Black CRE3-RACB	39				1.0	0.5				
	Replacement Polymer Arm Cap Grey CRE3-RACB	39									
*	Lounge Replacement Front Leg (for arm CRE3-RLAF*	less version) 61				0.5	0.5				
8**	Lounge Replacement Front Leg (for arm CRE3-RGAF**	less version) G 18	lide			0.1	0.2				
*	Lounge Replacement Plus Upgrade Cen CRE3-RLC*	Lounge Replacement Plus Upgrade Center Leg CRE3-RLC* 56									
**	Lounge Replacement Plus Upgrade Cen CRE3-RCG**	iter Leg Glide 24				0.5	0.5				
*	Lounge Replacement Back Leg CRE3-RLB*	81				1.8	0.5				
**	Lounge Replacement Glide CRE3-RGB**	19				0.1	0.2				
	Lounge Replacement Front Leg (for cast CRE3-RLCF*	ter version) 56				0.5	0.5				
**	Lounge Replacement Back Leg (for cast CRE3-RLCB**	er version) 56				0.5	0.5				
***	Replacement Casters Non-Locking CRE3-RC1*	77				.75	0.3				
	Replacement Casters Locking CRE3-RC2**	77				.75	0.3				
	Wood Tablet & Mounting Plate Only CRE3 RT1 Beech/Maple	416				5	0.32				
	Tablet with Palette finish & Mounting Plat CRE3 RT2 n/a	te Only 291				5	0.32				
	Tablet & Mounting Plate Only - Solid Surf CRE3 RT3 n/a	ace A-White	Grades A-Color	В	С	7	0.32				
Ц		565	574	605	655						
	Laminate Tablet & Mounting Plate Only CRE3 RT4 n/a	416				5	0.32				

LEYTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 28.61%

POST-CONSUMER RECYCLED CONTENT = 9.91%

Up to 8.81% of this Leyton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



he mark of responsible forest

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

LEYTON | FINISHES & FEATURES

WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak Espresso Oak Harvest Oak Mahogany Mellow oak

MAPLE Clear Maple

Honey Maple Wheat Maple

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut Cordovan Walnut

CHERRY Appalachian Cherry

American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

ANIGRE Clear Anigre Medium Anigre

SYCAMORE Clear Sycamore

Please note Cherry, Anigre and Sycamore species require a minimum quantity order, of 5 units for seating and 5 units for tables, per species

units for tables, per species.

PALETTE Black

Black White Sand Soft Green Steel Blue Slate

VENEERS

Leyton veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Leyton can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Leyton's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$630 list per finish per order. (For example, on all orders up to \$6300 list, an upcharge of \$630 will apply, on orders \$6300 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

ENDURAGUARD FINISH

Leyton features the Krug finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

IN-STOCK LAMINATE

Krug's in-stock laminates are available on Leyton Table surfaces in 4 solid laminate selections. Laminate surfaces are self-edged.

SOLID LAMINATES

Designer White - Platinum - Earth - Charcoal

LEYTON | FEATURES



ARM STYLE

Leyton features four design styles Upholstered Armless, Upholstered Full Arm, Wood Surround Armless and Wood Surround Full Arm.

Upholstered Armless



Upholstered Full Arm



Wood Surround Armless



Wood Surround Full Arm



LEGS

Leyton Lounge and Tables feature Polished Chrome structural steel legs with plastic glides. Floor-saver nylon are optional. Glide recommendation chart on page 343.

REPLACEABLE COMPONENTS

Leyton chairs are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Seats, backs, arms and frames are field replaceable, with the only exceptions being the Upholstered Armless, Upholstered Full Arm and Upholstered Front Panel as it is one piece.

WEIGHT CAPACITIES

All Leyton seating feature Plus Weight capacities. One-Seat - 750lbs

One-seat Wide - 750lbs Two-Seat - 975lbs Three-Seat - 1200lbs

Leyton has been tested to ANSI / BIFMA.

PLUS UPGRADE

Leyton models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

LEYTON | OPTIONS




OPTIONS Solid Surface Arm Cap

Leyton Lounge Full Arm version is available with an optional Solid Surface Arm Cap providing enhanced durability, protection and cleanability for the arms. This is field replaceable if it becomes damaged or degraded and is available in 8 standard colors.



TABLET

Leyton Solid Surface tablet can be specified left or right as seated. The tablet can be used alone or with solid surface arm cap and is 1/2" thick.



PUSH BAR

This is an optional feature on Leyton One Seat lounge chairs, designed to assist caregiving staff in the movement and relocation of the chair. It is Silver Metallic in color and retractable for ease of use. The Push bar is field replaceable if necessary.



CASTERS

Optional on Leyton lounge chairs are four - 4" diameter soft wheel swivel locking casters, featuring a large, easy-access foot activation and release lever. The caster locks both directionally and rotationally, keeping the chair securely in place when locked. Note: lounge chairs with casters are not designed or intended as patient transport devices.



CLEAN OUT

Leyton lounge seating models have an optional built-in clean out feature: a space at the back of the seat that allows dirt debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product. Clean Out option is available for an upcharge,



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB C & A outlets for multiple devices. It can be located below seats and tables.

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable covers (with the exception of the Upholstered Armless, Upholstered Full Arm and Front panel) can be quickly installed on Leyton products that were originally ordered with the Removable cover option. Replacement covers (with the exception of the Upholstered Armless, Full Upholstered Arm and front panel) can also be installed on Leyton products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge, please see page 164.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

LEYTON | DIMENSIONS, COM REQUIREMENTS, MOISTURE BARRIER & OPTION UPCHARGES

DIMENSIONS									
	Overall	Overall	Overall	Seat Height	Height of	Width			
	Width	Depth	Height	min/max	Arms from	between	Seat	Shipping	
					Floor	Arms	Depth	Weight	Cube
LEY31UF	28.5	29.25	31	17.75	26.25	23.25	19.25	82	18.5
LEY31.5UF	35.5	29.25	31	17.75	26.25	30.25	19.25	107	25.2
LEY32UF	52	29.25	31	17.75	26.25	47	19.25	131	32.5
LEY33UF	75.75	29.25	31	17.75	26.25	70.5	19.25	179	46.5
LEY31UN	28.5	29.25	31	17.75	n/a	23.25	19.25	78	18.5
LEY31.5UN	35.5	29.25	31	17.75	n/a	30.25	19.25	103	25.2
LEY32UN	52	29.25	31	17.75	n/a	47	19.25	127	32.5
LEY33UN	75.75	29.25	31	17.75	n/a	70.5	19.25	175	46.5
LEY31WF	28.25	29.25	31	17.75	26.25	23.75	19.25	79	18.5
LEY31.5WF	35.25	29.25	31	17.75	26.25	30.25	19.25	104	25.2
LEY32WF	51.75	29.25	31	17.75	26.25	47.25	19.25	128	32.5
LEY33WF	75.5	29.25	31	17.75	26.25	71	19.25	176	46.5
LEY31WN	28.25	29.25	31	17.75	n/a	23.75	19.25	75	18.5
LEY31.5WN	35.25	29.25	31	17.75	n/a	30.25	19.25	100	25.2
LEY32WN	51.75	29.25	31	17.75	n/a	47.25	19.25	124	32.5
LEY33WN	75.5	29.25	31	17.75	n/a	71	19.25	172	46.5

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

COM YARDAGE REQUIREMENTS

	Fully	Wood				Armless		Full body
	Upholstered (Complete Unit)	Surround (Seat and Back only)	Seat Cushion only (Wood or Full Uph)	Back Cushion only (Wood or Full Uph)	Full Arm & front panel (Pair)	panel & front panel (pair)	Back Panel only	with arm, Front panel & Back panel
One-Seat - One	Chair							
Armless	3.75	1.6	0.9	0.8		1.75	.75	2.5
Full Arm	4.6	1.6	0.9	0.8	2.6		.75	3.35
One & Half-Seat	t - One Chair							
Armless	5.2	2.3	1.3	1		2.1	.75	2.85
Full Arm	5.7	2.3	1.3	1	2.6		.75	3.35
Two-Seat - One	Chair							
Armless	5.7	3	1.5	1.5		2	.75	2.75
Full Arm	6.3	3	1.5	1.5	2.6		.75	3.35
Three-Seat - On	e Chair							
Armless	8	4.6	2.4	2.2		2.3	1.5	3.8
Full Arm	8.7	4.6	2.4	2.2	3		1.5	4.5

COM APPROVAL PROCESS:

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

CAL 133 MOISTURE BARRIER

Model	Upcharge	Model	Upcharge	Model	Upcharge	Model	Upcharge
LEY31UN	311	LEY32UN	457	LEY31.5UN	403	LEY33UN	777
LEY31UF	386	LEY32UF	537	LEY31.5UF	501	LEY33UF	850
LEY31WN	142	LEY32WN	218	LEY31.5WN	184	LEY33WN	479
LEY31WF	142	LEY32WF	218	LEY31.5WF	184	LEY33WF	479
Leyton Option	Upcharges		\$ List				\$ List
One-Seat Clean	out		49	One-Seat Remov	159		
One & Half-Seat Clean out			71	One & Half-Seat	Removable Sea	at & Back Cover	s 222
Two-Seat Clean out			96	Two-Seat Remov	able Seat & Ba	ck Covers	317
Three-Seat Clear	Three-Seat Clean out			Three-Seat Removable Seat & Back Covers			475
				Seat or Back Co	ver only Upchar	ges	
Solid Surface Arr	n Cap (per pair)	- Gr A White	376	One-Seat			80
Solid Surface Arr	n Cap (per pair)	- Gr A Color	381	One & Half-Seat	112		
Solid Surface Arr	n Cap (per pair)	- Gr B	386	Two-Seat	159		
Solid Surface Arr	n Cap (per pair)	- Gr C	424	Three-Seat			239
Solid Surface Tablet - Gr A White 565			565	Casters			189
Solid Surface Tablet - Gr A Color 574			574	Casters with Push bar			489
Solid Surface Tablet - Gr B			605	Floor-saver Nylo	38		
Solid Surface Tab	olet) - Gr C		655				

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-seat, Uph LEY31NUN	nolstered, Armless N/A	2158	2294	2419	2601	2815	2995	3201	3461	3722
	One-seat, Uph LEY31NUF	nolstered, Full Arm N/A	2294	2513	2719	3021	3360	3661	4001	4418	4853
		OTE: Leyton Loung learly note color se S									
	One-seat, Woo LEY31NPN LEY31NWN	od Surround, Armk Palette Oak, Maple Walnut,	ess 2672 2672	2725 2725	2790 2790	2871 2871	2957 2957	3035 3035	3120 3120	3242 3242	3351 3351
		Cherry, Anigre Sycamore,	3224	3282	3344	3423	3510	3588	3673	3793	3903
	One seat Wee	od Surround, Full A	\rm								
	LEY31NPF LEY31NWF	Palette Oak, Maple Walnut, Palette	2649 2649	2704 2704	2760 2760	2838 2838	2928 2928	3010 3010	3099 3099	3209 3209	3320 3320
		Cherry, Anigre Sycamore,	3201	3257	3313	3392	3480	3565	3652	3761	3872
Ų	ODDEDING N	OTE: Loydon Loun	ao Eull	Arm ic av	ailabla wi	th an ont	ional Sali	d Surface	Arm Ca	n for unch	orgo coo

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below, clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List
Casters	189	Solid Surface Arm Cap (per pair) - Gr A White	376
Casters with Pushbar	489	Solid Surface Arm Cap (per pair) - Gr A Color	381
One-Seat Clean out	49	Solid Surface Arm Cap (per pair) - Gr B	386
One-Seat Removable Seat & Back Covers	159	Solid Surface Arm Cap (per pair) - Gr C	424
		Solid Surface Tablet - Gr A White	565
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	574
One-Seat	80	Solid Surface Tablet - Gr B	605
Floor-saver Nylon Glides	38	Solid Surface Tablet) - Gr C	655

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY	3	1	N	UF	S
Leyton	Soft Seating	One-Seat	No Clean Out	Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
			Р	PF Pallet Finish Surround Full Arm	
			·	DN DN	

Pallet Finish Surround Armless


			COM	1	COL	FAI	BRIC GR	ADES		LEATHER	2
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One & Half-sea LEY31.5NUN	at, Upholstered, A N/A	armless 2770	2963	3154	3423	3730	3999	4303	4685	5071
	One & Half-seat, Upholstered, Full Arm LEY31.5NUF N/A 2910 3102 3292 3562 3868 4135 4445 4825 5210 ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge se chart below and clearly note color selection and add an "S" to the end of the model number following the Arm								charge see		
	Style. eg. LEY3	31NUF <u>S</u>									
	One & Half-sea LEY31.5NPN LEY31.5NWN	at, Wood Surround Palette Oak, Maple Walnut, Palette Cherry, Anigre	d Armle 3176 3176 3176	3278 3278 3278 3828	3381 3381 3930	3522 3522 4074	3687 3687 4238	3829 3829 4380	3993 3993 4544	4196 4196 4750	4401 4401 4953
T	One & Half-sea LEY31.5NPF LEY31.5NWF	at, Wood Surround Palette Oak, Maple Walnut, Palette	d Full Ai 3151 3151	rm 3253 3253	3354 3354	3497 3497	3662 3662	3805 3805	3970 3970	4172 4172	4377 4377
		Cherry, Anigre Sycamore	3705	3803	3906	4047	4211	4354	4521	4723	4926

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List
Casters	189	Solid Surface Arm Cap (per pair) - Gr A White	376
Casters with Pushbar	489	Solid Surface Arm Cap (per pair) - Gr A Color	381
One & Half-Seat Clean out	71	Solid Surface Arm Cap (per pair) - Gr B	386
One & Half-Seat Removable Seat & Back Cover	rs 222	Solid Surface Arm Cap (per pair) - Gr C	424
		Solid Surface Tablet - Gr A White	565
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	574
One & Half-Seat	112	Solid Surface Tablet - Gr B	605
Floor-saver Nylon Glides	38	Solid Surface Tablet) - Gr C	655

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.


Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
			_	PF	
			P	allet Finish Surround Full Arm	
				PN	
			F	Pallet Finish Surround Armless	



ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List
Casters	189	Solid Surface Arm Cap (per pair) - Gr A White	376
Casters with Pushbar	489	Solid Surface Arm Cap (per pair) - Gr A Color	381
Two-Seat Clean out	96	Solid Surface Arm Cap (per pair) - Gr B	386
Two-Seat Removable Seat & Back Covers	317	Solid Surface Arm Cap (per pair) - Gr C	424
		Solid Surface Tablet - Gr A White	565
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	574
Two-Seat	159	Solid Surface Tablet - Gr B	605
Floor-saver Nylon Glides	38	Solid Surface Tablet) - Gr C	655

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.



			COM		COL	FA	BRIC GF	RADES		LEATHER	3
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-seat, Up LEY33NUN	oholstered, Armles N/A	4600	4838	5052	5381	5752	6076	6442	6899	7357
	Three-seat, Up LEY33NUF	oholstered, Full Arı N/A	^m 4710	4994	5273	5664	6118	6513	6961	7522	8085
		OTE: Leyton Loun nd clearly note col 31NUF <u>S</u>	•								•
	Three-seat, W LEY3NPN LEY33NWN	ood Surround, Arn Palette Oak, Maple Walnut, Palette Cherry, Anigre Sycamore	nless 4931 4931 5641	5098 5098 5808	5247 5247 5960	5484 5484 6197	5739 5739 6448	5968 5968 6678	6228 6228 6939	6553 6553 7261	6876 6876 7588
	Three-seat, W LEY3NPF LEY33NWF	ood Surround, Full Palette Oak, Maple Walnut, Palette	I Arm 4908 4908	5075 5075	5241 5241	5463 5463	5722 5722	5943 5943	6205 6205	6528 6528	6853 6853
		Cherry, Anigre, Sycamore	5619	5784	5950	6171	6433	6653	6914	7239	7564

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List
Casters	189	Optical Conference Annual Conference in the Annual Conference in the Conference in t	070
Casters with Pushbar	489	Solid Surface Arm Cap (per pair) - Gr A White	376
Three-Seat Clean out	143	Solid Surface Arm Cap (per pair) - Gr A Color	381
Three-Seat Removable Seat & Back Covers	475	Solid Surface Arm Cap (per pair) - Gr B	386
Three coat homovable coat a back covers	470	Solid Surface Arm Cap (per pair) - Gr C	424
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A White	565
Three-Seat	239	Solid Surface Tablet - Gr A Color	574
		Solid Surface Tablet - Gr B	605
Floor-saver Nylon Glides	38	Solid Surface Tablet) - Gr C	655

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	l
				PN	
			F	Pallet Finish Surround Armless	

			COM	1	COL	. FA	ABRIC G	RADES		LEATH	ER
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-seat, No (LEY31NUN1	Clean Out, Uphols N/A	stered, A		with Sled 2462	Base 2635	2839	3011	3206	3454	3703
	One-seat, No (LEY31NUF1	One-seat, No Clean Out, Upholstered, Full Arm with Sled Base LEY31NUF1 N/A 2342 2551 2747 3035 3357 3644 3969 4365 4779									4779
		OTE: Leyton Lour early note color so 1 <u>S</u>	•								•
	One-seat, No (LEY31NPN1 LEY31NWN1	Clean Out, Wood S Palette Oak, Maple Walnut, Cherry, Anigre Sycamore,	Surrour 2702 2702 3228	2754	ess with S 2816 2816 3343	led Base 2892 2892 3417	2974 2974 3500	3049 3049 3576	3130 3130 3657	3245 3245 3770	3349 3349 3875
	One-seat, No (LEY31NPF1 LEY31NWF1	Clean Out, Wood Palette Oak, Maple Walnut, Palette	Surrour 2680 2680	nd, Full A 2734 2734	rm with S 2786 2786	Bled Base 2861 2861	2947 2947	3025 3025	3110 3110	3215 3215	3320 3320
		Cherry, Anigre Sycamore,	3206	3260	3313	3389	3473	3554	3637	3740	3846

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below, clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUF1S

Leyton Option Upcharges	\$ List		\$ List
One-Seat Clean out	47	Solid Surface Arm Cap (per pair) - Gr A White	359
One-Seat Removable Seat & Back Covers	152	Solid Surface Arm Cap (per pair) - Gr A Color	363
		Solid Surface Arm Cap (per pair) - Gr B	368
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	404
One-Seat	77	Solid Surface Tablet - Gr A White	539
		Solid Surface Tablet - Gr A Color	547
		Solid Surface Tablet - Gr B	577
		Solid Surface Tablet) - Gr C	624

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Option (Full Arm Only)
LEY	3 Soft Seating	One-Seat 1.5 One & Half-Seat 2 Two-Seat 3 Three-Seat	N No Clean Out C Clean Out	UF Upholstered Full Arm UN Upholstered Armless WF Wood Surround Full Arm WN Wood Surround Armless PF Pallet Finish Surround Full Arm	0 Leg Base 1 Sled Base	Solid Surface Full Arm Cap
				Pallet Finish Surround Armless		

			COM	l	COL	FAE	BRIC GR	ADES		LEATHER	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
		t, No Clean Out,	Upholst	ered, Arr	nless witl	h Sled Ba	ase				
	LEY31.5NUN1	N/A	2797	2979	3161	3417	3710	3966	4256	4620	4987
	One & Half-sea	it, No Clean Out,	Upholst	ered, Ful	II Arm wit	h Sled Ba	ase				
	LEY31.5NUF1	N/A	2929	3113	3293	3551	3841	4097	4392	4754	5119
		OTE: Leyton Lour d clearly note co 31.5NUF1 <u>S</u>									
	One & Half-sea	t, No Clean Out,	Wood S	urround	Armless	with Sled	Base				
	LEY31.5NPN1		3182	3280	3377	3513	3669	3805	3960	4154	4350
	LEY31.5NWN1	Oak, Maple Walnut, Palette	3182	3280	3377	3513	3669	3805	3960	4154	4350
		Cherry, Anigre Sycamore	3709	3804	3900	4038	4194	4330	4485	4681	4876
	One & Half-sea	it, No Clean Out,	Wood S	urround	Full Arm	with Sled	l Base				
	LEY31.5NPF1	Palette	3159	3257	3352	3489	3645	3782	3938	4131	4327
	LEY31.5NWF1	Oak, Maple Walnut, Palette	3159	3257	3352	3489	3645	3782	3938	4131	4327
		Cherry, Anigre Sycamore	3686	3780	3877	4013	4168	4305	4463	4656	4849

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31.5NUF1<u>S</u>

Leyton Option Upcharges	\$ List		\$ List
One & Half-Seat Clean out	68	Solid Surface Arm Cap (per pair) - Gr A White	359
One & Half-Seat Removable Seat & Back Covers	212	Solid Surface Arm Cap (per pair) - Gr A Color	363
		Solid Surface Arm Cap (per pair) - Gr B	368
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	404
One & Half-Seat	107	Solid Surface Tablet - Gr A White	539
		Solid Surface Tablet - Gr A Color	547
		Solid Surface Tablet - Gr B	577
		Solid Surface Tablet) - Gr C	624

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Optior (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	0 Leg Base	S Solid Surface
		1.5	С	UN	1	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	Sled Base	
		2		WF		
		Two-Seat		Wood Surround Full Arm		
		3		WN		
		Three-Seat		Wood Surround Armless		
				PF		
				Pallet Finish Surround Full Arm		
				PN		

DESCRIPTION/MODEL		SPECIES	COM	2	COL 3	FABF 4	RIC GRAI 5	DES 6	LEATHER 7	8	9
——————————————————————————————————————			ı							0	9
		Clean Out, Uphol									
	LEY32NUN1	N/A	3454	3644	3824	4079	4365	4629	4915	5282	5645
	Two-seat, No	Clean Out, Uphol N/A	stered, Fu 3589		th Sled B 4088	ase 4435	4833	5179	5577	6075	6569
		IOTE: Leyton Lou nd clearly note col =1 <u>S</u>									
	Two-seat, No	Clean Out, Wood	Surround	Armless	with Slec	l Base					
	LEY32NPN1	Palette	3756	3854	3959	4093	4260	4402	4560	4765	4960
	LEY32NWN1	Oak, Maple Walnut, Palette	3756	3854	3959	4093	4260	4402	4560	4765	4960
		Cherry, Anigre Sycamore	4360	4454	4560	4696	4863	5004	5163	5367	5563
		Clean Out, Wood									
	LEY32NPF1	Palette	3734	3830	3938	4072	4246	4379	4560	4734	4939

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY32NUF1S

3938

4539

4072

4672

4246

4847

4379

4981

4560

5163

4734

5337

4939

5541

Leyton Option Upcharges	\$ List		\$ List
Two-Seat Clean out	92	Solid Surface Arm Cap (per pair) - Gr A White	359
Two-Seat Removable Seat & Back Covers	302	Solid Surface Arm Cap (per pair) - Gr A Color	363
		Solid Surface Arm Cap (per pair) - Gr B	368
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	404
Two-Seat	152	Solid Surface Tablet - Gr A White	539
		Solid Surface Tablet - Gr A Color	547
		Solid Surface Tablet - Gr B	577
		Solid Surface Tablet) - Gr C	624

3734

4336 4435

3830

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	0 Leg Base	Solid Surface
		1.5	С	UN	1	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	Sled Base	
		2		WF		
		Two-Seat		Wood Surround Full Arm		
		3		WN		
		Three-Seat		Wood Surround Armless		
				PF Pallet Finish Surround Full Arm		
				PN		
				Pallet Finish Surround Armless		

LEY32NWF1

Oak, Maple

Sycamore

Walnut, Palette Cherry, Anigre,

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	- F.	ABRIC 6	RADES 6	7	LEATHE 8	ER 9
DECOMM HOTEL	Three-seat No	Clean Out, Upho	letorod			Base			•		
	LEY33NUN1	N/A	4539	4765	4969	5282	5637	5945	6293	6729	7165
	Three-seat, No	Clean Out, Upho	olstered	Full Arm	with Sled	Base					
	LEY33NUF1	N/A	4644	4915	5179	5553	5985	6360	6788	7321	7858
		OTE: Leyton Lour nd clearly note co 33NUF1 <u>S</u>									
	Three-seat, No	Clean Out, Wood	d Surrou	and Arml	ess with S	Sled Base	Э				
	LEY33NPN1 LEY33NWN1	Palette Oak, Maple Walnut, Palette	4855 4855	5013 5013	5155 5155	5381 5381	5623 5623	5842 5842	6090 6090	6398 6398	6707 6707
		Cherry, Anigre Sycamore	2214	2342	2462	2635	2839	3011	3206	3454	3703
	Three-seat No	Clean Out, Wood	d Surro	ınd Full /	Arm with 9	Slad Base	۵				
	LEY33NPF1 LEY33NWF1	Palette Oak, Maple Walnut, Palette	2214 2214 2214		2462 2462	2635 2635	2839 2839	3011 3011	3206 3206	3454 3454	3703 3703
		Cherry, Anigre, Sycamore	2214	2342	2462	2635	2839	3011	3206	3454	3703

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY33NUF1<u>S</u>

Leyton Option Upcharges	\$ List		\$ List
Three-Seat Clean out	137	Solid Surface Arm Cap (per pair) - Gr A White	359
Three-Seat Removable Seat & Back Covers	453	Solid Surface Arm Cap (per pair) - Gr A Color	363
		Solid Surface Arm Cap (per pair) - Gr B	368
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	404
Three-Seat	228	Solid Surface Tablet - Gr A White	539
		Solid Surface Tablet - Gr A Color	547
		Solid Surface Tablet - Gr B	577
		Solid Surface Tablet) - Gr C	624

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Optior (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	0 Leg Base	Solid Surface
		1.5	С	UN	1	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	Sled Base	
		2		WF		
		Two-Seat		Wood Surround Full Arm		
		3 Thurs 02 at		WN Was a Common America		
		Three-Seat		Wood Surround Armless		
				PF Pallet Finish Surround Full Arm		
				PN		
				Pallet Finish Surround Armless		

LEYTON | REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FAE	BRIC GF 5	RADES 6	1 7	_EATHE 8	:R 9	WEIGHTS	CUBES
	Replacement Back LEY3RB	509	536	561	597	640	676	721	771	823	12	3.5
	One & Half-Seat Re LEY3R1.5B	eplacem 553	nent Back 588	621	668	723	771	824	893	961	15	4.5
	Replacement Seat LEY3RS	729	761	793	835	887	931	981	1044	1110	11	2.5
	One & Half-Seat Re LEY3R1.5S	eplacem 838	nent Seat 885	931	999	1072	1138	1212	1306	1399	14	4
	Replacement Back LEY3RBC	Cover 262	291	317	354	399	432	476	532	583	1	0.75
	One & Half-Seat Re LEY3R1.5BC	eplacem 298	nent Back 334	Cover 367	416	471	517	571	641	709	1.25	1
	Replacement Seat LEY3RSC	Cover 265	294	324	367	413	456	505	564	625	1.25	0.75
	One & Half-Seat Re LEY3R1.5SC	eplacem 334	nent Seat 381	Cover 428	493	568	632	702	802	894	1.5	1
	One-Seat - Replace LEY3R1OBPU	ement U 257	Jpholster 284	ed Outs	ide Bad 349	k Pane 390	l 428	471	521	574	10	1.5
	One-Seat - Replace LEY3R10BPUPB	ement U 271	Jpholster 296	ed Outs 323	ide Bad 360	ck Pane 402	l for Pu 438	sh bar o 479	ption 536	588	10	1.5
	One & Half-Seat - F LEY3R1.5OBPU	Replace 286	ment Upl 313	nolstere 337	d Outsi 376	de Bac 422	k Panel 455	500	548	601	13	2.5
	One & Half-Seat - F LEY3R1.5OBPUPB	Replace 297	ment Upl 324	nolstere 352	d Outsi 387	de Bac 430	k Panel 468	for Pus 510	h bar o 562	ption 615	13	2.5
	Two-Seat - Replace LEY3R2OBPU	ement U 330	Jpholstere 357	ed Outsi 383	de Bac 423	k Pane 459	l 501	541	595	647	19	3.5
	Three-Seat - Repla LEY3R3OBPU	cement 435	Upholste 487	ered Out 540	side Ba	ack Par 699	nel 773	856	961	1068	28	5

LEYTON | REPLACEMENT COMPONENTS

DESCRIPTION		OAK MAPLE WALNUT PALETTE	CHERRY ANIGRE SYCAMORE	WEIGHTS	CUBES
	One-Seat - Replacement Wood Outside Back LEY3R10BPW	Panel 350	416	10	1.5
	One-Seat - Replacement Wood Outside Back LEY3R10BPWPB	Panel for Po 369	ush bar option 435	10	1.5
	One & Half-Seat - Replacement Wood Outside LEY3R1.50BPW	e Back Pane 430	el 533	13	2.5
	One & Half-Seat - Replacement Wood Outside LEY3R1.5OBPWPB	e Back Pane 449	el for Push bar option 547	13	2.5
	Two-Seat - Replacement Wood Outside Back LEY3R2OBPW	Panel 480	613	19	3.5
	Three-Seat - Replacement Wood Outside Bac LEY3R3OBPW	k Panel 526	722	28	5
	One-Seat - Replacement Wood Front Panel LEY3R1FP	237	270	4	0.75
	One & Half-Seat - Replacement Wood Front P LEY3R1.5FP	anel 270	291	5	1
	Two-Seat - Replacement Wood Front Panel LEY3R2FP	301	367	6	1.25
	Three-Seat - Replacement Wood Front Panel LEY3R3FP	334	432	8	2
	Replacement Wood Surround Full Arm with ar LEY3RWFLL LEY3RWFLR	m cap (Left,	right specified as seated) 863	30	1.5
	Replacement Wood Surround Full Arm with ca LEY3RWFCL LEY3RWFCR	aster (Left, ri 806	ght specified as seated) 1032	30	1.5
	Replacement Wood Surround Full Arm with cu LEY3RWFCHL LEY3RWFCHR	up holder (Le 828	eft, right specified as seate 1053	d) 30	1.5
	Replacement Wood Surround Full Arm with In LEY3RWFICHL LEY3RWFICHR	tegrated cup 861	o holder (Left, right specifie 1084	ed as seated) 30	1.5
	Replacement Wood Surround Full Arm Tablet LEY3RWFTL LEY3RWFTR	(Left, right s 921	pecified as seated) 1146	30	1.5
	Replacement Wood Surround Full Arm Integra LEY3RWFITL LEY3RWFITR	ited Tablet (l 1033	eft, right specified as seat 1257	red) 30	1.5
	Replacement Wood Surround Armless (Left, ri LEY3RWNLL LEY3RWNLR	ght specified	d as seated) 874	26	1.5
	Replacement Wood Surround Armless with ca LEY3RWNCL LEY3RWNCR	asters (Left, 819	right specified as seated) 1039	26	1.5

LEYTON | REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	PRICE				WEIGHTS	CUBES
	One-Seat Replac LEY3R1L	ement Leg set (p 189	air)			8	1.25
	One-Seat Wide R LEY3R1.5L	leplacement Leg 224	set (pair)			10	1.5
	Two-Seat Replace LEY3R2L	ement Leg set (pa 249	air)			13	2.5
Ų	Three-Seat Repla LEY3R3L	cement Leg set (375	pair)			22	3
	Push bar - One-S LEY3RPB-1	Seat 73				2.0	1.8
	Push bar - One-S LEY3RPB-1.5	Seat Wide 81				2.5	2.0
	Push bar Gromme LEY3RPBG	et (pair) 10				.2	.1
U	Note: Pushbar option is available on One-Seat and One-Seat Wide only.						
	Caster LEY3RC	85				3.4	0.2
	Replacement Glid LEY3RG	des - Lounge & Ta 18	able (set of four)		1	.25
0, 0 m cz	LEY3-POWERDO Can be field instructionally specific cord.	601 alled to the unde	erside of Seats				
Solid Surface		Grade A- White	Grade A- Color	Grade- B	Grade- C		
	Replacement Tab	let with Mounting	g Plate - Solid S	Surface			
	LEY3RT	565	574	605	655	5.0	.7
	Replacement Arn LEY3TAC	n Cap - Solid Sur 119	face (to be use	d with tablet)	143	1	.3
	Replacement Arm LEY3RAC	n Cap - Solid Sur 189	face 191	194	212	1	.25
	ODDEDING NOT	F. Diana natic D			ha Saatalla 3 -	a and along the second	lle endende

ORDERING NOTE: Please note Replacement Arm Cap can only be installed on product orignally ordered with the Solid Surface Arm Cap option.

ZOLA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT



PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR-EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | FEATURES & OPTIONS



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



ZOLA LOUNGE & ZOLA MODULAR

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the



RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



FINISH DURABILITY

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



WALL SAVER

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



CLEAN OUT

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)



LEGS

Zola legs are Silver Metallic and feature Floorsaver nylon glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Floor-saver felt glides, non-slip rubber glides & metal glides are optional at an upcharge. Please see page 343 for more infor-



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



FULL DEPTH BENCHES

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat Plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat Plus - 975 lbs
Three-seat - 750 lbs
Three-seat Plus - 1150 lbs

ZOLA | FEATURES & OPTIONS



TABLETS

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



LINKING BRACKETS

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



POWER

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See page 196 for locations and page 257 for pricing.



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables. See page 257 for pricing.



COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

MOISTURE BARRIER & CAL 133


California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for \$67 list per yard.

ZOLA | RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



ZOLA | SEAM LOCATIONS

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1/2"	1"
45 Deg	2"	1 1/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"



Zola seat photo indicates location of seam.



Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.




Outside Curve


Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.


ZOLA | SAMPLE CONFIGURATIONS







Model	Qty	Price (\$) Beech
ZOL3 M1201	5	1445
ZOL3 MS1S1	1	914
ZOL4 LKM12	1	1037
ZOL4 LKE18	1	1152
ZOL4 LKC90	1	1347
ZOL4 241815	1	1246
Total List	\$	12.921





Model	Qty.	Price (\$)	
ZOL3 MS2F1	2	1491	
ZOL4 LKM18	2	1096	
ZOL3 M1101	2	1593	
ZOL3 MCIS90D	2	3661	
ZOL3 M2101	2	2789	
ZOL4 LKC90X2	1	2675	
Total List	\$2	23,935	





Model	Qty.	Price (\$)	
ZOL3 MS1S1	2	914	
ZOL3 MS21	2	1278	
ZOL4 LKC90	2	1347	
ZOL4 LKM18	2	1096	
Total List	(\$9,270	

ZOLA | LOUNGE

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

COM YARDAGES (Individual Components)

COM TANDAGES	(IIIuiviuuai CC	niiponentaj					
	COM	COM	COM	COM	COM	COM	COM
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25

COM YARDAGES (Individual Components)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

ORDERING NOTES:

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

FEATURES: For a complete listing of features see page 237.

ZOLA | LOUNGE

		COM		COL	F	ABRIC GR	ADES		LEATHE	:R
DESCRIPTION/MODE	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3-F1111	2291	2416	2539	2756	2971	3187	3404	3447	3932
	One-Seat Plus ZOL3-FB1111	2539	2662	2789	3004	3221	3436	3652	3868	4182
	NOTE: One-Seat Plus is 30	D" wide b	etween a	rms.						
	Two-seat ZOL3-F2111	3384	3544	3692	3925	4158	4391	4621	4854	5219
	Two-seat Plus ZOL3-FB2111	3478	3635	3785	4016	4247	4481	4712	4945	5311
	NOTE: The Two-Seat Plus	comes s	standard w	ith a fifth l	eg for ext	ra support				
	Three-seat ZOL3-F3111	4597	4832	5062	5526	5993	6456	6923	7387	8182
	Three-seat Plus ZOL3-FB3111	4707	4940	5170	5634	6100	6565	7026	7492	8290

NOTE: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges				Grades		
Option	List	Option	A-White	A-Color	В	С
4 Casters (#2 Leg Type below)	112	Solid Surface Arm Cap (per pair)	476	487	513	539
2 Casters/2 Legs (#3 Leg Type below)	80	,				
Urethane Arm Caps (pair)	254					
Floor-saver felt glides	30					
Non-slip rubber glides	18					
Metal glides	26					

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See page 237 for more information on Zola options and features. Plus versions are not available with Caster options.

PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	F Freestanding	1 One-Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Plus Upgrade	Two-seat		Urethane Arm Cap	Casters
			3		3	3
			Three-seat		Solid Surface Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

DIMENSIONS - ARMLESS UNITS

	Overall Width	Overall Depth Uph. Back	Overall Depth Wood Back	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5
DIMENSIONS - W	ITH ARMS							
	Overall	Overall	Overall	Seat	Seat	Shipping		
	Width	Depth	Height	Height	Depth	Weight	Cubes	
One-Seat	29	27	34	18.5	19.25	88	9.75	
Two-seat	52	27	34	18.5	19.25	120	17.6	
Three-seat	75	27	34	18.5	19.25	154	26.3	
One-Seat (Plus)	36	27	34	18.5	19.25	96	11.5	

COM YARDAGES - ARMLESS UNITS

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
	wo/ Arms	wo/ Arms	wo/ Arms	wo/ Arms	
One-Seat	2.2	4.6	6.38	8.8	
Two-seat	3.8	7.9	10.75	14.5	
Three-seat	5.75	11	16	22	
One-Seat (Plus)	3.0	6.3	9.5	13.86	

COM YARDAGES - WITH ARMS

	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units
	w/ Arms	w/ Arms	w/ Arms	w/ Arms
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18.3

COM YARDAGES - Individual Components

	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

PACKAGING

All Modular Units, and tables will be shipped KD (Knocked Down)

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	80	One-Seat - seat	49
Interim Arm	64	Two-seat - seat	71
One-Seat - back	71	Three-seat - seat	89
Two-seat - back	101	One-Seat Plus - seat	64
Three-seat - back	127		
One-Seat Plus - back	80		

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see page 318, Zola Benches see page 286 and Zola Tablets see page 188.

ZOLA | MODULAR -WOOD BACK

			CON	Л	CC)L	FABRIC	GRADES		LEAT	HER	
DESCRIPTION/MODI	EL/SPECIES		1	2	3		4	5 6	7	8	9	
	One-Seat, Wood	or Palette	e Back,	Armless								
	ZOL3-MW1201	Beech	1445	1479	1512	1579	1644	1712	1776	1842	1944	
		Maple/	1486	1519	1554	1617	1686	1751	1818	1885	1984	
		Cherry										
		Palette	1445	1479	1512	1579	1644	1712	1776	1842	1944	
•												
	One-Seat, Wood	or Palette	e Back	w/ Uphols	tered Pad	, Armles	S					_
	ZOL3-MW1301	Beech	1676	1726	1759	1842	1908	1977	2043	2110	2241	
		Maple/	1719	1769	1800	1885	1950	2018	2084	2150	2281	
		Cherry										
		Palette	1676	1726	1759	1842	1908	1977	2043	2110	2241	

ORDERING NOTE: Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	112	
2 Casters/2 Legs (#3 Leg Type below)	80	
Floor-saver felt glides	30	
Non-slip rubber glides	18	
Metal glides	26	
Combination Upholstery - dual fabrics	34	

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

			СОМ		COL		BRIC G		3 L	EATHE		СОМ	SHIPPING	-
DESCRIPTION/MODE	<u>EL</u>	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
\bigcap	One-Seat Woo	od/Palette E	Back w	/ UPH	Pad									
	ZOL3-MB13	Beech	649	664	680	714	749	781	816	848	895	0.6	21	3.1
		Maple /Cherry	698	714	730	765	798	830	848	882	949	0.6	21	3.1
		Palette	649	664	680	714	749	781	816	848	895	0.6	25	3.1
	One-Seat Woo	od/Palette E	Back											
)(\\ `\\)	ZOL3-MB12	Beech	449									-	19	3.1
		Maple /Cherry	491									-	19	3.1
		Palette	449									-	23	3.1

PRODUCT CODE KEY

PRODUCT CODE K	EY					
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	MW Modular	1 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
		Wood Back		3 Wood Back with Uph Pad		2 Casters
						3
						Combination
						2 Front Standard Legs
						& 2 Rear Casters

ZOLA | MODULAR

DESCRIPTION/MOD	EL	COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHER 8	₹ 9
	One-Seat, Upholstered Bac ZOL3-M1101 n/a	k Armless 1593	1676	1759	1908	2058	2210	2356	2506	2772
	One-Seat Plus, Upholstered ZOL3-MB1101 n/a	d Back, Arn 1726	nless 1776	1860	2009	2158	2306	2458	2607	2874
	ORDERING NOTES: One-S	Seat Plus se	eat is 30"	wide.						
	One-Seat, Upholstered Bac ZOL3-M1111	k with Arm 2681	s 2898	3112	3325	3544	3759	4084	2440	2565
	One-Seat Plus, Upholstered ZOL3-MB1111	d Back with 2573	Arms 2696	2815	3028	3246	3458	3676	3893	4214
	ORDERING NOTES: One-S	Seat Plus is	30" wide	e between	the arms.					
	Two-seat, Upholstered Bac ZOL3-M2101 n/a	k Armless 2789	2946	3095	3325	3559	3790	4022	4259	4621
	Two-seat Plus, Upholstered ZOL3-MB2101 n/a	Back, Arm 2880	aless 3037	3187	3419	3650	3883	4116	4349	4712
	Two-seat, Upholstered Bac ZOL3-M2111	k with Arms 3635	s 3790	3943	4175	4406	4641	4870	5104	5470
	Two-seat Plus, Upholstered ZOL3-MB2111	Back with 3724	Arms 3883	4035	4267	4500	4730	4964	5195	5560
	Three-seat, Upholstered Ba ZOL3-M3101	ick Armless 4002	4234	4464	4928	5395	5860	6324	6789	7586
	Three-seat Plus Upholstere ZOL3-MB3101	d Back Arm 4109	nless 4339	4572	5035	5503	5968	6430	6896	7693
	Three-seat, Upholstered Ba ZOL3-M3111 n/a	ick with Arr 4845	ns 5079	5311	5777	6240	6706	7170	7633	8432
	Three-seat Plus Upholstere ZOL3-MB3111 n/a	d Back with 4954	n Arms 5188	5418	5884	6348	6815	7277	7741	8537

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

modalai Omio, c	and tables will be ship	pod NB (Miloo				Gra	ades	
Zola Option Upcha	arges	List	Option		A-White	A-Col	or B	С
Casters (#2 Leg 7	Type below)	112	Solid Surface Arm Cap (per arm)	238	242	256	26
2 Casters/2 Legs (#	#3 Leg Type below)	80	Solid Surface Arm Cap (per pair)	476	487	513	539
Urethane Arm Caps	s (pair)	254	Solid Surface Arm Cap -	Interim (per arm)	194	195	198	202
Floor-saver felt glid	les	30						
Non-slip rubber glid	des	18						
Metal glides		26						
PRODUCT CODE KE	ΞΥ							
Line	Series	Chair Type	Seat Count	Back Type	Arm Ty	ре	Leg Typ	е
ZOL	3	M	1	1	0		1	
Zola	Lounge	Modular	One-Seat	Fully Uph Back	Armles	ss	Standard Leg	+ Glide
		MB	2		1		2]
		Modular	Two-seat		Uph Ar	m	4 Caster	rs
		Plus Upgrad	le 3		2		3]
			Three-seat		Urethane Ar	m Cap	Combinat	ion
					3		2 Front Standa & 2 Rear Ca	_
					Solid Sur Arm Ca			

ZOLA | MODULAR BACKS & ARMS

		COM		COL	FA	BRIC (GRADI	ES L	EATHE	R	COM	SHIPPING	à
DESCRIPTION/MO	DDEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or Interim Arr ZOL3-MAL	n 515	558	597	683	765	848	930	1011	1127	1.5	19	3.1
	ZOL3-MAR	313	556	397	003	705	040	930	1011	1127		13	0.1
	ZOL3-MAI	365	383	400	431	466	500	534	564	615	0.33	13	1.8
	Left, Right,or Interim Arr	n - Uret	hane C	ар									
	ZOL3-MALU	649	690	730	816	895	980	1064	1146	1262	1.5	20.5	3
	ZOL3-MARU ZOL3-MAIU	465	479	499	521	563	596	628	663	711	0.33	13	1.8

ORDERING NOTES:

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3-MAL3, and clearly state color choice. (See page 342 for color selection)

		Grades	S	
Option	A-White	A-Color	В	С
Solid Surface Arm Cap (per arm)	238	242	256	269
Solid Surface Arm Cap (per pair)	476	487	513	539
Solid Surface Arm Cap - Interim (per arm)	194	195	198	202

		COM		COL	FA	BRIC	GRAD	ES	LEATHE	R		SHIPPING	-
DESCRIPTION/MODEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
UPH Back ZOL3-MB11* ZOL3-MB21 ZOL3-MB31 ZOL3-MBB11			888 1171 1426 980	955 1262 1546 1046	1445	1222 1628 2008 1313	1810	1650 1991 2473 1579	2175 2707	1944 2391 2989 1885	1.75 2.5 3.5 2	23 39 54 28	5.2 9.4 14 6.1

ORDERING NOTES: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

ZOLA | SEATABLES

	COM		COL	FAE	BRIC GF	RADES		LEATHE	R	COM		
MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
Round Seatable												
ZOL5-18D	727	751	775	809	849	885	922	974	1022	1.3	18	5.2
ZOL5-24D	938	990	1043	1117	1200	1275	1361	1465	1571	1.5	26	8.5
ZOL5-30D	1180	1240	1302	1383	1482	1566	1662	1779	1900	1.7	38	10.5
Square Seatable												
ZOL5-1818	796	845	890	957	1033	1100	1176	1270	1368	1.3	27	5.2
ZOL5-2424	950	1003	1054	1127	1212	1288	1372	1478	1583	1.5	38	8.5
Rectangular Seatable												
ZOL5-2418	873	918	967	1034	1111	1176	1253	1348	1442	1.3	31	6.6
ZOL5-4824	1236	1302	1368	1458	1561	1650	1755	1887	2018	2.4	62	12.6
	Round Seatable ZOL5-18D ZOL5-24D ZOL5-30D Square Seatable ZOL5-1818 ZOL5-2424 Rectangular Seatable ZOL5-2418	MODEL 1 Round Seatable 727 ZOL5-18D 727 ZOL5-24D 938 ZOL5-30D 1180 Square Seatable 796 ZOL5-1818 796 ZOL5-2424 950 Rectangular Seatable ZOL5-2418 873	MODEL 1 2 Round Seatable ZOL5-18D 727 751 ZOL5-24D 938 990 ZOL5-30D 1180 1240 Square Seatable 796 845 ZOL5-1818 796 1003 Rectangular Seatable 873 918	MODEL 1 2 3 Round Seatable ZOL5-18D 727 751 775 ZOL5-24D 938 990 1043 ZOL5-30D 1180 1240 1302 Square Seatable ZOL5-1818 796 845 890 ZOL5-2424 950 1003 1054 Rectangular Seatable ZOL5-2418 873 918 967	MODEL 1 2 3 4 Round Seatable ZOL5-18D 727 751 775 809 ZOL5-24D 938 990 1043 1117 ZOL5-30D 1180 1240 1302 1383 Square Seatable 796 845 890 957 ZOL5-1818 796 845 890 957 ZOL5-2424 950 1003 1054 1127 Rectangular Seatable 20L5-2418 873 918 967 1034	MODEL 1 2 3 4 5 Round Seatable ZOL5-18D 727 751 775 809 849 ZOL5-24D 938 990 1043 1117 1200 ZOL5-30D 1180 1240 1302 1383 1482 Square Seatable ZOL5-1818 796 845 890 957 1033 ZOL5-2424 950 1003 1054 1127 1212 Rectangular Seatable ZOL5-2418 873 918 967 1034 1111	MODEL 1 2 3 4 5 6 Round Seatable ZOL5-18D 727 751 775 809 849 885 ZOL5-24D 938 990 1043 1117 1200 1275 ZOL5-30D 1180 1240 1302 1383 1482 1566 Square Seatable ZOL5-1818 796 845 890 957 1033 1100 ZOL5-2424 950 1003 1054 1127 1212 1288 Rectangular Seatable ZOL5-2418 873 918 967 1034 1111 1176	MODEL 1 2 3 4 5 6 7 Round Seatable ZOL5-18D 727 751 775 809 849 885 922 ZOL5-24D 938 990 1043 1117 1200 1275 1361 ZOL5-30D 1180 1240 1302 1383 1482 1566 1662 Square Seatable ZOL5-1818 796 845 890 957 1033 1100 1176 ZOL5-2424 950 1003 1054 1127 1212 1288 1372 Rectangular Seatable 20L5-2418 873 918 967 1034 1111 1176 1253	MODEL 1 2 3 4 5 6 7 8 Round Seatable ZOL5-18D ZOL5-18D ZOL5-24D 388 990 1043 1117 1200 1275 1361 1465 ZOL5-30D 1180 1240 1302 1383 1482 1566 1662 1779 Square Seatable ZOL5-30D 1040 1180 1240 1302 1383 1482 1566 1662 1779 Rectangular Seatable ZOL5-1818 796 845 890 957 1033 1100 1176 1270 ZOL5-2424 950 1003 1054 1127 1212 1288 1372 1478 Rectangular Seatable ZOL5-2418 873 918 967 1034 1111 1176 1253 1348	MODEL 1 2 3 4 5 6 7 8 9 Round Seatable ZOL5-18D 727 751 775 809 849 885 922 974 1022 ZOL5-24D 938 990 1043 1117 1200 1275 1361 1465 1571 ZOL5-30D 1180 1240 1302 1383 1482 1566 1662 1779 1900 Square Seatable ZOL5-1818 796 845 890 957 1033 1100 1176 1270 1368 ZOL5-2424 950 1003 1054 1127 1212 1288 1372 1478 1583 Rectangular Seatable ZOL5-2418 873 918 967 1034 1111 1176 1253 1348 1442	MODEL 1 2 3 4 5 6 7 8 9 YARDAGE Round Seatable ZOL5-18D 727 751 775 809 849 885 922 974 1022 1.3 ZOL5-24D 938 990 1043 1117 1200 1275 1361 1465 1571 1.5 ZOL5-30D 1180 1240 1302 1383 1482 1566 1662 1779 1900 1.7 Square Seatable ZOL5-1818 796 845 890 957 1033 1100 1176 1270 1368 1.3 ZOL5-2424 950 1003 1054 1127 1212 1288 1372 1478 1583 1.5 Rectangular Seatable ZOL5-2418 873 918 967 1034 1111 1176 1253 1348 1442 1.3	MODEL 1 2 3 4 5 6 7 8 9 YARDAGE WEIGHT Round Seatable ZOL5-18D 727 751 775 809 849 885 922 974 1022 1.3 18 ZOL5-24D 938 990 1043 1117 1200 1275 1361 1465 1571 1.5 26 ZOL5-30D 1180 1240 1302 1383 1482 1566 1662 1779 1900 1.7 38 Square Seatable ZOL5-1818 796 845 890 957 1033 1100 1176 1270 1368 1.3 27 ZOL5-2424 950 1003 1054 1127 1212 1288 1372 1478 1583 1.5 38 Rectangular Seatable ZOL5-2418 873 918 967 1034 1111 1176 1176 1176 1253 1348 1442 1.3 31

ORDERING NOTES:

The seat height is 17.5" from floor.

ZOLA | MODULAR - REPLACEMENT COMPONENTS

DESCRIPTION	I/MODEL	SPECIES	COM 1	2	COL 3	- FA	ABRIC 5	GRAD	ES 7	LEATHI 8	ER 9	COM S YARDAGE	SHIPPING WEIGHT	
	Replacement	Modular One-Se	at Wo	od Bad	ck									
)/// ///	ZOL3-RBM12		383									-	19	3.1
		Maple/Cherry	425									-	19	3.1
		Palette	383										23	3.1
		Modular One-Se	at Wo	od Bad	ck w/ U	pholste	ered P	ad				0.0	0.4	0.4
	ZOL3-RBM13		583	597		649		714	749	781	830	0.6	21	3.1
		Maple/Cherry Palette	631	649	664	698		765	781	816	882	0.6 0.6	21 25	3.1 3.1
	Renlacement	Back Pad -only	583	597	615	649		714	749	781	830	0.0	23	3.1
	ZOL3-RP	Dack rad only	234	250	267	298	333	365	400	431	480	0.6	1.6	2
		Upholstered Bad	ck											
) \)	ZOL3-RBM11		757	822	888	1022	1152	1288	1585	1719	1877	1.75	23	5.2
	ZOL3-RBM21		1011	1105	1195	1379	1559	1745	1926	2110	2324	2.5	39	9.4
	ZOL3-RBM31		1246	1361	1479	1712	1944	2175	2408	2641	2920	3.5	54	14
	ZOL3-RBBM1 6.1	11	848	914	980	1114	1246	1379	1512	1644	1818		2	28
	existing "L" brand Replacem	IOTES: Modular ackets on site pr nent Seat/Bench the replacemen	ior to a	assem not inc	bly to tl lude le	he ben gs and	ch. Re joinin	placer g bracl	nent Ba kets. Th	acks do ne hardv	not inclu ware can	ude mounting be transferre	brackets d from the	and legs e original
	Right or Left F	Replacement Up	holster	ed Arr	n									
	ZOL3-RAMR		456	500	539	624	705	789	873	955	1069	1.5	14	3
	ZOL3-RAML													
	ZOL3-RAMRU ZOL3-RAMLU		590	631	673	757	838	921	1004	1087	1203	1.5	15.5	3
	units only as a	od back units an a special - please	conta							Zola arm	is. Arms	can be speci	fied on wo	ood back
	•	Upholstered Sea										4.00	0.5	5 0
	ZOL3-RSM1*		816	863	914		1096		1278		1556	1.33	25	5.2
	ZOL3-RSM2 ZOL3-RSM3				1293		1546			1918	2125	1.75 2.5	39 50	9.4 14
	ZOL3-RSMB1				1701		2051			2573 1650	2789 1800	1.75	26	6.1
	ZOL3-RSMB2				1152 1396		1353 1644			2018	2223	1.75	39	9.4
	ZOL3-RSMB3				2009		2306			2756	2989	2.5	50	14
	Daali Carray													
	Back Cover ZOL3-RCB1*		317	383	449	583	714	848	980	1114	1329	2	2.8	1.7
// (ZOL3-RCB1		431	534			1031		1426	1628	1877	3	3.6	1.7
4-3	ZOL3-RCB3		534	664			1329			2125	2458	3.75	4.3	1.7
	ZOL3-RCBB1		352	416		615		882		1146	1347	2	2.8	1.7
		light, Left or Inte	rim											
	ZOL3-RCAR		283	333	383	480	583	683	781	882	1011	1.5	2.5	1.7
	ZOL3-RCAL											0.00	4.5	4 7
	ZOL3-RCAI ZOL3-RCARU	ı	184	199	217	250		317	350	383	425	0.33	1.5 2.5	1.7 1.7
	ZOL3-RCARU		283	333	383	480	583	683	781	882	1011	1.5	2.5	1.7
	ORDERING N	NOTES: Replace					ght) ar	e spec	ified as	seated	. ZOL3-F	RCARU & ZOI	L3-RCALU	J are arm
	Seat Cover		000	000	000	400	F00	000	704	000	1001			
	ZOL3-RCS1*		283	333		480			781	882	1031	1.33	2.3	1.7
	ZOL3-RCS2		365	431	500	631	765		1031	1163	1379	1.75	2.6	1.7
	ZOL3-RCS3		466 431	547 491	631 547	714			961	1046 1127	1178 1293	2.5 1.75	3.8	1.7 1.7
	ZOL3-RCSB1		401	491	347	664	701	090	1011	1121	1233	1.70	2.6	1.7

ZOLA | MODULAR - REPLACEMENT COMPONENTS & TABLETS

DESCRIPTIO	N/MODEL	PRICE					SHIPPING WEIGHT	G CUBES
	Caster Without Brake ZOL3-RC1	60					0.4	0125
	ORDERING NOTE: Casters of	annot be orde	ered as replac	ement item	s for plus	s units.		
	Caster With Brake ZOL3-RC2	73					0.4	0.125
	ORDERING NOTE: Casters of	annot be orde	ered as replac	cement item	s for plus	s units.		
	Urethane Arm Cap ZOL3-AUR ZOL3-AUL	133					1.5 1.5	0.3 0.3
	Urethane Arm Cap - Interim A ZOL3-AIU	rm 98					1.0	0.3
			A-White	Grade A-Color	es B	С		
	Solid Surface Arm Cap (per al ZOL3-ASR ZOL3-ASL		238	242	256	269	1.5	0.3
	Solid Surface Arm Cap - Inter ZOL3-ASI	im (per arm)	194	195	198	202	1.0	0.3
DESCRIPTIO	N MODEL	SPECIES	PRICE				WEIGH	IT CUBE
	Wood Tablet ZOL3-T1	Beech Maple /Cherry	539 564				12	2
	Tablet with Palette Fi ZOL3-T2	nish n/a	431				12	2
	Clear Glass Tablet ZOL3-T3	n/a	822				13	2
	Laminate Tablet ZOL3-T4	n/a	558				12	2
	ORDERING NOTES: handed and do not n					mer edge. F	Please note Zola Tablets are u	niversally
	Solid Surface Tablet ZOL3-T5AW	- Grade A Wh n/a	iite 673				14	2
	Solid Surface Tablet ZOL3-T5AC	- Grade A Co n/a	lor 683				14	2
	Solid Surface Tablet ZOL3-T5B	- Grade B n/a	720				14	2
	Solid Surface Tablet ZOL3-T5C	- Grade C n/a	778				14	2

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
15°	64	31	34	18.5	22.5	97.2	33
30°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

COM Yardages

	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
Double seat								
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6




Single Seat, Uph 30° Inside Curve




Single Seat, Uph 45° Inside Curve



Single Seat, Uph 60° Inside Curve




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside



Double Seat, Uph 45° Inside Curve



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	64	Double-seat curve 30° seat	97
Single-seat curve 45° seat	67	Double-seat curve 45° seat	106
Single-seat curve 60° seat	90	Double-seat curve 60° seat	129
Single-seat curve 90° seat	118	Double-seat curve 90° seat	133

DIMENSIONS OUTSIDE CURVE


	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
60°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

COM Yardages

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat 30° 45° 60° 90°	3.32 3.32 3.32 3.32 3.32	6.14 6.14 6.14 6.14	9.46 9.46 9.46 9.46	12.28 12.28 12.28 12.28 12.28	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	13.0 13.0 13.0 13.0	19.5 19.5 19.5 19.5	26.0 26.0 26.0 26.0	

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4			
6.8	10.2	13.6						




Single Seat, Uph 30° Outside



Single Seat, Uph 45° Outside




Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	64	Double-seat curve 30° seat	97
Single-seat curve 45° seat	67	Double-seat curve 45° seat	106
Single-seat curve 60° seat	90	Double-seat curve 60° seat	129
Single-seat curve 90° seat	118	Double-seat curve 90° seat	133

DESCRIPTION/MOD		COM 1	2	COL 3	FA	ABRIC GRA	ADES 6	7	LEATHEI 8	R 9
	Single-Seat, 30° Inside Curve ZOL3-MCIS30D1	2417	2553	2686	2878	3094	3287	3502	3771	4043
	Single-Seat, 30° Inside Curve P ZOL3-MCBIS30D1	lus 2518	2656	2789	2979	3197	3387	3603	3875	4146
	Single-Seat, 45° Inside Curve ZOL3-MCIS45D1	2844	3016	3189	3434	3714	3958	4238	4587	4939
	Single-Seat, 45° Inside Curve F ZOL3-MCBIS45D1	Plus 2958	3133	3304	3552	3830	4074	4353	4704	5053
	Single-Seat, 60° Inside Curve ZOL3-MCIS60D1	3222	3396	3568	3815	4093	4337	4616	4966	5316
	Single-Seat, 60° Inside Curve P ZOL3-MCBIS60D1	lus 3352	3525	3699	3946	4225	4469	4748	5097	5447
	Single-Seat, 90° Inside Curve ZOL3-MCIS90D1	3661	3880	4099	4405	4756	5062	5412	5852	6292
	Single-Seat, 90° Inside Curve P ZOL3-MCBIS90D1	lus 3834	4055	4271	4580	4928	5236	5586	6027	6466
	Single-Seat, 30° Outside Curve ZOL3-MCOS30D1	2175	2299	2419	2588	2786	2957	3151	3396	3638
	Single-Seat, 30° Outside Curve ZOL3-MCBOS30D1	Plus 2277	2400	2523	2692	2885	3058	3251	3497	3740
	Single-Seat, 45° Outside Curve ZOL3-MCOS45D1	2557	2715	2874	3093	3344	3564	3815	4130	4444
	Single-Seat, 45° Outside Curve ZOL3-MCBOS45D1	Plus 2673	2830	2989	3208	3458	3680	3930	4246	4558
	Single-Seat, 60° Outside Curve ZOL3-MCOS60D1	2901	3056	3214	3433	3685	3903	4155	4470	4784
	Single-Seat, 60° Outside Curve ZOL3-MCBOS60D1	Plus 3032	3187	3346	3565	3816	4036	4287	4600	4915
	Single-Seat, 90° Outside Curve ZOL3-MCOS90D1	3293	3489	3688	3962	4280	4557	4873	5267	5662
	Single-Seat, 90° Outside Curve ZOL3-MCBOS90D1	Plus 3468	3663	3862	4137	4454	4731	5049	5442	5836

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY

PRODUCT CODE KI	-1					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	I	S	30D	1
Zola	Soft Seating	Modular	Inside Curve	Single	30 Degree	Standard Leg + Glide
		MCB	0	D	45D	
		Modular Plus Upgrade	Outside Curve	Double	45 Degree	
		r las opgrade			60D	
					60 Degree	
					90D	

90 Degree

		COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MODE	L	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Inside Curve ZOL3-MCID30D1 4.	229	4464	4705	5034	5414	5746	6127	6603	7075
	Double-Seat, 30° Inside Curve F ZOL3-MCBID30D1 4	Plus 1391	4625	4864	5194	5574	5909	6288	6763	7237
	Double-Seat, 45° Inside Curve ZOL3-MCID45D1 4	972	5279	5583	6008	6497	6927	7417	8026	8636
	Double-Seat, 45° Inside Curve ZOL3-MCBID45D1 5	Plus 162	5469	5771	6198	6687	7116	7604	8213	8826
	Double-Seat, 60° Inside Curve ZOL3-MCID60D1 5	635	5941	6245	6674	7162	7590	8080	8689	9300
	Double-Seat, 60° Inside Curve F ZOL3-MCBID60D1 5	Plus 5838	6144	6448	6876	7366	7792	8282	8892	9503
		6403	6788	7172	7709	8321	8859	9473	10242	11009
	Double-Seat, 90° Inside Curve F ZOL3-MCBID90D1 6	Plus 6634	7020	7401	7942	8553	9090	9706	10473	11240
	Double-Seat, 30° Outside Curve ZOL3-MCOD30D1 3	e 8807	4019	4234	4531	4875	5174	5516	5941	6372
	Double-Seat, 30° Outside Curve ZOL3-MCBOD30D1 3	e Plus 1965	4179	4394	4691	5034	5334	5675	6101	6532
	Double-Seat, 45° Outside Curve ZOL3-MCOD45D1 4	e 476	4751	5025	5409	5849	6234	6674	7225	7772
	Double-Seat, 45° Outside Curve ZOL3-MCBOD45D1 4	e Plus 1664	4941	5214	5597	6038	6422	6862	7413	7961
	Double-Seat, 60° Outside Curve ZOL3-MCOD60D1 5	e 5072	5347	5622	6006	6445	6831	7271	7819	8369
	Double-Seat, 60° Outside Curve ZOL3-MCBOD60D1 5.	e Plus 5274	5550	5825	6209	6649	7033	7474	8023	8572
	Double-Seat, 90° Outside Curve ZOL3-MCOD90D1 5	e 5762	6109	6453	6937	7490	7973	8527	9220	9909
	Double-Seat, 90° Outside Curve ZOL3-MCBOD90D1 5		6340	6684	7169	7723	8205	8759	9448	10139

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY

ODOO! OODE K	<u>- 1</u>					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D	


90D 90 Degree

ZOLA PRIVACY | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



AIR EMISSIONS

level® CERTIFICATION

All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.




In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Zola Privacy products can be specified with one of two types of FSC® Certification:

(a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.



ZOLA PRIVACY | FEATURES & OPTIONS



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



PRECONFIGURED

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



BACK CONNECTION

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



LINKING SEAT-TO-SEAT

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



LINKING TABLE-TO-SEAT

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



CLEAN OUT

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and feature Floorsaver nylon glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Optional Floorsaver felt glides, Non-slip rubber glides or metal glides are optional at an upcharge. Caster leg is not available.



TWIN BACK

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).



ANTI-MICROBIAL FINISH

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.



Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat plus - 975 lbs
Three-seat - 750 lbs
Three-seat plus - 1150 lbs

ZOLA PRIVACY | OPTIONS



PRIVACY SCREEN

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start, Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.



TABI FT

Optional Tablets are available in veneer, clear glass, laminate and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees. Solid surface is available, contact Customer Service for pricing.

Tables are available in veneer, high pressure

laminate or Palette finishes - and an optional solid

surface top. An optional flush-mounted Table

PowerDoc provides dual power/USB A & C out-

lets for multiple devices can be located on the front face of Middle or End Tables (not available on



REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.



curvilinear models). PowerDoc's have a 10' cord.

MODULAR ARM Modular arms can attach to the left or right ends of seating units as well as interim locations between units. They are fully upholstered and can optionally be trimmed with urethane or solid surface arm caps.



REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.

Back-mounted shelves can be specified in either

30", 36" or 42" and are available in veneer,

laminate and Palette finishes (Solid surface overlay

also available - contact customer service) The

surface-mounted Shelf PowerDoc provides dual


power/USB A & Coutlets for multiple devices.

Units with Shelf Power are not available with Removable Cover option.



MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.





SHELVES & POWER

The flush-mounted power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 251 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.



ZOLA PRIVACY | POWER LOCATIONS



Seat Power


When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



Shelf Power

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.



B - for left side of seat (facing)



Table Power

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$679 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




Under-mount Power

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables.

ZOLA PRIVACY | CONNECTING MULTIPLE UNITS


SEATING

Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.





SIDE PANELS


Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.



ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING









Model	Qty	Price (ea)
ZOP3-M1F1S	1	2482
ZOP3-MCIS90DF1C	2	6159
ZOP3-M2F1C	4	3741
ZOP3-M1F1S	1	2482


Total \$32,2462






Total		\$32,485
ZOL4-30D15	1	1460
ZOP3-MCID60DF0E	1	6205
ZOP3-MCID60DF0C	3	6205
ZOP3-MCID60DF0S	1	6205
Model	Qty	Price (ea)


ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING






Maralal	01	D : (A)
Model	Qty	Price (\$)
ZOP3-M2M0S	1	2724
ZOP3-MCIS90DM0C	2	4799
ZOP3-M2M0C	1	2724
ZOP3-M2M0E	1	2724
ZOL4-242415	1	1246


Total \$19,016






Qty	Price (\$)
4	1152
2	3009
2	8266
2	3009
1	2116
	4 2 2

Total \$35,292





Model	Qty	Price (\$)
ZOP3-MPF0S	2	993
ZOP3-M3F0C	2	4170
ZOP3-MPF0E	2	993
ZOP4-E482915	1	2116

Total \$14,428

ZOLA PRIVACY | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

DIMENSIONS		147 -111-						
		Width		0 "			01 : :	
	Overall Width	Between Panels	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Preconfigured Fo	ıll Height Bacl	k						
One-Seat Plus	36	30	27	50	18.5	19.25	134	28.3
Two-seat	52	46	27	50	18.5	19.25	161	40.4
Three-seat	75	69	27	50	18.5	19.25	194	57.5
Tilloo coat	7.0	00			10.0	10.20	101	07.0
Preconfigured M	id Height Bac	k						
One-Seat Plus	36	30	27	37.5	18.5	19.25	114	20.4
Two-seat	52	46	27	37.5	18.5	19.25	141	29.1
Three-seat	75	69	27	37.5	18.5	19.25	174	41.3
COM YARDAGES	3							
	Yardage	Yardage	Yardage	Yardage				
	Entire	2 Entire	3 Entire	4 Entire				
	Unit	Units	Units	Units				
Preconfigured Fo	ull Height Bacl	k/Privacy Panel						
One-Seat Plus	9.59	13.78	17.97	22.16				
Two-seat	11.48	16.13	20.83	26.56				
Three-seat	13.56	21.32	29.38	37.04				
Preconfigured M	id Usiaht Dool	k/Drive av Donal						
One-Seat Plus	7.31	10.96	14.61	18.26				
Two-seat	8.49	12.22	16.72	21.20				
Three-seat	10.60	18.36	26.42	34.08				
rnree-seat	10.60	10.30	20.42	34.06				
Preconfigured Fo	ull Height Bacl	k/Semi-Private	Panel					
One-Seat Plus	6.63	10.82	15.01	19.20				
Two-seat	8.52	13.17	17.87	23.60				
Three-seat	10.60	18.36	25.42	34.08				
Preconfigured M								
One-Seat Plus	5.41	9.06	12.71	16.36				
Two-seat	6.59	10.32	14.82	19.30				
Three-seat	8.48	14.80	21.42	27.20				

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAB	RIC GRA	GRADES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	One-Seat Plus with Private	Modular S	ide Panel	and Full H	eight Back					
	ZOP3-PCB1MPF0	4153	4481	4812	5388	5993	6570	7176	7836	8884
	One-Seat Plus with Semi-F	Private Mod	dular Side I	Panel and	Full Height	Back				
	ZOP3-PCB1SMPF0	3390	3627	3867	4261	4684	5079	5503	5979	6664
-	One-Seat Plus with Private	Modular S	ide Panel	and Mid H	leight Back	(
	ZOP3-PCB1MPM0	3663	3902	4140	4555	4989	5399	5836	6314	7050
	One-Seat Plus with Semi-F	Private Mod	dular Side I	Panel and	Mid Heigh	t Back				
	ZOP3-PCB1SMPM0	3132	3324	3521	3846	4193	4517	4865	5255	5815

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Floor-saver felt glides	30
Seat Power (per power unit)	673	Non-slip rubber glides	18
Combination Upholstery - dual fabrics	34	Metal glides	26
Combination Upholstery -Three fabrics	67		
, , , , , , , , , , , , , , , , , , , ,			

PRODUCT CODE KEY	Y				
Line	Series	Type	Seat	Side Panel	Height
ZOP	3	PCB	1	MP	F0
Zola Privacy	Lounge	Pre-Configured Plus	One-Seat (30")	Private Modular Side Panel	Full Height
			2	SMP	MO
			Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

		COM			FAE	BRIC GRA	DES		LEATHER				
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9			
	Two-Seat with Privat ZOP3-PC2MPF0	e Modular 4799	Side Pan 5194	el and Ful 5593	l Height Ba 6268	ack 6985	7659	8375	9175	10372			
	Two-Seat Plus with F ZOP3-PCB2MPF0	Private Mo 4937	dular Side 5331	e Panel an 5728	d Full Heig 6403	ght Back 7122	7795	8512	9311	10508			
	Two-Seat with Semi-Private Modular Side Panel and Full Height Back												
	ZOP3-PC2SMPF0	4035	4340	4647	5141	5677	6169	6705	7318	8152			
	Two-Seat Plus with S		ite Modula 4478	ar Side Pa 4784	nel and Fu 5278	ıll Height E 5813	Back 6307	6840	7456	8288			
	Two-Seat with Private Modular Side Panel and Mid Height Back												
	ZOP3-PC2MPM0	3969	4261	4553	5051	5572	6063	6589	7177	8033			
	Two-Seat Plus with F												
	ZOP3-PCB2MPM0	4104	4398	4690	5188	5708	6200	6726	7313	8169			
	Two-Seat with Semi-	Private M	odular Sic	le Panel a	nd Mid He	ight Back							
	ZOP3-PC2SMPM0	3434	3685	3933	4339	4775	5179	5616	6116	6797			
	Two-Seat Plus with S		ite Modula 3822	ar Side Pa 4070	nel and Mi 4477	id Height E 4912	Back 5317	5755	6253	6934			

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Floor-saver felt glides	30
Seat Power (per power unit)	673	Non-slip rubber glides	18
Combination Upholstery - dual fabrics	34	Metal glides	26
Combination Upholstery -Three fabrics	67		

PRODUCT CODE KEY

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FABRIC GRADES			LEATHER				
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9		
	Three-Seat with Private Modular Side Panel and Full Height Back											
	ZOP3-PC3MPF0	5769	6237	6709	7487	8319	9096	9929	10871	12213		
	T. 0 (B) (11 B) (M (11 C) (B) (1 (B) (11 B) (11 B)											
		nree-Seat Plus with Private Modular Side Panel and Full Height Back										
	ZOP3-PCB3MPF0	5975	6442	6914	7693	8524	9301	10134	11075	12419		
	Three-Seat with Semi-					•	7005	0057	0040	0000		
	ZOP3-PC3SMPF0	5006	5384	5762	6359	7011	7605	8257	9016	9993		
	Three-Seat Plus with Semi-Private Modular Side Panel and Full Height Back											
	ZOP3-PCB3SMPF0	5212	5588	5968	6565	7215	7813	8461	9222	10198		
- 1												
	Three-Seat with Private Modular Side Panel and Mid Height Back											
	ZOP3-PC3MPM0	5148	5506	5863	6455	7087	7674	8306	9024	10025		
	Three-Seat Plus with F				,	,	7070	0540	0000	40004		
	ZOP3-PCB3MPM0	5352	5713	6070	6661	7292	7879	8512	9229	10231		
-												
	Three-Seat with Semi-					0						
	ZOP3-PC3SMPM0	4615	4930	5244	5744	6289	6789	7334	7965	8789		
	Three-Seat Plus with S	Semi-Priva	te Modula	ar Side Pa	nel and Mi	id Height F	Back					
	ZOP3-PCB3SMPM0	4820	5135	5450	5949	6494	6995	7539	8170	8996		
u · \												

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Floor-saver felt glides	30
Seat Power (per power unit)	673	Non-slip rubber glides	18
Combination Upholstery - dual fabrics	34	Metal glides	26
Combination Upholstery -Three fabrics	67		

PRODUCT CODE KEY

ODOOT OODE KE	•				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

						Overall			
	Overall	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Full Height Back									
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8
Mid Height Back									
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6
Modular Corner Seat with F	ull Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26
Modular Corner Seat with N	/lid Height	Back							
One-Seat	27	27	40	37.5	50	18.5	20.25	93	26
One-Seat (Plus)	27	27	40	37.5	50	18.5	20.25	93	26

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Full Haimht Book												
Full Height Back	4 4	C 1E	10 EE	10.0	0.05	4 OF	7.0	0.7	1.05	0.1	0.05	4.0
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	4.33	7.33	11.66	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner S	eat with Fi	ull Height	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner S	eat with M	lid Height	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8

ZOLA PRIVACY PLUS OPTION UPCHARGES

	\$ List	
Plus Upgrade Two-Seat	135	_
Plus Upgrade Three-Seat	195	

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

Dimensions a	00	ZOII ILIVILI										
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Singl	e Full Hei	aht No Scr	reen									
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
2010 1111 102	Liid	2.70	21	40.00	00	O	2.7	0.00	0.00	10.70	10.44	10.10
Side Panel, Single	e, Full Hei	ght with So	creen									
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Single, Mid Height No Screen												
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
Side Panel, Singl	a Mid Hai	aht with S	creen									
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
		-										
Semi-Private Side												
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Side	e Panel, S	ingle, Mid	Height									
ZOP3-MSPM0S	Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0C	Center	2.75	14.25	31.4	23	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0E	End	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
Modular Upholste	ered Arm											
ZOP3-MAUPHL*		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHR		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHC		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholste	ered Arm v	w/Urethane	e Cap									
ZOP3-MAUREL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholsto	arad Arm	w/Solid Su	rface Con									
ZOP3-MASSCL	ereu Ami	w/5011a 5u 3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MASSCR		3	14.5	20.25	28 28	1.1	1.33	2.11	2.8	3.56	4.44 4.44	5 5
ZOP3-MASSCI*		3	14.5	20.25	28		1.33	2.11		3.56	4.44 4.44	5 5
ZUF3-IVIASSUI		3	14.3	20.25	20	1.1	1.33	2.11	2.8	3.30	4.44	5

			COM		COL	FAB	RIC GR/	ADES		LEATHE	:R
DESCRIPTION/	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	One-Seat, Full H ZOP3-M1F0F	eight Back	2020	2163	2304	2507	2740	2944	3176	3458	3760
	ZOP3-M1F1_ ORDERING NOT	eight Back with Shelf Opt Beech/Laminate Maple/Palette TES: When ordering units	2482 2583 with shelf of								
		Freestanding, Start and Er \$318 list upcharge per ur									
	One-Seat, Full He ZOP3-M1F2F	eight Back with Privacy S	Screen Option 2319	on 2459	2602	2804	3036	3241	3472	3756	4058
	ORDERING NOT	FES: Units with Privacy So	creen Optio	n are not	available	with Rem	novable E	3ack Cov	ver option		
	One-Seat, Mid H ZOP3-M1M0F	eight Back	1901	2013	2127	2284	2465	2627	2806	3032	3264
·	One-Seat. Mid H	eight Back with Shelf Op	tion								
	ZOP3-M1M1_	Beech/Laminate Maple/Palette	2364 2463	2474 2574	2587 2688	2745 2848	2928 3027	3089 3187	3269 3369	3493 3595	3724 3825
	42", 36" or 30". F	FES: When ordering units reestanding, Start and Er \$318 list upcharge per ur	nd units with	the she	elf option i	require co	ounterba	lance we	eight add	led to ea	ich seat
	One-Seat, Mid H ZOP3-M1M2F	eight Back with Privacy S	Screen Option 2196	on 2307	2422	2583	2763	2922	3104	3327	3559
	ORDERING NOT	TES: Units with Privacy So	creen Option	n are not	available	with Rem	novable E	3ack Cov	er option		
Zola Privacy O	ntion Uncharace	¢ Liet						¢	Liet		

Zola Privacy Option	on Upcharges	\$ List			\$ List
Moisture Barrier & G Removable Seat Co Removable Back C Shelf Power Seat Power (per po PRODUCT CODE KE	overs One-Seat overs One-Seat ower unit)	67 49 71 630 673	Dual Leg (for Floor-saver fe Non-slip rubb Metal glides		84 30 18 26
Line	Series	Chair Type	Seat Count	Back Type	Leg Type
ZOP	3 Lounge	M Modular	One Seat 2 Two Seat 3 Three Seat	FUII Height Back F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option M0 Mid Height Back	F Freestanding Unit S Start Unit C Center Unit E End Unit
				M1 Mid Height Back with Shelf Option M2 Mid Height Back with Privacy Screen Option	

DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	FAI 4	BRIC GR 5	ADES 6	7	LEATHER 8	9
	One-Seat Plus, Full Heigh ZOP3-MB1F0F	t Back	2533	2676	2818	3022	3253	3456	3688	3974	
	One-Seat Plus, Full Heigh ZOP3-MB1F1_ Beech/L Maple/P	aminate alette	3009 3111	3151 3251	3293 3396	3496 3599	3730 3829	3931 4035	4163 4266	4448 4550	:
· \ ·	ORDERING NOTES: Whe 42", 36" or 30". Freestand unit, please add \$318 list	ing, Start and En	d units wit	th the sh	elf option	require o	ounterba	alance w	eight ad	ded to each	seat
	One-Seat Plus, Full Heigh ZOP3-MB1F2F	t Back with Priva	acy Screer 2908	Option 3051	3192	3397	3628	3830	4063	4348	
	ORDERING NOTES: Units	s with Privacy Sc	reen Optio	on are no	t availabl	e with Rer	novable	Back Co	ver optio	n.	
	One-Seat Plus, Mid Heigh ZOP3-MB1M0F	t Back	2419	2531	2643	2803	2986	3143	3324	3551	
	One-Seat Plus, Mid Heigh ZOP3-MB1M1_ Beech/L Maple/P	aminate	f Option 2894 2995	3006 3106	3118 3221	3278 3379	3458 3559	3620 3719	3801 3900	4025 4127	
	42", 36" or 30". Freestand unit, please add \$318 list One-Seat Plus, Mid Heigh ZOP3-MB1M2F	upcharge per un t Back with Priva	it. Units w acy Screer 2794	n Option 2906	option are	e not availa	able with	Remova 3519	ble Back	Cover optio	
Zolo Privosy O	ORDERING NOTES: Units		теен Орис	on are no	t avallabl	e willi nei	Tiovable			11.	
	ption Upcharges	\$ List		2 - 11	/C N A - 11				\$ List		
Removable Sea	r & CAL 133(per yard) at Covers One-Seat Plus ck Covers One-Seat Plus er power unit)	67 49 71 630 673	F N	Juai Leg Floor-sav Non-slip i Metal glic	er felt gli rubber gl		configura	itions)	84 30 18 26		
PRODUCT CODE	KEY										
Line	Series	Chair Type	S	Seat Count	t	Back	к Туре		Le	eg Type	
ZOP Zola	3 Lounge	M Modular MB Modular Plus Upgrade		1 One Seat 2 Two Seat		Full Hei	ght Back 1 t Back with	th		F anding Unit S art Unit	
			Т	3 Three Seat		Full Heigh Privacy Sc			Ce	C nter Unit	
						Mid Heigh Shelf		th	E	nd Unit	

M2 Mid Height Back with Privacy Screen Option

	more i i more										
			COM		COL	FAE	BRIC GR	ADES		LEATHER	3
DESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Two-Seat, Full Height Back ZOP3-M2F0F		3180	3392	3601	3902	4246	4550	4890	5314	5764
	Two-Seat, Full Height Back S ZOP3-M2F1_ Beech/Lan Maple/Pale	ninate .	3741 3846	3951 4057	4161 4267	4464 4569	4809 4912	5110 5215	5451 5556	5874 5977	6324 6428
	ORDERING NOTES: When of 42", 36" or 30". Freestanding, unit, please add \$318 list upon	Start and End	units with	n the she	elf option	require c	ounterba	lance we	eight add	ded to eac	ch seat
	Two-Seat, Full Height Back w ZOP3-M2F2F	rith Privacy Scr	een Optio 3694	on 3903	4116	4417	4760	5063	5256	5826	6276
	ORDERING NOTES: Units wi	ith Privacy Scre	en Optio	n are not	available	with Ren	novable E	Back Cov	er option		
	Two-Seat, Mid Height Back ZOP3-M2M0F		2724	2891	3058	3298	3568	3809	4080	4415	4763
	Two-Seat, Mid Height Back w ZOP3-M2M1_ Beech/Lan Maple/Pale ORDERING NOTES: When o	ninate ette ordering units w	3288 3392 ith shelf o								
	42", 36" or 30". Freestanding, unit, please add \$318 list upo										
	Two-Seat, Mid Height Back w ZOP3-M2M2F	vith Privacy Scr	een Optio 3241	on 3407	3574	3814	4085	4322	4595	4927	5281
	ORDERING NOTES: Units wi	th Privacy Scre	en Optio	n are not	available	with Rem	novable E	Back Cov	er option		
Zola Privacy O	ption Upcharges	\$ List						9	List		
Moisture Barrier Removable Sea Removable Bac	r & CAL 133(per yard) tt Covers Two-Seat kt Covers Two-Seat ultiple unit configurations)	67 71 101 84 135	S Ta FI N	helf Pow able Pow loor-save	ver ver er felt glic ubber gli		1		673 630 679 30 18 26		

•								
Zola Privacy Option U	Jpcharges	\$ List			\$ List			
Moisture Barrier & CAL Removable Seat Cove		67 71	Seat Power (pe	er power unit)	673 630			
Removable Back Cove		101	Table Power 679					
Dual Leg (for Multiple u		84	Floor-saver felt glides 30					
Plus Upgrade Two-Sea	at (B)	135	Non-slip rubber glides 18					
PRODUCT CODE KEY			Metal glides	26				
Line	Series	Chair Type	Seat Count	Back Type	Leg Type			
ZOP Zola	3 Lounge	M Modular	1 One Seat	F0 Full Height Back	Freestanding Unit			
		MB	2	F1	S			
		Modular Plus Upgrade	Two Seat	Full Height Back with Shelf Option	Start Unit			
			3	F2	С			
			Three Seat	Full Height Back with Privacy Screen Option	Center Unit			
				MO	Е			
				Mid Height Back	End Unit			
				M1				
				Mid Height Back with Shelf Option				
				M2				
				Mid Height Back with Privacy Screen Option				

DESCRIPTION/I	MODEL/SPECIES		COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHEI 8	₹ 9
	Three-Seat, Full Height Ba ZOP3-M3F0F	ck	4182	4464	4750	5151	5612	6016	6474	7042	7634
	Three-Seat, Full Height Ba ZOP3-M3F1_ Beech/I Maple/F	_aminate	4840 4948	5122 5233	5406 5517	5810 5919	6269 6380	6675 6786	7132 7241	7698 7808	8293 8403
	ORDERING NOTES: Whe - 42", 36" or 30". Freestand unit, please add \$318 list	n ordering units w ling, Start and End	vith shelf o	option pl	ease clea	ırly speci require co	fy on yo ounterba	ur order lance we	the requir	ed shelf ed to eac	heigh h sea
	Three-Seat, Full Height Ba	ck with Privacy S									
	ZOP3-M3F2F		4917	5199	5481	5888	6347	6752	7210	7775	837
	ORDERING NOTES: Units	with Privacy Scre	een Optior	n are not	available	with Rem	novable E	Back Cov	er option.		
	Three-Seat, Mid Height Ba ZOP3-M3M0F	ick	3935	4170	4401	4735	5113	5449	5829	6293	678
	Three-Seat, Mid Height Ba	ck Shelf Option	4505	4000	E0E0	F204	E770	6105	6480	6050	711
	Maple/F		4595 4705	4828 4940	5058 5169	5394 5504	5772 5884	6105 6216	6489 6598	6952 7061	744 755
	ORDERING NOTES: Whe - 42", 36" or 30". Freestand unit, please add \$318 list Three-Seat, Mid Height Ba	ling, Start and End upcharge per unit	d units with . Units with	n the she h shelf op	elf option i	require co	ounterba	lance we	eight adde	ed to eac	h sea
	ZOP3-M3M2F		4671	4903	5135	5471	5850	6184	6564	7026	752
	ORDERING NOTES: Units	with Privacy Scre	een Optior	n are not	available	with Rem	novable I	Back Cov	er option.		
	ption Upcharges	\$ List						\$	List		
	^r & CAL 133(per yard) t Covers Three-Seat	67 89		eat Power	er (per po	wer unit)			673 630		
	k Covers Three-Seat	127		ble Pow					679		
• •	ultiple unit configurations)	84			er felt glid				30		
Plus Upgrade Ti PRODUCT CODE	• •	204		etal glid	ubber glid es	ies			18 26		
Line	Series	Chair Type	Se	eat Count		Back	(Туре		Leg	ј Туре	
ZOP	3	M		1		F	0			F	
Zola	Lounge	Modular	Ċ	One Seat		Full Hei	ght Back		Freesta	nding Uni	t
		MB Modular	[T	2 wo Seat	ı	Full Heigh	t Back wi	th		S rt Unit	
		Plus Upgrade		3			Option 2			С	
			Ti	nree Seat		 Full Heigh Privacy Sc	t Back wi		Cent	ter Unit	
						_	10			E	
						Mid Hei	ght Back		End	d Unit	
					I	Mid Heigh Shelf		ith			
							12				

Mid Height Back with Privacy Screen Option

DESCRIPTION/	MODEL/SPECIES	COM 1	2	COL 3	FABI 4	RIC GRA	DES 6	7	_EATHEI	₹ 9
	Modular Corner Seat with Full Height Back ZOP3-MCF0	4260	4504	4748	5088	5479	5823	6212	6701	7190
	Modular Corner Seat, Full Height Back with SZOP3-MCF1LR Beech/Laminate Maple/Palette	Shelves 5183 5284	5427 5527	5673 5771	6013 6114	6403 6505	6745 6847	7135 7237	7625 7725	8115 8213
	Modular Corner Seat, Full Height Back with a ZOP3-MCF1L Beech/Laminate Maple/Palette Modular Corner Seat, Full Height Back with a ZOP3-MCF1R Beech/Laminate Maple/Palette	4981 4986	5237 5241	5494 5497 5494 5497	5852 5857 5852 5857	6264 6268 6264 6268	6623 6627 6623 6627	7031 7038 7031 7038	7544 7549 7544 7549	7699 7703 7699 7703
	Modular Corner Seat, Full Height Back with ZOP3-MCF2LR	Privacy So 4855	creens 5099	5343	5684	6076	6418	6808	7295	7786
	Modular Corner Seat, Full Height Back with ZOP3-MCF2L Modular Corner Seat, Full Height Back with ZOP3-MCF2R	4801	5056	5314	5674 5674	6082	6442 6442	6850 6850	7365 7365	7519 7519

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	67
Combination Upholstery - dual fabrics	34
Shelf Power	630
Dual Leg (for Multiple unit configurations)	84
Plus Upgrade- Corner Seat	67
Floor-saver felt glides	30
Non-slip rubber glides	18
Metal glides	26

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3 Lounge	MC Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option	Right Side

Left & Right Sides

DESCRIPTION/I	MODEL/SPECIES	COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	ER 9
	Modular Corner Seat with Mid Height Back ZOP3-MCM0	3426	3627	3828	4111	4433	4715	5037	5442	5846
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1LR Beech/Laminate Maple/Palette	Shelves 4348 4448	4551 4650	4753 4853	5034 5134	5358 5456	5638 5741	5962 6061	6364 6465	6769 6869
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1L Beech/Laminate Maple/Palette	Single S 4104 4109	helf left 4317 4321	4528 4604	4824 4830	5164 5168	5461 5465	5800 5804	6221 6225	6354 6357
A	Modular Corner Seat, Mid Height Back with ZOP3-MCM1R Beech/Laminate Maple/Palette	Single S 4104 4109	helf Righ 4317 4321	4528 4604	4824 4830	5164 5168	5461 5465	5800 5804	6221 6225	6354 6357
	Modular Corner Seat, Mid Height Back with ZOP3-MCM2LR	Privacy : 4020	Screens 4223	4424	4707	5029	5311	5634	6035	6441
	Modular Corner Seat, Full Height Back with ZOP3-MCM2L	Privacy \$	Screen L 4137	.eft* 4348	4644	4983	5281	5618	6042	6174
	Modular Corner Seat, Full Height Back with ZOP3-MCM2R	Privacy 9	Screen F 4137	Right 4348	4644	4983	5281	5618	6042	6174
Zola Privacy Op	otion Upcharges \$ List									

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	67
Combination Upholstery - dual fabrics	34
Shelf Power	630
Dual Leg (for Multiple unit configurations)	84
Plus Upgrade- Corner Seat	67
Floor-saver felt glides	30
Non-slip rubber glides	18
Metal glides	26

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP Zola	3 Lounge	MC Modular Corner Seat	M0 Mid Height Back	L Left Side
Zola	Lourige	MCB	M1	R
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
			M2	LR

Mid Height Back with Privacy Screen Option

Left & Right Sides

ZOLA PRIVACY | SIDE PANELS

			COM		COL		FABRIC GRADES			LEATHER		
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Singl											
	ZOP3-MPF0S	Start	995	1087	1180	1369	1555	1743	1927	2116	2488	
	ZOP3-MPF0C	Center	1283	1375	1467	1656	1840	2028	2214	2400	2774	
	ZOP3-MPF0E	End	995	1087	1180	1369	1555	1743	1927	2116	2488	
	Side Panel, Single, Full Height with Screen											
	ZOP3-MPF2S	Start	1305	1398	1491	1676	1864	2051	2238	2425	2798	
	ZOP3-MPF2C	Center	1590	1686	1777	1964	2153	2339	2526	2713	3084	
	ZOP3-MPF2E	End	1305	1398	1491	1676	1864	2051	2238	2425	2798	
	Side Panel, Single	e, Mid Height No	Screen									
	ZOP3-MPM0S	Start	805	870	932	1061	1187	1313	1440	1566	1818	
	ZOP3-MPM0C	Center	1104	1165	1228	1354	1482	1609	1735	1861	2116	
	ZOP3-MPM0E	End	805	870	932	1061	1187	1313	1440	1566	1818	
	Side Panel, Single	e, Mid Height wi	th Screen									
	ZOP3-MPM2S	Start	1116	1178	1242	1371	1496	1624	1750	1877	2130	
	ZOP3-MPM2C	Center	1413	1475	1538	1666	1791	1918	2044	2169	2425	
	ZOP3-MPM2E	End	1116	1178	1242	1371	1496	1624	1750	1877	2130	
	000000000000	- 0: 1 5							_	o .:		

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	E	
			Mid Height	End	
			M2		
			Mid Height with		

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION	/MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side	Panel, Single,	Full Height									
	ZOP3-MSPF0S	Start	612	659	707	803	898	996	1090	1188	1379	
	ZOP3-MSPF0C	Center	899	950	999	1093	1190	1285	1380	1477	1668	
	ZOP3-MSPF0E	End	612	659	707	803	898	996	1090	1188	1379	
	Semi-Private Side	Panel, Single,	Mid Height									
	ZOP3-MSPM0S	Start	539	582	621	705	788	870	954	1036	1200	
	ZOP3-MSPM0C	Center	835	876	918	1002	1084	1166	1250	1332	1499	
	ZOP3-MSPM0E	End	539	582	621	705	788	870	954	1036	1200	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center	
				E End	

ZOLA PRIVACY | MODULAR ARMS

		COM COL FABRIC GRADES			RADES	LEATHER				
DESCRIPTION	/MODEL	1	2	3	4	5	6	7	8	9
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	737 737 823	777 777 864	816 816 901	895 895 981	976 976 1062	1054 1054 1141	1135 1135 1221	1212 1212 1300	1372 1372 1459
	Modular Upholstered Arm w/Ure ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 882 882 951	921 921 989	959 959 1030	1039 1039 1110	1119 1119 1190	1198 1198 1267	1278 1278 1348	1356 1356 1425	1517 1517 1585

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole	С	
Solid Surface Arm Cap (per arm)	135	142	158	164

PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

ZOLA PRIVACY | TWIN - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall	Width with	Overall	Depth	Overall	Overall Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Full Height Back										
One-Seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-Seat (Plus)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Back										
One-Seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-Seat (Plus)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height E	Back											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height E	Back											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES

	\$ List	
Plus Upgrade Twin Two-Seat	271	
Plus Upgrade Twin Three-Seat	407	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | TWIN MODULAR PANELS & MODULAR ARMS

DIMENSIONS & COM REQUIREMENTS

DIMENSIONS &	OOW HE GO											
		Overall Width	Overall	Overall	Shipping	0	COM	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
		vviatri	Depth	Height	Weight	Cubes	1-unit	Z-units	3-units	4-units	5-units	o-units
Side Panel, Single	e. Full Heiaht	No Scree	n									
ZOP3-MPTF0U	Universal	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF0C	Center	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single	e, Full Height	with Scre	en									
ZOP3-MPTF2U	Universal	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF2C	Center	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single												
ZOP3-MPTM0U	Universal	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM0C	Center	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
Side Panel, Single	Mid Hoigh	t with Soro	on									
ZOP3-MPTM2U	Universal	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM2C	Center	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
201 3-1011 110120	Ceritei	2.75	31.3	40.00	40	4	2.32	4.32	0.51	0.30	10.5	10.02
Twin Semi-Private	Side Panel.	Single, Fu	III Heiaht									
ZOP3-MSPTF0U	Universal	2.75	26.5	44	43	2.5	2.69	5.38	8.06	10.75	13.44	16.13
ZOP3-MSPTF0C	Center	2.75	26.5	44	52	2.5	2.69	5.38	8.06	10.75	13.44	16.13
Twin Semi-Private		•	id Height									
ZOP3-MSPTM0U		2.75	26.5	31.4	32	1.7	1.75	3.99	5.98	7.97	9.97	11.96
ZOP3-MSPTM0C	Center	2.75	26.5	31.4	39	1.7	1.75	3.99	5.98	7.97	9.97	11.96
Twin Modular Uph	noletered Arn	n										
ZOP3-MATUPHU		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUPHC		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
201011111101110		Ü	1 1.0	10.10		2.0		0.00	Ü	0.0	7.0	0.00
Twin Modular Uph	nolstered Arn	n w/Uretha	ane Cap									
ZOP3-MATUREU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUREC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	nolstered Arn	n w/Solid S										
ZOP3-MATSSCU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATSSCC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MODI	EL	COM 1	2	COL 3	F 4	FABRIC GRA 5	DES 6	7	LEATHEF 8	₹ 9
	Twin One-Seat, Full Height ZOP3-MT1F0F	Back 2993	3166	3166	3343	3595	3875	4128	4413	4759
	Twin One-Seat, Full Height ZOP3-MT1F2F	Back with 3290	Privacy S 3463	Screen Opti 3463	on 3638	3892	4173	4424	4708	5056
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable	Back Cove	er option.	
	Twin One-Seat, Mid Height ZOP3-MT1M0F	Back 2848	2995	2995	3144	3360	3601	3816	4059	4356
	Twin One-Seat, Mid Height ZOP3-MT1M2F	Back with 3143	Privacy S 3292	Screen Opti 3292	on 3441	3657	3897	4113	4354	4653
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable	Back Cove	er option.	
	Twin One-Seat Plus, Full H ZOP3-MBT1F0F	eight Back 4006	4181	4181	4354	4608	4888	5141	5425	5772
	Twin One-Seat Plus, Full H ZOP3-MBT1F2F	eight Back 4380	with Priva	acy Screen 4555	Option 4730	4981	5262	5517	5800	6148
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable	Back Cove	er option.	
	Twin One-Seat Plus, Mid H ZOP3-MBT1M0F	leight Back 3847	3996	3996	4146	4359	4600	4816	5057	5358
	Twin One-Seat Plus, Mid H ZOP3-MBT1M2F	leight Back 4222	with Priv	acy Screen 4370	Option 4521	4732	4974	5191	5432	5729
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable	Back Cove	er option.	
PRODUCT CODE KEY										
Line		Chair Type		Seat Coun	t	Back Ty	pe		Leg Type	
ZOP	Lounge Mo	MT odular Twin		One Seat		Full Height	_ Back	Fre	F estanding U	nit
	[Mo	MTB odular Twin		2 Two Seat		F2 Full Height Ba	ack with		Start Unit	
	Plu	us Upgrade Dage 207)		3		Privacy Screen			C	
	ų.	- '		Three Seat	t	Mid Height	」 Back		Center Unit	
						M2			Е	
						Mid Height Ba Privacy Screen			End Unit	

ZOLA PRIVACY | TWIN SEATS

		COM		COL	F	ABRIC GRA	DES		LEATHE	R
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Twin Two-Seat, Full Heigh ZOP3-MT2F0F	nt Back 4446	4720	4993	5400	5856	6264	6718	7267	7891
	Twin Two-Seat, Full Heigh ZOP3-MT2F2F	nt Back Priva 4959	cy Screer 5235	Option 5507	5916	6372	6778	7233	7781	8408
	ORDERING NOTES: Unit	ts with Privac	y Screen	Option are	not availa	able with Re	movable E	Back Cove	r option.	
	Twin Two-Seat, Mid Heigl ZOP3-MT2M0F	nt Back 4230	4468	4704	5049	5432	5777	6161	6633	7148
	Twin Two-Seat, Mid Heigl ZOP3-MT2M2F	4746	4981	5218	5560	5947	6291	6676	7148	7662
	ORDERING NOTES: Unit	ts with Privac	y Screen	Option are	not availa	able with Re	movable E	Back Cove	r option.	
	Twin Three-Seat, Full He ZOP3-MT3F0F	eight Back 6109	6462	6813	7310	7879	8375	8941	9645	10371
	Twin Three-Seat, Full He ZOP3-MT3F2F	eight Back Pri 6843	vacy Scre 7196	een Option 7545	8043	8613	9111	9677	10379	11103
	ORDERING NOTES: Ur	nits with Priva	cy Screer	Option are	e not avai	lable with R	emovable	Back Cov	er option.	
	Twin Three-Seat, Mid He ZOP3-MT3M0F	eight Back 5622	5931	6238	6681	7180	7623	8121	8740	9391
	Twin Three-Seat, Mid He ZOP3-MT3M2F ORDERING NOTES: Ur	6356	6665	6973	7417	7915	8359 emovable	8856 Back Cov	9474 er option.	10127
PRODUCT CODE KEY			-						·	
Line	Series	Chair Type		Seat Cou	nt	Back T	уре		Leg Type	
ZOP Zola	3 Lounge	MT Modular Twin		1 One Sea	t	F0 Full Heigh	it Back	Fre	F eestanding	Unit
		Modular Twin Plus Upgrade (page 207)		Two Sea		Full Height E	en Option		Start Unit	

(page 207)

3

Three Seat

M0

Mid Height Back

Mid Height Back with

Privacy Screen Option

С

Center Unit

Ε

End Unit

ZOLA PRIVACY | TWIN - SIDE PANELS

	COM		COL	FAB	RIC GRAD	ES	ı	LEATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No ZOP3-MPTF0U Universal En- ZOP3-MPTF0C Center		1636 2385	1775 2525	2052 2801	2328 3078	2607 3352	2882 3629	3160 3906	3712 4460
Twin Side Panel,, Full Height wit	h Screen								
ZOP3-MPTF2U Universal Engagement ZOP3-MPTF2C Center	d 2106 2853	2244 2993	2384 3133	2659 3408	2937 3685	3214 3960	3490 4238	3768 4511	4319 5069
Twin Side Panel, Med. Height N	o Screen								
ZOP3-MPTM0U Universal En- ZOP3-MPTM0C Center	d 1246 1991	1338 2087	1431 2180	1620 2366	1806 2553	1992 2740	2180 2927	2366 3113	2740 3488
Twin Side Panel, Med. Height w	ith Screen								
ZOP3-MPTM2U Universal En		1947	2041	2228	2416	2602	2789	2974	3347
ZOP3-MPTM2C Center	2601	2695	2789	2974	3161	3347	3535	3720	4097
ORDERING NOTE: Side Panels	will only conr	ect to Ce	nter seatir	ng units. U	nits with P	rivacy Scre	en Option	n are not av	/ailable

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See page 207 for dimensions and COM.

I HODOUT GODE KET					
Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			M0 Mid Height		
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	/MODEL	1	2	3	4	5	6	7	8	9	
	Twin Semi-Private Side Panel, S ZOP3-MSPTF0U Universal ZOP3-MSPTF0C Center	Single, Full F 1062 1810	leight 1146 1894	1230 1979	1350 2098	1485 2235	1604 2352	1741 2488	1909 2658	2080 2828	
	Twin Semi-Private Side Panel, S ZOP3-MSPTM0U Universal ZOP3-MSPTM0C Center	Single, Mid F 911 1660	leight 964 1714	1021 1770	1097 1845	1187 1934	1263 2010	1352 2101	1462 2211	1571 2321	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 207 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			M0	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/M	1ODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1176 1938	1256 2004	1325 2072	1416 2165	1523 2272	1615 2365	1723 2471	1856 2605	1988 2738	
	Twin Modular Upholstered Arm v	//Urethane	Cap								
	ZOP3-MATUREU	1314	1395	1462	1555	1661	1753	1860	1993	2127	
	ZOP3-MATUREC	2077	2143	2211	2302	2409	2503	2609	2742	2875	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col		С
Solid Surface Arm Cap (per arm)	289	302	333	344

PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | CURVED - DIMENSIONS

DIMENSIONS

DIMENSIONS		\				0				
	Overall Width	Width with Arms	Overall Depth	Depth w/ Shelf	Overall Height	Overall Height w/Screen	Seat Height	Seat Depth	Shipping Weight	Cubes
Curved Single-Sea	nt - Full He	eight Bac	:k							
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16
Curved Single-Sea	t - Mid He	eight Bac	k							
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10
45° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14
Curved Double-Se										
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37
Curved Double-Se	at - Mid H	leight Ra	ıck							
30° Inside Curve	58	64	30	42	37.5	50	18.5	20.25	110	24
45° Inside Curve	64.5	70.5	31.5	43.5	37.5	50	18.5	20.25	116	31
60° Inside Curve	70.5	76.5	33	45.5 45	37.5 37.5	50	18.5	20.25	123	38
		76.5 87								
90° Inside Curve	81	0/	36	48	37.5	50	18.5	20.25	141	52
30° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21
45° Outside Curve	61	67	31	43	37.5	50	18.5	20.25	99	25
60° Outside Curve	65.5	71.5	32	44	37.5	50	18.5	20.25	105	28
90° Outside Curve	74.5	80.5	34.5	46.5	37.5	50	18.5	20.25	115	32

Upcharge for Plus Upgrade Option:

oberrar go rer i rae obgrade obrierir			
Option	List	Option	\$ List
Plus Upgrade -Single-seat curve 30° seat	100	Plus Upgrade -Double-seat curve 30° seat	159
Plus Upgrade -Single-seat curve 45° seat	116	Plus Upgrade -Double-seat curve 45° seat	189
Plus Upgrade -Single-seat curve 60° seat	129	Plus Upgrade -Double-seat curve 60° seat	202
Plus Upgrade -Single-seat curve 90° seat	173	Plus Upgrade -Double-seat curve 90° seat	231

ZOLA PRIVACY | CURVED - COM REQUIREMENTS

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea	t - Full H	eight Bacl	K									
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	nt - Mid H	eight Bacl	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H	Height Bac	:k									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se	at - Mid I	Height Bac	ck									
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List	
Single-seat curve 30° seat	64	Double-seat curve 30° seat	97	
Single-seat curve 45° seat	67	Double-seat curve 45° seat	106	
Single-seat curve 60° seat	90	Double-seat curve 60° seat	129	
Single-seat curve 90° seat	118	Double-seat curve 90° seat	133	

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAI 5	DES 6	7	LEATHE 8	R 9
	Single-Seat, 30° Insid ZOP3-MCIS30DF0F	e Curve, Full Heigh	at Back 3601	3798	3996	4271	4587	4865	5177	5573	5968
	Single-Seat, 30° Insid ZOP3-MCIS30DF1_ ORDERING NOTE: W - 42", 36" or 30" and of	Beech/Laminate Maple/Palette /hen ordering a back	4249 4348 ck with 9	4447 4544 Shelf optio							
	balance weight added							ar the one	порион	require of	ounto
	Single-Seat, 30° Insid ZOP3-MCIS30DF2F	e Curve, Full Heigh	it Back v 4224	vith Privac 4422	y Screer 4617	า 4897	5210	5488	5803	6197	6590
	Single-Seat, 30° Insid ZOP3-MCIS30DM0F	e Curve, Mid Heigh	nt Back 3436	3608	3784	4025	4302	4544	4821	5168	5512
	Single-Seat, 30° Insid ZOP3-MCIS30DM1_		nt Back v 4086 4183	vith Shelf 4260 4356	4432 4530	4676 4772	4950 5051	5193 5289	5471 5568	5815 5915	6161 6260
	ORDERING NOTE: W - 36" or 30" and chos ance weight added to	e required leg type	below. F	reestandii	ng, Start	and End un					
	Single-Seat, 30° Insid ZOP3-MCIS30DM2F	e Curve, Mid Heigh	nt Back v 4060	with Privac 4234	y Screei 4406	n Option 4648	4925	5168	5446	5791	6136
Zola Privacy O	Option Upcharges	\$ List							\$ Lis	t	
Floor-saver felt Non-slip rubber Metal glides	pholstery - dual fabrics glides r glides	630 673 34 30 18 26	Du Re No	al Leg (for movable S te: Remov	Multiple eat Cov able bac	e-Seat, 30° (unit configuers -Single-S ck covers are AL 133(per y	ırations) Seat, 30° e not ava		100 84 64 curved b 67	l l acks	
PRODUCT COD Line	Series	Chair Type	C	urve Style	;	Seat Degree	E	Back Type		Leg Type	<u>е</u>
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outsid	IS Curve -Sin ID Curve -Dou OS e Curve -Sin OD e Curve -Do	ble	30D 45D 60D 90D	Full He SI Full He Privacy	F0 Height Back helf Option F2 eight Back of Screen Option M0 Height Back	with with otion	F reestanding S Start Un C Center Un	it]] nit

			СОМ	_	COL		IC GRAD			_EATHEF	
DESCRIPTION/I	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 45° Insid ZOP3-MCIS450DF0F		nt Back 4039	4259	4476	4793	5149	5469	5825	6262	6738
	Single-Seat, 45° Insid ZOP3-MCIS45DF1_	Beech/Laminate Maple/Palette	4707 4804	4924 5024	5142 5242	5461 5559	5815 5916	6133 6234	6493 6594	6928 7025	7403 7505
	ORDERING NOTE: V - 42", 36" or 30" and counterbalance weight	d chose required I	eg type	below. F	reestand	ing, Start	and End	units with			
	Single-Seat, 45° Insid ZOP3-MCIS45DF2F	le Curve, Full Heigl	ht Back 4669	with Priva 4887	acy Scree 5106	n 5425	5781	6099	6456	6893	7368
	Single-Seat, 45° Insid ZOP3-MCIS45DM0F	le Curve, Mid Heig	ht Back 3824	4001	4177	4425	4710	4958	5243	5595	5956
	Single-Seat, 45° Insid ZOP3-MCIS45DM1_		ht Back 4491 4589	with She 4666 4765	lf 4844 4944	5090 5192	5377 5476	5628 5725	5912 6008	6263 6361	6622 6722
	ORDERING NOTE: V - 36" or 30" and ch counterbalance weigh	nose required leg nt added to each s	type be eat unit,	elow. Fre please a	estanding dd \$318 I	g, Start an ist upcharç	id End ι	units with			
	Single-Seat, 45° Insid ZOP3-MCIS45DM2F	le Curve, Mid Heig	nt Back 4455	4631	acy Scree 4809	5056	5340	5589	5874	6227	6584
Zola Privacy O _l	ption Upcharges	\$ List							\$ List	t	
Moisture Barrier Seat Power (per Shelf Power Floor-saver felt ç Non-slip rubber Metal glides	glides	67 673 630 30 18 26	Du Re No	ial Leg (fo movable ote: Remo	or Multiple Seat Cov ovable bac	e-Seat, 45° e unit config ers -Single ck covers a ery - dual f	gurations -Seat, 45 re not av	5° Curve	116 84 67 curved b 34	l 7 acks	
PRODUCT CODE	Series	Chair Type		Curve Style		Seat Degree		Back Type		Leg Tyr	
ZOP	3	Chair Type MC		IS		30D		F0		F	
Zola	Lounge	Modular Curve MCB Modular Curve		Curve -Si ID Curve -Do		45D	Full I	F1 Height Back	with	reestandir S Start U	
		Plus	Outsic	OS le Curve -S	Single	60D	Full I	Shelf Option F2 Height Back	with	C Center U	Jnit
			Outsid	OD e Curve -D	ouble	90D		cy Screen O M0 d Height Ba		End Ur	nit
								M1 Height Back Shelf Option			
								M2 Height Back by Screen Op			
					2026	I CEATINI		CVSIONIV	I TADII	EQ GQ	۸۱۹۹۹

DESCRIPTION/M	ODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAI 5	DES 6	7	LEATHER	R 9
	Single-Seat, 60° Inside ZOP3-MCIS60DF0F	e Curve, Full Heig	ht Back 4589	4865	5135	5530	5980	6370	6816	7362	7945
	Single-Seat, 60° Inside ZOP3-MCIS60DF1_ ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	Beech/Laminate Maple/Palette hen ordering a bachose required	5444 5545 ack with leg type	5716 5818 Shelf optic below. F	5990 6090 on pleas	ding, Start a	nd End	units with			
	Single-Seat, 60° Inside ZOP3-MCIS60DF2F						6607	7003	7447	7995	8577
	Single-Seat, 60° Inside ZOP3-MCIS60DM0F	e Curve, Mid Heig	ght Back 4372	4567	4763	5041	5358	5632	5947	6340	6736
	Single-Seat, 60° Inside ZOP3-MCIS60DM1_ ORDERING NOTE: W - 36" or 30" and che	Beech/Laminate Maple/Palette	5225 5325 ack with	5422 5521 Shelf optio	5618 5719 on pleas						
	counterbalance weigh Single-Seat, 60° Inside ZOP3-MCIS60DM2F						ge per un 5990	6266	6581	6974	7369
Zola Privacy Opt	ion Upcharges	\$ List							\$ List	t	
Moisture Barrier & Seat Power (per p Shelf Power Floor-saver felt gli Non-slip rubber g Metal glides	des	67 673 630 30 18 26	Dua Rei Not	al Leg (for movable S te: Remov	Multiple Seat Covable ba	le-Seat, 60° e unit configi vers -Single- ck covers ar tery - dual fa	urations) Seat, 60° e not ava		129 84 90 curved b	l) acks	
PRODUCT CODE N											
ZOP Zola	Series 3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Inside Outside	IS Curve -Sin ID Curve -Dou OS e Curve -Si OD e Curve -Do	uble	30D 45D 60D 90D	Full H S Full H Privac	F0 Height Back helf Option F2 eight Back y Screen O M0 Height Bac M1 eight Back	with with ption	Leg Typ Freestanding S Start Un C Center U E End Uni	g Unit init

DESCRIPTIO	N/MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAD 5	ES 6	7	LEATHER 8	9
	Single-Seat, 90° Inside ZOP3-MCIS90DF0F	Curve, Full Height	Back 5241	5526	5814	6216	6676	7079	7539	8114	8688
	Single-Seat, 90° Inside ZOP3-MCIS90DF1_ ORDERING NOTE: What is a single state of the	Beech/Laminate Maple/Palette	6159 6262	6445 6548	6732 6836	7134 7238	7595 7697	7996 8098	8457 8559	9028 9132	9604 9708
	42", 36" or 30" and counterbalance weight	chose required leg	type b	elow. Fre	eestandir	ng, Start ar	nd End u				
	Single-Seat, 90° Inside ZOP3-MCIS90DF2F	Curve, Full Height	Back wit 6240	th Privacy 6526	y Screen 6816	7215	7676	8079	8537	9112	9686
	Single-Seat, 90° Inside ZOP3-MCIS90DM0F	Curve, Mid Height	Back 4799	5025	5250	5563	5923	6240	6600	7048	7501
	Single-Seat, 90° Inside ZOP3-MCIS90DM1_	Curve, Mid Height Beech/Laminate Maple/Palette	Back wir 5716 5821	th Shelf 5943 6045	6166 6269	6482 6583	6841 6942	7158 7259	7516 7620	7966 8068	8415 8520
H-J-V	ORDERING NOTE: What 36" or 30" and chose reweight added to each s	equired leg type be	low. Free	standing	ı, Start an	nd End units					
	Single-Seat, 90° Inside ZOP3-MCIS90DM2F	Curve, Mid Height	Back wir 5800	th Privac 6025	y Screen 6250	Option 6564	6924	7239	7598	8045	8497
Zola Privacy	Option Upcharges	\$ List							\$ Lis	st	
	rier & CAL 133 (per yard)					le-Seat, 90°			173		
Seat Power () Shelf Power	oer power unit)	673 630				e unit confi vers -Single			8- 11		
Floor-saver fe Non-slip rubb	· ·	30 18	No	te: Remo	ovable ba	ack covers a	are not ava	ailable on	curved b	oacks	
Metal glides	er gildes	26									
PRODUCT COL	DE KEY										
Line	Series	Chair Type	C	urve Style		Seat Degree	E	Back Type		Leg Type	•
ZOP	3	MC		IS		30D		F0		F	
Zola	Lounge	Modular Curve	Inside	Curve -Si	ngle		Full	Height Bac	:K Fr	reestanding S	Unit
		Modular Curve	Inside	Curve -Do	ouble	45D	Full He	F1 eight Back v	with	Start Uni	t
		Plus					Sh	nelf Option		С	
			Outside	OS e Curve -S	Single	60D	Full He	F2 eight Back v	with	Center Un	iit
				OD		90D		Screen Op		E	
			Outside	Curve -D	ouble		Mid	Height Bac	k	End Unit	
								eight Back v	with		
								M2 eight Back v Screen Op			

-	N/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	ES 6	7	LEATHER 8	9
	Single-Seat, 30° Outside ZOP3-MCOS30DF0F	e Curve, Full Heigl	nt Back 3414	3602	3789	4051	4352	4614	4914	5287	5661
	Single-Seat, 30° Outside ZOP3-MCOS30DF1_ E		nt Back wi 3731 3824	ith Shelf 3918 4009	4105 4198	4368 4460	4666 4759	4927 5023	5227 5321	5603 5696	5976 6071
	ORDERING NOTE: Wh 42", 36" or 30" and c counterbalance weight	nose required leg	type be	low. Free	standing	, Start and	End un				
	Single-Seat, 30° Outside ZOP3-MCOS30DF2F	e Curve, Full Heigl	nt Back wi 3787	ith Privac 3975	y Screen 4161	4424	4725	4986	5285	5660	6033
	Single-Seat, 30° Outside ZOP3-MCOS30DM0F	e Curve, Mid Heig	ht Back 3291	3454	3617	3847	4109	4337	4599	4924	5257
	Single-Seat, 30° Outside ZOP3-MCOS30DM1_ E		ht Back w 3604 3698	ith Shelf 3768 3862	3930 4022	4160 4255	4423 4513	4650 4746	4914 5007	5239 5332	5572 5663
	ORDERING NOTE: Wh. 36" or 30" and chose reweight added to each substituting the state of the sta	quired leg type be eat unit, please ac	low. Frees ld \$318 lis	tanding, S t upchare	Start and ge per un	End units v					
Zola Privacy	Option Upcharges	\$ List							\$ List		
Moisture Barr	rier & CAL 133 (per yard) per power unit)	67 673 630 30 18	Dua Rem	l Leg (for		-Seat, 30° (unit configu			100 84		
Metal glides		26			eat Cove	ers -Single-S k covers are			64 urved ba	ıcks	
Metal glides PRODUCT CO Line	DDE KEY Series				eat Cove able back	ers -Single-	e not avai			Leg Type	

DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD 5	ES 6	L 7	EATHER 8	9
	Single-Seat, 45° Outsi ZOP3-MCOS450DF0F		ght Back 3683		4057	4318	4617	4880	5178	5552	5928
	Single-Seat, 45° Outsi ZOP3-MCOS45DF1_		ght Back 3993 4086	with She 4180 4271	4365 4459	4627 4723	4927 5023	5191 5284	5491 5583	5863 5957	6238 6332
1	ORDERING NOTE: W 42", 36" or 30" and ch balance weight added	ose required leg ty	pe belov	w. Freesta	anding, S	tart and En	d units w				
	Single-Seat, 45° Outsi ZOP3-MCOS45DF2F	de Curve, Full Heiç	ght Back 4051	with Priv 4239	acy Scre 4425	en 4689	4989	5252	5550	5923	6298
	Single-Seat, 45° Outsi ZOP3-MCOS45DM0F		ght Back 3551	3712	3874	4104	4365	4596	4859	5183	5516
	Single-Seat, 45° Outsi ZOP3-MCOS45DM1_		ght Back 3861 3954	with She 4021 4116	elf 4184 4277	4415 4506	4677 4769	4905 5000	5168 5260	5493 5586	5824 5917
	ORDERING NOTE: W 36" or 30" and chose r weight added to each	equired leg type be	low.Free	estanding	, Start an	nd End units					
	Single-Seat, 45° Outsi ZOP3-MCOS45DM2F		ght Back 3921	with Priv 4084	vacy Scre 4244	en Option 4474	4735	4966	5227	5552	5885
Zola Privacy C	ption Upcharges	\$ List							\$ List	t	
Moisture Barrie Seat Power (pe Shelf Power Floor-saver felt Non-slip rubber Metal glides	glides	67 673 630 30 18 26	Du Re No	al Leg (fo movable te: Remo	r Multiple Seat Cov vable ba	le-Seat, 45° e unit config vers -Single ck covers a tery - dual f	jurations) -Seat, 45 re not ava	° Curve	116 84 67 curved ba 34	acks	
PRODUCT CODE	KEY										
Line	Series	Chair Type	С	urve Style		Seat Degree	ı	Back Type		Leg Typ	e
ZOP	Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS Curve -Sir ID Curve -Do OS e Curve -Si	uble	30D 45D 60D	Full H S	F0 Height Back very beight Back very being	with	F eestanding S Start Un C Center U	it
				OD Curve -Do		90D	Privac	y Screen Op M0 Height Bac	otion	E End Uni]
								eight Back helf Option	with		
					2026	6 SEATING	Privacy	eight Back v Screen Op	tions	ES GSA	A 226

			СОМ		COL		RIC GRAI			LEATHER	
DESCRIPTION/	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 60° Outside ZOP3-MCOS60DF0F	e Curve, Full Heiç	ght Back 3837	4022	4211	4474	4773	5034	5336	5708	6082
	_	Beech/Laminate Maple/Palette	4145 4237	4331 4423	4520 4612	4780 4873	5079 5173	5340 5434	5638 5736	6013 6105	6387 6482
,	- 42", 36" or 30" and ch terbalance weight adde	ose required leg	type bel	ow. Freest	anding,	Start and E	nd units				
	Single-Seat, 60° Outside ZOP3-MCOS60DF2F	e Curve, Full Heiç	ght Back 4187	with Priva 4376	cy Scre 4564	en 4824	5126	5387	5686	6057	6433
	Single-Seat, 60° Outside ZOP3-MCOS60DM0F	e Curve, Mid Hei	ght Back 3711	3874	4038	4267	4528	4758	5020	5345	5677
	Single-Seat, 60° Outside ZOP3-MCOS60DM1_		ght Back 4016 4110	with Shelf 4181 4273	4344 4435	4571 4665	4834 4926	5063 5159	5324 5418	5653 5744	5980 6075
4	ORDERING NOTE: Wh - 36" or 30" and chose r ance weight added to e	equired leg type	below. F	reestandin	g, Start	and End un					
	Single-Seat, 60° Outside ZOP3-MCOS60DM2F	e Curve, Mid Heio	ght Back 4062	with Priva 4225	cy Scre 4389	en Option 4616	4878	5109	5368	5696	6028
Zola Privacy O	ption Upcharges	\$ List							\$ List		
Moisture Barrier Seat Power (per Shelf Power Floor-saver felt g Non-slip rubber Metal glides	lides	67 673 630 30 18 26	Dua Rer Not	al Leg (for I movable Se e: Remova	Multiple eat Cove able bac	e-Seat, 60° (unit configu ers -Single-S k covers are ery - dual fa	ırations) Seat, 60° e not ava		129 84 90 curved ba 34		
PRODUCT CODE											
Line ————	Series	Chair Type	Ci	urve Style		Seat Degree		Back Type		Leg Type	
ZOP	3	MC		IS O		30D	- "	F0		F	
Zola	Lounge	Modular Curve MCB	inside	Curve -Sing	ie	4ED	Full	Height Bac	K Fre	estanding S	Unit
		Modular Curve	Inside (Curve -Doub	ole	45D	Full He	ight Back v	vith	Start Uni	t
		Plus	ſ	00		000	Sh	nelf Option		С	
			Outside	OS Curve -Sin	gle	60D	Full He	F2 eight Back v	vith	Center Ur	nit
				OD		90D	Privacy	Screen Op	tion	Е	
			Outside	Curve -Dou	ble		Mid	Height Bac	k	End Unit	t
								M1 eight Back v nelf Option	with		
								M2 eight Back v Screen Opt			
007100410	ATINIO 0 000 1010 11	. TABLES	00								

N/MODEL/SPECIES		COM	2	COL						R 9
	Curve, Full Heigl		4815	5001	5261	5562	5824	6124	6497	6872
ZOP3-MCOS90DF1_ E M ORDERING NOTE: Whe 42", 36" or 30" and chose	eech/Laminate laple/Palette en ordering a back se required leg typ	4920 5011 with Shoe below	5109 5199 nelf option	5295 5387 n please onding, Sta	art and End	d units wi				
Single-Seat, 90° Outside ZOP3-MCOS90DF2F	Curve, Full Heigl	nt Back v 4973	with Priva 5163	cy Scree 5349	n 5611	5912	6171	6471	6846	7220
Single-Seat, 90° Outside ZOP3-MCOS90DM0F	Curve, Mid Heig	ht Back 4146	4308	4470	4700	4961	5191	5451	5778	6112
ZOP3-MCOS90DM1_ B	eech/Laminate	ht Back 4440 4530	with Shelt 4601 4692	f 4763 4854	4994 5085	5257 5347	5484 5575	5746 5838	6073 6162	6407 6495
weight added to each se	eat unit, please ad	d \$318 l	list upcha	arge per u	ınit.	with the s	shelf optio	n require	6125	6460
Option Upcharges rier & CAL 133 (per yard) per power unit) elt glides per glides	\$ List 67 673 630 30 18 26	Du Re No	al Leg (for movable s te: Remo	r Multiple Seat Cov vable bad	e unit confiç ers -Single ck covers a	gurations) -Seat, 90 ire not av	o Curve	173 84 118 curved b	3 1 3 acks	
Series 3 Lounge	Chair Type MC Modular Curve MCB Modular Curve Plus	Inside Inside	IS e Curve -Si ID c Curve -Do Curve -Do OS le Curve -S	ngle ouble Single	Seat Degree 30D 45D 60D	Full I S Full I Privad	F1 Height Back Shelf Option F2 Height Back by Screen C M0 d Height Ba	with with ption ck	Leg Typ Freestandin S Start Ur C Center U	ng Unit nit Junit
	Single-Seat, 90° Outside ZOP3-MCOS90DF1_ B N ORDERING NOTE: Whe 42", 36" or 30" and chos balance weight added to Single-Seat, 90° Outside ZOP3-MCOS90DF2F Single-Seat, 90° Outside ZOP3-MCOS90DM0F Single-Seat, 90° Outside ZOP3-MCOS90DM1_ B N ORDERING NOTE: Whe 36" or 30" and chose rec weight added to each se Single-Seat, 90° Outside ZOP3-MCOS90DM2F Option Upcharges Fier & CAL 133 (per yard) per power unit) Set glides Fier glides DE KEY Series	Single-Seat, 90° Outside Curve, Full Height ZOP3-MCOS90DF0F Single-Seat, 90° Outside Curve, Full Height ZOP3-MCOS90DF1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a back 42", 36" or 30" and chose required leg type balance weight added to each seat unit, possible Curve, Full Height ZOP3-MCOS90DF2F Single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM0F Single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a back 36" or 30" and chose required leg type believely added to each seat unit, please and Single-Seat, 90° Outside Curve, Mid Height ZOP3-MCOS90DM2F Option Upcharges \$ List in the composition of the c	N/MODEL/SPECIES Single-Seat, 90° Outside Curve, Full Height Back ZOP3-MCOS90DF0F Single-Seat, 90° Outside Curve, Full Height Back ZOP3-MCOS90DF1_ Beech/Laminate 4920 Maple/Palette 5011 ORDERING NOTE: When ordering a back with Sh 42°, 36° or 30° and chose required leg type below balance weight added to each seat unit, please act Single-Seat, 90° Outside Curve, Full Height Back ZOP3-MCOS90DF2F Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM0F Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM0F ORDERING NOTE: When ordering a back with Sh 36° or 30° and chose required leg type below. Free weight added to each seat unit, please add \$318 Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F ORDERING NOTE: When ordering a back with Sh 36° or 30° and chose required leg type below. Free weight added to each seat unit, please add \$318 Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Option Upcharges Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Option Upcharges Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Option Upcharges Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Option Upcharges Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Option Upcharges Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Inside Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Option Upcharges Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Inside Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Option Upcharges Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Option Upcharges Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Option Upcharges Single-Seat, 90° Outside Curve, Mid Height Back ZOP3-MCOS90DM2F Single-Seat,	N/MODEL/SPECIES Single-Seat, 90° Outside Curve, Full Height Back ZOP3-MCOS90DF0F Single-Seat, 90° Outside Curve, Full Height Back with Shelf ZOP3-MCOS90DF1_ Beech/Laminate 4920 5109 Maple/Palette 5011 5199 ORDERING NOTE: When ordering a back with Shelf optior 42", 36" or 30" and chose required leg type below. Freestat balance weight added to each seat unit, please add \$318 list single-Seat, 90° Outside Curve, Full Height Back with Priva ZOP3-MCOS90DF2F Single-Seat, 90° Outside Curve, Mid Height Back with Shelf 2OP3-MCOS90DM0F Single-Seat, 90° Outside Curve, Mid Height Back with Shelf 2OP3-MCOS90DM1_ Beech/Laminate 4440 4601 Maple/Palette 4530 4692 ORDERING NOTE: When ordering a back with Shelf optior 36" or 30" and chose required leg type below. Freestanding, weight added to each seat unit, please add \$318 list upchases and said sits upchases and said sits sits and seat unit, please add \$318 list upchases and said sits sits site & Single-Seat, 90° Outside Curve, Mid Height Back with Priva ZOP3-MCOS90DM2F Single-Seat, 90° Outside Curve, Mid Height Back with Priva ZOP3-MCOS90DM2F Single-Seat, 90° Outside Curve, Mid Height Back with Priva ZOP3-MCOS90DM2F Single-Seat, 90° Outside Curve, Mid Height Back with Priva ZOP3-MCOS90DM2F Single-Seat, 90° Outside Curve, Mid Height Back with Priva ZOP3-MCOS90DM2F Option Upcharges Site Sier & CAL 133 (per yard) 67 Plus Upgrac Power unit) 673 Dual Leg (for Back With Priva ZOP3-MCOS90DM2F Series Chair Type Curve Style December 18 Combination 18 Combin	Single-Seat, 90° Outside Curve, Full Height Back	NMODEL/SPECIES	NMODEL/SPECIES	NMODELSPECIES	NMODEUSPECIES	Single-Seat, 90° Outside Curve, Full Height Back 4625 4815 5001 5261 5562 5824 6124 6497

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GRAI	DES 6	7	LEATHE 8	R 9
	Double-Seat, 30° Inside ZOP3-MCID30DF0F	Curve, Full Height	t Back 5190	5507	5825	6271	6784	7228	7736	8371	9010
	_	Beech/Laminate Maple/Palette en ordering a back se required leg typ	6000 6101 with Shoe below	6317 6419 nelf option v. Freestar	nding, St	art and End	d units wit				
	Double-Seat, 30° Inside ZOP3-MCID30DF2F	Curve, Full Height	t Back v 6182	vith Privac 6499	y Screer 6818	7263	7773	8220	8727	9363	10001
	Double-Seat, 30° Inside ZOP3-MCID30DM0F	Curve, Mid Heigh	t Back 4911	5178	5450	5829	6262	6638	7070	7610	8150
	Double-Seat, 30° Inside ZOP3-MCID30DM1_ E N NOTE: Who 36" or 30" and chose reweight added to each s	Beech/Laminate Maple/Palette en ordering a back quired leg type bek	5720 5823 with Show. Free	5990 6092 nelf option estanding,	Start and	d End units					
	Double-Seat, 30° Inside ZOP3-MCID30DM2F	Curve, Mid Heigh	t Back v 5901	with Privac 6171	cy Screer 6443	n Option 6820	7254	7630	8064	8602	9141
Moisture Barrie Seat Power (pe Shelf Power Floor-saver felt Non-slip rubber Metal glides	glides r glides	\$ List 67 673 630 30 18 26	Du Re No	al Leg (for movable s te: Remov	Multiple Seat Cov able bac	le-Seat, 30 unit confiç ers -Doubl ck covers a ery - dual f	gurations) e-Seat, 30 ire not ava		\$ Lis 159 84 97 curved b 34) 	
Line ZOP Zola	Series 3 Lounge	Chair Type MC Modular Curve MCB Modular Curve Plus	Inside Inside Outside	IS Curve -Sing ID Curve -Dou OS Curve -Sing Curve -Dou OS Curve -Sing Curve -Dou OS Curve -Sing OD Curve -Dou Curve -Dou OS	gle ble ngle	Seat Degree 30D 45D 60D 90D	Full He Sh Full He Privacy Mid Mid He	F0 Height Back velf Option F2 Height Back velf Option F2 Height Back velf Option M0 Height Back velf Option M1 Height Back velf Option M2	with with otion k	Leg Typ F eestanding S Start Un C Center U	g Unit it nit

LEATHER

ZOLA PRIVACY | CURVED

6

FABRIC GRADES

5

	ZOP3-MCID45DF0F	Curve, Full Heigh	5628	5949	6273	6731	7254	7710	8230	8879	9540
	Double-Seat, 45° Inside ZOP3-MCID45DF1_ B M		t Back v 6469 6573	with Shelf 6792 6896	7117 7220	7574 7679	8096 8199	8553 8659	9075 9178		10381 10487
	ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added t	se required leg typ	pe belov	v. Freesta	nding, Sta	art and End	d units wi				
	Double-Seat, 45° Inside ZOP3-MCID45DF2F	Curve, Full Heigh	t Back v 6628	with Privac 6952	cy Screen 7277	7735	8256	8712	9231	9882	10543
	Double-Seat, 45° Inside ZOP3-MCID45DM0F	Curve, Mid Heigh	nt Back 5358	5635	5916	6314	6766	7163	7617	8176	8757
	Double-Seat, 45° Inside ZOP3-MCID45DM1_ B		nt Back v 6199 6303	with Shelf 6478 6582	6759 6863	7157 7259	7610 7712	8006 8111	8458 8562	9019 9122	9600 9703
	ORDERING NOTE: Who 36" or 30" and chose recovered weight added to each s	quired leg type bel	low. Free	estanding	, Start and	End units					
	Double-Seat, 45° Inside ZOP3-MCID45DM2F	Curve, Mid Heigh	nt Back v 6357	with Priva 6638	cy Screen 6916	Option 7316	7768	8166	8617	9178	9759
Zola Privacy (Option Upcharges	\$ List							\$ List		
Seat Power (pe Shelf Power	,	67 673 630	Du Re	al Leg (fo	r Multiple Seat Cove	e-Seat, 45 unit confiç ers -Doubl	jurations) e-Seat, 45		189 84 106		
Floor-saver felt Non-slip rubbe Metal glides	er glides	30 18 26				k covers a ery - dual f		ailable on (curved ba 34		
Line	Series	Chair Type	С	urve Style	Sc	eat Degree	F	Back Type		Leg Typ	<u> </u>
	3	MC		IS						F	1
ZOP Zola	Lounge	Modular Curve	Inside	Curve -Sin	gle	30D	Full	F0 Height Bac	k Fre	estandin	」 g Unit
		MCB		ID		45D		F1		S	
		Modular Curve Plus	Inside	Curve -Dou	uble			eight Back v	with	Start Ur	nit
		1 100		OS		60D	0.	F2		С	
			Outside	e Curve -Si	ngle			eight Back v		Center U	nit
			Outside	OD Curve -Do	ouble	90D	·	M0 Height Bac		End Un	it
								M1 eight Back v nelf Option	with		
								M2 eight Back v Screen Op			
					2026	SEATING	3 & OCC	SASIONA	L TABLE	ES GS.	A 230

COM

Double-Seat, 45° Inside Curve, Full Height Back

2

DESCRIPTION/MODEL/SPECIES

COL

4

			COM		COL	FABI	RIC GRAD	DES		LEATHE	R
DESCRIPTION/	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 60° Insid ZOP3-MCID60DF0F	de Curve, Full Height	Back 6205	6576	6946	7483	8089	8625	9230	9973	10775
	Double-Seat, 60° Insid ZOP3-MCID60DF1_	Beech/Laminate Maple/Palette	7104 7210	7478 7579	7849 7951	8385 8489	8991 9095	9527 9630	10134 10238	10980	11677 11779
	ORDERING NOTE: W 42", 36" or 30" and ch balance weight added	nose required leg typ	e belov	v. Freestan	ding, Sta	art and End	d units wit				
	Double-Seat, 60° Insid ZOP3-MCID60DF2F	de Curve, Full Height	Back v 7212	vith Privac 7583	y Screen 7955	8492	9099	9632	10241	10983	11785
	Double-Seat, 60° Insid ZOP3-MCID60DM0F	de Curve, Mid Height	t Back 5867	6178	6483	6924	7422	7861	8361	8975	9619
	Double-Seat, 60° Insid ZOP3-MCID60DM1_		t Back v 6769 6872	with Shelf 7079 7182	7386 7488	7824 7927	8323 8427	8761 8867	9261 9363		10521 10626
	ORDERING NOTE: W 36" or 30" and chose weight added to each	required leg type belo	ow. Free	estanding,	Start and	I End units					
	Double-Seat, 60° Insid ZOP3-MCID60DM2F	de Curve, Mid Height	t Back v 6876	with Privac 7184	y Screen 7491	Option 7930	8430	8869	9366	9983	10629
Zola Privacy O	ption Upcharges	\$ List							\$ List		
Moisture Barrier Seat Power (per Shelf Power Floor-saver felt Non-slip rubber Metal glides PRODUCT CODE	glides glides	67 673 630 30 18 26	Dua Ren Not	al Leg (for I novable Se e: Remova	Multiple u eat Cover able back	e-Seat, 60° unit configurs -Double covers ar ry - dual fa	urations) -Seat, 60º e not avai		192 84 129 surved ba 34	icks	
Line	Series	Chair Type	Cı	ırve Style	Se	eat Degree	В	ack Type		Leg Type	<u> </u>
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside (IS Curve -Sing ID Curve -Doub OS Curve -Sin OD Curve -Doub	ole	30D 45D 60D 90D	Full He Sh Full He Privacy Mid	F0 Height Back velf Option F2 ight Back velf Option F2 ight Back velf Option M0 Height Back velf Option	vith vith vition k	F Seestanding S Start Un C Center Un E End Uni	it]] nit

DESCRIPTION/N	MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	DES 6	7	LEATHEF 8	R 9
	Double-Seat, 90° Insi ZOP3-MCID90DF0F	de Curve, Full Heiç	jht Back 7283	7668	8056	8621	9253	9821	10456	11228	12087
	Double-Seat, 90° Insi ZOP3-MCID90DF1_ ORDERING NOTE: V - 42", 36" or 30" and terbalance weight add	Beech/Laminate Maple/Palette /hen ordering a ba chose required leg	8266 8371 ck with s type be	8650 8758 Shelf opf low. Fre	9040 9144 tion plea estandin	se clearly sp g, Start and	End units				13176 If Height
	Double-Seat, 90° Insi ZOP3-MCID90DF2F	de Curve, Full Heiç	ght Back 8339	with Pri 8723	vacy Scr 9111		10308	10875	11511	12283	13139
	Double-Seat, 90° Insi ZOP3-MCID90DM0F	de Curve, Mid Hei	ght Back 6763	7071	7379	7818	8317	8757	9253	9873	10514
	Double-Seat, 90° Insi ZOP3-MCID90DM1_ ORDERING NOTE: V - 36" or 30" and chos ance weight added to	Beech/Laminate Maple/Palette /hen ordering a ba e required leg type	7747 7854 ck with 9 below. F	8057 8161 Shelf op	8364 8470 tion plea ding, Sta	art and End u	ınits with				11603 If Height
	Double-Seat, 90° Insi ZOP3-MCID90DM2F	de Curve, Mid Hei	ght Back 7818	with Pri 8127	ivacy Sc 8434	reen Option 8872	9371	9809	10308	10928	11568
Zola Privacy Op	tion Upcharges	\$ List							\$ Lis	st	
	& CAL 133 (per yard) power unit) lides glides	67 673 630 30 18 26	Dua Rer Not	al Leg (fo novable e: Remo	or Multip Seat Co ovable ba	ble-Seat, 90 le unit config vers - Doubl ack covers a stery - dual f	jurations) le-Seat, 9 re not av	90° Curve	13 curved l	4 3	
Line	Series	Chair Type	Cı	ırve Style		Seat Degree		Back Type		Leg Typ	ne e
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside (IS Curve -Si ID Curve -Do OS Curve -S OD Curve -D	ouble Single	30D 45D 60D 90D	Full H S Full H Privac Mic Mid H	F0 I Height Back F1 Ideight Back Shelf Option F2 Ideight Back by Screen O M0 Id Height Back M1 Ideight Back Shelf Option M2	with with ption ck with	Freestandin S Start Ur C Center U	nit
					000			M2 leight Back y Screen Op		FO OO	A O.

DESCRIPTION	J/MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAD	DES 6	7	LEATHER 8	R 9
	Double-Seat, 30° Outsi ZOP3-MCOD30DFOF	de Curve, Full Heiç	ght Back 4822	5122	5424	5841	6321	6739	7216	7817	8415
	Double-Seat, 30° Outsi ZOP3-MCOD30DF1_ ORDERING NOTES: V - 42", 36" or 30" and ch balance weight added	Beech/Laminate Maple/Palette When ordering a bacose required leg ty	5412 5510 ck with S pe below	5713 5810 Shelf option	6012 6112 on please nding, S	Start and End	units wit				
	Double-Seat, 30° Outsi ZOP3-MCOD30DF2F	de Curve, Full Heiç	ght Back 5451	with Priva 5751	acy Scre 6052	een 6471	6951	7368	7847	8446	9045
	Double-Seat, 30° Outsi ZOP3-MCOD30DMOF	de Curve, Mid Heio	ght Back 4617	4868	5116	5466	5865	6213	6610	7108	7607
	Double-Seat, 30° Outsi ZOP3-MCOD30DM1_ ORDERING NOTES: V - 36" or 30" and chose i weight added to each s	Beech/Laminate Maple/Palette When ordering a bace	5209 5306 ck with Selow. Free	5458 5556 shelf opticestanding	5707 5805 on please Start ar	nd End units					
	Double-Seat, 30° Outsi ZOP3-MCOD30DM2F	de Curve, Mid Heiç	ght Back 5247	with Priva	acy Scre 5745	een Option 6096	6494	6843	7240	7739	8236
	glides er glides	\$ List 67 673 630 30 18 26	Dua Rer Not	al Leg (for novable S e: Remov	Multiple Seat Cov able ba	ole-Seat, 30° e unit configu vers -Double- ck covers are tery - dual fa	ırations) -Seat, 30 e not ava		\$ Lis: 159 84 97 urved b 34	acks	
Line ZOP Zola	Series 3 Lounge	Chair Type MC Modular Curve MCB Modular Curve Plus	Inside Inside (Outside	Curve -Sin OS Curve -Sin OS Curve -Dou OS Curve -Sin	gle uble	Seat Degree 30D 45D 60D 90D	Full He Sh Full He Privacy Mid Mid He Sh	F0 Height Back welf Option F2 Eight Back were Screen Opt M0 Height Back were Screen Option M2 Eight Back welf Option	vith vith tion vith	Leg Type F reestanding S Start Unit C Center Un E End Unit	Unit t

DECODIDATION	LANODEL ADEQUEO		СОМ	0	COL		IC GRAD			_EATHER	
DESCRIPTION	N/MODEL/SPECIES Double-Seat, 45° Outsid ZOP3-MCOD45DFOF	de Curve, Full He	1 ight Back 5037	2 (5338	3 5636	6055	5 6536	6 6955	7 7434	8033	9 8632
	Double-Seat, 45° Outsic ZOP3-MCOD45DF1_ E N ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added t	Beech/Laminate Maple/Palette en ordering a bac se required leg ty	5630 5726 ck with Sl pe belov	5928 6027 helf optio v. Freesta	6228 6325 n please anding, S	Start and End	l units wi				
	Double-Seat, 45° Outsid ZOP3-MCOD45DF2F	de Curve, Full He	ight Back 5666	with Pri	vacy Scr 6267	een 6684	7164	7583	8064	8662	9261
	Double-Seat, 45° Outsid ZOP3-MCOD45DMOF	de Curve, Mid He	eight Bacl 4810	k 5057	5308	5657	6054	6403	6801	7301	7799
	Double-Seat, 45° Outsid ZOP3-MCOD45DM1_ E N ORDERING NOTE: Wh 36" or 30" and chose re- weight added to each s Double-Seat, 45° Outsid ZOP3-MCOD45DM2F	Beech/Laminate Maple/Palette en ordering a bac quired leg type be eat unit, please a	5399 5497 ck with Sl elow. Free dd \$318	5650 5745 helf optio estanding list upch	5896 5997 n please , Start ar arge per	nd End units unit.					
Zola Privacy	Option Upcharges	\$ List	0110			0200			\$ Lis		0.120
	er glides	67 673 630 30 18 26	Du Re	ial Leg (fo movable	r Multipl Seat Co	ble-Seat, 45 le unit config vers - Doubl ack covers a	jurations) e-Seat, 4	15° Curve	189 84 100 curved b	1 6	
Line	Series	Chair Type	С	urve Style		Seat Degree	ſ	Back Type		Leg Typ	е
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus		IS Curve -Si ID Curve -Do		30D 45D	Full H	F0 Height Back F1 eight Back helf Option		F eestanding S Start Un	

			СОМ		COL	FABF	RIC GRAD	ES		LEATHEF	?
DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 60° Outs ZOP3-MCOD60DFOF	side Curve, Full Heiç	ght Back 5302	5602	5899	6319	6797	7216	7697	8295	8894
	Double-Seat, 60° Outs ZOP3-MCOD60DF1_		ght Back 5889 5987	with Shelf 6188 6285	6490 6583	6907 7003	7386 7481	7806 7900	8284 8381	8883 8979	9479 9576
,A1	ORDERING NOTE: W 42", 36" or 30" and ch balance weight added	ose required leg typ	e below	. Freestand	ding, Sta	art and End	units with				
	Double-Seat, 60° Outs ZOP3-MCOD60DF2F	ide Curve, Full Heig	ght Back 5929	with Priva 6229	cy Scree 6528	en 6946	7425	7845	8324	8923	9520
	Double-Seat, 60° Outs ZOP3-MCOD60DMOF	,	ght Back 5037	5286	5537	5887	6284	6632	7030	7531	8028
	Double-Seat, 60° Outs ZOP3-MCOD60DM1_		ght Back 5628 5722	with Shelf 5874 5970	6124 6220	6472 6568	6870 6965	7218 7316	7619 7713	8117 8212	8615 8710
	ORDERING NOTE: W 36" or 30" and chose r weight added to each Double-Seat, 60° Outs ZOP3-MCOD60DM2F	equired leg type bel seat unit, please ac side Curve, Mid Hei	ow. Frees ld \$318 l i	standing, S ist upchar	Start and ge per u	End units v					
Zola Privacy C	Option Upcharges	\$ List							\$ List		
Moisture Barrie Seat Power (pe Shelf Power Floor-saver felt Non-slip rubber Metal glides PRODUCT COD	glides r glides	67 673 630 30 18 26	Dua Rem	l Leg (for Novable Se	Multiple (eat Cove	e-Seat, 60° unit configu rs - Double c covers are	ırations) -Seat, 60		202 84 129 urved ba	cks	
Line	Series	Chair Type	Cı	urve Style	S	eat Degree	В	ack Type		Leg Type)
ZOP	Lounge	MC Modular Curve MCB Modular Curve Plus	Inside (Outside	Curve -Sing Curve -Doub OS Curve -Sin OD Curve -Doub	ple gle	30D 45D 60D 90D	Full He Sh Full He Privacy Mid Mid He Sh	F0 Height Back welf Option F2 ight Back welf Option M0 Height Back welf Option M1 ight Back welf Option M2 ight Back welf Option M2 ight Back welf Option	vith vith k vith	F sestanding S Start Uni C Center Ur E End Unit	t

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FABF	RIC GRAD 5	ES 6	1 7	LEATHEF 8	R 9
	Double-Seat, 90° Outs	side Curve, Full He	•			•			•		
	ZOP3-MCOD90DF0F		5941	6241	6540	6959	7438	7858	8337	8936	9534
	Double-Seat, 90° Outs	· ·	ight Bac		nelf						
	ZOP3-MCOD90DF1_	Beech/Laminate Maple/Palette	6522 6619	6821 6916	7123 7216	7541 7634	8019 8116	8439 8535	8917 9013		10113 10211
	ORDERING NOTES: - 42", 36" or 30" and obalance weight added	chose required leg	type belo	w. Frees	standing, :	Start and E	nd units w				
	Double-Seat, 90° Outs ZOP3-MCOD90DF2F	side Curve, Full He	ight Bac 6559	k with Pr 6860	rivacy Scr 7159	reen 7576	8057	8476	8955	9553	10151
	Double-Seat, 90° Outs ZOP3-MCOD90DM0F	· ·	eight Bac 5782	k 6124	6466	6996	7576	8108	8689	9376	10223
	Double-Seat, 90° Outs	side Curve, Mid He	eight Bac	k with S	helf						
	ZOP3-MCOD90DM1_	Beech/Laminate Maple/Palette	6363 6461	6706 6800	7048 7145	7576 7675	8158 8256	8689 8785	9271 9364	9956 10051	10805 10901
	ORDERING NOTES: - 36" or 30" and chose weight added to each	required leg type b	elow. Fre	eestandii	ng, Start a	and End uni					
	Double-Seat, 90° Out: ZOP3-MCOD90DM2F		eight Bac 6401	k with Pi 6742	rivacy Sci 7086	reen Optior 7617	n 8197	8725	9308	9992	10844
Zola Privacy O	ption Upcharges	\$ List							\$ Lis	t	
Moisture Barrie	r & CAL 133 (per yard)	67	Plu	ıs Upgra	de - Douk	ole-Seat, 90	0° Curve		231	1	
Seat Power (pe	r power unit)	673		٠,		e unit confi	,		84		
Shelf Power	alidos	630				vers - Doub ck covers a	. '		133 curved b		
Floor-saver felt Non-slip rubber Metal glides	-	30 18 26	NO	te. Herric	ovable ba	CK COVEIS &	are not ava	allable of t	cui vea b	acks	
PRODUCT COD	E KEY										
Line	Series	Chair Type	С	urve Style	Э	Seat Degree)	Back Type		Leg Typ	ре
ZOP	3	MC		IS		30D		F0		F	
Zola	Lounge	Modular Curve	Inside	Curve -S	Single		Ful	l Height Bad	ck Fi	reestandir	ıg Unit
		MCB		ID		45D		F1		S	
		Modular Curve	Inside	Curve -D	ouble			leight Back		Start U	nit
		Plus		OS		60D	5	Shelf Option F2		С	7
			Outsid	e Curve -	Single	OOD		leight Back y Screen O		Center U	_ Jnit
			Outside	OD e Curve -[Double	90D		M0 Height Ba		E End Ur	nit
								M1 leight Back shelf Option			
								M2 leight Back y Screen Op			
					2026	6 SEATIN				ES GS	A 236

ZOLA PRIVACY | SIDE PANELS

		COM		COL	FAI	BRIC GRA	DES		LEATHE	R	
DESCRIPTION/	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Side Panel, Single ZOP3-MPF0S ZOP3-MPF0C ZOP3-MPF0E	e, Full Height No So Start Center End	995 1283 995	1087 1375 1087	1180 1467 1180	1369 1656 1369	1555 1840 1555	1743 2028 1743	1927 2214 1927	2116 2400 2116	2488 2774 2488
	Side Panel, Single ZOP3-MPF2S ZOP3-MPF2C ZOP3-MPF2E	e, Full Height with S Start Center End	1305 1590 1305	1398 1686 1398	1491 1777 1491	1676 1964 1676	1864 2153 1864	2051 2339 2051	2238 2526 2238	2425 2713 2425	2798 3084 2798
	Side Panel, Single ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E	e, Mid Height No S Start Center End	creen 805 1104 805	870 1165 870	932 1228 932	1061 1354 1061	1187 1482 1187	1313 1609 1313	1440 1735 1440	1566 1861 1566	1818 2116 1818
	Side Panel, Single ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E	e, Mid Height with Start Center End	Screen 1116 1413 1116	1178 1475 1178	1242 1538 1242	1371 1666 1371	1496 1791 1496	1624 1918 1624	1750 2044 1750	1877 2169 1877	2130 2425 2130

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See page 198 for Dimensions and COM.

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	Е	
			Mid Height	End	
			M2		
			Mid Height with		

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL		BRIC GR		_	LEATHE		
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side	Panel, Single,	Full Height									
	ZOP3-MSPF0S	Start	612	659	707	803	898	996	1090	1188	1379	
	ZOP3-MSPF0C	Center	899	950	999	1093	1190	1285	1380	1477	1668	
	ZOP3-MSPF0E	End	612	659	707	803	898	996	1090	1188	1379	
	Semi-Private Side	Panel, Single,	Mid Height									
	ZOP3-MSPM0S	Start	539	582	621	705	788	870	954	1036	1200	
	ZOP3-MSPM0C	Center	835	876	918	1002	1084	1166	1250	1332	1499	
	ZOP3-MSPM0E	End	539	582	621	705	788	870	954	1036	1200	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	S Start C Center	
				End	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FA	BRIC GR	ADES		LEATHE	R	
DESCRIPTION	/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	737 737 823	777 777 864	816 816 901	895 895 981	976 976 1062	1054 1054 1141	1135 1135 1221	1212 1212 1300	1372 1372 1459	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 882 882 951	921 921 989	959 959 1030	1039 1039 1110	1119 1119 1190	1198 1198 1267	1278 1278 1348	1356 1356 1425	1517 1517 1585	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Cole		С
Solid Surface Arm Cap (per arm)	135	142	158	164

PRODUCT CODE KEY

THOUGHT CODE ILE					
Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	R Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

ZOLA PRIVACY | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Sing	le-Seat - Ful	l Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Sing	le-Seat - Mid	d Height Ba	ck						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Doul	ole-Seat - Fι	ıll Height Ba	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Doul	ole-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

COM YARDAGES

	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage
	Entire	2 Entire	3 Entire	4 Entire	per	per 2	per 3	per 4
	Unit	Units	Units	Units	Back	Backs	Backs	Backs
Curved Sing	le-Seat - Full I	Height Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	Height Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

ZOLA PRIVACY | TWIN CURVED - COM REQUIREMENTS

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid I	Height Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Do	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Do	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

DESCRIPTION/MODE	EL.		COM 1	2	COL 3	FABF 4	RIC GRAD	DES 6	L 7	EATHER 8	9
	Twin Single-Seat, 3 ZOP3-MCTS30DF0		Height Ba 5464	ack 5792	6121	6581	7105	7568	8094	8751	9408
	Twin Single-Seat, 3 ZOP3-MCTS30DF		Height Ba	ack with F 6416	Privacy So 6743	creen Optio 7205	n 7730	8190	8717	9376	10032
	Twin Single-Seat, 3 ZOP3-MCTS30DM		Height B 5176	ack 5473	5768	6182	6652	7067	7539	8128	8720
	Twin Single-Seat, 3 ZOP3-MCTS30DM		Height B 5801	ack with 6096	Privacy S 6389	Screen Optio 6804	on 7277	7689	8161	8753	9340
	Twin Single-Seat, 4 ZOP3-MCTS45DF		Height Ba	ack 6500	6844	7325	7872	8350	8900	9586	10270
	Twin Single-Seat, 4 ZOP3-MCTS45DF2		Height Ba	ack with 7132	Privacy S 7476	creen Optio 7955	on 8502	8982	9532	10216	10901
Zola Privacy Option	Upcharges	\$ List							\$ Lis	t	
Moisture Barrier & CA Seat Power (per pow Shelf Power Dual Leg (for Multiple Floor-saver felt glides Non-slip rubber glides Metal glides PRODUCT CODE KEY	AL 133 (per yard) er unit) unit configurations)	67 673 630 84 30 18 26	Plu Re Re	is Upgrad movable movable	de - Twin Seat Cov Seat Cov	Single-Sea Single-Sea vers -Twin S vers -Twin S ck covers a	t, 45° Cur Single-Sea Single-Sea	ve at, 30° Cur at, 45° Cur	301 362 ve 162 ve 174	1 2 2 4	
Line	Series	Chair Type	Cu	rve Style	S	eat Degree	В	ack Type		Leg Type)
ZOP Zola	3 Lounge M	MCT odular Curve Twin		S all Radius- gle Width		30D	Full H	F0 Height Back	: Fre	F	Unit
		MCTB Modular Curve Twin Plus		D all Radius- ible Width		45D		F2 ight Back w Screen Opt		Start Uni	t
						90D		M0 Height Back M2 ight Back w		C Center Ur E	
044100110=	0.000.000							Screen Opti		LIIG OIIII	•

DESCRIPTION/MOD	EL		COM 1 2	COL 3	- FAB 4	RIC GRA 5	DES 6	7	EATHER 8	9
	Twin Single-Seat, 4 ZOP3-MCTS45DN		Height Back 5833 6142	6449	6883	7378	7809	8304	8923	9541
	Twin Single-Seat, 4 ZOP3-MCTS45DN		Height Back with 5807 6102	Privacy \$	Screen Opti 6813	on 7284	7697	8170	8759	9350
	Twin Single-Seat, 6 ZOP3-MCTS60DF		leight Back 6995 7397	7801	8364	9009	9571	10215	11019	11824
	Twin Single-Seat, 6 ZOP3-MCTS60DF		leight Back with 7629 8031	Privacy S 8434	Screen Opti 8997	on 9643	10204	10849	11652	12459
	Twin Single-Seat, (ZOP3-MCTS60DN		Height Back 6619 6976	7332	7833	8402	8900	9471	10181	10897
	Twin Single-Seat, 6 ZOP3-MCTS60DM		Height Back with 7854 8308	Privacy S 8762	Screen Opti 9402	on 10132	10771	11500	12411	13322
Zola Privacy Option	Upcharges	\$ List						\$ List	:	
Moisture Barrier & CA Seat Power (per pow Shelf Power Dual Leg (for Multiple Floor-saver felt glides Non-slip rubber glide Metal glides PRODUCT CODE KEY	AL 133 (per yard) er unit) e unit configurations) s s	67 673 630 84 30 18 26	Plus Upgrad Plus Upgrad Removable Removable Note: Remo	de - Twin Seat Cov Seat Cov	Single-Sea vers -Twin S vers -Twin S	t, 60° Cu Single-Se Single-Se	rve at, 45° Cui at, 60° Cui	rve 222		
Line	Series	Chair Type	Curve Style)	Seat Degree	!	Back Type		Leg Typ	oe .
ZOP	3 Lounge	MCT Modular Curve Twir	S Small Radius		30D	Fu	F0 II Height Ba	ick Fr	F reestandin	g Unit
		MCTB Modular Curve Twin Plus	D Small Radius Double Widt		45D 60D		F2 Height Back cy Screen C		S Start U	nit
						Mi	d Height Ba	ıck	Center L	_ Jnit ¬

M2

Е

End Unit

90D

		COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MODI	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Single-Seat, 90° Curve, Full ZOP3-MCTS90DF0F	Height E 8727	9137	9545	10126	10783	11358	12018	12836	13667
	Twin Single-Seat, 90° Curve, Full	Height B	ack with	Privacy S	creen Opt	ion				
	ZOP3-MCTS90DF2F		10136	10546	11123	11784	12357	13015	13833	14667
	Twin Single-Seat, 90° Curve, Mid	Height F	Rack							
	ZOP3-MCTS90DM0F	8204	8566	8931	9443	10027	10542	11123	11850	12590
	T : 0:	I I I a Carlo II E	N 1 211-	Diamo						
	Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM2F	Height E 7819	Back with 8229	8641	Screen Op 9213	tion 9867	10442	11098	11916	12736

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	67	Plus Upgrade - Twin Single-Seat, 90° Curve 541
Seat Power (per power unit)	673	Dual Leg (for Multiple unit configurations) 84
Shelf Power	630	Removable Seat Covers -Twin Single-Seat, 90° Curve 252
Floor-saver felt glides	30	Note: Removable back covers are not available on curved backs
Non-slip rubber glides	18	
Metal glides	26	

ODOO! CODE IL	•					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

DESCRIPTION/MODI	EL/SDECIES	COM	2	COL 3	FABI 4	RIC GRAD	ES 6	ا 7	EATHER 8	R 9
	Twin Double-Seat, 30° Curve, F ZOP3-MCTD30DF0F	ull Height I 7218		8130	8767	9498	10136	10865		12690
	Twin Double-Seat, 30° Curve, F ZOP3-MCTD30DF2F	ull Height I 8211	Back with 8668	n Privacy \$	Screen Op 9760	otion 10490	11127	11857	12771	13680
	Twin Double-Seat, 30° Curve, M ZOP3-MCTD30DM0F	id Height E 6820	3ack 7230	7642	8213	8869	9442	10099	10918	11737
	Twin Double-Seat, 30° Curve, M ZOP3-MCTD30DM2F	id Height E 7813	Back with 8224	Privacy S 8633	Screen Op 9206	tion 9862	10434	11092	11911	12728

Zola Privacy Option Upcharges	\$ List	\$	List
Moisture Barrier & CAL 133 (per yard)	67	Plus Upgrade - Twin Double-Seat, 30° Curve	424
Seat Power (per power unit)	673	Dual Leg (for Multiple unit configurations)	84
Shelf Power	630	Removable Seat Covers -Twin Double-Seat, 30° Curve	195
Floor-saver felt glides	30	Note: Removable back covers are not available on curve	d backs
Non-slip rubber glides	18		
Metal glides	26		

PRODUCT CODE KE	Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF0F	Height Ba	ack 8607	9077	9732	10482	11136	11886	12821	13760
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF2F	Height Baseline	ack with 9613	Privacy S 10080	Screen Opt 10733	ion 11483	12139	12887	13825	14760
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM0F	Height B 7713	ack 8137	8559	9150	9825	10414	11092	11935	12779
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM2F	Height B 8719	ack with 9138	Privacy S 9563	Screen Op 10151	tion 10827	11418	12092	12936	13783

ORDERING NOTES:

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List	•	\$ List
Moisture Barrier & CAL 133 (per yard)	67	Plus Upgrade - Twin Double-Seat, 45° Curve	480
Seat Power (per power unit)	673	Dual Leg (for Multiple unit configurations)	84
Shelf Power	630	Removable Seat Covers - Twin Double-Seat, 45° Curve	214
Floor-saver felt glides	30	Note: Removable back covers are not available on curv	ed backs
Non-slip rubber glides	18		
Metal glides	26		

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	Е
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	COL FABRIC GRADES			LEATHER		
DESCRIPTION/MOI	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 60° Curve, Fu ZOP3-MCTD60DF0F	ll Height Ba 8880	ck 9357	9831	10495	11257	11920	12682	13632	14581
	Twin Double-Seat, 60° Curve, Fo ZOP3-MCTD60DF2F	•	ack with 10366	Privacy So 10840	creen Opt 11505	ion 12264	12930	13689	14641	15590
	Twin Double-Seat, 60° Curve, M ZOP3-MCTD60DM0F	id Height B 8393	ack 8824	9251	9852	10540	11139	11827	12687	13541
	Twin Double-Seat, 60° Curve, Mi ZOP3-MCTD60DM2F	d Height Ba 9402	ick with I	Privacy So 10260	creen Opti 10861	on 11544	12146	12836	13694	14550

Zola Privacy Option Upcharges	\$ List	\$ List
Moisture Barrier & CAL 133 (per yard)	67	Plus Upgrade - Twin Double-Seat, 60° Curve 570
Seat Power (per power unit)	673	Dual Leg (for Multiple unit configurations) 84
Shelf Power	630	Removable Seat Covers -Twin Double-Seat, 60° Curve 260
Floor-saver felt glides Non-slip rubber glides Metal glides	30 18 26	Note: Removable back covers are not available on curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

ZOLA PRIVACY | TWIN SIDE PANELS

	COM		COL	FAB	RIC GRAD	ES		ATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No Screen ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center	1499 2245	1636 2385	1775 2525	2052 2801	2328 3078	2607 3352	2882 3629	3160 3906	3712 4460
Twin Side Panel, Full Height with Screen ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center	1 2106 2853	2244 2993	2384 3133	2659 3408	2937 3685	3214 3960	3490 4238	3768 4511	4319 5069
Twin Side Panel, Med. Height No Scree ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center	n - 1246 1991	1338 2087	1431 2180	1620 2366	1806 2553	1992 2740	2180 2927	2366 3113	2740 3488
Twin Side Panel, Med. Height with Scre ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center ORDERING NOTE: Side Panels will only with Removable Back Cover option. See	1855 2601 ly connect		•		2416 3161 s with Priva	2602 3347 acy Screer	2789 3535 n Option a	2974 3720 are not av	3347 4097 ailable

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
		F	Full Height with Privacy Screen Option	Center /Interim	
			MO		
			Mid Height		
			M2		
		F	Mid Height with Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHER	3
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9
	Twin Semi-Private	Side Panel, Sin	gle, Full H	eight							
	ZOP3-MSPTF0U	Universal	1062	1146	1230	1350	1485	1604	1741	1909	2080
	ZOP3-MSPTF0C	Center	1810	1894	1979	2098	2235	2352	2488	2658	2828
	Twin Semi-Private	Side Panel, Sin	ale, Mid H	leight							
	ZOP3-MSPTM0U		911	964	1021	1097	1187	1263	1352	1462	1571
B	ZOP3-MSPTM0C	Center	1660	1714	1770	1845	1934	2010	2101	2211	2321

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 207 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/N	MODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1176 1938	1256 2004	1325 2072	1416 2165	1523 2272	1615 2365	1723 2471	1856 2605	1988 2738	
	Twin Modular Upholstered Arm v	v/Urethane									
	ZOP3-MATUREU	1314	1395	1462	1555	1661	1753	1860	1993	2127	
	ZOP3-MATUREC	2077	2143	2211	2302	2409	2503	2609	2742	2875	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	A-Cole	С	
Solid Surface Arm Cap (per arm)	289	302	333	344

PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE				
	Wood Tablet ZOL3-T1	Beech Maple /Cherry	539 564	12	2				
	Tablet with Palette Fini ZOL3-T2	ish n/a	431	12	2				
	Clear Glass Tablet ZOL3-T3	n/a	822	13	2				
	Laminate Tablet ZOL3-T4	n/a	558	12	2				
	ORDERING NOTES : The laminate tablet comes standard with a polymer edge. Please note Zola Tablets are universally handed and do not need to be specified right or left when ordering.								
	Solid Surface Tablet - ZOL3-T5AW	Grade A White n/a	e 673	14	2				
	Solid Surface Tablet - ZOL3-T5AC	Grade A Color n/a	683	14	2				
	Solid Surface Tablet - ZOL3-T5B	Grade B n/a	720	14	2				
	Solid Surface Tablet - ZOL3-T5C	Grade C n/a	778	14	2				

ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS



RECONFIGURABILITY

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



RUNOFF TABLES

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.



BACK CONNECTION

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or ends



LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



SOLID SURFACE OVERLAY


The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see page 336 for color options.




MEDIA & POWER

Inline walls can be optioned with Media provisions and Powerdocs.

ZOLA PRIVACY | INLINE WALLS | SAMPLE CONFIGURATIONS



Total		\$13 56 5
ZOP3-RO48532416	1	1119
ZOP3-ICWF0R	1	1781
ZOP3-ICWF0L	1	1781
ZOP3-IWF048MP	1	2524
ZOP3-M2F0F	2	3180
Model	Qty	Price (\$)



Model	Qty	Price (\$)
ZOP3-M2M0F ZOP3-ICTWM0L ZOP3-ICTWM0R	3 1 1	2724 1800 1800
Total		\$11,772

ZOLA PRIVACY | INLINE WALLS

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH ⁻	T CUBE
	Inline Wall, Full Height 42" ZOP3-IWF042N	1230	2084	1756	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1325	2275	1862	48	12	50	121	21.5
	Inline Wall, Full Height 54" ZOP3-IWF054N	1416	2367	1968	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1508	2460	2072	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1149	1767	1667	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1243	1956	1772	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1334	2050	1878	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1426	2142	1980	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	2" 1383	2237	1911	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	8" 1477	2428	2017	48	12	50	121	21.5
	Inline Wall Media, Full Height 5 ZOP3-IWF054M	4" 1568	2521	2119	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	0" 1662	2612	2224	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	1304	1918	1820	42	12	37	92	13.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	18" 1396	2110	1925	48	12	37	102	15.25
	Inline Wall Media, Mid Height 5 ZOP3-IWM054M	54" 1487	2200	2030	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	50" 1581	2295	2134	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

JOO! GODE IVE!					
Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Me

ZOLA PRIVACY | INLINE WALLS WITH POWER

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Full ZOP3-IWF042P	Height 42" 2277	3131	2804	42	12	50	150	19
	Inline Wall w/Power Docs, Full ZOP3-IWF048P		3321	2908	48	12	50	212	21.5
	Inline Wall w/Power Docs, Full ZOP3-IWF054P	Height 54" 2462	3413	3013	54	12	50	135	24
	Inline Wall w/Power Docs, Full ZOP3-IWF060P	Height 60" 2554	3507	3118	60	12	50	147	26.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM042P	Height 42" 2195	2811	2714	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM048P	Height 48" 2289	3003	2818	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM054P	Height 54" 2381	3095	2924	54	12	37	116	17
	Inline Wall w/Power Docs, Mid ZOP3-IWM060P	Height 60" 2473	3187	3027	60	12	37	126	18.75
	Inline Wall Media w/Power Doo ZOP3-IWF042MP	es, Full Height 42" 2431	3283	2957	42	12	50	150	19
	Inline Wall Media w/Power Doo ZOP3-IWF048MP	cs, Full Height 48" 2524	3475	3062	48	12	50	212	21.5
	Inline Wall Media w/Power Dod ZOP3-IWF054MP	cs, Full Height 54" 2615	3566	3165	54	12	50	135	24
	Inline Wall Media w/Power Doo ZOP3-IWF060MP	es, Full Height 60" 2709	3660	3271	60	12	50	147	26.5
	Inline Wall Media w/Power Doo ZOP3-IWM042MP	es, Mid Height 42" 2349	2964	2866	42	12	37	92	13.5
	Inline Wall Media w/Power Doo ZOP3-IWM048MP	cs, Mid Height 48" 2442	3157	2971	48	12	37	102	15.5
	Inline Wall Media w/Power Doo ZOP3-IWM054MP	es, Mid Height 54" 2533	3247	3075	54	12	37	116	17
	Inline Wall Media w/Power Doo ZOP3-IWM060MP	es, Mid Height 60" 2628	3341	3181	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Media

ZOLA PRIVACY | INLINE CORNER WALLS

DESCRIPTION/N	MODEL .	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH	Γ CUBE
	Inline Corner Wall, Full Height ZOP3-ICWF0L ZOP3-ICWF0R	1781 1781	2507 2507	2147 2147	26.5 26.5	12 12	50 50	85 85	14.75 14.75
	Inline Corner Wall, Mid Height ZOP3-ICWM0L ZOP3-ICWM0R	1719 1719	2391 2391	2074 2074	26.5 26.5	12 12	37 37	70 70	11 11

ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES

		Grades				
Option	A-White	A-Color	В	С		
ZOP3-IWF042N	448	468	583	695		
ZOP3-IWF048N	501	525	653	782		
ZOP3-IWF054N	556	582	727	870		
ZOP3-IWF060N	582	637	799	958		

ORDERING NOTES:

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see page 336 for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Position	
ZOP	3	ICW	F0	L	
Zola	Lounge	Inline Corner Wall	Full Height	Left	
			MO	R	
			Mid Height	Right	

ZOLA PRIVACY | INLINE TABLE WALLS

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH ⁻	T CUBE
	Inline Table Wall, Full Height 23 ZOP3-ITWF023N	1036	1661	1568	23	25.7	50	100	21
	Inline Table Wall, Full Height 30 ZOP3-ITWF030N	." 1221	2043	1768	30	25.7	50	125	26.5
V par									
	Inline Table Wall, Mid Height 23 ZOP3-ITWM023N	955	1342	1478	23	25.7	37	90	15
Fig.	Inline Table Wall, Mid Height 30 ZOP3-ITWM030N	1140	1725	1675	30	25.7	37	115	18.5
	Inline Table Wall w/Power Docs ZOP3-ITWF023P	s, Full Height 23" 2083	2707	2615	23	25.7	50	100	21
	Inline Table Wall w/Power Docs ZOP3-ITWF030P	s, Full Height 30" 2268	3090	2814	30	25.7	50	125	26.5
	Inline Table Wall w/Power Docs ZOP3-ITWM023P	s, Mid Height 23" 2001	2387	2525	23	25.7	37	90	15
	Inline Table Wall w/Power Docs ZOP3-ITWM030P	s, Mid Height 30" 2187	2770	2721	30	25.7	37	115	18.5

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	ITW	F0	23	N
Zola	Lounge	Inline Table Wall	Full Height	23"	None
			MO	30	Р
			Mid Height	30"	Power

ZOLA PRIVACY | INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

DESCRIPTION/MC	DDEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	ΗV	WEIGHT (CUBE
	Inline Corner Table Wall, Ful ZOP3-ICTWF0L ZOP3-ICTWF0R	Height 1864 1864	2811 2811	2286 2286	28 28	28 28	50 50	140 140	31 31
	Inline Corner Table Wall, Mic ZOP3-ICTWM0L ZOP3-ICTWM0R	l Height 1800 1800	2694 2694	2213 2213	28 28	28 28	37 37	127 127	23 23

ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

ZOLA INLINE IAE	BLE WALLS SOLID SURFACE (
Option	A-White	Grades A-Color	В	С					
ZOP3-ITWF023N	507	533	663	793					
ZOP3-ITWF030N	635	666	835	1004	ORDERING	NOTE	S:		
ZOP3-ITWM023N	507	533	663	793	The Solid Su			otion is pri	ced as
ZOP3-ITWM030N	635	666	835	1004	an upcharg				
ZOP3-ITWF023P	507	533	663	793	Please add a				
ZOP3-ITWF030P	635	666	835	1004	number and				
ZOP3-ITWM023P	507	533	663	793	Zola Solid S				
ZOP3-ITWM030P	635	666	835	1004	thickness or	n top	of the	e existing	table,
ZOP3-ICTWF0	637	668	841	1009	with a 1 mm	overh	ang (soft radius	s verti-
ZOP3-ICTWM0	637	668	841	1009	cal edge). Pl options.	ease s	ee pa	age 336 fo	r color
PRODUCT CODE KE	EY				optione.				
Line	Series	Chair Type		Height		Posi	tion		
ZOP	3	ICTW		F0		L			
Zola	Lounge	Inline Corner Table V	Vall	Full Height		Le	eft		
				M0		F	R		
				Mid Height		Rig	ht		
			HIGH	CHERRY					
DESCRIPTION/MO	DDEL	THERMOFUSED LAMINATE	PRESSURE LAMINATE		W	D	Н	WEIGHT	CUBE
	Run-off Table for 48" Inline Wa	all							
	ZOL4-RO48-302416	949	1342	1458	30	24	16	25	3.75
	ZOL4-RO48-372416	1001	1449	1527	37	24	16	30	4.5
	ZOL4-RO48-532416	1119	1695	1683	53	24	16	40.5	5.75
U	ZOL4-RO48-762416	1292	2050	1908	76	24	16	56	7.5
	Run-off Table for 54" Inline Wa	all 1004	1314	1531	00	20	16	05	4.05
	ZOL4-RO54-303016 ZOL4-RO54-373016	1004	1447	1617	30 37	30 30	16 16	35 41	4.25 5.25
T	ZOL4-RO54-573016 ZOL4-RO54-533016	1221	1754	1814	53	30	16	54	5.25 6.75
U	ZOL4-RO54-763016 ZOL4-RO54-763016	1438	2196	2094	76	30	16	74	8.75

ZOLA | COLLECTION COMPONENTS

DESCRIPTION/MO	DDEL	PRICE	WEIGHT	CUBE
	Wood Tablet & Mounting Plate O ZOL3-RT1 Beech Maple /Cherry	nly 400 425	5 5	0.32 0.32
	Painted Tablet & Mounting Plate ZOL3-RT2 n/a	Only 291	5	0.32
	Clear Glass Tablet & Mounting P ZOL3-RT3 n/a	ate Only 683	6	0.32
	Laminate Tablet & Mounting Plat ZOL3-RT4 n/a	e Only 416	5	0.32
	Solid Surface Tablet & Mounting ZOL3-RT5 Grade - A-White Grade - A-Color Grade - B Grade - C	Plate Only 565 574 605 655		
	ORDERING NOTES: The Zola r	eplacement tablets on this page include the	top with mounting plate only.	
	Leg ZOL3-RLS	60	1	0.125
	Caster Leg ZOL3-RLC	40	0.4	0.125
	Dual leg ZOL3-RDL	105	1	0.125
	Leg Glide (4) ZOL3-RLG	25	0.2	0.01
000	Replacement Seat-to-Seat Brac ZOL3-RLKB2	ket 99	1	0.125
***	NOTE: Zola Modular Seats are	ordered, each seat is automatically supplied w	vith two seat to seat brackets	
	Replacement Table-to-Seat Brack ZOL3-RLKB1	xet 119	3	0.125
	ZOL3-POWERDOC1 - Undermo	unt 601	3	0.375
D o D o		rside of Seats and Tables as a replacement par with 2 Power and USB A & C outlets. PowerD		ously spec-
	ZOL3-POWERDOC2	679	3	0.375
D D C		, Benches or Square/Rectangular tables whic nd USB A & C outlets. PowerDoc's have a 10'		this power
	Wire Manager Shroud ZOL3-WM10	126	1	0.375
	ORDERING NOTES: Comes in	a 10' length when ordered. Can be cut to size	on site.	

ZOLA PRIVACY | COMPONENTS


DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 70	2	0.32
(I)	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 60	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 77	2	0.32
	Back-to-Seat Linking hardware ZOP3-RLKS 177	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 196	4	0.32
	ZOP3-POWERDOC3 - Shelves only 640 Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and USB A & C outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3-WM 196	1	0.375

FAERON LOUNGE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 12.67%

POST-CONSUMER RECYCLED CONTENT =9.40%

Up to 18.93% of this Faeron product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FAERON LOUNGE | DIMENSIONS & COM

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Entire Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Only
One-Seat -	wood arm	1											
lounge	27	28.5	31.5	17.8	24	23	21	55	20	4.2	1.3	1.7	1.2
high back	27	28.5	41.5	17.8	24	23	21	59	24	4.8	1.3	2.3	1.2
One-Seat -													
lounge	23	28.5	31.5	17.8	-	-	21	52	20	3	1.3	1.7	-
high back	23	28.5	41.5	17.8	-	-	21	55	24	3.6	1.3	2.3	-
One-Seat -	•												
lounge	28	28.5	31.5	17.8	24	23	21	75	20	5.9	1.3	1.7	2.9
high back	28	28.5	41.5	17.8	24	23	21	79	24	6.5	1.3	2.3	2.9
wingback	32	28.5	42.5	17.8	24	23	21	84	27	7.5	1.3	3.3	2.9
One-Seat v		d arm											
lounge	34	28.5	31.5	17.8	24	30	21	64	23	4.4	1.5	1.7	1.2
high back	34	28.5	41.5	17.8	24	30	21	68	27	5	1.5	2.3	1.2
One-Seat v		ess											
lounge	30	28.5	31.5	17.8	-	-	21	61	23	3.2	1.5	1.7	-
high back	30	28.5	41.5	17.8	-	-	21	65	27	3.8	1.5	2.3	-
One-Seat v	vide - upho	olstered ar	m										
lounge	35	28.5	31.5	17.8	24	30	21	84	23	6.1	1.5	1.7	2.9
high back	35	28.5	41.5	17.8	24	30	21	88	27	6.7	1.5	2.3	2.9
wingback	39	28.5	42.5	17.8	24	30	21	93	30	7.5	1.3	3.3	2.9
Two-seat -	wood arm												
lounge	50	28.5	31.5	17.8	24	46	21	88	36	5.5	1.7	2.6	1.2
high back	50	28.5	41.5	17.8	24	46	21	95	43	6.4	1.7	3.5	1.2
Two-seat -	armless												
lounge	46	28.5	31.5	17.8	-	-	21	87	36	4.3	1.7	2.6	-
high back	46	28.5	41.5	17.8	-	-	21	94	43	5.2	1.7	3.5	-
Two-seat -	upholstere	ed arm											
lounge	51	28.5	31.5	17.8	24	46	21	108	36	7.2	1.7	2.6	2.9
high back	51	28.5	41.5	17.8	24	46	21	115	43	8.1	1.7	3.5	2.9
wingback	55	28.5	42.5	17.8	24	46	21	120	46	9.1	1.7	4.5	2.9
Three-seat													
lounge	73	28.5	31.5	17.8	24	69	21	120	52	7.1	2.5	3.4	1.2
high back	73	28.5	41.5	17.8	24	69	21	130	61	8.4	2.5	4.7	1.2
Three-seat	- armless												
lounge	69	28.5	31.5	17.8	-	-	21	122	52	5.9	2.5	3.4	-
high back	69	28.5	41.5	17.8	-	-	21	132	61	7.2	2.5	4.7	-
Three-seat													
lounge	74	28.5	31.5	17.8	24	69	21	140	52	8.8	2.5	3.4	2.9
high back	74	28.5	41.5	17.8	24	69	21	150	61	10.1	2.5	4.7	2.9
wingback	78	28.5	42.5	17.8	24	69	21	155	64	10.3	1.7	5.7	2.9

ORDERING NOTES:

Please refer to page 339 for C.O.M approval process.

WEIGHT CAPACITIES

Faeron weight capacities are as follows:

One -Seat - 500 lbs

One -Seat - Plus - 750 lbs

One-Seat Wide - 500 lbs One-Seat Wide Plus - 750 lbs

Two- Seat - 625 lbs

Two- Seat Plus- 975 lbs

Three - Seat - 850 lbs

Three - Seat Plus- 1200 lbs

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm Cap (per pair) - Gr A White	403
One-Seat Removable Back Covers	159	Solid Surface Arm Cap (per pair) - Gr A Color	416
One-Seat Wide Removable Back Covers	239	Solid Surface Arm Cap (per pair) - Gr B	443
Two-Seat Removable Back Covers	317	Solid Surface Arm Cap (per pair) - Gr C	456
Three-Seat Removable Back Covers	475	Solid Surface Arm (per pair) - Gr A White	710
One-Seat Removable Seat Covers	159	Solid Surface Arm (per pair) - Gr A Color	743
One-Seat Wide Removable Seat Covers	239	Solid Surface Arm (per pair) - Gr B	806
Two-Seat Removable Seat Covers	317	Solid Surface Arm (per pair) - Gr C	850
Three-Seat Removable Seat Covers	475	Upholstered Lounge Wood Arm Cap (per pair)	202
Wood Leg - Plastic glides	8		
Wood Leg - Metal glides	26		
Metal Leg - Floor-saver Felt glides	30		
Metal Leg - Non-slip Rubber	18		
Metal Leg - Metal glides	26		

FAERON WOOD | LOUNGE FEATURES & OPTIONS



WOOD ARM

Faeron Wood Arm Lounge chairs are available with optional Arm Caps in Urethane and Solid Surface. As well as a Solid Surface Arm.



OPTIONS

URETHANE ARM CAP

The optional Urethane Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



ARMLESS

Faeron Armless Lounge seating can be specified with a full wood base providing an enhanced base profile.



WOOD ARM CAP

The optional Solid Beech Arm Cap is available on Upholstered Arm and Wingback Lounge. This is field replaceable if this becomes damaged or degraded.



UPHOLSTERED ARM

Faeron Upholstered arm lounge chairs are available with optional arm caps in Wood, Solid Surface and Urethane (Wingback lounge is not available with Urethane cap).



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



ARM PANEL

Arm Panels are available on Faeron Wood Arm Lounge seating in semi and fully closed styles for optimum design flexibility.



SOLID SURFACE ARM

The optional Solid Surface Arm is available on Wood Arm Lounge and provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



BEECH WOOD LEGS

Faeron Lounge legs and bases are solid Beech available in 22 finish selections. Faeron lounge legs feature Floor-saver nylon glides. Plastic glides and metal glides are optional at an upcharge. Please see page 343 for more information.




COMBINATION UPHOLSTERY

When combination upholstery (more than one upholstery cover within the same unit) is specified with upholstery of the same grade or COM, an upcharge for dual fabrics is \$34 list per unit and \$67 list per unit for three fabrics. When graded-in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote



METAL LEGS

Faeron Upholstered Arm models are also available with Metal Legs; Silver Metallic or Brushed Nickle finish. Faeron lounge legs feature Floor-saver nylon glides. Floor-saver felt glides, non-slip rubber glides and metal glides are optional at an upcharge.




California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non- flammable upholstery covers, that may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components thereby conferring sanitary and anti-infection benefits. So when CAL133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8




LOUNGE WALL SAVER

Faeron Lounge models include a wall saver feature in which the angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chair and the wall. Not included for Faeron High Back Lounge or Faeron Wingback Lounge due to back height.



CLEAN OUT

REMOVABLE AND REPLACEABLE COVERS Faeron Lounge Chairs are available with a Removable Seat & Back Covers.



FAERON WOOD | ARMLESS LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GR.	ADES 6	7	LEATHER 8	9
	One-Seat, Arm FAE3-AL1S	less Lounge Beech	, Standard 1909	l Base 1984	2060	2210	2359	2507	2658	2806	3106
	One-Seat Plus FAE3-ALB1S	Armless Lou Beech	inge, Stan 1980	dard Base 2056	2131	2280	2430	2581	2731	2880	3180
	One-Seat, Arm FAE3-AL1F	less Lounge Beech	, Full Woo 2081	d Base 2157	2230	2381	2530	2680	2829	2979	3278
	One-Seat Plus, FAE3-ALB1F	Armless Lo	unge, Full 2153	Wood Bas 2227	se 2302	2450	2602	2751	2902	3051	3349
	One-Seat Wide FAE3-AL1+S	e, Armless Lo Beech	ounge, Sta 2158	andard Bas 2261	se 2362	2566	2769	2972	3178	3381	3787
	One-Seat Wide FAE3-ALB1+S		ss Lounge 2237	e, Standar 2338	d Base 2440	2642	2848	3051	3253	3457	3866
	One-Seat Wide FAE3-AL1+F	e, Armless Lo Beech	ounge, Ful 2379	l Wood Ba 2480	2583	2787	2990	3192	3397	3601	4007
	One-Seat Wide FAE3-ALB1+F		ss Lounge 2457	e, Full Woo 2557	od Base 2659	2862	3067	3270	3473	3678	4085
	Two-Seat, Arm FAE3-AL2S	less Lounge, Beech	Standard 2707	Base 2818	2930	3156	3379	3603	3829	4055	4503
	Two-Seat Plus, FAE3-ALB2S	Armless Lou Beech	unge, Star 2816	ndard Base 2928	e 3040	3266	3489	3713	3939	4161	4613
	Two-Seat, Arm	less Lounge, Beech	Full Woo 3016	d Base 3129	3241	3463	3689	3914	4138	4363	4813
	Two-Seat Plus, FAE3-ALB2F	Armless Lou Beech	unge, Full 3125	Wood Bas 3237	se 3348	3575	3799	4022	4247	4473	4923
	Three-Seat, Arr	nless Loung	e, Standa	rd Base							
	FAE3-AL3S Three-Seat Plus	Beech	3585	3766 andard Ba	3946	4307	4665	5024	5384	5743	6462
	FAE3-ALB3S	Beech	3770	3950	4129	4490	4847	5206	5567	5926	6646
	Three-Seat, Arr FAE3-AL3F	Beech	3994	4175	4353	4711	5074	5431	5791	6149	6869
	Three-Seat Plus FAE3-ALB3F	s, Armless L Beech	ounge, Fu 4179	II Wood B 4359	ase 4537	4897	5256	5614	5975	6333	7051
PRODUCT CODE KEY											
Line	Series	Chair Tv	ne		Size			В	lase		

Line	Series	Chair Type	Siz	ze	Base	
FAE Faeron	3-A Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	S Standard Base	
		Н	1+	B1+	F	
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus B2	Full Wood Base	
			Two-Seat	Two-Seat Plus		
			3 Three-Seat	B3 Three-Seat Plus		

2026 | SEATING & OCCASIONAL TABLES | GSA | 262

HEALTHCARE DISCOUNT APPLIES TO THESE PRODUCTS

FAERON WOOD | ARMLESS HIGH BACK LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	DES 6	7	LEATHER 8	9
A	One-Seat, Arml FAE3-AH1S	less High back Beech	Lounge 2146	, Standard 2238	Base 2328	2510	2695	2878	3061	3244	3608
	One-Seat Plus, FAE3-AHB1S	Armless High Beech	back Lo 2217	unge, Stan 2306	dard Base 2400	e 2584	2766	2948	3133	3316	3683
	One-Seat, Arml FAE3-AH1F	ess High back Beech	Lounge 2319	, Full Wood 2409	Base 2502	2682	2864	3050	3231	3414	3783
	One-Seat Plus, FAE3-AHB1F	Armless High Beech	back Lo 2390	unge, Full \ 2480	Wood Bas 2571	se 2754	2937	3119	3303	3487	3852
	One-Seat Wide FAE3-AH1+S	, Armless High Beech	back Lo	ounge, Star 2530	ndard Bas 2649	se 2884	3120	3360	3598	3833	4308
	One-Seat Wide FAE3-AHB1+S	•	High ba 2488	ck Lounge 2607	, Standard 2724	d Base 2963	3200	3434	3672	3910	4384
	One-Seat Wide FAE3-AH1+F	, Armless High Beech	back Lo 2631	ounge, Full 2748	Wood Ba 2870	se 3105	3343	3579	3816	4051	4527
	One-Seat Wide FAE3-AHB1+F		High ba 2710	ick Lounge 2828	, Full Woo 2945	od Base 3182	9 3421	3657	3894	4130	4604
H	Two-Seat, Arml FAE3-AH2S	ess High back Beech	Lounge 2881	, Standard 3012	Base 3140	3398	3657	3914	4172	4427	4945
	Two-Seat Plus, FAE3-AHB2S	Armless High Beech	back Lo 2991	unge, Stan 3119	dard Base 3249	9 3508	3766	4022	4282	4538	5054
	Two-Seat, Arml FAE3-AH2F	ess High back Beech	Lounge 3190	, Full Wood 3321	Base 3451	3709	3964	4223	4480	4737	5256
	Two-Seat Plus, FAE3-AHB2F	Armless High Beech	back Lo	unge, Full \ 3430	Wood Bas 3558	se 3816	4075	4334	4590	4847	5364
	Three-Seat, Arr FAE3-AH3S	nless High bad Beech	k Loung 3830	ge, Standard 4043	d Base 4257	4683	5109	5535	5960	6386	7238
	Three-Seat Plus FAE3-AHB3S	s, Armless Hig Beech	h back L 4014	ounge, Sta. 4228	ndard Ba 4441	se 4866	5292	5719	6144	6568	7422
	Three-Seat, Arr FAE3-AH3F	nless High bad Beech	k Loung 4239	ge, Full Woo 4450	od Base 4665	5088	5517	5943	6367	6793	7647
	Three-Seat Plus FAE3-AHB3F	s, Armless Hig Beech	h back L 4422	ounge, Full 4636	l Wood Ba 4847	ase 5274	5699	6125	6553	6978	7829
PRODUCT CODE KEY											
Line FAE	Series 3-A	Chair Type		1	Size	B1	<u> </u>	Bas	se S		
Faeron	Armless unge Seating	Lounge		One-Seat	On	ie-Seat F	l Plus	Standar			
Lo	unge ocalling	H H	^	1+	. · ·	B1+	ide Dive		F Dana		
		High Back Lounge	C	One-Seat Wic 2 Two-Seat		B2 o-Seat F	ide Plus] Plus	Full Woo	od Base		
				3 Three-Seat	Thr	B3 ee-Seat] Plus				

FAERON WOOD | LOUNGE & HIGH BACK LOUNGE

DESCRIPTION/MODEL	8	Species	COM 1	2	COL 3	4	FABRIC GRAI	DES 6	7	LEATHER 8	9
	One-Seat, Wood FAE3-WL1ONC	Arm Lounge Beech	e, Open A 2018	arm 2090	2166	2319	2465	2615	2766	2914	3214
	One-Seat Plus, W FAE3-WL1BONC		ounge, Op 2088	oen Arm 2164	2239	2387	2537	2688	2836	2988	3288
	One-Seat Wood A FAE3-WL1SNC	Arm Lounge Beech	, Semi Cl	osed Arm 2684	2796	3017	3238	3459	3683	3902	4348
	One-Seat Plus Wo FAE3-WL1BSNC		unge, Sei 2646	mi Closed 2759	Arm 2868	3090	3313	3534	3755	3976	4418
	One-Seat Wood A FAE3-WL1CNC	Arm Lounge Beech	, Closed <i>i</i> 2595	Arm 2707	2817	3038	3260	3481	3705	3925	4368
	One-Seat Plus Wo FAE3-WL1BCNC		unge, Clo 2668	osed Arm 2775	2888	3111	3331	3553	3774	3996	4441
	One-Seat Wood A	-	ack Loung 2253	ge, Open <i>A</i> 2345	Arm 2437	2619	2802	2986	3166	3349	3715
	One-Seat Plus W FAE3-WH1BONC					2691	2875	3056	3238	3424	3788
	One-Seat Wood A FAE3-WH1SNC	Arm High Ba Beech	ack Loung 2811	ge, Semi C 2937	Closed Arm 3066	3320	3575	3829	4085	4339	4848
	One-Seat Plus We FAE3-WH1BSNC		gh Back L 2881	ounge, So 3010	emi Closed 3137	Arm 3393	3646	3900	4156	4413	4920
	One-Seat Wood A		ack Loung 2830	ge, Closed 2958	I Arm 3087	3343	3598	3851	4105	4361	4869
	One-Seat Plus W FAE3-WH1BCNC		gh Back L 2903	_ounge, C 3030	losed Arm 3159	3411	3667	3922	4177	4432	4943

JCT CODE	KEY					
Line	Series	Chair Type	Siz	e	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			2 Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat		SA Solid Surface Arm

FAERON WOOD | LOUNGE & HIGH BACK LOUNGE

			COM		COL	ı	FABRIC GRA	DES		LEATHER	
DESCRIPTION/MODE	_	Species	1	2	3	4	5	6	7	8	9
	One-Seat Wide Wo FAE3-WL1+ONC	ood Arm Lou Beech	nge, Ope 2215	n Wood A 2319	rm 2418	2621	2826	3028	3234	3436	3845
	One-Seat Wide Plu FAE3-WLB1+ONC		Lounge, 2294	Open Arr 2394	n 2496	2698	2903	3106	3313	3513	3922
	One-Seat Wide Wo FAE3-WL1+SNC	od Arm Lou Beech	nge, Sem 2772	i Closed A 2910	Arm 3049	3323	3600	3874	4151	4425	4977
	One-Seat Wide Plu FAE3-WLB1+SNC		Lounge, 2850	Semi Clo 2989	sed Arm 3126	3400	3676	3953	4228	4503	5054
	One-Seat Wide Wo FAE3-WL1+CNC	ood Arm Lou Beech	nge, Clos 2793	sed Arm 2932	3070	3345	3620	3896	4172	4446	4996
	One-Seat Wide Plu FAE3-WLB1+CNC		Lounge, 2872	Closed A 3009	rm 3145	3424	3697	3974	4249	4525	5076
	One-Seat Wide Wo FAE3-WH1+ONC	od Arm Higl Beech	n Back Lo 2469	ounge, Op 2586	en Arm 2705	2943	3179	3414	3652	3891	4363
	One-Seat Wide Plu FAE3-WHB1+ONC		n High Ba 2544	ck Lounge 2664	e, Open Ai 2782	rm 3020	3257	3493	3730	3969	4441
	One-Seat Wide, We FAE3-WH1+SNC	ood Arm Hig Beech	h Back Lo 3026	ounge, Se 3180	emi Closed 3335	d Arm 3643	3953	4261	4569	4878	5495
	One-Seat Wide Plu FAE3-WHB1+SNC		n High Ba 3103	ck Lounge 3258	e, Semi Cl 3410	osed Arn 3720	n 4030	4337	4647	4956	5573
	One-Seat Wide Wo	ood Arm High Beech	n Back Lo 3048	ounge, Clo 3201	osed Arm 3353	3664	3974	4282	4590	4899	5518
	One-Seat Wide Plu FAE3-WHB1+CNC		High Ba 3125	ck Lounge 3277	e, Closed A 3432	Arm 3741	4050	4360	4667	4974	5594

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254. Option upcharges see page 254.

Line	Series	Chair Type	Siz	ze .	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	Lounge	1 One-Seat	B1 One-Seat Plus	Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

.

HEALTHCARE DISCOUNT APPLIES TO THESE PRODUC

FAERON WOOD | LOUNGE & HIGH BACK LOUNGE

DESCRIPTION/MOD	FI	Species	COM 1	2	COL 3	F 4	ABRIC GR	ADES 6	7	LEATHE 8	R 9
<u>BECOMM HONORIO</u>		•	•						'		
	Two-Seat Wood	Arm Lounge Beech	e, Open Ai 2791	rm 2903	3016	3241	3463	3689	3914	4138	4588
	Two-Seat Plus W FAE3-WLB2ONC		ounge, Op 2877	en Arm 2988	3101	3323	3550	3773	3999	4223	4671
	Two-Seat Wood FAE3-WL2SNC	Arm Lounge Beech	e, Semi Cl 3348	osed Arm 3496	3645	3943	4238	4533	4832	5129	5720
	Two-Seat Plus W FAE3-WLB2SNC		ounge, Se 3432	mi Closed 3580	d Arm 3730	4025	4321	4617	4915	5213	5804
	Two-Seat Wood FAE3-WL2CNC	Arm Lounge Beech	e, Closed 3369	Arm 3519	3665	3961	4260	4555	4851	5148	5742
	Two-Seat Plus W	ood Arm Lo	ounge, Clo	sed Arm							
	FAE3-WLB2CNC	Beech	3454	3602	3751	4046	4344	4641	4937	5232	5825
	T 0 111/										
	Two-Seat Wood FAE3-WH2ONC	Arm High B Beech	ack Lounç 2968	ge, Open 3095	arm 3226	3484	3741	4000	4257	4511	5031
	Two-Seat Plus W	lood Arm Hi	gh back L	ounae. O	pen arm						
	FAE3-WHB2ONG		3051	3180	3310	3567	3825	4084	4339	4597	5113
	Two Coat Wood	Arma I limb D	aala Laura	na Cami (
	Two-Seat Wood FAE3-WH2SNC	Beech	3524	3689	3853	4183	4511	4844	5174	5503	6162
	Two-Seat Plus W	ood Arm Hi	gh Back L	ounge, S	emi Close	d Arm					
	FAE3-WHB2SNC	Beech	3608	3773	3939	4268	4597	4927	5258	5586	6245
	Two-Seat Wood	Arm High B	ack Lounç	ge, Closed	d Arm						
	FAE3-WH2CNC	Beech	3546	3711	3875	4206	4533	4865	5194	5524	6184
	Two-Seat Plus W		gh Back I	_ounge, C	losed Arm						
	FAE3-WHB2CNO	3 Beech	3629	3794	3959	4290	4617	4947	5279	5608	6268

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254. Option upcharges see page 254.

PRODUCT CODE KEY

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap	
FAE Faeron	3-W Wood Arm	L Lounge	1 One-Seat	B1 One-Seat	O Open Arm	NC No Cap	
1 401011	Lounge Seating	Lourigo	One cour	Plus	Оронтин	πο σαρ	
		Н	1+	B1+	S	UC	
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Semi Closed Arm	Urethane Cap	
			2	B2	С	SC	
			Two-Seat	Two-Seat	Closed Arm	Solid Surface Cap	
				Plus			
			3	В3		SA	

Three-Seat

Three-Seat Plus Solid Surface Arm

HEALTHCARE DISCOUNT APPLIES TO THESE PRODUCTS

FAERON WOOD | LOUNGE & HIGH BACK LOUNGE

			COM		COL		FABRIC GRA	ADES		LEATHER	R
DESCRIPTION/MODEL		Species	1	2	3	4	5	6	7	8	9
	hree-Seat Wood AE3-WL3ONC		je, Open <i>i</i> 3587	Arm 3767	3948	4308	4666	5025	5384	5744	6463
	hree-Seat Plus V AE3-WLB3ONC		ounge, O 3734	pen Arm 3914	4093	4454	4813	5170	5532	5891	6607
	Three-Seat Wood AE3-WL3SNC		je, Semi (4146	Closed Arr 4361	n 4578	5007	5440	5869	6302	6732	7596
I INL I I I	hree-Seat Plus V AE3-WLB3SNC		ounge, S 4292	emi Close 4506	ed Arm 4723	5153	5584	6016	6447	6880	7741
F	hree-Seat Wood AE3-WL3CNC	Beech	4167	4381	4597	5029	5461	5892	6322	6753	7617
	hree-Seat Plus V AE3-WLB3CNC		ounge, C 4313	losed Arm 4528	1 4743	5175	5607	6038	6470	6901	7762
	Three-Seat Wood FAE3-WH3ONC	•	Back Lour 3833	nge, Oper 4044	n Arm 4259	4683	5110	5536	5961	6386	7239
	hree-Seat Plus V AE3-WHB3ONC		ligh Back 3978	Lounge, 4192	Open Arm 4403	4832	5257	5682	6105	6535	7386
	hree-Seat Wood AE3-WH3SNC		Back Loui 4391	nge, Semi 4638	Closed A 4887	rm 5386	5884	6381	6880	7376	8370
	Three-Seat Plus V TAE3-WHB3SNC		ligh Back 4534	Lounge, 4785	Semi Clos 5033	ed Arm 5532	6029	6526	7024	7522	8520
	Three-Seat Wood AE3-WH3CNC		Back Loui 4413	nge, Close 4660	ed Arm 4910	5406	5903	6401	6899	7397	8392
	hree-Seat Plus V AE3-WHB3CNC		ligh Back 4557	Lounge, 4807	Closed Ar 5055	m 5552	6052	6548	7045	7543	8538

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254. Option upcharges see page 254.

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

FAERON UPHOLSTERED | LOUNGE

One-Seat Wide Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB1+NCW 3015 3205 3393 3770 4147 4525 4901 5279 6033 Two-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL2NCW 3513 3712 3913 4310 4708 5107 5505 5903 6700 Two-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB2NCW 3599 3797 3996 4394 4792 5191 5589 5988 6785 Three-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL3NCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB3NCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254.			COM		COL	FAE	BRIC GRA	DES		LEATHER	₹
FAE3-UL1NCW 2740 2902 3062 3385 3710 4035 4356 4680 5325 One-Seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB1NCW 2811 2972 3135 3457 3783 4104 4427 4753 5398 One-Seat Wide Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL1+NCW 2937 3126 3316 3691 4069 4447 4822 5200 5956 One-Seat Wide Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB1+NCW 3015 3205 3393 3770 4147 4525 4901 5279 6033 Two-seat Wide Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB2NCW 3513 3712 3913 4310 4708 5107 5505 5903 6700 Two-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB2NCW 3599 3797 3996 4394 4792 5191 5589 5988 6785 Three-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB2NCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB3NCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 **RDERING NOTES:* Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm pas (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. **RDERING NOTES:* Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm pas (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. **RDERING NOTES:* Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm pas (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. **RDERING NOTES:* Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm pas (WC), replace "NC" in the model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option charges see page 254. **RDERING NOTES:* Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm pas	ESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
PAE3-ULB1NCW 2811 2972 3135 3457 3783 4104 4427 4753 5398		•	•		• •		Ü	4035	4356	4680	5325
FAE3-ULB1NCW 2811 2972 3135 3457 3783 4104 4427 4753 5398											
One-Seat Wide Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL1+NCW 2937 3126 3316 3691 4069 4447 4822 5200 5956 One-Seat Wide Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL81+NCW 3015 3205 3393 3770 4147 4525 4901 5279 6033 Two-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL2NCW 3513 3712 3913 4310 4708 5107 5505 5903 6700 Two-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB2NCW 3599 3797 3996 4394 4792 5191 5589 5988 6785 Three-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL3NCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL3NCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB3NCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254, specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option charges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NO W FAE NO Cap Beech Wood Leg FAE3 Upholstered Arm Lounge One-Seat One-Seat No Cap Beech Wood Leg							0700	4404	4407	4750	5000
One-Seat Wide Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB1+NCW 3015 3205 3393 3770 4147 4525 4901 5279 6033 Two-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL2NCW 3513 3712 3913 4310 4708 5107 5505 5903 6700 Two-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB2NCW 3599 3797 3996 4394 4792 5191 5589 5988 6785 Three-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULSNCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULSNCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 RIDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option charges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NC W Lounge Seating Descate Nocap Beech Wood Leg Plus	Ψ	TALO OLD INOW	2811	2972	3135	3457	3/83	4104	4427	4753	5398
One-Seat Wide Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB1+NCW 3015 3205 3393 3770 4147 4525 4901 5279 6033 Two-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL2NCW 3513 3712 3913 4310 4708 5107 5505 5903 6700 Two-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB2NCW 3599 3797 3996 4394 4792 5191 5589 5988 6785 Three-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB2NCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB3NCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm ups (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option charges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NC W Lounge Seating Description: Two Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NC W Lounge Seating Description: Two Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 Description: Plus Plus Plus No Cap Beech Wood Leg Plus		•	ered Arm Lo	ounge, No	arm cap,	Wood leg					
Two-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL2NCW 3513 3712 3913 4310 4708 5107 5505 5903 6700 Two-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB2NCW 3599 3797 3996 4394 4792 5191 5589 5988 6785 Three-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL3NCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB3NCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option charges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 BI NC W Faeron Upholstered Arm Lounge One-Seat One-Seat No Cap Beech Wood Leg FINE No Cap Beech Wood Leg		FAE3-UL1+NCW	2937	3126	3316	3691	4069	4447	4822	5200	5956
Two-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL2NCW 3513 3712 3913 4310 4708 5107 5505 5903 6700 Two-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB2NCW 3599 3797 3996 4394 4792 5191 5589 5988 6785 Three-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL3NCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB3NCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option charges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 BI NC W Faeron Upholstered Arm Lounge One-Seat One-Seat No Cap Beech Wood Leg FINE No Cap Beech Wood Leg				-			d leg				
Three-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL3NCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB3NCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option charges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NC W Faeron Upholstered Arm Lounge One-Seat Plus No Cap Beech Wood Leg Plus	W	FAE3-ULB1+NCW	3015	3205	3393	3770	4147	4525	4901	5279	
Three-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL3NCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB3NCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option charges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NC W Faeron Upholstered Arm Lounge One-Seat Plus No Cap Beech Wood Leg Plus			m Lounge,	No arm ca	ap, Wood	leg					
Three-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL3NCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB3NCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option below are page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NC W Faeron Upholstered Arm Lounge One-Seat Plus No Cap Beech Wood Leg Plus		FAE3-UL2NCW	3513	3712	3913	4310	4708	5107	5505	5903	6700
Three-seat Upholstered Arm Lounge, No arm cap, Wood leg FAE3-UL3NCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB3NCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option below are page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NC W Faeron Upholstered Arm Lounge One-Seat Plus No Cap Beech Wood Leg Plus			ed Arm Lou	ınge, No a	rm cap, V	Vood leg					
FAE3-UL3NCW 4310 4578 4844 5377 5911 6442 6976 7509 8575 Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB3NCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option charges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NC W Faeron Upholstered Arm Lounge One-Seat One-Seat No Cap Beech Wood Leg Flus		FAE3-ULB2NCW	3599	3797	3996	4394	4792	5191	5589	5988	6785
Three-seat Plus Upholstered Arm Lounge, No arm cap, Wood leg FAE3-ULB3NCW 4457 4725 4991 5523 6055 6589 7123 7654 8722 RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option charges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NC W Faeron Upholstered Arm Lounge One-Seat One-Seat No Cap Beech Wood Leg Flus			_			od leg					
RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option acharges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NC W Faeron Upholstered Arm Lounge One-Seat One-Seat No Cap Beech Wood Leg Plus		FAE3-UL3NCW	4310	4578	4844	5377	5911	6442	6976	7509	8575
RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option acharges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NC W Faeron Upholstered Arm Lounge One-Seat One-Seat No Cap Beech Wood Leg Plus			ered Arm Lo	ounge, No	arm cap,	Wood leg	1				
RDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. a specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option ocharges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U Upholstered Arm Lounge One-Seat One-Seat No Cap Beech Wood Leg Plus		FAE3-ULB3NCW	4457	4725	4991	5523	6055	6589	7123	7654	8722
aps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on on page 254. Is specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option ocharges see page 254. RODUCT CODE KEY Line Series Chair Type Size Arm Cap Leg Type FAE 3-U L 1 B1 NC W Faeron Upholstered Arm Lounge One-Seat One-Seat Plus Plus	RDERING NOTES: Fae	ron upholstered chairs can	be specifie	d with Uret	hane Arn	n Caps (U	C). Solid S	Surface Ar	m Caps (S	SC) . or Wo	ood Arm
	aps (WC), replace "NC specify the Metal Leg	C" in the model number woption below, replace "W" in	ith the Ar ı	m Style s	election	below an	d add the	e upcharç	ge listed (on on pa	ge 254.
	RODUCT CODE KEY										
)			Di				rpe □	
H 1+ B1+ UC S	Faeron Upho	Istered Arm Lounge	C		On	e-Seat				_ od Leg	
		Н	Γ	1+		B1+	Г	JC	S	7	

Line	Series	Chair Type	Siz	:e	Arm Cap	Leg Type	
FAE Faeron	3-U Upholstered Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	NC No Cap	W Beech Wood Leg	
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	UC Urethane Cap	S Silver Metallic Leg	
			Z Two-Seat	B2 Two-Seat Plus	SC Solid Surface Cap	N Brushed Nickel Leg	
			3 Three-Seat	B3 Three-Seat	WC Wood Arm Cap		

FAERON UPHOLSTERED | HIGH BACK LOUNGE

		COM		COL	FAE	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MODEL	_	1	2	3	4	5	6	7	8	9
	One-Seat Upholstered Arm H	igh Back	Lounge, N	lo Arm Ca	ap, Wood I	leg				
	FAE3-UH1NCW	2974	3154	3331	3689	4044	4402	4758	5116	5829
	One-Seat Plus, Upholstered A	Arm High I	Back Lour	nge, No A	rm Cap, V	Vood leg				
	FAE3-UHB1NCW	3048	3226	3404	3760	4117	4474	4832	5189	5899
	One-Seat Wide, Upholstered	Arm High	Back Lou	nge, No A	۸rm Cap, ۱	Wood leg				
	FAE3-UH1+NCW	3190	3396	3601	4011	4423	4833	5243	5656	6474
	One-Seat Wide Plus, Upholsto		•	•			Ü			
	FAE3-UHB1+NCW	3268	3473	3680	4088	4501	4911	5319	5729	6553
	Two-seat, Upholstered Arm H	igh Back	Lounge, N	lo Arm Ca	ap, Wood	leg				
	FAE3-UH2NCW	3690	3906	4123	4553	4985	5416	5847	6279	7144
	Two-seat Plus, Upholstered A	rm High E	Back Loun	ge, No Ar	m Cap, W	lood leg				
	FAE3-UHB2NCW	3774	3988	4206	4637	5069	5499	5931	6361	7227
V										
	Three-seat, Upholstered Arm	High Bac	k Lounge,	No Arm (Cap, Wood	d leg				
	FAE3-UH3NCW	4554	4854	5153	5755	6354	6954	7551	8152	9353
	Three-seat Plus, Upholstered	Arm Hiah	Back Lou	ınge, No	Arm Cap.	Wood lea				
	FAE3-UHB3NCW	4701	5001	5302	5899	6499	7100	7699	8300	9497
) W										

ODUCT COD	E KEY					
Line	Series	Chair Type	Siz	e	Arm Style	Leg Type
FAE	3-U	L	1	B1	NC	W
Faeron	Upholstered Arm Lounge Seating	Lounge	One-Seat	One-Seat Plus	No Cap	Beech Wood Leg
		Н	1+	B1+	UC	S
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Urethane Cap	Silver Metallic
			2	B2	SC	N
			Two-Seat	Two-Seat Plus	Solid Surface Cap	Brushed Nickel
			3	B3	WC	MICKEI
			Three-Seat	Three-Seat Plus	Wood Arm Cap	

FAERON UPHOLSTERED | WINGBACK LOUNGE

DESCRIPTION/MODEL		COM 1	2	COL 3	FAI 4	BRIC GRA	DES 6	7	LEATHER 8		
DESCRIPTION/MODEL						5	6		8	9	
	One-Seat Upholstered Arr										
	FAE3-UW1NCW	3393	3572	3746	4104	4461	4818	5175	5532	6244	
	One-Seat Plus Upholstere	d Arm Wi	ingback, I	No Arm Ca	ap, Wood	leg					
	FAE3-UWB1NCW	3462	3642	3819	4177	4532	4890	5245	5604	6317	
Ш											
	One-Seat Wide Upholstered Arm Wingback, No Arm Cap, Wood leg										
	FAE3-UW1+NCW	3605	3812	4018	4427	4839	5250	5660	6071	6893	
	One-Seat Wide Plus Upho	lstered A	rm Wingb	ack, No A	rm Cap, \	Nood leg					
	FAE3-UWB1+NCW	3685	3891	4093	4505	4917	5325	5738	6148	6969	
• U											
	Two-seat Upholstered Arn	n Wingba	ck, No Ar	m Cap, W	ood leg						
	FAE3-UW2NCW	4105	4321	4537	4969	5400	5833	6264	6695	7557	
	Two-seat Plus Upholstere	d Arm Wii	ngback, N	lo Arm Ca	ap, Wood	leg					
	FAE3-UWB2NCW	4190	4405	4621	5053	5484	5916	6348	6778	7642	
	Three cost I labelet! A		ook Na /	Numa Care N	Mood Is =						
	Three-seat Upholstered Al FAE3-UW3NCW	rm vvingb 4971	аск, No <i>F</i> 5272	5571	vvood ieg 6169	6770	7369	7970	8568	9770	
	.,	4971	3212	5571	0109	0770	7309	7970	0000	9770	
	Three cost Divis I link all the	ad Awas M	linghael:	No Ame C	200 M/s = 1	م ا م					
	Three-seat Plus Upholster FAE3-UWB3NCW	ea Arm v 5117	vingback, 5418	5716	6316	a ieg 6915	7515	8116	8715	0014	
		3117	5418	5/16	0310	0915	7515	8116	8/15	9914	


ORDERING NOTES: Faeron upholstered chairs can be specified with Solid Surface Arm Caps (SC), or Wood Arm Caps (WC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254. To specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. Option upcharges see page 254.

Line	Series	Chair Type	Siz	:e	Arm Cap	Leg Type
FAE Faeron	3-U Upholstered Arm Lounge Seating	W Wingback	1 One-Seat	B1 One-Seat Plus	NC No Cap	W Beech Wood Leg
			1+ One-Seat Wide	B1+ One-Seat Wide Plus	WC Wood Arm Cap	Silver Metallic
			2 Two-Seat	B2 Two-Seat Plus	SC Solid Surface Cap	N Brushed Nickel
			3 Three-Seat	B3 Three-Seat Plus		

SUTTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 8.09%

POST-CONSUMER RECYCLED CONTENT = 15.29%

Up to 23.38% of Sutton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Sutton products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SUTTON

			COM		COL		RIC GRAD			EATHER	
DESCRIPTION/M	ODEL/FINISH	ES	1	2	3	4	5	6	7	8	9
	ONE-SEAT SUT3-1-0-1	Cherry, Oak, Maple, Walnut, Anigre	2189	2386	2617	2970	3189	3431	3722	4444	5334
	SUT3-1-0-2		2396	2628	2883	3304	3547	3812	4138	4941	5863
•	SUT3-1-1-1	Cherry, Oak, Maple, Walnut, Anigre	2327	2552	2798	3209	3442	3704	4018	4795	5691
	SUT3-1-1-2	Cherry, Oak, Maple, Walnut, Anigre	2770	2994	3210	3431	3652	3875	4090	4356	5250
	TWO-SEAT										
	SUT3-2-0-1	Cherry, Oak, Maple, Walnut, Anigre	2927	3103	3289	3515	3778	4039	4813	5463	6602
	SUT3-2-0-2		3256	3453	3658	3913	4201	4496	5049	6075	7247
U	SUT3-2-1-1	Cherry, Oak, Maple, Walnut, Anigre	3161	3351	3551	3798	4079	4362	4897	5897	7038
	SUT3-2-1-2	Cherry, Oak, Maple, Walnut, Anigre	3600	3826	4058	4337	4618	4898	5178	5542	6675
	THREE-SEAT	Γ									
	SUT3-3-0-1	Cherry, Oak, Maple, Walnut, Anigre	3972	4196	4444	4681	4919	5168	5431	6580	8170
	SUT3-3-0-2	3	4419	4669	4941	5206	5475	5745	6038	7318	8956
	SUT3-3-1-1	Cherry, Oak, Maple, Walnut, Anigre	4290	4533	4795	5055	5315	5580	5863	7107	8696
	SUT3-3-1-2	Cherry, Oak, Maple, Walnut, Anigre	4707	5067	5441	5893	6351	6806	7263	7786	9379

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	- 111 3		COM Yardage
SUT3101	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3102	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3111	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3112	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3201	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3202	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3211	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3212	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3301	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3302	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3311	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5
SUT3312	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5

MOISTURE BARRIER & CAL 133 Moisture Barrier & CAL 133 is available for an upcharge of \$67 list per yard.

PRODU Line	CT CODE KEY Series	Seat Count	Arm/Back Style	Base Style
SUT	3	1	0	1
Sutton	Soft Seating	One-Seat	Fully Upholstered Surround	Wood Base & Legs
		2	1	2
		Two-Seat	Wood Surround	Metal Base & Legs
		3		· ·
		Three-Seat		

STANDARD FINISHES

Oak finishes on wood surround versions are applied on Rift Oak. For a complete list of standard wood finishes please see page 14.

WOOD BASE

Sutton wood base features metal glides. Floor-saver felt glides (add \$30), Non-slip rubber glides (add \$18), floor-saver nylon glides (add \$38) or plastic (add \$8) glides are all optional.

METAL BASE OPTION

Metal base is available in Silver Metallic only. Note: Rift Oak surround can only be specified with a Silver Metallic base and features floor-saver nylon glides, plastic (add \$8) glides are all optional.


REMOVABLE UPHOLSTERED SEAT COVERS

Sutton Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$166 list per one-seater chair, \$333 list per two-seater chair and \$500 list per three-seater chair.

CARLYLE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 3.96%

POST-CONSUMER RECYCLED CONTENT = 14.38%

Up to 37.5% of Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

	3323.23.13	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CARLYLE | LOUNGE

			COM		COL	FA	BRIC GRA	NDES		LEATHER	ł
DESCRIPTION/MO	DEL/FINISHES		1	2	3	4	5	6	7	8	9
	ONE-SEAT CAR311	Cherry, Maple, Walnut, Anigre	3453	3564	3671	3891	4104	4323	4543	4942	5622
	CAR312	Silver Metallic	3453	3564	3671	3891	4104	4323	4543	4942	5622
	TWO-SEAT										
	CAR321	Cherry, Maple, Walnut, Anigre	4663	4825	4987	5260	5536	5807	6076	6669	7767
	CAR322	Silver Metallic	4663	4825	4987	5260	5536	5807	6076	6669	7767
	THREE-SEAT CAR331	Cherry, Maple,	6288	6490	6684	7049	7417	7775	8142	8868	10228
	UANOS I	Walnut, Anigre	0200	0490	0004	7049	7717	1113	0142	0000	10220
	CAR332	Silver Metallic	6288	6490	6684	7049	7417	7775	8142	8868	10228

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR311	33	30	32	17.5	26	20	22	60	24	4.5
CAR312	33	30	32	17.5	26	20	22	60	24	4.5
CAR321	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR322	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR331	84	30	32	17.5	26	70.5	22	135	62	9.0
CAR332	84	30	32	17.5	26	70.5	22	135	62	9.0

ORDERING NOTES

Carlyle Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$166 list per one-seater chair, \$333 list per two-seater chair and \$500 list per three-seater chair.

PRODUCT COL	DE KEY Series	Seat Count	Base Style
CAR	3	1	1
Carlyle	Soft Seating	One-Seat	Wood Base
	•	2 Two-Seat	& Legs 2 Metal Base & Legs
		3	
		Three-Seat	

STANDARD FINISHES

For a complete list of standard wood finishes please see page 341.

CARLYLE LOUNGE

Carlyle is available in both wood base and Silver Metallic base versions. Wood base features floor-saver nylon glides, Non-slip rubber glides (add \$18), metal (add \$26) or plastic (add \$8) glides are all optional. Metal base features plastic glides.


MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of \$67 list per yard.

BRIO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 7.09%

POST-CONSUMER RECYCLED CONTENT = 9.43%

Up to 11.34% of Brio product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Brio products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Brio products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Brio and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

BRIO

			COM		COL		RIC GRAD			EATHER	
DESCRIPTION/MODE	L	FINISHES	1	2	3	4	5	6	7	8	9
	ONE-SEAT 4100-1	Cherry, Maple, Walnut, Anigre	2189	2386	2617	2970	3189	3431	3722	4444	5334
	TWO-SEAT 4100-2	Cherry, Maple, Walnut, Anigre	2927	3103	3289	3515	3778	4039	4813	5463	6602
	THREE-SEA 4100-3	NT Cherry, Maple, Walnut, Anigre	3972	4196	4444	4681	4919	5168	5431	6580	8170

ORDERING NOTES

Brio Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$166 list per one-seater chair, \$333 list per two-seater chair, and \$500 list per three-seater chair.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
4100-1	31.5	31.5	34	18	26	22.5	20.75	97	22	5.9
4100-2	54	31.5	34	18	26	45	20.75	120	41	7.5
4100-3	76	31.5	34	18	26	67.5	20.75	145	55	10.5

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Color name and number

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 341.

Brio features floor-saver nylon glides, floor-saver felt glides (add \$30), Non-slip rubber glides (add \$18), metal (add \$26) or plastic (add \$8) glides are all optional.

BRIO

Brio has fixed seat cushions.


MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of \$67 list per yard.

SLOANE | LEED CI CREDIT SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.94%

POST-CONSUMER RECYCLED CONTENT = 15.22%

Up to 29.22% of Sloane product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION









level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sloane products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

All Sloane products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sloane and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SLOANE

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	ABRIC GRA	ADES 6	7	LEATHER 8	R 9
	ONE-SEAT SLO3-10 SLO3-11	2770 3024	2994 3246	3210 3463	3431 3738	3652 4059	3875 4183	4090 4396	4356 4665	5250 5559
	TWO-SEAT SLO3-20 SLO3-21	3600 4055	3826 4280	4058 4509	4337 4840	4618 5130	4898 5398	5178 5689	5542 6042	6675 7177
	THREE-SEAT SLO3-30	4707	5067	5441	5893	6351	6806	7263	7786	9379
	SLO3-31	5160	5523	5894	6401	6858	7309	7773	8292	9883

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SLO3-10	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-11	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-20	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-21	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-30	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5
SLO3-31	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5

ORDERING NOTES

Sloane Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$166 list per one-seater chair, \$333 list per two-seater chair and \$500 list per three-seater chair.

PRODUCT COL	DE KEY Series	Seat Count	Upholstery Style	SLOANE LEG FINISH Legs are available in metal with a Silver Metallic finish only, and
SLO	3	1	0	feature floor-saver felt glides.
Sloane	Soft Seating	One-Seat 2 Two-Seat	Standard Upholstery 1 Top Stitching & Buttons	MOISTURE BARRIER & CAL 133 Moisture Barrier & CAL 133 is available for an upcharge of \$67 list per yard.
		3 Three-Seat		

SIN 33721 - Lounge Seating

BENCHES


274 Tate280 Zola290 Carlyle

TATE BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





PRE-CONSUMER RECYCLED CONTENT = 9.09%

POST-CONSUMER RECYCLED CONTENT = 24.26%

Up to 26.97% of this Tate product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Tate Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



he mark of responsible forest

FSC®

AIR EMISSIONS

All Tate Bench products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Tate and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

TATE BENCHES | FEATURES & OPTIONS

STYLE

Tate Bench features three design styles; Fully Upholstered, Gable End and Table End.



Fully Upholstered



Gable End

Tate Bench gable ends are 2" wide x 20" deep x 6" high on standard depth units and 2" wide x 25" deep x 6" high on deep seat units



Table End

Tate Bench table ends are 10" wide \times 20" deep \times 6" high on standard depth units and 10" wide \times 25" deep \times 6" high on deep seat units.



LEGS

Tate Bench legs feature polished chrome structural steel legs with plastic glides. Floor-saver nylon glides are optional at an upcharge. Glide recommendation chart see page 338.

REPLACEABLE COMPONENTS

Tate Benches are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Gable ends, table ends and legs are field replaceable.

WEIGHT CAPACITIES

Tate Bench have the following maximum weight ratings: 2 seater - 975 lbs 3 seater - 1,200 lbs

OPTIONS

Removable Covers

Optional Removeable covers can be quickly installed on Tate Bench products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Tate Bench products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall Length	Overall Depth	Overall Height	Seat Length	Shipping Weight	Cube	COM Yardage	
TAT5-2210	43	21	17	43	48	10.7	1.4	
TAT5-2260	43	26	17	43	57	13.2	1.6	
TAT5-3210	65	21	17	65	62	15.7	2.0	
TAT5-3260	65	26	17	65	74	19.4	2.3	
TAT5-2211	47	21	17	43	56	10.7	1.4	
TAT5-2261	47	26	17	43	65	13.2	1.6	
TAT5-3211	69	21	17	65	70	15.7	2.0	
TAT5-3261	69	26	17	65	82	19.4	2.3	
TAT5-2212	63	21	17	43	70	14.3	1.4	
TAT5-2262	63	26	17	43	83	17.7	1.6	
TAT5-3212	84.5	21	17	65	84	19.2	2.0	
TAT5-3262	84.5	26	17	65	100	23.8	2.3	

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

TATE BENCHES | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak

Espresso Oak

MAPLE Clear Maple

Wheat Maple

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut

PALETTE FINISHES

Black White Sand Soft Green Steel Blue Slate

VENEERS

Tate Benches veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Tate can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Tate's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$630 list per finish per order. (For example, on all orders up to \$6300 list, an upcharge of \$630 will apply, on orders \$6300 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

ENDURAGUARD FINISH

Tate Benches features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

TATE BENCHES | FULLY UPHOLSTERED & GABLE END

DESCRIPTION/MODEL	SPECI		COM 1	2	COL 3	FAB 4	RIC GRA	DES 6	7	LEATHEF 8	R 9
	Two-seat, 21", fully t TAT5-2210	pholstered	1041	1094	1142	1209	1289	1358	1438	1536	1635
	Two-seat, 26", fully u TAT5-2260	pholstered	1162	1224	1288	1376	1479	1567	1668	1794	1923
	Three-seat, 21", fully TAT5-3210	upholstered	1252	1320	1393	1491	1603	1701	1814	1954	2094
	Three-seat, 26", fully TAT5-3260	upholstered	1380	1464	1551	1668	1802	1923	2056	2224	2395
		end , Oak, Laminate t, Palette		1614 1701	1664 1750	1727 1820	1802 1899	1869 1968	1946 2048	2038 2145	2131 2242
		end , Oak, Laminate t, Palette		1761 1857	1822 1919	1907 2008	2003 2110	2088 2196	2184 2300	2304 2427	2425 2553
	·	le end , Oak, Laminate t, Palette	1764 1859	1833 1928	1899 2000	1992 2097	2098 2211	2193 2307	2301 2422	2434 2563	2569 2704
Tate Bench Option Upo CAL 133 & Moisture Barn Two-seat, 21" - Removal Two-seat, 26" - Remove	rier (per yard) ble Seat Covers	\$ List 67 80 84	TI	hree-sea	at, 21" - R at, 26" - R er Nylon (emovabl				List 101 106 38	
PRODUCT CODE KEY					-						
Line	Series	Seat Count		S	eat Depth		Arm S	style			
TAT Tate	5 Bench	2 Two-Seat			21"		0 Fully Uph				
	23.0.1	3 Three-Seat			26 26"		1 day Opin				
							2 Table				

TATE BENCHES | GABLE END & TABLE END

			COM		COL		RIC GRA			LEATHE	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-seat, 2 TAT5-3261	6", gable end Maple, Oak, Laminate	1923	2002	2083	2194	2322	2434	2565	2723	2883
		Walnut, Palette	2022	2107	2191	2307	2443	2563	2697	2870	3036
	Two-seat, 21 ¹ TAT5-2212	Maple, Oak, Laminate		2169	2215	2281	2359	2423	2501	2593	2686
		Walnut, Palette	2231	2282	2332	2401	2482	2552	2630	2726	2826
(T)	Two-seat, 26 TAT5-2262	", table end Maple, Oak, Laminate		2366	2427	2509	2610	2692	2789	2908	3028
		Walnut, Palette	2428	2492	2554	2643	2744	2833	2934	3062	3188
	Three-seat, 2		2320	2387	2453	2548	2655	2748	2853	2990	3120
	TAT5-3212	Maple, Oak, Laminate Walnut, Palette	2440	2510	2583	2681	2793	2893	3004	3145	3288
	Three-seat, 2	6", table end									
	TAT5-3262	Maple, Oak, Laminate	2527	2605 2742	2688 2828	2798 2945	2928 3080	3038 3199	3166 3333	3325 3505	3488 3671
		Walnut, Palette	2006	2142	2020	2940	3000	3199	3333	3303	30/1

Tate Bench Option Upcharges	\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	67	Three-seat, 21" - Removable Seat Covers	101	
Two-seat, 21" - Removable Seat Covers	80	Three-seat, 26" - Removable Seat Covers	106	
Two-seat, 26" - Removeable Seat Covers	84	Floor-saver Nylon Glides	38	

Line	Series	Seat Count	Seat Style	Arm Style	
TAT	5	2	21	0	
Tate	Bench	Two-Seat	21"	Fully Upholstered	
		3	26	1	
		Three-Seat	26"	Gable End	
				2	
				Table End	


TATE BENCHES | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL			COM 1	2	COL 3	. FA	BRIC 5	GRAD 6	ES L	EATH 8		WEIGHT	CLIDE
DESCRIPTION/MODEL	Two-seat, 21" Repl TAT5-RS221	acement Seat		852				1118					4.5
	Two-seat, 26" Repl TAT5-RS226	acement Seat	873	927	983	1064	1150	1230	1323	1435	1550	43	5.5
	Three-seat, 21" Re TAT5-RS321	placement Seat	1009	91082	1150	1252	1362	1462	1512	1715	1857	52	6
	Three-seat, 26" Re TAT5-RS326	olacement Seat	1097	71177	1261	1372	1502	1614	1746	1907	2068	74	7.3
	Two-seat, 21" Repl TAT5-RSC221	acement Seat Covers	317	367	416	483	563	632	711	809	911	5	1.0
	Two-seat, 26" Repl TAT5-RSC226	acement Seat Covers	344	401	455	536	625	703	794	909	1021	6	1.2
	Three-seat, 21" Re TAT5-RSC321	placement Seat Covers		480	553	651	765	862	975	1116	1257	7	1.5
	Three-seat, 26" Re TAT5-RSC326	olacement Seat Covers		526	609	721	849	961	1094	1256	1416	8	1.7
	Replacement Gable TAT5-RGE21	e End 21" Maple, Oak, Laminate Walnut, Palette	383 458									4	.30
	Replacement Gable TAT5-RGE26	e End 26" Maple, Oak, Laminate Walnut, Palette	429 540									5	.50
4	Replacement Table TAT5-RTE21	End 21" Maple, Oak, Laminate Walnut, Palette	645 789									11	1.1
	Replacement Table TAT5-RTE26	End 26" Maple, Oak, Laminate Walnut, Palette	705 855									13	1.3
10	21" Replacement L TAT5-RL21	egs	192									7	1.1
IV	26" Replacement L TAT5-RL26	egs	208									9	1.5

ZOLA BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





FSC* C021699



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-Seat (Plus)	1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes	
One-Seat	23	27	18.5	33	11.5	
Two-seat	46	27	18.5	55	21	
Three-seat	69	27	18.5	72	32	
One-Seat (Plus)	30	27	18.5	45	16	
Two-seat (Plus)	46	27	18.5	57	21	
Three-seat (Plus)	69	27	18.5	75	32	

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-Seat (Plus)	1.85	3.7	5.6	7.4	
Two-seat (Plus)	1.85	3.7	5.6	7.4	
Three-seat (Plus)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Arms (Right or Left)	80	One-Seat standard depth seat	49
Interim Arm	64	Two-seat standard depth seat	71
One-Seat back	71	Three-seat standard depth seat	89
Two-seat back	101	One-Seat plus standard depth seat	64
Three-seat back	127	One-Seat full depth seat	54
One-Seat plus back	81	Two-seat full depth seat	77
·		Three-seat full depth seat	89
		One-Seat plus full depth seat	70

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3-MS1S1	914	961	1011	1105	1195	1288	1379	1467	1611
	One-Seat Plus ZOL3-MSB1S1	1152	1203	1254	1353	1453	1554	1650	1751	1900
	ORDERING NOTES: One-S	Seat Plus E	Bench is 30	o" wide.						
	Two-Seat ZOL3-MS2S1	1278	1335	1396	1519	1644	1769	1893	2018	2223
	Two-Seat Plus ZOL3-MSB2S1	1361	1426	1493	1617	1745	1866	1991	2117	2324
	ORDERING NOTES: The T	wo-Seat Pl	us comes	standard	with a fifth	leg for ex	tra suppor	rt.		
	Three-Seat ZOL3-MS3S1	1635	1719	1800	1977	2150	2324	2500	2675	2885
	Three-Seat Plus ZOL3-MSB3S1	1944	2024	2110	2255	2408	2555	2707	2853	3093
	ORDERING NOTES: The T	hree-Seat	Plus come	es standard	d with a fif	th leg for e	extra supp	ort.		

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

	'	COM		COL	FAE	BRIC GRA	DES		LEATHER	R
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3-MS1F1	1009	1061	1110	1177	1257	1326	1402	1502	1632
	One-Seat Plus ZOL3-MSB1F1	1215	1283	1348	1439	1540	1634	1739	1866	2000
	ORDERING NOTES: One	-Seat Plus E	Bench is 30	O" wide.						
	Two-Seat ZOL3-MS2F1	1491	1556	1622	1713	1816	1907	2013	2142	2274
	Two-Seat Plus ZOL3-MSB2F1	1547	1612	1676	1769	1870	1963	2066	2349	2328
	ORDERING NOTES: The	Two-Seat Pl	lus comes	standard	with a fifth	leg for ex	tra suppor	rt.		
	Three-Seat ZOL3-MS3F1 Three-Seat Plus	2017 2087	2116 2189	2213 2284	2347 2425	2507 2583	2648 2720	2804 2879	3001 3074	3199 3272
• 7	ZOL3-MSB3F1	2007	2109	2204	2423	2303	2120	2019	3074	3212

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

OPTIONS: Zola Benches are available with 4 casters, for an upcharge of **\$112 list** per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Benches are also available with 2 legs and 2 casters, for an upcharge of **\$80 list** per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options. Zola Bench legs feature floor-saver nylon glides. Floor-saver felt glides (add \$30), non-slip rubber glides (add \$18) or metal glides (add \$26) are optional. Please see page 343 for more information.

Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	Standard Depth	1 Standard Leg &
Zolu	con county	Woddia	0110 0041	Otandard Boptin	Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs & 2 Casters

DIMENSIONS STANDARD DEPTH (INSIDE/OUTSIDE)

	Overall	Overall	Seat	Seat	Shipping		
	Width	Depth	Height	Depth	Weight	Cubes	
Single seat							
30°	34	24	18.5	22.5	48	18	
45°	39	24.5	18.5	22.5	49	19	
60°	43.5	25	18.5	22.5	50	22	
90°	52	26.5	18.5	22.5	51	26	
Double seat							
30°	55.5	25	18.5	22.5	83	32	
45°	61	26.5	18.5	22.5	84	33	
60°	66.5	28	18.5	22.5	86	39	
90°	74	31	18.5	22.5	96	46	


COM YARDAGES

	COM Yardage	COM Yardage	COM Yardage	
per Seat	2 Seats	3 Seats	4 Seats	
1.8	3.6	5.4	7.2	
1.8	3.6	5.4	7.2	
1.8	3.6	5.4	7.2	
1.8	3.6	5.4	7.2	
3.4	6.8	10.2	13.6	
3.4	6.8	10.2	13.6	
3.4	6.8	10.2	13.6	
3.4	6.8	10.2	13.6	
	1.8 1.8 1.8 3.4 3.4 3.4	1.8 3.6 1.8 3.6 1.8 3.6 1.8 3.6 3.4 6.8 3.4 6.8 3.4 6.8	1.8 3.6 5.4 1.8 3.6 5.4 1.8 3.6 5.4 1.8 3.6 5.4 3.4 6.8 10.2 3.4 6.8 10.2 3.4 6.8 10.2	1.8 3.6 5.4 7.2 1.8 3.6 5.4 7.2 1.8 3.6 5.4 7.2 1.8 3.6 5.4 7.2 1.8 3.6 5.4 7.2 3.4 6.8 10.2 13.6 3.4 6.8 10.2 13.6 3.4 6.8 10.2 13.6 3.4 6.8 10.2 13.6


SINGLE SEAT




30° Curve



45° Curve




60° Curve




90° Curve


DOUBLE SEAT




30° Curve



45° Curve



60° Curve



UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	64	Double-seat curve 30° seat	97
Single-seat curve 45° seat	67	Double-seat curve 45° seat	106
Single-seat curve 60° seat	90	Double-seat curve 60° seat	129
Single-seat curve 90° seat	118	Double-seat curve 90° seat	132

DIMENSIONS FULL DEPTH (INSIDE/OUTSIDE)

	Overall Overall Seat Seat Width Depth Height Depth			Shipping Weight	Cubes		
Single seat							
30°	36	28.5	18.5	27	50	23	
45°	42	28.5	18.5	27	54	24	
60°	48	29	18.5	27	57	29	
90°	59	31	18.5	27	69	34	
Double seat							
30°	58	30	18.5	27	90	36	
45°	64	31	18.5	27	97.2	40	
60°	70	33	18.5	27	102.6	45	
90°	81	36	18.5	27	124.2	56	

COM Yardages

COW faruages					
	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
30°	1.94	3.88	5.82	7.76	
45°	1.94	3.88	5.82	7.76	
60°	1.94	3.88	5.82	7.76	
90°	1.94	3.88	5.82	7.76	
Double seat					
30°	3.7	7.4	11.1	14.8	
45°	3.7	7.4	11.1	14.8	
60°	3.7	7.4	11.1	14.8	
90°	3.7	7.4	11.1	14.8	

SINGLE SEAT




30° Curve



45° Curve





60° Curve





90° Curve

DOUBLE SEAT









UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	64	Double-seat curve 30° seat	97
Single-seat curve 45° seat	67	Double-seat curve 45° seat	106
Single-seat curve 60° seat	90	Double-seat curve 60° seat	129
Single-seat curve 90° seat	118	Double-seat curve 90° seat	132

DESCRIPTION/MODEL		COM 1	2	COL 3	FABF	RIC GRAD 5	ES 6	ا 7	EATHER 8	9
	Single-Seat, 30° Curve, Stand ZOL3-MCS30DS1	dard Depth 1313	1429	1551	1715	1903	2068	2256	2496	2732
	Single-Seat, 45° Curve, Stand ZOL3-MCS45DS1	dard Depth 1429	1604	1775	2018	2295	2535	2811	3158	3502
	Single-Seat, 60° Curve, Stand ZOL3-MCS60DS1	dard Depth 1615	1790	1962	2205	2478	2720	2996	3343	3688
	Single-Seat, 90° Curve, Stand ZOL3-MCS90DS1	dard Depth 1864	2053	2242	2509	2815	3080	3383	3766	4146
	Single-Seat, 30° Curve, Full I ZOL3-MCS30DF1	Depth 1444	1573	1704	1886	2094	2276	2486	2743	3004
	Single-Seat, 45° Curve, Full I ZOL3-MCS45DF1	Depth 1576	1764	1954	2218	2525	2789	3093	3472	3852
	Single-Seat, 60° Curve, Full [ZOL3-MCS60DF1	Depth 1777	1968	2158	2423	2725	2993	3294	3676	4057
	Single-Seat, 90° Curve, Full I ZOL3-MCS90DF1	Depth 2051	2256	2469	2762	3095	3390	3722	4143	4560

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth. Zola Bench legs feature floor-saver nylon glides. Floor-saver felt glides (add \$30), non-slip rubber glides (add \$18) or metal glides (add \$26) are optional. Please see page 343 for more information.

PRODUCT CODE K	EY					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular MCB Modular Plus	S Single D Double	30D 30 Degree 45D 45 Degree 60D 60 Degree 90D	S Standard F Full	1 Standard Leg + Glide
				90 Degree		

		COM		COL	FAE	BRIC GRA	DES		LEATHER	1
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, S ZOL3-MCD30DS1	Standard De 2299	pth 2504	2713	3000	3331	3624	3954	4368	4782
	Double-Seat, 45° Curve, S ZOL3-MCD45DS1	Standard De 2504	pth 2805	3106	3531	4011	4434	4918	5521	6125
	Double-Seat, 60° Curve, S ZOL3-MCD60DS1	Standard De 2828	pth 3132	3432	3854	4337	4759	5243	5847	6449
	Double-Seat, 90° Curve, S ZOL3-MCD90DS1	Standard De 3260	pth 3595	3927	4393	4925	5391	5922	6586	7254

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	97
Double-seat curve 45° seat	106
Double-seat curve 60° seat	129
Double-seat curve 90° seat	133

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth. Zola Bench legs feature floor-saver nylon glides. Floor-saver felt glides (add \$30), non-slip rubber glides (add \$18) or metal glides (add \$26) are optional. Please see page 343 for more information.

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	Full	
				90D 90 Degree		

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Full ZOL3-MCD30DF1	Depth 2641	2879	3117	3451	3830	4164	4547	5023	5497
	Double-Seat, 45° Curve, Full ZOL3-MCD45DF1	Depth 2879	3226	3573	4059	4614	5101	5657	6350	7044
	Double-Seat, 60° Curve, Full ZOL3-MCD60DF1	Depth 3253	3600	3948	4432	4989	5474	6029	6725	7419
	Double-Seat, 90° Curve, Full ZOL3-MCD90DF1	Depth 3751	4131	4511	5052	5662	6199	6810	7575	8342

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	97
Double-seat curve 45° seat	106
Double-seat curve 60° seat	129
Double-seat curve 90° seat	133

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3-RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth. Zola Bench legs feature floor-saver nylon glides. Floor-saver felt glides (add \$30), non-slip rubber glides (add \$18) or metal glides (add \$26) are optional. Please see page 343 for more information.

HODOCT CODE K	- 1					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

ZOLA | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS

		СОМ		COL	FAE	BRIC GR	ADES	I	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Back Sin	gle-sea	t Inside	Curve									
	ZOL3-RMCBIS30D		1309		1515			1905	2075	2242	1.9	20	8
)) /	ZOL3-RMCBIS45D	1422	1515		1741	1891	2020	2169	2356	2544		22	8
	ZOL3-RMCBIS60D ZOL3-RMCBIS90D	1729 1933	1860	1987 2198	2167 2385	2369 2599	2552 2784	2759 2996	3013 3264	3268 3531	2.6 2.8	23 28	10 11
	ZOL3-NIVIODI390D	1900	2003	2190	2303	2399	2104	2990	3204	3331	2.0	20	11
	Replacement Back Do	uble-sea	at Insid	e Curve	<u> </u>								
	ZOL3-RMCBID30D	2144		2440	2650	2884	3094	3330	3628	3925	2.8	38	13
	ZOL3-RMCBID45D	2487		2815	3042	3304	3535	3797	4125	4450	3	42	13.5
	ZOL3-RMCBID60D	3028	3253		3790	4151	4464	4824	5273	5720	4.8	43	16
	ZOL3-RMCBID90D	3381	3616	3848	4173	4547	4873	5244	5712	6178	4.8	52.5	18
	Replacement Back Sin	ale-sea	t Outsi	de Curv	re								
	ZOL3-RMCBOS30D	-			1362	1485	1590	1714	1866	2019	1.7	15	5.0
	ZOL3-RMCBOS45D	1278	1362	1449	1566	1701	1818	1954	2121	2291	1.7	17	7.0
	ZOL3-RMCBOS60D	1530	1672		1950	2134	2299	2479	2713	2943	1.7	20	9.0
	ZOL3-RMCBOS90D	1741	1860	1979	2147	2339	2505	2697	2937	3179	1.7	25	9.0
	Replacement Back Do	uhla-sa	at Outo	ide Cur	VA.								-
	ZOL3-RMCBOD30D		2063		2384	2596	2784	2999	3266	3534	3.1	30	9.0
	ZOL3-RMCBOD45D	2239		2532	2740	2974	3181	3414	3711	4006	3.1	34	11.0
	ZOL3-RMCBOD60D	2725	2928	3132	3411	3736	4018	4339	4746	5148	3.1	35	14.0
	ZOL3-RMCBOD90D	3042	3253	3463	3756	4090	4385	4722	5141	5559	3.1	40	14.0
	Replacement Seat Sing	ale-seat	Stand	ard Der	oth Cur	ve							
	ZOL3-RMCSS30DS	-		1440			1959	2148	2385	2620	1.8	30	11
	ZOL3-RMCSS45DS	1320	1492	1515	1906	2184	2427	2698	3047	3392	1.8	32	12
	ZOL3-RMCSS60DS	1508		1853	2092	2367	2611	2884	3230	3578	1.8	34	13
	ZOL3-RMCSS90DS	1717	1906	2097	2364	2665	2933	3236	3618	3999	1.8	41	16
	Replacement Seat Dou	ıble-sea	t Stand	dard De	pth Cu	rve							
	ZOL3-RMCSD30DS	2188	2394		2888	3222	3511	3845	4259	4671	3.4	52.2	19.5
	ZOL3-RMCSD45DS	2394	2695		3419	3899	4323	4807	5885	6013	3.4	56	21
	ZOL3-RMCSD60DS ZOL3-RMCSD90DS	2718 3114	3021	3321 3782	3743 4244	4228 4778	4648 5243	5132 5777	5737 6442	6340 7105	3.4 3.4	60 72	23 28
	20L3-NIVIO3D90D3	3114	3447	3702	4244	4110	3243	3111	0442	7103	5.4	12	
	Replacement Seat Sing	gle-seat	Full De	epth Cu	ırve								
	ZOL3-RMCSS30DF		1462		1775	1984	2166	2376	2632	2894	1.94	36	13.5
	ZOL3-RMCSS45DF ZOL3-RMCSS60DF			1842			2679		3362	3741	1.94 1.94	39 41	14.5 15.5
	ZOL3-RMCSS90DF			2048 2321			2881 3244	3186 3575	3566 3994	3946 4415	1.94	49	19.5
	2020 1 111100000001	1000		2021	2010	2011	0211	00.0	0001	1110	1.0	10	10
	Replacement Seat Dou												
	ZOL3-RMCSD30DF			3006			4055		4911	5387	3.7	63	24
	ZOL3-RMCSD45DF		3116		3949		4991		6238	6933		69	25.5
	ZOL3-RMCSD60DF	3141		3836 4368		4877 5518		5917 6664	6611 7427	7308 8196	3.7	72	27
	ZOL3-RMCSD90DF	0002	0004	4000	4002	0010	0002	0004	1 721	0100	3.7	86	33.5
	Replacement Seat Cov		le-seat		ard Dep		е						
	ZOL3-RMCBSCS30DS		292	353	436	535	619	714	835	957	1.8	2.5	1
	ZOL3-RMCBSCS45DS		300	361	445	541 570	626	723	845	962		3.1	1
	ZOL3-RMCBSCS60DS ZOL3-RMCBSCS90DS		337 362	399 424	480 507	579 601	663 687	761 783	882 907	1002 1026		3.7 4.3	1.5 1.5
		,						. 55		. 525	1.0	7.0	
	Replacement Seat Cov		ole-sea	t Stand	ard De	pth Curv	/e						
	ZOL3-RMCBSCD30DS		518	633	794	976		1319	1547	1775		4.8	1.5
	ZOL3-RMCBSCD45DS		532	644	803	985		1328	1556	1782		5.9 7.0	1.5
	ZOL3-RMCBSCD60DS ZOL3-RMCBSCD90DS		583 599	697 712	855 874	1037 1058		1379 1399	1609 1628	1835 1856		7.0 8.2	2.5 2.5
	_020020020000		550		017	. 550	0	.550	. 520	.000	0.1	U.L	

ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS

		COM		COL	FABF	RIC GRA	ADES	I	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat C	over Sing	gle-seat	t Full De	epth Cu	ırve							
	ZOL3-RMCBSCS30	DF 258	327	399	493	599	698	806	942	1081	1.94	2.9	1
	ZOL3-RMCBSCS45	DF 268	336	405	501	611	705	816	951	1087	1.94	3.6	1
	ZOL3-RMCBSCS60	DF 309	376	445	540	651	745	852	990	1126	1.94	4.3	1.5
	ZOL3-RMCBSCS90	DF 328	399	466	562	672	766	876	1010	1148	1.94	4.9	1.5
	Replacement Seat C	over Dou	ıble-sea	at Full D	epth C	urve							
	ZOL3-RMCBSCD30	DF 454	584	714	895	1106	1289	1494	1755	2018	3.7	5.5	1.5
	ZOL3-RMCBSCD45	DF 463	593	723	908	1115	1297	1505	1767	2025	3.7	6.8	1.5
	ZOL3-RMCBSCD60	DF 517	649	780	960	1171	1353	1561	1821	2083	3.7	8.1	2.5
	ZOL3-RMCBSCD90	DF 556	686	816	999	1204	1386	1598	1859	2117	3.7	9.4	2.5

CARLYLE BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 15%

POST-CONSUMER RECYCLED CONTENT = 17.97%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CARLYLE BENCH

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 7 8 9			
DESCRIPTION/MODEL		ı ı			- 4		- 0	- 1	- 0			
	TWO-SEAT CAR5-2-0	1798	1887	1978	2069	2166	2264	2361	2487	2668		
	OAI 10-2-0	1790	1007	1970	2009	2100	2204	2301	2401	2000		
	TWO-SEAT - BUTTON DE	TAILING										
	CAR5-2-1	2319	2408	2500	2588	2686	2781	2880	3004	3188		
	THREE-SEAT											
	CAR5-3-0	2365	2495	2617	2742	2870	2994	3120	3272	3678		
-	THREE-SEAT - BUTTON D	ETAII ING	<u> </u>									
	CAR5-3-1	3167	3297	3419	3546	3671	3794	3924	4075	4480		

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR5-2-0	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-2-1	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-3-0	81	26.5	17.5	-	-	-	-	110	25	3.6
CAR5-3-1	81	26.5	17.5	-	-	-	-	110	25	3.6

and Buttons

PRODUCT CODE Line	KEY Series	Seat Count	Upholstery Style			
CAR	5	2	0			
Carlyle	Bench	Two-Seat	Upholstery Standard			
		3	1			
		Three-Seat	Top Stitching			

CARLYLE

Base is available in Silver Metallic only, and features plastic glides.

MOISTURE BARRIER & CAL 133 Moisture Barrier & CAL 133 is available for an upcharge of \$67 list per yard.

OCCASIONAL TABLES


293 Chit Chat 296 Avatar 298 Karma 303 Cressida 306 Leyton 308 Faeron Wood 310 Faeron Metal 312 Zola 317 Sutton 319 Virtu 321 Millennium 323 Prado 325 Carlyle

CHIT CHAT | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Chit Chat products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Chit Chat products are supplied with air-emissions certified. Contact customer service for information.



FSC®


In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Chit Chat and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CHIT CHAT | PRODUCT FEATURES & OPTIONS


TOP SHAPE & GRAIN DIRECTION



EDGE PROFILES



BASES



SOLID SURFACE

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

DIMENSIONS

Model	Width	Depth	Height	Shipping Weight	Cubes
Occasional					
Square Table -Rounded Corne	ers				
7261242416	24	24	16	35	10.25
7261303016	30	30	16	40	15
7261363616	36	36	16	47	20.5
Rectangular Table -Rounded	Corners				
7261233016	23	30	16	37	12.5
7261243016	24	30	16	37	12.5
7261463016	45.75	30	16	54	21.75
7261483016	48	30	16	75	22.75
7261693016	68.75	30	16	91	31.5
7261723016	72	30	16	107	32.75
Round Table					
72052416	24D		16	35	10.25
72053016	30D		16	40	15
72053616	36D		16	57	20.5

CHIT CHAT | OCCASIONAL

DESCRIPTION/MODE		Laminate PVC	HPL PVC	Solid Surface top Grade	Solid Surface top Grade	Solid Surface top	Solid Surface
DESCRIPTION/MODE	L	Edge	Edge	A - White	A - Color	Grade B	Grade C
Square Table, -Rounded Corners	Square Plate Base	911	1093	1440	1538	1649	1017
-nounded Comers	7261242416SQ			1449		1648 1926	1817
	7261303016SQ	983	1180	1647	1754		2160
	7261363616SQ	1121	1348	2163	2311	2571	2916
Rectangular Table,	Square Plate Base						
-Rounded Corners	7261233016SQ	929	1115	1530	1628	1755	1948
riodridod Corrioro	7261243016SQ	929	1115	1530	1628	1755	1948
	7261243016SQ 7261463016SQ	1455	1746	2495	2648	2916	3269
	7261483016SQ	1486	1740	2580	2739	3021	3392
	7261693016SQ	1611	1933	3314	3538	3928	4442
	7261723016SQ	1648	1978	3437	3676	4084	4624
$<$ \forall $>$	Round Disc Base						
\checkmark	7261233016DB	893	1071	1493	1590	1722	1912
	7261243016DB						
	7261463016DB	893	1071	1493	1590	1722	1912
	7261483016DB	1382	1661	2425	2577	2847	3199
	7261693016DB	1418	1701	2509	2668	2950	3321
	7261723016DB	1538	1845	3243	3469	3855	4371
	\	1580	1894	3368	3604	4013	4553
	ORDERING NOTES: Rectangular Chit Ch (68.75) coordinate wi	at Tables 46" (4				note table sizes 2	23", 46" & 69
Round Table	Round Disc Base						
	72052416DB	875	1052	1386	1475	1606	1790
	72053016DB	945	1135	1582	1689	1892	2134
	72053616DB	1094	1313	2098	2242	2427	2555
Model		Price				Shipping Weight	t Cubes
Square Plate Base	72541815	261				37	1.1
243410 1 1410 12400	72542415	361 424				58	1.4
	ORDERING NOTES: A single 18" base cal	1	ops up to	a maximum of 30	inches.		
Round Disc Base	72141815	324				37	1.1

72142415

ORDERING NOTES:

A single 18" base can be used with tops up to a maximum of 30 inches.

399

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select top material
- 3. Select a color for top
- 4. Select base finish
- 5. Select edge profile

BASE FINISH

Round Disc Base, Brushed Stainless- DB-13 Square Plate Base, Brushed Stainless- SQ-13 Round Disc Base, White- DB-44 Square Plate Base, White-SQ-44

Round Disc Base, Matte Black- DB-14

Square Plate Base, Matte Black- SQ-14

MATERIALS & FINISHES

For a complete list of Solid Surface colors please see page 336. Solid Surface is only available in the D Radius edge profile.

1.4


For a complete list of Laminate colors please see page 342..

AVATAR | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 48.95%

POST-CONSUMER RECYCLED CONTENT = 20.26%

Up to 61.05% of this Avatar product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

AVATAR | TABLES

Description	Model	Rift Oak	W	D	Н	WEIGHT	CUBE
天	Square AVA4-S181817 AVA4-S222217	1205 1302	18 22	18 22	17 17	24 29	6.6 9
	Rectangular AVA4-R442217	2111	44	22	17	53	16
	Round AVA4-R18D17 AVA4-R22D17	1203 1293	18 22	18 22	17 17	23 27	6.6
	Elliptical AVA4-E442217	2106	44	22	17	53	16

AVATAR | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Rift Oak

Light Oak
Harvest Oak
SilverGrey on Oak
Mahogany Oak
Medium Cherry on Oak
Mellow Oak
Walnut on Oak
Espresso on Oak

VENEERS

Avatar veneers are rift cut White Oak, which provides a straight grain appearance.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Avatar can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Avatar's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$630 list per finish per order. (For example, on all orders up to \$6300 list, an upcharge of \$630 will apply, on orders \$6300 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.


FINISH

Avatar features the Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 29.17%

POST-CONSUMER RECYCLED CONTENT = 42.67%

Up to 46.67% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

KARMA | FREE STANDING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ Polymer Edge	W	D	Н	Weight	Cubo			
Description					VV	D	П	vveigni	Cube			
_	Square & Rectangular Tables, Matte Black or Silver Metallic legs											
	KAR4C 18-18-18	783	949	631	17.5		17.5	15	2.6			
	KAR4C 22-18-18	822	975	648	22	17.5	17.5	16.5	2.6			
	KAR4C 42-18-18	1235	1530	1094	42	17.5	17.5	24.5	4.6			
	KAR4C 18-18-21	801	960	648	17.5	17.5	21	17	3			
ū	KAR4C 22-18-21	838	989	663	22	17.5	21	18.5	3			
	KAR4C 42-18-21	1252	1547	1108	42	17.5	21	26.5	4.6			
	Square & Rectangular Tables, Polished Chrome legs											
	KAR4C 18-18-18	926	1087	771	17.5	17.5	17.5	15	2.6			
	KAR4C 22-18-18	962	1115	788	22	17.5	17.5	16.5	2.6			
	KAR4C 42-18-18	1375	1254	1231	42	17.5	17.5	24.5	4.6			
	KAR4C 18-18-21	957	1117	803	17.5	17.5	21	17	3			
	KAR4C 22-18-21	996	1146	820	22	17.5	21	16.5	2.6			
	KAR4C 42-18-21	1408	1471	1263	42	17.5	21	24.5	4.6			
	ORDERING NOTE: For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome											
	Round Tables, Matte Black or Si	lver Metallic	legs									
	KAR4C 24D-18	973	1328	761	24	-	17.5	19	3.5			
	KAR4C 36D-18	1330	1496	835	36	-	17.5	31	7.3			
	KAR4C 24D-21	987	1345	777	24	_	21	21	3.5			
	KAR4C 36D-21	1346	1512	850	36	-	21	33	7.3			
	Round Tables, Polished Chrome	leas										
	KAR4C 24D-18	1114	1467	899	24	_	17.5	19	3.5			
	KAR4C 36D-18	1510	1676	1016	36	_	17.5	31	7.3			
						-						
	KAR4C 24D-21	1143	1500	933	24	-	21	21	3.5			
	KAR4C 36D-21	1540	1710	1048	36	-	21	33	7.3			
	ODDEDING NOTE: Familia of fini	-		D .	Sau Matta Dia		O:I.		l: l			

ORDERING NOTE: For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome

KARMA | LINKING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	W	D	Н	Weight	Cube
	Square Straight Linking Table,	Matte Black o	r Silver Metallic	, Left or Right handed (Same c	lirection	n seati	ing)	
	KAR4C-LKII-18-18	758	920	604	17.5	17.5	-	15	2.5
	Square Straight Linking Table, KAR4C-LKIL-18-18	Matte Black o 758	r Silver Metallic 920	c, Left handed as seated 604		sed sea 17.5	ating) -	15	2.5
	Square Straight Linking Table, KAR4C-LKIR-18-18	Matte Black o 758	r Silver Metallic 920	c, Right handed as seate 604		osed s 17.5	eating -) 15	2.5
	Square Straight Linking Table, KAR4C-LKII-18-18	Polished Chro	ome, Left or Rig 1087	ht handed (Same direct 771		ting) 17.5	_	15	2.5
	Square Straight Linking Table, KAR4C-LKIL-18-18	Polished Chro 926	ome, Left hande 1087	ed as seated (Opposed s 771	0,	17.5	_	15	2.5
	Square Straight Linking Table, KAR4C-LKIR-18-18	Polished Chro 926	ome, Right hand 1087	ded as seated (Opposed 771		g) 17.5	-	15	2.5
	Square Straight Linking End Ta	ble, Matte Bla	ack or Silver Me	etallic legs, Left handed	as seat	ed			
*	KAR4C-LKEL-18-18*	768	930	615	17.5	17.5	17.5	15	2.5
	Square Straight Linking End Ta KAR4C-LKER-18-18	ble, Matte Bla 768	ack or Silver Me 930	etallic legs, Right handed 615		ated 17.5	17.5	15	2.5
U	Square Straight Linking End Ta	ble, Polished	Chrome legs, L	eft handed as seated					
	KAR4C-LKEL-18-18*	939	1104	788	17.5	17.5	17.5	15	2.5
	Square Straight Linking End Ta KAR4C-LKER-18-18	ble, Polished 939	Chrome legs, F 1104	Right handed as seated 788	17.5	17.5	17.5	15	2.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 308 for suggested configurations.

KARMA | LINKING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/ PVC				
Description	Model	Palette	Edge	Edge	W	D I	H Weight	Cube
	Rectangular Straight Linking			·	•		0,	•
	KAR4C-LKII-22-18 Rectangular Straight Linking KAR4C-LKIL-22-18	799 Table, Matte Bla 799	950 ack or Silver 950	620 Metallic, Left hand 620			0,	2.8
	Rectangular Straight Linking KAR4C-LKIR-22-18	Table, Matte Bla 799	ack or Silver 950	Metallic, Right ha 620		d (Oppose 17.5	d seating) - 16.5	2.8
	Rectangular Straight Linking KAR4C-LKII-22-18	Table, Polished 964	Chrome, Let	t or Right handed 788	(Same direction 22	on seating) 17.5) - 16.5	2.8
	Rectangular Straight Linking KAR4C-LKIL-22-18	Table, Polished 964	Chrome, Lef 1116	t handed as seate 788	ed (Opposed se 22		- 16.5	2.8
	Rectangular Straight Linking KAR4C-LKIR-22-18	Table, Polished 964	Chrome, Rig	ht handed as sea 788	ted (Opposed : 22	seating) 17.5	- 16.5	2.8
*	Rectangular Straight Linking KAR4C-LKEL-22-18*	End Table, Mat 806	te Black or S 958	lver Metallic, Left 631		ated (Oppo	-	2.8
	Rectangular Straight Linking KAR4C-LKER-22-18	End Table, Mat 806	te Black or S 958	lver Metallic, Righ 631	nt handed as se 22	eated (Op _l 17.5 17		ng) 2.8
J	Rectangular Straight Linking KAR4C-LKEL-22-18*	End Table, Polis 978	shed Chrome 1127	, Left handed as s 803	`	ed seating 17.5 17	• •	2.8
	Rectangular Straight Linking KAR4C-LKER-22-18	End Table, Polis 978	shed Chrome 1127	, Right handed as 803	s seated (Oppo 22	sed seatir 17.5 17	0,	2.8
	Curvilinear Connector Table 4 KAR4C-LKCI-RF45	45°, Matte Black	k or Silver Me	etallic, Left or Righ 865	nt handed (Sam 28	ne directio	n, inward se - 19	eating) 4.2
	Curvilinear Connector Table 4 KAR4C-LKCO-RF45				handed (Same 28	direction, 24	outward sea	
	Curvilinear Connector Table 4 KAR4C-LKCL-RF45	15°, Matte Black 1090	k or Silver Me 1589	etallic, Left handed 865	d as seated (O) 28	oposed se 24	eating) - 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RF45	15°, Matte Black 1090	k or Silver Me 1589	tallic, Right hand 865	ed as seated (C 28	Opposed : 24	seating) - 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCI-RF45	15°, Polished Cl 1257	hrome, Left o 1609	r Right handed (S 1033	ame direction, 28	inward se	eating) - 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCO-RF45	1257	1609	1033	28	24	seating) - 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCL-RF45	1257	1609	1033	28	24	- 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RF45		_	handed as seated 1033		ating) 24	- 19	4.2
	Curvilinear Connector Table 4	15° Matte Black	or Silver Me	tallic,with Flat edg	ge, Left or Righ	t handed	(Same direct	tion,
	KAR4C-LKCI-RR45	1126	1636	908	28	24	- 19	4.2
	Curvilinear Connector Table 49 outward seating)	5° Matte Black	or Silver Meta	allic, with Flat edge	e, Left or Right	nanded (S	ame directio	n,
	KAR4C-LKCO-RR45	1126	1636	908	28	24	- 19	4.2
	Curvilinear Connector Table 45 KAR4C-LKCL-RR45	o Matte Black o 1126	or Silver Meta 1636	llic, with Flat edge 908	, Left handed as 28	s seated (C 24)pposed sea - 19	ting) 4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RR45	5° Matte Black o 1126	or Silver Meta 1636	llic, with Flat edge 908	e, Right handed 28	as seated 24	l (Opposed s - 19	seating) 4.2
	Curvilinear Connector Table 45 KAR4C-LKCI-RR45	o Polished Chro 1293	me, with Flat	edge, Left or Right 1073	handed (Same 28	direction, i 24	i nward seatir - 19	ng) 4.2
	Curvilinear Connector Table 45' KAR4C-LKCO-RR45	1293	1802	1073	28	24	- 19	ing) 4.2
	Curvilinear Connector Table 4 KAR4C-LKCL-RR45	1293	1802	1073	28	24	- 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RR45	15° Polished Ch 1293	rome, with F 1802	at edge, Right ha 1073	nded as seated 28	d (Oppose 24	ed seating) - 19	4.2


ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 308 for suggested configurations.

KARMA | LINKING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/ PVC				0.1
Description	Model	Palette	Edge	Edge		D H	Weight	
	Curvilinear Connector Table 90	-			•			Ο,
	KAR4C-LKCI-RR90 Curvilinear Connector Table 90	1418 ° Matte Blac	2056 k or Silver Met	1138 tallic Left or Right ha		24 - rection o	22 Jutward sa	5.5
	KAR4C-LKCO-RR90	1418	2056	1138	,	24 -	22	5.5
	Curvilinear Connector Table 90			etallic, Left handed as			ting)	
	KAR4C-LKCL-RR90	1418	2056	1138		24 -	22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCR-RR90	o, Matte Bla 1418	ck or Silver Me 2056	etallic, Right handed a 1138	,	osed se 24 -	ating) 22	5.5
	Curvilinear Connector Table 90)°, Polished (Chrome, Left o	or Right handed (San	ne direction, in v	ward sea	ating)	
	KAR4C-LKCI-RR90	1585	2223	1305		24 -	22	5.5
	Curvilinear Connector Table 90	-		,			٠,	
	KAR4C-LKCO-RR90 Curvilinear Connector Table 90	1585 1º Polished (2223 Chrome Left k	1305		24 -	22	5.5
	KAR4C-LKCL-RR90	1585	2223	1305		9) 24 -	22	5.5
	Curvilinear Connector Table 90				Opposed seati	ng)		
	KAR4C-LKCR-RR90	1585	2223	1305	38	24 -	22	5.5
	Curvilinear Connector Table 90 inward seating)				, ,		`	
	KAR4C-LKCI-RF90	1336	2118	1172		24 -		5.5
	Curvilinear Connector Table 90)°, Matte Bla	ick or Silver M	etallic, with Flat edg	ge, Left or Righ	t handed	d (Same di	rection,
	outward seating) KAR4C-LKCO-RF90	1000	0110	1170	38	24 -	22	5.5
	Curvilinear Connector Table 90	1336 Matte Blac	2118 k or Silver Met	1172				
	KAR4C-LKCL-RF90	1336	2118	1172	38	24 -	22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCR-RF90	, Matte Black 1336	2118	illic, with Flat edge, H 1172	•	seated (C 24 -	Opposed s 22	seating) 5.5
	Curvilinear Connector Table 90'			0 .	•		-	٠,
	KAR4C-LKCI-RF90	1629	2282	1338		24 -	22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCO-RF90	1629	2282	1338	38	24 -	22	5.5
	Curvilinear Connector Table 90		,	0 /	٠.	•	٥,	
	KAR4C-LKCL-RF90 Curvilinear Connector Table 90	1629	2282	1338		24 - Donasad	22 Locating)	5.5
	KAR4C-LKCR-RF90	1629	2282	1338	,	24 -	22	5.5
	Rectilinear Corner Connector	Table 90° Ma	tte Black or Si	lver Metallic, with Fla	at edge, Left or	Right ha	nded (San	
	direction, inward seating)	450-	2001	1070				
H. A.	KAR4C-LKCI-SF90	1587	2301	1272	30	30 -	26	5.5
4	Rectilinear Connector Table 90	o Matte Blac	k or Silver Me	tallic, with Flat edge,	Left or Right ha	anded (S	Same direc	tion,
	outward seating)	1507	0001	1070				
	KAR4C-LKCO-SF90	1587	2301	1272		30 -	26	5.5
	Rectilinear Connector Table 90°							
	KAR4C-LKCL-SF90 Rectilinear Connector Table 90°	1587 Matta Black	2301	1272		30 - soatod ((26 Deposed 6	5.5
	KAR4C-LKCR-SF90	1587	2301	1272	-	30 -	26	5.5
	Rectilinear Corner Connector	Table 90° Po	lished Chrome	e, with Flat edge, Lef	t or Right hand	ed (Samo	e direction	, in-
	ward seating) KAR4C-LKCI-SF90	1821	2535	1508		30 -	26	5.5
	Rectilinear Connector Table 90° KAR4C-LKCO-SF90	Polished Ch 1821	rome, with Fla 2535	t edge, Left or Right h 1508		direction, 30 -	outward : 26	seating) 5.5
	Rectilinear Connector Table 90	•		•	, <u>-</u>	-	٠,	
	KAR4C-LKCL-SF90	1821	2535	1508		30 -	26	5.5
	Rectilinear Connector Table 90 KAR4C-LKCR-SF90	° Polished C 1821	Chrome, with F 2535	lat edge, Right hand 1508		Opposed 30 -	seating) 26	5.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 308 for suggested configurations.

KARMA | LINKING TABLES CONFIGURATIONS




ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:




PRE-CONSUMER RECYCLED CONTENT - 36.34%

POST-CONSUMER RECYCLED CONTENT - 26.4%

Up to 31.25% of this Cressida product is recyclable at the end of its useful life.



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 30.77%

POST-CONSUMER RECYCLED CONTENT - 25.68%

Up to 27.88% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | TABLE FEATURES

ANTI-MICROBIAL FINISH

Cressida wood surfaces include an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 341. Cressida tables are available in 22 standard finishes.

LAMINATE

Cressida Box-style tables are available in laminate with wood side or laminate side. See page 336 for laminate information.

SOLID SURFACE

Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote.

CRESSIDA | BOX-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	H V	VEIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	1237 1530	1288 1590	1285 1583	1334 1645	18 24		15.75 15.75	24 34	3 5
	Rectangular Tabl CRE4A 241816 CRE4A 482416	es 1359 2189	1414 2275	1404 2265	1462 2353	24 48		15.75 15.75	28 56	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	1021 1246 2182	1062 1297 2271	1053 1404 2385	1096 1462 2479	18 24 30	-	15.75 15.75 15.75	16 23 34	3 5 8
	Rectangular Rou CRE4 B181816 CRE4 B241816 CRE4 B242416 CRE4 B482416	nd Corner 1328 1496 1662 2413	1380 1557 1726 2509	1376 1559 1770 2584	1429 1622 1839 2686	18 24 24 48	18 24	15.75 15.75 15.75 15.75	21 25 30 51	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1701	1431 1770 2245	1515 1840 2311	1576 1916 2401	24 32 48	24	15.75 15.75 15.75	23 34 56	4 7 12
	Triangular Round CRE4B T1618-45 CRE4B T2124-45 CRE4B T2529-45 CRE4B T2818-90 CRE4B T3624-90 CRE4B T4429-90	5 1246 5 1426 5 1749 0 1550 0 1845	1297 1485 1818 1610 1923 2307	1265 1481 1848 1610 1933 2241	1315 1538 1924 1673 2010 2331	16 21 25 28 36 44	18 24 29 18 24 29	15.75 15.75 15.75	23 28 24 30	2.5 4.5 7 3 7.5


TRIANGULAR TABLE DIMENSIONS














CRESSIDA | LIGHT-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH	Γ CUBE
	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	618 631 873	643 657 908	705 721 1046	733 749 1087	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Tables CRE4D 181816S CRE4D 242416S CRE4D 363616S	559 620 887	582 645 921	625 722 1064	651 750 1106	18 24 36	18 24 36	16 16 16	22 33 65	3 5 12
	CRE4D 181821S CRE4D 242421S	570 633	593 659	640 733	664 765	18 24	18 24	21 21	25 35	4 5

LEYTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 34.73%

POST-CONSUMER RECYCLED CONTENT = 15.68%

Up to 62.16% of this Leyton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



LEYTON | TABLES

DESCRIPTION/MODEL		Maple, Oak Walnut Palette Laminate	Cherry Anigre Sycamore (5 UNIT MIN.)	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	LEY4122412	613	680	865	912	1005	1069
_	LEY4182412	641	729	987	1052	1176	1262
	LEY4242412	673	781	1115	1193	1352	1459
	LEY4302412	703	833	1231	1328	1512	1641
	LEY4362412	733	884	1382	1493	1714	1866
	LEY4422412	893	1065	1509	1636	1891	2064
J	LEY4183012	699	803	1105	1178	1329	1429
	LEY4243012	736	873	1242	1334	1521	1648
	LEY4303012	780	934	1374	1484	1705	1857
	LEY4363012	820	1000	1535	1666	1927	2109
	LEY4423012	968	1172	1693	1843	2143	2349
	LEY4182416	657	745	993	1055	1180	1267
~	LEY4242416	688	798	1118	1198	1355	1464
	LEY4302416	721	849	1237	1331	1518	1646
	LEY4362416	750	896	1386	1499	1720	1870
	LEY4422416	911	1081	1515	1643	1894	2068
	LEY4183016	714	820	1135	1208	1355	1459
J	LEY4243016	751	887	1269	1361	1551	1677
	LEY4303016	796	951	1400	1512	1733	1885
	LEY4363016	834	1011	1562	1693	1956	2135
	LEY4423016	983	1190	1723	1870	2171	2377
	LEY4-SB182416	695	779	1014	1074	1192	1275
	LEY4-SB242416	724	828	1134	1209	1359	1463
	LEY4-SB302416	756	877	1247	1336	1515	1636
	LEY4-SB362416	783	922	1389	1496	1707	1850
	LEY4-SB422416	936	1098	1512	1633	1873	2039
	LEY4-SB183016	748	849	1149	1220	1359	1458
	LEY4-SB243016	784	913	1277	1366	1546	1666
	LEY4-SB303016	827	974	1402	1508	1719	1864
	LEY4-SB363016	864	1032	1557	1682	1932	2103
	LEY4-SB423016	1005	1202	1709	1850	2136	2333

Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 tables (any combination of sizes) per species.

DESCRIPTION/MODEL	Price		Weight	Cubes
/ 1	Replacement Table Legs (pair)			
	LEY4R2412 249		8	1
	LEY4R2416 258		10	1.25
	LEY4R3012 289		10	2
	LEY4R3016 320		12	2.25
	Replacement Glides - Lounge & Table (set of	four)		
	LEY3RG 18		1	.25
D, D, D, C	LEY3-POWERDOC - Undermount 601		3	0.375

DIMENSIONS


Model	W	D	Н	Shipping Weight	Cubes	Model	W	D	Н	Shipping Weight	Cubes
LEY4122412	12	24	12	17.5	.7	LEY4182416	18	24	16	27	1.4
LEY4182412	18	24	12	22	1.1	LEY4242416	24	24	16	33	1.8
LEY4242412	24	24	12	28	1.4	LEY4302416	30	24	16	39	2.2
LEY4302412	30	24	12	32	1.8	LEY4362416	36	24	16	45	2.7
LEY4362412	36	24	12	37	2.2	LEY4422416	42	24	16	51	3.1
LEY4422412	42	24	12	41.5	2.5	LEY4183016	18	30	16	28	1.4
LEY4183012	18	30	12	23	1.1	LEY4243016	24	30	16	34	1.8
LEY4243012	24	30	12	28	1.4	LEY4303016	30	30	16	40	2.2
LEY4303012	30	30	12	33	1.8	LEY4363016	36	30	16	46	2.7
LEY4363012	36	30	12	37.5	2.2	LEY4423016	42	30	16	52	3.1
LEY4423012	42	30	12	42.5	2.5						

FAERON WOOD | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





F	10.87% Cardboard 2.17% Hardwood Veneer 34.78% Hardwood 52.17% Particle Board	PRE-CONSUMER RECYCLED CONTENT = 54.89% POST-CONSUMER RECYCLED CONTENT = 10.33% Up to 10.87% of this Faeron product is recyclable at the end of its useful life.
	CONTRIBUTES TO	
REDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
REDIT 3.3	Resource Reuse	1 point
REDIT 4.1	Recycled Content	1-2 point(s) 1 point 1 point 1 point
REDIT 4.2	Recycled Content	1 point
REDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
REDIT 5.1	Regional Materials*	1 point
REDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
nanufactured within	applicable if in total 20% of the combined value of the procurement of construction a radius of 500 miles. This credit will apply if the installation of the finished product occurs "IFICATION, AIR EMISSIONS AND FSC® CERTIFICATION" BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute star sustainability of furniture. This standard evaluates product and company environ systems in a wide range of elements which include Materials, Energy & Atmos and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability.	TICATION Indard that measures the degree of nmental attributes and compliance phere, Human & Ecosystem Health
	certification through third-party verification against the e3 standard.	service for information. certification for our manufacturing





facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FAERON WOOD | FREE STANDING TABLES

WOOD SPECIES

Solid Beech frames, and edges. Veneer tops.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 331. Faeron tables are available in 22 standard finishes.

LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge. See page 342 for color selection.

DESCRIPTION/MODEL		Beech	Laminate with Polymer Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	Round Tables FAE4-22D-21 FAE4-30D-16 FAE4-44D-16	1308 1472 2702	974 1089 1974	1924 2237 3950	2058 2392 4225	2173 2602 4610	2384 2907 5160
	Elliptical FAE4-E44-22-16	1683	1227	2476	2650	2885	3230
	Square Tables FAE4-22-22-21 FAE4-30-30-16 FAE4-44-44-16	1293 1500 2759	961 1113 2013	1835 2254 4030	1963 2412 4313	2088 2664 4704	2300 3010 5266
	Rectangular Table FAE4-44-22-16	1703	1243	2487	2662	2903	3250

DIMENSIONS


Model	Width	Depth	Height	Shipping Weight	Cubes
Round Tables					
FAE4-22D-21	22" Diame	ter	21	22	8
FAE4-30D-16	30" Diame		16	35	11
FAE4-44D-16	40" Diame	ter	16	45	14
Elliptical					
FAE4-E44-22-16	44	22	16	65	21
Square Tables					
FAE4-22-22-21	22	22	21	34	8
FAE4-30-30-16	30	30	16	42	11
FAE4-44-46	44	44	16	47	12
Rectangular Table					
FAE4-44-22-16	44	22	16	55	12

FAERON METAL | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



H	2% Hardwood Veneer 12% Cardboard 29% Steel 57% Particle Board	PRE-CONSUMER RECYCLED CONTENT = 67.26% POST-CONSUMER RECYCLED CONTENT =17.02% Up to 40.48% of this Faeron Metal product is recyclable at the end of its useful life.
	CONTRIBUTES TO	dooral mo
REDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
REDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
REDIT 4.5	Low Emitting Materials,	1-2 point(s) 1 point 1 point 1 point 1 point 1 point 1 point
	Systems & Seating	1 point
REDIT 5.1	Regional Materials*	1 point
REDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
nanufactured within a ra	licable if in total 20% of the combined value of the procurement of codius of 500 miles. This credit will apply if the installation of the finished produ	ct occurs within 500 miles of Kitchener, Ontario.
level	level® CERTIFICATION BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attrisustainability of furniture. This standard evaluates product and compasystems in a wide range of elements which include Materials, Energy and Social Responsibility. Faeron products have earned level®, BIFMA's sucertification through third-party verification against the e3 standard. AIR-EMISSIONS	ibute standard that measures the degree of ny environmental attributes and compliance & Atmosphere, Human & Ecosystem Health ustainability certification program for furniture,
Ç FŞC	All Faeron products are supplied with air-emissions certified. Contact of FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of facilities. The FSC® Chain-of-Custody tracks certified wood from seed for our FSC® certified products only come from well-managed, FSC®-CESC® is dedicated to the promotion of responsible forest management.	-Custody certification for our manufacturing dling to final sale. It verifies that the material certified forests and other controlled sources.





In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing (facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FAERON METAL | FREE STANDING TABLES

FRAME FINISH

Faeron Metal table frames are available in Krug Sliver Metallic or Brushed Nickel.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$67 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$67 list per

arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 341. Faeron tables are available in 22 standard finishes.

LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge. See page 342 for color selection.

are available for an up	ocharge of \$67 list per	Obtain	a quoto.		000 page 0 12 1	01 00101 0010011	0111
DESCRIPTION/MODI		Beech	Laminate with Polymer Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	David Tables Oiles		,				
	Round Tables, Silver				400=		
	FAE4-M22D-21S	1188	850	1801	1937	2053	2264
	FAE4-M30D-16S	1284	901	2050	2205	2412	2721
	FAE4-M44D-16S	2417	1689	3664	3940	4322	4875
	Round Tables, Brush	ned Nicke	el Frame				
• U	FAE4-M22D-21N	1358	1022	1972	2107	2222	2433
	FAE4-M30D-16N	1455	1072	2218	2376	2584	2891
	FAE4-M44D-16N	2791	2063	4038	4315	4696	5250
	Elliptical, Silver Meta	allic Fram	e				
	FAE4-ME44-22-16S		985	2236	2409	2646	2990
	Elliptical, Brushed N	ickel Frar	ne				
	FAE4-ME44-22-16N		1328	2574	2746	2986	3330
	Occurs Tables Office	N. A I II'	- Forman				
	Square Tables, Silve				40.40		0.1=0
	FAE4-M22-22-21S	1173	843	1715	1842	1965	2179
	FAE4-M30-30-16S	1311	926	2065	2224	2476	2822
	FAE4-M44-44-16S	2473	1727	3743	4027	4417	4980
	Square Tables, Brus	hed Nicke	el Frame				
	FAE4-M22-22-21N	1346	1010	1884	2013	2136	2349
ū	FAE4-M30-30-16N	1482	1094	2237	2395	2648	2991
	FAE4-M44-44-16N	2848	2103	4118	4401	4792	5353
	Rectangular Table, S	Silver Met	allic Frame				
	FAE4-M44-22-16S	1462	1002	2247	2421	2661	3010
	_			2241	2421	2001	3010
	Rectangular Table, E						
U U	FAE4-M44-22-16N	1801	1342	2586	2761	3001	3349
DIMENSIONS							
Model	Width		Depth	Height	Shipping Weigh	t Cu	bes
Round Tables							
FAE4-M22D-21		Diameter		21	30		8
FAE4-M30D-16	30"	Diameter		16	42		11
FAE4-M44D-16	44"	Diameter		16	72	2	21
Elliptical			00	4.0	40		4.0
FAE4-ME44-22-16	44		22	16	42		12
Square Tables							
FAE4-M22-22-21	22		22	21	32		8
FAE4-M30-30-16	30		30	16	47	-	11
FAE4-M44-44-16	44		44	16	83		21
Rectangular Table							
EAE4 N444 00 10	11		22	16	17		10

16

47

12


44

FAE4-M44-22-16

ZOLA TABLES | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 58.82%

POST-CONSUMER
RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Zola products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | TABLES FEATURES

TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

POWER OPTION

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$647 list.

UNDER-MOUNT POWER OPTION

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below tables. See page 251 for pricing.

ZOLA | MODULAR LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Middle Linking Mod	ular Table								
	ZOL4-LKM12	1037	1087	1142	1197	12	16	_	22	2.8
	ZOL4-LKM18	1096	1152	1204	1269	18	16	-	24	4.5
	ZOL4-LKM24	1127	1212	1240	1333	24	16	-	29	5.7
	ORDERING NOTE:	Middle Linkin	g Modular Ta	ble ships with 2 K	B1 brackets.					
	Rectangular End Tal	ole Square Co	rner							
	ZOL4-LKE12	1105	1163	1215	1278	12	16	14.75	5 19	2.8
	ZOL4-LKE18	1152	1212	1269	1333	18	16	14.75	5 23	4.5
	ZOL4-LKE24	1203	1262	1326	1389	24	16	14.75	5 28	5.7
•	ORDERING NOTE:	End Linking N	Modular Table	ships with 1 KB1	bracket.					
	End Table Rounded	Corner								
	ZOL4-ECLKH12	1258	1308	1293	1348	12	12	14.75	18	2.5
	ZOL4-ECLKH18	1359	1414	1409	1464	18	12	14.75	5 24	3
Ų ·	ORDERING NOTE:	End Linking N	/lodular Table	ships with 1 KB1	bracket.					
	Curvilinear 30° Table ZOL4-LKC30	1069	1127	1178	1240	16	16.5	-	15	2.3
	Curvilinear 45° Table ZOL4-LKC45	1152	1212	1269	1333	16	17	-	17	2.9

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3-RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3-RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4-LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4-LKH12, the "12" corresponds to the length of the table.

A-White	Grades A-Color	В	С
228	240	273	309
282	300	348	402
400	426	548	652
228	240	273	309
282	300	348	402
400	426	548	652
228	240	273	309
282	300	348	402
258	273	313	357
323	344	403	468
	228 282 400 228 282 400 228 282 282 258	A-White A-Color 228 240 282 300 400 426 228 240 282 300 400 426 228 240 282 300 258 273	A-White A-Color B 228 240 273 282 300 348 400 426 548 228 240 273 282 300 348 400 426 548 228 240 273 282 300 348 258 2300 348 258 273 313

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4-18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

ZOLA | MODULAR LINKING TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Curvilinear 60° Tabl ZOL4-LKC60	le 1203	1269	1326	1398	16	17.5	-	20	3.7
⊕	Curvilinear 90° Tabl ZOL4-LKC90	le 1347	1421	1481	1561	16	19	-	24	5.4
	Curvilinear 90°x2 Ta ZOL4-LKC90X2	able 2675	2756	2942	3030	16	19	-	55	10
	Curvilinear Table ZOL4-LKH12	1171	1228	1289	1352	16	19	14.75	5 18	2.3

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3-RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3-RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4-LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKC60	397	422	496	586
ZOL4-LKC90	590	625	754	899
ZOL4-LKC90X2	938	979	1198	1446
ZOL4-LKH12	228	240	273	309

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4-18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

CURVILINEAR TABLE DIMENSIONS



ZOLA | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	H V	VEIGHT	Г CUBE
	Square Tables ZOL4-181815 ZOL4-242415	1152 1246	1212 1313	1269 1370	1333 1442	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4-241815 ZOL4-482415	1195 1426	1263 1515	1315 1569	1393 1666	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4-18D15 ZOL4-24D15 ZOL4-30D15	1228 1313 1460	1306 1383 1547	1352 1442 1606	1435 1524 1699	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Rot ZOL4-EC181815 ZOL4-EC241815 ZOL4-EC242415 ZOL4-EC482415	und Corners 1338 1505 1656 2377	1394 1566 1720 2471	1386 1567 1770 2528	1444 1632 1839 2629	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4-E241815 ZOL4-E322415 ZOL4-E482915	1393 1690 2116	1446 1756 2200	1573 1877 2366	1636 1950 2462	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-1818	301	316	369	429
ZOL4-2424	483	492	588	695
ZOL4-2418	360	382	454	535
ZOL4-4824	809	830	1018	1228
ZOL4-18D	287	304	355	415
ZOL4-24D	430	465	559	664
ZOL4-30D	690	751	989	1192
ZOL4-EC1818	301	316	369	429
ZOL4-EC2418	360	382	454	535
ZOL4-EC2424	483	492	588	695
ZOL4-EC4824	809	830	1018	1228
ZOL4-E2418	360	382	454	535
ZOL4-E3224	570	610	733	875
ZOL4-E4829	953	996	1222	1475

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4-18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


ZOLA | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	Γ CUBE
	Triangular Tables - ZOL4-CR45D1815 ZOL4-CR45D2415 ZOL4-CR45D2915	1251 1421	ners 1302 1478 1790	1267 1474 1820	1319 1531 1893	15.75 20.5 25	18 24 29	14.75 14.75 14.75	22	2.5 4.5 7
Ų	ZOL4-CR90D1815 ZOL4-CR90D2415 ZOL4-CR90D2915	1816	1602 1891 2255	1605 1903 2214	1664 1979 2303	17.5 36.25 44.5	18 24 29	14.75 14.75 14.75	29	3 7.5 11

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-CR45D18	283	300	349	405
ZOL4-CR45D24	423	453	537	632
ZOL4-CR45D29	569	601	721	855
ZOL4-CR90D18	355	389	463	543
ZOL4-CR90D24	604	643	777	929
ZOL4-CR90D29	855	888	1084	1304


The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4-18D15**S**. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

TRIANGULAR TABLE DIMENSIONS



SUTTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 75.72%

POST-CONSUMER
RECYCLED CONTENT = 10.43%

Up to 5.80% of this Sutton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



mark of responsible forest

AIR EMISSIONS

All Sutton products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SUTTON | OCCASIONAL TABLES

FINISHES

			OAK, CHERRY, MAPLE	DIMENSIONS			SHIPPING	CUBIC	
DESCRIPTION/MODEL		LAMINATE	WALNUT, MEDIUM ANIGRE	W	D	Н	WEIGHT	FEET	
	SUTTON SQUAR	RE							
	SUT4-24-24-16	1041	1161	24	24	16	48	8	
	SUT4-24-24-21	1090	1212	24	24	21	49	10	
	SUT4-30-30-11	1172	1302	30	30	11	65	7	
	SUT4-30-30-16	1195	1329	30	30	16	69	11	
v	SUT4-48-24-16	1349	1500	48	24	16	83	14	
	SUT4-48-24-21	1381	1536	48	24	21	84	18	
	SUT4-48-30-11	1446	1606	48	30	11	96	11	
	SUT4-48-30-16	1479	1643	48	30	16	98	15	

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish or laminate for the table

STANDARD FINISHES

Sutton is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer.

For a complete list of standard wood finishes please see page 341.

STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

LAMINATE

Sutton is available in laminate. Please seep pricing above. Please see page 336 for laminate selection.

Laminate is not available on KrugExpress.


BASES

Bases are available in Silver Metallic only.

VIRTU TABLES | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION





PRE-CONSUMER
RECYCLED CONTENT = 67.31%

POST-CONSUMER RECYCLED CONTENT = 12.15%

Up to 45.80% of this Virtu product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Virtu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Virtu products are supplied air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Virtu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

VIRTU | OCCASIONAL TABLES

		Oak, Cherry,					
		Maple	Di	mensio	Shipping	Cubic	
DESCRIPTION/MODEL		STYLE 1	W	D	Н	Weight	Feet
	Square - Frosted Glass	Тор					
	VIR4-18-18-21-1	1667	18	18	21	40	8
	VIR4-24-24-16-1	1777	24	24	16	52	13
	VIR4-24-24-21-1	1978	24	24	21	52	13
,	VIR4-30-30-21-1	2400	30	30	21	63	19
U	VIR4-36-36-16-1	2853	36	36	16	85	27
	VIR4-42-42-16-1	3119	42	42	16	95	21
	VIR4-48-24-16-1	3400	48	24	16	78	25
	Round - Frosted Glass	Гор					
	VIR4-24D-16-1	1928	24	-	16	52	13
	VIR4-36D-16-1	3413	36	-	16	85	27
	VIR4-24D-21-1	2223	24	-	21	52	13

		Oak, C	Cherry, ple		Di	mensio	one	Shipping	Cubic
DESCRIPTION/MODEL		STYLE 1	STYLE 2	LAMINATE	W	D	Н	Weight	Feet
	Square - Wood Top VIR4-18-18-21-0 VIR4-24-24-16-0 VIR4-24-24-21-0 VIR4-30-30-21-0 VIR4-36-36-16-0 VIR4-42-42-16-0 VIR4-48-24-16-0 ORDERING NOTES A Style (1 or 2) must		1444 1486 1615 1914 2240 3221 3017 and noted clearly	1453 1541 1643 1908 2274 3236 2905 on Purchase Ord	18 24 24 30 36 42 48	18 24 24 30 36 42 24	21 16 16 21 16 16	40 52 52 63 85 95 78	8 13 13 19 27 21 25
	Round - Wood Top VIR4-24D-16-0 VIR4-36D-16-0 VIR4-24D-21-0	1008 1925 1306	1081 2058 1397	1163 2191 1460	24 36 24	- - -	16 16 21	52 85 52	13 27 13

ORDERING NOTES

A Style (1 or 2) must be selected and noted clearly on Purchase Order.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select Style 1 or Style 2

CODE DESCRIPTION

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

STANDARD FINISHES

Virtu is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer. For a complete list of standard wood finishes please see page 341.

STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

METAL DETAILING

Metal detailing is available in Silver Metallic only.


GLASS

Glass is available in frosted only. Glass tempered and 8mm thick. Floats on clear rubber bumpers.

MILLENNIUM | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER
RECYCLED CONTENT = 16.25%

Up to 38.93% of this Millennium product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Millennium products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Millennium products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Millennium and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.




Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

MILLENNIUM | OCCASIONAL TABLES

E	INI	ISI	46	C
г	ш	ıОI	76	Э

			CHERRY, MAPLE		/ENSIO	NS	SHIPPING	CUBIC
DESCRIPTION/MODEL		OAK	WALNUT, MEDIUM ANIGRE	NUT, MEDIUM ANIGRE L W		Н	WEIGHT	FEET
	MILLENNIUM SQUAF	RE, AND R	ECTANGLE					
	6800-18-18-21	766	879	18	18	21	19	5
	6800-18-18-29	805	930	18	18	29	23	9
	6800-24-18-21	844	977	24	18	21	20	6
	6800-24-24-21	875	1001	24	24	21	23	8
v	6800-26-26-21	912	1033	26	26	21	26	9
\forall	6800-30-30-16	1009	1147	30	30	16	34	8
	6800-48-18-16	1100	1275	48	18	16	36	9
	6800-48-18-29	1329	1496	48	18	29	46	15
	MILLENNIUM ROUNI)						
	6800-24Dia.	1265	1455	24 Dia.		21	27	8
	6800-30Dia.	1336	1518	30 Dia.		16	38	8
	6800-36Dia.	1449	1632	36 Dia.		16	42	12

MILLENNIUM EDGE DETAIL PROFILES



An edge detail profile must be selected for Millennium occasional tables.

ORDERING NOTES

Optional laminate inlay available at a 10% upcharge. Please contact Customer Service for more information. Laminate is not available on *KrugExpress*.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select and edge detail profile

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Millennium tables are available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes, please see page 341.

STANDARD WOOD SPECIES

Standard wood species available: Oak, Cherry & Maple.


BIRDSEYE MAPLE

Bookmatched Birdseye Maple Veneer is available on Millenium occasional tables at an upcharge of \$79 list per square foot. Birdseye Maple is recommended in a clear finish only.

PRADO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 60%

POST-CONSUMER
RECYCLED CONTENT = 15%

Up to 88.5% of this Prado product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Prado products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Prado products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Prado and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

PRADO | OCCASIONAL TABLES

FINISHES

		,	DIUM ANIGRE		DIN	MENSI		SHIPPING	CUBIC
DESCRIPTION/MODEL	L	STYLE 1	STYLE 2	LAMINATE	L	W	Н	WEIGHT	FEET
	PRADO SQUARE	AND RECTANG	iULAR						
	5610-18-18-16	1398	1504	1398	18	18	16	40	3
	5610-18-18-21	1412	1524	1412	18	18	21	42	4
	5610-18-24-16	1446	1556	1446	18	24	16	47	4
\ \ \ \ #	5610-18-24-21	1472	1579	1472	18	24	21	49	5
	5610-24-24-16	1501	1614	1501	24	24	16	53	5
ŭ	5610-24-24-21	1528	1643	1528	24	24	21	55	7
	5610-30-30-16	1557	1701	1557	30	30	16	69	8
	5610-30-30-21	1610	1729	1610	30	30	21	72	11
	5610-36-36-16	1647	1770	1647	36	36	16	88	14
	5610-36-36-21	1672	1799	1672	36	36	21	90	15
	5610-48-24-16	1693	1824	1693	48	24	16	102	11
	5610-48-24-21	1723	1855	1723	48	24	21	108	14
	ORDERING NOTE A Style (1 or 2) mu		and noted clear	ly on Purchase Ord	ler.				
	PRADO ROUND								
	5611-18D-16	1568	1687	1568	18 Dia.	-	16	35	3
	5611-18D-21	1610	1729		18 Dia.	-	21	37	4
	5611-24D-16	1666	1729	1610 1666	24 Dia.	-	16	46	5
	5611-24D-21	1693	1820	1693	24 Dia.	-	21	49	7
* //	5611-30D-16	1801	1936	1801	30 Dia.	-	16	59	11
Į.	5611-30D-21	1853	1988	1853	30 Dia.	-	21	63	12
	5611-36D-16	2121	2282	2121	36 Dia.	-	16	74	12
	5611-36D-21	2189	2353	2189	36 Dia.	-	21	79	15
	ORDERING NOT	ES		ly on Purchase Ord	dor				
	A Style (1 of 2) Illi	ist be selected	and noted clear	ly on Fulchase Oic	Jei.				
	PRADO OVAL								
	5612-18-24-16	2098	2252	2098	18	24	16	47	5
	5612-18-24-21	2212	2376	2212	18	24	21	49	6
	5612-42-24-16	2538	2736	2538	42	24	16	102	9
	5612-42-24-21	2668	2871	2668	42	24	21	104	14
n N n A									

ORDERING NOTES

Prado comes with Silver Metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select Style 1 or Style 2
- 3. Select a finish for the table

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

STANDARD FINISHES

Prado is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see page 341.

STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.


METAL DETAILING

Prado comes with Silver Metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

CARLYLE TABLE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 50%

POST-CONSUMER RECYCLED CONTENT = 15%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CARLYLE | OCCASIONAL TABLES

DESCRIPTION/MODEL		FINISHES CHERRY, MAPLE WALNUT, MEDIUM ANIGRE	W	D	Н	SHIPPING WEIGHT	CUBIC FEET
	CAR4-18-18-24	1250	18	18	24	30	5.5
	CAR4-24-24-22	1347	24	24	22	32	9
	CAR4-42-21-16	1677	42	21	16	65	9.9

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the wood frame

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Carlyle is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see page 341.

STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.

METAL DETAILING

The legs on the Carlyle series feature a Silver Metallic finish.

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$385 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warrantv

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- · properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$275/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$275/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$551/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$131/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$131/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$131/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.---

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and



documentation are available on request.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition

of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS



${\bf Krug\ Textiles\ -\ Stocked\ Fabric\ Program}$

Grade 1

ARLO



Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY











34 SLATE

84 TEAK

98 NICKLE

YATES















92 ZINC



908 CHARCOAL

MCCOY











608 TUNDRA



94 MERCURY

84 BARK

108 CORDOVAN

ORIS
















KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ















9008 CHARCOAL

82 CLAY

304 CAPRI

LORENZO











24 ALPINE



601 CREAM

106 HENNA

91 FLANNEL

604 STUCCO

32 MIST

306 INDIGO

BISCOTTI









91 GRANITE

302 CAPRI

INTRIGUE











608 STUCCO





601 OYSTER 805 PECAN



Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$23 Grade 2 \$35 Grade 3 \$48

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2 Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

WOOD FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry
American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry
Light Oak

Harvest Oak

Mahogany

Mellow Oak

Espresso

Cordovan Walnut Natural Walnut

Regular Walnut

SilverGrey on Walnut

Dark Walnut

Clear Beech

Medium Anigre

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$630 list per finish per order. (For example, on all orders up to \$6300 list, an upcharge of \$630 will apply, on orders \$6300 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES			
Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38		
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Nightfall	Pionite WX421	Earth	Tafisa T767CR
0		Charcoal	Tafisa T228CR

PHASE OUT LAMINATES


Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



GLIDE SELECTION CHART

	Floor S	aver	Non-Slip		
Product	Nylon	Felt	Rubber	Metal	Plastic
Management & Task Seating					
Aqua Stool	n/a	n/a	n/a	n/a	standard
Guest Seating					
Addison	standard	n/a	n/a	optional	optional
Blake	standard	optional	n/a	optional	optional
Dorso	n/a	optional	optional	optional	standard
Bali	standard	optional	n/a	optional	n/a
Kita	standard	optional	n/a	optional	optional
Spence	standard	optional	n/a	optional	optional
Cadence	standard	optional	n/a	optional	optional
Faeron Wood	standard	optional	n/a	optional	optional
Faeron Metal	optional	optional	optional	optional	standard
Multi-Purpose Seating					
Libra	standard	n/a	n/a	n/a	n/a
Mobi	standard	optional	optional	n/a	optional
Karma	optional	optional	optional	optional	standard
Corfu	standard	n/a	n/a	optional	n/a
Capri	n/a	n/a	n/a	n/a	standard
Bank of England	standard	optional	n/a	optional	optional
Barstools & Counter Height Seating	na				
Manolo	n/a	optional	n/a	n/a	standard
Karma	optional	optional	optional	optional	standard
Capri	n/a	n/a	n/a	n/a	standard
Corfu	standard	n/a	n/a	n/a	n/a
Lounge Seating					
Avatar	standard	n/a	n/a	n/a	n/a
Cressida	standard	n/a	n/a	n/a	n/a
Leyton	optional	n/a	n/a	n/a	standard
Zola	standard	optional	optional	optional	n/a
Zola Privacy	standard	optional	optional	optional	n/a
Faeron Upholstered - Wood Leg	standard	n/a	n/a	optional	optional
Faeron Upholstered - Metal Leg	standard	optional	optional	optional	n/a
Sutton-wood base	optional	optional	optional	standard	optional
Sutton-metal base	standard	n/a	n/a	n/a	optional
Carlyle-wood base	standard	optional	n/a	optional	optional
Carlyle-metal base	n/a	n/a	n/a	n/a	standard
Brio	standard	optional	optional	optional	optional
Sloane	n/a	standard	n/a	n/a	n/a
Benches					
Tate	optional	n/a	n/a	n/a	standard
Zola	standard	optional	optional	optional	n/a
Carlyle	n/a	n/a	n/a	n/a	standard
Carryic	11/ a	II/a	11/α	11/a	StariualU

ORDERING NOTES: Glides options marked "n/a" are not available for that product due to leg style. Please see product pricing pages for optional glide upcharges.

GLIDE RECOMMENDATION BY FLOORING TYPE

Glide Material	Carpet	Vinyl/Linoleum	VCT	Rubber	LVT/LVP	Ceramic Tile	Concrete	Hardwood
Nylon - Floor Saver	**	*	*	*	NR	*	*	NR
Felt - Floor Saver	NR	*	**	NR	**	**	*	**
Rubber - Non-slip	**	**	*	*	NR	*	**	NR
Metal	*	*	NR	NR	NR	*	**	NR
Plastic	**	*	*	*	NR	*	**	NR

** = Best Solution

★ = Acceptable

NR = Not Recommended

ORDERING NOTES: The above chart shows our recommendation based on a clean, professionally finished floor without dust or debris between the glides and the flooring.

BASE STYLES

Base Styles	Description									
Black Nylon	5 blade glass re	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.								
Polished Aluminum	5 blade polished	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.)								
Seat Slider		Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.								
Wood	5 blade steel ba	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.								
Chrome	5 blade polished	5 blade polished chrome base with 2 1/4" dual wheel casters.								
Jury Bases	1 ,	Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning								
Jury Bases	height feature w	height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.								
Pan Am	Bank of England	Dorso	Cadence	C5	Aqua					
Pan1-M11 <u>J</u>	177- <u>J</u>	D0S1-H2011 <u>J</u>	CAD1-HW12 <u>J</u>	C5E1MB41A <u>J</u>	AQU1M33 <u>J</u>					



krug







All products are air emissions certified and are available as FSC® certified