SEATING & OCCASIONAL TABLES

Price and Specification Guide **USA**







TABLE OF CONTENTS

PRICING & SPECIFICATIONS

2	Management & Task Seating
3	Callisto
7	C5
16	Aqua
22	Dorso E
29	Dorso T
34	Dorso Weave
40	Dorso
47	Me
53	Pan Am
58	Cadence

Guest Seating 64 65 Addison 68 Blake 71 Dorso 74 Bali 76 Kita 78 Spence 80 Cadence 82 Faeron Wood

94 **Multi-Purpose Seating**

Faeron Metal

95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri

88

124 Bank of England

126 **Barstools & Counter Height Seating**

127 Manolo 131 Karma 133 Capri 135 Corfu

141 **Lounge Seating**

142 Avatar 145 Cressida 155 Leyton 170 Zola 187 Zola Privacy 253 Faeron 265 Sutton 267 Carlyle

273 **Benches**

Brio

Sloane

269

271

274 Tate 280 Zola 290 Carlyle 292 **Occasional Tables** 293 Chit Chat 296 Avatar 298 Karma 303 Cressida 306 Leyton 308 Faeron Wood 310 Faeron Metal 312 Zola

317 Sutton 319 Virtu 321 Millennium 323 Prado 325 Carlyle

General Information General Information 327 329 Krug Textiles - Upholstery Fabrics 332 Krug Textiles - Leather & Luxe Faux Leather 333 C.O.M. 334 Graded-In Upholstery Programs 334 KrugExpress Program 335 Wood Finishes 336 Laminate Program 336 Solid Surface Program 337 Base Styles

MANAGEMENT & TASK SEATING


- Callisto 3
 - C5
- 7 16
- Aqua Dorso E 22
- 29 Dorso T
- Dorso Weave
- 40 Dorso
- 47 Me 53
- Pan Am 58 Cadence

CALLISTO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 28.83%

POST-CONSUMER
RECYCLED CONTENT = 21.67%

Up to 70.56% of this Callisto product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Callisto products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Callisto products are supplied air-emissions certified. Contact customer service for information.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CALLISTO | FEATURES & OPTIONS



BREATHABLE MESH

Mesh Seats and Backs are available in 2 colors: Black and Grey.



UPHOLSTERED CUSHIONING

Upholstered Seats and Backs are available in a wide range of textiles, and seat features molded foam that is supportive for extended periods of sitting.



ADJUSTABLE LUMBAR SUPPORT

This optional feature provides enhanced support in the lower lumbar area of the back with 3" of adjustment range.



FIXED CANTILEVER ARM

This arm features Polished Aluminum with an integrated urethane pad surface.



ADJUSTABLE ARM

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards.



ARMLESS

Callisto models are available armless.



SELF-ADJUSTING SYNCHRO MECHANISM

The tilt feature adjusts automatically to the user's weight. It includes a standard seat slider feature adding an adjustment range of 2", and 4 position tilt lock with anti-kickback, and height adjustability.



BASES

Base options include Polished Aluminum and Black Polymer, and a soft wheel caster option.



STOOL BASE

A stool version is available on all Callisto models. It has a standard height adjustment range of 7.5". Foot ring is Polished Chrome, and standard gas lift is Black.

The Seat Slider and Seat Slider Plus option is not available with the Stool base. Stool base is only available with a swivel mechanism.

WEIGHT CAPACITIES

Callisto has been tested and complies with ANSI/BIFMA x5.1-2011 standards.
Callisto has been load tested to 450lbs

OPTIONS



ADJUSTABLE ARMS PLUS

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards. Adjustable Arms Plus provides a width adjustment range of 3".

SEAT SLIDER PLUS

The optional enhanced seat slider, has an adjustment range of 3". When the 3" seat slider option is selected a larger chair base is included. Seat Slider Plus option is not available with the Stool base.

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

REPLACEABLE COMPONENTS

Callisto is uniquely designed to allow major components to be field replaced, providing a very cost-effective means to significantly extend the life of the product.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with nonflammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

CALLISTO | DIMENSIONS & COM REQUIREMENTS

							Height	Height					
				Overall	Seat	Seat	Arms From	Arms From	Width				
	Overall	Overall	Overall	Height	Height	Height -Stool	Floor	Floor-Stool	Between	Seat	Shipping		COM
	Width	Depth	Height	-Stool	Min/Max	Min/Max	Min/Max	Min/Max	Arms	Depth	Weight	Cubes	YRD
CAL1M10	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	-
CAL1M11	25	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	-
CAL1M12	24	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	17	19	45	14.5	-
CAL1M20	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	.85
CAL1M21	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	.85
CAL1M22	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	.85
CAL1M30	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	1.68
CAL1M31	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	1.68
CAL1M32	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	1.68

CALLISTO

 COM
 COL
 FABRIC GRADES
 LEATHER

 DESCRIPTION/MODEL
 1
 2
 3
 4
 5
 6
 7
 8
 9



Mesh Back & Seat, Armless with Black Base

CAL1M10B 865

Mesh Back & Seat, Armless with Polished Aluminum Base

CAL1M10P 889



Mesh Back & Seat, Adjustable T-Arm with Black Base

CAL1M12B 968

Mesh Back & Seat, Adjustable T-Arm with Polished Aluminum Base

CAL1M12P 992



Mesh Back & Seat, Fixed Cantilever Arm with Black Base

CAL1M11B 992

Mesh Back & Seat, Fixed Cantilever Arm with Polished Aluminum Base

CAL1M11P 1017

ORDERING NOTES: To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Seat Slider Plus (S)	71
Soft Wheel Casters	64		
Adjustable Lumbar Support (L)	59		
Adjustable Arms Plus (W)	94		
Stool Base	108		

PRODUCT CODE KEY

Line	Series	Back Style	Chair Style	Arm Style	Base Style
CAL	1	М	1	0	В
Callisto	Management, Task & Conference Seating	Mid Back	Mesh Back & Seat	Armless	Black Polymer
CAT			2	1	Р
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum
			3	2	
			Fully Upholstered	Adjustable T-Arm	

DESCRIPTION/MODEL		COM	2	COL 3	FAE	BRIC GRAD	ES 6	7	LEATHER 8	9
DESCRIPTION/MODEL		ı		<u> </u>	4	5	0	1	0	9
	Mesh Back & Uphols CAL1M20B	tered Sea 931	t, Armles 953	s with Bla 976	ck Base 1017	1062	1106	1149	1194	1281
	Mesh Back & Uphols CAL1M20P	tered Sea 956	t, Armles 978	s with Pol 1001	ished Alum 1042	iinum Base 1087	1134	1173	1218	1307
	Mesh back & Uphols CAL1M22B		t, Adjusta 1059	able T-Arm 1081	with Black 1122	Base 1166	1210	1256	1298	1386
	Mesh back & Uphols CAL1M22P	ered Sea 1062	t, Adjusta 1084	able T-Arm 1106	with Polisi 1148	hed Alumin 1194	um Base 1237	1281	1323	1412
	Mesh Back & Uphols CAL1M21B		t, Fixed 0 1083	Cantilever	Arm with B 1148	Black Base 1193	1237	1281	1323	1411
	Mesh Back & Uphols CAL1M21P		t, Fixed (1109	Cantilever 1131	Arm with P 1173	olished Alu 1218	minum Bas 1262	se 1306	1348	1437
	Fully Upholstered Bar CAL1M30B	ck & Seat 976	, Armless 1018	with Blac 1063	k Base 1148	1236	1323	1408	1495	1668
	Fully Upholstered Bac CAL1M30P		, Armless 1043	with Polis 1087	shed Alumi 1173	num Base 1262	1347	1436	1521	1693
	Fully Upholstered Bar CAL1M32B		, Adjustal 1124	ble T-Arm 1168	with Black 1253	Base 1340	1429	1513	1601	1773
	Fully Upholstered Bar CAL1M32P		, Adjustal 1149	ble T-Arm 1194	with Polish 1281	ned Aluminu 1369	ım Base 1453	1539	1624	1798
	Fully Upholstered Bar CAL1M31B		, Fixed C 1149	antilever A 1194	rm with BI 1281	ack Base 1367	1453	1539	1624	1798
	Fully Upholstered Bar CAL1M31P	ck & Seat 1135	, Fixed C 1177	antilever A 1218	arm with Po 1306	olished Alur 1393	ninum Bas 1479	e 1565	1653	1825

ORDERING NOTES: To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Seat Slider Plus (S)	71
Soft Wheel Casters	64	Combination Upholstery - dual	33
Adjustable Lumbar Support (L)	59		
Adjustable Arms Plus (W)	94		
Stool Base	108		

Ы


PRODUCT CODE	KEY					
Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL	1	М	1	0	В	
Callisto	Management, Task & Conference Seating	Mid Back	Mesh Back & Seat	Armless	Black Polymer	
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3	2		
			Fully Upholstered	Adjustable T-Arm		

C5 | ENVIRONMENTAL SUMMARY

LEED CI CREDITS







PRE-CONSUMER
RECYCLED CONTENT = 24.5%

POST-CONSUMER
RECYCLED CONTENT = 19.4%

Up to 60.1% of this C5 product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. C5 products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All C5 products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. C5 and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ARM STYLES

C5 features four styles of fixed arms; polished aluminum with polymer pad, polished aluminum with upholstered pad, full black polymer arm, and fully upholstered arm.



Polished Aluminum Arm with Polymer Pad



Polished Aluminum Arm with Upholstered Pad



Black Polymer Arm



Fully Upholstered - Leather or Fabric wrapped upholstered arm with detailed top stitching.



MECHANISM OPTIONS

Swivel-Tilt - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment. Right side activated tension control. Available in Black only.



Knee Tilt - Right side activated tension control and vertical adjustment. Left side 4 position activated tilt lock. Available in Black powdercoat or Polished Aluminum.

BASE STYLES

C5 seating is available in two base options. Choose from a black nylon, or a polished aluminum.



Polished Aluminum



Black Glass Reinforced Nylon



Jury Base

The C5 series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

C5 | FEATURES & OPTIONS

SEAT

The seat has been carefully researched and shaped to provide extended sitting comfort, with a foam density that provides an optimal combination of softness and firmness.

REPLACEABLE COMPONENTS

C5 chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable.

OPTIONS

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C5 | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight		COM Yardage
Mid Back										_
Polished Aluminum Arm with Polymer pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Polished Aluminum Arm with Uph. Pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.9
Black Polymer Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Upholstered Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	2.5
High Back										
Polished Aluminum Arm with Polymer Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Polished Aluminum Arm with Uph. Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.3
Black Polymer Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Upholstered Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.9

MULTIPLE YARDAGE REQUIREMENTS

	Yardage Seat & Back Rest	Yardage Seat only	Yardage Back rest only	Yardage Upholstered Arm Pad (2)	Yardage Full Upholstered Arm (2)
Mid Back					
1 Chair 2 Chairs 3 Chairs 4 Chairs	1.7 3.3 5 6.6	.9 1.14 2.04 2.28	1.5 2.4 3.2 4	.19 .19 .19 .19	.8 1.06 1.5 2.19
High Back					
1 Chair 2 Chairs 3 Chairs 4 Chairs	2.1 3.4 5.5 7.4	.9 1.14 2.04 2.28	1.95 3.1 4.2 5.8	.19 .19 .19 .19	.8 1.06 1.5 2.19

DIMENSIONS:

Height measurements of C5 tilter are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

COM APPROVAL PROCESS:

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

WEIGHT CAPACITY:

C5 has been tested to ANSI BIFMA.

C5 is load rated to 300lbs

C5 EXECUTIVE | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	LEATHER 8	9
	FULLY UPHOLSTERE	D ARM								
	C5E1MB41A Polished Aluminum kr	1381 nee tilt, P	1447 olished A	1514 Juminum b	1609 ase	1716	1810	1918	2053	2188
	C5E1MB42B Black Aluminum knee	1342 tilt, Blac	1411 k base	1479	1569	1677	1773	1880	2014	2146
POLISHED ALUMINUM ARM WITH POLYMER PAD										
	C5E1MB11A Polished Aluminum kr	1205 nee tilt, P	1265 olished A	1320 Juminum b	1404 ase	1499	1581	1673	1792	1909
	C5E1MB12B Black Aluminum knee	1168 tilt, Blac	1227 k base	1285	1367	1461	1540	1636	1752	1870
	BLACK POLYMER AF	RM								
	C5E1MB32B Black Aluminum knee	1082 tilt, Blac	1139 k base	1198	1315	1433	1551	1667	1782	2018
	BLACK POLYMER AF	RM								
	C5E1MB33C Black Swivel tilt, Polis	1039 shed Alun	1096 ninum ba	1157 se	1240	1333	1416	1509	1626	1745
	C5E1MB33D Black Swivel tilt, Black	1012 k base	1068	1127	1209	1305	1386	1481	1597	1715



ORDERING NOTES:

For jury base, please add a 'J' for the base style at the end of the model number and add \$80 list. Hard casters are the standard and soft wheel casters can be ordered for \$64 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
114	120	126	136	145	155	164	178	190

PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

C5 EXECUTIVE | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	F.4 4	ABRIC GRA	ADES 6	7	LEATHEI 8	R 9
	FULLY UPHOLS	TERED ARM								
	C5E1HB41A Polished Aluminu	1433 ım knee tilt, F	1508 Polished <i>F</i>	1584 Aluminum	1689 base	1809	1915	2035	2188	2339
	C5E1HB42B Black Aluminum	1393 knee tilt, Blac	1468 k base	1545	1651	1772	1878	1998	2147	2299
	POLISHED ALUN	INUM ARM	WITH PO	LYMER PA	AD					
	C5E1HB11A Polished Aluminu	1257 ım knee tilt, F	1320 Polished A	1390 Aluminum	1483 base	1592	1686	1792	1927	2061
	C5E1HB12B Black Aluminum	1218 knee tilt, Blac	1285 k base	1354	1446	1555	1646	1753	1887	2023
	BLACK POLYME	R ARM								
	C5E1HB32B Black Aluminum	1134 knee tilt, Blac	1198 k base	1266	1358	1465	1560	1667	1802	1935
	BLACK POLYME	R ARM								
	C5E1HB33C Black Swivel tilt,	1090 Polished Alur	1158 minum ba	1226 ase	1318	1425	1519	1629	1764	1896
	C5E1HB33D Black Swivel tilt,	1062 Black base	1127	1197	1289	1396	1492	1597	1732	1866
	ORDERING NOTE For jury base, ple Hard casters are Barrier options a For UPHOLSTE	ease add a 'J' the standard re available fo	and soft or an upc	wheel cas harge of \$	sters can b 64 list per	e ordered f yard.	or \$64 list	per chair.	. CAL 133 a	
	1 2		4	5			8 9			
PRODUCT CODE KEY	114 120	126 13	36	145	155 1	64 1	78 19	ĐU		
Line	Series	Ва	ack Style		Arm Style	9	Mechani	sm	Base	Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	[M	MB lid Back HB		1 olished Alum n with Polym 2		Polished Alu Knee T		for Kn	minum Base ee Tilt
		Hi	gh Back	А	olished Alum rm with Uph 3 ack Polyme	. Pad	Black Alum Knee T 3 Black Swiv	ilt]	for Kn	Base ee Tilt C minum Base
					4				for Sw	ivel Tilt

Fully Uph. Arm

J Jury Base

Black Base for Swivel Tilt

C5 CONTEMPORARY | MID BACK

					000			174111	וויוו	D/ (O)
		COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTEREI	D ARM								
	C5C1MB41A	1245	1314	1380	1477	1583	1673	1781	1918	2053
	Polished Aluminum kn	ee tiit, Po	olisnea <i>F</i>	Aluminum	base					
	C5C1MB42B Black Aluminum knee	1216 tilt, Black	1284 k base	1351	1445	1555	1645	1752	1886	2020
	POLISHED ALUMINUM	M ARM V	VITH PO	LYMER P	AD					
	C5C1MB11A	1068	1127	1187	1270	1361	1446	1538	1659	1774
	Polished Aluminum kn	ee tilt, Po	olished A	Aluminum	base					
	C5C1MB12B	1042	1098	1158	1240	1334	1416	1510	1629	1746
	Black Aluminum knee	tilt, Black	k base							
	BLACK POLYMER AR	M								
	C5C1MB32B	943	1003	1062	1143	1239	1319	1415	1533	1647
	BLACK POLYMER AR	M								
	C5C1MB33C	906	962	1022	1106	1199	1282	1376	1493	1610
	Black Swivel tilt, Polish	ned Alum	inum ba	ise						
	C5C1MB33D	875	934	992	1074	1169	1252	1346	1463	1581
	Black Swivel tilt, Black	base								
	ORDERING NOTES: For jury base, please a Hard casters are the st Barrier options are ava For UPHOLSTERED	tandard a iilable for	and soft an upcl	wheel cas	sters can be 64 list per y	ordered fo	or \$64 list	per chair. (CAL 133 a	
<u></u>	1 2 3	4		5		7 8				
RODUCT CODE KEY	114 120 126	136	j 1	45	155 16	64 17	8 19	U		
Line	Series	Ba	ck Style		Arm Style	e	Mechani	ism	Base	Style
C5C	1	Γ	MB		1		1	7		A
C5 Contemporary	Tilter	Mi	d Back		Polished Alum m with Polym		Polished Alu Knee T		Polished Alu	uminum Ba
		_		AI	with FOIyIII	ici i au	MICE I	 	101 101	- 1111

PRODUCT CODE KEY					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5C C5 Contemporary	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt
					J

C5 CONTEMPORARY | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHER 8	9
DESCRIPTION/WOBEL	FULLY UPHOLSTERED	•								
	C5C1HB41A Polished Aluminum kne	1292 ee tilt, Po	1369 lished Alu	1443 minum bas	1548 e	1669	1776	1896	2046	2196
	C5C1HB42B Black Aluminum knee t	1263 ilt, Black	1336 base	1415	1519	1640	1746	1866	2018	2168
н Б	POLISHED ALUMINUM	1 A DN 1 \A	ITH BOLV	MED DAD						
	POLISHED ALUMINUM	I ARIVI VV	TIH POLY	MER PAD						
	C5C1HB11A Polished Aluminum kne		1183 lished Alu	1251 minum bas	1346 e	1452	1545	1653	1788	1922
	C5C1HB12B Black Aluminum knee t	1087 ilt, Black	1153 base	1223	1315	1421	1515	1623	1756	1892
	BLACK POLYMER ARM	1								
	C5C1HB32B Black Aluminum knee t	990 ilt, Black	1059 base	1124	1218	1328	1420	1528	1662	1796
5 1 1										
	BLACK POLYMER ARN	Л								
	C5C1HB33C	953	1018	1087	1179	1286	1381	1487	1622	1755
	Black Swivel tilt, Polish	ea Alumi	num base							
	C5C1HB33D Black Swivel tilt, Black	922	988	1058	1149	1258	1351	1458	1592	1728
	DIACK OWIVEI LIII, DIACK	Dase								
b "	ORDERING NOTES:	dd a ' l' f	artha haa		ha and of	tha mad		a a a a d	100 lint	
	For jury base, please a Hard casters are the st	andard a	nd soft wh	neel casters	s can be d	ordered f				d Moisture
	Barrier options are available For UPHOLSTERED A						arm style 2 a	nd add	upcharge be	low.
	1 2 3	4	5	6	7	8				
9	114 120 126	136	145	155	164	17	78 190			
PRODUCT CODE KEY Line	Series	Bac	k Style		Arm Style		Mechanism		Base St	wle
C5C	1		MB		1 1		1		A	
C5 Contemporary	Tilter	Mid	Back		ied Aluminu h Polymer		Polished Alumir Knee Tilt	num f	Polished Alumi for Knee	
			НВ		2		2		В	
		High	n Back		red Aluminu vith Uph. P		Black Aluminu Knee Tilt	ım	Black Ba for Knee	
				Black	3 Polymer A	rm	Black Swivel 7	Γilt F	C Polished Alumi	 num Base
					, 				for Swive	l Tilt □

4

Fully Uph. Arm

D

Black Base for Swivel Tilt

J Jury Base

C5 PULLS | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
DECOMI HON/MODEL	FULLY LIDUOLOTEDE	•						- '		
	FULLY UPHOLSTERE	JARIVI								
	C5P1MB41A	1267	1334	1402	1495	1603	1695	1804	1938	2072
	Polished Aluminum kn					1000	1000	1004	1000	LOIL
	T Ollorica / tiarrilliant Kri	00 tilt, 1 c	71101100 7110	arriiridiri bo	.00					
	C5P1MB42B	1229	1295	1361	1456	1565	1660	1767	1899	2034
	Black Aluminum knee	tilt, Black	base							
ŭ										
	POLISHED ALUMINUM	M ARM V	VITH POL	YMER PAD)					
		1000	1110	1007	1000	1004	1.400	1500	1077	1700
	C5P1MB11A	1090	1149	1207	1290	1384	1466	1560	1677	1796
	Polished Aluminum knee tilt, Polished Aluminum base									
	OFD4MD40D	1054	1111	1170	1253	1347	1429	1524	1640	1756
	C5P1MB12B									
	Black Aluminum knee	liil, biacr	Dase							
W 6										
	BLACK POLYMER AR	М								
		000	1000	1001	4400	4000	4040	4.407	4555	1000
	C5P1MB32B	963	1026	1084	1166	1260	1342	1437	1555	1669
	Black Aluminum knee	tilt, Black	base							
6 "										
	BLACK POLYMER AR	М								
	C5P1MB33C	928	985	1044	1124	1222	1303	1395	1513	1632
	Black Swivel tilt, Polish	ned Alum	inum bas	е						
		000	050	1015	1005	1100	1070	1007	1.400	1601
	C5P1MB33D	896	956	1015	1095	1192	1272	1367	1483	1601
	Black Swivel tilt, Black	base								
on 19 m										
	ODDEDING NOTES									
	ORDERING NOTES: For jury base, please	add a ' l'	for the ha	ise style at	the end of	f the mode	l number s	and add ¢ 8	Λ list	
					tile ella ol					ad Maiatuwa



Hard casters are the standard and soft wheel casters can be ordered for \$64 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

For UPHOLSTERED ARM PAD on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
114	120	126	136	145	155	164	178	190

PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			Black Polymer Arm 4 Fully Uph. Arm	Black Swivel Tilt	Polished Aluminum Base for Swivel Tilt D Black Base for Swivel Tilt
			i dily Opii. Aiiii		DIACK DASE IOI SWIVEI TIIL

C5 PULLS | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	BRIC GRA 5	DES 6	7	LEATHEF 8	R 9
	FULLY UPHOLSTER	RED ARM								
	C5P1HB41A Polished Aluminum	1323 knee tilt, Po	1398 olished Al	1477 Iuminum ba	1581 ase	1703	1808	1927	2079	2229
	C5P1HB42B Black Aluminum kno	1286 ee tilt, Black	1360 k base	1438	1540	1663	1769	1890	2040	2192
	POLISHED ALUMIN	IUM ARM V	VITH POL	YMER PAI						
	C5P1HB11A Polished Aluminum	1147 knee tilt, Po	1215 olished Al	1283 Iuminum ba	1376 ase	1483	1578	1685	1818	1954
	C5P1HB12B Black Aluminum kno	1110 ee tilt, Black	1177 k base	1244	1336	1445	1538	1645	1779	1914
	BLACK POLYMER	ARM								
	C5P1HB32B	1022	1089	1157	1251	1357	1452	1559	1692	1827
	Black Aluminum kno	ee tilt, Black	k base							
	BLACK POLYMER	ARM								
	C5P1HB33C Black Swivel tilt, Po	962 Ilished Alum	1031 ninum bas	1096 se	1193	1302	1393	1501	1634	1771
	C5P1HB33D Black Swivel tilt, Bla	934 ack base	1002	1066	1164	1270	1361	1473	1606	1741
	ORDERING NOTE For jury base, pleas Hard casters are th Barrier options are For UPHOLSTERE	se add a 'J' e standard available fo	and soft v	wheel cast arge of \$6	ers can be 4 list per y	ordered fo	or \$64 list p	er chair.	CAL 133 a	
₹		3 4 26 13		5 6 45 15				_		
PRODUCT CODE KEY				10 10		. 17			Dag- 1	Ptylo
Line C5P	Series 1		k Style MB		Arm Style		Mechanisr 1	11	Base	
C5 Pulls	Tilter	Mid	d Back		shed Alumir vith Polyme		olished Alum Knee Tilt	inum P	olished Alur for Kne	ninum Base ee Tilt
			HB h Back		shed Alumir with Uph. I		Black Alumir Knee Tilt	ium	Black for Kne	Base ee Tilt
					k Polymer /		Black Swivel		Polished Alur for Swi	vel Tilt
				Fi	ully Uph. Arı	m		В	lack Base fo	or Swivel Tilt


Jury Base

AQUA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.5%

POST-CONSUMER RECYCLE CONTENT = 21.91%

Up to 47.7% of Aqua product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Aqua products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Aqua products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Aqua and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

AQUA | FEATURES & OPTIONS

ARM STYLE

Four arm styles are available on Aqua - Armless, T-Arm, Height Adjustable T-Arm and Fixed Cantilever Arm.



T-Arm - A comfortable and supportive urethane pad, 10" in length by 3.5" wide, which can be field replaced if damaged, as can the entire arm.



Height Adjustable T-Arm - In addition to the same features as the T-Arm version, the arm pad has a 3-position rotation horizontally: center, left and right. The arm pad also adjusts forward and rearward in 5 positions, and is height-adjustable in 9 positions ranging over 4".



Cantilever Arm - The top surface of this arm has been proportioned to provide comfortable arm support, with a resting surface of 10" x 2".



ARM WIDTH ADJUSTMENT

Width adjustment is a standard feature on Aqua arm styles. T-Arms, and Height Adjustable T-Arms, can be width adjusted, operated by the handwheel located under the seat. The T-Arms are width adjustable in a range of 1.5" per arm, or 3" per chair. Cantilever arms can be width adjusted with tools instead of a handwheel, with adjustment range of 1" per arm, or 2" per chair.



MECHANISM OPTIONS

Synchro-Tilt Mechanism - There are 5 recline/lock positions, in addition to a full range of free-flowing movement. The forward position of the pivot point allows the back and seat to adjust in a 2:1 ratio synchronously, providing comfortable recline of the back with minimal incline of the seat.



Swivel-Tilt Mechanism - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment - ideal for short-term use environments, such as meeting rooms, where numerous adjustability features may not be desirable or necessary. Aqua Stools are only available with a Swivel Mechanism.



Seat-Slider Option - Available on the Synchro-Tilt Mechanism, this offers a 2" range of forward and rearward adjustment of the seat, with a locking feature. The addition of the seat slider adds 1/2" to the height of the seat and arms.



BASE STYLE

Aqua seating is available with Black five star base and black gas cylinder, or optional Polished Aluminum five star base and chrome cylinder for an upcharge of \$40 list. Both bases come standard with dual wheel black casters. Hard casters are the standard and soft wheel casters can be ordered for \$64 list per chair. Aqua bases are also available with a fixed height option for an upcharge of \$40 list per chair.



JURY BASE

The Aqua series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.



MESH BACKS

Mesh Backs are made of breathable polyester elastomers, the Mesh Back has an ideal tension that provides comfortable lumbar and thoracic support for extended use and healthy sitting enhanced further with the air circulation provided by the mesh's unique design, and an easy-to-clean surface. The mesh back is also replaceable. Mesh colors available:

• White • Warm Grey • Black • Sky• Clay • Neo

Sunset • Cardinal



A unique construction with a mesh suspension core, combined with extensively-researched ergonomic curvature, gives the Aqua back a form-fitting comfort and a thin profile that is designed for healthy long-term sitting.



Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

REPLACEABLE COMPONENTS

Aqua chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

OPTIONS

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

AQUA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
Standard Height										
Mesh Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	40	18	0.75
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	40	18	0.75
Upholstered Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	41	18	1.4
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	41	18	1.4
Stool Height										
Mesh Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	40	20	0.75
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	40	20	0.75
Upholstered Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	41	20	1.4
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	41	20	1.4

MULTIPLE YARDAGE REQUIREMENTS

	Yardage MESH BACK Seats Only	Yardage UPHOLSTERED BACK Back Only	Yardage UPHOLSTERED Full Chair
1 Chair	.75	.94	1.28
2 Chairs	.75	1.8	2.53
3 Chairs	1.5	2.74	3.81
4 Chairs	1.5	3.6	5.06

Height measurements of Aqua tilter and teller chairs are taken with the pneumatic lift in the lowest position and with a standard height range gas lift.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

Aqua Standard Height Aqua Stool Height Armless Fixed T- Arms Adjustable T - Arms Cantilever Arms

WEIGHT CAPACITY:

Aqua has been tested to 300lbs.

AQUA | MESH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	Aqua Mesh Back, Armless v AQU1M03B	vith Swiv 829	el Tilt, 5 st 843	ar base ir 854	black 883	912	940	968	997	1053
	Aqua Mesh Back, Armless v AQU1M01B	vith Sync 852	hro Tilt, 5 868	star base 882	in black 910	939	963	992	1021	1081
	Aqua Mesh Back, Armless v AQU1M02B	vith Sync 900	hro Tilt/Se 914	eat Slider, 929	5 star base 957	in black 985	1014	1039	1067	1126
	Aqua Mesh Back, T-Arm in I AQU1M13B	olack witl 976	h Swivel T 987	ilt, 5 star I 1002	pase in blac 1031	ck 1060	1087	1116	1141	1199
	Aqua Mesh Back, T-Arm in I AQU1M11B	olack witl 1001	h Synchro 1015	Tilt, 5 sta 1030	r base in bla 1056	ack 1084	1111	1140	1169	1224
	Aqua Mesh Back, T-Arm in I AQU1M12B	olack, wit 1046	th Synchro 1062	Tilt/Seat 1074	Slider, 5 sta 1102	ar base in 1131	black 1161	1190	1216	1271
	Aqua Mesh Back, Height Ad AQU1M23B	djustable 1019	T-Arm in b 1034	lack with 1048	Swivel Tilt, 1080	5 star bas 1107	e in black 1134	1162	1191	1246
	Aqua Mesh Back, Height Ad AQU1M21B	djustable 1045	T-Arm in b 1061	olack, with 1073	Synchro T 1102	ilt, 5 star b 1131	ase in blad 1161	ck 1190	1215	1271
	Aqua Mesh Back, Height Ad AQU1M22B	djustable 1093	T-Arm in b 1108	plack with 1121	Synchro Til 1151	lt/Seat Slic 1178	der, 5 star I 1206	base in bla 1236	ick 1263	1317
	Aqua Mesh Back, Cantileve AQU1M33B	r Arm in t 889	olack with 905	Swivel Til 916	t, 5 star bas 943	se in black 974	1002	1031	1060	1114
	Aqua Mesh Back, Cantileve AQU1M31B	r Arm in t 914	olack, with 929	Synchro 942	Tilt, 5 star l 973	base in bla 1001	ick 1029	1056	1084	1140
	Aqua Mesh Back, Cantileve AQU1M32B	r Arm in t 960	olack with 977	Synchro ⁻ 989	Tilt/Seat Sli 1018	der, 5 star 1046	base in bla 1073	ack 1102	1131	1190
							-			

ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add \$80 list.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$40 list.

Hard casters are the standard and soft wheel casters can be ordered for \$64 list per chair.

Mesh Colors available are listed on page 17.









PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	M	0	1	В
Aqua	Management, Task & Conference Seating	Mesh Back	Armless	Synchro Tilt	Black (5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3		
			Cantilever		

AQUA | UPHOLSTERED BACK

DESCRIPTION/MODEL	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
Aqua Upholstered Back, AQU1U03B	Armless wit 943	h Swivel 992	Tilt, 5 star 1043	base in blac 1141	ck 1240	1338	1438	1536	1732
Aqua Upholstered Back, AQU1U01B	Armless wit 971	h Synchr 1018	o Tilt, 5 sta 1067	ar base in bl 1168	lack 1266	1363	1463	1560	1758
Aqua Upholstered Back, AQU1U02B	Armless wit 1017	h Synchr 1065	o Tilt/Seat 1117	Slider, 5 sta 1215	ar base in 1 1312	black 1414	1510	1609	1806
Aqua Upholstered Back, AQU1U13B	T-Arm in bla 1092	ack, with 1140	Swivel Tilt, 1191	5 star base 1286	e in black 1387	1484	1585	1683	1881
Aqua Upholstered Back, AQU1U11B	T-Arm in bla	ack, with 1166	Synchro Ti 1215	lt, 5 star ba 1314	se in black 1414	1512	1610	1708	1907
Aqua Upholstered Back, AQU1U12B	T-Arm in bla	ack, with 1213	Synchro Ti 1263	lt/Seat Slide 1360	er, 5 star b 1460	ase in blac 1559	ck 1659	1755	1954
Aqua Upholstered Back, AQU1U23B	Height Adju 1138	stable T-	Arm in blac 1237	ck with Swiv 1335	vel Tilt, 5 s 1433	tar base ir 1533	n black 1603	1730	1926
Aqua Upholstered Back, AQU1U21B	Height Adju	stable T-/ 1213	Arm in blac 1263	ck with Synd 1359	chro Tilt, 5 1460	star base 1558	in black 1659	1755	1954
Aqua Upholstered Back, AQU1U22B	Height Adju 1212	stable T-/ 1262	Arm in blac 1310	ck, with Syn 1408	nchro Tilt/S 1508	Seat Slider, 1606	5 star bas 1704	e in black 1803	2001
Aqua Upholstered Back, AQU1U33B	Cantilever A	Arm in bla	ick with Sv 1106	vivel Tilt, 5 s 1203	star base i	n black 1401	1499	1597	1795
Aqua Upholstered Back, AQU1U31B	Cantilever A	Arm in bla 1082	ick with Sy 1131	nchro Tilt, 5 1229	5 star base 1328	in black 1425	1526	1622	1819
Aqua Upholstered Back, AQU1U32B	Cantilever A	Arm in bla 1127	ick, with Sy 1178	ynchro Tilt/9 1276	Seat Slider 1374	r, 5 star ba 1477	se in black 1570	1669	1867

ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add \$80 list.

CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$40 list.

Hard casters are the standard and **soft wheel casters** can be ordered for **\$64 list** per chair.

Mesh Colors available are listed on page 17.









PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	M	0	1	В
Aqua	Management, Task	Mesh Back	Armless	Synchro Tilt	Black
	& Conference Seating				(5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3 Contile year		
			Cantilever		

AQUA | STOOL

		СОМ		COL		BRIC GRA			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Aqua Stool Mesh Ba	ck, Armle	ess, 5 star	r in black v	vith glides	or casters				
	AQT1M0G (glides)	895	910	924	954	982	1008	1036	1064	1121
	AQT1M0B (casters)									
	Agus Ctaal I Inhalata	rad Daal		C -4 l	:	مادالم الماليات				
	Aqua Stool Upholste AQT1U0G (glides)	гео васк 1014	, Armiess 1062	, 5 star ba 1111	se in black 1209	with glide	s or caste 1408	rs 1506	1606	1802
	AQT1U0B (casters)	1014	1002	1111	1209	1309	1400	1300	1000	1002
1 2	rigitions (odoloto)									
	Aqua Stool Mesh Ba	-					•	asters		
	AQT1M1G (glides)	1043	1058	1068	1097	1126	1155	1183	1212	1268
	AQT1M1B (casters)									
	Aqua Stool Upholste	red Back	, T-Arm in	black, 5 s	star base ir	n black wit	h alides or	casters		
	AQT1U1G (glides)	1161	1207	1257	1357	1455	1556	1653	1749	1947
	AQT1U1B (casters)									
_										
	Aqua Stool Mesh Ba	ck Heigh	at Adiueta	blo T Arm	in black 5	etar basa	in black w	ith alidos a	or coetore	
	AQT1M2G (glides)	1090	1102	1117	1143	1172	1202	1230	1257	1314
	AQT1M2B (casters)	1030	1102	1117	1140	1172	1202	1230	1231	1014
	(**************************************									
	Aqua Stool Upholste			•				•	•	
	AQT1U2G (glides)	1206	1254	1306	1403	1503	1601	1699	1798	1995
	AQT1U2B (casters)									
	Aqua Stool Mesh Ba	ck, Canti	lever Arm	in black,	5 star base	in black v	vith glides	or casters		
	AQT1M3G (glides)	957	973	985	1015	1043	1067	1096	1126	1183
	AQT1M3B (casters)									
	Agus Stool I Inholata	rod Back	Contilo	or Arm in I	alaak E st	or booo in !	مامماد سننه	alidoo or o	ootoro	
	Aqua Stool Upholste AQT1U3G (glides)		, Cantilev 1122	er Arm in i 1172	1271	ar base in i 1371	1467	glides or c	asters 1667	1862
	AQT1U3B (casters)	1073	1144	1112	1411	1071	1401	1301	1001	1002
- т т ев Э										

ORDERING NOTES

Hard casters are the standard and **soft wheel casters** can be ordered for **\$64 list** per chair.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Mesh Colors available are listed on page 17.

Aqua Stools are only available with a Swivel Mechanism.

PRODUCT CODE KEY

PRODUCT COD	E KEY				
Line	Series	Back Style	Arm Style	Base Style	
AQT Aqua Stool	1 Management, Task & Conference Seating	M Mesh Back	0 Armless	Black (Casters)	
		U	1	G	
		Upholstered	T-Arm	(Glides)	
			2		
			Height Adjustable T-Arm		


3 Cantilever

DORSO E-LINE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 17.95%

POST-CONSUMER
RECYCLED CONTENT = 17.72%

Up to 61.36% of Dorso E product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Dorso products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Dorso and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DORSO E & T | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

E-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

T-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



BASE STYLES

E-LINE & T-LINE

Dorso seating features optional Silver Metallic, polished Chrome or Black finish and dual wheel casters.



DORSO CONTROLS

All Dorso E-Line and T-Line come with synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.



BACK HEIGHT

Back height adjustment is an option on Dorso E & T Line. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

BACK TENSION

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

SEAT SLIDER

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DORSO E-LINE | DIMENSIONS & COM REQUIREMENTS

Dorso E features a generous seat & back that provides unparalleled comfort and support.

Model Number				Overall Height	Seat Height Min/Max	Height of Arms from Floor	Width between Arms	-		Shipping Weight	Cube	COM Yardage
DEC1-HB/DES1-H	B Fixed	25.25	25	50	17.5-22.125	25.6875-30.25	21	47-52	18	44	19	2.2
DEB1-HB	Fixed Upholstered	25.5	25	50	17.5-22.125	25.6875-30.25	20.5	47-52	18	44	19	2.5
	Adjustable	25.5	25	50	17.5-22.125	26-34	21	47-52	18	44	19	2.2
	Armless	20.5	25	50	17.5-22.125	N/A	N/A	47-52	18	40	19	2.2
DEC1-MB/DES1-M	IB Fixed	25.25	25	43	17.5-22.125	25.6875-30.25	21	40-45	18	41	16	2
DEB1-MB	Fixed Upholstered	25.5	25	43	17.5-22.125	25.6875-30.25	20.5	40-45	18	41	16	2.3
	Adjustable	25.5	25	43	17.5-22.125	26-34	21	40-45	18	41	16	2
	Armless	20.5	25	43	17.5-22.125	N/A	N/A	40-45	18	37	16	2

DORSO | E-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso E seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

ORDERING NOTES:

Height measurements of Dorso E are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO T-LINE | DIMENSIONS & COM REQUIREMENTS

Dorso T - a strikingly modern chair design, provides a level of long term sitting comfort and support.

Model Number		Overall Width	Overall Depth	Overall Height	Seat Height Min/Max	Height of Arms from Floor	Width between Arms	Height Range		Shipping Weight	Cube	COM Yardage
DTC1-HB/DTS1-HB/	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	40	19	2
DTB1-HB	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	37	19	2
DTC1-MB/DTS1-MB	Fixed	25.25	24	42	16.75-21.375	27.5-30.25	20	39-44	18	41	16	1.8
DTB1-MB	Adjustable	25.5	24	42	16.75-21.375	26-34	20	39-44	18	41	16	1.8
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	39-44	18	37	16	1.8

DORSO | T-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso T seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

OPTIONS

Height measurements of Dorso T are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO E-LINE | MID BACK

Fixed Back; Fixed Arms - Synchro DEC1-M112C DES1-M111B DES1-M111B DEC1-M111C DES1-M111B DES1-M111B DEC1-M111C DES1-M11C DEC1-M11C DES1-M11C DES1-M11C DES1-M11CS DES1-M11CS DES1-M11CS DES1-M11CS DES1-M11CS DES1-M11CS DES1-M11CS DES1-M11CB DES			COM		COL		BRIC GRA			LEATHER	
DEC1-M111C 1439 1506 1568 1659 1758 1870 2010 2161 2327 DES1-M111S 1376 1439 1504 1588 1691 1815 1944 2092 2257 DEB1-M111B 1202 1266 1331 1415 1515 1640 1771 1920 2086 Fixed Back; Fixed Arms - Synchro/Seat Slider DEC1-M112C 1518 1585 1647 1736 1837 1949 2088 2239 2407 DES1-M112S 1455 1518 1584 1667 1771 1893 2023 2172 2340 DEB1-M112B 1282 1345 1409 1493 1594 1717 1849 1999 2165 Fixed Back; Adjustable Arms - Synchro DEC1-M121C 1644 1708 1774 1860 1962 2072 2212 2361 2531 DES1-M121B 1359 1422 1487 1570 1673 1798 1927 2079 2242 Fixed Back; Adjustable Arms - Synchro/Seat Slider DEC1-M121C 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122B 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630	DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
DES1-M111S 1376 1439 1504 1588 1891 1815 1944 2092 2257 DEB1-M111B 1202 1266 1331 1415 1515 1640 1771 1920 2086 Fixed Back; Fixed Arms - Synchro/Seat Slider DEC1-M112C 1518 1585 1647 1736 1837 1949 2088 2239 2407 DES1-M112S 1455 1518 1584 1667 1771 1893 2023 2172 2340 DEB1-M112B 1282 1345 1409 1493 1594 1717 1849 1999 2165 Fixed Back; Adjustable Arms - Synchro DEC1-M121C 1644 1708 1774 1860 1962 2072 2212 2361 2531 DES1-M121S 1534 1604 1667 1749 1854 1964 2105 2254 2421 DEB1-M121B 1359 1422 1487 1570 1673 1798 1927 2079 2242 Fixed Back; Adjustable Arms - Synchro/Seat Slider DEC1-M12CC 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122S 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630 Fixed Back; Armless - Synchro		Fixed Back; Fixed Arms -	- Synchro								
DEB1-M111B 1202 1266 1331 1415 1515 1640 1771 1920 2086 Fixed Back; Fixed Arms - Synchro/Seat Slider DEC1-M112C 1518 1585 1647 1736 1837 1949 2088 2239 2407 DES1-M112S 1455 1518 1584 1667 1771 1893 2023 2172 2340 DEB1-M112B 1282 1345 1409 1493 1594 1717 1849 1999 2165 Fixed Back; Adjustable Arms - Synchro DEC1-M121C 1644 1708 1774 1860 1962 2072 2212 2361 2531 DES1-M121S 1534 1604 1667 1749 1854 1964 2105 2254 2421 DEB1-M121B 1359 1422 1487 1570 1673 1798 1927 2079 2242 Fixed Back; Adjustable Arms - Synchro/Seat Slider DEC1-M122C 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122B 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630		DEC1-M111C	1439	1506	1569	1659	1758	1870	2010	2161	2327
Fixed Back; Fixed Arms - Synchro/Seat Slider DEC1-M112C 1518 1585 1647 1736 1837 1949 2088 2239 2407 DES1-M112S 1455 1518 1584 1667 1771 1893 2023 2172 2340 DEB1-M112B 1282 1345 1409 1493 1594 1717 1849 1999 2165 Fixed Back; Adjustable Arms - Synchro DEC1-M121C 1644 1708 1774 1860 1962 2072 2212 2361 2531 DES1-M121S 1534 1604 1667 1749 1854 1964 2105 2254 2421 DEB1-M121B 1359 1422 1487 1570 1673 1798 1927 2079 2242 Fixed Back; Adjustable Arms - Synchro/Seat Slider DEC1-M122C 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122S 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1808 1902 2011 2132 2279 2451 2618 DES1-M132C 1741 1815 1885 1981 2090 2211 2357 2350 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630		DES1-M111S	1376	1439	1504	1588	1691	1815	1944	2092	2257
Fixed Back; Fixed Arms - Synchro/Seat Slider DEC1-M112C 1518 1585 1647 1736 1837 1949 2088 2239 2407 DES1-M112S 1455 1518 1584 1667 1771 1893 2023 2172 2340 DEB1-M112B 1282 1345 1409 1493 1594 1717 1849 1999 2165 Fixed Back; Adjustable Arms - Synchro DEC1-M121C 1644 1708 1774 1860 1962 2072 2212 2361 2531 DES1-M121S 1534 1604 1667 1749 1854 1964 2105 2254 2421 DEB1-M121B 1359 1422 1487 1570 1673 1798 1927 2079 2242 Fixed Back; Adjustable Arms - Synchro/Seat Slider DEC1-M122C 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122S 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1808 1902 2011 2132 2279 2451 2618 DES1-M132C 1741 1815 1885 1981 2090 2211 2357 2350 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630		DEB1-M111B	1202	1266	1331	1415	1515	1640	1771	1920	2086
DEC1-M112C 1518 1585 1647 1736 1837 1949 2088 2239 2407 DES1-M112S 1455 1518 1584 1667 1771 1893 2023 2172 2340 DEB1-M112B 1282 1345 1409 1493 1594 1717 1849 1999 2165 Fixed Back; Adjustable Arms - Synchro DEC1-M121C 1644 1708 1774 1860 1962 2072 2212 2361 2531 DES1-M121S 1534 1604 1667 1749 1854 1964 2105 2254 2421 DEB1-M121B 1359 1422 1487 1570 1673 1798 1927 2079 2242 Fixed Back; Adjustable Arms - Synchro/Seat Slider DEC1-M122C 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122S 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630 Fixed Back; Armless - Synchro											
DES1-M112S 1455 1518 1584 1667 1771 1893 2023 2172 2340 DEB1-M112B 1282 1345 1409 1493 1594 1717 1849 1999 2165 Fixed Back; Adjustable Arms - Synchro DEC1-M121C 1644 1708 1774 1860 1962 2072 2212 2361 2531 DES1-M121S 1534 1604 1667 1749 1854 1964 2105 2254 2421 DEB1-M121B 1359 1422 1487 1570 1673 1798 1927 2079 2242 Fixed Back; Adjustable Arms - Synchro/Seat Slider DEC1-M12CC 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122S 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630	45	Fixed Back; Fixed Arms -	- Synchro/S	Seat Slide	r						
DES1-M112S 1455 1518 1584 1667 1771 1893 2023 2172 2340 DEB1-M112B 1282 1345 1409 1493 1594 1717 1849 1999 2165 Fixed Back; Adjustable Arms - Synchro DEC1-M121C 1644 1708 1774 1860 1962 2072 2212 2361 2531 DES1-M121S 1534 1604 1667 1749 1854 1964 2105 2254 2421 DEB1-M121B 1359 1422 1487 1570 1673 1798 1927 2079 2242 Fixed Back; Adjustable Arms - Synchro/Seat Slider DEC1-M122C 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122B 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630		DEC1-M112C	1518	1585	1647	1736	1837	1949	2088	2239	2407
Fixed Back; Adjustable Arms - Synchro DEC1-M121C		DES1-M112S	1455	1518	1584	1667		1893	2023		2340
DEC1-M121C 1644 1708 1774 1860 1962 2072 2212 2361 2531 DES1-M121S 1534 1604 1667 1749 1854 1964 2105 2254 2421 DEB1-M121B 1359 1422 1487 1570 1673 1798 1927 2079 2242 Fixed Back; Adjustable Arms - Synchro/Seat Slider DEC1-M122C 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122S 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630	β		1282	1345	1409	1493	1594	1717	1849	1999	2165
DEC1-M121C 1644 1708 1774 1860 1962 2072 2212 2361 2531 DES1-M121S 1534 1604 1667 1749 1854 1964 2105 2254 2421 DEB1-M121B 1359 1422 1487 1570 1673 1798 1927 2079 2242 Fixed Back; Adjustable Arms - Synchro/Seat Slider DEC1-M122C 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122S 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630											
DES1-M121S		Fixed Back; Adjustable A	rms - Synd	chro							
DES1-M121S		DEC1-M121C	1644	1708	1774	1860	1962	2072	2212	2361	2531
DEB1-M121B 1359 1422 1487 1570 1673 1798 1927 2079 2242 Fixed Back; Adjustable Arms - Synchro/Seat Slider DEC1-M122C 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122S 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630		DES1-M121S	1534	1604	1667	1749	1854	1964	2105	2254	2421
DEC1-M122C 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122S 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630		DEB1-M121B	1359		1487	1570	1673	1798	1927	2079	2242
DEC1-M122C 1724 1788 1854 1940 2040 2154 2293 2441 2610 DES1-M122S 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630	45										
DES1-M122S 1613 1683 1746 1832 1932 2042 2185 2333 2502 DEB1-M122B 1439 1503 1567 1651 1753 1879 2006 2158 2323 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630		Fixed Back; Adjustable A	rms - Synd	chro/Seat	Slider						
Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C	0 0	DEC1-M122C	1724	1788	1854	1940	2040	2154	2293	2441	2610
Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro DEC1-M131C		DES1-M122S	1613	1683	1746	1832	1932	2042	2185	2333	2502
DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630		DEB1-M122B	1439	1503	1567	1651	1753	1879	2006	2158	2323
DEC1-M131C 1662 1734 1808 1902 2011 2132 2279 2451 2618 DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630											
DES1-M131S 1597 1668 1743 1834 1944 2073 2212 2385 2551 Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630 Fixed Back; Armless - Synchro		Fixed Back; Fixed Arms (Leather/Fa	bric Pad)	- Synchro						
Fixed Back; Fixed Arms (Leather/Fabric Pad) - Synchro/Seat Slider DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630 Fixed Back; Armless - Synchro					-		2011	2132	2279	2451	2618
DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630 Fixed Back; Armless - Synchro		DES1-M131S	1597	1668	1743	1834	1944	2073	2212	2385	2551
DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630											
DEC1-M132C 1741 1815 1885 1981 2090 2211 2357 2530 2697 DES1-M132S 1676 1747 1819 1912 2023 2155 2370 2463 2630 Fixed Back; Armless - Synchro	45)	Fixed Back; Fixed Arms (Leather/Fa	bric Pad)	- Synchro	/Seat Slide	er				
Fixed Back; Armless - Synchro		DEC1-M132C		1815							
		DES1-M132S	1676	1747	1819	1912	2023	2155	2370	2463	2630
	& A -										
		Fixed Back; Armless - Sv	nchro								
() DECITION [343 [41] [470 [339 [003 [700 1914 7004 7734		DEC1-M101C	1345	1411	1478	1559	1663	1786	1914	2064	2234
DES1-M101S 1218 1283 1348 1431 1536 1657 1786 1938 2104											
DEB1-M101B 1146 1212 1279 1359 1464 1585 1714 1866 2032											
SEST MINISTER 12.0 1000 11.1 1000 12.02		DEDI MIOID	1110		1210	1000		1000		1000	
Fixed Back; Armless - Synchro/Seat Slider		Fixed Back; Armless - Sy	nchro/Sea	t Slider							
DEC1-M102C 1422 1491 1556 1639 1743 1863 1993 2144 2312		DEC1-M102C	1422	1491	1556	1639	1743	1863	1993	2144	2312
DES1-M102S 1297 1360 1429 1510 1615 1734 1863 2017 2182		DES1-M102S	1297	1360	1429	1510	1615	1734	1863	2017	2182
DEB1-M102B 1226 1290 1357 1439 1543 1664 1792 1945 2110		DEB1-M102B	1226	1290	1357	1439	1543	1664	1792	1945	2110

Each chair features the Synchro Tilt mechanism

ORDERING NOTES: The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of \$64 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

PRODUCT CODE KEY

THODOOT CODE	. IXL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC Dorso E-Line	1 Management, Task	M Mid Back	1 Fixed	0 Armless	1 Synchro	C Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO E-LINE | MID BACK

DESCRIPTION (MODE)		COM	•	COL		BRIC GRA		-	LEATHER		
DESCRIPTION/MODEL	•	1	2	3	4	5	6	7	8	9	
_	Adjustable Back; Fixed	Arms - Syn	nchro								
	DEC1-M211C	1468	1537	1603	1689	1790	1902	2040	2192	2359	
	DES1-M211S	1408	1468	1536	1619	1723	1845	1976	2126	2293	
	DEB1-M211B	1232	1297	1360	1446	1548	1670	1802	1951	2117	
	Adjustable Back; Fixed	Arms - Syn	ochro/Seat	Slider							
	DEC1-M212C	1551	1617	1680	1769	1869	1981	2119	2271	2437	
6 7 0	DES1-M212S	1485	1551	1615	1698	1802	1924	2055	2205	2370	
	DEB1-M212B	1312	1376	1440	1526	1626	1749	1881	2031	2195	
	DED I-IVIZ 12D	1312	1370	1440	1320	1020	1749	1001	2031	2193	
	Adjustable Back; Adjustable Arms - Synchro										
	DEC1-M221C	1676	1741	1806	1892	1993	2105	2242	2392	2563	
[[]	DES1-M221S	1565	1636	1698	1781	1884	1995	2135	2285	2453	
	DEB1-M221B	1391	1455	1521	1604	1706	1832	1959	2109	2274	
	Adjustable Back; Adjus	table Arms	- Svnchro	/Seat Slide	er						
	DEC1-M222C	1755	1818	1884	1970	2072	2185	2323	2472	2640	
	DES1-M222S	1644	1714	1777	1861	1964	2073	2215	2364	2532	
de la companya de la	DEB1-M222B	1468	1534	1598	1683	1786	1909	2037	2190	2355	
	Adjustable Back; Fixed	Arms (Leat	her/Fabric	Pad) - Sy	nchro						
	DEC1-M231C	1692	1767	1839	1934	2042	2164	2310	2483	2650	
	DES1-M231S	1631	1699	1773	1863	1976	2107	2242	2417	2581	
	Adjustable Back; Fixed	Arma (Loot	hor/Eobrio	Dad\ Sv	nobro/Coo	+ Clidor					
	DEC1-M232C	•									
	DES1-M232S	1772	1845	1918	2012	2122	2241	2388	2562	2728	
9	DL31-W2323	1708	1778	1853	1944	2055	2186	2323	2495	2661	
	Adjustable Back; Armle	ss - Synchr	O								
	DEC1-M201C	1376	1441	1508	1590	1693	1817	1946	2096	2265	
	DES1-M201S	1249	1314	1380	1463	1567	1688	1817	1968	2134	
	DEB1-M201B	1178	1244	1310	1391	1495	1617	1746	1897	2063	
	- · -	1170	1244	1010	1001	1430	1017	1740	1001	2000	
	Adjustable Back; Armle	ss - Synchr	o/Seat Sli	der							
	DEC1-M202C	1455	1522	1587	1669	1773	1896	2026	2174	2343	
& J) @	DES1-M202S	1330	1393	1460	1540	1645	1767	1896	2048	2214	
***	DEB1-M202B	1257	1320	1389	1468	1573	1695	1823	1977	2143	
		1231	1320	1309	1400	1373	1093	1023	1911	2143	

Each chair features the Synchro Tilt mechanism

ORDERING NOTES: The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**.

PRODUCT CODE KEY

I NODOCT CODE	- IXL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO E-LINE | HIGH BACK

DECODIDEION/MODEL		COM	0	COL		BRIC GRAI			LEATHER	0
DESCRIPTION/MODEL		11	2	3	4	5	6	7	8	9
_	Fixed Back; Fixed Arms -	•								
	DEC1-H111C	1485	1568	1657	1769	1898	2059	2244	2459	2691
	DES1-H111S	1422	1504	1590	1703	1834	1990	2180	2391	2628
	DEB1-H111B	1232	1314	1402	1513	1642	1802	1990	2202	2436
	Fixed Back; Fixed Arms -	Cumabua/C	Coot Clido							
	DEC1-H112C	1565	1646		1846	1070	0100	2324	0500	2770
				1734		1979	2138		2538	
8	DES1-H112S	1503	1584	1669	1781	1912	2069	2257	2471	2705
b b	DEB1-H112B	1312	1393	1481	1592	1723	1881	2069	2281	2516
	DEC1-H121C	1692	1774	1860	1974	2104	2263	2448	2654	2896
	DES1-H121S	1631	1713	1798	1908	2039	2195	2383	2591	2833
	DEB1-H121B	1439	1524	1609	1716	1852	2006	2193	2403	2641
	Fixed Back; Adjustable Ar	-		Slider						
	DEC1-H122C	1772	1854	1940	2054	2182	2341	2527	2734	2973
8 B B	DES1-H122S	1708	1791	1879	1987	2118	2274	2462	2670	2912
8 β g	DEB1-H122B	1518	1603	1688	1796	1928	2086	2272	2481	2721
	Fixed Back; Fixed Arms (I	eather/Fa	bric Pad)	- Synchro						
	DEC1-H131C	1708	1796	1893	2012	2154	2319	2515	2747	2983
	DES1-H131S	1644	1732	1827	1947	2086	2252	2449	2683	2917
		10-1-1	1702	1021	10-11	2000	2202	2-1-10	2000	2017
	Fixed Back; Fixed Arms (I	_eather/Fa	bric Pad)	- Synchro	/Seat Slide	er				
	DEC1-H132C	1788	1878	1971	2091	2232	2397	2593	2828	3059
	DES1-H132S	1724	1811	1908	2028	2165	2329	2529	2763	2995

Each chair features the Synchro Tilt mechanism

ORDERING NOTES: The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**.

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		
				Fixed Captilover		

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO E-LINE | HIGH BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER	I
DESCRIPTION/MODEL	_	1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed A	rms - Syn	chro							
	DEC1-H211C	1518	1601	1688	1801	1929	2090	2278	2489	2721
	DES1-H211S	1455	1536	1622	1734	1863	2023	2212	2422	2658
	DEB1-H211B	1266	1346	1433	1545	1673	1834	2023	2236	2466
	Adjustable Back; Fixed A	rms - Syn	chro/Seat	Slider						
	DEC1-H212C	1597	1678	1767	1880	2010	2169	2356	2569	2803
	DES1-H212S	1534	1615	1702	1815	1944	2103	2293	2503	2738
	DEB1-H212B	1345	1423	1512	1623	1753	1912	2103	2313	2548
-										
	Adjustable Back; Adjusta									
	DEC1-H221C	1724	1806	1892	2004	2134	2294	2480	2684	2928
	DES1-H221S	1662	1745	1832	1940	2070	2228	2415	2623	2864
	DEB1-H221B	1468	1556	1640	1748	1882	2037	2223	2433	2673
	Adjustable Back; Adjusta	ble Arms	- Synchro/	Seat Slide	r					
	DEC1-H222C	1803	1884	1970	2085	2214	2373	2559	2764	3008
	DES1-H222S	1741	1822	1909	2018	2148	2307	2493	2701	2944
8	DEB1-H222B	1551	1634	1717	1827	1960	2117	2303	2513	2754
	Adjustable Back; Fixed A	rms (l eatl	ner/Fahric	Pad) - Svr	nchro					
	DEC1-H231C	1741	1832	1924	2045	2185	2352	2545	2780	3013
	DES1-H231S									
	DEG1 112010	1676	1765	1860	1980	2117	2282	2481	2715	2948
	Adjustable Back; Fixed A	rms (Leatl	ner/Fabric	Pad) - Svr	nchro/Seat	Slider				
	DEC1-H232C	1818	1909	2003	2124	2264	2431	2625	2859	3092
To all the second	DES1-H232S	1755	1844	1940	2059	2195	2361	2560	2793	3028
		1700	1077	1040	2000	2100	2001	2000	2100	0020
<i></i>										

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES: The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**. Please see page 333 for more information.

PRODUCT CODE KEY


FRODUCT CODE	. NL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC Dorso E-Line	1 Management, Task	M Mid Back	1 Fixed	0 Armless	1 Synchro	C Chrome Base
(Polished Chrome)	& Conference Seating				,	
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

DORSO T-LINE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.91%

POST-CONSUMER RECYCLED CONTENT = 18.91%

Up to 63.75% of this Dorso T product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO T-LINE | MID BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODE	L	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	s - Synchro								
	DTC1-M111C	1323	1386	1446	1526	1618	1720	1849	1988	2140
	DTS1-M111S	1266	1323	1384	1461	1556	1668	1789	1926	2080
	DTB1-M111B	1107	1164	1224	1302	1394	1509	1626	1767	1918
	Fixed Back; Fixed Arms	s - Synchro/	Seat Slide	r						
	DTC1-M112C	1403	1464	1526	1604	1697	1801	1927	2065	2219
	DTS1-M112S	1345	1403	1463	1539	1634	1747	1867	2004	2160
	DTB1-M112B	1185	1244	1304	1378	1477	1588	1706	1845	1997
	Fixed Back; Adjustable	Arms - Svn	chro							
	DTC1-M121C	1513	1570	1633	1712	1806	1908	2034	2172	2328
	DTS1-M121S	1411	1478	1534	1610	1704	1808	1938	2073	2228
	DTB1-M121B	1251	1310	1371	1446	1539	1654	1773	1912	2063
	E: 15 1 A I: 11			01: 1						
	Fixed Back; Adjustable DTC1-M122C	•			1700	1004	1007	0110	0050	0.400
	DTS1-M122S	1592 1491	1651 1556	1712 1613	1790 1689	1884 1782	1987 1885	2113 2017	2252 2155	2408 2307
0 8	DTB1-M122B	1331	1389	1449	1526	1619	1732	1853	1990	2143
	DIBI-WIIZZB	1331	1369	1449	1526	1019	1732	1000	1990	2143
	Fixed Back; Armless - S	Synchro								
	DTC1-M101C	1237	1298	1357	1434	1529	1642	1761	1899	2055
	DTS1-M101S	1120	1179	1241	1316	1414	1524	1642	1781	1935
	DTB1-M101B	1056	1116	1173	1251	1347	1459	1578	1716	1869
~~										
	Fixed Back: Armless - 9	Synchro/Sea	at Slider							
	Fixed Back; Armless - S	Synchro/Sea 1315		1437	1513	1609	1723	1840	1980	2118
	· ·	•	at Slider 1377 1260	1437 1319	1513 1396	1609 1492	1723 1603	1840 1723	1980 1861	2118 2016

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**. Please see page 333 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
223	231	239	245	255	261	270	291	301

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

DORSO T-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed Arr	ms - Sync	hro							
	DTC1-M211C	1355	1415	1477	1556	1645	1749	1880	2017	2170
	DTS1-M211S	1295	1355	1414	1491	1585	1698	1817	1955	2108
	DTB1-M211B	1137	1193	1252	1331	1423	1537	1659	1795	1947
	Adjustable Back; Fixed Ari	ms - Sync	:hro/Seat S	Slider						
	DTC1-M212C	1433	1493	1555	1634	1727	1832	1957	2094	2250
	DTS1-M212S	1374	1433	1492	1568	1664	1777	1896	2033	2188
<u> </u>	DTB1-M212B	1215	1271	1332	1409	1504	1617	1736	1872	2028
	Adjustable Back; Adjustab	le Arms -	Synchro							
	DTC1-M221C	1540	1601	1663	1741	1835	1938	2063	2202	2357
	DTS1-M221S	1440	1504	1562	1640	1734	1836	1965	2104	2256
	DTB1-M221B	1282	1338	1398	1478	1569	1683	1803	1941	2092
	Adjustable Back; Adjustab	olo Arme -	Synchro/9	Spat Slide	r					
	DTC1-M222C	1620	1678	1743	1818	1913	2017	2143	2281	2436
	DTS1-M222S	1521	1584	1641	1717	1815	1914	2045	2182	2337
	DTB1-M222B	1359	1417	1479	1556	1647	1761	1882	2019	2172
		1000	1417	1470	1000	1047	1701	1002	2010	2172
	Adjustable Back; Armless	- Synchro	<u> </u>							
	DTC1-M201C	1268	1331	1389	1465	1560	1673	1792	1932	2086
	DTS1-M201S	1152	1212	1273	1348	1445	1556	1673	1815	1967
	DTB1-M201B	1087	1146	1206	1283	1378	1491	1609	1748	1899
	Adjustable Back; Armless - Synchro/Seat Slider									
0 8	DTC1-M202C	1347	1409	1466	1545	1640	1753	1871	2011	2177
8	DTS1-M202S	1230	1290	1354	1429	1524	1634	1753	1893	2046
	DTB1-M202B	1166	1226	1285	1360	1459	1568	1688	1827	1980

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**. Please see page 333 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
223	231	239	245	255	261	270	291	301

PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever Upholstered

^{*}The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

DORSO T-LINE | HIGH BACK

		COM		COL		BRIC GRAI			LEATHER	
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms -	Synchro								
	DTC1-H111C	1370	1445	1524	1626	1747	1894	2064	2264	2478
	DTS1-H111S	1310	1384	1464	1567	1686	1833	2006	2201	2417
	DTB1-H111B	1137	1209	1289	1391	1512	1659	1833	2028	2241
	Fixed Back; Fixed Arms -	•								
	DTC1-H112C	1447	1524	1603	1706	1825	1974	2144	2342	2555
	DTS1-H112S	1389	1463	1543	1645	1765	1911	2086	2280	2495
& A .	DTB1-H112B	1215	1289	1370	1468	1590	1736	1911	2107	2321
	Fixed Back; Adjustable A	rms - Svn	chro							
	DTC1-H121C	1557	1633	1712	1816	1935	2083	2252	2441	2664
	DTS1-H121S	1499	1573	1654	1755	1879	2020	2192	2385	2608
	DTB1-H121B	1323	1402	1481	1581	1702	1845	2018	2210	2432
	Fixed Back; Adjustable A	rms - Syn	chro/Seat	Slider						
	DTC1-H122C	1636	1712	1790	1894	2016	2161	2329	2520	2743
	DTS1-H122S	1579	1654	1732	1835	1956	2100	2271	2463	2685
	DTB1-H122B	1403	1481	1559	1661	1779	1924	2112	2286	2511
	Fixed Back; Armless - Sy	nchro								
	DTC1-H101C	1273	1348	1429	1533	1653	1801	1970	2168	2382
	DTS1-H101S	1152	1226	1307	1409	1528	1671	1849	2042	2256
	DTB1-H101B	1082	1155	1232	1336	1456	1603	1776	1971	2188
	Fixed Back; Armless - Sy									
	DTC1-H102C	1354	1429	1508	1611	1731	1880	2051	2247	2460
9	DTS1-H102S	1230	1306	1386	1487	1607	1752	1927	2122	2337
ü	DTB1-H102B	1161	1232	1312	1416	1536	1680	1855	2053	2266

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard**. Please see page 333 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
223	231	239	245	255	261	270	291	301

PRODUCT CODE KEY

PHODUCT CODE	- NL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC Dorso T-Line (Polished Chrome)	1 Management, Task & Conference Seating	M Mid Back	1 Fixed	0 Armless	1 Synchro	Chrome Base
DTS Dorso T-Line	a comorone coaming	H High Back	2 Adjustable	1 Fixed Cantilever	2 Synchro/	S Silver Metallic
(Silver Metallic)		Ü	•		Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever Upholstered		

DORSO T-LINE | HIGH BACK

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed Ar	ms - Syn	chro							
	DTC1-H211C	1396	1473	1555	1657	1776	1923	2094	2293	2504
	DTS1-H211S	1338	1414	1493	1594	1715	1861	2034	2230	2447
	DTB1-H211B	1246	1319	1401	1503	1622	1769	1942	2138	2354
	Adjustable Back; Fixed Ar	-								
	DTC1-H212C	1478	1554	1633	1734	1855	2002	2173	2370	2584
60 8 70	DTS1-H212S	1417	1492	1570	1673	1795	1941	2113	2308	2526
Q A	DTB1-H212B	1327	1401	1480	1583	1702	1846	2020	2217	2432
	Adjustable Back; Adjustal	ole Arms -	- Synchro							
	DTC1-H221C	1587	1663	1741	1845	1964	2109	2281	2470	2695
	DTS1-H221S	1528	1606	1683	1782	1907	2051	2220	2412	2636
	DTB1-H221B	1356	1433	1512	1611	1732	1879	2051	2240	2463
	Adjustable Back; Adjustal		•							
	DTC1-H222C	1666	1743	1818	1924	2042	2190	2360	2549	2773
	DTS1-H222S	1607	1685	1761	1862	1985	2130	2301	2492	2715
ΘΗ	DTB1-H222B	1434	1512	1590	1691	1811	1956	2130	2319	2542
	Adjustable Back; Armless	- Synchr	0							
	DTC1-H201C	1306	1380	1460	1563	1685	1833	2002	2198	2412
	DTS1-H201S	1183	1257	1338	1440	1559	1704	1881	2073	2287
]	DTB1-H201B	1111	1187	1266	1370	1487	1634	1808	2003	2218
										•
	Adjustable Back; Armless	- Synchr	o/Seat Slic	ler						
	DTC1-H202C	1384	1460	1538	1642	1764	1911	2083	2279	2492
	DTS1-H202S	1263	1336	1417	1521	1639	1782	1959	2155	2369
2 J 8	DTB1-H202B	1192	1266	1345	1447	1567	1713	1885	2084	2298

Each chair features the Synchro Tilt mechanism

*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$64 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **59 list per yard**. Please see page 333 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
223	231	239	245	255	261	270	291	301


PRODUCT CODE KEY

11100001 0000	- 1 1 - 1					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	M	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						
				3		

DORSO WEAVE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 11.32%

POST-CONSUMER RECYCLED CONTENT = 21.48%

Up to 74.04% of this Dorso Weave product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO WEAVE | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

S-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

N-LINE

Fixed cantilever and adjustable arms are available in black textured plastic only.



BASE STYLES

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



BACK HEIGHT

pull of the lever.

SEAT HEIGHT

BACK TENSION

preferences.

SEAT SLIDER

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

In the seated position, a pull upwards on the

height adjustment lever located under the seat of

the user's right side adjusts the height up or down

Back tension on the mechanism is controlled with

an adjustment knob under the seat. It has been

designed to provide a range of back tension

adjustment suitable for users of varying sizes and

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment

front to back when seated. The lever to

activate this feature is located under the seat of the user's right side and is activated by an upward

with a total height range of 4.5".



DORSO CONTROLS

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.

BACK COLOR OPTIONS

Black • Warm Grey • Tan • Soft Beige • Winter White

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed	24.5	22.5	42.5	18-22	27-30.5	20	18	51	15	0.75
	Adjustable	25	22.5	42.5	18-22	25.5-32	19.5	18	51	15	0.75
	Armless	19.5	22.5	42.5	18-22	N/A	N/A	18	46	15	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	47	18-22	27-30.5	20	18	52	18	0.75
	Adjustable	25	22.5	47	18-22	25.5-32	19.5	18	52	18	0.75
	Armless	19.5	22.5	47	18-22	N/A	N/A	18	47	18	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	50.5	18-22	27-30.5	20	18	54	18	0.75
with Headrest	Adjustable	25	22.5	50.5	18-22	25.5-32	19.5	18	54	18	0.75
N-LINE MID BACK	Fixed	24.5	21.5	41	18-22	27-30.5	20	18	50	15	0.75
	Adjustable	25	21.5	41	18-22	25.5-32	19.5	18	50	15	0.75
	Armless	19.5	21.5	41	18-22	N/A	N/A	18	45	15	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	45.5	18-22	27-30.5	20	18	51	18	0.75
	Adjustable	25	21.5	45.5	18-22	25.5-32	19.5	18	51	18	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	50.5	18-22	27-30.5	20	18	53	19.5	0.75
with Headrest	Adjustable	25	21.5	50.5	18-22	25.5-32	19.5	18	53	19.5	0.75

Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso seating. For information on COM approval process see page 333.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position.

All dimensions are in inches and approximate and are subject to change without notice.

Contact Customer Service if dimensions are critical.

DORSO WEAVE S-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black with	metal acc	ent)							
(55555) (55555)	DOS1-M2211M	1673	1691	1706	1731	1755	1779	1811	1845	1880
5 7	Silver Metallic									
	DOS1-M2231M	1897	1922	1945	1977	2009	2042	2083	2136	2180
	Silver Metallic									
	DOC1-M2211M	1752	1771	1786	1809	1835	1857	1892	1923	1956
	Polished Chrome	1974	0001	0004	2055	0000	0110	0160	0014	0056
	DOC1-M2231M Polished Chrome	1974	2001	2024	2055	2088	2118	2163	2214	2256
	Folished Chilothe									
	ADJUSTABLE ARMS (Bla	ack with m	etal accen	it)						
\(\)	DOS1-M2221M	1609	1623	1640	1666	1689	1714	1746	1778	1810
- P	Silver Metallic									
	DOC1-M2221M	1691	1706	1724	1747	1773	1796	1832	1861	1894
	Polished Chrome									
6 8										
	ARMLESS									
	DOS1-M2201M	1501	1515	1533	1558	1583	1607	1639	1670	1703
(00000) (00000)	Silver Metallic									
)	DOC1-M2201M	1570	1588	1606	1631	1653	1677	1712	1744	1776
	Polished Chrome									

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$80 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. Please see page 333 for more information.



PRODUCT CODE KEY

DOS 1 M 2 2 0 1 M Dorso S-Line Management, Task Mid Back Adjustment No Headrest Armless Synchro Metal E (Silver Metallic) & Conference Seating H 3 1 2 J	FRODUCT COL	LICLI						
Dorso S-Line Management, Task (Silver Metallic) & Conference Seating DOC High Back (Polished Chrome) Mid Back Adjustment No Headrest Armless Synchro Metal E Weave 3 1 2 J High Back (High back only) Weave 2	Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
(Silver Metallic) & Conference Seating DOC H Back (Polished Chrome) Weave 3 1 2 J Headrest (No trim) (High back only) (High back only) Weave 2 Weave 2	DOS	1	М	2	2	0	1	М
DOC H 3 1 2 J Dorso S-Line High Back Headrest (No trim) Fixed Cantilever (Polished Chrome) (High back only) Weave 2 J	Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
Dorso S-Line High Back Headrest (No trim) Fixed Cantilever Synchro/ Jury E (Polished Chrome) (High back only) Seat Slider Weave 2	(Silver Metallic)	& Conference Seating			Weave			
(Polished Chrome) (High back only) Seat Slider Weave 2	DOC	_	Н		3	1	2	J
)	High Back		` ,	Fixed Cantilever	,	Jury Base
Adjustable (Black)					Weave	2		
						Adjustable (Black)		

3 Fixed Cantilever Upholstered

DORSO WEAVE S-LINE | HIGH BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black w	rith metal acc	ent)							
(6555) (6555)	DOS1-H2211M	1809	1825	1841	1866	1892	1914	1947	1980	2012
	Silver Metallic									
## ## ## ## ## ## ## ## ## ## ## ## ##	DOS1-H2231M	2031	2056	2081	2112	2145	2176	2218	2271	2313
	DOC1-H2211M	1887	1907	1922	1946	1970	1995	2028	2061	2092
6	Polished Chrome									
	DOC1-H2231M	2110	2136	2161	2192	2222	2256	2297	2353	2394
	ADJUSTABLE ARMS (Black with m	etal accer	nt)						
(0000) (0000)	DOS1-H2221M	1746	1761	1778	1803	1827	1853	1884	1915	1949
	Silver Metallic									
	DOC1-H2221M	1827	1844	1860	1884	1909	1934	1965	1999	2031
	Polished Chrome									
DORSO WEA	VE S-LINE H	IIGH BA	ACK W	/ITH F	IEADF	REST				
	•									
	FIXED ARMS (Black w		,	0007	0054	0070	0000	0.1.0.1	0404	040:
(2000) (2000)	DOS1-H2311M Silver Metallic	1991	2007	2024	2051	2072	2098	2131	2164	2194



FIXED ARMS (Black w	ith metal acc	ent)							
DOS1-H2311M	1991	2007	2024	2051	2072	2098	2131	2164	2194
Silver Metallic									
DOS1-H2331M	2214	2238	2263	2296	2326	2360	2401	2453	2495
Silver Metallic									
DOC1-H2311M	2072	2088	2107	2131	2157	2177	2212	2242	2278
Polished Chrome									
DOC1-H2331M	2295	2319	2345	2376	2410	2440	2481	2533	2579
Polished Chrome									
ADJUSTABLE ARMS ((Black with m	etal accer	nt)						
DOS1-H2321M	1928	1945	1960	1987	2010	2033	2065	2100	2132
Silver Metallic									
DOC1-H2321M	2010	2026	2042	2065	2091	2114	2147	2180	2214
Polished Chrome									

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of **\$80 list**.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$80 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. Please see page 333 for more information.



PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DOS	1	М	2	2	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		Weave 3	1	2	J
Dorso S-Line (Polished Chrome	a)	High Back		Headrest (No trim) (High back only) Weave	Fixed Cantilever	Synchro/ Seat Slider	Jury Base

Adjustable (Black)

3

Fixed Cantilever Upholstered

DORSO WEAVE N-LINE | MID BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER	1
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1211B No back adjustment DON1-M2211B With back adjustment	1468 1557	1485 1570	1504 1588	1528 1613	1555 1638	1578 1663	1610 1693	1641 1728	1673 1758
	ADJUSTABLE ARMS (Bla DON1-M1221B No back adjustment DON1-M2221B With back adjustment	1408 1491	1422 1508	1440 1524	1464 1548	1487 1570	1513 1594	1545 1631	1579 1663	1611 1693
	ARMLESS DON1-M1201B No back adjustment DON1-M2201B With back adjustment	1297 1371	1312 1387	1330 1403	1355 1425	1377 1452	1403 1478	1434 1509	1466 1539	1501 1572

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$199**. Seat slider option is available on all tilter chair models at an upcharge of **\$80 list**.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	М	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
	· ·	Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
				Weave	2		
					Adjustable (Black)		

DORSO WEAVE N-LINE | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE	BRIC GRAD	DES 6	7	LEATHER 8	9
DESCRIPTION/MODEL	FIXED ARMS (Black) DON1-H1211B No back adjustment DON1-H2211B With back adjustment	1644 1728	1663 1744	1677 1758	1702 1782	1728 1808	1749	1782 1863	1816 1897	1849 1929
	ADJUSTABLE ARMS (BI DON1-H1221B No back adjustment DON1-H2221B With back adjustment	ack) 1583 1663	1597 1677	1615 1693	1639 1717	1664 1744	1688 1769	1720 1801	1752 1834	1786 1863
DORSO WEA	VE N-LINE HI	GH BA	ACK w	ith He	eadres	st				
2	FIXED ARMS (Black) DON1-H1311B No back adjustment DON1-H2311B With back adjustment	1827 1911	1844 1926	1860 1944	1884 1967	1909 1991	1934 2017	1965 2051	1999 2083	2031 2113
	ADJUSTABLE ARMS (BI DON1-H1321B	ack) 1764	1779	1796	1821	1845	1869	1902	1935	1967
	No back adjustment DON1-H2321B With back adjustment	1845	1861	1880	1902	1926	1951	1985	2017	2051

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$199**. Seat slider option is available on all tilter chair models at an upcharge of **\$80 list**.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



PRODUCT CODE KEY


PRODUCT CO	DE KEY						
Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
		Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only) Weave	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					A divistable (Dleek)		
					Adjustable (Black)		

Fixed Cantilever Upholstered

DORSO S-LINE & N-LINE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 21.68%

POST-CONSUMER
RECYCLED CONTENT = 20.03%

Up to 77.88% of Dorso S product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

DORSO S-LINE & N-LINE | FEATURES



ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.



S-I INF

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

N-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



BASE STYLES

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



DORSO GUEST SEATING

S-LINE

Dorso seating is available in three base styles: Cantilever

4-Leq

4-Leg with twin wheel casters

Each is offered in a Silver Metallic or Polished Chrome steel frame. Cantilever and 4-Leg versions of Guest Seating feature rubber glides.

N-LINE

Dorso seating is available in three base styles: Cantilever

4-Lea

4-Leg with twin wheel casters

Each is offered in a Silver Metallic steel frame.



BACK HEIGHT

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

BACK TENSION

Back tension on the synchro tilt mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

DORSO CONTROLS

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. One of the best engineered and most user-friendly chair controls, the synchro tilt mechanism is unique in providing a single, easy-accessed lever to adjust tilt lock positions and seat height. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines. The synchro tilt mechanism also features an anti-kickback lock release, providing a smooth transition from locked to unlocked tilt adjustment.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

SEAT SLIDER

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DORSO S-LINE & N-LINE | DIMENSIONS & COM REQUIREMENTS

Presenting one of the world's most advanced seating concepts: new technology that offers outstanding ergonomics in a strikingly modern chair design, while providing a level of long-term sitting comfort and support that has been the hallmark of European seating. DORSO: Designed by Gabriel Teixidó

		Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floo	Width or between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	42.5 42.5 42.5	18-22 18-22 18-22	27-30.5 25.5-32 N/A	20 19.5 N/A	18 18 18	51 51 46	15 15 15	1.7 1.7 1.7
S-LINE HIGH BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	47 47 47	18-22 18-22 18-22	27-30.5 25.5-32 N/A	20 19.5 N/A	18 18 18	52 52 47	18 18 18	1.9 1.9 1.9
S-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	22.5 22.5	50.5 50.5	18-22 18-22	27-30.5 25.5-32	20 19.5	18 18	54 54	18 18	1.9 1.9
N-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	21.5 21.5 21.5	41 41 41	18-22 18-22 18-22	27-30.5 25.5-32 N/A	20 19.5 N/A	18 18 18	50 50 45	15 15 15	1.7 1.7 1.7
N-LINE HIGH BACK	Fixed Adjustable	24.5 25	21.5 21.5	45.5 45.5	18-22 18-22	27-30.5 25.5-32	20 19.5	18 18	51 51	18 18	1.9 1.9
N-LINE HIGH BACK with Headrest	K Fixed Adjustable	24.5 25	21.5 21.5	50.5 50.5	18-22 18-22	27-30.5 25.5-32	20 19.5	18 18	53 53	19.5 19.5	1.9 1.9
GUEST		Overall Width	Overall Depth	Seat Height	Heig Arms fro	ht of W m Floor betwe	/idth Seat en Arms Depth	Height Range	Shipping Weight	Cube	COM Yardage
GUEST S-LINE/4LEG	Armless Fixed				_	m Floor betwe		•	11 0	Cube 14 14	
		Width 20.75	Depth 25.50	Height 18.5	Arms fro	.5 1 .5 1 .5 1	en Arms Depth 9.5 19.5	Range 36	Weight 32	14	Yardage 1.3
S-LINE/4LEG	Fixed Armless	20.75 24.5 20.75	Depth 25.50 25.50 24.75	Height 18.5 18.5 18.5	Arms fro 27 27 27	m Floor between .5 .5 .5 .1 .5 .5 .1 .5 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1	9.5 19.5 9.5 19.5 9.5 19.5	36 36 36	32 37 33	14 14 14	1.3 1.3 1.3
S-LINE/4LEG S-LINE/4LEG with Casters S-LINE/	Fixed Armless Fixed Armless	Width 20.75 24.5 20.75 24.5 20.75	Depth 25.50 25.50 24.75 24.75	18.5 18.5 18.5 18.5 18.5	27 27 27 27 27 27	.5 1 .5 1 .5 1 .5 .5 .1 .5 .5 .1 .5 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1 .5 .1	9.5 19.5 9.5 19.5 9.5 19.5 9.5 19.5 9.5 19.5	36 36 36 36 36	32 37 33 38 39	14 14 14 14 14	Yardage 1.3 1.3 1.3 1.3 1.3
S-LINE/4LEG S-LINE/4LEG with Casters S-LINE/ Cantilever Base	Armless Fixed Armless Fixed Armless	Width 20.75 24.5 20.75 24.5 20.75 24.5 20.75 24.5	Depth 25.50 25.50 24.75 24.75 24.75 24.75 25.50	Height 18.5 18.5 18.5 18.5 18.5 18.5 18.5	27 27 27 27 27 27 27 27 27 27	m Floor betwee .5	9.5 19.5 9.5 19.5 9.5 19.5 9.5 19.5 9.5 19.5 9.5 19.5 9.5 19.5	36 36 36 36 36 36 36 36 36	Weight 32 37 33 38 39 44 31	14 14 14 14 14 14	Yardage 1.3 1.3 1.3 1.3 1.3 1.3 1.3

ORDERING NOTE

Add 0.5 yards for seating with leather wrapped arm option.

Note: Some vinyls are not suitable for application on Dorso seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for an approval process at time of order.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

ORDERING NOTES

All Dorso swivel and tilter models are available with an optional seat slider mechanism at an upcharge of **\$80 list**. Height measurements of Dorso are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

DORSO S-LINE | MID BACK

	COM		COL	FAE	RIC GRAI	DES		LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wit	h metal acc	ent)							
[\ _	DOS1-M2011M	1761	1827	1894	1980	2086	2212	2346	2502	2671
	Silver Metallic									
	DOS1-M2031M	1984	2058	2133	2223	2340	2473	2615	2791	2971
	Silver Metallic									
	DOC1-M2011M	1845	1913	1980	2069	2173	2287	2433	2587	2761
	Polished Chrome	0000	04.44	0010	0045	0.400	0554	0700	0070	0050
	DOC1-M2031M Polished Chrome	2066	2144	2218	2315	2429	2551	2703	2879	3059
	Polished Chrome									
	ADJUSTABLE ARMS (B	lack with m	etal accer	nt)						
/	DOS1-M2021M	1691	1761	1827	1913	2019	2134	2279	2433	2607
	Silver Metallic									
	DOC1-M2021M	1779	1845	1913	2001	2107	2220	2364	2518	2694
	Polished Chrome									
	ARMLESS									
	DOS1-M2001M	1579	1644	1714	1798	1907	2031	2164	2319	2489
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Silver Metallic	1379	1044	17 14	1790	1907	2031	2104	2319	2409
	DOC1-M2001M	1654	1723	1789	1872	1980	2107	2240	2394	2567
	Polished Chrome	100-1	1720	1700	1012	1000	2107	2240	2004	2001

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



PRODUCT CODE KEY

FRODUCT COL	JE KE I						
Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	M
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		1	1	2	J
Dorso S-Line (Polished Chrome	e)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black)		

Fixed Cantilever Upholstered

DORSO S-LINE | HIGH BACK

DESCRIPTION/MODEL		COM 1	0	COL 3	FAI 4	BRIC GRA		7	LEATHER	
DESCRIPTION/MODEL			2	3	4	5	6	- 1	8	9
	FIXED ARMS (Black with		,	0070	0404	0007	0.400	0004	0000	0444
	DOS1-H2011M Silver Metallic	1907	1989	2079	2194	2327	2489	2684	2903	3144
	DOS1-H2031M	2130	2219	2316	2440	2581	2751	2955	3192	3445
	Silver Metallic	2130	2219	2310	2440	2301	2/31	2955	3192	3443
	DOC1-H2011M	1991	2077	2165	2281	2415	2577	2772	2989	3234
	Polished Chrome	1001	2011	2100	2201	2410	2011	2112	2505	0204
8 8	DOC1-H2031M	2214	2306	2404	2527	2669	2838	3042	3280	3534
	Polished Chrome		2000					00.2	0200	
	ADJUSTABLE ARMS (Bla	ck with m	netal accer	nt)						
	DOS1-H2021M	1837	1924	2011	2124	2263	2420	2614	2828	3078
	Silver Metallic									
	DOC1-H2021M	1924	2011	2096	2212	2346	2511	2701	2913	3163
	Polished Chrome									
9										
		DO	RSO S	S-LINI	E HIG	H BA	CK W	/ITH H	IEADF	EST
					_					
	FIXED ARMS (Black with		,							
	DOS1-H2111M	2096	2202	2299	2433	2587	2770	2982	3210	3470
	Silver Metallic									
	DOS1-H2131M	2319	2433	2538	2680	2842	3032	3249	3501	3770
	Silver Metallic	0100	0007	0000	0510	0071	0054	0000	0000	0500
	DOC1-H2111M Polished Chrome	2182	2287	2386	2518	2671	2854	3068	3299	3560
	DOC1-H2131M	2404	2518	2625	2764	2926	3117	3339	3591	3859
	Polished Chrome	2404	2310	2023	2704	2920	3117	3338	3391	3039
	i dilatica dilitatic									
	ADJUSTABLE ARMS (Bla	ick with m	netal accor	n+)						
	DOS1-H2121M	2031	2124	2229	2364	2518	2701	2903	3144	3404
	Silver Metallic	2001	∠ 1∠¬	2220	2007	2010	2101	2000	0144	0-10-1
	DOC1-H2121M	2114	2212	2319	2452	2607	2789	2991	3231	3490
// 1/2										

ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

Polished Chrome

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		1	1	2	J
Dorso S-Line (Polished Chrome	e)	High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black)		

3

Fixed Cantilever Upholstered

DORSO N-LINE | MID BACK

		COM		COL	FAE	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL	•	1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1011B No back adjustment	1548	1617	1692	1779	1872	2001	2134	2299	2471
	DON1-M2011B With back adjustment	1638	1702	1779	1866	1964	2086	2220	2386	2557
8 8	ADJUSTABLE ARMS (BI	ack)								
	DON1-M1021B No back adjustment	1482	1548	1617	1702	1808	1932	2069	2220	2394
	DON1-M2021B With back adjustment	1568	1638	1702	1789	1894	2019	2157	2307	2481
	ARMLESS DON1-M1001B	1363	1433	1509	1594	1692	1818	1954	2114	2287
	No back adjustment DON1-M2001B With back adjustment	1441	1521	1588	1673	1779	1894	2037	2194	2364
6700										

Each chair features the Synchro Tilt mechanism

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$199.

Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black
	& Conference Seating						Nylon Base
	_	Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black	()	

DORSO N-LINE | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	BRIC GRAI 5	DES 6	7	LEATHER 8	9
	FIXED ARMS (Black) DON1-H1011B No back adjustment	1730	1818	1907	2019	2157	2319	2511	2732	2971
	DON1-H2011B With back adjustment	1818	1907	1989	2107	2240	2406	2595	2819	3058
	ADJUSTABLE ARMS (BI	,						2442	2251	
	DON1-H1021B No back adjustment	1664	1748	1837	1954	2086	2252	2443	2654	2903
	DON1-H2021B With back adjustment	1748	1837	1924	2037	2173	2337	2530	2741	2991

DORSO N-LINE | HIGH BACK WITH HEADREST



FIXED ARMS (Black)									
DON1-H1111B	1924	2031	2124	2263	2415	2595	2807	3038	3299
No back adjustment									
DON1-H2111B	2011	2114	2212	2346	2502	2684	2894	3127	3383
With back adjustment									



ADJUSTABLE ARMS (B	lack)								
DON1-H1121B	1857	1954	2058	2194	2346	2530	2732	2971	3231
No back adjustment									
DON1-H2121B	1944	2037	2145	2279	2433	2614	2819	3058	3316
With back adjustment									

ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$199.

Seat slider option is available on all tilter chair models at an upcharge of \$80 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.



PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task & Conference Seating	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Nylon Base
	· ·	Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		


Adjustable (Black)

ME | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Me products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Me products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Me and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

Me brings new meaning to custom seating. Your comfort. Your style. Your chair.

With Me, options, styling and versatility are virtually endless, and comfort is superior. With Me, Krug has created a chair that not only provides unprecedented comfort and natural posture support, but also exceptional styling. Me is an adaptable seating solution for any management, task and conference environment.



ARM STYLES

Four arm styles are available on Me. In addition to the armless version, is the urethane over molded steel supported fixed cantilever arm, or the adjustable pad arms: urethane pad arms, or upholstered pad arms. Both adjustable arm versions feature: pivoting arms that adjust 30 degrees inward or outward, 1 1/2" left and right width adjustment control, and a 6 stop position arm height range with a total of 2.6" of height adjustment. When specifying leather on the upholstered arm pad version, the user has the option of a perforated arm pad (available when specifying Krug's stock leather only). When specifying polished aluminum bases on Me, the arm upright will also be finished in polished aluminum (on adjustable arm versions only).



BASE STYLES

Me seating is available in two base options. Choose from an injection molded, glass reinforced black nylon base or polished cast aluminum base, both with 2 1/4" dual wheel casters.



ME CONTROLS

Me features a standard synchro tilt mechanism that allows the back and the seat to articulate synchronously in a 2:1 ratio. This feature insures that the upward tilt of the seat is minimized as the back reclines. The mechanism that also features a standard tilt lock mechanism that allows the user an infinite number of recline lock positions. Simply push the tilt lock lever downward to lock and upward to free-float the back.

SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of:

Standard gas lift: 4.25" without seat slider and 4.0" with seat slider.

Low gas lift: 3.5" without seat slider and 3.5" with seat slider.

BACK TENSION

The back tension adjustment knob is located on the front underside of the seat. A simple turn of the knob provides a range of back tension adjustment suitable for users of varying sizes and preferences.

UPHOLSTERY OPTIONS

With Me comes the ability to choose contrasting fabrics/leathers for the seat, upper and lower back sections, as well as the upholstered arm pads. This option allows for an endless possibility of custom designed seating options (see upcharges on the following pages). When specifying leather from Krug's in-stock leather program, the option to perforate the leather on the lower back and upholstered pad arms is available (see pricing on the following pages).

SEAT SLIDER

All Me adjustable arm versions are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.

BACK HEIGHT

Me is available in three back heights: low, mid and high. Back height adjustment is a standard feature on all Me models. This feature offers an adjustment range of 11 positions over a 2 1/2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand of the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered to the first and lowest stop position.



OPTIONAL GAS LIFT HEIGHT RANGES

Me is available with two gas lift ranges. Unless clearly specified on order, Me seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows:

Non Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16" when lowered and no less than 20" when extended. Low gas lifts give a seat height of no greater than 15 1/8" when lowered and no less than 18 5/16" when extended.

Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16 1/4" when lowered and no less than 20 5/16" when extended. Low gas lifts give a seat height of no greater than 15 3/8" when lowered and no less than 18 15/16" when extended. If dimensions are critical, please contact Customer Service.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

ME | DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
LOW BACK	Armless	20	21.75	36.5	N/A	N/A	19	39	16	1.7
	Fixed	23	21.75	36.5	27.13	19	19	46	16	1.7
	Adjustable Urethane	24.75	21.75	36.5	24	17.25	19	46	16	1.7
	Adjustable Upholstered	25.5	21.75	36.5	24.25	16.75	19	46	16	1.7
MID BACK	Armless	20	21.75	39	N/A	N/A	19	43	18	1.8
	Fixed	23	21.75	39	27.13	19	19	48	18	1.8
	Adjustable Urethane	24.75	21.75	39	24	17.25	19	48	18	1.8
	Adjustable Upholstered	25.5	21.75	39	24.25	16.75	19	48	18	1.8
HIGH BACK	Armless	20	21.75	41.6	N/A	N/A	19	45	20	1.9
	Fixed	23	21.75	41.6	27.13	19	19	50	20	1.9
	Adjustable Urethane	24.75	21.75	41.6	24	17.25	19	50	20	1.9
	Adjustable Upholstered	25.5	21.75	41.6	24.25	16.75	19	50	20	1.9

Height measurements of Me are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

Note: Some vinyls are not suitable for upholstery on Me seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order. For Maharam or Momentum fabric, Krug will obtain the fabric sample.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

COM REQUIREMENTS PER CHAIR SECTION

Upper Back*	Lower Back*	Seat	Arm Pads		
0.7	0.5	0.75	0.4		

Measurements above are provided in yards.



Me | LOW BACK



Me | MID BACK



^{*}Upper and Lower Backs consist of both the inside and outside back.

		COM	COL	F	ABRIC GRA	DES			LEATHER	}
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 L2 11B Standard back upholstery MTH1 L2 21B Perforated back upholster			1363	1548	1638	1714	1857	2164 2337	2420
	MTH1 L2 11A Standard back upholstery MTH1 L2 21A Perforated back upholster			1499 e	1683	1771	1837	1980	2299 2471	2557
	ADJUSTABLE URETHANE MTH1 L2 12B Standard back upholstery MTH1 L2 22B Perforated back upholster	1213 , black ba	1268 ase	1330	1480	1579	1644	1789	2079 2252	2345
о ф	MTH1 L2 12A Standard back upholstery MTH1 L2 22A Perforated back upholster			1452 e	1617	1714	1779	1912	2212 2386	2481
	UPHOLSTERED ADJUSTA MTH1 L2 13B Standard back upholstery MTH1 L2 23B Perforated back upholster	1268 , black ba	1330 ase	1393	1557	1654	1730	1866	2182 2356	2471
	MTH1 L2 13A Standard back upholstery MTH1 L2 23A Perforated back upholster			1521 e	1692	1789	1866	1999	2307 2481	2595
	ARMLESS MTH1 L2 10B Standard back upholstery MTH1 L2 20B Perforated back upholster			1260	1441	1521	1594	1741	2058 2230	2307
and a second	MTH1 L2 10A Standard back upholstery MTH1 L2 20A Perforated back upholster			1386 e	1567	1654	1723	1866	2182 2356	2443

ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$80 list**. For Jury Base version of this chair, please add a **'J'** for the base style at the end of the model number and **add \$77** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**

DUCT CO	DE KEY Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating		•	Upholstery		
		M		2	1	А
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metall
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
				A	Adjustable Upholstered	
					Pad Arms	

ME | MID BACK

		COM	COL	FA	BRIC GRAI	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 M2 11B Standard back upholstery, MTH1 M2 21B Perforated back upholster			1473	1664	1761	1837	1989	2327 2502	2607
	MTH1 M2 11A Standard back upholstery, MTH1 M2 21A Perforated back upholster			1607 e	1789	1885	1964	2124	2462 2636	2732
	ADJUSTABLE URETHANE MTH1 M2 12B Standard back upholstery, MTH1 M2 22B Perforated back upholster	1298 black ba	1363 ase	1423	1594	1692	1771	1912	2230 2406	2518
	MTH1 M2 12A Standard back upholstery, MTH1 M2 22A Perforated back upholster			1548 e	1730	1825	1907	2037	2364 2665	2654
	UPHOLSTERED ADJUSTA MTH1 M2 13B Standard back upholstery, MTH1 M2 23B Perforated back upholster	1363 black ba	1433 ase	1492	1673	1789	1857	2011	2345 2518	2654
	MTH1 M2 13A Standard back upholstery, MTH1 M2 23A Perforated back upholster			1617 e	1798	1912	1980	2134	2481 2654	2776
	ARMLESS MTH1 M2 10B Standard back upholstery, MTH1 M2 20B Perforated back upholster			1347	1538	1638	1714	1866	2212 2386	2481
& J a	MTH1 M2 10A Standard back upholstery, MTH1 M2 20A Perforated back upholster			1480 e	1594	1771	1845	1999	2337 2511	2614

ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the KrugExpress program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$80 list. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lowerfunction mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

DUCT CO Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating		•	Upholstery		
		M		2	1	Α
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metallic
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	b
					Pad Arms	

ME | HIGH BACK

	COM	COL	FAE	BRIC GRAI	DES			LEATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
MTH1 H2 21B	upholstery, black ba		1617	1837	1944	2031	2212	2587 2761	2894
MTH1 H2 21A	1594 c upholstery, silver me ck upholstery, silver m			1954	2069	2157	2337	2721 3039	3021
MTH1 H2 12B Standard back MTH1 H2 22B Perforated back MTH1 H2 12A Standard back MTH1 H2 22A	URETHANE PAD ARI 1416 c upholstery, black back upholstery, black b 1538 c upholstery, silver me	1492 se pase 1617 etallic base		1761 1885	1866	1954	2124 2252	2489 2671 2628 2795	2795 2921
MTH1 H2 13B Standard back MTH1 H2 23B Perforated back MTH1 H2 13A Standard back MTH1 H2 23A	ED ADJUSTABLE PAD 1480 a upholstery, black back upholstery, black back upholstery, black back upholstery, silver me	1567 se pase 1692 etallic base		1845	1964	2037	2230	2614 2789 2748 2921	2934


ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of **\$80 list**. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$77** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**

DDUCT CO Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task & Conference Seating	Low Back	Adjustable	Standard Back Upholstery	Armless	Black Base
		M		2	1	Α
		Mid Back		Perforated Back Upholstery	Fixed Cantilever	Silver Metalli Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	t
					Pad Arms	-

PAN AM | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 6.29%

POST-CONSUMER
RECYCLE CONTENT = 18.32%

Up to 24.19% of Pan Am product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

AIR EMISSIONS


BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Pan Am products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



www.fsc.org

All Pan Am products are supplied air-emissions certified. Contact customer service for information.

FSC®





Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

PAN AM | FEATURES



ARM STYLES

Pan Am features three styles of fixed arms, including open urethane, closed upholstered and open upholstered versions.



BACK STYLES

Available with two different back options, Mid and High, Pan Am is perfect for desk and conference applications.



BASE STYLES

Featuring a five blade caster base with 2 1/4" hooded dual wheel casters, Pan Am bases are available in both glass reinforced molded nylon base and polished cast aluminum base. (upcharge applies.)



SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of: Standard gas lift: 3.5"

Low gas lift: 3.5



TILT TENSION

A tilt tension knob is located under the seat for all versions of Pan Am. For Knee Tilt versions a push of the height adjustment lever toward the gas lift cylinder activates the tilt lock feature.

PAN AM CONTROLS

Pam Am is available with either a Swivel Tilt of Knee Tilt mechanism. All Pan Am seating features an adjustable tilt tension knob, and height adjustment lever. On the Knee Tilt version of Pan Am, the height adjustment lever also operates a forward tilt lock.

OPTIONAL GAS LIFT HEIGHT RANGES

PAN AM is available with two gas lift ranges. Unless clearly specified on order, PAN AM seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows: Pan Am standard gas lift give a seat height no greater than 16.4" when lowered and no less that 20.2" when extended. Low gas lift give a seat height no greater that 15.04" when lowered and no less than 18" when extended.

OPTIONAL JURY BASE

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
MID BACK	Open Urethane	24.5	24.5	34.5	25	18.5	19	31	15.03	1.8
	Closed Upholstered	27.25	24.5	34.5	26.75	19	19	33	15.03	2.7
	Open Upholstered	24.5	24.5	34.5	25	18.5	19	31	15.03	2.2
HIGH BACK	Open Urethane	24.5	24.5	40	25	18.5	19	35	17.06	1.9
	Closed Upholstered	27.25	24.5	40	26.75	19	19	37	17.06	2.8
	Open Upholstered	24.5	24.5	40	25	18.5	19	35	17.06	2.3
HIGH BACK	Open Urethane	24.5	24.5	46	25	18.5	19	37	18.75	2.5
with Headrest	Closed Upholstered	27.25	24.5	46	26.75	19	19	39	18.75	3.4
	Open Upholstered	24.5	24.5	46	25	18.5	19	37	18.75	2.9

Note: Some vinyls are not suitable for upholstery on Pan Am seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for a pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

Please contact Customer Service for more information on options for the Pan Am series. Height measurements of Pan Am are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

PAN AM | MID BACK

		COM		COL	FABI	RIC GRAD	ES	ı	_EATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-M11B Black base, swivel tilt PAN1-M12B Black base, knee tilt	1092 1230	1185 1333	1295 1433	1390 1536	1499 1645	1601 1738	1702 1852	1803 1944	1979 2117
	PAN1-M11A Polished aluminum base, s PAN1-M12A Polished aluminum base, k	1370	1333 1468	1433 1572	1528 1673	1639 1786	1738 1879	1840 1988	1944 2083	2117 2256
	r cherred didriminant bace, i	and the								
	CLOSED UPHOLSTERED PAN1-M21B Black base, swivel tilt	ARMS 1601	1747	1907	2054	2201	2347	2505	2656	2829
	PAN1-M22B Black base, knee tilt	1747	1896	2054	2201	2347	2497	2642	2803	2978
6	PAN1-M21A Polished aluminum base, s	1738 swivel tilt	1886	2045	2192	2340	2487	2642	2791	2968
	PAN1-M22A Polished aluminum base, k	1886 knee tilt	2035	2192	2340	2487	2636	2781	2942	3115
	OPEN UPHOLSTERED AR	RMS								
	PAN1-M31B Black base, swivel tilt	1713	1857	2007	2164	2313	2460	2608	2757	2933
	PAN1-M32B Black base, knee tilt	1852	2007	2157	2301	2451	2608	2757	2903	3080
	PAN1-M31A Polished aluminum base, s		1997	2146	2301	2451	2596	2727	2894	3071
	PAN1-M32A Polished aluminum base, k	1988 knee tilt	2146	2294	2441	2590	2746	2894	3040	3217

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.



Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	u 000.0.00 00ug	Н	2	2	А
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

PAN AM | HIGH BACK

	COM		COL	FAI	BRIC GRA	DES		LEATHER	₹
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
OPEN URETHANE ARM PAN1-H11B Black base, swivel tilt PAN1-H12B Black base, knee tilt	S 1098 1240	1203 1354	1312 1463	1423 1572	1528 1673	1639 1786	1738 1886	1852 1997	2024 2173
PAN1-H11A Polished aluminum base PAN1-H12A Polished aluminum base	1376	1341 1487	1452 1601	1563 1713	1666 1810	1776 1867	1879 2024	1988 2138	2164 2313
CLOSED UPHOLSTERE PAN1-H21B Black base, swivel tilt PAN1-H22B Black base, knee tilt PAN1-H21A Polished aluminum base PAN1-H22A Polished aluminum base	1610 1756 1747 e, swivel tilt 1896	1769 1913 1907 2054	1923 2072 2061 2212	2083 2228 2219 2366	2237 2386 2378 2526	2386 2533 2526 2670	2552 2694 2694 2829	2699 2847 2838 2986	2877 3024 3014 3161
OPEN UPHOLSTERED A PAN1-H31B Black base, swivel tilt PAN1-H32B Black base, knee tilt PAN1-H31A Polished aluminum base PAN1-H32A Polished aluminum base	1720 1867 1857 e, swivel tilt 2007	1879 2024 2017 2164	2035 2182 2173 2323	2182 2329 2323 2466	2340 2487 2479 2628	2497 2642 2636 2781	2656 2803 2791 2942	2810 2959 2948 3097	2986 3135 3127 3271

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.



HODGOT GODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	ŭ	Н	2	2	A
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

PAN AM | HIGH BACK WITH HEADREST

	(COM		COL	FABF	RIC GRADI	ES	L	EATHER.	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Black base, swivel tilt	1166	1268	1377	1491	1592	1703	1803	1914	2088
	Black base, knee tilt	1306	1417	1528	1639	1741	1852	1954	2062	2239
	Polished aluminum base, sv		1405	1515	1631	1730	1840	1942	2054	2228
	PAN1-HR-12A Polished aluminum base, kr	1441 nee tilt	1556	1667	1777	1879	1934	2088	2205	2378
	CLOSED UPHOLSTERED A	RMS 1673	1004	1000	0146	0001	0.451	0615	0765	
	Black base, swivel tilt	1822	1834 1979	1989 2138	2146 2294	2301 2451	2451 2601	2615 2757	2765 2912	2942 3088
	Black base, knee tilt	1022	1979	2100	2234	2431	2001	2131	2912	3000
& &	PAN1-HR-21A Polished aluminum base, sv	1811 wivel tilt	1970	2126	2283	2443	2590	2757	2903	3080
	PAN1-HR-22A Polished aluminum base, kr	1960 nee tilt	2117	2278	2432	2590	2736	2894	3052	3223
	OPEN UPHOLSTERED ARM									
	Black base, swivel tilt	1786	1942	2103	2247	2405	2563	2718	2877	3052
	PAN1-HR-32B Black base, knee tilt	1934	2088	2247	2394	2552	2712	2866	3025	3200
	Polished aluminum base, sv		2083	2239	2387	2542	2699	2858	3014	3189
	PAN1-HR-32A Polished aluminum base, kr	2072 nee tilt	2228	2387	2533	2694	2848	3006	3162	3340

ORDERING NOTES

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.




Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	· ·	Н	2	2	А
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

CADENCE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CADENCE | FEATURES



RECLINE ADJUSTMENT

The recline adjustment on the Cadence series allows a 24 degree range of motion. The foremost lever located on the right-hand side (when you are in a seated position) engages a device to lock the back in any position within the chair's range of movement. Lowering the lever locks the back at any position within the range. Raising the lever releases the lock and the back will move freely through the entire range.



BACK HEIGHT ADJUSTMENT

(on selected models only)

The back height is adjustable on selected models of Cadence series. The mechanism adjusts the back while in the seated position. The adjustable height back has a 4 inch range of movement with an 8 position stop mechanism. Place both hands on either side of the lower back cushion and lift and click to the desired height. Raise the back to the highest position to release the back height lock and lower to the first and lowest position.



CAL 133 & MOISTURE BARRIER

SEAT HEIGHT ADJUSTMENTS

(when you are in

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list per yard.

The rear-most lever located in the right-hand side

activates the seat height adjustment. Pull up on

the lever to adjust seat height up or down

through a range of adjustment of 3 inches.

the seated position)

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



BACK TENSION

A hand wheel centrally located near the front underside of the chair controls the amount of tension applied to the back. Turning the knob clockwise when you are in the seated position lessens the tension. Turning the knob counterclockwise increases the tension.



ARM HEIGHT

(on selected models only)

A trigger release button located outside and below the arm pad adjusts the arm height. Depress the trigger to raise arm through its height range of 3.5 inches and 8 settings. Depress the trigger to raise the arm, release when desired height is reached to lock in position.

DIMENSIONS & COM REQUIREMENTS

		Overall Width		Overall Height		Height of Arms from floo	Width r between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
MID BACK	Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
Narrow Width	Adjustable	25	26	36.75	17.75	24.25-30.25	19.5	19.75	4	43	18	2.3
	Wood & Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
	Wood & Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.8
	Completely Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	3.0
	Armless	19.5	26	36.75	17.75	-	-	19.75	4	41	18	2.3
Wide Width	Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Adjustable	26.5	26	36.75	17.75	24.25-30.25	21	19.75	4	45	18	2.3
	Wood & Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Wood & Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.8
	Completely Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	3.0
	Armless	21	26	36.75	17.75	-	-	19.75	4	43	18	2.3
HIGH BACK	Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
Narrow Width	Adjustable	25	26	43	17.75	24.25-30.25	19.5	19.75	4	46	20	2.5
	Wood & Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
	Wood & Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.0
	Completely Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.2
Wide Width	Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Adjustable	26.5	26	43	17.75	24.25-30.25	21	19.75	4	48	20	2.5
	Wood & Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Wood & Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.0
	Completely Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.2
ARM CHAIR		27.25	27	36	18.25	26	18.75	18	-	23	18	1.7

Height measurements are taken with the pneumatic lift (and adjustable arm and back when applicable) in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

CADENCE | MID BACK

		WOOD	COM		COL	FAE	BRIC GRA	DES		LEATHE	3
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARM	MS									
Ω	CAD1-MW11B		1493	1569	1638	1844	1955	2054	2211	2584	2817
	CAD1-MN11B			.000	.000						
	CAD1-MW21B										
H	CAD1-MN21B										
	CAD1-MW11W	Cherry, Maple,	1774	1852	1913	2122	2238	2321	2489	2864	3087
		Walnut, Medium Anigre		1002	1010		LLOO	2021	2 100	2001	0001
8 9	CAD1-MN11W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW21W	Cherry, Maple,									
	O/ID! IIIII	Walnut, Medium Anigre									
	CAD1-MN21W	Cherry, Maple,									
	O/ID! IVIII Z IVV	Walnut, Medium Anigre									
		Wallat, Woodall Aligic									
	ADJUSTABLE A	RMS									
	CAD1-MW15B		1437	1509	1572	1778	1883	1965	2130	2485	2721
	CAD1-MN15B										
	CAD1-MW25B										
	CAD1-MN25B										
S HO	CAD1-MW15W	Cherry, Maple,	1717	1790	1854	2056	2163	2247	2410	2767	2992
	07.12	Walnut, Medium Anigre									
8 9 0	CAD1-MN15W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW25W	Cherry, Maple,									
	07.122011	Walnut, Medium Anigre									
	CAD1-MN25W	Cherry, Maple,									
	0/1D1 WIIV20VV	Walnut, Medium Anigre									
		rrainal, modiani, anglo									
	ORDERING NO	TES:									
	CAD-MW25 CA	D-MN25 versions are av	ailable w	ith option	al seat sli	ider mech	anism at a	an upcha	rge of \$8	0 list . Sp	pecifying
	seat slider optio	n may add additional lea	d time to	production	on sched	ules. Plea	se contac	t Custom	er Servic	ce for mo	re infor-
	mation.										
	WOOD AND :::	ETILANE ADMO	.===		.=05			0.1.05	22.15	0=15	
\mathcal{S}	WOOD AND UR	ETHANE ARMS	1588	1666	1792	1960	2079	2166	2348	2742	2970
	CAD1-MW12B										
T717((CAD1-MN12B										
	CAD1-MW22B										
Ha	CAD1-MN22B		1866	1946	2018	2241	2357	2451	2632	3024	3239
	CAD1-MW12W	Cherry, Maple,									
a a		Walnut, Medium Anigre									
	CAD1-MN12W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW22W	Cherry, Maple,									
		Walnut, Medium Anigre									

ORDERING NOTES: Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator. For jury base version of this chair, please add a '**J**' for the base style at the end of the model number and **add \$77** to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**



PRODUCT CODE KEY

CAD1-MN22W Cherry, Maple,

Walnut, Medium Anigre

PHODUCT CODE	KEI					
	Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
	CAD	1	MW	1	1	W
Ca	dence N	Management Seating	Mid Back Wide	Fixed Back	Urethane	Wood
			MN	2	2	В
			Mid Back Narrow	Adjustable Back	Wood And Urethane	Black Nylon
					5	J
					Adjustable	Jury Base


CADENCE | MID BACK

DESCRIPTION	/MODEL	WOOD FINISH	COM 1	2	COL 3	FAE	BRIC GRA	DES 6	7	LEATHE 8	R 9
	WOOD AND UF CAD1-MW13B CAD1-MN13B CAD1-MW23B	PHOLSTERED ARM	1792	1871	2002	2166	2285	2377	2557	2949	3239
	CAD1-MN23B CAD1-MW13W CAD1-MN13W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	2073	2157	2227	2451	2564	2658	2838	3234	3512
	CAD1-MW23W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN23W	Cherry, Maple, Walnut, Medium Anigre									
	COMPLETELY U CAD1-MW14B CAD1-MN14B	JPHOLSTERED	1744	1822	1951	2114	2232	2324	2505	2898	3219
	CAD1-MW24B CAD1-MN24B CAD1-MW14W	Cherry, Maple, Walnut, Medium Anigre	2020	2104	2173	2397	2515	2607	2788	3182	3490
	CAD1-MN14W CAD1-MW24W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,									
	CAD1-MN24W	Walnut, Medium Anigre									
	ARMLESS CAD1-MW10B CAD1-MN10B CAD1-MW20B		1338	1414	1480	1688	1798	1896	2055	2427	2685
	CAD1-MN20B CAD1-MW10W	Cherry, Maple, Walnut, Medium Anigre	1618	1693	1760	1968	2083	2164	2334	2707	2936
	CAD1-MN10W CAD1-MW20W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,									
	CAD1-MN20W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.





Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	0	W
Cadence	Management Seating	Mid Back Wide	Fixed Back	Armless	Wood
		MN Mid Back Narrow	2 Adjustable Back	3 Wood And Upholstered	B Black Nylon
				4 Completely Upholstered	J Jury Base

CADENCE | HIGH BACK

		WOOD	СОМ		COL	FAE	BRIC GRA	ADES		LEATHE	R
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARI CAD1-HW11B CAD1-HN11B CAD1-HW21B CAD1-HN21B	MS	1622	1723	1796	2019	2157	2249	2451	2874	3127
	CAD1-HW11W	Cherry, Maple, Walnut, Medium Anigre	1907	2002	2079	2302	2436	2530	2732	3155	3396
8 8 8	CAD1-HN11W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW21W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN21W	Cherry, Maple, Walnut, Anigre									
	ADJUSTABLE A	ARMS									
	CAD1-HW15B		1559	1654	1729	1946	2072	2164	2357	2767	3022
// /	CAD1-HN15B										
	CAD1-HW25B										
	CAD1-HN25B		1011	1005	0010	0007	0055	0.4.40	0000	0040	0000
	CAD1-HW15W	Cherry, Maple, Walnut, Medium Anigre	1841	1935	2010	2227	2355	2448	2639	3043	3290
	CAD1-HN15W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW25W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HN25W	Cherry, Maple, Walnut, Medium Anigre									
	ODDEDING NO	TEC- CAD MANOE		مالك والمالم					-1	¢00 !:-+	O:6 :

ORDERING NOTES: CAD-MW25 versions are available with optional seat slider mechanism at an upcharge of \$80 list. Specifying seat slider option may add additional lead time to production schedules. Please contact Customer Service for more information.



WOOD AND URETHANE ARM CAD1-HW12B CAD1-HN12B		1724	1832	1909	2154	2293	2390	2602	3053	3295
CAD1-HW22B										
CAD1-HN22B										
CAD1-HW12W	Cherry, Maple,	2006	2108	2192	2432	2569	2669	2882	3333	3565
	Walnut, Medium Anigre									
CAD1-HN12W	Cherry, Maple,									
	Walnut, Medium Anigre									

CAD1-HW22W Cherry, Maple,

Walnut, Medium Anigre

CAD1-HN22W Cherry, Maple,

Walnut, Medium Anigre

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.



	Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
C	CAD	1 Management Seating	HW High Back Wide	1 Fixed Back	1 Urethane	Wood
			HN High Back Narrow	2 Adjustable Back	Wood And Urethane	B Black Nylon
					5 Adjustable	J Jury Base


CADENCE | HIGH BACK

		WOOD	СОМ		COL	FAB	RIC GRAI	DES	L	EATHER	₹
DESCRIPTION	/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	WOOD AND UP	HOLSTERED ARM									
J)	CAD1-HW13B		1932	2035	2114	2357	2500	2595	2808	3260	3565
	CAD1-HN13B										
	CAD1-HW23B										
	CAD1-HN23B										
	CAD1-HW13W	Cherry, Maple, Walnut, Medium Anigre	2212	2316	2397	2639	2778	2880	3090	3542	3840
	CAD1-HN13W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW23W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-HN23W	Cherry, Maple,									
		Walnut, Medium Anigre									
		JPHOLSTERED ARM									
	CAD1-HW14B		1882	1985	2062	2304	2448	2543	2757	3208	3546
	CAD1-HN14B										
	CAD1-HW24B										
	CAD1-HN24B	Ohanni Marala	2161	2265	2346	2587	2727	2828	3038	3490	3816
	CAD1-HW14W	Cherry, Maple, Walnut, Medium Anigre	2101	2200	2340	2301	2121	2020	3036	3490	3010
	CAD1-HN14W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW24W	Cherry, Maple,									
	CAD1-HN24W	Walnut, Medium Anigre Cherry, Maple,									
	OAD 1-1 11V24VV	Walnut, Medium Anigre									

ORDERING NOTES

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$77 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.





Line	Series	Back Style	Back Adjustmer	nt Arm Style	Base Style
CAD Cadence	1 Management Seating	HW High Back Wide	1 Fixed Back	3 Wood and Upholstered	W Wood
	2 Guest Seating	HN High Back Narrow	2 Adjustable Back	Completely Upholstered	B Black Nylon
		A Arm Chair			J Jury Base

GUEST SEATING


65 Addison
 68 Blake
 71 Dorso
 74 Bali
 76 Kita
 78 Spence
 80 Cadence
 82 Faeron Wood
 88 Faeron Metal

ADDISON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = .69%

POST-CONSUMER RECYCLED CONTENT = 13.10%

Up to 13.79% of this Addison product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Addison products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Addison products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Addison and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ADDISON

		WOOD	COM		COL	FAE	RIC GRAI	DES	LEATHER		
DESCRIPTIO	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, ADD-2-A-1	OPEN BACK Cherry, Oak,Walnut, Beech, Medium Anigre	937	961	988	1039	1093	1143	1198	1249	1355
		Maple	1011	1036	1063	1116	1166	1218	1270	1320	1425
	OPEN ARM,	OPEN ARM, FULLY UPHOLSTERED BACK									
	ADD-2-A-2	Cherry, Oak, Walnut, Beech, Medium Anigre	985	1032	1080	1166	1254	1346	1434	1526	1703
		Maple	1052	1095	1141	1231	1319	1411	1501	1589	1771
	OPEN ARM,	UPPER UPHOLSTERED	BACK								
	ADD-2-A-3	Cherry, Oak, Walnut, Beech, Medium Anigre	971	1003	1037	1106	1171	1239	1306	1372	1508
		Maple	1043	1080	1110	1178	1245	1311	1377	1446	1581

ORDERING NOTES:

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.

Ganging is optional on all wood arm and side chairs at an upcharge of \$80 list per chair. Please specify at time of order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE	PRODUCT	CODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
to order please speetly the following.	ADD	2	А	1
Krug product model number Select a finish for the chair frame Select a textile or leather	Addison	Guest Seating	Arm Chair	Open Arm, Open Back
				Open Arm, Fully Upholstered Back
Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.				Open Arm, Upper Upholstered Back
are critical.				4
				Open Arm, Horizontal Slat Back
				5
				Open Arm, Solid Wood Back

ADDISON

		WOOD	COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION	I/MODEL	FINISH	1	2	3	4	5	6	7	8	9
		, HORIZONTAL SLAT BA Cherry, Oak,Walnut, Beech, Medium Anigre	ACK 955	979	1006	1058	1109	1162	1213	1266	1371
		Maple	1018	1044	1068	1138	1173	1228	1281	1332	1434
	OPEN ARM ADD-2-A-5	, SOLID WOOD BACK Cherry, Oak, Walnut, Beech, Medium Anigre	960	987	1015	1065	1118	1170	1223	1273	1377
		Maple	1029	1053	1081	1131	1183	1236	1286	1340	1445

ORDERING NOTES:

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.

Ganging is optional on all wood arm and side chairs at an upcharge of \$80 list per chair. Please specify at time of order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

DIMENSIONS & COM REQUIREMENTS


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE PRODUCT CODE KEY Chair Style Line Series Chair Type To order please specify the following: ADD 2 Α 1 1. Krug product model number Addison **Guest Seating** Arm Chair Open Arm, Open Back 2. Select a finish for the chair frame 2 3. Select a textile or leather Open Arm, Fully Upholstered Back Dimensions are in inches and approximate. 3 Contact Customer Service if dimensions Open Arm, Upper Upholstered Back are critical. 4 Open Arm, Horizontal Slat Back 5 Open Arm, Solid Wood Back

BLAKE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 14%

POST-CONSUMER
RECYCLED CONTENT = 86%

Up to 86% of this Blake product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Blake products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Blake products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Blake and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

BLAKE

		WOOD	COM		COL	FABI	RIC GRAD	ES		LEATHER	
DESCRIPTION	I/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM,	OPEN BACK									
	BLA-2-A-1	Cherry, Oak, Walnut,	854	882	909	959	1014	1064	1117	1169	1271
		Beech, Medium Anigre									
		Manufa									
W W		Maple	921	946	974	1026	1080	1128	1181	1232	1338
V											
	OPEN ARM,										
	BLA-2-A-2	Cherry, Oak, Walnut,	896	941	987	1080	1166	1254	1346	1434	1615
		Beech, Medium Anigre									
			000	1000	1050		1001	1010	4444	1501	4070
Ψ ι		Maple	960	1008	1053	1141	1231	1319	1411	1501	1678
	OPEN ARM,	UPPER UPHOLSTERE	D BACK								
	BLA-2-A-3	Cherry, Oak, Walnut,	888	922	957	1022	1090	1157	1224	1290	1423
		Beech, Medium Anigre									
			055	007	1001	1000	4455	1000	1000	1050	1 101
		Maple	955	987	1021	1089	1155	1223	1289	1356	1491
	OPEN ARM.	VERTICAL SLAT BACK									
	BLA-2-A-4	Cherry, Oak, Walnut,	927	954	978	1031	1083	1135	1187	1239	1342
		Beech, Medium Anigre									
Ψ 		Maple	985	1014	1037	1090	1141	1194	1246	1298	1403

ORDERING NOTES

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Height of

Seat

Width

Seat

Shipping

Cube

COM

DIMENSIONS & COM REQUIREMENTS

Overall Overall

	Width	Depth	Height	Height	Arms from Floor	between Arms	Depth	Weight	Oube	Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8
ORDERING PRO	CEDURE		PRO	DUCT CO	DE KEY					
To order please sp	pecify the fo	ollowina:	Line)	Series	Chair Type		Chair	Style	
2. Select a finish f3. Select a textileDimensions are in	1. Krug product model number 2. Select a finish for the chair frame 3. Select a textile or leather Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.		I		2 Guest Seating	A Arm Chair	Open A Open A Closed	1 Open Arm, (pholstere Jpholstere ical Slat I Jpholster Upholster	ed Back red Back Back red Back ered Back

		WOOD COM			COL	FAB	FABRIC GRADES			LEATHER		
DESCRIPTION	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9	
	OPEN ARM, L BLA-2-A-5	OWER UPHOLSTER Cherry, Oak,Walnut Beech, Medium Ani	, 924	960	999	1073	1147	1224	1298	1373	1524	
		Maple	992	1032	1067	1142	1218	1294	1370	1445	1592	
	CLOSED ARN	I, LOWER UPHOLST	ERED BAC	CK								
	BLA-2-A-6	Cherry, Oak, Walnu Beech, Medium Ani		1026	1089	1215	1342	1467	1594	1724	1977	
		Maple	1034	1096	1162	1289	1416	1540	1669	1796	2053	
	CLOSED ARN	I, FULLY UPHOLSTE	RED BACI	K								
	BLA-2-A-7	Cherry, Oak, Walnu Beech, Medium Ani	t, 985	1053	1120	1253	1390	1526	1662	1795	2064	
		Maple	1052	1118	1185	1317	1455	1589	1727	1860	2131	

ORDERING NOTES

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**

DIMENSIONS & COM REQUIREMENTS


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8

ORDERING PROCEDURE	PRODUC	CODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
To order please specify the following: 1. Krug product model number 2. Select a finish for the chair frame 3. Select a textile or leather Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.	BLA Blake	2 Guest Seating	A Arm Chair	Open Arm, Open Back 2 Open Arm, Fully Upholstered Back 3 Open Arm, Upper Upholstered Back 4 Open Arm, Vertical Slat Back 5 Open Arm, Lower Upholstered Back 6 Closed Arm, Lower Upholstered Back
				Open Arm, Vertica 5 Open Arm, Lower Uph

DORSO GUEST | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 9.82%

POST-CONSUMER RECYCLED CONTENT = 19.98%

Up to 73.17% of this Dorso product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.



DORSO S-LINE | GUEST

DESCRIPTION/	(MODEL	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	4 Leg Base, armless with Silver I DOS2-10	1058	1108	1163	1231	1316	1423	1538	1683	1837
	4 Leg Base, armless with Polished DOC2-10	ed Chrome 1163	base 1213	1260	1338	1423	1521	1644	1779	1944
	4 Leg Base, fixed arms with Silve DOS2-11	1203	1260	1307	1376	1463	1568	1692	1827	1980
	4 Leg Base, fixed arms with Poli: DOC2-11	shed Chron 1330	1376	1433	1499	1588	1692	1808	1954	2107
	4 Leg Base with Casters, armles DOS2-20	s with Silve 1146	r Metallic I	pase 1251	1316	1404	1509	1623	1771	1924
	4 Leg Base with Casters, armles DOC2-20	s with Polis 1193	hed Chror 1251	ne base, 1298	1363	1452	1557	1683	1818	1971
	4 Leg Base with Casters, fixed a DOS2-21	rms and Sil 1289	ver Metalli 1347	c base 1396	1463	1548	1654	1779	1913	2069
	4 Leg Base with Casters, fixed a DOC2-21	rms and Po 1414	lished Chi 1463	rome base 1521	1588	1673	1779	1894	2037	2194
	Cantilever Base, armless with Si			1000	10.47	1.400	1500	1054	1700	1054
	DOS2-30 Cantilever Base, armless with Po DOC2-30	1172 blished Chro 1282	1222 ome base 1338	1268 1386	1347 1452	1433 1538	1530 1644	1654 1771	1789 1907	1954 2058
	Cantilever Base, fixed arms with DOS2-31	1463	1521	1568	1638	1723	1827	1954	2086	2240
	Cantilever Base, fixed arms with DOC2-31	Polished C 1521	hrome bas 1579	se 1623	1692	1779	1885	2011	2145	2299

ORDERING NOTES

Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.

ORDERING PROCEDURE

PRODUCT CODE KEY

OTIDETIING T TIOOLDOTTE	PRODUCTIO	DEKEI		
To order please specify the following:	Line	Series	Base	Arm Style
To order prease specify the following.	DOS	2	1	0
Krug product model number	Dorso S-Line	Guest Seating	Four Leg	Armless
2. Select a textile or leather	(Silver Metallic)			
	DOC		2	1
Dimensions are in inches and approximate.	Dorso S-Line		Four Leg	Fixed
Contact Customer Service if dimensions are critical.	(Polished Chrome)		with Casters	Cantilever
	DON		3	
	Dorso N-Line		Cantilever	
	(Silver Metallic)			

DORSO N-LINE | GUEST

DESCRIPTION/MC	NDEI	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	0
DESCRIPTION/MC	4 Leg Base, armless with Sil	-		<u> </u>	4	5	0	- 1	0	9
	DON2-10	914	961	1009	1089	1172	1268	1396	1530	1692
	4 Leg Base, fixed arms with	Silver Meta	allic base							
	DON2-11	1019	1074	1124	1193	1282	1386	1509	1644	1798
	4 Leg Base with Casters, arr DON2-20	nless with 9 1002	Silver Meta 1048	allic base 1096	1172	1260	1357	1482	1617	1779
	4 Leg Base with Casters, fixe DON2-21	ed arms an 1109	d Silver M 1161	etallic bas 1213	e 1282	1363	1473	1594	1730	1885
	Cantilever Base, armless wit DON2-30	h Silver Me 1019	etallic base 1074	1124	1193	1282	1386	1509	1644	1798
	Cantilever Base, fixed arms to DON2-31	with Silver 1203	Metallic ba 1260	ase 1307	1376	1463	1568	1692	1827	1980

ORDERING NOTES


Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	36	32	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	36	37	14	1.3
S-LINE/4LEG	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	33	14	1.3
with Casters	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	38	14	1.3
S-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	39	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	44	14	1.3
N-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	34.75	31	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	34.75	36	14	1.3
N-LINE/4LEG	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	32	14	1.3
with Casters	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	37	14	1.3
N-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	38	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	43	14	1.3

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.68%

POST-CONSUMER
RECYCLED CONTENT = 16.42%

Up to 74.19% of this Bali product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bali products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Bali products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bali and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



BALI

		СОМ		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION	N/MODEL	1	2	3	4	5	6	7	8	9
	Wood with Black back leg BAL2A1B	833								
	Wood with Chrome back leg BAL2A1C	916								
	Upholstered Front with Black back	leg								
	BAL2A2B	1128	1169	1223	1281	1336	1402	1478	1551	1671
	Upholstered Front with Chrome bac BAL2A2C	ck leg 1244	1289	1336	1391	1447	1524	1594	1680	1810
	Upholstered Seat Cushion with Black	k back led								
h h	BAL2A3B	1084	1120	1158	1205	1244	1289	1336	1409	1484
P	Upholstered Seat Cushion with Chro	ome back	lea							
	BAL2A3C	1158	1205	1244	1289	1345	1420	1478	1558	1636
9999	Caddie DOL6	838								

DIMENSIONS & COM REQUIREMENTS

			Overall Height		Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage
WOOD SHELL	23.25	23	34.25	17.25	26	19.5	18	30	15.3	-
UPHOLSTERED FRONT	23.25	23	34.25	18.11	26	19.5	17	30	15.3	0.8
UPHOLSTERED SEAT CUSHION	23.25	23	34.25	18.25	26	19.5	18	30	15.3	0.4

ORDERING NOTES

Bali Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair.

Bali Guest Chairs are available with a removable upholstered back cover at an upcharge of \$48 list per chair.

Ganging is optional on all wood arm and side chairs at an upcharge of \$80 list per chair. Please specify at time of order.

When used with Caddie (stacking cart), Bali stacks to a maximum of 10 chairs high, and 6 high without Caddie.

Chair frames are available in Charry and Beech finishes. Please see page 335 for finish color selection and clearly mark on

Chair frames are available in Cherry and Beech finishes. Please see page 335 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64** list per yard. See page 333 for more information.


ORDERING PROCEDURE

PRODUCT CODE KEY

To order please specify the following:	Line	Series	Base	Chair Style	Back Leg Style
Krug product model number	BAL Bali	2 Guest Seating	A Arm Chair	1 Wood	Black
Select a finish for the chair frame Select a textile or leather		, and the second		2	С
Dimensions are in inches and approximate				Upholstered Front	t Chrome
Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.			U	3 pholstered Seat Cus	hion

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = .80%

POST-CONSUMER
RECYCLED CONTENT = 15.28%

Up to 16% of this Kita product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Kita products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



he mark of responsible foresti

AIR EMISSIONS

All Kita products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Kita and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



KITA

			COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION	/MODEL	Species	1	2	3	4	5	6	7	8	9
		Full Width Upholste									
	1320-OA	Maple	1317	1372	1411	1503	1559	1609	1692	1887	2033
	Closed Arm	, Full Width Uphols	tered Back								
	1320-CA	Maple	1715	1786	1834	1955	2033	2090	2201	2453	2714
	0/434/11/11										
	3/4 Width U 1321-A	pholstered Back Maple	1317	1372	1411	1503	1559	1609	1692	1887	2033
Thomas and the state of the sta	Slat Back	Manlo									
	1322-A	Maple	1372	1422	1452	1537	1587	1618	1688	1841	1959
THE	Shoji Back 1323-A	Maple	1000	1010			4500			.=	
	1323-A	Maple	1303	1348	1378	1461	1509	1537	1615	1769	1883

ORDERING NOTES

Kita Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$80 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. See page 333 for more information.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1320-OA	22	24	32	18.5	26	18.75	19	25	12	1
1320-CA	22	24	32	18.5	26	18.75	19	25	12	1.8
1321-A	22	24	32	18.5	26	18.75	19	25	12	1
1322-A	22	24	32	18.5	26	18.75	19	26	12	0.8*
1323-A	22	24	32	18.5	26	18.75	19	26	12	0.8*

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.

GANGING


Ganging is optional on all wood arm and side chairs at an upcharge of **\$80 list** per chair. Please specify at time of order.

SPENCE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .45%

POST-CONSUMER RECYCLED CONTENT = 17.27%

Up to 18.18% of this Spence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Spence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Spence products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Spence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



SPENCE

		WOOD	COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MOI	DEL	FINISH	1	2	3	4	5	6	7	8	9
	Slat Bac 1400	k Oak	1192	1257	1345	1431	1534	1645	1761	1909	2011
		Cherry, Maple, Walnut, Medium Anigre	1335	1403	1487	1573	1671	1786	1902	2045	2145
	Slat & U	pholstered Back									
	1401	Oak	1229	1297	1386	1473	1581	1697	1810	1967	2110
		Cherry, Maple, Walnut, Medium Anigre	1372	1445	1534	1620	1723	1839	1959	2107	2252
	Split Upl	nolstered Back									
	1402	Oak	1251	1317	1411	1503	1609	1729	1846	2006	2185
		Cherry, Maple, Walnut, Medium Anigre	1401	1473	1559	1653	1758	1871	1997	2146	2327
	Full Uph	olstered Back									
	1403	Oak	1262	1336	1423	1515	1622	1745	1866	2020	2239
		Cherry, Maple, Walnut, Medium Anigre	1411	1485	1581	1667	1772	1893	2016	2165	2385

ORDERING NOTES

Spence Guest Chairs are available with a removable upholstered seat cover at an upcharge of **\$80 list** per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$64 list per yard.**

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1400	22	24	33	18	27	18	20	21	13	0.7
1401	22	24	33	18	27	18	20	22	13	1.0
1402	22	24	33	18	27	18	20	22	13	1.25
1403	22	24	33	18	27	18	20	23	13	1.5

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 335 for finish color selection and clearly mark on your purchase order.


GANGING

Ganging is optional on all wood arm and side chairs at an upcharge of **\$80 list** per chair. Please specify at time of order.

CADENCE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = .43%

POST-CONSUMER RECYCLED CONTENT = 16.46%

Up to 16.91% of this Cadence product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CADENCE | GUEST

DESCRIPTION/N	//ODEL	WOOD FINISH	COM 1	2	COL 3	FAE 4	RIC GRAD	DES 6	7	LEATHER 8	9
	CAD2A	Cherry, Maple, Walnut, Medium Anigre	1515	1587	1654	1767	1879	1989	2105	2241	2488

ORDERING NOTES

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

DIMENSIONS & COM REQUIREMENTS

			Overall Height		Height of Arms from Floor			Shipping Weight	Cube	COM Yardage
CAD2A	22.75	27	36	18.25	26	18.75	18	23	18	1.7

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES


Chair frames are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see Page 335 for finish color selection and clearly mark on your purchase order.

FAERON WOOD | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.25%

POST-CONSUMER
RECYCLED CONTENT = 13.64%

Up to 31.82% of this Faeron product is recyclable at the end of its useful life

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES

CLEAN OUT

All Faeron seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



FLEX BACK

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. In addition they ease re-configurability and on-site replacement of damaged or degraded components.



SEAT COMFORT

Seats feature a spring suspension across the entire model range for exceptional comfort while high grade foam provides superior support and longevity.



PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.



GLIDES

Faeron's Beech wood legs feature non-marring

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

REPLACEABLE COMPONENTS

Faeron chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

WEIGHT CAPACITIES

Faeron weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 500 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 625 lbs per unit 3-Seat Freespan - 750 lbs per unit

FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



ARM PANELS

Panel arms are available in semi and fully closed styles for optimum design flexibility.



URETHANE ARM CAP

The optional Urethane Arm Cap provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



SOLID SURFACE ARM FRAME

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



COMBINATION UPHOLSTERY OPTIONS

Faeron can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



KINETIC BACK OPTION

Provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



CLEANABLE UNDER-SEAT SPLASHGUARD

All Faeron seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

GANGING

All Faeron freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$50 list per chair.

REMOVABLE COVERS

Faeron chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

FAERON WOOD | GUEST, DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	44	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	48	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	54	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	71	28

Haight of

Width

COM- YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.8
30" - One Chair	2.3	0.9	1.4	0.8
44" - One Chair	2.9	1.5	1.6	0.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

WEIGHT CAPACITIES

Faeron weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Guest Plus Chairs (30" & 44") - 750 lbs

Faeron Option Upcharges	\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	64	Solid Surface Arm Cap (per pair) - Gr A White	364	
Ganging Bracket	58	Solid Surface Arm Cap (per pair) - Gr A Color	376	
Kinetic Back (not available for 30" & 44")	120	Solid Surface Arm Cap (per pair) - Gr B	396	
21" & 24" Under-seat Splashguard	58	Solid Surface Arm Cap (per pair) - Gr C	410	
30" Under-seat Splashguard	72	Solid Surface Arm (per pair) - Gr A White	573	
44" Under-seat Splashguard	91	Solid Surface Arm (per pair) - Gr A Color	598	
Removeable Seat Cover	90	Solid Surface Arm (per pair) - Gr B	645	
Removable Back Cover	58	Solid Surface Arm (per pair) - Gr C	678	
Urethane Arm Cap (per pair)	138			

FAERON WOOD | GUEST

			COM		COL	FA	ABRIC GR	ADES		LEATHER	
DESCRIPTION	/MODEL	Species	1	2	3	4	5	6	7	8	9
	21" Open Arm FAE2-G21ONC	Beech Palette	1134	1178	1223	1314	1404	1495	1588	1678	1861
	21" Semi Closed FAE2-G21SNC	Arm Beech Palette	1539	1609	1676	1813	1951	2087	2222	2361	2635
	21" Closed Arm FAE2-G21CNC	Beech Palette	1554	1619	1689	1825	1964	2100	2237	2374	2646
	24" Open Arm FAE2-G24ONC	Beech Palette	1213	1258	1305	1396	1487	1580	1669	1760	1944
	24" Semi Closed FAE2-G24SNC	Arm Beech Palette	1620	1690	1758	1896	2032	2169	2306	2443	2717
	24" Closed Arm FAE2-G24CNC	Beech Palette	1634	1703	1772	1908	2044	2184	2319	2457	2728

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA) replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 85.

PRODUCT CODE KEY

Line	Covina	Chair Treas	Cina	Arms Trees	A Stude
Line	Series	Chair Type	Size	Arm Type	Arm Style
FAE	2	G	21	0	NC
Faeron	Chair	Guest Seating		Open Arm	No Cap
			24	S	UC
				Semi Closed Arm	Urethane Cap
			30	С	SC
				Closed Arm	Solid Surface Cap
			44		SA
					Solid Surface Arm

FAERON WOOD | GUEST

	DESCRIPTION/N	MODEL	Species	COM 1	2	COL 3	F 4	FABRIC GF 5	RADES 6	7	LEATHER 8	9
TS		30" Open Arm FAE2-G30ONC	Beech Palette	1384	1451	1514	1645	1778	1909	2040	2170	2433
PRODUCTS		30" Semi Closed FAE2-G30SNC	Arm Beech Palette	1792	1881	1968	2146	2323	2500	2678	2853	3207
THESE		30" Closed Arm FAE2-G30CNC	Beech Palette	1804	1893	1981	2160	2334	2511	2690	2866	3219
LIES TO		44" Open Arm FAE2-G44ONC	Beech Palette	1702	1782	1866	2032	2196	2362	2529	2694	3025
ISCOUNT APPLIES		44" Semi Closed FAE2-G44SNC	Arm Beech Palette	2109	2214	2321	2531	2742	2954	3163	3374	3797
		44" Closed Arm FAE2-G44CNC	Beech Palette	2121	2227	2332	2543	2754	2965	3177	3386	3811
EALTHCARE	ORDERING NO replace "NC" in	TES: Faeron chair the model number	s can be sp r with the A l	ecified with rm Style sel	Urethane ection be	Arm Caps low and ac	(UC), So dd the up	olid Surface ocharge liste	Arm Cap ed on pag	s (SC) or S ge 85.	Solid Surfac	e Arm (SA)
¥	Line	Series		Chair Type		Size		Arm T	уре		Arm Style	
-						0.1	7				NO	


RODUCT CODE KEY	<u> </u>				
Line	Series	Chair Type	Size	Arm Type	Arm Style
Faeron	2 Chair	G Guest Seating	21	O Open Arm	NC No Cap
			24	Semi Closed Arm	UC Urethane Cap
			30	C Closed Arm	SC Solid Surface Cap
			44		Solid Surface Arm

FAERON METAL | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT =10.87 %

POST-CONSUMER RECYCLED CONTENT = 17.48%

Up to 50% of this Faeron Metal product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



CLEAN OUT

All Faeron Metal seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



FLEX BACK

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. The seats features a spring system that substantially enhances comfort and extends product life cycle. Seats are removable, and field replaceable.



SEAT COMFORT

Seats feature a spring suspension for exceptional comfort while high grade foam provides superior support and longevity.



POLYMER ARM

Faeron arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey and Taupe.

finishes; Sliver Metallic and Brushed Nickel.



FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer and is especially suited to the demands of healthcare environments.

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

REPLACEABLE COMPONENTS

Faeron Metal chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

CUSTOM CAPABILITIES

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

WEIGHT CAPACITIES

Faeron Metal weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 500 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 625 lbs per unit 3-Seat Freespan - 750 lbs per unit

PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

Faeron Metal Images | www.krug.ca

FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



ARM PANEL

Upholstered arm panels are available in both semi- and fully-closed styles, and are field replaceable if damaged.



SOLID SURFACE ARM

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard Corian colors, and custom colors (at an upcharge). Arms are replaceable as a full side frame if they become damaged or degraded.



WOOD ARM

Wood arms are solid Beech and available in standard and custom finishes. Krug's wood finish is a proprietary high-durability formulation that has been shown to be an industry leader in abrasion resistance. Arms can be replaced if they do become damaged or degraded.



COMBINATION UPHOLSTERY OPTIONS

Faeron Metal can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



KINETIC BACK OPTION

The optional Kinetic Back provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



CLEANABLE UNDER-SEAT SPLASHGUARD

All Faeron Metal seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the anti-microbial and germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.



REMOVABLE COVERS

Faeron Metal chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$64 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$64 list per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

GANGING

All Faeron Metal freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$58 list per chair.

FAERON METAL | GUEST

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	Shipping Weight	Cube
21" Sea	at 25.0	26.3	34.5	19.0	25.0	21	19.5	56	14
24" Sea	t 28.0	26.3	34.5	19.0	25.0	24	19.5	60	19
30" Sea	at 34.0	26.3	34.5	19.0	25.0	30	19.5	66	20
44" Sea	t 48.0	26.3	34.5	19.0	25.0	44	19.5	83	28

Height of

Width

COM- YARDAGE REQUIREMENTS

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.96
30" - One Chair	2.3	0.9	1.4	0.96
44" - One Chair	2.9	1.5	1.6	0.96

ORDERING NOTES:

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron Metal seating.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron Metal upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Solid Surface Arm (per pair) - Gr A White	573
Ganging Bracket	58	Solid Surface Arm (per pair) - Gr A Color	598
Kinetic Back (not available for Plus)	120	Solid Surface Arm (per pair) - Gr B	645
21" & 24" Under-seat Splashguard	58	Solid Surface Arm (per pair) - Gr C	678
30" Under-seat Splashguard	72	Beech/Palette Wood Arm (per pair)	215
44" Under-seat Splashguard	91		
Removeable Seat Cover	90		
Removable Back Cover	58		
Non-Marring Glides	16		

WEIGHT CAPACITIES

Faeron Metal weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs

FAERON METAL | GUEST

		COM		COL	FABRIC GRADES		LEATHER			
DESCRIPTION/	MODEL	1	2	3	4	5	6	7	8	9
	21" Open Polymer Arm, Silver FAE2M-G21OPAS	Metallic F 1014	rame 1059	1098	1187	1272	1360	1447	1535	1708
	21" Open Polymer Arm, Brush FAE2M-G21OPAN	ed Nickel 1207	Frame 1251	1294	1380	1466	1555	1642	1729	1902
	21" Semi Closed Polymer Arm FAE2M-G21SPAS	, Silver Me 1402	etallic Frai 1466	ne 1533	1663	1793	1923	2055	2185	2445
	21" Semi Closed Polymer Arm FAE2M-G21SPAN	, Brushed 1596	Nickel Fra 1661	ame 1727	1857	1987	2117	2249	2378	2639
	21" Closed Polymer Arm, Silve FAE2M-G21CPAS	er Metallic 1414	Frame 1480	1543	1673	1804	1935	2065	2195	2458
	21" Closed Polymer Arm, Brus FAE2M-G21CPAN	hed Nicke 1609	el Frame 1671	1737	1869	1999	2130	2261	2390	2652
	24" Open Polymer Arm, Silver FAE2M-G24OPAS	Metallic F 1092	rame 1136	1179	1266	1354	1438	1527	1613	1788
	24" Open Polymer Arm, Brush FAE2M-G24OPAN	ed Nickel 1285	Frame 1330	1373	1460	1545	1633	1719	1806	1980
	24" Semi Closed Polymer Arm FAE2M-G24SPAS	, Silver Me 1481	etallic Frai 1544	me 1611	1743	1871	2002	2133	2263	2523
	24" Semi Closed Polymer Arm FAE2M-G24SPAN	, Brushed 1672	Nickel Fra 1738	ame 1803	1935	2064	2194	2326	2457	2717
	24" Closed Polymer Arm, Silve FAE2M-G24CPAS	1492	1557	1622	1753	1883	2013	2145	2274	2535
	24" Closed Polymer Arm, Brus FAE2M-G24CPAN	shed Nicke 1686	el Frame 1751	1816	1946	2077	2208	2339	2466	2728

ORDERING NOTES:

Faeron Metal chairs can also be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	573
Solid Surface Arm (per pair) - Gr A Color	598
Solid Surface Arm (per pair) - Gr B	645
Solid Surface Arm (per pair) - Gr C	678
Beech/Palette Wood Arm (per pair)	215

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE Faeron	2M Chair	G Guest Seating	21	O Open Arm	PA Polymer Arm	Silver Metallic
			24	Semi Closed Arm	WA Wood Arm	N Brushed
			30	C Closed Arm	SA Solid Surface Arm	Nickel
			44			

2025 | SEATING & OCCASIONAL TABLES | USA | 92

FAERON METAL | GUEST

		СОМ		COL	FΔR	RIC GRAI	DES		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	30" Open Polymer Arm, S FAE2M-G30OPAS	ilver Metal 1254	llic Frame 1316	1378	1505	1629	1755	1879	2003	2254
	30" Open Polymer Arm, E FAE2M-G30OPAN	Brushed Nio 1447	ckel Frame 1509	1571	1697	1822	1947	2072	2196	2448
	30" Semi Closed Polymer FAE2M-G30SPAS	1643	1728	1811	1980	2147	2317	2485	2654	2989
	30" Semi Closed Polymer FAE2M-G30SPAN	Arm, Brus 1837	shed Nickel 1921	Frame 2004	2173	2342	2510	2678	2847	3185
	30" Closed Polymer Arm, FAE2M-G30CPAS	Silver Met 1656	allic Frame 1738	1822	1990	2160	2328	2496	2664	3003
	30" Closed Polymer Arm, FAE2M-G30CPAN	Brushed N 1849	Nickel Fram 1932	e 2016	2186	2354	2523	2690	2859	3195
	44" Open Polymer Arm, S FAE2M-G44OPAS	ilver Metal 1556	llic Frame 1634	1713	1870	2029	2186	2343	2502	2816
	44" Open Polymer Arm, E FAE2M-G44OPAN	Brushed Nic 1749	ckel Frame 1827	1907	2063	2221	2381	2536	2695	3009
	44" Semi Closed Polymer FAE2M-G44SPAS	Arm, Silve	er Metallic F 2044	rame 2145	2345	2546	2746	2948	3147	3553
	44" Semi Closed Polymer FAE2M-G44SPAN	Arm, Brus 2138	shed Nickel 2239	Frame 2340	2539	2741	2942	3142	3343	3745
	44" Closed Polymer Arm, FAE2M-G44CPAS	Silver Met 1956	allic Frame 2058	2157	2357	2559	2760	2959	3161	3563
	44" Closed Polymer Arm, FAE2M-G44CPAN	Brushed N 2149	Nickel Fram 2252	e 2352	2552	2753	2954	3156	3355	3759

ORDERING NOTES:

Faeron Metal chairs can also be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed.

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	573
Solid Surface Arm (per pair) - Gr A Color	598
Solid Surface Arm (per pair) - Gr B	645
Solid Surface Arm (per pair) - Gr C	678
Beech/Palette Wood Arm (per pair)	215

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE	2M	G	21	0	PA	S
Faeron	Chair	Guest Seating		Open Arm	Polymer Arm	Silver Metallic
			24	S	WA	N
				Semi Closed Arm	Wood Arm	Brushed
			30	С	SA	Nickel
				Closed Arm	Solid Surface Arm	
			44			

MULTI-PURPOSE SEATING

95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri


124 Bank of England

LIBRA | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 18.68%

POST-CONSUMER RECYCLED CONTENT = 28.64%

Up to 74.71% of this Krug product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Krug products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Krug products are supplied air-emissions certified. Contact customer service for information.

LIBRA | FEATURES & OPTIONS

FEATURES



POLYMER BACK & SEAT

Libra chairs feature Black polymer seat and back. The polymer back provides contoured lumbar support and flex for greater comfort. The seat tilts down for the sitting position and flips up when ready to nest the chairs.



OPTIONS TABLET

Libra swivel folding tablet is available in Black polymer. The tablet is fastened to the left side (facing.



UPHOLSTERED SEAT & BACK

Libra chairs are available with upholstered seat and Black polymer back or upholstered seat and back



BOOK BACK

The wire book rack is available in Black or Silver Metallic to coordinate with the frame selection. It can conveniently remain in place when the chairs are nested but is also removable without tools if needed.



FRAME

Metal frame finish is available in Black or Silver Metallic.

COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



ARMS

Libra chairs are available in both Armless and Armed chair styles. Armed chairs feature a fixed, forward-sloping Black polymer armrest.



GLIDES

Libra Black nylon glides are non-adjustable, non-marring and field-replaceable if damaged or degraded.

CAL 133 & MOISTURE BARRIER California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the

cost of the product to be tested. Lead time for

certification testing is typically 4-8 weeks. Krug

assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact

Customer Service for additional information.



CASTERS

The twin-wheel casters promote easy storage and repositioning and are also available with a locking option.



Libra chairs nest by raising the seat into its upright position, they can be nested with both the book rack and tablet in place.



REPLACEABLE COMPONENTS

Libra is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



WEIGHT CAPACITIES

Libra has been laboratory tested to meet a weight capacity of 300lbs, for arm and armless versions.

LIBRA | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	Cubes	
Armless	22	23	33.5	18	n/a	n/a	17.5	25	13	
Fixed Arm	25.5	23	33.5	18	26.25	22	17.5	27	13	
Tablet Arm	27	24	33.5	18	29	n/a	17.5	35	13	

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical. Overall dimensions shown are for chairs with glides. Tablet arm dimensions are with tablet folded down.

COM Yardage

Seat & Back 1.19 Seat only 0.56 Back only 0.65



		COM		COL	FA	BRIC GRA	ADES		LEATHE	:R
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	Polymer Back & Seat LIB2111B	with Glides and 434	d Black Fra	ame						
	Polymer Back & Seat LIB2111S	with Glides and 434	d Silver Fra	ame						
	Polymer Back & Upho LIB2121B	elstered Seat w 553	ith Glides 568	and Black 583	Frame 605	630	652	677	708	739
	Polymer Back & Upho LIB2121S	elstered Seat w 553	ith Glides 568	and Silver 583	Frame 605	630	652	677	708	739
	Upholstered Back & S LIB2131B	eat with Glides	and Blac 664	k Frame 699	746	800	847	901	970	1037
	Upholstered Back & S LIB2131S	eat with Glides 633	s and Silve 664	er Frame 699	746	800	847	901	970	1037
	Polymer Back & Seat LIB2112B	with Casters a 442	nd Black F	rame						
	Polymer Back & Seat LIB2112S	with Casters a 442	nd Silver F	rame						
	Polymer Back & Upho	Istered Seat w	ith Caster	s and Blac	k Frame					
	LIB2122B	560	574	590	612	637	659	683	715	746
	Polymer Back & Upho LIB2122S	elstered Seat w 560	ith Casters 574	s and Silve 590	er Frame 612	637	659	683	715	746
	Upholstered Back & S	Seat with Caste	rs and Bla	ck Frame						
	LIB2132B	640	672	705	752	807	854	909	976	1044
	Upholstered Back & S LIB2132S	eat with Caste 640	rs and Silv 672	er Frame 705	752	807	854	909	976	1044
DRDERING NOTES	i: To specify casters lock	ing, change the	e base sele	ection (sho	own below) from a "2	2" to a "3"			
LIBRA OPTION UP	CHARGES	\$ List								
	Barrier (per yard)	64								

PRO	DUCT	CODE	KFY
rnu	וטטעו	CODE	

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

LIBRA | FIXED ARM

		COM		COL	FAI	BRIC GR	ADES	LEATHER					
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9			
	Polymer Back & Seat w	ith Glides	and Black	k Frame									
	LIB2211B	505	u 2										
	Polymer Back & Seat with Glides and Silver Frame												
f / 1)	LIB2211S	505											
H													
	Polymer Back & Uphols	stered Sea	at with Glic	des and Bl	ack Frame								
	LIB2221B	623	638	654	675	700	722	747	778	809			
	Polymer Back & Upholstered Seat with Glides and Silver Frame												
() 1	LIB2221S	623	638	654	675	700	722	747	778	809			
H -													
	Upholstered Back & Se	at with GI	ides and F	Black Fram	ne								
	LIB2231B	703	735	769	816	870	917	972	1039	1107			
					0.0	0.0	• • • •	0.2					
	Upholstered Back & Se	at with GI	ides and S	Silver Fram	ne								
	LIB2231S	703	735	769	816	870	917	972	1039	1107			
Ą													
	Polymer Back & Seat w	ith Caster	rs and Bla	ck Frame									
	LIB2212B	511	o ana bia	on i ramo									
		• • • • • • • • • • • • • • • • • • • •											
	Polymer Back & Seat w	rith Caster	rs and Silv	er Frame									
	LIB2212S	511											
g q													
-	Polymer Back & Uphols	stared Soc	at with Car	etare and [Black Fram	10							
	LIB2222B	631	644	660	682	707	729	753	785	816			
	LIBELLED	031	044	000	002	707	125	133	705	010			
	Polymer Back & Uphols	stered Sea	at with Cas	sters and S	Silver Fram	ie							
	LIB2222S	631	644	660	682	707	729	753	785	816			
a a													
	Haladakanad Daali 0.0:	-1		Disal- E									
	Upholstered Back & Se LIB2232B					077	005	070	1046	1111			
L />	LIDEZOZD	710	742	775	823	877	925	979	1046	1114			
	Upholstered Back & Se	at with Ca	asters and	Silver Fra	me								
	LIB2232S	710	742	775	823	877	925	979	1046	1114			
a /_ 9						.							
UB													

ORDERING NOTES: To specify casters locking, change the base selection (shown below) from a "2" to a "3".

LIBRA OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Removable Wire Basket	76

PRODUCT CODE KEY

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

		COM		COL	FAI	BRIC GR	ADES		LEATHE	R
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Polymer Back & Seat with LIB2311B	Glides and 625	d Black Fr	rame						
	Polymer Back & Seat with LIB2311S	n Glides and 625	d Silver Fr	rame						
	Polymer Back & Upholste	ered Seat w	ith Glides 759	and Black	Frame 796	822	844	868	899	931
	LIDZOZID	745	739	114	790	022	044	000	099	901
	Polymer Back & Upholste									
	LIB2321S	745	759	774	796	822	844	868	899	931
<u> </u>	Upholstered Back & Seat	with Glides	and Blac	k Frame						
	LIB2331B	825	856	890	937	992	1039	1094	1161	1229
	Upholstered Back & Seat	with Glides	and Silve	er Frame						
	LIB2331S	825	856	890	937	992	1039	1094	1161	1229
	Polymer Back & Seat with LIB2312B		nd Black I	Frame						
	LIDZJIZD	633								
	Polymer Back & Seat with		nd Silver F	rame						
	LIB2312S	633								
	Polymer Back & Upholste	red Seat w	ith Caster	s and Blac	k Frame					
	LIB2322B	751	766	782	804	828	850	875	907	937
	Polymer Back & Upholste	red Seat w	ith Caster	s and Silve	r Frame					
	LIB2322S	751	766	782	804	828	850	875	907	937
	Upholstered Back & Seat	with Casto	re and Blo	ock Eromo						
	LIB2332B	831	864	897	945	999	1046	1100	1168	1235
	Upholstered Back & Seat	with Caste	rs and Sil	ver Frame						
	LIB23232S	831	864	897	945	999	1046	1100	1168	1235
ORDERING NOTES:	To specify casters locking,	change the	e base sel	ection (sho	wn below)	from a "	2" to a "3'	·.		
LIBRA OPTION UPO	CHARCES	\$ List								
		5 LIST								
CAL 133 & Moisture Removable Wire Bas		64 76								
, , , , , , , , , , , , , , , , , , ,										

DD	ICT	CODE	KEV

DOCT CODE	NET				
Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

LIBRA | REPLACEMENT COMPONENTS


		СОМ	COL		FAE	BRIC GRAI	DES		LEATHER	1			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	Yds	Weight	Cube
	Replacemei LIB2-RA2	nt Fixed 66	Arm (Pa	air)								2.5	0.8
	Replacemei LIB2-RA3	nt Table 159	t Arm (p	er arm)								11.3	2.3
	Replacemer LIB2-RS1	nt Polyn 115	ner Seat									3.8	0.7
	Replacemen	nt Upho	Istered S	Seat									
	LIB2-RS2	201	216	232	253	278	300	325	355	387	0.65	5.9	0.7
	Replacemer LIB2-RB1	nt Glide 17	s (Set of	4)								0.2	0.1
	Replacement LIB2-RB2 Replacement LIB2-RB3	39			4)							0.6	0.1

MOBI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 13.78%

POST-CONSUMER RECYCLED CONTENT = 14.33%

Up to 55.11% of this Mobi product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Mobi products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Mobi products are supplied with air emissions-certified materials. Contact customer service for specific test results.

MOBI | FEATURES, OPTIONS, DIMENSIONS & COM REQUIREMENTS



ARMS

Arms are available in the full range of polymer colors: Black, White, Grey, Taupe, Yellow, Red, Blue, Green. Please specify when ordering.



CADDIE

The Mobi caddie provides enhanced stackability, along with the ease of movement and storage. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. Its design allows for the stacking and storage of all Krug stackable chairs.



ARMLESS



COMBINATION COLORS

More than one polymer color can be selected in any combination for seats, backs and arms. Please specify when ordering.




POLYMER SEATS & BACKS

Available Polymer colors: White, Grey, Taupe, Yellow, Red, Blue, Green and Black.



UPHOLSTERED SEATS & BACKS

Optional Removable covers can be quickly installed on Mobi products that were originally ordered with the removable cover option.



MESH BACKS

Available mesh colors: Grey, Black & White. Please specify when ordering.



STACKABILITY

Mobi chairs are stackable to a maximum of 8 chairs high on the floor as well as dolly.



LEGS & GLIDES

Mobi legs are structural steel legs in Polished Chrome with non-marring glides.



WEIGHT CAPACITY

Mobi has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Mobi has been load tested up to 300lbs.

OPTIONS

REPLACEMENT AND REMOVABLE **COMPONENTS**

Mobi is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Mobi Chairs are available with Removable Seat and Removable Back Covers,

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	Cubes	COM YRD
MOB210P	18	21	31	17	n/a	n/a	18.75	21	14	_
MOB211P	21.25	21	31	17	27	20.5	18.75	21	14	_
MOB220P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB221P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB230P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB231P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB240P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB241P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB250P	18	21	31	17	n/a	n/a	18.75	21	14	1.22
MOB251P	21.25	21	31	17	27	20.5	18.75	21	14	1.22

DESCRIPTION (MADE)		СОМ	COL		RIC GRA			EATHER	
DESCRIPTION/MODEL	Polymer Seat and Back, A MOB210P		2 3	4	5	6	7	8	9
	Polymer Seat and Back, v MOB211P	vith Arms 423							
	WODZIII	423							
	Polymer Back and Uphols MOB220P	tered Seat, Ar 505 52		598	646	694	740	789	885
	Polymer Back and Uphols MOB221P	tered Seat, wi 555 57		647	695	743	790	837	932
	Mesh Back and Upholster MOB230P	ed Seat, Armle 513 53	ess 37 561	610	656	703	752	798	894
Mobi Option Upcharges	S	\$ List							
CAL 133 & Moisture Barr Removable Seat Covers Removeable Back Cover		64 71 71							
PRODUCT CODE KEY Line	Series	Ch	air Style		Arr	n Style		N	Metal Finish
MOB Mobi	2 Multi-Purpose	Poly 8	1 vmer Seat k Back		Aı	0 rmless		Pol	P ished Chrome
		Polyn Uphol	2 ner Back & stered Seat		A	1 armed			
			3 sh Back & stered Seat						
			4 sh Back & ymer Seat						
		Fully U Sea	5 Jpholstered at & Back						

MOBI


DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRA	DES 6	7	LEATHE 8	R 9
	Mesh Back and Upholsten MOB231P	ed Seat, v 562	with Arm 586	s 611	658	705	753	799	848	942
	Mesh Back and Polymer S MOB240P	Seat, Armi 392	less							
	Mesh Back and Polymer S MOB241P	Seat, with 441	Arms							
	Fully Upholstered Seat and MOB250P	d Back, A 611	rmless 647	686	761	838	914	989	1065	1220
	Fully Upholstered Seat and MOB251P	d Back, w 648	vith Arms 687	725	803	877	955	1031	1107	1257
	Caddie DOL6	838								
Mobi Option Upcharges		\$ List								
CAL 133 & Moisture Barri Removable Seat Covers Removeable Back Covers	er (per yard)	64 71 71								
PRODUCT CODE KEY										
Line	Series		Chair S	Style		Α	rm Style			Metal Finish
MOB Mobi	2 Multi-Purpose		Polymer I	ck		[0 Armless 1 Armed		F	P Polished Chrome
		l	Upholster 3 Mesh Ba	ed Seat			,			
			4 Mesh Ba	ack &						
		I	5 Fully Upho Seat &							

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 5.51%

POST-CONSUMER
RECYCLED CONTENT = 24.98%

Up to 73.47% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



KARMA | FEATURES & OPTIONS



DESIGNED FOR COMFORT

The seat features an enhanced standard foam thickness, combined with our proprietary webbing suspension system, to provide superior comfort and a longer life cycle. The back is contoured and angled to provide supportive sitting.



LIGHT GREY POLYMER BACK

Polypropylene backs are injection molded, with Light Grey pigment diffused throughout the mold, featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



POLYMER ARM

Karma arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey, Light Grey and Taupe.



STANDARD GLIDE

Karma's black domed polymer glides are nonadjustable, and field-replaceable if damaged or degraded. Ideal for carpeted flooring.



STACKING

Karma stacks 7 high on the floor, and 12 chairs on the Caddie. The optional Underseat Cover can be specified to help prevent indenting of seat upholstery on chairs that will be stacked. Karma chairs with the Sled Base option do not stack.



TANDEM SEATING

Karma chairs, and in-line tables, are designed to be instantly converted to (or ordered as) tandem seating. Armed and armless chairs can be connected -when joining arm chairs the positioning prevents a pinch point between the arms. In-line tables can be configured between chairs or as end tables. And the tandem components can be easily removed to convert to freestanding.



REPLACEABLE COMPONENTS

Karma is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



FRAME COLORS AVAILABLE

The Karma Leg is available in 2 standard finishes; Silver Metallic and Matte Black. Polished Chrome is also available for an upcharge.

WEIGHT CAPACITIES

Karma has been laboratory tested to meet a weight capacity of 500 lbs, in all versions: arm and armless, and all widths.

OPTIONS

SLED BASE OPTION

Optional Sled Base frames are available in Silver Metallic and Matte Black. The integrated steel rail spans between the front and rear legs which are fitted with black nylon glides. Karma chairs with the Sled Base option do not stack.



UNDERSEAT COVER

As an alternative to the standard dust cover under the seat, this option, in black polymer, closes off the underside of the chair, functioning as a cleanable Splashguard to protect the interior from moisture. It also assists in chair stacking, by distributing the weight to eliminate any indentations in the seat upholstery.



CASTERS OPTION

Karma features durable low profile 1 1/2" diameter casters in black nylon offering an impressive 500lb load rating. Karma chairs with the caster option do not stack.



FLOOR SAVER GLIDE

Karma's Floor Saver Glides are a larger, white, nylon glide incorporating a much larger surface area, and is a self-adjusting to help protect LVT, vinyl, tile, or hardwood where risk of marking might occur. Available at a \$37 list upcharge.



NON-SLIP GLIDE

Features a much larger surface area and is also self-adjusting. It also features a softer outer coating to hold and prevent chair from sliding on LVT, vinyl, or tile flooring. Perfect for more slippery/smooth floor areas where prevention of chair movement is required. Available at a \$37 list upcharge.



COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



Optional Removeable covers can be quickly installed on Karma products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Karma products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. See page 333 for more information.

KARMA | DIMENSIONS & COM REQUIREMENTS

	0 "	0 "	0 "	0 1		5.	0 .	Shipp	ing Wei	-	0014	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	1 Chair	2 Chairs	3 Chairs	COM YRD	Cubes
Leg Base Stac Armless	king Chair l	Jpholstered										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	24	44	64	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22 KAR2C-26	28 32	21.9 21.9	33.9 33.9	18 18	26.8 26.8	22 26	17 17	25.5 27	47 50	68.5 73	1 1.7	18 21
Leg Base Stac			00.0	10	20.0	20	.,,	21	50	70	1.7	21
Armless	00.0	01.0	00.0	10	/-	-/-	47	00.5	44	FO F	0.7	10
KAR2C-18.5 KAR2C-22	20.2 23.7	21.9 21.9	33.9 33.9	18 18	n/a n/a	n/a n/a	17 17	22.5 24	41 44	59.5 64	0.7 0.7	18 18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	0.7	21
With Arms			00.0		.,, &	., .			•	00.0	0	
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	27	50	73	0.7	21
Leg Base Stac Armless	king Chair F	Polymer Back										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	n/a	18
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	n/a	18
Caster Base C	hair Uphols	tered - With A	Arms									
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	1	18
Caster Base C												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
Caster Base C KAR2C-18.5	nair Polyme 24.5	r Back - With 21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
Sled Base Cha	ir Upholster	red										
Armless					,	,						
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	-	1	18
KAR2C-22 KAR2C-26	23.7 27.7	21.9 21.9	33.9 33.9	18 18	n/a n/a	n/a n/a	17 17	27 28.5	-	-	1 1.7	18 21
With Arms	21.1	21.5	00.0	10	Π/α	Π/α	17	20.5	_	_	1.7	21
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	_	_	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	28.5	_	_	1	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	30	-	-	1.7	21
Sled Base Cha Armless	ir Wood Ba	ck										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	_	_	0.7	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	-	-	0.7	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	-	-	0.7	21
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	_	_	0.7	18
KAR2C-16.5 KAR2C-22	24.5 28	21.9	33.9	18	26.8	22	17	28.5	-	-	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	30	-	-	0.7	21
Sled Base Cha												
Armless KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	_	_	0.7	18
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	0.7	18
Yardage for Inc Fabric 18.5" Fabric 22" Fabric 26"	dividual Con	nponents	Back 0.50 0.50 0.50	Seat 0.75 0.75 0.75								

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

KARMA | LEG BASE

		COM		COL		RIC GRAI			EATHER	
DESCRIPTION/MO	DEL	1	2	3	4	5	6	7	8	9
	18.5" Leg Base, Matte KAR2C-18.5L_PNAD	Black or Silver M 450	letallic - l 477	Jpholstered 501	l Seat & Pol 540	ymer Bad 583	ck, No Arm 620	with Stand 662	lard Dust 716	Cover 768
	18.5" Leg Base, Polish KAR2C-18.5LCPNAD	ned Chrome - Up 559	holstered 586	Seat & Pol 613	ymer Back, 651	No Arm 694	with Standa 731	rd Dust C 773	over 825	878
	18.5" Leg Base, Matte	Black or Silver M	letallic - F	Fully Linhols	stered No. A	rm with !	Standard Di	ıst Cover		
	KAR2C-18.5L_UNAD	486	513	538	576	619	656	697	751	805
	18.5" Leg Base, Polish KAR2C-18.5LCUNAD	ned Chrome - Ful 596	ly Uphols 622	stered, No <i>F</i> 648	Arm, and Sta 687	andard D 730	ust Cover 766	808	861	914
	18.5" Leg Base, Matte KAR2C-18.5L_WNAD	Black or Silver M 518	letallic - l 535	Jpholstered 546	Seat & Wo 565	od Back, 588	, No Arm wit 605	th Standar 627	d Dust Co 655	ver 680
	18.5" Leg Base, Polish KAR2C-18.5LCWNAD		holstered 644	Seat & Wo 658	od Back, N 676	o Arm wi 697	th Standard 716	Dust Cov 738	er 765	793
	18.5" Leg Base, Matte KAR2C-18.5L_PA_D	Black or Silver M 487	letallic - l 513	Jpholstered 541	I Seat & Pol 580	ymer Bad 620	ck, with Arm 658	and Stan 701	dard Dust 753	Cover 807
	18.5" Leg Base, Polish KAR2C-18.5LCPA_D	ned Chrome - Up 599	holstered 625	Seat & Pol 652	ymer Back, 690	with Arm 731	n and Stand 768	ard Dust (810	Cover 866	917
	18.5" Leg Base, Matte	Black or Silver M	letallic - F	ully Uphols	stered, with	Arm and	Standard D	ust Cover		
	KAR2C-18.5L_UA_D	522	548	577	615	656	694	737	789	843
	18.5" Leg Base, Polish KAR2C-18.5LCUA_D	634	661	688	725	766	805	846	900	954
	18.5" Leg Base, Matte KAR2C-18.5L_WA_D	Black or Silver M 547	letallic - l 562	Jpholstered 576	I Seat & Wo 595	od Back, 617	, with Arm a 634	nd Standa 656	rd Dust C 685	over 710
	18.5" Leg Base, Polish KAR2C-18.5LCWA_D	ned Chrome - Up 659	holstered 673	Seat & Wo 687	ood Back, w 705	ith Arm a 727	and Standard 744	d Dust Co 766	ver 794	821
U	ORDERING NOTES:	When selecting Fr	ame Colo	or and Arm	Style please	e see Pro	duct Code l	Key below	'.	
Karma Option Upo	charges	\$ Li	st							
CAL 133 & Moistur Removable Seat Con Removable Back Con Polymer Underseat Combination Upho	overs	77 72 2	64 71 71 17 33							
PRODUCT CODE KE	•									
Line	Series	Frame Size	Frame	Color	Style		Arm S	tyle	Undersea	t Shroud
KAR Karma	2C Stacking Chair 18	18.5L 3.5" Leg Base		Black	U Fully Uphols	stered	NA No A		Polymer	
			Silver M	Metallic	Beech Wood	d Back	AB Blac	k	Stand Dust (dard
				Chrome	Polymer E	」 Back	Gre	у		
							Light (

KARMA | LEG BASE

DECODIDATION /MODEL		COM	0	COL		BRIC GRA			LEATHER	-
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	22" Leg Base, Matte B	lack or Sil	ver Metall	ic - Fully U	Jpholstered	I, No Arm v	with Stand	ard Dust C	Cover	
	KAR2C-22L_UNAD	529	555	582	618	659	696	739	793	845
	22" Leg Base, Polished	d Chrome	- Fully Hr	holstered	No Arm a	and Standa	ard Dust Co	over		
	KAR2C-22LCUNAD	662	688	715	752	794	832	873	928	981
	TATIZO ZZEGOTAD	002	000	710	752	754	002	070	320	301
	22" Leg Base, Matte B									
لغ	KAR2C-22L_WNAD	567	582	595	614	634	654	674	701	729
	22" Leg Base, Polished	d Chrome	- I Inholet	arad Saat	& Wood ba	ack No Ari	m with Sta	ndard Due	t Cover	
\mathbb{K}	KAR2C-22LCWNAD	702	715	730	747	768	786	809	835	864
		702	7.10	700		700	7.00	000	000	001
	22" Leg Base, Matte B	lack or Sil	ver Metall	ic - Fully U	Inholstered	L with Arm	and Stand	dard Dust (Cover	
	KAR2C-22L_U_D	564	591	618	655	697	733	778	830	883
	22" Log Page Polisher	d Chromo	Eully He	halatarad	with Arm	and Stand	ard Duat C	over		
	22" Leg Base, Polished KAR2C-22LCU D	699	727	752	, with Ann a	833	869	912	962	1017
	NAN20-22E00_D	099	121	732	769	033	609	912	902	1017
	22" Leg Base, Matte B	lack or Silv	ver Metalli	c- Upholst	tered Seat	& Wood ha	ack, with A	rm and Sta	andard Di	ıst Cove
	KAR2C-22L_W_D	596	610	622	642	664	680	703	730	757
	22" Leg Base, Polished	d Chromo	Unholet	orod Soat	& Wood bo	ack with A	rm and St	andard Du	et Cover	
	KAR2C-22LCW D	731	743	759	778	798	816	838	865	890

ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Removable Seat Covers	71
Removable Back Covers	71
Polymer Underseat Shroud 22"	63
Combination Upholstery - dual fabrics	33

PRODUCT COL	DE KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	22L	В	U	NA	S
Karma	Stacking Chair	22" Leg Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

KARMA | LEG BASE

		COM		COL	FA	FABRIC GRADES			LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9		
	26" Leg Base, Matte Bla KAR2C-26L_UNAD	ack or Sil 632	ver Metalli 680	c - Fully L 733	Jpholstered 806	d, Armless 887	with Stand 958	dard Dust 1039	Cover 1141	1244		
	26" Leg Base, Polished KAR2C-26LCUNAD	Chrome 767	- Fully Up 819	holstered 870	, Armless, 941	with Stand 1022	dard Dust (1094	Cover 1177	1279	1380		
	26" Leg Base, Matte Bla	ack or Silv	er Metallic	: - Uphols	tered Seat	& Wood b	ack. Armle	ss. with St	andard Di	ust Cover		
	KAR2C-26L_WNAD	651	674	697	732	768	805	843	889	937		
	26" Leg Base, Polished KAR2C-26LCWNAD	Chrome 785	- Upholste 810	ered Seat 834	& Wood ba 869	ack, Armle 906	ess, with S 940	tandard Du 979	ıst Cover 1027	1072		
	26" Leg Base, Matte Bla	ack or Sil	ver Metalli	c - Fully L	Jpholstered	d, with Arn	n and Stan	dard Dust	Cover			
	KAR2C-26L_U_D	669	721	769	843	924	995	1080	1179	1283		
	26" Leg Base, Polished							over				
	KAR2C-26LCU_D	806	856	908	979	1061	1134	1213	1315	1419		
	26" Leg Base, Matte Bla	ck or Silv	er Metallic	- Upholst	ered Seat 8	& Wood ba	ıck, with Ar	m and Sta	ndard Dus	st Cover		
	KAR2C-26L_W_D	678	703	727	761	798	833	871	917	963		
	26" Leg Base, Polished	Chrome	- Upholste	ered Seat	& Wood ba	ack, with A	Arm and St	tandard Du	ıst Cover			
	KAR2C-26LCW_D	815	840	864	896	934	968	1008	1056	1102		

ORDERING NOTES:

When selecting Frame Color and Arm Style please see Product Code Key below. See following page for additional options. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed on page 112.

Description/Model		Price
	Tandem Seating Bracket KAR2C-GB BA	-Matte Black (for armed chair) 80
	Tandem Seating Bracket- KAR2C-GB BSA	Silver Metallic (for armed chair) 80
	Tandem Seating Bracket- KAR2C-GB BCA	Polished Chrome (for armed chair) 91
	Tandem Seating Bracket- KAR2C-GB BNA	Matte Black (for chairs without arms) 71
	Tandem Seating Bracket- KAR2C-GB BSNA	Silver Metallic (for chairs without arms) 71
	Tandem Seating Bracket- KAR2C-GB BCNA	Polished Chrome (for chairs without arms) 81
	Caddie DOL6	838

PRODUCT COL	DE KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26L	В	U	NA	S
Karma	Stacking Chair	26" Leg Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

KARMA | CASTER BASE

DESCRIPTION/MODEL		COM 1	2	COL 3	FABRI	C GRADE	S 6	7	LEATHER 8	9
	18.5" Caster Base, Silv KAR2CS-18.5MSP_D	er Metallic 571	- Upholste 598	red Seat & 625	Polymer Ba	ck, with A 703	rm with Sta 741	andard 783	Dust Cover 835	890
	18.5" Caster Base, Silv KAR2CS-18.5MSU_D	er Metallic 606	- Fully Uph 633	nolstered, v 661	with Arm and 697	Standard 739	Dust Cove 778	er 820	871	927
	18.5" Caster Base, Silve KAR2CS-18.5MSW_D	er Metallic - 632	Upholstere 645	ed Seat & \ 659	Wood back, v 677	vith Arm ar 699	nd Standar 717	d Dust 739	Cover 766	793
	22" Caster Base, Silver KAR2C-22MSU_D	Metallic - 646	Fully Upho 674	Istered, wi 701	th Arm and S 738	Standard D 781	Oust Cover 816	859	913	963
	22" Caster Base, Silver KAR2C-22MSW_D	Metallic- L 678	Jpholstered 691	d Seat & W 706	/ood back, w 723	rith Arm ar 746	nd Standar 764	d Dust 785	Cover 811	840
ġ	ORDERING NOTES: W Karma chairs all includ- upcharge listed below.							ange "C)" to "S" and	l add
Karma Option Upcharg	201	\$ L	iet							
CAL 133 & Moisture Bar Removable Seat Covers Removable Back Covers Polymer Underseat Shro Polymer Underseat Shro Polymer Underseat Shro Combination Upholstery	rier (per yard) s s oud 18.5" oud 22" oud 26"	φL	64 71 71 47 63 80 33							
Line S	Series Frame	Size	Frame	Color	Style		Arm St	yle	Undersea	t Shroud
KAR Karma Stac	2C 18.5 18.5 Cas 22 22 Cast	ster Base	Silver M		Fully Upholst W Beech Wood P Polymer Ba	Back	AB Black AG Grey ALG Light G	, ,	Polymer D Stand	Shroud

Light Grey

AT

Taupe

KARMA | SLED BASE

DESCRIPTION/MOI	DEL	COM 1	2	COL 3	FA 4	ABRIC GRAD 5	ES 6	LE 7	EATHER 8	9
	18.5" Sled Base, Matte Black KAR2C-18.5S_PNAD	or Silve 586	r Metallic 600	- Upholstered 614	Seat 8 632	Polymer Ba 655	ck, No Arm 672	with Stan 694	dard Dust 721	Cover 747
	18.5" Sled Base, Matte Black KAR2C-18.5S_UNAD	or Silve 622	r Metallic 635	- Fully Uphols 649	etered, 667	No Arm with 690	Standard D 707	ust Cover 730	757	783
	18.5" Sled Base, Matte Black KAR2C-18.5S_WNAD	or Silver 658	Metallic - 672	Upholstered \$686	Seat & ¹ 703	Wood back, N 725	No Arm with 743	Standard 765	Dust Cove 793	er 820
	18.5" Sled Base, Matte Black KAR2C-18.5S_P_D	or Silve 626	r Metallic 652	- Upholstered 679	Seat 8 718	Polymer Ba 759	ck, No Arm 796	with Stan 838	dard Dust 892	Cover 945
	18.5" Sled Base, Matte Black KAR2C-18.5S_U_D	or Silve 662	r Metallic 688	- Fully Uphols 716	tered, 753	with Arm and 794	l Standard [832	Oust Cove 873	r 928	981
	18.5" Sled Base, Matte Black (KAR2C-18.5S_W_D ORDERING NOTES: When so Karma chairs all include the Scharge listed below.	687	701 Frame Co	715 lor and Arm S	732 Style ple	754 ease see Pro	771 duct Code I	794 Key below	822	848
Karma Option Up	charges	\$	List							
CAL 133 & Moistur Removable Seat C Removable Back C Polymer Underseat Combination Upho	overs Covers t Shroud 18.5" Istery - dual fabrics		64 71 71 47 33							
Line	Series Frame S	ize	Fram	e Color	S	tyle	Arm S	tyle	Undersea	t Shroud
KAR Karma	2C 18.5S Chair 18.5" Sled	_		S	Fully Up	U sholstered W lood Back P er Back	NA No Ai AB Blac AG Gree ALC Light G	rm Sck i y Garey	Polymer Stand Dust (Shroud

KARMA | SLED BASE

COM COL **FABRIC GRADES LEATHER** DESCRIPTION/MODEL 2 9 3 5 6 8 22" Sled Base, Matte Black or Silver Metallic - Fully Upholstered, No Arm with Standard Dust Cover KAR2C-22S_UNAD 665 691 719 756 796 834 877 983 22" Sled Base, Matte Black or Silver Metallic - Upholstered Seat & Wood back, No Arm with Standard Dust Cover KAR2C-22S_WNAD 719 752 22" Sled Base, Matte Black or Silver Metallic - Fully Upholstered, with Arm and Standard Dust Cover KAR2C-22S_U_D 702 730 756 793 835 1019 22" Sled Base, Matte Black or Silver Metallic- Upholstered Seat & Wood back, with Arm and Standard Dust Cover KAR2C-22S_W_D 733 746 761 803 820 842 ORDERING NOTES: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	
Removable Seat Covers	71	
Removable Back Covers	71	
Polymer Underseat Shroud 22"	63	
Combination Upholstery - dual fabrics	33	

PRODUCT CODE	KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	228	В	U	NA	S
Karma	Chair	22" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG	Dust Cover
					Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

KARMA | SLED BASE

		COM		COL	FAI	BRIC GRA	DES		LEATHER	₹
DESCRIPTION/MODEL		11	2	3	4	5	6	7	8	9
	26" Sled Base, Matte Bl	ack or Silv	er Metallic	: - Fully U _l	pholstered	, Armless	with Stand	ard Dust C	Cover	
	KAR2C-26S_UNAD	768	820	871	942	1026	1095	1178	1281	1381
	26" Sled Base, Matte Bl	ack or Silve	er Metallic	- Unholst	ered Seat	& Wood b	ack Armle	ss with St	andard Di	ıst Cover
	KAR2C-26S_WNAD	789	811	835	870	908	941	981	1029	1074
	26" Sled Base, Matte Bl	ack or Silv	er Metallic	- Fully H	nholstered	with Arm	and Stand	Hard Duet (Cover	
	KAR2C-26S_U_D	807	859	909	981	1062	1135	1216	1316	1420
		301			331	1002	1100	1210	1010	1120
	26" Sled Base, Matte Bla	ack or Silve	er Metallic-	- Upholste	red Seat &	Wood bad	ck, with Arr	n and Star	ndard Dus	t Cover
	KAR2C-26S_W_D	816	842	865	898	935	971	1009	1058	1103
	ORDERING NOTES: V Karma chairs all includ		-		•				•	and add

upcharge listed below.


Karma Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	
Removable Seat Covers	71	
Removable Back Covers	71	
Polymer Underseat Shroud 26"	80	
Combination Upholstery - dual fabrics	33	

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	26S	В	U	NA	S
Karma	Chair	26" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG	Dust Cover
					Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

CORFU | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 26.34%

POST-CONSUMER RECYCLED CONTENT = 22.74

Up to 55.38% of this Corfu product is recyclable at the end of its useful life.

(COR2-61S)

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CORFU | FEATURES & OPTIONS



SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Polished Chrome.



UNDER SEAT COVER

Each Corfu includes an underseat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.



PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection:

White, Black, Grey, Red, Blue, Sand



WOOD FINISH

BEECH PLYWOOD

Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.

Wood seats and backs are made with

European Beech hardwood veneers,

featuring nine (9) plys of cross grain for

added strength and durability.



COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



STACKING

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.



California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



The Corfu caddie provides enhanced stackability, along with the ease of movement and storage. Its design allows for the stacking and storage of all Krug stackable chairs. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. This caddie is designed to stack and transport Krug's other stacking chairs.

GANGING

Corfu can be ordered with the option of ganging for the upcharge of \$33 list per chair. Please specify ganging when ordering.

PACKAGING

Corfu packaging features recycled, recyclable cardboard. The arm and armless chairs are shipped 4 units per carton.



DIMENSIONS

					Height of	Width		Sł	nipping Weig	hts & Cubes	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	1 unit W C	2 units W C	3 units W C	4 units W C
COR2-10S COR2-10C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	28 16	46 17	65 18	83 20
COR2-11S COR2-11C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	30 16	51 17	73 18	93 20
COR2-20S COR2-20C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	30 16	51 17	73 18	94 20
COR2-21S COR2-21C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	36 16	63 17	92 18	119 20
COR2-30S COR2-30C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-31S COR2-31C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20
COR2-40S CORS-40C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-41S COR2-41C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20
COR2-50S COR2-50C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	29 16	48 17	69 18	89 20
COR2-51S COR2-51C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	32 16	54 17	77 18	99 20
COR2-60S COR2-60C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-61S COR2-61C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	82 18	106 20
COR6	24	31	15.75								

COM REQUIREMENTS

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

WEIGHT CAPACITY

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

 COM
 COL
 FABRIC GRADES
 LEATHER

 DESCRIPTION/MODEL
 1
 2
 3
 4
 5
 6
 7
 8
 9



Plastic Seat & Back, Armless, with Silver Metallic Frame

COR2-10S 49

Plastic Seat & Back, Armless, with Polished Chrome Frame

COR2-10C 556



Plastic Seat & Back, Plastic Arms, with Silver Metallic Frame

COR2-11S 569

Plastic Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame

COR2-11C 624



Plastic Seat & Back with Upholstered Pads, Armless, with Silver Metallic Frame
COR2-20S 658 693 727 761 796 832 866 900 935

Plastic Seat & Back with Upholstered Pads, Armless, with Polished Chrome Frame

COR2-20C 721 756 789 823 859 894 929 961 999



Plastic Seat & Back with Upholstered Pads, Plastic Arms, with Silver Metallic Frame

COR2-21S 737 769 806 840 875 910 943 979 1015

Plastic Seat & Back with Upholstered Pads. Polished Aluminum Arms, with Polished Chrome Frame

COR2-21C 791 827 861 895 930 963 1001 1034 1067

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Chrome frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$33 list per chair, please specify on order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	2	1	0	S
	Multi-Purpose	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3		
		Wood Seat & Back		
		4		
		Fully Upholstered Seat & Back		
		5		
		Plastic Back, Plastic Seat with Upholstered Pad		
		6		
		Wood Back, Fully Upholstered Seat		

DESCRIPTION/MODE	L	SPECIES	COM 1	2	COL 3	FAE 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
		Plastic Seat wit	•								
	COR2-50S		610	633	658	679	705	729	752	777	799
		Plastic Seat wit	•							000	004
	COR2-50C		673	696	721	743	767	791	815	838	864
	Plastic Back,	Plastic Seat wit	h Upholst	ered Pad	I, Plastic A	rms with	Silver Met	allic Fram	е		
	COR2-51S		689	711	737	760	783	807	832	853	878
		Plastic Seat wit									
	COR2-51C		743	767	791	815	838	864	886	910	932
	Wood Seat 8	k Back, Armless,	with Silve	er Metallio	c Frame						
	COR2-30S	Beech	711								
	Wood Seat 8	Back, Armless,	with Polis	shed Chro	ome Fram	е					
	COR2-30C	Beech	783								
	Wood Seat 8	k Back, Silver Me	etallic Arm	ıs, with S	ilver Meta	llic Frame					
	COR2-31S	Beech	853								
	Wood Seat 8	Back, Polished	Aluminun	n Arms, v	vith Polish	ed Chrom	ne Frame				

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

941

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$33 list per chair, please specify on order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Beech

COR2-31C

Line	Series	Chair Style	Arm Style	Frame Finish
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic
		2 Plastic with Upholstered Seat & Back Pads	1 Arms	C Polished Chrome
		3 Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with Upholstered Pad		
		6 Wood Back, Fully Upholstered Seat		

			COM		COL		FABR	IC GRADE	S	LEATHE	R
DESCRIPTION/MOI	DEL	SPECIES	1	2	3	4	5	6	7	8	9
	Wood Back, Fully	Upholstered	Seat, Arr	nless, wit	h Silver M	1etallic Fra	ame				
1	COR2-60S	Beech	777	809	845	879	914	952	984	1018	1054
	West Deals Falls	I I a la a la La casa d	0 1 - 4		l. D. P. L.		-				
	Wood Back, Fully COR2-60C	Upnoistered Beech	Seat, Arr	niess, wit 882	n Polisne 915	a Cnrome 953	Frame 985	1019	1056	1090	1124
	00112 000	Decem	040	002	313	330	303	1013	1000	1000	1124
U											
	Wood Back, Fully	Linholetered	Spat Silv	ver Metall	ic Arme	with Silver	Metallic	Frame			
	COR2-61S	Beech	916	954	987	1021	1058	1092	1126	1162	1195
	Wood Back, Fully									1017	1000
	COR2-61C	Beech	1004	1038	1073	1109	1142	1178	1213	1247	1283
	Fully Upholstered COR2-40S	Seat & Back	, Armless 807	s, with Silv 853	er Metalli/ 901	c Frame 952	997	1044	1092	1139	1187
	00112-403		007	033	901	932	991	1044	1092	1133	1101
	Fully Upholstered	Seat & Back	, Armless								
/ //	COR2-40C		878	927	974	1019	1066	1116	1163	1209	1257
w U											
	Fully Upholstered COR2-41S	Seat & Back	, Silver M 952	letallic Ari 997	ns, with S 1044	Silver Meta 1092	allic Fram 1139	e 1187	1232	1282	1330
	00112-410		332	331	1044	1032	1100	1107	1202	1202	1000
	Fully Upholstered	Seat & Back									
	COR2-41C		1036	1084	1131	1178	1226	1273	1319	1370	1416
u u											
	Caddie										
	DOL6		838								
<i>\$</i>											

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum. Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms. Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$33 list per chair, please specify on order. CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

PRODUCT CODE KEY


Line	Series	Chair Style	Arm Style	Frame Finish
COR	2	1	0	S
	Multi-Purpose	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3 Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with		
		Upholstered Pad		
		6		
		Wood Back, Fully Upholstered Seat		

Wood Back, Fully Upholstered Seat

CAPRI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 15.13%

POST-CONSUMER
RECYCLED CONTENT = 30.97%

Up to 66.28% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Capri products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CAPRI

			COM		COL	F	ABRIC GF	RADES		LEATHE	:R
DESCRIPTION/MODEL/FINISHES			1	2	3	4	5	6	7	8	9
	ARM CHAI	R									
	CAP2A1	Cherry, Beech	1014								
	CAP2A2		1230	1279	1317	1377	1437	1503	1578	1663	1806
	CAP2A3	Cherry, Beech	1117	1161	1205	1254	1307	1359	1411	1497	1587
	CAP2A4	Cherry, Beech	1143								
	CAP2A5	Cherry, Beech	1246	1292	1335	1386	1437	1487	1539	1626	1715
	SIDE CHAI	R									
1-1	CAP2S1	Cherry, Beech	932								
1 1	CAP2S2		1143	1192	1240	1298	1359	1421	1482	1568	1714
	CAP2S3	Cherry, Beech	1039	1086	1124	1177	1230	1283	1335	1421	1506
/ // /	CAP2S4	Cherry, Beech	1065								
	CAP2S5	Cherry, Beech	1170	1194	1254	1307	1359	1411	1464	1551	1639
•											
	CADDIE DOL6		838								



DIMENSIONS & COM REQUIREMENTS

			_							
	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube (2)	COM Yardage
ARM CHAIR										
Wood with arms	22	22.75	33.75	18.5	27	20.5	17.25	12	13	-
Fully Upholstered with arms	22	22.75	34	19	27	20.5	17.75	14	13	1.0
Upholstered seat with arms	22	22.75	33.75	19	27	20.5	17.75	13	13	0.6
SIDE CHAIR										
Wood with arms	19.75	22.75	33.75	18.5	-	-	17.25	12	13	-
Fully Upholstered	19.75	22.75	34	19	-	-	17.75	14	13	1.0
Upholstered seat	19.75	22.75	33.75	19	-	-	17.75	13	13	0.6
ARM CHAIR										
Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	-
Fully Upholstered with arms	22	22.75	44	29.5	38.5	20.5	17.75	17	18	1.0
Upholstered seat with arms	22	22.75	43.75	29.5	38.5	20.5	17.75	16	18	0.6
CADDIE	25.5	41	43.75	-	-	-	-	20	17	-

ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. .

PRODUCT CODE KEY

Line	Series	Chair Type	Chair Style
CAP	2	А	1
Capri	Guest Seating	Arm Chair	Wood
	5 Barstool	Side Chair	2 Fully Upholstered
			3 Upholstered Seat Cushion
			Wood With Holes
			5 Upholstered Seat, Back with Holes

When used with Caddie, Capri stacks to a maximum of 15 chairs high (10 high for upholstered versions). Barstool versions cannot be stacked with Caddie.

REMOVABLE UPHOLSTERED BACK COVER


Capri Chairs are available with removable upholstered back cover at an upcharge of \$48 list per chair.

BANK OF ENGLAND | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .34%

POST-CONSUMER RECYCLED CONTENT = 13.10%

Up to 96.55% of this Bank of England product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bank of England products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Bank of England products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bank of England and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

BANK OF ENGLAND

			COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODE	L/FINISHES		1	2	3	4	5	6	7	8	9
	WOOD SE 177-A 177-J	AT Oak, Cherry Oak, Cherry Jury Base	1240 1403								
	REMOVAE 178-A 178-J	BLE CUSHION Oak, Cherry Oak, Cherry Jury Base	1512 1688	1584 1764	1653 1835	1720 1908	1788 1977	1855 2051	1918 2114	1988 2188	2096 2302
	UPHOLST 179-A 179-J	ERED SEAT Oak, Cherry Oak, Cherry Jury Base	1512 1688	1584 1764	1653 1835	1720 1908	1788 1977	1855 2051	1918 2114	1988 2188	2096 2302

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
177-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	-
178-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75
179-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75

ORDERING NOTES

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available. For jury base version of this chair, please select model number '177-J' for Wood Seat, '178-J' for Removable Cushion, or '179-J' for Removable Cushion Upholstered Seat.



CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard. .

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finish

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

BANK OF ENGLAND

For a complete list of standard wood finishes please see page 335.

BARSTOOL & COUNTER HEIGHT SEATING


127 Manolo 131 Karma 133 Capri 135 Corfu

MANOLO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 14.89%

POST-CONSUMER
RECYCLED CONTENT = 34.84%

Up to 69.20% of this Manolo product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Manolo products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



of responsible forest

AIR EMISSIONS

All Manolo products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Manolo and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

MANOLO | FEATURES & OPTIONS



SEATS

Manolo seats are available, with two back heights; Backless Seat and Low Back Seat, in Upholstered, Beech and Walnut veneers and Palette finishes.



BASES

Manolo Stool bases feature Polished Chrome structural steel base frames with non-marring polycarbonate glides. Manolo Stool bases are available in two heights; Counter Height or Bar Height.

WEIGHT CAPACITY

Manolo complies with ANSI/BIFMA x5.1-2011 test standards. Manolo has been load tested up to 300lbs.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

OPTIONS

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

MANOLO | DIMENSIONS & COM

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Width	Seat Depth	Seat Height	Shipping Weight	Cube	COM Yardage	
Barstool										
Backless Seat	19	22.5	36	15.75	16	31	19.5	12	1	
Low Back Seat	19	22.5	41	15.75	16	31	20	13	1	
Counter Stool										
Backless Seat	19	22.5	30	15.75	16	25	18.5	10	1	
Low Back Seat	19	22.5	35	15.75	16	25	19	11	1	

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

MANOLO | BARSTOOL & COUNTER STOOL

			COM		COL	FAB	RIC GRA	ADES	LEATHER		
Description	Model	Species	1	2	3	4	5	6	7	8	9
	MAN5B01	ood, Backless Seat Beech Walnut	810 851								
	MAN5B03	Palette	780								
	Counter Sto	ol, Wood Seat, Backles	ss Seat								
	MAN5C01	Beech	784								
		Walnut	824								
	MAN5C03	Palette	756								
	Barstool, Fu	lly Upholstered, backle	ess seat								
	MAN5B02		853	886	916	981	1043	1108	1170	1232	1360
	Counter Sto	ol, Fully Upholstered, E	Backless S	Seat							
	MAN5C02	, , ,	827	859	890	955	1017	1082	1143	1207	1334
	MAN5B11 MAN5B13	ood, Low Back Seat Beech Walnut Palette ol, Wood, Low Back Seach Walnut	827 869 793 eat 799 842								
	MAN5C13	Palette	768								
	Barstool Ful MAN5B12	ly Upholstered, Low Ba	ack Seat 906	939	974	1039	1107	1171	1240	1306	1438
	Counter Sto MAN5C12	ol Fully Upholstered, L	ow Back \$ 878	Seat 913	946	1012	1080	1146	1212	1279	1412

Manolo Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	64


Line	Series	Base Height	Seat Style	Seat Type	
MAN Manolo	5 Stool	B Bar Height	0 Backless Seat	1 Wood	
		C Counter Height	1 Low Back Seat	2 Fully Upholstered	
				3 Palette	

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

KARMA | COUNTER STOOL


ESCRIPTION/	MODEL			COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6		T T	EATHER 8	9
		Leg Frame, 2C-18.5C_U		ck or Silv 677	er Metalli 705	c - Fully L 731	Jpholstered, 767	No Arm, 810	with Sta 848		Dust Cov 89	ver 942	995
		Leg Frame, 2C-18.5CCU		Chrome - 730	Fully Up 757	holstered 782	, No Arm, wi 820	ith Standa 864	ard Dust 900		41	994	1046
		Leg Frame, 2C-18.5C_W		ck or Silv	er Metalli 727	c- Uphols 739	stered Seat 8	Wood b	ack, No		ith Stand 20	dard Dus	st Cove
		Leg Frame, 2C-18.5CCV		Chrome - 764	- Upholsto 779	ered Seat 791	& Wood bad 809	ck, No An 832	m, with 8		d Dust (71	Cover 898	927
		Leg Frame, 2C-18.5C_U		ck or Silv	er Metalli 737	c - Fully U	Jpholstered, 807	with Arm	ı, with S		Dust Co	over 982	1034
		Leg Frame, 2C-18.5CCL		Chrome - 767	Fully Up 794	holstered 821	, with Arm, v 857	with Stand 900	dard Dus 937			1033	1087
		Leg Frame, 2C-18.5C_W		or Silver	Metallic-	Upholster	red Seat & W	ood back	, with Ar 827	,	Standard 48	d Dust C 875	over 904
	101112												904
	18.5"	Leg Frame,	, Polished C	mrome -									
	KAR2 ORD Karm	a chairs all i	V_D TES: When include the	793 selecting Standard	807 Frame C	820 Color and a over (selec	838 Arm Style plet "D" below;), for opti	onal Pol	Code k			955)" to "S'
Karma Option	CAR2 ORD Karm and a	ERING NOT a chairs all i	V_D TES: When include the	793 selecting Standard ow. See \$ List	807 Frame C d Dust Co page 4 fo	820 Color and a over (selec	Arm Style plet "D" below)	ease see), for option M require	Product onal Pol ments.	t Code k ymer Sh	Key belo	w.)" to "S' \$ List
Karma Option CAL 133 & Moi Removable Sea Removable Bac	CAR2 ORD Karm and a Upcharges isture Barrier at Covers	ERING NOT a chairs all i	V_D TES: When include the	793 selecting Standard ow. See I	807 Frame Cd Dust Cooage 4 fo	820 Color and a over (selec	Arm Style pl	ease see), for option M require nderseat S	Product onal Pol ments. Shroud 1 tery - du	t Code k ymer Sh 18.5" ual fabrid	Key belo nroud ch	w. ange "D	" to "S" ** List 47 33
CAL 133 & Moi Removable Sea	ORD Karm and a Upcharges isture Barrier at Covers ck Covers	ERING NOT a chairs all i add upcharg (per yard)	V_D FES: When include the le listed belonger	793 selecting Standard ow. See \$ List 64 71 71	807 Frame Condition of the state of the stat	820 Solor and A over (selec r dimensi	Arm Style plot "D" below; ons and COI Polymer Un Combinatio See page 3	ease see), for option M require aderseat Son Uphols for more	Product onal Polyments. Shroud 1 tery - du informa	t Code k ymer Sh 18.5" ual fabric tion on	Key belo nroud ch cs options	w. lange "D and fea	\$ List 47 33 tures.
CAL 133 & Moi Removable Sea Removable Bac	CAR2 ORD Karm and a Upcharges isture Barrier at Covers ck Covers are in inches Overall	ERING NOT a chairs all is add upcharg (per yard) and approxi	V_D FES: When include the le listed belonger in the listed belonger in the letter in	793 selecting Standard ow. See \$ List 64 71 71 re subject	807 Frame Control Dust Con	820 Solor and A over (select r dimension ge without as From	Arm Style plot "D" below; ons and COI Polymer Un Combinatio See page 3 notice. Cont	ease see), for option M require inderseat Son Uphols for more tact Custo Seat	Product onal Polyments. Shroud 1 tery - du informa omer Ser Shipp 1	18.5" Just fabrication on a rvice if ding Weig 2	Key belonroud charoud charoud charoud charoud charous cas options imension ght/box 3	and fearns are cr	\$ List 47 33 tures.
CAL 133 & Moi Removable Sea Removable Bad DIMENSIONS: All dimensions a	CAR2 ORD Karm and a Upcharges isture Barrier at Covers ck Covers are in inches Overall Width	ERING NOT a chairs all i add upcharg (per yard) and approxi Overall Depth	V_D FES: When include the le listed belonger in the legister and an overall Height	793 selecting Standard ow. See \$ List 64 71 71 re subject	807 Frame Control Dust Con	820 Solor and A over (select r dimension	Arm Style plot "D" below; ons and COI Polymer Un Combinatio See page 3	ease see), for option M require inderseat Son Uphols for more	Product onal Polyments. Shroud 1 tery - du informa omer Ser Shipp 1	18.5" Jal fabrication on wice if ding Weiging	Key belonroud charoud charoud charoud charoud charous cas options imension ght/box 3	and fea	\$ List 47 33 tures.
CAL 133 & Moi Removable Sea Removable Bac DIMENSIONS: All dimensions a Easy Access of Armless KAR2-18.5	CAR2 ORD Karm and a Upcharges isture Barrier at Covers ck Covers are in inches Overall Width	ERING NOT a chairs all i add upcharg (per yard) and approxi Overall Depth	V_D FES: When include the le listed belonger in the legister and an overall Height	793 selecting Standard ow. See \$ List 64 71 71 re subject	807 Frame C I Dust Co page 4 fo t t t t to chang at Arm ht F	820 Solor and A over (select r dimension ge without as From	Arm Style plot "D" below; ons and COI Polymer Un Combinatio See page 3 notice. Cont	ease see), for option M require inderseat Son Uphols for more tact Custo Seat	Product onal Polyments. Shroud 1 tery - du informa omer Ser Shipp 1	18.5" Just fabrication on a rvice if ding Weig 2	Key belonroud charoud charoud charoud charoud charous cas options imension ght/box 3	and fearns are cr	\$ List 47 33 tures.
CAL 133 & Moi Removable Sea Removable Bac DIMENSIONS: All dimensions a Easy Access of Armless	Variation of Counter Set (Counter Set (Count	ERING NOT a chairs all is add upcharg (per yard) and approxi Overall Depth at Upholster	V_D FES: When include the le listed belonger in the listed belonger	793 selecting Standard ow. See \$ List 64 71 71 re subject	807 Frame C I Dust Co page 4 fo	820 Solor and A over (select r dimension ge without as From Gloor	Arm Style plot "D" below; ons and COI Polymer Un Combinatio See page 3 notice. Cont Between Arms	ease see), for option M require Inderseat Son Uphols for more tact Custo Seat Depth	Product onal Polyments. Shroud 1 tery - du informa omer Ser Shipp 1 Chair	18.5" Just fabrication on a rvice if ding Weig 2	Key belonroud charoud charoud charoud charoud charous cas options imension ght/box 3	and fearns are cr	\$ List 47 33 tures.
CAL 133 & Moi Removable Sea Removable Bac DIMENSIONS: All dimensions a Easy Access of Armless (AR2-18.5 with Arms (AR2-18.5 Easy Access of Armless	Width r Counter Se 20.2 24.5 r Counter Se	ERING NOT a chairs all i add upcharg (per yard) and approxi Overall Depth at Upholster 21.9 21.9 at Wood Ba	V_D FES: When include the listed below	793 selecting Standard ow. See \$ List 64 71 71 re subject Sea Heig	807 Frame Coll Dust Coloage 4 for the change at Armight F	820 Color and A over (select r dimension ge without as From Cloor n/a 32.8	Arm Style plot "D" below; ons and COI Polymer Un Combinatio See page 3 notice. Cont Between Arms n/a 18.5	ease see), for option M require Inderseat Son Uphols for more tact Custo Seat Depth 17	Product onal Polyments. Shroud 1 tery - du informa Dimer Sel Shipp 1 Chair 43 44.5	18.5" Just fabrication on a rvice if ding Weig 2	Key belonroud charoud charoud charoud charoud charous cas options imension ght/box 3	and fearns are cr	\$ List 47 33 tures. Cubes 20
CAL 133 & Moi Removable Sea Removable Bac DIMENSIONS: All dimensions a Easy Access of Armless KAR2-18.5 with Arms KAR2-18.5 Easy Access of Armless KAR2-18.5 with Arms	Width r Counter Se 20.2 KAR2 ORD Karm and a Upcharges isture Barrier at Covers ck Covers are in inches Overall Width r Counter Se 20.2 24.5 r Counter Se	ERING NOT a chairs all is add upcharg (per yard) and approxi Overall Depth at Upholster 21.9 21.9 at Wood Ba 21.9	V_D FES: When include the listed belonger include the listed belonger include the listed belonger includes and an overall Height red 39.9 39.9 ck 39.9	793 selecting Standard ow. See \$ List 64 71 71 re subject Sea Heig 24 24	807 Frame Coll Dust Colorage 4 for the change at Armight F	820 Solor and A over (select r dimension ge without as From Floor n/a 32.8	Arm Style plet "D" below; ons and COI Polymer Un Combinatio See page 3 notice. Cont Between Arms n/a 18.5	ease see), for option M require Inderseat Son Uphols for more tact Custo Seat Depth 17 17	Product onal Polyments. Shroud 1 tery - du information Shipp 1 Chair 43 44.5	18.5" Just fabrication on a rvice if ding Weig 2	Key belonroud charoud charoud charoud charoud charous cas options imension ght/box 3	and fearns are crown YRD	\$ List 47 33 tures. Cube 20 20
CAL 133 & Moi Removable Sea Removable Bac DIMENSIONS: All dimensions a Armless (AR2-18.5 with Arms (AR2-18.5 with Arms (AR2-18.5 with Arms (AR2-18.5	Water Services are in inches Overall Width Tounter Services are Counter Services are 20.2 24.5 Tounter Services are 20.2 24.5	ERING NOT a chairs all i add upcharg (per yard) and approxi Overall Depth at Upholster 21.9 21.9 at Wood Ba	V_D FES: When include the listed below	793 selecting Standard ow. See \$ List 64 71 71 re subject Sea Heig	807 Frame Coll Dust Colorage 4 for the change at Armight F	820 Color and A over (select r dimension ge without as From Cloor n/a 32.8	Arm Style plot "D" below; ons and COI Polymer Un Combinatio See page 3 notice. Cont Between Arms n/a 18.5	ease see), for option M require Inderseat Son Uphols for more tact Custo Seat Depth 17	Product onal Polyments. Shroud 1 tery - du informa Dimer Sel Shipp 1 Chair 43 44.5	18.5" Just fabrication on a rvice if ding Weig 2	Key belonroud charoud charoud charoud charoud charous cas options imension ght/box 3	and fearns are cr	\$ List 47 33 tures. Cubes 20
CAL 133 & Moi Removable Sea Removable Bac DIMENSIONS: All dimensions a Easy Access of Armless KAR2-18.5 with Arms KAR2-18.5 Easy Access of Armless KAR2-18.5 with Arms	Water Services are in inches Overall Width Tounter Services are Counter Services are 20.2 24.5 Tounter Services are 20.2 24.5	ec-18.5CCV ERING NOT a chairs all i add upcharg (per yard) and approxi Overall Depth at Upholster 21.9 21.9 at Wood Ba 21.9 21.9	V_D FES: When include the listed belonger include the listed belonger include the listed belonger includes and an overall Height red 39.9 39.9 ck 39.9	793 selecting Standard ow. See \$ List 64 71 71 re subject Sea Heig 24 24 24	807 Frame Cd Dust Copage 4 for the change at Armight F	820 Solor and A over (select r dimension ge without as From Floor n/a 32.8	Arm Style plet "D" below; ons and COI Polymer Un Combinatio See page 3 notice. Cont Between Arms n/a 18.5	ease see), for option M require inderseat Son Uphols for more tact Custo Seat Depth 17 17 17	Product onal Polyments. Shroud 1 tery - du information Shipp 1 Chair 43 44.5	18.5" Just fabrication on a rvice if ding Weig 2	cs options imension ght/box 3 Chairs	and fearns are cr	\$ List 47 33 tures. Cubes 20 20

CAPRI | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Capri products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CAPRI | BARSTOOL

		COM		COL	F	ABRIC GRA	ADES		LEATHE	R
DESCRIPTION/MODEL/FI	NISHES	1	2	3	4	5	6	7	8	9
C, C, C, C,	ARSTOOL AP5A1 Cherry, Beech AP5A2 AP5A3 Cherry, Beech AP5A4 Cherry, Beech AP5A5 Cherry, Beech	1478 1341 1372	1533 1393 1548	1584 1445 1598	1653 1508 1663	1724 1569 1724	1802 1632 1788	1892 1693 1846	1993 1798 1954	2139 1885 2037

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BARSTOOL Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	
Fully Upholstered with arms Upholstered seat with arms	22	22.75 22.75 22.75	43.75 44 43.75	29.5 29.5	38.5 38.5	20.5 20.5 20.5	17.25 17.75 17.75	15 17 16	18 18	1.0 0.6


ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Line	Series	Chair Type	Chair Style	BARSTOOL
CAP	5 Barstool	A Arm Chair	1 Wood	The Capri barstool version is available with arms only. Capri barstool versions are suitable for use with bar heights in the range of 40" to 42".
			Fully Upholstered 3 Upholstered Seat Cushion	REMOVABLE UPHOLSTERED BACK COVER Capri Chairs are available with removable upholstered back cover at an upcharge of \$48 list per chair.
			4 Wood With Holes 5 Upholstered Seat, Back with Holes	

CORFU | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 27.77%

POST-CONSUMER RECYCLED CONTENT = 18.44%

Up to 86.71% of this Corfu product is recyclable at the end of its useful life.

(COR5-11S)

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CORFU | BARSTOOL - FEATURES & OPTIONS

SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



WOOD FINISH

Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.



Wood seats and backs are made with European Beech hardwood veneers, featuring nine (9) plys of cross grain for added strength and durability.

STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Chrome.



PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection: White, Black, Grey, Red, Blue, Sand



UNDER SEAT COVER

Each Corfu includes an under-seat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.

OPTIONS

COMBINATION UPHOLSTERY COVERS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$64 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

CORFU | BARSTOOL - DIMENSIONS & COM REQUIREMENTS

COM REQUIREMENTS

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
COR5-10S	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-10C	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-11S	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-11C	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-20S	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-20C	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-21S	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-21C	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-30S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-30C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-31S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-31C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-40S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-40C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-41S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-41C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-50S	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-50C	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-51S	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-51C	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-60S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-60C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-61S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-61C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22

WEIGHT CAPACITY

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

CORFU | BARSTOOL

DESCRIPTION/MODEL		COM	2	COL 3	FA 4	BRIC GR		7	LEATHER	
DESCRIPTION/INC	Plastic Seat & Back, Armles COR5-10S	s, with Silve			4	5	6	7	8	9
	Plastic Seat & Back, Armles COR5-10C	s, with Polis 1029	shed Chro	ome Fran	ne					
	Plastic Seat & Back, Plastic COR5-11S	Arms with 971	Silver Me	tallic Frar	me					
	Plastic Seat & Back, Polishe COR5-11C	ed Aluminun 1134	n Arms w	ith Polish	ed Chrom	ne Frame				
	Plastic with Upholstered Sea	at & Back P	ads, Arm	less, with	Silver Me	etallic Frar	ne			
	COR5-20S	1169	1186	1205	1242	1276	1314	1349	1386	1459
	Plastic with Upholstered Sea	at & Back P	ads, Arm	less, with	n Polished	Chrome F	rame			
	COR5-20C	1318	1335	1355	1391	1428	1463	1501	1536	1609
	Plastic with Upholstered Sea	at & Back P	ads, Plas	stic Arms,	with Silve	er Metallic	Frame			
	COR5-21S	1262	1281	1297	1333	1371	1407	1441	1480	1552
	Plastic with Upholstered Sea	at & Back P	ads, Poli	shed Alur	minum Arr	ns, with P	olished Ch	rome Fran	ne	
	COR5-21C	1422	1440	1460	1494	1533	1567	1604	1641	1713

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3 Beech Wood Seat & Back		
		4		
		Fully Upholstered Seat & Back		
		5		
		Plastic Back, Plastic Seat with Upholstered Pad		
	E	6 Beech Wood Back, Fully Upholstered Sea	t	

CORFU | BARSTOOL

DESCRIPTION/MODE	L	SPECIES	COM 1	2	COL 3	FAE 4	BRIC GRA 5	ADES 6	7	LEATHER 8	9
$\overline{\Box}$	•	Plastic Seat wit	•		-	-					
	COR5-50S		1116	1126	1137	1160	1180	1201	1222	1243	1285
	,	Plastic Seat with			•	*					
	COR5-50C		1266	1275	1288	1309	1330	1351	1372	1393	1435
	Plastic Back,	Plastic Seat with	h Upholst	ered Pad	I, Plastic /	Arms with	Silver Me	tallic Fram	ie		
	COR5-51S		1127	1138	1148	1169	1192	1213	1232	1254	1296
	Plastic Back,	Plastic Seat with	h Upholst	ered Pad	l, Polished	d Aluminu	m Arms, v	vith Polish	ed Chrome	Frame	
	COR5-51C		1371	1380	1391	1412	1434	1455	1477	1495	1539
$\overline{\Box}$		Back, Armless,		er Metalli	c Frame						
	COR5-30S	Beech	1218								
	Wood Seat &	Back, Armless,	with Polis	shed Chr	ome Fran	ne					
	COR5-30C	Beech	1292								
		Back, Silver Me		ns, with S	ilver Meta	allic Frame)				
	COR5-31S	Beech	1342								

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

Wood Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame

1396

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

Beech

COR5-31C

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3 Beech Wood Seat & Back		
		4		
		Fully Upholstered		
		Seat & Back		
		5		
		Plastic Back, Plastic Seat with		
		Upholstered Pad		
	E	6 Beech Wood Back, Fully Upholstered Seat	t	

CORFU | BARSTOOL

		COM		M COL			FABRIC GRADES			LEATHER	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Wood Back, Fully Upholstered Seat Armless, with Silver Metallic frame										
	COR5-60S	Beech	1114	1127	1139	1163	1187	1212	1236	1260	1309
	Wood Back, Fully	Upholstered	Seat Armle	ss. with F	Polished Cl	hrome frai	me				
	COR5-60C	Beech	1190	1201	1213	1239	1262	1286	1310	1333	1381
Wood Back, Fully Upholstered Seat, Silver Metallic Arms, with Silver Metallic Frame											
	COR5-61S	Beech	1240	1251	1263	1288	1311	1335	1359	1383	1433
	Wood Back, Fully COR5-61C	Upholstered Beech	Seat, Polisl 1292	hed Alum 1306	inum Arms 1317	s, with Pol 1341	ished Chi 1367	ome Fram 1390	ie 1414	1438	1487
	Fully Upholstered	Seat & Back,	Armless, v	vith Silver	Metallic F	rame 1227	1281	1331	1381	1434	1536
							1201	1001	1001	1404	1000
	Fully Upholstered COR5-40C	l Seat & Back,	-				1051	4404	4.50	4507	1010
	COR5-40C		1199	1224	1251	1303	1354	1404	1456	1507	1610
$\overline{\Box}$	Fully Upholstered	Seat & Back,	Silver Met	allic Arms	s, with Silve	er Metallic	Frame				
	COR5-41S		1249	1273	1302	1352	1403	1455	1506	1557	1660
Fully Upholstered Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame											
	COR5-41C	,	1304	1330	1355	1405	1458	1509	1560	1612	1714

ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

CAL 133 and Moisture Barrier options are available for an upcharge of \$64 list per yard.

PRODUCT CODE KEY

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2		С
			<u>'</u>	
		Plastic with Upholstered	Arms	Polished Chrome
		Seat & Back Pads		
		3		
		Beech Wood Seat & Back		
		4		
		Fully Upholstered		
		Seat & Back		
		5		
		Plastic Back, Plastic Seat with		
		Upholstered Pad		
		6		

Beech Wood Back, Fully Upholstered Seat

LOUNGE SEATING


- 142 Avatar
- 145 Cressida
- 155 Leyton
- 170 Zola
- 187 Zola Privacy
- 253 Faeron
- 265 Sutton
- 267 Carlyle
- 269 Brio
- 271 Sloane

AVATAR | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.21%

POST-CONSUMER
RECYCLED CONTENT = 18.77%

Up to 45.10% of this Avatar product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

AVATAR | FEATURES & OPTIONS



STYLE FIXED ARM



ARMLESS



LEGS

Avatar legs feature Polished Chrome aluminum foot with nylon glides.

REPLACEABLE COMPONENTS

Avatar is uniquely designed to allow major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Chair legs, arms, table tops and bases are field replaceable.

FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

WEIGHT CAPACITIES

Avatar complies with ANSI/BIFMA x5.1-2011 test standards. Avatar has a load tested up to 300lbs.

OPTIONS

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Width Between Arms	Arm Height	Shipping Weight	Cube	COM Yardage
AVA3-1	29	28	30.5	16	18.5	27.5	22	49	17.5	2.65
AVA3-0	26.5	28	30.5	16	18.5	n/a	n/a	46	17.5	2.65

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

AVATAR | LOUNGE

		COM		COL FABRIC GRADES		L				
Description	Model	1	2	3	4	5	6	7	8	9
	Armless AVA3-0	1883	1954	2026	2126	2239	2340	2453	2595	2739
	Fixed Arm AVA3-1	2100	2170	2241	2342	2458	2555	2670	2812	2956

1	1	_
1		1
No.		2

Avatar Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	


PRODUCT CODE KEY				
Line	Series	Arm Style		
AVA	3	1		
Avatar	Soft Seating	Fixed Arm		
		0		
		Armless		

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 4.22%

POST-CONSUMER RECYCLED CONTENT - 14.49%

Up to 24.32% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Cressida products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CRESSIDA | LOUNGE FEATURES & OPTIONS



CLEAN OUT

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



ARMS AND ARMLESS

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.



GLIDES

Cressida Lounge arm and armless versions are standard with nylon glides.

WEIGHT CAPACITIES

Cressida weight capacities are as follows: One-Seat-350 lbs One-Seat (Plus) -750 lbs One-Seat Wide - 350lbs One-Seat Wide (Plus) - 750lbs Two-Seat - 525 lbs Two-Seat (Plus) - 975lbs Three-Seat - 850 lbs

REPLACEABLE COMPONENTS

Three-Seat (Plus) - 1200 lbs

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.





CASTERS

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



PUSH BAR

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar powder-coated steel in Silver Metallic finish.

PLUS UPGRADE

Cressida seating is available with optional Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

TABLETS

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

COMBINATION UPHOLSTERY

More than one upholstery cover within the same unit, is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$64 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$64 list per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with removable seat and back covers.

DIMENSIONS & COM REQUIREMENTS

					Height of	Width		Shipping Weight	Shipping Weight	
	Overall	Overall	Overall	Seat	Arms from	Between	Seat	Open	Closed	
	Width	Depth	Height	Height	Floor	Arms	Depth	Arm	Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Wide	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Wide	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida plus two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

COM - YARDAGE REQUIREM	MENTS COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Wide - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Wide - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Wide - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Wide - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to page 333 for C.O.M approval process.

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	64	One-Seat Removable Back Covers	152	
Push Bar	64	One-Seat Wide Removable Back Covers	228	
Caster Combination (2 legs & 2 rear casters)	152	Two-Seat Removable Back Covers	302	
Casters (set of 4)	228	Three-Seat Removable Back Covers	453	
One-Seat Removable Seat Covers	152	One-Seat - Plus Upgrade	92	
One-Seat Wide Removable Seat Covers	228	One-Seat Wide - Plus Upgrade	121	
Two-Seat Removable Seat Covers	302	Two-Seat - Plus Upgrade	199	
Three-Seat Removable Seat Covers	453	Three-Seat - Plus Upgrade	228	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/M	ODEL/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat, Armless CRE3-F1ALS1 n/a	1566	1647	1747	1875	2018	2145	2287	2470	2650
	One-Seat, Open Arm CRE3-F1OPS1 Beech, Mapl Palette One-Seat, Open Arm with ar CRE3-F1OPP1 Beech, Map Palette	т сар	1897 1974	1988	2103 2174	2252	2394 2470	2536 2612	2703 2778	2891
	One-Seat, Closed Arm CRE3-F1CLS1 Beech, Map Palette One-Seat, Closed Arm with a CRE3-F1CLP1 Beech, Map Palette	arm cap	2686 2764	2853 2928	3088	3357 3432	3591 3666	3862 3936	4203 4277	4532 4608

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	64	One-Seat Removable Seat Covers	152	
Push Bar	64	One-Seat Removable Back Covers	152	
Caster Combination (2 legs & 2 rear casters) Casters (set of 4)	152 228	One-Seat - Plus Upgrade	92	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	Casters 3 Caster Combination 2 legs & 2 Rear Casters
			3 Three-Seat	CLS Closed Arm	Ü
				CLP Closed Arm Polymer Arm Cap	

DESCRIPTION/MODE	I /SDECIES	COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHER 8	9
DESCRIPTION/MODE	One-Seat Wide, Armless CRE3-FB1.5ALS1 n/a	1657	1765	1872	2026	2198	2353	2527	2744	2963
	One-Seat Wide, Open Arm CRE3-FB1.5OPS1 Beech, Maple Palette One-Seat Wide, Open Arm with arn CRE3-FB1.5OPP1 Beech, Maple Palette	1923 n cap 1998	2031 2107	2140 2217	2294 2369	2466 2542	2620 2705	2794 2870	3013 3090	3232 3307
	One-Seat Wide, Closed Arm CRE3-FB1.5CLS1 Beech, Maple Palette One-Seat Wide, Closed Arm with ar CRE3-FB1.5CLP1 Beech, Maple Palette	2639 m cap 2715	2824 2899	3011 3088	3271 3346	3568 3644	3829 3906	4128 4204	4494 4570	5159 5235

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote-please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	64
One-Seat Wide - Plus Upgrade	121
One-Seat Wide Removable Seat Covers	228
One-Seat Wide Removable Back Covers	228

NOTE: One-Seat Wide Lounge is not available with caster options.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

		COM		COL	FAB	RIC GRA			LEATHER	
DESCRIPTION/MODEL/S	PECIES	1	2	3	4	5	6	7	8	9
	Two-Seat, Armless CRE3-F2ALS1 n/a	2590	2726	2853	3049	3260	3448	3666	3931	4203
	Two-Seat, Open Arm CRE3-F2OPS1 Beech, Maple Palette Two-Seat, Open Arm with arm ca CRE3-F2OPP1 Beech, Maple Palette	ар	2958 3035	3095 3167	3283 3357	3499 3577	3688 3763	3899 3975	4171 4245	4442 4515
	Two-Seat, Closed Arm CRE3-F2CLS1 Beech, Maple Palette Two-Seat, Closed Arm with arm CRE3-F2CLP1 Beech, Maple Palette	cap	3757 3830	3966 4041	4261 4336	4600 4675	4893 4968	5232 5307	5660 5738	6081

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	64
Two-Seat - Plus Upgrade	199
Two-Seat Removable Seat Covers	290
Two-Seat Removable Back Covers	290

NOTE: Two-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
Oressida	Lounge	FB	1.5	OPS	Legs
		Freestanding Plus	One-Seat Wide	Open Arm OPP	
			Two-Seat	Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
			Tilloo Coul	CLP	
				Closed Arm Polymer Arm Cap	

	COM		COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Three-Seat, Armless CRE3-F3ALS1 n/a	3516	3706	3885	4141	4442	4697	4992	5361	5727
Three-Seat, Open Arm CRE3-F3OPS1 Beech, Maple Palette Three-Seat, Open Arm with arm CRE3-F3OPP1 Beech, Maple Palette	сар	3936 4011	4127 4203	4381 4381	4675 4750	4939 5012	5232 5307	5602 5677	5969 6045
Three-Seat, Closed Arm CRE3-F3CLS1 Beech, Maple Palette Three-Seat, Closed Arm with arm CRE3-F3CLP1 Beech, Maple Palette	п сар	4735 4812	4998 5075	5361 5436	5782 5857	6149 6225	6565 6640	7091 7164	7611 7684

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List	
Moisture Barrier (per yard)	64	
Three-Seat - Plus Upgrade	228	
Three-Seat Removable Seat Covers	453	
Three-Seat Removable Back Covers	453	

NOTE: Three-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide	OPS Open Arm OPP	
			Two-Seat	Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm	
				Polymer Arm Cap	

CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE				WEIGHT	CUBE
	Wood Tablet CRE3 T1	Beech/Maple	589				12	2
	Tablet with Palette Fin CRE3 T2	ish n/a	437				12	2
	Laminate Tablet CRE3 T4	n/a	589				12	2
	ORDERING NOTES: be specified right or le			andard with a	polymer ed	dge. Please no	ote Cressida Table	ts need to
	Solid Surface Tablet		A-White	Grades A-Color	В	С		
	Solid Surface Tablet CRE3 RT3		673	686	721	781	12	2

CRESSIDA | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FAI 4	BRIC GF	RADES 6	7	LEATHE 8		WEIGHT	CUBE
LOUNGE	One-Seat Replacement Back CRE3-RB1	715	778	837	922	1021	1108	1205	1330	1451	23	4.2
	One-Seat Wide Replacement B CRE3-RB1.5B	ack 808	872	935	1026	1126	1215	1317	1446	1570	28	5.7
	Two-Seat Replacement Back CRE3-RB2	1058	1146	1237	1363	1509	1636	1779	1962	2143	38	8.8
	Three-Seat Replacement Back CRE3-RB3		1528	1642	1802	1984	2143	2324	2554	2780	52	12
	One-Seat Replacement Back C	Cover 290	348	410	494	595	679	780	901	1026	2.0	1.0
	One-Seat Wide Replacement B CRE3-RBC1.5	ack Co 302		428	517	620	710	810	939	1065	2.5	1.2
	Two-Seat Replacement Back C CRE3-RBC2	over 403	492	584	710	853	982	1126	1307	1487	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 463	577	693	851	1033	1194	1376	1604	1833	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	603	648	693	752	821	883	954	1039	1126	28	9.5
	One-Seat Wide Replacement S CRE3-RS1.5	eat 782	838	892	971	1060	1137	1226	1334	1446	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	939	995	1054	1135	1224	1304	1394	1509	1622	53	18
	Three-Seat Replacement Seat CRE3-RS3	1257	1345	1431	1555	1691	1813	1954	2130	2302	79	24
	One-Seat Replacement Seat C											
	CRE3-RSC1	208	253	297	357	427	487	559	644	731	2.0	1.0
	One-Seat Wide Replacement S CRE3-RSC1.5	eat Cov 259	ver 313	369	448	536	613	701	811	922	2.5	1.2
	Two-Seat Replacement Seat Co CRE3-RSC2	over 276	334	390	471	561	641	732	846	959	3.5	1.8
	Three-Seat Replacement Seat CRE3-RSC3	Cover 352	438	527	648	785	909	1048	1224	1396	5.0	2.5
	Replacement Lounge Front Arn	n & Leg										
	Open Arm CRE3-LROPS Beech, Maple Palette	185									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	223										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	el 406	454	502	569	648	716	794	892	988	20	3.8
6	Lounge Replacement Push-Bar CRE3-RPB	f 61									2	0.3

CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS


DESCRIPTION	MODEL	PRICE	WEIGHT CUBE
	Replacement Polymer Arm Cap Black CRE3-RACB	38	1.0 0.5
	Replacement Polymer Arm Cap Grey CRE3-RACB	38	
*	Lounge Replacement Front Leg (for armle: CRE3-RLAF*	ss version) 59	0.5 0.5
* **	Lounge Replacement Front Leg (for armle: CRE3-RGAF**	ss version) Glide 18	0.1 0.2
*	Lounge Replacement Plus Upgrade Cente CRE3-RLC*	r Leg 54	0.5 0.5
**	Lounge Replacement Plus Upgrade Cente CRE3-RCG**	r Leg Glide 23	0.5 0.5
*	Lounge Replacement Back Leg CRE3-RLB*	78	1.8 0.5
**	Lounge Replacement Glide CRE3-RGB**	19	0.1 0.2
	Lounge Replacement Front Leg (for caster CRE3-RLCF*	version) 54	0.5 0.5
**	Lounge Replacement Back Leg (for caster CRE3-RLCB**	version) 54	0.5 0.5
***	Replacement Casters Non-Locking CRE3-RC1*	74	.75 0.3
	Replacement Casters Locking CRE3-RC2**	74	.75 0.3
	Wood Tablet & Mounting Plate Only CRE3 RT1 Beech/Maple	397	5 0.32
	Tablet with Palette finish & Mounting Plate CRE3 RT2 n/a	Only 278	5 0.32
	Tablet & Mounting Plate Only - Solid Surfac CRE3 RT3 n/a		C 7 0.32
U		539 547 577 6	24
	Laminate Tablet & Mounting Plate Only CRE3 RT4 n/a	397	5 0.32

LEYTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 28.61%

POST-CONSUMER
RECYCLED CONTENT = 9.91%

Up to 8.81% of this Leyton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



FSC® C021699
he mark of responsible forestr

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

LEYTON | FINISHES & FEATURES

WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak Espresso Oak Harvest Oak Mahogany

MAPLE Clear Maple

Honey Maple Wheat Maple

Mellow oak

WALNUT Natural Walnut SilverGrey on Walnut

Regular Walnut
Dark Walnut
Cordovan Walnut

CHERRY Appalachian Cherry

American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

ANIGRE Clear Anigre Medium Anigre

SYCAMORE Clear Sycamore

Please note Cherry, Anigre and Sycamore species require a minimum quantity order, of 5 units for seating and 5 units for tables, per species.

PALETTE Black

White Sand Soft Green Steel Blue Slate **VENEERS**

Leyton veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Leyton can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Leyton's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

ENDURAGUARD FINISH

Leyton features the Krug finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

IN-STOCK LAMINATE

Krug's in-stock laminates are available on Leyton Table surfaces in 4 solid laminate selections. Laminate surfaces are self-edged.

SOLID LAMINATES

Designer White - Platinum - Earth - Charcoal

LEYTON | FEATURES



ARM STYLE

Leyton features four design styles Upholstered Armless, Upholstered Full Arm, Wood Surround Armless and Wood Surround Full Arm.

Upholstered Armless



Upholstered Full Arm



Wood Surround Armless



Wood Surround Full Arm



LEGS

Leyton Lounge and Tables feature Polished Chrome structural steel legs with Black glides. Non-marring glides are available upon request.

REPLACEABLE COMPONENTS

Leyton chairs are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Seats, backs, arms and frames are field replaceable, with the only exceptions being the Upholstered Armless, Upholstered Full Arm and Upholstered Front Panel as it is one piece.

WEIGHT CAPACITIES

All Leyton seating feature Plus Weight capacities. One-Seat - 750lbs

One-seat Wide - 750lbs Two-Seat - 975lbs

Three-Seat - 1200lbs Leyton has been tested to ANSI / BIFMA.

PLUS UPGRADE

Leyton models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

LEYTON | OPTIONS



OPTIONS Solid Surface Arm Cap

Leyton Lounge Full Arm version is available with an optional Solid Surface Arm Cap providing enhanced durability, protection and cleanability for the arms. This is field replaceable if it becomes damaged or degraded and is available in 8 standard colors.



TABI FT

Leyton Solid Surface tablet can be specified left or right as seated. The tablet can be used alone or with solid surface arm cap and is 1/2" thick.



PUSH BAR

This is an optional feature on Leyton One Seat lounge chairs, designed to assist caregiving staff in the movement and relocation of the chair. It is Silver Metallic in color and retractable for ease of use. The Push bar is field replaceable if necessary.



CASTERS

Optional on Leyton lounge chairs are four - 4" diameter soft wheel swivel locking casters, featuring a large, easy-access foot activation and release lever. The caster locks both directionally and rotationally, keeping the chair securely in place when locked. Note: lounge chairs with casters are not designed or intended as patient transport devices.



CLEAN OUT

Leyton lounge seating models have an optional built-in clean out feature: a space at the back of the seat that allows dirt debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product. Clean Out option is available for an upcharge,



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB C & A outlets for multiple devices. It can be located below seats and tables.

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable covers (with the exception of the Upholstered Armless, Upholstered Full Arm and Front panel) can be quickly installed on Leyton products that were originally ordered with the Removable cover option. Replacement covers (with the exception of the Upholstered Armless, Full Upholstered Arm and front panel) can also be installed on Leyton products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge, please see page 158.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

LEYTON | DIMENSIONS, COM REQUIREMENTS, MOISTURE BARRIER & OPTION UPCHARGES

DIMENSIONS									
	Overall	Overall	Overall	Seat Height	Height of	Width			
	Width	Depth	Height	min/max	Arms from	between	Seat	Shipping	
					Floor	Arms	Depth	Weight	Cube
LEY31UF	28.5	29.25	31	17.75	26.25	23.25	19.25	82	18.5
LEY31.5UF	35.5	29.25	31	17.75	26.25	30.25	19.25	107	25.2
LEY32UF	52	29.25	31	17.75	26.25	47	19.25	131	32.5
LEY33UF	75.75	29.25	31	17.75	26.25	70.5	19.25	179	46.5
LEY31UN	28.5	29.25	31	17.75	n/a	23.25	19.25	78	18.5
LEY31.5UN	35.5	29.25	31	17.75	n/a	30.25	19.25	103	25.2
LEY32UN	52	29.25	31	17.75	n/a	47	19.25	127	32.5
LEY33UN	75.75	29.25	31	17.75	n/a	70.5	19.25	175	46.5
LEY31WF	28.25	29.25	31	17.75	26.25	23.75	19.25	79	18.5
LEY31.5WF	35.25	29.25	31	17.75	26.25	30.25	19.25	104	25.2
LEY32WF	51.75	29.25	31	17.75	26.25	47.25	19.25	128	32.5
LEY33WF	75.5	29.25	31	17.75	26.25	71	19.25	176	46.5
LEY31WN	28.25	29.25	31	17.75	n/a	23.75	19.25	75	18.5
LEY31.5WN	35.25	29.25	31	17.75	n/a	30.25	19.25	100	25.2
LEY32WN	51.75	29.25	31	17.75	n/a	47.25	19.25	124	32.5
LEY33WN	75.5	29.25	31	17.75	n/a	71	19.25	172	46.5

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

COM YARDAGE REQUIREMENTS

	Fully	Wood				Armless		Full body
	Upholstered (Complete Unit)	Surround (Seat and Back only)	Seat Cushion only (Wood or Full Uph)	Back Cushion only (Wood or Full Uph)	Full Arm & front panel (Pair)	panel & front panel (pair)	Back Panel only	with arm, Front panel & Back panel
One-Seat - One	Chair							
Armless	3.75	1.6	0.9	0.8		1.75	.75	2.5
Full Arm	4.6	1.6	0.9	0.8	2.6		.75	3.35
One & Half-Seat	t - One Chair							
Armless	5.2	2.3	1.3	1		2.1	.75	2.85
Full Arm	5.7	2.3	1.3	1	2.6		.75	3.35
Two-Seat - One	Chair							
Armless	5.7	3	1.5	1.5		2	.75	2.75
Full Arm	6.3	3	1.5	1.5	2.6		.75	3.35
Three-Seat - On	ne Chair							
Armless	8	4.6	2.4	2.2		2.3	1.5	3.8
Full Arm	8.7	4.6	2.4	2.2	3		1.5	4.5

COM APPROVAL PROCESS:

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

CAL 133 MOISTURE BARRIER

OAL 100 MIC	IO I OI IL DAI						
Model	Upcharge	Model	Upcharge	Model	Upcharge	Model	Upcharge
LEY31UN	297	LEY32UN	436	LEY31.5UN	384	LEY33UN	740
LEY31UF	368	LEY32UF	512	LEY31.5UF	478	LEY33UF	810
LEY31WN	136	LEY32WN	208	LEY31.5WN	176	LEY33WN	457
LEY31WF	136	LEY32WF	208	LEY31.5WF	176	LEY33WF	457
Leyton Option	Upcharges		\$ List				\$ List
One-Seat Clean	out		47	One-Seat Remov	able Seat & Ba	ck Covers	152
One & Half-Seat	Clean out		68	One & Half-Seat	Removable Sea	at & Back Cover	s 212
Two-Seat Clean	out		92	Two-Seat Remov	able Seat & Ba	ck Covers	302
Γhree-Seat Clear	n out		137	Three-Seat Remo	ovable Seat & E	Back Covers	453
Solid Surface Arr Solid Surface Arr Solid Surface Arr Solid Surface Arr Solid Surface Tal	m Cap (per pair) m Cap (per pair) m Cap (per pair)	- Gr A Color - Gr B - Gr C	359 363 368 404 539	Seat or Back Cor One-Seat One & Half-Seat Two-Seat Three-Seat	ver only Upchar	rges	77 107 152 228
Solid Surface Tab Solid Surface Tab Solid Surface Tab	blet - Gr B		547 577 624	Casters Casters with Pus	h bar		180 466

LEYTON

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-seat, Uph LEY31NUN	nolstered, Armless N/A	2056	2185	2304	2478	2681	2853	3049	3297	3545
	One-seat, Uph LEY31NUF	nolstered, Full Arm N/A	2185	2394	2590	2878	3200	3487	3811	4208	4622
		OTE: Leyton Loung learly note color se S									
	One-seat, Woo	od Surround, Armle	ess								
	LEY31NPN LEY31NWN	Palette Oak, Maple Walnut,	2545 2545	2596 2596	2658 2658	2735 2735	2817 2817	2891 2891	2972 2972	3088 3088	3192 3192
		Cherry, Anigre Sycamore,	3071	3126	3185	3260	3343	3418	3499	3613	3718
	0										
	Une-seat, Woo LEY31NPF LEY31NWF	od Surround, Full A Palette Oak, Maple Walnut, Palette	2523 2523	2576 2576	2629 2629	2703 2703	2789 2789	2867 2867	2952 2952	3057 3057	3162 3162
		Cherry, Anigre Sycamore,	3049	3102	3156	3231	3315	3396	3479	3582	3688
Ų											

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below, clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List	
Casters	180	Solid Surface Arm Cap (per pair) - Gr A White	359	_
Casters with Pushbar	466	Solid Surface Arm Cap (per pair) - Gr A Color	363	
One-Seat Clean out	47	Solid Surface Arm Cap (per pair) - Gr B	368	
One-Seat Removable Seat & Back Covers	152	Solid Surface Arm Cap (per pair) - Gr C	404	
		Solid Surface Tablet - Gr A White	539	
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	547	
One-Seat	77	Solid Surface Tablet - Gr B	577	
		Solid Surface Tablet) - Gr C	624	

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY	3	1	N	UF	S
Leyton	Soft Seating	One-Seat	No Clean Out	Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			Р	allet Finish Surround Full Arm	
				PN	

Pallet Finish Surround Armless

			COM	1	COL	FAE	BRIC GR	ADES		LEATHER	?
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One & Half-sea LEY31.5NUN	at, Upholstered, A N/A	armless 2639	2822	3004	3260	3553	3809	4099	4462	4830
	One & Half-sea LEY31.5NUF	at, Upholstered, F N/A	ull Arm 2772	2955	3136	3393	3684	3939	4234	4596	4962
		OTE: Leyton Lour ad clearly note co 31NUF <u>S</u>	•								•
		at, Wood Surroun									
	LEY31.5NPN LEY31.5NWN	Palette Oak, Maple Walnut, Palette	3025 3025	3122 3122	3220 3220	3355 3355	3512 3512	3647 3647	3803 3803	3997 3997	4192 4192
		Cherry, Anigre Sycamore	3552	3646	3743	3880	4037	4172	4328	4524	4718
	One & Half-sea	at, Wood Surroun	d Full Aı	m							
	LEY31.5NPF LEY31.5NWF	Palette Oak, Maple Walnut, Palette	3001 3001	3099 3099	3195 3195	3331 3331	3488 3488	3624 3624	3781 3781	3974 3974	4169 4169
		Cherry, Anigre Sycamore	3529	3622	3720	3855	4011	4147	4306	4499	4692

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List	
Casters	180	Solid Surface Arm Cap (per pair) - Gr A White	359	_
Casters with Pushbar	466	Solid Surface Arm Cap (per pair) - Gr A Color	363	
One & Half-Seat Clean out	68	Solid Surface Arm Cap (per pair) - Gr B	368	
One & Half-Seat Removable Seat & Back Covers	s 212	Solid Surface Arm Cap (per pair) - Gr C	404	
		Solid Surface Tablet - Gr A White	539	
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	547	
One & Half-Seat	107	Solid Surface Tablet - Gr B	577	
		Solid Surface Tablet) - Gr C	624	

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	No Clean Out	UF Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
			Б	PAllet Finish Surround Full Arm	
			Г	allet i illisii Surrouliu i uli Ailii	
				PN	
			F	Pallet Finish Surround Armless	

LEYTON

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FABF 4	RIC GRAI 5	DES 6	LEATHER 7	8	9
	Two-seat, Uph LEY32NUN	olstered, Armless N/A	3297	3487	3666	3921	4208	4471	4757	5125	5488
	ORDERING N	olstered, Full Arm N/A OTE: Leyton Lound clearly note cold									
	Two-seat, Woo LEY32NPN LEY32NWN	od Surround Armle Palette Oak, Maple Walnut, Palette Cherry, Anigre	3599 3599 3599	3697 3697 4296	3802 3802 4402	3936 3936 4539	4103 4103 4706	4245 4245 4846	4402 4402 5006	4608 4608 5210	4802 4802 5406
	Two-seat, Woo LEY32NPF LEY32NWF	Sycamore od Surround Full A Palette Oak, Maple Walnut, Palette	rm 3577 3577	3672 3672	3781 3781	3915 3915	4088 4088	4222 4222	4402 4402	4576 4576	4781 4781
		Cherry, Anigre,	4179	4277	4381	4515	4690	4823	5006	5179	5384

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List
Casters	180	Solid Surface Arm Cap (per pair) - Gr A White	359
Casters with Pushbar	466	Solid Surface Arm Cap (per pair) - Gr A Color	363
Two-Seat Clean out	92	Solid Surface Arm Cap (per pair) - Gr B	368
Two-Seat Removable Seat & Back Covers	302	Solid Surface Arm Cap (per pair) - Gr C	404
		Solid Surface Tablet - Gr A White	539
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	547
Two-Seat	152	Solid Surface Tablet - Gr B	577
		Solid Surface Tablet) - Gr C	624

Sycamore

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	
				PN	

			COM		COL	FA	BRIC GF	RADES		LEATHE	R
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-seat, U _I LEY33NUN	oholstered, Armle N/A	ss 4381	4608	4812	5125	5479	5787	6136	6571	7007
	Three-seat, Up LEY33NUF	oholstered, Full Ai N/A	m 4486	4757	5022	5395	5827	6203	6630	7164	7700
		I OTE: Leyton Louind clearly note co 31NUF <u>S</u>	•								•
	Three-seat, W	ood Surround, Ari	mless								
	LEY3NPN LEY33NWN	Palette Oak, Maple Walnut, Palette	4697 4697	4856 4856	4998 4998	5223 5223	5466 5466	5684 5684	5932 5932	6241 6241	6549 6549
		Cherry, Anigre Sycamore	5373	5532	5677	5902	6141	6360	6609	6916	7227
	Three-seat, W LEY3NPF	ood Surround, Fu Palette	II Arm 4675	4834	4992	5203	5450	5660	5910	6218	6527

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List
Casters	180	Solid Surface Arm Cap (per pair) - Gr A White	359
Casters with Pushbar	466	Solid Surface Arm Cap (per pair) - Gr A Color	363
Three-Seat Clean out	137	Solid Surface Arm Cap (per pair) - Gr B	368
Three-Seat Removable Seat & Back Covers	453	Solid Surface Arm Cap (per pair) - Gr C	404
		Solid Surface Tablet - Gr A White	539
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	547
Three-Seat	228	Solid Surface Tablet - Gr B	577
		Solid Surface Tablet) - Gr C	624

5352 5509

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

LEY33NWF

Oak, Maple

Sycamore

Walnut, Palette Cherry, Anigre,

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface Full Arm Cap
		1.5 One & Half-Seat	C Clean Out	UN Upholstered Armless	ι απ / ππ σαρ
		2	Glean Out	WF WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	
				PN	
			F	Pallet Finish Surround Armless	

DECODIDE ON A CODE		0050150	COM		COL		ABRIC G		-	LEATH	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-seat, No 0	Clean Out, Uphols	stered, /	۹rmless ۱	with Sled	Base					
	LEY31NUN1	N/A	2109	2231	2345	2510	2704	2868	3054	3290	3527
	One-seat No.(Clean Out, Uphols	stered l	- - ull Δrm v	with Slad	Rasa					
\sim	LEY31NUF1	N/A	2231	2430	2617	2891	3198	3471	3780	4158	4552
				00			0.00	•	0.00		.002
		OTE: Leyton Lour early note color s 1 <u>S</u>	•								•
	One-seat, No 0	Clean Out, Wood	Surrour	nd, Armle	ss with S	led Base					
	LEY31NPN1	Palette	2574	2623	2682	2755	2833	2904	2981	3091	3190
	LEY31NWN1	Oak, Maple Walnut,	2574	2623	2682	2755	2833	2904	2981	3091	3190
		Cherry, Anigre	3075	3128	3184	3255	3334	3406	3483	3591	3691
		Sycamore,	00.0	0120	0101	0200	0001	0.100	0 100	0001	0001
	One-seat No.(Clean Out, Wood	Surrour	nd Full A	rm with S	led Base					
^	LEY31NPF1	Palette	2553	2604	2654	2725	2807	2881	2962	3062	3162
	LEY31NWF1	Oak, Maple	2553	2604	2654	2725	2807	2881	2962	3062	3162
		Walnut, Palette									
		Cherry, Anigre	3054	3105	3156	3228	3308	3385	3464	3562	3663
		Sycamore,									

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below, clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUF1S

Leyton Option Upcharges	\$ List		\$ List	
One-Seat Clean out	45	Solid Surface Arm Cap (per pair) - Gr A White	342	_
One-Seat Removable Seat & Back Covers	145	Solid Surface Arm Cap (per pair) - Gr A Color	346	
		Solid Surface Arm Cap (per pair) - Gr B	351	
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	385	
One-Seat	74	Solid Surface Tablet - Gr A White	514	
		Solid Surface Tablet - Gr A Color	521	
		Solid Surface Tablet - Gr B	550	
		Solid Surface Tablet) - Gr C	595	

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	0 Leg Base	Solid Surface
		1.5	С	UN	1	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	Sled Base	
		2		WF		
		Two-Seat		Wood Surround Full Arm		
		3		WN		
		Three-Seat		Wood Surround Armless		
				PF		
				Pallet Finish Surround Full Arm		
				PN		
				Pallet Finish Surround Armless		

			COM	I	COL	FAE	BRIC GR	ADES		LEATHER	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One & Half-sea LEY31.5NUN1	at, No Clean Out, N/A	Upholst 2664	ered, Arr 2838	nless witl 3011	h Sled Ba 3255	ase 3534	3778	4054	4400	4750
	One & Half-sea LEY31.5NUF1	at, No Clean Out, N/A	Upholst 2790	ered, Ful 2965	I Arm wit 3137	h Sled Ba 3382	ase 3659	3902	4183	4528	4876
		OTE: Leyton Lour d clearly note co 31.5NUF1 <u>S</u>									
	One & Half-sea	t, No Clean Out,	Wood S	urround	Armless	with Sled	Base				
	LEY31.5NPN1 LEY31.5NWN1		3031 3031	3124 3124	3217 3217	3346 3346	3495 3495	3624 3624	3772 3772	3957 3957	4143 4143
		Cherry, Anigre Sycamore	3533	3623	3715	3846	3995	4124	4272	4459	4644
	One & Half-sea	it, No Clean Out,	Wood S	urround	Full Arm	with Sled	l Base				
	LEY31.5NPF1 LEY31.5NWF1	Palette	3009 3009	3102 3102	3193 3193	3323 3323	3472 3472	3602 3602	3751 3751	3935 3935	4121 4121
		Cherry, Anigre Sycamore	3511	3600	3693	3822	3970	4100	4251	4435	4619

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31.5NUF1S

Leyton Option Upcharges	\$ List		\$ List
One & Half-Seat Clean out	65	Solid Surface Arm Cap (per pair) - Gr A White	342
One & Half-Seat Removable Seat & Back Covers	202	Solid Surface Arm Cap (per pair) - Gr A Color	346
		Solid Surface Arm Cap (per pair) - Gr B	351
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	385
One & Half-Seat	102	Solid Surface Tablet - Gr A White	514
		Solid Surface Tablet - Gr A Color	521
		Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	One-Seat	N No Clean Out	UF Upholstered Full Arm	0 Leg Base	S Solid Surface Full Arm Cap
		One & Half-Seat	Clean Out	UN Upholstered Armless	Sled Base	
		Two-Seat		Wood Surround Full Arm WN		
		Three-Seat		Wood Surround Armless		
				Pallet Finish Surround Full Arm		

Pallet Finish Surround Armless

	, <u> </u>									
		COM		COL	FABF	RIC GRAI	DES	LEATHER		
	SPECIES	1	2	3	4	5	6	7	8	9
Two-seat, No	Clean Out, Upho	Istered, Arr	nless wif	th Sled Ba	ase					
LEY32NUN1	N/A	3290	3471	3642	3885	4158	4409	4681	5031	5377
Two-seat, No (LEY32NUF1	Clean Out, Upho N/A	lstered, Ful	ll Arm wi	ith Sled Ba	ase 4224	4603	4933	5312	5786	6257
chart below ar	nd clearly note co	•			•					•
	Two-seat, No LEY32NUN1 Two-seat, No LEY32NUF1 ORDERING No chart below as	Two-seat, No Clean Out, Upho LEY32NUN1 N/A Two-seat, No Clean Out, Upho LEY32NUF1 N/A ORDERING NOTE: Leyton Lor	Two-seat, No Clean Out, Upholstered, Arr LEY32NUN1 N/A 3290 Two-seat, No Clean Out, Upholstered, Ful LEY32NUF1 N/A 3419 ORDERING NOTE: Leyton Lounge, Full A chart below and clearly note color selection	Two-seat, No Clean Out, Upholstered, Armless with LEY32NUN1 N/A 3290 3471 Two-seat, No Clean Out, Upholstered, Full Arm with LEY32NUF1 N/A 3419 3657 ORDERING NOTE: Leyton Lounge, Full Arm is away chart below and clearly note color selection and account of the	Two-seat, No Clean Out, Upholstered, Armless with Sled Battery32NUN1 N/A 3290 3471 3642 Two-seat, No Clean Out, Upholstered, Full Arm with Sled Battery32NUF1 N/A 3419 3657 3894 ORDERING NOTE: Leyton Lounge, Full Arm is available with chart below and clearly note color selection and add an "S" is a selection and add an "S" is a selection.	Two-seat, No Clean Out, Upholstered, Armless with Sled Base LEY32NUN1 N/A 3290 3471 3642 3885 Two-seat, No Clean Out, Upholstered, Full Arm with Sled Base LEY32NUF1 N/A 3419 3657 3894 4224 ORDERING NOTE: Leyton Lounge, Full Arm is available with an optic chart below and clearly note color selection and add an "S" to the end	Two-seat, No Clean Out, Upholstered, Armless with Sled Base LEY32NUN1 N/A 3290 3471 3642 3885 4158 Two-seat, No Clean Out, Upholstered, Full Arm with Sled Base LEY32NUF1 N/A 3419 3657 3894 4224 4603 ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional So chart below and clearly note color selection and add an "S" to the end of the results of the second selection and add an "S" to the end of the results of the selection and add an "S" to the end of the results of the selection and add an "S" to the end of the results of the selection and add an "S" to the end of the results of the selection and add an "S" to the end of the results of the selection and add an "S" to the end of the results of the selection and add an "S" to the end of the results of the selection and add an "S" to the end of the results of the selection and add an "S" to the end of the results of the selection and add an "S" to the end of the results of the selection and add an "S" to the end of the results of the selection and add an "S" to the end of the selection and add an "S" to the end of the selection and add an "S" to the end of the selection and add an "S" to the end of the selection and add an "S" to the end of the selection and selection and add an "S" to the end of the selection and selecti	COM COL FABRIC GRADES SPECIES 1 2 3 4 5 6 Two-seat, No Clean Out, Upholstered, Armless with Sled Base LEY32NUN1 N/A 3290 3471 3642 3885 4158 4409 Two-seat, No Clean Out, Upholstered, Full Arm with Sled Base LEY32NUF1 N/A 3419 3657 3894 4224 4603 4933 ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surfachart below and clearly note color selection and add an "S" to the end of the model note.	Two-seat, No Clean Out, Upholstered, Armless with Sled Base LEY32NUN1 N/A 3290 3471 3642 3885 4158 4409 4681 Two-seat, No Clean Out, Upholstered, Full Arm with Sled Base LEY32NUF1 N/A 3419 3657 3894 4224 4603 4933 5312 ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cochart below and clearly note color selection and add an "S" to the end of the model number foliogents of the surface of the model number foliogents and the surface arm Cochart below and clearly note color selection and add an "S" to the end of the model number foliogents are surfaced by the surface Arm Cochart below and clearly note color selection and add an "S" to the end of the model number foliogents are surfaced by the surfaced by	COM COL FABRIC GRADES LEATHER SPECIES 1 2 3 4 5 6 7 8 Two-seat, No Clean Out, Upholstered, Armless with Sled Base LEY32NUN1 Two-seat, No Clean Out, Upholstered, Full Arm with Sled Base LEY32NUF1 LEY32NUF1 N/A 3419 3657 3894 4224 4603 4933 5312 5786 ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upon chart below and clearly note color selection and add an "S" to the end of the model number following the Arm to the solid surface Arm Cap for upon chart below and clearly note color selection and add an "S" to the end of the model number following the Arm to the solid surface Arm Cap for upon chart below and clearly note color selection and add an "S" to the end of the model number following the Arm to the solid surface Arm Cap for upon chart below and clearly note color selection.



Two-seat, No	Clean Out, Wood S	urround	Armless	with Sled	Base					
LEY32NPN1	Palette	3578	3671	3771	3899	4058	4193	4343	4539	4724
LEY32NWN1	Oak, Maple Walnut, Palette	3578	3671	3771	3899	4058	4193	4343	4539	4724
	Cherry, Anigre Sycamore	4153	4242	4343	4473	4632	4766	4918	5112	5299
Two-seat, No	Clean Out, Wood S	urround	Full Arm	with Slec	l Base					
LEY32NPF1	Palette	3557	3648	3751	3879	4044	4171	4343	4509	4704
LEY32NWF1	Oak, Maple	3557	3648	3751	3879	4044	4171	4343	4509	4704



Walnut, Palette

Cherry, Anigre, 4130 4224 4323 4450 4617 4744 4918 5083 5278
Sycamore

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see

chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Solid Surface Tablet) - Gr C


eg. LEY32NUF1 <u>S</u>			
Leyton Option Upcharges	\$ List		\$ List
Two-Seat Clean out	88	Solid Surface Arm Cap (per pair) - Gr A White	342
Two-Seat Removable Seat & Back Covers	288	Solid Surface Arm Cap (per pair) - Gr A Color	346
		Solid Surface Arm Cap (per pair) - Gr B	351
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	385
Two-Seat	145	Solid Surface Tablet - Gr A White	514
		Solid Surface Tablet - Gr A Color	521
		Solid Surface Tablet - Gr B	550

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Optior (Full Arm Only)
LEY _eyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	0 Leg Base	Solid Surface
		1.5	С	UN	1	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	Sled Base	
		2		WF		
		Two-Seat		Wood Surround Full Arm		
		3		WN		
		Three-Seat		Wood Surround Armless		
				PF		
				Pallet Finish Surround Full Arm		
				PN Pallet Finish Surround Armless		

HER
9
6824
7484
ocharge see
ing the Arm
6388
6388
3527
3



Three-seat, No Clean Out, Wood Surround Full Arm with Sled Base LEY33NPF1 Palette 2109 2231 2345 2510 2704 3054 3290 3527 2868 2109 2231 2868 LEY33NWF1 Oak, Maple 2345 2510 2704 3054 3290 3527 Walnut, Palette Cherry, Anigre, 2868 2109 2231 2345 2510 2704 3054 3290 3527 Sycamore

ORDERING NOTE: Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY33NUF1S

Leyton Option Upcharges	\$ List		\$ List
Three-Seat Clean out	131	Solid Surface Arm Cap (per pair) - Gr A White	342
Three-Seat Removable Seat & Back Covers	432	Solid Surface Arm Cap (per pair) - Gr A Color	346
		Solid Surface Arm Cap (per pair) - Gr B	351
Seat or Back Cover only Upcharges		Solid Surface Arm Cap (per pair) - Gr C	385
Three-Seat	218	Solid Surface Tablet - Gr A White	514
		Solid Surface Tablet - Gr A Color	521
		Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Base Type	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	0 Leg Base	Solid Surface
		1.5 One & Half-Seat	C Clean Out	UN Upholstered Armless	1 Sled Base	Full Arm Cap
		2 Two-Seat		WF Wood Surround Full Arm		
		3 Three-Seat		WN Wood Surround Armless		
				PF Pallet Finish Surround Full Arm		
				PN		

LEYTON | REPLACEMENT COMPONENTS

		COM		COL		BRIC GF			LEATHE			
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	WEIGHTS	CUBES
	Replacement Back LEY3RB	485	511	535	569	610	644	687	735	784	12	3.5
000	One & Half-Seat Re LEY3R1.5B	eplacem 527	nent Back 560	592	637	689	735	785	851	916	15	4.5
\sim	Replacement Seat LEY3RS	695	725	756	796	845	887	935	995	1058	11	2.5
	One & Half-Seat Re LEY3R1.5S	eplacem 799	nent Seat 843	887	952	1021	1084	1155	1244	1333	14	4
	Replacement Back LEY3RBC	Cover 250	278	302	338	380	412	454	507	556	1	0.75
	One & Half-Seat Re LEY3R1.5BC	eplacem 284	nent Back 319	Cover 350	397	449	493	544	611	676	1.25	1
	Replacement Seat LEY3RSC	Cover 253	280	309	350	394	435	481	538	596	1.25	0.75
	One & Half-Seat Re LEY3R1.5SC	placem 319	nent Seat 363	Cover 408	470	541	602	669	764	852	1.5	1
	One-Seat - Replace LEY3R1OBPU	ement U 245	Jpholster 271	ed Outs 297	ide Bad 333	k Pane 372	408	449	497	547	10	1.5
	One-Seat - Replace LEY3R1OBPUPB	ement U 259	Jpholster 282	ed Outs 308	ide Bad 343	ck Pane 383	l for Pu 418	sh bar d 457	option 511	560	10	1.5
	One & Half-Seat - F LEY3R1.5OBPU	Replace 273	ment Upl 299	nolstere 321	d Outsi 359	de Bac 402	k Panel 434	477	522	573	13	2.5
	One & Half-Seat - F LEY3R1.5OBPUPB		ment Upl 309	nolstere 336	d Outsi 369	de Bac 410	k Panel 446	for Pus 486	h bar o 536	ption 586	13	2.5
	Two-Seat - Replace LEY3R2OBPU	ement U 315	Jpholstere 340	ed Outs 365	ide Bad 403	k Pane 438	l 478	516	567	617	19	3.5
	Three-Seat - Repla LEY3R3OBPU	cement 415	Upholste 464	ered Out 515	tside Ba 585	ack Par 666	nel 737	816	916	1018	28	5

LEYTON | REPLACEMENT COMPONENTS

<u>DESCRIPTION</u>	MODEL One-Seat - Replacement Wood Outside Back	OAK MAPLE WALNUT PALETTE	CHERRY ANIGRE SYCAMORE	WEIGHTS	CUBES
	LEY3R10BPW	334	397	10	1.5
	One-Seat - Replacement Wood Outside Back LEY3R1OBPWPB	R Panel for P 352	Push bar option 415	10	1.5
	One & Half-Seat - Replacement Wood Outsid LEY3R1.5OBPW	le Back Pan 410	el 508	13	2.5
	One & Half-Seat - Replacement Wood Outsid LEY3R1.5OBPWPB	le Back Pan 428	el for Push bar option 521	13	2.5
	Two-Seat - Replacement Wood Outside Back LEY3R2OBPW	Panel 458	584	19	3.5
	Three-Seat - Replacement Wood Outside Bac LEY3R3OBPW	ck Panel 501	688	28	5
	One-Seat - Replacement Wood Front Panel LEY3R1FP	226	258	4	0.75
	One & Half-Seat - Replacement Wood Front I LEY3R1.5FP	Panel 258	278	5	1
	Two-Seat - Replacement Wood Front Panel LEY3R2FP	287	350	6	1.25
	Three-Seat - Replacement Wood Front Panel LEY3R3FP	319	412	8	2
	Replacement Wood Surround Full Arm with a LEY3RWFLL LEY3RWFLR	rm cap (Left 610	r, right specified as seated 822	30	1.5
	Replacement Wood Surround Full Arm with c LEY3RWFCL LEY3RWFCR	aster (Left, r 768	ight specified as seated) 983	30	1.5
	Replacement Wood Surround Full Arm with c LEY3RWFCHL LEY3RWFCHR	up holder (L 789	eft, right specified as seat 1003	ed) 30	1.5
	Replacement Wood Surround Full Arm with Ir LEY3RWFICHL LEY3RWFICHR	ntegrated cu 820	ip holder (Left, right specif 1033	ied as seated) 30	1.5
	Replacement Wood Surround Full Arm Tablet LEY3RWFTL LEY3RWFTR	(Left, right s 878	specified as seated) 1092	30	1.5
	Replacement Wood Surround Full Arm Integral LEY3RWFITL LEY3RWFITR	ated Tablet (984	(Left, right specified as sea 1198	ated) 30	1.5
	Replacement Wood Surround Armless (Left, r LEY3RWNLL LEY3RWNLR	right specifie 620	ed as seated) 833	26	1.5
	Replacement Wood Surround Armless with context LEY3RWNCL LEY3RWNCR	asters (Left, 780	, right specified as seated, 990	26	1.5

LEYTON | REPLACEMENT COMPONENTS

DESCRIPTION	MODEL	PRICE				WEIGHTS	CUBES	
	One-Seat Replacer LEY3R1L	ment Leg set (pa 180	air)			8	1.25	
	One-Seat Wide Rep LEY3R1.5L	olacement Leg	set (pair)			10	1.5	
	Two-Seat Replacen	nent Leg set (pa 238	air)			13	2.5	
U	Three-Seat Replace LEY3R3L	ement Leg set (358	pair)			22	3	
	Push bar - One-Sea LEY3RPB-1	at 70				2.0	1.8	
	Push bar - One-Sea LEY3RPB-1.5	at Wide 78				2.5	2.0	
	Push bar Grommet LEY3RPBG	(pair) 10				.2	.1	
	Note: Pushbar opti	on is available o	on One-Seat a	nd One-Seat Wi	ide only.			
	Caster LEY3RC	81				3.4	0.2	
	Replacement Glide LEY3RG	s - Lounge & Ta 18	able (set of four)		1	.25	
	LEY3-POWERDOC	: - Undermount	573				0.075	
0° 0° 0	3 0.375 Can be field installed to the underside of Seats and Tables as a replacement part or installed on units not previously specified with a PowerDoc. Standard with 2 Power and USB A & C outlets. PowerDoc's have a 10' cord.							
Solid Surface		Grade A- White	Grade A- Color	Grade- B	Grade- C			
	Replacement Table LEY3RT	_			624	5.0	.7	
	ELTON	539	547	577	624	0.0	.,	
	Replacement Arm (LEY3TAC	Cap - Solid Suri	face (to be use	d with tablet)	137	1	.3	
	Replacement Arm (LEY3RAC	Cap - Solid Suri 180		185	202	1	.25	


ORDERING NOTE: Please note Replacement Arm Cap can only be installed on product originally ordered with the Solid Surface Arm Cap option.

ZOLA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT



PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR-EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

FSC®



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | FEATURES & OPTIONS



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



ZOLA LOUNGE & ZOLA MODULAR

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the



RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



FINISH DURABILITY

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



WALL SAVER

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



CLEAN OUT

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)



LEGS

Zola legs are Silver Metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



FULL DEPTH BENCHES

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat Plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat Plus - 975 lbs
Three-seat - 750 lbs
Three-seat Plus - 1150 lbs

ZOLA | FEATURES & OPTIONS



TABLETS

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



LINKING BRACKETS

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



POWER

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See page 190 for locations and page 251 for pricing.



UNDER-MOUNT POWER

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables. See page 251 for pricing.



COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

MOISTURE BARRIER & CAL 133


California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$64 list** per yard.

ZOLA | RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



ZOLA | SEAM LOCATIONS

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1/2"	1"
45 Deg	2"	1 1/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"



Zola seat photo indicates location of seam.



Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.




Outside Curve


Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.


ZOLA | SAMPLE CONFIGURATIONS






Model	Qty	Price (\$) Beech	
ZOL3 M1201	5	1377	
ZOL3 MS1S1	1	871	
ZOL4 LKM12	1	988	
ZOL4 LKE18	1	1098	
ZOL4 LKC90	1	1283	
ZOL4 241815	1	1187	
Total List	\$	19 319	






Model	Qty.	Price (\$)	
ZOL3 MS2F1	2	1420	
ZOL4 LKM18	2	1044	
ZOL3 M1101	2	1518	
ZOL3 MCIS90D	2	3487	
ZOL3 M2101	2	2657	
ZOL4 LKC90X2	1	2548	

Total	Lint	\$22.	200
TOTAL	LIST	- JAZZ.	OUU.





Model	Qty.	Price (\$)	
ZOL3 MS1S1	2	871	
ZOL3 MS21	2	1218	
ZOL4 LKC90	2	1283	
ZOL4 LKM18	2	1044	
Total List	\$8,832		

ZOLA | LOUNGE

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

COM YARDAGES (Lounge Product Only Available with Arms)

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

COM YARDAGES (Individual Components)

COW TANDAGES (Individual Components)											
	COM COM		COM	COM	COM	COM	COM				
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per				
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs				
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5				
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08				
Three-seat	2.5	4.6	7	9	3.5	6.25	9				
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25				

COM YARDAGES (Individual Components)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

ORDERING NOTES:

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

FEATURES: For a complete listing of features see page 171.

ZOLA | LOUNGE

		COM		COL	F	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9	
	One-Seat ZOL3 F1111	2182	2301	2419	2625	2830	3036	3242	3283	3745	
	One-Seat Plus ZOL3 FB1111	2419	2536	2657	2861	3068	3273	3479	3684	3983	
NOTE: One-Seat Plus is 30" wide between arms.											
	Two-seat ZOL3 F2111	3223	3376	3517	3739	3960	4182	4401	4623	4971	
	Two-seat Plus ZOL3 FB2111	3313	3462	3605	3825	4045	4268	4488	4710	5059	
	NOTE: The Two-Seat Plus	comes s	standard w	vith a fifth I	eg for ext	ra support					
					Ü						
	Three-seat ZOL3 F3111	4379	4602	4821	5263	5708	6149	6594	7036	7793	
	Three-seat Plus ZOL3 FB3111	4483	4705	4924	5366	5810	6253	6692	7136	7896	

NOTE: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges Option	List	Option	A-White	Grades A-Color	В	С
4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below)	107 77	Solid Surface Arm Cap (per pair)	454	464	489	514
Urethane Arm Caps (pair)	242					

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See page 171 for more information on Zola options and features. Plus versions are not available with Caster options.

	- -					
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	F Freestanding	1 One-Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Plus Upgrade	Two-seat		Urethane Arm Cap	Casters
			3		3	3
			Three-seat		Solid Surface Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

DIMENSIONS - ARMLESS UNITS

	Overall	Overall Depth	Overall Depth	Overall	Seat	Seat	Shipping	
	Width	Uph. Back	Wood Back	Height	Height	Depth	Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5
DIMENSIONS - W	ITH ARMS							
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes	
One-Seat	29	27	34	18.5	19.25	88	9.75	
Two-seat	52	27	34	18.5	19.25	120	17.6	
Three-seat	75	27	34	18.5	19.25	154	26.3	
One-Seat (Plus)	36	27	34	18.5	19.25	96	11.5	

COM YARDAGES - ARMLESS UNITS

COM TAMBAGE	-3 - AINIVILLOS O	INITO		
	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	wo/ Arms	wo/ Arms	wo/ Arms	wo/ Arms
One-Seat	2.2	4.6	6.38	8.8
Two-seat	3.8	7.9	10.75	14.5
Three-seat	5.75	11	16	22
One-Seat (Plus)	3.0	6.3	9.5	13.86

COM YARDAGES - WITH ARMS

	COM Yardage Entire Unit w/ Arms	COM Yardage 2 Entire Units w/ Arms	COM Yardage 3 Entire Units w/ Arms	COM Yardage 4 Entire Units w/ Arms
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18.3

COM YARDAGES - Individual Components

	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 1 unit 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

PACKAGING

All Modular Units, and tables will be shipped KD (Knocked Down)

Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	77	One-Seat - seat	47
Interim Arm	61	Two-seat - seat	68
One-Seat - back	68	Three-seat - seat	85
Two-seat - back	97	One-Seat Plus - seat	61
Three-seat - back	121		
One-Seat Plus - back	77		

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see page 312, Zola Benches see page 280 and Zola Tablets see page 182.

ZOLA | MODULAR -WOOD BACK

			CON	Л	CC)L	FABRIC	C GF	RADES		LEATI	HER	
DESCRIPTION/MODE	EL/SPECIES		1	2	3	}	4	5	6	7	8		9
	One-Seat, Wood	or Palette	e Back,	Armless									
	ZOL3 MW1201	Beech	1377	1409	1440	1504	1566		1631	1692	1755	1852	
		Maple/	1416	1447	1480	1540	1606		1668	1732	1796	1890	
		Cherry											
		Palette	1377	1409	1440	1504	1566		1631	1692	1755	1852	
	One-Seat, Wood	or Palette	e Back v	w/ Uphols	tered Pac	I, Armles	s						
	ZOL3 MW1301	Beech	1597	1644	1676	1755	1818		1883	1946	2010	2135	
		Maple/	1638	1685	1715	1796	1858		1922	1985	2048	2173	
		Cherry											
		Palette	1597	1644	1676	1755	1818		1883	1946	2010	2135	

ORDERING NOTE: Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	107	
2 Casters/2 Legs (#3 Leg Type below)	77	

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

DESCRIPTION/MODI	EL	SPECIES	COM 1	2	COL 3	FA 4	BRIC G 5	RADI 6	ES 7	LEATHER 8	9		OM DAGE		PPIN IGH		JBES
	One-Seat Woo	od/Palette E	Back w/	UPH F	Pad												
	ZOL3 MB13	Beech	619	633	3	648	68	0	714	744		778	0.6	808	21	853	3.1
		Maple /Cherry	665	680)	696	72	9	760	791		808	0.6	840	21	904	3.1
		Palette	619	633	3	648	68	0	714	744		778	0.6	808	25	853	3.1
	One-Seat Woo	od/Palette E	Back														
) ((()())	ZOL3 MB12	Beech	428										-		19		3.1
ر ق		Maple /Cherry	468										-		19		3.1
		Palette	428										-		23		3.1

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Log Type
Line	Series	Griair Type	Seat Count	васк туре	Ann Type	Leg Type
ZOL Zola	3 Soft Seating	MW Modular	1 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
		Wood Back		3 Wood Back with Uph Pad		2 Casters
						Combination 2 Front Standard Legs & 2 Rear Casters

ZOLA | MODULAR

DESCRIPTION/MOD	EL	COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHEF 8	R 9
	One-Seat, Upholstered Bac ZOL3 M1101 n/a	k Armless 1518	1597	1676	1818	1960	2105	2244	2387	2640
	One-Seat Plus, Upholstered ZOL3 MB1101 n/a	1644	1692	1772	1914	2056	2197	2341	2483	2738
	ORDERING NOTES: One-S	Seat Plus se	eat is 30"	wide.						
	One-Seat, Upholstered Bac ZOL3 M1111	k with Arm 2324	s 2443	2554	2760	2964	3167	3376	3580	3890
	One-Seat Plus, Upholstered ZOL3 MB1111	Back with 2451	Arms 2568	2681	2884	3092	3294	3501	3708	4014
	ORDERING NOTES: One-S	Seat Plus is	30" wide	e between	the arms.					
	Two-seat, Upholstered Back ZOL3 M2101 n/a	k Armless 2657	2806	2948	3167	3390	3610	3831	4057	4401
	Two-seat Plus, Upholstered ZOL3 MB2101 n/a	Back, Arm 2743	less 2893	3036	3257	3477	3699	3920	4142	4488
	Two-seat, Upholstered Back ZOL3 M2111	k with Arms 3462	3610	3756	3977	4197	4420	4639	4861	5210
	Two-seat Plus, Upholstered ZOL3 MB2111	Back with 3547	Arms 3699	3843	4064	4286	4505	4728	4948	5296
	Three-seat, Upholstered Ba ZOL3 M3101	ck Armless 3812	4033	4252	4694	5139	5581	6023	6466	7225
	Three-seat Plus Upholstered ZOL3 MB3101	d Back Arm 3914	nless 4133	4355	4796	5241	5684	6124	6568	7327
	Three-seat, Upholstered Ba ZOL3 M3111 n/a	4615	4838	5059	5502	5943	6387	6829	7270	8031
	Three-seat Plus Upholstered ZOL3 MB3111 n/a	d Back with 4719	1 Arms 4941	5160	5604	6046	6491	6931	7373	8131

ORDERING NOTES: See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

						Gra	ides	
Zola Option Upcha	la Option Upcharges		Option		A-White	A-Colo	or B	С
4 Casters (#2 Leg T	Гуре below)	107 Solid Surface Arm Cap (per arm)			227	231	244	257
2 Casters/2 Legs (#	#3 Leg Type below)	77	Solid Surface Arm Cap (per pair)	454	464	489	514
Urethane Arm Caps	s (pair)	242	Solid Surface Arm Cap -	185	185 186		193	
PRODUCT CODE KE	ΞΥ							
Line	Series	Chair Type	Seat Count	Back Type	Arm Typ	ре	Leg Typ	е
ZOL	3	М	1	1	0		1	
Zola	Lounge	Modular	One-Seat	Fully Uph Back	Armles	s :	Standard Leg	+ Glide
		MB	2		1		2	
		Modular	Two-seat		Uph Arı	m	4 Caster	S
		Plus Upgrad	de 3		2		3	
			Three-seat		Urethane Ar		Combinat	
					3] 2	Front Standa & 2 Rear Ca	0
					Solid Surf Arm Ca			

ZOLA | MODULAR BACKS & ARMS

		COM		COL	FAE	BRIC (GRADI	ES L	EATHE	R	COM	SHIPPING	i
DESCRIPTION/MC	DEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or Interim Arm ZOL3 MAL	491	532	569	651	729	808	886	963	1074	1.5	19	3.1
	ZOL3 MAR ZOL3 MAI	348	365	381	411	444	477	509	538	586	0.33	13	1.8
	Left, Right,or Interim Arm	- Ureth	ane Ca	ар									
	ZOL3 MALU	619	658	696	778	853	934	1014	1092	1202	1.5	20.5	3
	ZOL3 MARU ZOL3 MAIU	443	457	476	497	537	568	599	632	678	0.33	13	1.8

ORDERING NOTES:

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3 MAL3, and clearly state color choice. (See page 336 for color selection)

	Grades								
Option	A-White	A-Color	В	С					
Solid Surface Arm Cap (per arm)	227	231	244	257					
Solid Surface Arm Cap (per pair)	454	464	489	514					
Solid Surface Arm Cap - Interim (per arm)	185	186	189	193					

		COM		COL	FA	BRIC	GRAD	ES	LEATHE	R	COM	SHIPPING	i
DESCRIPTION/MODEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
UPH Back ZOL3 MB11* ZOL3 MB21 ZOL3 MB31 ZOL3 MBB11		783 1030 1251 871	846 1116 1359 934	910 1202 1473 997	1377	1551 1913	1289 1724 2135 1377	1572 1897 2356 1504	2072 2579	1852 2278 2847 1796	1.75 2.5 3.5 2	23 39 54 28	5.2 9.4 14 6.1

ORDERING NOTES: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

ZOLA | SEATABLES

		COM		COL	FAE	BRIC GF	RADES		LEATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Round Seatable												
	ZOL5-18D	693	716	739	771	809	843	879	928	974	1.3	18	5.2
	ZOL5-24D	894	943	994	1064	1143	1215	1297	1396	1497	1.5	26	8.5
	ZOL5-30D	1124	1181	1240	1318	1412	1492	1583	1695	1810	1.7	38	10.5
V													
	Square Seatable												
/ 7	ZOL5-1818	759	805	848	912	984	1048	1120	1210	1303	1.3	27	5.2
	ZOL5-2424	905	956	1004	1074	1155	1227	1307	1408	1508	1.5	38	8.5
	Rectangular Seatable												
	ZOL5-2418	832	875	921	985	1059	1120	1194		1374	1.3	31	6.6
	ZOL5-4824	1178	1240	1303	1389	1487	1572	1672	1798	1922	2.4	62	12.6

ORDERING NOTES:

The seat height is 17.5" from floor.

ZOLA | MODULAR - REPLACEMENT COMPONENTS

DESCRIPTION	J/MODEL	SPECIES	COM 1	2	COL 3	- FA 4	ABRIC 5	GRAD	ES 7	LEATHI 8	ER 9	COM S YARDAGE	SHIPPING WEIGHT	
	Replacement ZOL3 RBM12	Modular One-Se Beech Maple/Cherry Palette	eat Wo 365 405 365	od Bad	k							- - -	19 19 23	3.1 3.1 3.1
	Replacement	Modular One-Se		od Bad	k w/ U	pholste	ered P	ad						
()	ZOL3 RBM13		556	569	586	619			714	744	791	0.6	21	3.1
ATET		Maple/Cherry	601	619	633	665	696		744	778	840	0.6	21	3.1
		Palette	556	569	586	619	651		714	744	791	0.6	25	3.1
		Back Pad -only	223	239	255	284	318		381	411	458	0.0	4.0	0
	ZOL3 RP											0.6	1.6	2
	Replacement ZOL3 RBM11	Upholstered Bac *	ck 721	783	846	974	1098	1227	1510	1638	1788	1.75	23	5.2
1) /	ZOL3 RBM21		963		1139		1485			2010	2214	2.5	39	9.4
	ZOL3 RBM31			1297				2072		2516	2781	3.5	54	14
	ZOL3 RBBM1	1	808	871	934				1440		1732	2	28	6.1
	and Replacent component to	ackets on site present Seat/Bench the replacement Replacement Up	es do it comp	not inc	lude le . If new	gs and	joining	g bracl	kets. Th	ne hardv	ware can	be transferre	ed from the	e original
	ZOL3 RAMR		435	477	514	595	672	752	832	910	1019	1.5	14	3
	ZOL3 RAML ZOL3 RAMRU ZOL3 RAMLU		562	601	641	721	799	878	957	1036	1146	1.5	15.5	3
		a special - please Upholstered Sea		act Cus	stomer	Service	e for a	ssistar	ice.					
	ZOL3 RSM1*	op., o.o.o. o.a oo.	778	822	871	957	1044	1134	1218	1305	1482	1.33	25	5.2
	ZOL3 RSM2			1178			1473			1827	2024	1.75	39	9.4
	ZOL3 RSM3			1540			1954			2451	2657	2.5	50	14
	ZOL3 RSMB1			1053			1289			1572	1715	1.75	26	6.1
	ZOL3 RSMB2	<u>.</u>		1266			1566			1922	2118	1.75	39	9.4
	ZOL3 RSMB3	3			1914		2197			2625	2847	2.5	50	14
	Back Cover													
\mathcal{N}	ZOL3 RCB1*		302	365	428	556	680	808	934	1061	1266	2	2.8	1.7
11 5	ZOL3 RCB2		411	509	601	791		1170	1359		1788	3	3.6	1.7
	ZOL3 RCB3		509	633	760	1014	1266			2024	2341	3.75	4.3	1.7
	ZOL3 RCBB1		336	397	458	586	714	840	963	1092	1283	2	2.8	1.7
		Right, Left or Inte	rim											
	ZOL3 RCAR ZOL3 RCAL		270	318	365	458	556	651	744	840	963	1.5	2.5	1.7
	ZOL3 RCAL		176	100	207	220	070	200	224	265	405	0.33	1.5	1.7
$\Gamma \setminus$	ZOL3 ROARU	I	176 270	190 318	207 365	239 458	270	302 651	334 744	365 840	963	1.5	2.5	1.7
	ZOL3 RCALU		270	310	303	436	556	001	744	640	903	1.0	2.0	1,
		NOTES: Replace			•		ght) ar	e spec	cified as	s seated	i. ZOL3 F	RCARU & ZO	L3 RCALU	J are arm
	Seat Cover													
										6 1 5				
	ZOL3 RCS1*		270	318	365	458			744		982	1.33	2.3	1.7
	ZOL3 RCS1* ZOL3 RCS2		348	411	477	601	729	853	982	1108	1314	1.75	2.6	1.7
	ZOL3 RCS1*				477 601		729 760	853	982 916	1108				

ZOLA | MODULAR - REPLACEMENT COMPONENTS & TABLETS

DESCRIPTIO	N/MODEL	PRICE					SHIPPING WEIGHT	G CUBES
	Caster Without Brake ZOL3 RC1	58					0.4	0125
	ORDERING NOTE: Casters of	cannot be orde	ered as replac	cement item	s for plu	s units.		
^	Caster With Brake ZOL3 RC2	70					0.4	0.125
	ORDERING NOTE: Casters of	cannot be orde	ered as replac	cement item	s for plu	s units.		
	Urethane Arm Cap ZOL3 AUR ZOL3 AUL	127					1.5 1.5	0.3 0.3
	Urethane Arm Cap - Interim A ZOL3 AIU	orm 94					1.0	0.3
		,	A-White	Grade A-Color	es B	С		
	Solid Surface Arm Cap (per a ZOL3 ASR ZOL3 ASL		227	231	244	257	1.5	0.3
	Solid Surface Arm Cap - Inter ZOL3 ASI	im (per arm)	185	186	189	193	1.0	0.3
DESCRIPTIO	N MODEL	SPECIES	PRICE				WEIGH	IT CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	514 538				12	2
	Tablet with Palette Fi ZOL3 T2	nish n/a	411				12	2
	Clear Glass Tablet ZOL3 T3	n/a	783				13	2
	Laminate Tablet ZOL3 T4	n/a	532				12	2
	ORDERING NOTES handed and do not r					mer edge. F	Please note Zola Tablets are u	niversally
	Solid Surface Tablet ZOL3 T5AW	- Grade A Wh n/a	nite 641				14	2
	Solid Surface Tablet ZOL3 T5AC	- Grade A Co n/a	lor 651				14	2
9	Solid Surface Tablet ZOL3 T5B	- Grade B n/a	686				14	2
	Solid Surface Tablet ZOL3 T5C	- Grade C n/a	741				14	2

ZOLA | MODULAR CURVE

DIMENSIONS INSIDE CURVE
Overall
\ A / ' - III -


DIMILIAGIONS II	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat 30° 45°	36 42	28.5 29	34 34	18.5 18.5	22.5 22.5	50 54	18 19
60° 90°	48 59	29 31	34 34	18.5 18.5	22.5 22.5	57 69	22 26
Double seat 30° 45° 60° 90°	58 64 70 81	30 31 33 36	34 34 34 34	18.5 18.5 18.5 18.5	22.5 22.5 22.5 22.5	90 97.2 102.6 124.2	32 33 39 46

COM Yardages

oom raraagoo				
	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units
Single seat				
30°	3.70	7.4	11.1	14.8
45°	4.40	8.8	13.2	17.6
60°	4.40	8.8	13.2	17.6
90°	4.61	9.2	13.83	18.44
Double seat				
30°	6.3	12.6	18.9	25.2
45°	6.4	12.8	19.2	25.6
60°	8.2	16.4	24.6	32.8
90°	8.2	16.4	24.6	32.8

COM Yardages - Individual Components


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
Double seat								
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6




Single Seat, Uph 30° Inside Curve




Single Seat, Uph 45° Inside Curve



Single Seat, Uph 60° Inside Curve




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside



Double Seat, Uph 45° Inside



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

DIMENSIONS OUTSIDE CURVE

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
60°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

COM Yardages

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat 30° 45° 60° 90°	3.32 3.32 3.32 3.32	6.14 6.14 6.14 6.14	9.46 9.46 9.46 9.46	12.28 12.28 12.28 12.28 12.28	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	13.0 13.0 13.0 13.0	19.5 19.5 19.5 19.5	26.0 26.0 26.0 26.0	

COM Yardages - Individual Components

· ·	COM Yardage Per Back	COM Yardage Per	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
	Per back	2 Backs	3 Backs	4 backs	Per Seat	2 Seals	3 Seals	4 Seats
Single seat 30° 45° 60° 90°	1.7 1.7 1.7 1.7	2.95 2.95 2.95 2.95	4.65 4.65 4.65 4.65	5.9 5.9 5.9 5.9	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90° 6.8	3.1 3.1 3.1 3.1 10.2	6.2 6.2 6.2 6.2 13.6	9.3 9.3 9.3 9.3	12.4 12.4 12.4 12.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8	10.2 10.2 10.2	13.6 13.6 13.6




Single Seat, Uph 30° Outside




Single Seat, Uph 45° Outside Curve




Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127

ZOLA | MODULAR CURVE

DESCRIPTION/MOD	EL	COM 1	2	COL 3	FA	ABRIC GRA	ADES 6	7	LEATHER 8	3
	Single-Seat, 30° Inside Curve ZOL3 MCIS30D1	2302	2432	2559	2741	2947	3131	3336	3592	3851
	Single-Seat, 30° Inside Curve ZOL3 MCBIS30D1	Plus 2399	2530	2657	2838	3045	3226	3432	3691	3949
	Single-Seat, 45° Inside Curve ZOL3 MCIS45D1	2709	2873	3038	3271	3538	3770	4037	4369	4704
	Single-Seat, 45° Inside Curve ZOL3 MCBIS45D1	Plus 2818	2984	3147	3383	3648	3880	4146	4480	4813
	Single-Seat, 60° Inside Curve ZOL3 MCIS60D1	3069	3235	3399	3634	3899	4131	4397	4730	5063
	Single-Seat, 60° Inside Curve ZOL3 MCBIS60D1	Plus 3193	3358	3523	3759	4024	4257	4522	4855	5188
	Single-Seat, 90° Inside Curve ZOL3 MCIS90D1	3487	3696	3904	4196	4530	4821	5155	5574	5993
	Single-Seat, 90° Inside Curve ZOL3 MCBIS90D1	Plus 3652	3862	4068	4362	4694	4987	5320	5740	6159
	Single-Seat, 30° Outside Curv ZOL3 MCOS30D1	/e 2072	2190	2304	2465	2654	2817	3001	3235	3465
	Single-Seat, 30° Outside Curv ZOL3 MCBOS30D1	ve Plus 2169	2286	2403	2564	2748	2913	3097	3331	3562
	Single-Seat, 45° Outside Curv ZOL3 MCOS45D1	/e 2436	2586	2738	2946	3185	3395	3634	3934	4233
	Single-Seat, 45° Outside Curv ZOL3 MCBOS45D1	ve Plus 2546	2696	2847	3056	3294	3505	3743	4044	4341
	Single-Seat, 60° Outside Curv ZOL3 MCOS60D1	/e 2763	2911	3061	3270	3510	3718	3958	4258	4557
	Single-Seat, 60° Outside Curv ZOL3 MCBOS60D1	e Plus 2888	3036	3187	3396	3635	3844	4083	4381	4681
	Single-Seat, 90° Outside Curv ZOL3 MCOS90D1	/e 3137	3323	3513	3774	4077	4340	4641	5017	5393
	Single-Seat, 90° Outside Curv ZOL3 MCBOS90D1	ve Plus 3303	3489	3679	3940	4242	4506	4809	5183	5559

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY

HODGOT GODE IN						
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	I	S	30D	1
Zola	Soft Seating	Modular MCB	Inside Curve	Single	30 Degree 45D	Standard Leg + Glide
		Modular Plus Upgrade	Outside Curve	Double	45 Degree 60D	
					60 Degree 90D	

ZOLA | MODULAR CURVE

		COM		COL		FABRIC GRADES			LEATHER		
DESCRIPTION/MODE	L 1		2	3	4	5	6	7	8	9	
	Double-Seat, 30° Inside Curve ZOL3 MCID30D1 402	28 4	1252	4481	4795	5157	5473	5836	6289	6739	
	Double-Seat, 30° Inside Curve Ple ZOL3 MCBID30D1 418		1405	4633	4947	5309	5628	5989	6441	6893	
	Double-Seat, 45° Inside Curve ZOL3 MCID45D1 473	36 5	5028	5318	5722	6188	6598	7064	7644	8225	
	Double-Seat, 45° Inside Curve P ZOL3 MCBID45D1 49		5209	5497	5903	6369	6778	7242	7822	8406	
	Double-Seat, 60° Inside Curve ZOL3 MCID60D1 536	67 5	5659	5948	6357	6821	7229	7696	8276	8858	
	Double-Seat, 60° Inside Curve Pli ZOL3 MCBID60D1 550		5852	6141	6549	7016	7421	7888	8469	9051	
	Double-Seat, 90° Inside Curve ZOL3 MCID90D1 609	99 6	6465	6831	7342	7925	8438	9022	9755	10485	
	Double-Seat, 90° Inside Curve Pli ZOL3 MCBID90D1 63°		6686	7049	7564	8146	8658	9244	9975	10705	
	Double-Seat, 30° Outside Curve ZOL3 MCOD30D1 362	26 3	3828	4033	4316	4643	4928	5254	5659	6069	
	Double-Seat, 30° Outside Curve I ZOL3 MCBOD30D1 37		3980	4185	4468	4795	5080	5405	5811	6221	
	Double-Seat, 45° Outside Curve ZOL3 MCOD45D1 420	63 4	1525	4786	5152	5571	5938	6357	6881	7402	
	Double-Seat, 45° Outside Curve I ZOL3 MCBOD45D1 444		1706	4966	5331	5751	6117	6536	7060	7582	
	Double-Seat, 60° Outside Curve ZOL3 MCOD60D1 483	31 5	5093	5355	5720	6139	6506	6925	7447	7971	
	Double-Seat, 60° Outside Curve I ZOL3 MCBOD60D1 502		5286	5548	5914	6333	6699	7119	7641	8164	
	Double-Seat, 90° Outside Curve ZOL3 MCOD90D1 546	88 5	5819	6146	6607	7134	7594	8121	8781	9438	
	Double-Seat, 90° Outside Curve I ZOL3 MCBOD90D1 570		6039	6366	6828	7356	7815	8342	8999	9657	

ORDERING NOTES: Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY

ODOOT OODE N	L 1					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D	


90 Degree

ZOLA PRIVACY | ENVIRONMENTAL SUMMARY

LEED CI CREDIT



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

	001111112012010	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR EMISSIONS


All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Zola Privacy products can be specified with one of two types of FSC® Certification:

(a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)



(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.



ZOLA PRIVACY | FEATURES & OPTIONS



REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



PRECONFIGURED

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



BACK CONNECTION

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



LINKING SEAT-TO-SEAT

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



LINKING TABLE-TO-SEAT

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



CLEAN OUT

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



TWIN BACK

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).



ANTI-MICROBIAL FINISH

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.



Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

PLUS UPGRADE

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat plus - 975 lbs
Three-seat - 750 lbs
Three-seat plus - 1150 lbs

ZOLA PRIVACY | OPTIONS



PRIVACY SCREEN

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start, Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.



TABI FT

Optional Tablets are available in veneer, clear glass, laminate and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees. Solid surface is available, contact Customer Service for pricing.

Tables are available in veneer, high pressure

laminate or Palette finishes - and an optional solid

surface top. An optional flush-mounted Table

PowerDoc provides dual power/USB A & C out-

lets for multiple devices can be located on the front face of Middle or End Tables (not available on



REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.



curvilinear models). PowerDoc's have a 10' cord.

MODULAR ARM Modular arms can attach to the left or right ends of seating units as well as interim locations between units. They are fully upholstered and can optionally be trimmed with urethane or solid surface arm caps.



REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.



URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.

Back-mounted shelves can be specified in either

30", 36" or 42" and are available in veneer,

laminate and Palette finishes (Solid surface overlay


also available - contact customer service) The

surface-mounted Shelf PowerDoc provides dual power/USB A & Coutlets for multiple devices. Units with Shelf Power are not available with Re-



MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.



additional information. CAL 133 and Moisture

Barrier is available for \$64 list per yard.



movable Cover option. SEAT POWER

SHELVES & POWER

The flush-mounted power unit provides dual power/USB A & C outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 251 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.



ZOLA PRIVACY | POWER LOCATIONS



Seat Power


When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



Shelf Power

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.



B - for left side of seat (facing)



Table Power

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$647 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




Under-mount Power

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below seats and tables.

ZOLA PRIVACY | CONNECTING MULTIPLE UNITS


SEATING

Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.





SIDE PANELS


Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.



ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING









Model ZOP3-M1F1S ZOP3-MCIS90DF1C ZOP3-M2F1C	Qty 1 2 4	Price (ea) 2364 5866 3563
ZOP3-M1F1S	1	2364
ZOP3-MCIS90DF1C ZOP3-M2F1C	-	586 356


Total \$30,712






Model	Qty	Price (ea)
ZOP3-MCID60DF0S	1	5910
ZOP3-MCID60DF0C	3	5910
ZOP3-MCID60DF0E	1	5910
ZOL4-30D15	1	1391


ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING






Model	Qty	Price (\$)
ZOP3-M2M0S	1	2595
ZOP3-MCIS90DM0C	2	4571
ZOP3-M2M0C	1	2595
ZOP3-M2M0E	1	2595
ZOL4-242415	1	1187


Total \$18,114






Qty 4	Price (\$) 1098
2	2866
2	7873
2	2866
1	2016
	4 2 2 2

Total \$33,618





Model	Qty	Price (\$)
ZOP3-MPF0S	2	946
ZOP3-M3F0C	2	3972
ZOP3-MPF0E	2	946
ZOP4-E482915	1	2016

Total \$13,744

ZOLA PRIVACY | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

I B. A	vic.	\sim	NS

DIMENSIONS								
		Width						
	Overall	Between	Overall	Overall	Seat	Seat	Shipping	
	Width	Panels	Depth	Height	Height	Depth	Weight	Cubes
Preconfigured F	ull Height Bacl	k						
One-Seat Plus	36	30	27	50	18.5	19.25	134	28.3
Two-seat	52	46	27	50	18.5	19.25	161	40.4
Three-seat	75	69	27	50	18.5	19.25	194	57.5
Preconfigured M	lid Height Rac	k						
One-Seat Plus	36	30	27	37.5	18.5	19.25	114	20.4
Two-seat	52	46	27	37.5	18.5	19.25	141	29.1
Three-seat	75	69	27 27	37.5 37.5	18.5	19.25	174	41.3
Trice Seat	75	03	21	07.0	10.5	10.20	174	41.0
COM YARDAGES	S							
	Yardage	Yardage	Yardage	Yardage				
	Entire	2 Entire	3 Entire	4 Entire				
	Unit	Units	Units	Units				
Preconfigured F		k/Privacy Panel						
One-Seat Plus	9.59	13.78	17.97	22.16				
Two-seat	11.48	16.13	20.83	26.56				
Three-seat	13.56	21.32	29.38	37.04				
Preconfigured M	lid Height Bac	k/Privacv Panel	ı					
One-Seat Plus	7.31	10.96	14.61	18.26				
Two-seat	8.49	12.22	16.72	21.20				
Three-seat	10.60	18.36	26.42	34.08				
Preconfigured F	ull Height Bacl	k/Semi-Private	Panel					
One-Seat Plus	6.63	10.82	15.01	19.20				
Two-seat	8.52	13.17	17.87	23.60				
Three-seat	10.60	18.36	25.42	34.08				
Preconfigured M	lid Height Rac	k/Semi-Private	Panel					
One-Seat Plus	5.41	9.06	12.71	16.36				
Two-seat	6.59	10.32	14.82	19.30				
Three-seat	8.48	14.80	21.42	27.20				
iiii cc- scat	0.40	14.00	۷1.42	21.20				

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAB	RIC GRA	DES	LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	One-Seat Plus with Privat ZOP3-PCB1MPF0	e Modular S 3956	Side Panel 4268	and Full H 4583	leight Back 5132	5708	6258	6835	7463	8461
	One-Seat Plus with Semi- ZOP3-PCB1SMPF0	Private Mod 3229	dular Side 3455	Panel and 3683	Full Heigh 4059	t Back 4461	4838	5241	5695	6347
	One-Seat Plus with Privat ZOP3-PCB1MPM0	e Modular S 3489	Side Panel 3717	and Mid F 3943	leight Back 4339	4752	5142	5559	6014	6715
	One-Seat Plus with Semi- ZOP3-PCB1SMPM0	Private Mod 2983	dular Side 3166	Panel and 3354	Mid Heigh 3663	t Back 3994	4302	4634	5005	5539

ORDERING NOTES:

ZOLA PRIVACY OPTION UPCHARGES

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

\$ List

	AL 133 & Moisture Barrier (per yard) eat Power (per power unit) lus Upgrade option				
PRODUCT CODE KEY	•				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PCB	1	MP	F0
Zola Privacy	Lounge	Pre-Configured Plus	One-Seat (30")	Private Modular Side Panel	Full Height
			2	SMP	M0
			Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Two-Seat with Privat ZOP3-PC2MPF0 Two-Seat Plus with F ZOP3-PCB2MPF0	4571	4947	5327	5970	6653	7295 7424	7977 8107	8739 8868	9879 10008
	Two-Seat with Semi-ZOP3-PC2SMPF0	Private Mo	odular Sic 4134	le Panel a	nd Full Hei 4897	ght Back 5407	5876	6386	6970	7764
	Two-Seat Plus with S ZOP3-PCB2SMPF0		ite Modula 4265	ar Side Pa 4557	nel and Fu 5027	ll Height E 5537	3ack 6007	6515	7101	7894
	Two-Seat with Privat	e Modular	· Side Pan	el and Mid	1 Height B	ack				
	ZOP3-PC2MPM0	3780	4059	4337	4811	5307	5775	6276	6836	7651
	Two-Seat Plus with F	Private Mo	dular Side	e Panel an	d Mid Heid	ht Back				
	ZOP3-PCB2MPM0	3909	4189	4467	4941	5437	5905	6406	6965	7780
	Two-Seat with Semi-	Drivata M	odular Sid	lo Panal a	ad Mid Hai	ight Back				
	ZOP3-PC2SMPM0	3271	3510	3746	4133	4548	4933	5349	5825	6474
	Two-Seat Plus with S ZOP3-PCB2SMPM0		te Modula 3640	ar Side Pa 3877	nel and Mi 4264	d Height E 4679	3ack 5064	5481	5956	6604

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	64
Seat Power (per power unit)	641

PRODUCT CODE KEY

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	M0
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | PRECONFIGURED

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE	RIC GRAI	DES 6	7	LEATHER 8	9
DESCRIPTION/WODEL		•			•			'		
	Three-Seat with Privat	e Modular	Side Pan	el and Ful	l Height Ba	ack				
	ZOP3-PC3MPF0	5495	5940	6390	7131	7923	8663	9457	10354	11632
	Three-Seat Plus with F	Private Mo	dular Side	Panel an	d Full Heig	ht Back				
	ZOP3-PCB3MPF0	5691	6136	6585	7327	8119	8859	9652	10548	11828
	Thurs Coast with Coasi	Duit rata M	ll O: -l	la Danal a		alat Da ala				
	Three-Seat with Semi-					•	7040	7004	0507	0510
	ZOP3-PC3SMPF0	4768	5128	5488	6057	6678	7243	7864	8587	9518
	Three-Seat Plus with S	Somi Drivo	to Modula	or Sido Da	nol and Eu	II Hoight E	Rock			
	ZOP3-PCB3SMPF0	4964	5322	5684	6253	6872	7441	8059	8783	9713
	201 0-1 OB00IMI 1 0	4304	3322	3004	0233	0072	7441	0039	0703	9713
	Three-Seat with Privat	e Modular	Side Pan	el and Mid	Height B	ack				
	ZOP3-PC3MPM0	4903	5244	5584	6148	6750	7309	7911	8595	9548
	Three-Seat Plus with F	Private Mo	dular Side	Panel an	d Mid Heid	ht Back				
	ZOP3-PCB3MPM0	5098	5441	5781	6344	6945	7504	8107	8790	9744
	Three-Seat with Semi-	Private M	odular Sid	le Panel a	nd Mid Hei	ight Back				
	ZOP3-PC3SMPM0	4396	4696	4995	5471	5990	6466	6985	7586	8371
	Three-Seat Plus with S	Semi-Priva	te Modula	ar Side Pa	nel and Mi	d Heiaht E	Back			
	ZOP3-PCB3SMPM0	4591	4891	5191	5666	6185	6662	7180	7781	8568

ORDERING NOTES:

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTION UPCHARGES	\$ List	
CAL 133 & Moisture Barrier (per yard)	64	
Seat Power (per power unit)	641	

PRODUCT CODE KEY

Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall								
	Overall	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Full Height Back									
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8
Mid Height Back									
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6
Modular Corner Seat with F	ull Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26
Modular Corner Seat with N	/lid Height	Back							
One-Seat	27	27	40	37.5	50	18.5	20.25	93	26
One-Seat (Plus)	27	27	40	37.5	50	18.5	20.25	93	26

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Full Height Back												
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	4.33	7.33	11.66	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner S	eat with F	ull Height	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner S	eat with M	lid Height	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8

ZOLA PRIVACY PLUS OPTION UPCHARGES

	\$ List
Plus Upgrade Two-Seat	129
Plus Upgrade Three-Seat	195

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

Dimensions a	00	ZOII ILIVILI										
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Singl	e Full Hei	aht No Scr	reen									
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
2010 1011 102	LIIG	2.70	21	40.00	00	O	2.1	0.00	0.00	10.70	10.44	10.10
Side Panel, Single	e, Full Hei	ght with So	creen									
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	e, Mid Hei	ght No Sc	reen									
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
Side Panel, Singl	a Mid Hai	aht with S	creen									
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
		-										
Semi-Private Side												
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Side	e Panel, S	ingle, Mid	Height									
ZOP3-MSPM0S	Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0C	Center	2.75	14.25	31.4	23	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0E	End	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
Modular Upholste	ered Arm											
ZOP3-MAUPHL*		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHR		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHC		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholste	ered Arm v	w/Urethane	e Cap									
ZOP3-MAUREL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholsto	orod Arm.	w/8alid 6	rface Con									
	ered Arm \			20 2F	20	1 1	1 22	0.11	2.0	2 56	1 11	5
ZOP3-MASSCL ZOP3-MASSCR		3 3	14.5 14.5	20.25 20.25	28 28	1.1	1.33 1.33	2.11 2.11	2.8	3.56 3.56	4.44 4.44	5 5
		3		20.25	28 28	1.1			2.8			5 5
ZOP3-MASSCI*		3	14.5	20.25	20	1.1	1.33	2.11	2.8	3.56	4.44	5

ESCDIDTION	/MODEL/SPECIES		COM	0	COL 3	FAB 4	RIC GRA		7	LEATHE	
	One-Seat, Full Heig ZOP3-M1F0F	ht Back	1 1924	2060	2195	2388	2610	2804	3025	3294	358
T	ZOP3-M1F1_	ht Back with Shelf Op Beech/Laminate Maple/Palette	tion 2364 2460	2500 2594	2636 2732	2829 2924	3052 3144	3244 3340	3463 3560	3736 3829	402 411
	42", 36" or 30". Free	S: When ordering units estanding, Start and Er 03 list upcharge per un	nd units with	the she	lf option i	equire co	unterba	lance we	eight add	led to ea	ch se
	One-Seat, Full Heig ZOP3-M1F2F	ht Back with Privacy S	Screen Option 2209	on 2342	2479	2671	2892	3087	3307	3578	386
	ORDERING NOTES	S: Units with Privacy So	creen Optior	n are not	available	with Rem	ovable E	Back Cov	er option	l.	
	One-Seat, Mid Heig ZOP3-M1M0F	ht Back	1811	1918	2026	2176	2348	2502	2673	2888	310
	ZOP3-M1M1_	ht Back with Shelf Op Beech/Laminate Maple/Palette S: When ordering units	2252 2346	2357 2452 option ple	2464 2560 ease clea	2615 2713 rly specif	2789 2883 v on vou	2942 3036 Ir order t	3114 3209 he requir	3327 3424 ed shelf l	354 364 neigh
	42", 36" or 30". Free unit, please add \$3 6	estanding, Start and Er O3 list upcharge per un Int Back with Privacy S	nd units with nit. Units with	the she	lf option r	equire co	unterba	lance we	eight add	led to ea	ch se
	ZOP3-M1M2F	The Baok with Thirday C	2092	2198	2307	2460	2632	2783	2957	3169	339
\downarrow	ORDERING NOTES	S: Units with Privacy So	creen Optior	n are not	available	with Rem	ovable E	Back Cov	er option		
	Option Upcharges	S: Units with Privacy So \$ List					ovable E		er option List		
pisture Barrie movable Se movable Ba		\$ List 64 47 68	Se Sh		er (per po		ovable E		•		
pisture Barrie movable Se movable Ba al Leg (for Macan Color	Option Upcharges er & CAL 133(per yard) at Covers One-Seat ck Covers One-Seat fultiple unit configuration	\$ List 64 47 68 ons) 80	Se Sh Tal	eat Powe nelf Powe ble Powe	er (per pov er er	wer unit)			641 600 647		
pisture Barrie movable Se movable Ba al Leg (for M	Option Upcharges or & CAL 133(per yard) at Covers One-Seat ck Covers One-Seat fultiple unit configuration	\$ List 64 47 68	Se Sh Tal	eat Powe	er (per pov er er		Type		641 600 647	g Type	
bisture Barrie emovable Se emovable Ba aal Leg (for M RODUCT COL Line	Option Upcharges er & CAL 133(per yard) at Covers One-Seat ck Covers One-Seat fultiple unit configuration DE KEY Series	\$ List 64 47 68 ons) 80 Chair Type	Se Sh Tal	eat Power peat Count 1 In Seat Count 2	er (per po er er	Back Full Heig	Type July 1 Back	\$	List 641 600 647 Lee	g Type F Inding Uni	
bisture Barries movable Se movable Ba al Leg (for M RODUCT COL Line	Option Upcharges er & CAL 133(per yard) at Covers One-Seat ck Covers One-Seat fultiple unit configuration DE KEY Series 3	\$ List 64 47 68 80 Chair Type	Se Sh Tal	eat Power part Power part Power part Count 1 one Seat 2 wo Seat	er (per po er er	Back Full Height Shelf (Type O	\$	List 641 600 647 Lee Freesta	g Type F Inding Uni S Int Unit	t
Disture Barrie emovable Seemovable Ba ual Leg (for M RODUCT COL Line	Option Upcharges er & CAL 133(per yard) at Covers One-Seat ck Covers One-Seat fultiple unit configuration DE KEY Series 3	\$ List 64 47 68 80 Chair Type	See Sh Tal	eat Power peat Count 1 In Seat Count 2	er (per po er er I	Back Full Heig	Type Digital Back Back wit Deption Back wit Back wit Deption	\$	List 641 600 647 Lee Freesta	g Type F Inding Uni	t
oisture Barrie emovable Se emovable Ba ual Leg (for M RODUCT COD Line	Option Upcharges er & CAL 133(per yard) at Covers One-Seat ck Covers One-Seat fultiple unit configuration DE KEY Series 3	\$ List 64 47 68 80 Chair Type	See Sh Tal	eat Power pelf Power peat Count 1 One Seat 2 wo Seat 3	er (per po er er I	Back Full Height Shelf (Full Height	Type O	\$	List 641 600 647 Lee Freesta Sta	g Type F	t
poisture Barrie emovable Se emovable Ba ual Leg (for M RODUCT COD Line ZOP	Option Upcharges er & CAL 133(per yard) at Covers One-Seat ck Covers One-Seat fultiple unit configuration DE KEY Series 3	\$ List 64 47 68 80 Chair Type	Se Sh Tal	eat Power pelf Power peat Count 1 One Seat 2 wo Seat 3	er (per por er er	Back Full Height Shelf (Full Height Crivacy Scr	Type Dight Back wit Deption Back witeen Option July Back witeen Option Back witeen Option Back witeen Option	h h on	List 641 600 647 Lee Freesta Sta	g Type F	t

M2 Mid Height Back with Privacy Screen Option

ESCRIPTION	N/MODEL/SPECIES		COM 1	l 2	COL 3	FAI 4	BRIC GR 5	ADES 6	7	LEATHE 8	n 9
	One-Seat Plus, F ZOP3-MB1F0F	Full Height Back	2413	2549	2684	2879	3099	3292	3513	3785	407
	One-Seat Plus, F ZOP3-MB1F1_	Full Height Back w Beech/Laminate	ith Shelf Option 2866	3001	3137	3330	3553	3744	3965	4237	452
		Maple/Palette	2963	3097	3235	3428	3647	3843	4063	4334	461
\	42", 36" or 30". I	TES: When orderin Freestanding, Start \$303 list upcharge	and End units w	ith the sh	elf option	require o	counterba	alance w	eight ad	ded to ea	ch se
	One-Seat Plus, F ZOP3-MB1F2F	Full Height Back w	ith Privacy Scree 2770	n Option 2906	3040	3236	3456	3648	3870	4141	442
	ORDERING NO	TES: Units with Pri	vacy Screen Opt	ion are no	ot availabl	e with Rei	movable	Back Co	ver optio	n.	
	One-Seat Plus, N ZOP3-MB1M0F	Mid Height Back	2304	2411	2518	2670	2844	2994	3166	3382	360
·		Mid Height Back w Beech/Laminate	ith Shelf Option 2757	2863	2970	3122	3294	3448	3620	3834	405
		Maple/Palette	2853	2959	3068	3219	3390	3542	3715	3931	415
	42", 36" or 30". I	Maple/Palette TES: When orderin Freestanding, Start \$303 list upcharge	ng units with shel and End units w	f option p	lease cle	arly spec	3390 ify on you counterba	ur order alance w	the requi eight add	red shelf l ded to ea	heigh ch se
	42", 36" or 30". I unit, please add	TES: When orderin Freestanding, Start	ng units with shel and End units w e per unit. Units v	f option p ith the sh vith shelf	olease cle nelf option option are	arly spec	3390 ify on you counterba	ur order alance w	the requi eight add	red shelf l ded to ea	heigh ch se tion.
	42", 36" or 30". I unit, please add One-Seat Plus, N ZOP3-MB1M2F	TES: When orderin Freestanding, Start \$303 list upcharge	ng units with shel and End units we per unit. Units we ith Privacy Scree 2661	f option p ith the sh vith shelf en Option 2768	olease cle lelf option option are 2877	early spec n require ce not avail	3390 ify on you counterbate with 3200	ur order alance w Remova 3352	the requi eight add ble Back 3523	red shelf l ded to ea Cover op 3739	heigh ch se tion.
la Privacy	42", 36" or 30". I unit, please add One-Seat Plus, N ZOP3-MB1M2F	TES: When orderin Freestanding, Start \$303 list upcharge Mid Height Back w TES: Units with Pri	ng units with shel and End units we per unit. Units we ith Privacy Scree 2661	f option p ith the sh vith shelf en Option 2768	olease cle lelf option option are 2877	early spec n require ce not avail	3390 ify on you counterbate with 3200	ur order Alance w Remova 3352 Back Co	the requi eight add ble Back 3523	red shelf l ded to ea Cover op 3739	ch se
pisture Barri movable Se movable Ba	42", 36" or 30". I unit, please add One-Seat Plus, N ZOP3-MB1M2F ORDERING NO	TES: When ordering Start \$303 list upcharge Mid Height Back w TES: Units with Print Start	ig units with shell and End units we per unit. Units we per unit. Units we the Privacy Screen 2661 wacy Screen Opt List 64 47 68	f option p ith the sh vith shelf en Option 2768 ion are no Seat Pov Shelf Pov Table Por	please cle pelf option option are 2877 ot available ver (per p	early spec n require ce not avail	3390 ify on you counterbaable with 3200 movable	ur order alance w Remova 3352 Back Co	the requi eight add ble Back 3523 ver option	red shelf l ded to ea Cover op 3739	heigh ch se tion.
pisture Barr movable Se movable Ba al Leg (for I	42", 36" or 30". I unit, please add One-Seat Plus, N ZOP3-MB1M2F ORDERING NO Option Upcharges ier & CAL 133(per ya eat Covers One-Seat ack Covers One-Seat Multiple unit configur	TES: When ordering Start \$303 list upcharge Mid Height Back w TES: Units with Print Start	ig units with shell and End units we per unit. Units we per unit. Units we the Privacy Screen 2661 wacy Screen Opt List 64 47 68	f option p ith the sh vith shelf en Option 2768 ion are no Seat Pov Shelf Pov Table Por	please cle pelf option option are 2877 ot available ver (per p	early spec n require c e not avail 3028 e with Ren	3390 ify on you counterbaable with 3200 movable	ur order alance w Remova 3352 Back Co	the require eight add ble Back 3523 ver option \$ List 641 600	red shelf l ded to ea Cover op 3739	heigh ch se tion.
pisture Barr movable Se movable Ba al Leg (for I	42", 36" or 30". I unit, please add One-Seat Plus, N ZOP3-MB1M2F ORDERING NO Option Upcharges ier & CAL 133(per ya eat Covers One-Seat ack Covers One-Seat Multiple unit configur	TES: When ordering Start \$303 list upcharge Mid Height Back w TES: Units with Primard Start Sta	ig units with shell and End units we per unit. Units we per unit. Units we the Privacy Screen 2661 wacy Screen Opt List 64 47 68	f option p ith the sh vith shelf en Option 2768 ion are no Seat Pov Shelf Pov Table Por	olease cle pelf option option are 2877 of available ver (per p wer wer t Plus inc	arly spec require c not avail 3028 e with Rei	3390 ify on you counterbaable with 3200 movable	ur order alance w Remova 3352 Back Co	the requieight additional states and the states and the states and the states are states are states and the states are states are states and the states are states a	red shelf l ded to ea Cover op 3739	heigh ch se tion.
pisture Barri emovable Se emovable Ba aal Leg (for I	42", 36" or 30". I unit, please add One-Seat Plus, N ZOP3-MB1M2F ORDERING NO Option Upcharges ier & CAL 133(per ya eat Covers One-Seat ack Covers One-Seat Multiple unit configui	TES: When ordering Start \$303 list upcharge Mid Height Back words. Units with Prince P	g units with shell and End units we per unit. Units we per unit. Units we per unit. Units we can be called a control of the called a called a control of the called a called a control of the called a control of the called a calle	f option pith the sh vith shelf or option 2768 ion are no Seat Pow Shelf Pow Table Pow One-Seat	olease cle pelf option option are 2877 of available ver (per p wer wer t Plus ince	arly special require of enot avail. 3028 e with Recover unit	3390 ify on you counterbacked with 3200 movable in suppression of the	ur order alance w Remova 3352 Back Co	the requieight add ble Back 3523 ver option \$ List 641 600 647	red shelf lded to ea Cover op 3739 n.	heigh ch se tion.
oisture Barri emovable Se emovable Ba ual Leg (for I RODUCT CO Line	42", 36" or 30". I unit, please add One-Seat Plus, N ZOP3-MB1M2F ORDERING NO' Option Upcharges ier & CAL 133(per ya eat Covers One-Seat ack Covers One-Seat Multiple unit configur DE KEY Series	TES: When ordering Start \$303 list upcharge Mid Height Back w TES: Units with Primard Start Sta	g units with shell and End units we per unit. Units	seat Pov Shelf Pov Table Pov One-Seat Seat Cour 1 One Seat Two Seat	olease cle lelf option option are 2877 ot available ver (per p wer wer t Plus ince	arly special require of enot avail. 3028 e with Recover unit Cludes Plu Bac Full Heigi	3390 ify on you counterbalable with 3200 movable c) is Upgradek Type	ur order alance w Remova 3352 Back Co	the requieight add ble Back 3523 ver option \$ List 641 600 647	red shelf lded to ea Cover op 3739 n.	heigh ch se tion.
oisture Barri emovable Se emovable Ba ual Leg (for I RODUCT CO Line	42", 36" or 30". I unit, please add One-Seat Plus, N ZOP3-MB1M2F ORDERING NO' Option Upcharges ier & CAL 133(per ya eat Covers One-Seat ack Covers One-Seat Multiple unit configur DE KEY Series	TES: When ordering Start \$303 list upcharge Mid Height Back w TES: Units with Primard Start Sta	g units with shell and End units we per unit. Units we per unit we per unit. Units we per	f option pith the shouth shelf or Option 2768 ion are no Seat Pow Shelf Pow Table Pow One-Seat Cour	olease cle lelf option option are 2877 ot available ver (per p wer wer t Plus ince t t	arly specenter require contents and available available and available available and available availa	3390 ify on you counterbacked with 3200 movable in the sack we for option F2 int Back we for option F2 int Back we for option F2 int Back we for option F2	ur order alance w Remova 3352 Back Co	the require eight add ble Back 3523 ver option \$ List 641 600 647	red shelf lded to ea Cover op 3739 n.	heigh ch se tion.
oisture Barri emovable Se emovable Ba ual Leg (for I RODUCT CO Line	42", 36" or 30". I unit, please add One-Seat Plus, N ZOP3-MB1M2F ORDERING NO' Option Upcharges ier & CAL 133(per ya eat Covers One-Seat ack Covers One-Seat Multiple unit configur DE KEY Series	TES: When ordering Start \$303 list upcharge Mid Height Back w TES: Units with Primard Start Sta	g units with shell and End units we per unit. Units we per unit we per unit. Units we per	seat Pov Seat Pov Shelf Pov One-Seat Seat Cour	olease cle lelf option option are 2877 ot available ver (per p wer wer t Plus ince t t	arly special require of enot avail. 3028 e with Recover unit Backer of the content of the cont	3390 ify on you counterbacked with 3200 movable in the sack we for Option F2	ur order alance w Remova 3352 Back Co	the requieight add ble Back 3523 ver option \$ List 641 600 647 Freest St Ce	red shelf lded to ea Cover op 3739 m.	heigh ch se tion.

Mid Height Back with Shelf Option

M2

Mid Height Back with Privacy Screen Option

			COM		COL	FAE	BRIC GR	ADES		LEATHER	3
ESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Two-Seat, Full Height Back ZOP3-M2F0F		3029	3231	3430	3717	4044	4334	4658	5061	5490
	Two-Seat, Full Height Back ZOP3-M2F1_ Beech/La Maple/Pa	minate .	3563 3663	3763 3864	3963 4064	4252 4352	4580 4679	4867 4967	5192 5292	5595 5693	6023 6122
	ORDERING NOTES: When 42", 36" or 30". Freestanding unit, please add \$303 list up	g, Start and End	l units with	n the she	elf option	require c	ounterba	alance w	eight add	ded to eac	ch seat
	Two-Seat, Full Height Back ZOP3-M2F2F	with Privacy Sci	reen Optio 3519	on 3718	3920	4207	4534	4822	5006	5549	5978
	ORDERING NOTES: Units v	vith Privacy Scr	een Optio	n are not	available	with Ren	novable E	Back Cov	er option		
	Two-Seat, Mid Height Back ZOP3-M2M0F		2595	2754	2913	3141	3399	3628	3886	4205	4537
	Two-Seat, Mid Height Back ZOP3-M2M1_ Beech/La Maple/Pa	minate .	on 3132 3231	3290 3388	3449 3546	3678 3774	3934 4035	4162 4261	4421 4520	4738 4838	5072 5171
	ORDERING NOTES: When 42", 36" or 30". Freestanding unit, please add \$303 list up	g, Start and End	l units with	n the she	elf option	require c	ounterba	alance w	eight add	ded to eac	ch seat
	Two-Seat, Mid Height Back ZOP3-M2M2F	with Privacy Sc	reen Optio	on 3245	3404	3633	3891	4117	4377	4693	5030
	ORDERING NOTES: Units v	with Privacy Scr	een Optio	n are not	available	with Ren	novable E	Back Cov	er option	ı .	
Zola Privacy (Option Upcharges	\$ List						\$	List		
Removable Se Removable Ba	er & CAL 133(per yard) at Covers One-Seat ck Covers One-Seat //ultiple unit configurations)	64 68 97 80	S Ta	helf Pow able Pow	ver" .	ower unit)		641 600 647 129		
PRODUCT COL	DE KEY										

Zola Privacy Option	n Upcharges	\$ List			\$ List
Moisture Barrier & C Removable Seat Co Removable Back Co Dual Leg (for Multiple	vers One-Seat	64 68 97 80	Seat Power (pe Shelf Power Table Power Plus Upgrade ⁻	, ,	641 600 647 129
PRODUCT CODE KEY	Y				
Line	Series	Chair Type	Seat Count	Back Type	Leg Type
ZOP Zola	3 Lounge	M Modular	1 One Seat	F0 Full Height Back	F Freestanding Unit
		MB Modular Plus Upgrade	2 Two Seat	F1 Full Height Back with Shelf Option	Start Unit
			3	F2	С
			Three Seat	Full Height Back with Privacy Screen Option	Center Unit
				MO	E
				Mid Height Back	End Unit
				M1 Mid Height Back with Shelf Option	
				M2 Mid Height Back with Privacy Screen Option	

DESCRIPTION/N	MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GR 5	ADES 6	7	_EATHEI	R 9
	Three-Seat, Full Height E ZOP3-M3F0F	3ack	3983	4252	4524	4906	5345	5730	6166	6707	7271
	_	Back Shelf Option n/Laminate n/Palette	4610 4713	4879 4984	5149 5255	5534 5638	5971 6077	6358 6463	6793 6897	7332 7437	7899 8005
	ORDERING NOTES: What - 42", 36" or 30". Freesta unit, please add \$303 lis	nding, Start and End	units with	n the she	lf option r	equire co	ounterba	lance we	ight adde	d to eac	h seat
	Three-Seat, Full Height E ZOP3-M3F2F	Back with Privacy So	creen Opt 4683	ion 4952	5220	5608	6045	6431	6867	7405	7972
	ORDERING NOTES: Un	its with Privacy Scre	en Optior	n are not	available [,]	with Rem	ovable E	Back Cove	er option.		
	Three-Seat, Mid Height I ZOP3-M3M0F	3ack	3748	3972	4192	4510	4870	5190	5552	5994	6466
	_	Back Shelf Option n/Laminate n/Palette	4377 4481	4599 4705	4818 4923	5138 5242	5498 5604	5815 5920	6180 6284	6621 6725	7092 7197
	ORDERING NOTES: What - 42", 36" or 30". Freesta unit, please add \$303 lis	nding, Start and End	units with	n the she	elf option r	equire co	ounterba	lance we	ight adde	d to eac	h seat
	Three-Seat, Mid Height I ZOP3-M3M2F	Back with Privacy So	creen Opt 4449	ion 4670	4891	5211	5572	5890	6252	6692	7164
	ORDERING NOTES: Un	its with Privacy Scre	en Optior	n are not	available [,]	with Rem	ovable E	Back Cove	er option.		
Zola Privacy O _l	otion Upcharges	\$ List						\$	List		
Removable Sea Removable Bac	& CAL 133(per yard) t Covers Three-Seat k Covers Three-Seat ultiple unit configurations)	64 85 121 80	Sł Ta	nelf Pow ble Pow					641 600 647 195		
PRODUCT CODE											
Line	Series	Chair Type	Se	eat Count		Back	Туре		Leg	Туре	
ZOP Zola	Lounge	Modular MB Modular Plus Upgrade		1 One Seat 2 Two Seat	ŀ	Full Heigh	ght Back	th	Freestar Star	nding Unit	:
			L Tr	3 nree Seat		Full Heigh Privacy Sc Mid Hei	t Back wi		Cent	er Unit	
					1			ith			
						Mid Heigh Privacy Sc	 t Back wi				

	V005-10050-50	СОМ	_	COL		RIC GRA			LEATHER	
DESCRIPTION/	MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Modular Corner Seat with Full Height Ba ZOP3-MCF0	ack 4058	4290	4522	4846	5219	5546	5917	6382	6848
	Modular Corner Seat, Full Height Back	with Shelves								
	ZOP3-MCF1LR Beech/Laminate Maple/Palette	4937 5033	5169 5264	5403 5497	5727 5823	6099 6196	6424 6521	6796 6893	7262 7358	7729 7822
	Modular Corner Seat, Full Height Back V ZOP3-MCF1L Beech/Laminate	with single she	If left* 4988	5233	5574	5966	6308	6697	7185	7333
	Maple/Palette	4749	4992	5236	5579	5970	6312	6703	7190	7337
	Modular Corner Seat, Full Height Back v ZOP3-MCF1R Beech/Laminate	with single she 4744	If right 4988	5233	5574	5966	6308	6697	7185	7333
	Maple/Palette	4744	4992	5236	5579	5970	6312	6703	7190	7337
	Modular Corner Seat, Full Height Back v ZOP3-MCF2LR	with Privacy Sc 4624	creens 4857	5089	5414	5787	6113	6484	6948	7416
	Modular Corner Seat, Full Height Back ZOP3-MCF2L	with Privacy So 4573	creen Le 4816	ft 5061	5404	5793	6136	6524	7015	7161
	Modular Corner Seat, Full Height Back v ZOP3-MCF2R	with Privacy So 4573	creen Rig 4816	ght 5061	5404	5793	6136	6524	7015	7161

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	64
Shelf Power	600
Dual Leg (for Multiple unit configurations)	80
Plus Upgrade- Corner Seat	64

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3 Lounge	MC Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option	Right Side

DESCRIPTION/N	MODEL/SPECIES	COM 1	2	COL 3		BRIC GR 5	ADES 6	7	LEATHE 8	
DESCRIPTION/N		ı ı		<u> </u>	4	5	0	7	0	9
	Modular Corner Seat with Mid Height Back ZOP3-MCM0	3263	3455	3646	3916	4222	4491	4798	5183	5568
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1LR Beech/Laminate Maple/Palette	Shelves 4141 4237	4335 4429	4527 4622	4795 4890	5103 5197	5370 5468	5679 5773	6061 6158	6447 6542
	Modular Corner Seat, Mid Height Back with ZOP3-MCM1L Beech/Laminate	Single S	helf left 4112	4313	4595	4919	5201	5524	5925	6052
	Maple/Palette	3914	4116	4385	4600	4922	5205	5528	5929	6055
	Modular Corner Seat, Mid Height Back with	Single S	helf Riah	nt*						
	ZOP3-MCM1R Beech/Laminate Maple/Palette	3909 3914	4112 4116	4313 4385	4595 4600	4919 4922	5201 5205	5524 5528	5925 5929	6052 6055
	Modular Corner Seat, Mid Height Back with ZOP3-MCM2LR	Privacy 3829	Screens 4022	4214	4483	4790	5059	5366	5748	6135
	Modular Corner Seat, Full Height Back with ZOP3-MCM2L	Privacy \$ 3738	Screen L 3940	eft* 4141	4423	4746	5030	5351	5755	5880
	Modular Corner Seat, Full Height Back with ZOP3-MCM2R	Privacy \$	Screen F 3940	Right 4141	4423	4746	5030	5351	5755	5880

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	64
Shelf Power	600
Dual Leg (for Multiple unit configurations)	80
Plus Upgrade- Corner Seat	64

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3	MC	MO	L
Zola	Lounge	Modular Corner Seat	Mid Height Back	Left Side
		MCB	M1	R
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
		00411.40	M2	LR

Mid Height Back with Privacy Screen Option

Left & Right Sides

ZOLA PRIVACY | SIDE PANELS

			COM		COL	FAE	BRIC GR	ADES	DES LEATHER			
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Singl	e, Full Height No	Screen									
	ZOP3-MPF0S	Start	948	1036	1124	1304	1481	1660	1836	2016	2370	
	ZOP3-MPF0C	Center	1222	1310	1398	1578	1753	1932	2109	2286	2642	
	ZOP3-MPF0E	End	948	1036	1124	1304	1481	1660	1836	2016	2370	
$\overline{}$	Side Panel, Single, Full Height with Screen											
	ZOP3-MPF2S	Start	1243	1332	1420	1597	1776	1954	2132	2310	2665	
	ZOP3-MPF2C	Center	1515	1606	1693	1871	2051	2228	2406	2584	2938	
	ZOP3-MPF2E	End	1243	1332	1420	1597	1776	1954	2132	2310	2665	
	Side Panel, Singl	e. Mid Height No	Screen									
	ZOP3-MPM0S	Start	767	829	888	1011	1131	1251	1372	1492	1732	
	ZOP3-MPM0C	Center	1052	1110	1170	1290	1412	1533	1653	1773	2016	
	ZOP3-MPM0E	End	767	829	888	1011	1131	1251	1372	1492	1732	
	Side Panel, Singl	e, Mid Height wi	th Screen									—
	ZOP3-MPM2S	Start	1063	1122	1183	1306	1425	1547	1667	1788	2029	
	ZOP3-MPM2C	Center	1346	1405	1465	1587	1706	1827	1947	2066	2310	
	ZOP3-MPM2E	End	1063	1122	1183	1306	1425	1547	1667	1788	2029	
	ODDEDING NOT	F. Cida Danala	و مراجو الله		0	4::	4- 11-4-		0	O+:		دادادا:

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	E	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	3	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side ZOP3-MSPF0S ZOP3-MSPF0C ZOP3-MSPF0E	Panel, Single, I Start Center End	Full Height 583 857 583	628 905 628	674 952 674	765 1041 765	856 1134 856	949 1224 949	1039 1315 1039	1132 1407 1132	1314 1589 1314	
	Semi-Private Side	Panel, Single, I	Mid Height									
	ZOP3-MSPM0S	Start	514	555	592	672	751	829	909	987	1143	
	ZOP3-MSPM0C	Center	796	835	875	955	1033	1111	1191	1269	1428	
	ZOP3-MSPM0E	End	514	555	592	672	751	829	909	987	1143	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	Start C Center	
				E End	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FAI	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	702 702 784	740 740 823	778 778 859	853 853 935	930 930 1012	1004 1004 1087	1081 1081 1163	1155 1155 1239	1307 1307 1390	
	Modular Upholstered Arm w/Ur	ethane Cap									
	ZOP3-MAUREL	840	878	914	990	1066	1141	1218	1292	1445	
	ZOP3-MAURER*	840	878	914	990	1066	1141	1218	1292	1445	
	ZOP3-MAUREC	906	942	981	1058	1134	1207	1284	1358	1510	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Colo	С	
Solid Surface Arm Cap (per arm)	129	136	151	157

PRODUCT CODE KEY

	•				
Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	R Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | TWIN - DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width	Width with Arms	Overall Depth	Depth w/ Shelf	Overall Height	Overall Height w/Screen	Seat Height	Seat Depth	Shipping Weight	Cubes
Twin Full Height Back										
One-Seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-Seat (Plus)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Back										
One-Seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-Seat (Plus)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height B	ack											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height B	ack											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES

	\$ List	
Plus Upgrade Twin Two-Seat	259	
Plus Upgrade Twin Three-Seat	388	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

ZOLA PRIVACY | TWIN MODULAR PANELS & MODULAR ARMS

DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Single	e, Full Height	No Scree	n									
ZOP3-MPTF0U ZOP3-MPTF0C	Universal Center	2.75 2.75	51.5 51.5	43.9 43.9	66 66	6 6	4 4	5.5 5.5	9.34 9.34	12.03 12.03	14.72 14.72	18.7 18.7
Side Panel, Single	e. Full Height	with Scre	en									
ZOP3-MPTF2U	Universal	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF2C	Center	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single	e, Mid Heigh	t No Scree	en									
ZOP3-MPTM0U	Universal	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM0C	Center	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
Side Panel, Single	e, Mid Heigh	t with Scre	en									
ZOP3-MPTM2U	Universal	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM2C	Center	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
Twin Semi-Private Side Panel, Single, Full Height												_
ZOP3-MSPTF0U	Universal	2.75	26.5	44	43	2.5	2.69	5.38	8.06	10.75	13.44	16.13
ZOP3-MSPTF0C	Center	2.75	26.5	44	52	2.5	2.69	5.38	8.06	10.75	13.44	16.13
Twin Semi-Private		•	_									
ZOP3-MSPTM0U		2.75	26.5	31.4	32	1.7	1.75	3.99	5.98	7.97	9.97	11.96
ZOP3-MSPTM0C	Center	2.75	26.5	31.4	39	1.7	1.75	3.99	5.98	7.97	9.97	11.96
Twin Modular Uph	alatarad Ara											
ZOP3-MATUPHU	ioistered Am	3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUPHC		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9 7.9	9.33
201 3-WATOT 110		3	14.5	19.75	22	2.0	2.11	3.30	3	0.5	7.9	9.00
Twin Modular Uph	nolstered Arn	n w/Uretha	ane Cap									
ZOP3-MATUREU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUREC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	nolstered Arn	n w/Solid s	Surface Ca									
ZOP3-MATSSCU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATSSCC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MODI	EL	COM 1	2	COL 3	4	FABRIC GRA 5	DES 6	7	LEATHEI 8	R 9
	Twin One-Seat, Full Height ZOP3-MT1F0F	Back 2851	3016	3184	3424	3691	3932	4203	4533	4888
	Twin One-Seat, Full Height ZOP3-MT1F2F	Back with 3134	Privacy S 3299	Screen Opti 3465	on 3707	3975	4214	4484	4816	5170
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
	Twin One-Seat, Mid Height ZOP3-MT1M0F	Back 2713	2853	2995	3200	3430	3635	3866	4149	4454
	Twin One-Seat, Mid Height ZOP3-MT1M2F	2994	3136	3278	3483	3712	3918	4147	4432	4735
1	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
	Twin One-Seat Plus, Full He ZOP3-MBT1F0F	eight Back 3816	3982	4147	4389	4656	4897	5167	5498	5853
	Twin One-Seat Plus, Full He ZOP3-MBT1F2F	4172	4339	4505	4744	5012	5255	5524	5856	6210
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable	Back Cove	er option.	
	Twin One-Seat Plus, Mid Ho ZOP3-MBT1M0F	eight Back 3664	3806	3949	4152	4381	4587	4817	5103	5404
	Twin One-Seat Plus, Mid Ho ZOP3-MBT1M2F	eight Back 4021	with Priv	acy Screen 4306	Option 4507	4738	4944	5174	5457	5761
	ORDERING NOTES: Units	with Privac	y Screen	Option are	not ava	ilable with Re	movable l	Back Cove	er option.	
PRODUCT CODE KEY										
Line	Series C	hair Type		Seat Coun	t	Back Ty	ре		Leg Type	
ZOP Zola	[Mo Plu	MT dular Twin MTB dular Twin s Upgrade age 207)		One Seat 2 Two Seat 3 Three Seat	t	F0 Full Height F2 Full Height Ba Privacy Screet M0 Mid Height	ack with n Option		F estanding U S Start Unit	nit
						Mid Height Ba Privacy Screen			End Unit	

ZOLA PRIVACY | TWIN SEATS

DESCRIPTION/MO	DEL	COM 1	2	COL 3	F/ 4	ABRIC GRA	ADES 6	7	LEATHE 8	:R 9
	Twin Two-Seat, Full H ZOP3-MT2F0F	leight Back 4235	4496	4756	5143	5578	5966	6399	6921	7516
	Twin Two-Seat, Full H ZOP3-MT2F2F	leight Back Priva 4723	cy Screer 4986	Option 5245	5635	6069	6456	6889	7411	8008
	ORDERING NOTES:	Units with Privac	y Screen	Option are	not availa	able with Re	movable E	Back Cove	r option.	
	Twin Two-Seat, Mid H ZOP3-MT2M0F	leight Back 4029	4256	4480	4809	5174	5502	5868	6318	6808
	Twin Two-Seat, Mid H ZOP3-MT2M2F	leight Back with 4520	Privacy S 4744	creen Opt 4970	ion 5296	5664	5992	6359	6808	7298
	ORDERING NOTES:	Units with Privac	y Screen	Option are	e not availa	able with Re	movable E	Back Cove	r option.	
	Twin Three-Seat, Fui ZOP3-MT3F0F	ll Height Back 5819	6155	6489	6962	7504	7977	8516	9186	9878
	Twin Three-Seat, Ful ZOP3-MT3F2F	ll Height Back Pri 6518	ivacy Scr 6854	een Optior 7186	n 7660	8203	8678	9217	9885	10575
	ORDERING NOTES	: Units with Priva	cy Screer	n Option a	re not avai	ilable with R	emovable	Back Cove	er option.	
	Twin Three-Seat, Mic ZOP3-MT3M0F	d Height Back 5355	5649	5941	6363	6839	7260	7735	8324	8944
	Twin Three-Seat, Mid ZOP3-MT3M2F	d Height Back wi 6054	th Privacy	y Screen C 6641	Option 7064	7539	7961	8435	9023	9645
	ORDERING NOTES	: Units with Priva	cy Screer	n Option a	re not avai	ilable with R	emovable	Back Cove	er option.	
PRODUCT CODE KE	ΞΥ									
Line	Series	Chair Type		Seat Cou	ınt	Back T	уре		Leg Type	
ZOP Zola	3 Lounge	MT Modular Twin MTB Modular Twin Plus Upgrade		One Sea	at	Full Height F2 Full Height E Privacy Scre	at Back Back with	Fre	F eestanding S Start Unit	
		(page 207)		3		Mo			С	

Three Seat

Mid Height Back

Mid Height Back with Privacy Screen Option Center Unit

Е

End Unit

ZOLA PRIVACY | TWIN - SIDE PANELS

	COM		COL		FABRIC GRADES		LEATHER		
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No So ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center	treen 1428 2139	1559 2272	1691 2405	1955 2668	2218 2932	2483 3193	2745 3457	3010 3720	3536 4248
Twin Side Panel,, Full Height with ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center	Screen 2006 2718	2138 2851	2271 2984	2533 3246	2798 3510	3061 3772	3324 4037	3589 4297	4114 4828
Twin Side Panel, Med. Height No Side Panel, Med.	Screen 1187 1897	1275 1988	1363 2077	1543 2254	1720 2432	1898 2610	2077 2788	2254 2965	2610 3322
Twin Side Panel, Med. Height with ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center	Screen 1767 2478	1855 2567	1944 2657	2122 2833	2301 3011	2479 3188	2657 3367	2833 3543	3188 3902
ORDERING NOTE: Side Panels w	ill only conn	ect to Ce	nter seatir	ng units. U	nits with P	rivacy Scre	en Option	n are not a	vailable

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See page 207 for dimensions and COM.

PRODUCT CODE KEY

I HODOUT GODE KET					
Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			M0 Mid Height		
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	3	
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private	Side Panel, Si	ngle, Full H	leight								
	ZOP3-MSPTF0U	Universal	1012	1092	1172	1286	1415	1528	1659	1819	1981	
	ZOP3-MSPTF0C	Center	1724	1804	1885	1999	2129	2240	2370	2532	2694	
	Twin Semi-Private	Side Panel, Si	ngle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	868	919	973	1045	1131	1203	1288	1393	1497	
	ZOP3-MSPTM0C	Center	1581	1633	1686	1758	1842	1915	2001	2106	2211	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 207 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM		COL	FAE	BRIC GR	ADES		LEATHER	R	
DESCRIPTION/M	1ODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1120 1846	1197 1909	1262 1974	1349 2062	1451 2164	1539 2253	1641 2354	1768 2481	1894 2608	
	Twin Modular Upholstered Arm w/Urethane Cap										
	ZOP3-MATUREU	1252	1329	1393	1481	1582	1670	1772	1899	2026	
	ZOP3-MATUREC	1979	2041	2106	2193	2295	2384	2485	2612	2739	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col		С
Solid Surface Arm Cap (per arm)	276	288	318	328

PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | CURVED - DIMENSIONS

DIMENSIONS

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen		Depth	Weight	Cubes
Curved Single-Sea	t - Full He	eight Bac	k							
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16
Curved Single-Sea	t - Mid He	eight Bac	k							
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10
45° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14
Curved Double-Sea	at - Full H	eight Ba	ck							
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37
Curved Double-Sea		-		40	07.5	50	40.5	00.05	440	0.4
30° Inside Curve	58	64	30	42	37.5	50	18.5	20.25	110	24
45° Inside Curve	64.5	70.5	31.5	43.5	37.5	50	18.5	20.25	116	31
60° Inside Curve	70.5	76.5	33	45	37.5	50	18.5	20.25	123	38
90° Inside Curve	81	87	36	48	37.5	50	18.5	20.25	141	52
30° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21
1E0 Outoide Curre	61	67	31	43	37.5	50	18.5	20.25	99	25
45° Outside Curve										
60° Outside Curve	65.5	71.5	32	44	37.5	50	18.5	20.25	105	28 32

Upcharge for Plus Upgrade Option:

Option	List	Option	\$ List
Plus Upgrade -Single-seat curve 30° seat	96	Plus Upgrade -Double-seat curve 30° seat	152
Plus Upgrade -Single-seat curve 45° seat	111	Plus Upgrade -Double-seat curve 45° seat	180
Plus Upgrade -Single-seat curve 60° seat	123	Plus Upgrade -Double-seat curve 60° seat	193
Plus Upgrade -Single-seat curve 90° seat	165	Plus Upgrade -Double-seat curve 90° seat	220

ZOLA PRIVACY | CURVED - COM REQUIREMENTS

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea	t - Full H	eight Bacl	k									
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	t - Mid H	eight Bac	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H	leight Bac	k									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se	at - Mid I	Height Bad	ck									
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List	
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93	
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101	
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123	
Single-seat curve 90° seat	113	Double-seat curve 90° seat	127	

ZOLA PRIVACY | CURVED

			СОМ		COL	FΔF	BRIC GRAD)FS		LEATHE	R
DESCRIPTION/MODEL/SPECIES			1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Inside (ZOP3-MCIS30DF0F	Curve, Full Heigh	t Back 3430	3618	3806	4068	4369	4634	4931	5308	5684
	Single-Seat, 30° Inside (2007) ZOP3-MCIS30DF1_BM ORDERING NOTE: Whe - 42", 36" or 30" and che balance weight added to	eech/Laminate aple/Palette en ordering a bac ose required leg t	4047 4141 ck with S ype belo	4236 4328 Shelf option w. Freest	4423 4515 on please anding, St	tart and E	nd units wit				
	Single-Seat, 30° Inside (ZOP3-MCIS30DF2F	Curve, Full Heigh	t Back w 4023	vith Privad 4212	cy Screen 4398	4664	4962	5227	5527	5902	6277
	Single-Seat, 30° Inside (ZOP3-MCIS30DM0F	Curve, Mid Heigh	t Back 3273	3437	3604	3834	4098	4328	4592	4922	5250
	Single-Seat, 30° Inside (ZOP3-MCIS30DM1_ BM ORDERING NOTE: Who are ance weight added to example to the state of the state	eech/Laminate aple/Palette en ordering a bac equired leg type	3892 3984 ck with S below. F	4058 4149 Shelf option	4221 4315 on please ing, Start	and End ι					
	Single-Seat, 30° Inside (ZOP3-MCIS30DM2F	Curve, Mid Heigh	t Back w 3867	vith Priva 4033	cy Screen 4197	Option 4427	4691	4922	5187	5516	5844
	Option Upcharges	\$ List							\$ List		
	er & CAL 133(per yard)	64 641			de - Single or Multiple	-	° Curve		96 80		

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133(per yard)	64	Plus Upgrade - Single-Seat, 30° Curve	96
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 30° Curve	61
Table Power	647	Note: Removable back covers are not available on c	urved backs

DUCT CODE KE	Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with	Center Unit
					Privacy Screen Option	
			OD	90D	MO	E
			Outside Curve -Double	<u> </u>	Mid Height Back	End Unit
					M1	
					Mid Height Back with	
					Shelf Option	
					M2	
					Mid Height Back with	
					Privacy Screen Options	

DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAI	DES 6	7	LEATHEF 8	9
	Single-Seat, 45° Inside ZOP3-MCIS450DF0F	e Curve, Full Heig	ht Back 3847	4057	4263	4565	4904	5209	5548	5964	6418
	Single-Seat, 45° Inside ZOP3-MCIS45DF1_ I ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	Beech/Laminate Maple/Palette hen ordering a ba chose required l	4483 4576 ick with seg type	4690 4785 Shelf opti below.	4898 4993 tion please Freestand	ling, Start	and End	units with			
	Single-Seat, 45° Inside ZOP3-MCIS45DF2F	e Curve, Full Heig	ht Back 4447	with Priv 4655	acy Scree 4863	en 5167	5506	5809	6149	6565	7018
	Single-Seat, 45° Inside ZOP3-MCIS45DM0F	e Curve, Mid Heig	ht Back 3642	3811	3979	4215	4486	4722	4994	5329	5673
	Single-Seat, 45° Inside ZOP3-MCIS45DM1_ I ORDERING NOTE: W - 36" or 30" and chrounterbalance weigh	Beech/Laminate Maple/Palette hen ordering a ba ose required leg	4278 4371 ack with type be	4444 4539 Shelf optelow. Fre	4614 4709 tion please eestanding	g, Start an	id End ι	units with			
	Single-Seat, 45° Inside ZOP3-MCIS45DM2F	e Curve, Mid Heig	ht Back 4243	with Priv 4411	vacy Scree 4580	en Option 4816	5086	5323	5595	5931	6271
Moisture Barrie Seat Power (pe Shelf Power Table Power		\$ List 64 641 600 647	Du Re	ıal Leg (f emovable	or Multiple Seat Cov	e-Seat, 45° e unit config vers -Single ick covers a	gurations -Seat, 4	5° Curve	6	1 30 34	
Line	Series	Chair Type	C	Curve Style		Seat Degree		Back Type		Leg Typ	
ZOP Zola	Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outsid	IS curve -S ID Curve -D OS e Curve -C	ouble Single	30D 45D 60D 90D	Full Full Priva	F0 Ill Height Back F1 Height Back Shelf Option F2 Height Back cy Screen O M0 id Height Back M1 Height Back	with with ption ck	Freestandir S Start U C Center U	nit Dnit

M2 Mid Height Back with Privacy Screen Options

DECORUPTION //MO	DEL (ODEO)EO	CC		0	COL		RIC GRAI			EATHER	
DESCRIPTION/MO	DDEL/SPECIES	1		2	3	4	5	6	7	8	9
	Single-Seat, 60° Inside Curve, F ZOP3-MCIS60DF0F	•	Back 371	4634	4891	5267	5696	6067	6492	7012	7567
	Single-Seat, 60° Inside Curve, F ZOP3-MCIS60DF1_ Beech/Lai Maple/Pal	minate 51 ette 52	185 281	5444 5541	5705 5800	6080 6179	6504 6600	6879 6974	7303 7399	7822 7920	8380 8474
-	ORDERING NOTE: When order 42", 36" or 30" and chose recounterbalance weight added to	quired leg	type b	oelow. F	reestandi	ng, Start	and End	units with			
	Single-Seat, 60° Inside Curve, F	ull Heiaht E	Back v	vith Priva	cv Scree	n					
	ZOP3-MCIS60DF2F	•	974	5236	5496	5870	6293	6670	7093	7615	8169
	Single-Seat, 60° Inside Curve, N ZOP3-MCIS60DM0F	_	Back 164	4350	4537	4801	5103	5364	5664	6039	6416
	Single-Seat, 60° Inside Curve, N ZOP3-MCIS60DM1_ Beech/Lai Maple/Pal	minate 49	3ack v 977 972	vith Shel 5164 5259	f 5351 5447	5614 5712	5914 6009	6179 6271	6477 6574	6852 6946	7229 7324
-	ORDERING NOTE: When order 36" or 30" and chose requicounterbalance weight added to	red leg typ	e bel	ow. Free	estanding	, Start an	d End u	nits with			
	Single-Seat, 60° Inside Curve, N ZOP3-MCIS60DM2F	•	Back v 767	vith Priva 4953	acy Scree 5141	n Option 5406	5705	5968	6268	6642	7019
Zola Privacy Option	on Upcharges \$	List							\$ List		

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Single-Seat, 60° Curve	123
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 60° Curve	86
Table Power	647	Note: Removable back covers are not available on o	curved backs

RODUCT CODE KEY	•					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

DESCRIPTIO	N/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	ES 6	ا 7	LEATHEF 8	9
	Single-Seat, 90° Inside ZOP3-MCIS90DF0F	Curve, Full Height	Back 4992	5263	5538	5920	6359	6742	7180	7728	8275
	_	Beech/Laminate Maple/Palette en ordering a back chose required leg	5866 5964 c with Sh	6139 6237 elf option elow. Fre	estandir	ng, Start an	d End u				
	Single-Seat, 90° Inside ZOP3-MCIS90DF2F	Curve, Full Height	Back wit 5943	h Privacy 6216	Screen 6492	6872	7311	7695	8131	8679	9225
	Single-Seat, 90° Inside ZOP3-MCIS90DM0F	Curve, Mid Height	Back 4571	4786	5000	5299	5641	5943	6286	6713	7144
	_	Beech/Laminate Maple/Palette een ordering a back equired leg type bel	5444 5544 with Sh ow. Free:	5660 5758 elf option standing,	Start an	d End units					
	Single-Seat, 90° Inside ZOP3-MCIS90DM2F	Curve, Mid Height	Back wit 5524	h Privacy 5739	Screen 5953	Option 6252	6595	6895	7237	7662	8093
Zola Privacy	Option Upcharges	\$ List							\$ Lis	t	
Seat Power (_I Shelf Power Table Power	rier & CAL 133 (per yard) (per power unit)	64 641 600	Du		le - Sing	le-Seat, 90°			165	-	
	DE KEY	647	No		Seat Co	e unit config vers -Single ack covers a	-Seat, 90	° Curve	80 113 curved b) 3	
Line	DE KEY Series	Chair Type			Seat Co vable ba	vers -Single	-Seat, 90 re not av	° Curve	113) 3	,

		COM		COL	FABI	RIC GRAD)FS	1	.EATHER	ŀ
DESCRIPTIO	N/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF0F	ht Back 3252	3431	3609	3859	4145	4395	4680	5036	5392
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a back 42", 36" or 30" and chose required lescounterbalance weight added to each see	3554 3642 k with She g type be	3732 3819 elf option low. Free	estanding	, Start an	d End un				
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF2F	ht Back w 3607	ith Privac 3786	sy Screen 3963	4214	4500	4749	5034	5391	5746
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM0F	ht Back 3135	3290	3445	3664	3914	4131	4380	4690	5007
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM1_ Beech/Laminate Maple/Palette ORDERING NOTE: When ordering a bac 36" or 30" and chose required leg type be weight added to each seat unit, please ac	3433 3522 k with Shelow. Frees	3589 3679 elf option standing,	Start and	End units					
	Single-Seat, 30° Outside Curve, Mid Heig ZOP3-MCOS30DM2F	ht Back w 3489	rith Privac 3643	cy Screen 3797	Option 4019	4267	4485	4735	5043	5362

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Single-Seat, 30° Curve	96
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 30° Curve	61
Table Power	647	Note: Removable back covers are not available on c	urved backs

RODUCT CODE KEY						
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

							JLA I	IIIVA	01	<i>3</i> 0111	,
			COM		COL		RIC GRAD			EATHER	
DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 45° Outside ZOP3-MCOS450DF0F	e Curve, Full Hei	ight Back 3508	3685	3864	4113	4398	4648	4932	5288	5646
	Single-Seat, 45° Outside	Curve, Full Hei	ight Back	with Sh	elf						
R	ZOP3-MCOS45DF1_ B	eech/Laminate aple/Palette	3803 3892	3981 4068	4158 4247	4407 4499	4693 4784	4944 5033	5230 5318	5584 5674	5941 6031
	ORDERING NOTE: Whe 42", 36" or 30" and chos balance weight added to	se required leg t	ype belov	w. Freest	tanding, S	tart and Er	nd units w				
	Single-Seat, 45° Outside ZOP3-MCOS45DF2F	Curve, Full Hei	ight Back 3859	with Pri 4038	vacy Scre 4215	en 4466	4752	5002	5286	5641	5999
	Single-Seat, 45° Outside ZOP3-MCOS45DM0F	Curve, Mid He	ight Back 3382	3536	3690	3909	4158	4378	4628	4937	5254
	Single-Seat, 45° Outside	Curve Mid He	ight Back	with Sh	elf						
	ZOP3-MCOS45DM1_ B		3678 3766	3830 3920	3985 4074	4205 4292	4455 4542	4672 4762	4922 5010	5232 5320	5547 5636
	ORDERING NOTE: Whe 36" or 30" and chose recoveright added to each set.	juired leg type b	elow.Free	estandin	g, Start ar	d End unit					
	Single-Seat, 45° Outside	Curve, Mid He	ight Back	with Pri	ivacy Scre	en Option					
	ZOP3-MCOS45DM2F		3735	3890	4042	4261	4510	4730	4979	5288	5605
Zola Privacy (Option Upcharges	\$ List							\$ List	į.	
Moisture Barri	er & CAL 133 (per yard)	64	Plu	ıs Upgra	de - Sing	e-Seat, 45	o Curve		111		
Seat Power (p		641	Du	ıal Leg (f	or Multiple	e unit conf	igurations)		80		
Shelf Power Table Power		600 647				vers -Singlock covers			64 curved b		
PRODUCT COD	E KEY										
Line	Series	Chair Type	C	urve Style	9	Seat Degree	e l	Back Type		Leg Typ	е
ZOP	3	MC		IS		30D		F0		F]
Zola	Lounge	Modular Curve	Inside	Curve -S	ingle		Full	Height Bac	ck Fre	eestandin	g Unit
		MCB		ID		45D		F1		S]

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Un
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

Single-Seat, 60° Outside Curve, Full Height Back ZOP3-MCOS60DF0F Single-Seat, 60° Outside Curve, Full Height Back with Shelf ZOP3-MCOS60DF1_ Beech/Laminate 3948 4125 4305 4553 4838 5086 5370 57 Maple/Palette 4036 4213 4393 4641 4927 5176 5463 58 ORDERING NOTES: When ordering a back with Shelf option please clearly specify on your order the required Sterbalance weight added to each seat unit, please add \$303 list upcharge per unit. Single-Seat, 60° Outside Curve, Full Height Back with Privacy Screen	•
Single-Seat, 60° Outside Curve, Full Height Back ZOP3-MCOS60DF0F 3655 3831 4011 4261 4546 4795 5082 54 Single-Seat, 60° Outside Curve, Full Height Back with Shelf ZOP3-MCOS60DF1_ Beech/Laminate 3948 4125 4305 4553 4838 5086 5370 57 Maple/Palette 4036 4213 4393 4641 4927 5176 5463 58 ORDERING NOTES: When ordering a back with Shelf option please clearly specify on your order the required S - 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option recterbalance weight added to each seat unit, please add \$303 list upcharge per unit.	337 5793 27 6083 315 6174 helf Height
ZOP3-MCOS60DF0F 3655 3831 4011 4261 4546 4795 5082 54 Single-Seat, 60° Outside Curve, Full Height Back with Shelf ZOP3-MCOS60DF1_ Beech/Laminate 3948 4125 4305 4553 4838 5086 5370 57 Maple/Palette 4036 4213 4393 4641 4927 5176 5463 58 ORDERING NOTES: When ordering a back with Shelf option please clearly specify on your order the required S - 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option recterbalance weight added to each seat unit, please add \$303 list upcharge per unit. Single-Seat, 60° Outside Curve, Full Height Back with Privacy Screen	27 6083 315 6174 helf Height
ZOP3-MCOS60DF1_ Beech/Laminate 3948 4125 4305 4553 4838 5086 5370 57 Maple/Palette 4036 4213 4393 4641 4927 5176 5463 58 ORDERING NOTES: When ordering a back with Shelf option please clearly specify on your order the required S - 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option recterbalance weight added to each seat unit, please add \$303 list upcharge per unit. Single-Seat, 60° Outside Curve, Full Height Back with Privacy Screen	helf Height
ZOP3-MCOS60DF1_ Beech/Laminate 3948 4125 4305 4553 4838 5086 5370 57 Maple/Palette 4036 4213 4393 4641 4927 5176 5463 58 ORDERING NOTES: When ordering a back with Shelf option please clearly specify on your order the required S - 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option recterbalance weight added to each seat unit, please add \$303 list upcharge per unit. Single-Seat, 60° Outside Curve, Full Height Back with Privacy Screen	helf Height
 - 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option receive terbalance weight added to each seat unit, please add \$303 list upcharge per unit. Single-Seat, 60° Outside Curve, Full Height Back with Privacy Screen 	•
	juire coun-
ZOP3-MCOS60DF2F 3988 4168 4347 4595 4882 5131 5416 57	
	69 6127
Single-Seat, 60° Outside Curve, Mid Height Back	
	91 5407
Single-Seat, 60° Outside Curve, Mid Height Back with Shelf	
	884 5696 71 5786
ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required S - 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option require ance weight added to each seat unit, please add \$303 list upcharge per unit.	
Single-Seat, 60° Outside Curve, Mid Height Back with Privacy Screen Option	
	25 5741

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Single-Seat, 60° Curve	123
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Single-Seat, 60° Curve	86
Table Power	647	Note: Removable back covers are not available on o	curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Un
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	DES 6	7	LEATHER 8	₹ 9
	Single-Seat, 90° Outside ZOP3-MCOS90DF0F	Curve, Full Heigl	nt Back 4405	4586	4763	5011	5298	5547	5833	6188	6545
	Single-Seat, 90° Outside ZOP3-MCOS90DF1_ Be M ORDERING NOTE: Whe 42", 36" or 30" and chos balance weight added to	eech/Laminate aple/Palette n ordering a back e required leg typ	4686 4773 with Shoe below	4866 4952 nelf option	5043 5131 n please nding, St	art and End	units wit				
	Single-Seat, 90° Outside ZOP3-MCOS90DF2F	Curve, Full Heigl	nt Back v 4737	with Priva 4918	icy Scree 5095	en 5344	5631	5878	6163	6520	6877
	Single-Seat, 90° Outside ZOP3-MCOS90DM0F	Curve, Mid Heig	ht Back 3949	4103	4258	4477	4725	4944	5192	5503	5821
	Single-Seat, 90° Outside ZOP3-MCOS90DM1_ Bo M ORDERING NOTE: Whe 36" or 30" and chose req weight added to each se	eech/Laminate aple/Palette n ordering a back uired leg type bel	4229 4315 with Show. Free	4382 4469 nelf option standing	4537 4623 n please	d End units					
	Single-Seat, 90° Outside ZOP3-MCOS90DM2F	Curve, Mid Heig	ht Back 4279	with Priva 4433	acy Scree 4588	en Option 4810	5057	5275	5525	5834	6153
loisture Barrie	Option Upcharges er & CAL 133 (per yard) er power unit)	\$ List 64 641 600 647	Du Re	al Leg (fo movable	r Multiple Seat Cov	le-Seat, 90° e unit config vers -Single- ack covers a	urations) Seat, 90	° Curve	11	55 60 3	
Line	Series	Chair Type		Curve Style		Seat Degree		Back Type		Leg Tyr	oe

DESCRIPTION	J/MODEL/SPECIES		COM 1	2	COL 3	FABI 4	RIC GRA 5	DES 6	7	LEATHEI 8	R 9
DESCRIPTION OF THE PROPERTY OF	Double-Seat, 30° Insid ZOP3-MCID30DF0F	e Curve, Full Heigh	•	5245	5548	5973	6461	6884	7368	7973	8581
	_	Beech/Laminate Maple/Palette nen ordering a bac ose required leg ty	5715 5811 k with Sh pe below	6017 6114 nelf option v. Freesta	6319 6418 n please nding, S	start and End	l units wi				
	Double-Seat, 30° Insid ZOP3-MCID30DF2F	e Curve, Full Heigh	nt Back v 5888	vith Privac 6190	cy Scree 6494	en 6918	7403	7829	8312	8918	9525
	Double-Seat, 30° Insid ZOP3-MCID30DM0F	e Curve, Mid Heigh	nt Back 4678	4932	5191	5552	5964	6322	6734	7248	7762
	Double-Seat, 30° Insid ZOP3-MCID30DM1_ ORDERING NOTE: WI 36" or 30" and chose reweight added to each second secon	Beech/Laminate Maple/Palette nen ordering a bacequired leg type be	5448 5546 k with Sh low. Free	5705 5802 nelf option standing,	5964 6060 n please , Start ar	nd End units					
	Double-Seat, 30° Insid ZOP3-MCID30DM2F	e Curve, Mid Heigh	nt Back v 5620	vith Priva 5878	cy Scree 6137	en Option 6496	6909	7267	7680	8193	8706
	Option Upcharges er & CAL 133 (per yard)	\$ List	Plu	s Upgrad	le - Doul	ble-Seat, 30	° Curve		\$ List		
Seat Power (possible Power Table Power PRODUCT COD	er power unit)	641 600 647	Rei	movable \$	Seat Co	e unit config vers -Double ack covers a	e-Seat, 30	0° Curve	80 93 curved ba		
Line	Series	Chair Type	Cı	ırve Style		Seat Degree	I	Back Type		Leg Type)
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	[IS Curve -Sin ID Curve -Dou		30D 45D 60D	Full H	F0 Height Back F1 eight Back v helf Option F2		F eestanding S Start Uni	
				Curve -Si	ngle	900	Privac	eight Back v y Screen Op		Center Ur	nit

OD

Outside Curve -Double

90D

M1 Mid Height Back with Shelf Option M2

M0

Mid Height Back

Center Unit E

End Unit

Mid Height Back with Privacy Screen Options

									- 1		
DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABRI 4	IC GRAD 5	ES 6	ا 7	EATHEF	₹ 9
	Double-Seat, 45° Inside ZOP3-MCID45DF0F	e Curve, Full Heig		5666	5975	6411	6909	7343	7839	8457	9086
	Double-Seat, 45° Inside ZOP3-MCID45DF1_ E		ht Back v 6161 6260	with Shelf 6469 6568	6779 6877	7214 7314	7711 7809	8146 8247	8643 8741	9261 9359	988 998
	ORDERING NOTE: Wh 42", 36" or 30" and che balance weight added	ose required leg ty	pe belov	w. Freesta	nding, St	art and End	d units w				_
	Double-Seat, 45° Inside ZOP3-MCID45DF2F	e Curve, Full Heigl	ht Back v 6313	with Priva 6621	cy Screer 6931	n 7367	7863	8298	8792	9412	1004
	Double-Seat, 45° Inside ZOP3-MCID45DM0F	e Curve, Mid Heig	ht Back 5103	5367	5635	6014	6444	6822	7255	7787	834
	Double-Seat, 45° Inside ZOP3-MCID45DM1_ E		ht Back 5904 6003	with Shelf 6170 6269	6438 6537	6817 6914	7248 7345	7625 7725	8056 8155	8590 8688	91 ² 92 ²
	Double-Seat, 45° Inside ZOP3-MCID45DM2F	e Curve, Mid Heig	ht Back 6055	with Priva 6322	cy Scree 6587	n Option 6968	7399	7778	8207	8741	929
ola Privacy	Option Upcharges	\$ List							\$ Lis	t	
Seat Power (p Shelf Power Sable Power	er & CAL 133 (per yard) er power unit)	64 641 600 647	Du Re	ual Leg (fo emovable	r Multiple Seat Cov	le-Seat, 45 unit config ers -Double ck covers a	jurations) e-Seat, 4	5° Curve	180 80 101 curved b)	
Line	Series	Chair Type	С	urve Style		Seat Degree		Back Type		Leg Typ	e
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS Curve -Sir ID Curve -Doi OS e Curve -Si	uble	30D 45D 60D	Full H S Full H	F0 I Height Back v F1 eight Back v helf Option F2 eight Back v y Screen Op	with	F eestanding S Start Ur C Center U	g Unit
			Outside	OD e Curve -Do	ouble	90D	Mid H	M0 I Height Back M1 leight Back thelf Option		E End Un	it
								1.40			

M2
Mid Height Back with

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAI 5	DES 6	7	LEATHEI 8	R 9
DESCRIPTION OF THE PROPERTY OF	Double-Seat, 60° Insid ZOP3-MCID60DF0F	de Curve, Full Heigh		6263	6616	7127	7704	8215	8791	9499	
	Double-Seat, 60° Insid ZOP3-MCID60DF1_	de Curve, Full Heigh Beech/Laminate Maple/Palette	nt Back w 6766 6867	vith Shelf 7122 7219	7476 7573	7986 8085	8563 8662	9074 9172	9652 9751	10358 10458	
	ORDERING NOTE: W 42", 36" or 30" and ch balance weight added	nose required leg ty	pe below	v. Freesta	nding, S	tart and End	d units wi				
	Double-Seat, 60° Insid ZOP3-MCID60DF2F	de Curve, Full Heigh	nt Back v 6869	vith Privac 7222	cy Scree 7577	en 8088	8666	9174	9754	10460	1122
	Double-Seat, 60° Insid ZOP3-MCID60DM0F	de Curve, Mid Heigl	nt Back 5588	5884	6175	6595	7069	7487	7963	8548	91
	Double-Seat, 60° Insid ZOP3-MCID60DM1_		nt Back v 6447 6545	with Shelf 6742 6840	7035 7132	7452 7550	7927 8026	8344 8445	8820 8918	9408 9506	
. 1	ORDERING NOTE: W 36" or 30" and chose in weight added to each	equired leg type be	low. Free	estanding,	Start ar	nd End units					
	Double-Seat, 60° Insid ZOP3-MCID60DM2F	de Curve, Mid Heigl	nt Back v 6549	with Priva 6842	cy Scree 7135	en Option 7553	8029	8447	8920	9508	101
Zola Privacy	Option Upcharges	\$ List							\$ List	t	
	ier & CAL 133 (per yard) per power unit)	64 641 600 647	Du: Rei	al Leg (for movable s	r Multipl Seat Co	ole-Seat, 60 e unit config vers -Double ack covers a	urations) e-Seat, 60		183 80 123 curved b)	
PRODUCT COD		0.1.7		0.1			_				
Line	Series	Chair Type		urve Style	•	Seat Degree		Back Type		Leg Type	1
ZOP Zola	3 Lounge	MC Modular Curve	Inside	IS Curve -Sin	gle	30D	Full	F0 Height Back	c Fre	Festanding	Unit
		MCB Modular Curve	Inside (ID Curve -Dou	ble	45D	Full He	F1	vith	S Start Uni	t
		Plus	[OS	-	60D		nelf Option		С	
			Outside	Curve -Sir	ngle			eight Back w Screen Opt		Center Ur	nit
							,				ı

OD

Outside Curve -Double

Mid Height Back with Shelf Option

M1

M0 Mid Height Back

90D

Е

End Unit

Mid Height Back with Privacy Screen Options

DESCRIPTION!/	MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	DES 6	7	LEATHER 8	R 9
	Double-Seat, 90° Insic ZOP3-MCID90DF0F	le Curve, Full Hei	•		7673	8211	8813	9354	9959	10694	
	Double-Seat, 90° Insid ZOP3-MCID90DF1_ ORDERING NOTE: W - 42", 36" or 30" and of terbalance weight add	Beech/Laminate Maple/Palette then ordering a bachose required leg	7873 7973 ack with S g type bel	8239 8341 Shelf opt low. Free	8610 8709 ion pleas estanding	, Start and	End unit				1254 If Hei
	Double-Seat, 90° Insic ZOP3-MCID90DF2F	le Curve, Full Hei	ght Back 7942	with Priv 8308	acy Scre 8678	een 9217	9818	10358	10963	11699	1251
	Double-Seat, 90° Insid ZOP3-MCID90DM0F	le Curve, Mid Hei	ight Back 6441	6735	7028	7446	7921	8340	8813	9403	1001
	Double Seet 00º Incie	lo Curvo Mid Hoi	ight Back	with Sh	alf						
	Double-Seat, 90° Insic ZOP3-MCID90DM1_ ORDERING NOTE: W - 36" or 30" and chose ance weight added to	Beech/Laminate Maple/Palette then ordering a bate required leg type	7379 7480 ack with Se below. F	7674 7773 Shelf opt	7966 8067 ion pleas ding, Stai	t and End i	ınits with				110 If Hei
	ZOP3-MCID90DM1_ ORDERING NOTE: W - 36" or 30" and chose	Beech/Laminate Maple/Palette hen ordering a bate required leg type each seat unit, p	7379 7480 ack with Se below. Flease add	7674 7773 Shelf opt Freestand I \$303 lis	7966 8067 ion pleas ding, Star st upchar	8485 e clearly sp t and End u ge per unit	8959 ecify on units with	9379 your order	9853 the requ	10440 uired She	1105 If Hei Interb
	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insic ZOP3-MCID90DM2F	Beech/Laminate Maple/Palette hen ordering a ba required leg type each seat unit, p de Curve, Mid Hei	7379 7480 ack with Se below. Flease addight Back 7446	7674 7773 Shelf opt reestand \$303 lis with Priv 7740	7966 8067 ion pleas ding, Star st upchar vacy Scre 8033	8485 e clearly sp t and End u ge per unit een Option 8450	8959 recify on units with 8925	9379 your order the shelf o	9853 The requestion respectively 9818	10440 uired She equire cou	1105 If Heig Interb
Moisture Barrie Seat Power (pe Shelf Power Table Power	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insic ZOP3-MCID90DM2F Option Upcharges er & CAL 133 (per yard) or power unit)	Beech/Laminate Maple/Palette hen ordering a bate required leg type each seat unit, p	7379 7480 ack with Se below. Flease add ight Back 7446 Plu Dua Rei	7674 7773 Shelf opt Freestand \$303 lis with Priv 7740 s Upgradal Leg (for movable	7966 8067 ion pleas ding, Star st upchar vacy Scre 8033 de - Doul or Multipl Seat Co	8485 e clearly sp t and End uge per unit	8959 secify on units with 8925 3° Curve gurations ble-Seat,	9379 your order the shelf of 9342 \$\begin{align*} 9342 \begin{align*} 90^\circ Curve \end{align*}	9853 The requipition re 9818 \$ Li 22 8 12	10440 uired She equire coulons 10408 st 20 30 27	1105 If Heig Interb
-	ORDERING NOTE: W - 36" or 30" and chose ance weight added to Double-Seat, 90° Insic ZOP3-MCID90DM2F Option Upcharges er & CAL 133 (per yard) or power unit)	Beech/Laminate Maple/Palette hen ordering a ba required leg type each seat unit, p le Curve, Mid Hei \$ List 64 641 600	7379 7480 ack with Se below. Filease add ight Back 7446	7674 7773 Shelf opt Freestand \$303 lis with Priv 7740 s Upgradal Leg (for movable	7966 8067 ion pleas ding, Star st upchar vacy Scre 8033 de - Doul or Multipl Seat Co ovable ba	8485 e clearly sp t and End u ge per unit een Option 8450 ble-Seat, 90 e unit confi vers - Doub	8959 secify on units with 8925 3° Curve gurations ble-Seat,	9379 your order the shelf of 9342 \$\begin{align*} 9342 \begin{align*} 90^\circ Curve \end{align*}	9853 The requipition re 9818 \$ Li 22 8 12	10440 uired She equire coulons 10408 st 20 30 27	1105

Mid Height Back with Shelf Option

			COM		COL		RIC GRAI			LEATHER	
ESCRIPTIO	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Outs ZOP3-MCOD30DFOF	ide Curve, Full Hei	ght Back 4593	4879	5166	5563	6020	6419	6873	7445	801
	Double-Seat, 30° Outs		ght Back	with She	lf						
	ZOP3-MCOD30DF1_	Beech/Laminate Maple/Palette	5155 5248	5441 5534	5726 5821	6126 6219	6582 6676	6981 7073	7437 7531	8008 8099	857 867
. 1	ORDERING NOTES: V - 42", 36" or 30" and cl balance weight added	nose required leg t	ype belov	v. Freesta	ınding, S	tart and End	d units wit				
	Double-Seat, 30° Outs	ide Curve, Full Hei	ght Back	with Priv	acy Scre	en					
	ZOP3-MCOD30DF2F		5192	5478	5764	6163	6620	7018	7474	8044	861
	Double-Seat, 30° Outs	ide Curve, Mid Hei	ght Back								
	ZOP3-MCOD30DMOF		4398	4637	4873	5206	5586	5918	6296	6770	724
	Double-Seat, 30° Outs	·	•			5707	04.47	0.400	0050	7000	706
	ZOP3-MCOD30DM1_	Maple/Palette	4961 5054	5199 5292	5436 5529	5767 5861	6147 6242	6480 6574	6859 6953	7333 7427	780 790
	weight added to each and bouble-Seat, 30° Outs ZOP3-MCOD30DM2F						6185	6518	6896	7371	784
Zola Privacy	Option Upcharges	\$ List							\$ List		
	ier & CAL 133 (per yard)	64				ole-Seat, 30			152		
Seat Power (p Shelf Power Table Power	er power unit)	641 600 647	Rer	novable :	Seat Cov	e unit config rers -Double ck covers a	e-Seat, 30		80 93 curved ba		
RODUCT COI	DE KEY										
Line	Series	Chair Type	Cı	urve Style	;	Seat Degree	E	Back Type		Leg Type	•
ZOP Zola	3 Lounge	MC Modular Curve	Inside	IS Curve -Sir	nale	30D	Full	F0 Height Bac	k Fra	F eestanding	Llnit
2014	Eddingo	MCB		ID	igic	45D	i un	F1		S	Offic
		Modular Curve Plus	Inside (Curve -Do	uble			eight Back v	with	Start Uni	t
			Outside	OS e Curve -S	ngle	60D	Full He	F2 eight Back v		C Center Ur	nit
			ſ	OD		90D	Privacy	/ Screen Op M0	otion	Е	
			Outside	Curve -Do	ouble		Mid	Height Bac	:k	End Unit	
								M1 eight Back v helf Option	with		
								M2			

Mid Height Back with Privacy Screen Options

Double-Seat, 45° Outside Curve, Full Height Back ZOP3-MCOD45DF1_ Beech/Laminate 5362 5646 5932 6331 6788 7185 7642 Maple/Palette 5454 5740 6024 6422 6881 7281 7734 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option rebalance weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Full Height Back with Privacy Screen ZOP3-MCOD45DF2F 5397 5684 5969 6366 6823 7222 7680 Double-Seat, 45° Outside Curve, Mid Height Back ZOP3-MCOD45DMOF 4581 4817 5056 5388 5766 6099 6478 Double-Seat, 45° Outside Curve, Mid Height Back with Shelf ZOP3-MCOD45DM1_ Beech/Laminate 5142 5381 5616 5947 6330 6661 7042 Maple/Palette 5236 5472 5712 6043 6421 6754 7134 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option required weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Mid Height Back with Shelf option please clearly specify on your order the required 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option required weight added to each seat unit, please add \$303 list upcharge per unit.	8250 8250 6954 7515 7609 d Shelf F	9 822 878- 8879- Height ounte 8820 7429 7988 8083
Double-Seat, 45° Outside Curve, Full Height Back ZOP3-MCOD45DFOF 4798 5084 5368 5767 6225 6624 7080 Double-Seat, 45° Outside Curve, Full Height Back with Shelf ZOP3-MCOD45DF1_ Beech/Laminate 5362 5646 5932 6331 6788 7185 7642 Maple/Palette 5454 5740 6024 6422 6881 7281 7734 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 42°, 36° or 30° and chose required leg type below. Freestanding, Start and End units with the shelf option rebalance weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Full Height Back with Privacy Screen ZOP3-MCOD45DMOF 4581 4817 5056 5388 5766 6099 6478 Double-Seat, 45° Outside Curve, Mid Height Back ZOP3-MCOD45DMOF 4581 4817 5056 5388 5766 6099 6478 Double-Seat, 45° Outside Curve, Mid Height Back with Shelf ZOP3-MCOD45DM1_ Beech/Laminate 5142 5381 5616 5947 6330 6661 7042 Maple/Palette 5236 5472 5712 6043 6421 6754 7134 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 36° or 30° and chose required leg type below. Freestanding, Start and End units with the shelf option required weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Mid Height Back with Privacy Screen Option	7651 8212 8306 d Shelf Frequire co	878- 8878- Height ounte 8824 7423 7988- 808:
ZOP3-MCOD45DF1_ Beech/Laminate 5362 5646 5932 6331 6788 7185 7642 Maple/Palette 5454 5740 6024 6422 6881 7281 7734 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option rebalance weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Full Height Back with Privacy Screen ZOP3-MCOD45DF2F 5397 5684 5969 6366 6823 7222 7680 Double-Seat, 45° Outside Curve, Mid Height Back ZOP3-MCOD45DMOF 4581 4817 5056 5388 5766 6099 6478 Double-Seat, 45° Outside Curve, Mid Height Back with Shelf ZOP3-MCOD45DM1_ Beech/Laminate 5142 5381 5616 5947 6330 6661 7042 Maple/Palette 5236 5472 5712 6043 6421 6754 7134 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option required weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Mid Height Back with Privacy Screen Option	8306 d Shelf Frequire co 8250 6954 7515 7609 d Shelf F	887: Height ounte 882: 742: 798: 808: Height
Maple/Palette 5454 5740 6024 6422 6881 7281 7734 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option rebalance weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Full Height Back with Privacy Screen ZOP3-MCOD45DF2F 5397 5684 5969 6366 6823 7222 7680 Double-Seat, 45° Outside Curve, Mid Height Back ZOP3-MCOD45DMOF 4581 4817 5056 5388 5766 6099 6478 Double-Seat, 45° Outside Curve, Mid Height Back with Shelf ZOP3-MCOD45DM1_ Beech/Laminate 5142 5381 5616 5947 6330 6661 7042 Maple/Palette 5236 5472 5712 6043 6421 6754 7134 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option required weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Mid Height Back with Privacy Screen Option	8306 d Shelf Frequire co 8250 6954 7515 7609 d Shelf F	887: Height ounte 882: 742: 798: 808: Height
42", 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option rebalance weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Full Height Back with Privacy Screen ZOP3-MCOD45DF2F 5397 5684 5969 6366 6823 7222 7680 Double-Seat, 45° Outside Curve, Mid Height Back ZOP3-MCOD45DMOF 4581 4817 5056 5388 5766 6099 6478 Double-Seat, 45° Outside Curve, Mid Height Back with Shelf ZOP3-MCOD45DM1_ Beech/Laminate 5142 5381 5616 5947 6330 6661 7042 Maple/Palette 5236 5472 5712 6043 6421 6754 7134 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option required weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Mid Height Back with Privacy Screen Option	8250 8250 6954 7515 7609 d Shelf F	742i 798i 808:
ZOP3-MCOD45DF2F 5397 5684 5969 6366 6823 7222 7680 Double-Seat, 45° Outside Curve, Mid Height Back ZOP3-MCOD45DMOF 4581 4817 5056 5388 5766 6099 6478 Double-Seat, 45° Outside Curve, Mid Height Back with Shelf ZOP3-MCOD45DM1_ Beech/Laminate 5142 5381 5616 5947 6330 6661 7042 Maple/Palette 5236 5472 5712 6043 6421 6754 7134 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 36° or 30° and chose required leg type below. Freestanding, Start and End units with the shelf option required weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Mid Height Back with Privacy Screen Option	6954 7515 7609 d Shelf F	7426 7986 8086 Height
Double-Seat, 45° Outside Curve, Mid Height Back ZOP3-MCOD45DMOF Double-Seat, 45° Outside Curve, Mid Height Back with Shelf ZOP3-MCOD45DM1_ Beech/Laminate 5142 5381 5616 5947 6330 6661 7042 Maple/Palette 5236 5472 5712 6043 6421 6754 7134 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option required weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Mid Height Back with Privacy Screen Option	6954 7515 7609 d Shelf F	7426 7986 8086 Height
Double-Seat, 45° Outside Curve, Mid Height Back with Shelf ZOP3-MCOD45DM1_ Beech/Laminate 5142 5381 5616 5947 6330 6661 7042 Maple/Palette 5236 5472 5712 6043 6421 6754 7134 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option required weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Mid Height Back with Privacy Screen Option	7515 7609 d Shelf F	7989 8083 Height
ZOP3-MCOD45DM1_ Beech/Laminate 5142 5381 5616 5947 6330 6661 7042 Maple/Palette 5236 5472 5712 6043 6421 6754 7134 ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required 36" or 30" and chose required leg type below. Freestanding, Start and End units with the shelf option required weight added to each seat unit, please add \$303 list upcharge per unit. Double-Seat, 45° Outside Curve, Mid Height Back with Privacy Screen Option	7609 d Shelf H	808 Height
Double-Seat, 45° Outside Curve, Mid Height Back with Privacy Screen Option		
ZOP3-MCOD45DM2F 5181 5418 5656 5986 6365 6697 7079	7552	802
Zola Privacy Option Upcharges \$ List \$ List		
Moisture Barrier & CAL 133 (per yard) Seat Power (per power unit) Shelf Power Table Power 64 Plus Upgrade - Double-Seat, 45° Curve 180 Dual Leg (for Multiple unit configurations) 80 Removable Seat Covers - Double-Seat, 45° Curve 101 Note: Removable back covers are not available on curved back		
PRODUCT CODE KEY Line Series Chair Type Curve Style Seat Degree Back Type	Lea Tue	
	Leg Type	 □ □
ZOP 3 MC IS 30D F0 Zola Lounge Modular Curve Inside Curve -Single Full Height Back Free	F eestanding	a Linit
MCB ID 45D F1	S	
Modular Curve Inside Curve -Double Full Height Back with	Start Un	_ nit
Plus Shelf Option	С	٦
OS 60D F2 Outside Curve -Single Full Height Back with	Center Ur] Init
Privacy Screen Option OD 90D M0	Е	
Outside Curve - Double Mid Height Back M1	End Uni	it
Mid Height Back with Shelf Option		
M2 Mid Height Back with Privacy Screen Options		

		COM		001	FADE	UC CDAI	DEC			,
DESCRIPTION	I/MODEL/SPECIES	COM 1	2	COL 3	4	IIC GRAI 5	6	7	LEATHEF 8	າ 9
	Double-Seat, 60° Outside Curv ZOP3-MCOD60DFOF	re, Full Height Back 5050	5336	5619	6019	6474	6873	7331	7900	8471
	Double-Seat, 60° Outside Curv ZOP3-MCOD60DF1_ Beech/l Maple/F	Laminate 5609 Palette 5702	5894 5986	6181 6270	6579 6670	7035 7125	7435 7524	7890 7982	8460 8552	9028 9120
	ORDERING NOTE: When order 42", 36" or 30" and chose requestance weight added to each	ired leg type below.	Freestand	ding, Sta	rt and End	units wit				
	Double-Seat, 60° Outside Curv ZOP3-MCOD60DF2F	re, Full Height Back 5647	with Priva 5933	cy Scree 6218	en 6616	7072	7472	7928	8499	9067
	Double-Seat, 60° Outside Curv ZOP3-MCOD60DMOF	re, Mid Height Back 4798	5035	5274	5607	5985	6317	6696	7173	7646
	Double-Seat, 60° Outside Curv ZOP3-MCOD60DM1_ Beech/l Maple/F	Laminate 5360 Palette 5450	5595 5686	5833 5924	6164 6256	6543 6634	6875 6968	7257 7346	7731 7821	8205 8296
	weight added to each seat unit Double-Seat, 60° Outside Curv ZOP3-MCOD60DM2F					6582	6914	7294	7768	8241
Zola Privacy	Option Upcharges	\$ List						\$ List		
	er & CAL 133 (per yard) er power unit)	641 Dua 600 Ren	al Leg (for novable S	Multiple eat Cove	e-Seat, 60° unit configuers - Double k covers ar	urations) -Seat, 6		193 80 123 urved ba	icks	
Line		nair Type Cu	ırve Style	S	seat Degree	-	Back Type		Leg Type)
ZOP Zola		MCB [Iular Curve Inside C Plus [Outside	IS Curve -Sing ID Curve -Doub OS Curve -Sin	ple gle	30D 45D 60D 90D	Full H S Full H Privac	F0 Height Back with helf Option F2 eight Back with y Screen Option	ith ith ion	F estanding S Start Uni C Center Ur	t
		Outside	Curve -Dou	INIC		Mid H	M1 eight Back whelf Option		End Unit	

M2 Mid Height Back with Privacy Screen Options

			COM		COL	EADDI	C CBAD	NEC .		LEATHER)
DESCRIPTION/	MODEL/SPECIES		COM 1	2	COL 3	4	C GRAD 5	6 6	7	LEATHEF 8	9
	Double-Seat, 90° Outsic ZOP3-MCOD90DF0F	le Curve, Full He	ight Bac 5659	k 5944	6229	6628	7084	7484	7940	8511	9080
	Double-Seat, 90° Outsid ZOP3-MCOD90DF1_ E M ORDERING NOTES: W - 42", 36" or 30" and che balance weight added to	deech/Laminate Maple/Palette Then ordering a backer The properties as the second secon	6212 6304 ack with type belo	6497 6587 Shelf optow. Frees	6784 6873 tion pleas tanding,	Start and En	d units w				
	Double-Seat, 90° Outsic ZOP3-MCOD90DF2F	le Curve, Full He	ight Bac 6247	k with Pr 6534	ivacy Sc 6819	reen 7216	7674	8073	8529	9099	9668
	Double-Seat, 90° Outsic ZOP3-MCOD90DM0F	le Curve, Mid He	eight Bac 5507	k 5833	6159	6663	7216	7722	8276	8930	9737
	Double-Seat, 90° Outsic ZOP3-MCOD90DM1_ E N ORDERING NOTES: W - 36" or 30" and chose re weight added to each so	deech/Laminate Maple/Palette Then ordering a bacquired leg type b	6060 6154 ack with pelow. Fre	6387 6477 Shelf opt eestandir	6713 6805 tion pleasing, Start a	and End units				9573 uired She	
	Double-Seat, 90° Outsic ZOP3-MCOD90DM2F	le Curve, Mid He	eight Bac 6097	k with Pr 6421	ivacy Sc 6749	reen Option 7255	7807	8310	8865	9517	10328
Zola Privacy C	Option Upcharges	\$ List							\$ Lis	st	
Moisture Barrie	er & CAL 133 (per yard) er power unit)	64 641 600 647	Du Re	ıal Leg (fo emovable	or Multip Seat Co	ble-Seat, 90 le unit config overs - Doubl ack covers a	urations e-Seat, 9	90° Curve	22 8 12	20 80 27	
Line	Series	Chair Type	С	urve Style	.	Seat Degree		Back Type		Leg Typ	oe .
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside Outsid	IS Curve -Si D Curve -Do Curve -Curve -Si OS e Curve -Si OD e Curve -Curve -Cu	ouble Single	30D 45D 60D 90D	Full H S Full H Privac Mid Mid H S	F0 II Height Back F1 Height Back Shelf Option F2 Height Back by Screen Option M0 Height Back Shelf Option M1 Height Back Shelf Option M2 Height Back	with with ption ck with	Freestandin S Start U C Center U E End Ur] nit] Jnit

ZOLA PRIVACY | SIDE PANELS

		COM		COL	FAI	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MODEL/SPECI	ES	1	2	3	4	5	6	7	8	9
Side Panel, S ZOP3-MPF0 ZOP3-MPF0 ZOP3-MPF0	C Center	Screen 948 1222 948	1036 1310 1036	1124 1398 1124	1304 1578 1304	1481 1753 1481	1660 1932 1660	1836 2109 1836	2016 2286 2016	2370 2642 2370
Side Panel, S ZOP3-MPF2 ZOP3-MPF2 ZOP3-MPF2	C Center	1243 1515 1243	1332 1606 1332	1420 1693 1420	1597 1871 1597	1776 2051 1776	1954 2228 1954	2132 2406 2132	2310 2584 2310	2665 2938 2665
Side Panel, S ZOP3-MPM0 ZOP3-MPM0 ZOP3-MPM0	OC Center	Screen 767 1052 767	829 1110 829	888 1170 888	1011 1290 1011	1131 1412 1131	1251 1533 1251	1372 1653 1372	1492 1773 1492	1732 2016 1732
Side Panel, S ZOP3-MPM2 ZOP3-MPM2 ZOP3-MPM2	2C Center	1063 1346 1063	1122 1405 1122	1183 1465 1183	1306 1587 1306	1425 1706 1425	1547 1827 1547	1667 1947 1667	1788 2066 1788	2029 2310 2029

ORDERING NOTE: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See page 198 for Dimensions and COM.

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	E	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side	Panel, Single,	Full Height									
	ZOP3-MSPF0S	Start	583	628	674	765	856	949	1039	1132	1314	
	ZOP3-MSPF0C	Center	857	905	952	1041	1134	1224	1315	1407	1589	
<u></u>	ZOP3-MSPF0E	End	583	628	674	765	856	949	1039	1132	1314	
	Semi-Private Side	Panel, Single,	Mid Height									
	ZOP3-MSPM0S	Start	514	555	592	672	751	829	909	987	1143	
	ZOP3-MSPM0C	Center	796	835	875	955	1033	1111	1191	1269	1428	
	ZOP3-MSPM0E	End	514	555	592	672	751	829	909	987	1143	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units.

PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	S Start C C Center	
				E	

ZOLA PRIVACY | MODULAR ARMS

		COM		COL	FA	BRIC GR	ADES		LEATHE	R	
DESCRIPTION	/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	702 702 784	740 740 823	778 778 859	853 853 935	930 930 1012	1004 1004 1087	1081 1081 1163	1155 1155 1239	1307 1307 1390	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 840 840 906	878 878 942	914 914 981	990 990 1058	1066 1066 1134	1141 1141 1207	1218 1218 1284	1292 1292 1358	1445 1445 1510	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col		С
Solid Surface Arm Cap (per arm)	129	136	151	157

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

ZOLA PRIVACY | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

DIMENSI	ONS
---------	-----

		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Sing	le-Seat - Ful	l Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Sing	le-Seat - Mic	d Height Ba	ck						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Dou	ble-Seat - Fι	ıll Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Dou	ble-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs
Curved Sing	le-Seat - Full H	leight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	leight Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

ZOLA PRIVACY | TWIN CURVED - COM REQUIREMENTS

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid I	Height Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Do	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Do	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

DESCRIPTION/MODE	EL .		COM 1	2	COL 3	FAB	RIC GRAD	DES 6	LI 7	EATHER 8	9
	Twin Single-Seat, ZOP3-MCTS30DF		leight Ba 5204	ck 5517	5830	6268	6767	7208	7709	8335	8960
	Twin Single-Seat, ZOP3-MCTS30DF		leight Ba 5796	ck with F	Privacy S 6422	creen Optic 6862	on 7362	7800	8302	8930	9555
	Twin Single-Seat, ZOP3-MCTS30DN		Height B 4930	ack 5213	5494	5888	6336	6731	7180	7741	8305
	Twin Single-Seat, ZOP3-MCTS30DN		Height B 5525	ack with 5806	Privacy S 6085	Screen Opti 6480	on 6931	7323	7773	8337	8896
	Twin Single-Seat, ZOP3-MCTS45DF		Height Ba	ack 6191	6519	6977	7498	7953	8477	9130	9781
	Twin Single-Seat, ZOP3-MCTS45DF		Height Ba	ack with 6793	Privacy S 7120	Screen Opti 7577	on 8098	8555	9079	9730	10382
Zola Privacy Option Moisture Barrier & CA Seat Power (per pow Shelf Power Table Power Dual Leg (for Multiple PRODUCT CODE KEY	AL 133 (per yard) er unit)	\$ List 64 641 600 647 80	Plu Re Re	is Upgrad movable movable	de - Twin Seat Cov Seat Cov	Single-Sea Single-Sea vers -Twin S vers -Twin S ack covers a	it, 45° Cur Single-Sea Single-Sea	ve at, 30° Cur at, 45° Cur	ve 166	5	
Line	Series	Chair Type	Cu	rve Style	S	Seat Degree	В	ack Type		Leg Type	
ZOP Zola	3 Lounge N	MCT dodular Curve Twin		S all Radius- gle Width		30D	Full I	F0 Height Back	: Fre	F	Unit
		MCTB Modular Curve Twin Plus		D all Radius- ble Width		45D 60D 90D	Privacy Mid I	F2 ight Back w Screen Opt M0 Height Back M2 ight Back w	ion	S Start Uni C Center Un E End Uni	nit

Privacy Screen Options

DESCRIPTION/MOD	DEL	CC 1		COL 3	FABF 4	RIC GRA	ADES 6	7	EATHER 8	9
	Twin Single-Seat, 45 ZOP3-MCTS45DMO			6142	6556	7027	7438	7909	8499	9087
	Twin Single-Seat, 45 ZOP3-MCTS45DM2I			Privacy S 6093	Gcreen Optic 6489	on 6938	7331	7781	8342	8905
	Twin Single-Seat, 60 ZOP3-MCTS60DFOR			7430	7966	8580	9116	9729	10495	1126
	Twin Single-Seat, 60 ZOP3-MCTS60DF2F			Privacy S 8033	creen Optio 8569	n 9184	9719	10333	11098	11866
A	Twin Single-Seat, 60 ZOP3-MCTS60DMO			6983	7460	8002	8477	9020	9697	10379
	Twin Single-Seat, 60 ZOP3-MCTS60DM2l			Privacy S 8345	Gereen Optic 8955	on 9650	10259	10953	11820	12688
Zola Privacy Optio		\$ List						\$ Lis		
Moisture Barrier & C Seat Power (per pov Shelf Power Table Power Dual Leg (for Multip	wer unit) le unit configurations)	64 641 600 647 80	Plus Upgra Removable	ide - Twin Seat Co Seat Co	Single-Sea Single-Sea vers -Twin S vers -Twin S ack covers a	t, 60° C Single-S Single-S	urve eat, 45° Cu eat, 60° Cu	irve 21	66 2	
Line	Series	Chair Type	Curve Style	.	Seat Degree		Back Type		Leg Typ	oe .
ZOP Zola	3 Lounge Mo	MCT dular Curve Twin	Small Radius		30D	Fı	F0 ull Height Ba	ck F	F	
		MCTB Modular Curve Twin Plus	D Small Radius Double Widt		45D		F2 Height Back		Start U	nit

M0

Mid Height Back M2

С Center Unit

Е

End Unit

60D

90D

	COM		COL	FA	BRIC GRA	ADES		LEATHE	R
EL/SPECIES	1	2	3	4	5	6	7	8	9
	Height B	ack							
ZOP3-MCTS90DF0F	8312	8702	9091	9644	10270	10818	11446	12225	13017
Twin Single-Seat, 90° Curve, Full	Height Ba	ack with	Privacy S	creen Opt	ion				
ZOP3-MCTS90DF2F	9265	9654	10044	10594	11223	11769	12396	13175	13969
T : 0: 1 0 1 000 0 1 1									
Iwin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM0F	7814	8159	8506	8994	9550	10040	10594	11286	11991
Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM2F	Height B 7447	ack with	Privacy \$	Screen Op 8775	otion 9398	9945	10570	11349	12130
	Twin Single-Seat, 90° Curve, Full ZOP3-MCTS90DF0F Twin Single-Seat, 90° Curve, Full ZOP3-MCTS90DF2F Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM0F Twin Single-Seat, 90° Curve, Mid ZOP3-MCTS90DM0F	Twin Single-Seat, 90° Curve, Full Height Bazopa-McTS90DF2F 9265 Twin Single-Seat, 90° Curve, Full Height Bazopa-McTS90DF2F 9265 Twin Single-Seat, 90° Curve, Mid Height Bazopa-McTS90DM0F 7814 Twin Single-Seat, 90° Curve, Mid Height Bazopa-McTS90DM0F 7814	Twin Single-Seat, 90° Curve, Full Height Back with ZOP3-MCTS90DF0F 8312 8702 Twin Single-Seat, 90° Curve, Full Height Back with ZOP3-MCTS90DF2F 9265 9654 Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7814 8159 Twin Single-Seat, 90° Curve, Mid Height Back with Single-Seat, 90° Curve, 90	Twin Single-Seat, 90° Curve, Full Height Back ZOP3-MCTS90DF0F 8312 8702 9091 Twin Single-Seat, 90° Curve, Full Height Back with Privacy S ZOP3-MCTS90DF2F 9265 9654 10044 Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7814 8159 8506 Twin Single-Seat, 90° Curve, Mid Height Back with Privacy S ZOP3-MCTS90DM0F 7814 8159 8506	Twin Single-Seat, 90° Curve, Full Height Back ZOP3-MCTS90DF0F 8312 8702 9091 9644 Twin Single-Seat, 90° Curve, Full Height Back with Privacy Screen Opt ZOP3-MCTS90DF2F 9265 9654 10044 10594 Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7814 8159 8506 8994 Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7814 8159 8506 8994	EL/SPECIES 1 2 3 4 5 Twin Single-Seat, 90° Curve, Full Height Back 8312 8702 9091 9644 10270 Twin Single-Seat, 90° Curve, Full Height Back with Privacy Screen Option ZOP3-MCTS90DF2F 9265 9654 10044 10594 11223 Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7814 8159 8506 8994 9550 Twin Single-Seat, 90° Curve, Mid Height Back with Privacy Screen Option	EL/SPECIES 1 2 3 4 5 6 Twin Single-Seat, 90° Curve, Full Height Back ZOP3-MCTS90DF0F 8312 8702 9091 9644 10270 10818 Twin Single-Seat, 90° Curve, Full Height Back with Privacy Screen Option ZOP3-MCTS90DF2F 9265 9654 10044 10594 11223 11769 Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7814 8159 8506 8994 9550 10040 Twin Single-Seat, 90° Curve, Mid Height Back With Privacy Screen Option 10040	EL/SPECIES 1 2 3 4 5 6 7 Twin Single-Seat, 90° Curve, Full Height Back ZOP3-MCTS90DF0F 8312 8702 9091 9644 10270 10818 11446 Twin Single-Seat, 90° Curve, Full Height Back with Privacy Screen Option ZOP3-MCTS90DF2F 9265 9654 10044 10594 11223 11769 12396 Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7814 8159 8506 8994 9550 10040 10594 Twin Single-Seat, 90° Curve, Mid Height Back with Privacy Screen Option Twin Single-Seat, 90° Curve, Mid Height Back with Privacy Screen Option 10040 10594	EL/SPECIES 1 2 3 4 5 6 7 8 Twin Single-Seat, 90° Curve, Full Height Back ZOP3-MCTS90DF0F 8312 8702 9091 9644 10270 10818 11446 12225 Twin Single-Seat, 90° Curve, Full Height Back ZOP3-MCTS90DF2F 9265 9654 10044 10594 11223 11769 12396 13175 Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7814 8159 8506 8994 9550 10040 10594 11286 Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7814 8159 8506 8994 9550 10040 10594 11286

Zola Privacy Option Upcharges	\$ List	\$	S List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Single-Seat, 90° Curve	516
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Twin Single-Seat, 90° Curve	240
Table Power	647	Note: Removable back covers are not available on curv	red backs

HODOOT CODE IL	•					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

DESCRIPTION/MOD	NEI /SDECIES	COM	2	COL FABRIC GRADES			ES 6	LEATHER 7 8 9		
DESCRIPTION MOD	Twin Double-Seat, 30° Curve, F ZOP3-MCTD30DF0F	Full Height 6875		7743	8350	9046	9654	10348		12086
	Twin Double-Seat, 30° Curve, F ZOP3-MCTD30DF2F	Full Height 7820	Back with 8256	Privacy \$	Screen Op 9296	otion 9991	10598	11293	12163	13029
	Twin Double-Seat, 30° Curve, N ZOP3-MCTD30DM0F	1id Height B 6496	3ack 6886	7279	7822	8447	8993	9619	10399	11179
	Twin Double-Seat, 30° Curve, N ZOP3-MCTD30DM2F	lid Height E 7441	Back with	Privacy S 8222	Screen Op 8768	tion 9393	9938	10564	11344	12122

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 30° Curve	404
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80
Shelf Power	600	Removable Seat Covers -Twin Double-Seat, 30° Cur	ve 186
Table Power	647	Note: Removable back covers are not available on c	urved backs

DOCT CODE KE	= Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	Е
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL				LEATHER			
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9	
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF0F	Height Ba	ack 8198	8645	9269	9983	10606	11320	12211	13105	
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF2F	Height Ba 8706	ack with F 9156	Privacy So 9600	creen Opt 10222	ion 10937	11561	12274	13167	14058	
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM0F	Height B 7346	ack 7750	8152	8715	9358	9919	10564	11367	12171	
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM2F	Height B	ack with 1 8703	Privacy S 9108	creen Opt 9668	ion 10312	10875	11517	12320	13127	

ORDERING NOTES:

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List		\$ List	
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 45° Curve	458	
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations)	80	
Shelf Power	600	Removable Seat Covers - Twin Double-Seat, 45° C	Surve 204	
Table Power	647	Note: Removable back covers are not available on	curved backs	

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	Е
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FABRIC GRADES		ES	LEATHER			
DESCRIPTION/MOI	DEL/SPECIES	1	2	3	4	5	6	7	8	9	
	Twin Double-Seat, 60° Curve, Ful ZOP3-MCTD60DF0F	l Height Ba 8458	ck 8912	9363	9996	10721	11353	12079	12983	13887	
	Twin Double-Seat, 60° Curve, Fu ZOP3-MCTD60DF2F	ll Height Ba 9418	ack with 9873	Privacy S 10324	creen Opt 10958	ion 11680	12315	13038	13944	14848	
	Twin Double-Seat, 60° Curve, Mi ZOP3-MCTD60DM0F	d Height Ba 7994	ack 8404	8811	9383	10039	10609	11264	12083	12897	
	Twin Double-Seat, 60° Curve, Mic ZOP3-MCTD60DM2F	d Height Ba 8955	ick with F	Privacy So 9772	creen Opti 10344	on 10995	11568	12225	13042	13858	

Zola Privacy Option Upcharges	\$ List	\$ List	
Moisture Barrier & CAL 133 (per yard)	64	Plus Upgrade - Twin Double-Seat, 60° Curve 543	
Seat Power (per power unit)	641	Dual Leg (for Multiple unit configurations) 80	
Shelf Power	600	Removable Seat Covers -Twin Double-Seat, 60° Curve 248	
Table Power	647	Note: Removable back covers are not available on curved backs	

MODOO! GODE ME!						
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB	D	45D	F2	S
		Modular Curve Twin Plus	Small Radius- Double Width		Full Height Back with Privacy Screen Option	Start Unit
				60D	M0	С
					Mid Height Back	Center Unit
				90D	M2	Е
					Mid Height Back with Privacy Screen Options	End Unit

ZOLA PRIVACY | TWIN SIDE PANELS

			COM		COL	FABI	RIC GRAD	ES	LEATHER			
DESCRIPTION	/MODEL		1	2	3	4	5	6	7	8	9	
	Twin Side Panel, F ZOP3-MPTF0U ZOP3-MPTF0C	Full Height No Screen Universal End Center	1428 2139	1559 2272	1691 2405	1955 2668	2218 2932	2483 3193	2745 3457	3010 3720	3536 4248	
	Twin Side Panel, F ZOP3-MPTF2U ZOP3-MPTF2C	Full Height with Screen Universal End Center	2006 2718	2138 2851	2271 2984	2533 3246	2798 3510	3061 3772	3324 4037	3589 4297	4114 4828	
	Twin Side Panel, N ZOP3-MPTM0U ZOP3-MPTM0C	Med. Height No Screen - Universal End Center	1187 1897	1275 1988	1363 2077	1543 2254	1720 2432	1898 2610	2077 2788	2254 2965	2610 3322	
	ZOP3-MPTM2U ZOP3-MPTM2C ORDERING NOT	Med. Height with Screen Universal End Center E: Side Panels will only of					2301 3011 s with Priva	2479 3188 acy Screer	2657 3367 n Option a	2833 3543 are not av	3188 3902 ailable	
		ack Cover option. See pa						•	•			

Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
		1	Full Height with Privacy Screen Option	Center /Interim	
			MO		
			Mid Height		
			M2		
		1	Mid Height with Privacy Screen Option		

ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS

			COM		COL	FAE	BRIC GR	ADES		LEATHE	3
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9
	Twin Semi-Private S	Side Panel, Sin	gle, Full H	leight							
	ZOP3-MSPTF0U U	Jniversal	1012	1092	1172	1286	1415	1528	1659	1819	1981
	ZOP3-MSPTF0C	Center	1724	1804	1885	1999	2129	2240	2370	2532	2694
	Twin Semi-Private S	Side Panel, Sin	gle, Mid H	leight							
	ZOP3-MSPTM0U U	Jniversal	868	919	973	1045	1131	1203	1288	1393	1497
	ZOP3-MSPTM0C (Center	1581	1633	1686	1758	1842	1915	2001	2106	2211

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 207 for dimensions and COM.

PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

ZOLA PRIVACY | TWIN MODULAR ARMS

		COM COL FABRIC GRADES		LEATHER							
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1120 1846	1197 1909	1262 1974	1349 2062	1451 2164	1539 2253	1641 2354	1768 2481	1894 2608	
	Twin Modular Upholstered Arm v ZOP3-MATUREU ZOP3-MATUREC	v/Urethane 1252 1979	Cap 1329 2041	1393 2106	1481 2193	1582 2295	1670 2384	1772 2485	1899 2612	2026 2739	

ORDERING NOTE: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	A-Cole	С	
Solid Surface Arm Cap (per arm)	276	288	318	328

PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

ZOLA PRIVACY | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	514 538	12	2
	Tablet with Palette Fin ZOL3 T2	ish n/a	411	12	2
	Clear Glass Tablet ZOL3 T3	n/a	783	13	2
	Laminate Tablet ZOL3 T4	n/a	532	12	2
			blet comes standard with a polymer edge. Please note Zola Tabl ified right or left when ordering.	ets are univ	versally
	Solid Surface Tablet - ZOL3 T5AW	Grade A White n/a	e 641	14	2
	Solid Surface Tablet - ZOL3 T5AC	Grade A Color n/a	651	14	2
9	Solid Surface Tablet - ZOL3 T5B	Grade B n/a	686	14	2
	Solid Surface Tablet - ZOL3 T5C	Grade C n/a	741	14	2

ZOLA PRIVACY | INLINE WALLS | FEATURES & OPTIONS



RECONFIGURABILITY

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



RUNOFF TABLES

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.



BACK CONNECTION

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or



LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.



LEGS

The legs offered on Zola Lounge are Silver Metallic or Matte Black and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



SOLID SURFACE OVERLAY


The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see page 336 for color options.




MEDIA & POWER

Inline walls can be optioned with Media provisions and Powerdocs.

ZOLA PRIVACY | INLINE WALLS | SAMPLE CONFIGURATIONS



Model Qty ZOP3-M2F0F 2 ZOP3-IWF048MP 2 ZOP3-ICWF0L 2 ZOP3-ICWF0R 2 ZOP3-ICWF	1 1697 1 1066
ZOP3-M2F0F 2 ZOP3-IWF048MP	1 1697
	1 2404 1 1697
Model Qty	2 3029
	y Price (\$)



Model	Qty	Price (\$)
ZOP3-M2M0F ZOP3-ICTWM0I	3	2595 1715
ZOP3-ICTWM0R	1	1715
Total	9	\$11.215

ZOLA PRIVACY | INLINE WALLS

DESCRIPTION/MODEL		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH ⁻	Γ CUBE
	Inline Wall, Full Height 42" ZOP3-IWF042N	1172	1985	1673	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1262	2167	1774	48	12	50	121	21.5
	Inline Wall, Full Height 54" ZOP3-IWF054N	1349	2255	1875	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1437	2343	1974	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1095	1683	1588	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1184	1863	1688	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1271	1953	1789	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1359	2040	1886	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	2" 1318	2131	1820	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	8" 1407	2313	1921	48	12	50	121	21.5
	Inline Wall Media, Full Height 5 ZOP3-IWF054M	4" 1494	2401	2019	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	0" 1583	2488	2119	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	.2" 1242	1827	1734	42	12	37	92	13.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	.8" 1330	2010	1834	48	12	37	102	15.25
	Inline Wall Media, Mid Height 5 ZOP3-IWM054M	1417	2096	1934	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	50" 1506	2186	2033	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Me

ZOLA PRIVACY | INLINE WALLS WITH POWER

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Full ZOP3-IWF042P	Height 42" 2169	2982	2671	42	12	50	150	19
	Inline Wall w/Power Docs, Full ZOP3-IWF048P	Height 48" 2257	3163	2770	48	12	50	212	21.5
3	Inline Wall w/Power Docs, Full ZOP3-IWF054P	Height 54" 2345	3251	2870	54	12	50	135	24
	Inline Wall w/Power Docs, Full ZOP3-IWF060P	Height 60" 2433	3340	2970	60	12	50	147	26.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM042P	Height 42" 2091	2678	2585	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM048P	Height 48" 2180	2860	2684	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM054P	Height 54" 2268	2948	2785	54	12	37	116	17
	Inline Wall w/Power Docs, Mid ZOP3-IWM060P	Height 60" 2356	3036	2883	60	12	37	126	18.75
	Inline Wall Media w/Power Doo ZOP3-IWF042MP	cs, Full Height 42" 2316	3127	2817	42	12	50	150	19
	Inline Wall Media w/Power Doo ZOP3-IWF048MP	cs, Full Height 48" 2404	3310	2917	48	12	50	212	21.5
	Inline Wall Media w/Power Doo ZOP3-IWF054MP	es, Full Height 54" 2491	3397	3015	54	12	50	135	24
	Inline Wall Media w/Power Doo ZOP3-IWF060MP	es, Full Height 60" 2580	3486	3116	60	12	50	147	26.5
	Inline Wall Media w/Power Doo ZOP3-IWM042MP	cs, Mid Height 42" 2238	2823	2730	42	12	37	92	13.5
	Inline Wall Media w/Power Dod ZOP3-IWM048MP	es, Mid Height 48" 2326	3007	2830	48	12	37	102	15.5
	Inline Wall Media w/Power Doo ZOP3-IWM054MP	es, Mid Height 54" 2413	3093	2929	54	12	37	116	17
	Inline Wall Media w/Power Dod ZOP3-IWM060MP	es, Mid Height 60" 2503	3182	3030	60	12	37	126	18.75

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Media

ZOLA PRIVACY | INLINE CORNER WALLS

DESCRIPTION/MODEL		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH ⁻	T CUBE
ZOP3	Corner Wall, Full Height 3-ICWF0L 3-ICWF0R	1697 1697	2388 2388	2045 2045	26.5 26.5	12 12	50 50	85 85	14.75 14.75
ZOP3	Corner Wall, Mid Height 3-ICWM0L 3-ICWM0R	1638 1638	2278 2278	1976 1976	26.5 26.5	12 12	37 37	70 70	11 11

ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES

		Gra	ides	
Option	A-White	A-Color	В	С
ZOP3-IWF042N	427	446	556	662
ZOP3-IWF048N	478	500	622	745
ZOP3-IWF054N	530	555	693	829
ZOP3-IWF060N	555	607	761	913

ORDERING NOTES:

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see page 336 for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Position	
ZOP	3	ICW	F0	L	
Zola	Lounge	Inline Corner Wall	Full Height	Left	
			MO	R	
			Mid Height	Right	

ZOLA PRIVACY | INLINE TABLE WALLS

DESCRIPTION/M(THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Table Wall, Full Height 23° ZOP3-ITWF023N	987	1582	1494	23	25.7	50	100	21
	Inline Table Wall, Full Height 30 ZOP3-ITWF030N	, 1163	1946	1684	30	25.7	50	125	26.5
	Inline Table Wall, Mid Height 23 ZOP3-ITWM023N	910	1279	1408	23	25.7	37	90	15
	Inline Table Wall, Mid Height 30 ZOP3-ITWM030N	1086	1643	1596	30	25.7	37	115	18.5
	Inline Table Wall w/Power Docs ZOP3-ITWF023P	Full Height 23", 1984	2579	2491	23	25.7	50	100	21
	Inline Table Wall w/Power Docs ZOP3-ITWF030P	, Full Height 30" 2160	2943	2680	30	25.7	50	125	26.5
5									
	Inline Table Wall w/Power Docs ZOP3-ITWM023P	, Mid Height 23" 1906	2274	2405	23	25.7	37	90	15
	Inline Table Wall w/Power Docs ZOP3-ITWM030P	, Mid Height 30" 2083	2639	2592	30	25.7	37	115	18.5

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP Zola	3 Lounge	ITW Inline Table Wall	F0 Full Height	23 23"	N None
2014	Lounge	mine table wan	MO	30	Р
			Mid Height	30"	Power

ZOLA PRIVACY | INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

DESCRIPTION/MO	DEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	н	WEIGHT	CUBE
	Inline Corner Table Wall, Full	Height							
	ZOP3-ICTWF0L	1776	2678	2178	28	28	50	140	31
	ZOP3-ICTWF0R	1776	2678	2178	28	28	50	140	31
_	Inline Corner Table Wall, Mid	l Height							
	ZOP3-ICTWM0L	1715	2566	2108	28	28	37	127	23
	ZOP3-ICTWM0R	1715	2566	2108	28	28	37	127	23

ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

		Grade	s						
Option	A-White	A-Color	В	С					
ZOP3-ITWF023N	483	508	632	756					
ZOP3-ITWF030N	605	635	796	957	ORDERING	NOTE	S:		
ZOP3-ITWM023N	483	508	632	756	The Solid Su	ırface '	top o	otion is pri	iced as
ZOP3-ITWM030N	605	635	796	957	an upcharg	e to	existi	ng table	price.
ZOP3-ITWF023P	483	508	632	756	Please add a	a "S" to	the o	end of the	model
ZOP3-ITWF030P	605	635	796	957	number and	the u	pcha	rge listed	below.
ZOP3-ITWM023P	483	508	632	756	Zola Solid S	Surfac	e tab	les have	a 1/2"
ZOP3-ITWM030P	605	635	796	957	thickness or				
ZOP3-ICTWF0	607	637	801	961	with a 1 mm				
ZOP3-ICTWM0	607	637	801	961	cal edge). Pl options.	ease s	see pa	age 336 fo	r color
PRODUCT CODE KI	EY								
Line	Series	Chair Type		Height		Pos	ition		
ZOP	3	ICTW		F0		L	-		
Zola	Lounge	Inline Corner Table V	Vall	Full Height		Le	eft		
				M0		F	3		
				Mid Height		Ric	 ght		
						,	y		
			HIGH	CHERRY					
DESCRIPTION/MO		THERMOFUSED LAMINATE	PRESSURE LAMINATE		W	D	Н	WEIGHT	CUBE
_	Run-off Table for 48" Inline Wall	1							
	ZOL4-RO48-302416	904	1279	1389	30	24	16	25	3.75
	ZOL4-RO48-372416	954	1380	1455	37	24	16	30	4.5
	ZOL4-RO48-532416	1066	1615	1603	53	24	16	40.5	5.75
U	ZOL4-RO48-762416	1231	1953	1818	76	24	16	56	7.5
	Run-off Table for 54" Inline Wall								
	ZOL4-RO54-303016	957	1252	1459	30	30	16	35	4.25
	ZOL4-RO54-373016	1018	1379	1540	37	30	16	41	5.25
	ZOL4-RO54-533016	1163	1671	1728	53	30	16	54	6.75
ū	ZOL4-RO54-763016	1370	2092	1995	76	30	16	74	8.75

ZOLA | COLLECTION COMPONENTS

DESCRIPTION/M			PRICE	WEIGHT	CUB
	ZOL3 RT1	Mounting Plate Only Beech Maple /Cherry	381 405	5 5	0.32 0.32
	Painted Tablet ZOL3 RT2	& Mounting Plate Only n/a	278	5	0.32
	Clear Glass Tal ZOL3 RT3	olet & Mounting Plate Only n/a	651	6	0.32
	Laminate Table ZOL3 RT4	et & Mounting Plate Only n/a	397	5	0.32
	Solid Surface 7 ZOL3 RT5	Tablet & Mounting Plate Onl Grade - A-White Grade - A-Color Grade - B Grade - C	ly 539 547 577 624		
	ORDERING N	OTES: The Zola replacement	ent tablets on this page include the top with mounti	ng plate only.	
	Leg ZOL3 RLS		58	1	0.125
	Caster Leg ZOL3 RLC		39	0.4	0.125
	Dual leg ZOL3 RDL		100	1	0.125
	Leg Glide (4) ZOL3 RLG		24	0.2	0.01
000000000000000000000000000000000000000	Replacement S ZOL3 RLKB2	Seat-to-Seat Bracket	95	1	0.125
	NOTE: Zola M	lodular Seats are ordered,	each seat is automatically supplied with two seat to s	eat brackets	
	Replacement T ZOL3 RLKB1	able-to-Seat Bracket	114	3	0.125
	ZOL3-POWER	DOC1 - Undermount	573	3	0.375
D. D. C.			Seats and Tables as a replacement part or installed on ower and USB A & C outlets. PowerDoc's have a 10'		ously spe
	ZOL3-POWER	DOC2	647	3	0.375
p			es or Square/Rectangular tables which were originally A & C outlets. PowerDoc's have a 10' cord.	ordered with	this pov
	Wire Manager ZOL3 WM10	Shroud	120	1	0.375

ORDERING NOTES: Comes in a 10' length when ordered. Can be cut to size on site.

ZOLA PRIVACY | COMPONENTS


DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 67	2	0.32
(I)	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 58	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 74	2	0.32
	Back-to-Seat Linking hardware ZOP3-RLKS 169	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 187	4	0.32
	ZOP3-POWERDOC3 - Shelves only 610 Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and USB A & C outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3 WM 187	1	0.375

FAERON LOUNGE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 12.67%

POST-CONSUMER RECYCLED CONTENT =9.40%

Up to 18.93% of this Faeron product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

FAERON LOUNGE | DIMENSIONS & COM

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Entire Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Only
One-Seat -	wood arm												
lounge	27	28.5	31.5	17.8	24	23	21	55	20	4.2	1.3	1.7	1.2
high back	27	28.5	41.5	17.8	24	23	21	59	24	4.8	1.3	2.3	1.2
One-Seat -	armless												
lounge	23	28.5	31.5	17.8	-	-	21	52	20	3	1.3	1.7	-
nigh back	23	28.5	41.5	17.8	-	-	21	55	24	3.6	1.3	2.3	_
	upholstere												
ounge	28	28.5	31.5	17.8	24	23	21	75	20	5.9	1.3	1.7	2.9
nigh back	28	28.5	41.5	17.8	24	23	21	79	24	6.5	1.3	2.3	2.9
wingback	32	28.5	42.5	17.8	24	23	21	84	27	7.5	1.3	3.3	2.9
	vide - wood		01.5	17.0	0.4	20	21	6.4	00	4.4	1.5	4.7	1.0
ounge	34	28.5	31.5	17.8	24	30		64	23	4.4	1.5	1.7	1.2
nigh back	34	28.5	41.5	17.8	24	30	21	68	27	5	1.5	2.3	1.2
	vide - armle						. .						
ounge	30	28.5	31.5	17.8	-	-	21	61	23	3.2	1.5	1.7	-
nigh back	30	28.5	41.5	17.8	-	-	21	65	27	3.8	1.5	2.3	-
	vide - upho												
lounge	35	28.5	31.5	17.8	24	30	21	84	23	6.1	1.5	1.7	2.9
high back	35	28.5	41.5	17.8	24	30	21	88	27	6.7	1.5	2.3	2.9
wingback	39	28.5	42.5	17.8	24	30	21	93	30	7.5	1.3	3.3	2.9
Two-seat -	wood arm												
lounge	50	28.5	31.5	17.8	24	46	21	88	36	5.5	1.7	2.6	1.2
high back	50	28.5	41.5	17.8	24	46	21	95	43	6.4	1.7	3.5	1.2
Two-seat -		_5.0				.0		55	.5	J. 1		0.0	
ounge	46	28.5	31.5	17.8	_	_	21	87	36	4.3	1.7	2.6	_
nigh back	46	28.5	41.5	17.8	_	_	21	94	43	5.2	1.7	3.5	_
Two-seat -			71.0	17.0	-	-	41	54	70	٥.٤	1.1	0.0	-
ounge	51	28.5	31.5	17.8	24	46	21	108	36	7.2	1.7	2.6	2.9
high back	51	28.5	41.5	17.8	24	46	21	115	43	8.1	1.7	3.5	2.9
wingback	55	28.5	42.5	17.8	24	46	21	120	43 46	9.1	1.7	4.5	2.9
Miligback	33	20.5	42.5	17.0	24	40	۷۱	120	40	9.1	1.7	4.5	2.9
Three-seat	- wood arr	n											
lounge	73	28.5	31.5	17.8	24	69	21	120	52	7.1	2.5	3.4	1.2
high back	73	28.5	41.5	17.8	24	69	21	130	61	8.4	2.5	4.7	1.2
Three-seat	- armless												
lounge	69	28.5	31.5	17.8	-	-	21	122	52	5.9	2.5	3.4	-
high back	69	28.5	41.5	17.8	-	-	21	132	61	7.2	2.5	4.7	-
Three-seat	- upholste	red arm											
ounge	74	28.5	31.5	17.8	24	69	21	140	52	8.8	2.5	3.4	2.9
high back	74	28.5	41.5	17.8	24	69	21	150	61	10.1	2.5	4.7	2.9
wingback	78	28.5	42.5	17.8	24	69	21	155	64	10.3	1.7	5.7	2.9
-					= •								
Combinations with uphorapholstery is of where ear	ing BACKs on upholsted distery of the s selected, u ch fabric is	ery (more to same grause the high to be app	than one u de or COM hest grade died on the	pholstery <i>I</i> , an upcle upholste product	cover within harge for dual ery selected of in order to o approval prod	fabrics is \$ r contact Cu btain a quo	33 list per istomer S	unit and \$6 ervice for a c	4 list per ur quote -pleas	nit for three false provide the	brics. When fabrics spe	graded in o	combination description
One -Seat - One -Seat - One-Seat W	ght capaciti	lbs	follows:										
One-Seat W Two- Seat - Two- Seat I Three - Sea Three - Sea	Plus- 975 lb t - 850 lbs												
「wo- Seat - 「wo- Seat I 「hree - Sea 「hree - Sea	Plus- 975 lk t - 850 lbs t Plus- 120	00 lbs			\$ L	ist						\$ List	
Two- Seat - Two- Seat I Three - Seat Three - Seat Three - Seat	Plus- 975 lt t - 850 lbs t Plus- 120 ption Upcl	00 lbs harges	per yard)			ist	Solid Su	urface Arm	Cap (per	pair) - Gr A	White	\$ List 384	
Two- Seat - Two- Seat I Three - Sea	Plus- 975 lt t - 850 lbs t Plus- 120 ption Upcl	00 lbs harges Barrier (p	,		-	64			1 (1	pair) - Gr A			

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Solid Surface Arm Cap (per pair) - Gr A White	384
One-Seat Removable Back Covers	152	Solid Surface Arm Cap (per pair) - Gr A Color	397
One-Seat Wide Removable Back Covers	228	Solid Surface Arm Cap (per pair) - Gr B	422
Two-Seat Removable Back Covers	302	Solid Surface Arm Cap (per pair) - Gr C	435
Three-Seat Removable Back Covers	453	Solid Surface Arm (per pair) - Gr A White	677
One-Seat Removable Seat Covers	152	Solid Surface Arm (per pair) - Gr A Color	708
One-Seat Wide Removable Seat Covers	228	Solid Surface Arm (per pair) - Gr B	768
Two-Seat Removable Seat Covers	302	Solid Surface Arm (per pair) - Gr C	810
Three-Seat Removable Seat Covers	453	Urethane Arm Cap (per pair)	152
		Upholstered Lounge Wood Arm Cap (per pair)	193

FAERON WOOD | LOUNGE FEATURES & OPTIONS



WOOD ARM

Faeron Wood Arm Lounge chairs are available with optional Arm Caps in Urethane and Solid Surface. As well as a Solid Surface Arm.



OPTIONS

URETHANE ARM CAP

The optional Urethane Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



ARMLESS

Faeron Armless Lounge seating can be specified with a full wood base providing an enhanced base profile.



WOOD ARM CAP

The optional Solid Beech Arm Cap is available on Upholstered Arm and Wingback Lounge. This is field replaceable if this becomes damaged or degraded.



UPHOLSTERED ARM

Faeron Upholstered arm lounge chairs are available with optional arm caps in Wood, Solid Surface and Urethane (Wingback lounge is not available with Urethane cap).



SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



ARM PANEL

Arm Panels are available on Faeron Wood Arm Lounge seating in semi and fully closed styles for optimum design flexibility.



SOLID SURFACE ARM

The optional Solid Surface Arm is available on Wood Arm Lounge and provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



BEECH WOOD LEGS

Faeron Lounge legs and bases are solid Beech available in 22 finish selections.



COMBINATION UPHOLSTERY

When combination upholstery (more than one upholstery cover within the same unit) is specified with upholstery of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics. When graded-in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote



METAL LEGS

Faeron Upholstered Arm models are also available with Metal Legs; Silver Metallic or Brushed Nickle finish.



LOUNGE WALL SAVER

Faeron Lounge models include a wall saver feature in which the angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chair and the wall. Not included for Faeron High Back Lounge or Faeron



Wingback Lounge due to back height.



CLEAN OUT

All Faeron Lounge seating has a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



MOISTURE BARRIER & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non- flammable upholstery covers, that may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components thereby conferring sanitary and anti-infection benefits. So when CAL133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per yard.

REMOVABLE AND REPLACEABLE COVERS

Faeron Lounge Chairs are available with a Removable Seat & Back Covers.

FAERON WOOD | ARMLESS LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	ADES 6	7	LEATHER 8	9	_
	One-Seat, Arml FAE3-AL1S	ess Lounge, Beech	Standard 1819	Base 1890	1962	2105	2247	2388	2532	2673	2959	
	One-Seat Plus A FAE3-ALB1S	Armless Lour Beech	nge, Stand 1886	dard Base 1959	2030	2172	2315	2459	2601	2743	3029	_
	One-Seat, Arml FAE3-AL1F	ess Lounge, Beech	Full Wood 1982	Base 2055	2124	2268	2410	2553	2695	2838	3122	黄
	One-Seat Plus, FAE3-ALB1F	Armless Lou Beech	nge, Full \ 2051	Nood Base 2121	e 2193	2334	2479	2620	2764	2906	3190	H
	One-Seat Wide FAE3-AL1+S	, Armless Lou Beech	unge, Star 2056	ndard Base 2154	2250	2444	2638	2831	3027	3220	3607	CA
	One-Seat Wide FAE3-ALB1+S		s Lounge 2131	, Standard 2227	Base 2324	2517	2713	2906	3099	3293	3682	RE
	One-Seat Wide FAE3-AL1+F	, Armless Lou Beech	unge, Full 2266	Wood Bas 2362	e 2460	2655	2848	3040	3236	3430	3817	
	One-Seat Wide FAE3-ALB1+F		ss Lounge 2340	, Full Wood 2436	d Base 2533	2726	2921	3115	3308	3503	3891	COU
	Two-Seat, Arml FAE3-AL2S	ess Lounge, Beech	Standard 2579	Base 2684	2791	3006	3219	3432	3647	3862	4289	Ž
	Two-Seat Plus, FAE3-ALB2S	Armless Lou Beech	nge, Stan 2682	dard Base 2789	2896	3111	3323	3537	3752	3963	4394	API
	Two-Seat, Arml FAE3-AL2F	ess Lounge, Beech	Full Wood 2873	1 Base 2980	3087	3299	3514	3728	3941	4156	4584	F
	Two-Seat Plus, FAE3-ALB2F	Armless Lou Beech	nge, Full \ 2977	Nood Base 3083	9 3189	3405	3619	3831	4045	4260	4689	STC
	Three-Seat, Arn FAE3-AL3S	nless Lounge Beech	e, Standar 3415	d Base 3587	3759	4102	4443	4785	5128	5470	6155	H
	Three-Seat Plus FAE3-ALB3S	s, Armless Lo Beech	ounge, Sta 3591	ndard Bas 3762	e 3933	4277	4617	4959	5302	5644	6330	ESE
	Three-Seat, Arn FAE3-AL3F	nless Lounge Beech	e, Full Woo 3804	od Base 3977	4146	4487	4833	5173	5516	5857	6542	P
	Three-Seat Plus FAE3-ALB3F	s, Armless Lo Beech	ounge, Ful 3980	l Wood Ba 4152	se 4321	4664	5006	5347	5691	6032	6716	RODU
PRODUCT CODE KEY												CT
Line	Series	Chair Typ	е		Size		1	В	Base			_ (
FAE Lo	3-A ounge Seating	L Lounge		1 One-Sea	t	B1 One-Seat	 Plus	Stand	S ard Base			

1+

One-Seat Wide

2

Two-Seat

3

Three-Seat

B1+

B2

Two-Seat Plus

B3
Three-Seat Plus

One-Seat Wide Plus

Н

High Back

Lounge

2025 | SEATING & OCCASIONAL TABLES | USA | 256

F

Full Wood Base

HEALTHCARE DISCOUNT APPLIES TO THESE PRODUCTS

FAERON WOOD | ARMLESS HIGH BACK LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	DES 6	7	LEATHER 8	9
A	One-Seat, Arm FAE3-AH1S	less High back Beech	Lounge 2044	, Standard 2132	Base 2218	2391	2567	2741	2916	3090	3437
	One-Seat Plus, FAE3-AHB1S	Armless High Beech	back Lo 2112	unge, Stan 2197	dard Bas 2286	e 2461	2635	2808	2984	3159	3508
A	One-Seat, Arm FAE3-AH1F	less High back Beech	Lounge 2209	, Full Wood 2295	Base 2383	2555	2728	2905	3078	3252	3603
	One-Seat Plus, FAE3-AHB1F	Armless High Beech	back Lo 2277	unge, Full \ 2362	Wood Bas 2449	se 2623	2798	2971	3146	3321	3669
	One-Seat Wide FAE3-AH1+S	e, Armless High Beech	n back Lo 2297	ounge, Star 2410	ndard Bas 2523	se 2747	2972	3200	3427	3651	4103
	One-Seat Wide FAE3-AHB1+S		High ba 2370	ck Lounge 2483	, Standard 2595	d Base 2822	3048	3271	3498	3724	4176
	One-Seat Wide FAE3-AH1+F	e, Armless High Beech	back Lo 2506	ounge, Full 2618	Wood Ba 2734	se 2958	3184	3409	3635	3859	4312
	One-Seat Wide FAE3-AHB1+F		High ba 2581	ick Lounge 2694	, Full Woo 2805	od Base 3031	3259	3483	3709	3934	4385
	Two-Seat, Armi	less High back Beech	Lounge 2744	, Standard 2869	Base 2991	3237	3483	3728	3974	4217	4710
	Two-Seat Plus, FAE3-AHB2S	Armless High Beech	back Lo 2849	unge, Stand 2971	dard Base 3095	e 3341	3587	3831	4079	4322	4814
	Two-Seat, Arm	less High back Beech	Lounge 3039	, Full Wood 3163	Base 3287	3533	3776	4022	4267	4512	5006
	Two-Seat Plus, FAE3-AHB2F	Armless High Beech	back Lo 3144	unge, Full \ 3267	Wood Bas 3389	se 3635	3881	4128	4372	4617	5109
	Three-Seat, Arr	mless High bad Beech	ck Loung 3648	ge, Standar 3851	d Base 4055	4460	4866	5272	5677	6082	6894
	Three-Seat Plu FAE3-AHB3S	s, Armless Hig Beech	h back L 3823	ounge, Sta 4027	ndard Ba 4230	se 4635	5040	5447	5852	6256	7069
	Three-Seat, Arr FAE3-AH3F	mless High bad Beech	ck Loung 4038	ge, Full Woo 4239	od Base 4443	4846	5255	5660	6064	6470	7283
	Three-Seat Plu FAE3-AHB3F	s, Armless Hig Beech	h back L 4212	ounge, Full 4416	l Wood Ba 4617	ase 5023	5428	5834	6241	6646	7457
PRODUCT CODE KEY											
Line FAE	Series 3-A	Chair Type		1	Size	D1		Bas	se S		
Faeron	Armless	Lounge		One-Seat	Or	B1 ne-Seat F	l Plus	Standar			
Lo	unge Seating	Н		1+		B1+]		F		
		High Back Lounge	C	One-Seat Wic 2 Two-Seat		-Seat W B2 ro-Seat F	ide Plus] Plus	Full Woo	od Base		
				3 Three-Seat	Thr	B3 ee-Seat] Plus				

FAERON WOOD | LOUNGE & HIGH BACK LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	DES 6	7	LEATHER 8	9
	One-Seat, Wood	Arm Lounge									
	FAE3-WL1ONC	Beech	1922	1991	2063	2209	2348	2491	2635	2776	3061
	One-Seat Plus, N		ounge, O _l 1989	pen Arm 2061	2133	2274	2417	2560	2701	2846	0100
	TALS-WEIDONG	Deech	1969	2001	2133	2214	2417	2300	2701	2040	3132
	One-Seat Wood FAE3-WL1SNC	Arm Lounge Beech	, Semi Cl 2452	losed Arm 2557	2663	2874	3084	3295	3508	3717	4141
						2014	0004	0200	0000	0/1/	7171
	One-Seat Plus V FAE3-WL1BSNO		2520	2628	2732	2943	3156	3366	3577	3787	4208
											}
	One-Seat Wood	Arm Lounge	Closed	Arm							
	FAE3-WL1CNC	Beech	2472	2579	2683	2894	3105	3316	3529	3739	4160
	One-Seat Plus V	Vood Arm Lo	unge, Clo	osed Arm							
	FAE3-WL1BCN0		2541	2643	2751	2963	3173	3384	3595	3806	4230
Ш											
	One-Seat Wood	Arm High Ba	ack Loun	ge, Open A	Arm						
	FAE3-WH1ONC	Beech	2146	2234	2321	2495	2669	2844	3016	3190	3539
	One-Seat Plus V			_							-
	FAE3-WH1BON	Beecn	2214	2301	2388	2563	2739	2911	3084	3261	3608
	One-Seat Wood FAE3-WH1SNC						0.405	00.47	0004	4400	1010
	FAE3-WHISNC	Beech	2678	2798	2920	3162	3405	3647	3891	4133	4618
	One-Seat Plus V FAE3-WH1BSN0		gh Back I 2744	Lounge, Se 2867	emi Closed 2988	d Arm 3232	3473	3715	3959	4203	4686
	TALO WITIDOW	5 200011	2144	2007	2300	0202	3473	3713	0909	4200	4000
	One-Seat Wood FAE3-WH1CNC	Arm High Ba Beech	ack Loung 2696	ge, Closed 2818	Arm 2940	3184	3427	3668	3910	4154	4638
	One-Seat Plus V	Vood Arm Hi	nh Back I								
	FAE3-WH1BCN		2765	2886	3009	3249	3493	3736	3979	4221	4708
ORDERING NOTES:										d Surface A	Arm (SA),
eplace "NC" in the m	nodel number with	the Arm Sty	/ie select	ion below	and add t	ne upcl	narge listed	on page 2	254.		(111 (O) (),
RODUCT CODE KEY											Ì
Line	Series	Chair Type			Size		Arn	n Style	Arm (Сар	
FAE	3-W	L		1		B1		0	NO		
Faeron	Wood Arm ounge Seating	Lounge		One-Seat	O	ne-Seat Plus	Оре	en Arm	No C	ap	C

PRODUCT CODE KEY

Line	Series	Chair Type	Siz	:e	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			2 Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3	B3		SA

Three-Seat

Three-Seat

2025 | SEATING & OCCASIONAL TABLES | USA | 258

Solid Surface Arm

FAERON WOOD | LOUNGE & HIGH BACK LOUNGE

DESCRIPTION/MODEL	-	Species	COM 1	2	COL 3	4	FABRIC GRA 5	DES 6	7	LEATHER 8	9
	One-Seat Wide Wo FAE3-WL1+ONC	ood Arm Lou Beech	nge, Ope 2110	n Wood A 2209	ırm 2303	2497	2692	2884	3080	3273	3662
	One-Seat Wide Plu FAE3-WLB1+ONC		n Lounge, 2185	Open Arr 2280	n 2378	2570	2765	2959	3156	3346	3736
	One-Seat Wide Work FAE3-WL1+SNC	ood Arm Lou Beech	nge, Sem 2640	i Closed / 2772	Arm 2904	3165	3429	3690	3954	4215	4740
	One-Seat Wide Plu FAE3-WLB1+SNC		n Lounge, 2715	Semi Clo 2847	sed Arm 2978	3239	3501	3765	4027	4289	4814
	One-Seat Wide Wo FAE3-WL1+CNC	ood Arm Lou Beech	nge, Clos 2660	sed Arm 2793	2924	3186	3448	3711	3974	4235	4759
	One-Seat Wide Plu FAE3-WLB1+CNC		1 Lounge, 2736	Closed A 2866	rm 2996	3261	3521	3785	4047	4310	4835
	One-Seat Wide Wo FAE3-WH1+ONC	ood Arm Hig Beech	h Back Lo 2352	ounge, Op 2463	en Arm 2577	2803	3028	3252	3479	3706	4156
	One-Seat Wide Plu FAE3-WHB1+ONC		n High Ba 2423	ck Loung 2538	e, Open Ai 2650	rm 2877	3102	3327	3553	3780	4230
	One-Seat Wide, W FAE3-WH1+SNC	ood Arm Hig Beech	h Back Lo 2882	ounge, Se 3029	emi Closed 3177	d Arm 3470	3765	4059	4352	4646	5234
	One-Seat Wide Plu FAE3-WHB1+SNC		n High Ba 2956	ck Loung 3103	e, Semi Cl 3248	osed Arr 3543	n 3839	4131	4426	4720	5308
	One-Seat Wide Wo	ood Arm Hig Beech	h Back Lo 2903	ounge, Clo 3049	osed Arm 3194	3490	3785	4079	4372	4666	5256
	One-Seat Wide Plu FAE3-WHB1+CNC		n High Ba 2977	ck Loung 3121	e, Closed 3269	Arm 3563	3858	4153	4445	4738	5328

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254.

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

FAERON WOOD | LOUNGE & HIGH BACK LOUNGE

			COM		COL	F	ABRIC GR	ADES		LEATHE	.R
DESCRIPTION/MODI	EL	Species	1	2	3	4	5	6	7	8	9
	Two-Seat Wood FAE3-WL2ONC Two-Seat Plus W FAE3-WLB2ONC	Beech ood Arm Lo	2659	2765	2873 2954	3087 3165	3299 3381	3514 3594	3728 3809	3941 4022	4370 4449
	Two-Seat Wood FAE3-WL2SNC Two-Seat Plus W FAE3-WLB2SNC	Beech ood Arm Lo	3189	3330	3472	3756 3834	4037 4116	4318 4398	4602 4681	4885 4965	5448
	Two-Seat Wood FAE3-WL2CNC Two-Seat Plus W FAE3-WLB2CNC	Beech ood Arm Lo	3209	3352	3491 3573	3773 3854	4058 4138	4339 4420	4620 4702	4903 4983	5469 5548
	Two-Seat Wood FAE3-WH2ONC Two-Seat Plus W FAE3-WHB2ONG	Beech ood Arm Hi	2827	2948	3073	3319 3398	3563 3643	3810 3890	4055 4133	4297 4379	4792 4870
	Two-Seat Wood FAE3-WH2SNC Two-Seat Plus W FAE3-WHB2SNC	Beech ood Arm Hi	3357	3514	3670	3984	4297 4379	4614 4693	4928 5008	5241 5320	5869 5948
	Two-Seat Wood FAE3-WH2CNC Two-Seat Plus W FAE3-WHB2CNC	Beech ood Arm Hi	3378	3535	3691	4006 1 4086	4318 4398	4634 4712	4947 5028	5261 5341	5890 5970

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA) replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254.

PRODUCT CODE KEY

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	S Semi Closed Arm	UC Urethane Cap
			2 Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3	B3		SA

Three-Seat

Three-Seat Plus

Solid Surface Arm

HEALTHCARE DISCOUNT APPLIES TO THESE PRODUCTS

FAERON WOOD | LOUNGE & HIGH BACK LOUNGE

			COM		COL		FABRIC GRA	ADES		LEATHER	}
DESCRIPTION/MODEL		Species	1	2	3	4	5	6	7	8	9
\	Three-Seat Wood FAE3-WL3ONC	_	je, Open <i>i</i> 3417	Arm 3588	3760	4103	4444	4786	5128	5471	6156
	Three-Seat Plus \ FAE3-WLB3ONC		ounge, O 3557	pen Arm 3728	3899	4242	4584	4924	5269	5611	6293
	Three-Seat Wood	Arm Lound	ıe. Semi C	Closed Arr	n						
- \	FAE3-WL3SNC	Beech	3949	4154	4360	4769	5181	5590	6002	6412	7235
1 1711 1 -41	Three-Seat Plus \ FAE3-WLB3SNC		ounge, S 4088	emi Close 4292	d Arm 4499	4908	5319	5730	6140	6553	7373
	Three-Seat Wood FAE3-WL3CNC	_	je, Closed 3969	d Arm 4173	4379	4790	5201	5612	6021	6432	7255
	Three-Seat Plus \ FAE3-WLB3CNC		ounge, C 4108	losed Arm 4313	4518	4929	5340	5751	6162	6573	7393
	Three-Seat Wood	I Arm Hiah E	Back Lour	nge. Open	Arm						
	FAE3-WH3ONC	_	3651	3852	4057	4460	4867	5273	5678	6082	6895
	Three-Seat Plus \ FAE3-WHB3ONC		ligh Back 3789	Lounge, (3993	Open Arm 4194	4602	5007	5412	5815	6224	7035
	Three-Seat Wood			-							
	FAE3-WH3SNC		4182	4418	4655	5130	5604	6078	6553	7025	7972
	Three-Seat Plus \ FAE3-WHB3SNC		ligh Back 4319	Lounge, 9 4558	Semi Clos 4794	ed Arm 5269	5742	6216	6690	7164	8115
	Three-Seat Wood FAE3-WH3CNC	•	Back Lour 4203	nge, Close 4439	ed Arm 4677	5149	5622	6097	6571	7045	7993
	Three-Seat Plus \ FAE3-WHB3CNC		ligh Back 4340	Lounge, 0 4579	Closed Arı 4815	m 5288	5764	6237	6710	7184	8132

ORDERING NOTES: Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254.

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	S Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

FAERON UPHOLSTERED | LOUNGE

		COM		COL FABRIC GRADES		DES	LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	One-Seat Upholstered Arm	n Lounge	No Arm C	an Beec	h Wood le	a				
	FAE3-UL1NCW	2610	2764	2917	3224	3534	3843	4149	4458	5072
		2010	2701	2011	OLL I	0001	0010	11.10	1100	0012
	One-Seat Plus Upholstered FAE3-ULB1NCW		•	• •	•					
Ш	FAES-ULD INGW	2678	2831	2986	3293	3603	3909	4217	4527	5141
	One-Seat Wide Upholstere	d Arm I o	ungo No	orm oon	Mood log					
	FAE3-UL1+NCW	2798	2978	3159	3516	3876	4236	4593	4953	5673
	17120 021111011	2190	2970	3139	3310	3070	4230	4595	4933	3073
	One-Seat Wide Plus Upho		Ü		•	•				
Ш	FAE3-ULB1+NCW	2872	3053	3232	3591	3950	4310	4668	5028	5746
	To a set Hele determed Amer	. 1	NI= ===================================	\\/l	la a					
	Two-seat Upholstered Arm FAE3-UL2NCW	•			•	4404	4004	F0.40	FC00	0001
	TALS-OLZINOW	3346	3536	3727	4105	4484	4864	5243	5622	6381
	Two-seat Plus Upholstered	d Arm Lou	nge, No a	rm cap, V	Vood leg					
	FAE3-ULB2NCW	3428	3617	3806	4185	4564	4944	5323	5703	6462
	Three-seat Upholstered Ar FAE3-UL3NCW	•	-	• •	•		2.422			
	FAES-ULSINGW	4105	4360	4614	5121	5630	6136	6644	7152	8167
	Three-seat Plus Upholstere	ed Arm Lo	unge, No	arm cap,	Wood leg					
	FAE3-ULB3NCW	4245	4500	4754	5260	5767	6276	6784	7290	8307
Ш										

ORDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm Caps (WC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on on page 254. To specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel.

Line	Series	Chair Type	Siz	ze .	Arm Cap	Leg Type	
FAE	3-U	L	1	B1	NC	W	
Faeron	Upholstered Arm Lounge Seating	Lounge	One-Seat	One-Seat Plus	No Cap	Beech Wood Leg	
		Н	1+	B1+	UC	S	
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Urethane Cap	Silver Metallic Leg	
			2	B2	SC	N	
			Two-Seat	Two-Seat Plus	Solid Surface Cap	Brushed Nickel Leg	
			3	B3	WC		
			Three-Seat	Three-Seat	Wood Arm Cap		

FAERON UPHOLSTERED | HIGH BACK LOUNGE

		COM		COL	FA	BRIC GRAI	DES		LEATHE	R
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	6
One-Seat	Upholstered Arm H	-	_		•	-	4100	4500	4070	
TALS-OTT	INCW	2833	3004	3173	3514	3852	4193	4532	4873	555
One-Seat	: Plus, Upholstered A	Arm High	Back Loui	nae No A	rm Can \	Nood lea				
FAE3-UH		2903	3073	3242	3581	3921	4261	4602	4942	561
	Wide, Upholstered	_		-		Wood leg				
FAE3-UH	1+NCW	3039	3235	3430	3820	4213	4603	4994	5387	616
One-Seat	: Wide Plus, Upholst	ered Arm	High Bac	k Lounge,	No Arm	Cap, Wood	leg			
FAE3-UH	B1+NCW	3113	3308	3505	3894	4287	4678	5066	5457	624
Two-seat										
Two-seat	, Upholstered Arm H	-	Lounge, N	No Arm Ca	ap, Wood	leg				
FAE3-UH	2NCW	3515	3720	3927	4337	4748	5159	5569	5980	680
Two soat	Plus, Upholstered A	\rm ∐igh I	Book Lour	ναο Νο Δι	m Can V	Vood log				
		3595	3799	4006	4417	4828	5238	5649	6059	688
Three-sea FAE3-UH	at, Upholstered Arm	High Bac	ek Lounge	No Arm	Can Woo	nd lea				
FAE3-UH		4338	4623	4908	5481	6052	6623	7192	7764	890
Three-sea FAE3-UH	at Plus, Upholstered	_		-		_	0700	7000	7005	004
FAE3-UH	DSINGW	4478	4763	5050	5619	6190	6762	7333	7905	904
FAE3-UH										
ORDERING NOTES: Faeron uph Caps (WC), replace "NC" in the										
To specify the Metal Leg option b										
PRODUCT CODE KEY										
Line Series	Chair Type		s	ize		Arm S	tyle	Leg Ty	ре	
FAE 3-U	L		1		B1	NC No.		W		
Faeron Upholstered Arm Lounge Seating	n Lounge	Oı	ne-Seat		e-Seat Plus	No C	ар	Beech Woo	od Leg	
	Н	Γ	1+	Г	B1+	UC		S	٦	
	High Back	One-	Seat Wide		eat Wide	Urethan		Silver Me	⊥ı etallic	
	Lounge				Plus		•			

Line	Series	Chair Type	Size		Arm Style	Leg Type
FAE Faeron	3-U Upholstered Arm Lounge Seating	Lounge	1 One-Seat	B1 One-Seat Plus	NC No Cap	W Beech Wood Leg
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	UC Urethane Cap	Silver Metallic
			2 Two-Seat	B2 Two-Seat Plus	SC Solid Surface Cap	N Brushed Nickel
			3 Three-Seat	B3 Three-Seat Plus	WC Wood Arm Cap	

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	BRIC GRA 5	DES 6	7	LEATHER 8	R 9
	One-Seat Upholstered Arr	-			-	40.40	4500	4000	5000	50.47
	TALS-OW INOW	3232	3402	3568	3909	4249	4589	4929	5269	5947
	One-Seat Plus Upholstere	ed Arm W	ingback, I	No Arm Ca	ap, Wood	leg				
	FAE3-UWB1NCW	3298	3469	3638	3979	4317	4658	4996	5338	6017
	One-Seat Wide Upholster	ed Arm V	Vingback,	No Arm C	ap, Wood	d leg				
	FAE3-UW1+NCW	3434	3631	3827	4217	4609	5000	5391	5782	6565
	One-Seat Wide Plus Upho	olstered A	rm Wingb	ack, No A	ırm Cap,	Wood leg				
	FAE3-UWB1+NCW	3510	3706	3899	4291	4683	5072	5465	5856	6638
·										
	Two-seat Upholstered Arn	n Wingba	ıck, No Ar	m Cap, W	ood leg					
	FAE3-UW2NCW	3910	4116	4321	4733	5143	5556	5966	6377	7198
	Two-seat Plus Upholstere	d Arm Wi	ngback, N	No Arm Ca	ıp, Wood	leg				
	FAE3-UWB2NCW	3991	4196	4401	4813	5223	5635	6046	6456	7279
. Ψ										
	Three-seat Upholstered A	rm Wingb	oack, No A	Arm Cap, \	Wood leg					
	FAE3-UW3NCW	4735	5021	5306	5876	6448	7019	7591	8160	9305
	Three-seat Plus Upholster	red Arm V	Vingback.	No Arm C	Cap, Woo	d leg				
	FAE3-UWB3NCW	4874	5160	5444	6016	6586	7158	7730	8300	9442


ORDERING NOTES: Faeron upholstered chairs can be specified with Solid Surface Arm Caps (SC), or Wood Arm Caps (WC), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on page 254. To specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel.


Line	Series	Chair Type	Siz	:e	Arm Cap	Leg Type
FAE Faeron	3-U Upholstered Arm Lounge Seating	W Wingback	1 One-Seat	B1 One-Seat Plus	NC No Cap	W Beech Wood Leg
			1+ One-Seat Wide	B1+ One-Seat Wide Plus	WC Wood Arm Cap	Silver Metallic
			2 Two-Seat	B2 Two-Seat Plus	SC Solid Surface Cap	N Brushed Nickel
			3	B3		
			Three-Seat	Three-Seat Plus		

SUTTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS







PRE-CONSUMER
RECYCLED CONTENT = 8.09%

POST-CONSUMER RECYCLED CONTENT = 15.29%

Up to 23.38% of Sutton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Sutton products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SUTTON

			COM		COL	FAB	RIC GRAD	ES	ı	EATHER	
DESCRIPTION/M	ODEL/FINISH	IES	1	2	3	4	5	6	7	8	9
	ONE-SEAT										
	SUT3-1-0-1	Cherry, Oak, Maple, Walnut, Anigre	2085	2273	2493	2829	3038	3268	3545	4233	5080
	SUT3-1-0-2		2282	2503	2746	3147	3379	3631	3941	4706	5584
	SUT3-1-1-1	Cherry, Oak, Maple, Walnut, Anigre	2217	2431	2665	3057	3279	3528	3827	4567	5420
	SUT3-1-1-2	Cherry, Oak, Maple, Walnut, Anigre	2639	2852	3058	3268	3479	3691	3896	4149	5000
	TWO-SEAT										
	SUT3-2-0-1	Cherry, Oak, Maple, Walnut, Anigre	2788	2956	3133	3348	3599	3847	4584	5203	6288
	SUT3-2-0-2		3101	3289	3484	3727	4001	4282	4809	5786	6902
•	SUT3-2-1-1	Cherry, Oak, Maple, Walnut, Anigre	3011	3192	3382	3618	3885	4155	4664	5617	6703
	SUT3-2-1-2	Cherry, Oak, Maple, Walnut, Anigre	3429	3644	3865	4131	4399	4665	4932	5279	6358
	THREE-SEAT	Т									
	SUT3-3-0-1	Cherry, Oak, Maple, Walnut, Anigre	3783	3997	4233	4459	4685	4922	5173	6267	7781
	SUT3-3-0-2	-	4209	4447	4706	4959	5215	5472	5751	6970	8530
	SUT3-3-1-1	Cherry, Oak, Maple, Walnut, Anigre	4086	4318	4567	4815	5062	5315	5584	6769	8282
	SUT3-3-1-2	Cherry, Oak, Maple, Walnut, Anigre	4483	4826	5182	5613	6049	6482	6918	7416	8933

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SUT3101	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3102	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3111	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3112	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3201	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3202	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3211	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3212	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3301	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3302	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3311	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5
SUT3312	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5

PRODU Line	CT CODE KEY Series	Seat Count	Arm/Back Style	Base Style
SUT	3	1	0	1
Sutton	Soft Seating	One-Seat	Fully Upholstered Surround	Wood Base & Legs
		2	1	2
		Two-Seat	Wood Surround	Metal Base & Legs

3

Three-Seat

STANDARD FINISHES

Oak finishes on wood surround versions are applied on Rift Oak. For a complete list of standard wood finishes please see page 14.

METAL BASE OPTION

Metal base is available in Silver Metallic only. Note: Rift Oak surround can only be specified with a Silver Metallic base.

REMOVABLE UPHOLSTERED SEAT COVERS

Sutton Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$159 list per one-seater chair, \$318 list per two-seater chair and \$477 list per three-seater chair.


MOISTURE BARRIER & CAL 133

Moisture Barrier $\,\&$ CAL 133 is available for an upcharge of \$64 list per yard.

CARLYLE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 3.96%

POST-CONSUMER RECYCLED CONTENT = 14.38%

Up to 37.5% of Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

	CONTINUE TECTO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CARLYLE | LOUNGE

			COM		COL	FA	FABRIC GRADES			LEATHER		
DESCRIPTION/MO	DEL/FINISHES		1	2	3	4	5	6	7	8	9	
	ONE-SEAT CAR311	Cherry, Maple, Walnut, Anigre	3289	3395	3497	3706	3909	4118	4327	4707	5355	
	CAR312	Silver Metallic	3289	3395	3497	3706	3909	4118	4327	4707	5355	
	TWO-SEAT											
	CAR321	Cherry, Maple, Walnut, Anigre	4441	4596	4750	5010	5273	5531	5787	6352	7398	
	CAR322	Silver Metallic	4441	4596	4750	5010	5273	5531	5787	6352	7398	
	THREE-SEAT	Charry Manla	E000	6101	6066	6714	7064	7405	7755	0446	0741	
	CAR331	Cherry, Maple, Walnut, Anigre	5989	6181	6366	6714	7064	7405	7755	8446	9741	
	CAR332	Silver Metallic	5989	6181	6366	6714	7064	7405	7755	8446	9741	

DIMENSIONS & COM REQUIREMENTS

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR311	33	30	32	17.5	26	20	22	60	24	4.5
CAR312	33	30	32	17.5	26	20	22	60	24	4.5
CAR321	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR322	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR331	84	30	32	17.5	26	70.5	22	135	62	9.0
CAR332	84	30	32	17.5	26	70.5	22	135	62	9.0

ORDERING NOTES


Carlyle Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$159 list per one-seater chair, \$318 list per two-seater chair and \$477 list per three-seater chair.

PRODUCT COL	DE KEY Series	Seat Count	Base Style	STANDARD FINISHES For a complete list of standard wood finishes please see page 335.
CAR	3	1	1	
Carlyle	Soft Seating	One-Seat 2 Two-Seat	Wood Base & Legs 2 Metal Base & Legs	CARLYLE LOUNGE Carlyle is available in both wood base and Silver Metallic base versions. MOISTURE BARRIER & CAL 133 Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per
		Three-Seat		yard.

BRIO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 7.09%

POST-CONSUMER RECYCLED CONTENT = 9.43%

Up to 11.34% of Brio product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Brio products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Brio products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Brio and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

			COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTION/MODE	L	FINISHES	1	2	3	4	5	6	7	8	9
	ONE-SEAT 4100-1	Cherry, Maple, Walnut, Anigre	2085	2273	2493	2829	3038	3268	3545	4233	5080
	TWO-SEAT 4100-2	Cherry, Maple, Walnut, Anigre	2788	2956	3133	3348	3599	3847	4584	5203	6288
	THREE-SEA 4100-3	AT Cherry, Maple, Walnut, Anigre	3783	3997	4233	4459	4685	4922	5173	6267	7781

ORDERING NOTES

Brio Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$159 list per one-seater chair, \$318 list per two-seater chair, and \$477 list per three-seater chair.

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
4100-1	31.5	31.5	34	18	26	22.5	20.75	97	22	5.9
4100-2	54	31.5	34	18	26	45	20.75	120	41	7.5
4100-3	76	31.5	34	18	26	67.5	20.75	145	55	10.5

ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Color name and number

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

For a complete list of standard wood finishes please see page 335.

BRIO

Brio has fixed seat cushions.


MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per yard.

SLOANE | LEED CI CREDIT SUMMARY

LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.94%

POST-CONSUMER RECYCLED CONTENT = 15.22%

Up to 29.22% of Sloane product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION









level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sloane products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

All Sloane products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sloane and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	ABRIC GRA	ADES 6	7	LEATHER 8	9
	ONE-SEAT SLO3-10 SLO3-11	2639 2880	2852 3092	3058 3299	3268 3560	3479 3866	3691 3984	3896 4187	4149 4443	5000 5295
	TWO-SEAT SLO3-20 SLO3-21	3429 3862	3644 4077	3865 4295	4131 4610	4399 4886	4665 5141	4932 5419	5279 5755	6358 6836
	THREE-SEAT SLO3-30	4483	4826	5182	5613	6049	6482	6918	7416	8933
	SLO3-31	4915	5260	5614	6097	6532	6961	7403	7898	9413

DIMENSIONS & COM REQUIREMENTS

			Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SLO3-10	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-11	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-20	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-21	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-30	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5
SLO3-31	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5

ORDERING NOTES

Sloane Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$159 list per one-seater chair, \$318 list per two-seater chair and \$477 list per three-seater chair.

PRODUCT COL	DE KEY Series	Seat Count	Upholstery Style	SLOANE LEG FINISH Legs are available in metal with a Silver Metallic finish only, as shown.
SLO	3	1	0	
Sloane	Soft Seating	One-Seat 2 Two-Seat	Standard Upholstery 1 Top Stitching & Buttons	MOISTURE BARRIER & CAL 133 Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per yard.
		3 Three-Seat		

BENCHES


274 Tate280 Zola290 Carlyle

TATE BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 9.09%

POST-CONSUMER
RECYCLED CONTENT = 24.26%

Up to 26.97% of this Tate product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION BIFMA's e3 Furniture Su

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Tate Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Tate Bench products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Tate and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

TATE BENCHES | FEATURES & OPTIONS

STYLE

Tate Bench features three design styles; Fully Upholstered, Gable End and Table End.



Fully Upholstered



Gable End

Tate Bench gable ends are 2" wide x 20" deep x 6" high on standard depth units and 2" wide x 25" deep x 6" high on deep seat units



Table End

Tate Bench table ends are 10" wide \times 20" deep \times 6" high on standard depth units and 10" wide \times 25" deep \times 6" high on deep seat units.



LEGS

Tate Bench legs feature polished chrome structural steel legs with non-marring glides.

REPLACEABLE COMPONENTS

Tate Benches are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Gable ends, table ends and legs are field replaceable.

WEIGHT CAPACITIES

Tate Bench have the following maximum weight ratings: 2 seater - 975 lbs 3 seater - 1,200 lbs

OPTIONS

Removable Covers

Optional Removeable covers can be quickly installed on Tate Bench products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Tate Bench products that were not originally ordered with the Removable cover option, with some simple staple removal.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

DIMENSIONS & COM REQUIREMENTS

	Overall Length	Overall Depth	Overall Height	Seat Length	Shipping Weight	Cube	COM Yardage	
TAT5-2210	43	21	17	43	48	10.7	1.4	
TAT5-2260	43	26	17	43	57	13.2	1.6	
TAT5-3210	65	21	17	65	62	15.7	2.0	
TAT5-3260	65	26	17	65	74	19.4	2.3	
TAT5-2211	47	21	17	43	56	10.7	1.4	
TAT5-2261	47	26	17	43	65	13.2	1.6	
TAT5-3211	69	21	17	65	70	15.7	2.0	
TAT5-3261	69	26	17	65	82	19.4	2.3	
TAT5-2212	63	21	17	43	70	14.3	1.4	
TAT5-2262	63	26	17	43	83	17.7	1.6	
TAT5-3212	84.5	21	17	65	84	19.2	2.0	
TAT5-3262	84.5	26	17	65	100	23.8	2.3	

DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

TATE BENCHES | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak

Espresso Oak

MAPLE Clear Maple

Wheat Maple

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut

PALETTE FINISHES

Black White Sand Soft Green Steel Blue Slate

VENEERS

Tate Benches veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Tate can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Tate's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

ENDURAGUARD FINISH

Tate Benches features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

TATE BENCHES | FULLY UPHOLSTERED & GABLE END

			СОМ		COL		RIC GRA			LEATHE	
DESCRIPTION/MODEL		CIES	1	2	3	4	5	6	7	8	9
	Two-seat, 21", full TAT5-2210	y upholstered	992	1042	1088	1152	1228	1294	1370	1463	1558
	Two-seat, 26", full TAT5-2260	y upholstered	1107	1166	1227	1311	1409	1493	1589	1709	1832
	Three-seat, 21", fu TAT5-3210	ully upholstered	1193	1258	1327	1420	1527	1620	1728	1861	1995
	Three-seat, 26", fu TAT5-3260	ully upholstered	1315	1395	1478	1589	1717	1832	1959	2119	2281
	Two-seat, 21", gat TAT5-2211 Map	ole end ole, Oak, Laminate	1495	1538	1585	1645	1717	1780	1854	1941	2030
	Wal	nut, Palette	1572	1620	1667	1734	1809	1875	1951	2043	2136
		ole end ole, Oak, Laminate nut, Palette		1678 1769	1736 1828	1817 1913	1908 2010	1989 2092	2080	2195 2312	2310
	•	able end ole, Oak, Laminate nut, Palette		1746 1837	1809 1905	1898 1998	1999 2106	2089 2198	2192 2307	2319 2441	2447 2576
Tate Bench Option Upo	harges	\$ List							\$	List	
CAL 133 & Moisture Bari Two-seat, 21" - Remova Two-seat, 26" - Remove	ble Seat Covers	64 77 80			at, 21" - R at, 26" - R					97 101	
PRODUCT CODE KEY											
Line	Series	Seat Count		S	eat Depth		Arm S	ityle			
TAT Tate	5 Bench	2 Two-Seat			21"		0 Fully Upho				
		3 Three-Seat			26 26"		1 Gable				
		55 5040					2 Table				

TATE BENCHES | GABLE END & TABLE END

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHEI 8	R 9
DEGGIIII TIGIVINODEE	Three-seat, 2 TAT5-3261	26", gable end Maple, Oak, Laminate		1907	1984	2090	2212	2319	2443	2594	2746
		Walnut, Palette	1926	2007	2087	2198	2327	2441	2569	2734	2892
	Two-seat, 21										
	TAT5-2212	Maple, Oak, Laminate Walnut, Palette		20662174	2110 2221	2173 2287	2247 2364	2308 2431	2382 2505	2470 2597	2559 2692
	Two-seat, 26 TAT5-2262	", table end Maple, Oak, Laminate	2196	2254	2312	2390	2486	2564	2657	2770	2884
		Walnut, Palette	2313	2374	2433	2518	2614	2699	2795	2917	3037
	Three-seat (21", table end	2210	2274	2337	2427	2529	2618	2718	2848	2972
	TAT5-3212	Maple, Oak, Laminate Walnut, Palette		2391	2460	2554	2660	2756	2861	2996	3132
	Three-seat, 2 TAT5-3262	26", table end Maple, Oak, Laminate	2407	2481	2560	2665	2789	2894	3016	3167	3322
	2	Walnut, Palette	2532	2612	2694	2805	2934	3047	3175	3339	3497

Tate Bench Option Upcharges	\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	64	Three-seat, 21" - Removable Seat Covers	97	
Two-seat, 21" - Removable Seat Covers	77	Three-seat, 26" - Removable Seat Covers	101	
Two-seat, 26" - Removeable Seat Covers	80			

THODOOT CODE ILET					
Line	Series	Seat Count	Seat Style	Arm Style	
TAT Tate	5 Bench	2 Two-Seat	21"	0 Fully Upholstered	
		3	26	1	
		Three-Seat	26"	Gable End	
				2 Table End	

TATE BENCHES | REPLACEMENT COMPONENTS

		COM	1	COL	. FA	ABRIC	GRAD	ES I	EATH	ER		
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9	WEIGHT	CUBE
	Two-seat, 21" Replacement Seat TAT5-RS221	766	812	861	928	1002	1065	1141	1237	1331	34	4.5
	Two-seat, 26" Replacement Seat TAT5-RS226	832	883	937	1014	1096	1172	1260	1367	1477	43	5.5
	Three-seat, 21" Replacement Seat TAT5-RS321	961	1031	1096	1193	1298	1393	1440	1634	1769	52	6
	Three-seat, 26" Replacement Seat TAT5-RS326	104	51121	1201	1307	1431	1538	1663	1817	1970	74	7.3
	Two-seat, 21" Replacement Seat Covers TAT5-RSC221		350	397	460	537	602	678	771	868	5 5	1.0
	Two-seat, 26" Replacement Seat Covers TAT5-RSC226		382	434	511	596	670	757	866	973	6	1.2
	Three-seat, 21" Replacement Seat Cover TAT5-RSC321		458	527	620	729	821	929	1063	1198	3 7	1.5
	Three-seat, 26" Replacement Seat Cover TAT5-RSC326		501	580	687	809	916	1042	1197	1349	8	1.7
	Replacement Gable End 21" TAT5-RGE21 Maple, Oak, Laminat Walnut, Palette	e 365 437									4	.30
	Replacement Gable End 26" TAT5-RGE26 Maple, Oak, Laminat Walnut, Palette	e 409 515									5	.50
	Replacement Table End 21" TAT5-RTE21 Maple, Oak, Laminat Walnut, Palette	e 615 752									11	1.1
	Replacement Table End 26" TAT5-RTE26 Maple, Oak, Laminat Walnut, Palette	e 672 815									13	1.3
H	21" Replacement Legs TAT5-RL21	183									7	1.1
U.	26" Replacement Legs TAT5-RL26	199									9	1.5

ZOLA BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-Seat (Plus)	1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

DIMENSIONS

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes	
One-Seat	23	27	18.5	33	11.5	
Two-seat	46	27	18.5	55	21	
Three-seat	69	27	18.5	72	32	
One-Seat (Plus)	30	27	18.5	45	16	
Two-seat (Plus)	46	27	18.5	57	21	
Three-seat (Plus)	69	27	18.5	75	32	

COM YARDAGES

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-Seat (Plus)	1.85	3.7	5.6	7.4	
Two-seat (Plus)	1.85	3.7	5.6	7.4	
Three-seat (Plus)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Arms (Right or Left)	77	One-Seat standard depth seat	47
Interim Arm	61	Two-seat standard depth seat	68
One-Seat back	68	Three-seat standard depth seat	85
Two-seat back	97	One-Seat plus standard depth seat	61
Three-seat back	121	One-Seat full depth seat	52
One-Seat plus back	78	Two-seat full depth seat	74
		Three-seat full depth seat	85
		One-Seat plus full depth seat	67

ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH

		COM		COL	FAE	BRIC GRA	DES	LEATHER		
Two-Seat ZOL3 MS2S1		1	2	3	4	5	6	7	8	9
		871	916	963	1053	1139	1227	1314	1398	1535
		1098 Seat Plus F	1146 Bench is 30	1195	1289	1384	1480	1572	1668	1810
•	Oriberinta No real one o	Jour Fluo L	7011011110 00	o wide.						
		1218	1272	1330	1447	1566	1685	1803	1922	2118
"	Two-Seat Plus ZOL3 MSB2S1	1297	1359	1422	1540	1662	1778	1897	2017	2214
	ORDERING NOTES: The To	wo-Seat Pl	us comes	standard	with a fifth	leg for ex	tra suppoi	rt.		
	Three-Seat ZOL3 MS3S1	1558	1638	1715	1883	2048	2214	2381	2548	2748
	Three-Seat Plus ZOL3 MSB3S1	1852	1928	2010	2148	2294	2434	2579	2718	2946
	ORDERING NOTES: The T	hree-Seat	Plus come	es standar	d with a fif	th leg for e	extra supp	ort.		

ZOLA | MODULAR & MODULAR PLUS BENCH FULL DEPTH

		COM		COL	FAI	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9	
	One-Seat ZOL3 MS1F1	961	1011	1058	1121	1198	1263	1336	1431	1555	
	One-Seat Plus ZOL3 MSB1F1	1158	1222	1284	1371	1467	1557	1657	1778	1905	
	ORDERING NOTES: One-Seat Plus Bench is 30" wide.										
	Two-Seat ZOL3 MS2F1	1420	1482	1545	1632	1730	1817	1918	2040	2166	
	Two-Seat Plus ZOL3 MSB2F1	1474	1536	1597	1685	1781	1870	1968	2238	2218	
	ORDERING NOTES: The	Two-Seat P	lus comes	standard	with a fifth	leg for ex	tra suppoi	rt.			
	Three-Seat ZOL3 MS3F1 Three-Seat Plus ZOL3 MSB3F1	1921 1988	2016 2085	2108 2176	2236 2310	2388 2460	2522 2591	2671 2742	2859 2928	3047 3117	

ORDERING NOTES: Zola Bench Seating is available with 4 casters, for an upcharge of \$107 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of \$77 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options.

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	S Standard Depth	1 Standard Leg &
2014	Soft Seating	Modular	One Seat	Standard Deptil	Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs & 2 Casters

DIMENSIONS STANDARD DEPTH (INSIDE/OUTSIDE)

	Overall	Overall	Seat	Seat	Shipping		
	Width	Depth	Height	Depth	Weight	Cubes	
Single seat							
30°	34	24	18.5	22.5	48	18	
45°	39	24.5	18.5	22.5	49	19	
60°	43.5	25	18.5	22.5	50	22	
90°	52	26.5	18.5	22.5	51	26	
Double seat							
30°	55.5	25	18.5	22.5	83	32	
45°	61	26.5	18.5	22.5	84	33	
60°	66.5	28	18.5	22.5	86	39	
90°	74	31	18.5	22.5	96	46	

COM YARDAGES

OOM TANDAGES	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	per Seat	2 Seats	3 Seats	4 Seats	
Single seat					
30°	1.8	3.6	5.4	7.2	
45°	1.8	3.6	5.4	7.2	
60°	1.8	3.6	5.4	7.2	
90°	1.8	3.6	5.4	7.2	
Double seat					
30°	3.4	6.8	10.2	13.6	
45°	3.4	6.8	10.2	13.6	
60°	3.4	6.8	10.2	13.6	
90°	3.4	6.8	10.2	13.6	


SINGLE SEAT








45° Curve



60° Curve




90° Curve


DOUBLE SEAT




30° Curve



45° Curve



60° Curve



UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	126

DIMENSIONS FULL DEPTH (INSIDE/OUTSIDE)

	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
<u> </u>	777.00.	200		200			
Single seat							
30°	36	28.5	18.5	27	50	23	
45°	42	28.5	18.5	27	54	24	
60°	48	29	18.5	27	57	29	
90°	59	31	18.5	27	69	34	
Double seat							
30°	58	30	18.5	27	90	36	
45°	64	31	18.5	27	97.2	40	
60°	70	33	18.5	27	102.6	45	
90°	81	36	18.5	27	124.2	56	

COM Yardages

OOM Tardages					
	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat					
30°	1.94	3.88	5.82	7.76	
45°	1.94	3.88	5.82	7.76	
60°	1.94	3.88	5.82	7.76	
90°	1.94	3.88	5.82	7.76	
Double seat					
30°	3.7	7.4	11.1	14.8	
45°	3.7	7.4	11.1	14.8	
60°	3.7	7.4	11.1	14.8	
90°	3.7	7.4	11.1	14.8	

SINGLE SEAT




30° Curve



45° Curve




60° Curve





90° Curve

DOUBLE SEAT









UPCHARGE FOR REMOVABLE UPHOLSTERY COVERS

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	61	Double-seat curve 30° seat	93
Single-seat curve 45° seat	64	Double-seat curve 45° seat	101
Single-seat curve 60° seat	86	Double-seat curve 60° seat	123
Single-seat curve 90° seat	113	Double-seat curve 90° seat	126

		COM		COL	FAB	ABRIC GRADES LEATHER		ł		
DESCRIPTION/MODE	EL	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Curve, Stan ZOL3 MCS30DS1	dard Deptl 1251	h 1361	1478	1634	1813	1970	2149	2378	2602
	Single-Seat, 45° Curve, Stan ZOL3 MCS45DS1	dard Deptl 1361	h 1528	1691	1922	2186	2415	2678	3008	3336
	Single-Seat, 60° Curve, Stand ZOL3 MCS60DS1	dard Deptl 1539	h 1705	1869	2100	2360	2591	2854	3184	3513
	Single-Seat, 90° Curve, Stan ZOL3 MCS90DS1	dard Deptl 1776	n 1956	2136	2390	2681	2934	3222	3587	3949
	Single-Seat, 30° Curve, Full I ZOL3 MCS30DF1	Depth 1376	1499	1623	1797	1995	2168	2368	2613	2861
	Single-Seat, 45° Curve, Full I ZOL3 MCS45DF1	Depth 1501	1680	1861	2113	2405	2657	2946	3307	3669
	Single-Seat, 60° Curve, Full I ZOL3 MCS60DF1	Depth 1693	1875	2056	2308	2596	2851	3138	3501	3864
	Single-Seat, 90° Curve, Full I ZOL3 MCS90DF1	Depth 1954	2149	2352	2631	2948	3229	3545	3946	4343

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE K	EY					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular MCB Modular Plus	S Single D Double	30D 30 Degree 45D 45 Degree 60D 60 Degree	S Standard F Full	1 Standard Leg + Glide
				90 Degree		

		COM		COL	FAE	BRIC GRA	DES	LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, St ZOL3 MCD30DS1	andard De 2190	pth 2385	2584	2858	3173	3452	3766	4160	4555
	Double-Seat, 45° Curve, St ZOL3 MCD45DS1	andard De 2385	pth 2672	2959	3363	3820	4223	4684	5259	5834
	Double-Seat, 60° Curve, St ZOL3 MCD60DS1	andard De 2694	pth 2983	3269	3671	4131	4533	4994	5569	6142
	Double-Seat, 90° Curve, St ZOL3 MCD90DS1	andard De 3105	pth 3424	3740	4184	4691	5135	5640	6273	6909

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	93
Double-seat curve 45° seat	101
Double-seat curve 60° seat	123
Double-seat curve 90° seat	127

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular MCB Modular	Single D Double	30D 30 Degree 45D 45 Degree	S Standard F Full	1 Standard Leg + Glide
		Plus	2002.0	60D 60 Degree	. 4	
				90D 90 Degree		

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Ful ZOL3 MCD30DF1	I Depth 2516	2742	2969	3287	3648	3966	4331	4784	5236
	Double-Seat, 45° Curve, Ful ZOL3 MCD45DF1	I Depth 2742	3073	3403	3866	4395	4859	5388	6048	6709
	Double-Seat, 60° Curve, Ful ZOL3 MCD60DF1	Depth 3099	3429	3760	4221	4752	5214	5742	6405	7066
	Double-Seat, 90° Curve, Ful ZOL3 MCD90DF1	I Depth 3573	3935	4297	4812	5393	5904	6486	7215	7945

Upcharge for Removable Upholstery Covers:

Option	\$ List
Double-seat curve 30° seat	93
Double-seat curve 45° seat	101
Double-seat curve 60° seat	123
Double-seat curve 90° seat	127

ORDERING NOTES: Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

ZOLA | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS

		COM		COL	FAE	BRIC GR	ADES	l	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Back Sir ZOL3 RMCBIS30D ZOL3 RMCBIS45D ZOL3 RMCBIS60D ZOL3 RMCBIS90D	1168 1355 1647 1841	1247 1443	1330 1533 1893	1443 1659 2064 2272	1569 1801 2257 2476	1686 1924 2431 2652	1815 2066 2628 2854	1977 2244 2870 3109	2136 2423 3113 3363	2.6 2.6	20 22 23 28	8 8 10 11
	Replacement Back Do ZOL3 RMCBID30D ZOL3 RMCBID45D ZOL3 RMCBID60D ZOL3 RMCBID90D	uble-se 2042 2369 2884 3220	2185 2524 3099	2324	2524 2898 3610 3975	2747 3147 3954 4331	2947 3367 4252 4641	3172 3617 4595 4995	3456 3929 5022 5440	3739 4239 5448 5884	3 4.8	38 42 43 52.5	13 13.5 16 18
	Replacement Back Sir ZOL3 RMCBOS30D ZOL3 RMCBOS45D ZOL3 RMCBOS60D ZOL3 RMCBOS90D	-	1122	1197 1380 1704	re 1298 1492 1858 2045	1415 1620 2033 2228	1515 1732 2190 2386	1633 1861 2361 2569	1778 2020 2584 2798	1923 2182 2803 3028	1.7 1.7	15 17 20 25	5.0 7.0 9.0 9.0
	Replacement Back Do ZOL3 RMCBOD30D ZOL3 RMCBOD45D ZOL3 RMCBOD60D ZOL3 RMCBOD90D	uble-sea 1839 2133 2596 2898	1965 2272 2789	2092		2473 2833 3559 3896	2652 3030 3827 4177	2857 3252 4133 4498	3111 3535 4520 4897	3366 3816 4903 5295	3.1 3.1	30 34 35 40	9.0 11.0 14.0 14.0
	Replacement Seat Sing ZOL3 RMCSS30DS ZOL3 RMCSS45DS ZOL3 RMCSS60DS ZOL3 RMCSS90DS	-	1258 1421 1598		1529 1816 1993	1708 2080	1866 2312 2487 2794	2046 2570 2747 3082	2272 2902 3077 3446	2496 3231 3408 3809	1.8 1.8	30 32 34 41	11 12 13 16
	Replacement Seat Dou ZOL3 RMCSD30DS ZOL3 RMCSD45DS ZOL3 RMCSD60DS ZOL3 RMCSD90DS		2280 2567 2878	2478	epth Cu 2751 3257 3565 4042	3069 3714 4027	3344 4118 4427 4994	3662 4579 4888 5502	4057 5605 5464 6136	4449 5727 6039 6767	3.4 3.4	52.2 56 60 72	19.5 21 23 28
	Replacement Seat Sing ZOL3 RMCSS30DF ZOL3 RMCSS45DF ZOL3 RMCSS60DF ZOL3 RMCSS90DF	1270 1394 1589	1393 1573 1771	1518	1691 2010 2202	1890 2298 2492 2807	2063 2552 2744 3090	2263 2839 3035 3405	2507 3202 3397 3804	2757 3563 3759 4205	1.94 1.94	36 39 41 49	13.5 14.5 15.5 19
	Replacement Seat Dot ZOL3 RMCSD30DF ZOL3 RMCSD45DF ZOL3 RMCSD60DF ZOL3 RMCSD90DF	2410	2637 2968 3322	Depth C 2863 3297 3654 4160	3182 3761	4289 4645	4754 5109	4223 5281 5636 6347	4678 5941 6297 7074	5131 6603 6960 7806	3.7 3.7	63 69 72 86	24 25.5 27 33.5
	Replacement Seat Cov ZOL3 RMCBSCS30DS ZOL3 RMCBSCS45DS ZOL3 RMCBSCS60DS ZOL3 RMCBSCS90DS	223 229 265	le-seat 279 286 321 345	Standa 337 344 380 404	416 424 458 483	510 516 512 573	590 597 632 655	680 689 725 746	796 805 840 864	912 917 955 978	1.8 1.8	2.5 3.1 3.7 4.3	1 1 1.5 1.5
	Replacement Seat Cov ZOL3 RMCBSCD30DS ZOL3 RMCBSCD45DS ZOL3 RMCBSCD60DS ZOL3 RMCBSCD90DS	388 394 446	50e-sea 494 507 556 571	t Stand 603 614 664 679	ard De 757 765 815 833	930 939 988	1083 1090	1257 1265 1314 1333	1474 1482 1533 1551	1691 1698 1748 1768	3.4 3.4	4.8 5.9 7.0 8.2	1.5 1.5 2.5 2.5

ZOLA | MODULAR CURVE - REPLACEMENT COMPONENTS

		COM		COL	FABF	RIC GRA	ADES	L	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	ver Sing	le-seat	Full De	pth Cu	ırve							
	ZOL3 RMCBSCS30DF	246	312	380	470	571	665	768	898	1030	1.94	2.9	1
	ZOL3 RMCBSCS45DF	256	320	386	478	582	672	778	906	1036	1.94	3.6	1
	ZOL3 RMCBSCS60DF	295	359	424	515	620	710	812	943	1073	1.94	4.3	1.5
	ZOL3 RMCBSCS90DF	= 313	380	444	536	640	730	835	962	1094	1.94	4.9	1.5
	Replacement Seat Co	ver Dou	ble-sea	ıt Full D	epth C	urve							
	ZOL3 RMCBSCD30DI	433	557	680	853	1054	1228	1423	1672	1922	3.7	5.5	1.5
	ZOL3 RMCBSCD45DI	441	565	689	865	1062	1236	1434	1683	1929	3.7	6.8	1.5
	ZOL3 RMCBSCD60DI	493	619	743	915	1116	1289	1487	1735	1984	3.7	8.1	2.5
	ZOL3 RMCBSCD90DI	= 530	654	778	952	1147	1320	1522	1771	2017	3.7	9.4	2.5

CARLYLE BENCH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 15%

POST-CONSUMER RECYCLED CONTENT = 17.97%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CARLYLE BENCH

DECODIDETION /MODEL		СОМ	0	COL		BRIC GRA		7	LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	TWO-SEAT CAR5-2-0	1713	1798	1884	1971	2063	2157	2249	2369	2541
	TWO-SEAT - BUTTON DET	TAILING								
	CAR5-2-1	2209	2294	2381	2465	2559	2649	2743	2861	3037
	THREE-SEAT CAR5-3-0	2253	2377	2493	2612	2734	2852	2972	3117	3503
	TUDES OF AT PUTTON D	SETALLING								
	THREE-SEAT - BUTTON D CAR5-3-1	3017	3140	3257	3378	3497	3614	3738	3881	4267

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR5-2-0	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-2-1	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-3-0	81	26.5	17.5	-	-	-	-	110	25	3.6
CAR5-3-1	81	26.5	17.5	-	-	-	-	110	25	3.6

and Buttons

PRODUCT CODE	E KEY Series	Seat Count	Upholstery Style
CAR	5	2	0
Carlyle	Bench	Two-Seat	Upholstery Standard
		3	1
		Three-Seat	Top Stitching

CARLYLE

Base is available in Silver Metallic only.

MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of \$64 list per yard.

OCCASIONAL TABLES


293 Chit Chat 296 Avatar 298 Karma 303 Cressida 306 Leyton 308 Faeron Wood 310 Faeron Metal 312 Zola 317 Sutton 319 Virtu 321 Millennium 323 Prado 325 Carlyle

CHIT CHAT | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Chit Chat products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Chit Chat products are supplied with air-emissions certified. Contact customer service for information.




FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Chit Chat and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CHIT CHAT | PRODUCT FEATURES & OPTIONS


TOP SHAPE & GRAIN DIRECTION



EDGE PROFILES



BASES



SOLID SURFACE

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

DIMENSIONS

Model	Width	Depth	Height	Shipping Weight	Cubes	
Occasional						
Square Table -Rounded Corne	ers					
7261242416	24	24	16	35	10.25	
7261303016	30	30	16	40	15	
7261363616	36	36	16	47	20.5	
Rectangular Table -Rounded	Corners					
7261233016	23	30	16	37	12.5	
7261243016	24	30	16	37	12.5	
7261463016	45.75	30	16	54	21.75	
7261483016	48	30	16	75	22.75	
7261693016	68.75	30	16	91	31.5	
7261723016	72	30	16	107	32.75	
Round Table						
72052416	24D		16	35	10.25	
72053016	30D		16	40	15	
72053616	36D		16	57	20.5	

CHIT CHAT | OCCASIONAL

DESCRIPTION/MODEL	-	Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Base 7261242416SQ 7261303016SQ 7261363616SQ	868 937 1068	1041 1124 1284	1380 1569 2060	1465 1671 2201	1570 1835 2449	1731 2058 2778
Rectangular Table, -Rounded Corners	Square Plate Base 7261233016SQ 7261243016SQ 7261463016SQ 7261483016SQ 7261693016SQ 7261723016SQ	885 885 1386 1416 1535 1570	1062 1062 1663 1699 1841 1884	1458 1458 2377 2458 3157 3274	1551 1551 2522 2609 3370 3501	1672 1672 2778 2878 3741 3890	1856 1856 3114 3231 4231 4404
	Round Disc Base 7261233016DB 7261243016DB 7261463016DB 7261483016DB 7261693016DB 7261723016DB ORDERING NOTES: Rectangular Chit Cha (68.75) coordinate witl	,	,	•		1640 1640 2712 2810 3672 3822 note table sizes 2	1821 1821 3047 3163 4163 4337
Round Table	Round Disc Base 72052416DB 72053016DB 72053616DB	834 900 1042	1002 1081 1251	1320 1507 1999	1405 1609 2136	1530 1802 2312	1705 2033 2434
Model		Price				Shipping Weight	t Cubes
Square Plate Base	72541815 72542415 ORDERING NOTES: A single 18" base can	344 404 be used with to	ops up to a	a maximum of 30	inches.	37 58	1.1 1.4
	70141015						

A single 18" base ca

72141815

72142415

ORDERING NOTES:

A single 18" base can be used with tops up to a maximum of 30 inches.

309

380

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select top material
- 3. Select a color for top
- 4. Select base finish

Round Disc Base

5. Select edge profile

BASE FINISH

Round Disc Base, Brushed Stainless- DB-13 Square Plate Base, Brushed Stainless- SQ-13 Round Disc Base, White- DB-44 Square Plate Base, White- SQ-44

Round Disc Base, Matte Black- DB-14

Square Plate Base, Matte Black- SQ-14

MATERIALS & FINISHES

For a complete list of Solid Surface colors please see page 336. Solid Surface is only available in the D Radius edge profile.

37

1.1

1.4


For a complete list of Laminate colors please see page 336..

AVATAR | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 48.95%

POST-CONSUMER
RECYCLED CONTENT = 20.26%

Up to 61.05% of this Avatar product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



AVATAR | TABLES

Description	Model	Rift Oak	W	D	Н	WEIGHT	CUBE
天	Square AVA4-S181817 AVA4-S222217	1148 1240	18 22	18 22	17 17	24 29	6.6 9
	Rectangular AVA4-R442217	2011	44	22	17	53	16
2	Round AVA4-R18D17 AVA4-R22D17	1146 1232	18 22	18 22	17 17	23 27	6.6
	Elliptical AVA4-E442217	2006	44	22	17	53	16

AVATAR | VENEERS & FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Rift Oak

Light Oak
Harvest Oak
SilverGrey on Oak
Mahogany Oak
Medium Cherry on Oak
Mellow Oak
Walnut on Oak
Espresso on Oak

VENEERS

Avatar veneers are rift cut White Oak, which provides a straight grain appearance.

NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Avatar can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Avatar's standard offering.

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

CUSTOM WOOD FINISHES

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.


FINISH

Avatar features the Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

KARMA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 29.17%

POST-CONSUMER RECYCLED CONTENT = 42.67%

Up to 46.67% of this Karma product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



KARMA | FREE STANDING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ Polymer Edge	W	D	Н	Weight	Cube
	Square & Rectangular Tables, I	Matte Black o	r Silver Metalli	n lans					
	KAR4C 18-18-18	746	904	601	17.5	17.5	17.5	15	2.6
	KAR4C 22-18-18	783	929	618	22		17.5	16.5	2.6
	KAR4C 42-18-18	1177	1458	1042	42		17.5	24.5	4.6
	KAR4C 18-18-21	763	915	618	17.5	17.5	21	17	3
ш	KAR4C 22-18-21	799	942	632	22	17.5	21	18.5	3
	KAR4C 42-18-21	1193	1474	1056	42	17.5	21	26.5	4.6
	Square & Rectangular Tables, I	Polished Chro	ome leas						
	KAR4C 18-18-18	882	1036	735	17.5	17.5	17.5	15	2.6
	KAR4C 22-18-18	917	1062	751	22	17.5	17.5	16.5	2.6
	KAR4C 42-18-18	1310	1195	1173	42	17.5	17.5	24.5	4.6
	KAR4C 18-18-21	912	1064	765	17.5	17.5	21	17	3
	KAR4C 22-18-21	949	1092	781	22	17.5	21	16.5	2.6
	KAR4C 42-18-21	1341	1401	1203	42	17.5	21	24.5	4.6
	ORDERING NOTE: For leg fir C for Polished Chrome	nish add to t	he end of the I	model number; B	for Matte Blac	k, S f	or Silv	er Metal	lic and
	Round Tables, Matte Black or S	Silver Metallic	elegs						
	KAR4C 24D-18	927	1265	725	24	-	17.5	19	3.5
	KAR4C 36D-18	1267	1425	796	36	-	17.5	31	7.3
	KAR4C 24D-21	940	1281	740	24	_	21	21	3.5
U U U	KAR4C 36D-21	1282	1440	810	36	-	21	33	7.3
	Round Tables, Polished Chrom	e legs							
	KAR4C 24D-18	1061	1398	857	24	-	17.5	19	3.5
	KAR4C 36D-18	1439	1597	968	36	-	17.5	31	7.3
	KAR4C 24D-21	1089	1429	889	24	_	21	21	3.5
	KAR4C 36D-21	1467	1629	999	36	-	21	33	7.3

ORDERING NOTE: For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome

KARMA | LINKING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	W	D	Н	Weight	Cube
	Square Straight Linking Table, N	Matte Black o	r Silver Metallid	c, Left or Right handed (Same d	irection	n seati	ing)	
	KAR4C-LKII-18-18	722	877	576	17.5	17.5	-	15	2.5
	Square Straight Linking Table, N				(Oppo	sed sea	ating)		
	KAR4C-LKIL-18-18	722	877	576	17.5	17.5	-	15	2.5
	Square Straight Linking Table, N						eating		
	KAR4C-LKIR-18-18	722	877	576	17.5	17.5	-	15	2.5
	Square Straight Linking Table, F	Polished Chro	me, Left or Rig	ht handed (Same directi	on sea	ting)			
	KAR4C-LKII-18-18	882	1036	735	17.5	17.5	-	15	2.5
	Square Straight Linking Table, F	Polished Chro	me, Left hande	ed as seated (Opposed s	eating)				
	KAR4C-LKIL-18-18	882	1036	735	17.5	17.5	-	15	2.5
	Square Straight Linking Table, F	Polished Chro	me, Right hand		seating	g)			
	KAR4C-LKIR-18-18	882	1036	735	17.5	17.5	-	15	2.5
	Square Straight Linking End Tal	ole. Matte Bla	ck or Silver Me	etallic legs. Left handed	as seat	ed			
*	KAR4C-LKEL-18-18*	732	886	586		17.5	17.5	15	2.5
1	Square Straight Linking End Tal	ole, Matte Bla	ick or Silver Me	etallic legs, Right handed	as sea	ated			
	KAR4C-LKER-18-18	732	886	586	17.5	17.5	17.5	15	2.5
Ш	Square Straight Linking End Tal	ole. Polished	Chrome leas. L	eft handed as seated					
	KAR4C-LKEL-18-18*	895	1052	751	17.5	17.5	17.5	15	2.5
	Square Straight Linking End Tal	ole, Polished	Chrome legs, F	Right handed as seated					
	KAR4C-LKER-18-18	895	1052	751	17.5	17.5	17.5	15	2.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 302 for suggested configurations.

KARMA | LINKING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/ PVC					
Description	Model	Palette	Edge	Edge	W	D	Н	Weight	
•	Rectangular Straight Linking KAR4C-LKII-22-18	Table, Matte Bla 761	ack or Silver 905	Metallic, Left or Rig 591	ht handed (Sa 22	ame dire 17.5	ection -	seating) 16.5	2.8
	Rectangular Straight Linking KAR4C-LKIL-22-18				ed as seated (ed sea		2.8
	Rectangular Straight Linking KAR4C-LKIR-22-18	Table, Matte Bla 761	ack or Silver 905	Metallic, Right hand 591		l (Oppos 17.5	sed se	eating) 16.5	2.8
	Rectangular Straight Linking KAR4C-LKII-22-18	919	1063	751	22	17.5	ng) -	16.5	2.8
	Rectangular Straight Linking KAR4C-LKIL-22-18	919	1063	751	22	17.5	-	16.5	2.8
	Rectangular Straight Linking KAR4C-LKIR-22-18	Table, Polished 919	Chrome, Rig 1063	ht handed as seate 751		seating) 17.5	-	16.5	2.8
*	Rectangular Straight Linking KAR4C-LKEL-22-18*	End Table, Matt 768	e Black or S 913	lver Metallic, Left h 601		ted (Op	•	d seating)	2.8
	Rectangular Straight Linking KAR4C-LKER-22-18	End Table, Matt 768	e Black or S 913	lver Metallic, Right 601	handed as se	eated (O 17.5		ed seatin 16.5	g) 2.8
Ü	Rectangular Straight Linking KAR4C-LKEL-22-18*	End Table, Polis 932	shed Chrome 1074	, Left handed as se 765		ed seatir 17.5		16.5	2.8
	Rectangular Straight Linking KAR4C-LKER-22-18	End Table, Polis 932	shed Chrome 1074	, Right handed as s 765		sed sea		16.5	2.8
	Curvilinear Connector Table 4 KAR4C-LKCI-RF45	5°, Matte Black	or Silver Me	tallic, Left or Right 824	handed (Sam	ne direct	ion, i i	nward se	eating)
	Curvilinear Connector Table 44 KAR4C-LKCO-RF45						n, out -		
	Curvilinear Connector Table 4 KAR4C-LKCL-RF45	5°, Matte Black 1039	or Silver Me 1514	tallic, Left handed 824	as seated (O p 28	posed 24	seatir	ng) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RF45	5°, Matte Black 1039	or Silver Me 1514	tallic, Right handed 824	d as seated (C 28	Opposed 24	d sea	ting) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCI-RF45	1198	1533	984	28	24	-	19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCO-RF45	1198	1533	984	28	24	d sea -	ting) 19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCL-RF45	1198	1533	984	28	24	-	19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RF45					24	-	19	4.2
	Curvilinear Connector Table 4	5° Matte Black	or Silver Me	tallic,with Flat edge	, Left or Right	handed	d (Sar	me direct	ion,
	KAR4C-LKCI-RR45	1073	1559	865	28	24	-	19	4.2
	Curvilinear Connector Table 45 outward seating)	5° Matte Black o	or Silver Meta	allic, with Flat edge,	Left or Right I	nanded	(Same	e directior	٦,
	KAR4C-LKCO-RR45	1073	1559	865	28	24	-	19	4.2
	Curvilinear Connector Table 45			_					
	KAR4C-LKCL-RR45 Curvilinear Connector Table 49 KAR4C-LKCR-RR45	1073 5° Matte Black o 1073	1559 or Silver Meta 1559	865 Ilic, with Flat edge, 865	28 Right handed 28	24 as seate 24	- ed (O ; -	19 oposed s 19	4.2 eating) 4.2
	Curvilinear Connector Table 45 KAR4C-LKCI-RR45			edge, Left or Right h	anded (Same	direction 24	n, inw a	ard seatin	g) 4.2
	Curvilinear Connector Table 45° KAR4C-LKCO-RR45						outw		
	Curvilinear Connector Table 4 KAR4C-LKCL-RR45	1232	1717	1022	28	24	-	19	4.2
	Curvilinear Connector Table 4 KAR4C-LKCR-RR45	5° Polished Ch 1232	rome, with F 1717	at edge, Right hand 1022	ded as seated 28	24	sed s	eating) 19	4.2


ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 302 for suggested configurations.

KARMA | LINKING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/ PVC					
Description	Model	Palette	Edge	Edge	W	D	Н	Weight	Cube
	Curvilinear Connector Table 90	•			•		ion, i		Ο,
	KAR4C-LKCI-RR90 Curvilinear Connector Table 90°	1351 Matte Blac	1959 k or Silver Me	1084 tallic Left or Right h	38 anded (Same)	24 direction	- n o ur	22 tward sa	5.5
	KAR4C-LKCO-RR90	1351	1959	1084	38	24	- -	22	5.5
	Curvilinear Connector Table 90	°, Matte Bla	ck or Silver Me	etallic, Left handed a	as seated (Opp	osed s	seatir	ng)	
	KAR4C-LKCL-RR90	1351	1959	1084	38	24		. 22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCR-RR90	^o , Matte Bla 1351	ck or Silver Mi 1959	etallic, Right handed 1084	as seated (O) 38	oposed 24	seat	ing) 22	5.5
	Curvilinear Connector Table 90	•		,			seati	0,	
	KAR4C-LKCI-RR90	1510 • Polished (2118	1243	38	24	- d oor	22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCO-RR90	1510	2118	or Right handed (Sa 1243	ine direction, (38	24	u sea	22	5.5
	Curvilinear Connector Table 90								0.0
	KAR4C-LKCL-RR90	1510	2118	1243	38	24	-	22	5.5
	Curvilinear Connector Table 90	*	, ,		· • •	٥,		00	
	KAR4C-LKCR-RR90	1510	2118	1243	38	24	-	22	5.5
	Curvilinear Connector Table 90 inward seating)	o with Matte	e Black or Silv	ver Metallic, Flat ed	lge, Left or Riç	 jht hand	ded (Same di	rection,
P P	KAR4C-LKCI-RF90	1273	2018	1117	38	24	-	22	5.5
	Curvilinear Connector Table 90)°, Matte Bla	ck or Silver M	etallic, with Flat ed	lge, Left or Rig	jht hand	ded (Same di	rection,
	outward seating)								
	KAR4C-LKCO-RF90	1273	2018	1117	38	24	-	22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCL-RF90	7, ινιαπе Βιας 1273	k or Silver ivie 2018	tallic, with Flat edge	e, Leπ nanded a 38	as seate 24	;a (∪	pposea 22	seating) 5.5
	Curvilinear Connector Table 90°,						ed (Or		
	KAR4C-LKCR-RF90	1273	2018	1117	38	24	-	22	5.5
	Curvilinear Connector Table 90°	Polished Cl	nrome, with Fl	at edge, Left or Righ	nt handed (Sam	ne direc	tion,	inward s	seating)
	KAR4C-LKCI-RF90	1552	2174	1275	38	24	-	22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCO-RF90	1552	2174	1275	38	24	-	22	seating) 5.5
	Curvilinear Connector Table 90 KAR4C-LKCL-RF90	° Polished C 1552	throme, with the 2174	lat edge, Left hand 1275	ed as seated (38	Oppose 24	ed se	eating) 22	5.5
	Curvilinear Connector Table 90						- sed s		5.5
	KAR4C-LKCR-RF90	1552	2174	1275	38	24	-	22	5.5
	Rectilinear Corner Connector T direction, inward seating)	able 90° Ma	tte Black or S	ilver Metallic, with Fl	lat edge, Left o	or Right	hand	ded (San	ne
	KAR4C-LKCI-SF90	1512	2192	1212	30	30	_	26	5.5
	Rectilinear Connector Table 90						- d (Sai		
•	outward seating) KAR4C-LKCO-SF90	1512	2192	1212	30	30	. (Oui	26	5.5
	Rectilinear Connector Table 90°						d (Or		
	KAR4C-LKCL-SF90	1512	2192	1212	30	30	-	26	5.5
	Rectilinear Connector Table 90°			allic, with Flat edge, F	Right handed a	s seate	d (O r	posed	seating)
	KAR4C-LKCR-SF90	1512	2192	1212	30	30	-	26	5.5
	Rectilinear Corner Connector T ward seating)	able 90° Po	lished Chrome	e, with Flat edge, Le	eft or Right han	ded (Sa	ame (direction	, in-
	KAR4C-LKCI-SF90	1735	2415	1437	30	30	-	26	5.5
	Rectilinear Connector Table 90° KAR4C-LKCO-SF90	1735	2415	1437	30	30	-	26	seating) 5.5
	Rectilinear Connector Table 90 KAR4C-LKCL-SF90	°, Polished (1735	Chrome, with 2415	Flat edge Left hande 1437	ed as seated (30	Oppose 30	ed se	eating) 26	5.5
	Rectilinear Connector Table 90 KAR4C-LKCR-SF90	° Polished C 1735	Chrome, with F 2415	Flat edge, Right han 1437	ded as seated 30		sed s		5.5

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 302 for suggested configurations.

KARMA | LINKING TABLES CONFIGURATIONS




ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

CRESSIDA | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:




PRE-CONSUMER RECYCLED CONTENT - 36.34%

POST-CONSUMER RECYCLED CONTENT - 26.4%

Up to 31.25% of this Cressida product is recyclable at the end of its useful life.



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 30.77%

POST-CONSUMER RECYCLED CONTENT - 25.68%

Up to 27.88% of this Cressida product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



CRESSIDA | TABLE FEATURES

ANTI-MICROBIAL FINISH

Cressida wood surfaces include an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 335. Cressida tables are available in 22 standard finishes.

LAMINATE

Cressida Box-style tables are available in laminate with wood side or laminate side. See page 336 for laminate information.

SOLID SURFACE

Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote.


CRESSIDA | BOX-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	H W	/EIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	1179 1458	1227 1515	1224 1508	1271 1567	18 24		15.75 15.75	24 34	3 5
	Rectangular Table CRE4A 241816 CRE4A 482416	es 1295 2085	1347 2167	1338 2158	1393 2241	24 48		15.75 15.75	28 56	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	973 1187 2079	1012 1236 2163	1003 1338 2272	1044 1393 2361	18 24 30	- - -	15.75 15.75 15.75	16 23 34	3 5 8
	Rectangular Rour CRE4 B181816 CRE4 B241816 CRE4 B242416 CRE4 B482416	nd Corner 1265 1425 1583 2299	1315 1483 1644 2390	1311 1485 1686 2461	1361 1545 1752 2559	18 24 24 48	18 24	15.75 15.75 15.75 15.75	21 25 30 51	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1312 1620 2058	1363 1686 2139	1443 1753 2201	1501 1825 2287	24 32 48	24	15.75 15.75 15.75	23 34 56	4 7 12
	Triangular Round CRE4B T1618-45 CRE4B T2124-45 CRE4B T2529-45 CRE4B T2818-90 CRE4B T3624-90 CRE4B T4429-90	1187 1359 1666 1477 1758	1236 1415 1732 1534 1832 2198	1205 1411 1760 1534 1841 2135	1253 1465 1833 1594 1915 2220	16 21 25 28 36 44	18 24 29 18 24	15.75 15.75 15.75	18 23 28 24 30 36	2.5 4.5 7 3 7.5


TRIANGULAR TABLE DIMENSIONS














CRESSIDA | LIGHT-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH [*]	Γ CUBE
	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	589 601 832	613 626 865	672 687 997	699 714 1036	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Tables CRE4D 181816S CRE4D 242416S CRE4D 363616S	533 591 845	555 615 878	596 688 1014	620 715 1054	18 24 36	18 24 36	16 16 16	22 33 65	3 5 12
	CRE4D 181821S CRE4D 242421S	543 603	565 628	610 699	633 729	18 24	18 24	21 21	25 35	4 5

LEYTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 34.73%

POST-CONSUMER RECYCLED CONTENT = 15.68%

Up to 62.16% of this Leyton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



LEYTON | TABLES

DESCRIPTION/MODEL		Maple, Oak Walnut Palette Laminate	Cherry Anigre Sycamore (5 UNIT MIN.)	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	LEY4122412	584	648	824	869	958	1019
~	LEY4182412	611	695	940	1002	1120	1202
	LEY4242412	641	744	1062	1137	1288	1390
	LEY4302412	670	794	1173	1265	1440	1563
	LEY4362412	699	842	1317	1422	1633	1778
□	LEY4422412	851	1015	1438	1559	1801	1966
u	LEY4183012	666	765	1053	1122	1266	1361
	LEY4243012	701	832	1183	1271	1449	1570
	LEY4303012	743	890	1309	1414	1624	1769
	LEY4363012	781	953	1462	1587	1836	2009
	LEY4423012	922	1117	1613	1756	2041	2238
	LEY4182416	626	710	946	1005	1124	1207
	LEY4242416	656	760	1065	1141	1291	1395
	LEY4302416	687	809	1179	1268	1446	1568
	LEY4362416	715	854	1320	1428	1639	1781
	LEY4422416	868	1030	1443	1565	1804	1970
	LEY4183016	680	781	1081	1151	1291	1390
	LEY4243016	716	845	1209	1297	1478	1598
	LEY4303016	759	906	1334	1440	1651	1796
	LEY4363016	795	963	1488	1613	1863	2034
	LEY4423016	937	1134	1641	1781	2068	2264
	LEY4-SB122412	622	683	850	893	978	1036
	LEY4-SB182412	647	727	961	1020	1132	1210
	LEY4-SB242412	676	774	1077	1148	1292	1389
	LEY4-SB302412	704	822	1183	1270	1437	1554
	LEY4-SB362412	731	867	1320	1420	1621	1759
	LEY4-SB422412	876	1032	1435	1550	1781	1938
	LEY4-SB183012	700	794	1068	1134	1271	1362
V	LEY4-SB243012	733	858	1192	1276	1445	1561
	LEY4-SB303012	773	913	1312	1412	1612	1750
	LEY4-SB363012	809	973	1458	1577	1814	1979
	LEY4-SB423012	944	1129	1602	1738	2009	2197

Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 tables (any combination of sizes) per species.

DESCRIPTION/MODEL		Price	Weight	Cubes
	Replacement Table Legs (pair) LEY4R2412 LEY4R2416 LEY4R3012 LEY4R3016	238 246 276 305	8 10 10 12	1 1.25 2 2.25
	Replacement Glides - Lounge & T LEY3RG	able (set of four) 18	1	.25
) " D " "	LEY3-POWERDOC - Undermoun	t 573	3	0.375

DIMENSIONS


Model	W	D	Н	Shipping Weight	Cubes	Model	W	D	Н	Shipping Weight	Cubes
LEY4122412	12	24	12	17.5	.7	LEY4182416	18	24	16	27	1.4
LEY4182412	18	24	12	22	1.1	LEY4242416	24	24	16	33	1.8
LEY4242412	24	24	12	28	1.4	LEY4302416	30	24	16	39	2.2
LEY4302412	30	24	12	32	1.8	LEY4362416	36	24	16	45	2.7
LEY4362412	36	24	12	37	2.2	LEY4422416	42	24	16	51	3.1
LEY4422412	42	24	12	41.5	2.5	LEY4183016	18	30	16	28	1.4
LEY4183012	18	30	12	23	1.1	LEY4243016	24	30	16	34	1.8
LEY4243012	24	30	12	28	1.4	LEY4303016	30	30	16	40	2.2
LEY4303012	30	30	12	33	1.8	LEY4363016	36	30	16	46	2.7
LEY4363012	36	30	12	37.5	2.2	LEY4423016	42	30	16	52	3.1
LFY4423012	42	30	12	42.5	2.5						

FAERON WOOD | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:





F	10.87% Cardboard 2.17% Hardwood Veneer 34.78% Hardwood 52.17% Particle Board Up to	CONSUMER CLED CONTENT = 54.89% CONSUMER CLED CONTENT = 10.33% 10.87% of this Faeron prodrecyclable at the end of its life. 1-2 point(s) 1 point 1 point 1 point
	CONTRIBUTES TO	
REDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
REDIT 3.3	Resource Reuse	1 point
REDIT 4.1	Recycled Content	1 point
REDIT 4.2	Recycled Content	1 point
REDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
REDIT 5.1	Regional Materials*	1 point
REDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
nanufactured withir	y applicable if in total 20% of the combined value of the procurement of construction mat in a radius of 500 miles. This credit will apply if the installation of the finished product occurs within TIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION	500 miles of Kitchener, Ontario.
level	BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard is sustainability of furniture. This standard evaluates product and company environment systems in a wide range of elements which include Materials, Energy & Atmosphere,	al attributes and compliance





facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



FAERON WOOD | FREE STANDING TABLES

WOOD SPECIES

Solid Beech frames, and edges. Veneer tops.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 331. Faeron tables are available in 22 standard finishes.

LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge. See page 336 for color selection.

DESCRIPTION/MODEL		Beech	Laminate with Polymer Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	Round Tables FAE4-22D-21 FAE4-30D-16 FAE4-44D-16	1246 1402 2574	928 1038 1880	1833 2131 3762	1960 2279 4024	2070 2479 4391	2271 2769 4915
	Elliptical FAE4-E44-22-16	1603	1169	2359	2524	2748	3077
	Square Tables FAE4-22-22-21 FAE4-30-30-16 FAE4-44-44-16	1232 1429 2628	916 1060 1918	1748 2147 3839	1870 2298 4108	1989 2538 4480	2191 2867 5016
	Rectangular Table FAE4-44-22-16	1622	1184	2369	2536	2765	3096

DIMENSIONS


Model	Width	Depth	Height	Shipping Weight	Cubes
Round Tables					
FAE4-22D-21	22" Diamet	ter	21	22	8
FAE4-30D-16	30" Diamet	ter	16	35	11
FAE4-44D-16	40" Diamet	40" Diameter		45	14
Elliptical					
FAE4-E44-22-16	44	22	16	65	21
Square Tables					
FAE4-22-22-21	22	22	21	34	8
FAE4-30-30-16	30	30	16	42	11
FAE4-44-46	44	44	16	47	12
Rectangular Table					
FAE4-44-22-16	44	22	16	55	12

FAERON METAL | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 67.26%

A	12% Cardio 29% Steel 57% Partic	11E010EED CONTENT = 07.2070
	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1-2 point(s) 1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
	le if in total 20% of the combined value of the procuremer of 500 miles. This credit will apply if the installation of the finished	

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing (facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



FAERON METAL | FREE STANDING TABLES

FRAME FINISH

Faeron Metal table frames are available in Krug Sliver Metallic or Brushed Nickel.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$64 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$64 list per

arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

STANDARD FINISHES

For a complete list of standard wood finishes, please see page 335. Faeron tables are available in 22 standard finishes.

LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge. See page 336 for color selection.

are available for an up	ocharge of \$64 list per	Obtain	a quoto.		occ page coc i	01 00101 0010011	0111			
DESCRIPTION/MODI		Beech	Laminate with	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C			
			, ,							
	Round Tables, Silver									
	FAE4-M22D-21S	1132	810	1716	1845	1956	2157			
	FAE4-M30D-16S	1223	859	1953	2100	2298	2592			
	FAE4-M44D-16S	2302	1609	3490	3753	4117	4643			
	Round Tables, Brush									
- ш	FAE4-M22D-21N	1294	974	1879	2007	2117	2318			
	FAE4-M30D-16N	1386	1021	2113	2263	2461	2754			
	FAE4-M44D-16N	2659	1965	3846	4110	4473	5000			
	Elliptical, Silver Meta		e							
	FAE4-ME44-22-16S	1374	939	2130	2295	2520	2848			
	Elliptical, Brushed N	ickel Frar	ne							
	FAE4-ME44-22-16N	1697	1265	2452	2616	2844	3172			
	Square Tables, Silve	r Metallic	Frame							
	FAE4-M22-22-21S	1118	803	1634	1755	1872	2076			
	FAE4-M30-30-16S	1249	882	1967	2119	2359	2688			
	FAE4-M44-44-16S	2356	1645	3565	3836	4207	4743			
	Square Tables, Brus	Square Tables, Brushed Nickel Frame								
	FAE4-M22-22-21N	1282	962	1795	1918	2035	2238			
	FAE4-M30-30-16N	1412	1042	2131	2281	2522	2849			
	FAE4-M44-44-16N	2713	2003	3922	4192	4564	5099			
	Rectangular Table, S	Silver Met	allic Frame							
	FAE4-M44-22-16S	1393	955	2140	2306	2535	2867			
	Rectangular Table, E	Brushed N	lickel Frame							
	FAE4-M44-22-16N		1279	2463	2630	2859	3190			
DIMENSIONS										
Model	Width		Depth	Height	Shipping Weigh	t Cu	bes			
Round Tables										
FAE4-M22D-21	22"	Diameter		21	30		8			
FAE4-M30D-16	30"	Diameter		16	42	-	11			
FAE4-M44D-16	44" ا	Diameter		16	72	2	21			
Elliptical	4.4		00	40	40		10			
FAE4-ME44-22-16	44		22	16	42		12			
Square Tables										
FAE4-M22-22-21	22		22	21	32		8			
FAE4-M30-30-16	30		30	16	47	-	11			
FAE4-M44-44-16	44		44	16	83	2	21			
Rectangular Table										
	11		22	16	17	-	10			

16

47

12


44

FAE4-M44-22-16

ZOLA TABLES | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 58.82%

POST-CONSUMER
RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

CONTRIBUTES TO

Construction Waste Management	1-2 point(s)
Resource Reuse	1 point
Recycled Content	1 point
Recycled Content	1 point
Low Emitting Materials,	
Systems & Seating	1 point
Regional Materials*	1 point
Certified Wood (MUST BE REQUESTED)	1 point(s)
	Resource Reuse Recycled Content Recycled Content Low Emitting Materials, Systems & Seating Regional Materials* Certified Wood

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Zola products are supplied air emissions-certified. Contact customer service for information.

FSC* C021699

ECC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



ZOLA | TABLES FEATURES

TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

SOLID SURFACE TOPS

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

POWER OPTION

The flush-mounted Power unit provides dual power/USB A & C outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$647 list.

UNDER-MOUNT POWER OPTION

The Under-mount Power unit provides dual power/USB A & C outlets for multiple devices. It can be located below tables. See page 251 for pricing.

ZOLA | MODULAR LINKING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOF W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE	
	Middle Linking Modu ZOL4 LKM12 ZOL4 LKM18 ZOL4 LKM24	ular Table 988 1044 1074	1036 1098 1155	1088 1147 1181	1140 1209 1270	12 18 24	16 16 16	- - -	22 24 29	2.8 4.5 5.7	
	ORDERING NOTE: Middle Linking Modular Table ships with 2 KB1 brackets.										
	Rectangular End Tab ZOL4 LKE12 ZOL4 LKE18 ZOL4 LKE24 ORDERING NOTE:	1053 1098 1146	1108 1155 1202	1158 1209 1263 ships with 1 KB1	1218 1270 1323 bracket.	12 18 24	16	14.75 14.75 14.75	23	2.8 4.5 5.7	
	End Table Rounded ZOL4 ECLKH12 ZOL4 ECLKH18 ORDERING NOTE:	1199 1295	1246 1347 1odular Table	1232 1342 ships with 1 KB1	1284 1395 bracket.	12 18	12 12	14.75 14.75		2.5	
	Curvilinear 30° Table ZOL4 LKC30	1019	1074	1122	1181	16	16.5	-	15	2.3	
	Curvilinear 45° Table ZOL4 LKC45	1098	1155	1209	1270	16	17	-	17	2.9	

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table.

		Grades		
Zola Solid Surface Upcharges	A-White	A-Color	В	С
ZOL4-LKM12	218	229	260	295
ZOL4-LKM18	269	286	332	383
ZOL4-LKM24	381	406	522	621
ZOL4-LKE12	218	229	260	295
ZOL4-LKE18	269	286	332	383
ZOL4-LKE24	381	406	522	621
ZOL4-ECLKH12	218	229	260	295
ZOL4-ECLKH18	269	286	332	383
ZOL4-LKC30	246	260	299	340
ZOL4-LKC45	308	328	384	446

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

ZOLA | MODULAR LINKING TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Curvilinear 60° Tab ZOL4 LKC60	le 1146	1209	1263	1332	16	17.5	-	20	3.7
(B)	Curvilinear 90° Tab ZOL4 LKC90	le 1283	1354	1411	1487	16	19	-	24	5.4
	Curvilinear 90°x2 To ZOL4 LKC90X2	able 2548	2625	2802	2886	16	19	-	55	10
	Curvilinear Table ZOL4 LKH12	1116	1170	1228	1288	16	19	14.75	18	2.3

ORDERING NOTES: Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKC60	379	402	473	559
ZOL4-LKC90	562	596	719	857
ZOL4-LKC90X2	894	933	1141	1378
ZOL4-LKH12	218	229	260	295

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

CURVILINEAR TABLE DIMENSIONS



ZOLA | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	H W	/EIGHT	Γ CUBE
	Square Tables ZOL4 181815 ZOL4 242415	1098 1187	1155 1251	1209 1305	1270 1374	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4 241815 ZOL4 482415	1139 1359	1203 1443	1253 1495	1327 1587	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15	1170 1251 1391	1244 1318 1474	1288 1374 1530	1367 1452 1619	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Rot ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415	und Corners 1275 1434 1578 2264	1328 1492 1639 2354	1320 1493 1686 2408	1376 1555 1752 2504	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915	1327 1610 2016	1378 1673 2096	1499 1788 2254	1559 1858 2345	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 1818	287	301	352	409
ZOL4 2424	460	469	560	662
ZOL4 2418	343	364	433	510
ZOL4 4824	771	791	970	1170
ZOL4 18D	274	290	339	396
ZOL4 24D	410	443	533	633
ZOL4 30D	658	716	942	1136
ZOL4 EC1818	287	301	352	409
ZOL4 EC2418	343	364	433	510
ZOL4 EC2424	460	469	560	662
ZOL4 EC4824	771	791	970	1170
ZOL4 E2418	343	364	433	510
ZOL4 E3224	543	581	699	834
ZOL4 E4829	908	949	1164	1405

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

Cuadaa


ZOLA | FREESTANDING TABLES

		BEECH	MADLE		LAMINATE TOP W/					
		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
	Triangular Tables -	Rounded Cor	ners							
	ZOL4 CR45D1815	1192	1240	1207	1257	15.75	18	14.75	17	2.5
	ZOL4 CR45D2415	1354	1408	1404	1459	20.5	24	14.75	22	4.5
	ZOL4 CR45D2915	1639	1705	1734	1803	25	29	14.75	27	7
	ZOL4 CR90D1815	4.405	4500	4500	4505	17.5	18	14.75	23	3
8 8		1465	1526	1529	1585		. •	•		_
	ZOL4 CR90D2415	1730	1801	1813	1885	36.25	24	14.75	29	7.5
	ZOL4 CR90D2915	2066	2148	2109	2194	44.5	29	14.75	35	11

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 CR45D18	270	286	333	386
ZOL4 CR45D24	403	432	512	602
ZOL4 CR45D29	542	573	687	815
ZOL4 CR90D18	339	371	441	518
ZOL4 CR90D24	576	613	740	885
ZOL4 CR90D29	815	846	1033	1242


The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

TRIANGULAR TABLE DIMENSIONS



SUTTON | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 75.72%

POST-CONSUMER
RECYCLED CONTENT = 10.43%

Up to 5.80% of this Sutton product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



mark of responsible forest

AIR EMISSIONS All Sutton produc

All Sutton products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



SUTTON | OCCASIONAL TABLES

FINISHES

			OAK, CHERRY, MAPLE	DII	MENSIC	NS	SHIPPING	CUBIC
DESCRIPTION/MOI	DEL	LAMINATE	WALNUT, MEDIUM ANIGRE	W	D	Н	WEIGHT	FEET
	SUTTON SQUAF	RE						
	SUT4-24-24-16	992	1106	24	24	16	48	8
	SUT4-24-24-21	1039	1155	24	24	21	49	10
	SUT4-30-30-11	1117	1240	30	30	11	65	7
	SUT4-30-30-16	1139	1266	30	30	16	69	11
w w	SUT4-48-24-16	1285	1429	48	24	16	83	14
	SUT4-48-24-21	1316	1463	48	24	21	84	18
	SUT4-48-30-11	1378	1530	48	30	11	96	11
	SUT4-48-30-16	1409	1565	48	30	16	98	15
	SUT4-48-30-11	1378	1530	48	30	11	96	11

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish or laminate for the table

STANDARD FINISHES

Sutton is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer.

For a complete list of standard wood finishes please see page 335.

STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

LAMINATE

Sutton is available in laminate. Please seep pricing above. Please see page 336 for laminate selection.

Laminate is not available on KrugExpress.


BASES

Bases are available in Silver Metallic only.

VIRTU TABLES | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION





PRE-CONSUMER
RECYCLED CONTENT = 67.31%

POST-CONSUMER RECYCLED CONTENT = 12.15%

Up to 45.80% of this Virtu product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Virtu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR EMISSIONS

All Virtu products are supplied air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Virtu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



VIRTU | OCCASIONAL TABLES

		Oak, Cherry,					
		Maple	Di	mensio	ons	Shipping	Cubic
DESCRIPTION/MODEL		STYLE 1	W	D	Н	Weight	Feet
	Square - Frosted Glass	Тор					
	VIR4-18-18-21-1	1588	18	18	21	40	8
	VIR4-24-24-16-1	1693	24	24	16	52	13
	VIR4-24-24-21-1	1884	24	24	21	52	13
	VIR4-30-30-21-1	2286	30	30	21	63	19
U	VIR4-36-36-16-1	2718	36	36	16	85	27
	VIR4-42-42-16-1	2971	42	42	16	95	21
	VIR4-48-24-16-1	3239	48	24	16	78	25
	Round - Frosted Glass	Тор					
	VIR4-24D-16-1	1837	24	-	16	52	13
	VIR4-36D-16-1	3251	36	-	16	85	27
	VIR4-24D-21-1	2118	24	-	21	52	13

		Oak, C	• • • • • • • • • • • • • • • • • • • •		D:			Ohimmin m	0 -:-
DESCRIPTION/MODEL		Ma STYLE 1	STYLE 2	LAMINATE	W	mensio D	ons H	Shipping Weight	Cubic Feet
	Square - Wood Top								
	VIR4-18-18-21-0	1284	1376	1384	18	18	21	40	8
	VIR4-24-24-16-0	1345	1416	1468	24	24	16	52	13
	VIR4-24-24-21-0	1440	1539	1565	24	24	16	52	13
	VIR4-30-30-21-0	1706	1823	1818	30	30	21	63	19
T	VIR4-36-36-16-0	2007	2134	2166	36	36	16	85	27
	VIR4-42-42-16-0	2926	3068	3082	42	42	16	95	21
	VIR4-48-24-16-0	2685	2874	2767	48	24	16	78	25
	ORDERING NOTES	3							
	A Style (1 or 2) must	be selected a	nd noted clearly	on Purchase Ord	der.				
	Round - Wood Top								
	VIR4-24D-16-0	960	1030	1108	24	-	16	52	13
	VIR4-36D-16-0	1834	1960	2087	36	-	16	85	27
	VIR4-24D-21-0	1244	1331	1391	24	-	21	52	13

ORDERING NOTES

A Style (1 or 2) must be selected and noted clearly on Purchase Order.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select Style 1 or Style 2

CODE DESCRIPTION

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

STANDARD FINISHES

Virtu is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer. For a complete list of standard wood finishes please see page 335.

STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

METAL DETAILING

Metal detailing is available in Silver Metallic only.


GLASS

Glass is available in frosted only. Glass tempered and 8mm thick. Floats on clear rubber bumpers.

MILLENNIUM | ENVIRONMENTAL SUMMARY

LEED CERTIFICATION





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER
RECYCLED CONTENT = 16.25%

Up to 38.93% of this Millennium product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Millennium products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Millennium products are supplied with air-emissions certified. Contact customer service for information.



FSC®


In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Millennium and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



MILLENNIUM | OCCASIONAL TABLES

			FINISHES					
			CHERRY, MAPLE	DIN	MENSIO	NS	SHIPPING	CUBIC
DESCRIPTION/MODEL	_	OAK	WALNUT, MEDIUM ANIGRE	L	W	Н	WEIGHT	FEET
	MILLENNIUM SQUAF	RE, AND F	RECTANGLE					
	6800-18-18-21	730	838	18	18	21	19	5
	6800-18-18-29	767	886	18	18	29	23	9
	6800-24-18-21	804	931	24	18	21	20	6
	6800-24-24-21	834	954	24	24	21	23	8
V	6800-26-26-21	869	984	26	26	21	26	9
\bigvee	6800-30-30-16	961	1093	30	30	16	34	8
	6800-48-18-16	1048	1215	48	18	16	36	9
	6800-48-18-29	1266	1425	48	18	29	46	15
	MILLENNIUM ROUNI	 D						
	6800-24Dia.	1205	1386	24 Dia.		21	27	8
	6800-30Dia.	1273	1446	30 Dia.		16	38	8
	6800-36Dia.	1380	1555	36 Dia.		16	42	12
Ш								

MILLENNIUM EDGE DETAIL PROFILES



An edge detail profile must be selected for Millennium occasional tables.

ORDERING NOTES

Optional laminate inlay available at a 10% upcharge. Please contact Customer Service for more information. Laminate is not available on *KrugExpress*.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select and edge detail profile

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Millennium tables are available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes, please see page 335.

STANDARD WOOD SPECIES

Standard wood species available: Oak, Cherry & Maple.


BIRDSEYE MAPLE

Bookmatched Birdseye Maple Veneer is available on Millenium occasional tables at an upcharge of **\$76 list** per square foot. Birdseye Maple is recommended in a clear finish only.

PRADO | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 60%

POST-CONSUMER
RECYCLED CONTENT = 15%

Up to 88.5% of this Prado product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Prado products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



AIR EMISSIONS

All Prado products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Prado and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



PRADO | OCCASIONAL TABLES

FINISHES

		CHERRY,	MAPLE,						
	WALNUT, MEDIUM ANIGRE			DII	DIMENSIONS		SHIPPING	CUBIC	
DESCRIPTION/MODEL	-	STYLE 1	STYLE 2	LAMINATE	L	W	Н	WEIGHT	FEET
	PRADO SQUARE	AND RECTANG	GULAR						
	5610-18-18-16	1332	1433	1332	18	18	16	40	3
	5610-18-18-21	1345	1452	1345	18	18	21	42	4
	5610-18-24-16	1378	1482	1378	18	24	16	47	4
/ T 1	5610-18-24-21	1402	1504	1402	18	24	21	49	5
g \	5610-24-24-16	1430	1538	1430	24	24	16	53	5
8	5610-24-24-21	1456	1565	1456	24	24	21	55	7
	5610-30-30-16	1483	1620	1483	30	30	16	69	8
	5610-30-30-21	1534	1647	1534	30	30	21	72	11
	5610-36-36-16	1569	1686	1569	36	36	16	88	14
	5610-36-36-21	1593	1714	1593	36	36	21	90	15
	5610-48-24-16	1613	1738	1613	48	24	16	102	11
	5610-48-24-21	1641	1767	1641	48	24	21	108	14
	ORDERING NOTE			D b O	l				
	A Style (1 or 2) mu	st de selected a	and noted cleari	y on Purchase Ord	ier.				
	PRADO ROUND								
	5611-18D-16	1494	1607	1494	18 Dia.	_	16	35	3
	5611-18D-21	1534	1647	1534	18 Dia.		21	37	4
	5611-24D-16	1587	1702	1587	24 Dia.		16	46	5
	5611-24D-21	1613	1734	1613	24 Dia.	-	21	49	7
n	5611-30D-16	1716	1844	1716	30 Dia.	_	16	59	11
V	5611-30D-21	1765	1894	1765	30 Dia.	_	21	63	12
	5611-36D-16	2020	2174	2020	36 Dia.	-	16	74	12
	5611-36D-21	2085	2241	2085	36 Dia.	-	21	79	15
	00000000000000								
	ORDERING NOTE		and a start at a st	D					
	A Style (1 or 2) mu	st be selected	and noted clear	y on Purchase Ord	der.				
	PRADO OVAL								
	5612-18-24-16	1999	2145	1999	18	24	16	47	5
	5612-18-24-21	2107	2263	2107		24	21	49	6
	5612-42-24-16	2418	2606	2418	42	24	16	102	9
	5612-42-24-21	2541	2735	2541		24	21	104	14
y \ \		2011	2.00	2011				-	
// 4									

ORDERING NOTES

Prado comes with Silver Metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select Style 1 or Style 2
- 3. Select a finish for the table

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

CODE DESCRIPTION

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

STANDARD FINISHES

Prado is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see page 335.

STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.


METAL DETAILING

Prado comes with Silver Metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

CARLYLE TABLE | ENVIRONMENTAL SUMMARY

LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 50%

POST-CONSUMER RECYCLED CONTENT = 15%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

^{*}This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

CARLYLE | OCCASIONAL TABLES

		FINISHES					
		CHERRY, MAPLE				SHIPPING	CUBIC
DESCRIPTION/MODEL	-	WALNUT, MEDIUM ANIGRE	W	D	Н	WEIGHT	FEET
	CAR4-18-18-24	1191	18	18	24	30	5.5
	CAR4-24-24-22	1283	24	24	22	32	9
	CAR4-42-21-16	1598	42	21	16	65	9.9

ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the wood frame

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

STANDARD FINISHES

Carlyle is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see page 335.

STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.

METAL DETAILING

The legs on the Carlyle series feature a Silver Metallic finish.

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warrantv

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

GENERAL INFORMATION

Freight Terms and Conditions

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 1

ARLO





KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY











34 SLATE

84 TEAK

98 NICKLE

YATES















92 ZINC



908 CHARCOAL

MCCOY











608 TUNDRA





108 CORDOVAN

ORIS











908 DOMINO



64 PUTTY

205 CHARTREUSE

KRUG TEXTILES - UPHOLSTERY FABRICS



Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ













9008 CHARCOAL

82 CLAY

304 CAPRI

31 AEGEAN

LORENZO



306 INDIGO









601 CREAM

24 ALPINE

106 HENNA

91 FLANNEL

604 STUCCO

32 MIST

BISCOTTI









91 GRANITE

302 CAPRI

INTRIGUE



















Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1 \$22 Grade 2 \$34 Grade 3 \$46

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2 Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

WOOD FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry
American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry

Light Oak
Harvest Oak

Mahogany

Mellow Oak

Espresso Cordovan Walnut

Natural Walnut

Regular Walnut SilverGrey on Walnut

Dark Walnut

Clear Beech

Medium Anigre

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

PALETTE

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES			
Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry Park Avenue Walnut	Tafisa T472CR Wilsonart 7984–38	Solid Laminates	
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR

PHASE OUT LAMINATES


Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



BASE STYLES

Base Styles	Description								
Black Nylon	5 blade glass rei	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.							
Polished Aluminum	5 blade polished	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.)							
Seat Slider		Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.							
Wood	5 blade steel ba	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.							
Chrome	5 blade polished	5 blade polished chrome base with 2 1/4" dual wheel casters.							
Jury Bases	,	Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning							
Jury Bases	height feature w	height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.							
Pan Am Pan1-M11 <u>J</u>	Bank of England 177- <u>J</u>	Dorso D0S1-H2011 <u>J</u>	Cadence CAD1-HW12 <u>J</u>	C5 C5E1MB41A <u>J</u>	Aqua AQU1M33 <u>J</u>				



krug







All products are air emissions certified and are available as FSC® certified