# **SEATING & OCCASIONAL TABLES**

Price and Specification Guide **USA** 



krug

Advancing Design Through Innovation

# **TABLE OF CONTENTS**

# **PRICING & SPECIFICATIONS**

2	Management & Task Seating
3	Callisto
7	C5
16	Aqua
22	Dorso E
29	Dorso T
34	Dorso Weave
40	Dorso
47	Me
53	Pan Am
58	Cadence

# 64 Guest Seating

65 Addison 68 Blake 71 Dorso 74 Bali 76 Kita 78 Spence 80 Cadence 82 Faeron Wood 88 Faeron Metal

# 94 Multi-Purpose Seating

95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri

124 Bank of England

# 126 Barstools & Counter Height Seating127 Manolo

131 Karma133 Capri135 Corfu

# 141 Lounge Seating

142 Avatar
145 Cressida
155 Leyton
166 Zola
183 Zola Privacy
249 Faeron

261 Sutton 263 Carlyle 265 Brio 267 Sloane

# 269 Benches

270 Tate 276 Zola 286 Carlyle 287 **Occasional Tables** 288 Chit Chat 292 Avatar 294 Karma 299 Cressida 302 Leyton 304 Faeron Wood 306 Faeron Metal 308 Zola Sutton 313 Virtu 315 Millennium 317 319 Prado

Carlyle

321

**General Information** General Information Krug Textiles - Upholstery Fabrics 325 Krug Textiles - Leather & Luxe Faux Leather 327 329 C.O.M. Graded-In Upholstery Programs 330 330 KrugExpress Program 331 Wood Finishes 332 Laminate Program 332 Solid Surface Program 333 Base Styles

# MANAGEMENT & TASK SEATING


- 3 Callisto
  - C5
- 7 16
- Aqua Dorso E 22
- 29 Dorso T
- Dorso Weave
- 40 Dorso
- 47 Me
- 53 Pan Am 58 Cadence

# CALLISTO | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 28.83%

POST-CONSUMER
RECYCLED CONTENT = 21.67%

Up to 70.56% of this Callisto product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Callisto products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## **AIR EMISSIONS**

All Callisto products are supplied air-emissions certified. Contact customer service for information.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CALLISTO | FEATURES & OPTIONS**



#### **BREATHABLE MESH**

Mesh Seats and Backs are available in 2 colors: Black and Grey.



# **UPHOLSTERED CUSHIONING**

Upholstered Seats and Backs are available in a wide range of textiles, and seat features molded foam that is supportive for extended periods of sitting.



# **ADJUSTABLE LUMBAR SUPPORT**

This optional feature provides enhanced support in the lower lumbar area of the back with 3" of adjustment range.



# **FIXED CANTILEVER ARM**

This arm features Polished Aluminum with an integrated urethane pad surface.



#### **ADJUSTABLE ARM**

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards.



# **ARMLESS**

Callisto models are available armless.



# **SELF-ADJUSTING SYNCHRO MECHANISM**

The tilt feature adjusts automatically to the user's weight. It includes a standard seat slider feature adding an adjustment range of 2", and 4 position tilt lock with anti-kickback, and height adjustability.



## **BASES**

Base options include Polished Aluminum and Black Polymer, and a soft wheel caster option.



# STOOL BASE

A stool version is available on all Callisto models. It has a standard height adjustment range of 7.5". Foot ring is Polished Chrome, and standard gas lift is Black.

The Seat Slider and Seat Slider Plus option is not available with the Stool base. Stool base is only available with a swivel mechanism.

## **WEIGHT CAPACITIES**

Callisto has been tested and complies with ANSI/BIFMA x5.1-2011 standards.
Callisto has been load tested to 450lbs

# **OPTIONS**



# **ADJUSTABLE ARMS PLUS**

Height adjustment range of 2.5". Arm pad forward/backward adjustment of 1.5". Arm pad has a 3 position swivel of 20 degrees inward and 15 degrees outwards. Adjustable Arms Plus provides a width adjustment range of 3". The upcharge for this option is \$90 list.

# **SEAT SLIDER PLUS**

The optional enhanced seat slider, has an adjustment range of 3". When the 3" seat slider option is selected a larger chair base is included. This option is priced at an upcharge of \$68 list. Seat Slider Plus option is not available with the Stool base.

## **COMBINATION UPHOLSTERY OPTION**

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

#### REPLACEABLE COMPONENTS

Callisto is uniquely designed to allow major components to be field replaced, providing a very cost-effective means to significantly extend the life of the product.

# **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with nonflammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **CALLISTO | DIMENSIONS & COM REQUIREMENTS**

							Height	Height					
				Overall	Seat	Seat	Arms From	Arms From	Width				
	Overall	Overall	Overall	Height	Height	Height -Stool	Floor	Floor-Stool	Between	Seat	Shipping		COM
	Width	Depth	Height	-Stool	Min/Max	Min/Max	Min/Max	Min/Max	Arms	Depth	Weight	Cubes	YRD
CAL1M10	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	-
CAL1M11	25	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	-
CAL1M12	24	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	17	19	45	14.5	-
CAL1M20	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	.85
CAL1M21	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	.85
CAL1M22	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	.85
CAL1M30	20	26	38.75	44.75	17-21	23-30.5	n/a	n/a	n/a	19	39	14.5	1.68
CAL1M31	27	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	21	19	45	14.5	1.68
CAL1M32	26	26	38.75	44.75	17-21	23-30.5	25.5-30	31.5-39	19	19	45	14.5	1.68

# **CALLISTO**

COM COL FABRIC GRADES **LEATHER** DESCRIPTION/MODEL 9 5 1



Mesh Back & Seat, Armless with Black Base

CAL1M10B 824

Mesh Back & Seat, Armless with Polished Aluminum Base

CAL1M10P 847



Mesh Back & Seat, Adjustable T-Arm with Black Base

CAL1M12B

Mesh Back & Seat, Adjustable T-Arm with Polished Aluminum Base

CAL1M12P



Mesh Back & Seat, Fixed Cantilever Arm with Black Base

CAL1M11B

Mesh Back & Seat, Fixed Cantilever Arm with Polished Aluminum Base

CAL1M11P

ORDERING NOTES: To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	61	
Soft Wheel Casters	61	
Adjustable Lumbar Support (L)	57	
Adjustable Arms Plus (W)	90	
Stool Base	103	
Seat Slider Plus (S)	68	

# PRODUCT CODE KEY

Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL Callisto	1 Management, Task	M Mid Back	1 Mesh Back	0 Armless	B Black Polymer	
	& Conference Seating		& Seat			
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3	2		
			Fully Upholstered	Adjustable T-Arm		

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE	BRIC GRAD	ES 6	7	LEATHER 8	9
DESCRIPTION/MODEL					•					
	Mesh Back & Uphols CAL1M20B	tered Sea 887	t, Armles 908	s with Blad 930	ck Base 969	1012	1054	1095	1138	1220
	Mesh Back & Uphols CAL1M20P	tered Sea 911	t, Armles 932	s with Poli 954	shed Alum 993	ninum Base 1036	1080	1118	1160	1245
	Mesh back & Uphols									
	CAL1M22B	988	1009	1030	1069	1111	1153	1197	1237	1320
	Mesh back & Uphols	tered Sea	t, Adjusta	able T-Arm	with Polisl	hed Alumin	um Base			
	CAL1M22P		1033	1054	1094	1138	1179	1220	1260	1345
	Mesh Back & Uphols	tered Sea	t, Fixed C	Cantilever A	Arm with B	Black Base				
	CAL1M21B		1032	1054	1094	1137	1179	1220	1260	1344
	Mesh Back & Uphols	tered Sea	t. Fixed 0	Cantilever A	Arm with P	olished Alu	minum Bas	se		
	CAL1M21P		1057	1078	1118	1160	1202	1244	1284	1369
	Fully Upholstered Ba									
1 \	CAL1M30B	930	970	1013	1094	1178	1260	1341	1424	1589
	Fully Upholstered Ba	ck & Seat	Armless	with Polis	hed Alumi	num Base				
	CAL1M30P	956	994	1036	1118	1202	1283	1368	1449	1613
	Fully Upholstered Ba	ck & Seat	, Adjustal	ble T-Arm	with Black	Base				
	CAL1M32B		1071	1113	1194	1277	1361	1441	1525	1689
	Fully Upholstered Ba	ck & Seat	, Adjustal	ble T-Arm	with Polish	ned Aluminu	ım Base			
	CAL1M32P		1095	1138	1220	1304	1384	1466	1547	1713
	Fully Upholstered Ba	ck & Seat	, Fixed C	antilever A	rm with Bl	ack Base				
	CAL1M31B		1095	1138	1220	1302	1384	1466	1547	1713
77	Fully Upholstered Ba	ck & Seat	, Fixed C	antilever A	rm with Po	olished Alur	ninum Bas	е		
	CAL1M31P	1081	1121	1160	1244	1327	1409	1491	1575	1739

**ORDERING NOTES:** To add Adjustable Lumbar Support option add "L" to the model number above, "W" for Adjustable Arms Plus, "S" for Seat Slider Plus and upcharge below.

Callisto Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Soft Wheel Casters	61
Adjustable Lumbar Support (L)	57
Adjustable Arms Plus (W)	90
Stool Base	103
Seat Slider Plus (S)	68
PRODUCT CODE KEY	


PRODUCT CODE	KEY					
Line	Series	Back Style	Chair Style	Arm Style	Base Style	
CAL	1	М	1	0	В	
Callisto	Management, Task & Conference Seating	Mid Back	Mesh Back & Seat	Armless	Black Polymer	
CAT			2	1	Р	
Callisto Stool			Mesh Back, Upholstered Seat	Fixed Cantilever Arm	Polished Aluminum	
			3	2		
			Fully Upholstered	Adjustable T-Arm		

# C5 | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS







PRE-CONSUMER
RECYCLED CONTENT = 24.5%

POST-CONSUMER
RECYCLED CONTENT = 19.4%

Up to 60.1% of this C5 product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. C5 products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

# AIR-EMISSIONS

All C5 products are supplied with air-emissions certified. Contact customer service for information.



## **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. C5 and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

#### **ARM STYLES**

C5 features four styles of fixed arms; polished aluminum with polymer pad, polished aluminum with upholstered pad, full black polymer arm, and fully upholstered arm.



Polished Aluminum Arm with Polymer Pad



Polished Aluminum Arm with Upholstered Pad



**Black Polymer Arm** 



**Fully Upholstered -** Leather or Fabric wrapped upholstered arm with detailed top stitching.



## **MECHANISM OPTIONS**

Swivel-Tilt - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment. Right side activated tension control. Available in Black only.



**Knee Tilt** - Right side activated tension control and vertical adjustment. Left side 4 position activated tilt lock. Available in Black powdercoat or Polished Aluminum.

# BASE STYLES

C5 seating is available in two base options. Choose from a black nylon, or a polished aluminum.



Polished Aluminum



**Black Glass Reinforced Nylon** 



## Jury Base

The C5 series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.

# C5 | FEATURES & OPTIONS

#### **SEAT**

The seat has been carefully researched and shaped to provide extended sitting comfort, with a foam density that provides an optimal combination of softness and firmness.

#### REPLACEABLE COMPONENTS

C5 chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable.

# **OPTIONS**

#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# C5 | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	_	COM Yardage
Mid Back										
Polished Aluminum Arm with Polymer pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Polished Aluminum Arm with Uph. Pad	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.9
Black Polymer Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	1.7
Upholstered Arm	25	23.8	43.9	18.9 - 22.8	26.5 - 30.4	21	17.8	43	17.4	2.5
High Back										
Polished Aluminum Arm with Polymer Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Polished Aluminum Arm with Uph. Pad	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.3
Black Polymer Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.1
Upholstered Arm	25	23.8	49.9	18.9 - 22.8	26.5 - 30.4	21	17.8	46	20.0	2.9

# **MULTIPLE YARDAGE REQUIREMENTS**

	Yardage Seat & Back Rest	Yardage Seat only	Yardage Back rest only	Yardage Upholstered Arm Pad (2)	Yardage Full Upholstered Arm (2)	
Mid Back						
1 Chair	1.7	.9	1.5	.19	.8	
2 Chairs	3.3	1.14	2.4	.19	1.06	
3 Chairs	5	2.04	3.2	.19	1.5	
4 Chairs	6.6	2.28	4	.19	2.19	
High Back						
1 Chair	2.1	.9	1.95	.19	.8	
2 Chairs	3.4	1.14	3.1	.19	1.06	
3 Chairs	5.5	2.04	4.2	.19	1.5	
4 Chairs	7.4	2.28	5.8	.19	2.19	

# DIMENSIONS:

Height measurements of C5 tilter are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# **COM APPROVAL PROCESS:**

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

# WEIGHT CAPACITY:

C5 has been tested to ANSI BIFMA.

C5 is load rated to 300lbs

# C5 EXECUTIVE | MID BACK

		СОМ		COL	FAB	RIC GRA	DES		LEATHER	1
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FULLY UPHOLSTERE	D ARM								
	C5E1MB41A	1316	1379	1442	1533	1635	1724	1827	1956	2084
	Polished Aluminum k	nee tilt, P	olished A	luminum b	oase					
	C5E1MB42B	1279	1344	1409	1495	1598	1689	1791	1919	2044
	Black Aluminum knee	tilt, Blac	k base							
	POLISHED ALUMINU	IM ARM V	WITH PO	LYMER PA	D					
	C5E1MB11A	1148	1205	1258	1338	1428	1506	1594	1707	1819
	Polished Aluminum k	nee tilt, P	olished A	luminum b	oase					
	C5E1MB12B	1113	1169	1224	1302	1392	1467	1559	1669	1781
	Black Aluminum knee	tilt, Blac	k base							
	BLACK POLYMER AF	RM								
	C5E1MB32B	1031	1085	1141	1253	1365	1478	1588	1698	1922
	Black Aluminum knee	tilt, Blac	k base							
<b>8</b> "	BLACK POLYMER AF	RM								
	0554140000	000	4044	4400	4404	4070	40.40	4 400	4540	1000
	C5E1MB33C	990	1044	1102	1181	1270	1349	1438	1549	1662
	Black Swivel tilt, Polis	sileu Alun	illiuiii ba	SE						
	C5E1MB33D	964	1018	1074	1152	1243	1320	1411	1521	1634
	Black Swivel tilt, Blac									



# **ORDERING NOTES:**

For jury base, please add a 'J' for the base style at the end of the model number and add \$77 list. Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61** list per yard.

For **UPHOLSTERED ARM PAD** on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
109	115	120	130	139	148	157	170	181

# PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

# C5 EXECUTIVE | HIGH BACK

DESCRIPTION/MODEL		COI 1	M 2	COL 3	F <i>A</i> 4	ABRIC GRA	ADES 6	7	LEATHEI 8	3 9
	FULLY UPHOLS	STERED ARI	М							
	C5E1HB41A Polished Alumir	136 num knee tilt		1509 Aluminum	1609 base	1723	1824	1939	2084	2228
	C5E1HB42B Black Aluminun	132 n knee tilt, B		1472	1573	1688	1789	1903	2045	2190
	POLISHED ALU	JMINUM AR	M WITH PO	DLYMER PA	AD					
	C5E1HB11A Polished Alumir	119 num knee tilt		1324 Aluminum	1413 base	1517	1606	1707	1836	1963
	C5E1HB12B Black Aluminun	116 n knee tilt, B		1290	1378	1481	1568	1670	1798	1927
	BLACK POLYM	ER ARM								
	C5E1HB32B Black Aluminun	108 n knee tilt, B		1206	1294	1396	1486	1588	1717	1843
	BLACK POLYM C5E1HB33C	103		1168	1256	1358	1447	1552	1680	1806
	Black Swivel till C5E1HB33D Black Swivel till	101	12 1074	ase 1140	1228	1330	1421	1521	1650	1778
	ORDERING NO For jury base, p Hard casters an Barrier options For UPHOLST	olease add a re the standa are available ERED ARM	ard and sof e for an upo	t wheel cas charge of <b>\$</b> olished arm	sters can be 61 list per 1 versions o	e ordered f <b>yard.</b> only select	for <b>\$61 list</b> arm style 2	per chair.  and add	. CAL 133 a	
	1 2 109 115	3 120	130	139			8 9 70 18			
PRODUCT CODE KEY Line	Series		Back Style		Arm Style		Mechanis	sm	Rase	Style
C5E C5 Executive (Horizontal Ribbed)	1 Tilter		MB Mid Back		1 olished Alum	inum	1 Polished Alui Knee Ti	minum	Polished Alu for Kn	minum Base ee Tilt
			HB High Back	A	2 Dished Alumrm with Uph.	. Pad	Black Alum Knee Ti	lt ]	for Kn	Base ee Tilt
				Bi	ack Polymer	r Arm	Black Swive	el Tilt		minum Base ivel Tilt

Fully Uph. Arm

J Jury Base

Black Base for Swivel Tilt

# C5 CONTEMPORARY | MID BACK

										'	_
			СОМ		COL		FABRIC GF			LEATHE	
DESCRIPTION/MODEL			1	2	3	4	5	6	7	8	9
	C5C1MB41 Polished Al	Α	1186	1252 Polished A	1315 Aluminum	1407 base	1508	1594	1697	1827	1956
	C5C1MB42 Black Alum		1159 e tilt, Blac	1223 ck base	1287	1377	1481	1567	1669	1797	1924
	POLISHED	ALUMINU	JM ARM	WITH PO	LYMER F	PAD					
	C5C1MB11 Polished Al		1018 nee tilt, F	1074 Polished A	1131 Aluminum	1210 base	1297	1378	1465	1580	1690
	C5C1MB12 Black Alum		993 e tilt, Blac	1046 ck base	1103	1181	1271	1349	1439	1552	1663
	BLACK PO	LYMER AF	RM								
	C5C1MB32 Black Alum		899 e tilt, Blac	956 ck base	1012	1089	1180	1257	1348	1460	1569
<b>6 1</b>	BLACK PO	LYMER AF	RM								
	C5C1MB33 Black Swiv		863 shed Alur	917 minum ba	974 ase	1054	1142	1221	1311	1422	1534
	C5C1MB33 Black Swiv		834 k base	890	945	1023	1114	1193	1282	1394	1506
	ORDERING For jury bas Hard caster Barrier opti For UPHO	se, please rs are the s ons are av	standard ailable fo	and soft or an upcl	wheel ca	sters can <b>61 list pe</b>	be ordered er yard.	for <b>\$61 lis</b> t	t per chair.	CAL 133 a	
	1 2	3	4		5	6	7		9		
DDODUOT 005-11-11	109 115	120	) 13	30 1	39	148	157	170 1	81		
PRODUCT CODE KEY  Line	Ser	ies	p.	ack Style		Arm S	tyle	Mecha	niem	Page	e Style
C5C	1		1	MB			.,ı.c	1 Niecria			
C5 Contemporary	Tilt		[	Mid Back	Ar	Polished Alırm with Poly	ymer Pad	Polished A Knee	Tilt	Polished Alu for Kr	nee Tilt B
			Н	igh Back	•	Polished Alı Arm with U <sub>l</sub> 3 Black Polyn	ph. Pad	Black Alu Knee 3 Black Sw	Tilt	for Kr	k Base nee Tilt C uminum Bas
							_		• • • • •		vivel Tilt

Fully Uph. Arm

SEATING & OCCASIONAL TABLES | USA | 12

for Swivel Tilt

Black Base for Swivel Tilt

Jury Base

# C5 CONTEMPORARY | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3		BRIC GRAI	DES 6	7	LEATHER	
DESCRIPTION/MODEL	FULLY UPHOLSTERE			<u> </u>	4	5	0	- /	8	9
	C5C1HB41A Polished Aluminum kn	1231 ee tilt, Po	1304 olished Alu	1375 uminum bas	1475 se	1590	1692	1806	1949	2092
	C5C1HB42B Black Aluminum knee	1203 tilt, Black	1273 base	1348	1447	1562	1663	1778	1922	2065
<b>D</b>	POLISHED ALUMINUN	A ARM W	/ITH POLV	/MER PAD						
	I OLIGITED ALGIVIIING	VI AI IIVI VI	MITTI OLI	INILITIAD						
	C5C1HB11A Polished Aluminum kn	064 ee tilt, Po	1127 dished Alu	1192 uminum bas	1282 se	1383	1472	1575	1703	1831
	C5C1HB12B Black Aluminum knee	1036 tilt, Black	1099 base	1165	1253	1354	1443	1546	1673	1802
<b>6</b>	BLACK POLYMER ARI	M								
	C5C1HB32B Black Aluminum knee	943 tilt, Black	1009 base	1071	1160	1265	1353	1456	1583	1711
	BLACK POLYMER ARI	M								
	C5C1HB33C	908	970	1036	1123	1225	1316	1417	1545	1672
	Black Swivel tilt, Polish	ied Alum	inum base	Э						
	C5C1HB33D Black Swivel tilt, Black	879	941	1008	1095	1199	1287	1389	1517	1646
	Diack Swiver till, Diack	Dase								
• • ··	ORDERING NOTES: For jury base, please a Hard casters are the s									d Moisture
	Barrier options are ava	ailable for	an upcha	arge of <b>\$61</b>	list per y	ard.				
	1 2 3	4	5		7			_		
0	109 115 120	130	139	9 148	15	7 170	) 181			
PRODUCT CODE KEY	Corica	De-	le Chulo		Arm Ctul-		Moohanis		Page 0	thulo
Line C5C	Series 1		k Style MB		Arm Style		Mechanism 1	1	Base S	
C5 Contemporary	Tilter		l Back		hed Alumir th Polyme		olished Alumir Knee Tilt	num P	olished Alum for Kne	
			НВ		2		2		В	
		Higl	h Back		hed Alumir with Uph. I		Black Aluminu Knee Tilt	ım	Black E for Kne	Base e Tilt
				Rlack	3 Polymer A	Arm I	3 Black Swivel	Γilt D	C olished Alum	inum Rase
				Diacr	4		L.aon Owiver	.a. F	for Swiv	

4 Fully Uph. Arm

D

Black Base for Swivel Tilt

J

Jury Base

# C5 PULLS | MID BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAD	ES 6	LEATHER 7 8 9		0	
DESCRIPTION/MODEL		· ·	2	3	4	5	б	- /	8	9	
	FULLY UPHOLSTERED	ARM									
	C5P1MB41A	1207	1271	1336	1424	1527	1615	1719	1846	1974	
	Polished Aluminum kne	e tilt, Po	olished Alu	minum ba	se						
	C5P1MB42B	1171	1234	1297	1387	1491	1581	1683	1809	1938	
	Black Aluminum knee tilt, Black base										
	POLISHED ALUMINUM	I ARM W	/ITH POLY	MER PAD							
	C5P1MB11A	1039	1095	1150	1229	1319	1397	1486	1598	1711	
	Polished Aluminum kne	Polished Aluminum knee tilt, Polished Aluminum base									
	C5P1MB12B	1004	1059	1115	1194	1283	1361	1452	1562	1673	
	Black Aluminum knee ti	ilt, Black	base								
	BLACK POLYMER ARM	1									
	C5P1MB32B	918	978	1033	1111	1200	1279	1369	1481	1590	
	Black Aluminum knee ti	ilt, Black	k base								
	BLACK POLYMER ARM	1									
	C5P1MB33C	884	939	995	1071	1164	1241	1329	1441	1555	
	Black Swivel tilt, Polish	ed Alum	inum base								
	C5P1MB33D	854	911	967	1043	1136	1212	1302	1413	1525	
	Black Swivel tilt, Black	base									
	ORDERING NOTES: For jury base, please a	dd a 'J'	for the bas	se style at	the end of	the mode	I number a	and add <b>\$7</b>	7 list.		



For jury base, please add a 'J' for the base style at the end of the model number and add \$77 list.

Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

For UPHOLSTERED ARM PAD on polished arm versions only select arm style 2 and add upcharge below.

1	2	3	4	5	6	7	8	9
109	115	120	130	139	148	157	170	181

PRO	DUCT	CODE	KEY

THODOOT CODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base Style
C5P C5 Pulls	Tilter	MB Mid Back	1 Polished Aluminum Arm with Polymer Pad	1 Polished Aluminum Knee Tilt	A Polished Aluminum Base for Knee Tilt
		HB High Back	2 Polished Aluminum Arm with Uph. Pad	2 Black Aluminum Knee Tilt	B Black Base for Knee Tilt
			3 Black Polymer Arm	3 Black Swivel Tilt	C Polished Aluminum Base for Swivel Tilt
			4 Fully Uph. Arm		D Black Base for Swivel Tilt

# C5 PULLS | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FA 4	BRIC GRA	DES 6	7	LEATHER 8	٦ 9
	FULLY UPHOLSTER	ED ARM								
	C5P1HB41A Polished Aluminum I	1260 knee tilt, Pe	1332 olished A	1407 Iuminum b	1506 ase	1622	1722	1836	1980	2123
	C5P1HB42B Black Aluminum kne	1225 e tilt, Blaci	1296 k base	1370	1467	1584	1685	1800	1943	2088
	POLISHED ALUMIN	JM ARM V	WITH POL	YMER PAI						
	C5P1HB11A Polished Aluminum I	1093	1158	1222 Juminum b	1311 ase	1413	1503	1605	1732	1861
	C5P1HB12B Black Aluminum kne	1058	1121	1185	1273	1377	1465	1567	1695	1823
	BLACK POLYMER A	RM								
	C5P1HB32B Black Aluminum kne	974 e tilt, Blac	1038 k base	1102	1192	1293	1383	1485	1612	1740
	BLACK POLYMER A	RM								
	C5P1HB33C Black Swivel tilt, Pol	917 ished Alum	982 ninum bas	1044 se	1137	1240	1327	1430	1557	1687
	C5P1HB33D Black Swivel tilt, Bla	890 ck base	955	1016	1109	1210	1297	1403	1530	1659
	ORDERING NOTES For jury base, please Hard casters are the Barrier options are a For UPHOLSTERE	e add a 'J' standard vailable fo	and soft or or an upch	wheel cast narge of <b>\$6</b>	ers can be 1 list per	e ordered fo <b>yard.</b>	or <b>\$61 list</b> p	oer chair.	CAL 133 a	
	1 2 3 109 115 12					7 8 57 17		_		
PRODUCT CODE KEY  Line	Series		ck Style		Arm Style		Mechanisr		Base	Stylo
C5P	1		MB		1		1		A	
C5 Pulls	Tilter		d Back		shed Alumii with Polyme		olished Alum Knee Tilt			ninum Base
			НВ	/ WIII !	2	1 44	2		В	
		Hig	h Back		shed Alumin with Uph.		Black Alumir Knee Tilt		Black for Kne	
				Di	3	Δ 1100	Block Swinel	T:14 5	C C	
					ck Polymer		Black Swivel		for Swi	
				F	ully Uph. Ar	m		В	lack Base fo	or Swivel Tilt


Jury Base

# **AQUA** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



# MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 11.5%

POST-CONSUMER RECYCLE CONTENT = 21.91%

Up to 47.7% of Aqua product is recyclable at the end of its useful life.

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, On-

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Agua products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

# **AIR-EMISSIONS**

All Aqua products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Aqua and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **AQUA** | FEATURES & OPTIONS

#### **ARM STYLE**

Four arm styles are available on Aqua - Armless, T-Arm, Height Adjustable T-Arm and Fixed Cantilever Arm.



**T-Arm** - A comfortable and supportive urethane pad, 10" in length by 3.5" wide, which can be field replaced if damaged, as can the entire arm.



**Height Adjustable T-Arm** - In addition to the same features as the T-Arm version, the arm pad has a 3-position rotation horizontally: center, left and right. The arm pad also adjusts forward and rearward in 5 positions, and is height-adjustable in 9 positions ranging over 4".



Cantilever Arm - The top surface of this arm has been proportioned to provide comfortable arm support, with a resting surface of 10" x 2".



#### ARM WIDTH ADJUSTMENT

Width adjustment is a standard feature on Aqua arm styles. T-Arms, and Height Adjustable T-Arms, can be width adjusted, operated by the handwheel located under the seat. The T-Arms are width adjustable in a range of 1.5" per arm, or 3" per chair. Cantilever arms can be width adjusted with tools instead of a handwheel, with adjustment range of 1" per arm, or 2" per chair.



#### **MECHANISM OPTIONS**

Synchro-Tilt Mechanism - There are 5 recline/lock positions, in addition to a full range of free-flowing movement. The forward position of the pivot point allows the back and seat to adjust in a 2:1 ratio synchronously, providing comfortable recline of the back with minimal incline of the seat.



Swivel-Tilt Mechanism - Provides excellent value, durability and simplicity: forward and backward tilt, tilt lock, and 360 degree swivel, as well as vertical adjustment - ideal for short-term use environments, such as meeting rooms, where numerous adjustability features may not be desirable or necessary. Aqua Stools are only available with a Swivel Mechanism.



Seat-Slider Option - Available on the Synchro-Tilt Mechanism, this offers a 2" range of forward and rearward adjustment of the seat, with a locking feature. The addition of the seat slider adds 1/2" to the height of the seat and arms.



# **BASE STYLE**

Aqua seating is available with Black five star base and black gas cylinder, or optional Polished Aluminum five star base and chrome cylinder for an upcharge of \$39 list. Both bases come standard with dual wheel black casters. Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair. Aqua bases are also available with a fixed height option for an upcharge of \$39 list per chair.



## **JURY BASE**

The Aqua series is available with a jury base. Jury base assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available.



#### MESH BACKS

Mesh Backs are made of breathable polyester elastomers, the Mesh Back has an ideal tension that provides comfortable lumbar and thoracic support for extended use and healthy sitting enhanced further with the air circulation provided by the mesh's unique design, and an easy-to-clean surface. The mesh back is also replaceable. Mesh colors available:

• White • Warm Grey • Black • Sky• Clay • Neo

Sunset • Cardinal



A unique construction with a mesh suspension core, combined with extensively-researched ergonomic curvature, gives the Aqua back a form-fitting comfort and a thin profile that is designed for healthy long-term sitting.



Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

# REPLACEABLE COMPONENTS

Aqua chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, mechanisms, arms, base and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

## **OPTIONS**

# **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

# **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **AQUA** | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
Standard Height										
Mesh Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	40	18	0.75
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	40	18	0.75
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	40	18	0.75
Upholstered Back										
Armless	20	23	38.3	17.3-21.7	N/A	N/A	17.4	41	18	1.4
T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Height Adjustable T-Arm	26.5	23	38.3	17.3-21.7	25.5-30	17-20	17.4	41	18	1.4
Cantilever	25.8	23	38.3	17.3-21.7	25.5-30	21-23	17.4	41	18	1.4
Stool Height										
Mesh Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	40	20	0.75
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	40	20	0.75
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	40	20	0.75
Upholstered Back										
Armless	20	23	43.8	24-31	N/A	N/A	17.4	41	20	1.4
T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Height Adjustable T-Arm	26.5	23	43.8	24-31	32.5-36.75	17-20	17.4	41	20	1.4
Cantilever	25.8	23	43.8	24-31	32.5-36.75	21-23	17.4	41	20	1.4

# **MULTIPLE YARDAGE REQUIREMENTS**

	Yardage MESH BACK Seats Only	Yardage UPHOLSTERED BACK Back Only	Yardage UPHOLSTERED Full Chair
1 Chair	.75	.94	1.28
2 Chairs	.75	1.8	2.53
3 Chairs	1.5	2.74	3.81
4 Chairs	1.5	3.6	5.06

Height measurements of Aqua tilter and teller chairs are taken with the pneumatic lift in the lowest position and with a standard height range gas lift.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

# Aqua Standard Height Aqua Stool Height Armless Fixed T- Arms Adjustable T - Arms Cantilever Arms

# WEIGHT CAPACITY:

Aqua has been tested to 300lbs.

# AQUA | MESH BACK

DESCRIPTION/MO	ODEL	COM 1	2	COL 3	FAB 4	BRIC GRAD	DES 6	7	LEATHER 8	9
	Asses Manla Dania Assessan		T:14 . C		. la la al .					
	Aqua Mesh Back, Armless AQU1M03B					000	000	000	050	1000
	AQUTIVIOSE	790	803	814	841	869	896	922	950	1003
	Aqua Mesh Back, Armless	with Sync	chro Tilt 5	etar haca	in black					
	AQU1M01B	812	827	840	867	895	918	945	973	1030
	AGOTMOTE	OIL	OL.	0.10	001	000	010	0.10	0.0	1000
	Aqua Mesh Back, Armless	with Svno	chro Tilt/Se	eat Slider.	5 star base	in black				
	AQU1M02B	858	871	885	912	939	966	990	1017	1073
	Aqua Mesh Back, T-Arm in									
	AQU1M13B	930	940	955	982	1010	1036	1063	1087	1142
	Aqua Mesh Back, T-Arm in						1050	1006	1111	1166
	AQU1M11B	954	967	981	1006	1033	1059	1086	1114	1166
	Agus Mach Dack T Arms in	الماماد بينا	th Cumahu	Tilt/Coot	Cliday Fat	ar basa in	blook			
	Aqua Mesh Back, T-Arm in AQU1M12B	997	1012	1023	1050	1078	1106	1134	1159	1211
•	AQUIVIIZB	001	1012	1020	1000	1070	1100	1104	1100	1211
F	Agua Mesh Back, Height A	diustable	T-Arm in b	olack with	Swivel Tilt.	5 star bas	se in black			
	AQU1M23B	971	985	999	1029	1055	1080	1107	1135	1187
	Aqua Mesh Back, Height A	djustable	T-Arm in b	olack, with	Synchro T	ïlt, 5 star b	oase in bla	ck		
Ed San	AQU1M21B	996	1011	1022	1050	1078	1106	1134	1158	1211
5 80	Aqua Mesh Back, Height A	•								
(C) (D)	AQU1M22B	1041	1056	1068	1097	1122	1149	1178	1203	1255
	Aqua Mesh Back, Cantileve	or Arm in	black with	Swivel Til	t 5 star ba	so in blook	,			
	AQU1M33B	847	862	873	899	se in black 928	955	000	1010	1061
	AGO HVIOOD	847	802	8/3	899	928	900	982	1010	1061
	Aqua Mesh Back, Cantileve	er Arm in	black, with	Synchro	Tilt. 5 star l	base in bla	ack			
	AQU1M31B	871	885	898	927	954	980	1006	1033	1086
	Aqua Mesh Back, Cantileve	er Arm in	black with	Synchro 7	Tilt/Seat Sli	der, 5 star	base in bl	ack		
	AQU1M32B	915	931	942	970	997	1022	1050	1078	1134
							-			

# **ORDERING NOTES**

For jury base version, please add a 'J' for the base style at the end of the model number and add \$74 list.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$39 list.

Hard casters are the standard and soft wheel casters can be ordered for \$61 list per chair.

Mesh Colors available are listed on Page 15.









PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	M	0	1	В
Aqua	Management, Task & Conference Seating	Mesh Back	Armless	Synchro Tilt	Black (5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3		
			Cantilever		

# **AQUA** | UPHOLSTERED BACK

DESCRIPTION/M	ODEL	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	Aqua Upholstered Back, Ar	mless wit 899		*			1075	1070	1400	1050
	AQU1U03B	899	945	994	1087	1181	1275	1370	1463	1650
\ /	Aqua Upholstered Back, Ar	mless wit	h Synchro	Tilt 5 sta	r hase in hl	ack				
	AQU1U01B	925	970	1017	1113	1206	1299	1394	1486	1675
	Aqua Upholstered Back, Ar	mless wit	h Synchro	Tilt/Seat	Slider, 5 sta	ar base in	black			
\$ 3 S	AQU1U02B	969	1015	1064	1158	1250	1347	1439	1533	1720
	Aqua Upholstered Back, T-						4.44.4	1510	1000	1700
	AQU1U13B	1040	1086	1135	1225	1321	1414	1510	1603	1792
7	Agua Upholstered Back, T-	Arm in bla	ack, with S	Synchro Til	t. 5 star ba	se in blacl	<			
	AQU1U11B	1064	1111	1158	1252	1347	1440	1534	1627	1817
5	Aqua Upholstered Back, T-					er, 5 star b	ase in blad			
Ø 09	AQU1U12B	1109	1156	1203	1296	1391	1485	1580	1672	1861
	Aqua Upholstered Back, He	aiaht Δdiu	stable T_0	rm in blac	k with Swiv	امر Tilt 5 م	tar hasa in	hlack		
\	AQU1U23B	1084	1131	1179	1272	1365	1460	1527	1648	1835
	7.40.0202									
	Aqua Upholstered Back, He	eight Adju	stable T-A	rm in blac	k with Synd	chro Tilt, 5	star base	in black		
	AQU1U21B	1109	1156	1203	1295	1391	1484	1580	1672	1861
0	Aqua Upholstered Back, He	eight Adju 1155	stable T-A 1202	rm in blac 1248	k, with Syn 1341	chro Tilt/S 1437	Seat Slider, 1530	5 star bas 1623	e in black 1718	1906
	AQU1U22B	1133	1202	1240	1341	1437	1550	1023	1710	1900
	Agua Upholstered Back, Ca	antilever A	Arm in blac	ck with Sw	ivel Tilt, 5 s	star base i	n black			
\	AQU1U33B	959	1006	1054	1146	1241	1335	1428	1521	1710
V)	Aqua Upholstered Back, Ca									
	AQU1U31B	983	1031	1078	1171	1265	1358	1454	1545	1733
	Agus I labelatored Deels Or		المامان مسلم	ا مادانید یام	nobro Tili /	Coot Olicie	. E atau la a	00 in ble -!:		
0 80	Aqua Upholstered Back, Ca AQU1U32B	antilever <i>F</i> 1030	1074	2K, With Sy 1122	1216	1309	r, 5 star ba 1407	se in black 1496	1590	1779
- <del>-</del>	AQU 1002D	1030	10/4	1144	1210	1008	1401	1430	1080	1113

# ORDERING NOTES

For jury base version, please add a 'J' for the base style at the end of the model number and add  $$74\ list.$ 

CAL 133 and Moisture Barrier options are available for an upcharge of **\$61** list per yard.

For Polished Aluminum base please change the last letter in the model number from "B" to a "C" and add \$39 list.

Hard casters are the standard and **soft wheel casters** can be ordered for **\$61 list** per chair.

Mesh Colors available are listed on Page 15.









PRODUCT CODE KEY

Line	Series	Back Style	Arm Style	Mechanism	Base Style
AQU	1	М	0	1	В
Aqua	Management, Task	Mesh Back	Armless	Synchro Tilt	Black
	& Conference Seating				(5 Star Base)
		U	1	2	J
		Upholstered	T-Arm	Synchro Tilt/ Seat Slider	(Jury Base)
			2	3	С
			Height Adjustable T-Arm	Swivel Tilt	Polished Aluminum
			3		
			Cantilever		

# AQUA | STOOL

DECODIDEION/MODEL		COM	0	COL		BRIC GRA		7	LEATHER	
DESCRIPTION/MODEL		ļ	2	3	4	5	6	7	8	9
	Aqua Stool Mesh Ba	ck, Armle	ess, 5 star	in black v	vith glides	or casters				
	AQT1M0G (glides)	853	867	880	909	936	960	987	1014	1068
	AQT1M0B (casters)									
	Aqua Stool Upholste	red Back	Armless	5 star ha	se in hlack	with alide	s or caste	rs		
	AQT1U0G (glides)	966	1012	1059	1152	1247	1341	1435	1530	1717
	AQT1U0B (casters)									
	, ,									
	Aqua Stool Mesh Ba	-					•			100-
	AQT1M1G (glides) AQT1M1B (casters)	994	1008	1018	1045	1073	1100	1127	1155	1208
	AQTIVITO (Casters)									
	Aqua Stool Upholste	red Back	, T-Arm in	black, 5 s	star base ir	n black wit	h glides or	casters		
	AQT1U1G (glides)	1106	1150	1198	1293	1386	1482	1575	1666	1855
	AQT1U1B (casters)									
	Aqua Stool Mesh Ba	ck Heiat	nt Adiusta	ble T-Δrm	in black 5	etar hace	in black w	ith alides o	r caetore	
	AQT1M2G (glides)	1039	1050	1064	1089	1117	1145	1172	1198	1252
	AQT1M2B (casters)	1039	1030	1004	1009	1117	1145	1112	1190	1232
	(500000)									
	Aqua Stool Upholste			•		-		•	glides or c	asters
	AQT1U2G (glides)	1149	1195	1244	1337	1432	1525	1619	1713	1900
	AQT1U2B (casters)									
	Aqua Stool Mesh Ba	ck, Canti	lever Arm	in black.	5 star base	in black v	vith alides	or casters		
	AQT1M3G (glides)	912	927	939	967	994	1017	1044	1073	1127
	AQT1M3B (casters)									
	Aqua Stool Upholste							-		4774
	AQT1U3G (glides) AQT1U3B (casters)	1022	1069	1117	1211	1306	1398	1493	1588	1774
- I I 0 0	AGT TOOD (Casters)									

# **ORDERING NOTES**

Hard casters are the standard and **soft wheel casters** can be ordered for **\$61 list** per chair.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Mesh Colors available are listed on Page 15.

Aqua Stools are only available with a Swivel Mechanism.

## PRODUCT CODE KEY

PRODUCT COD	E KEY				
Line	Series	Back Style	Arm Style	Base Style	
AQT Aqua Stool	1 Management, Task & Conference Seating	M Mesh Back	0 Armless	B Black (Casters)	
		U	1	G	
		Upholstered	T-Arm	(Glides)	
			2		
			Height Adjustable T-Arm		


3 Cantilever

# DORSO E-LINE | ENVIRONMENTAL SUMMARY

# **LEED CI CREDITS**



## MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 17.95%

POST-CONSUMER
RECYCLED CONTENT = 17.72%

Up to 61.36% of Dorso E product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

# **AIR-EMISSIONS**

All Dorso products are supplied with air-emissions certified. Contact customer service for information.



## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Dorso and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# DORSO E & T | FEATURES



#### ARM STYLES

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

#### F-I INF

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

#### T-LINE

Fixed cantilever and adjustable arms are available in black textured plastic.



#### **BASE STYLES**

## **E-LINE & T-LINE**

Dorso seating features optional Silver Metallic, polished Chrome or Black finish and dual wheel casters.



#### **DORSO CONTROLS**

All Dorso E-Line and T-Line come with synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.



# BACK HEIGHT

Back height adjustment is an option on Dorso E & T Line. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

#### SEAT HEIGHT

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

#### **BACK TENSION**

Back tension on the mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.

#### **SEAT SLIDER**

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.

#### CAL 133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **DORSO E-LINE | DIMENSIONS & COM REQUIREMENTS**

Dorso E features a generous seat & back that provides unparalleled comfort and support.

Model Number				Overall Height	Seat Height Min/Max	Height of Arms from Floor	Width between Arms	-		Shipping Weight	Cube	COM Yardage
DEC1-HB/DES1-H	B Fixed	25.25	25	50	17.5-22.125	25.6875-30.25	21	47-52	18	44	19	2.2
DEB1-HB	Fixed Upholstered	25.5	25	50	17.5-22.125	25.6875-30.25	20.5	47-52	18	44	19	2.5
	Adjustable	25.5	25	50	17.5-22.125	26-34	21	47-52	18	44	19	2.2
	Armless	20.5	25	50	17.5-22.125	N/A	N/A	47-52	18	40	19	2.2
DEC1-MB/DES1-M	IB Fixed	25.25	25	43	17.5-22.125	25.6875-30.25	21	40-45	18	41	16	2
DEB1-MB	Fixed Upholstered	25.5	25	43	17.5-22.125	25.6875-30.25	20.5	40-45	18	41	16	2.3
	Adjustable	25.5	25	43	17.5-22.125	26-34	21	40-45	18	41	16	2
	Armless	20.5	25	43	17.5-22.125	N/A	N/A	40-45	18	37	16	2

#### DORSO | E-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso E seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

# **ORDERING NOTES:**

Height measurements of Dorso E are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# DORSO T-LINE | DIMENSIONS & COM REQUIREMENTS

Dorso T - a strikingly modern chair design, provides a level of long term sitting comfort and support.

Model Number		Overall Width	Overall Depth	Overall Height	Seat Height Min/Max	Height of Arms from Floor	Width between Arms	Height Range		Shipping Weight	Cube	COM Yardage
DTC1-HB/DTS1-HB/	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	40	19	2
DTB1-HB	Fixed	25.25	24	49	16.75-21.375	27.5-30.25	20	46-51	18	44	19	2
	Adjustable	25.5	24	49	16.75-21.375	26-34	20	46-51	18	44	19	2
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	46-51	18	37	19	2
DTC1-MB/DTS1-MB	Fixed	25.25	24	42	16.75-21.375	27.5-30.25	20	39-44	18	41	16	1.8
DTB1-MB	Adjustable	25.5	24	42	16.75-21.375	26-34	20	39-44	18	41	16	1.8
	Armless	20.5	24	49	16.75-21.375	N/A	N/A	39-44	18	37	16	1.8

# DORSO | T-LINE



Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso T seating. For vinyls, please submit a sample to Customer Service for pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather itself will be inspected when received at the factory, to identify and further concerns with its suitability.

# **OPTIONS**

Height measurements of Dorso T are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# DORSO E-LINE | MID BACK

DECODIDE ON A ACCE		СОМ	0	COL		BRIC GRA		7	LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms									
	DEC1-M111C	1371	1435	1495	1580	1675	1781	1915	2059	2217
Ú (	DES1-M111S	1311	1371	1433	1513	1611	1729	1852	1993	2150
	DEB1-M111B	1145	1206	1268	1348	1443	1562	1687	1829	1987
	Fixed Back; Fixed Arms	- Synchro/	Seat Slide	r						
	DEC1-M112C	1446	1510	1569	1654	1750	1857	1989	2133	2293
	DES1-M112S	1386	1446	1509	1588	1687	1803	1927	2069	2229
u u	DEB1-M112B	1221	1281	1342	1422	1519	1636	1761	1904	2062
	Fixed Back; Adjustable A	Armo Syn	phro							
		•								
() \	DEC1-M121C	1566	1627	1690	1772	1869	1974	2107	2249	2411
	DES1-M121S	1461	1528	1588	1666	1766	1871	2005	2147	2306
	DEB1-M121B	1295	1355	1417	1496	1594	1713	1836	1980	2136
	Fixed Back; Adjustable A	Arms - Syno	chro/Seat	Slider						
6 6	DEC1-M122C	1642	1703	1766	1848	1943	2052	2184	2325	2486
9 B	DES1-M122S	1537	1603	1663	1745	1840	1945	2081	2222	2383
	DEB1-M122B	1371	1432	1493	1573	1670	1790	1911	2056	2213
_	Fixed Back; Fixed Arms	(Leather/Fa	bric Pad)	- Synchro						
	DEC1-M131C	1583	1652	1722	1812	1916	2031	2171	2335	2494
	DES1-M131S	1521	1589	1660	1747	1852	1975	2107	2272	2430
	Fixed Back; Fixed Arms	(Leather/Fa	bric Pad)	- Synchro	/Seat Slide					
	DEC1-M132C	1659	1729	1796	1887	1991	2106	2245	2410	2569
	DES1-M132S	1597	1664	1733	1821	1927	2053	2258	2346	2505
	Fixed Back; Armless - S	vnchro								
	DEC1-M101C	1281	1344	1408	1485	1584	1701	1823	1966	2128
	DES1-M101S	1160	1222	1284	1363	1463	1579	1701	1846	2004
	DEB1-M101B	1092	1155	1219	1295	1395	1510	1633	1778	1936
	Fixed Books Armless Co	mohro/Com	t Clidor							
	Fixed Back; Armless - Sy	ynchro/Sea 1355	1420	1482	1561	1660	1775	1899	2042	2202
<b>%</b>	DEC1-M102C	1236	1296	1361	1439	1539	1652	1775	1921	2079
W	DES1-M102S	1168	1229	1293	1371	1470	1585	1773	1853	2019
	DEB1-M102B	1100	1220	1230	1071	1470	1000	1707	1000	2010

# Each chair features the Synchro Tilt mechanism

**ORDERING NOTES:** The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.** 

# PRODUCT CODE KEY

I HODOOT OODL	. IXL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	M	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever (Upholstered)

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO E-LINE | MID BACK

		COM		COL		BRIC GRA		_	LEATHER	
DESCRIPTION/MODEL	=	1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed	Arms - Syr	nchro							
	DEC1-M211C	1399	1464	1527	1609	1705	1812	1943	2088	2247
	DES1-M211S	1341	1399	1463	1542	1641	1758	1882	2025	2184
	DEB1-M211B	1174	1236	1296	1378	1475	1591	1717	1859	2017
	Adjustable Back; Fixed	Arms - Syr	nchro/Seat	Slider						
	DEC1-M212C	1478	1540	1600	1685	1780	1887	2019	2163	2321
® 77	DES1-M212S	1415	1478	1539	1618	1717	1833	1958	2100	2258
	DEB1-M212B	1250	1311	1372	1454	1549	1666	1792	1935	2091
	Adjustable Back; Adjus	stable Arms	- Synchro							
	DEC1-M221C	1597	1659	1720	1802	1899	2005	2136	2279	2441
	DES1-M221S	1491	1559	1618	1697	1795	1900	2034	2177	2337
	DEB1-M221B	1325	1386	1449	1528	1625	1745	1866	2009	2166
3	Adjustable Back; Adjus	stable Arms	<ul> <li>Synchro.</li> </ul>							
00	DEC1-M222C	1672	1732	1795	1877	1974	2081	2213	2355	2515
8 17	DES1-M222S	1566	1633	1693	1773	1871	1975	2110	2252	2412
	DEB1-M222B	1399	1461	1522	1603	1701	1819	1940	2086	2243
_	Adjustable Back; Fixed	Arms (Leat	her/Fabric	: Pad) - Sy	nchro					
	DEC1-M231C	1612	1683	1752	1842	1945	2061	2200	2365	2524
	DES1-M231S	1554	1619	1689	1775	1882	2007	2136	2302	2459
	Adjustable Back; Fixed									
	DEC1-M232C	1688	1758	1827	1917	2021	2135	2275	2440	2599
	DES1-M232S	1627	1694	1765	1852	1958	2082	2213	2377	2535
۵										
	Adjustable Back; Armle	ess - Synchi	·O							
	DEC1-M201C	1311	1373	1437	1515	1613	1731	1854	1997	2158
[[	DES1-M201S	1190	1252	1315	1394	1493	1608	1731	1875	2033
	DEB1-M201B	1122	1185	1248	1325	1424	1540	1663	1807	1965
					. 520		.5.10	. 500	. 501	. 300
	Adjustable Back; Armless - Synchro/Seat Slider									
	DEC1-M202C	1386	1450	1512	1590	1689	1806	1930	2071	2232
& j) @	DES1-M202S	1267	1327	1391	1467	1567	1683	1806	1951	2109
***	DEB1-M202B	1198	1258	1323	1399	1499	1615	1737	1883	2041
			00	. 520	. 500		. 5 . 5		. 500	

# Each chair features the Synchro Tilt mechanism

**ORDERING NOTES:** The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**.

# PRODUCT CODE KEY

PRODUCT CODE	: KEY					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC Dorso E-Line	1 Management, Task	M Mid Back	1 Fixed	0 Armless	1 Synchro	C Chrome Base
(Polished Chrome)  DES	& Conference Seating	Н	2	1	2	S
Dorso E-Line (Silver Metallic)		High Back	Adjustable	Fixed Cantilever	Synchro/ Seat Slider	Silver Metallic Base
DEB				2	Coat Gilder	В
Dorso E-Line (Black)				Adjustable		Black Base
				3		

Fixed Cantilever (Upholstered)

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO E-LINE | HIGH BACK

DESCRIPTION (MODE)		СОМ		COL		BRIC GRAI			LEATHER	•
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms -	Synchro								
	DEC1-H111C	1415	1494	1579	1685	1808	1961	2138	2342	2563
	DES1-H111S	1355	1433	1515	1622	1747	1896	2077	2278	2503
	DEB1-H111B	1174	1252	1336	1441	1564	1717	1896	2098	2320
	E: 15 1 E: 14	0 1 6								
	Fixed Back; Fixed Arms -	,			4750	4005	0007	0014	0.440	0000
	DEC1-H112C	1491	1568	1652	1759	1885	2037	2214	2418	2639
8	DES1-H112S	1432	1509	1590	1697	1821	1971	2150	2354	2577
9 8	DEB1-H112B	1250	1327	1411	1517	1641	1792	1971	2173	2397
	Fixed Back; Adjustable Ar	me - Sync	hro							
	DEC1-H121C	1612	1690	1772	1880	2004	2156	2332	2528	2759
	DES1-H121S	1554	1632	1713	1818	1942	2091	2270	2468	2699
	DEB1-H121B	1371	1452	1533	1635	1764	1911	2089	2289	2516
	DEBT THE IB	1071	1402	1300	1000	1704	1311	2003	2200	2010
	Fixed Back; Adjustable Ar	ms - Svnc	hro/Seat	Slider						
	DEC1-H122C	1688	1766	1848	1957	2079	2230	2407	2604	2832
	DES1-H122S	1627	1706	1790	1893	2018	2166	2345	2543	2774
6 - 1	DEB1-H122B	1446	1527	1608	1711	1837	1987	2164	2363	2592
	Fixed Back; Fixed Arms (L	_eather/Fa	bric Pad)	- Synchro						
	DEC1-H131C	1627	1711	1803	1917	2052	2209	2396	2617	2841
	DES1-H131S	1566	1650	1740	1855	1987	2145	2333	2556	2779
	Fixed Books Fixed Arms (I	a a th a r/Fa	brio Dod\	Cumphus	Coot Clide					
D	Fixed Back; Fixed Arms (L DEC1-H132C		,	,			0000	0.470	0004	004:
45)	DEC1-H132C DES1-H132S	1703	1789	1878	1992	2126	2283	2470	2694	2914
	DE01-11329	1642	1725	1818	1932	2062	2219	2409	2632	2853
0 4 P										

# Each chair features the Synchro Tilt mechanism

**ORDERING NOTES:** The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**.

# PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DEC	1	М	1	0	1	С
Dorso E-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DES		Н	2	1	2	S
Dorso E-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DEB				2		В
Dorso E-Line				Adjustable		Black Base
(Black)						
				3		
				Fixed Captilover		

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO E-LINE | HIGH BACK

		COM		COL	FAE	BRIC GRA	DES		LEATHER	ł
DESCRIPTION/MODE	L	1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed A	rms - Syn	chro							
	DEC1-H211C	1446	1525	1608	1716	1838	1991	2170	2371	2592
	DES1-H211S	1386	1463	1545	1652	1775	1927	2107	2307	2532
	DEB1-H211B	1206	1282	1365	1472	1594	1747	1927	2130	2349
	Adjustable Back; Fixed A	ırms - Syn	chro/Seat	Slider						
	DEC1-H212C	1521	1599	1683	1791	1915	2066	2244	2447	2670
	DES1-H212S	1461	1539	1621	1729	1852	2003	2184	2384	2608
	DEB1-H212B	1281	1356	1440	1546	1670	1821	2003	2203	2427
64										
	Adjustable Back; Adjusta	hle Arms	- Synchro							
	DEC1-H221C	1642	1720	1802	1909	2033	2185	2362	2557	2789
	DES1-H221S	1583	1662	1745	1848	1972	2122	2300	2499	2728
	DEB1-H221B	1399	1482	1562	1665	1793	1940	2118	2318	2546
	525. 1.22.15	1000	1102	1002	1000	1100	10 10	2110	2010	2010
	Adjustable Back; Adjusta	ble Arms	- Synchro/	Seat Slide	r					
	DEC1-H222C	1718	1795	1877	1986	2109	2260	2438	2633	2865
	DES1-H222S	1659	1736	1819	1922	2046	2198	2375	2573	2804
	DEB1-H222B	1478	1557	1636	1740	1867	2017	2194	2394	2623
- 63										
_	Adjustable Back; Fixed A	rms (Leatl	her/Fabric	Pad) - Syr	nchro					
	DEC1-H231C	1659	1745	1833	1948	2081	2240	2424	2648	2870
	DES1-H231S	1597	1681	1772	1886	2017	2174	2363	2586	2808
D	Adjustable Back; Fixed A	,								
45)	DEC1-H232C	1732	1819	1908	2023	2157	2316	2500	2723	2945
	DES1-H232S	1672	1757	1848	1961	2091	2249	2439	2660	2884
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0										

# Each chair features the Synchro Tilt mechanism

\*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

**ORDERING NOTES:** The upholstered cantilever arm is available for use with leather and upholstery in the Polished Chrome and Silver Metallic arm only. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**. Please see Page 34 for more information.

# PRODUCT CODE KEY


Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
1	M	1	0	1	С
•	Mid Back	Fixed	Armless	Synchro	Chrome Base
& Contelence Seating					
	Н	2	1	2	S
	High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
				Seat Slider	Base
			2		В
			Adjustable		Black Base
			3		
	Series  1  Management, Task & Conference Seating	Management, Task Mid Back & Conference Seating	Management, Task Mid Back Fixed & Conference Seating	Management, Task & Mid Back Fixed Armless & Conference Seating H 2 1 High Back Adjustable Fixed Cantilever	Management, Task & Mid Back Fixed Armless Synchro  Conference Seating  H 2 1 2 1 2 High Back Adjustable Fixed Cantilever Synchro/Seat Slider  Adjustable

Fixed Cantilever (Upholstered)

# **DORSO T-LINE | ENVIRONMENTAL SUMMARY**

# **LEED CI CREDITS**

#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.91%

POST-CONSUMER RECYCLED CONTENT = 18.91%

Up to 63.75% of this Dorso T product is recyclable at the end of its useful life.

# **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



# **AIR EMISSIONS**

All Dorso products are supplied air-emissions certified. Contact customer service for information.

# **DORSO T-LINE | MID BACK**

		COM		COL	FAE	BRIC GRAI	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms	- Synchro								
	DTC1-M111C	1260	1320	1378	1454	1541	1639	1761	1894	2039
	DTS1-M111S	1206	1260	1319	1392	1482	1589	1704	1835	1981
	DTB1-M111B	1055	1109	1166	1240	1328	1438	1549	1683	1827
	Fixed Back; Fixed Arms	- Synchro/	Seat Slide	r						
	DTC1-M112C	1337	1395	1454	1528	1617	1716	1836	1967	2114
	DTS1-M112S	1281	1337	1394	1466	1557	1664	1779	1909	2058
<b>о</b> в	DTB1-M112B	1129	1185	1242	1313	1407	1513	1625	1758	1902
	Fixed Back; Adjustable A	Arms - Syn	chro							
	DTC1-M121C	1441	1496	1556	1631	1720	1818	1938	2069	2218
	DTS1-M121S	1344	1408	1461	1534	1623	1722	1846	1975	2122
	DTB1-M121B	1192	1248	1306	1378	1466	1576	1689	1821	1965
	Fired Deals, Adiostable	\ O	-l /Ct	01:4						
	Fixed Back; Adjustable A DTC1-M122C	arms - Syn 1517			1705	170E	1893	2013	2145	2294
	DTS1-M122S	1420	1573 1482	1631 1537	1609	1795 1698	1796	1921	2053	2198
	DTB1-M122B	1268	1323	1380	1454	1542	1650	1765	1896	2041
	DIBI-WIIZZB	1200	1323	1300	1404	1042	1000	1700	1090	2041
	Fixed Back; Armless - S	,								
	DTC1-M101C	1179	1237	1293	1366	1457	1564	1678	1809	1958
	DTS1-M101S	1067	1123	1182	1254	1347	1452	1564	1697	1843
	DTB1-M101B	1006	1063	1118	1192	1283	1390	1503	1635	1780
	Fixed Back; Armless - S	ynchro/Sea	t Slider							
0	DTC1-M102C	1253	1312	1369	1441	1533	1641	1753	1886	2018
9 8	DTS1-M102S	1142	1200	1257	1330	1421	1527	1641	1773	1920
	DTB1-M102B	1081	1138	1194	1268	1358	1464	1579	1711	1855

# Each chair features the Synchro Tilt mechanism

# **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**. Please see Page 34 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
213	220	228	234	243	249	258	278	287

# PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating					
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

<sup>\*</sup>The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# DORSO T-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed Ar	ms - Synd	chro							
	DTC1-M211C	1291	1348	1407	1482	1567	1666	1791	1921	2067
	DTS1-M211S	1234	1291	1347	1420	1510	1618	1731	1862	2008
	DTB1-M211B	1083	1137	1193	1268	1356	1464	1580	1710	1855
	Adjustable Back; Fixed Ar	ms - Synd	chro/Seat	Slider						
	DTC1-M212C	1365	1422	1481	1557	1645	1745	1864	1995	2143
	DTS1-M212S	1309	1365	1421	1494	1585	1693	1806	1937	2084
	DTB1-M212B	1158	1211	1269	1342	1433	1540	1654	1783	1932
	Adjustable Back; Adjustab	ole Arms -	Synchro							
	DTC1-M221C	1467	1525	1584	1659	1748	1846	1965	2098	2245
	DTS1-M221S	1372	1433	1488	1562	1652	1749	1872	2004	2149
	DTB1-M221B	1221	1275	1332	1408	1495	1603	1718	1849	1993
	Adjustable Back; Adjustal	ole Arms -	Svnchro/	Seat Slide	r					
	DTC1-M222C	1543	1599	1660	1732	1822	1921	2041	2173	2320
	DTS1-M222S	1449	1509	1563	1636	1729	1823	1948	2079	2226
- u	DTB1-M222B	1295	1350	1409	1482	1569	1678	1793	1923	2069
	Adjustable Back; Armless	- Synchro	)							
	DTC1-M201C	1208	1268	1323	1396	1486	1594	1707	1840	1987
	DTS1-M201S	1098	1155	1213	1284	1377	1482	1594	1729	1874
	DTB1-M201B	1036	1092	1149	1222	1313	1420	1533	1665	1809
	Adjustable Back; Armless	- Synchro	o/Seat Slid	ler						
	DTC1-M202C	1283	1342	1397	1472	1562	1670	1782	1916	2074
- 0	DTS1-M202S	1172	1229	1290	1361	1452	1557	1670	1803	1949
	DTB1-M202B	1111	1168	1224	1296	1390	1494	1608	1740	1886

# Each chair features the Synchro Tilt mechanism

\*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

## ORDERING NOTES

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**. Please see Page 34 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
213	220	228	234	243	249	258	278	287

# PRODUCT CODE KEY

11100001 0000	- 1 \ _ 1					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1 Management Tools	M	1 Fine d	0	1	C Chroma Base
Dorso T-Line (Polished Chrome)	Management, Task & Conference Seating	Mid Back	Fixed	Armless	Synchro	Chrome Base
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)						
				3		

Fixed Cantilever Upholstered

# DORSO T-LINE | HIGH BACK

		COM		COL		BRIC GRAI			LEATHER	
DESCRIPTION/MODEL	=	1	2	3	4	5	6	7	8	9
	Fixed Back; Fixed Arms -	- Synchro								
	DTC1-H111C	1305	1377	1452	1549	1664	1804	1966	2157	2360
	DTS1-H111S	1248	1319	1395	1493	1606	1746	1911	2097	2302
	DTB1-H111B	1083	1152	1228	1325	1440	1580	1746	1932	2135
	Fixed Back; Fixed Arms -	Cumahua/	Coot Clido	_						
	DTC1-H112C	1379	1452	1527	1625	1739	1880	2042	2231	2434
	DTS1-H112S									
0 0	DTB1-H112B	1323 1158	1394 1228	1470 1305	1567 1399	1681 1515	1820 1654	1987 1820	2172 2007	2377 2211
& B	טוטו-חווצט	1136	1220	1303	1399	1313	1034	1020	2007	2211
	Fixed Back; Adjustable A	rms - Svn	chro							
	DTC1-H121C	1483	1556	1631	1730	1843	1984	2145	2325	2538
	DTS1-H121S	1428	1499	1576	1672	1790	1924	2088	2272	2484
	DTB1-H121B	1260	1336	1411	1506	1621	1758	1922	2105	2317
	Fixed Back; Adjustable A	rms - Syn	chro/Seat	Slider						
	DTC1-H122C	1559	1631	1705	1804	1920	2059	2219	2400	2613
	DTS1-H122S	1504	1576	1650	1748	1863	2000	2163	2346	2558
	DTB1-H122B	1337	1411	1485	1582	1695	1833	2012	2178	2392
	Fixed Back; Armless - Sy	nchro								
	DTC1-H101C	1213	1284	1361	1460	1575	1716	1877	2065	2269
	DTS1-H101S	1098	1168	1245	1342	1456	1592	1761	1945	2149
	DTB1-H101B	1031	1100	1174	1273	1387	1527	1692	1878	2084
	E: 15 1 4 1 0		. 0							
	Fixed Back; Armless - Sy									
	DTC1-H102C	1290	1361	1437	1535	1649	1791	1954	2140	2343
	DTS1-H102S	1172	1244	1320	1417	1531	1669	1836	2021	2226
90	DTB1-H102B	1106	1174	1250	1349	1463	1600	1767	1956	2159

# Each chair features the Synchro Tilt mechanism

\*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard**. Please see Page 34 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
213	220	228	234	243	249	258	278	287

## PRODUCT CODE KEY

PRODUCT CODE	- NL I					
Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating				•	
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		
				Fixed Cantilever		
				Upholstered		

# **DORSO T-LINE | HIGH BACK**

		COM		COL	FAE	BRIC GRAD	DES		LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Adjustable Back; Fixed Ar	ms - Syn	chro							
	DTC1-H211C	1330	1403	1481	1579	1692	1832	1995	2184	2385
	DTS1-H211S	1275	1347	1422	1519	1634	1773	1938	2124	2331
	DTB1-H211B	1187	1257	1335	1432	1545	1685	1850	2037	2242
	Adjustable Back; Fixed Ar	,								
	DTC1-H212C	1408	1480	1556	1652	1767	1907	2070	2258	2461
0	DTS1-H212S	1350	1421	1496	1594	1710	1849	2013	2199	2406
8 19	DTB1-H212B	1264	1335	1410	1508	1621	1759	1924	2112	2317
	Adjustable Back; Adjustab		•							
	DTC1-H221C	1512	1584	1659	1758	1871	2009	2173	2353	2567
	DTS1-H221S	1456	1530	1603	1698	1817	1954	2115	2298	2511
	DTB1-H221B	1292	1365	1440	1535	1650	1790	1954	2134	2346
	Adjustable Back; Adjustab									
	DTC1-H222C	1587	1660	1732	1833	1945	2086	2248	2428	2641
	DTS1-H222S	1531	1605	1678	1774	1891	2029	2192	2374	2586
6 B	DTB1-H222B	1366	1440	1515	1611	1725	1863	2029	2209	2421
	Adjustable Back; Armless	- Synchro	)							
	DTC1-H201C	1244	1315	1391	1489	1605	1746	1907	2094	2298
	DTS1-H201S	1127	1198	1275	1372	1485	1623	1792	1975	2179
	DTB1-H201B	1059	1131	1206	1305	1417	1557	1722	1908	2113
			<b>10</b> . <b>6</b>							
	Adjustable Back; Armless	•								
	DTC1-H202C	1319	1391	1465	1564	1680	1820	1984	2171	2374
O STORY	DTS1-H202S	1203	1273	1350	1449	1561	1698	1866	2053	2257
8 7	DTB1-H202B	1136	1206	1281	1379	1493	1632	1796	1985	2189

# Each chair features the Synchro Tilt mechanism

\*The finish applies to exposed metal elements specified for the chair: chair base, fixed and adjustable arm accents.

# **ORDERING NOTES**

Dorso T-Line versions are available without back metal accent detail. Please contact Customer Service for ordering information. Optional soft wheel casters are available at an upcharge of **\$61 list**. CAL 133 and Moisture Barrier options are available for an upcharge of **59 list per yard**. Please see Page 34 for more information.

The upholstered cantilever arm is available for use with leather and upholstery in the polished chrome and silver metal arm only. Upcharge for Fixed Cantilever Upholstered cap:

-								
GR1/COM	GR2	GR3	GR4	GR5	GR6	GR7	GR8	GR9
213	220	228	234	243	249	258	278	287

# PRODUCT CODE KEY


Line	Series	Back Style	Back Adjustment	Arm Style	Mechanism	Base
DTC	1	М	1	0	1	С
Dorso T-Line	Management, Task	Mid Back	Fixed	Armless	Synchro	Chrome Base
(Polished Chrome)	& Conference Seating				•	
DTS		Н	2	1	2	S
Dorso T-Line		High Back	Adjustable	Fixed Cantilever	Synchro/	Silver Metallic
(Silver Metallic)					Seat Slider	Base
DTB				2		В
Dorso T-Line				Adjustable		Black Base
(Black)				3		

Fixed Cantilever Upholstered

# DORSO WEAVE | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 11.32%

POST-CONSUMER RECYCLED CONTENT = 21.48%

Up to 74.04% of this Dorso Weave product is recyclable at the end of its useful life.

# **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## **AIR EMISSIONS**

All Dorso products are supplied air-emissions certified. Contact customer service for information.

# **DORSO WEAVE | FEATURES**



#### **ARM STYLES**

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

#### S-LINE

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

#### N-I INF

Fixed cantilever and adjustable arms are available in black textured plastic only.



#### **BASE STYLES**

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



# pull of the lever. **BACK HEIGHT**

**SEAT HEIGHT** 

**BACK TENSION** 

preferences.

**SEAT SLIDER** 

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

In the seated position, a pull upwards on the

height adjustment lever located under the seat of

the user's right side adjusts the height up or down

Back tension on the mechanism is controlled with

an adjustment knob under the seat. It has been

designed to provide a range of back tension

adjustment suitable for users of varying sizes and

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment

front to back when seated. The lever to

activate this feature is located under the seat of the user's right side and is activated by an upward

with a total height range of 4.5".



# **DORSO CONTROLS**

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines.

# **BACK COLOR OPTIONS**

Black • Warm Grey • Tan • Soft Beige • Winter White

# **DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed	24.5	22.5	42.5	18-22	27-30.5	20	18	51	15	0.75
	Adjustable	25	22.5	42.5	18-22	25.5-32	19.5	18	51	15	0.75
	Armless	19.5	22.5	42.5	18-22	N/A	N/A	18	46	15	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	47	18-22	27-30.5	20	18	52	18	0.75
	Adjustable	25	22.5	47	18-22	25.5-32	19.5	18	52	18	0.75
	Armless	19.5	22.5	47	18-22	N/A	N/A	18	47	18	0.75
S-LINE HIGH BACK	Fixed	24.5	22.5	50.5	18-22	27-30.5	20	18	54	18	0.75
with Headrest	Adjustable	25	22.5	50.5	18-22	25.5-32	19.5	18	54	18	0.75
N-LINE MID BACK	Fixed	24.5	21.5	41	18-22	27-30.5	20	18	50	15	0.75
	Adjustable	25	21.5	41	18-22	25.5-32	19.5	18	50	15	0.75
	Armless	19.5	21.5	41	18-22	N/A	N/A	18	45	15	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	45.5	18-22	27-30.5	20	18	51	18	0.75
	Adjustable	25	21.5	45.5	18-22	25.5-32	19.5	18	51	18	0.75
N-LINE HIGH BACK	Fixed	24.5	21.5	50.5	18-22	27-30.5	20	18	53	19.5	0.75
with Headrest	Adjustable	25	21.5	50.5	18-22	25.5-32	19.5	18	53	19.5	0.75

Note: Some vinyls, leathers and upholsteries are not suitable for application on Dorso seating. For information on COM approval process see Page 329.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position.

All dimensions are in inches and approximate and are subject to change without notice.

Contact Customer Service if dimensions are critical.

# DORSO WEAVE S-LINE | MID BACK

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black with	metal acce	ent)							
(*************************************	DOS1-M2211M	1594	1611	1625	1649	1672	1695	1725	1758	1791
	Silver Metallic									
	DOS1-M2231M	1807	1831	1853	1883	1914	1945	1984	2035	2077
	Silver Metallic									
	DOC1-M2211M	1669	1687	1701	1723	1748	1769	1802	1832	1863
6	Polished Chrome									
0 0	DOC1-M2231M	1880	1906	1928	1958	1989	2018	2060	2109	2149
	Polished Chrome									
===	ADJUSTABLE ARMS (Bla	ck with me	etal accen	†)						
DOS1-M2221M		1533	1546	1562	1587	1609	1633	1663	1694	1724
T	Silver Metallic									
	DOC1-M2221M	1611	1625	1642	1664	1689	1711	1745	1773	1804
	Polished Chrome									
	ARMLESS									
€550\	DOS1-M2201M	1430	1443	1460	1484	1508	1531	1561	1591	1622
(000000) (000000)	Silver Metallic	50	1 140	00	1 104	.000	1001	1001	1001	. 522
)(000)/	DOC1-M2201M	1496	1513	1530	1554	1575	1598	1631	1661	1692
	Polished Chrome									

#### **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. Please see Page 34 for more information.



### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	2	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating			Weave			
DOC	_	Н		3	1	2	J
Dorso S-Line		High Back		Headrest (No trim)	Fixed Cantilever	Synchro/	Jury Base
(Polished Chrome	e)			(High back only)		Seat Slider	
				Weave	2		
					Adjustable (Black)		

3

Fixed Cantilever Upholstered

# DORSO WEAVE S-LINE | HIGH BACK

		COM		COL	L FABRIC GRADES			LEATHER			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	FIXED ARMS (Black wit	h metal acc	ent)								
(0000)	DOS1-H2211M	1723	1739	1754	1778	1802	1823	1855	1886	1917	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Silver Metallic										
#B	DOS1-H2231M	1935	1959	1982	2012	2043	2073	2113	2163	2203	
	DOC1-H2211M	1798	1817	1831	1854	1877	1900	1932	1963	1993	
	Polished Chrome										
	DOC1-H2231M	2010	2035	2059	2088	2117	2149	2188	2241	2280	
	ADJUSTABLE ARMS (Black with metal accent)										
(0000) (0000)	DOS1-H2221M	1663	1678	1694	1718	1740	1765	1795	1824	1857	
(0000) (0000)	Silver Metallic										
	DOC1-H2221M	1740	1757	1772	1795	1819	1842	1872	1904	1935	
	Polished Chrome										
DORSO WEA	VE S-LINE   HI	GH BA		/ITH L	IEADE	REST					
DOI 100 WEF	WE OFFINE   III		CIT V	/		(LO)					
	FIXED ARMS (Black wit	h metal acc	ent)								
	DOS1-H2311M	1897	1912	1928	1954	1974	1999	2030	2061	2090	



FIXED ARMS (Black with r	metal acce	nt)							
DOS1-H2311M	1897	1912	1928	1954	1974	1999	2030	2061	2090
Silver Metallic									
DOS1-H2331M	2109	2132	2156	2187	2216	2248	2287	2337	2377
Silver Metallic DOC1-H2311M	1074	1000	0007	0000	0055	0074	0107	0100	0170
Polished Chrome	1974	1989	2007	2030	2055	2074	2107	2136	2170
DOC1-H2331M	2186	2209	2234	2263	2296	2324	2363	2413	2457
Polished Chrome									
ADJUSTABLE ARMS (Blad	ck with me	tal accent	)						
DOS1-H2321M	1837	1853	1867	1893	1915	1937	1967	2000	2031
Silver Metallic	1007	1000	1007	1000	1313	1301	1301	2000	2001
DOC1-H2321M	1915	1930	1945	1967	1992	2014	2045	2077	2109
Polished Chrome									



# ORDERING NOTES

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

Clearly indicate on order fabric selection for seat and weave selection for back.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 list. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. Please see Page 34 for more information.



#### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DOS	1	М	2	2	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		Weave 3	1	2	J
Dorso S-Line (Polished Chrome		High Back		Headrest (No trim) (High back only) Weave	Fixed Cantilever	Synchro/ Seat Slider	Jury Base

Adjustable (Black)

3

Fixed Cantilever Upholstered

# DORSO WEAVE N-LINE | MID BACK

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL	<u> </u>	1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black) DON1-M1211B No back adjustment DON1-M2211B With back adjustment	1399 1483	1415 1496	1433 1513	1456 1537	1481 1560	1503 1584	1534 1613	1563 1646	1594 1675
	ADJUSTABLE ARMS (Bla DON1-M1221B No back adjustment DON1-M2221B With back adjustment	1341 1420	1355 1437	1372 1452	1395 1475	1417 1496	1441 1519	1472 1554	1504 1584	1535 1613
	ARMLESS DON1-M1201B No back adjustment DON1-M2201B With back adjustment	1236 1306	1250 1321	1267 1337	1291 1358	1312 1383	1337 1408	1366 1438	1397 1466	1430 1498

### **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$190**. Seat slider option is available on all tilter chair models at an upcharge of **\$77** list.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.



Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Base
	& Conference Seating			Weave			
	_	Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
				Weave	2		
					Adjustable (Black)	ı	

# DORSO WEAVE N-LINE | HIGH BACK

DESCRIPTION/MODEL		COM	COM COL 1 2 3			BRIC GRAD	DES 6	LEATHER 7 8 9		
DESCRIPTION/MODEL	FIXED ARMS (Black) DON1-H1211B No back adjustment DON1-H2211B With back adjustment	1566 1646	1584	1598 1675	1621 1698	1646 1722	1666 1747	1698 1775	1730 1807	1761 1838
	ADJUSTABLE ARMS (BI DON1-H1221B No back adjustment DON1-H2221B With back adjustment	ack) 1508 1584	1521 1598	1539 1613	1561 1636	1585 1661	1608 1685	1639 1716	1669 1747	1701 1775
DORSO WEA	VE N-LINE   HI	GH BA	ACK w	ith He	eadres	st				
	FIXED ARMS (Black) DON1-H1311B No back adjustment DON1-H2311B With back adjustment	1740 1820	1757 1835	1772 1852	1795 1874	1819 1897	1842 1921	1872 1954	1904 1984	1935 2013
	ADJUSTABLE ARMS (BIDON1-H1321B) No back adjustment DON1-H2321B With back adjustment	ack) 1680 1758	1695 1773	1711 1791	1735 1812	1758 1835	1780 1859	1812 1891	1843 1921	1874 1954

Each chair features the Synchro Tilt mechanism

#### **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional chrome base at an upcharge of **\$190**. Seat slider option is available on all tilter chair models at an upcharge of **\$77** list.

Clearly indicate on order fabric selection for seat. Only black weave is offered on Dorso N.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.



# PRODUCT CODE KEY


FRODUCT COL	DEIXEI						
Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	2	0	1	В
Dorso N-Line	Management, Task & Conference Seating	Mid Back	No Adjustment	No Headrest Weave	Armless	Synchro	Black Base
	a conference coating	Н	2	3	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only) Weave	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					Adjustable (Black)		

Fixed Cantilever Upholstered

# **DORSO S-LINE & N-LINE | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 21.68%

POST-CONSUMER
RECYCLED CONTENT = 20.03%

Up to 77.88% of Dorso S product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### AIR EMISSIONS

All Dorso products are supplied air-emissions certified. Contact customer service for information.

# DORSO S-LINE & N-LINE | FEATURES



#### **ARM STYLES**

Optional fixed cantilever or an adjustable black arm constructed of die cast metal with textured plastic arm pads. The adjustable arms feature seven height adjustment positions, with a total adjustment range of 2.75". All Dorso models are also available in armless versions.

#### S-I INF

Fixed cantilever and adjustable arms are available in Black, Silver Metallic or Polished Chrome accent finishes to match metal base. The fixed arm is also available in black textured plastic and upholstered fabric/leather version.

#### **N-LINE**

Fixed cantilever and adjustable arms are available in black textured plastic.



#### **BASE STYLES**

Dorso seating features injection molded, glass reinforced black nylon bases with dual wheel casters. Dorso seating features optional Silver Metallic or Polished Chrome finish. S-Line models feature steel upper and lower seat back exposed frame rail available in Silver Metallic or Polished Chrome finish.



#### **DORSO GUEST SEATING**

#### S-LINE

Dorso seating is available in three base styles:

4-Leq

4-Leg with twin wheel casters

Each is offered in a Silver Metallic or Polished Chrome steel frame. Cantilever and 4-Leg versions of Guest Seating feature rubber glides.

### N-LINE

Dorso seating is available in three base styles: Cantilever

4-Lea

4-Leg with twin wheel casters

Each is offered in a Silver Metallic steel frame.



#### **BACK HEIGHT**

Back height adjustment is a standard feature on S-Line chairs, and an option on N-Line chairs. It offers an adjustment range of 11 positions, over a 2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand on the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered.

#### **BACK TENSION**

Back tension on the synchro tilt mechanism is controlled with an adjustment knob under the seat. It has been designed to provide a range of back tension adjustment suitable for users of varying sizes and preferences.



#### **DORSO CONTROLS**

All Dorso S-Line and N-Line tilters come with a synchro tilt mechanism. One of the best engineered and most user-friendly chair controls, the synchro tilt mechanism is unique in providing a single, easy-accessed lever to adjust tilt lock positions and seat height. The tilt adjustment range offers five recline-lock positions, as well as free flowing movement. The forward pivot of the mechanism allows the back and the seat to articulate synchronously in a 2:1 ratio, so that upward tilt of the seat is minimized as the back reclines. The synchro tilt mechanism also features an anti-kickback lock release, providing a smooth transition from locked to unlocked tilt adjustment.

#### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of 4.5".

#### **SEAT SLIDER**

All Dorso tilters are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's right side and is activated by an upward pull of the lever.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **DORSO S-LINE & N-LINE | DIMENSIONS & COM REQUIREMENTS**

Presenting one of the world's most advanced seating concepts: new technology that offers outstanding ergonomics in a strikingly modern chair design, while providing a level of long-term sitting comfort and support that has been the hallmark of European seating. DORSO: Designed by Gabriel Teixidó

		Overall Width	Overall Depth	Overall Height	Seat Height	Heig Arms fro	ht of om Floor		idth en Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
S-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	42.5 42.5 42.5	18-22 18-22 18-22		30.5 5-32 ⁄A	1	20 9.5 I/A	18 18 18	51 51 46	15 15 15	1.7 1.7 1.7
S-LINE HIGH BACK	Fixed Adjustable Armless	24.5 25 19.5	22.5 22.5 22.5	47 47 47	18-22 18-22 18-22		30.5 5-32 ⁄A	1	20 9.5 I/A	18 18 18	52 52 47	18 18 18	1.9 1.9 1.9
S-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	22.5 22.5	50.5 50.5	18-22 18-22	27-3 25.5	30.5 5-32		20 9.5	18 18	54 54	18 18	1.9 1.9
N-LINE MID BACK	Fixed Adjustable Armless	24.5 25 19.5	21.5 21.5 21.5	41 41 41	18-22 18-22 18-22	25.5	30.5 5-32 ⁄A	1	20 9.5 I/A	18 18 18	50 50 45	15 15 15	1.7 1.7 1.7
N-LINE HIGH BACK	Fixed Adjustable	24.5 25	21.5 21.5	45.5 45.5	18-22 18-22	27-3 25.5	30.5 5-32		20 9.5	18 18	51 51	18 18	1.9 1.9
N-LINE HIGH BACK with Headrest	Fixed Adjustable	24.5 25	21.5 21.5	50.5 50.5	18-22 18-22	27-3 25.5	30.5 5-32		20 9.5	18 18	53 53	19.5 19.5	1.9 1.9
GUEST		Overall Width	Overall Depth	Seat Height		ht of om Floor	Wic betweer		Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless Fixed	20.75 24.5	25.50 25.50	18.5 18.5	27 27		19. 19.		19.5 19.5	36 36	32 37	14 14	1.3 1.3
S-LINE/4LEG with Casters	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	36 36	33 38	14 14	1.3 1.3
S-LINE/ Cantilever Base	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	36 36	39 44	14 14	1.3 1.3
N-LINE/4LEG	Armless Fixed	20.75 24.5	25.50 25.50	18.5 18.5	27 27		19. 19.		19.5 19.5	34.75 34.75	31 36	14 14	1.3 1.3
N-LINE/4LEG with Casters	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	34.75 34.75	32 37	14 14	1.3 1.3
N-LINE/ Cantilever Base	Armless Fixed	20.75 24.5	24.75 24.75	18.5 18.5	27 27		19. 19.		19.5 19.5	34.75 34.75	38 43	14 14	1.3 1.3

#### ORDERING NOTE

Add 0.5 yards for seating with leather wrapped arm option.

Note: Some vinyls are not suitable for application on Dorso seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for an approval process at time of order.

The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

#### **ORDERING NOTES**

All Dorso swivel and tilter models are available with an optional seat slider mechanism at an upcharge of \$77 list.

Height measurements of Dorso are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# DORSO S-LINE | MID BACK

		COM		COL	FAB	RIC GRAD	DES	LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wit	h metal acc	ent)							
	DOS1-M2011M	1678	1740	1804	1886	1987	2107	2235	2383	2544
<b>1</b>	Silver Metallic									
	DOS1-M2031M	1890	1960	2032	2118	2229	2356	2491	2659	2830
	Silver Metallic									
	DOC1-M2011M	1758	1822	1886	1971	2070	2179	2318	2464	2630
	Polished Chrome									
	DOC1-M2031M	1968	2042	2113	2205	2314	2430	2575	2742	2914
	Polished Chrome									
	ADJUSTABLE ARMS (B	lack with m	etal accer	nt)						
	DOS1-M2021M	1611	1678	1740	1822	1923	2033	2171	2318	2483
	Silver Metallic									
	DOC1-M2021M	1695	1758	1822	1906	2007	2115	2252	2399	2566
	Polished Chrome									
	ARMLESS									
	DOS1-M2001M	1504	1566	1633	1713	1817	1935	2061	2209	2371
	Silver Metallic	1304	1300	1000	1713	1017	1933	2001	2209	2371
	DOC1-M2001M	1576	1641	1704	1783	1886	2007	2134	2280	2445
	Polished Chrome	10.0		1101		1000		2.07		2110
6/0										

#### **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.



#### PRODUCT CODE KEY

PRODUCT COL	DEREI						
Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	M	2	0	0	1	М
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating	Н		1	1	2	J
Dorso S-Line (Polished Chrome		High Back		Headrest (No trim) (High back only)	Fixed Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black)		

Fixed Cantilever Upholstered

# DORSO S-LINE | HIGH BACK

		COM		COL	FA	BRIC GRA	DES		LEATHER	3
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS (Black wi	th metal ac	cent)							
	DOS1-H2011M	1817	1895	1980	2090	2217	2371	2557	2765	2995
	Silver Metallic									
	DOS1-H2031M	2029	2114	2206	2324	2459	2620	2815	3040	3281
	Silver Metallic									
	DOC1-H2011M	1897	1979	2062	2173	2300	2455	2640	2847	3080
	Polished Chrome	0400	0407	0000	0.407	05.40	0700	0000	0404	0000
	DOC1-H2031M Polished Chrome	2109	2197	2290	2407	2542	2703	2898	3124	3366
	Folished Officiale									
	ADJUSTABLE ARMS (E	Black with n	netal acce	nt)						
	DOS1-H2021M	1750	1833	1916	2023	2156	2305	2490	2694	2932
	Silver Metallic									
	DOC1-H2021M	1833	1916	1997	2107	2235	2392	2573	2775	3013
	Polished Chrome									
A B										
		DO	RSO S	S-LINI	E   HIC	SH BA	CK W	/ITH H	IEADF	REST
	FIXED ARMS (Black wi	th metal acc	cent)							
H	DOS1-H2111M	1997	2098	2190	2318	2464	2639	2840	3058	3305
	Silver Metallic									
-57	DOS1-H2131M	2209	2318	2418	2553	2707	2888	3095	3335	3591
	Silver Metallic									
	DOC1-H2111M	2079	2179	2273	2399	2544	2719	2922	3142	3391
	Polished Chrome	2290	2399	2500	2633	2787	2969	3180	3420	3676
	DOC1-H2131M Polished Chrome	2290	2399	2500	2033	2/0/	2909	3100	3420	3070
	Polistied Chrome									
	ADJUSTABLE ARMS (E	Black with m	netal accei	nt)						
	DOS1-H2121M	1935	2023	2123	2252	2399	2573	2765	2995	3242
\ \	Silver Metallic	.000	2020	2.20		2000	2370	2.00	2000	<i>5L</i> ¬∠
	DOC1-H2121M	2014	2107	2209	2336	2483	2657	2849	3078	3324
	Polished Chrome									

#### **ORDERING NOTES**

Dorso S-Line versions are available without the back metal accent detail. Please contact Customer Service for ordering information. Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

The upholstered leather cantilever arm is only available for use with Krug in-stock leathers.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.



#### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustmer	nt Back Details	Arm Style	Mechanism	Base
DOS	1	М	2	0	0	1	M
Dorso S-Line	Management, Task	Mid Back	Adjustment	No Headrest	Armless	Synchro	Metal Base
(Silver Metallic)	& Conference Seating						
DOC	_	Н		1	1	2	J
Dorso S-Line		High Back		Headrest (No trim)	Fixed Cantilever	Synchro/	Jury Base
(Polished Chrome	e)			(High back only)		Seat Slider	
					2		

Adjustable (Black)

3

Fixed Cantilever Upholstered

# DORSO N-LINE | MID BACK

COM		COL	FAB	RIC GRAD	DES		LEATHER	
1	2	3	4	5	6	7	8	9
1475	1540	1612	1695	1783	1906	2033	2190	2354
1560	1621	1695	1778	18/1	1987	2115	2273	2436
lack)	1475	1540	1621	1722	1840	1971	2115	2280
1494	1560	1621	1704	1804	1923	2055	2198	2363
1299	1365	1438	1519	1612	1732	1861	2014	2179
1373	1449	1513	1594	1695	1804	1940	2090	2252
	1 1475 1560 lack) 1412 1494	1 2 1475 1540 1560 1621  lack) 1412 1475 1494 1560	1 2 3  1475 1540 1612  1560 1621 1695  lack) 1412 1475 1540  1494 1560 1621  1299 1365 1438	1 2 3 4  1475 1540 1612 1695  1560 1621 1695 1778  lack) 1412 1475 1540 1621  1494 1560 1621 1704	1 2 3 4 5  1475 1540 1612 1695 1783  1560 1621 1695 1778 1871  lack) 1412 1475 1540 1621 1722  1494 1560 1621 1704 1804	1     2     3     4     5     6       1475     1540     1612     1695     1783     1906       1560     1621     1695     1778     1871     1987       lack)     1412     1475     1540     1621     1722     1840       1494     1560     1621     1704     1804     1923       1299     1365     1438     1519     1612     1732	1     2     3     4     5     6     7       1475     1540     1612     1695     1783     1906     2033       1560     1621     1695     1778     1871     1987     2115       lack)     1412     1475     1540     1621     1722     1840     1971       1494     1560     1621     1704     1804     1923     2055       1299     1365     1438     1519     1612     1732     1861	1     2     3     4     5     6     7     8       1475     1540     1612     1695     1783     1906     2033     2190       1560     1621     1695     1778     1871     1987     2115     2273       lack) 1412     1475     1540     1621     1722     1840     1971     2115       1494     1560     1621     1704     1804     1923     2055     2198       1299     1365     1438     1519     1612     1732     1861     2014

Each chair features the Synchro Tilt mechanism

### ORDERING NOTES

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$190.

Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$60 list per yard. See Page 34 for more information.



Line	Series	Back Style	Back Adjustmen	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black
	& Conference Seating						Nylon Base
	_	Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		
					Adjustable (Black	<b>(</b> )	

# DORSO N-LINE | HIGH BACK

DESCRIPTION/MODEL		COM 1	2	COL 3	FAE 4	RIC GRAD	DES 6	7	LEATHER 8	9
	FIXED ARMS (Black) DON1-H1011B No back adjustment	1648	1732	1817	1923	2055	2209	2392	2602	2830
	DON1-H2011B With back adjustment	1732	1817	1895	2007	2134	2292	2472	2685	2913
	ADJUSTABLE ARMS (BI	,	1005	1750	1001	1007	01.45	0007	0500	0705
	DON1-H1021B No back adjustment	1585	1665	1750	1861	1987	2145	2327	2528	2765
	DON1-H2021B With back adjustment	1665	1750	1833	1940	2070	2226	2410	2611	2849

# DORSO N-LINE | HIGH BACK WITH HEADREST



FIXED ARMS (Black) DON1-H1111B	1833	1935	2023	2156	2300	2472	2674	2894	3142
No back adjustment	1000	1000	2020	2100	2000	2112	207 1	200 1	0112
DON1-H2111B	1916	2014	2107	2235	2383	2557	2757	2979	3222
With back adjustment									



ADJUSTABLE ARMS (Bla	ack)								
DON1-H1121B No back adjustment	1769	1861	1960	2090	2235	2410	2602	2830	3078
DON1-H2121B With back adjustment	1852	1940	2043	2171	2318	2490	2685	2913	3159

### **ORDERING NOTES**

Dorso N-Line tilter models feature black bases and are available with an optional polished chrome base or silver metallic base at an upcharge of \$190.

Seat slider option is available on all tilter chair models at an upcharge of \$77 list.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$60 list per yard. See Page 34 for more information.



#### PRODUCT CODE KEY

Line	Series	Back Style	Back Adjustment	t Back Details	Arm Style	Mechanism	Base
DON	1	M	1	0	0	1	В
Dorso N-Line	Management, Task & Conference Seating	Mid Back	No Adjustment	No Headrest	Armless	Synchro	Black Nylon Base
	d conference ceating	Н	2	1	1	2	J
		High Back	Adjustment	Headrest (No trim) (High back only)	Fixed (Black) Cantilever	Synchro/ Seat Slider	Jury Base
					2		


Adjustable (Black)

# **ME | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS



### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Me products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### AIR-EMISSIONS

All Me products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Me and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

Me brings new meaning to custom seating. Your comfort. Your style. Your chair.

With Me, options, styling and versatility are virtually endless, and comfort is superior. With Me, Krug has created a chair that not only provides unprecedented comfort and natural posture support, but also exceptional styling. Me is an adaptable seating solution for any management, task and conference environment.



#### **ARM STYLES**

Four arm styles are available on Me. In addition to the armless version, is the urethane over molded steel supported fixed cantilever arm, or the adjustable pad arms: urethane pad arms, or upholstered pad arms. Both adjustable arm versions feature: pivoting arms that adjust 30 degrees inward or outward, 1 1/2" left and right width adjustment control, and a 6 stop position arm height range with a total of 2.6" of height adjustment. When specifying leather on the upholstered arm pad version, the user has the option of a perforated arm pad (available when specifying Krug's stock leather only). When specifying polished aluminum bases on Me, the arm upright will also be finished in polished aluminum (on adjustable arm versions only).



#### **BASE STYLES**

Me seating is available in two base options. Choose from an injection molded, glass reinforced black nylon base or polished cast aluminum base, both with 2 1/4" dual wheel casters.



#### **ME CONTROLS**

Me features a standard synchro tilt mechanism that allows the back and the seat to articulate synchronously in a 2:1 ratio. This feature insures that the upward tilt of the seat is minimized as the back reclines. The mechanism that also features a standard tilt lock mechanism that allows the user an infinite number of recline lock positions. Simply push the tilt lock lever downward to lock and upward to free-float the back.

#### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of:

Standard gas lift: 4.25" without seat slider and 4.0" with seat slider.

Low gas lift: 3.5" without seat slider and 3.5" with seat slider.

#### **BACK TENSION**

The back tension adjustment knob is located on the front underside of the seat. A simple turn of the knob provides a range of back tension adjustment suitable for users of varying sizes and preferences.

#### **UPHOLSTERY OPTIONS**

With Me comes the ability to choose contrasting fabrics/leathers for the seat, upper and lower back sections, as well as the upholstered arm pads. This option allows for an endless possibility of custom designed seating options (see upcharges on the following pages). When specifying leather from Krug's in-stock leather program, the option to perforate the leather on the lower back and upholstered pad arms is available (see pricing on the following pages).

### SEAT SLIDER

All Me adjustable arm versions are available with an optional seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.

#### **BACK HEIGHT**

Me is available in three back heights: low, mid and high. Back height adjustment is a standard feature on all Me models. This feature offers an adjustment range of 11 positions over a 2 1/2" range of movement. Back height adjustment is operated while in the seated position, by placing the right hand of the right bottom of the chair back, and the left hand on the left bottom of the chair back. The back is lifted and clicked into the desired height. Raising the back to the highest position releases the back height lock so it can be lowered to the first and lowest stop position.



#### **OPTIONAL GAS LIFT HEIGHT RANGES**

Me is available with two gas lift ranges. Unless clearly specified on order, Me seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows:

Non Seat Slider Versions: Standard gas lifts give a seat height of no greater than 16" when lowered and no less than 20" when extended. Low gas lifts give a seat height of no greater than 15 1/8" when lowered and no less than 18 5/16" when extended.

**Seat Slider Versions**: Standard gas lifts give a seat height of no greater than 16 1/4" when lowered and no less than 20 5/16" when extended. Low gas lifts give a seat height of no greater than 15 3/8" when lowered and no less than 18 15/16" when extended. If dimensions are critical, please contact Customer Service.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **ME** | DIMENSIONS & COM REQUIREMENTS

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
LOW BACK	Armless	20	21.75	36.5	N/A	N/A	19	39	16	1.7
	Fixed	23	21.75	36.5	27.13	19	19	46	16	1.7
	Adjustable Urethane	24.75	21.75	36.5	24	17.25	19	46	16	1.7
	Adjustable Upholstered	25.5	21.75	36.5	24.25	16.75	19	46	16	1.7
MID BACK	Armless	20	21.75	39	N/A	N/A	19	43	18	1.8
	Fixed	23	21.75	39	27.13	19	19	48	18	1.8
	Adjustable Urethane	24.75	21.75	39	24	17.25	19	48	18	1.8
	Adjustable Upholstered	25.5	21.75	39	24.25	16.75	19	48	18	1.8
HIGH BACK	Armless	20	21.75	41.6	N/A	N/A	19	45	20	1.9
	Fixed	23	21.75	41.6	27.13	19	19	50	20	1.9
	Adjustable Urethane	24.75	21.75	41.6	24	17.25	19	50	20	1.9
	Adjustable Upholstered	25.5	21.75	41.6	24.25	16.75	19	50	20	1.9

Height measurements of Me are taken with the pneumatic lift in the lowest position and with a standard height range gas lift. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

**Note**: Some vinyls are not suitable for upholstery on Me seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service.

#### The approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order. For Maharam or Momentum fabric, Krug will obtain the fabric sample.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

### COM REQUIREMENTS PER CHAIR SECTION

Upper Back*	Lower Back*	Seat	Arm Pads
0.7	0.5	0.75	0.4

Measurements above are provided in yards.



Me | LOW BACK



Me | MID BACK



<sup>\*</sup>Upper and Lower Backs consist of both the inside and outside back.

		СОМ	COL	FA	ABRIC GRA	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 L2 11B Standard back upholstery, MTH1 L2 21B Perforated back upholster			1299	1475	1560	1633	1769	2061 2226	2305
	MTH1 L2 11A Standard back upholstery, MTH1 L2 21A Perforated back upholster	1311 silver me	1373 etallic base	1428 e	1603	1687	1750	1886	2190 2354	2436
	ADJUSTABLE URETHANE MTH1 L2 12B Standard back upholstery, MTH1 L2 22B Perforated back upholster	1156 black ba	1208 ise	1267	1410	1504	1566	1704	1980 2145	2234
9	MTH1 L2 12A Standard back upholstery, MTH1 L2 22A Perforated back upholster			1383	1540	1633	1695	1821	2107 2273	2363
	UPHOLSTERED ADJUSTA MTH1 L2 13B Standard back upholstery, MTH1 L2 23B Perforated back upholster	1208 black ba	1267 ise	1327	1483	1576	1648	1778	2079 2244	2354
	MTH1 L2 13A Standard back upholstery, MTH1 L2 23A Perforated back upholster	1338 silver me	1383 etallic base	1449 e	1612	1704	1778	1904	2198 2363	2472
	ARMLESS MTH1 L2 10B Standard back upholstery, MTH1 L2 20B Perforated back upholster			1200	1373	1449	1519	1659	1960 2124	2198
and the second	MTH1 L2 10A Standard back upholstery, MTH1 L2 20A Perforated back upholster			1320 e	1493	1576	1641	1778	2079 2244	2327

**ORDERING NOTES:** Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$77 list. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$74** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

DUCT CO Line	DE KEY Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH Me	1 Management, Task	L Low Back	2 Adjustable	1 Standard Back	0 Armless	B Black Base
	& Conference Seating	2011 20011	, lajactas.c	Upholstery	7	2.00.1.2000
		M		2	1	А
		Mid Back		Perforated Back Upholstery	Fixed Cantilever	Silver Metalli Base
		H High Back			2 Adjustable Urethane	J Jury Base
		g 246.t			Pad Arms	oa., 2000
					3	
				,	Adjustable Upholstered	
					Pad Arms	

# ME | MID BACK

		COM	COL	FA	BRIC GRAI	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 M2 11B Standard back upholstery MTH1 M2 21B Perforated back upholster			1403	1585	1678	1750	1895	2217 2383	2483
	MTH1 M2 11A Standard back upholstery, MTH1 M2 21A Perforated back upholster			1531 e	1704	1796	1871	2023	2345 2511	2602
	ADJUSTABLE URETHANE MTH1 M2 12B Standard back upholstery MTH1 M2 22B Perforated back upholster	1237 , black ba	1299 ase	1356	1519	1612	1687	1821	2124 2292	2399
	MTH1 M2 12A Standard back upholstery MTH1 M2 22A Perforated back upholster			1475 e	1648	1739	1817	1940	2252 2539	2528
	UPHOLSTERED ADJUSTA MTH1 M2 13B Standard back upholstery MTH1 M2 23B Perforated back upholster	1299 , black ba	1365 ase	1421	1594	1704	1769	1916	2234 2399	2528
	MTH1 M2 13A Standard back upholstery MTH1 M2 23A Perforated back upholster			1540 e	1713	1821	1886	2033	2363 2528	2644
	ARMLESS MTH1 M2 10B Standard back upholstery MTH1 M2 20B Perforated back upholster			1283	1465	1560	1633	1778	2107 2273	2363
& J 3	MTH1 M2 10A Standard back upholstery MTH1 M2 20A Perforated back upholster			1410 e	1519	1687	1758	1904	2226 2392	2490

ORDERING NOTES: Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the KrugExpress program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$77 list. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lowerfunction mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Line	Series	Back Style	Back Adjustment	<b>Back Details</b>	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task	Low Back	Adjustable	Standard Back	Armless	Black Base
	& Conference Seating		•	Upholstery		
		М		2	1	Α
		Mid Back		Perforated Back	Fixed Cantilever	Silver Metalli
				Upholstery		Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	d
					Pad Arms	

# ME | HIGH BACK

		COM	COL	FAE	BRIC GRAI	DES			LEATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	FIXED ARMS MTH1 H2 11B Standard back upholstery MTH1 H2 21B Perforated back upholster			1540	1750	1852	1935	2107	2464 2630	2757
and a second	MTH1 H2 11A Standard back upholstery MTH1 H2 21A Perforated back upholster				1861	1971	2055	2226	2592 2895	2878
	ADJUSTABLE URETHANK MTH1 H2 12B Standard back upholstery MTH1 H2 22B Perforated back upholster	1349 r, black bas ry, black b 1465	1421 se ase 1540	1483 1612	1678 1796	1778	1861	2023 2145	2371 2544 2503	2662 2782
	Standard back upholstery MTH1 H2 22A Perforated back upholster	ry, silver m	etallic bas						2662	
	UPHOLSTERED ADJUSTA MTH1 H2 13B Standard back upholstery MTH1 H2 23B Perforated back upholster	1410 , black bas	1493 se	1560	1758	1871	1940	2124	2490 2657	2795
6 9 8	MTH1 H2 13A Standard back upholstery MTH1 H2 23A Perforated back upholster				1878	1997	2070	2243	2618 2782	2922


**ORDERING NOTES:** Perforated leather option is available with only the Krug in stock leather program. The perforated leather option is not available on the *KrugExpress* program. Please specify clearly on purchase order if low gas lift is to be applied. Seat slider option is available on all armless and adjustable arm versions at an upcharge of \$78list. For Jury Base version of this chair, please add a 'J' for the base style at the end of the model number and **add \$74** to the list price. Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and reward tilt capability, tilt tension control, and gas lift height adjustable activator. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

DDUCT CO Line	Series	Back Style	Back Adjustment	Back Details	Arm Style	Base
MTH	1	L	2	1	0	В
Me	Management, Task & Conference Seating	Low Back	Adjustable	Standard Back Upholstery	Armless	Black Base
		M		2	1	Α
		Mid Back		Perforated Back Upholstery	Fixed Cantilever	Silver Metalli Base
		Н			2	J
		High Back			Adjustable Urethane	Jury Base
					Pad Arms	
					3	
					Adjustable Upholstered	t
					Pad Arms	-

# PAN AM | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.29%

POST-CONSUMER RECYCLE CONTENT = 18.32%

Up to 24.19% of Pan Am product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Pan Am products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

All Pan Am products are supplied air-emissions certified. Contact customer service for information.



**AIR EMISSIONS** 

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Pan Am and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating

# PAN AM | FEATURES



#### **ARM STYLES**

Pan Am features three styles of fixed arms, including open urethane, closed upholstered and open upholstered versions.



#### **BACK STYLES**

Available with two different back options, Mid and High, Pan Am is perfect for desk and conference applications.



#### **BASE STYLES**

Featuring a five blade caster base with 2 1/4" hooded dual wheel casters, Pan Am bases are available in both glass reinforced molded nylon base and polished cast aluminum base. (upcharge applies.)



#### **SEAT HEIGHT**

In the seated position, a pull upwards on the height adjustment lever located under the seat of the user's right side adjusts the height up or down with a total height range of: Standard gas lift: 3.5"

Standard gas lift: 3.5 Low gas lift: 3.0"



#### **TILT TENSION**

A tilt tension knob is located under the seat for all versions of Pan Am. For Knee Tilt versions a push of the height adjustment lever toward the gas lift cylinder activates the tilt lock feature.

### PAN AM CONTROLS

Pam Am is available with either a Swivel Tilt of Knee Tilt mechanism. All Pan Am seating features an adjustable tilt tension knob, and height adjustment lever. On the Knee Tilt version of Pan Am, the height adjustment lever also operates a forward tilt lock.

#### **OPTIONAL GAS LIFT HEIGHT RANGES**

PAN AM is available with two gas lift ranges. Unless clearly specified on order, PAN AM seating will be provided with the standard gas lift. The gas lift ranges measured from the seat height are as follows: Pan Am standard gas lift give a seat height no greater than 16.4" when lowered and no less that 20.2" when extended. Low gas lift give a seat height no greater that 15.04" when lowered and no less than 18" when extended.

#### **OPTIONAL JURY BASE**

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### **DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Overall Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
MID BACK	Open Urethane	24.5	24.5	34.5	25	18.5	19	31	15.03	1.8
	Closed Upholstered	27.25	24.5	34.5	26.75	19	19	33	15.03	2.7
	Open Upholstered	24.5	24.5	34.5	25	18.5	19	31	15.03	2.2
HIGH BACK	Open Urethane	24.5	24.5	40	25	18.5	19	35	17.06	1.9
	Closed Upholstered	27.25	24.5	40	26.75	19	19	37	17.06	2.8
	Open Upholstered	24.5	24.5	40	25	18.5	19	35	17.06	2.3
HIGH BACK	Open Urethane	24.5	24.5	46	25	18.5	19	37	18.75	2.5
with Headrest	Closed Upholstered	27.25	24.5	46	26.75	19	19	39	18.75	3.4
	Open Upholstered	24.5	24.5	46	25	18.5	19	37	18.75	2.9

Note: Some vinyls are not suitable for upholstery on Pan Am seating. For vinyls other than Maharam's Lariat, or Momentum's Cashmere, please submit a sample to Customer Service for a pre-approval process at time of order.

The pre-approval process is as follows:

- 1. A sample of the COM vinyl fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM vinyl will be inspected when received at the factory to identify and further concerns with its suitability.

Please contact Customer Service for more information on options for the Pan Am series. Height measurements of Pan Am are taken with the pneumatic lift in the lowest position. All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# PAN AM | MID BACK

		COM		COL	FABF	RIC GRAD	ES	L	EATHER	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS PAN1-M11B Black base, swivel tilt PAN1-M12B	1040 1172	1129 1270	1234 1365	1324 1463	1428 1567	1525 1656	1621 1764	1718 1852	1885 2017
	Black base, knee tilt PAN1-M11A Polished aluminum base, s	1172 swivel tilt	1270	1365	1456	1561	1656	1753	1852	2017
	PAN1-M12A Polished aluminum base, k	1305 inee tilt	1399	1498	1594	1701	1790	1894	1984	2149
	CLOSED UPHOLSTERED A PAN1-M21B Black base, swivel tilt	ARMS 1525	1664	1817	1957	2097	2236	2386	2530	2695
	PAN1-M22B Black base, knee tilt	1664	1806	1957	2097	2236	2379	2517	2670	2837
	PAN1-M21A Polished aluminum base, s PAN1-M22A	1656 wivel tilt 1797	1797	1948	2088	2229	2369	2517	2659	2827
	Polished aluminum base, k		1939	2088	2229	2369	2511	2649	2802	2967
	OPEN UPHOLSTERED AR PAN1-M31B Black base, swivel tilt	MS 1632	1769	1912	2061	2203	2343	2484	2626	2794
	PAN1-M32B Black base, knee tilt	1764	1912	2055	2192	2335	2484	2626	2765	2934
9 % <u></u>	PAN1-M31A Polished aluminum base, s PAN1-M32A	1764 wivel tilt 1894	1902 2044	2044 2185	2192 2325	2335 2467	2473 2616	2598 2757	2757 2896	2925 3064
	Polished aluminum base, k	nee tilt								

### **ORDERING NOTES**

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.



NODOOT OODE KET					
Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	М	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	a comercine coaming	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

# PAN AM | HIGH BACK

		COM		COL	FAE	BRIC GRA	DES	LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	OPEN URETHANE ARMS									
M /	PAN1-H11B	1046	1146	1250	1356	1456	1561	1656	1764	1928
	Black base, swivel tilt									
	PAN1-H12B Black base, knee tilt	1181	1290	1394	1498	1594	1701	1797	1902	2070
	black base, knee tiit									
	PAN1-H11A	1181	1278	1383	1489	1587	1692	1790	1894	2061
, and the second	Polished aluminum base, s	wivel tilt								
	PAN1-H12A	1311	1417	1525	1632	1724	1779	1928	2037	2203
	Polished aluminum base, k	inee tilt								
	CLOSED UPHOLSTERED	ARMS								
	PAN1-H21B	1534	1685	1832	1984	2131	2273	2431	2571	2740
	Black base, swivel tilt PAN1-H22B	1673	1822	1974	2122	2273	2413	2566	2712	2880
	Black base, knee tilt	10/3	1022	1974	2122	2213	2413	2300	2112	2000
	2.00.1.2000, 10.100 1.11									
	PAN1-H21A	1664	1817	1963	2114	2265	2406	2566	2703	2871
	Polished aluminum base, s									
	PAN1-H22A Polished aluminum base, k	1806	1957	2107	2254	2406	2543	2695	2844	3011
	Polished aluminum base, k	aree uu								
$\sim$	OPEN UPHOLSTERED AR									
	PAN1-H31B	1639	1790	1939	2079	2229	2379	2530	2677	2844
	Black base, swivel tilt PAN1-H32B	1779	1928	2079	2219	2369	2517	2670	2819	2986
	Black base, knee tilt	1110	1020	2010	22.10	2000	2017	2010	2010	2000
	, <del>-</del>									
	PAN1-H31A	1769	1921	2070	2213	2361	2511	2659	2808	2979
	Polished aluminum base, s	swivel tilt 1912	2061	2213	2349	2503	2649	2802	2950	3116
	PAN1-H32A Polished aluminum base, k		2001	2213	2349	2503	2049	2002	2900	3110

### **ORDERING NOTES**

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.



PRODUCT CODE RET					
Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	ŭ	Н	2	2	Α
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

# PAN AM | HIGH BACK WITH HEADREST

	CC	MC		COL	FABR	IC GRADE	S	LI	EATHER	
DESCRIPTION/MODEL	1	1	2	3	4	5	6	7	8	9
	Black base, swivel tilt	111	1208	1312	1420	1517	1622	1718	1823	1989
	Black base, knee tilt	244	1350	1456	1561	1659	1764	1861	1964	2133
	Polished aluminum base, swiv		1339	1443	1554	1648	1753	1850	1957	2122
	PAN1-HR-12A 13 Polished aluminum base, knee		1482	1588	1693	1790	1842	1989	2100	2265
	CLOSED UPHOLSTERED ARI	MS								
	PAN1-HR-21B 15 Black base, swivel tilt	594	1747	1895	2044	2192	2335	2491	2634	2802
	PAN1-HR-22B 17 Black base, knee tilt	736	1885	2037	2185	2335	2478	2626	2774	2941
Ø - Ø	PAN1-HR-21A 17 Polished aluminum base, swiv		1877	2025	2175	2327	2467	2626	2765	2934
	PAN1-HR-22A 18 Polished aluminum base, knee		2017	2170	2317	2467	2606	2757	2907	3070
	OPEN UPHOLSTERED ARMS	3								
	PAN1-HR-31B 17 Black base, swivel tilt	701	1850	2003	2140	2291	2441	2589	2740	2907
	•	342	1989	2140	2280	2431	2583	2730	2881	3048
w w	Polished aluminum base, swiv		1984	2133	2274	2421	2571	2722	2871	3038
	PAN1-HR-32A 19 Polished aluminum base, knee		2122	2274	2413	2566	2713	2863	3012	3181

#### **ORDERING NOTES**

Please specify clearly on purchase order if low gas lift is to be applied.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.




Line	Series	Back Style	Arm Style	Mechanism	Base
PAN	1	M	1	1	В
PAN AM	Management, Task & Conference Seating	Mid Back	Open Urethane Arm	Swivel Tilt	Black Base
	· ·	Н	2	2	А
		High Back	Closed Upholstered Arm	Knee Tilt	Polished Aluminum Base
		HR	3		
		High Back with Headrest	Open Upholstered Arm		

# **CADENCE | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.67%

POST-CONSUMER
RECYCLED CONTENT = 17.3%

Up to 26.67% of this Cadence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### AIR-EMISSIONS

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CADENCE | FEATURES**



#### RECLINE ADJUSTMENT

The recline adjustment on the Cadence series allows a 24 degree range of motion. The foremost lever located on the right-hand side (when you are in a seated position) engages a device to lock the back in any position within the chair's range of movement. Lowering the lever locks the back at any position within the range. Raising the lever releases the lock and the back will move freely through the entire range.



# through a range of adjustment of 3 inches. CAL 133 & MOISTURE BARRIER

**SEAT HEIGHT ADJUSTMENTS** 

(when you are in

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$61 list per yard.

The rear-most lever located in the right-hand side

activates the seat height adjustment. Pull up on

the lever to adjust seat height up or down

the seated position)

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



#### **BACK HEIGHT ADJUSTMENT**

(on selected models only)

The back height is adjustable on selected models of Cadence series. The mechanism adjusts the back while in the seated position. The adjustable height back has a 4 inch range of movement with an 8 position stop mechanism. Place both hands on either side of the lower back cushion and lift and click to the desired height. Raise the back to the highest position to release the back height lock and lower to the first and lowest position.



#### **BACK TENSION**

A hand wheel centrally located near the front underside of the chair controls the amount of tension applied to the back. Turning the knob clockwise when you are in the seated position lessens the tension. Turning the knob counterclockwise increases the tension.



#### **ARM HEIGHT**

(on selected models only)

A trigger release button located outside and below the arm pad adjusts the arm height. Depress the trigger to raise arm through its height range of 3.5 inches and 8 settings. Depress the trigger to raise the arm, release when desired height is reached to lock in position.

#### **DIMENSIONS & COM REQUIREMENTS**

		Overall Width		Overall Height		Height of Arms from floo	Width r between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
MID BACK	Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
Narrow Width	Adjustable	25	26	36.75	17.75	24.25-30.25	19.5	19.75	4	43	18	2.3
	Wood & Urethane	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.3
	Wood & Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	2.8
	Completely Upholstered	24.5	26	36.75	17.75	26.75	19.5	19.75	4	43	18	3.0
	Armless	19.5	26	36.75	17.75	-	-	19.75	4	41	18	2.3
Wide Width	Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Adjustable	26.5	26	36.75	17.75	24.25-30.25	21	19.75	4	45	18	2.3
	Wood & Urethane	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.3
	Wood & Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	2.8
	Completely Upholstered	26	26	36.75	17.75	26.75	21	19.75	4	45	18	3.0
	Armless	21	26	36.75	17.75	-	-	19.75	4	43	18	2.3
HIGH BACK	Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
Narrow Width	Adjustable	25	26	43	17.75	24.25-30.25	19.5	19.75	4	46	20	2.5
	Wood & Urethane	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	2.5
	Wood & Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.0
	Completely Upholstered	24.5	26	43	17.75	26.75	19.5	19.75	4	46	20	3.2
Wide Width	Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Adjustable	26.5	26	43	17.75	24.25-30.25	21	19.75	4	48	20	2.5
	Wood & Urethane	26	26	43	17.75	26.75	21	19.75	4	48	20	2.5
	Wood & Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.0
	Completely Upholstered	26	26	43	17.75	26.75	21	19.75	4	48	20	3.2
ARM CHAIR		27.25	27	36	18.25	26	18.75	18	-	23	18	1.7

Height measurements are taken with the pneumatic lift (and adjustable arm and back when applicable) in the lowest position.

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.



# **CADENCE** | MID BACK

		WOOD	COM		COL	FAE	BRIC GRA	DES		LEATHE	3
DESCRIPTION	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARI CAD1-MW11B CAD1-MN11B CAD1-MW21B CAD1-MN21B	MS	1422	1495	1560	1757	1862	1957	2106	2461	2683
	CAD1-MW11W CAD1-MN11W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	1690	1764	1822	2021	2132	2211	2371	2728	2940
	CAD1-MW21W	Walnut, Medium Anigre Cherry, Maple,									
	CAD1-MN21W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									
	ADJUSTABLE A	RMS									
$\mathcal{L}$	CAD1-MW15B		1369	1438	1498	1694	1794	1872	2029	2367	2592
	CAD1-MN15B										
	CAD1-MW25B CAD1-MN25B										
	CAD1-MW15W	Cherry, Maple,	1636	1705	1766	1959	2060	2140	2296	2636	2850
	OADT WWW15W	Walnut, Medium Anigre					2000				
	CAD1-MN15W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MW25W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN25W	Cherry, Maple, Walnut, Medium Anigre									
		TES: .D-MN25 versions are av n may add additional lea									
	WOOD AND UR CAD1-MW12B CAD1-MN12B	ETHANE ARMS	1513	1587	1707	1867	1980	2063	2237	2612	2829
	CAD1-MN12B										
	CAD1-MW22B		1778	1854	1922	2135	2245	2335	2507	2880	3085
	CAD1-MW12W	Cherry, Maple,	1770	1004	1022	2100	2270	2000	2001	2000	3003
	CAD1-MN12W	Walnut, Medium Anigre Cherry, Maple,									
	CAD1-MW22W	Walnut, Medium Anigre Cherry, Maple,									
	CAD1-MN22W	Walnut, Medium Anigre Cherry, Maple,									

**ORDERING NOTES:** Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator. For jury base version of this chair, please add a '**J**' for the base style at the end of the model number and **add \$74** to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 331 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61 list per yard.** 

Walnut, Medium Anigre



PHODUCT CODE	KEI					
	Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
	CAD	1	MW	1	1	W
Ca	dence N	Management Seating	Mid Back Wide	Fixed Back	Urethane	Wood
			MN	2	2	В
			Mid Back Narrow	Adjustable Back	Wood And Urethane	Black Nylon
					5	J
					Adjustable	Jury Base


# **CADENCE** | MID BACK

DESCRIPTION	/MODEL	WOOD FINISH	COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHE 8	R 9
	WOOD AND UF	PHOLSTERED ARM									
$\int$	CAD1-MW13B		1707	1782	1907	2063	2177	2264	2436	2809	3085
	CAD1-MN13B										
	CAD1-MW23B										
	CAD1-MN23B CAD1-MW13W	Cherry, Maple,	1975	2055	2121	2335	2442	2532	2703	3080	3345
	OADT WWWTOW	Walnut, Medium Anigre	1070	2000	2121	2000	2772	2002	2100	0000	0040
	CAD1-MN13W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW23W	, , , , , , , , , , , , , , , , , , ,									
	CAD1-MN23W	Walnut, Medium Anigre Cherry, Maple,									
	CAD I-IVINZ3VV	Walnut, Medium Anigre									
		rramas, measam rungi e									
	COMPLETELY I	UPHOLSTERED									
$\int$	CAD1-MW14B		1661	1736	1859	2014	2126	2214	2386	2760	3066
	CAD1-MN14B										
	CAD1-MW24B CAD1-MN24B										
di Z	CAD1-MW14W	Cherry, Maple,	1924	2004	2070	2283	2396	2483	2656	3031	3324
	OND I WWW I TW	Walnut, Medium Anigre									
8000	CAD1-MN14W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-MW24W	27									
	CAD1-MN24W	Walnut, Medium Anigre									
	CAD I-IVIINZ4VV	Walnut, Medium Anigre									
	ARMLESS						.=	1005		2215	
$\int$	CAD1-MW10B		1275	1347	1410	1608	1713	1806	1958	2312	2558
	CAD1-MN10B CAD1-MW20B										
	CAD1-MN20B										
	CAD1-MW10W	Cherry, Maple,	1541	1613	1677	1875	1984	2061	2223	2579	2797
		Walnut, Medium Anigre									
8 020	CAD1-MN10W	Cherry, Maple,									
	0404 1446044	Walnut, Medium Anigre									
	CAD1-MW20W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-MN20W	Cherry, Maple,									
		Walnut, Medium Anigre									
		_									

### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.





Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD	1	MW	1	0	W
Cadenc	e Management Seating	Mid Back Wide	Fixed Back	Armless	Wood
		MN Mid Back Narrow	2 Adjustable Back	Wood And Upholstered	B Black Nylon
				4 Completely Upholstered	J Jury Base

# **CADENCE** | HIGH BACK

		WOOD	СОМ		COL	FAB	RIC GRA	ADES		LEATHE	R
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	URETHANE ARI CAD1-HW11B CAD1-HN11B CAD1-HW21B CAD1-HN21B	MS	1545	1641	1711	1923	2055	2142	2335	2738	2979
	CAD1-HW11W	Cherry, Maple, Walnut, Medium Anigre Cherry, Maple,	1817	1907	1980	2193	2320	2410	2602	3005	3235
8 8	CAD1-HW21W	Walnut, Medium Anigre Cherry, Maple,									
	CAD1-HN21W	Walnut, Medium Anigre Cherry, Maple, Walnut, Anigre									
	ADJUSTABLE A CAD1-HW15B CAD1-HN15B CAD1-HW25B CAD1-HN25B CAD1-HW15W	RMS Cherry, Maple,	1485 1754	1576 1843	1647 1915	1854 2121	1974	2061	2245 2514	2636 2899	2879
	CAD1-HN15W CAD1-HW25W CAD1-HN25W	Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre Cherry, Maple, Walnut, Medium Anigre									

ORDERING NOTES: CAD-MW25 versions are available with optional seat slider mechanism at an upcharge of \$74 list. Specifying seat slider option may add additional lead time to production schedules. Please contact Customer Service for more information.



WOOD AND UP	ETHANE ARM									
CAD1-HW12B		1642	1745	1819	2052	2184	2277	2479	2908	3139
CAD1-HN12B										
CAD1-HW22B										
CAD1-HN22B										
CAD1-HW12W	Cherry, Maple,	1911	2008	2088	2317	2447	2542	2745	3175	3396
	Walnut, Medium Anigre									
CAD1-HN12W	Cherry, Maple,									

Walnut, Medium Anigre

CAD1-HW22W Cherry, Maple,

Walnut, Medium Anigre

CAD1-HN22W Cherry, Maple,

Walnut, Medium Anigre

#### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.



Line	Series	Back Style	Back Adjustment	Arm Style	Base Style
CAD Cadence	1 Management Seating	HW High Back Wide	1 Fixed Back	1 Urethane	Wood
		HN High Back Narrow	2 Adjustable Back	Wood And Urethane	Black Nylon
				5 Adjustable	J Jurv Base


# **CADENCE** | HIGH BACK

		WOOD	COM		COL	FAB	RIC GRAI	DES	l	EATHER	₹
DESCRIPTION/	MODEL	FINISH	1	2	3	4	5	6	7	8	9
	WOOD AND UP	HOLSTERED ARM									
	CAD1-HW13B		1840	1939	2014	2245	2381	2472	2675	3105	3396
	CAD1-HN13B										
	CAD1-HW23B										
	CAD1-HN23B										
	CAD1-HW13W	Cherry, Maple, Walnut, Medium Anigre	2107	2206	2283	2514	2646	2743	2943	3374	3658
	CAD1-HN13W	Cherry, Maple,									
9 0		Walnut, Medium Anigre									
	CAD1-HW23W	Cherry, Maple,									
	CAD1 LINIONA	Walnut, Medium Anigre									
	CAD1-HN23W	Cherry, Maple, Walnut, Medium Anigre									
		Walliut, Medium Anigre									
	COMPLETELY U	IPHOLSTERED ARM									
	CAD1-HW14B		1793	1891	1964	2195	2332	2422	2626	3056	3378
	CAD1-HN14B										
	CAD1-HW24B										
	CAD1-HN24B										
	CAD1-HW14W	Cherry, Maple, Walnut, Medium Anigre	2059	2158	2235	2464	2598	2694	2894	3324	3635
	CAD1-HN14W	Cherry, Maple, Walnut, Medium Anigre									
	CAD1-HW24W	Cherry, Maple,									
		Walnut, Medium Anigre									
	CAD1-HN24W	Cherry, Maple,									
		Walnut, Medium Anigre									

#### **ORDERING NOTES**

Value Mechanism Option - for a price reduction of \$100 per chair, we offer a lower-function mechanism option, which includes full swivel and rearward tilt capability, tilt tension control, and gas lift height adjustment activator.

For jury base version of this chair, please add a 'J' for the base style at the end of the model number and add \$74 to the list price. Cadence arms and bases are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see page 18 for finish color selection and clearly mark on your purchase order.





Line	Series	Back Style	Back Adjustmen	nt Arm Style	Base Style
CAD	1	HW	1	3	W
Cadence	Management Seating	High Back Wide	Fixed Back	Wood and Upholstered	Wood
	2	HN	2	4	В
	Guest Seating	High Back Narrow	Adjustable Back	Completely Upholstered	Black Nylon
		А			J
		Arm Chair			Jury Base

# **GUEST SEATING**


65 Addison
 68 Blake
 71 Dorso
 74 Bali
 76 Kita
 78 Spence
 80 Cadence
 82 Faeron Wood
 88 Faeron Metal

# **ADDISON | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = .69%

POST-CONSUMER RECYCLED CONTENT = 13.10%

Up to 13.79% of this Addison product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Addison products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

All Addison products are supplied with air-emissions certified. Contact customer service for information.



### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Addison and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **ADDISON**

		WOOD	COM		COL	FAB	RIC GRAI	DES		LEATHER	
DESCRIPTIO	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, ADD-2-A-1	OPEN BACK Cherry, Oak,Walnut, Beech, Medium Anigre	893	916	941	990	1041	1089	1141	1190	1291
		Maple	963	987	1013	1063	1111	1160	1210	1258	1358
	OPEN ARM,	FULLY UPHOLSTERED	BACK								
	ADD-2-A-2	Cherry, Oak, Walnut, Beech, Medium Anigre	939	983	1029	1111	1195	1282	1366	1454	1622
		Maple	1002	1043	1087	1173	1257	1344	1430	1514	1687
	OPEN ARM,	UPPER UPHOLSTERED	BACK								
	ADD-2-A-3	Cherry, Oak, Walnut, Beech, Medium Anigre	925	956	988	1054	1116	1180	1244	1307	1437
		Maple	994	1029	1058	1122	1186	1249	1312	1378	1506

### ORDERING NOTES:

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 7 for finish color selection and clearly mark on your purchase order.

Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

ORDERING PROCEDURE	PRODUCT	CODE KEY		
To order please specify the following:	Line	Series	Chair Type	Chair Style
to order please speetly the following.	ADD	2	А	1
Krug product model number     Select a finish for the chair frame     Select a textile or leather	Addison	Guest Seating	Arm Chair	Open Arm, Open Back
				Open Arm, Fully Upholstered Back
Dimensions are in inches and approximate.  Contact Customer Service if dimensions				3
are critical.				Open Arm, Upper Upholstered Back
				4
				Open Arm, Horizontal Slat Back
				5
				Open Arm.Solid Wood Back

### **ADDISON**

		WOOD	COM		COL	FABF	RIC GRADI	ES	L	EATHER	
DESCRIPTION	I/MODEL	FINISH	1	2	3	4	5	6	7	8	9
		HORIZONTAL SLAT BA Cherry, Oak, Walnut, Beech, Medium Anigre	ACK 910	933	959	1008	1057	1107	1156	1206	1306
		Maple	970	995	1018	1084	1118	1170	1220	1269	1366
	OPEN ARM ADD-2-A-5	SOLID WOOD BACK Cherry, Oak, Walnut, Beech, Medium Anigre	915	940	967	1015	1065	1115	1165	1213	1312
		Maple	980	1003	1030	1078	1127	1178	1225	1277	1377

#### **ORDERING NOTES:**

Addison Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 7 for finish color selection and clearly mark on your purchase order.

Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61- list per yard.

#### **DIMENSIONS & COM REQUIREMENTS**


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
ADD-2-A-1	23.5	24.5	33	18.5	26	20	19	28	13.7	0.7
ADD-2-A-2	23.5	24.5	33	18.5	26	20	19	28	13.7	1.2
ADD-2-A-3	23.5	24.5	33	18.5	26	20	19	29	13.7	0.9
ADD-2-A-4	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7
ADD-2-A-5	23.5	24.5	33	18.5	26	20	19	29	13.7	0.7

#### **ORDERING PROCEDURE** PRODUCT CODE KEY Chair Style Line Series Chair Type To order please specify the following: ADD 2 Α 1 1. Krug product model number Addison **Guest Seating** Arm Chair Open Arm, Open Back 2. Select a finish for the chair frame 2 3. Select a textile or leather Open Arm, Fully Upholstered Back Dimensions are in inches and approximate. 3 Contact Customer Service if dimensions Open Arm, Upper Upholstered Back are critical. 4 Open Arm, Horizontal Slat Back 5 Open Arm, Solid Wood Back

# **BLAKE | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 14%

POST-CONSUMER
RECYCLED CONTENT = 86%

Up to 86% of this Blake product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Blake products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Blake products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Blake and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **BLAKE**

			COM		COL	FABF	RIC GRAD	ES	_	EATHER	
DESCRIPTION	/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, BLA-2-A-1	OPEN BACK Cherry, Oak,Walnut, Beech, Medium Anigre	814	840	866	914	966	1014	1064	1114	1211
		Maple	878	901	928	978	1029	1075	1125	1174	1275
	OPEN ARM,	FULLY UPHOLSTERED	BACK								
	BLA-2-A-2	Cherry, Oak, Walnut, Beech, Medium Anigre	854	897	940	1029	1111	1195	1282	1366	1539
		Maple	915	960	1003	1087	1173	1257	1344	1430	1599
	OPEN ARM,	UPPER UPHOLSTERE	D BACK								
	BLA-2-A-3	Cherry, Oak, Walnut, Beech, Medium Anigre	846	879	912	974	1039	1102	1166	1229	1356
		Maple	910	940	973	1038	1100	1165	1228	1292	1420
	00511.4514										
	OPEN ARM, BLA-2-A-4	VERTICAL SLAT BACK Cherry, Oak, Walnut, Beech, Medium Anigre	883	909	932	982	1032	1081	1131	1180	1279
		Maple	939	966	988	1039	1087	1138	1187	1237	1337

#### **ORDERING NOTES**

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 7 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8
ORDERING PR	OCEDURE		PRO	DUCT CO	DE KEY					
To order please	coocify the f	ollowing:	Line	)	Series	Chair Type		Chair	Style	

To order please specify the following:

	BLA	2	A	1
Krug product model number	Blake	Guest Seating	Arm Chair	Open Arm, Open Back
Select a finish for the chair frame     Select a textile or leather				2
3. Select a textile of leatile				Open Arm, Fully Upholstered E
Dimensions are in inches and approximate.				3
Contact Customer Service if dimensions				Open Arm, Upper Upholstered
are critical.				4
				Open Arm, Vertical Slat Bac
				5
				Open Arm, Lower Upholstered
				6

holstered Back pholstered Back cal Slat Back pholstered Back Closed Arm, Lower Upholstered Back

		WOOD	СОМ		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION	N/MODEL	FINISH	1	2	3	4	5	6	7	8	9
	OPEN ARM, I	OWER UPHOLSTER	ED BACK								
	BLA-2-A-5	Cherry, Oak,Walnut Beech, Medium Ani	*	915	952	1022	1093	1166	1237	1308	1452
		Maple	945	983	1017	1088	1160	1233	1305	1377	1517
	CLOSED ARM, LOWER UPHOLSTERED BACK										
	BLA-2-A-6	Cherry, Oak, Walnu Beech, Medium Ani		978	1038	1158	1279	1398	1519	1642	1883
		Maple	985	1044	1107	1228	1349	1467	1590	1711	1956
	CLOSED ARN	И, FULLY UPHOLSTE	RED BACK	<							
	BLA-2-A-7	Cherry, Oak, Walnu Beech, Medium Ani	*	1003	1067	1194	1324	1454	1583	1710	1966
		Maple	1002	1065	1129	1255	1386	1514	1645	1772	2030

#### **ORDERING NOTES**

Blake Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

Chair frames are available in Cherry, Oak, Walnut, Beech, Maple and Medium Anigre finishes. Please see page 7 for finish color selection and clearly mark on your purchase order. CAL 133 and Moisture Barrier options are available for an upcharge of **\$61** list per yard.

### **DIMENSIONS & COM REQUIREMENTS**


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BLA-2-A-1	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-2	23	24	32	18.5	26	19.75	19	29	12.5	1.2
BLA-2-A-3	23	24	32	18.5	26	19.75	19	27	12.5	0.9
BLA-2-A-4	23	24	32	18.5	26	19.75	19	25	12.5	0.7
BLA-2-A-5	23	24	32	18.5	26	19.75	19	26	12.5	1.0
BLA-2-A-6	23	24	32	18.5	26	19.75	19	39	12.5	1.7
BLA-2-A-7	23	24	32	18.5	26	19.75	19	36	12.5	1.8

ORDERING PROCEDURE	PRODUCT CODE KEY						
To order please specify the following:	Line	Series	Chair Type	Chair Style			
Krug product model number     Select a finish for the chair frame     Select a textile or leather	BLA Blake	2 Guest Seating	A Arm Chair	Open Arm, Open Back  2  Open Arm, Fully Upholstered Back			
Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.				Open Arm, Upper Upholstered Back  4  Open Arm, Vertical Slat Back			
				Open Arm, Lower Upholstered Back  6  Closed Arm, Lower Upholstered Back  7  Closed Arm, Fully Upholstered Back			

# **DORSO GUEST | ENVIRONMENTAL SUMMARY**

### **LEED CI CREDITS**





PRE-CONSUMER
RECYCLED CONTENT = 9.82%

POST-CONSUMER RECYCLED CONTENT = 19.98%

Up to 73.17% of this Dorso product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Dorso products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR EMISSIONS**

All Dorso products are supplied air-emissions certified. Contact customer service for information.



# **DORSO S-LINE | GUEST**

DESCRIPTION/	MODEL	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	4 Leg Base, armless with Silver DOS2-10	1008	1056	1108	1173	1254	1356	1465	1603	1750
	4 Leg Base, armless with Polished DOC2-10	1108	1156	1200	1275	1356	1449	1566	1695	1852
	4 Leg Base, fixed arms with Silve DOS2-11	1146	1200	1245	1311	1394	1494	1612	1740	1886
	4 Leg Base, fixed arms with Poli DOC2-11	shed Chron 1267	ne base 1311	1365	1428	1513	1612	1722	1861	2007
	4 Leg Base with Casters, armles	s with Silve 1092	r Metallic I	oase 1192	1254	1338	1438	1546	1687	1833
	4 Leg Base with Casters, armles DOC2-20	s with Polis 1137	hed Chror 1192	ne base, 1237	1299	1383	1483	1603	1732	1878
	4 Leg Base with Casters, fixed a DOS2-21	rms and Sil 1228	ver Metalli 1283	c base 1330	1394	1475	1576	1695	1822	1971
	4 Leg Base with Casters, fixed a DOC2-21	rms and Po 1347	olished Chi 1394	ome base 1449	1513	1594	1695	1804	1940	2090
	Cantilever Base, armless with Si			1000	1000	4005	4.450	4570	1704	4004
	DOS2-30 Cantilever Base, armless with Po DOC2-30	1117 Dished Chro 1221	1164 ome base 1275	1208 1320	1283 1383	1365 1465	1458 1566	1576 1687	1704 1817	1861 1960
	Cantilever Base, fixed arms with DOS2-31	Silver Meta 1394	allic base 1449	1494	1560	1641	1740	1861	1987	2134
	Cantilever Base, fixed arms with DOC2-31	Polished C 1449	hrome bas 1504	se 1546	1612	1695	1796	1916	2043	2190

#### **ORDERING NOTES**

Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.

#### **ORDERING PROCEDURE**

#### PRODUCT CODE KEY

OTIDETIII THOOLDOTTE	PRODUCTIO	DEKEI		
To order please specify the following:	Line	Series	Base	Arm Style
To order prease specify the following.	DOS	2	1	0
Krug product model number	Dorso S-Line	Guest Seating	Four Leg	Armless
2. Select a textile or leather	(Silver Metallic)			
	DOC		2	1
Dimensions are in inches and approximate.	Dorso S-Line		Four Leg	Fixed
Contact Customer Service if dimensions are critical.	(Polished Chrome)		with Casters	Cantilever
	DON		3	
	Dorso N-Line		Cantilever	
	(Silver Metallic)			

## **DORSO N-LINE | GUEST**

DESCRIPTION/MO	DDEI	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
	4 Leg Base, armless with Sil DON2-10			961	1038	1117	1208	1330	1458	1612
	4 Leg Base, fixed arms with DON2-11	Silver Meta 971	allic base 1023	1071	1137	1221	1320	1438	1566	1713
	4 Leg Base with Casters, arr DON2-20	nless with 955	Silver Meta 999	allic base 1044	1117	1200	1293	1412	1540	1695
	4 Leg Base with Casters, fixed DON2-21	ed arms an 1057	d Silver M 1106	etallic bas 1156	e 1221	1299	1403	1519	1648	1796
	Cantilever Base, armless wit DON2-30	h Silver Me 971	etallic base 1023	1071	1137	1221	1320	1438	1566	1713
	Cantilever Base, fixed arms DON2-31	with Silver 1146	Metallic ba 1200	ase 1245	1311	1394	1494	1612	1740	1886

### **ORDERING NOTES**

Dorso Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.


CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See Page 34 for more information.

### **DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Height Range	Shipping Weight	Cube	COM Yardage
S-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	36	32	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	36	37	14	1.3
S-LINE/4LEG with Casters	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	33	14	1.3
	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	38	14	1.3
S-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	36	39	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	36	44	14	1.3
N-LINE/4LEG	Armless	20.75	25.50	18.5	27.5	19.5	19.5	34.75	31	14	1.3
	Fixed	24.5	25.50	18.5	27.5	19.5	19.5	34.75	36	14	1.3
N-LINE/4LEG with Casters	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	32	14	1.3
	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	37	14	1.3
N-LINE/	Armless	20.75	24.75	18.5	27.5	19.5	19.5	34.75	38	14	1.3
Cantilever Base	Fixed	24.5	24.75	18.5	27.5	19.5	19.5	34.75	43	14	1.3

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 4.68%

POST-CONSUMER
RECYCLED CONTENT = 16.42%

Up to 74.19% of this Bali product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bali products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Bali products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bali and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## **BALI**

		СОМ		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION	N/MODEL	1	2	3	4	5	6	7	8	9
	Wood with Black back leg BAL2A1B	794								
	Wood with Chrome back leg BAL2A1C	873								
	Upholstered Front with Black back	lea								
	BAL2A2B	1075	1114	1165	1220	1273	1336	1408	1478	1592
	Upholstered Front with Chrome bac BAL2A2C	ck leg 1185	1228	1273	1325	1379	1452	1519	1600	1724
	Upholstered Seat Cushion with Blac	k hack le	n							
F	BAL2A3B	1033	1067	1103	1148	1185	1228	1273	1342	1414
4	Upholstered Seat Cushion with Chro	ome back	lea							
	BAL2A3C	1103	1148	1185	1228	1281	1353	1408	1484	1559
	Caddie DOL6	799								

### **DIMENSIONS & COM REQUIREMENTS**

			Overall Height		Height of Arms from Floor	Width between Arms		Shipping Weight	Cube	COM Yardage
WOOD SHELL	23.25	23	34.25	17.25	26	19.5	18	30	15.3	-
UPHOLSTERED FRONT	23.25	23	34.25	18.11	26	19.5	17	30	15.3	0.8
UPHOLSTERED SEAT CUSHION	23.25	23	34.25	18.25	26	19.5	18	30	15.3	0.4

#### **ORDERING NOTES**

Bali Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair.
Bali Guest Chairs are available with a removable upholstered back cover at an upcharge of \$46 list per chair.
Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.
When used with Caddie (stacking cart), Bali stacks to a maximum of 10 chairs high, and 6 high without Caddie.
Chair frames are available in Cherry and Beech finishes. Please see page 6 for finish color selection and clearly mark on your purchase order.
CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See page 8 for more information.


#### ORDERING PROCEDURE

#### PRODUCT CODE KEY

To order please specify the following:	Line	Series	Base	Chair Style	Back Leg Style
, , ,	BAL	2	А	1	В
Krug product model number     Select a finish for the chair frame	Bali	Guest Seating	Arm Chair	Wood	Black
3. Select a textile or leather				2	С
				Upholstered Front	Chrome
Dimensions are in inches and approximate.  Contact Customer Service if dimensions				3	
are critical.			Uį	oholstered Seat Cush	nion

## **LEED CI CREDITS**





PRE-CONSUMER
RECYCLED CONTENT = .80%

POST-CONSUMER
RECYCLED CONTENT = 15.28%

Up to 16% of this Kita product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Kita products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



he mark of responsible foresti

#### AIR EMISSIONS

**FSC**®

All Kita products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Kita and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



### **KITA**

DESCRIPTION	/MODEL	WOOD FINISH	COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
<u> </u>		Full Width Upholstered				•			•		
	1320-OA	Oak	1173	1223	1260	1349	1408	1452	1533	1717	1854
		Cherry, Maple, Walnut, Medium Anigre	1255	1307	1344	1432	1485	1533	1612	1798	1937
	Closed Arm	, Full Width Upholstere	d Back								
	1320-CA	Oak	1525	1592	1639	1753	1827	1885	1987	2232	2479
		Cherry, Maple, Walnut, Medium Anigre	1634	1701	1747	1862	1937	1991	2097	2337	2585
	3/4 Width U	pholstered Back									
	1321-A	Oak	1173	1223	1260	1349	1408	1452	1533	1717	1854
		Cherry, Maple, Walnut, Medium Anigre	1255	1307	1344	1432	1485	1533	1612	1798	1937
Thumum)	Slat Back	Oak									
	1322-A	Oak	1200	1245	1281	1358	1407	1435	1504	1650	1759
		Cherry, Maple, Walnut, Medium Anigre	1307	1355	1383	1464	1512	1541	1608	1754	1866
	Shoji Back										
	1323-A	Oak	1125	1172	1220	1267	1313	1365	1426	1537	1646
		Cherry, Maple, Walnut, Medium Anigre	1241	1284	1313	1392	1438	1464	1539	1685	1794

#### **ORDERING NOTES**

Kita Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. See page 10 for more information.

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1320-OA	22	24	32	18.5	26	18.75	19	25	12	1
1320-CA	22	24	32	18.5	26	18.75	19	25	12	1.8
1321-A	22	24	32	18.5	26	18.75	19	25	12	1
1322-A	22	24	32	18.5	26	18.75	19	26	12	0.8*
1323-A	22	24	32	18.5	26	18.75	19	26	12	0.8*

### ORDERING PROCEDURE

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 12 for finish color selection and clearly mark on your purchase order.

#### **GANGING**


Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.

## **SPENCE | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS







PRE-CONSUMER
RECYCLED CONTENT = .45%

POST-CONSUMER RECYCLED CONTENT = 17.27%

Up to 18.18% of this Spence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Spence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Spence products are supplied air-emissions certified. Contact customer service for information.

## FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Spence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



### **SPENCE**

		WOOD	COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/MOD	DEL	FINISH	1	2	3	4	5	6	7	8	9
	Slat Bac 1400	k Oak	1136	1198	1281	1363	1461	1567	1678	1819	1916
		Cherry, Maple, Walnut, Medium Anigre	1272	1337	1417	1499	1592	1701	1812	1948	2043
	Slat & U	pholstered Back									
	1401	Oak	1171	1236	1320	1403	1506	1617	1724	1874	2010
		Cherry, Maple, Walnut, Medium Anigre	1307	1377	1461	1543	1641	1752	1866	2007	2145
	Split Upl	nolstered Back									
	1402	Oak	1192	1255	1344	1432	1533	1647	1759	1911	2081
		Cherry, Maple, Walnut, Medium Anigre	1335	1403	1485	1575	1675	1782	1902	2044	2217
	Full Uph	olstered Back									
	1403	Oak	1202	1273	1356	1443	1545	1662	1778	1924	2133
		Cherry, Maple, Walnut, Medium Anigre	1344	1415	1506	1588	1688	1803	1920	2062	2272

#### **ORDERING NOTES**

Spence Guest Chairs are available with a removable upholstered seat cover at an upcharge of \$77 list per chair. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
1400	22	24	33	18	27	18	20	21	13	0.7
1401	22	24	33	18	27	18	20	22	13	1.0
1402 1403	22 22	24 24	33 33	18 18	27 27	18 18	20 20	22 23	13 13	1.25 1.5

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### STANDARD FINISHES

Chair frames are available in Oak, Cherry, Maple, Walnut, Medium Anigre finishes. Please see page 12 for finish color selection and clearly mark on your purchase order.


#### **GANGING**

Ganging is optional on all wood arm and side chairs at an upcharge of \$77 list per chair. Please specify at time of order.

## **CADENCE | ENVIRONMENTAL SUMMARY**

## LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = .43%

POST-CONSUMER RECYCLED CONTENT = 16.46%

Up to 16.91% of this Cadence product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cadence products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Cadence products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cadence and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## **CADENCE | GUEST**

DECORPTION /N	ODEI	WOOD	СОМ	0	COL		RIC GRAD		7	LEATHER	
DESCRIPTION/M	ODEL	FINISH	1	2	3	4	5	6		8	9
	CAD2A	Cherry, Maple, Walnut, Medium Anigre	1443	1512	1576	1683	1790	1895	2005	2135	2370

#### **ORDERING NOTES**

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

### **DIMENSIONS & COM REQUIREMENTS**

			Overall Height		Height of Arms from Floor			Shipping Weight	Cube	COM Yardage
CAD2A	22.75	27	36	18.25	26	18.75	18	23	18	1.7

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Select a finish for the chair frame
- 3. Select a textile or leather

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### STANDARD FINISHES


Chair frames are available in Cherry, Maple, Walnut and Medium Anigre finishes. Please see Page 331 for finish color selection and clearly mark on your purchase order.

## FAERON WOOD | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 6.25%

POST-CONSUMER
RECYCLED CONTENT = 13.64%

Up to 31.82% of this Faeron product is recyclable at the end of its useful life

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



#### **CLEAN OUT**

All Faeron seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



#### **FLEX BACK**

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



#### **WALL SAVER**

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



#### STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. In addition they ease re-configurability and on-site replacement of damaged or degraded components.



#### **SEAT COMFORT**

Seats feature a spring suspension across the entire model range for exceptional comfort while high grade foam provides superior support and longevity.



#### PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.



#### **GLIDES**

Faeron's Beech wood legs feature non-marring

#### FINISH DURABILITY

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

#### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

#### REPLACEABLE COMPONENTS

Faeron chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

#### **CUSTOM CAPABILITIES**

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

#### WEIGHT CAPACITIES

Faeron weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 500 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 625 lbs per unit 3-Seat Freespan - 750 lbs per unit

## FAERON WOOD | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



#### **ARM PANELS**

Panel arms are available in semi and fully closed styles for optimum design flexibility.



#### **URETHANE ARM CAP**

The optional Urethane Arm Cap provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



#### **SOLID SURFACE ARM CAP**

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



#### **SOLID SURFACE ARM FRAME**

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



#### **COMBINATION UPHOLSTERY OPTIONS**

Faeron can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



#### KINETIC BACK OPTION

Provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



#### **CLEANABLE UNDER-SEAT SPLASHGUARD**

All Faeron seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

#### **GANGING**

All Faeron freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$50 list per chair.

#### **REMOVABLE COVERS**

Faeron chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

## FAERON WOOD | GUEST, DIMENSIONS & COM REQUIREMENTS

#### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	44	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	48	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	54	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	71	28

#### **COM- YARDAGE REQUIREMENTS**

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.8
30" - One Chair	2.3	0.9	1.4	0.8
44" - One Chair	2.9	1.5	1.6	0.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

#### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **WEIGHT CAPACITIES**

Faeron weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Guest Plus Chairs (30" & 44") - 750 lbs

Faeron Option Upcharges	\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm Cap (per pair) - Gr A White	347	
Ganging Bracket	56	Solid Surface Arm Cap (per pair) - Gr A Color	359	
Kinetic Back (not available for 30" & 44")	115	Solid Surface Arm Cap (per pair) - Gr B	378	
21" & 24" Under-seat Splashguard	56	Solid Surface Arm Cap (per pair) - Gr C	391	
30" Under-seat Splashguard	69	Solid Surface Arm (per pair) - Gr A White	546	
44" Under-seat Splashguard	87	Solid Surface Arm (per pair) - Gr A Color	570	
Removeable Seat Cover	86	Solid Surface Arm (per pair) - Gr B	615	
Removable Back Cover	56	Solid Surface Arm (per pair) - Gr C	646	
Urethane Arm Cap (per pair)	132			

See page 98 for color selection.

## FAERON WOOD | GUEST

			COM		COL	FA	ABRIC GR	ADES		LEATHER	
DESCRIPTION	/MODEL	Species	1	2	3	4	5	6	7	8	9
	21" Open Arm FAE2-G21ONC	Beech Palette	1080	1122	1165	1252	1338	1424	1513	1599	1773
	21" Semi Closed FAE2-G21SNC	Arm Beech Palette	1466	1533	1597	1727	1859	1988	2117	2249	2510
	21" Closed Arm FAE2-G21CNC	Beech Palette	1480	1542	1609	1739	1871	2000	2131	2261	2520
	24" Open Arm FAE2-G24ONC	Beech Palette	1156	1199	1243	1330	1417	1505	1590	1677	1852
	24" Semi Closed FAE2-G24SNC	Arm Beech Palette	1543	1610	1675	1806	1936	2066	2197	2327	2588
	24" Closed Arm FAE2-G24CNC	Beech Palette	1557	1622	1688	1818	1947	2080	2209	2340	2599

**ORDERING NOTES:** Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA) replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on <u>page</u> 85. See Page 332 for color selection.

#### PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style
FAE	2	G	21	0	NC
Faeron	Chair	Guest Seating		Open Arm	No Cap
			24	S	UC
				Semi Closed Arm	Urethane Cap
			30	С	SC
				Closed Arm	Solid Surface Cap
			44		SA
					Solid Surface Arm

## FAERON WOOD | GUEST

DESCRIPTION	MODEL	Species	COM 1	2	COL 3	F 4	ABRIC GF 5	RADES 6	7	LEATHER 8	9
<b>S</b>	30" Open Arm FAE2-G30ONC	Beech Palette	1319	1382	1442	1567	1694	1819	1943	2067	2318
PRODUCTS	30" Semi Closed FAE2-G30SNC	I Arm Beech Palette	1707	1792	1875	2044	2213	2381	2551	2718	3055
HESH	30" Closed Arm FAE2-G30CNC	Beech Palette	1719	1803	1887	2058	2223	2392	2562	2730	3066
APPLIES TO	44" Open Arm FAE2-G44ONC	Beech Palette	1621	1698	1778	1936	2092	2250	2409	2566	2881
	44" Semi Closec FAE2-G44SNC	l Arm Beech Palette	2009	2109	2211	2411	2612	2814	3013	3214	3617
AE DISCOUN	44" Closed Arm FAE2-G44CNC	Beech Palette	2020	2121	2221	2422	2623	2824	3026	3225	3630
replace "NC" ir	OTES: Faeron chain the model number for color selection.										
Line	Series		Chair Type	ı	Size	<u> </u>	Arm 1	Гуре		Arm Style	


### PRODUCT CODE KEY

THODOOT CODE RET					
Line	Series	Chair Type	Size	Arm Type	Arm Style
ı	2	G	21	0	NC
Faeron	Chair	Guest Seating		Open Arm	No Cap
			24	S	UC
				Semi Closed Arm	Urethane Cap
			30	С	SC
				Closed Arm	Solid Surface Cap
			44		SA
					Solid Surface Arm

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT =10.87 %

POST-CONSUMER RECYCLED CONTENT = 17.48%

Up to 50% of this Faeron Metal product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



#### **CLEAN OUT**

All Faeron Metal seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



#### **FLEX BACK**

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.



#### **WALL SAVER**

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



#### STEEL SEAT FRAME

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength. The seats features a spring system that substantially enhances comfort and extends product life cycle. Seats are removable, and field replaceable.



#### **SEAT COMFORT**

Seats feature a spring suspension for exceptional comfort while high grade foam provides superior support and longevity.



#### POLYMER ARM

Faeron arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey and Taupe.



Faeron Metal chairs are available in two metal finishes; Sliver Metallic and Brushed Nickel.

#### **FINISH DURABILITY**

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer and is especially suited to the demands of healthcare environments.

#### **LATEX FREE**

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

#### REPLACEABLE COMPONENTS

Faeron Metal chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

#### **CUSTOM CAPABILITIES**

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

#### **WEIGHT CAPACITIES**

Faeron Metal weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Easy Access Chairs - 500 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 625 lbs per unit 3-Seat Freespan - 750 lbs per unit

#### PLUS UPGRADE

Faeron 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

Faeron Metal Images | www.krug.ca

## FAERON METAL | GUEST, PATIENT, MULTIPLE & EASY ACCESS OPTIONS



#### **ARM PANEL**

Upholstered arm panels are available in both semi- and fully-closed styles, and are field replaceable if damaged.



#### **SOLID SURFACE ARM**

The optional Solid Surface Arm provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard Corian colors, and custom colors (at an upcharge). Arms are replaceable as a full side frame if they become damaged or degraded.



#### **WOOD ARM**

Wood arms are solid Beech and available in standard and custom finishes. Krug's wood finish is a proprietary high-durability formulation that has been shown to be an industry leader in abrasion resistance. Arms can be replaced if they do become damaged or degraded.



#### **COMBINATION UPHOLSTERY OPTIONS**

Faeron Metal can be upholstered in combinations of two or more upholstery covers on the same units: seats, backs and closed arm panels can be individually upholstered with a specific cover. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)



#### KINETIC BACK OPTION

The optional Kinetic Back provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Faeron Guest or Patient chair back with the exception of the Plus styles (30" and 44").



#### CLEANABLE UNDER-SEAT SPLASHGUARD

All Faeron Metal seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the anti-microbial and germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.



#### **REMOVABLE COVERS**

Faeron Metal chairs (all sizes) are available with removeable seat and back covers. Replacement seat and back covers can be quickly installed on Faeron products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Faeron products that were not originally ordered with the removeable cover option, with some simple staple removal on the original seats and backs.

#### **METAL FINISH OPTIONS**

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$61 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$61 list per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

#### **GANGING**

All Faeron Metal freestanding Guest/Patient chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of \$56 list per chair.

## FAERON METAL | GUEST

#### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25.0	26.3	34.5	19.0	25.0	21	19.5	56	14
24" Seat	28.0	26.3	34.5	19.0	25.0	24	19.5	60	19
30" Seat	34.0	26.3	34.5	19.0	25.0	30	19.5	66	20
44" Seat	48.0	26.3	34.5	19.0	25.0	44	19.5	83	28

Height of

Width

#### **COM- YARDAGE REQUIREMENTS**

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.96
30" - One Chair	2.3	0.9	1.4	0.96
44" - One Chair	2.9	1.5	1.6	0.96

#### **ORDERING NOTES:**

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Faeron Metal seating.

#### A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Faeron Metal upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm (per pair) - Gr A White	546
Ganging Bracket	56	Solid Surface Arm (per pair) - Gr A Color	570
Kinetic Back (not available for Plus)	115	Solid Surface Arm (per pair) - Gr B	615
21" & 24" Under-seat Splashguard	56	Solid Surface Arm (per pair) - Gr C	646
30" Under-seat Splashguard	69	Beech/Palette Wood Arm (per pair)	205
44" Under-seat Splashguard	87	See Page 98 for color selection.	
Removeable Seat Cover	86	•	
Removable Back Cover	56		
Non-Marring Glides	16		

#### WEIGHT CAPACITIES

Faeron Metal weight capacities are as follows: Guest Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs

## FAERON METAL | GUEST

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/	/MODEL	1	2	3	4	5	6	7	8	9
	21" Open Polymer Arm, Silver M	/letallic F								
	FAE2M-G21OPAS	966	1009	1046	1131	1212	1296	1379	1462	1627
	21" Open Polymer Arm, Brushe	d Niekal	Eromo							
	FAE2M-G21OPAN	1150	1192	1233	1315	1397	1481	1564	1647	1812
<b>"</b>	TALLIN GETOTALL									
	21" Semi Closed Polymer Arm,	Silver M	etallic Fran	me						
	FAE2M-G21SPAS	1336	1397	1460	1584	1708	1832	1958	2081	2329
							.002	.000		2020
	21" Semi Closed Polymer Arm,									
<u>"</u>	FAE2M-G21SPAN	1520	1582	1645	1769	1893	2017	2142	2265	2514
	21" Closed Polymer Arm, Silver	Metallic	Frame							
	FAE2M-G21CPAS	1347	1410	1470	1594	1719	1843	1967	2091	2341
	21" Closed Polymer Arm, Brush	od Nick	ol Eramo							
	FAE2M-G21CPAN	1533	1592	1655	1780	1904	2029	2154	2277	2526
Ш		1000	1002	1000	1700	1304	2025	2104	2211	2020
			_							
	24" Open Polymer Arm, Silver N FAE2M-G24OPAS			1100	1000	1000	4070	4.55	4507	4700
	FAEZIVI-GZ4OPAS	1040	1082	1123	1206	1290	1370	1455	1537	1703
	24" Open Polymer Arm, Brushe	d Nickel	Frame							
	FAE2M-G24OPAN	1224	1267	1308	1391	1472	1556	1638	1720	1886
Щ										
	24" Semi Closed Polymer Arm,	Silver M	etallic Fran	me						
	FAE2M-G24SPAS	1411	1471	1535	1660	1782	1907	2032	2156	2403
					1000	1102	1007	2002	2100	2100
	24" Semi Closed Polymer Arm,									
	FAE2M-G24SPAN	1593	1656	1718	1843	1966	2090	2216	2340	2588
	24" Closed Polymer Arm, Silver	Metallic	Frame		<u> </u>					
	FAE2M-G24CPAS	1421	1483	1545	1670	1794	1918	2043	2166	2415
	0.42 Olasad Dahasan Assa Darah	a al Nile I	al Fuanas							
	24" Closed Polymer Arm, Brush FAE2M-G24CPAN	ied Nicke 1606	el Frame 1668	1730	1854	1979	2103	2228	2349	2599
* U	I ALLIVI GLIOI AIN	1000	1000	1730	1004	1979	2103	2220	2349	2099

#### **ORDERING NOTES:**

Faeron Metal chairs can also be specified with a Wood Arm (WA) or a Solid Surface Arm (SA), replace "PA" in the model number with the **Arm Style** selection below and add the upcharge listed. See **Page 332** for color selection.

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	546
Solid Surface Arm (per pair) - Gr A Color	570
Solid Surface Arm (per pair) - Gr B	615
Solid Surface Arm (per pair) - Gr C	646
Beech/Palette Wood Arm (per pair)	205

#### PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE Faeron	2M Chair	G Guest Seating	21	O Open Arm	PA Polymer Arm	Silver Metallic
			24	Semi Closed Arm	WA Wood Arm	N Brushed
			30	C Closed Arm	SA Solid Surface Arm	Nickel
			44			

SEATING & OCCASIONAL TABLES | USA | 92

## FAERON METAL | GUEST

DESCRIPTION/MOD	EL	COM 1	2	COL 3	FAB 4	RIC GRAI 5	DES 6	7	LEATHER 8	9
	30" Open Polymer Art FAE2M-G300PAS	m, Silver Metallio	Frame 1254	1313	1434	1552	1672	1790	1908	214
	30" Open Polymer Art FAE2M-G30OPAN	m, Brushed Nick 1379	xel Frame 1438	1497	1617	1736	1855	1974	2092	233
	30" Semi Closed Poly FAE2M-G30SPAS	mer Arm, Silver 1565	Metallic Fr 1646	ame 1725	1886	2045	2207	2367	2528	284
	30" Semi Closed Poly FAE2M-G30SPAN	rmer Arm, Brush 1750	ed Nickel F 1830	rame 1909	2070	2231	2391	2551	2712	300
	30" Closed Polymer A FAE2M-G30CPAS	arm, Silver Metal 1578	lic Frame 1656	1736	1896	2058	2218	2378	2538	286
	30" Closed Polymer A FAE2M-G30CPAN	Arm, Brushed Nio 1761	ckel Frame 1840	1920	2082	2242	2403	2562	2723	304
	44" Open Polymer Arr FAE2M-G44OPAS	m, Silver Metallio 1482	Frame 1557	1632	1781	1933	2082	2232	2383	268
	44" Open Polymer Arı FAE2M-G44OPAN	m, Brushed Nick 1666	tel Frame 1740	1817	1965	2116	2268	2416	2567	286
	44" Semi Closed Poly FAE2M-G44SPAS	mer Arm, Silver 1852	Metallic Fr 1947	ame 2043	2234	2425	2616	2808	2998	338
	44" Semi Closed Poly FAE2M-G44SPAN	rmer Arm, Brush 2037	ed Nickel F 2133	rame 2229	2419	2611	2802	2993	3184	356
	44" Closed Polymer A FAE2M-G44CPAS	Arm, Silver Metal 1863	lic Frame 1960	2055	2245	2438	2629	2819	3011	339
	44" Closed Polymer A FAE2M-G44CPAN	arm, Brushed Nio 2047	ckel Frame 2145	2240	2431	2622	2814	3006	3196	358
ORDERING NOTES:				Arm St	yle Optio	n Upchar	ges		\$ L	ist
Solid Surface Arm (S	can also be specified w SA), replace "PA" in the below and add the upc lor selection.	e model number		Solid S Solid S Solid S	urface Arn urface Arn urface Arn urface Arn Palette Wo	n (per pai n (per pai n (per pai	r) - Gr A C r) - Gr B r) - Gr C		5 6 6	546 570 515 546 205
PRODUCT CODE KEY	,									
Line						n Type				

Arm Style Option Upcharges	\$ List
Solid Surface Arm (per pair) - Gr A White	546
Solid Surface Arm (per pair) - Gr A Color	570
Solid Surface Arm (per pair) - Gr B	615
Solid Surface Arm (per pair) - Gr C	646
Beech/Palette Wood Arm (per pair)	205

ODUCT CODE KE	-1					
Line	Series	Chair Type	Size	Arm Type	Arm Style	Metal Finish
FAE	2M	G	21	0	PA	S
Faeron	Chair	<b>Guest Seating</b>		Open Arm	Polymer Arm	Silver Metallic
			24	S	WA	N
				Semi Closed Arm	Wood Arm	Brushed
			30	С	SA	Nickel
				Closed Arm	Solid Surface Arm	
			44			

# **MULTI-PURPOSE SEATING**

95 Libra 102 Mobi 106 Karma 116 Corfu 122 Capri


124 Bank of England

## **LIBRA** | ENVIRONMENTAL SUMMARY

## LEED CI CREDIT



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 18.68%

POST-CONSUMER RECYCLED CONTENT = 28.64%

Up to 74.71% of this Krug product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Krug products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Krug products are supplied air-emissions certified. Contact customer service for information.

## **LIBRA** | FEATURES & OPTIONS

#### **FEATURES**



#### **POLYMER BACK & SEAT**

Libra chairs feature Black polymer seat and back. The polymer back provides contoured lumbar support and flex for greater comfort. The seat tilts down for the sitting position and flips up when ready to nest the chairs.



### TARI FT

**OPTIONS** 

Libra swivel folding tablet is available in Black polymer. The tablet is fastened to the left side (facing), and has a turning radius of 360 degrees.



#### **UPHOLSTERED SEAT & BACK**

Libra chairs are available with upholstered seat and Black polymer back or upholstered seat and back



### **BOOK RACK**

The wire book rack is available in Black or Silver Metallic to coordinate with the frame selection. It can conveniently remain in place when the chairs are nested but is also removable without tools if needed.



#### **FRAME**

Metal frame finish is available in Black or Silver Metallic.



#### **COMBINATION UPHOLSTERY COVERS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



#### **ARMS**

Libra chairs are available in both Armless and Armed chair styles. Armed chairs feature a fixed, forward-sloping Black polymer armrest.



#### **GLIDES**

Libra Black nylon glides are non-adjustable, non-marring and field-replaceable if damaged or degraded.



## **CASTERS**

The twin-wheel casters promote easy storage and repositioning and are also available with a locking option.



#### **NESTING**

Libra chairs nest by raising the seat into its upright position, they can be nested with both the book rack and tablet in place.



#### REPLACEABLE COMPONENTS

Libra is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



#### **WEIGHT CAPACITIES**

Libra has been laboratory tested to meet a weight capacity of 300lbs, for arm and armless versions.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$61 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **LIBRA** | DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	Shipping Weight	Cubes	
Armless	22	24.5	33.5	18	n/a	n/a	19	25	13	
Fixed Arm	25.5	24.5	33.5	18	26.25	22	19	27	13	
Tablet Arm	28	24.5	33.5	18	29	n/a	19	35	13	

### **DIMENSIONS:**

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

#### **COM Yardage**

Seat & Back	1.19
Seat only	0.56
Back only	0.65



	DESCRIPTION/MODEL			COL	FA	BRIC GRA	ADES	LEATHER			
DESCRIPTION/M			2	3	4	5	6	7	8	9	
	Polymer Back & Seat v LIB2111B	with Glides and 414	Black Fra	ame							
	Polymer Back & Seat v LIB2111S	with Glides and 414	Silver Fra	ame							
	Polymer Back & Uphol LIB2121B	stered Seat wit 527	h Glides 541	and Black 556	Frame 577	600	621	645	675	704	
	Polymer Back & Uphol LIB2121S	stered Seat wit 527	h Glides 541	and Silver 556	Frame 577	600	621	645	675	704	
	Upholstered Back & Solution LIB2131B	eat with Glides 603	and Blac	k Frame 666	711	762	807	859	924	988	
	Upholstered Back & Sol LIB2131S	eat with Glides 603	and Silve 633	r Frame 666	711	762	807	859	924	988	
	Polymer Back & Seat v LIB2112B	with Casters and	d Black F	rame							
	Polymer Back & Seat v LIB2112S	vith Casters and 421	d Silver F	rame							
	Polymer Back & Upho	stered Seat wit	h Casters	s and Blac	k Frame						
	LIB2122B	534	547	562	583	607	628	651	681	711	
	Polymer Back & Uphol LIB2122S	stered Seat wit 534	h Casters 547	s and Silve 562	er Frame 583	607	628	651	681	711	
<b>U</b>	Upholstered Back & S	eat with Caster	s and Bla	ck Frame							
	LIB2132B	610	640	672	717	769	814	866	930	995	
	Upholstered Back & S	eat with Casters	s and Silv	er Frame							
	LIB2132S	610	640	672	717	769	814	866	930	995	
ORDERING NOT	<b>TES</b> : To specify casters locki	ng, change the	base sele	ection (sho	own below	) from a "2	2" to a "3"				
LIBRA OPTION	UPCHARGES	\$ List									
CAL 133 & Moist Removable Wire	ure Barrier (per yard) Basket	61 73									

<b>PRODUCT</b>	CODE	<b>KFY</b>
FINODOGI	CODE	

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

# **LIBRA** | FIXED ARM

		COM		COL	FABRIC GRADES		LEATHER						
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9			
	Polymer Back & Seat w	ith Glides	and Black	k Frame									
	LIB2211B	481											
	Polymer Back & Seat with Glides and Silver Frame												
1 / 1	LIB2211S	481											
0													
	Polymer Back & Uphols	stered Sea	t with Glic	des and Bl	ack Frame	)							
	LIB2221B	594	608	623	643	667	688	712	741	771			
	Polymer Back & Upholstered Seat with Glides and Silver Frame												
{ // n /	LIB2221S	594	608	623	643	667	688	712	741	771			
ij													
Upholstered Back & Seat with Glides and Black Frame													
	LIB2231B	670	700	733	778	829	874	926	990	1055			
	Upholstered Back & Se												
A // A	LIB2231S	670	700	733	778	829	874	926	990	1055			
Ū													
	Polymer Back & Seat w	ith Caster	s and Bla	ck Frame									
	LIB2212B	487											
				_									
	Polymer Back & Seat w		's and Silv	er Frame									
( // d )	LIB2212S	487											
d ·													
	Polymer Back & Uphols	stered Sea	t with Cas	sters and E	Black Fram	ie							
	LIB2222B	601	614	629	650	674	695	718	748	778			
	Polymer Back & Uphols						005	740	7.40	770			
1 / 10 / 1	LIB2222S	601	614	629	650	674	695	718	748	778			
Ø.													
	Upholstered Back & Se	at with Ca	asters and	Black Fra	me								
	LIB2232B	677	707	739	784	836	881	933	997	1061			
	Upholstered Back & Se												
( \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	LIB2232S	677	707	739	784	836	881	933	997	1061			
g _													

**ORDERING NOTES**: To specify casters locking, change the base selection (shown below) from a "2" to a "3".

LIBRA OPTION UPCHARGES	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Removable Wire Basket	73

### PRODUCT CODE KEY

Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

		COM		COL	FAE	BRIC GRA	ADES		LEATHE	R				
DESCRIPTION/M	DESCRIPTION/MODEL		2	3	4	5	6	7	8	9				
	Polymer Back & Seat v LIB2311B	with Glides and 596	d Black Fi	rame										
	Polymer Back & Seat v LIB2311S	with Glides and 596	d Silver Fr	rame										
	Polymer Back & Upho	Istered Seat w	ith Glides	and Black	Frame									
	LIB2321B	710	723	738	759	783	804	827	857	887				
	Polymer Back & Upho	Istered Seat w	ith Glides	and Silver	Frame									
	LIB2321S	710	723	738	759	783	804	827	857	887				
<u> </u>		Upholstered Back & Seat with Glides and Black Frame												
	LIB2331B	786	816	848	893	945	990	1042	1106	1171				
	Upholstered Back & S	eat with Glides	and Silve	er Frame										
	LIB2331S	786	816	848	893	945	990	1042	1106	1171				
	Polymer Back & Seat	with Casters ar	nd Black I	Frame										
	LIB2312B	603												
	Polymer Back & Seat	with Casters ar	nd Silver I	Frame										
	LIB2312S	603												
	Polymer Back & Upho	Istered Seat w	ith Caster	s and Blac	k Frame									
	LIB2322B	716	730	745	766	789	810	834	864	893				
	Polymer Back & Upho	Istered Seat w	ith Caster	s and Silve	er Frame									
	LIB2322S	716	730	745	766	789	810	834	864	893				
	Upholstered Back & S	eat with Caste	rs and Bla	ack Frame										
	LIB2332B	792	823	855	900	952	997	1048	1113	1177				
	Upholstered Back & S	eat with Caste	rs and Sil	ver Frame										
	LiB23232S	792	823	855	900	952	997	1048	1113	1177				
ORDERING NOT	ES: To specify casters locking	ng, change the	base sel	ection (sho	wn below)	from a "2	2" to a "3'	·.						
LIBRA OPTION L	JPCHARGES	\$ List												
	ure Barrier (per yard)	61			·			·	·					
Removable Wire I	Basket	73												

PRO	DUCT	CODE	<b>KEY</b>

JUCI CODE	KET				
Line	Series	Arm	Style	Base	Finish
LIB	2	1	1	1	В
Libra	Multi-Purpose Seating	Armless	Polymer Back & Seat	Glides	Black
		2	2	2	S
		Fixed Arm	Polymer Back & Upholstered Seat	Casters	Silver
		3	3	3	
		Tablet Arm	Upholstered Back & Seat	Locking Casters	

# LIBRA | REPLACEMENT COMPONENTS


		СОМ	COL		FAE	BRIC GRAI	DES		LEATHER	2			
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	Yds	Weight	Cube
	Replacemei LIB2-RA2	nt Fixed 63	Arm (Pa	air)								2.5	0.8
	Replacemei LIB2-RA3	nt Table 152	t Arm (p	er arm)								11.3	2.3
	Replacemer LIB2-RS1	nt Polyn 110	ner Seat									3.8	0.7
-	Replacemen	nt Upho	Istered S	Seat									
	LIB2-RS2	192	206	221	241	265	286	310	339	369	0.65	5.9	0.7
	Replacemer LIB2-RB1	nt Glide 17	s (Set of	4)								0.2	0.1
	Replacement LIB2-RB2  Replacement LIB2-RB3	38			4)							0.6	0.1

## **MOBI** | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 13.78%

POST-CONSUMER RECYCLED CONTENT = 14.33%

Up to 55.11% of this Mobi product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR EMISSIONS



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Mobi products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Mobi products are supplied with air emissions-certified materials. Contact customer service for specific test results.

## **MOBI** | FEATURES, OPTIONS, DIMENSIONS & COM REQUIREMENTS



#### **ARMS**

Arms are available in the full range of polymer colors: Black, White, Grey, Taupe, Yellow, Red, Blue, Green. Please specify when ordering.



#### **CADDIE**

The Mobi caddie provides enhanced stackability, along with the ease of movement and storage. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. Its design allows for the stacking and storage of all Krug stackable chairs.



**ARMLESS** 



#### **COMBINATION COLORS**

More than one polymer color can be selected in any combination for seats, backs and arms. Please specify when ordering.



#### **POLYMER SEATS & BACKS**

Available Polymer colors: White, Grey, Taupe, Yellow, Red, Blue, Green.



#### **UPHOLSTERED SEATS & BACKS**

Optional Removable covers can be quickly installed on Mobi products that were originally ordered with the removable cover option.



#### **MESH BACKS**

Available mesh colors: Grey, Black & White. Please specify when ordering.



#### **STACKABILITY**

Mobi chairs are stackable to a maximum of 8 chairs high on the floor as well as dolly.



#### **LEGS & GLIDES**

Mobi legs are structural steel legs in Polished Chrome with non-marring glides.



Mobi has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Mobi has been load tested up to 300lbs.

#### **OPTIONS**

# REPLACEMENT AND REMOVABLE COMPONENTS

Mobi is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Mobi Chairs are available with Removable Seat and Removable Back Covers,

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping		COM
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes	YRD
MOB210P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB211P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB220P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB221P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB230P	18	21	31	17	n/a	n/a	18.75	21	14	.63
MOB231P	21.25	21	31	17	27	20.5	18.75	21	14	.63
MOB240P	18	21	31	17	n/a	n/a	18.75	21	14	-
MOB241P	21.25	21	31	17	27	20.5	18.75	21	14	-
MOB250P	18	21	31	17	n/a	n/a	18.75	21	14	1.22
MOB251P	21.25	21	31	17	27	20.5	18.75	21	14	1.22

		COM		COL	FABRIC GRADES		L	1		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Polymer Seat and Back, An MOB210P	mless 365								
	Polymer Seat and Back, wi MOB211P	th Arms 403								
	Polymer Back and Upholsto MOB220P	ered Sea 481	at, Armles 504	s 526	570	616	661	705	752	843
	Polymer Back and Upholsto MOB221P	ered Sea 529	at, with Ar 549	ms 571	617	662	708	753	798	888
	Mesh Back and Upholstere MOB230P	d Seat, 489	Armless 512	535	581	625	670	717	760	852
Mobi Option Upcharges	5	\$ List								
CAL 133 & Moisture Barr Removable Seat Covers Removeable Back Cover	ier (per yard)	61 68 68								
PRODUCT CODE KEY										
Line	Series		Chair St	yle		Arr	n Style		N	Metal Finish
MOB Mobi	2 Multi-Purpose		Polymer 8 & Back			A	0 rmless		Pol	P ished Chrome
			Polymer Ba Upholstered			Ā	1 Armed			
			3 Mesh Bad Upholstered							
			4 Mesh Bac Polymer S							
		I	5 Fully Uphol Seat & B	stered ack						

## **MOBI**


DECODIDETION/MODEL		COM 1	0	COL		RIC GRA			LEATHE	
DESCRIPTION/MODEL	Mark Dark and Habrieton		2	3	4	5	6	7	8	9
	Mesh Back and Upholstere MOB231P	d Seat, 5	with Arms 559	5 582	627	672	718	761	808	898
	Mesh Back and Polymer Se MOB240P	eat, Arm 374	less							
	Mesh Back and Polymer Seat, with Arms									
	MOB241P	420								
	Fully Upholstered Seat and	Back, A	rmless							
	MOB250P	582	617	654	725	799	871	942	1015	1162
<u> </u>	Fully Upholstered Seat and	Back, v	vith Arms							
	MOB251P	618	655	691	765	836	910	982	1055	1198
	Caddie DOL6	799								
Mobi Option Upcharges		\$ List								
CAL 133 & Moisture Barrie Removable Seat Covers Removeable Back Covers	er (per yard)	61 68 68								
PRODUCT CODE KEY										
Line	Series		Chair S	tyle		A	rm Style			Metal Finish
MOB Mobi	2 Multi-Purpose		Polymer & Bac 2	ck  Back &		[	0 Armless 1 Armed		F	P Polished Chrome
			Upholstere	ed Seat						
			3 Mesh Ba Upholstere							
			4 Mesh Ba Polymer							
			5 Fully Upho Seat & E	lstered Back						

## KARMA | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 5.51%

POST-CONSUMER
RECYCLED CONTENT = 24.98%

Up to 73.47% of this Karma product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## KARMA | FEATURES & OPTIONS



#### **DESIGNED FOR COMFORT**

The seat features an enhanced standard foam thickness, combined with our proprietary webbing suspension system, to provide superior comfort and a longer life cycle. The back is contoured and angled to provide supportive sitting.



#### LIGHT GREY POLYMER BACK

Polypropylene backs are injection molded, with Light Grey pigment diffused throughout the mold, featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance.



#### **WALL SAVER**

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



#### **POLYMER ARM**

Karma arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey, Light Grey and Taupe.



#### STANDARD GLIDE

Karma's black domed polymer glides are nonadjustable, and field-replaceable if damaged or degraded. Ideal for carpeted flooring.



#### **STACKING**

Karma stacks 7 high on the floor, and 12 chairs on the Caddie. The optional Underseat Cover can be specified to help prevent indenting of seat upholstery on chairs that will be stacked. Karma chairs with the Sled Base option do not stack.



#### **TANDEM SEATING**

Karma chairs, and in-line tables, are designed to be instantly converted to (or ordered as) tandem seating. Armed and armless chairs can be connected -when joining arm chairs the positioning prevents a pinch point between the arms. In-line tables can be configured between chairs or as end tables. And the tandem components can be easily removed to convert to freestanding.



#### REPLACEABLE COMPONENTS

Karma is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.



The Karma Leg is available in 2 standard finishes; Silver Metallic and Matte Black. Polished Chrome is also available for an upcharge.

#### **WEIGHT CAPACITIES**

Karma has been laboratory tested to meet a weight capacity of 500 lbs, in all versions: arm and armless, and all widths.



#### SLED BASE OPTION

Optional Sled Base frames are available in Silver Metallic and Matte Black. The integrated steel rail spans between the front and rear legs which are fitted with black nylon glides. Karma chairs with the Sled Base option do not stack.



#### UNDERSEAT COVER

As an alternative to the standard dust cover under the seat, this option, in black polymer, closes off the underside of the chair, functioning as a cleanable Splashguard to protect the interior from moisture. It also assists in chair stacking, by distributing the weight to eliminate any indentations in the seat upholstery.



#### **CASTERS OPTION**

Karma features durable low profile 1 ½" diameter casters in black nylon offering an impressive 500lb load rating.



#### FLOOR SAVER GLIDE

Karma's Floor Saver Glides are a larger, white, nylon glide incorporating a much larger surface area, and is a self-adjusting to help protect LVT, vinyl, tile, or hardwood where risk of marking might occur. Available at a \$36 list upcharge.



#### **NON-SLIP GLIDE**

Features a much larger surface area and is also self-adjusting. It also features a softer outer coating to hold and prevent chair from sliding on LVT, vinyl, or tile flooring. Perfect for more slippery/smooth floor areas where prevention of chair movement is required. Available at a \$36 list upcharge.



#### **COMBINATION UPHOLSTERY COVERS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



Optional Removeable covers can be quickly installed on Karma products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Karma products that were not originally ordered with the Removable cover option, with some simple staple removal.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. See page 25 for imformation.

# KARMA | DIMENSIONS & COM REQUIREMENTS

	0	0	0	01	A	Datasas	01		ing Wei	_	0014	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms From Floor	Between Arms	Seat Depth	1 Chair	2 Chairs	3 Chairs	COM YRD	Cubes
Leg Base Stac Armless	king Chair l	Jpholstered										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	24	44	64	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	1	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	27	50	73	1.7	21
Leg Base Stac Armless	king Chair \	Nood Back										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	0.7	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	24	44	64	0.7	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	47	68.5	0.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	27	50	73	0.7	21
Leg Base Stac Armless	king Chair F	Polymer Back	ζ									
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	41	59.5	n/a	18
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	n/a	18
Caster Base C	hair Uphols	tered - With A	Arms									
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	1	18
Caster Base C	hair Wood E	Back - With A	ırms									
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	25.5	47	68.5	0.7	18
Caster Base C	•			40	00.0	40.5	4-7	0.4	4.4	0.4	0.7	40
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	44	64	0.7	18
Sled Base Cha Armless	air Upholste	red										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	_	1	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	-	-	1	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	-	-	1.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	1	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	28.5	-	-	1	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	30	-	-	1.7	21
Sled Base Cha Armless	air Wood Ba	ck										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	_	0.7	18
KAR2C-22	23.7	21.9	33.9	18	n/a	n/a	17	27	-	-	0.7	18
KAR2C-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	-	-	0.7	21
With Arms												
KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	0.7	18
KAR2C-22	28	21.9	33.9	18	26.8	22	17	28.5	-	-	0.7	18
KAR2C-26	32	21.9	33.9	18	26.8	26	17	30	-	-	0.7	21
Sled Base Cha Armless	air Polymer I	Back										
KAR2C-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	-	-	0.7	18
With Arms KAR2C-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	-	-	0.7	18
Yardage for Inc	dividual Cor	nponents	Back	Seat								
Fabric 18.5"			0.50	0.75								
Fabric 22"			0.50	0.75								
Fabric 26"			0.50	0.75								
DIMENSIONS	-											

### **DIMENSIONS:**

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# KARMA | LEG BASE

DESCRIPTION/MO	DEL	COM 1		OL FAE 3 4	BRIC GRADI 5	ES 6	7	LEATHER 8	9_
	18.5" Leg Base, Matte Blac KAR2C-18.5L_PNAD	ck or Silver M 429	Metallic - Uphols 455 478		olymer Back 556	x, No Arm 591	with Stan 631	dard Dust 682	Cover 732
	18.5" Leg Base, Polished C KAR2C-18.5LCPNAD	Chrome - Up 533	holstered Seat 559 584	•	k, No Arm w 661	rith Standa 697	ard Dust ( 737	Cover 786	837
	18.5" Leg Base, Matte Blac KAR2C-18.5L_UNAD	ck or Silver M 463	letallic - Fully U 489 513		Arm with St	tandard Di 625	ust Cover 664	716	767
	18.5" Leg Base, Polished C KAR2C-18.5LCUNAD	Chrome - Ful 568	lly Upholstered, 593 618	•	tandard Dus	st Cover 730	770	820	871
	18.5" Leg Base, Matte Blac KAR2C-18.5L_WNAD	ck or Silver M 494	1etallic - Uphols 510 520		ood Back, N 560	No Arm wi 577	th Standa 598	ard Dust C 624	over 648
	18.5" Leg Base, Polished C KAR2C-18.5LCWNAD	Chrome - Up 600	holstered Seat 614 627	·	No Arm with 664	Standard 682	Dust Co	ver 729	756
	18.5" Leg Base, Matte Blac KAR2C-18.5L_PA_D	464	489 516	5 553	591	627	668	718	t Cover 769
	18.5" Leg Base, Polished C KAR2C-18.5LCPA_D	Chrome - Up 571	sholstered Seat 596 62	•	k, with Arm a	and Stand 732	lard Dust 772	Cover 825	874
	18.5" Leg Base, Matte Blac KAR2C-18.5L_UA_D 18.5" Leg Base, Polished C	498	522 550	586	625	661	oust Cove	752	803
	KAR2C-18.5LCUA_D	604	630 656		730	767	806	858	909
	18.5" Leg Base, Matte Blac KAR2C-18.5L_WA_D	ck or Silver M 521	1etallic - Uphols 536 549		ood Back, v	vith Arm a	nd Stand 625	ard Dust 0	Cover 677
	18.5" Leg Base, Polished C KAR2C-18.5LCWA_D	Chrome - Up 628	holstered Seat 641 655	·	with Arm and	d Standar 709	d Dust Co 730	over 757	782
Karma Option Upo	ORDERING NOTES: Where	n selecting Fi		Arm Style plea	se see Prod	uct Code	Key belov	N.	
CAL 133 & Moistur Removable Seat Co Removable Back C Polymer Underseat Combination Uphol	e Barrier (per yard) overs overs Shroud 18.5"	6	51 58 58 58 45 32						
PRODUCT CODE KE		- 0:		05.1		A C	N+ .1 -	I la al ausa	-+ 01
KAR Karma	2C 18	e Size .5L eg Base	Frame Color  B Matte Black S Silver Metallic C Polished Chrom	Р	olstered od Back	Arm S  N/A  No A  Blac  Gre  ALc  Light 0	A	Polyme	at Shroud S Ir Shroud D Indard Cover
						Tau			

# KARMA | LEG BASE

		COM		COL	FAE	BRIC GRA	DES		LEATHER	ł
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	22" Leg Base, Matte Bl	ack or Silv	er Metalli	c - Fully U	pholstered.	No Arm v	vith Stand	ard Dust C	over	
	KAR2C-22L_UNAD	504	529	555	589	628	663	704	756	805
	22" Leg Base, Polished	Chrome	- Fully Up	holstered.	No Arm, a	nd Standa	rd Dust Co	over		
	KAR2C-22LCUNAD	631	656	681	717	757	793	832	884	935
	22" Leg Base, Matte Bla	ack or Silv	er Metallic	- I Inholst	ered Seat 8	& Wood ha	ck No Am	n with Stan	idard Dust	Cover
	KAR2C-22L_WNAD	540	555	567	585	604	623	642	668	695
	22" Leg Base, Polished	Chrome	- Upholste	ered Seat	& Wood ba	ck, No Arı	n with Sta	ndard Dus	t Cover	
	KAR2C-22LCWNAD	669	681	696	712	732	749	771	796	823
	22" Leg Base, Matte Bl	ack or Silv	/er Metalli	c - Fullv U	pholstered	. with Arm	and Stand	dard Dust (	Cover	
	KAR2C-22L_U_D	538	563	589	624	664	699	741	791	841
	22" Leg Base, Polished	l Chrome	- Fully Up	holstered.	with Arm a	and Standa	ard Dust C	over		
	KAR2C-22LCU_D	666	693	717	752	794	828	869	917	969
	0071 5 14 11 51									
	22" Leg Base, Matte Bl KAR2C-22L W D	ack or Silv 568	er Metallio 581	c- Upholst 593	ered Seat 8 612	& Wood ba 633	ick, with A 648	rm and Sta 670	andard Du 696	st Cover 721
										121
	22" Leg Base, Polished		•			-				
	KAR2C-22LCW_D	697	708	723	741	760	778	799	824	848

**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List	
CAL 133 & Moisture Barrier (per yard)	61	
Removable Seat Covers	68	
Removable Back Covers	68	
Polymer Underseat Shroud 22"	60	
Combination Upholstery - dual fabrics	32	

PRODUCT COL	JE KEY					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	22L	В	U	NA	S
Karma	Stacking Chair	22" Leg Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

# KARMA | LEG BASE

		COM		COL FABRIC GRADES					LEATHER		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
	26" Leg Base, Matte Bl KAR2C-26L_UNAD	ack or Silv 602	ver Metallio 648	c - Fully L 699	Ipholstered 768	, Armless 845	with Stan 913	dard Dust 990	Cover 1087	1185	
	26" Leg Base, Polished KAR2C-26LCUNAD	Chrome 731	- Fully Up 780	holstered 829	, Armless, v 897	with Stand 974	dard Dust ( 1042	Cover 1121	1219	1315	
	26" Leg Base, Matte Black KAR2C-26L_WNAD	ack or Silv 620	er Metallic 642	- Uphols 664	tered Seat 6	& Wood b 732	ack, Armle 767	ss, with St 803	andard Du 847	ust Cover 893	
	26" Leg Base, Polished KAR2C-26LCWNAD	Chrome 748	- Upholste 772	ered Seat 795	& Wood ba 828	ack, Armle 863	ess, with S 896	tandard Du 933	ust Cover 979	1021	
	26" Leg Base, Matte Bl KAR2C-26L_U_D	ack or Silv 638	ver Metallio 687	c - Fully U 733	Jpholstered 803	, with Arn 880	n and Stan 948	dard Dust 1029	Cover 1123	1222	
	26" Leg Base, Polished KAR2C-26LCU_D	Chrome 768	- Fully Up 816	holstered 865	with Arm a, 933	nd Stand 1011	ard Dust C 1080	over 1156	1253	1352	
	26" Leg Base, Matte Bla KAR2C-26L_W_D	ack or Silv 646	er Metallic 670	- Upholsto 693	ered Seat & 725	Wood ba	ick, with Ai 794	m and Sta 830	ndard Dus 874	st Cover 918	
	26" Leg Base, Polished KAR2C-26LCW_D	Chrome 777	- Upholste 800	ered Seat 823	& Wood ba 854	ack, with A 890	Arm and Si 922	tandard Du 960	ıst Cover 1006	1050	

### **ORDERING NOTES:**

When selecting Frame Color and Arm Style please see Product Code Key below. See following page for additional options. Karma chairs all include the Standard Dust Cover ("D"), for optional Polymer Shroud change "D" to "S" and add upcharge listed on page 112.

Description/Model		Price
	Tandem Seating Bracket KAR2C-GB BA	-Matte Black (for armed chair) 77
	Tandem Seating Bracket- KAR2C-GB BSA	Silver Metallic (for armed chair) 77
	Tandem Seating Bracket- KAR2C-GB BCA	Polished Chrome (for armed chair) 87
<b>9</b>	Tandem Seating Bracket- KAR2C-GB BNA	Matte Black (for chairs without arms) 68
	Tandem Seating Bracket- KAR2C-GB BSNA	Silver Metallic (for chairs without arms) 68
	Tandem Seating Bracket- KAR2C-GB BCNA	Polished Chrome (for chairs without arms) 78
	Caddie DOL6	799
PRODUCT CODE KEY		

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR Karma	2C Stacking Chair	26L 26" Leg Base	B Matte Black S Silver Metallic C Polished Chrome	Fully Upholstered W Beech Wood Back	NA No Arm AB Black AG Grey ALG Light Grey AT Taupe	Polymer Shroud D Standard Dust Cover

# KARMA | CASTER BASE

DESCRIPTION/MODEL		COM 1	2	COL 3	FABRI	C GRADE	S 6	1 7	EATHER 8	9
	18.5" Caster Base, Sil KAR2CS-18.5MSP_D		- Upholster 570	red Seat & 596	Polymer Ba 631		n with Star 706	ndard Du 746	ust Cover 796	848
	18.5" Caster Base, Sil KAR2CS-18.5MSU_D		- Fully Uph 603	olstered, w 630	vith Arm and 664	Standard 704	Dust Cove 741	er 781	830	883
	18.5" Caster Base, Silv KAR2CS-18.5MSW_D		Upholstere 615	ed Seat & W 628	/ood back, v 645	vith Arm ar 666	nd Standar 683	d Dust C 704	Sover 730	756
	22" Caster Base, Silve KAR2C-22MSU_D	er Metallic - F 616	Fully Uphol	stered, with	h Arm and S 703	Standard D 744	Oust Cover 778	819	870	918
	22" Caster Base, Silve KAR2C-22MSW_D	er Metallic- U 646	Jpholstered 659	Seat & Wo	ood back, w 689	rith Arm ar 711	nd Standar 728	d Dust C 748	Cover 773	800
<b>.</b>	ORDERING NOTES: Karma chairs all include upcharge listed below	de the Stand						ange "D'	' to "S" and	d add
Karma Option Upcharg	qes	\$ Li	ist							
CAL 133 & Moisture Bar Removable Seat Covers Removable Back Covers Polymer Underseat Shro Polymer Underseat Shro Polymer Underseat Shro Combination Upholstery	rier (per yard) s s oud 18.5" oud 22" oud 26"	(	61 68 68 68 45 60 77 32							
PRODUCT CODE KEY  Line	Series Fram	ne Size	Frame (	Color	Style		Arm St	yle	Undersea	at Shroud
KAR Karma Stac	king Chair 18.5" Ca	aster Base 2M ster Base	Silver M	etallic	Fully Uphols W Beech Wood P Polymer Ba	Back	AB Black AG Grey ALG Light G			Shroud

Light Grey

AT

Taupe

# KARMA | SLED BASE

DESCRIPTION/MO	DEL		COM 1	2	COL 3	F <i>F</i> 4	ABRIC GRA 5	ADES 6	LI 7	EATHER 8	9
	18.5" Sled Base, M KAR2C-18.5S_PNA		r Silver 559	Metallic - 572	- Upholstere 585	d Seat 8 602	R Polymer E 624	Back, No Arm 640	with Stan 661	dard Dust 687	Cover 712
	18.5" Sled Base, M KAR2C-18.5S_UNA		r Silver 593	Metallic - 605	Fully Uphol 619	stered, 636	No Arm wit 658	h Standard D 674	ust Cover 696	721	746
	18.5" Sled Base, M KAR2C-18.5S_WN/		Silver 627	Metallic - 640	Upholstered 654	Seat & '670	Wood back 691	, No Arm with 708	Standard 729	Dust Cov 756	er 781
	18.5" Sled Base, M KAR2C-18.5S_P_D		r Silver 597	Metallic - 621	- Upholstered	d Seat 8 684	R Polymer E 723	3ack, No Arm 759	with Stan 799	dard Dust 850	Cover 900
	18.5" Sled Base, M KAR2C-18.5S_U_D		r Silver 631	Metallic - 656	- Fully Uphol 682	stered, 718	with Arm ai 757	nd Standard I 793	Oust Cove 832	er 884	935
	18.5" Sled Base, Mark KAR2C-18.5S_W_E  ORDERING NOTE: Karma chairs all incidence listed below	) <b>S</b> : When seldude the Sta	655 ecting I	668 Frame Co	681	698 Style ple	719 ease see Pi	735 roduct Code	757 Key below	783 <sub>/</sub> .	808
Karma Option Up	charges		\$1	List							
Removable Seat C Removable Back C Polymer Undersea	Covers			61 68 68 45 32							
PRODUCT CODE KE		Frame Size	2	Eram	e Color		tylo	Arm S	tylo	Undorson	t Shroud
KAR Karma	Series  2C  Chair	[18.5S] 18.5" Sled B		Matte	B Black S Metallic	Fully Up	tyle U oholstered W Vood Back P heer Back	Arm S  NA  NO A:  AB  Blace  AG  Gre  ALC  Light C	rm 	Polymer  Stand Dust 0	Shroud O

# KARMA | SLED BASE

DESCRIPTION/MODEL		COM 1	2	COL 3	FABF 4	RIC GRAI 5	DES 6	7	LEATHER 8	9
	22" Sled Base, Matt KAR2C-22S_UNAD									937
	22" Sled Base, Matt KAR2C-22S_WNAD		r Metallic - 685	Upholst 698	ered Seat & V 717	Wood bad 735	ck, No Arm w 754	rith Sta 773	andard Dust ( 799	Cover 825
	22" Sled Base, Matt KAR2C-22S_U_D	e Black or Silve 669	er Metallic 696	- Fully U 720	pholstered, v 756	vith Arm 796	and Standard 830	d Dust 871	t Cover 922	971
	22" Sled Base, Matt KAR2C-22S_W_D	699	711	725	743	765	781	802	827	t Cove 853
	Karma chairs all inclupcharge listed belo		ara Dasi Ot	over ( D	), for options	ar Olymic	or ornoud one	ange i	D to G air	a add
CAL 133 & Moisture Bar Removable Seat Covers Removable Back Covers Polymer Underseat Shro	rrier (per yard) s s s pud 22"	6 6	st :1 :8 :8 :8 :0 :0 :32							
Karma Option Upchare CAL 133 & Moisture Bar Removable Seat Covers Removable Back Covers Polymer Underseat Shro Combination Upholstery  PRODUCT CODE KEY Line	rrier (per yard) s s s oud 22" y - dual fabrics	6 6 6	68 68 60		Style		Arm St		Underse	

Light Grey

AT

Taupe

# KARMA | SLED BASE

		COM		COL	FAE	BRIC GRA	DES		LEATHER	₹
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	26" Sled Base, Matte B	lack or Silve	er Metallio	c - Fully Uր	oholstered,	Armless	with Stanc	lard Dust C	Cover	
	KAR2C-26S_UNAD	732	781	830	898	978	1043	1122	1220	1316
	26" Sled Base, Matte B	lack or Silve	r Metallic	: - Upholst	ered Seat 8	Wood ba	ack Armle	ss with St	andard Di	ıst Cover
	KAR2C-26S_WNAD	752	773	796	829	865	897	935	980	1023
	26" Sled Base, Matte B	lack or Silve	er Metallio	c - Fully Ur	oholstered,	with Arm	and Stand	dard Dust (	Cover	
	KAR2C-26S_U_D	769	819	866	935	1012	1081	1159	1254	1353
	26" Sled Base, Matte B KAR2C-26S_W_D	lack or Silve 778	r Metallic 802	- Upholste 824	red Seat & 856	Wood bad 891	ck, with An 925	m and Star 961	ndard Dus 1008	t Cover 1051
	ORDERING NOTES: Narma chairs all includupcharge listed below	de the Stand								and add

upcharge listed below.


Karma Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61
Removable Seat Covers	68
Removable Back Covers	68
Polymer Underseat Shroud 26"	77
Combination Upholstery - dual fabrics	32

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	268	В	U	NA	S
Karma	Chair	26" Sled Base	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
					AG	Dust Cover
					Grey	
					ALG	
					Light Grey	
					AT	
					Taupe	

## **CORFU | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 26.34%

POST-CONSUMER RECYCLED CONTENT = 22.74

Up to 55.38% of this Corfu product is recyclable at the end of its useful life.

(COR2-61S)

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## **CORFU | FEATURES & OPTIONS**



#### **SUSTAINABLE DESIGN**

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



#### STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Polished Chrome.



#### **UNDER SEAT COVER**

Each Corfu includes an underseat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.



### **PLASTIC COMPONENTS**

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection:

White, Black, Grey, Red, Blue, Sand



# WOOD FINISH

**BEECH PLYWOOD** 

Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.

Wood seats and backs are made with

European Beech hardwood veneers,

featuring nine (9) plys of cross grain for

added strength and durability.

#### **OPTIONS**

#### **COMBINATION UPHOLSTERY COVERS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.



# STACKING

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$61 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



The Corfu caddie provides enhanced stackability, along with the ease of movement and storage. Its design allows for the stacking and storage of all Krug stackable chairs. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. This caddie is designed to stack and transport Krug's other stacking chairs.

### **GANGING**

Corfu can be ordered with the option of ganging for the upcharge of \$32 list per chair. Please specify ganging when ordering.

#### **PACKAGING**

Corfu packaging features recycled, recyclable cardboard. The arm and armless chairs are shipped 4 units per carton.

### **DIMENSIONS**

					Height of	Width		Sh	nipping Weig	hts & Cubes	
	Overall Width	Overall Depth	Overall Height	Seat Height	Arms from Floor	Between Arms	Seat Depth	1 unit W C	2 units W C	3 units W C	4 units W C
COR2-10S COR2-10C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	28 16	46 17	65 18	83 20
COR2-11S COR2-11C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	30 16	51 17	73 18	93 20
COR2-20S COR2-20C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	30 16	51 17	73 18	94 20
COR2-21S COR2-21C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	36 16	63 17	92 18	119 20
COR2-30S COR2-30C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-31S COR2-31C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20
COR2-40S CORS-40C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-41S COR2-41C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	83 18	106 20
COR2-50S COR2-50C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	29 16	48 17	69 18	89 20
COR2-51S COR2-51C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	32 16	54 17	77 18	99 20
COR2-60S COR2-60C	20.87 20.87	20.87 20.87	32.28 32.28	17.5 17.5	n/a n/a	n/a n/a	17 17	31 16	52 17	75 18	97 20
COR2-61S COR2-61C	23.23 23.23	20.87 20.87	32.28 32.28	17.5 17.5	26.75 26.75	21.25 21.25	17 17	33 16	57 17	82 18	106 20
COR6	24	31	15.75								

### **COM REQUIREMENTS**

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

### **WEIGHT CAPACITY**

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

 COM
 COL
 FABRIC GRADES
 LEATHER

 DESCRIPTION/MODEL
 1
 2
 3
 4
 5
 6
 7
 8
 9



Plastic Seat & Back, Armless, with Silver Metallic Frame

COR2-10S 46

Plastic Seat & Back, Armless, with Polished Chrome Frame

COR2-10C 530



Plastic Seat & Back, Plastic Arms, with Silver Metallic Frame

COR2-11S 54

Plastic Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame

COR2-11C 595



Plastic Seat & Back with Upholstered Pads, Armless, with Silver Metallic Frame 793 825 858 891 **COR2-20S** 627 660 693 Plastic Seat & Back with Upholstered Pads, Armless, with Polished Chrome Frame 720 916 952 **COR2-20C** 752 885





Plastic Seat & Back with Upholstered Pads, Plastic Arms, with Silver Metallic Frame COR2-21S 702 733 768 800 834 867 899 933 967

Plastic Seat & Back with Upholstered Pads, Polished Aluminum Arms, with Polished Chrome Frame

COR2-21C 754 788 820 853 886 918 954 985 1017

#### **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Chrome frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$32 list per chair, please specify on order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	2	1	0	S
	Multi-Purpose	Plastic Seat &	Armless	Silver Metallic
		Back		
		2	1	С
		Plastic with Upholstered	Arms	Polished Chrome
		Seat & Back Pads		
		3		
		Wood Seat & Back		
		4		
		Fully Upholstered		
		Seat & Back		
		5		
		Plastic Back, Plastic Seat with		
		Upholstered Pad		
		6		
		Wood Back, Fully Upholstered Seat		

		0050150	СОМ		COL		BRIC GRA			LEATHER	0
DESCRIPTION/MODE	L	SPECIES	1	2	3	4	5	6	7	8	9
	Plastic Back,	Plastic Seat with	h Upholst	ered Pad	, Armless,	with Silve	er Metallic	Frame			
	COR2-50S		581	603	627	647	672	695	717	740	761
	Plastic Back, Plastic Seat with Upholstered Pad, Armless, with Polished Chrome Frame										
	COR2-50C		641	663	687	708	731	754	777	799	823
	Plastic Back, Plastic Seat with Upholstered Pad, Plastic Arms with Silver Metallic Frame										
	COR2-51S		657	678	702	724	746	769	793	813	837
	Plastic Back, Plastic Seat with Upholstered Pad, Polished Aluminum Arms, with Polished Chrome Frame										
	COR2-51C		708	731	754	777	799	823	844	867	888
	Wood Seat & Back, Armless, with Silver Metallic Frame										
	COR2-30S	Beech	678	riviotame	71141110						
	Wood Seat & Back, Armless, with Polished Chrome Frame										
	COR2-30C	Beech	746								
	Wood Seat &	Back, Silver Me	tallic Arm	s, with Si	ilver Meta	llic Frame					
	COR2-31S	Beech	813								

### **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

Wood Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame

897

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$32 list per chair, please specify on order.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Beech

COR2-31C

Line	Series	Chair Style	Arm Style	Frame Finish
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic
		Plastic with Upholstered Seat & Back Pads	1 Arms	C Polished Chrome
		Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with Upholstered Pad		
		6 Wood Back, Fully Upholstered Seat		

CC		COM	COM COL			FABRIC GRADES			LEATHER		
DESCRIPTION/MOI	DEL	SPECIES	1	2	3	4	5	6	7	8	9
	Wood Back, Fully	Upholstered	Seat. An	nless. wit	h Silver M	letallic Fra	ame				
	COR2-60S	Beech	740	771	805	838	871	907	938	970	1004
							_				
	Wood Back, Fully COR2-60C	Upholstered Beech	Seat, Arı 806	nless, wit 840	:h Polishe 872	d Chrome 908	Frame 939	971	1006	1039	1071
	COR2-60C	beecn	800	640	0/2	906	939	971	1006	1039	1071
	Wood Back, Fully COR2-61S	Upholstered Beech	Seat, Sil	ver Metall 909	lic Arms, v 940	vith Silver 973	Metallic 1008	Frame 1040	1073	1107	1139
	CON2-013	Deecn	0/3	909	940	973	1006	1040	1073	1107	1139
Wood Back, Fully Upholstered Seat, Polished Aluminum arms, with Polished Chrome Frame											
/ / / /	COR2-61C	Beech	957	989	1022	1057	1088	1122	1156	1188	1222
w   u											
	Fully Upholstered Seat & Back, Armless, with Silver Metallic Frame										
\\	COR2-40S		769	813	859	907	950	995	1040	1085	1131
	Fully Uphalatarad	Fully Upholstered Seat & Back, Armless, with Polished Chrome Frame									
	COR2-40C	Seal & back	, Armiess 837	883	928	onie Fran 971	1016	1063	1108	1152	1198
	00112 100		007	000	020	071	1010	1000	1100	1102	1100
U											
	Fully Upholstered	Seat & Back	. Silver M	letallic Ar	ms. with S	Silver Meta	allic Fram	e			
	COR2-41S		907	950	995	1040	1085	1131	1174	1221	1267
								_			
	Fully Upholstered COR2-41C	Seat & Back							1057	1005	1040
	CON2-41C		987	1033	1078	1122	1168	1213	1257	1305	1349
	Caddie										
	DOL6		799								
த தை இ											

#### **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum. Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms. Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$32 list per chair, please specify on order. CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

#### PRODUCT CODE KEY


Line	Series	Chair Style	Arm Style	Frame Finish
COR	2	1	0	S
	Multi-Purpose	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3 Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with		
		Upholstered Pad		
		6		
		Wood Back, Fully Upholstered Seat		

Wood Back, Fully Upholstered Seat

## **CAPRI** | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 15.13%

POST-CONSUMER
RECYCLED CONTENT = 30.97%

Up to 66.28% of this Capri product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Capri products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## **CAPRI**

			COM		COL FABRIC GR		RADES		LEATHER		
DESCRIPTION/MOD	EL/FINISHES	3	1	2	3	4	5	6	7	8	9
	ARM CHAI	R									
	CAP2A1	Cherry, Beech	966								
	CAP2A2		1172	1219	1255	1312	1369	1432	1503	1584	1720
	CAP2A3	Cherry, Beech	1064	1106	1148	1195	1245	1295	1344	1426	1512
	CAP2A4	Cherry, Beech	1089								
/ // (	CAP2A5	Cherry, Beech	1187	1231	1272	1320	1369	1417	1466	1549	1634
	SIDE CHAI	R									
1-1	CAP2S1	Cherry, Beech	888								
1	CAP2S2		1089	1136	1181	1237	1295	1354	1412	1494	1633
	CAP2S3	Cherry, Beech	990	1035	1071	1121	1172	1222	1272	1354	1435
	CAP2S4	Cherry, Beech	1015								
	CAP2S5	Cherry, Beech	1115	1138	1195	1245	1295	1344	1395	1478	1561
ŭ											
	CADDIE DOL6		799								



### **DIMENSIONS & COM REQUIREMENTS**

			_							
	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube (2)	COM Yardage
ARM CHAIR										
Wood with arms	22	22.75	33.75	18.5	27	20.5	17.25	12	13	-
Fully Upholstered with arms	22	22.75	34	19	27	20.5	17.75	14	13	1.0
Upholstered seat with arms	22	22.75	33.75	19	27	20.5	17.75	13	13	0.6
SIDE CHAIR										
Wood with arms	19.75	22.75	33.75	18.5	-	-	17.25	12	13	-
Fully Upholstered	19.75	22.75	34	19	-	-	17.75	14	13	1.0
Upholstered seat	19.75	22.75	33.75	19	-	-	17.75	13	13	0.6
ARM CHAIR										
Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	-
Fully Upholstered with arms	22	22.75	44	29.5	38.5	20.5	17.75	17	18	1.0
Upholstered seat with arms	22	22.75	43.75	29.5	38.5	20.5	17.75	16	18	0.6
CADDIE	25.5	41	43.75	-	-	-	-	20	17	-

ORDERING NOTES: CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. .

### PRODUCT CODE KEY

Line	Series	Chair Type	Chair Style
CAP	2	А	1
Capri	Guest Seating	Arm Chair	Wood
	5 Barstool	Side Chair	Fully Upholstered
			Upholstered Seat Cushion
			Wood With Holes
			5 Upholstered Seat, Back with Holes

#### ADDIE

When used with Caddie, Capri stacks to a maximum of 15 chairs high (10 high for upholstered versions). Barstool versions cannot be stacked with Caddie.

### REMOVABLE UPHOLSTERED BACK COVER


Capri Chairs are available with removable upholstered back cover at an upcharge of **\$46 list** per chair.

# BANK OF ENGLAND | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = .34%

POST-CONSUMER
RECYCLED CONTENT = 13.10%

Up to 96.55% of this Bank of England product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Bank of England products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### AIR-EMISSIONS

All Bank of England products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Bank of England and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## **BANK OF ENGLAND**

					COL	FA	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODE	EL/FINISHES		1	2	3	4	5	6	7	8	9
	WOOD SE 177-A 177-J	AT Oak, Cherry Oak, Cherry Jury Base	1181 1337								
	REMOVAE 178-A 178-J	BLE CUSHION Oak, Cherry Oak, Cherry Jury Base	1440 1608	1509 1680	1575 1748	1639 1818	1703 1883	1767 1954	1827 2014	1894 2084	1997 2193
	UPHOLST 179-A 179-J	ERED SEAT Oak, Cherry Oak, Cherry Jury Base	1440 1608	1509 1680	1575 1748	1639 1818	1703 1883	1767 1954	1827 2014	1894 2084	1997 2193

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
177-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	-
178-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75
179-A	23.5	24.5	31.5	18.5	28.5	19	17	29	11	0.75

#### **ORDERING NOTES**

Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor. Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning height feature when exiting the chair. Allows for full 360 degree rotation. Limited degrees of rotation are not available. For jury base version of this chair, please select model number '177-J' for Wood Seat, '178-J' for Removable Cushion, or '179-J' for Removable Cushion Upholstered Seat.



CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard. .

### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Wood finish

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

### **BANK OF ENGLAND**

For a complete list of standard wood finishes please see Page 331.

# **BARSTOOL & COUNTER HEIGHT SEATING**


127	Manolo
131	Karma
133	Capri
135	Corfu
131 133	Karma Capri

# MANOLO | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 14.89%

POST-CONSUMER
RECYCLED CONTENT = 34.84%

Up to 69.20% of this Manolo product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Manolo products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



of responsible forest

#### AIR EMISSIONS

All Manolo products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Manolo and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# **MANOLO | FEATURES & OPTIONS**



#### SEATS

Manolo seats are available, with two back heights; Backless Seat and Low Back Seat, in Upholstered, Beech and Walnut veneers and Palette finishes.



#### BASES

Manolo Stool bases feature Polished Chrome structural steel base frames with non-marring polycarbonate glides. Manolo Stool bases are available in two heights; Counter Height or Bar Height.

#### WEIGHT CAPACITY

Manolo complies with ANSI/BIFMA x5.1-2011 test standards. Manolo has been load tested up to 300lbs.

#### **FINISH DURABILITY**

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### **OPTIONS**

#### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$61 list.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$735 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

## MANOLO | FEATURES & OPTIONS



#### **SEATS**

Manolo seats are available, with two back heights; Backless Seat and Low Back Seat, in Upholstered, Beech and Walnut veneers and Palette finishes.



#### **BASES**

Manolo Stool bases feature Polished Chrome structural steel base frames with non-marring polycarbonate glides. Manolo Stool bases are available in two heights; Counter Height or Bar Height.

#### **WEIGHT CAPACITY**

Manolo complies with ANSI/BIFMA x5.1-2011 test standards. Manolo has been load tested up to 300lbs.

#### **FINISH DURABILITY**

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### **OPTIONS**

#### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Width	Seat Depth	Seat Height	Shipping Weight	Cube	COM Yardage
Barstool									
Backless Seat	19	22.5	36	15.75	16	31	19.5	12	1
Low Back Seat	19	22.5	41	15.75	16	31	20	13	1
Counter Stool									
Backless Seat	19	22.5	30	15.75	16	25	18.5	10	1
Low Back Seat	19	22.5	35	15.75	16	25	19	11	1

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# MANOLO | BARSTOOL & COUNTER STOOL

			COM		COL	FAB	RIC GRA	ADES		LEATHEI	R
Description	Model	Species	1	2	3	4	5	6	7	8	9
	Barstool, Wo	ood, Backless Seat									
	MAN5B01	Beech	772								
/ 1 1		Walnut	811								
	MAN5B03	Palette	743								
	Counter Sto	ol, Wood Seat, Backle	ess Seat								
	MAN5C01	Beech	747								
	1111 11 10 00 1	Walnut	785								
	MAN5C03	Palette	720								
	Barstool, Fu	lly Upholstered, back	less seat								
	MAN5B02		813	844	873	935	994	1056	1115	1174	1296
	Counter Sto	ol, Fully Upholstered,	Backless S	Seat							
/ / / \	MAN5C02	o., . a, opo.o.o.o.,	788	819	848	910	969	1031	1089	1150	1271
	1111 11 10 00 02		700	013	040	310	303	1001	1003	1130	1271
	Barstool, Wo	ood, Low Back Seat									
<b>F</b>	MAN5B11	Beech	788								
		Walnut	828								
	MAN5B13	Palette	756								
/ // \											
	Counter Sto	ol, Wood, Low Back S	Seat								
	MAN5C11	Beech	761								
	1417 (1400 1 1	Walnut	802								
	MAN5C13	Palette	732								
		ly Upholstered, Low E									
	MAN5B12		863	895	928	990	1055	1116	1181	1244	1370
	Counter Sto	ol Fully Upholstered,	Low Back S	Seat							
/ // \	MAN5C12	,	837	870	901	964	1029	1092	1155	1219	1345
				0.0			. 023			5	

Manolo Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	61


PRODUCT CODE KEY					
Line	Series	Base Height	Seat Style	Seat Type	
MAN Manolo	5 Stool	B Bar Height	0 Backless Seat	1 Wood	
		C Counter Height	1 Low Back Seat	2 Fully Upholstered	
				3 Palette	

## KARMA | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

#### AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

### **FSC**®



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

# KARMA | COUNTER STOOL

		COM		COL		RIC GRAD			EATHER	
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9
	18.5" Leg Frame, Matte Bl	ack or Silv	er Metallic	- Fully Up	holstered, l	No Arm, w	ith Standa	rd Dust Co	over	
	KAR2C-18.5C_UNAD	645	672	697	731	772	808	847	898	948
	18.5" Leg Frame, Polished	Chromo	Eully I lob	alatarad N	No Arm wit	h Ctandar	d Dust Co	or		
	KAR2C-18.5CCUNAD	696	721	745	781	823	858	897	947	997
		000	121	740	701	020	000	001	041	001
	18.5" Leg Frame, Matte Bl	ack or Silv	er Metallic	- Upholste	ered Seat &	Wood bad	ck, No Arm	n, with Star	ndard Dus	t Cover
	KAR2C-18.5C_WNAD	678	693	704	723	743	760	781	806	832
	18.5" Leg Frame, Polished	Chrome -	- Upholste	red Seat &	Wood bac	k. No Arm	. with Star	dard Dust	Cover	
	KAR2C-18.5CCWNAD	728	742	754	771	793	809	830	856	883
	ORDERING NOTES: When	n selectino	r Frame Co	olor and Ar	m Style ple	ase see P	roduct Co	de Kev bel	ΟW	
	Karma chairs all include th	e Standard	d Dust Cov	er (select	"D" below),	for option	nal Polyme			" to "S"
	and add upcharge listed be	elow. See	page 4 for	r dimensio	ns and COI	M requiren	nents			
	18.5" Leg Frame, Matte Bl	ack or Silv	er Metallic	- Fully Lin	holetered	with Arm	with Stand	lard Duet (	over	
	KAR2C-18.5C_U_D	682	702	732	769	808	844	885	936	985
									300	303
	18.5" Leg Frame, Polished									
	KAR2C-18.5CCU_D	731	757	782	817	858	893	935	984	1036
u										
	18.5" Leg Frame, Matte Bla KAR2C-18.5C_W_D						-			
	MAN20-10.30_W_D	705	720	731	748	770	788	808	834	861
	18.5" Leg Frame, Polished	Chrome -	- Upholste	red Seat &	Wood bac	k, with Arr	n, with Sta	andard Dus	t Cover	
	KAR2C-18.5CCW_D	756	769	781	799	819	837	858	884	910
	ORDERING NOTES: When	n selecting	Frame Co	olor and Ar	m Style ple	ase see P	roduct Co	de Key bel	ow.	
	Karma chairs all include th							r Shroud c	hange "D'	" to "S"
	and add upcharge listed be	elow. See	page 4 for	dimension	ns and CON	/I requirem	ients.			
Karma Option Upch	arges	\$ Li	ist							
CAL 133 & Moisture I	. ,		61							
Removable Seat Cov Removable Back Cov			68 68							
Polymer Underseat S			45							
Combination Upholst			32							

PRODI	ICT	CODE	KFV

See page 3 for more information on options and features.


PRODUCT CODE	KET					
Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2C	18.5C	В	U	NA	S
Karma	Chair	18.5" Counter Height Stool	Matte Black	Fully Upholstered	No Arm	Polymer Shroud
			S	W	AB	D
			Silver Metallic	Beech Wood Back	Black	Standard
			С		AG	Dust Cover
			Polished Chrome		Grey	
					AT	
					Taune	

## **CAPRI | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 7.86%

POST-CONSUMER
RECYCLED CONTENT = 33.6%

Up to 70.10% of this Capri product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Capri products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Capri products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Capri and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



# CAPRI | BARSTOOL

			COM		COL	F	ABRIC GR	ADES		LEATHE	R
DESCRIPTION/MODE	L/FINISHES		1	2	3	4	5	6	7	8	9
M	BARSTOOL	_									
	CAP5A1	Cherry, Beech	1159								
	CAP5A2		1408	1460	1509	1575	1642	1717	1802	1899	2038
	CAP5A3	Cherry, Beech	1278	1327	1377	1437	1495	1555	1613	1713	1796
	CAP5A4	Cherry, Beech	1307								
	CAP5A5	Cherry, Beech	1424	1475	1522	1584	1642	1703	1759	1861	1940

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
BARSTOOL Wood with arms	22	22.75	43.75	29	38.5	20.5	17.25	15	18	
Fully Upholstered with arms Upholstered seat with arms	22	22.75 22.75 22.75	43.75 44 43.75	29.5 29.5	38.5 38.5	20.5 20.5 20.5	17.25 17.75 17.75	15 17 16	18 18	1.0 0.6


**ORDERING NOTES**: CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Line	Series	Chair Type	Chair Style	BARSTOOL
CAP Capri	5 Barstool	A Arm Chair	1 Wood	The Capri barstool version is available with arms only. Capri barstool versions are suitable for use with bar heights in the range of 40" to 42".
			Fully Upholstered  3 Upholstered Seat Cushion  4 Wood With Holes	REMOVABLE UPHOLSTERED BACK COVER Capri Chairs are available with removable upholstered back cover at an upcharge of \$46 list per chair.
			5 Upholstered Seat, Back with Holes	

## **CORFU** | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 27.77%

POST-CONSUMER RECYCLED CONTENT = 18.44%

Up to 86.71% of this Corfu product is recyclable at the end of its useful life.

,

#### **CONTRIBUTES TO**

	001111111111111111111111111111111111111	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Corfu products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Corfu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## CORFU | BARSTOOL - FEATURES & OPTIONS

#### SUSTAINABLE DESIGN

an overall recycled content of 40%. Many of these same materials are also recyclable. Corfu is air emissions certified.



Krug's Enduraguard™ finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.

European Beech hardwood veneers, featuring nine (9) plys of cross grain for added strength and durability.

#### STEEL FRAME

Corfu seating is built with high strength steel castings and extrusions. Finish options are Silver Metallic and Chrome.

### PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection: White, Black, Grey, Red, Blue, Sand

#### **UNDER SEAT COVER**

Each Corfu includes an under-seat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair.



Corfu is made with recycled materials, with

#### **WOOD FINISH**



Wood seats and backs are made with





## **OPTIONS**

#### **COMBINATION UPHOLSTERY COVERS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$61 list per yard. The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.



# **CORFU | BARSTOOL - DIMENSIONS & COM REQUIREMENTS**

#### **COM REQUIREMENTS**

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

- 1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.
- 2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.
- 3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

#### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
COR5-10S	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-10C	21.5	22.5	44.3	29.5	NA	NA	17.5	39	22
COR5-11S	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-11C	23	22.5	44.3	29.5	38.3	17.5	17.5	11	22
COR5-20S	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-20C	21.5	22.5	44.3	29.5	NA	NA	17.5	42	22
COR5-21S	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-21C	23	22.5	44.3	29.5	38.3	17.5	17.5	46	22
COR5-30S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-30C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-31S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-31C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-40S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-40C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-41S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-41C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-50S	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-50C	21.5	22.5	44.3	29.5	NA	NA	17.5	41	22
COR5-51S	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-51C	23	22.5	44.3	29.5	38.3	17.5	17.5	45	22
COR5-60S	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-60C	21.5	22.5	44.3	29.5	NA	NA	17.5	44	22
COR5-61S	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22
COR5-61C	23	22.5	44.3	29.5	38.3	17.5	17.5	47	22

### WEIGHT CAPACITY

Corfu has been tested and complies with ANSI/BIFMA x5.1-2011 standards. Corfu has been load tested up to 350lbs.

# **CORFU | BARSTOOL**

DESCRIPTION/MO	DEL	COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHER 8	₹ 9
	Plastic Seat & Back, Armless, COR5-10S	with Silver	r Metallio	c Frame						
	Plastic Seat & Back, Armless, COR5-10C	with Polis 980	hed Chro	ome Fram	ne					
	Plastic Seat & Back, Plastic A COR5-11S	rms with S 925	ilver Me	tallic Fran	ne					
	Plastic Seat & Back, Polished COR5-11C	Aluminum 1080	Arms w	ith Polish	ed Chrom	ie Frame				
$\overline{\Box}$	Plastic with Upholstered Seat COR5-20S							1005	1000	1000
	GON3-203	1114	1130	1148	1183	1216	1252	1285	1320	1390
	Plastic with Upholstered Seat COR5-20C		•	,				4.400	4.400	4500
"   '	OONJ-200	1256	1272	1291	1325	1360	1394	1430	1463	1533
	Plastic with Upholstered Seat	& Back Pa	ads, Plas	stic Arms,	with Silve	er Metallic				
	COR5-21S	1202	1220	1236	1270	1306	1340	1373	1410	1479

Plastic with Upholstered Seat & Back Pads, Polished Aluminum Arms, with Polished Chrome Frame

1391 1423

1460

1493

1528

1563

1632

### **ORDERING NOTES:**

COR5-21C

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

1355 1372

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

0200.0022.112.				
Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3 Beech Wood Seat & Back		
		4 Fully Upholstered Seat & Back		
		5 Plastic Back, Plastic Seat with		
		Upholstered Pad  6  Beech Wood Back, Fully Upholstered Seat		

# CORFU | BARSTOOL

DESCRIPTION/MODE	L	SPECIES	COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	9
	Diactic Back	Plastic Seat with	a I Inholet	orod Dag	Armloco	with Silve	or Motallic	Framo			
	COR5-50S	riasiic Seat witi	1063	1073	1, Anniess 1083	1105	1124	1144	1164	1184	1224
	Plastic Back,	Plastic Seat with	n Upholst	ered Pac	d, Armless	, with Poli	shed Chro	ome Fram	е		
	COR5-50C		1206	1215	1227	1247	1267	1287	1307	1327	1367
	Plastic Back.	Plastic Seat with	n Upholst	ered Pac	d. Plastic A	Arms with	Silver Me	tallic Fram	ne		
	COR5-51S		•	1084	1094	1114	1136	1156	1174	1195	1235
	Plastic Back, Plastic Seat with Upholstered Pad, Polished Aluminum Arms, with Polished Chrome Frame										
	COR5-51C		1306	1315	1325	1345	1366	1386	1407	1424	1466
	Wood Seat &	Back, Armless,	with Silve	er Metalli	c Frame						
	COR5-30S	Beech	1160								
	Wood Seat & COR5-30C	Back, Armless, Beech	with Polis	shed Chr	ome Fram	ne					
	CON0-30C	Deecli	1231								
	Wood Seat & COR5-31S	Back, Silver Me Beech	tallic Arm	ns, with S	ilver Meta	ıllic Frame					

### **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

Wood Seat & Back, Polished Aluminum Arms, with Polished Chrome Frame 1330

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

COR5-31C

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3  Beech Wood Seat & Back		
		4		
		Fully Upholstered		
		Seat & Back		
		5		
		Plastic Back, Plastic Seat with		
		Upholstered Pad		
	ı	6  Beech Wood Back, Fully Upholstered Seat		
	L	secon vicou back, i uny opinoistereu deat		

# CORFU | BARSTOOL

			COM	MO			FABRIC GRADES		LEATHER		
DESCRIPTION/MO	DEL	SPECIES	1	2	3	4	5	6	7	8	9
$\overline{\Box}$	Wood Back, Fully		Seat Armle	ss, with S	Silver Meta	llic frame					
	COR5-60S	Beech	1061	1074	1085	1108	1131	1155	1178	1200	1247
	Wood Back, Fully COR5-60C		Seat Armle	ss, with P	olished Cl	nrome frai	me				
		Beech	1134	1144	1156	1180	1202	1225	1248	1270	1316
	Wood Back, Fully		Seat, Silve	Metallic	Arms, with	Silver Me	etallic Fra	me			
	COR5-61S	Beech	1181	1192	1203	1227	1249	1272	1295	1318	1365
	Wood Back, Fully	•	Seat, Polisl	hed Alumi	inum Arms	s, with Pol	ished Chr	ome Fram	ie		
	COR5-61C	Beech	1231	1244	1255	1278	1302	1324	1347	1370	1417
	Fully Upholstered COR5-40S	Seat & Back,	•				1000	1000		1000	
	00110 400		1071	1097	1121	1169	1220	1268	1316	1366	1463
	Fully Upholstered		Armless, v	vith Polish	ned Chrom	e Frame					
COR5-40C		1142	1166	1192	1241	1290	1338	1387	1436	1534	
	Fully Upholstered Seat & Back, Silver Metallic Arms, with Silver Metallic Frame										
	COR5-41S		1190	1213	1240	1288	1337	1386	1435	1483	1581
	Fully Upholstered	Seat & Back,	Polished A	Numinum	Arms, with	n Polished	I Chrome	Frame			
	COR5-41C		1242	1267	1291	1339	1389	1438	1486	1536	1633

### **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back. When ordering the Polished Chrome frame, arms are Polished Aluminum.

CAL 133 and Moisture Barrier options are available for an upcharge of \$61 list per yard.

Line	Series	Chair Style	Arm Style	Frame Finish
COR	5	1	0	S
	Barstool	Plastic Seat & Back	Armless	Silver Metallic
		2	1	С
		Plastic with Upholstered Seat & Back Pads	Arms	Polished Chrome
		3		
		Beech Wood Seat & Back		
		4		
		Fully Upholstered		
		Seat & Back		
		5		
		Plastic Back, Plastic Seat with		
		Upholstered Pad		
		6		
		Reach Wood Back Fully Unholstered Seat	+	

# LOUNGE SEATING


- 142 Avatar
- 145 Cressida
- 155 Leyton
- 166 Zola
- 183 Zola Privacy
- 249 Faeron
- 261 Sutton
- 263 Carlyle
- 265 Brio
- 267 Sloane

## **AVATAR** | ENVIRONMENTAL SUMMARY

### **LEED CI CREDITS**



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 11.21%

POST-CONSUMER
RECYCLED CONTENT = 18.77%

Up to 45.10% of this Avatar product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### AIR-EMISSIONS

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## **AVATAR | FEATURES & OPTIONS**



STYLE FIXED ARM



**ARMLESS** 



#### LEGS

Avatar legs feature Polished Chrome aluminum foot with nylon glides.

#### REPLACEABLE COMPONENTS

Avatar is uniquely designed to allow major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Chair legs, arms, table tops and bases are field replaceable.

#### **FINISH DURABILITY**

The Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### **WEIGHT CAPACITIES**

Avatar complies with ANSI/BIFMA x5.1-2011 test standards. Avatar has a load tested up to 300lbs.

### **OPTIONS**

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Width Between Arms	Arm Height	Shipping Weight	Cube	COM Yardage
AVA3-1	29	28	30.5	16	18.5	27.5	22	49	17.5	2.65
AVA3-0	26.5	28	30.5	16	18.5	n/a	n/a	46	17.5	2.65

#### **DIMENSIONS:**

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# AVATAR | LOUNGE

		COM		COL	FAB	RIC GRA	DES	L	LEATHER	
Description	Model	1	2	3	4	5	6	7	8	9
	Armless AVA3-0	1794	1861	1930	2025	2133	2229	2337	2472	2609
	Fixed Arm AVA3-1	2000	2067	2135	2231	2341	2434	2543	2679	2816



Avatar Option Upcharges	\$ List
	• • • • • • • • • • • • • • • • • • • •
2AL 100 9 Maintons Denning (man consul)	01

CAL 133 & Moisture Barrier (per yard) 61


PRODUCT CODE KEY				
Line	Series	Arm Style		
AVA	3	1		
Avatar	Soft Seating	Fixed Arm		
		0 Armless		

# **CRESSIDA** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



## MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT - 4.22%

POST-CONSUMER RECYCLED CONTENT - 14.49%

Up to 24.32% of this Cressida product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



# **AIR EMISSIONS**

All Cressida products are supplied air-emissions certified. Contact customer service for information.

## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



# **CRESSIDA** | LOUNGE FEATURES & OPTIONS



## **CLEAN OUT**

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.

#### **ARMS AND ARMLESS**

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



## **POLYMER ARM CAP**

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.



#### **GLIDES**

Cressida Lounge arm and armless versions are standard with nylon glides.

## **WEIGHT CAPACITIES**

Weight CAPACITIES
Cressida weight capacities are as follows:
One-Seat-350 lbs
One-Seat (Plus) -750 lbs
One-Seat Wide - 350lbs
One-Seat Wide (Plus) - 750lbs
Two-Seat - 525 lbs
Two-Seat (Plus) - 975lbs
Three-Seat - 850 lbs

## REPLACEABLE COMPONENTS

Three-Seat (Plus) - 1200 lbs

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.



# 0

#### **CASTERS**

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.



## **PUSH BAR**

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar is powder-coated steel in Silver Metallic finish.

# **PLUS UPGRADE**

Cressida seating is available with optional Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

#### **TABLETS**

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

## **COMBINATION UPHOLSTERY**

More than one upholstery cover within the same unit, is an option on all Cressida upholstery districted products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **METAL FINISH OPTIONS**

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$61 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$61 list per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

# **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

# REMOVABLE AND REPLACEABLE COVERS

Cressida Lounge Chairs are available with removable seat and back covers.

# **DIMENSIONS & COM REQUIREMENTS**

					Height of	Width		Shipping Weight	Shipping Weight	
	Overall	Overall	Overall	Seat	Arms from	Between	Seat	Open	Closed	
	Width	Depth	Height	Height	Floor	Arms	Depth	Arm	Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Wide	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Wide	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida plus two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

COM - YARDAGE REQUIREN	/FNTS				
- TANDAGE NEGOTIEN	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Wide - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Wide - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Wide - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Wide - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to <a href="Page 329">Page 329</a> for C.O.M approval process.

# **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	61	One-Seat Removable Back Covers	145	
Push Bar	61	One-Seat Wide Removable Back Covers	218	
Caster Combination (2 legs & 2 rear casters)	145	Two-Seat Removable Back Covers	288	
Casters (set of 4)	218	Three-Seat Removable Back Covers	432	
One-Seat Removable Seat Covers	145	One-Seat - Plus Upgrade	88	
One-Seat Wide Removable Seat Covers	218	One-Seat Wide - Plus Upgrade	116	
Two-Seat Removable Seat Covers	288	Two-Seat - Plus Upgrade	190	
Three-Seat Removable Seat Covers	432	Three-Seat - Plus Upgrade	218	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

		COM		COL	FAB	RIC GRAD	DES		LEATHER	
DESCRIPTION/M	ODEL/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat, Armless CRE3-F1ALS1 n/a	1492	1569	1664	1786	1922	2043	2179	2353	2524
	One-Seat, Open Arm CRE3-F1OPS1 Beech, Mapl Palette One-Seat, Open Arm with an CRE3-F1OPP1 Beech, Map Palette	n cap	1807	1894 1965	2003	2145 2216	2280 2353	2416 2488	2575 2646	2754 2825
	One-Seat, Closed Arm CRE3-F1CLS1 Beech, Map Palette One-Seat, Closed Arm with a CRE3-F1CLP1 Beech, Map Palette	rm cap	2559 2633	2718 2789	2941 3012	3198 3269	3420 3492	3679 3749	4003 4074	4317

# **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	61	One-Seat Removable Seat Covers	145	
Push Bar	61	One-Seat Removable Back Covers	145	
Caster Combination (2 legs & 2 rear casters) Casters (set of 4)	145 218	One-Seat - Plus Upgrade	88	

NOTE: Caster options are available for One-Seat size only, and cannot be combined with the Plus Upgrade option.

#### PRODUCT CODE KEY

OOT OODE KET					
Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide  2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	Casters  3  Caster Combination 2 legs & 2 Rear Caste
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm	

Polymer Arm Cap

DECODIDE ON A LODE	I. (ODEO)EO	СОМ		COL		RIC GRA		_	LEATHER	•
DESCRIPTION/MODE	L/SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat Wide, Armless CRE3-FB1.5ALS1 n/a	1579	1681	1783	1930	2094	2241	2407	2614	2822
	One-Seat Wide, Open Arm CRE3-FB1.5OPS1 Beech, Maple Palette One-Seat Wide, Open Arm with arr CRE3-FB1.5OPP1 Beech, Maple Palette	n cap	1935 2007	2039	2185 2257	2349	2496 2577	2661 2734	2870 2943	3079
	One-Seat Wide, Closed Arm CRE3-FB1.5CLS1 Beech, Maple Palette One-Seat Wide, Closed Arm with ar CRE3-FB1.5CLP1 Beech, Maple Palette	т сар	2690 2761	2868	3116 3187	3399 3471	3647 3720	3932 4004	4280 4353	4914 4986

# **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List
Moisture Barrier (per yard)	61
One-Seat Wide - Plus Upgrade	116
One-Seat Wide Removable Seat Covers	218
One-Seat Wide Removable Back Covers	218

NOTE: One-Seat Wide Lounge is not available with caster options.

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

	COM		COL	FAB	RIC GRA			LEATHER	
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Two-Seat, Armless CRE3-F2ALS1 n/a	2467	2597	2718	2904	3105	3284	3492	3744	4003
Two-Seat, Open Arm CRE3-F2OPS1 Beech, Maple Palette Two-Seat, Open Arm with arm ca CRE3-F2OPP1 Beech, Maple Palette	ap	2818 2891	2948 3017	3127 3198	3333 3407	3513 3584	3714 3786	3973 4043	4231 4300
Two-Seat, Closed Arm CRE3-F2CLS1 Beech, Maple Palette  Two-Seat, Closed Arm with arm CRE3-F2CLP1 Beech, Maple Palette	cap	3579 3648	3778 3849	4059 4130	4381 4453	4660 4732	4983 5055	5391 5465	5792 5865

# **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List	
Moisture Barrier (per yard)	61	
Two-Seat - Plus Upgrade	190	
Two-Seat Removable Seat Covers	277	
Two-Seat Removable Back Covers	277	

NOTE: Two-Seat Lounge is not available with caster options

00. 00DE NE.					
Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida		Freestanding	1 One-Seat	ALS Armless	1 Legs
		FB Freestanding Plus	1.5 One-Seat Wide  2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

		COM		COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MODEL/S	SPECIES	1	2	3	4	5	6	7	8	9
	Three-Seat, Armless CRE3-F3ALS1 n/a	3349	3530	3700	3944	4231	4474	4755	5106	5455
	Three-Seat, Open Arm CRE3-F3OPS1 Beech, Maple Palette Three-Seat, Open Arm with arm CRE3-F3OPP1 Beech, Maple Palette	сар	3749 3820	3931 4003	4173 4173	4453 4524	4704 4774	4983 5055	5336 5407	5685 5758
	Three-Seat, Closed Arm CRE3-F3CLS1 Beech, Maple Palette  Three-Seat, Closed Arm with arr CRE3-F3CLP1 Beech, Maple Palette	n cap	4510 4583	4760 4834	5106 5178	5507 5579	5857 5929	6253 6324	6754 6823	7249 7319

#### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Plus weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Plus add a "B" = CRE3-FB10PS1

\$ List
61
218
432
432

NOTE: Three-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3	F	1	ALS	1
Cressida	Lounge	Freestanding	One-Seat	Armless	Legs
		FB	1.5	OPS	
		Freestanding	One-Seat Wide	Open Arm	
		Plus	2	OPP	
			Two-Seat	Open Arm	
				Polymer Arm Cap	
			3	CLS	
			Three-Seat	Closed Arm	
				CLP	
				Closed Arm	
				Polymer Arm Cap	

# CRESSIDA | TABLET

DESCRIPTION	MODEL	SPECIES	PRICE				WEIGHT	CUBE
	Wood Tablet CRE3 T1	Beech/Maple	561				12	2
	Tablet with Palette Fini CRE3 T2	sh n/a	417				12	2
	Laminate Tablet CRE3 T4	n/a	561				12	2
	ORDERING NOTES: be specified right or le			andard with a	polymer ec	lge. Please no	ote Cressida Table	ets need to
	Solid Surface Tablet		A-White	Grades A-Color	В	С		
	CRE3 RT3	641	654	687	744	12	2	

# **CRESSIDA** | REPLACEMENT LOUNGE COMPONENTS

DESCRIPTION	MODEL	COM 1	2	COL 3	FABRIC GRADES 4 5 6		7	LEATHE 8		WEIGHT	CUBE	
LOUNGE	One-Seat Replacement Back CRE3-RB1	681	741	798	879	973	1056	1148	1267	1382	23	4.2
	One-Seat Wide Replacement E CRE3-RB1.5B	Back 770	831	891	978	1073	1158	1255	1378	1496	28	5.7
	Two-Seat Replacement Back CRE3-RB2	1008	1092	1179	1299	1438	1559	1695	1869	2041	38	8.8
	Three-Seat Replacement Back CRE3-RB3	1347	1456	1564	1717	1890	2041	2214	2433	2648	52	12
	One-Seat Replacement Back C CRE3-RBC1	Cover 277	332	391	471	567	647	743	859	978	2.0	1.0
	One-Seat Wide Replacement E CRE3-RBC1.5	Back Co 288	ver 348	408	493	591	677	772	895	1015	2.5	1.2
	Two-Seat Replacement Back CCRE3-RBC2	over 384	469	557	677	813	936	1073	1245	1417	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 441	550	660	811	984	1138	1311	1528	1746	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	575	618	660	717	782	841	909	990	1073	28	9.5
	One-Seat Wide Replacement S CRE3-RS1.5	Seat 745	799	850	925	1010	1083	1168	1271	1378	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	895	948	1004	1081	1166	1242	1328	1438	1545	53	18
	Three-Seat Replacement Seat CRE3-RS3	1198	1281	1363	1481	1611	1727	1861	2029	2193	79	24
	One-Seat Replacement Seat C CRE3-RSC1	over 199	241	283	340	407	464	533	614	697	2.0	1.0
	One-Seat Wide Replacement S CRE3-RSC1.5	Seat Co 247	ver 299	352	427	511	584	668	773	879	2.5	1.2
-	Two-Seat Replacement Seat C CRE3-RSC2	over 263	319	372	449	535	611	698	806	914	3.5	1.8
	Three-Seat Replacement Seat CRE3-RSC3	Cover 336	418	502	618	748	866	999	1166	1330	5.0	2.5
	Replacement Lounge Front Arr	n & Leg	l									
	Open Arm CRE3-LROPS Beech, Maple Palette	177									4.0	1.3
	Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	213										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	el 387	433	479	542	618	682	757	850	941	20	3.8
	Lounge Replacement Push-Ba CRE3-RPB	r 59									2	0.3

# CRESSIDA | LOUNGE & TABLE REPLACEMENT COMPONENTS


DESCRIPTION	MODEL			PRICE	WEIGH <sup>-</sup>	WEIGHT CUBE			
	Replacement CRE3-RACB	Polymer Arm Ca	p Black	37				1.0	0.5
	Replacement CRE3-RACB	Polymer Arm Ca	p Grey	37					
*	Lounge Repla CRE3-RLAF*	acement Front Le	g (for armless	version) 57				0.5	0.5
<b>8</b> **	Lounge Repla CRE3-RGAF*	acement Front Le *	g (for armless	version) GI 18	ide			0.1	0.2
*	Lounge Repla CRE3-RLC*	acement Plus Up	grade Center I	Leg 52				0.5	0.5
**	Lounge Repla CRE3-RCG**	acement Plus Up	grade Center I	Leg Glide 22				0.5	0.5
*	Lounge Repla CRE3-RLB*	acement Back Le	g	75				1.8	0.5
**	Lounge Repla CRE3-RGB**	acement Glide		19				0.1	0.2
.07	Lounge Repla CRE3-RLCF*	acement Front Le	g (for caster v	ersion) 52				0.5	0.5
**	Lounge Repla CRE3-RLCB*	acement Back Le *	g (for caster v	ersion) 52				0.5	0.5
	Replacement CRE3-RC1*	Casters Non-Loc	cking	71				.75	0.3
	Replacement CRE3-RC2**	Casters Locking		71				.75	0.3
	Wood Tablet CRE3 RT1	& Mounting Plate Beech/Maple	Only	379				5	0.32
	Tablet with Pa CRE3 RT2	alette finish & Mo n/a	unting Plate O	nly 265				5	0.32
	Tablet & Mou	nting Plate Only - n/a	Solid Surface	A-White	Grades A-Color	В	С	7	0.32
U				514	521	550	595		
	Laminate Tab CRE3 RT4	let & Mounting Pl n/a	ate Only	379				5	0.32

# **LEYTON | ENVIRONMENTAL SUMMARY**

# LEED CI CREDITS



## MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 28.61%

POST-CONSUMER
RECYCLED CONTENT = 9.91%

Up to 8.81% of this Leyton product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

# **AIR EMISSIONS**

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



# **FSC**®

he mark of responsible forest

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **LEYTON | FINISHES & FEATURES**

#### **WOOD FINISHES**

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak Espresso Oak Harvest Oak Mahogany

MAPLE Clear Maple

Honey Maple Wheat Maple

Mellow oak

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut Cordovan Walnut

CHERRY Appalachian Cherry

American Cherry Imperial Cherry Sable Cherry Light Cherry Medium Cherry Natural Cherry Standard Cherry

ANIGRE Clear Anigre

Medium Anigre

SYCAMORE Clear Sycamore

Please note Cherry, Anigre and Sycamore species require a minimum quantity order, of 5 units for seating and 5 units for tables, per species.

PALETTE Black

White Sand Soft Green Steel Blue Slate

#### **VENEERS**

Leyton veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

#### NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Leyton can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Leyton's standard offering.

#### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

#### **CUSTOM WOOD FINISHES**

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

#### **ENDURAGUARD FINISH**

Leyton features the Krug finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

#### **IN-STOCK LAMINATE**

Krug's in-stock laminates are available on Leyton Table surfaces in 4 solid laminate selections. Laminate surfaces are self-edged.

#### **SOLID LAMINATES**

Designer White - Platinum - Earth - Charcoal

# **LEYTON | FEATURES**



## ARM STYLE

Leyton features four design styles Upholstered Armless, Upholstered Full Arm, Wood Surround Armless and Wood Surround Full Arm.

**Upholstered Armless** 



Upholstered Full Arm



Wood Surround Armless



Wood Surround Full Arm



## **LEGS**

Leyton Lounge and Tables feature Polished Chrome structural steel legs with Black glides. Non-marring glides are available upon request.

#### REPLACEABLE COMPONENTS

Leyton chairs are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Seats, backs, arms and frames are field replaceable, with the only exceptions being the Upholstered Armless, Upholstered Full Arm and Upholstered Front Panel as it is one piece.

# WEIGHT CAPACITIES

All Leyton seating feature Plus Weight capacities.
One-Seat - 750lbs
One-seat Wide - 750lbs
Two-Seat - 975lbs
Three-Seat - 1200lbs

Leyton has been tested to ANSI / BIFMA.

# **PLUS UPGRADE**

Leyton models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

# **LEYTON | OPTIONS**



# OPTIONS


# Solid Surface Arm Cap

Leyton Lounge Full Arm version is available with an optional Solid Surface Arm Cap providing enhanced durability, protection and cleanability for the arms. This is field replaceable if it becomes damaged or degraded and is available in 8 standard colors.



#### **TABLET**

Leyton Solid Surface tablet can be specified left or right as seated. The tablet can be used alone or with solid surface arm cap and is 1/2" thick.



#### **PUSH BAR**

This is an optional feature on Leyton One Seat lounge chairs, designed to assist caregiving staff in the movement and relocation of the chair. It is Silver Metallic in color and retractable for ease of use. The Push bar is field replaceable if necessary.



#### **CASTERS**

Optional on Leyton lounge chairs are four - 4" diameter soft wheel swivel locking casters, featuring a large, easy-access foot activation and release lever. The caster locks both directionally and rotationally, keeping the chair securely in place when locked. Note: lounge chairs with casters are not designed or intended as patient transport devices.



## **CLEAN OUT**

Leyton lounge seating models have an optional built-in clean out feature: a space at the back of the seat that allows dirt debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product. Clean Out option is available for an upcharge,



## **UNDER-MOUNT POWER**

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables

#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

# REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable covers (with the exception of the Upholstered Armless, Upholstered Full Arm and Front panel) can be quickly installed on Leyton products that were originally ordered with the Removable cover option. Replacement covers (with the exception of the Upholstered Armless, Full Upholstered Arm and front panel) can also be installed on Leyton products that were not originally ordered with the Removable cover option, with some simple staple removal.

## **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge, please see Page 329.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **LEYTON** | DIMENSIONS, COM REQUIREMENTS, MOISTURE BARRIER & **OPTION UPCHARGES**

DIMENSIONS									
	Overall	Overall	Overall	Seat Height	Height of	Width			
	Width	Depth	Height	min/max	Arms from	between	Seat	Shipping	
					Floor	Arms	Depth	Weight	Cube
LEY31UF	28.5	29.25	31	17.75	26.25	23.25	19.25	82	18.5
LEY31.5UF	35.5	29.25	31	17.75	26.25	30.25	19.25	107	25.2
LEY32UF	52	29.25	31	17.75	26.25	47	19.25	131	32.5
LEY33UF	75.75	29.25	31	17.75	26.25	70.5	19.25	179	46.5
LEY31UN	28.5	29.25	31	17.75	n/a	23.25	19.25	78	18.5
LEY31.5UN	35.5	29.25	31	17.75	n/a	30.25	19.25	103	25.2
LEY32UN	52	29.25	31	17.75	n/a	47	19.25	127	32.5
LEY33UN	75.75	29.25	31	17.75	n/a	70.5	19.25	175	46.5
LEY31WF	28.25	29.25	31	17.75	26.25	23.75	19.25	79	18.5
LEY31.5WF	35.25	29.25	31	17.75	26.25	30.25	19.25	104	25.2
LEY32WF	51.75	29.25	31	17.75	26.25	47.25	19.25	128	32.5
LEY33WF	75.5	29.25	31	17.75	26.25	71	19.25	176	46.5
LEY31WN	28.25	29.25	31	17.75	n/a	23.75	19.25	75	18.5
LEY31.5WN	35.25	29.25	31	17.75	n/a	30.25	19.25	100	25.2
LEY32WN	51.75	29.25	31	17.75	n/a	47.25	19.25	124	32.5

17.75 All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

n/a

19.25

## **COM YARDAGE REQUIREMENTS**

75.5

29.25

LEY33WN

	Fully	Wood				Armless		Full body
	Upholstered (Complete Unit)	Surround (Seat and Back only)	Seat Cushion only (Wood or Full Uph)	Back Cushion only (Wood or Full Uph)	Full Arm & front panel (Pair)	panel & front panel (pair)	Back Panel only	with arm, Front panel & Back panel
One-Seat - One	Chair							
Armless	3.75	1.6	0.9	0.8		1.75	.75	2.5
Full Arm	4.6	1.6	0.9	0.8	2.6		.75	3.35
One & Half-Seat	t - One Chair							
Armless	5.2	2.3	1.3	1		2.1	.75	2.85
Full Arm	5.7	2.3	1.3	1	2.6		.75	3.35
Two-Seat - One	Chair							
Armless	5.7	3	1.5	1.5		2	.75	2.75
Full Arm	6.3	3	1.5	1.5	2.6		.75	3.35
Three-Seat - On	e Chair							
Armless	8	4.6	2.4	2.2		2.3	1.5	3.8
Full Arm	8.7	4.6	2.4	2.2	3		1.5	4.5

# **COM APPROVAL PROCESS:**

The approval process is as follows:

- 1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

# **CAL 133 MOISTURE BARRIER**

Model	Upcharge	Model	Upcharge	Model	Upcharge	Model	Upcharge
LEY31UN	283	LEY32UN	416	LEY31.5UN	366	LEY33UN	705
LEY31UF	351	LEY32UF	488	LEY31.5UF	456	LEY33UF	772
LEY31WN	130	LEY32WN	199	LEY31.5WN	168	LEY33WN	436
LEY31WF	130	LEY32WF	199	LEY31.5WF	168	LEY33WF	436
<b>Leyton Optio</b>	n Upcharges		\$ List				\$ List
One-Seat Clear	n out		45	One-Seat Remov	vable Seat & Ba	ck Covers	145
One & Half-Sea	t Clean out		65	One & Half-Seat	Removable Sea	at & Back Covers	s 202
Two-Seat Clean out			88	Two-Seat Remov	able Seat & Ba	ck Covers	288
Three-Seat Clea	an out		131	Three-Seat Remo	ovable Seat & B	ack Covers	432
Solid Surface A	rm Cap (per pair)	- Gr A White	342	Seat or Back Co	over only Upch	arges	
	rm Cap (per pair)		346	One-Seat			74
Solid Surface A	rm Cap (per pair)	- Gr B	351	One & Half-Seat			102
Solid Surface A	rm Cap (per pair)	- Gr C	385	Two-Seat			145
Solid Surface Ta	ablet - Gr A White		514	Three-Seat			218
Solid Surface Ta	ablet - Gr A Color		521				
Solid Surface Ta	ablet - Gr B		550	Casters			172
Solid Surface Ta	ablet) - Gr C		595	Casters with Pus	shbar		444

# **LEYTON**

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-seat, Uph LEY31NUN	noistered, Armiess N/A	1959	2081	2195	2360	2554	2718	2904	3140	3377
	One-seat, Uph LEY31NUF	nolstered, Full Arm N/A	2081	2280	2467	2741	3048	3321	3630	4008	4402
		OTE: Leyton Loung learly note color se S									
	One-seat, Woo LEY31NPN LEY31NWN	od Surround, Armle Palette Oak, Maple Walnut, Cherry, Anigre Sycamore,	ess 2424 2424 2925	2473 2473 2978	2532 2532 3034	2605 2605 3105	2683 2683 3184	2754 2754 3256	2831 2831 3333	2941 2941 3441	3040 3040 3541
	One-seat, Woo LEY31NPF LEY31NWF	od Surround, Full A Palette Oak, Maple Walnut, Palette Cherry, Anigre Sycamore,	2403 2403 2403 2904	2454 2454 2955	2504 2504 3006	2575 2575 3078	2657 2657 3158	2731 2731 3235	2812 2812 3314	2912 2912 3412	3012 3012 3513

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below, clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List
Casters	172	Solid Surface Arm Cap (per pair) - Gr A White	342
Casters with Pushbar	444	Solid Surface Arm Cap (per pair) - Gr A Color	346
One-Seat Clean out	45	Solid Surface Arm Cap (per pair) - Gr B	351
One-Seat Removable Seat & Back Covers	145	Solid Surface Arm Cap (per pair) - Gr C	385
		Solid Surface Tablet - Gr A White	514
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	521
One-Seat	74	Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

# LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY	3	1	N	UF	S
Leyton	Soft Seating	One-Seat	No Clean Out	Upholstered Full Arm	Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			Р	allet Finish Surround Full Arm	ı
				PN	

Pallet Finish Surround Armless

# **LEYTON**

			COM	1	COL	FAE	BRIC GR	ADES		LEATHER	?
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One & Half-sea LEY31.5NUN	at, Upholstered, A N/A	armless 2514	2688	2861	3105	3384	3628	3904	4250	4600
	One & Half-sea LEY31.5NUF	at, Upholstered, F N/A	ull Arm 2640	2815	2987	3232	3509	3752	4033	4378	4726
		<b>OTE:</b> Leyton Lour nd clearly note co 31NUF <u>S</u>	•								•
	One & Half-sea LEY31.5NPN LEY31.5NWN	at, Wood Surroun Palette Oak, Maple	d Armle 2881 2881	ss 2974 2974	3067 3067	3196 3196	3345 3345	3474 3474	3622 3622	3807 3807	3993 3993
		Walnut, Palette Cherry, Anigre Sycamore	3383	3473	3565	3696	3845	3974	4122	4309	4494
	One & Half-sea	at, Wood Surroun	d Full A	m							
	LEY31.5NPF LEY31.5NWF	Palette Oak, Maple Walnut, Palette	2859 2859	2952 2952	3043 3043	3173 3173	3322 3322	3452 3452	3601 3601	3785 3785	3971 3971
		Cherry, Anigre Sycamore	3361	3450	3543	3672	3820	3950	4101	4285	4469

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Leyton Option Upcharges	\$ List		\$ List	
Casters	172	Solid Surface Arm Cap (per pair) - Gr A White	342	
Casters with Pushbar	444	Solid Surface Arm Cap (per pair) - Gr A Color	346	
One & Half-Seat Clean out	65	Solid Surface Arm Cap (per pair) - Gr B	351	
One & Half-Seat Removable Seat & Back Covers	202	Solid Surface Arm Cap (per pair) - Gr C	385	
		Solid Surface Tablet - Gr A White	514	
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	521	
One & Half-Seat	102	Solid Surface Tablet - Gr B	550	
		Solid Surface Tablet) - Gr C	595	

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

# LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	
				PN	
			F	Pallet Finish Surround Armless	

# **LEYTON**

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FABF 4	RIC GRAD	DES L	EATHER 7	8	9
	Two-seat, Uph LEY32NUN	olstered, Armless N/A	3140	3321	3492	3735	4008	4259	4531	4881	5227
	ORDERING N	olstered, Full Arm N/A <b>OTE:</b> Leyton Lound d clearly note colors									
	Two-seat, Woo LEY32NPN LEY32NWN	od Surround Armles Palette Oak, Maple Walnut, Palette Cherry, Anigre Sycamore	3428 3428 3428 4003	3521 3521 4092	3621 3621 4193	3749 3749 4323	3908 3908 4482	4043 4043 4616	4193 4193 4768	4389 4389 4962	4574 4574 5149
	Two-seat, Woo LEY32NPF LEY32NWF	od Surround Full Ar Palette Oak, Maple Walnut, Palette Cherry, Anigre,	3407 3407 3980	3498 3498 4074	3601 3601 4173	3729 3729 4300	3894 3894 4467	4021 4021 4594	4193 4193 4768	4359 4359 4933	4554 4554 5128

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List
Casters	172	Solid Surface Arm Cap (per pair) - Gr A White	342
Casters with Pushbar	444	Solid Surface Arm Cap (per pair) - Gr A Color	346
Two-Seat Clean out	88	Solid Surface Arm Cap (per pair) - Gr B	351
Two-Seat Removable Seat & Back Covers	288	Solid Surface Arm Cap (per pair) - Gr C	385
		Solid Surface Tablet - Gr A White	514
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	521
Two-Seat	145	Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

Sycamore

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

# LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Optior (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	
				PN	

			СОМ		COL		BRIC GF			LEATHER	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-seat, U <sub>I</sub> LEY33NUN	oholstered, Armles N/A	4173	4389	4583	4881	5219	5512	5844	6259	6674
	Three-seat, Up LEY33NUF	oholstered, Full Ari N/A	m 4273	4531	4783	5139	5550	5908	6315	6823	7334
		I <b>OTE:</b> Leyton Loun nd clearly note co 31NUF <u>S</u>									
	Three-seat W	ood Surround, Arn	nless								
	LEY3NPN	Palette	4474	4625	4760	4975	5206	5414	5650	5944	6238
	LEY33NWN	Oak, Maple Walnut, Palette	4474	4625	4760	4975	5206	5414	5650	5944	6238
		Cherry, Anigre Sycamore	5118	5269	5407	5621	5849	6058	6295	6587	6883
	Thurs 10/		Ι Δ								
	Three-seat, W LEY3NPF LEY33NWF	ood Surround, Ful Palette Oak, Maple Walnut, Palette	4453 4453	4604 4604	4755 4755	4956 4956	5191 5191	5391 5391	5629 5629	5922 5922	6217 6217
		Cherry, Anigre,	5098	5247	5398	5599	5836	6036	6272	6567	6861

**ORDERING NOTE:** Leyton Lounge, Full Arm is available with an optional Solid Surface Arm Cap for upcharge see chart below and clearly note color selection and add an "S" to the end of the model number following the Arm Style.

Leyton Option Upcharges	\$ List		\$ List
Casters	172	Solid Surface Arm Cap (per pair) - Gr A White	342
Casters with Pushbar	444	Solid Surface Arm Cap (per pair) - Gr A Color	346
Three-Seat Clean out	131	Solid Surface Arm Cap (per pair) - Gr B	351
Three-Seat Removable Seat & Back Covers	432	Solid Surface Arm Cap (per pair) - Gr C	385
		Solid Surface Tablet - Gr A White	514
Seat or Back Cover only Upcharges		Solid Surface Tablet - Gr A Color	521
Three-Seat	218	Solid Surface Tablet - Gr B	550
		Solid Surface Tablet) - Gr C	595

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge above. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

# LEYTON LOUNGE PRODUCT CODE KEY

Line	Series	Seat Count	Clean Out	Arm Style	Arm Cap Option (Full Arm Only)
LEY Leyton	3 Soft Seating	1 One-Seat	N No Clean Out	UF Upholstered Full Arm	S Solid Surface
		1.5	С	UN	Full Arm Cap
		One & Half-Seat	Clean Out	Upholstered Armless	
		2		WF	
		Two-Seat		Wood Surround Full Arm	
		3		WN	
		Three-Seat		Wood Surround Armless	
				PF	
			P	allet Finish Surround Full Arm	
				PN	
			F	Pallet Finish Surround Armless	

Pallet Finish Surround Armless

# **LEYTON | REPLACEMENT COMPONENTS**

		СОМ		COL	FABI	RIC GF	RADES	ı	LEATHE	R		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	WEIGHTS	CUBES
	Replacement Back LEY3RB	462	487	510	542	581	614	655	700	747	12	3.5
	One & Half-Seat Re LEY3R1.5B	placem 502	nent Back 534	564	607	657	700	748	811	873	15	4.5
	Replacement Seat LEY3RS	662	691	720	759	805	845	891	948	1008	11	2.5
	One & Half-Seat Re LEY3R1.5S	eplacem 761	nent Seat 803	845	907	973	1033	1100	1185	1270	14	4
	Replacement Back LEY3RBC	Cover 239	265	288	322	362	393	433	483	530	1	0.75
	One & Half-Seat Re LEY3R1.5BC	eplacem 271	nent Back 304	Cover 334	379	428	470	519	582	644	1.25	1
	Replacement Seat LEY3RSC	Cover 241	267	295	334	376	415	459	513	568	1.25	0.75
	One & Half-Seat Re LEY3R1.5SC	placem 304	nent Seat 346	Cover 389	448	516	574	638	728	812	1.5	1
	One-Seat - Replace LEY3R1OBPU	ement U 234	Jpholstere 259	ed Outsi 283	de Bacl 318	k Panel 355	l 389	428	474	521	10	1.5
	One-Seat - Replace LEY3R1OBPUPB	ement U 247	Jpholstere 269	ed Outsi 294	de Bacl 327	k Panel 365	l for Pus 399	sh bar o 436	option 487	534	10	1.5
	One & Half-Seat - F LEY3R1.5OBPU	Replace 260	ment Upł 285	nolstered 306	d Outsic 342	de Back 383	k Panel 414	455	498	546	13	2.5
	One & Half-Seat - F LEY3R1.50BPUPB		ment Upl 295	nolstered 320	d Outsic 352	de Back 391	k Panel 425	for Pus 463	h bar o <sub>l</sub> 511	otion 559	13	2.5
	Two-Seat - Replace LEY3R2OBPU	ement U 300	Jpholstere 324	ed Outsi 348	de Bacl 384	k Panel 418	456	492	540	588	19	3.5
	Three-Seat - Replace LEY3R3OBPU	cement 396	Upholste 442	ered Out 491	side Ba 558	ck Pan 635	el 702	778	873	970	28	5

# **LEYTON | REPLACEMENT COMPONENTS**

DESCRIPTION	MODEL	OAK MAPLE WALNUT PALETTE	CHERRY ANIGRE SYCAMORE	WEIGHTS	CUBES
	One-Seat - Replacement Wood Outside Back LEY3R10BPW	k Panel 319	379	10	1.5
	One-Seat - Replacement Wood Outside Back LEY3R1OBPWPB	Reanel for P 336	ush bar option 396	10	1.5
	One & Half-Seat - Replacement Wood Outsic LEY3R1.5OBPW	le Back Pane 391	el 484	13	2.5
	One & Half-Seat - Replacement Wood Outsic LEY3R1.5OBPWPB	le Back Pane 408	el for Push bar option 497	13	2.5
	Two-Seat - Replacement Wood Outside Back LEY3R2OBPW	Panel 437	557	19	3.5
	Three-Seat - Replacement Wood Outside Bar LEY3R3OBPW	ck Panel 478	656	28	5
	One-Seat - Replacement Wood Front Panel LEY3R1FP	216	246	4	0.75
	One & Half-Seat - Replacement Wood Front I LEY3R1.5FP	Panel 246	265	5	1
	Two-Seat - Replacement Wood Front Panel LEY3R2FP	274	334	6	1.25
	Three-Seat - Replacement Wood Front Panel LEY3R3FP	304	393	8	2
	Replacement Wood Surround Full Arm with a LEY3RWFLL LEY3RWFLR	rm cap (Left 581	, right specified as seated 783	30	1.5
	Replacement Wood Surround Full Arm with c LEY3RWFCL LEY3RWFCR	aster (Left, r 732	ight specified as seated) 937	30	1.5
	Replacement Wood Surround Full Arm with c LEY3RWFCHL LEY3RWFCHR	up holder (L 752	eft, right specified as seat 956	ed) 30	1.5
	Replacement Wood Surround Full Arm with In LEY3RWFICHL LEY3RWFICHR	ntegrated cu 781	p holder (Left, right specif 984	ied as seated) 30	1.5
	Replacement Wood Surround Full Arm Tablet LEY3RWFTL LEY3RWFTR	(Left, right s 837	specified as seated) 1040	30	1.5
	Replacement Wood Surround Full Arm Integr LEY3RWFITL LEY3RWFITR	ated Tablet ( 938	Left, right specified as sea 1141	ated) 30	1.5
	Replacement Wood Surround Armless (Left, r LEY3RWNLL LEY3RWNLR	right specifie 591	ed as seated) 794	26	1.5
	Replacement Wood Surround Armless with c LEY3RWNCL LEY3RWNCR	asters (Left, 743	right specified as seated) 943	26	1.5

# **LEYTON | REPLACEMENT COMPONENTS**

MODEL	PRICE				WEIGHTS	CUBES
One-Seat Replace	ment Leg set (pa 172	air)			8	1.25
One-Seat Wide Re LEY3R1.5L	eplacement Leg : 204	set (pair)			10	1.5
Two-Seat Replace	ment Leg set (pa 227	air)			13	2.5
Three-Seat Replac LEY3R3L	ement Leg set ( 341	pair)			22	3
Push bar - One-Se LEY3RPB-1	eat 67				2.0	1.8
Push bar - One-Se LEY3RPB-1.5	eat Wide 75				2.5	2.0
Push bar Grommet	t (pair) 10				.2	.1
Note: Pushbar opt	tion is available o	on One-Seat ar	nd One-Seat Wi	de only.		
Caster LEY3RC	78				3.4	0.2
Replacement Glide LEY3RG	es - Lounge & Ta 18	able (set of four	)		1	.25
Can be field instal	543 lled to the unde					
	Grade A- White	Grade A- Color	Grade- B	Grade- C		
Replacement Table LEY3RT	et with Mounting 514	Plate - Solid S 521	Surface 550	595	5.0	.7
Replacement Arm LEY3TAC	Cap - Solid Surf	face (to be use	d with tablet)	131	1	.3
		_				
	One-Seat Replace LEY3R1L One-Seat Wide Re LEY3R1.5L Two-Seat Replace LEY3R2L Three-Seat Replace LEY3R3L Push bar - One-Se LEY3RPB-1 Push bar Gromme LEY3RPBG Note: Pushbar opt Caster LEY3RC  Replacement Glide LEY3RG  LEY3RG  Replacement Table LEY3RT  Replacement Arm LEY3TAC	One-Seat Replacement Leg set (page 172) One-Seat Wide Replacement Leg LEY3R1.5L 204  Two-Seat Replacement Leg set (page 173) Two-Seat Replacement Leg set (page 174) Two-Seat Replacement Leg set (page 174) LEY3R2L 227  Three-Seat Replacement Leg set (page 174) Three-Seat Replacement Leg set (page 174) LEY3R3L 341  Push bar - One-Seat Wide LEY3RPB-1 67  Push bar Grommet (pair) LEY3RPBG 10  Note: Pushbar option is available of the LEY3RPBG 16  Caster LEY3RC 78  Replacement Glides - Lounge & Tage 174 LEY3-POWERDOC - Undermount 543 Can be field installed to the under previously specified with a Power Described with a Power Described 175  Grade A-White  Replacement Tablet with Mounting LEY3RT 514  Replacement Arm Cap - Solid Surface 109	One-Seat Replacement Leg set (pair) LEY3R1L 172 One-Seat Wide Replacement Leg set (pair) LEY3R1.5L 204 Two-Seat Replacement Leg set (pair) LEY3R2L 227 Three-Seat Replacement Leg set (pair) LEY3R3L 341  Push bar - One-Seat LEY3RPB-1 67 Push bar - One-Seat Wide LEY3RPB-1.5 75 Push bar Grommet (pair) LEY3RPBG 10  Note: Pushbar option is available on One-Seat ar  Caster LEY3RC 78  Replacement Glides - Lounge & Table (set of four LEY3RG 18  LEY3-POWERDOC - Undermount 543 Can be field installed to the underside of Seats previously specified with a PowerDoc. Standard with a PowerDoc. Standard with a PowerDoc. Standard with Standard with Mounting Plate - Solid Standard	One-Seat Replacement Leg set (pair) LEY3R1L 172 One-Seat Wide Replacement Leg set (pair) LEY3R1.5L 204 Two-Seat Replacement Leg set (pair) LEY3R2L 227 Three-Seat Replacement Leg set (pair) LEY3R3L 341  Push bar - One-Seat LEY3RPB-1 67 Push bar - One-Seat Wide LEY3RPB-1.5 75 Push bar Grommet (pair) LEY3RPBG 10  Note: Pushbar option is available on One-Seat and One-Seat Wide LEY3RPC 78  Replacement Glides - Lounge & Table (set of four) LEY3RG 18  LEY3-POWERDOC - Undermount 543 Can be field installed to the underside of Seats and Tables as previously specified with a PowerDoc. Standard with 2 Power and A-White A-Color Grade-B  Replacement Tablet with Mounting Plate - Solid Surface LEY3RT 514 521 550  Replacement Arm Cap - Solid Surface (to be used with tablet) LEY3TAC 109 111 114	One-Seat Replacement Leg set (pair) LEY3R1L 172  One-Seat Wide Replacement Leg set (pair) LEY3R1.5L 204  Two-Seat Replacement Leg set (pair) LEY3R2L 227  Three-Seat Replacement Leg set (pair) LEY3R3L 341  Push bar - One-Seat LEY3R9B-1 67  Push bar - One-Seat Wide LEY3RPB-1.5 75  Push bar Grommet (pair) LEY3RPBG 10  Note: Pushbar option is available on One-Seat and One-Seat Wide only.  Caster LEY3RC 78  Replacement Glides - Lounge & Table (set of four) LEY3RG 18  LEY3-POWERDOC - Undermount 543 Can be field installed to the underside of Seats and Tables as a replacement previously specified with a PowerDoc. Standard with 2 Power and 2 USB outlets  Grade Grade A- White A- Color Grade-B Grade-C  Replacement Tablet with Mounting Plate - Solid Surface LEY3RT 514 521 550 595  Replacement Arm Cap - Solid Surface (to be used with tablet) LEY3TAC 109 111 114 131	One-Seat Replacement Leg set (pair)         8           LEY3R1L         172         8           One-Seat Wide Replacement Leg set (pair)         10           LEY3R1.5L         204         10           Two-Seat Replacement Leg set (pair)         13           LEY3R2L         227         13           Three-Seat Replacement Leg set (pair)         22           LEY3R3L         341         22           Push bar - One-Seat         67         2.0           Push bar - One-Seat Wide         2.0         2.0           LEY3RPB-1.5         75         2.5           Push bar Grommet (pair)         2.2         2.5           Note: Pushbar option is available on One-Seat and One-Seat Wide only.         2           Caster         LEY3RPBG         10         .2           Note: Pushbar option is available on One-Seat and Tables as a replacement part or installed the Ley3RC         18         1           Caster         LEY3-POWERDOC - Undermount 543         3         3         3         3           LEY3-POWERDOC - Undermount 543         543         3         4         3         4           Can be field installed to the underside of Seats and Tables as a replacement part or installed previously specified with a PowerDoc. Standard with 2 Power and 2 USB outlets.


**ORDERING NOTE:** Please note Replacement Arm Cap can only be installed on product orignally ordered with the Solid Surface Arm Cap option.

# **ZOLA** | ENVIRONMENTAL SUMMARY

# LEED CI CREDITS



#### MATERIAL CONTENT



PRE-CONSUMER
RECYCLED CONTENT = 6%

POST-CONSUMER
RECYCLED CONTENT = 12.12%

Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



# level® CERTIFICATION


BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



# AIR-EMISSIONS

All Zola products are supplied air-emissions certified. Contact customer service for information.

## **FSC**®





Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **ZOLA | FEATURES & OPTIONS**



#### INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments.



## **ZOLA LOUNGE & ZOLA MODULAR**

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the



#### RECONFIGURABILITY

Zola Modular is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.



#### LINKING BRACKET

The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



## REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.



# **FINISH DURABILITY**

The Krug's finish a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



#### WALL SAVER

The angle of the Zola Lounge back is designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the room. Zola upholstered chairs are built with a 1/2" clearance between the top of the back and the wall for the wall saver design. Please note wall saver is not a feature on the wood back versions.



#### **CLEAN OUT**

Zola chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



# **CASTERS**

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large , easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Plus product(s)



#### **LEGS**

Zola legs are Silver Metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



## **URETHANE ARM CAP**

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



## SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



## **FULL DEPTH BENCHES**

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.



## **PLUS UPGRADE**

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

# **WEIGHT CAPACITIES**

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat Plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat Plus - 975 lbs
Three-seat - 750 lbs
Three-seat Plus - 1150 lbs

# **ZOLA | FEATURES & OPTIONS**



#### **TABLETS**

Optional Tablets are available on the Zola Lounge & Modular in veneer, clear glass, solid surface, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.



#### **TABLES MATERIALS OPTION**

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional Solid Surface top. Tables feature leveling glides on every leg. See 373.



#### **SOLID SURFACE TOPS**

The Solid Surface Top option features Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



#### **LINKING TABLES**

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



# **LINKING BRACKETS**

The Zola table to seat bracket is made of sturdy, powder-coated steel construction in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.



#### **POWER**

The flush-mounted Power unit provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, seat front, (not available on curved fronts) as well as on the front face of tables as standard. See <a href="mailto:page">page</a> 186 for locations and <a href="Page 239">Page 239</a> for pricing.



#### **UNDER-MOUNT POWER**

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables. See <a href="Page 239">Page 239</a> for pricing.



## **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

#### REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

#### **REMOVABLE UPHOLSTERY COVERS**

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

#### **MOISTURE BARRIER & CAL 133**


California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for \$61 list per yard.

# **ZOLA | RECONFIGURABILITY**

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.



# **ZOLA | SEAM LOCATIONS**

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:

	Inside Curve	Outside Curve
30 Deg	1 1/2"	1"
45 Deg	2"	1 1/2"
60 Deg	2 1/2"	2"
90 Deg	3"	2 1/2"



Zola seat photo indicates location of seam.



Inside Curve


Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.




**Outside Curve** 


Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.


# **ZOLA | SAMPLE CONFIGURATIONS**







Model	Qty	Price (\$) Beech	
ZOL3 M1201	5	1312	
ZOL3 MS1S1	1	830	
ZOL4 LKM12	1	941	
ZOL4 LKE18	1	1046	
ZOL4 LKC90	1	1222	
ZOL4 241815	1	1131	
Total List	\$	11.730	_





Model	Qtv.	Price (\$)	
ZOL3 MS2F1	2	1353	
ZOL4 LKM18	2	995	
ZOL3 M1101	2	1446	
ZOL3 MCIS90D	2	3321	
ZOL3 M2101	2	2531	
ZOL4 LKC90X2	1	2427	
Total Liet	\$	21 710	





Model	Qty.	Price (\$)
ZOL3 MS1S1	2	1662
ZOL3 MS21	2	2321
ZOL4 LKC90	2	2443
ZOL4 LKM18	2	1990
Total List	\$1	16,832

# **ZOLA | LOUNGE**

#### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms From Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-Seat (Plus)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

## **COM YARDAGES (Lounge Product Only Available with Arms)**

	COM	COM	COM	COM
	Entire	2 Entire	3 Entire	4 Entire
	Unit	Units	Units	Units
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.70
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18

#### COM YARDAGES (Individual Components)

COM TANDAGES (Individual Components)										
	COM	COM	COM	COM	COM	COM	COM			
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per			
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs			
One-Seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5			
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08			
Three-seat	2.5	4.6	7	9	3.5	6.25	9			
One-Seat (Plus)	1.25	2.5	3.75	5	1.75	3.5	5.25			

# **COM YARDAGES (Individual Components)**

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-Seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-Seat (Plus)	7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit
- 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2
- 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

## COMBINATION UPHOLSTERY

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

## **ORDERING NOTES:**

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Plus Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

**FEATURES:** For a complete listing of features see <u>page</u> 167.

# **ZOLA |** LOUNGE

		COM		COL FABRIC GRAI		ADES	ADES		LEATHER	
DESCRIPTION/MODI	EL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 F1111	2079	2192	2304	2500	2696	2892	3088	3127	3567
	One-Seat Plus ZOL3 FB1111	2304	2416	2531	2725	2922	3118	3314	3509	3794
NOTE: One-Seat Plus is 30" wide between arms.										
	Two-seat ZOL3 F2111	3070	3216	3350	3561	3772	3983	4192	4403	4735
	Two-seat Plus ZOL3 FB2111	3156	3298	3434	3643	3853	4065	4275	4486	4819
	NOTE: The Two-Seat Plus	comes s	standard w	vith a fifth I	eg for ext	ra support				
	Three-seat ZOL3 F3111	4171	4383	4592	5013	5437	5857	6280	6701	7422
	Three-seat Plus ZOL3 FB3111	4270	4481	4690	5111	5534	5956	6374	6797	7520

**NOTE**: The Three-Seat Plus comes standard with a fifth leg for extra support.

Zola Option Upcharges Option	List	Option	A-White	Grades A-Color	В	С
4 Casters (#2 Leg Type below) 2 Casters/2 Legs (#3 Leg Type below) Urethane Arm Caps (pair)	102 74 231	Solid Surface Arm Cap (per pair)	433	442	466	490

**ORDERING NOTES:** See below for caster and arm option selections, please clearly note Urethane or Solid Surface color on the purchase order. See <u>page</u> 167 for more information on Zola options and features. Plus versions are not available with Caster options.

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	F Freestanding	1 One-Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		FB	2		2	2
		Freestanding Plus Upgrade	Two-seat		Urethane Arm Cap	Casters
			3		3	3
			Three-seat		Solid Surface Arm Cap	Combination 2 Front Standard Legs & 2 Rear Casters

# **ZOLA | MODULAR**

## **DIMENSIONS - ARMLESS UNITS**

	Overall Width	Overall Depth Uph. Back	Overall Depth Wood Back	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
One-Seat	23	27	24	34	18.5	19.25	57	9.75
Two-seat	46	27	24	34	18.5	19.25	89	17.6
Three-seat	69	27	24	34	18.5	19.25	122	26.3
One-Seat (Plus)	30	27	24	34	18.5	19.25	62	11.5
DIMENSIONS - W	ITH ARMS							
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes	
One-Seat	29	27	34	18.5	19.25	88	9.75	
Two-seat	52	27	34	18.5	19.25	120	17.6	
Three-seat	75	27	34	18.5	19.25	154	26.3	
One-Seat (Plus)	36	27	34	18.5	19.25	96	11.5	

## **COM YARDAGES - ARMLESS UNITS**

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units
	wo/ Arms	wo/ Arms	wo/ Arms	wo/ Arms
One-Seat	2.2	4.6	6.38	8.8
Two-seat	3.8	7.9	10.75	14.5
Three-seat	5.75	11	16	22
One-Seat (Plus)	3.0	6.3	9.5	13.86

#### **COM YARDAGES - WITH ARMS**

	COM Yardage Entire Unit w/ Arms	COM Yardage 2 Entire Units w/ Arms	COM Yardage 3 Entire Units w/ Arms	COM Yardage 4 Entire Units w/ Arms
One-Seat	4	7.25	11.5	14.5
Two-seat	5.5	11	16	21.7
Three-seat	7.1	13.25	19	28
One-Seat (Plus)	4.5	9	13.5	18.3

## **COM YARDAGES - Individual Components**

	COM	COM	COM	COM	COM	COM	COM	COM	COM
	Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	(Left & Right)	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats
One-Seat	1.90	1.75	2.75	3.5	5.25	1.25	2.1	3.4	4.2
Two-seat	1.90	2.5	4.5	6.08	8.5	1.7	3.4	5.1	6.5
Three-seat	1.90	3.5	6.25	9	12.5	2.5	4.6	7	9
One-Seat (Plus)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

Zola Modular Plus Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

- 5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units
- 7 Units = Take the yardage for 4 units and add the yardage for 3 units
- 8 Units = Take the yardage for 4 units and multiple by 2 9 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for
- 20 Units = Take the yardage for 4 units, multiply by 5
- 67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

# **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

## **PACKAGING**

All Modular Units, and tables will be shipped KD (Knocked Down)

## **Upcharge for Removable Upholstery Covers:**

Option Upcharge \$ List Op		Option Upcharge	\$ List
Arms (Right or Left)	74	One-Seat - seat	45
Interim Arm	59	Two-seat - seat	65
One-Seat - back	65	Three-seat - seat	81
Two-seat - back	93	One-Seat Plus - seat	59
Three-seat - back	116		
One-Seat Plus - back	74		

FEATURES: For a complete listing of features see 208.

For pricing information on Zola Tables see page 102, Zola Benches see page 85 and Zola Tablets see page 14.

# **ZOLA** | MODULAR -WOOD BACK

			CON	Л	CC	)L	FABRIC	C GF	RADES		LEATI	HER	
DESCRIPTION/MODI	EL/SPECIES		1	2	3	}	4	5	6	7	8		9
	One-Seat, Wood	or Palette	e Back,	Armless									
	ZOL3 MW1201	Beech	1312	1342	1372	1433	1492		1554	1612	1672	1764	
		Maple/	1349	1379	1410	1467	1530		1589	1650	1711	1800	
		Cherry											
		Palette	1312	1342	1372	1433	1492		1554	1612	1672	1764	
_	One-Seat, Wood	or Palette	e Back	w/ Uphols	tered Pac	l, Armles	S						
	ZOL3 MW1301	Beech	1521	1566	1597	1672	1732		1794	1854	1915	2034	
		Maple/	1560	1605	1634	1711	1770		1831	1891	1951	2070	
		Cherry											
		Palette	1521	1566	1597	1672	1732		1794	1854	1915	2034	

**ORDERING NOTE:** Zola Modular seating with wood backs are designed to be Armless. Zola Modular Arms can be specified on units wood back only as a special, please contact customer service for assistance.

ZOLA OPTION UPCHARGES	\$ List	
4 Casters (#2 Leg Type below)	102	
2 Casters/2 Legs (#3 Leg Type below)	74	

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

DESCRIPTION/MODE	=1	SPECIES	COM 1	2	COL 3	FA 4	BRIC (	GRADE	S 7	LEATHE 8	R 9	COM YARDAGE	SHIPPING	-
<u>BEGGIIII HOTWINOBE</u>	- L-	0. 20.20				•						171111111111111111111111111111111111111		
	One-Seat Woo	od/Palette E	Back w/	UPH F	Pad									
	ZOL3 MB13	Beech	590	603	618	648	680	709	741	770	813	0.6	21	3.1
		Maple /Cherry	634	648	663	695	724	754	770	800	861	0.6	21	3.1
		Palette	590	603	618	648	680	709	741	770	813	0.6	25	3.1
	One-Seat Woo	od/Palette E	Back											
)\\\'\\)	ZOL3 MB12	Beech	408									-	19	3.1
		Maple /Cherry	446									-	19	3.1
		Palette	408									-	23	3.1

## PRODUCT CODE KEY

THODOOT GODE IN	·					
Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	MW Modular	1 One-Seat	2 Wood Back	0 Armless	1 Standard Leg + Glide
		Wood Back		3 Wood Back with		2 Casters
				Uph Pad		
						3
						Combination
						2 Front Standard Legs

& 2 Rear Casters

# **ZOLA** | MODULAR

DESCRIPTION/MODI	EL	COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHER 8	R 9
	One-Seat, Upholstered Ba ZOL3 M1101 n/a	ck Armless 1446	1521	1597	1732	1867	2005	2138	2274	2515
	One-Seat Plus, Upholstere ZOL3 MB1101 n/a	ed Back, Arr 1566	nless 1612	1688	1823	1959	2093	2230	2365	2608
	ORDERING NOTES: One-	Seat Plus s	eat is 30"	wide.						
	One-Seat, Upholstered Ba ZOL3 M1111	ck with Arm 2214	2327	2433	2629	2823	3017	3216	3410	3705
	One-Seat Plus, Upholstere ZOL3 MB1111	ed Back with 2335	Arms 2446	2554	2747	2945	3138	3335	3532	3823
	ORDERING NOTES: One-	Seat Plus is	30" wide	e between	the arms.					
	Two-seat, Upholstered Bac ZOL3 M2101 n/a	ck Armless 2531	2673	2808	3017	3229	3439	3649	3864	4192
	Two-seat Plus, Upholstere ZOL3 MB2101 n/a	d Back, Arm 2613	nless 2756	2892	3102	3312	3523	3734	3945	4275
	Two-seat, Upholstered Bac ZOL3 M2111	ck with Arm	s 3439	3578	3788	3998	4210	4419	4630	4962
	Two-seat Plus, Upholstere ZOL3 MB2111	d Back with 3379	Arms 3523	3660	3871	4082	4291	4503	4713	5044
	Three-seat, Upholstered B ZOL3 M3101	ack Armless 3631	3841	4050	4471	4895	5316	5737	6159	6881
	Three-seat Plus Upholstere ZOL3 MB3101	ed Back Arn 3728	nless 3937	4148	4568	4992	5414	5833	6256	6979
	Three-seat, Upholstered B ZOL3 M3111 n/a	ack with Arr 4396	ns 4608	4819	5240	5660	6083	6504	6924	7649
	Three-seat Plus Upholstere ZOL3 MB3111 n/a	ed Back with 4495	h Arms 4706	4915	5338	5759	6182	6601	7022	7744

**ORDERING NOTES:** See below for caster and arm option selections, please clearly note Urethane or Solid Surface color selection on the purchase order. Two-seat & Three-seat Plus versions are with a fifth leg or support. Plus versions are not available with Caster options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

						Gra	ides	
Zola Option Upcha	arges	List	Option		A-White	A-Colo	or B	С
4 Casters (#2 Leg T	Type below)	102	Solid Surface Arm Cap (	per arm)	217	220	233	245
2 Casters/2 Legs (#	#3 Leg Type below)	74	Solid Surface Arm Cap (	per pair)	433	442	466	490
Urethane Arm Caps	s (pair)	231	Solid Surface Arm Cap - Interim (per arm) 177 178				180	184
PRODUCT CODE KE	ΞΥ							
Line	Series	Chair Type	Seat Count	Back Type	Arm Typ	ре	Leg Typ	е
ZOL	3	М	1	1	0		1	
Zola	Lounge	Modular	One-Seat	Fully Uph Back	Armles	ss S	Standard Leg	+ Glide
		MB	2		1		2	
		Modular	Two-seat		Uph Ar	m	4 Caster	rs
		Plus Upgrad	de 3		2		3	
			Three-seat		Urethane Ar		Combinat	
					3	2	Front Standa & 2 Rear Ca	0
					Solid Sur Arm Ca			

# **ZOLA | MODULAR BACKS & ARMS**

		COM		COL	FA	BRIC (	GRADE	S L	EATHE	R	COM	SHIPPING	i
DESCRIPTION/MO	DDEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
	Left, Right,or Interim Arn	n											
	ZOL3 MAL	468	507	542	620	695	770	844	918	1023	1.5	19	3.1
	ZOL3 MAR												
	ZOL3 MAI	332	348	363	392	423	455	485	513	559	0.33	13	1.8
	Left, Right, or Interim Arn	n - Uretl	nane C	ар									
	ZOL3 MALU	590	627	663	741	813	890	966	1040	1145	1.5	20.5	3
	ZOL3 MARU												
	ZOL3 MAIU	422	436	454	474	512	541	571	602	646	0.33	13	1.8

## **ORDERING NOTES:**

The Interim Arm was designed to fit in between two seating units and therefore shortens the width between arms by 1" per seating unit. The interim Arm does not compromise the overall width of the combined benches. Zola Arms (left or right) are specified when seated. To specify Solid Surface Arm Cap add a "3" to the end of the model above, example ZOL3 MAL3, and clearly state color choice. (See <u>Page 332</u> for color selection)

		Grades	5	
Option	A-White	A-Color	В	С
Solid Surface Arm Cap (per arm)	217	220	233	245
Solid Surface Arm Cap (per pair)	433	442	466	490
Solid Surface Arm Cap - Interim (per arm)	177	178	180	184

		СОМ		COL	FA	BRIC	GRAD	ES	LEATHE	R	COM	SHIPPING	i
DESCRIPTION/MODEL	SPECIES	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBES
UPH Back ZOL3 MB11* ZOL3 MB21 ZOL3 MB31 ZOL3 MBB11		746 981 1192 830	806 1063 1295 890	867 1145 1403 950	1312 1612	1822	1642 2034	1498 1807 2244 1433	1974 2457	1764 2170 2712 1711	1.75 2.5 3.5 2	23 39 54 28	5.2 9.4 14 6.1

**ORDERING NOTES**: The Two-seat & Three-seat Upholstered Backs are used for the Two-seat & Three-seat Plus units as well. Only Upholstered Backs can be used on Plus units.

# **ZOLA | SEATABLES**

DESCRIPTION	MODEL	COM	2	COL 3	FAE 4	BRIC GF 5	RADES 6	7	LEATHE 8	R 9	COM YARDAGE	WEIGHT	CLIRE
	Round Seatable ZOL5-18D ZOL5-24D ZOL5-30D	660 852 1071	682 899 1125	704 947 1181	735 1014 1256	771 1089 1345	803 1158 1421	838 1236 1508	884 1330 1615	928 1426 1724	1.3 1.5 1.7	18 26 38	5.2 8.5 10.5
	Square Seatable ZOL5-1818 ZOL5-2424	723 862	767 911	808 957	869 1023	938 1100	999 1169	1067 1245	1153 1341	1241 1437	1.3 1.5	27 38	5.2 8.5
	Rectangular Seatable ZOL5-2418 ZOL5-4824	793 1122	834 1181	878 1241	939 1323	1009 1417	1067 1498	1138 1593	1223 1713	1309 1831	1.3 2.4	31 62	6.6 12.6

# **ORDERING NOTES:**

The seat height is 17.5" from floor.

# **ZOLA** | MODULAR - REPLACEMENT COMPONENTS

DESCRIPTION	J/MODEL	SPECIES	COM 1	2	COL 3	- FA	ABRIC 5	GRAD	ES 7	LEATHI 8	ER 9	COM S YARDAGE	SHIPPING WEIGHT	
	Replacement ZOL3 RBM12	Modular One-Se Beech Maple/Cherry Palette	348 386 348	od Bad	ck							- - -	19 19 23	3.1 3.1 3.1
		Modular One-Se	at Wo	od Bad	ck w/ U	pholste	ered P	ad						
	ZOL3 RBM13		530	542	559	590		648	680	709	754	0.6	21	3.1
		Maple/Cherry Palette	573	590	603	634			709	741	800	0.6 0.6	21 25	3.1 3.1
	Replacement	Back Pad -only	530	542	559	590	620		680	709	754	0.0	23	3.1
	ZOL3 RP	Dack I au -only	213	228	243	271	303	332	363	392	437	0.6	1.6	2
		Upholstered Bad												
)\ )	ZOL3 RBM11		687	746	806		1046		1439	1560	1703	1.75	23	5.2
	ZOL3 RBM21		918		1085		1415			1915	2109	2.5	39	9.4
	ZOL3 RBM31	4		1236			1764			2397	2649	3.5	54	14
	ZOL3 RBBM1		770	830	890				1372		1650	2	28	6.1
	existing "L" br and Replacen	IOTES: Modular ackets on site pr nent Seat/Bench the replacemen	ior to a	assemi not inc	bly to ti lude le	he ben gs and	ch. Re joinin	placer g bracl	nent Ba kets. Th	acks do ne hard	not inclu ware can	ude mounting be transferre	brackets ed from the	and legs e original
	-	Replacement Up												_
	ZOL3 RAMR		415	455	490	567	640	717	793	867	971	1.5	14	3
	ZOL3 RAML ZOL3 RAMRU	J	536	573	611	687	761	837	912	987	1092	1.5	15.5	3
	modular hards arms with ure Page 178. Wo units only as a	IOTES: Zola Replayare. Replacementane cap. Zola pod back units are a special - please Upholstered Sea	ent Arm replace re not o	ns do r ement design	not incl arms a ed to b	ude mare ava	ountin iilable ified w	g brac with S ith sta	kets. Z olid Su ndard Z	OL3 RA	AMRU & .rm Caps	ZOL3 RAML s, see option	U are replupcharge	acement chart on
	ZOL3 RSM1*	•	741	783	830	912	995	1080	1160	1243	1412	1.33	25	5.2
	ZOL3 RSM2		1069	1122	1174	1290	1403	1514	1627	1740	1928	1.75	39	9.4
	ZOL3 RSM3		1394	1467	1543	1703	1861	2018	2175	2335	2531	2.5	50	14
	ZOL3 RSMB1		957	1003	1046	1139	1228	1319	1410	1498	1634	1.75	26	6.1
	ZOL3 RSMB2		1145	1206	1267	1379	1492	1605	1718	1831	2018	1.75	39	9.4
	ZOL3 RSMB3	}	1672	1748	1823	1959	2093	2230	2365	2500	2712	2.5	50	14
	Back Cover ZOL3 RCB1*		288	348	408	530	648	770	890	1011	1206	2	2.8	1.7
1) /	ZOL3 RCB1		392	485	573	754		1115	1295		1703	3	3.6	1.7
4	ZOL3 RCB3		485	603	724		1206			1928	2230	3.75	4.3	1.7
	ZOL3 RCBB1		320	379	437	559		800	918	1040	1222	2	2.8	1.7
	Arm Covers F ZOL3 RCAR ZOL3 RCAL	Right, Left or Inte	rim 258	303	348	437	530	620	709	800	918	1.5	2.5	1.7
	ZOL3 RCAI		168	181	198	228	258	288	319	348	386	0.33	1.5	1.7
	ZOL3 RCARU ZOL3 RCALU		258	303	348	437		620	709	800	918	1.5	2.5	1.7
	ORDERING N	NOTES: Replace					ght) ar	e spec	cified as	s seated	i. ZOL3 F	RCARU & ZO	L3 RCALU	J are arm
	Seat Cover		250	202	210	107	EOU	620	700	200	036			
	ZOL3 RCS1*		258 332	303 392	348 455	437 573		620 813	709 936	800 1056	936 1252	1.33	2.3	1.7
	ZOL3 RCS2		423	392 497		648			873	950	1069	1.75	2.6	1.7
	ZOL3 RCS3		392	446		603		813		1023	1174	2.5	3.8	1.7
	ZOL3 RCSB1		JJ2	770	731	503	103	515	010	.020		1.75	2.6	1.7

# **ZOLA** | MODULAR - REPLACEMENT COMPONENTS & TABLETS

DESCRIPTIO	N/MODEL	PRICE					SHIPPINO WEIGHT	
	Caster Without Brake ZOL3 RC1	56					0.4	0125
	ORDERING NOTE: Casters of	annot be orde	ered as replac	ement item	s for plu	s units.		
	Caster With Brake ZOL3 RC2	67					0.4	0.125
	ORDERING NOTE: Casters of	annot be orde	ered as replac	cement item	s for plu	s units.		
	Urethane Arm Cap ZOL3 AUR ZOL3 AUL	121					1.5 1.5	0.3 0.3
	Urethane Arm Cap - Interim A ZOL3 AIU	arm 90					1.0	0.3
			A-White	Grade A-Color	s B	С		
	Solid Surface Arm Cap (per a ZOL3 ASR ZOL3 ASL		217	220	233	245	1.5	0.3
	Solid Surface Arm Cap - Inter ZOL3 ASI	im (per arm)	177	178	180	184	1.0	0.3
DESCRIPTIO	N MODEL	SPECIES	PRICE				WEIGH	T CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	490 513				12	2
	Tablet with Palette Fi ZOL3 T2	nish n/a	392				12	2
	Clear Glass Tablet ZOL3 T3	n/a	746				13	2
	Laminate Tablet ZOL3 T4	n/a	507				12	2
	ORDERING NOTES: handed and do not r					mer edge. P	lease note Zola Tablets are u	niversally
	Solid Surface Tablet ZOL3 T5AW	- Grade A Wh n/a	iite 611				14	2
	Solid Surface Tablet ZOL3 T5AC	- Grade A Co n/a	lor 620				14	2
<b>9</b>	Solid Surface Tablet ZOL3 T5B	- Grade B n/a	654				14	2
	Solid Surface Tablet ZOL3 T5C	- Grade C n/a					14	2

# **ZOLA** | MODULAR CURVE

<b>DIMENSIONS</b>	<b>INSIDE CURVE</b>
	Overall


DIMENSIONS IN				_	_		
	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat			~			- U	
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

# **COM Yardages**

oom raraagoo				
	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units
Single seat				
30°	3.70	7.4	11.1	14.8
45°	4.40	8.8	13.2	17.6
60°	4.40	8.8	13.2	17.6
90°	4.61	9.2	13.83	18.44
Double seat				
30°	6.3	12.6	18.9	25.2
45°	6.4	12.8	19.2	25.6
60°	8.2	16.4	24.6	32.8
90°	8.2	16.4	24.6	32.8

## **COM Yardages - Individual Components**


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats		
Single seat										
30°	1.9	3.8	5.7	7.6	1.8	3.6	5.4	7.2		
45°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2		
60°	2.6	5.2	7.8	10.4	1.8	3.6	5.4	7.2		
90°	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2		
Double seat										
30°	2.9	5.8	8.7	11.6	3.4	6.8	10.2	13.6		
45°	3	6.0	9.0	12.0	3.4	6.8	10.2	13.6		
60°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6		
90°	4.8	8.8	13.5	17.4	3.4	6.8	10.2	13.6		




Single Seat, Uph 30° Inside Curve




Single Seat, Uph 45° Inside Curve



Single Seat, Uph 60° Inside Curve




Single Seat, Uph 90° Inside Curve




Double Seat, Uph 30° Inside



Double Seat, Uph 45° Inside



Double Seat, Uph 60° Inside Curve



Double Seat, Uph 90° Inside Curve

# **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

### **ZOLA** | MODULAR CURVE

### **DIMENSIONS OUTSIDE CURVE**

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat							
30°	33.75	28.25	34	18.5	22.5	48	23
45°	38.75	28.75	34	18.5	22.5	49	24
60°	43.5	29.25	34	18.5	22.5	50	29
90°	52	29.75	34	18.5	22.5	51	34
Double seat							
30°	55.75	29.75	34	18.5	22.5	83	36
45°	60.75	31	34	18.5	22.5	84	40
60°	65.75	32.25	34	18.5	22.5	86	45
90°	74	34.5	34	18.5	22.5	96	56

#### **COM Yardages**

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat 30° 45° 60° 90°	3.32 3.32 3.32 3.32	6.14 6.14 6.14 6.14	9.46 9.46 9.46 9.46	12.28 12.28 12.28 12.28	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	13.0 13.0 13.0 13.0	19.5 19.5 19.5 19.5	26.0 26.0 26.0 26.0	

### **COM Yardages - Individual Components**


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.7 1.7 1.7 1.7	2.95 2.95 2.95 2.95	4.65 4.65 4.65 4.65	5.9 5.9 5.9 5.9	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90° 6.8	3.1 3.1 3.1 3.1 10.2	6.2 6.2 6.2 6.2 13.6	9.3 9.3 9.3 9.3	12.4 12.4 12.4 12.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8	10.2 10.2 10.2	13.6 13.6 13.6




Single Seat, Uph 30° Outside Curve




Single Seat, Uph 45° Outside Curve




Single Seat, Uph 60° Outside Curve




Single Seat, Uph 90° Outside Curve




Double Seat, Uph 30° Outside Curve



Double Seat, Uph 45° Outside Curve



Double Seat, Uph 60° Outside Curve



Double Seat, Uph 90° Outside Curve

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

### **ZOLA** | MODULAR CURVE

DESCRIPTION/MOD	PEL	COM 1	2	COL 3	F/ 4	ABRIC GRA	ADES 6	7	LEATHER 8	₹ 9
	Single-Seat, 30° Inside Curve ZOL3 MCIS30D1	2193	2317	2438	2611	2807	2982	3178	3421	3668
	Single-Seat, 30° Inside Curve ZOL3 MCBIS30D1	Plus 2285	2410	2531	2703	2900	3073	3269	3516	3761
	Single-Seat, 45° Inside Curve ZOL3 MCIS45D1	2580	2737	2894	3116	3370	3591	3845	4161	4480
	Single-Seat, 45° Inside Curve ZOL3 MCBIS45D1	Plus 2684	2842	2998	3222	3475	3696	3949	4267	4584
	Single-Seat, 60° Inside Curve ZOL3 MCIS60D1	2923	3081	3238	3461	3714	3935	4188	4505	4822
	Single-Seat, 60° Inside Curve ZOL3 MCBIS60D1	Plus 3041	3199	3356	3580	3833	4055	4307	4624	4941
	Single-Seat, 90° Inside Curve ZOL3 MCIS90D1	3321	3520	3719	3997	4315	4592	4910	5309	5708
	Single-Seat, 90° Inside Curve ZOL3 MCBIS90D1	Plus 3479	3679	3875	4155	4471	4750	5067	5467	5866
	Single-Seat, 30° Outside Curv ZOL3 MCOS30D1	e 1974	2086	2195	2348	2528	2683	2859	3081	3300
	Single-Seat, 30° Outside Curv ZOL3 MCBOS30D1	e Plus 2066	2178	2289	2442	2618	2775	2950	3173	3393
	Single-Seat, 45° Outside Curv ZOL3 MCOS45D1	e 2320	2463	2608	2806	3034	3234	3461	3747	4032
	Single-Seat, 45° Outside Curv ZOL3 MCBOS45D1	e Plus 2425	2568	2712	2911	3138	3339	3565	3852	4135
	Single-Seat, 60° Outside Curv ZOL3 MCOS60D1	e 2632	2773	2916	3115	3343	3541	3770	4056	4340
	Single-Seat, 60° Outside Curv ZOL3 MCBOS60D1	e Plus 2751	2892	3036	3235	3462	3661	3889	4173	4459
	Single-Seat, 90° Outside Curv ZOL3 MCOS90D1	e 2988	3165	3346	3595	3883	4134	4420	4779	5137
	Single-Seat, 90° Outside Curv ZOL3 MCBOS90D1	e Plus 3146	3323	3504	3753	4040	4292	4580	4937	5295

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

#### PRODUCT CODE KEY

OBOO! COBE IX						
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL	3	MC	I	S	30D	1
Zola	Soft Seating	Modular MCB	Inside Curve	Single	30 Degree 45D	Standard Leg + Glide
		Modular Plus Upgrade	Outside Curve	Double	45 Degree 60D	
					60 Degree 90D	

### **ZOLA** | MODULAR CURVE

DESCRIPTION/MODEL		2	COL 3	FA 4	ABRIC GRA	ADES 6	7	LEATHEI 8	R 9
	Double-Seat, 30° Inside Curve ZOL3 MCID30D1 383	7 4050	4268	4567	4912	5213	5559	5990	6419
	Double-Seat, 30° Inside Curve Plus ZOL3 MCBID30D1 3983		4413	4712	5057	5360	5704	6135	6565
	Double-Seat, 45° Inside Curve ZOL3 MCID45D1 451	1 4789	5065	5450	5894	6284	6728	7280	7834
	Double-Seat, 45° Inside Curve Plu ZOL3 MCBID45D1 4683		5236	5622	6066	6456	6898	7450	8006
	Double-Seat, 60° Inside Curve ZOL3 MCID60D1 5112	2 5390	5665	6055	6497	6885	7330	7882	8437
	Double-Seat, 60° Inside Curve Plus ZOL3 MCBID60D1 5296		5849	6238	6682	7068	7513	8066	8620
	Double-Seat, 90° Inside Curve ZOL3 MCID90D1 5809		6506	6993	7548	8037	8593	9291	9986
	Double-Seat, 90° Inside Curve Plus ZOL3 MCBID90D1 6019		6714	7204	7759	8246	8804	9500	10196
	Double-Seat, 30° Outside Curve ZOL3 MCOD30D1 3454	1 3646	3841	4111	4422	4694	5004	5390	5780
	Double-Seat, 30° Outside Curve Pl ZOL3 MCBOD30D1 3598		3986	4256	4567	4839	5148	5535	5925
	Double-Seat, 45° Outside Curve ZOL3 MCOD45D1 4060	) 4310	4559	4907	5306	5656	6055	6554	7050
	Double-Seat, 45° Outside Curve Pl ZOL3 MCBOD45D1 423		4730	5078	5478	5826	6225	6724	7221
	Double-Seat, 60° Outside Curve ZOL3 MCOD60D1 460°	1 4851	5100	5448	5847	6197	6596	7093	7592
	Double-Seat, 60° Outside Curve Pl ZOL3 MCBOD60D1 4784		5284	5633	6032	6380	6780	7278	7776
	Double-Seat, 90° Outside Curve ZOL3 MCOD90D1 5227	7 5542	5854	6293	6795	7233	7735	8363	8989
	Double-Seat, 90° Outside Curve Pl ZOL3 MCBOD90D1 5433		6063	6503	7006	7443	7945	8571	9198

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

### PRODUCT CODE KEY

DOCT CODE K	<u> </u>					
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	I Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Plus Upgrade	Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D	


90D 90 Degree

### **ZOLA PRIVACY | ENVIRONMENTAL SUMMARY**

#### **LEED CI CREDIT**



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 6.34%

POST-CONSUMER RECYCLED CONTENT = 14.09%

Up to 40.58% of this Zola product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

	001111112012010	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

### **AIR EMISSIONS**


All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Zola Privacy products can be specified with one of two types of FSC® Certification:

(a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)



(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification) Contact customer service for further information, pricing and leadtimes.



### **ZOLA PRIVACY | FEATURES & OPTIONS**



#### REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



#### RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



#### **PRECONFIGURED**

Zola Privacy can be specified in select preconfigured stand-alone arrangements. The offering includes one, two and three seat units in both Mid Height and Full Height styles. The units are pre-assembled with either full depth or semi-private side panels.



#### INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Plus styles are included in the offering.



### **BACK CONNECTION**

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



### **LINKING SEAT-TO-SEAT**

The Zola seat-to-seat linking bracket is powder-coated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



#### **LINKING TABLE-TO-SEAT**

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



#### **CLEAN OUT**

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



#### **LEGS**

The legs offered on Zola Lounge are Silver Metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



#### **TWIN BACK**

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.



#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).



#### **ANTI-MICROBIAL FINISH**

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.



Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### **PLUS UPGRADE**

Zola seating is available with optional Plus Upgrade. Plus Seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

#### **WEIGHT CAPACITIES**

Zola weight capacities are as follows:

One-Seat (Straight or curved) - 300 lbs
One-Seat plus - 750 lbs
Two-seat (Straight or curved) - 525lbs
Two-seat plus - 975 lbs
Three-seat - 750 lbs
Three-seat plus - 1150 lbs

### **ZOLA PRIVACY | OPTIONS**



#### **PRIVACY SCREEN**

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



#### SEMI-PRIVATE MODULAR SIDE PANEL

Semi-Private Side Panels are shallower in depth than standard Side Panels and available in Mid and Full Height back styles. They are specified as Start, Center and Ends and only connect to Center seating units.

In configurations such as banquette settings with tables, they can offer users privacy while still permitting side entry to the seating.



#### TABI FT

Optional Tablets are available in veneer, clear glass, laminate and palette finishes. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola dual leg. The Zola Tablet has a turning radius of 360 degrees. Solid surface is available, contact Customer Service for pricing.



#### REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.



Tables are available in veneer, high pressure laminate or Palette finishes - and an optional solid surface top. An optional flush-mounted Table PowerDoc provides dual power/USB outlets for multiple devices can be located on the front face of Middle or End Tables (not available on curvilinear models). PowerDoc's have a 10' cord.

Modular arms can attach to the left or right ends

of seating units as well as interim locations

between units. They are fully upholstered and

can optionally be trimmed with urethane or solid



#### REMOVABLE UPHOLSTERY COVERS

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.



**MODULAR ARM** 

surface arm caps.

**URETHANE ARM CAP** The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or



#### SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



### **SHELVES & POWER**

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available - contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB outlets for multiple devices. Units with Shelf Power are not available with Removable Cover option.



#### SEAT POWER

The flush-mounted power unit provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, or on the seat front (not available on curved fronts). See page 247 for pricing. Power unit color is white. Units with Seat Power are not available with Removable Cover option.



### PRIVATE MODULAR SIDE PANEL

Side Panels can be specified (in either of two heights) as Start, Center and End locations of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings. Side Panels will only connect to Center seating units.



### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for \$61 list per yard.

### **ZOLA PRIVACY | POWER LOCATIONS**



#### **Seat Power**


When ordering Seat Power clearly indicate required location using:

A - for front center of seat (not available on curved fronts)



#### **Shelf Power**

Located mid-position on the shelf surface. Units with Shelf Power are not available with Removable Cover option.



B - for left side of seat (facing)



#### **Table Power**

Located on the front face of the table as standard. To specify, clearly mark on the order and add \$561 list.



C - for right side of seat (facing)

D - for both left and right of seat

Units with Power are not available with Removable Cover option.




#### **Under-mount Power**

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below seats and tables.

### **ZOLA PRIVACY | CONNECTING MULTIPLE UNITS**


#### **SEATING**

Start, Center and End multiple units are used to configure continuous runs of seating. Units are specified from left to right (facing). Configurations must include one Start Unit and one End Unit and can be connected to any number of Center Units. Back connecting hardware is concealed once connected to the adjoining unit.





### SIDE PANELS

Start, Center and End Panels are configured in combination with Center Seating only. Start and Center Panel kits contain additional legs which connect to the Center Seat Unit.



### **ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING**









Model ZOP3-M1F1S ZOP3-MCIS90DF1C ZOP3-M2F1C ZOP3-M1F1S	Qty 1 2 4	Price (ea) 2252 5587 3394
ZOP3-M1F1S	1	2252


TOTAL \$29,254







Model	Qty	Price (ea)
ZOP3-MCID60DF0S	1	5629
ZOP3-MCID60DF0C	3	5629
ZOP3-MCID60DF0E	1	5629
ZOL4-30D15	1	1325
TOTAL		\$29,470


# **ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING**






Model ZOP3-M2M0S ZOP3-MCIS90DM0C ZOP3-M2M0C ZOP3-M2M0E ZOL4-242415	Qty 1 2 1 1	Price (\$) 2472 4354 2472 2472 1131
ZOL4-242415 ————————————————————————————————————	1	1131 <b>\$17,255</b>






Model	Qty	Price (\$)
ZOL4-LKE18	4	1046
ZOP3-MB1F1S	2	2730
ZOP3-MCID90DF1C	2	7499
ZOP3-MB1F1E	2	2730
ZOL4 E482915	1	1920

TOTAL \$32,022





Model	Qty	Price (\$)
ZOP3-MPF0S	2	901
ZOP3-M3F0C	2	3783
ZOP3-MPF0E	2	901
ZOP4-E482915	1	1920
TOTAL	I	\$13,090

### **ZOLA PRIVACY** | PRECONFIGURED - DIMENSIONS & COM REQUIREMENTS

I B. A	vic.	$\sim$	NS

DIMENSIONS		VA (* -111)						
	Overall	Width Between	Overall	Overall	Seat	Seat	Shipping	
	Width	Panels	Depth	Height	Height	Depth	Weight	Cubes
Preconfigured Fu	ıll Height Back	•						
One-Seat Plus	36	30	27	50	18.5	19.25	134	28.3
Two-seat	52	46	27	50	18.5	19.25	161	40.4
Three-seat	75	69	27	50	18.5	19.25	194	57.5
Preconfigured M	id Height Bacl	k						
One-Seat Plus	36	30	27	37.5	18.5	19.25	114	20.4
Two-seat	52	46	27	37.5	18.5	19.25	141	29.1
Three-seat	75	69	27	37.5	18.5	19.25	174	41.3
COM YARDAGES								
COM TANDAGES	Yardage	Yardage	Yardage	Yardage				
	Entire	2 Entire	3 Entire	4 Entire				
	Unit	Units	Units	Units				
Preconfigured Fu	III Height Back	c/Privacy Panel						
One-Seat Plus	9.59	13.78	17.97	22.16				
Two-seat	11.48	16.13	20.83	26.56				
Three-seat	13.56	21.32	29.38	37.04				
Preconfigured M	id Height Bacl	k/Privacy Panel						
One-Seat Plus	7.31	10.96	14.61	18.26				
Two-seat	8.49	12.22	16.72	21.20				
Three-seat	10.60	18.36	26.42	34.08				
Preconfigured Fu	ıll Height Back	κ/Semi-Private∃	Panel					
One-Seat Plus	6.63	10.82	15.01	19.20				
Two-seat	8.52	13.17	17.87	23.60				
Three-seat	10.60	18.36	25.42	34.08				
Preconfigured M	id Height Bacl	k/Semi-Private	Panel					
One-Seat Plus	5.41	9.06	12.71	16.36				
Two-seat	6.59	10.32	14.82	19.30				
Three-seat	8.48	14.80	21.42	27.20				

### **ZOLA PRIVACY | PRECONFIGURED**

		COM		COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat Plus with Private ZOP3-PCB1MPF0	e Modular S 3768	Side Panel 4065	and Full H 4365	eight Back 4888	5437	5960	6510	7108	8059
	One-Seat Plus with Semi- ZOP3-PCB1SMPF0	Private Moo 3076	dular Side 3291	Panel and 3508	Full Height 3866	Back 4249	4608	4992	5424	6045
	One-Seat Plus with Private ZOP3-PCB1MPM0	e Modular S 3323	Side Panel 3540	and Mid H 3756	leight Back 4133	4526	4898	5295	5728	6396
	One-Seat Plus with Semi- ZOP3-PCB1SMPM0	Private Moo 2841	dular Side 3016	Panel and 3195	Mid Heigh 3489	t Back 3804	4098	4414	4767	5276

### **ORDERING NOTES:**

Zola Privacy Preconfigured is available in straight units with upholstered side panels. The One-Seat size is offered in 30" only, Plus upgrade is included (23" is not available). PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

ZOLA PRIVACY OPTI	ON UPCHARGES	\$ List			
CAL 133 & Moisture Barrier (per yard) Seat Power (per power unit) Plus Upgrade option		61 611 included			
PRODUCT CODE KEY	1				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PCB	1	MP	F0
Zola Privacy	Lounge	Pre-Configured Plus	One-Seat (30")	Private Modular Side Panel	Full Height
			2	SMP	MO
			Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

### **ZOLA PRIVACY | PRECONFIGURED**

		COM		COL	FAE	RIC GRA	DES		LEATHER	l
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	Two-Seat with Privat ZOP3-PC2MPF0 Two-Seat Plus with F ZOP3-PCB2MPF0	4354	4712	5074	5686	6337	6948 7071	7598 7721	8323 8446	9409 9532
	Two-Seat with Semi-	Private M	odular Sid	le Panel a	nd Full Hei	aht Back				
	ZOP3-PC2SMPF0	3660	3938	4216	4664	5150	5597	6082	6639	7395
	Two-Seat Plus with S	Somi Priva	to Module	or Sido Bo	nol and Eul	II Uoight B	lack			
	ZOP3-PCB2SMPF0		4062	4340	4788	5274	5721	6205	6763	7519
	Two-Seat with Privat	e Modular	Side Pan	el and Mid	d Height Ba	ack				
	ZOP3-PC2MPM0	3600	3866	4131	4582	5055	5500	5978	6511	7287
	Two-Seat Plus with F	Private Mo	dular Side	Panel an	d Mid Heid	ht Back				
	ZOP3-PCB2MPM0	3723	3990	4255	4706	5179	5624	6101	6634	7410
	Two-Seat with Semi-									
	ZOP3-PC2SMPM0	3116	3343	3568	3937	4332	4699	5095	5548	6166
	Two-Seat Plus with S	Semi-Priva	ite Modula	ar Side Pa	nel and Mi	d Height E	Back			
	ZOP3-PCB2SMPM0	3241	3467	3693	4061	4457	4823	5220	5673	6290

### **ORDERING NOTES:**

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

<b>ZOLA PRIVACY OPTION UPCHARGES</b>	\$ List	
CAL 133 & Moisture Barrier (per yard)	61	
Seat Power (per power unit)	611	

### PRODUCT CODE KEY

0200. 0022.112	•				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

### **ZOLA PRIVACY | PRECONFIGURED**

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAI 5	DES 6	7	LEATHER 8	9
	Three-Seat with Priva	te Modula	r Sida Dan	al and Ful	l Height Ba	ack				
	ZOP3-PC3MPF0	5234	5658	6086	6792	7546	8251	9007	9861	11079
	Three-Seat Plus with	Private Mo	odular Side	Panel an	d Full Heid	ht Back				
	ZOP3-PCB3MPF0	5420	5844	6272	6979	7733	8438	9193	10046	11265
	Three-Seat with Semi					•	0000	7400	0470	0005
	ZOP3-PC3SMPF0	4541	4884	5227	5769	6360	6899	7490	8179	9065
	Three-Seat Plus with	Semi-Priva	ate Modula	ar Side Pa	nel and Fu	ll Height B	ack			
	ZOP3-PCB3SMPF0	4728	5069	5414	5956	6545	7087	7676	8365	9251
	Three-Seat with Priva	te Modula	r Side Pan	el and Mid	d Height B	ack				
	ZOP3-PC3MPM0	4670	4995	5319	5856	6429	6961	7535	8186	9094
	Three-Seat Plus with					,	74.47	7704	0070	0000
	ZOP3-PCB3MPM0	4856	5182	5506	6042	6615	7147	7721	8372	9280
	Three-Seat with Semi	-Private M	lodular Sid	e Panel a	nd Mid Hei	aht Back				
	ZOP3-PC3SMPM0	4187	4473	4758	5211	5705	6159	6653	7225	7973
	TI 0 1 DI 111			0:1 5						
	Three-Seat Plus with ZOP3-PCB3SMPM0	Semi-Priva 4373	ate Modula 4659	ar Side Pa 4944	nel and Mi 5397	d Height E 5891	васк 6345	6839	7411	8160
	ZOI U-I ODUGINIFINIU	4070	4033	4344	5591	J031	0040	0003	7411	0100

### **ORDERING NOTES:**

Zola Privacy Preconfigured is available in straight units with upholstered side panels. PowerDoc is optional on seat front only please mark clearly on the order and add upcharge listed below. PowerDoc's have a 10' cord.

<b>ZOLA PRIVACY OPTION UPCHARGES</b>	\$ List	
CAL 133 & Moisture Barrier (per yard)	61	
Seat Power (per power unit)	611	

#### PRODUCT CODE KEY

ODOOT OODE KE	•				
Line	Series	Туре	Seat	Side Panel	Height
ZOP	3	PC	1	MP	F0
Zola Privacy	Lounge	Pre-Configured	One-Seat (30")	Private Modular Side Panel	Full Height
		PCB	2	SMP	MO
		Pre-Configured Plus Upgrade	Two-Seat	Semi-Private Modular Side Panel	Mid Height
			3		
			Three-Seat		

### **ZOLA PRIVACY | MODULAR - DIMENSIONS & COM REQUIREMENTS**

### **DIMENSIONS**

						Overall			
	Overall	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Full Height Back									
One-Seat	23	27	39	50	62.5	18.5	20.25	69	10.6
Two-seat	46	27	39	50	62.5	18.5	20.25	114	20.8
Three-seat	69	27	39	50	62.5	18.5	20.25	165	31.0
One-Seat (Plus)	30	27	39	50	62.5	18.5	20.25	81	13.8
Mid Height Back									
One-Seat	23	27	39	37.5	50	18.5	20.25	65	9.8
Two-seat	46	27	39	37.5	50	18.5	20.25	107	19.1
Three-seat	69	27	39	37.5	50	18.5	20.25	154	28.5
One-Seat (Plus)	30	27	39	37.5	50	18.5	20.25	76	12.6
Modular Corner Seat v	vith Full Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	104	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	104	26
Modular Corner Seat v	vith Mid Height	Back							
One-Seat	27	27	40	50	62.5	18.5	20.25	93	26
One-Seat (Plus)	27	27	40	50	62.5	18.5	20.25	93	26
. ,									

#### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Full Height Back												
One-Seat	4.1	6.45	10.55	12.9	2.85	4.35	7.2	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	16.76	21.16	4.33	7.33	11.66	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-Seat (Plus)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-Seat	3.25	5.2	8.45	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.34	16.82	3.08	5.16	8.24	10.32	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-Seat (Plus)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Modular Corner S	eat with F	ull Height	Back									
One-Seat	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
One-Seat (Plus)	7.79	12	18	24	5.70	11.4	16.9	22.4	2.00	4	6	8
Modular Corner S	eat with M	lid Height	Back									
One-Seat	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8
One-Seat (Plus)	6.40	12	18	24	4.00	8	12	18	2.00	4	6	8

### **ZOLA PRIVACY PLUS OPTION UPCHARGES**

	\$ List	
Plus Upgrade Two-Seat	123	
Plus Upgrade Three-Seat	186	

NOTE: One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

# **ZOLA PRIVACY | MODULAR - PANELS & ARMS -DIMENSIONS & COM REQUIREMENTS**

### **DIMENSIONS & COM REQUIREMENTS**

Dimensions a	00	ZOII ILIVILI										
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	COM 1-unit	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
Side Panel, Singl	e Full Hei	aht No Scr	reen									
ZOP3-MPF0S	Start	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0C	Center	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF0E	End	2.75	27	43.90	38	3	2.7	5.38	8.06	10.75	13.44	16.13
2010 1011 102	LIIG	2.70	21	40.00	00	O	2.1	0.00	0.00	10.70	10.44	10.10
Side Panel, Single	e, Full Hei	ght with So	creen									
ZOP3-MPF2S	Start	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2C	Center	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
ZOP3-MPF2E	End	2.75	27	56.5	40	3	2.7	5.38	8.06	10.75	13.44	16.13
Side Panel, Singl	e, Mid Hei	ght No Sc	reen									
ZOP3-MPM0S	Start	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0C	Center	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM0E	End	2.75	27	31.38	26	2	1.99	3.99	5.98	7.97	9.97	11.96
Side Panel, Singl	a Mid Hai	aht with S	creen									
ZOP3-MPM2S	Start	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2C	Center	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
ZOP3-MPM2E	End	2.75	27	43.88	28	2	1.99	3.99	5.98	7.97	9.97	11.96
		-										
Semi-Private Side												
ZOP3-MSPF0S	Start	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0C	Center	2.75	14.25	44	26	1.5	1.27	2.55	3.83	5.11	6.39	7.67
ZOP3-MSPF0E	End	2.75	14.25	44	21	1.5	1.27	2.55	3.83	5.11	6.39	7.67
Semi-Private Side	e Panel, S	ingle, Mid	Height									
ZOP3-MSPM0S	Start	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0C	Center	2.75	14.25	31.4	23	1	.88	1.99	2.92	3.72	4.65	5.56
ZOP3-MSPM0E	End	2.75	14.25	31.4	19	1	.88	1.99	2.92	3.72	4.65	5.56
Modular Upholste	ered Arm											
ZOP3-MAUPHL*		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHR		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUPHC		3	14.5	19.75	25	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholste	ered Arm v	w/Urethane	e Cap									
ZOP3-MAUREL		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAURER*		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
ZOP3-MAUREC		3	14.5	20.25	28	1.1	1.33	2.11	2.8	3.56	4.44	5
Modular Upholsto	orod Arm.	w/8alid 6	rface Con									
	ered Arm \			20 2F	20	1 1	1 22	0.11	2.0	2 56	1 11	5
ZOP3-MASSCL ZOP3-MASSCR		3 3	14.5 14.5	20.25 20.25	28 28	1.1	1.33 1.33	2.11 2.11	2.8	3.56 3.56	4.44 4.44	5 5
		3		20.25	28 28	1.1			2.8			5 5
ZOP3-MASSCI*		3	14.5	20.25	20	1.1	1.33	2.11	2.8	3.56	4.44	5

ESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FAB 4	RIC GRA	ADES 6	7	LEATHE 8	R 9
	One-Seat, Full Height ZOP3-M1F0F	Back	1833	1962	2091	2275	2486	2671	2881	3138	341
	_	Back with Shelf Opech/Laminate aple/Palette	otion 2252 2343	2381 2471	2511 2602	2695 2785	2907 2995	3090 3181	3299 3391	3559 3647	383 392
	ORDERING NOTES: 42", 36" or 30". Frees unit, please add \$289	tanding, Start and E	End units with	the she	If option i	require co	ounterba	lance we	eight add	led to ea	ch se
	One-Seat, Full Height ZOP3-M1F2F	Back with Privacy	Screen Option 2104	on 2231	2361	2544	2755	2940	3150	3408	368
	ORDERING NOTES:	Units with Privacy S	Screen Option	n are not	available	with Rem	novable E	Back Cov	er option	l.	
	One-Seat, Mid Height ZOP3-M1M0F	t Back	1725	1827	1930	2073	2237	2383	2546	2751	296
<u> </u>	One-Seat, Mid Height	Back with Shelf O	ption							0400	007
	_	eech/Laminate aple/Palette	2145 2235	2245 2336	2347 2439	2491 2584	2657 2746	2802 2892	2966 3057	3169 3261	
		eech/Laminate aple/Palette When ordering unit tanding, Start and E	2145 2235 s with shelf c End units with	2336 option plant on the she	2439 ease clea If option i	2584 rly specif require co	2746 y on you ounterba	2892 Ir order t lance we	3057 he requir eight add	3261 red shelf led to ea	ch se
	ORDERING NOTES: 42", 36" or 30". Frees	ech/Laminate aple/Palette When ordering unit tanding, Start and E List upcharge per	2145 2235 s with shelf c End units with unit. Units wi	2336 option plo the she th shelf o	2439 ease clea If option i	2584 rly specif require co	2746 y on you ounterba	2892 Ir order t lance we	3057 he requir eight add	3261 red shelf led to ea	347 heigh ch se otion.
	ORDERING NOTES: 42", 36" or 30". Frees unit, please add \$289  One-Seat, Mid Height	eech/Laminate aple/Palette When ordering unit tanding, Start and E List upcharge per Back with Privacy	2145 2235 s with shelf of End units with unit. Units wi Screen Optio 1993	2336 option pla in the she th shelf o	2439 ease clea If option in option are	2584 rly specif require co not availa	2746 by on you bunterba able with 2507	2892 ir order t lance we Remova 2651	3057 he requir eight add ble Back 2817	3261 red shelf led to ea Cover op 3019	347 heigh ch se otion.
ola Privacy	ORDERING NOTES: 42", 36" or 30". Frees unit, please add \$289  One-Seat, Mid Height ZOP3-M1M2F	eech/Laminate aple/Palette When ordering unit tanding, Start and E List upcharge per Back with Privacy	2145 2235 s with shelf of End units with unit. Units wi Screen Optio 1993	2336 option pla in the she th shelf o	2439 ease clea If option in option are	2584 rly specif require co not availa	2746 by on you bunterba able with 2507	2892  Ir order t lance we Remova  2651  Back Cov	3057 he requir eight add ble Back 2817	3261 red shelf led to ea Cover op 3019	347 heigh ch se otion.
oisture Barri emovable Se emovable Ba	ORDERING NOTES: 42", 36" or 30". Frees unit, please add \$289  One-Seat, Mid Height ZOP3-M1M2F  ORDERING NOTES:	weech/Laminate aple/Palette  When ordering unit tanding, Start and Example per  Back with Privacy  Units with Privacy  \$ List  61  45 65	2145 2235 s with shelf of condunits with unit. Units with shelf of conduction of the	2336 option plo in the she th shelf of on 2094 in are not	2439 ease clea If option are pption are 2198 available er (per unier	2584 rly specification of availation 2343 with Rem	2746 by on you bunterba able with 2507	2892  Ir order t lance we Remova  2651  Back Cov	3057 he requir eight add ble Back 2817 rer option	3261 red shelf led to ea Cover op 3019	347 heigh ch se otion.
pisture Barri emovable Se emovable Ba al Leg (for I	ORDERING NOTES: 42", 36" or 30". Frees unit, please add \$289  One-Seat, Mid Height ZOP3-M1M2F  ORDERING NOTES: Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat ack Covers One-Seat Multiple unit configuration	weech/Laminate aple/Palette  When ordering unit tanding, Start and Example upcharge per table above the Back with Privacy  Units with Privacy Sample	2145 2235 s with shelf of the control of the contro	2336 option ple in the she th shelf of on 2094 In are not eat Power helf Power ble Pow	2439 ease clea If option are 2198 available er (per unier er	2584 rly specific require contavaila 2343 with Rem	2746 by on you bunterba able with 2507 hovable E	2892  Ir order t lance we Remova  2651  Back Cov	3057 he required ight add ble Back 2817 rer option List 611 571 561	3261 red shelf led to ea Cover op 3019	347 heigh ch se otion.
pisture Barri emovable Se emovable Ba ial Leg (for I RODUCT CO Line	ORDERING NOTES: 42", 36" or 30". Frees unit, please add \$289  One-Seat, Mid Height ZOP3-M1M2F  ORDERING NOTES: Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat ack Covers One-Seat Multiple unit configuration	weech/Laminate aple/Palette  When ordering unit tanding, Start and Example per  Back with Privacy  Units with Privacy  \$ List  61  45 65	2145 2235 s with shelf of the condition	2336 option ple in the she th shelf of on 2094 In are not eat Powerelf Powerelf Powerelf	2439 ease clea If option are 2198 available er (per unier er	2584 rly specification of availation availation of availat	2746 iy on you ounterba able with 2507 novable E	2892  Ir order t lance we Remova  2651  Back Cov	3057 he requiright addible Back 2817 rer option 611 571 561	3261 red shelf led to ea Cover op 3019	347 heigh ch se stion.
Disture Barri emovable Se emovable Ba lal Leg (for I RODUCT CO	ORDERING NOTES: 42", 36" or 30". Frees unit, please add \$289  One-Seat, Mid Height ZOP3-M1M2F  ORDERING NOTES: Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Multiple unit configuration on the control of the control o	weech/Laminate aple/Palette  When ordering unit tanding, Start and Elist upcharge per table Back with Privacy  Units with Privacy  \$ List 61 45 65 8) 77  Chair Type	2145 2235 s with shelf of the condition	2336 option plot the shelf of the shelf Power of the shelf o	2439 ease clea If option are 2198 available er (per unier er	2584  rly specification of availation availa	2746  Type  Type  Type  Type  Type	2892  Ir order t lance we Remova  2651  Back Cov	3057 he requirely sight add ble Back 2817 rer option List 611 571 561 Leg	3261 ed shelf led to ea Cover op 3019	3477 heigh heigh school setting.
pisture Barri emovable Se emovable Ba ial Leg (for I RODUCT CO Line	ORDERING NOTES: 42", 36" or 30". Frees unit, please add \$289  One-Seat, Mid Height ZOP3-M1M2F  ORDERING NOTES: Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Multiple unit configuration on the control of the control o	weech/Laminate aple/Palette  When ordering unit tanding, Start and Elist upcharge per table Back with Privacy  Units with Privacy  \$ List 61 45 65 8) 77  Chair Type	2145 2235 s with shelf of End units with unit. Units with 1993 Screen Option Secreen Option Secreen Option Secreen Option Secreen Option Secreen Option Secreen Option	2336 option plot in the she th shelf of the	2439 ease clea If option re potion are 2198 available er (per unier er	2584  rly specification of availation availa	2746  Type  Type  Type  Type  The Back with	2892  Ir order t lance we Remova  2651  Back Cov  \$	he requiring the requiring the requiring the requiring the requiring the requiring the results of the requirement of the requiring the results of the requiring the results of the requiring the requirement of	ag Type  F anding Units	347 heigh heigh ch se still still se st
oisture Barri emovable Se emovable Ba ual Leg (for I  RODUCT CO  Line	ORDERING NOTES: 42", 36" or 30". Frees unit, please add \$289  One-Seat, Mid Height ZOP3-M1M2F  ORDERING NOTES: Option Upcharges ier & CAL 133(per yard) eat Covers One-Seat Multiple unit configuration on the control of the control o	weech/Laminate aple/Palette  When ordering unit tanding, Start and Elist upcharge per table Back with Privacy  Units with Privacy  \$ List 61 45 65 8) 77  Chair Type	2145 2235 s with shelf of End units with unit. Units with 1993 Screen Option Secreen Option Secreen Option Secreen Option Secreen Option Secreen Option Secreen Option	2336 option plot in the she th shelf of the	2439 ease clea If option re potion are 2198 available er (per unier er	2584  rly specification of availation of ava	2746  Type  Type  Type  Back with  Back with  Carrier Back with  Carri	2892  Ir order t lance we Remova  2651  Back Cov  \$	3057 he requiright add ble Back 2817 rer option List 611 571 561 Leg Freesta	ag Type  F anding Unit C	347 heigh ch se stion.

M2 Mid Height Back with Privacy Screen Option

JESCRIPTION,	/MODEL/SPECIES		COM 1	l 2	COL 3	FAI 4	BRIC GR 5	ADES 6	7	LEATHE 8	R 9
	One-Seat Plus, F ZOP3-MB1F0F	full Height Back	2299	2428	2557	2742	2952	3136	3346	3605	387
	One-Seat Plus, F ZOP3-MB1F1_	Full Height Back wit Beech/Laminate Maple/Palette	h Shelf Option 2730 2822	2859 2950	2988 3081	3172 3265	3384 3474	3566 3660	3777 3870	4036 4128	431 439
	42", 36" or 30". F	TES: When ordering Freestanding, Start a \$289 List upcharge	and End units wi	ith the sh	elf optior	require c	counterba	ılance w	eight ad	ded to ea	ch se
	One-Seat Plus, F ZOP3-MB1F2F	Full Height Back wit	h Privacy Screer 2639	n Option 2768	2896	3082	3292	3475	3686	3944	42
	ORDERING NO	TES: Units with Priv	acy Screen Opti	on are no	ot availabl	e with Rer	movable l	Back Co	ver optio	n.	
	One-Seat Plus, N ZOP3-MB1M0F	∕lid Height Back	2195	2297	2399	2543	2709	2852	3016	3221	34
	ZOP3-MB1M1_ ORDERING NOT	Mid Height Back wit Beech/Laminate Maple/Palette	2626 2718 g units with shelf								
	unit, please add	Freestanding, Start a \$289 List upcharge  Mid Height Back with	e per unit. Units v	with shelf	option ar						
	ORDERING NO	TES: Units with Priv	acy Screen Opti	on are no	ot availabl	e with Rer	movable l	Back Co	ver optio	n.	
ola Privacy C	ORDERING NOT		acy Screen Opti .ist	ion are nc	ot availabl	e with Rer	movable I		ver optio <b>\$ List</b>	n.	
loisture Barrie emovable Se emovable Ba		rd) t	61 45 65	Seat Pow Shelf Pow Table Pow	ver (per u ver wer					n.	
loisture Barrie emovable Se emovable Ba ual Leg (for M	Option Upcharges er & CAL 133(per ya at Covers One-Seat ck Covers One-Sea Multiple unit configur	srd) t t trations)	61 45 65 77	Seat Pow Shelf Pov Table Pov One-Sea	ver (per u wer wer t Plus ind	nit) cludes Plu	s Upgrad		\$ List 611 571 561		
loisture Barrie emovable Se emovable Ba ual Leg (for M RODUCT COD	Option Upcharges er & CAL 133(per ya at Covers One-Seat ck Covers One-Sea fultiple unit configur DE KEY Series	st L (rd) tt (tt (rations)	61 45 65 77	Seat Pow Shelf Pov Table Pov One-Sea	ver (per u wer wer t Plus ind	nit) cludes Plu Bac	s Upgrad		\$ List 611 571 561	eg Type	
Moisture Barrie demovable Sedemovable Bad dual Leg (for M	Option Upcharges er & CAL 133(per ya at Covers One-Seat ck Covers One-Sea Multiple unit configur	srd) t t trations)	ist 61 45 65 77  Type  Jular B Jular grade	Seat Pow Shelf Pov Table Pov One-Sea	ver (per u wer wer t Plus inc	Bac Full Heigh	is Upgrad k Type F0 ight Back F1 nt Back wif f Option F2 nt Back wi	de	\$ List 611 571 561  L. Frees		it

Mid Height Back with Privacy Screen Option SEATING & OCCASIONAL TABLES | USA | 196

M1
Mid Height Back with
Shelf Option
M2

DESCRIPTION/	ESCRIPTION/MODEL/SPECIES		COM 1	2	COL 3	FAE 4	RIC GRA	ADES 6			₹ 9
	Two-Seat, Full Height B ZOP3-M2F0F	ack	2885	3078	3267	3540	3852	4128	4437	4820	5229
	_	ack Shelf Option h/Laminate e/Palette	3394 3489	3584 3680	3775 3871	4050 4145	4362 4457	4636 4731	4945 5040	5329 5422	573° 583°
	ORDERING NOTES: W 42", 36" or 30". Freestal unit, please add \$289 L	nding, Start and End	units with	n the she	elf option	require c	ounterba	lance we	eight ad	ded to ead	ch sea
	Two-Seat, Full Height B ZOP3-M2F2F	ack with Privacy Scr	reen Optio 3352	on 3541	3734	4007	4319	4593	4768	5285	569
	ORDERING NOTES: U	nits with Privacy Scre	een Optio	n are not	available	with Rem	ovable E	Back Cov	er optior	٦.	
	Two-Seat, Mid Height B ZOP3-M2M0F	ack	2472	2623	2775	2992	3238	3456	3701	4005	432
	_	ack with Shelf Optionh/Laminate e/Palette	on 2983 3078	3134 3227	3285 3378	3503 3595	3747 3843	3964 4059	4211 4305	4513 4608	483 492
	ORDERING NOTES: W 42", 36" or 30". Freestal unit, please add \$289 L	nding, Start and End	units with	n the she	elf option	require c	ounterba	lance we	eight ad	ded to ead	ch sea
	Two-Seat, Mid Height B ZOP3-M2M2F	ack with Privacy Sci	reen Optio	on 3091	3242	3460	3706	3921	4169	4470	479
	ORDERING NOTES: U	nits with Privacy Scre	een Optio	n are not	available	with Rem	novable E	Back Cov	er optior	٦.	
Zola Privacy O	ption Upcharges	\$ List						\$	List		
Removable Sea Removable Bac	r & CAL 133(per yard) It Covers One-Seat Ik Covers One-Seat Ultiple unit configurations)	61 45 65 77	S	eat Powe helf Pow able Pow	er"	nit)			611 571 561		
PRODUCT CODI											
Line	Series						(Type		L	eg Type	
700		Chair Type	S	eat Count	t					-	
ZOP Zola	3 Lounge	M Modular		eat Count  1  One Seat	i .	F	0 ght Back		Freest	F anding Unit	:
		M Modular	(	1 One Seat	<u> </u>	Full Hei	ght Back	th		anding Unit	:
		M Modular	(	1 One Seat 2 Two Seat	i .	Full Heigh	ght Back  1 t Back wir	th		anding Unit	
		M Modular MB Modular		1 One Seat		Full Heigh Shelf	ght Back  t Back wir Option  t Back wir	th	Si	anding Unit	
		M Modular MB Modular		1 One Seat 2 Two Seat 3		Full Heigh Shelf Full Heigh Privacy Sc	ght Back  t Back wir Option  t Back wir	th	Si	tanding Unit	
		M Modular MB Modular		1 One Seat 2 Two Seat 3		Full Heigh Shelf Full Heigh Privacy Sc  Mid Heigh Shelf  Mid Heigh Shelf	ght Back wir Option 22 tt Back wir reen Option ght Back wir reen Option	th on	Si	anding Unit S tart Unit C nter Unit	

DESCRIPTION/N	MODEL/SPECIES		COM 1	2	COL 3	FAB 4	FABRIC GRAD		7	LEATHEI 8	ER 9	
	Three-Seat, Full Height Bac ZOP3-M3F0F	ck	3794	4050	4309	4673	5091	5458	5873	6388	6925	
	Three-Seat, Full Height Bac ZOP3-M3F1_ Beech/L Maple/F	aminate .	4391 4489	4647 4747	4904 5005	5271 5370	5687 5788	6056 6156	6470 6569	6983 7083	7523 7624	
	ORDERING NOTES: Whel - 42", 36" or 30". Freestand unit, please add \$289 List	ing, Start and End	units with	n the she	lf option r	equire co	ounterba	lance we	ight adde	ed to eac	h seat	
	Three-Seat, Full Height Bar ZOP3-M3F2F	ck with Privacy So	reen Opt 4460	ion 4717	4972	5341	5758	6125	6540	7053	7593	
	ORDERING NOTES: Units	with Privacy Scre	en Optior	n are not	available v	with Rem	novable l	Back Cove	er option.			
	Three-Seat, Mid Height Ba ZOP3-M3M0F	ck	3570	3783	3993	4296	4639	4943	5288	5709	6159	
	Three-Seat, Mid Height Ba ZOP3-M3M1_ Beech/L Maple/F	.aminate	4169 4268	4380 4481	4589 4689	4894 4993	5237 5338	5539 5639	5886 5985	6306 6405	6755 6855	
	ORDERING NOTES: When - 42", 36" or 30". Freestand unit, please add \$289 List	ing, Start and End	units with	n the she	lf option r	equire co	ounterba	lance we	ight adde	ed to eac	h seat	
	Three-Seat, Mid Height Ba ZOP3-M3M2F	ck with Privacy So	creen Opt 4238	tion 4448	4659	4963	5307	5610	5955	6374	6823	
	ORDERING NOTES: Units	with Privacy Scre	en Optior	n are not	available <sup>,</sup>	with Rem	novable I	Back Cove	er option.			
Zola Privacy O <sub>l</sub>	otion Upcharges	\$ List						\$	List			
Removable Sea Removable Bac	& CAL 133(per yard) : Covers One-Seat < Covers One-Seat Iltiple unit configurations)	61 45 65 77	Sh Ta	nelf Pow able Pow		,	s Upgrad	de	611 571 561			
PRODUCT CODE										_		
ZOP Zola	Series  3 Lounge	Chair Type  M  Modular		1 One Seat		Full Hei	ght Back		Freestar	Type  F  Inding Unit	:	
		MB Modular Plus Upgrade	L T	wo Seat	F			th	Star	S dr Unit		
			Tr	nree Seat		Full Height rivacy Sc	reen Opti	on		er Unit		
					١	Mid Heigh	1		Life	. Orlit		
						Mid Heigh rivacy Sc						

DESCRIPTION/	MODEL/SPECIES	COM 1	2	COL 3	FABF 4	RIC GRA	DES 6	ا 7	_EATHEI	R 9
	Modular Corner Seat with Full F ZOP3-MCF0	leight Back 3865	4086	4307	4616	4971	5282	5636	6079	6522
	Modular Corner Seat, Full Heigh ZOP3-MCF1LR Beech/Lamina Maple/Palette	ite 4702	4923 5014	5146 5236	5455 5546	5809 5901	6119 6211	6473 6565	6917 7008	7361 7450
	Modular Corner Seat, Full Height ZOP3-MCF1L Beech/Lamina Maple/Palette  Modular Corner Seat, Full Height ZOP3-MCF1R Beech/Lamina Maple/Palette	ate 4519 4523 at Back with single she ate 4510	4751 4755	4984 4987 4984 4987	5309 5314 5309 5314	5682 5686 5682 5686	6008 6012 6008 6012	6379 6384 6379 6384	6843 6848 6843 6848	6984 6988 6984 6988
	Modular Corner Seat, Full Heigh ZOP3-MCF2LR	nt Back with Privacy So 4404	creens 4626	4847	5157	5512	5822	6176	6618	7063
	Modular Corner Seat, Full Heigh ZOP3-MCF2L Modular Corner Seat, Full Heigh ZOP3-MCF2R	4356	4587	4820	5147 5147	5518 5518	5844	6214 6214	6681	6820 6820

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	61
Shelf Power	571
Dual Leg (for Multiple unit configurations)	77
Plus Upgrade- Corner Seat	61

### PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3 Lounge	MC  Modular Corner Seat	F0 Full Height Back	L Left Side
		MCB Modular Corner Seat Plus	F1 Full Height Back with Shelf Option F2 Full Height Back with Privacy Screen Option	R Right Side

DESCRIPTION/N	MODEL/SPECIES	COM 1	2	COL 3	FAE 4	BRIC GR 5	ADES 6	7	LEATHE 8	ER 9
	Modular Corner Seat with Mid Height Bac ZOP3-MCM0	k 3108	3291	3473	3730	4021	4278	4570	4937	5303
	Modular Corner Seat, Mid Height Back wit ZOP3-MCM1LR Beech/Laminate Maple/Palette	:h Shelves 3944 4036	4129 4219	4312 4402	4567 4658	4860 4950	5115 5208	5409 5499	5773 5865	6140 6231
	Modular Corner Seat, Mid Height Back wit ZOP3-MCM1L Beech/Laminate Maple/Palette  Modular Corner Seat, Mid Height Back wit	3723 3728	3917 3920	4108 4177	4377 4381	4685 4688	4954 4958	5261 5265	5643 5647	5764 5767
. 11	ZOP3-MCM1R Beech/Laminate  Maple/Palette	3723 3728	3917 3920	4108 4177	4377 4381	4685 4688	4954 4958	5261 5265	5643 5647	5764 5767
	Modular Corner Seat, Mid Height Back wit ZOP3-MCM2LR	th Privacy 3647	Screens 3831	4014	4270	4562	4819	5111	5475	5843
	Modular Corner Seat, Full Height Back wit ZOP3-MCM2L	h Privacy 3560	Screen L 3753	.eft* 3944	4213	4520	4791	5097	5481	5600
	Modular Corner Seat, Full Height Back wit ZOP3-MCM2R	h Privacy 9 3560	Screen F 3753	Right 3944	4213	4520	4791	5097	5481	5600

Zola Privacy Option Upcharges	\$ List
Moisture Barrier & CAL 133(per yard)	61
Shelf Power	571
Dual Leg (for Multiple unit configurations)	77
Plus Upgrade- Corner Seat	61

#### PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Shelf/Screen
ZOP	3	MC	MO	L
Zola	Lounge	Modular Corner Seat	Mid Height Back	Left Side
		MCB	M1	R
		Modular Corner Seat Plus	Mid Height Back with Shelf Option	Right Side
			M2	LR

Mid Height Back with Privacy Screen Option

Left & Right Sides

## **ZOLA PRIVACY | SIDE PANELS**

			COM		COL	FAE	FABRIC GRADES			LEATHER			
DESCRIPTION/N	MODEL		1	2	3	4	5	6	7	8	9		
	Side Panel, Singl	e, Full Height No	Screen										
	ZOP3-MPF0S	Start	903	987	1071	1242	1411	1581	1749	1920	2258		
	ZOP3-MPF0C	Center	1164	1248	1332	1503	1670	1840	2009	2178	2517		
	ZOP3-MPF0E	End	903	987	1071	1242	1411	1581	1749	1920	2258		
$\overline{}$	Side Panel, Singl	e, Full Height wi	th Screen										
	ZOP3-MPF2S	Start	1184	1269	1353	1521	1692	1861	2031	2200	2539		
	ZOP3-MPF2C	Center	1443	1530	1613	1782	1954	2122	2292	2461	2799		
	ZOP3-MPF2E	End	1184	1269	1353	1521	1692	1861	2031	2200	2539		
	Side Panel, Singl	e, Mid Height No	Screen										
	ZOP3-MPM0S	Start	731	790	846	963	1078	1192	1307	1421	1650		
	ZOP3-MPM0C	Center	1002	1058	1115	1229	1345	1460	1575	1689	1920		
	ZOP3-MPM0E	End	731	790	846	963	1078	1192	1307	1421	1650		
	Side Panel, Singl	e, Mid Height wi	th Screen										
	ZOP3-MPM2S	Start	1013	1069	1127	1244	1358	1474	1588	1703	1933		
	ZOP3-MPM2C	Center	1282	1339	1396	1512	1625	1740	1855	1968	2200		
	ZOP3-MPM2E	End	1013	1069	1127	1244	1358	1474	1588	1703	1933		
	ODDEDING NO	F. Cida Danala	.:!!!		0 1			ide D.i.		0.1			

**ORDERING NOTE**: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option.

### PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	E	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

### **ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side ZOP3-MSPF0S ZOP3-MSPF0C ZOP3-MSPF0E	Panel, Single, I Start Center End	Full Height 556 817 556	599 862 599	642 907 642	729 992 729	816 1080 816	904 1166 904	990 1253 990	1079 1340 1079	1252 1514 1252	
	Semi-Private Side	Panel, Single, I	Mid Height									
	ZOP3-MSPM0S ZOP3-MSPM0C ZOP3-MSPM0E	Start Center End	490 759 490	529 796 529	564 834 564	640 910 640	716 984 716	790 1059 790	866 1135 866	940 1209 940	1089 1360 1089	

**ORDERING NOTE**: Semi-Private Side Panels will only connect to Center seating units.

### PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP  Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	S Start C C Center	
			·	E End	

### **ZOLA PRIVACY | MODULAR ARMS**

		COM		COL	FAI	BRIC GR	ADES		LEATHE	R		
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9		
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	669 669 747	705 705 784	741 741 819	813 813 891	886 886 964	957 957 1036	1030 1030 1108	1100 1100 1180	1245 1245 1324		
	Modular Upholstered Arm w/Ure ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 800 800 863	837 837 898	871 871 935	943 943 1008	1016 1016 1080	1087 1087 1150	1160 1160 1223	1231 1231 1294	1377 1377 1439		

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Colo	-	С
Solid Surface Arm Cap (per arm)	123	130	144	150

#### PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L  Left Hand Facing	
			URE UPholstered Arm w/Urethane Cap	Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Cap	C Center	

### **ZOLA PRIVACY** | TWIN - DIMENSIONS & COM REQUIREMENTS

### **DIMENSIONS**

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Full Height Back										
One-Seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-Seat (Plus)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Back										
One-Seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-Seat (Plus)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

#### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Twin Full Height E	Back											
One-Seat	5.03	8.73	13.76	17.46	2.93	4.53	7.46	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	14.23	22.16	28.46	4.53	7.73	12.26	15.46	3.4	6.5	9.9	13
Three-seat	10.48	20.76	31.24	41.52	5.88	11.76	17.64	23.52	4.6	9	13.6	18
One-Seat (Plus)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height E	Back											
One-Seat	4.3	7.52	11.82	15.04	2.2	3.32	5.52	6.64	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	19.22	24.76	3.44	5.88	9.32	11.76	3.4	6.5	9.9	13
Three-seat	8.9	17.6	26.5	35.2	4.3	8.6	12.9	17.2	4.6	9	13.6	18
One-Seat (Plus)	5	10	15	20	2.5	5	7.5	10	2.5	5	7.5	10

### **ZOLA PRIVACY PLUS UPGRADE OPTION UPCHARGES**

	\$ List	
Plus Upgrade Twin Two-Seat	247	
Plus Upgrade Twin Three-Seat	370	

NOTE: Twin One-Seat Plus pricing includes Plus Upgrade, for Two-Seat and Three-Seat add a "B" to the model number and the option upcharge (per unit) above.

### **ZOLA PRIVACY |** TWIN MODULAR PANELS & MODULAR ARMS

### **DIMENSIONS & COM REQUIREMENTS**

DIMENSIONS &	OOM HEQU											
		Overall Width	Overall	Overall	Shipping	0	COM	COM 2-units	COM 3-units	COM 4-units	COM 5-units	COM 6-units
		vviatri	Depth	Height	Weight	Cubes	1-unit	Z-units	3-units	4-units	5-units	o-units
Side Panel, Single	e. Full Heiaht	No Scree	n									
ZOP3-MPTF0U	Universal	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF0C	Center	2.75	51.5	43.9	66	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single	e, Full Height	with Scre	en									
ZOP3-MPTF2U	Universal	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
ZOP3-MPTF2C	Center	2.75	51.5	56.4	68	6	4	5.5	9.34	12.03	14.72	18.7
Side Panel, Single												
ZOP3-MPTM0U	Universal	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM0C	Center	2.75	51.5	31.38	46	4	2.92	4.92	6.91	8.90	10.9	13.82
Side Panel, Single	Mid Hoigh	t with Soro	on									
ZOP3-MPTM2U	Universal	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
ZOP3-MPTM2C	Center	2.75	51.5	43.88	48	4	2.92	4.92	6.91	8.90	10.9	13.82
201 3-1011 110120	Ceritei	2.75	31.3	40.00	40	4	2.32	4.32	0.51	0.30	10.5	10.02
Twin Semi-Private	Side Panel.	Single, Fu	III Heiaht									
ZOP3-MSPTF0U	Universal	2.75	26.5	44	43	2.5	2.69	5.38	8.06	10.75	13.44	16.13
ZOP3-MSPTF0C	Center	2.75	26.5	44	52	2.5	2.69	5.38	8.06	10.75	13.44	16.13
Twin Semi-Private		•	id Height									
ZOP3-MSPTM0U		2.75	26.5	31.4	32	1.7	1.75	3.99	5.98	7.97	9.97	11.96
ZOP3-MSPTM0C	Center	2.75	26.5	31.4	39	1.7	1.75	3.99	5.98	7.97	9.97	11.96
Twin Modular Uph	noletered Arn	n										
ZOP3-MATUPHU		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUPHC		3	14.5	19.75	22	2.5	2.11	3.56	5	6.5	7.9	9.33
201011111101110		Ü	1 1.0	10.10		2.0		0.00	Ü	0.0	7.0	0.00
Twin Modular Uph	nolstered Arn	n w/Uretha	ane Cap									
ZOP3-MATUREU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATUREC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
Twin Modular Uph	nolstered Arn	n w/Solid S										
ZOP3-MATSSCU		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33
ZOP3-MATSSCC		3	14.5	20.25	16	1.8	2.11	3.56	5	6.5	7.9	9.33

# **ZOLA PRIVACY | TWIN SEATS**

DESCRIPTION/MODI	FI	COM 1	2	COL 3	F 4	FABRIC GRA 5	DES 6	7	LEATHE 8	R 9
	Twin One-Seat, Full Heigl ZOP3-MT1F0F		2873	3033	3261	3516	3745	4003	4318	4656
	Twin One-Seat, Full Heigl	ht Back with	Privacy S	Screen Opti	on					
	ZOP3-MT1F2F	2985	3142	3300	3531	3786	4014	4271	4587	4924
	ORDERING NOTES: Unit	ts with Privac	y Screen	Option are	not ava	ilable with Re	movable I	Back Cove	er option.	
	Twin One-Seat, Mid Heig	ht Back								
	ZOP3-MT1M0F	2584	2718	2853	3048	3267	3462	3682	3952	4242
	Twin One-Seat, Mid Heig ZOP3-MT1M2F		•	-		0500	0700	0050	4001	4510
		2852	2987	3122	3318	3536	3732	3950	4221	4510
	ORDERING NOTES: Unit	ts with Privac	y Screen	Option are	not ava	ilable with Re	movable i	Back Cove	er option.	
	Twin One-Seat Plus, Full ZOP3-MBT1F0F	Height Back 3635	3793	3950	4180	4435	4664	4921	5237	5575
	Twin One-Seat Plus, Full	Height Back	with Priva	acy Screen	Option					
	ZOP3-MBT1F2F	3974	4133	4291	4519	4774	5005	5261	5578	5915
	ORDERING NOTES: Unit	ts with Privac	y Screen	Option are	not ava	ilable with Re	movable I	Back Cove	er option.	
	Twin One-Seat Plus, Mid ZOP3-MBT1M0F	Height Back 3490	3625	3761	3955	4173	4369	4588	4860	5147
	Twin One-Seat Plus, Mid	-								
	ZOP3-MBT1M2F  ORDERING NOTES: Unit	3830 ts with Privac	3964 v Screen	4101 Option are	4293 not ava	4513 ilable with Re	4709 movable l	4928 Back Cove	5198 er option.	5487
PRODUCT CODE NEW			,							
Line PRODUCT CODE KEY	Series	Chair Type		Seat Coun	t	Back Ty	pe		Leg Type	
ZOP	3	MT		1		F0			F	
Zola	Lounge N	Modular Twin		One Seat		Full Height F2	Back	Fre	estanding U	nıt
		Modular Twin Plus Upgrade		Two Seat		Full Height Ba			Start Unit	
		( <b>page</b> 203)		3		M0	]		С	
				Three Seat	t	Mid Height	Back	(	Center Unit	
						M2			Е	
						Mid Height Ba Privacy Screen			End Unit	

## **ZOLA PRIVACY | TWIN SEATS**

DESCRIPTION/MOD	DEL	COM 1	2	COL 3	F/ 4	ABRIC GRA 5	DES 6	7	LEATHE 8	R 9
	Twin Two-Seat, Full Height E ZOP3-MT2F0F	3ack 4034	4282	4530	4899	5313	5682	6095	6592	7159
	Twin Two-Seat, Full Height E ZOP3-MT2F2F	Back Priva 4499	cy Screen 4749	Option 4996	5367	5780	6149	6561	7059	7627
	ORDERING NOTES: Units v	with Privac	y Screen (	Option are	not availa	able with Rei	movable E	Back Cove	option.	
	Twin Two-Seat, Mid Height I ZOP3-MT2M0F	3838	4054	4267	4580	4928	5240	5589	6018	6484
	Twin Two-Seat, Mid Height I ZOP3-MT2M2F	Back with	Privacy So 4519	creen Opti 4734	on 5044	5395	5707	6057	6484	6951
	ORDERING NOTES: Units v	with Privac	y Screen (	Option are	not availa	able with Rei	movable E	Back Cove	option.	
	Twin Three-Seat, Full Heigl ZOP3-MT3F0F	nt Back 5542	5862	6180	6631	7147	7598	8111	8749	9408
	Twin Three-Seat, Full Heigl ZOP3-MT3F2F	nt Back Pri 6208	ivacy Scre 6528	en Option 6844	7296	7813	8265	8779	9415	10072
	ORDERING NOTES: Units	with Priva	cy Screen	Option ar	e not ava	ilable with Re	emovable	Back Cove	er option.	
	Twin Three-Seat, Mid Heig ZOP3-MT3M0F	ht Back 5100	5380	5659	6060	6514	6915	7367	7928	8519
	Twin Three-Seat, Mid Heig ZOP3-MT3M2F  ORDERING NOTES: Units	5766	6046	6325	6728	7180 ilable with Re	7582 emovable	8034 Back Cove	8594 er option.	9186
PRODUCT CODE KEY	(									
Line	Series C	hair Type		Seat Cou	nt	Back Ty	/ре		Leg Type	
ZOP Zola	Mo	MT Dedular Twin MTB Dedular Twin Is Upgrade		1 One Sea 2 Two Sea	t	Full Height F2 Full Height B Privacy Scree	ack with	Fre	F estanding S Start Unit	
		nage 203)		3		M0			С	_

Center Unit

Е

End Unit

Mid Height Back

M2

Mid Height Back with

Privacy Screen Option

Three Seat

### **ZOLA PRIVACY | TWIN - SIDE PANELS**

			COM		COL	FAB	RIC GRAD	ES	ı	LEATHER	
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9
	Twin Side Panel, I ZOP3-MPTF0U ZOP3-MPTF0C	Full Height No Sci Universal End Center	reen 1360 2038	1485 2164	1611 2291	1862 2541	2113 2793	2365 3041	2615 3293	2867 3543	3368 4046
	Twin Side Panel,,	Full Height with S	Screen								
	ZOP3-MPTF2U ZOP3-MPTF2C	Universal End Center	1911 2589	2037 2716	2163 2842	2413 3092	2665 3343	2916 3593	3166 3845	3419 4093	3919 4599
	Twin Side Panel, I										
	ZOP3-MPTM0U ZOP3-MPTM0C	Universal End Center	1131 1807	1215 1894	1299 1979	1470 2147	1639 2317	1808 2486	1979 2656	2147 2824	2486 3164
	Twin Side Panel, I		Screen								
امـــما	ZOP3-MPTM2U	Universal End	1683	1767	1852	2021	2192	2361	2531	2699	3037
	ZOP3-MPTM2C	Center	2360	2445	2531	2699	2868	3037	3207	3375	3717
	ORDERING NOTI	E: Side Panels wil	I only conn	ect to Ce	nter seatir	ng units. U	nits with P	rivacy Scre	en Option	n are not a	vailable

**ORDERING NOTE**: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 204 for dimensions and COM.

#### PRODUCT CODE KEY

I HODOUT GODE KET					
Line	Series	Chair Type	Height	Position	
ZOP	3	MPT	F0	U	
Zola	Lounge	Modular Side Panel Twin	Full Height	Universal (S or E)	
			F2	С	
			Full Height with Privacy Screen Option	Center /Interim	
			M0 Mid Height		
			M2		
			Mid Height with Privacy Screen Option		

## **ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9	
Twin Semi-Pri ZOP3-MSPTF ZOP3-MSPTF		ngle, Full H 964 1642	leight 1040 1719	1117 1796	1225 1904	1348 2028	1456 2134	1580 2258	1733 2412	1887 2566	
~	vate Side Panel, Si 10U Universal 10C Center	ngle, Mid H 827 1506	leight 876 1556	927 1606	996 1675	1078 1755	1146 1824	1227 1906	1327 2006	1426 2106	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 204 for dimensions and COM.

### PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

### **ZOLA PRIVACY | TWIN MODULAR ARMS**

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/M	10DEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1067 1759	1140 1819	1202 1880	1285 1964	1382 2061	1466 2146	1563 2242	1684 2363	1804 2484	
	Twin Modular Upholstered Arm v	//Urethane	Cap								
	ZOP3-MATUREU	1193	1266	1327	1411	1507	1591	1688	1809	1930	
	ZOP3-MATUREC	1885	1944	2006	2089	2186	2271	2367	2488	2609	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col		С
Solid Surface Arm Cap (per arm)	263	275	303	313

### PRODUCT CODE KEY

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

### **ZOLA PRIVACY** | CURVED - DIMENSIONS

### **DIMENSIONS**

		Width				Overall					
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping		
	Width	Arms	Depth	w/ Shelf	Height	w/Screen		Depth	Weight	Cubes	
Curved Single-Sea	t - Full He	eight Bac	k								
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15	
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19	
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24	
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36	
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12	
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13	
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15	
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16	
Curved Single-Sea	t - Mid He	eight Bac	k								
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13	
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16	
60° Inside Curve	48.5	54.5	30	42	37.5	50	18.5	20.25	83	20	
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28	
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10	
45° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12	
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13	
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14	
Curved Double-Se	at - Full H	eight Ba	ck								
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28	
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37	
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46	
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65	
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24	
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28	
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32	
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37	
Curved Double-Se	ot - Mid U	loight Da	ok								
30° Inside Curve	58	64	30	42	37.5	50	18.5	20.25	110	24	
45° Inside Curve	64.5	70.5	31.5	42 43.5	37.5 37.5	50 50	18.5	20.25	116	31	
60° Inside Curve		70.5 76.5				50 50	18.5			38	
	70.5		33	45 49	37.5			20.25	123		
90° Inside Curve	81	87	36	48	37.5	50	18.5	20.25	141	52	
30° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21	
45° Outside Curve	61	67	31	43	37.5	50	18.5	20.25	99	25	
60° Outside Curve	65.5	71.5	32	44	37.5	50	18.5	20.25	105	28	
90° Outside Curve	74.5	80.5	34.5	46.5	37.5	50	18.5	20.25	115	32	

### **Upcharge for Plus Upgrade Option:**

Option S	\$ List	Option	\$ List
Plus Upgrade -Single-seat curve 30° seat	92	Plus Upgrade -Double-seat curve 30° seat	145
Plus Upgrade -Single-seat curve 45° seat	106	Plus Upgrade -Double-seat curve 45° seat	172
Plus Upgrade -Single-seat curve 60° seat	118	Plus Upgrade -Double-seat curve 60° seat	184
Plus Upgrade -Single-seat curve 90° seat	158	Plus Upgrade -Double-seat curve 90° seat	210

### **ZOLA PRIVACY** | CURVED - COM REQUIREMENTS

### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea	t - Full H	eight Bacl	K									
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
Curved Single-Sea	nt - Mid H	eight Bac	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H	Height Bac	:k									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se	at - Mid I	Height Bad										
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

### Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	121

DESCRIPTION	/MODEL/SPECIES		COM 1	2	COL 3	FAE 4	BRIC GRA 5	DES 6	7	LEATHE 8	R 9
	Single-Seat, 30° Inside ZOP3-MCIS30DF0F	e Curve, Full Heigh	t Back 3267	3446	3625	3875	4161	4414	4697	5056	5414
	ORDERING NOTE: W - 42", 36" or 30" and c	Beech/Laminate Maple/Palette /hen ordering a bac chose required leg t	3855 3944 ck with S type belo	4035 4122 Shelf options w. Freest	4213 4300 on please tanding, S	Start and E	nd units w				
	Single-Seat, 30° Inside ZOP3-MCIS30DF2F						4726	4979	5264	5621	5979
	Single-Seat, 30° Inside ZOP3-MCIS30DM0F	e Curve, Mid Heigh	nt Back 3118	3274	3433	3652	3903	4122	4374	4688	5000
	Single-Seat, 30° Inside ZOP3-MCIS30DM1_  ORDERING NOTE: W	Beech/Laminate Maple/Palette	3707 3795	3865 3952	4020 4110	4242 4329 clearly sp	4491 4582 ecify on y	4711 4799 our order ti	4963 5051 he require	5276 5366 ed Shelf	5589 5679 Height
	- 36" or 30" and chose ance weight added to Single-Seat, 30° Inside ZOP3-MCIS30DM2F	each seat unit, ple	ase add	\$289 Lis	t upchar	ge per unit		the shelf op	4940	ire coun	terbal-
	Option Upcharges er & CAL 133(per yard) er unit)	\$ List 61 611 571 561	Du Re	ial Leg (fo movable	or Multiple Seat Cov	e-Seat, 30 e unit confi vers -Singlo ck covers	gurations) e-Seat, 30		<b>\$ List</b> 92 77 59 curved ba		
PRODUCT COD Line	Series	Chair Type	С	urve Style	;	Seat Degree		Back Type		Leg Type	e
ZOP Zola	3 Lounge	MC Modular Curve	Inside	IS Curve -Si	ngle	30D 45D	Full	F0 Height Back	k Fre	F estanding	] g Unit

DUCT CODE KE	Υ					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Uni
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

			COM		COL		RIC GRAD			EATHER	
ESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 45° Inside ZOP3-MCIS450DF0F	: Curve, Full Heig	jht Back 3664	3864	4060	4348	4671	4961	5284	5680	6113
<u> </u>	Single-Seat, 45° Inside	Curve Full Heic	iht Back	with She	ılf						
	ZOP3-MCIS45DF1_ I		4270	4467	4665	4954	5276	5563	5890	6285	6716
	1	Maple/Palette	4359	4558	4756	5043	5367	5656	5981	6373	6808
	ORDERING NOTE: W - 42", 36" or 30" and counterbalance weigh	chose required	leg type	below.	Freestand	ding, Start	and End	units with			
	Single-Seat, 45° Inside	Curve, Full Heig	ht Back	with Priv	acy Scree	en					
	ZOP3-MCIS45DF2F		4236	4434	4632	4921	5244	5533	5857	6253	6684
	Single-Seat, 45° Inside	Curve Mid Heir	nht Back								
	ZOP3-MCIS45DM0F	Carve, Wild Fleig	3469	3630	3790	4015	4273	4498	4757	5076	5403
	Single-Seat, 45° Inside		ght Back	with She	elf						
	ZOP3-MCIS45DM1_ I	Beech/Laminate Maple/Palette	4075 4163	4233 4323	4395 4485	4618 4710	4878 4968	5105 5194	5363 5450	5681 5771	6007
	ORDERING NOTE: W - 36" or 30" and che counterbalance weigh	ose required leg t added to each s	type be seat unit,	elow. Fre	eestandin add <b>\$289</b>	g, Start a <b>List</b> upcha	nd End i	inits with			
	Single-Seat, 45° Inside ZOP3-MCIS45DM2F	Curve, Mid Heig	ght Back 4041	with Priv 4201		en Option 4587	40.44	E070	5329		E070
	ZUF 3-10101343D101Z1				1262					5610	
				4201	4362	4307	4844	5070	3329	5649	5973
Cola Privacy (	Option Upcharges	\$ List		4201	4362	4307	4844	5070	\$ Lis		5973
/loisture Barri	er & CAL 133(per yard)	61	Plu	us Upgra	ıde -Singl	e-Seat, 45	° Curve		<b>\$ Lis</b>	<b>t</b>	5973
Moisture Barrio Seat Power (po		61 611	Plu Du	us Upgra al Leg (f	ide -Singl or Multipl	e-Seat, 45 e unit conf	° Curve ïgurations	s)	<b>\$ Lis</b>	<b>t</b> 6	3973
Moisture Barrio Seat Power (po Shelf Power	er & CAL 133(per yard)	61	Plu Du Re	us Upgra ial Leg (f	nde -Singl or Multipl e Seat Co	e-Seat, 45 e unit conf vers -Singl	° Curve figurations le-Seat, 4	s)	<b>\$ Lis</b> 106 77	<b>t</b> 6 7	3973
/loisture Barri	er & CAL 133(per yard) er unit)	61 611 571	Plu Du Re	us Upgra ial Leg (f	nde -Singl or Multipl e Seat Co	e-Seat, 45 e unit conf vers -Singl	° Curve figurations le-Seat, 4	s) 5° Curve	<b>\$ Lis</b> 106 77	<b>t</b> 6 7	397
Moisture Barrio Seat Power (po Shelf Power Sable Power	er & CAL 133(per yard) er unit)	61 611 571	Plu Du Re <b>N</b> o	us Upgra ial Leg (f	ide -Singl or Multipl e Seat Co ovable ba	e-Seat, 45 e unit conf vers -Singl	° Curve figurations le-Seat, 4 are not a	s) 5° Curve	<b>\$ Lis</b> 106 77	<b>t</b> 6 7	
Moisture Barric Seat Power (po Shelf Power Table Power RODUCT COD	er & CAL 133(per yard) er unit)	61 611 571 561	Plu Du Re <b>N</b> o	us Upgra ial Leg (f movable i <b>te:</b> Rem	ide -Singl or Multipl e Seat Co ovable ba	e-Seat, 45 e unit cont vers -Singl ack covers	° Curve figurations le-Seat, 4 are not a	s) 5° Curve vailable on	<b>\$ Lis</b> 106 77	t 5 7 1 packs	
Moisture Barrio Seat Power (po Shelf Power Table Power RODUCT COD	er & CAL 133(per yard) er unit)  E KEY  Series	61 611 571 561 Chair Type	Plu Du Re <b>No</b>	us Upgra lal Leg (f movable tte: Rem	ide -Singl or Multipl e Seat Co ovable ba	e-Seat, 45 e unit cont vers -Singl ack covers	° Curve figurations le-Seat, 49 are not av	s) 5° Curve vailable on Back Type	\$ Lis 100 77 6 curved b	t 6 7 1 packs Leg Typ	oe
Moisture Barric Seat Power (pr Shelf Power Fable Power  RODUCT COD  Line	er & CAL 133(per yard) er unit)  E KEY  Series	61 611 571 561 Chair Type	Plu Du Re <b>No</b>	us Upgra lal Leg (f emovable ote: Rem	ide -Singl or Multipl e Seat Co ovable ba	e-Seat, 45 e unit cont vers -Singl ack covers	° Curve figurations le-Seat, 49 are not av	s) 5° Curve vailable on Back Type	\$ Lis 100 77 6 curved b	t 6 7 1 backs Leg Typ	oe
Moisture Barric Seat Power (pr Shelf Power Sable Power ADDUCT COD Line ZOP	er & CAL 133(per yard) er unit)  E KEY  Series	61 611 571 561  Chair Type  MC  Modular Curve  MCB  Modular Curve	Plu Du Rei No C	us Upgra lal Leg (f movable ote: Rem surve Style	ide -Singl or Multipl e Seat Co ovable ba	e-Seat, 45 e unit conf vers -Singl ack covers Seat Degre	° Curve figurations e-Seat, 44 are not a e Full F	Back Type  F0  II Height Back  F1  Height Back	\$ Lis 100 77 66 curved b	t 6 7 1 backs Leg Typ F	pe
Moisture Barric Seat Power (pr Shelf Power Sable Power ADDUCT COD Line ZOP	er & CAL 133(per yard) er unit)  E KEY  Series	61 611 571 561 Chair Type MC MC Modular Curve	Plu Du Rei No C	us Upgraial Leg (f movable tote: Rem urve Style IS Curve -S	ide -Singl or Multipl e Seat Co ovable ba	e-Seat, 45 e unit cont vers -Singl ack covers  Seat Degre  30D  45D	° Curve figurations e-Seat, 44 are not a e Full F	Back Type  F0 II Height Back F1 Height Back Shelf Option	\$ Lis 100 77 66 curved b	t 6 7 1 1 0 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1	pe
Moisture Barric Seat Power (pr Shelf Power Sable Power ADDUCT COD Line ZOP	er & CAL 133(per yard) er unit)  E KEY  Series	61 611 571 561  Chair Type  MC  Modular Curve  MCB  Modular Curve	Plu Du Res <b>No</b> C	us Upgraial Leg (fimovable the: Rem	ade -Singlor Multiple Seat Co ovable ba	e-Seat, 45 e unit conf vers -Singl ack covers Seat Degre	° Curve figurations e-Seat, 4! are not a e Full I	Back Type  F0  II Height Back  F1  Height Back	\$ Lis 100 77 66 curved b	t 6 7 1 backs Leg Typ F recestandin	g Unit

OD

Outside Curve -Double

Mid Height Back with Shelf Option

M0

Mid Height Back

90D

Mid Height Back with Privacy Screen Options Е

End Unit

DECODIDE ON MODEL (ODEOLEO	COM	0	COL		BRIC GRAI			LEATHE	
DESCRIPTION/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
Single-Seat, 60° Inside Curve, Full He ZOP3-MCIS60DF0F	eight Back 4163	4414	4659	5017	5425	5779	6183	6679	7207
Single-Seat, 60° Inside Curve, Full He ZOP3-MCIS60DF1_ Beech/Laminat Maple/Palette		with She 5185 5278	elf 5434 5524	5791 5885	6195 6286	6552 6642	6956 7047	7450 7543	7981 8071
ORDERING NOTE: When ordering a - 42", 36" or 30" and chose require counterbalance weight added to each	d leg type	below.	Freestand	ing, Start	and End	units with			_
Single-Seat, 60° Inside Curve, Full He ZOP3-MCIS60DF2F	eight Back 4738	with Priv 4987	vacy Scree 5235	en 5591	5994	6353	6756	7253	7780
Single-Seat, 60° Inside Curve, Mid He ZOP3-MCIS60DM0F	eight Back 3966	4143	4321	4573	4860	5109	5395	5752	6111
Single-Seat, 60° Inside Curve, Mid He ZOP3-MCIS60DM1_ Beech/Laminat Maple/Palette		with She 4919 5009	elf 5097 5188	5347 5440	5633 5723	5885 5973	6169 6261	6526 6616	6885 6976
ORDERING NOTE: When ordering a - 36" or 30" and chose required to counterbalance weight added to each	eg type b	elow. Fre	eestanding	g, Start a	nd End u	nits with			
Single-Seat, 60° Inside Curve, Mid He ZOP3-MCIS60DM2F	eight Back 4540	with Pri 4718	vacy Scree 4897	en Option 5149	5434	5684	5970	6326	6685
Zola Privacy Option Upcharges \$ List  Moisture Barrier & CAL 133 (per yard) 61	Plı	ıs Unara	de - Single	-Seat 60	° Curve		<b>\$ List</b>		

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 60° Curve	118
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 60° Curve	82
Table Power	561	Note: Removable back covers are not available on	curved backs

DUCT CODE KE	Υ					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

									- 1		
DESCRIPTIO	N/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	ES 6	7	LEATHEF 8	l 9
	Single-Seat, 90° Inside of ZOP3-MCIS90DF0F	Curve, Full Height	Back 4755	5013	5275	5639	6057	6421	6839	7360	7881
	_	Beech/Laminate Maple/Palette en ordering a back hose required leg	5587 5680 k with Sh g type be	5847 5940 elf optior elow. Fre	estandir	ng, Start an	d End u				
	Single-Seat, 90° Inside (ZOP3-MCIS90DF2F	Curve, Full Height	Back wit 5660	h Privacy 5920	Screen 6183	6545	6963	7329	7744	8266	8786
	Single-Seat, 90° Inside of ZOP3-MCIS90DM0F	Curve, Mid Height	Back 4354	4559	4762	5047	5373	5660	5987	6394	6804
	_	Beech/Laminate Maple/Palette en ordering a back quired leg type bel	5185 5280 k with Sh low. Free	5391 5484 elf optior standing,	Start ar	nd End units					
	Single-Seat, 90° Inside CZOP3-MCIS90DM2F	Curve, Mid Height	Back wit 5261	h Privacy 5466	Screen 5670	Option 5955	6281	6567	6893	7298	7708
Zola Privacy	Option Upcharges	\$ List							\$ Lis	st	
Seat Power ( Shelf Power Table Power		61 611 571 561	Du Re	al Leg (fo movable	r Multipl Seat Co	le-Seat, 90° le unit config vers -Single- ack covers a	urations) -Seat, 90	° Curve	10	7 8	
RODUCT COI Line	Series	Chair Type	Cı	ırve Style		Seat Degree	E	Back Type		Leg Type	<del></del>
ZOP Zola	3 Lounge	MC  Modular Curve  MCB  Modular Curve  Plus		IS Curve -Sir ID Curve -Dor		30D 45D	Full He	F0 Height Bac F1 eight Back vertelf Option		F reestanding S Start Un	

	01/4/00=1/00=01=0	COM	_	COL		RIC GRAD			EATHER	
ESCRIPTION	ON/MODEL/SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Outside Curve, Full Heig ZOP3-MCOS30DF0F	ght Back 3098	3268	3438	3676	3948	4186	4458	4797	513
	Single-Seat, 30° Outside Curve, Full Heig	nht Back w	ith Shelf							
7	ZOP3-MCOS30DF1_ Beech/Laminate	3385	3555	3724	3962	4233	4470	4742	5083	542
$\rightarrow$	Maple/Palette	3469	3638	3809	4046	4318	4557	4827	5167	550
Υ'	ORDERING NOTE: When ordering a bac 42", 36" or 30" and chose required le counterbalance weight added to each se	g type be	low. Fre	estanding	, Start ar	ıd End un				
$\supset$	Single-Seat, 30° Outside Curve, Full Heig					4000	4500	4705	5405	- 4-
	ZOP3-MCOS30DF2F	3436	3606	3775	4014	4286	4523	4795	5135	5473
	Single-Seat, 30° Outside Curve, Mid Hei	nht Back								
	ZOP3-MCOS30DM0F	2986	3134	3281	3490	3728	3935	4172	4467	4769
7	Single-Seat, 30° Outside Curve, Mid Hei	ght Back w								
H	ZOP3-MCOS30DM1_ Beech/Laminate Maple/Palette	3270 3355	3419 3504	3565	3774 3860	4013 4095	4219 4305	4458 4542	4753 4838	505
	ORDERING NOTE: When ordering a bac 36" or 30" and chose required leg type be weight added to each seat unit, please a Single-Seat, 30° Outside Curve, Mid Hei	ck with She elow. Frees dd <b>\$289 L</b> i	elf option standing, i <b>st</b> upcha	Start and rge per ur	early spec End units nit.	ify on you	r order the	e required	Shelf H	_
	ZOP3-MCOS30DM2F	3323	3470	3617	3828	4064	4272	4510	4803	510
Zala Duissas	Ontion Unabourse							¢ L int		

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 30° Curve	92
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 30° Curve	59
Table Power	561	Note: Removable back covers are not available on o	curved backs

RODUCT CODE KEY						
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

							<b></b>		• • • •		
			COM		COL	FABI	RIC GRAD	ES	L	EATHER	
DESCRIPTION	/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Single-Seat, 45° Outsic ZOP3-MCOS450DF0F	e Curve, Full Hei	ght Back 3341	3510	3680	3918	4189	4427	4698	5037	5378
	Single-Seat, 45° Outsic ZOP3-MCOS45DF1_ E	Beech/Laminate Maple/Palette	3622 3707	3792 3875	3960 4045	4198 4285 clearly spe	4470 4557	4709 4794	4981 5065	5319 5404 d Shelf I	5659 5744 Height -
	42", 36" or 30" and cho balance weight added	se required leg ty	pe belov	w. Freest	tanding, S	tart and Er	nd units wi				
	Single-Seat, 45° Outsic ZOP3-MCOS45DF2F	e Curve, Full Hei	ght Back 3676	with Pri 3846	vacy Scre 4015	en 4254	4526	4764	5035	5373	5714
	Single-Seat, 45° Outsic ZOP3-MCOS45DM0F	e Curve, Mid Hei	ght Back 3221	3368	3515	3723	3960	4170	4408	4702	5004
	Single-Seat, 45° Outsic ZOP3-MCOS45DM1_ I		ght Back 3503 3587	with Sh 3648 3734	elf 3796 3880	4005 4088	4243 4326	4450 4536	4688 4772	4983 5067	5283 5368
1	ORDERING NOTE: Wh 36" or 30" and chose re weight added to each s	quired leg type b	elow.Free	estandin	g, Start an	d End unit					
	Single-Seat, 45° Outsic ZOP3-MCOS45DM2F	e Curve, Mid Hei	ght Back 3558	with Pri 3705	ivacy Scre 3850	en Option 4059	4296	4505	4742	5037	5339
Zola Privacy (	Option Upcharges	\$ List							\$ List		
Moisture Barrie Seat Power (po Shelf Power	er & CAL 133 (per yard) er unit)	61 611 571	Du	al Leg (f	or Multiple		o Curve igurations) e-Seat, 45		106 77 61		
Table Power		561	No	te: Rem	ovable ba	ck covers	are not av	ailable on	curved ba	acks	
PRODUCT COD Line	Series	Chair Type		urve Style	2	Seat Degree		Back Type		Leg Typ	
		MC MC		IS IS	-		, [			F Leg Typ	 ]
ZOP Zola	3 Lounge	Modular Curve	Ineida	Curve -S	inale	30D	Full	F0 Height Bac	k Fro	estanding	ı Unit
Σοια	Louinge	MCB	1113146	ID ID	910	45D	i uli	F1	110	S	]

PRODUCT CODE KEY	Υ					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Plus	IS Inside Curve -Single ID Inside Curve -Double	30D 45D	F0 Full Height Back F1 Full Height Back with Shelf Option	Freestanding Unit S Start Unit
			OS Outside Curve -Single	90D	F2 Full Height Back with Privacy Screen Option M0	C Center Unit
			Outside Curve -Double		Mid Height Back M1 Mid Height Back with Shelf Option	End Unit
					M2 Mid Height Back with Privacy Screen Options	

										_
DECODIDITION /N	IODEL (ODEOLEO	COM	0	COL		RIC GRAI			LEATHER	
	Single-Seat, 60° Outside Curve, Full Heiç ZOP3-MCOS60DF0F	1 ght Back 3481	3649	3820	4059	4330	6 4567	7 4840	5179	5518
	Single-Seat, 60° Outside Curve, Full Heig ZOP3-MCOS60DF1_ Beech/Laminate Maple/Palette  ORDERING NOTES: When ordering a bare-42", 36" or 30" and chose required leg terbalance weight added to each seat un	3760 3844 ack with type bel	3929 4013 Shelf opt ow. Free:	4100 4184 ion please standing,	Start and	End units				
	Single-Seat, 60° Outside Curve, Full Heiç ZOP3-MCOS60DF2F	ght Back 3799	with Priv 3970	vacy Scree 4140	en 4377	4650	4887	5159	5495	5836
	Single-Seat, 60° Outside Curve, Mid Hei ZOP3-MCOS60DM0F	ght Back 3367	3515	3663	3871	4108	4317	4554	4849	5150
	Single-Seat, 60° Outside Curve, Mid HeigzOP3-MCOS60DM1_ Beech/Laminate Maple/Palette  ORDERING NOTE: When ordering a bace - 36" or 30" and chose required leg type ance weight added to each seat unit, ple	3643 3729 ck with S below. F	3793 3877 helf option	3941 4023 on please ing, Start	and End u	ınits with t				_
	Single-Seat, 60° Outside Curve, Mid Hei ZOP3-MCOS60DM2F	ght Back 3685	with Priv 3833	vacy Scred	en Option 4188	4425	4635	4870	5167	5468

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Single-Seat, 60° Curve	118
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Single-Seat, 60° Curve	82
Table Power	561	Note: Removable back covers are not available on o	curved backs

PRODUCT CODE KEY	Y					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Plus	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	С
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	Е
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAI 5	DES 6	7	LEATHER 8	R 9
	Single-Seat, 90° Outside ZOP3-MCOS90DF0F	Curve, Full Heigh	nt Back 4196	4368	4537	4773	5046	5283	5556	5894	6234
	Single-Seat, 90° Outside ZOP3-MCOS90DF1_ B M ORDERING NOTE: Whe 42", 36" or 30" and chos balance weight added to	eech/Laminate laple/Palette en ordering a back se required leg typ	4463 4546 with Shoe below	4635 4717 nelf optio	4803 4887 n please inding, S	tart and End	units wi				
	Single-Seat, 90° Outside ZOP3-MCOS90DF2F	Curve, Full Heigh	nt Back v 4512	with Priva 4684	acy Scre 4853	en 5090	5363	5599	5870	6210	6550
	Single-Seat, 90° Outside ZOP3-MCOS90DM0F	Curve, Mid Heigl	ht Back 3761	3908	4056	4264	4500	4709	4945	5241	5544
	Single-Seat, 90° Outside ZOP3-MCOS90DM1_ B M ORDERING NOTE: Whe 36" or 30" and chose red weight added to each se	eech/Laminate laple/Palette en ordering a back juired leg type bel	4028 4110 with Show. Free	4174 4257 nelf optio estanding	4321 4403 n please , Start ar	nd End units					
	Single-Seat, 90° Outside ZOP3-MCOS90DM2F	Curve, Mid Heigl	ht Back 4076	with Priv 4222	acy Scre 4370	en Option 4581	4817	5024	5262	5557	5860
	Option Upcharges er & CAL 133 (per yard) er unit)	\$ List 61 611 571 561	Du Re	al Leg (fo movable	or Multipl Seat Co	yle-Seat, 90° le unit config overs -Single- ack covers a	urations) Seat, 90	0° Curve	10	58 77 08	
PRODUCT COL	DE KEY Series	Chair Type		Curve Style		Seat Degree		Back Type		Leg Typ	
ZOP	3 Lounge	MC Modular Curve MCB Modular Curve Plus	Inside	IS  Curve -S  Curve -D  OS  de Curve -S	iingle ouble	30D 45D 60D 90D	Full I	F0  Ill Height Ba  F1  Height Back Shelf Option  F2  Height Back cy Screen O  M0  d Height Ba	with with option	F Freestandir S Start U C Center U	ng Unit

			СОМ		COL	FAB	RIC GRA	DES		LEATHE	R
DESCRIPTION	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Insid ZOP3-MCID30DF0F	e Curve, Full Heigh	t Back 4708	4996	5284	5689	6154	6557	7018	7594	8173
	Double-Seat, 30° Insid	e Curve. Full Heigh	ıt Back v	vith Shelf	:						
	ZOP3-MCID30DF1_	Beech/Laminate	5443	5731	6019	6424	6886	7291	7754	8329	8908
		Maple/Palette	5535	5823	6113	6517	6980	7385	7844	8422	8998
	ORDERING NOTE: WI 42", 36" or 30" and ch balance weight added	ose required leg ty	pe below	<i>ı</i> . Freesta	ınding, S	tart and End	d units wi				
	Double-Seat, 30° Insid	e Curve, Full Heigh	t Back v	vith Priva	cy Scree	n					
	ZOP3-MCID30DF2F		5608	5896	6185	6589	7051	7457	7917	8494	9072
	Double-Seat, 30° Insid	e Curve Mid Heigh	nt Back								
	ZOP3-MCID30DM0F	o odi vo, ivila i loigi	4456	4698	4944	5288	5680	6021	6414	6903	7393
1											
	Double-Seat, 30° Insid	e Curve, Mid Heigh	nt Back v	with Shelf	F						
	ZOP3-MCID30DM1_		5189	5434	5680	6021	6414	6756	7149	7636	8129
		Maple/Palette	5282	5526	5772	6115	6507	6849	7241	7731	8221
. 1 .	ORDERING NOTE: WI 36" or 30" and chose re weight added to each	equired leg type be	low. Free	standing	, Start ar	nd End units					
	Double-Seat, 30° Insid	e Curve, Mid Heigh			-		0500	0004	7045	7000	0000
	ZOP3-MCID30DM2F		5353	5599	5845	6187	6580	6921	7315	7803	8292
Zola Privacy	Option Upcharges	\$ List							\$ List		
Moisture Barr	ier & CAL 133 (per yard)	61	Plu	s Upgrad	de - Doul	ole-Seat, 30	° Curve		145		
	per unit)	611				e unit config			77		
Shelf Power Table Power		571 561				vers -Double ack covers a	-		89 curved ba	acks	
PRODUCT COD	DE KEY										
Line	Series	Chair Type	Cı	urve Style		Seat Degree	E	Back Type		Leg Type	<del></del>
ZOP	3	MC	ſ	IS		30D		F0		F	
Zola	Lounge	Modular Curve	Inside	Curve -Sir	ngle		Full	Height Bacl	k Fre	estanding	Unit
	ŭ	MCB		ID		45D		F1		S	
		Modular Curve	Inside (	Curve -Do	uble			eight Back v	vith	Start Un	it
		Plus	Г	OS		60D	S	helf Option F2		С	
			Outside	Curve -S	ingle	005		eight Back v		Center U	nit
			г	0.0		000		y Screen Op	uon	F	

OD

Outside Curve -Double

Mid Height Back with Shelf Option

M1

M0

Mid Height Back

E

End Unit

Mid Height Back with Privacy Screen Options

DESCRIPTION	I/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	IC GRAD	DES 6	7	LEATHER 8	9
	Double-Seat, 45° Inside ZOP3-MCID45DF0F	e Curve, Full Heigh	t Back 5105	5397	5691	6106	6580	6994	7466	8055	8654
	Double-Seat, 45° Inside ZOP3-MCID45DF1_ E		t Back v 5868 5962	with Shelf 6161 6256	6457 6550	6871 6966	7344 7438	7759 7855	8232 8325	8820 8914	9417 9513
	ORDERING NOTE: Wh 42", 36" or 30" and cho balance weight added	ose required leg typ	oe belov	v. Freesta	nding, S	tart and En	d units w				_
	Double-Seat, 45° Inside ZOP3-MCID45DF2F	e Curve, Full Heigh	t Back v 6013	with Priva 6306	cy Scree 6601	n 7017	7489	7903	8374	8964	9563
	Double-Seat, 45° Inside ZOP3-MCID45DM0F	e Curve, Mid Heigh	t Back 4860	5112	5367	5728	6138	6498	6910	7417	7943
		Beech/Laminate Maple/Palette	5623 5718	5877 5971	6132 6226	6493 6585	6903 6996	7262 7358	7673 7767	8181 8275	8708 880
	36" or 30" and chose re weight added to each s		ow. Free	estanding	, Start an	d End units					
	36" or 30" and chose re	equired leg type bel seat unit, please ac	ow. Free ld <b>\$289</b>	estanding <b>List</b> upch	, Start an large per	d End units unit.					oaland
Zola Privacy	36" or 30" and chose re weight added to each s  Double-Seat, 45° Inside	equired leg type bel seat unit, please ac	ow. Freedld \$289	estanding List upch	, Start an large per cy Scree	d End units unit. on Option	with the	shelf option	n requir	e counterl	oaland
Moisture Barri Seat Power (p Shelf Power	36" or 30" and chose reweight added to each s  Double-Seat, 45° Inside ZOP3-MCID45DM2F	equired leg type bel seat unit, please ac e Curve, Mid Heigh	ow. Freedows 18 September 19 Se	estanding List upch with Priva 6021  us Upgracial Leg (fo movable	, Start an narge per cy Scree 6274 le - Douk r Multiple Seat Cov	d End units unit. on Option	7047 7047 7047 7047	7408	7817 <b>\$ Li</b> :	8325  st 72 77 97	oaland
Moisture Barri Seat Power (p Shelf Power Table Power	36" or 30" and chose reweight added to each some properties of the weight added to each some properties of the	equired leg type belseat unit, please acce Curve, Mid Height \$\frac{\partial}{2}\$ List 61 611 571	ow. Freed of \$289  It Back v 5767  Plu Du Re No	estanding List upch with Priva 6021  us Upgracial Leg (fo movable	, Start an narge per cy Scree 6274 le - Dout r Multiple Seat Cov vable ba	nd End units unit. n Option 6637  ole-Seat, 45 e unit configers -Doubl	7047 7047 Go Curve gurations e-Seat, 4 are not av	7408	7817 <b>\$ Li</b> :	8325 <b>st</b> 72 77	8853
Moisture Barri Seat Power (p Shelf Power Table Power	36" or 30" and chose reweight added to each seem seem seem seem seem seem seem see	squired leg type belseat unit, please ac e Curve, Mid Heigh \$ List 61 611 571 561	ow. Freed to \$289  It Back v 5767  Plu Du Re No  Inside	us Upgracal Leg (fomovable Remo	, Start an arge per cy Scree 6274	ole-Seat, 45 e unit configurers -Doubleck covers a	7047 7047 7047 7047 Full Full Full Full Full Full Full Full	7408 7408 ) 5° Curve vailable on 6	7817  \$ List 17 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	8325 st 72 77 backs	e Unit

Mid Height Back with Shelf Option

M2

Mid Height Back with Privacy Screen Options

DECODE STATE	I/MODEL /ODEOJEO		COM	0	COL		RIC GRAD			LEATHE	
DESCRIPTION	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 60° Insid ZOP3-MCID60DF0F	e Curve, Full Heigl	nt Back 5629	5965	6301	6788	7338	7824	8373	9047	9774
		e Curve, Full Heigl Beech/Laminate Maple/Palette	nt Back w 6444 6540	vith Shelf 6783 6876	7120 7213	7606 7700	8156 8250	8642 8736	9193 9287	9865 9960	
	ORDERING NOTE: WI 42", 36" or 30" and che balance weight added	nen ordering a bac ose required leg ty	k with Sh	nelf option v. Freestan	please c	learly spec ort and End	cify on you	ur order the	require	d Shelf H	leight
	Double-Seat, 60° Insid ZOP3-MCID60DF2F	e Curve, Full Heigl	nt Back w 6542	vith Privac 6879	/ Screen 7217	7703	8254	8738	9290	9962	10690
	Double-Seat, 60° Insid ZOP3-MCID60DM0F	e Curve, Mid Heig	ht Back 5322	5604	5881	6281	6733	7131	7584	8141	8725
	Double-Seat, 60° Insid ZOP3-MCID60DM1_		ht Back v 6140 6234	vith Shelf 6421 6515	6700 6793	7098 7191	7550 7644	7947 8043	8400 8494	8960 9054	9543 9639
17.	ORDERING NOTE: WI 36" or 30" and chose re weight added to each	equired leg type be	low. Free	standing,	Start and	End units					
				<b>Liot</b> apond	igo poi c	11111.					
	Double-Seat, 60° Insid ZOP3-MCID60DM2F	e Curve, Mid Heig	ht Back v 6238				7647	8045	8496	9056	964
Zola Privacy		e Curve, Mid Heig \$ <b>L</b> ist		vith Privac	y Screen	Option	7647	8045	8496 <b>\$ List</b>		964
	ZOP3-MCID60DM2F	<b>\$ List</b> 61	6238	vith Privac	y Screen 6796	Option 7194		8045			9641
Moisture Barr Seat Power (p	ZOP3-MCID60DM2F  Option Upcharges	<b>\$ List</b> 61 611	6238 Plu Dua	vith Privac 6517 s Upgrade al Leg (for	y Screen 6796 - Double Multiple	Option 7194 e-Seat, 60 unit config	° Curve jurations)		<b>\$ List</b> 175 77		9641
Moisture Barr Seat Power (p Shelf Power	ZOP3-MCID60DM2F  Option Upcharges rier & CAL 133 (per yard)	<b>\$ List</b> 61	6238 Plu Dua Rer	vith Privac 6517 s Upgrade al Leg (for movable S	y Screen 6796 - Double Multiple eat Cove	Option 7194 e-Seat, 60 unit config ers -Double	° Curve jurations) e-Seat, 60		<b>\$ List</b> 175 77 118		9641
Moisture Barr Seat Power (p Shelf Power Table Power	ZOP3-MCID60DM2F  Option Upcharges  rier & CAL 133 (per yard) oper unit)	\$ List 61 611 571	6238 Plu Dua Rer	vith Privac 6517 s Upgrade al Leg (for movable S	y Screen 6796 - Double Multiple eat Cove	Option 7194 e-Seat, 60 unit config ers -Double	° Curve jurations) e-Seat, 60	)° Curve	<b>\$ List</b> 175 77 118		9641
Moisture Barr Seat Power (p Shelf Power Table Power	ZOP3-MCID60DM2F  Option Upcharges  rier & CAL 133 (per yard) oper unit)	\$ List 61 611 571	Plu Dua Rer <b>No</b>	vith Privac 6517 s Upgrade al Leg (for movable S	y Screen 6796 - Double Multiple eat Cove able bac	Option 7194 e-Seat, 60 unit config ers -Double	° Curve jurations) ∋-Seat, 60 ire not ava	)° Curve	<b>\$ List</b> 175 77 118		
Moisture Barr Seat Power (p Shelf Power Table Power	Option Upcharges rier & CAL 133 (per yard) oper unit)  DE KEY	\$ List 61 611 571 561	Plu Dua Rer <b>No</b>	vith Privac 6517 s Upgrade al Leg (for movable S <b>te:</b> Remov	y Screen 6796 - Double Multiple eat Cove able bac	Option 7194 e-Seat, 60 unit config ers -Double k covers a	° Curve jurations) ∋-Seat, 60 ire not ava	)° Curve ailable on c	<b>\$ List</b> 175 77 118	acks	
Moisture Barr Seat Power (p Shelf Power Table Power	Option Upcharges rier & CAL 133 (per yard) oper unit)  DE KEY  Series	\$ List 61 611 571 561  Chair Type  MC  Modular Curve	Plu Dua Rer <b>No</b>	s Upgrade al Leg (for movable S te: Remov	y Screen 6796 - Doubli Multiple eat Cove able bac	Option 7194 e-Seat, 60 unit config ers -Double k covers a	° Curve jurations) e-Seat, 60 re not ava	O° Curve ailable on c ack Type FO Height Back	\$ List 175 77 118 urved ba	Leg Type F estanding	
Moisture Barr Seat Power (p Shelf Power Table Power PRODUCT COL Line	Option Upcharges rier & CAL 133 (per yard) oper unit)  DE KEY  Series	\$ List 61 611 571 561  Chair Type  MC  Modular Curve  MCB  Modular Curve	Plu Dua Rer No	s Upgradeal Leg (for movable Ste: Remov	y Screen 6796 - Double Multiple eat Cove able bac	Option 7194 e-Seat, 60 unit config ers -Double k covers a	° Curve jurations) e-Seat, 60 re not ava B	O° Curve ailable on c sack Type F0 Height Back F1	\$ List 175 77 118 urved ba	ecks Leg Type	· Unit
Moisture Barr Seat Power (p Shelf Power Table Power PRODUCT COL Line	Option Upcharges rier & CAL 133 (per yard) oper unit)  DE KEY  Series	\$ List 61 611 571 561  Chair Type MC Modular Curve MCB	Plu Dua Rer No	s Upgrade al Leg (for movable Ste: Remov	y Screen 6796 - Double Multiple eat Cove able bac	Option 7194 e-Seat, 60 unit config ers -Double k covers a	° Curve jurations) e-Seat, 60 re not ava B	0° Curve ailable on c fack Type F0 Height Back F1	\$ List 175 77 118 urved ba	Leg Type F estanding S	· Unit
Moisture Barr Seat Power (p Shelf Power Table Power PRODUCT COL Line	Option Upcharges rier & CAL 133 (per yard) oper unit)  DE KEY  Series	\$ List 61 611 571 561  Chair Type  MC  Modular Curve  MCB  Modular Curve	Plu Dua Rer No	s Upgrade al Leg (for movable S te: Remov	y Screen 6796  - Double Multiple eat Cove able bac	Option 7194  e-Seat, 60 unit configers -Double k covers a eat Degree  30D	° Curve jurations) e-Seat, 60 re not ava  Full He	O° Curve ailable on c sack Type F0 Height Back F1 sight Back wielf Option	\$ List 175 77 118 urved ba	Leg Type F estanding S Start Uni	Unit
Moisture Barr Seat Power (p Shelf Power Table Power PRODUCT COL Line	Option Upcharges rier & CAL 133 (per yard) oper unit)  DE KEY  Series	\$ List 61 611 571 561  Chair Type  MC  Modular Curve  MCB  Modular Curve	Plu Dua Rer No	s Upgrade al Leg (for movable S te: Remov	y Screen 6796  - Double Multiple eat Cove able bac	Option 7194  e-Seat, 60 unit configers -Double k covers a eat Degree  30D	Curve jurations) e-Seat, 60 ire not ava  Full Full He Sh Full He Privacy	O° Curve ailable on c  iack Type  F0  Height Back  F1  ight Back wi nelf Option  F2  ight Back wi	\$ List 175 77 118 urved ba	Leg Type F estanding S Start Uni	Unit t

M1 Mid Height Back with Shelf Option

Mid Height Back with Privacy Screen Options

						_`				00.1	
			COM		COL		IC GRAD			LEATHER	
DESCRIPTION/N	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 90° Insid ZOP3-MCID90DF0F	de Curve, Full Hei	ght Back 6607	6956	7308	7820	8394	8909	9485	10185	10964
	Double-Seat, 90° Insid ZOP3-MCID90DF1_	de Curve, Full Hei Beech/Laminate Maple/Palette	7499	7847	8200	8712	9289	9801	10377	11077	
	ORDERING NOTE: W - 42", 36" or 30" and terbalance weight add	/hen ordering a ba	g type be	elow. Fre	estandin <sub>:</sub>	g, Start and	End units				f Heig
	Double-Seat, 90° Insid ZOP3-MCID90DF2F	de Curve, Full Hei	ght Back 7564	with Pri 7913	vacy Scr 8265	reen 8779	9351	9865	10441	11142	11919
	Double-Seat, 90° Insid ZOP3-MCID90DM0F	de Curve, Mid Hei	ight Bac	k 6415	6694	7092	7544	7943	8394	8956	9538
	Double-Seat, 90° Insid ZOP3-MCID90DM1_ ORDERING NOTE: W - 36" or 30" and chose ance weight added to	Beech/Laminate Maple/Palette /hen ordering a bae e required leg type	7028 7124 ack with	7309 7403 Shelf op Freestan	7587 7683 tion pleading, Sta	art and End u	units with				1052 f Heig
	Double-Seat, 90° Insid ZOP3-MCID90DM2F	de Curve, Mid Hei	ight Baci 7092	k with Pr 7372	ivacy Sci 7651	reen Option 8048	8500	8898	9351	9913	1049
Zola Privacy O	ption Upcharges	\$ List							\$ Lis	st	
Moisture Barrier Seat Power (pe Shelf Power Table Power	r & CAL 133 (per yard) r unit)	61 611 571 561	Di Re	ual Leg (f emovable	or Multip Seat Co	uble-Seat, 90 ble unit confi overs - Doub back covers	gurations ble-Seat,	90° Curve	12	7 1	
PRODUCT CODE		Ob air Tora		Ot. I.		0t D		Daala Tara		Las Tor	_
Line 	Series	Chair Type		urve Style		Seat Degree		Back Type		Leg Typ	ਾਦ 
ZOP Zola	3 Lounge	MC Modular Curve	Inside	IS Curve -Si	ingle	30D	Ful	F0 I Height Ba	ck Fi	reestandin	g Unit
		Modular Curve Plus	Inside	Curve -Do	ouble	45D		F1 leight Back Shelf Option		Start Ur	l nit
			Outside	OS e Curve -S	Single	60D		F2 leight Back		C Center L	Init
						000		N40		F	1

OD

Outside Curve -Double

Mid Height Back with
Privacy Screen Options
SEATING & OCCASIONAL TABLES | USA | 222

M0

Mid Height Back

M1
Mid Height Back with Shelf Option
M2

90D

Е

End Unit

			COM		COL		RIC GRAI			LEATHE	
ESCRIPTIO	N/MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Outsi ZOP3-MCOD30DFOF	de Curve, Full Hei	ght Back 4375	4647	4920	5299	5734	6114	6546	7091	763
	Double-Seat, 30° Outsi	de Curve. Full Hei	aht Back	with She	lf						
	ZOP3-MCOD30DF1_		4910 4999	5182 5271	5454 5544	5835 5923	6269 6359	6649 6737	7083 7173	7627 7714	817 825
	ORDERING NOTES: W - 42", 36" or 30" and ch balance weight added	ose required leg ty	ype below	v. Freesta	nding, St	tart and End	d units wit				
	Double-Seat, 30° Outsi	de Curve, Full Hei	ght Back	with Priv	acy Scre	en					
	ZOP3-MCOD30DF2F	, ,	4945	5218	5490	5870	6305	6684	7119	7661	820
	Double-Seat, 30° Outsi	de Curve. Mid Hei	aht Back								
	ZOP3-MCOD30DMOF	, , , , ,	4189	4417	4641	4959	5320	5637	5997	6448	690
	Double-Seat, 30° Outsi	·	ght Back 4725	with She	lf 5178	5493	5855	6172	6533	6984	74
		Maple/Palette	4814	5040	5266	5582	5945	6261	6622	7074	75
	Double-Seat, 30° Outsi ZOP3-MCOD30DM2F	de Curve, Mid Hei	ght Back 4760	with Priv 4987	acy Scre 5212	en Option 5530	5891	6208	6568	7020	74
ola Privacy	Option Upcharges	\$ List							\$ List		
	ier & CAL 133 (per yard)	61				le-Seat, 30°			145		
eat Power (p shelf Power	per unit)	611 571				unit configers -Double		0° Curve	77 89		
able Power		561				ck covers a				acks	
RODUCT COI				0.1							
Line	Series	Chair Type		ırve Style		Seat Degree	E	Back Type		Leg Type	<del></del>
ZOP Zola	3 Lounge	MC Modular Curve	Inside	IS Curve -Sir	ale	30D	Full	F0 Height Bac	k Fre	F estanding	ı Unit
2014	Louingo	MCB		ID	gio	45D	i un	F1		S	, 011110
		Modular Curve Plus	Inside (	Curve -Do	uble	.02		eight Back v	with	Start Un	it
		Plus		OS		60D	51	F2		С	
			Outside	Curve -Si	ngle			eight Back v / Screen Op		Center Ur	nit
			Outside	OD Curve -Do	ouble	90D		M0 Height Bac		End Uni	t
								M1 eight Back v	with		
								140			

Mid Height Back with Privacy Screen Options

DESCRIPTION	J/MODEL/SPECIES		COM 1	2	COL 3	FABRI 4	C GRAD	ES 6	ا 7	LEATHER 8	9
	Double-Seat, 45° Outsid ZOP3-MCOD45DFOF	de Curve, Full He			5113	5493	5929	6309	6743	7287	7830
	Double-Seat, 45° Outsid ZOP3-MCOD45DF1_ E N	Beech/Laminate Maple/Palette	5107 5195	5378 5467	5650 5738	6030 6117	6465 6554	6843 6935	7279 7366	7821 7911	8366 8453
•	42", 36" or 30" and cho balance weight added t	se required leg ty	pe below	. Freesta	anding, S	Start and End	units wi				
	Double-Seat, 45° Outsic ZOP3-MCOD45DF2F	de Curve, Full He	ight Back 5140	with Pri	vacy Scr 5685	een 6063	6499	6879	7315	7858	8400
	Double-Seat, 45° Outsic ZOP3-MCOD45DMOF	de Curve, Mid He	ight Back 4363	4588	4816	5132	5492	5809	6170	6623	7075
	ORDERING NOTE: Wh 36" or 30" and chose red	Beech/Laminate Maple/Palette en ordering a bac quired leg type be	4898 4987 ck with Shelow. Free	5125 5212 elf optio standing	5349 5440 on please g, Start ar	nd End units					
	weight added to each s  Double-Seat, 45° Outsic ZOP3-MCOD45DM2F	-					6062	6379	6742	7193	7646
Zola Privacy	Option Upcharges	\$ List							\$ Lis	t	
	ier & CAL 133 (per yard) eer unit)	61 611 571					C		172		
		561	Rer	novable	or Multipl Seat Co	ble-Seat, 45' le unit config vers - Doubl ack covers a	urations) e-Seat, 4	5° Curve	77 97	7 7	
PRODUCT COD	DE KEY Series		Rer <b>No</b>	novable	or Multipl Seat Co ovable ba	e unit config vers - Doubl	urations) e-Seat, 4 re not av	5° Curve	77 97	7 7	e

DESCRIPTION	N/MODEL/SPECIES		COM 1	2	COL 3	FABF 4	RIC GRAD	DES 6	7	LEATHEF 8	R 9
The second secon	Double-Seat, 60° Ou ZOP3-MCOD60DFO		-		5352	5733	6166	6546	6982	7524	806
	Double-Seat, 60° Ou ZOP3-MCOD60DF1_			with Shel 5614 5701	5887 5972	6266 6353	6700 6786	7081 7166	7515 7602	8058 8145	859 868
1	ORDERING NOTE: N 42", 36" or 30" and o balance weight adde	chose required leg t	type below.	. Freestan	ding, Sta	art and End	units wit				
	Double-Seat, 60° Ou ZOP3-MCOD60DF2F		eight Back 5379	with Priva 5651	icy Scree	en 6301	6736	7117	7551	8095	863
	Double-Seat, 60° Ou ZOP3-MCOD60DMC		eight Back 4570	4796	5023	5340	5700	6017	6378	6832	728
	Double-Seat, 60° Ou ZOP3-MCOD60DM1		•	with Shel 5329 5416	f 5556 5642	5871 5959	6232 6319	6548 6637	6912 6997	7363 7449	78 <sup>-</sup> 790
	weight added to each Double-Seat, 60° Ou ZOP3-MCOD60DM2	tside Curve, Mid H					6269	6585	6947	7399	784
Zola Privacy	Option Upcharges	\$ List							\$ List		
Moisture Barri Seat Power (p Shelf Power Table Power	ier & CAL 133 (per yard per unit)	-	Dua Rer	al Leg (for novable S	Multiple eat Cove	le-Seat, 60° unit config ers - Doubl :k covers a	urations) e-Seat, 6		184 77 118		
Moisture Barri Seat Power (p Shelf Power	ier & CAL 133 (per yard per unit)	d) 61 611 571	Dua Rer <b>Not</b>	al Leg (for novable S	Multiple seat Cove able bac	unit config ers - Doubl	urations) e-Seat, 6 re not ava		184 77 118		
Moisture Barri Seat Power (p Shelf Power Table Power	ier & CAL 133 (per yard per unit) DE KEY	d) 61 611 571 561	Dua Rer Not	al Leg (for movable S te: Remov	Multiple deat Coverable back vable back gle ble	unit config ers - Doubl ck covers a	erations) Se-Seat, 60 Fe not ava  Full Full He St  Full He Privacy	ailable on c	184 77 118 curved back Free vith	acks	Unit t

M2 Mid Height Back with Privacy Screen Options

					COL FABRIC GRADES LE				I EATHED		
DESCRIPTION/	/MODEL/SPECIES		COM 1	2	COL 3	FABR 4	C GRAD 5	ES 6	7	LEATHER 8	9
	Double-Seat, 90° Outsic ZOP3-MCOD90DF0F	le Curve, Full He	ight Bac 5390	k 5661	5933	6313	6747	7128	7562	8106	8648
	Double-Seat, 90° Outsic ZOP3-MCOD90DF1_ E N ORDERING NOTES: WI - 42", 36" or 30" and chu balance weight added to	eech/Laminate Maple/Palette nen ordering a ba ose required leg t	5917 6004 ack with type belo	6188 6274 Shelf op w. Frees	6461 6546 tion pleas tanding,	Start and En	d units w				
	Double-Seat, 90° Outsic ZOP3-MCOD90DF2F	le Curve, Full He	ight Bac 5950	k with Pr 6223	ivacy Sc 6495	reen 6873	7309	7689	8123	8666	9208
	Double-Seat, 90° Outsic ZOP3-MCOD90DM0F	e Curve, Mid He	eight Bac 5245	k 5556	5866	6346	6873	7355	7882	8505	9274
	Double-Seat, 90° Outsic ZOP3-MCOD90DM1_ E N ORDERING NOTES: WI - 36" or 30" and chose re weight added to each se	eech/Laminate Maple/Palette nen ordering a ba equired leg type b	5772 5861 ack with pelow. Fre	6083 6169 Shelf op eestandir	6394 6481 tion pleasing, Start a	and End units					
	Double-Seat, 90° Outsic ZOP3-MCOD90DM2F	le Curve, Mid He	eight Bac 5807	k with Pr 6116	ivacy Sc 6428	reen Option 6910	7436	7915	8443	9064	9837
Zola Privacy C	Option Upcharges	\$ List							\$ Lis	st	
Moisture Barrie Seat Power (pe Shelf Power Table Power	er & CAL 133 (per yard) er unit)	61 611 571 561	Du Re	ıal Leg (fe movable	or Multip Seat Co	ible-Seat, 90 le unit confiç overs - Doub ack covers a	jurations) le-Seat, 9	90° Curve	21 7 12	0 77 21	
Line	Series	Chair Type	C	urve Style	<b>)</b>	Seat Degree		Back Type		Leg Typ	е
ZOP Zola	3 Lounge	MC  Modular Curve  MCB  Modular Curve  Plus	Inside Outsid	IS Curve -S ID Curve -D OS e Curve -S e Curve -S OD e Curve -C	ouble Single	30D 45D 60D 90D	Full H S Full H Privac Mic Mid H S	F0 I Height Back F1 leight Back Shelf Option F2 leight Back by Screen Op M0 I Height Back M1 Height Back Shelf Option M2 Leight Back	with with ption ck with	Freestandin S Start Ur C Center U E End Un	nit

## **ZOLA PRIVACY | SIDE PANELS**

		COM		COL	FAI	BRIC GRA	DES		LEATHE	R	
DESCRIPTION/	MODEL/SPECIES		1	2	3	4	5	6	7	8	9
	Side Panel, Single ZOP3-MPF0S ZOP3-MPF0C ZOP3-MPF0E	e, Full Height No S Start Center End	creen 903 1164 903	987 1248 987	1071 1332 1071	1242 1503 1242	1411 1670 1411	1581 1840 1581	1749 2009 1749	1920 2178 1920	2258 2517 2258
	Side Panel, Single ZOP3-MPF2S ZOP3-MPF2C ZOP3-MPF2E	e, Full Height with Start Center End	Screen 1184 1443 1184	1269 1530 1269	1353 1613 1353	1521 1782 1521	1692 1954 1692	1861 2122 1861	2031 2292 2031	2200 2461 2200	2539 2799 2539
	Side Panel, Single ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E	e, Mid Height No S Start Center End	Screen 731 1002 731	790 1058 790	846 1115 846	963 1229 963	1078 1345 1078	1192 1460 1192	1307 1575 1307	1421 1689 1421	1650 1920 1650
	Side Panel, Single ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E	e, Mid Height with Start Center End	Screen 1013 1282 1013	1069 1339 1069	1127 1396 1127	1244 1512 1244	1358 1625 1358	1474 1740 1474	1588 1855 1588	1703 1968 1703	1933 2200 1933

**ORDERING NOTE**: Side Panels will only connect to Center seating units. Units with Privacy Screen Option are not available with Removable Back Cover option. See <u>page</u> 193 for Dimensions and COM.

THOUSEN CODE NET					
Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
			Full Height with Privacy Screen Option	Center	
			MO	Е	
			Mid Height	End	
			M2		
			Mid Height with Privacy Screen Option		

### **ZOLA PRIVACY | SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM		COL	FAE	FABRIC GRADES			LEATHER		
DESCRIPTION/	MODEL		1	2	3	4	5	6	7	8	9	
	Semi-Private Side Panel, Single											
	ZOP3-MSPF0S	Start	556	599	642	729	816	904	990	1079	1252	
	ZOP3-MSPF0C	Center	817	862	907	992	1080	1166	1253	1340	1514	
	ZOP3-MSPF0E	End	556	599	642	729	816	904	990	1079	1252	
	Semi-Private Side	Panel, Single,	Mid Height									
	ZOP3-MSPM0S	Start	490	529	564	640	716	790	866	940	1089	
	ZOP3-MSPM0C	Center	759	796	834	910	984	1059	1135	1209	1360	
	ZOP3-MSPM0E	End	490	529	564	640	716	790	866	940	1089	

**ORDERING NOTE**: Semi-Private Side Panels will only connect to Center seating units.

#### PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3 Lounge	MSP  Modular Semi-Private Side Panel	F0 Full Height M0 Mid Height	S Start  C Center	
				End	

### **ZOLA PRIVACY | MODULAR ARMS**

	COM COL FA		FAI	FABRIC GRADES LEATHER			:R				
DESCRIPTION	/MODEL	1	2	3	4	5	6	7	8	9	
	Modular Upholstered Arm ZOP3-MAUPHL* ZOP3-MAUPHR ZOP3-MAUPHC	669 669 747	705 705 784	741 741 819	813 813 891	886 886 964	957 957 1036	1030 1030 1108	1100 1100 1180	1245 1245 1324	
	Modular Upholstered Arm w/Ur ZOP3-MAUREL ZOP3-MAURER* ZOP3-MAUREC	ethane Cap 800 800 863	837 837 898	871 871 935	943 943 1008	1016 1016 1080	1087 1087 1150	1160 1160 1223	1231 1231 1294	1377 1377 1439	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	Grade A-Col		С
Solid Surface Arm Cap (per arm)	123	130	144	150

Line	Series	Type	Arm	Position	
ZOP Zola	3 Lounge	MA Modular Arm	UPH Upholstered	L Left Hand Facing	
			URE Upholstered Arm w/Urethane Cap	Right Hand facing	
			SSC Upholstered Arm w/Solid Surface Can	Center	

### **ZOLA PRIVACY** | TWIN CURVED - DIMENSIONS & COM REQUIREMENTS

DI	M	ΕI	NSI	10	NS
----	---	----	-----	----	----

		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Sing	le-Seat - Fu	ll Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Sing	le-Seat - Mi	d Height Ba	ck						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Dou	ble-Seat - Fu	ıll Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Dou	ble-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

#### **COM YARDAGES**

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs
Curved Sing	le-Seat - Full H	leight Back						
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6	20.8
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	27
Curved Sing	le-Seat - Mid I	leight Back						
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5
60° Curve	10.2	18.4	27.6	36.8	5	8	12	16
90° Curve	10.5	21	31.5	41.7	5	10	15	20
Curved Dou	ble-Seat - Full	Height Back						
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27
90° Curve								
Curved Dou	ble-Seat - Mid	Height Back						
30° Curve	11.63	23.60	35.4	47.2	4.83	10	15	20
45° Curve	11.8	23.6	35.4	47.2	5	10	15	20
60° Curve	11.9	23.8	35.7	47.6	5	10	15	20

### **ZOLA PRIVACY** | TWIN CURVED - COM REQUIREMENTS

	Yardage 1 Seat-Small Seat	Yardage 2 Seat-Small Seats	Yardage 3 Seat-Small Seats	Yardage 4 Seat-Small Seats	Yardage 1 Seat-Large Seat	Yardage 2 Seat-Large Seats	Yardage 3 Seat-Large Seats	Yardage 4 Seat-Large Seats
Curved Sin	gle-Seat - Full H	leight Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5
Curved Sin	gle-Seat - Mid I	Height Back						
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5
Curved Do	uble-Seat - Full	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.5	7	10.5	14
Curved Do	uble-Seat - Mid	Height Back						
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6
60° Curve	3.4	6.8	10.2	13.6	3.4	7	10.5	14

DESCRIPTION/MODEL	COM 1	COL 2 3	FABF 4	RIC GRADI 5	ES 6	7	EATHER 8	9
Twin Single-Seat, 30° Curve, Full ZOP3-MCTS30DF0F	Height Back 4957 525	5 5553	5970	6445	6865	7342	7939	8534
Twin Single-Seat, 30° Curve, Full ZOP3-MCTS30DF2F	Height Back wi 5520 582		creen Optio 6536	n 7012	7429	7907	8505	9100
Twin Single-Seat, 30° Curve, Mic ZOP3-MCTS30DM0F	l Height Back 4696 496	5 5233	5608	6035	6411	6839	7373	7910
Twin Single-Seat, 30° Curve, Mic ZOP3-MCTS30DM2F	Height Back w 5262 553		Screen Optio	on 6601	6975	7403	7940	8473
Twin Single-Seat, 45° Curve, Full ZOP3-MCTS45DF0F	Height Back 5588 589	7 6209	6645	7141	7575	8074	8696	9316
Twin Single-Seat, 45° Curve, Full ZOP3-MCTS45DF2F	Height Back w 6160 647	-	Screen Optio 7217	on 7713	8148	8647	9267	9888
Zola Privacy Option Upcharges \$ List						\$ Lis	t	
Moisture Barrier & CAL 133 (per yard) 61 Seat Power (per unit) 611 Shelf Power 571 Table Power 561 Dual Leg (for Multiple unit configurations) 77  PRODUCT CODE KEY	Plus Upo Removal Removal	grade - Twin grade - Twin ble Seat Cov ble Seat Cov emovable ba	Single-Sea vers -Twin S vers -Twin S	t, 45° Curv single-Seat single-Seat	re t, 30° Curv t, 45° Curv	274 329 ve 148 ve 159	1 9 3	
Line Series Chair Type	Curve Sty	/le S	Seat Degree	Ва	ck Type		Leg Type	
ZOP 3 MCT Zola Lounge Modular Curve Twi	S n Small Radi Single Wid		30D	Full H	F0 eight Back	Fre	F	Unit
MCTB Modular Curve Twin Plus	D Small Radi Double Wi		45D		F2 ght Back wi Screen Opti		S Start Unit	
			60D		M0		С	
			90D	Mid H	leight Back M2		Center Un	it
					ght Back wi		End Unit	

DESCRIPTION/MODEL	COM 1 2	COL 2 3	FABF 4	RIC GRA 5	DES 6	7	EATHER 8	9
Twin Single-Seat, 45° Curve, M ZOP3-MCTS45DMOF	lid Height Back 5292 5572	5850	6244	6693	7084	7533	8095	8655
Twin Single-Seat, 45° Curve, M ZOP3-MCTS45DM2F	lid Height Back witl 5268 5536	h Privacy Si 5803	creen Optic 6180	on 6608	6982	7411	7945	8481
Twin Single-Seat, 60° Curve, For ZOP3-MCTS60DFOF	ull Height Back 6345 6710	7077	7587	8172	8682	9266	9996	10725
Twin Single-Seat, 60° Curve, For ZOP3-MCTS60DF2F	ull Height Back with 6920 7285	n Privacy So 7651	creen Optic 8161	on 8747	9257	9841	10570	11301
Twin Single-Seat, 60° Curve, M ZOP3-MCTS60DMOF	lid Height Back 6004 6328	6651	7105	7621	8074	8591	9236	9885
Twin Single-Seat, 60° Curve, M ZOP3-MCTS60DM2F	lid Height Back witl 7124 7537	h Privacy So 7948	creen Optio 8529	on 9191	9771	10432	11258	12084
Zola Privacy Option Upcharges \$ Lis  Moisture Barrier & CAL 133 (per yard) 6 Seat Power (per unit) 61 Shelf Power 57 Table Power 56 Dual Leg (for Multiple unit configurations) 7	Plus Upgi Plus Upgi Removab Removab	rade - Twin rade - Twin le Seat Cov le Seat Cov movable ba	Single-Sea vers -Twin S vers -Twin S	it, 60° Cu Single-Se Single-Se	urve eat, 45° Cu eat, 60° Cu	rve 20	9 5 9 2	
PRODUCT CODE KEY						- Cui vou		
Line Series Chair Type  ZOP 3 MCT  Zola Lounge Modular Curve	S	us-	Seat Degree  30D		F0 Height Back	ck Fi	Leg Typ F reestandin	
MCTB Modular Cur Twin Plus	D  ve Small Radio  Double Wid		45D		F2 Height Back		Start Ur	] nit

C Center Unit

Е

End Unit

M0

Mid Height Back

Mid Height Back with Privacy Screen Options

60D

90D

			COL	FABRIC GRADES		ADES	LEATHER		
EL/SPECIES	1	2	3	4	5	6	7	8	9
	l Height B	ack							
ZOP3-MCTS90DF0F	7917	8288	8659	9185	9781	10303	10901	11643	12398
Twin Single-Seat, 90° Curve, Full Height Back with Privacy Screen Option									-
ZOP3-MCTS90DF2F	8824	9195	9566	10090	10689	11209	11806	12548	13304
Twin Single-Seat, 90° Curve, Mic ZOP3-MCTS90DM0F	d Height B 7442	ack 7771	8101	8566	9096	9562	10090	10749	11420
Twin Single-Seat, 90° Curve, Mic ZOP3-MCTS90DM2F	d Height B 7093	ack with 7465	Privacy S 7839	Screen Op 8358	tion 8951	9472	10067	10809	11553
	Twin Single-Seat, 90° Curve, Full ZOP3-MCTS90DF0F  Twin Single-Seat, 90° Curve, Full ZOP3-MCTS90DF2F  Twin Single-Seat, 90° Curve, Mic ZOP3-MCTS90DM0F	Twin Single-Seat, 90° Curve, Full Height B ZOP3-MCTS90DF0F 7917  Twin Single-Seat, 90° Curve, Full Height BazoP3-MCTS90DF2F 8824  Twin Single-Seat, 90° Curve, Mid Height BazoP3-MCTS90DM0F 7442  Twin Single-Seat, 90° Curve, Mid Height BazoP3-MCTS90DM0F 7442	Twin Single-Seat, 90° Curve, Full Height Back zOP3-MCTS90DF0F 7917 8288  Twin Single-Seat, 90° Curve, Full Height Back with FZOP3-MCTS90DF2F 8824 9195  Twin Single-Seat, 90° Curve, Mid Height Back zOP3-MCTS90DM0F 7442 7771  Twin Single-Seat, 90° Curve, Mid Height Back with FZOP3-MCTS90DM0F 7442 7771	Twin Single-Seat, 90° Curve, Full Height Back ZOP3-MCTS90DF0F 7917 8288 8659  Twin Single-Seat, 90° Curve, Full Height Back with Privacy S ZOP3-MCTS90DF2F 8824 9195 9566  Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7442 7771 8101  Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7442 7771 8101	Twin Single-Seat, 90° Curve, Full Height Back ZOP3-MCTS90DF0F 7917 8288 8659 9185  Twin Single-Seat, 90° Curve, Full Height Back with Privacy Screen Opti ZOP3-MCTS90DF2F 8824 9195 9566 10090  Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7442 7771 8101 8566  Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F 7442 7771 8101 8566	EL/SPECIES         1         2         3         4         5           Twin Single-Seat, 90°         Curve, Full Height Back         8659         9185         9781           Twin Single-Seat, 90°         Curve, Full Height Back with Privacy Screen Option           ZOP3-MCTS90DF2F         8824         9195         9566         10090         10689           Twin Single-Seat, 90°         Curve, Mid Height Back         ZOP3-MCTS90DM0F         7442         7771         8101         8566         9096           Twin Single-Seat, 90°         Curve, Mid Height Back with Privacy Screen Option	EL/SPECIES         1         2         3         4         5         6           Twin Single-Seat, 90° Curve, Full Height Back ZOP3-MCTS90DF0F         7917         8288         8659         9185         9781         10303           Twin Single-Seat, 90° Curve, Full Height Back with Privacy Screen Option ZOP3-MCTS90DF2F         8824         9195         9566         10090         10689         11209           Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F         7442         7771         8101         8566         9096         9562           Twin Single-Seat, 90° Curve, Mid Height Back With Privacy Screen Option         7442         7771         8101         8566         9096         9562	EL/SPECIES         1         2         3         4         5         6         7           Twin Single-Seat, 90° Curve, Full Height Back ZOP3-MCTS90DF0F         7917         8288         8659         9185         9781         10303         10901           Twin Single-Seat, 90° Curve, Full Height Back with Privacy Screen Option ZOP3-MCTS90DF2F         8824         9195         9566         10090         10689         11209         11806           Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F         7442         7771         8101         8566         9096         9562         10090           Twin Single-Seat, 90° Curve, Mid Height Back with Privacy Screen Option         Twin Single-Seat, 90°         Curve, Mid Height Back with Privacy Screen Option	EL/SPECIES         1         2         3         4         5         6         7         8           Twin Single-Seat, 90° Curve, Full Height Back ZOP3-MCTS90DF0F         7917         8288         8659         9185         9781         10303         10901         11643           Twin Single-Seat, 90° Curve, Full Height Back ZOP3-MCTS90DF2F         8824         9195         9566         10090         10689         11209         11806         12548           Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F         7442         7771         8101         8566         9096         9562         10090         10749           Twin Single-Seat, 90° Curve, Mid Height Back ZOP3-MCTS90DM0F         7442         7771         8101         8566         9096         9562         10090         10749

Zola Privacy Option Upcharges	\$ List		List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Single-Seat, 90° Curve	492
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Twin Single-Seat, 90° Curve	229
Table Power	561	Note: Removable back covers are not available on curv	ved backs

MODOO! CODE ILE	•					
Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB  Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

DECORPTION # 40D	EL (ODEOLEO	СОМ		COL		RIC GRAD			EATHER	
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 30° Curve, ZOP3-MCTD30DF0F	Full Height I 6548	Back 6963	7375	7953	8616	9195	9856	10682	11511
Twin Double-Seat, 30° Curve, Full Height Back with Privacy Screen Option										
	ZOP3-MCTD30DF2F	7448	7863	8275	8854	9516	10094	10756	11584	12409
	Twin Double-Seat, 30° Curve, I	Mid Height F	Back							
	ZOP3-MCTD30DM0F	6187	6559	6933	7450	8045	8565	9161	9904	10647
	Twin Double-Seat, 30° Curve, I ZOP3-MCTD30DM2F	Mid Height E 7087	Back with	Privacy S	Screen Op 8351	tion 8946	9465	10061	10804	11545

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 30° Curve	385
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers -Twin Double-Seat, 30° Curv	e 178
Table Power	561	Note: Removable back covers are not available on cu	irved backs

#### 

MCT S ZOP 3 F0 F 30D Zola Lounge Modular Curve Twin Small Radius-Full Height Back Freestanding Unit Single Width MCTB S D 45D F2 Full Height Back with Privacy Screen Option Modular Curve Small Radius-Start Unit Twin Plus Double Width 60D M0 С Mid Height Back Center Unit 90D M2 Е Mid Height Back with End Unit Privacy Screen Options

Leg Type

		COM		COL	FAE	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MOD	EL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF0F	Height Barrier 7385	ack 7808	8234	8828	9508	10101	10781	11630	12481
	Twin Double-Seat, 45° Curve, Full ZOP3-MCTD45DF2F	Height Barrier 8292	ack with I 8720	Privacy So 9143	creen Opti 9736	ion 10417	11011	11690	12540	13389
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM0F	Height B 6997	ack 7381	7764	8300	8913	9447	10061	10826	11592
	Twin Double-Seat, 45° Curve, Mid ZOP3-MCTD45DM2F	Height B 7909	ack with 8289	Privacy So 8675	creen Opt 9208	ion 9821	10358	10969	11734	12502

#### **ORDERING NOTES:**

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 45° Curve	437
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations)	77
Shelf Power	571	Removable Seat Covers - Twin Double-Seat, 45° C	urve 195
Table Power	561	Note: Removable back covers are not available on	curved backs

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MCT	S	30D	F0	F
Zola	Lounge	Modular Curve Twin	Small Radius- Single Width		Full Height Back	Freestanding Unit
		MCTB Modular Curve Twin Plus	D Small Radius-Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	Е
					Mid Height Back with Privacy Screen Options	End Unit

		COM		COL	FABR	RIC GRAD	ES	_	EATHER	
DESCRIPTION/MOI	DEL/SPECIES	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 60° Curve, Full ZOP3-MCTD60DF0F	Height Ba 8056	ck 8488	8918	9520	10211	10813	11504	12365	13226
	Twin Double-Seat, 60° Curve, Ful ZOP3-MCTD60DF2F	l Height Ba 8970	ack with 9403	Privacy So 9833	creen Opt 10437	ion 11124	11729	12418	13280	14141
	Twin Double-Seat, 60° Curve, Mic ZOP3-MCTD60DM0F	d Height Ba 7614	ack 8004	8392	8937	9561	10104	10728	11508	12283
	Twin Double-Seat, 60° Curve, Mid	Height Ba	ck with I	Privacy Sc	reen Opti	on				
	ZOP3-MCTD60DM2F	8529	8918	9307	9852	10472	11018	11643	12421	13199

Zola Privacy Option Upcharges	\$ List	\$ List	
Moisture Barrier & CAL 133 (per yard)	61	Plus Upgrade - Twin Double-Seat, 60° Curve 518	
Seat Power (per unit)	611	Dual Leg (for Multiple unit configurations) 77	
Shelf Power	571	Removable Seat Covers -Twin Double-Seat, 60° Curve 237	
Table Power	561	Note: Removable back covers are not available on curved bac	cks

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB  Modular Curve Twin Plus	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2	E
					Mid Height Back with Privacy Screen Options	End Unit

## **ZOLA PRIVACY |** TWIN SIDE PANELS

	СОМ		COL	FAB	RIC GRAD	ES	LE	EATHER	
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Twin Side Panel, Full Height No Screen ZOP3-MPTF0U Universal End ZOP3-MPTF0C Center	1360	1485	1611	1862	2113	2365	2615	2867	3368
	2038	2164	2291	2541	2793	3041	3293	3543	4046
Twin Side Panel, Full Height with Screen ZOP3-MPTF2U Universal End ZOP3-MPTF2C Center	1911	2037	2163	2413	2665	2916	3166	3419	3919
	2589	2716	2842	3092	3343	3593	3845	4093	4599
Twin Side Panel, Med. Height No Screen - ZOP3-MPTM0U Universal End ZOP3-MPTM0C Center	1131	1215	1299	1470	1639	1808	1979	2147	2486
	1807	1894	1979	2147	2317	2486	2656	2824	3164
Twin Side Panel, Med. Height with Screen ZOP3-MPTM2U Universal End ZOP3-MPTM2C Center  ORDERING NOTE: Side Panels will only with Removable Back Cover option. See page 1975.	1683 2360 connect		_		2192 2868 s with Priva	2361 3037 acy Screei	2531 3207 n Option a	2699 3375 are not av	3037 3717 railable

### **ZOLA PRIVACY | TWIN SEMI-PRIVATE SIDE PANELS & MODULAR ARMS**

			COM		COL	FAE	BRIC GR	ADES		LEATHE	٦	
DESCRIPTION/I	MODEL		1	2	3	4	5	6	7	8	9	
	Twin Semi-Private	Side Panel, Sin	gle, Full H	eight								
	ZOP3-MSPTF0U	Universal	964	1040	1117	1225	1348	1456	1580	1733	1887	
	ZOP3-MSPTF0C	Center	1642	1719	1796	1904	2028	2134	2258	2412	2566	
	Twin Semi-Private	Side Panel, Sin	ıgle, Mid H	leight								
	ZOP3-MSPTM0U	Universal	827	876	927	996	1078	1146	1227	1327	1426	
	ZOP3-MSPTM0C	Center	1506	1556	1606	1675	1755	1824	1906	2006	2106	

ORDERING NOTE: Semi-Private Side Panels will only connect to Center seating units. See page 203 for dimensions and COM.

#### PRODUCT CODE KEY

Line	Series	Туре	Height	Position	
ZOP	3	MSPT	F0	U	
Zola	Lounge	Modular Arm Twin	Full Heigh	Universal (S or E)	
			MO	С	
			Mid Height	Center /Interim	

### **ZOLA PRIVACY | TWIN MODULAR ARMS**

		COM		COL	FAE	BRIC GR	ADES		LEATHE	R	
DESCRIPTION/M	1ODEL	1	2	3	4	5	6	7	8	9	
	Twin Modular Upholstered Arm ZOP3-MATUPHU ZOP3-MATUPHC	1067 1759	1140 1819	1202 1880	1285 1964	1382 2061	1466 2146	1563 2242	1684 2363	1804 2484	
	Twin Modular Upholstered Arm v	v/Urethane	е Сар								
	ZOP3-MATUREU	1193	1266	1327	1411	1507	1591	1688	1809	1930	
	ZOP3-MATUREC	1885	1944	2006	2089	2186	2271	2367	2488	2609	

**ORDERING NOTE**: To specify Solid Surface Arm Caps on Modular Upholstered Arms, please add upcharge below and change UPH in the model number to SSC.

Zola Option Upcharges	A-White	A-Cole		С
Solid Surface Arm Cap (per arm)	263	275	303	313

#### PRODUCT CODE KEY

Line	Series	Туре	Arm	Position	
ZOP Zola	3 Lounge	MAT Modular Arm Twin	UPH Upholstered	U Universal (S or E)	
			URE Upholstered Arm w/Urethane Cap	C Center /Interim	

SSC

Upholstered Arm w/Solid Surface Cap

## **ZOLA PRIVACY** | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	490 513	12	2
	Tablet with Palette Fini ZOL3 T2	sh n/a	392	12	2
	Clear Glass Tablet ZOL3 T3	n/a	746	13	2
	Laminate Tablet ZOL3 T4	n/a	507	12	2
	ORDERING NOTES: Thanded and do not ne	he laminate tal ed to be specif	olet comes standard with a polymer edge. Please note Zola Tabl fied right or left when ordering.	ets are uni	versally
	Solid Surface Tablet - ZOL3 T5AW	Grade A White n/a	611	14	2
	Solid Surface Tablet - ZOL3 T5AC	Grade A Color n/a	620	14	2
	Solid Surface Tablet - ZOL3 T5B	Grade B n/a	654	14	2
	Solid Surface Tablet - ZOL3 T5C	Grade C n/a	706	14	2

### **ZOLA PRIVACY** | INLINE WALLS | FEATURES & OPTIONS



#### **RECONFIGURABILITY**

Inline Walls can be reconfigured within Zola Privacy seating configurations. Inline walls are comprised of 3 module types, a left and a right corner unit plus a center unit and are available in two depths - Inline Wall at 12 inches and Inline Table Wall at 28 inches. Inline Wall corner units and Inline Table Walls must connect to Start, Center or End seating unit.



#### **RUNOFF TABLES**

Run-off tables are used in combination with Inline Walls and provide a fixed occasional height table between two seating units. They feature a single tapered metal leg with adjustable glide.



#### **BACK CONNECTION**

Inline Corner Walls and Inline Tables connect to Zola Privacy seating using steel brackets. Seating must be specified as start, center or



#### LAMINATE OR WOOD OPTIONS

Inline walls are offered in wood and laminate surfaces. They create a straight wall partition between two opposing seating units. Walls are available in Mid and Full Height back styles and are 12" in depth at the base.



#### LEGS

The legs offered on Zola Lounge are Silver Metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.



#### **SOLID SURFACE OVERLAY**


The Solid Surface top option is priced as an upcharge to existing table price. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <a href="Page 332">Page 332</a> for color options.




**MEDIA & POWER** 

Inline walls can be optioned with Media provisions and Powerdocs.

## **ZOLA PRIVACY** | INLINE WALLS | SAMPLE CONFIGURATIONS



TOTAL		¢10.210
ZOP3-RO48532416	1	1016
ZOP3-ICWF0R	1	1617
ZOP3-ICWF0L	1	1617
ZOP3-IWF048MP	1	2290
ZOP3-M2F0F	2	2885
Model	Qty	Price (\$)



Model	Qty	Price (\$)
ZOP3-M2M0F	3	2472
ZOP3-ICTWM0L	1	1634
ZOP3-ICTWM0R	1	1634
TOTAL		\$10.684

### **ZOLA PRIVACY** | INLINE WALLS

DESCRIPTION/MO	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH <sup>-</sup>	Γ CUBE
	Inline Wall, Full Height 42" ZOP3-IWF042N	1117	1891	1594	42	12	50	107	19
	Inline Wall, Full Height 48" ZOP3-IWF048N	1202	2064	1690	48	12	50	121	21.5
	Inline Wall, Full Height 54" ZOP3-IWF054N	1285	2148	1786	54	12	50	135	24
	Inline Wall, Full Height 60" ZOP3-IWF060N	1369	2232	1880	60	12	50	147	26.5
	Inline Wall, Mid Height 42" ZOP3-IWM042N	1043	1603	1513	42	12	37	92	13.5
	Inline Wall, Mid Height 48" ZOP3-IWM048N	1128	1775	1608	48	12	37	102	15.25
	Inline Wall, Mid Height 54" ZOP3-IWM054N	1211	1860	1704	54	12	37	116	17
	Inline Wall, Mid Height 60" ZOP3-IWM060N	1295	1943	1797	60	12	37	126	18.75
	Inline Wall Media, Full Height 4 ZOP3-IWF042M	2" 1256	2030	1734	42	12	50	107	19
	Inline Wall Media, Full Height 4 ZOP3-IWF048M	8" 1340	2203	1830	48	12	50	121	21.5
	Inline Wall Media, Full Height 5 ZOP3-IWF054M	4" 1423	2287	1923	54	12	50	135	24
	Inline Wall Media, Full Height 6 ZOP3-IWF060M	0" 1508	2370	2019	60	12	50	147	26.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM042M	2" 1183	1740	1652	42	12	37	92	13.5
	Inline Wall Media, Mid Height 4 ZOP3-IWM048M	.8" 1267	1915	1747	48	12	37	102	15.25
<del>\</del>	Inline Wall Media, Mid Height 5 ZOP3-IWM054M	1350	1997	1842	54	12	37	116	17
	Inline Wall Media, Mid Height 6 ZOP3-IWM060M	60" 1435	2082	1937	60	12	37	126	18.75

**ORDERING NOTE:** Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Me

## **ZOLA PRIVACY** | INLINE WALLS WITH POWER

DESCRIPTION/M	ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Wall w/Power Docs, Full	Height 42"							
	ZOP3-IWF042P	2066	2840	2544	42	12	50	150	19
	Inline Wall w/Power Docs, Full ZOP3-IWF048P	Height 48" 2150	3013	2639	48	12	50	212	21.5
<b>S</b>	Inline Wall w/Power Docs, Full ZOP3-IWF054P	Height 54" 2234	3097	2734	54	12	50	135	24
	Inline Wall w/Power Docs, Full ZOP3-IWF060P	Height 60" 2318	3181	2829	60	12	50	147	26.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM042P	Height 42" 1992	2551	2462	42	12	37	92	13.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM048P	Height 48" 2077	2724	2557	48	12	37	102	15.5
	Inline Wall w/Power Docs, Mid ZOP3-IWM054P	Height 54" 2160	2808	2653	54	12	37	116	17
	Inline Wall w/Power Docs, Mid ZOP3-IWM060P	Height 60" 2244	2892	2746	60	12	37	126	18.75
	Inline Wall Media w/Power Doo ZOP3-IWF042MP	cs, Full Height 42" 2206	2979	2683	42	12	50	150	19
	Inline Wall Media w/Power Doo ZOP3-IWF048MP	cs, Full Height 48" 2290	3153	2779	48	12	50	212	21.5
	Inline Wall Media w/Power Doo ZOP3-IWF054MP	cs, Full Height 54" 2373	3236	2872	54	12	50	135	24
	Inline Wall Media w/Power Doo ZOP3-IWF060MP	cs, Full Height 60" 2458	3320	2968	60	12	50	147	26.5
	Inline Wall Media w/Power Doo ZOP3-IWM042MP	cs, Mid Height 42" 2132	2689	2600	42	12	37	92	13.5
	Inline Wall Media w/Power Dod ZOP3-IWM048MP	es, Mid Height 48" 2216	2864	2696	48	12	37	102	15.5
	Inline Wall Media w/Power Doo ZOP3-IWM054MP	cs, Mid Height 54" 2299	2946	2790	54	12	37	116	17
	Inline Wall Media w/Power Doo ZOP3-IWM060MP	cs, Mid Height 60" 2384	3031	2886	60	12	37	126	18.75

**ORDERING NOTE:** Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	IW	F0	42	N
Zola	Lounge	Inline Wall	Full Height	42"	None
			MO	48	Р
			Mid Height	48"	PowerDoc
				54	M
				54"	Media
				60	MP
				60"	PowerDoc & Media

### **ZOLA PRIVACY** | INLINE CORNER WALLS

DESCRIPTION/M	1ODEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGH	T CUBE
	Inline Corner Wall, Full Height ZOP3-ICWF0L ZOP3-ICWF0R	1617 1617	2275 2275	1948 1948	26.5 26.5	12 12	50 50	85 85	14.75 14.75
	Inline Corner Wall, Mid Height ZOP3-ICWM0L ZOP3-ICWM0R	1560 1560	2170 2170	1882 1882	26.5 26.5	12 12	37 37	70 70	11 11

#### **ZOLA INLINE WALLS SOLID SURFACE OVERLAY UPCHARGES**

		Gra	ides	
Option	A-White	A-Color	В	С
ZOP3-IWF042N	407	425	530	631
ZOP3-IWF048N	456	477	593	710
ZOP3-IWF054N	505	529	660	790
ZOP3-IWF060N	529	579	725	870

#### **ORDERING NOTES:**

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and the upcharge listed below. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge). Please see <a href="Page 332">Page 332</a> for color options.

ORDERING NOTE: Inline Walls only connect to Inline Corner Walls.

Line	Series	Chair Type	Height	Position	
ZOP	3	ICW	F0	L	
Zola	Lounge	Inline Corner Wall	Full Height	Left	
			MO	R	
			Mid Height	Right	

## **ZOLA PRIVACY | INLINE TABLE WALLS**

DESCRIPTION/MO		THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	Н	WEIGHT	CUBE
	Inline Table Wall, Full Height 23° ZOP3-ITWF023N	940	1507	1423	23	25.7	50	100	21
	Inline Table Wall, Full Height 30° ZOP3-ITWF030N	, 1108	1854	1604	30	25.7	50	125	26.5
	Inline Table Wall, Mid Height 23 ZOP3-ITWM023N	867	1219	1341	23	25.7	37	90	15
	Inline Table Wall, Mid Height 30 ZOP3-ITWM030N	1035	1565	1520	30	25.7	37	115	18.5
	Inline Table Wall w/Power Docs ZOP3-ITWF023P	, Full Height 23" 1890	2457	2373	23	25.7	50	100	21
	Inline Table Wall w/Power Docs ZOP3-ITWF030P	, Full Height 30" 2058	2803	2553	30	25.7	50	125	26.5
5,3									
	Inline Table Wall w/Power Docs ZOP3-ITWM023P	, Mid Height 23" 1816	2166	2291	23	25.7	37	90	15
	Inline Table Wall w/Power Docs ZOP3-ITWM030P	, Mid Height 30" 1984	2514	2469	30	25.7	37	115	18.5

ORDERING NOTE: For reverse grain direction on table surfaces use list price and note Reverse Grain on p.o.

Line	Series	Chair Type	Height	Size	Power/Media
ZOP	3	ITW	FO	23	N
Zola	Lounge	Inline Table Wall	Full Height	23"	None
			MO	30	Р
			Mid Height	30"	Power

# **ZOLA PRIVACY |** INLINE CORNER TABLE WALLS & INLINE RUN-OFF TABLES

DESCRIPTION/MOI	DEL	THERMOFUSED LAMINATE	HIGH PRESSURE LAMINATE	CHERRY MAPLE BEECH	W	D	ΗV	VEIGHT (	CUBE
	Inline Corner Table Wall, Full	Height							
	ZOP3-ICTWF0L	1692	2551	2075	28	28	50	140	31
	ZOP3-ICTWF0R	1692	2551	2075	28	28	50	140	31
	Inline Corner Table Wall, Mid	l Height							
	ZOP3-ICTWM0L	1634	2444	2008	28	28	37	127	23
	ZOP3-ICTWM0R	1634	2444	2008	28	28	37	127	23

#### ZOLA INLINE TABLE WALLS SOLID SURFACE OVERLAY UPCHARGES

ZOLA INLINE IAL	SLE WALLS SOLID SURFACE C	Grade:	nues						
Option	A-White	A-Color	В	С					
ZOP3-ITWF023N	460	484	602	720					
ZOP3-ITWF030N	577	605	759	912	ORDERING	NOTE	S:		
ZOP3-ITWM023N	460	484	602	720	The Solid Su	rface t	op or	otion is pri	ced as
ZOP3-ITWM030N	577	605	759	912	an upcharg				
ZOP3-ITWF023P	460	484	602	720	Please add a				
ZOP3-ITWF030P	577	605	759	912	number and	the u	pchai	rge listed l	below.
ZOP3-ITWM023P	460	484	602	720	Zola Solid S				
ZOP3-ITWM030P	577	605	759	912	thickness or	n top	of the	e existing	table,
ZOP3-ICTWF0	579	607	763	916	with a 1 mm	overh	ang (	soft radius	verti-
ZOP3-ICTWM0	579	607	763	916	cal edge). Ple options.	ease s	ee <u>Pa</u>	<b>ige 332</b> fo	r color
PRODUCT CODE KI	EY								
Line	Series	Chair Type		Height		Posi	tion		
ZOP	3	ICTW		F0		L			
Zola	Lounge	Inline Corner Table V	Vall	Full Height		Le	eft		
				M0		F	2		
				Mid Height		Rig	 ght		
		THERMOFUSED	HIGH PRESSURE	CHERRY MAPLE					
DESCRIPTION/MO	ODEL	LAMINATE	LAMINATE		W	D	Н	WEIGHT	CUBE
	Run-off Table for 48" Inline Wa	II							
	ZOL4-RO48-302416	861	1219	1323	30	24	16	25	3.75
	ZOL4-RO48-372416	909	1315	1386	37	24	16	30	4.5
	ZOL4-RO48-532416	1016	1539	1527	53	24	16	40.5	5.75
J	ZOL4-RO48-762416	1173	1860	1732	76	24	16	56	7.5
	Run-off Table for 54" Inline Wa	 							
	ZOL4-RO54-303016	912	1193	1390	30	30	16	35	4.25
	ZOL4-RO54-373016	970	1314	1467	37	30	16	41	5.25
	ZOL4-RO54-533016	1108	1592	1646	53	30	16	54	6.75
<u> </u>	ZOL4-RO54-763016	1305	1993	1900	76	30	16	74	8.75

## **ZOLA** | COLLECTION COMPONENTS

DESCRIPTION/N			PRICE	WEIGHT	CUBE
	Wood lablet ZOL3 RT1	& Mounting Plate Only Beech	363	E	0.32
	ZULS HII	Maple	386	5 5	0.32
		/Cherry	300	5	0.52
	Painted Table	et & Mounting Plate Only			
	ZOL3 RT2	n/a	265	5	0.32
	20101112	11/4	200	0	0.02
	Clear Glass T	ablet & Mounting Plate Only			
	ZOL3 RT3	n/a	620	6	0.32
U					
		olet & Mounting Plate Only	070	5	0.00
	ZOL3 RT4	n/a	379	5	0.32
	Solid Surface	e Tablet & Mounting Plate On	lv		
	ZOL3 RT5	Grade - A-White	514		
		Grade - A-Color	521		
J		Grade - B	550		
		Grade - C	595		
	ORDERING	NOTES: The Zola replacem	ent tablets on this page include the top with mount	ing plate only.	
<b>~</b>	Leg				
	ZOL3 RLS		56	1	0.125
<b>.</b>					
	Caster Leg				
	ZOL3 RLC		38	0.4	0.125
J	ZOLOTILO			0.4	0.120
	Dual leg				
71	ZOL3 RDL		96	1	0.125
	Log Clido (4)				
	Leg Glide (4) ZOL3 RLG		23	0.2	0.01
				0.2	0.0.
	Replacement	Seat-to-Seat Bracket			
	ZOL3 RLKB2	!	91	1	0.125
	NOTE: Zola	Modular Seats are ordered,	each seat is automatically supplied with two seat to	seat brackets	
	Replacement	Table-to-Seat Bracket			
	ZOL3 RLKB1		109	3	0.125
<b>SO</b>					
	ZOL3-POWE	RDOC1 - Undermount	543	3	0.375
De De E	Can be field i	nstalled to the underside of S	Seats and Tables as a replacement part or installed on	units not previo	ously spec-
	ified with a P	owerdoc. Standard with 2 Po	ower and 2 USB outlets. PowerDoc's have a 10' cord	l	
	ZOL3-POWE	RDOC2	617	3	0.375
	Replacement	unit only for Seats, Benche	es or Square/Rectangular tables which were originall	y ordered with	this power
-			B outlets. PowerDoc's have a 10' cord.		, ,
	Wire Manage	er Shroud			
	ZOL3 WM10		115	1	0.375
	ORDERING	NOTES: Comes in a 10' lend	gth when ordered. Can be cut to size on site.		
	Chiberniad	ito ieo	gan which ordered. Oan be out to size on site.		

## **ZOLA PRIVACY | COMPONENTS**


DESCRIPTION/M	ODEL PRICE	WEIGHT	CUBE
	Replacement Shelf Support Bracket Kit (includes 90eg bracket, curved bracket, fasteners) ZOP3-RSSB 64	2	0.32
(I)	Back Alignment Hardware Kit (includes male & female bracket, fasteners) ZOP3-LKBC 56	2	0.32
	Privacy Screen Hardware (includes bracket, fasteners) ZOP3-RSH 71	2	0.32
	Back-to-Seat Linking hardware ZOP3-RLKS 161	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT 179	4	0.32
0:0:8	ZOP3-POWERDOC3 - Shelves only 630  Replacement unit only for Shelves which were originally ordered with this power option. Standard with 2 Power and 2 USB outlets.	3	0.375
	Wire Manager for Inline Media Wall ZOL3 WM 179	1	0.375

### FAERON LOUNGE | ENVIRONMENTAL SUMMARY

#### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 12.67%

POST-CONSUMER RECYCLED CONTENT =9.40%

Up to 18.93% of this Faeron product is recyclable at the end of its useful life.

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### FAERON LOUNGE | DIMENSIONS & COM

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Entire Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Only
One-Seat -	wood arm												
lounge	27	28.5	31.5	17.8	24	23	21	55	20	4.2	1.3	1.7	1.2
high back	27	28.5	41.5	17.8	24	23	21	59	24	4.8	1.3	2.3	1.2
One-Seat -	armless												
lounge	23	28.5	31.5	17.8	-	-	21	52	20	3	1.3	1.7	-
high back	23	28.5	41.5	17.8	-	-	21	55	24	3.6	1.3	2.3	-
One-Seat -													
lounge	28	28.5	31.5	17.8	24	23	21	75	20	5.9	1.3	1.7	2.9
high back	28	28.5	41.5	17.8	24	23	21	79	24	6.5	1.3	2.3	2.9
wingback	32	28.5	42.5	17.8	24	23	21	84	27	7.5	1.3	3.3	2.9
One-Seat v	vide - wood	d arm											
ounge	34	28.5	31.5	17.8	24	30	21	64	23	4.4	1.5	1.7	1.2
nigh back	34	28.5	41.5	17.8	24	30	21	68	27	5	1.5	2.3	1.2
One-Seat v	vide - armle	ess											
lounge	30	28.5	31.5	17.8	-	-	21	61	23	3.2	1.5	1.7	-
high back	30	28.5	41.5	17.8	-	-	21	65	27	3.8	1.5	2.3	-
One-Seat v													
lounge	35	28.5	31.5	17.8	24	30	21	84	23	6.1	1.5	1.7	2.9
high back	35	28.5	41.5	17.8	24	30	21	88	27	6.7	1.5	2.3	2.9
wingback	39	28.5	42.5	17.8	24	30	21	93	30	7.5	1.3	3.3	2.9
					·								
Two-seat -													
lounge	50	28.5	31.5	17.8	24	46	21	88	36	5.5	1.7	2.6	1.2
high back	50	28.5	41.5	17.8	24	46	21	95	43	6.4	1.7	3.5	1.2
Two-seat -	armless												
lounge	46	28.5	31.5	17.8	-	-	21	87	36	4.3	1.7	2.6	-
high back	46	28.5	41.5	17.8	-	-	21	94	43	5.2	1.7	3.5	-
Two-seat -	upholstere	d arm											
lounge	51	28.5	31.5	17.8	24	46	21	108	36	7.2	1.7	2.6	2.9
high back	51	28.5	41.5	17.8	24	46	21	115	43	8.1	1.7	3.5	2.9
wingback	55	28.5	42.5	17.8	24	46	21	120	46	9.1	1.7	4.5	2.9
									•	-			
Three-seat													
lounge	73	28.5	31.5	17.8	24	69	21	120	52	7.1	2.5	3.4	1.2
high back	73	28.5	41.5	17.8	24	69	21	130	61	8.4	2.5	4.7	1.2
Three-seat													
lounge	69	28.5	31.5	17.8	-	-	21	122	52	5.9	2.5	3.4	-
high back	69	28.5	41.5	17.8	-	-	21	132	61	7.2	2.5	4.7	-
Three-seat	- upholste	red arm											
lounge	74	28.5	31.5	17.8	24	69	21	140	52	8.8	2.5	3.4	2.9
high back	74	28.5	41.5	17.8	24	69	21	150	61	10.1	2.5	4.7	2.9
wingback	78	28.5	42.5	17.8	24	69	21	155	64	10.3	1.7	5.7	2.9
-													
s with upho upholstery is of where ea	ing BACKs on upholsted distery of the s selected, u ch fabric is	ery (more to same graduse the high to be app	than one under or COM Thest grade Thest on the	ipholstery M, an upc e upholste e product	harge for dual ery selected o	fabrics is <b>\$</b> r contact Cu btain a quo	<b>32 list</b> per Istomer S	r unit and <b>\$6</b> ervice for a c	<b>1 list</b> per un quote -pleas	olstered produ nit for three fal se provide the k upholsteries	brics. When fabrics spe	graded in o	combination description
WEIGHT C/Faeron weight One -Seat - One -Seat Wone-Seat Wone-Seat Wone-Seat Two-Seat Informer - Seat Informer - Seat Inforee - Seat	ght capaciti 500 lbs Plus - 750 /ide - 500 lb /ide Plus - 7 625 lbs Plus- 975 lb t - 850 lbs t Plus- 120	lbs os 750 lbs os	follows:										
Faeron Op	tion Upcl	harges			\$ L	ist						\$ List	
CAL 133 &	Moisture	Barrier (p	er yard)			61	Solid Su	urface Arm	Cap (per	pair) - Gr A	White	366	
One-Seat I						45				pair) - Gr A		379	
One-Seat \				ers		18				pair) - Gr B		402	
Jilo Joal		SVUDIO D	2011 OOV	5.0	_		Jona Jo	an racos ATTIT	Jup (pui	pan, and		702	

Faeron Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm Cap (per pair) - Gr A White	366
One-Seat Removable Back Covers	145	Solid Surface Arm Cap (per pair) - Gr A Color	379
One-Seat Wide Removable Back Covers	218	Solid Surface Arm Cap (per pair) - Gr B	402
Two-Seat Removable Back Covers	288	Solid Surface Arm Cap (per pair) - Gr C	415
Three-Seat Removable Back Covers	432	Solid Surface Arm (per pair) - Gr A White	645
One-Seat Removable Seat Covers	145	Solid Surface Arm (per pair) - Gr A Color	675
One-Seat Wide Removable Seat Covers	218	Solid Surface Arm (per pair) - Gr B	732
Two-Seat Removable Seat Covers	288	Solid Surface Arm (per pair) - Gr C	772
Three-Seat Removable Seat Covers	432	Urethane Arm Cap (per pair)	145
		Upholstered Lounge Wood Arm Cap (per pair)	184
		See Page 332 for color selection.	

SEATING & OCCASIONAL TABLES | USA | 250

### FAERON WOOD | LOUNGE FEATURES & OPTIONS



#### WOOD ARM

Faeron Wood Arm Lounge chairs are available with optional Arm Caps in Urethane and Solid Surface. As well as a Solid Surface Arm.



### **OPTIONS**

#### **URETHANE ARM CAP**

The optional Urethane Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.



#### **ARMLESS**

Faeron Armless Lounge seating can be specified with a full wood base providing an enhanced base profile.



#### WOOD ARM CAP

The optional Solid Beech Arm Cap is available on Upholstered Arm and Wingback Lounge. This is field replaceable if this becomes damaged or degraded.



#### **UPHOLSTERED ARM**

Faeron Upholstered arm lounge chairs are available with optional arm caps in Wood, Solid Surface and Urethane (Wingback lounge is not available with Urethane cap).



#### SOLID SURFACE ARM CAP

The optional Solid Surface Arm Cap is available on Wood Arm Lounge and Upholstered Arm Lounge and provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors.



#### ARM PANEL

Arm Panels are available on Faeron Wood Arm Lounge seating in semi and fully closed styles for optimum design flexibility.



#### **SOLID SURFACE ARM**

The optional Solid Surface Arm is available on Wood Arm Lounge and provides a fully seamless armrest for enhanced durability, protection and cleanability. It is available in 8 standard colors and replaceable as a full side frame if it becomes damaged or degraded.



#### **BEECH WOOD LEGS**

Faeron Lounge legs and bases are solid Beech available in 22 finish selections.



#### **COMBINATION UPHOLSTERY**

When combination upholstery (more than one upholstery cover within the same unit) is specified with upholstery of the same grade or COM, an upcharge for dual fabrics is \$32 list per unit and \$61 list per unit for three fabrics. When graded-in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote



#### **METAL LEGS**

Faeron Upholstered Arm models are also available with Metal Legs; Silver Metallic or Brushed Nickle finish.



#### **LOUNGE WALL SAVER**

Faeron Lounge models include a wall saver



feature in which the angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chair and the wall. Not included for Faeron High Back Lounge or Faeron Wingback Lounge due to back height.



#### **CLEAN OUT**

All Faeron Lounge seating has a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



Faeron Lounge Images | www.krug.ca

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non- flammable upholstery covers, that may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components thereby conferring sanitary and anti-infection benefits. So when CAL133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$833 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Moisture Barrier & CAL 133 is available for an upcharge of \$61 list per yard.

### REMOVABLE AND REPLACEABLE COVERS

Faeron Lounge Chairs are available with a Removable Seat & Back Covers.

See **page** 250 for upcharges.

# FAERON WOOD | ARMLESS LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	ADES 6	7	LEATHER 8	9	_
	One-Seat, Arm FAE3-AL1S	less Lounge, Beech	Standard 1733	Base 1800	1869	2005	2140	2275	2412	2546	2819	
	One-Seat Plus FAE3-ALB1S	Armless Loui Beech	nge, Stand 1797	lard Base 1866	1934	2069	2205	2342	2478	2613	2885	
	One-Seat, Arm FAE3-AL1F	less Lounge, Beech	Full Wood	Base 1958	2023	2160	2296	2432	2567	2703	2974	Ħ.
	One-Seat Plus, FAE3-ALB1F	Armless Lou Beech	inge, Full \ 1954	Vood Base 2020	2089	2223	2361	2496	2633	2768	3039	H
	One-Seat Wide FAE3-AL1+S	e, Armless Lo Beech	unge, Star 1959	ndard Base 2052	2143	2328	2513	2697	2883	3067	3436	CAF
	One-Seat Wide FAE3-ALB1+S		ss Lounge, 2030	Standard 2121	Base 2214	2398	2584	2768	2952	3137	3507	H
	One-Seat Wide FAE3-AL1+F	e, Armless Lo Beech	unge, Full 2159	Wood Base 2250	e 2343	2529	2713	2896	3082	3267	3636	SIC
	One-Seat Wide FAE3-ALB1+F		ss Lounge, 2229	Full Wood 2320	Base 2413	2597	2782	2967	3151	3337	3706	COU
	Two-Seat, Armi	less Lounge, Beech	Standard 2457	Base 2557	2659	2863	3066	3269	3474	3679	4085	Z
	Two-Seat Plus, FAE3-ALB2S	Armless Lou Beech	nge, Stand 2555	dard Base 2657	2759	2963	3165	3369	3574	3775	4185	APF
	Two-Seat, Arm	less Lounge, Beech	Full Wood 2737	Base 2839	2940	3142	3347	3551	3754	3959	4366	Ĕ
	Two-Seat Plus, FAE3-ALB2F	Armless Lou Beech	inge, Full V 2836	Vood Base 2937	3038	3243	3447	3649	3853	4058	4466	S TC
	Three-Seat, Arr FAE3-AL3S	nless Lounge Beech	e, Standard 3253	d Base 3417	3580	3907	4232	4558	4884	5210	5862	Ħ
	Three-Seat Plus FAE3-ALB3S	s, Armless Lo Beech	ounge, Sta 3420	ndard Base 3583	e 3746	4074	4398	4723	5050	5376	6029	ESE
	Three-Seat, Arr FAE3-AL3F	mless Lounge Beech	e, Full Woo 3623	od Base 3788	3949	4274	4603	4927	5254	5579	6231	PR
	Three-Seat Plus FAE3-ALB3F	s, Armless Lo Beech	ounge, Full 3791	Wood Bas 3955	se 4116	4442	4768	5093	5420	5745	6397	RODU
PRODUCT CODE KEY												
Line	Series	Chair Typ	e		Size			В	ase			S
FAE Lo	3-A Dunge Seating	L Lounge		1 One-Seat		B1 One-Sea	t Plus	Stand	S ard Base			
		Н		1+		B1+			F			
		High Bac Lounge		One-Seat Wi	ide O	ne-Seat \	Wide Plus	Full Wo	ood Base			

Two-Seat Plus

В3

Three-Seat Plus

2 Two-Seat

3

Three-Seat

# HEALTHCARE DISCOUNT APPLIES TO THESE PRODUCTS

# FAERON WOOD | ARMLESS HIGH BACK LOUNGE

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	4	FABRIC GRA	DES 6	7	LEATHER 8	9
A	One-Seat, Arm FAE3-AH1S	less High back Beech	Lounge 1947	e, Standard 2031	Base 2113	2278	2445	2611	2778	2943	3274
	One-Seat Plus, FAE3-AHB1S	Armless High Beech	back Lo 2012	unge, Stan 2093	dard Base 2178	e 2344	2510	2675	2842	3009	3341
A	One-Seat, Arm FAE3-AH1F	less High back Beech	Lounge 2104	e, Full Wood 2186	Base 2270	2434	2599	2767	2932	3098	3432
	One-Seat Plus, FAE3-AHB1F	Armless High Beech	back Lo 2169	ounge, Full \ 2250	Wood Bas 2333	se 2499	2665	2830	2997	3163	3495
	One-Seat Wide FAE3-AH1+S	Beech	2188	2296	2403	2617	2831	3048	3264	3478	3908
	One-Seat Wide FAE3-AHB1+S		High ba 2258	ack Lounge 2365	, Standard 2472	d Base 2688	2903	3116	3332	3547	3978
	One-Seat Wide FAE3-AH1+F	, Armless High Beech	back Lo 2387	ounge, Full 2494	Wood Ba 2604	se 2818	3033	3247	3462	3676	4107
	One-Seat Wide FAE3-AHB1+F		High ba 2459	ack Lounge 2566	, Full Woo 2672	od Base 2887	3104	3318	3533	3747	4177
	Two-Seat, Arml FAE3-AH2S	ess High back Beech	Lounge 2614	Standard 2733	Base 2849	3083	3318	3551	3785	4017	4486
	Two-Seat Plus, FAE3-AHB2S	Armless High Beech	back Lo 2714	unge, Stan 2830	dard Base 2948	e 3182	3417	3649	3885	4117	4585
	Two-Seat, Arml FAE3-AH2F	ess High back Beech	Lounge 2895	Full Wood 3013	Base 3131	3365	3597	3831	4064	4298	4768
	Two-Seat Plus, FAE3-AHB2F	Armless High Beech	back Lo 2995	unge, Full \ 3112	Wood Bas 3228	se 3462	3697	3932	4164	4398	4866
	Three-Seat, Arr FAE3-AH3S	mless High bad Beech	ck Loung 3475	ge, Standar 3668	d Base 3862	4248	4635	5021	5407	5793	6566
	Three-Seat Plus FAE3-AHB3S	s, Armless Hig Beech	h back L 3641	ounge, Sta 3836	ndard Ba 4029	se 4415	4800	5188	5574	5959	6733
	Three-Seat, Arr FAE3-AH3F	nless High bad Beech	ck Loung 3846	ge, Full Woo 4038	od Base 4232	4616	5005	5391	5776	6162	6937
	Three-Seat Plus FAE3-AHB3F	s, Armless Hig Beech	h back L 4012	ounge, Ful 4206	l Wood Ba 4398	ase 4784	5170	5557	5944	6330	7102
PRODUCT CODE KEY											
Line FAE	Series 3-A	Chair Type		1	Size	B1		Bas	se S		
Faeron	Armless unge Seating	Lounge		One-Seat	On	ne-Seat F	Plus	Standar			
Lo	ange ocaling	H H	_	1+	ı-	B1+	]		F		
		High Back Lounge	C	One-Seat Wic 2 Two-Seat		-Seat Wi B2 ro-Seat F		Full Woo	od Base		
				3 Three-Seat	Thr	B3 ee-Seat	] Plus				

DESCRIPTION/MODEL	8	Species	COM 1	2	COL 3	4	FABRIC GRAI 5	DES 6	7	LEATHER 8	9
	One-Seat, Wood FAE3-WL1ONC	Arm Lounge Beech	e, Open A 1831	rm 1897	1965	2104	2237	2373	2510	2644	2916
	One-Seat Plus, W FAE3-WL1BONC		ounge, Op 1895	oen Arm 1963	2032	2166	2302	2439	2573	2711	2983
	One-Seat Wood A FAE3-WL1SNC	Arm Lounge Beech	, Semi Cl 2336	osed Arm 2436	2537	2738	2938	3139	3341	3540	3944
	One-Seat Plus We FAE3-WL1BSNC		unge, Sei 2400	mi Closed 2503	Arm 2602	2803	3006	3206	3407	3607	4008
	One-Seat Wood A FAE3-WL1CNC	Arm Lounge Beech	, Closed 2 2355	Arm 2457	2556	2757	2958	3159	3361	3561	3962
	One-Seat Plus We FAE3-WL1BCNC		unge, Clo 2420	osed Arm 2518	2620	2822	3022	3223	3424	3625	4029
	One-Seat Wood A	•	ıck Lounç 2044	ge, Open <i>A</i> 2128	arm 2211	2377	2542	2709	2873	3039	3371
	One-Seat Plus W FAE3-WH1BONC					2441	2609	2773	2938	3106	3437
	One-Seat Wood A FAE3-WH1SNC	Arm High Ba Beech	ick Loung 2551	ge, Semi C 2665	losed Arm 2781	3012	3243	3474	3706	3937	4399
	One-Seat Plus Wo FAE3-WH1BSNC		gh Back L 2614	Lounge, Se 2731	emi Closed 2846	Arm 3079	3308	3539	3771	4003	4463
	One-Seat Wood A FAE3-WH1CNC		ick Loung 2568	ge, Closed 2684	Arm 2800	3033	3264	3494	3724	3957	4418
	One-Seat Plus W FAE3-WH1BCNC	•	gh Back L 2634	ounge, Cl 2749	osed Arm 2866	3095	3327	3559	3790	4020	4484

Line	Series	Chair Type	Siz	:e	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			2 Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

			COM	_	COL		ABRIC GRA		_	LEATHER	
DESCRIPTION/MODE	-	Species	1	2	3	4	5	6	7	8	9
	One-Seat Wide Wo FAE3-WL1+ONC	ood Arm Lou Beech	nge, Ope 2010	n Wood A 2104	rm 2194	2379	2564	2747	2934	3118	3488
	One-Seat Wide Plu FAE3-WLB1+ONC		Lounge, 2081	Open Arr 2172	n 2265	2448	2634	2819	3006	3187	3559
	One-Seat Wide Wo FAE3-WL1+SNC	od Arm Lou Beech	nge, Sem 2515	ni Closed A 2640	Arm 2766	3015	3266	3515	3766	4015	4515
	One-Seat Wide Plu FAE3-WLB1+SNC		Lounge, 2586	, Semi Clo 2712	sed Arm 2837	3085	3335	3586	3836	4085	4585
	One-Seat Wide Wo FAE3-WL1+CNC	od Arm Lou Beech	nge, Clos 2534	sed Arm 2660	2785	3035	3284	3535	3785	4034	4533
	One-Seat Wide Plu FAE3-WLB1+CNC		Lounge, 2606	, Closed A 2730	rm 2854	3106	3354	3605	3855	4105	4605
	One-Seat Wide Work FAE3-WH1+ONC	ood Arm Higl Beech	n Back Lo 2240	ounge, Op 2346	en Arm 2455	2670	2884	3098	3314	3530	3959
	One-Seat Wide Plu FAE3-WHB1+ONC		n High Ba 2308	ck Lounge 2418	e, Open A 2524	rm 2740	2955	3169	3384	3600	4029
	One-Seat Wide, Wo	ood Arm Hig Beech	h Back L 2745	ounge, Se 2885	emi Closed 3026	I Arm 3305	3586	3866	4145	4425	4985
	One-Seat Wide Plu FAE3-WHB1+SNC		n High Ba 2816	ck Lounge 2956	e, Semi Cl 3094	osed Arm 3375	1 3657	3935	4216	4496	5056
	One-Seat Wide Wo FAE3-WH1+CNC	ood Arm Higl Beech	n Back Lo 2765	ounge, Clo 2904	osed Arm 3042	3324	3605	3885	4164	4444	5006
	One-Seat Wide Plu FAE3-WHB1+CNC		n High Ba 2836	ck Lounge 2973	e, Closed 3114	Arm 3394	3675	3956	4234	4513	5075

**ORDERING NOTES:** Faeron chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC) or Solid Surface Arm (SA), replace "NC" in the model number with the **Arm Style** selection below and add the upcharge listed on <u>Page 250</u> See <u>Page 332</u> for color selection.

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

			COM	0	COL		ABRIC GF		_	LEATHE	
SCRIPTION/MODE		Species	1	2	3	4	5	6	7	8	9
	Two-Seat Wood FAE3-WL2ONC		e, Open <i>A</i> 2533	Arm 2634	2737	2940	3142	3347	3551	3754	4162
	Two-Seat Plus \FAE3-WLB2ON		ounge, O 2610	pen Arm 2711	2814	3015	3220	3423	3628	3831	4238
	Two-Seat Wood FAE3-WL2SNC		e, Semi C 3038	Closed Arm 3172	3307	3578	3845	4113	4383	4653	5189
	Two-Seat Plus \FAE3-WLB2SN(		ounge, Se 3114	emi Closec 3248	d Arm 3384	3652	3920	4189	4459	4729	5265
	Two-Seat Wood FAE3-WL2CNC	•	e, Closed	I Arm 3193	3325	3594	3865	4133	4400	4670	5209
	Two-Seat Plus V FAE3-WLB2CN	Wood Arm Lo C Beech	ounge, C 3134	losed Arm 3268	3403	3671	3941	4210	4479	4746	5284
	Two-Seat Wood FAE3-WH2ONC		ack Lour 2693	nge, Open 2808	arm 2927	3161	3394	3629	3862	4093	4564
	Two-Seat Plus \FAE3-WHB2ON		igh back 2768	Lounge, C 2885	pen arm 3003	3237	3470	3705	3937	4171	4639
	Two-Seat Wood FAE3-WH2SNC		ack Lour 3198	nge, Semi ( 3347	Closed Arn 3496	3795	4093	4395	4694	4992	5590
	Two-Seat Plus \FAE3-WHB2SN		igh Back 3274	Lounge, S 3423	Semi Closeo 3574	d Arm 3872	4171	4470	4770	5067	5665
	Two-Seat Wood FAE3-WH2CNC		ack Lour 3218	nge, Closed 3367	d Arm 3516	3816	4113	4414	4712	5011	5610
	Two-Seat Plus \FAE3-WHB2CN		igh Back 3293	Lounge, C 3442	Closed Arm 3592	3892	4189	4488	4789	5087	5686
DERING NOTES: lace "NC" in the motion.											
DDUCT CODE KEY	Series	Chair Ty	20		Size		Α.	rm Style	Arm	Can	
FAE Faeron	3-W Wood Arm ounge Seating	L Lounge		1 One-Sea		B1 One-Seat Plus		O pen Arm	No (	С	
	oango ocaling	H High Bad	-1-	1+ One-Seat W	/:-I-	B1+	da 0 '	S Closed Arr		C	

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap	
FAE Faeron	3-W Wood Arm Lounge Seating	Lounge	1 One-Seat	B1 One-Seat Plus	O Open Arm	NC No Cap	
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	Semi Closed Arm	UC Urethane Cap	
			2 Two-Seat	B2 Two-Seat Plus	Closed Arm	SC Solid Surface Cap	
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm	

COL

FABRIC GRADES

**LEATHER** 

COM

	DESCRIPTION/MODEL	Species	1	2	3	4	5	6	7	8	9
	Three-Seat Wo FAE3-WL3ONO		ige, Open 3255	Arm 3418	3581	3908	4233	4559	4884	5211	5863
<b>7</b>	Three-Seat Plus FAE3-WLB3ON		Lounge, C 3388	pen Arm 3551	3714	4040	4366	4690	5019	5344	5994
TKODOC TKODOC	Three-Seat Wo FAE3-WL3SNO		ige, Semi ( 3761	Closed Ari 3957	m 4153	4542	4935	5324	5717	6107	6891
77	Three-Seat Plus FAE3-WLB3SN		Lounge, S 3894	emi Close 4088	ed Arm 4285	4675	5066	5458	5848	6241	7022
山り山口	Three-Seat Wo FAE3-WL3CNC		ige, Closed 3780	d Arm 3975	4171	4562	4954	5345	5735	6126	6910
	Three-Seat Plus FAE3-WLB3CN		Lounge, C 3913	closed Arm 4108	1 4303	4695	5086	5478	5869	6260	7041
	Three-Seat Wo FAE3-WH3ONO Three-Seat Plus FAE3-WHB3ON	C Beech s Wood Arm	3478	3669	3864	4248 m 4383	4636 4769	5022 5155	5408 5539	5793 5928	6567 6700
ONI APPI	Three-Seat Wo FAE3-WH3SNO	C Beech	3983	4208	4434	4886	5338	5789	6241	6691	7593
500	FAE3-WHB3SN	NC Beech	4114	4341	4566	5019	5469	5920	6372	6823	7729
	Three-Seat Wo FAE3-WH3CNC	C Beech	4003	4228	4455	4904	5355	5807	6259	6710	7613
Ц Т	FAE3-WHB3CN	NC Beech	4134	4361	4586	5037	5490	5940	6391	6842	7745
1	ORDERING NOTES: Faeron chairs ca	n be specifie	ed with Ure	thane Arn	n Caps (L	JC), Solid S	Surface A	rm Caps (	SC) or Soli	d Surface A	۹rm (SA),

replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on Page 250. See Page 332 for color selection.

Line	Series	Chair Type	Siz	ze	Arm Style	Arm Cap
FAE Faeron	3-W Wood Arm Lounge Seating	L Lounge	1 One-Seat	B1 One-Seat Plus	Open Arm	NC No Cap
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	S Semi Closed Arm	UC Urethane Cap
			Z Two-Seat	B2 Two-Seat Plus	C Closed Arm	SC Solid Surface Cap
			3 Three-Seat	B3 Three-Seat Plus		SA Solid Surface Arm

# FAERON UPHOLSTERED | LOUNGE

		COM		COL	FAB	RIC GRA	DES		LEATHER	í
DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	One-Seat Upholstered Arm	n Lounge.	No Arm C	an. Beec	h Wood le	a				
	FAE3-UL1NCW	2486	2633	2779	3071	3366	3660	3952	4246	4831
		00				0000	0000	0002		
	0 0 15 11 1									
	One-Seat Plus Upholstered FAE3-ULB1NCW		•	• •	•					
Ш	FAES-ULD INGW	2551	2697	2844	3137	3432	3723	4017	4312	4897
	One-Seat Wide Upholstere	d Arm Lo	unae No.	arm can	Wood lea					
	FAE3-UL1+NCW	2665	2837	3009	3349	3692	4035	4375	4718	5403
	.,	2003	2001	3009	3343	3092	4000	4373	47 10	3403
	One-Seat Wide Plus Uphol		•		•	•				
Ш	FAE3-ULB1+NCW	2736	2908	3079	3420	3762	4105	4446	4789	5473
	Two-seat Upholstered Arm	Loungo	No arm ca	ın Wood	log					—
	FAE3-UL2NCW	3187	3368	3550	3910	4271	4633	4994	5355	6078
	TALO OLLIVOTT	3101	3300	3330	3910	4271	4033	4994	3333	0070
	Two-seat Plus Upholstered		-		_					
m II.	FAE3-ULB2NCW	3265	3445	3625	3986	4347	4709	5070	5432	6155
										•
	Three-seat Upholstered Ar	m Lounge	No arm	can Wee	d lea					
	FAE3-UL3NCW	3910	4153	4395	4878	5362	5844	6328	6812	7779
	., 0_0	3910	4133	4090	4070	3302	3044	0320	0012	1119
	Three-seat Plus Upholstere		•		ū					
	FAE3-ULB3NCW	4043	4286	4528	5010	5493	5978	6461	6943	7912
Ψ										

ORDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm Caps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on <a href="Page 250">Page 250</a>. To specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. See <a href="Page 332">Page 332</a> for color selection.

Line	Series	Chair Type	Siz	e	Arm Cap	Leg Type	
FAE	3-U	L	1	B1	NC	W	
Faeron	Upholstered Arm Lounge Seating	Lounge	One-Seat	One-Seat Plus	No Cap	Beech Wood Leg	
		Н	1+	B1+	UC	S	
		High Back Lounge	One-Seat Wide	One-Seat Wide Plus	Urethane Cap	Silver Metallic Leg	
			2	B2	SC	N	
			Two-Seat	Two-Seat Plus	Solid Surface Cap	Brushed Nickel Leg	
			3	B3	WC		
			Three-Seat	Three-Seat	Wood Arm Cap		

	DESCRIPTION/MODEL	_	COM 1	2	COL 3	FA 4	BRIC GRA	ADES 6	7	LEATHEI 8	R 9
		One-Seat Upholstered Arm	High Back	Loungo	No Arm C	an Wood	log				
		FAE3-UH1NCW	2699	2861	3022	3347	3669	3994	4317	4641	5288
S		One-Seat Plus, Upholstered FAE3-UHB1NCW	l Arm High 2765	Back Lou 2927	nge, No A 3088	rm Cap, \ 3411	Wood leg 3735	4059	4383	4707	5352
<b>PRODUCTS</b>											
1		One-Seat Wide, Upholstere	d Arm High	Back Lo	unge, No /	Arm Cap,	Wood leg				
8		FAE3-UH1+NCW	2895	3081	3267	3639	4013	4384	4757	5131	5873
4		One-Seat Wide Plus, Uphol	stered Arm	High Bac	k Lounge	, No Arm	Cap, Woo	d leg			
Щ		FAE3-UHB1+NCW	2965	3151	3339	3709	4083	4456	4825	5198	5944
THESE											
Ξ		Two-seat, Upholstered Arm	-	_			-				
		FAE3-UH2NCW	3348	3543	3740	4131	4522	4914	5304	5696	6480
0		Two-seat Plus, Upholstered			-		_				
ES ES		FAE3-UHB2NCW	3424	3619	3816	4207	4599	4989	5380	5771	6556
<b>APPLIES</b>											
<u>D</u>		Three-seat, Upholstered Arr	-	-			-				
A		FAE3-UH3NCW	4132	4403	4675	5220	5764	6308	6850	7395	8484
<b>L</b>		Three-seat Plus, Upholstere			-		_				
5		FAE3-UHB3NCW	4265	4537	4810	5352	5896	6440	6984	7529	8615
Ö											
ISCOUNT											

ORDERING NOTES: Faeron upholstered chairs can be specified with Urethane Arm Caps (UC), Solid Surface Arm Caps (SC), or Wood Arm Caps (WC), replace "NC" in the model number with the Arm Style selection below and add the upcharge listed on Page 250 To specify the Metal Leg option below, replace "W" in the above model number with "S" for Silver Metallic or "N" for Brushed Nickel. See Page 332 for color selection.

Line	Series	Chair Type	Siz	e	Arm Style	Leg Type
FAE Faeron	3-U Upholstered Arm Lounge Seating	Lounge	1 One-Seat	B1 One-Seat Plus	NC No Cap	W Beech Wood Leg
		H High Back Lounge	1+ One-Seat Wide	B1+ One-Seat Wide Plus	UC Urethane Cap	Silver Metallic
			2 Two-Seat	B2 Two-Seat Plus	SC Solid Surface Cap	N Brushed Nickel
			3 Three-Seat	B3 Three-Seat Plus	WC Wood Arm Cap	

		COM		COL	FA	BRIC GRA	DES		LEATHE	R
ESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
	One-Seat Upholstered A	_		-	-					
	FAE3-UW1NCW	3079	3240	3399	3723	4047	4371	4695	5019	5664
	One-Seat Plus Upholster FAE3-UWB1NCW		-		•	-	4407	4750	5004	F701
	17.20 0112111011	3141	3304	3465	3790	4112	4437	4759	5084	5731
	One-Seat Wide Upholste FAE3-UW1+NCW		_			-	4700	E40E	5507	0050
	TALO OWITHOW	3271	3459	3645	4017	4390	4762	5135	5507	6253
	One-Seat Wide Plus Uph	noletered A	rm Winak	nack No.	Arm Can	Wood lea				
	FAE3-UWB1+NCW	3343	3530	3714	4087	4460	4831	5205	5578	6322
		0010	0000	07.1.1	1007	1100	1001	0200	00.0	OOLL
	Two-seat Upholstered A	rm Wingho	ck No Ar	m Can M	lood log					
	FAE3-UW2NCW	3724	3920	4116	4508	4899	5292	5682	6074	6856
	Two-seat Plus Upholster	ed Arm Wi	ngback, N	No Arm Ca	ap, Wood	leg				
	FAE3-UWB2NCW	3801	3997	4192	4584	4975	5367	5759	6149	6933
	Three-seat Upholstered	Arm Wingb	ack, No	Arm Cap,	Wood leg					
	FAE3-UW3NCW	4510	4782	5054	5597	6141	6685	7230	7772	8862
1										
	Three-seat Plus Upholsto		Vingback		Cap, Woo	d leg				
	FAE3-UWB3NCW	4642	4915	5185	5730	6273	6818	7362	7905	8993
Ψ										
DERING NOTES: Faei	ron upholstered chairs can	be specifie	d with Ure	ethane Arı	m Caps (U	IC). Solid 9	Surface /	Arm Caps (	SC) . or W	lood Arm
os (WC), replace "NC"	in the model number with t	he <b>Arm St</b> y	<b>/le</b> select	ion below	and add t	he upchar	ge listed	d on <b>Page</b> 2		
al Leg option below, re • <b>Page 332</b> for color se	eplace "W" in the above mo election	odel numb	er with "S	" for Silve	er Metallic	or "N" for	Brushe	d Nickel.		
DOUCT CODE KEY										
Line Se	ries Chair Type		s	ize		Arm	Cap	Leg Ty	pe	
FAE 3	-U W	Γ	1		B1	N		W		
	ered Arm Wingback	On	ie-Seat		e-Seat	No C	Cap	Beech Woo	d Leg	
Lounge	Seating	_		F	Plus				_	
			1+		B1+	W	C	S		
		One-S	Seat Wide		eat Wide	Wood A	rm Cap	Silver Me	tallic	


Line	Series	Chair Type	Siz	:e	Arm Cap	Leg Type	
FAE Faeron	3-U Upholstered Arm Lounge Seating	W Wingback	1 One-Seat	B1 One-Seat Plus	NC No Cap	W Beech Wood Leg	
			1+ One-Seat Wide	B1+ One-Seat Wide Plus	WC Wood Arm Cap	Silver Metallic	
			Z Two-Seat	B2 Two-Seat Plus	SC Solid Surface Cap	N Brushed Nickel	
			3 Three-Seat	B3 Three-Seat			

# **SUTTON | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS







PRE-CONSUMER
RECYCLED CONTENT = 8.09%

POST-CONSUMER RECYCLED CONTENT = 15.29%

Up to 23.38% of Sutton product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### **AIR EMISSIONS**

All Sutton products are supplied air-emissions certified. Contact customer service for information.

### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### SUTTON

			СОМ		COL	FAB	RIC GRAD	ES	LEATHER		
DESCRIPTION/M	IODEL/FINISH	ES	1	2	3	4	5	6	7	8	9
	ONE-SEAT										
	SUT3-1-0-1	Cherry, Oak, Maple, Walnut, Anigre	1986	2165	2375	2695	2894	3113	3377	4032	4839
	SUT3-1-0-2	Wallat, Aligic	2174	2384	2616	2998	3219	3459	3754	4482	5319
8	SUT3-1-1-1	Cherry, Oak, Maple, Walnut, Anigre	2112	2316	2539	2912	3123	3360	3645	4350	5162
	SUT3-1-1-2	Cherry, Oak, Maple, Walnut, Anigre	2514	2717	2913	3113	3314	3516	3711	3952	4762
	TWO-SEAT										
	SUT3-2-0-1	Cherry, Oak, Maple, Walnut, Anigre	2656	2816	2984	3189	3428	3664	4366	4956	5989
	SUT3-2-0-2	rramas, rungre	2954	3133	3319	3550	3811	4079	4580	5511	6574
U	SUT3-2-1-1	Cherry, Oak, Maple, Walnut, Anigre	2868	3040	3221	3446	3700	3958	4442	5350	6384
	SUT3-2-1-2	Cherry, Oak, Maple, Walnut, Anigre	3266	3471	3681	3935	4190	4443	4698	5028	6056
	THREE-SEA	Т									
	SUT3-3-0-1	Cherry, Oak, Maple, Walnut, Anigre	3603	3807	4032	4247	4462	4688	4927	5969	7411
	SUT3-3-0-2	Wallat, Aligic	4009	4236	4482	4723	4967	5212	5478	6639	8124
	SUT3-3-1-1	Cherry, Oak, Maple, Walnut, Anigre	3892	4113	4350	4586	4821	5062	5319	6447	7888
	SUT3-3-1-2	Cherry, Oak, Maple, Walnut, Anigre	4270	4597	4936	5346	5761	6174	6589	7063	8508

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SUT3101	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3102	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	3.8
SUT3111	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3112	27.5	29.5	30.5	16.75	26	20.25	20.25	85	16.75	2.8
SUT3201	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3202	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	5.6
SUT3211	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3212	47.5	29.5	30.5	16.75	26	40.25	20.25	125	28.5	4.0
SUT3301	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3302	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	7.6
SUT3311	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5
SUT3312	67.5	29.5	30.5	16.75	26	60.25	20.25	155	41	5.5

PRODU Line	CT CODE KEY Series	Seat Count	Arm/Back Style	Base Style
SUT	3	1	0	1
Sutton	Soft Seating	One-Seat	Fully Upholstered Surround	Wood Base & Legs
		2	1	2
		Two-Seat	Wood Surround	Metal Base & Legs

3

Three-Seat

### STANDARD FINISHES

Oak finishes on wood surround versions are applied on Rift Oak. For a complete list of standard wood finishes please see page 14.

### **METAL BASE OPTION**

Metal base is available in Silver Metallic only. Note: Rift Oak surround can only be specified with a Silver Metallic base.

### REMOVABLE UPHOLSTERED SEAT COVERS

Sutton Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$152 list per one-seater chair, \$303 list per two-seater chair and \$455 list per three-seater chair.


### **MOISTURE BARRIER & CAL 133**

Moisture Barrier  $\,\&$  CAL 133 is available for an upcharge of \$61 list per yard.

# **CARLYLE | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 3.96%

POST-CONSUMER RECYCLED CONTENT = 14.38%

Up to 37.5% of Carlyle product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

	001111111111111111111111111111111111111	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CARLYLE** | LOUNGE

			COM		COL	FA	BRIC GRA	ADES		LEATHER	{
DESCRIPTION/MO	DEL/FINISHES		1	2	3	4	5	6	7	8	9
	ONE-SEAT CAR311	Cherry, Maple, Walnut, Anigre	3133	3234	3331	3530	3723	3922	4121	4483	5100
	CAR312	Silver Metallic	3133	3234	3331	3530	3723	3922	4121	4483	5100
	TWO-SEAT										
	CAR321	Cherry, Maple, Walnut, Anigre	4230	4378	4524	4772	5022	5268	5512	6050	7046
	CAR322	Silver Metallic	4230	4378	4524	4772	5022	5268	5512	6050	7046
	THREE-SEAT CAR331	Cherry, Maple, Walnut, Anigre	5704	5887	6063	6395	6728	7053	7386	8044	9278
	CAR332	Silver Metallic	5704	5887	6063	6395	6728	7053	7386	8044	9278

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR311	33	30	32	17.5	26	20	22	60	24	4.5
CAR312	33	30	32	17.5	26	20	22	60	24	4.5
CAR321	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR322	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR331	84	30	32	17.5	26	70.5	22	135	62	9.0
CAR332	84	30	32	17.5	26	70.5	22	135	62	9.0

### **ORDERING NOTES**


Carlyle Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$152 list per one-seater chair, \$303 list per two-seater chair and \$455 list per three-seater chair.

PRODUCT COL	DE KEY Series	Seat Count	Base Style	STANDARD FINISHES For a complete list of standard wood finishes please see Page 331.
CAR	3	1	1	
Carlyle	Soft Seating	One-Seat	Wood Base	CARLYLE LOUNGE
			& Legs	Carlyle is available in both wood base and Silver Metallic base
		2	2	versions.
		Two-Seat	Metal Base	
			& Legs	MOISTURE BARRIER & CAL 133
		3		Moisture Barrier & CAL 133 is available for an upcharge of <b>\$61 list</b> per yard.
		Three-Seat		

# **BRIO | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 7.09%

POST-CONSUMER RECYCLED CONTENT = 9.43%

Up to 11.34% of Brio product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Brio products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Brio products are supplied with air-emissions certified. Contact customer service for information.



### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Brio and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

			COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MODE	L	FINISHES	1	2	3	4	5	6	7	8	9
	ONE-SEAT 4100-1	Cherry, Maple, Walnut, Anigre	1986	2165	2375	2695	2894	3113	3377	4032	4839
	TWO-SEAT 4100-2	Cherry, Maple, Walnut, Anigre	2656	2816	2984	3189	3428	3664	4366	4956	5989
	THREE-SEA 4100-3	AT Cherry, Maple, Walnut, Anigre	3603	3807	4032	4247	4462	4688	4927	5969	7411

### **ORDERING NOTES**

Brio Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$152 list per one-seater chair, \$303 list per two-seater chair, and \$455 list per three-seater chair.

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
4100-1	31.5	31.5	34	18	26	22.5	20.75	97	22	5.9
4100-2	54	31.5	34	18	26	45	20.75	120	41	7.5
4100-3	76	31.5	34	18	26	67.5	20.75	145	55	10.5

### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Krug product model number
- 2. Fabric name and number
- 3. Color name and number

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

### STANDARD FINISHES

For a complete list of standard wood finishes please see Page 331.

### **BRIO**

Brio has fixed seat cushions.


### **MOISTURE BARRIER & CAL 133**

Moisture Barrier & CAL 133 is available for an upcharge of \$61 list per yard.

# **SLOANE** | LEED CI CREDIT SUMMARY

### LEED CI CREDITS





PRE-CONSUMER RECYCLED CONTENT = 6.94%

POST-CONSUMER RECYCLED CONTENT = 15.22%

Up to 29.22% of Sloane product is recyclable at the end of its useful life.

### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION









### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sloane products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

All Sloane products are supplied air-emissions certified. Contact customer service for information.

### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sloane and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

DESCRIPTION/MODEL	-	COM 1	2	COL 3	F <i>F</i> 4	ABRIC GRA	ADES 6	7	LEATHER 8	9
	ONE-SEAT SLO3-10 SLO3-11	2514 2743	2717 2945	2913 3142	3113 3391	3314 3682	3516 3795	3711 3988	3952 4232	4762 5043
	TWO-SEAT SLO3-20 SLO3-21	3266 3679	3471 3883	3681 4091	3935 4391	4190 4654	4443 4897	4698 5161	5028 5481	6056 6511
	THREE-SEAT SLO3-30	4270	4597	4936	5346	5761	6174	6589	7063	8508
	SLO3-31	4681	5010	5347	5807	6221	6630	7051	7522	8965

# **DIMENSIONS & COM REQUIREMENTS**

			Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
SLO3-10	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-11	32.25	30.5	30.75	17.5	26	22.5	20.25	95	19	5.9
SLO3-20	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-21	54.75	30.5	30.75	17.5	26	45	20.25	143	31	7.5
SLO3-30	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5
SLO3-31	77.25	30.5	30.75	17.5	26	67.5	20.25	190	43	10.5

### **ORDERING NOTES**

Sloane Lounge Chairs are available with a removable upholstered seat cover at an upcharge of \$152 list per one-seater chair, \$303 list per two-seater chair and \$455 list per three-seater chair.

PRODUCT COL	DE KEY Series	Seat Count	Upholstery Style	SLOANE LEG FINISH Legs are available in metal with a Silver Metallic finish only, as shown.
SLO	3	1	0	
Sloane	Soft Seating	One-Seat  2 Two-Seat	Standard Upholstery  1 Top Stitching & Buttons	MOISTURE BARRIER & CAL 133  Moisture Barrier & CAL 133 is available for an upcharge of \$61 list per yard.
		Three-Seat		

# **BENCHES**


270 Tate276 Zola286 Carlyle

# TATE BENCH | ENVIRONMENTAL SUMMARY

### **LEED CI CREDITS**

### MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 9.09%

POST-CONSUMER
RECYCLED CONTENT = 24.26%

Up to 26.97% of this Tate product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION BIFMA's e3 Furniture Su

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Tate Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### AIR EMISSIONS

All Tate Bench products are supplied air-emissions certified. Contact customer service for information.

### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Tate and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# TATE BENCHES | FEATURES & OPTIONS

### **STYLE**

Tate Bench features three design styles; Fully Upholstered, Gable End and Table End.



Fully Upholstered



### Gable End

Tate Bench gable ends are 2" wide x 20" deep x 6" high on standard depth units and 2" wide x 25" deep x 6" high on deep seat units



### Table End

Tate Bench table ends are 10" wide  $\times$  20" deep  $\times$  6" high on standard depth units and 10" wide  $\times$  25" deep  $\times$  6" high on deep seat units.



### **LEGS**

Tate Bench legs feature polished chrome structural steel legs with non-marring glides.

### REPLACEABLE COMPONENTS

Tate Benches are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Gable ends, table ends and legs are field replaceable.

### **WEIGHT CAPACITIES**

Tate Bench have the following maximum weight ratings: 2 seater - 975 lbs 3 seater - 1,200 lbs

### **OPTIONS**

### Removable Covers

Optional Removeable covers can be quickly installed on Tate Bench products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Tate Bench products that were not originally ordered with the Removable cover option, with some simple staple removal.

### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Length	Overall Depth	Overall Height	Seat Length	Shipping Weight	Cube	COM Yardage	
TAT5-2210	43	21	17	43	48	10.7	1.4	
TAT5-2260	43	26	17	43	57	13.2	1.6	
TAT5-3210	65	21	17	65	62	15.7	2.0	
TAT5-3260	65	26	17	65	74	19.4	2.3	
TAT5-2211	47	21	17	43	56	10.7	1.4	
TAT5-2261	47	26	17	43	65	13.2	1.6	
TAT5-3211	69	21	17	65	70	15.7	2.0	
TAT5-3261	69	26	17	65	82	19.4	2.3	
TAT5-2212	63	21	17	43	70	14.3	1.4	
TAT5-2262	63	26	17	43	83	17.7	1.6	
TAT5-3212	84.5	21	17	65	84	19.2	2.0	
TAT5-3262	84.5	26	17	65	100	23.8	2.3	

### **DIMENSIONS:**

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# TATE BENCHES | VENEERS & FINISHES

### **WOOD FINISHES**

Standard wood finishes are:

SPECIES FINISH

OAK Light Oak

SilverGrey on Oak

Espresso Oak

MAPLE Clear Maple

Wheat Maple

WALNUT Natural Walnut

SilverGrey on Walnut Regular Walnut Dark Walnut

### **PALETTE FINISHES**

Black White Sand Soft Green Steel Blue Slate

### **VENEERS**

Tate Benches veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

### NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Tate can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Tate's standard offering.

### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

### **CUSTOM WOOD FINISHES**

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

### **ENDURAGUARD FINISH**

Tate Benches features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

# TATE BENCHES | FULLY UPHOLSTERED & GABLE END

			СОМ		COL	FAB	RIC GRA	DES		LEATHE	
DESCRIPTION/MODEL	SPECI		1	2	3	4	5	6	7	8	9
	Two-seat, 21", fully t TAT5-2210	pholstered	945	993	1037	1098	1170	1233	1305	1394	1484
	Two-seat, 26", fully t TAT5-2260	pholstered	1055	1111	1169	1249	1342	1422	1514	1628	1745
	Three-seat, 21", fully TAT5-3210	upholstered	1137	1199	1264	1353	1455	1543	1646	1773	1900
	Three-seat, 26", fully TAT5-3260	upholstered	1253	1329	1408	1514	1636	1745	1866	2019	2173
	Two-seat, 21", gable	end , Oak, Laminate	1424	1465	1510	1567	1636	1696	1766	1849	1934
	·	t, Palette	1498	1543	1588	1652	1723	1786	1859	1946	2035
		end , Oak, Laminate t, Palette	1545 1627	1599 1685	1654 1741	1731 1822	1818 1915	1895 1993	1981 2087	2091	2200 2317
	·	le end , Oak, Laminate t, Palette	1600 1687	1663 1750	1723 1815	1808 1903	1904 2006	1990 2094	2088 2198	2209 2325	2331
Tate Bench Option Upo	harges	\$ List							\$	List	
CAL 133 & Moisture Bar Two-seat, 21" - Remova Two-seat, 26" - Remova	ble Seat Covers	61 74 77			at, 21" - R at, 26" - R					93 97	
PRODUCT CODE KEY											
Line	Series	Seat Count		Se	eat Depth		Arm S	tyle			
TAT Tate	5 Bench	2 Two-Seat			21"		0 Fully Upho				
		3 Three-Seat			26 26"		1 Gable				
							2 Table				

# TATE BENCHES | GABLE END & TABLE END

DESCRIPTION/MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	LEATHE 8	R 9
Three-seat TAT5-3261	26", gable end Maple, Oak, Laminate	1745	1817	1890	1991	2107	2209	2327	2471	261
	Walnut, Palette	1835	1912	1988	2094	2217	2325	2447	2604	275
Two-seat, 2 TAT5-2212	21", table end Maple, Oak, Laminate	1927	1968	2010	2070	2140	2199	2269	2353	243
	Walnut, Palette	2030	2071	2116	2179	2252	2316	2386	2474	256
Two-seat, 2 TAT5-2262	26", table end Maple, Oak, Laminate	2092	2147	2202	2277	2368	2442	2531	2639	274
	Walnut, Palette	2203	2261	2318	2399	2490	2571	2662	2779	289
Three-seat TAT5-3212	21", table end Maple, Oak, Laminate	2105	2166	2226	2312	2409	2494	2589	2713	283
	Walnut, Palette	2214	2278	2343	2433	2534	2625	2725	2854	298
Three-seat TAT5-3262	26", table end Maple, Oak, Laminate	2293	2363	2439	2539	2657	2757	2873	3017	316
	Walnut, Palette	2412	2488	2566	2672	2795	2902	3024	3180	333
Tate Bench Option Upcharges	\$ List							\$	List	
CAL 133 & Moisture Barrier (per yard Two-seat, 21" - Removable Seat Cov Two-seat, 26" - Removeable Seat Co	ers 74			at, 21" - R at, 26" - R					93 97	

PRODUCT CODE KEY					
Line	Series	Seat Count	Seat Style	Arm Style	
TAT Tate	5 Bench	2 Two-Seat	21"	0 Fully Upholstered	
		3 Three-Seat	26"	1 Gable End	
				2 Table End	

SEATING & OCCASIONAL TABLES | USA | 274

# TATE BENCHES | REPLACEMENT COMPONENTS

		COM		COL	FA	BRIC	GRAD	ES I	EATH	IER		
DESCRIPTION/MODEL	-	1	2	3	4	5	6	7	8	9	WEIGHT	CUBE
	Two-seat, 21" Replacement Seat TAT5-RS221	730	774	820	884	955	1015	1087	1179	1268	3 34	4.5
	Two-seat, 26" Replacement Seat TAT5-RS226	793	841	893	966	1044	1117	1200	1302	1407	' 43	5.5
	Three-seat, 21" Replacement Seat TAT5-RS321	916	982	1044	1137	1237	1327	1372	1557	1685	5 52	6
	Three-seat, 26" Replacement Seat TAT5-RS326	996	1068	1144	1245	1363	1465	1584	1731	1877	74	7.3
	Two-seat, 21" Replacement Seat Covers TAT5-RSC221		334	379	439	512	574	646	735	827	7 5	1.0
	Two-seat, 26" Replacement Seat Covers TAT5-RSC226		364	414	487	568	639	721	825	927	6	1.2
	Three-seat, 21" Replacement Seat Cove TAT5-RSC321		437	502	591	695	782	885	1013	1141	7	1.5
	Three-seat, 26" Replacement Seat Cover TAT5-RSC326		478	553	655	771	873	993	1140	1285	5 8	1.7
3	Replacement Gable End 21" TAT5-RGE21 Maple, Oak, Laminat Walnut, Palette	te 348 417									4	.30
	Replacement Gable End 26" TAT5-RGE26 Maple, Oak, Laminat Walnut, Palette	te 390 491									5	.50
	Replacement Table End 21" TAT5-RTE21 Maple, Oak, Laminat Walnut, Palette	te 586 717									11	1.1
	Replacement Table End 26" TAT5-RTE26 Maple, Oak, Laminat Walnut, Palette	te 640 777									13	1.3
H	21" Replacement Legs TAT5-RL21	175									7	1.1
u/	26" Replacement Legs TAT5-RL26	190									9	1.5

# **ZOLA BENCH | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### **AIR EMISSIONS**

All Zola Bench products are supplied air emissions-certified. Contact customer service for information.

### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Zola and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH**

### **DIMENSIONS**

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes
One-Seat	23	22.25	18.5	28	5.2
Two-seat	46	22.25	18.5	48	9.4
Three-seat	69	22.25	18.5	64	14
One-Seat (Plus)	30	22.25	18.5	31	6.1
Two-seat (Plus)	46	22.25	18.5	48	9.4
Three-seat (Plus)	69	22.25	18.5	64	14

### **COM YARDAGES**

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-Seat (Plus)	1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

# **ZOLA** | MODULAR & MODULAR PLUS BENCH FULL DEPTH

### **DIMENSIONS**

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes	
One-Seat	23	26	18.5	33	11.5	
Two-seat	46	26	18.5	55	21	
Three-seat	69	26	18.5	72	32	
One-Seat (Plus)	30	26	18.5	45	16	
Two-seat (Plus)	46	26	18.5	57	21	
Three-seat (Plus)	69	26	18.5	75	32	

### **COM YARDAGES**

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-Seat	1.4	2.2	3.6	4.4	
Two-seat	1.85	3.7	5.6	7.4	
Three-seat	2.8	5.6	8.4	11.2	
One-Seat (Plus)	1.85	3.7	5.6	7.4	
Two-seat (Plus)	1.85	3.7	5.6	7.4	
Three-seat (Plus)	2.8	5.6	8.4	11.2	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Arms (Right or Left)	74	One-Seat standard depth seat	45
Interim Arm	59	Two-seat standard depth seat	65
One-Seat back	65	Three-seat standard depth seat	81
Two-seat back	93	One-Seat plus standard depth seat	59
Three-seat back	116	One-Seat full depth seat	50
One-Seat plus back	75	Two-seat full depth seat	71
		Three-seat full depth seat	81
		One-Seat plus full depth seat	64

# **ZOLA | MODULAR & MODULAR PLUS BENCH STANDARD DEPTH**

		COM		COL	FAE	BRIC GRA	DES		LEATHER	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1S1	830	873	918	1003	1085	1169	1252	1332	1462
	One-Seat Plus ZOL3 MSB1S1  ORDERING NOTES: One-S	1046 Seat Plus B	1092 Sench is 30	1139 )" wide.	1228	1319	1410	1498	1589	1724
	Two-Seat ZOL3 MS2S1	1160	1212	1267	1379	1492	1605	1718	1831	2018
	Two-Seat Plus ZOL3 MSB2S1	1236	1295	1355	1467	1583	1694	1807	1921	2109
	ORDERING NOTES: The Tv	vo-Seat Pl	us comes	standard	with a fifth	leg for ex	tra suppoi	rt.		
	Three-Seat ZOL3 MS3S1	1484	1560	1634	1794	1951	2109	2268	2427	2618
	Three-Seat Plus ZOL3 MSB3S1	1764	1837	1915	2046	2185	2319	2457	2589	2806
	ORDERING NOTES: The Th	ree-Seat	Plus come	s standar	d with a fif	th leg for e	extra supp	ort.		

# **ZOLA** | MODULAR & MODULAR PLUS BENCH FULL DEPTH

		COM COL FABRIC GRADES			LEATHER					
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9
	One-Seat ZOL3 MS1F1	916	963	1008	1068	1141	1203	1273	1363	1481
	One-Seat Plus ZOL3 MSB1F1	1103	1164	1223	1306	1398	1483	1579	1694	1815
	ORDERING NOTES: One	e-Seat Plus E	Bench is 30	O" wide.						
	Two-Seat ZOL3 MS2F1	1353	1412	1472	1555	1648	1731	1827	1943	2063
	Two-Seat Plus ZOL3 MSB2F1	1404	1463	1521	1605	1697	1781	1875	2132	2113
	ORDERING NOTES: The	Two-Seat P	lus comes	standard	with a fifth	leg for ex	tra suppoi	rt.		
	Three-Seat ZOL3 MS3F1 Three-Seat Plus ZOL3 MSB3F1	1830 1894	1920 1986	2008 2073	2130 2200	2275 2343	2402 2468	2544 2612	2723 2789	2902 2969

**ORDERING NOTES:** Zola Bench Seating is available with 4 casters, for an upcharge of \$98 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of \$71 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, plus versions are not available with caster options.

ORDERING NOTES: The Three-Seat Plus comes standard with a fifth leg for extra support.

PRODUCT CODE RE	'				
Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	S Standard Depth	1 Standard Leg &
					Glide
		MSB	2	F	2
		Modular Plus	Two Seat	Full Depth	Casters
			3		3
			Three Seat		2 Legs & 2 Casters

**DIMENSIONS INSIDE CURVE** 

DIMENOIONO II	Overall	Overall	Seat	Seat	Shipping		
	Width	Depth	Height	Depth	Weight	Cubes	
Single seat							
30°	36	28.5	18.5	22.5	50	18	
45°	42	29	18.5	22.5	54	19	
60°	48	29	18.5	22.5	57	22	
90°	59	31	18.5	22.5	69	26	
Double seat							
30°	58	30	18.5	22.5	90	32	
45°	64	31	18.5	22.5	97.2	33	
60°	70	33	18.5	22.5	102.6	39	
90°	81	36	18.5	22.5	124.2	46	

**COM Yardages** 


	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
Single seat 30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

**COM Yardages - Individual Components** 


	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.9 2.6 2.6 2.8	3.8 5.2 5.2 5.6	5.7 7.8 7.8 8.4	7.6 10.4 10.4 11.2	1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90°	2.9 3 4.8 4.8	5.8 6.0 8.8 8.8	8.7 9.0 13.5 13.5	11.6 12.0 17.4 17.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8 6.8	10.2 10.2 10.2 10.2	13.6 13.6 13.6 13.6




One-Seat, Uph 30° Inside Curve




One-Seat, Uph 45° Inside Curve




One-Seat, Uph 60° Inside Curve




One-Seat, Uph 90° Inside Curve




Two-Seat, Uph 30° Inside Curve



Two-Seat, Uph 45° Inside Curve



Two-Seat, Uph 60° Inside Curve



Two-Seat, Uph 90° Inside Curve

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	120

### **DIMENSIONS OUTSIDE CURVE**

	Overall Width	Overall Depth	Seat Height	Seat Depth	Shipping Weight	Cubes	
Single seat							
30°	33.75	28.25	18.5	22.5	48	23	
45°	38.75	28.75	18.5	22.5	49	24	
60°	43.5	29.25	18.5	22.5	50	29	
90°	52	29.75	18.5	22.5	51	34	
Double seat							
30°	55.75	29.75	18.5	22.5	83	36	
45°	60.75	31	18.5	22.5	84	40	
60°	65.75	32.25	18.5	22.5	86	45	
90°	74	34.5	18.5	22.5	96	56	

### **COM Yardages**


	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat					
30°	3.32	6.14	9.46	12.28	
45°	3.32	6.14	9.46	12.28	
60°	3.32	6.14	9.46	12.28	
90°	3.32	6.14	9.46	12.28	
Double seat					
30°	6.50	13.0	19.5	26.0	
45°	6.50	13.0	19.5	26.0	
60°	6.50	13.0	19.5	26.0	
90°	6.50	13.0	19.5	26.0	

### **COM Yardages - Individual Components**

	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6




One-Seat, Uph 30° Curve



Two-Seat, Uph 30° Curve




One-Seat, Uph 45° Curve




Two-Seat, Uph 45° Curve




One-Seat, Uph 60° Curve



Two-Seat, Uph 60° Curve



One-Seat, Uph 90° Curve



Two-Seat, Uph 90° Curve

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	59	Double-seat curve 30° seat	89
Single-seat curve 45° seat	61	Double-seat curve 45° seat	97
Single-seat curve 60° seat	82	Double-seat curve 60° seat	118
Single-seat curve 90° seat	108	Double-seat curve 90° seat	120

		COM		COL		FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9	
	Single-Seat, 30° Curve, Stan ZOL3 MCS30DS1	idard Dept 1192	h 1297	1408	1557	1727	1877	2047	2265	2479	
	Single-Seat, 45° Curve, Stan ZOL3 MCS45DS1	dard Dept 1297	h 1456	1611	1831	2082	2300	2551	2865	3178	
	Single-Seat, 60° Curve, Stan ZOL3 MCS60DS1	dard Dept 1466	h 1624	1780	2000	2248	2468	2719	3033	3346	
	Single-Seat, 90° Curve, Stan ZOL3 MCS90DS1	idard Dept 1692	h 1863	2035	2277	2554	2795	3069	3417	3761	
	Single-Seat, 30° Curve, Full ZOL3 MCS30DF1	Depth 1311	1428	1546	1712	1900	2065	2256	2489	2725	
	Single-Seat, 45° Curve, Full ZOL3 MCS45DF1	Depth 1430	1600	1773	2013	2291	2531	2806	3150	3495	
	Single-Seat, 60° Curve, Full ZOL3 MCS60DF1	Depth 1613	1786	1959	2199	2473	2716	2989	3335	3680	
	Single-Seat, 90° Curve, Full ZOL3 MCS90DF1	Depth 1861	2047	2240	2506	2808	3076	3377	3759	4137	

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE KE	т					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular MCB Modular Plus	S Single D Double	30D 30 Degree 45D 45 Degree 60D 60 Degree	S Standard F Full	1 Standard Leg + Glide
				90 Degree		

	COM COL FABRIC		BRIC GRA	C GRADES		LEATHER				
DESCRIPTION/MODE	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, S	tandard De	pth							
	ZOL3 MCD30DS1	2086	2272	2461	2722	3022	3288	3587	3962	4339
	Double-Seat, 45° Curve, S	tandard Do	nth							
	ZOL3 MCD45DS1	2272	2545	2819	3203	3639	4022	4461	5009	5557
	Double-Seat, 60° Curve, S ZOL3 MCD60DS1	tandard De 2566	pth 2841	3114	3497	3935	4318	4757	5304	5850
	Double-Seat, 90° Curve, S ZOL3 MCD90DS1	tandard De 2958	pth 3261	3562	3985	4468	4891	5372	5975	6580

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List
Double-seat curve 30° seat	89
Double-seat curve 45° seat	97
Double-seat curve 60° seat	118
Double-seat curve 90° seat	121

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE KE	- Υ					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90 Degree		

		COM		COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Curve, Ful ZOL3 MCD30DF1	l Depth 2397	2612	2828	3131	3475	3778	4125	4557	4987
	Double-Seat, 45° Curve, Ful ZOL3 MCD45DF1	I Depth 2612	2927	3241	3682	4186	4628	5132	5760	6390
	Double-Seat, 60° Curve, Ful ZOL3 MCD60DF1	l Depth 2952	3266	3581	4020	4526	4966	5469	6100	6730
	Double-Seat, 90° Curve, Ful ZOL3 MCD90DF1	I Depth 3403	3748	4093	4583	5137	5623	6178	6872	7567

### **Upcharge for Removable Upholstery Covers:**

Option	\$ List
Double-seat curve 30° seat	89
Double-seat curve 45° seat	97
Double-seat curve 60° seat	118
Double-seat curve 90° seat	121

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	S Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Plus	D Double	45D 45 Degree 60D 60 Degree	F Full	
				90D 90 Degree		

# **ZOLA** | MODULAR CURVE BENCH - REPLACEMENT COMPONENTS

		СОМ		COL	FAE	BRIC GR	ADES	l	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Back Sin	gle-sea	t Inside	Curve									
	ZOL3 RMCBIS30D		1188		1375	1495	1606	1729	1883	2035	1.9	20	8
1) 1	ZOL3 RMCBIS45D	1291		1460	1580	1716	1833	1968	2138	2308	2.6	22	8
	ZOL3 RMCBIS60D ZOL3 RMCBIS90D	1569 1754	1688 1874	1803 1995	1966 2164	2150 2359	2316 2526	2503 2719	2734 2961	2965 3203	2.6 2.8	23 28	10 11
~	ZOLO I IIVIODIOSOD	1704	1074	1000	2104	2000	2020	2710	2001	0200	2.0	20	'''
	Replacement Back Do	uble-sea	at Insid	e Curve	<del></del>								
	ZOL3 RMCBID30D	1945	2081		2404	2617	2807	3021	3292	3561	2.8	38	13
})	ZOL3 RMCBID45D	2257			2760	2998	3207	3445	3742	4038	3	42	13.5
	ZOL3 RMCBID60D	2747 3067	2952	3156 3491	3439 3786	3766 4125	4050 4420	4377 4758	4783 5181	5189 5604	4.8	43	16
•	ZOL3 RMCBID90D	3007	3200	3491	3700	4123	4420	4730	3101	3004	4.8	52.5	18
	Replacement Back Sin	ale-sea	t Outsid	de Curv	re								
	ZOL3 RMCBOS30D	-	1069		1237	1348	1443	1556	1694	1832	1.7	15	5.0
\ (	ZOL3 RMCBOS45D	1160	1237		1421	1543	1650	1773	1924	2079	1.7	17	7.0
	ZOL3 RMCBOS60D	1389	1518	1623	1770	1937	2086	2249	2461	2670	1.7	20	9.0
	ZOL3 RMCBOS90D	1580	1688	1796	1948	2122	2273	2447	2665	2884	1.7	25	9.0
	Replacement Back Do	uble-se	at Oute	ide Cur	ve								
	ZOL3 RMCBOD30D		1872		2163	2356	2526	2721	2963	3206	3.1	30	9.0
	ZOL3 RMCBOD45D		2164		2486	2699	2886	3098	3367	3635	3.1	34	11.0
	ZOL3 RMCBOD60D	2473	2657		3095	3390	3645	3937	4305	4670	3.1	35	14.0
	ZOL3 RMCBOD90D	2760	2952	3142	3408	3711	3979	4284	4664	5043	3.1	40	14.0
	Replacement Seat Sing	ale-seat	Standa	ard Der	oth Cur	ve							
	ZOL3 RMCSS30DS				1457		1778	1949	2164	2378	1.8	30	11
	ZOL3 RMCSS45DS	1199	1354	1375	1730	1981	2202	2448	2764	3078	1.8	32	12
	ZOL3 RMCSS60DS	1369		1681	1899	2148	2369	2617	2931	3246	1.8	34	13
	ZOL3 RMCSS90DS	1559	1730	1903	2145	2419	2661	2936	3282	3628	1.8	41	16
	Replacement Seat Dou	ıble-sea	t Stand	dard De	pth Cu	rve							
	ZOL3 RMCSD30DS	1985	2172	2360	2620	2923	3185	3488	3864	4238	3.4	52.2	19.5
	ZOL3 RMCSD45DS		2445		3102	3538	3922	4361	5339	5455	3.4	56	21
	ZOL3 RMCSD60DS ZOL3 RMCSD90DS	2466	2741 3127	3013	3396 3850	3836 4335	4217 4757	4656 5240	5204 5844	5752 6445	3.4 3.4	60 72	23 28
	ZOLS RIVICSD90DS	2023	3121	3431	3030	4333	4/3/	3240	3044	0443	3.4	12	
	Replacement Seat Sing	gle-seat	Full De	epth Cu	irve								
	ZOL3 RMCSS30DF	1210	1327		1611	1800	1965	2156	2388	2626	1.94	36	13.5
	ZOL3 RMCSS45DF			1672			2431	2704	3050	3394	1.94	39	14.5
-	ZOL3 RMCSS60DF ZOL3 RMCSS90DF			1859 2106		2374 2674		2891 3243	3236 3623	3580 4005	1.94 1.94	41 49	15.5 19
	ZOLS HWOSOSODI		1011	2100	20.0	207 1	2010	02 10	0020	1000	1.54	43	13
	Replacement Seat Dou	ıble-sea	t Full D	epth C	urve								
	ZOL3 RMCSD30DF			2727	3031		3679		4456	4887	3.7	63	24
	ZOL3 RMCSD45DF			3140		4085	4528		5659	6289	3.7	69	25.5
	ZOL3 RMCSD60DF			3480 3962	3920 4447	4424 5006		5368 6045	5998 6738	6629 7435	3.7	72	27 22 F
	ZOL3 RMCSD90DF	0200	0010	0002	7777	3000	5450	0043	0700	7400	3.7	86	33.5
	Replacement Seat Cov	er Sing	le-seat	Standa	ırd Dep	th Curve							
	ZOL3 RMCBSCS30DS		266	321	397	486	562	648	759	869	1.8	2.5	1
	ZOL3 RMCBSCS45DS		273	328 362	404 437	492 526	569 602	657 691	767	874		3.1	1
	ZOL3 RMCBSCS60DS ZOL3 RMCBSCS90DS		306 329	385	460	526 546	624	711	800 823	910 932		3.7	1.5
	ZOLO NIVIODOCOSUDO		020	550	.50	3.10	0 <u>2</u> -7		320	502	1.8	4.3	1.5
	Replacement Seat Cov	er Doul	ole-sea	t Stand	ard De	pth Curv	/e						
	ZOL3 RMCBSCD30DS		471	575	721	886		1198	1404	1611	3.4	4.8	1.5
	ZOL3 RMCBSCD45DS		483	585	729	895		1205	1412	1618	3.4	5.9	1.5
	ZOL3 RMCBSCD60DS		530	633 647	777 794	941 960		1252 1270	1460 1478	1665 1684	3.4	7.0	2.5
	ZOL3 RMCBSCD90DS	442	544	047	194	300	1100	12/0	14/0	1004	3.4	8.2	2.5

# **ZOLA** | MODULAR CURVE - REPLACEMENT COMPONENTS

		COM		COL	FABF	RIC GRA	ADES	L	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	er Sing	le-seat	Full De	pth Cu	irve							
	ZOL3 RMCBSCS30DF	235	298	362	448	544	634	732	856	981	1.94	2.9	1
	ZOL3 RMCBSCS45DF	244	305	368	456	555	640	741	863	987	1.94	3.6	1
	ZOL3 RMCBSCS60DF	281	342	404	491	591	677	774	899	1022	1.94	4.3	1.5
	ZOL3 RMCBSCS90DF	299	362	423	511	610	696	796	917	1042	1.94	4.9	1.5
	Replacement Seat Cov	er Dou	ole-sea	t Full D	epth C	urve							
	ZOL3 RMCBSCD30DF	413	531	648	813	1004	1170	1356	1593	1831	3.7	5.5	1.5
	ZOL3 RMCBSCD45DF	420	539	657	824	1012	1178	1366	1603	1838	3.7	6.8	1.5
	ZOL3 RMCBSCD60DF	470	590	708	872	1063	1228	1417	1653	1890	3.7	8.1	2.5
	ZOL3 RMCBSCD90DF	505	623	741	907	1093	1258	1450	1687	1921	3.7	9.4	2.5

# **CARLYLE BENCH | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 15%

POST-CONSUMER RECYCLED CONTENT = 17.97%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

### **AIR-EMISSIONS**

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CARLYLE BENCH**

DESCRIPTION/MODEL		COM 1	2	COL 3	FAB 4	RIC GRAD	DES 6	7	LEATHER 8	9
DESCRIPTION/MODEL		ı		<u> </u>	4	<u> </u>	0	1	0	
	TWO-SEAT CAR5-2-0	1632	1713	1795	1878	1965	2055	2142	2257	2420
	TWO-SEAT - BUTTON DET	AILING								
	CAR5-2-1	2104	2185	2268	2348	2438	2523	2613	2725	2893
	THREE-SEAT									
	CAR5-3-0	2146	2264	2375	2488	2604	2717	2831	2969	3337
	THREE-SEAT - BUTTON D	ETAII ING								
	CAR5-3-1	2874	2991	3102	3218	3331	3442	3560	3697	4064

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR5-2-0	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-2-1	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-3-0	81	26.5	17.5	-	-	-	-	110	25	3.6
CAR5-3-1	81	26.5	17.5	-	-	-	-	110	25	3.6

and Buttons

PRODUCT CODE	E KEY Series	Seat Count	Upholstery Style		
CAR	5	2	0		
Carlyle	Bench	Two-Seat	Upholstery Standard		
		3	1		
		Three-Seat	Top Stitching		

### **CARLYLE**

Base is available in Silver Metallic only.

MOISTURE BARRIER & CAL 133

Moisture Barrier & CAL 133 is available for an upcharge of \$61 list per yard.

### **OCCASIONAL TABLES**


288 Chit Chat 292 Avatar 294 Karma 299 Cressida 302 Leyton 304 Faeron Wood 306 Faeron Metal 308 Zola 313 Sutton 315 Virtu 317 Millennium 319 Prado 321 Carlyle

### **CHIT CHAT | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 81%

POST-CONSUMER
RECYCLED CONTENT = 3%

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Chit Chat products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Chit Chat products are supplied with air-emissions certified. Contact customer service for information.




#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Chit Chat and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



### **CHIT CHAT | PRODUCT FEATURES & OPTIONS**


#### **TOP SHAPE & GRAIN DIRECTION**



#### **EDGE PROFILES**



#### **BASES**



#### **SOLID SURFACE**

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

#### **DIMENSIONS**

Model	Width	Depth	Height	Shipping Weight	Cubes	
Occasional						
Square Table -Rounded Corners						
7261242416	24	24	16	35	10.25	
7261303016	30	30	16	40	15	
7261363616	36	36	16	47	20.5	
Rectangular Table -Rounded Corne						
7261233016	23	30	16	37	12.5	
7261243016	24	30	16	37	12.5	
7261463016	45.75	30	16	54	21.75	
7261483016	48	30	16	75	22.75	
7261693016	68.75	30	16	91	31.5	
7261723016	72	30	16	107	32.75	
Round Table						
72052416	24D		16	35	10.25	
72053016	30D		16	40	15	
72053616	36D		16	57	20.5	

## CHIT CHAT | OCCASIONAL

DESCRIPTION/MODE	EL	Laminate PVC Edge	HPL PVC Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
Square Table, -Rounded Corners	Square Plate Base 7261242416SQ 7261303016SQ 7261363616SQ	827 893 1018	992 1071 1223	1315 1495 1962	1396 1592 2097	1496 1748 2333	1649 1960 2646
Rectangular Table,	Square Plate Base						
-Rounded Corners	7261233016SQ	843	1012	1389	1478	1593	1768
	7261243016SQ	843	1012	1389	1478	1593	1768
	7261463016SQ	1320	1584	2264	2402	2646	2966
	7261483016SQ	1349	1619	2341	2485	2741	3078
	7261693016SQ	1462	1754	3007	3210	3563	4030
	7261723016SQ	1496	1795	3119	3335	3705	4195
$\langle \mathbb{V} \rangle$	Round Disc Base						
•	7261233016DB	811	972	1355	1443	1562	1735
	7261243016DB	811	972	1355	1443	1562	1735
	7261463016DB	1255	1507	2200	2339	2583	2902
	7261483016DB	1287	1543	2277	2420	2677	3013
	7261693016DB	1396	1675	2942	3147	3498	3965
	7261723016DB	1434	1719	3056	3270	3640	4131
	ORDERING NOTES:						
	Rectangular Chit Cha (68.75) coordinate wi					note table sizes 2	3", 46" & 69"
Round Table	Round Disc Base						
	72052416DB	795	955	1258	1339	1458	1624
	72053016DB	858	1030	1436	1533	1717	1937
	72053616DB	993	1192	1904	2035	2202	2319
$\bigcirc$							
Model		Price				Shipping Weight	Cubes
Square Plate Base	72541815	000				37	1.1
Cquare Fiate Dase	72542415	328 385				58	1.4
	ORDERING NOTES: A single 18" base car		ops up to	a maximum of 30	inches.		
Round Disc Base	72141815	295				37	1.1
	70140415					Ε0	4.4

72142415

**ORDERING NOTES:** 

A single 18" base can be used with tops up to a maximum of 30 inches.

362

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select top material
- 3. Select a color for top
- 4. Select base finish
- 5. Select edge profile

#### **BASE FINISH**

Round Disc Base, Brushed Stainless- DB-13 Square Plate Base, Brushed Stainless- SQ-13 Round Disc Base, White- DB-44 Square Plate Base, White-SQ-44

Round Disc Base, Matte Black- DB-14

Square Plate Base, Matte Black- SQ-14

#### **MATERIALS & FINISHES**

For a complete list of Solid Surface colors please see Page 332. Solid Surface is only available in the D Radius edge profile.

1.4


For a complete list of Laminate colors please see Page 332.

### **AVATAR | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 48.95%

POST-CONSUMER RECYCLED CONTENT = 20.26%

Up to 61.05% of this Avatar product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Avatar products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Avatar products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Avatar and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



### **AVATAR | TABLES**

Description	Model	Rift Oak	W	D	Н	WEIGHT	CUBE
吴	Square AVA4-S181817 AVA4-S222217	1094 1181	18 22	18 22	17 17	24 29	6.6 9
	Rectangular AVA4-R442217	1916	44	22	17	53	16
7	Round AVA4-R18D17 AVA4-R22D17	1092 1174	18 22	18 22	17 17	23 27	6.6
	Elliptical AVA4-E442217	1911	44	22	17	53	16

### **AVATAR | VENEERS & FINISHES**

#### **WOOD FINISHES**

Standard wood finishes are:

#### Finishes on Rift Oak

Light Oak
Harvest Oak
SilverGrey on Oak
Mahogany Oak
Medium Cherry on Oak
Mellow Oak
Walnut on Oak
Espresso on Oak

#### **VENEERS**

Avatar veneers are rift cut White Oak, which provides a straight grain appearance.

#### **NON-STANDARD VENEER SPECIES**

In addition to range of standard wood species, Avatar can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Avatar's standard offering.

#### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

#### **CUSTOM WOOD FINISHES**

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.


#### FINISH

Avatar features the Krug's finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

### KARMA | ENVIRONMENTAL SUMMARY

#### LEED CI CREDITS

#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 29.17%

POST-CONSUMER RECYCLED CONTENT = 42.67%

Up to 46.67% of this Karma product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### AIR EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

#### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Karma and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## KARMA | FREE STANDING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ Polymer Edge	W	D	Н	Weight	Cube		
	Square & Rectangular Tables, Matte Black or Silver Metallic legs										
	KAR4C 18-18-18	711	861	573	17.5	17.5	17 5	15	2.6		
	KAR4C 22-18-18	746	885	589	22		17.5	16.5	2.6		
	KAR4C 42-18-18	1121	1389	993	42		17.5	24.5	4.6		
Ш	KAR4C 18-18-21	727	872	589		17.5	21	17	3		
	KAR4C 22-18-21	761	898	602	22 42	17.5 17.5	21 21	18.5 26.5	3		
	KAR4C 42-18-21	1137	1404	1006	42	17.5	21	26.5	4.6		
	Square & Rectangular Tables, F	olished Chro	me legs								
	KAR4C 18-18-18	840	987	700	17.5	17.5	17.5	15	2.6		
	KAR4C 22-18-18	874	1012	716	22	17.5	17.5	16.5	2.6		
	KAR4C 42-18-18	1248	1139	1118	42	17.5	17.5	24.5	4.6		
	KAR4C 18-18-21	869	1014	729	17.5	17.5	21	17	3		
	KAR4C 22-18-21	904	1040	744	22	17.5	21	16.5	2.6		
	KAR4C 42-18-21	1278	1335	1146	42	17.5	21	24.5	4.6		
	ORDERING NOTE: For leg fin C for Polished Chrome	ish add to tl	he end of the r	model number; B	for Matte Blac	k, S f	or Silv	er Metal	lic and		
	Round Tables, Matte Black or S	Silver Metallic	e leas								
	KAR4C 24D-18	883	1205	691	24	-	17.5	19	3.5		
	KAR4C 36D-18	1207	1358	759	36	-	17.5	31	7.3		
	KAR4C 24D-21	896	1220	705	24	_	21	21	3.5		
	KAR4C 36D-21	1221	1372	772	36	-	21	33	7.3		
	Book d Tables Ballahad Observe										
	Round Tables, Polished Chromo	O	1000	0.17	0.4		47.5	40	0.5		
	KAR4C 24D-18	1011	1332	817	24	-	17.5	19	3.5		
	KAR4C 36D-18	1371	1521	922	36	-	17.5	31	7.3		
	KAR4C 24D-21	1038	1361	847	24	-	21	21	3.5		
	KAR4C 36D-21	1398	1552	952	36	-	21	33	7.3		

**ORDERING NOTE:** For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome

## KARMA | LINKING TABLES

Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	W	D	Н	Weight	Cube		
	Square Straight Linking Table,	Matte Black of	or Silver Meta	Illic. Left or Right handed	(Same c	directio	n sea	tina)			
	KAR4C-LKII-18-18	688	836	549	•	17.5	-	15	2.5		
	Square Straight Linking Table, KAR4C-LKIL-18-18	Matte Black of 688	or Silver Meta 836	ıllic, Left handed as seate 549		sed se 17.5	0,	) 15	2.5		
	Square Straight Linking Table, KAR4C-LKIR-18-18	Matte Black of 688	or Silver Meta 836	ıllic, Right handed as seat 549		osed: 17.5	seatin	g) 15	2.5		
	Square Straight Linking Table, KAR4C-LKII-18-18	Polished Chro	ome, Left or F 987	Right handed (Same direc		ting) 17.5	_	15	2.5		
	Square Straight Linking Table, KAR4C-LKIL-18-18	Polished Chro	ome, Left har 987	nded as seated (Opposed 700	Ο,	) 17.5		15	2.5		
	Square Straight Linking Table,						-	13	2.5		
	KAR4C-LKIR-18-18	840	987	700		17.5	-	15	2.5		
	Square Straight Linking End Ta	able, Matte Bla	ack or Silver	Metallic legs, Left handed	as seat	ed					
*	KAR4C-LKEL-18-18*	698	844	559		17.5	17.5	15	2.5		
	Square Straight Linking End Ta KAR4C-LKER-18-18	able, Matte Bla 698	ack or Silver   844	Metallic legs, Right hande 559		ated 17.5	17.5	15	2.5		
U	Square Straight Linking End Ta	Square Straight Linking End Table, Polished Chrome legs, Left handed as seated									
	KAR4C-LKEL-18-18* Square Straight Linking End Ta	853 able, Polished	1002 Chrome legs	716 s, Right handed as seated		17.5	17.5	15	2.5		
	KAR4C-LKER-18-18	853	1002	716		17.5	17.5	15	2.5		

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See Page 298 for suggested configurations.

## KARMA | LINKING TABLES

D		Beech/	Laminate top w/Wood	Laminate top w/ PVC					0.1
Description	Model	Palette	Edge	Edge	W	D	H	Weight	
•	Rectangular Straight Linking T KAR4C-LKII-22-18	abie, Matte B 725	862	vietallic, Left or Rij 563	gnt nanded (Sa 22	ame dir 17.5	ection -	seating) 16.5	2.8
	Rectangular Straight Linking T KAR4C-LKIL-22-18	able, Matte B 725	lack or Silver I 862	Metallic, Left hand 563		Oppose 17.5	ed sea -	ating) 16.5	2.8
	Rectangular Straight Linking T KAR4C-LKIR-22-18	able, Matte B 725	lack or Silver I 862	Metallic, Right han 563		l (Oppo: 17.5	sed se	eating) 16.5	2.8
	Rectangular Straight Linking T KAR4C-LKII-22-18	able, Polished 876	d Chrome, Left 1013	t or Right handed 716	•	n seatir 17.5	ng) -	16.5	2.8
	Rectangular Straight Linking T KAR4C-LKIL-22-18	876	1013	716	22	17.5	-	16.5	2.8
	Rectangular Straight Linking T KAR4C-LKIR-22-18	able, Polished 876	d Chrome, Rig 1013	ht handed as seat 716		seating) 17.5	-	16.5	2.8
*	Rectangular Straight Linking E KAR4C-LKEL-22-18*	and Table, Ma	tte Black or Si 870	lver Metallic, Left I 573		ted (Op		d seating	2.8
	Rectangular Straight Linking E KAR4C-LKER-22-18				t handed as se		ppos		
U	Rectangular Straight Linking E KAR4C-LKEL-22-18*	end Table, Pol 888	ished Chrome 1023	, Left handed as s 729		ed seati 17.5		16.5	2.8
	Rectangular Straight Linking E KAR4C-LKER-22-18	end Table, Pol 888	ished Chrome 1023	, Right handed as 729	`	sed sea 17.5	٠,	16.5	2.8
	Curvilinear Connector Table 45 KAR4C-LKCI-RF45	5°, Matte Blac	ck or Silver Me	tallic, Left or Right	t handed (Sam 28	ne direct	ion, <b>ir</b>	nward se	eating)
	Curvilinear Connector Table 45 KAR4C-LKCO-RF45			allic, Left or Right h 785			n, <b>out</b> -		
	Curvilinear Connector Table 45 KAR4C-LKCL-RF45	5°, Matte Blac 990	ck or Silver Me 1442	tallic, Left handed 785	as seated (Op 28	posed 24	seatir -	ng) 19	4.2
	Curvilinear Connector Table 45 KAR4C-LKCR-RF45	5°, Matte Blac 990	ck or Silver Me 1442	tallic, Right hande 785	d as seated ( <b>C</b> 28	Oppose 24	d seat	ting) 19	4.2
	Curvilinear Connector Table 45 KAR4C-LKCI-RF45	5°, Polished C 1141	Chrome, Left of 1460	r Right handed (Sa 938	ame direction, 28	inward 24	seatir	ng) 19	4.2
	Curvilinear Connector Table 45 KAR4C-LKCO-RF45	1141	1460	938	28	24	d sea	ting) 19	4.2
	Curvilinear Connector Table 45 KAR4C-LKCL-RF45	1141	1460	938	28	24	-	19	4.2
	Curvilinear Connector Table 45 KAR4C-LKCR-RF45					ating) 24	-	19	4.2
	Curvilinear Connector Table 45 inward seating)	5° Matte Blac	k or Silver Met	allic,with Flat edge	e, Left or Right	hande	d (Sar	me direct	ion,
	KAR4C-LKCI-RR45	1022	1485	824	28	24	-	19	4.2
	Curvilinear Connector Table 45°	° Matte Black	or Silver Meta	Illic, with Flat edge	, Left or Right I	nanded	(Same	e direction	٦,
	outward seating) KAR4C-LKCO-RR45	1022	1485	824	28	24	-	19	4.2
	Curvilinear Connector Table 45° KAR4C-LKCL-RR45	Matte Black (	or Silver Metal 1485	lic, with Flat edge, 824	Left handed as 28	seated 24	(Oppo	<b>osed</b> seat 19	ing) 4.2
	Curvilinear Connector Table 45 KAR4C-LKCR-RR45						- ed ( <b>O</b> p -		
	Curvilinear Connector Table 45° KAR4C-LKCI-RR45						n, <b>inwa</b> -		
	Curvilinear Connector Table 45° KAR4C-LKCO-RR45						, outw		
	Curvilinear Connector Table 45 KAR4C-LKCL-RR45	1174	1636	974	28	24	-	19	4.2
	Curvilinear Connector Table 45 KAR4C-LKCR-RR45	5° Polished C 1174	hrome, with Fl 1636	at edge, Right har 974	ided as seated 28	d ( <b>Oppo</b> 24	<b>sed</b> s	eating) 19	4.2


**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See Page 298 for suggested configurations.

## KARMA | LINKING TABLES

			Laminata	Laminata					
			Laminate top	Laminate top w/					
		Beech/	w/Wood	PVC					
Description	Model	Palette	Edge	Edge	W	D	Н	Weight	Cube
	Curvilinear Connector Table 90				•		ion, i		0,
	KAR4C-LKCI-RR90 Curvilinear Connector Table 90°	1287 <sup>2</sup> . Matte Black	1866 or Silver Meta	1033 Illic. Left or Right han	38 nded (Same d	24 direction	- n. <b>o</b> ut	22 <b>tward</b> se	5.5 ating)
	KAR4C-LKCO-RR90	1287	1866	1033	38	24	-	22	5.5
	Curvilinear Connector Table 90			•	,		seatir	0,	
	KAR4C-LKCL-RR90 Curvilinear Connector Table 90	1287 No Matte Black	1866 c or Silver Met	1033 allic Right handed a	38 os seated ( <b>O</b> t	24 Sposed	- I coat	22	5.5
	KAR4C-LKCR-RR90	1287	1866	1033	38	24	- -	.irig) 22	5.5
	Curvilinear Connector Table 90 KAR4C-LKCI-RR90	o, Polished Cl 1439	hrome, Left or 2018	Right handed (Sam	e direction, <b>i</b> 38	inward 24	seati	ng) 22	5.5
	Curvilinear Connector Table 90						- d sea		5.5
	KAR4C-LKCO-RR90	1439	2018	1184	38	24	-	22	5.5
	Curvilinear Connector Table 90	•		, <u>-</u>		٠,		00	
	KAR4C-LKCL-RR90 Curvilinear Connector Table 90	1439 Polished Cl	2018 hrome Right h	1184 nanded as seated ( <b>0</b>	38 <b>Innosed</b> sea	24 atina)	-	22	5.5
	KAR4C-LKCR-RR90	1439	2018	1184	38	24	-	22	5.5
	Curvilinear Connector Table 90	)⁰ with Matte	Black or Silve	r Metallic Elat edge	e Left or Ric	ht han	ded (	Same di	rection
	inward seating)	with Matte	Black of Olive	i wictamo, i lat cage	o, Lore or ring	jiit iidii	aca (	ourno ai	rootion,
The state of the s	KAR4C-LKCI-RF90	1213	1922	1064	38	24	-	22	5.5
	Curvilinear Connector Table 90	0°, Matte Blac	k or Silver Me	tallic, with Flat edge	e, Left or Rig	jht han	ded (	Same di	rection,
	outward seating) KAR4C-LKCO-RF90	1213	1922	1064	38	24		22	5.5
	Curvilinear Connector Table 90°						-d ( <b>O</b> i		
	KAR4C-LKCL-RF90	1213	1922	1064	38	24	-	22	5.5
	Curvilinear Connector Table 90°,				•		d ( <b>O</b> p	-	٠,
	KAR4C-LKCR-RF90	1213	1922	1064	38	24	-	22	5.5
	Curvilinear Connector Table 90°	Polished Chr	ome, with Flat	edge, Left or Right h	handed (Sam	ne direc	tion, i	inward s	eating)
	KAR4C-LKCI-RF90	1479	2071	1215	38	24	-	22	5.5
	Curvilinear Connector Table 90° KAR4C-LKCO-RF90	1479	2071	1215	38	24	-	22	seating) 5.5
	Curvilinear Connector Table 90		,	0 /	,		<b>ed</b> se	0,	
	KAR4C-LKCL-RF90 Curvilinear Connector Table 90	1479 ° Polished Ch	2071 Frome with Fla	1215 at edge. Right hande	38 ed as seated	(Oppos	- sed s	22 eating)	5.5
	KAR4C-LKCR-RF90	1479	2071	1215	38	24	-	22	5.5
	Rectilinear Corner Connector 1	Table 90° Matt	te Black or Silv	er Metallic, with Flat	edae Left a	r Right	hand	ded (San	
	direction, <b>inward</b> seating)	iable of man	io Black of Oilv	or moralio, with ride	. odgo, Loit (	n rugiic	· man	aca (can	.0
	KAR4C-LKCI-SF90	1440	2088	1155	30	30	-	26	5.5
4	Rectilinear Connector Table 90	° Matte Black	or Silver Meta	ıllic, with Flat edge, I	Left or Right	handed	d (Sai	me direc	tion,
	outward seating)				0.0	00		0.0	
	KAR4C-LKCO-SF90	1440	2088	1155	30 off banded a	30	- d ( <b>O</b> n	26	5.5
	Rectilinear Connector Table 90° KAR4C-LKCL-SF90	1440	2088	1155	en nanded a 30	30	ս ( <b>O</b> p	poseu s 26	5.5
	Rectilinear Connector Table 90°						d ( <b>O</b> p		
	KAR4C-LKCR-SF90	1440	2088	1155	30	30	-	26	5.5
	Rectilinear Corner Connector 1	Table 90° Polic	shed Chrome	with Flat edge I eft	or Right han	ided (C.	ame (	direction	in-
	ward seating)	14510 00 1 0113	onionie,	riai oago, Leit	o. rugiit iidi	404 (O	u1110 (	G.1 0001011	,
	KAR4C-LKCI-SF90	1653	2300	1369	30	30	-	26	5.5
	Rectilinear Connector Table 90°						on, o		
	KAR4C-LKCO-SF90 Rectilinear Connector Table 90	1653 Polished Cl	2300 hrome with Fl	1369 at edge Left handed	30 Las seated ((	30 Oppose	- 	26 eating)	5.5
	KAR4C-LKCL-SF90	1653	2300	1369	30	30	-	26	5.5
	Rectilinear Connector Table 90				ed as seated	(Oppo	sed s		
	KAR4C-LKCR-SF90	1653	2300	1369	30	30	-	26	5.5

**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See Page 298 for suggested configurations.

## KARMA | LINKING TABLES CONFIGURATIONS




ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

### **CRESSIDA** | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS



#### MATERIAL CONTENT:




PRE-CONSUMER RECYCLED CONTENT - 36.34%

POST-CONSUMER RECYCLED CONTENT - 26.4%

Up to 31.25% of this Cressida product is recyclable at the end of its useful life.



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT - 30.77%

POST-CONSUMER RECYCLED CONTENT - 25.68%

Up to 27.88% of this Cressida product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Cressida products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Cressida and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



### **CRESSIDA** | TABLE FEATURES

#### **ANTI-MICROBIAL FINISH**

Cressida wood surfaces include an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

#### STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>Page 331</u>. Cressida tables are available in 22 standard finishes.

#### **LAMINATE**

Cressida Box-style tables are available in laminate with wood side or laminate side. See <u>Page 332</u> for laminate information.

#### **SOLID SURFACE**

Cressida Box-style & Slab-style tables are available with 1/2" solid surface tops. Cressida Light-style tables are available with full solid surface tops, 1" thick. Please contact customer service for a quote.


## CRESSIDA | BOX-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP L W/BEECH SIDES	AMINATE TOP W/ MAPLE SIDES	W	D	H V	/EIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	1123 1389	1169 1443	1166 1437	1211 1493	18 24		15.75 15.75	24 34	3 5
	Rectangular Table CRE4A 241816 CRE4A 482416	es 1234 1986	1283 2064	1275 2056	1327 2135	24 48		15.75 15.75	28 56	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	927 1131 1980	964 1178 2060	956 1275 2164	995 1327 2249	18 24 30	-	15.75 15.75 15.75	16 23 34	3 5 8
	Rectangular Rour CRE4 B181816 CRE4 B241816 CRE4 B242416 CRE4 B482416	nd Corner 1205 1358 1508 2190	1253 1413 1566 2277	1249 1415 1606 2344	1297 1472 1669 2438	18 24 24 48	18 24	15.75 15.75 15.75 15.75	21 25 30 51	3 4 5 10
	Oval Tables CRE4A E241816 CRE4A E322416 CRE4A E482916	1250 1543 1960	1299 1606 2038	1375 1670 2097	1430 1739 2179	24 32 48	24	15.75 15.75 15.75	23 34 56	4 7 12
	Triangular Round CRE4B T1618-45 CRE4B T2124-45 CRE4B T2529-45 CRE4B T2818-90 CRE4B T3624-90 CRE4B T4429-90	5 1131 5 1295 5 1587 0 1407 0 1675	1178 1348 1650 1461 1745 2094	1148 1344 1677 1461 1754 2034	1194 1396 1746 1519 1824 2115	16 21 25 28 36 44	18 24 29 18 24 29	15.75 15.75 15.75		2.5 4.5 7 3 7.5 11


#### TRIANGULAR TABLE DIMENSIONS











## CRESSIDA | LIGHT-STYLE TABLES


DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH	T CUBE
	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	561 573 793	584 597 824	640 655 950	666 680 987	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Tables CRE4D 181816S CRE4D 242416S CRE4D 363616S	508 563 805	529 586 837	568 656 966	591 681 1004	18 24 36	18 24 36	16 16 16	22 33 65	3 5 12
	CRE4D 181821S CRE4D 242421S	518 575	539 599	581 666	603 695	18 24	18 24	21 21	25 35	4 5

### **LEYTON** | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS

#### MATERIAL CONTENT:





PRE-CONSUMER
RECYCLED CONTENT = 34.73%

POST-CONSUMER RECYCLED CONTENT = 15.68%

Up to 62.16% of this Leyton product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR EMISSIONS**

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Leyton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



### **LEYTON | TABLES**

DESCRIPTION/MODEL		Maple, Oak Walnut Palette Laminate	Cherry Anigre Sycamore (5 UNIT MIN.)	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	LEY4122412	557	618	785	828	913	971
~	LEY4182412	582	662	896	955	1067	1145
	LEY4242412	611	709	1012	1083	1227	1324
	LEY4302412	639	757	1118	1205	1372	1489
	LEY4362412	666	802	1255	1355	1556	1694
U	LEY4422412	811	967	1370	1485	1716	1873
J	LEY4183012	635	729	1003	1069	1206	1297
	LEY4243012	668	793	1127	1211	1380	1496
	LEY4303012	708	848	1247	1347	1547	1685
	LEY4363012	744	908	1393	1512	1749	1914
	LEY4423012	879	1064	1537	1673	1944	2132
	LEY4182416	597	677	901	958	1071	1150
	LEY4242416	625	724	1015	1087	1230	1329
	LEY4302416	655	771	1123	1208	1378	1494
	LEY4362416	681	814	1258	1360	1561	1697
	LEY4422416	827	981	1375	1491	1719	1877
	LEY4183016	648	744	1030	1097	1230	1324
~ <u> </u>	LEY4243016	682	805	1152	1236	1408	1522
	LEY4303016	723	863	1271	1372	1573	1711
	LEY4363016	758	918	1418	1537	1775	1938
	LEY4423016	893	1080	1563	1697	1970	2157

Note: Leyton veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 tables (any combination of sizes) per species. Leyton Lounge and Tables feature Polished Chrome structural steel legs with glides.

Description	Model Price	Weight	Cubes
	Replacement Table Legs (pair) LEY4R2412 227 LEY4R2416 235 LEY4R3012 263 LEY4R3016 291	8 10 10 12	1 1.25 2 2.25
	Replacement Glides - Lounge & Table (set of four) LEY3RG 18	1	.25
	LEY3-POWERDOC - Undermount 543	3	0.375



Can be field installed to the underside of Seats and Tables as a replacement part or installed on units not previously specified with a PowerDoc. Standard with 2 Power and 2 USB outlets. PowerDoc's have a 10' cord.

#### **DIMENSIONS**


Model	Width	Depth	Height	Shipping Weight	Cubes
LEY4122412	12	24	12	17.5	.7
LEY4182412	18	24	12	22	1.1
LEY4242412	24	24	12	28	1.4
LEY4302412	30	24	12	32	1.8
LEY4362412	36	24	12	37	2.2
LEY4422412	42	24	12	41.5	2.5
LEY4183012	18	30	12	23	1.1
LEY4243012	24	30	12	28	1.4
LEY4303012	30	30	12	33	1.8
LEY4363012	36	30	12	37.5	2.2
LEY4423012	42	30	12	42.5	2.5
LEY4182416	18	24	16	27	1.4
LEY4242416	24	24	16	33	1.8
LEY4302416	30	24	16	39	2.2
LEY4362416	36	24	16	45	2.7
LEY4422416	42	24	16	51	3.1
LEY4183016	18	30	16	28	1.4
LEY4243016	24	30	16	34	1.8
LEY4303016	30	30	16	40	2.2
LEY4363016	36	30	16	46	2.7
LEY4423016	42	30	16	52	3.1

### FAERON WOOD | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS

#### MATERIAL CONTENT:





F	10.87% Cardboard 2.17% Hardwood Veneer 34.78% Hardwood  52.17% Particle Board  Up to	CONSUMER CLED CONTENT = 54.89%  CONSUMER CLED CONTENT = 10.33%  10.87% of this Faeron prodrecyclable at the end of its life.  1-2 point(s)  1 point  1 point  1 point
	CONTRIBUTES TO	
REDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
REDIT 3.3	Resource Reuse	1 point
REDIT 4.1	Recycled Content	1 point
REDIT 4.2	Recycled Content	1 point
REDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
REDIT 5.1	Regional Materials*	1 point
REDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
nanufactured withir	y applicable if in total 20% of the combined value of the procurement of construction mat in a radius of 500 miles. This credit will apply if the installation of the finished product occurs within TIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION	500 miles of Kitchener, Ontario.
level	BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard is sustainability of furniture. This standard evaluates product and company environment systems in a wide range of elements which include Materials, Energy & Atmosphere,	al attributes and compliance





facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## FAERON WOOD | FREE STANDING TABLES

#### WOOD SPECIES

Solid Beech frames, and edges. Veneer tops.

#### STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>Page 331</u>. Faeron tables are available in 22 standard finishes.

#### LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge.
See Page 332 for color selection.

DESCRIPTION/MODEL		Beech	Laminate with Polymer Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	Round Tables FAE4-22D-21 FAE4-30D-16 FAE4-44D-16	1187 1336 2452	884 989 1791	1746 2030 3583	1867 2171 3833	1972 2361 4182	2163 2638 4681
	Elliptical FAE4-E44-22-16	1527	1114	2247	2404	2618	2931
	Square Tables FAE4-22-22-21 FAE4-30-30-16 FAE4-44-44-16	1174 1361 2503	873 1010 1827	1665 2045 3657	1781 2189 3913	1895 2418 4267	2087 2731 4778
	Rectangular Table FAE4-44-22-16	1545	1128	2257	2416	2634	2949

### **DIMENSIONS**


Model	Width	Depth	Height	Shipping Weight	Cubes
Round Tables					
FAE4-22D-21	22" Diamet	er	21	22	8
FAE4-30D-16	30" Diamet	er	16	35	11
FAE4-44D-16	40" Diamet	er	16	45	14
Elliptical					
FAE4-E44-22-16	44	22	16	65	21
Square Tables					
FAE4-22-22-21	22	22	21	34	8
FAE4-30-30-16	30	30	16	42	11
FAE4-44-44-16	44	44	16	47	12
Rectangular Table					
FAE4-44-22-16	44	22	16	55	12

### FAERON METAL | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER RECYCLED CONTENT = 67.26%

A	12% Carabo 29% Steel 57% Particle	THEOTOLES CONTENT = 07.20%
	CONTRIBUTES TO	п
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1-2 point(s) 1 point 1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)
	ole if in total 20% of the combined value of the procurement of 500 miles. This credit will apply if the installation of the finished	

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Faeron products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Faeron products are supplied with air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing ( facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Faeron and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



### FAERON METAL | FREE STANDING TABLES

#### **FRAME FINISH**

Faeron Metal table frames are available in Krug Sliver Metallic or Brushed Nickel.

#### **METAL FINISH OPTIONS**

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$61 list per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of \$61 list per

per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

#### STANDARD FINISHES

For a complete list of standard wood finishes, please see <u>Page 331</u>. Faeron tables are available in 22 standard finishes.

#### LAMINATE AND POLYMER EDGE

Faeron tables are available in laminates with wood or laminates with Polymer edge.
See Page 332 for color selection.

are available for all upo	sharge or <b>wor hist</b> per						
DESCRIPTION/MODE	L	Beech	Laminate with Polymer Edge	Solid Surface top Grade A - White	Solid Surface top Grade A - Color	Solid Surface top Grade B	Solid Surface top Grade C
	Round Tables, Silver	Metallic	Frame				
	FAE4-M22D-21S	1079	772	1635	1758	1863	2055
	FAE4-M30D-16S	1165	819	1860	2000	2189	2469
	FAE4-M44D-16S	2193	1533	3324	3575	3921	4422
// [[]] \\	TALT WITTO 100	2193	1333	3324	3373	3921	4422
	Round Tables, Brush	ned Nicke	el Frame				
	FAE4-M22D-21N	1233	928	1790	1912	2017	2208
	FAE4-M30D-16N	1320	973	2013	2156	2344	2623
	FAE4-M44D-16N	2533	1872	3663	3915	4260	4762
	Elliptical Cilvar Mate	ollio Erom	•				
	Elliptical, Silver Meta FAE4-ME44-22-16S			2020	0106	2400	0710
	TAL4-WL44-22-103	1309	895	2029	2186	2400	2713
	Elliptical, Brushed N	ickel Frar	ne				
	FAE4-ME44-22-16N		1205	2336	2492	2709	3021
Ц							
	Square Tables, Silve	r Metallic	Frame				
	FAE4-M22-22-21S	1065	765	1557	1672	1783	1978
	FAE4-M30-30-16S	1190	840	1874	2019	2247	2560
	FAE4-M44-44-16S	2244	1567	3396	3654	4007	4518
	Square Tables, Brus	hed Nicke	el Frame				
	FAE4-M22-22-21N	1221	917	1710	1827	1939	2132
J	FAE4-M30-30-16N	1345	993	2030	2173	2402	2714
	FAE4-M44-44-16N	2584	1908	3736	3993	4347	4857
	- · · · - · ·						
	Rectangular Table, S						
	FAE4-M44-22-16S	1327	910	2039	2197	2415	2731
	Rectangular Table, E	Pruohod N	liekel Frame				
	FAE4-M44-22-16N		1219	2346	2505	2723	3039
ш	1 AL4-10144-22-1010	1000	1219	2340	2303	2125	3039
DIMENSIONS							
Model	Width		Depth	Height	Shipping Weigh	nt Cu	bes
Round Tables							
FAE4-M22D-21	22"	Diameter		21	30		8
FAE4-M30D-16	30"	Diameter		16	42		11
FAE4-M44D-16	44"	Diameter		16	72	2	21
Filiptical							
Elliptical FAE4-ME44-22-16	44		22	16	42		12
1 AL4-WIL44-22-10							
Square Tables							
FAE4-M22-22-21	22		22	21	32		8
FAE4-M30-30-16	30		30	16	47		11
FAE4-M44-44-16	44		44	16	83	2	21
Rectangular Table							
	4.4		00	16	47		10

22

16

47


12

FAE4-M44-22-16

### **ZOLA TABLES | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 58.82%

POST-CONSUMER
RECYCLED CONTENT =17.25%

Up to 29.41% of this Zola product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Zola products are supplied air emissions-certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Jordan and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

### **ZOLA | TABLES FEATURES**

#### **TABLES MATERIALS OPTION**

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. Tables feature leveling glides on every leg.

#### **SOLID SURFACE TOPS**

The Solid Surface Top option features Solid Surface material:

composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.

#### **POWER OPTION**

The flush-mounted Power unit provides dual power/USB outlets for multiple devices. It can be located on the front face of Middle or End Tables (not available on curvilinear models) To specify, clearly mark on the order and add \$561 list.

#### **UNDER-MOUNT POWER OPTION**

The Under-mount Power unit provides dual power/USB outlets for multiple devices. It can be located below tables.

See Page 247 for pricing.

### **ZOLA | MODULAR LINKING TABLES**

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Middle Linking Modu	ılar Table								
	ZOL4 LKM12	941	987	1037	1086	12	16	-	22	2.8
	ZOL4 LKM18	995	1046	1093	1152	18	16	-	24	4.5
1	ZOL4 LKM24	1023	1100	1125	1210	24	16	-	29	5.7
	ORDERING NOTE:	Middle Linkin	g Modular Ta	ble ships with 2 K	B1 brackets.					
	Rectangular End Tab	ole Square Co	rner							
	ZOL4 LKE12	1003	1056	1103	1160	12	16	14.75	5 19	2.8
	ZOL4 LKE18	1046	1100	1152	1210	18	16	14.75	5 23	4.5
	ZOL4 LKE24	1092	1145	1203	1260	24	16	14.75	5 28	5.7
	ORDERING NOTE:	End Linking N	Modular Table	ships with 1 KB1	bracket.					
	End Table Rounded	Corner								
	ZOL4 ECLKH12	1142	1187	1174	1223	12	12	14.75	5 18	2.5
	ZOL4 ECLKH18	1234	1283	1279	1329	18	12	14.75	5 24	3
	ORDERING NOTE:	End Linking N	Modular Table	ships with 1 KB1	bracket.					
	Curvilinear 30° Table ZOL4 LKC30	971	1023	1069	1125	16	16.5	-	15	2.3
	Curvilinear 45° Table ZOL4 LKC45	1046	1100	1152	1210	16	17	-	17	2.9

**ORDERING NOTES:** Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table.

Zala Calid Cunface Unabarras	A \A/leite	Grades	В	•
Zola Solid Surface Upcharges	A-White	A-Color	В	C
ZOL4-LKM12	208	219	248	281
ZOL4-LKM18	257	273	317	365
ZOL4-LKM24	363	387	498	592
ZOL4-LKE12	208	219	248	281
ZOL4-LKE18	257	273	317	365
ZOL4-LKE24	363	387	498	592
ZOL4-ECLKH12	208	219	248	281
ZOL4-ECLKH18	257	273	317	365
ZOL4-LKC30	235	248	285	324
ZOL4-LKC45	294	313	366	425

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

### **ZOLA | MODULAR LINKING TABLES**


DESCRIPTION		BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUBE
	Curvilinear 60° Table ZOL4 LKC60	1092	1152	1203	1269	16	17.5	-	20	3.7
<b>6</b>	Curvilinear 90° Table ZOL4 LKC90	1222	1290	1344	1417	16	19	-	24	5.4
	Curvilinear 90°x2 Tal ZOL4 LKC90X2	ble 2427	2500	2669	2749	16	19	-	55	10
<b>*</b>	Curvilinear Table ZOL4 LKH12	1063	1115	1170	1227	16	19	14.75	18	2.3

**ORDERING NOTES:** Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4-LKC60	361	383	451	533
ZOL4-LKC90	536	568	685	817
ZOL4-LKC90X2	852	889	1087	1313
ZOL4-LKH12	208	219	248	281

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

#### **CURVILINEAR TABLE DIMENSIONS**



**SEATING & OCCA-**

## **ZOLA** | FREESTANDING TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	H V	VEIGHT	Γ CUBE
	Square Tables ZOL4 181815 ZOL4 242415	1046 1131	1100 1192	1152 1243	1210 1309	18 24	18 24	14.75 14.75	24 34	3 5
	Rectangular Tables ZOL4 241815 ZOL4 482415	1085 1295	1146 1375	1194 1424	1264 1512	24 48	18 24	14.75 14.75	28 56	4 10
	Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15	1115 1192 1325	1185 1256 1404	1227 1309 1458	1302 1383 1542	18 24 30	- - -	14.75 14.75 14.75	16 23 34	3 5 8
	Square Table - Rot ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415	und Corners 1215 1366 1503 2157	1265 1421 1561 2242	1258 1422 1606 2294	1311 1481 1669 2385	18 24 24 48	18 18 24 24	14.75 14.75 14.75 14.75	21 25 30 51	3 4 5 10
	Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915	1264 1534 1920	1313 1594 1997	1428 1703 2147	1485 1770 2234	24 32 48	18 24 29	14.75 14.75 14.75	22 32 53	4 7 12

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 1818	274	287	336	390
ZOL4 2424	439	447	534	631
ZOL4 2418	327	347	413	486
ZOL4 4824	735	754	924	1115
ZOL4 18D	261	277	323	378
ZOL4 24D	391	422	508	603
ZOL4 30D	627	682	898	1082
ZOL4 EC1818	274	287	336	390
ZOL4 EC2418	327	347	413	486
ZOL4 EC2424	439	447	534	631
ZOL4 EC4824	735	754	924	1115
ZOL4 E2418	327	347	413	486
ZOL4 E3224	518	554	666	795
ZOL4 E4829	865	904	1109	1339

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


## **ZOLA** | FREESTANDING TABLES

		BEECH		LAMINATE TOP	LAMINATE TOP W/					
		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
	Triangular Tables -	Rounded Cor	ners							
	ZOL4 CR45D1815	1136	1181	1150	1198	15.75	18	14.75	17	2.5
	ZOL4 CR45D2415	1290	1341	1338	1390	20.5	24	14.75	22	4.5
	ZOL4 CR45D2915	1561	1624	1652	1718	25	29	14.75	27	7
Ţ	ZOL4 CR90D1815	1396	1454	1457	1510	17.5	18	14.75	23	3
	ZOL4 CR90D2415	1000	1716	1727	1796	36.25	24	14.75	29	7.5
	ZOL4 CR90D2915	10-0	2046	2009	2090	44.5	29	14.75		11

Zola Solid Surface Upcharges	A-White	Grades A-Color	В	С
ZOL4 CR45D18	258	273	318	368
ZOL4 CR45D24	384	412	488	574
ZOL4 CR45D29	517	546	655	777
ZOL4 CR90D18	323	354	420	494
ZOL4 CR90D24	549	584	705	843
ZOL4 CR90D29	777	806	984	1183


The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15<u>S</u>. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).

#### TRIANGULAR TABLE DIMENSIONS



### **SUTTON | ENVIRONMENTAL SUMMARY**

#### LEED CI CREDITS



PRE-CONSUMER
RECYCLED CONTENT = 75.72%

POST-CONSUMER
RECYCLED CONTENT = 10.43%

Up to 5.80% of this Sutton product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Sutton products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



mark of responsible forest

#### AIR EMISSIONS

All Sutton products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Sutton and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## **SUTTON** | OCCASIONAL TABLES

#### **FINISHES**

			OAK, CHERRY, MAPLE	DIN	MENSIC	NS	SHIPPING	CUBIC
DESCRIPTION/MODEL		LAMINATE	WALNUT, MEDIUM ANIGRE	W	D	Н	WEIGHT	FEET
	SUTTON SQUAR	E						
	SUT4-24-24-16	945	1054	24	24	16	48	8
	SUT4-24-24-21	990	1100	24	24	21	49	10
	SUT4-30-30-11	1064	1181	30	30	11	65	7
	SUT4-30-30-16	1085	1206	30	30	16	69	11
Ψ	SUT4-48-24-16	1224	1361	48	24	16	83	14
	SUT4-48-24-21	1254	1394	48	24	21	84	18
	SUT4-48-30-11	1313	1458	48	30	11	96	11
	SUT4-48-30-16	1342	1491	48	30	16	98	15

#### ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish or laminate for the table

#### STANDARD FINISHES

Sutton is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer.

For a complete list of standard wood finishes please see Page 331.

#### STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

#### LAMINATE

Sutton is available in laminate. Please seep pricing above. Please see Page 332 for laminate selection.

Laminate is not available on KrugExpress.


#### BASES

Bases are available in Silver Metallic only.

### **VIRTU TABLES | ENVIRONMENTAL SUMMARY**

#### **LEED CERTIFICATION**





PRE-CONSUMER
RECYCLED CONTENT = 67.31%

POST-CONSUMER RECYCLED CONTENT = 12.15%

Up to 45.80% of this Virtu product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Virtu products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### AIR EMISSIONS

All Virtu products are supplied air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Virtu and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



### **VIRTU** | OCCASIONAL TABLES

		Oak, Cherry,					
		Maple	Di	mensio	ons	Shipping	Cubic
DESCRIPTION/MODEL		STYLE 1	W	D	Н	Weight	Feet
	Square - Frosted Glass	Тор					
	VIR4-18-18-21-1	1513	18	18	21	40	8
	VIR4-24-24-16-1	1613	24	24	16	52	13
	VIR4-24-24-21-1	1795	24	24	21	52	13
	VIR4-30-30-21-1	2178	30	30	21	63	19
U	VIR4-36-36-16-1	2589	36	36	16	85	27
	VIR4-42-42-16-1	2830	42	42	16	95	21
	VIR4-48-24-16-1	3085	48	24	16	78	25
	Round - Frosted Glass	Тор					
	VIR4-24D-16-1	1750	24	-	16	52	13
	VIR4-36D-16-1	3097	36	-	16	85	27
	VIR4-24D-21-1	2018	24	-	21	52	13

		Oak, C	• • • • • • • • • • • • • • • • • • • •		D:	mensio	nno.	Chinning	Cubic
DESCRIPTION/MODEL		Ma STYLE 1	STYLE 2	LAMINATE	W	D	Н	Shipping Weight	Feet
	Square - Wood Top								
	VIR4-18-18-21-0	1223	1311	1319	18	18	21	40	8
	VIR4-24-24-16-0	1281	1349	1399	24	24	16	52	13
	VIR4-24-24-21-0	1372	1466	1491	24	24	16	52	13
	VIR4-30-30-21-0	1625	1737	1732	30	30	21	63	19
T	VIR4-36-36-16-0	1912	2033	2063	36	36	16	85	27
	VIR4-42-42-16-0	2787	2922	2936	42	42	16	95	21
	VIR4-48-24-16-0	2558	2738	2636	48	24	16	78	25
	ORDERING NOTES	3							
	A Style (1 or 2) must	be selected ar	nd noted clearly	on Purchase Ord	der.				
	Round - Wood Top								
	VIR4-24D-16-0	915	981	1056	24	-	16	52	13
	VIR4-36D-16-0	1747	1867	1988	36	-	16	85	27
	VIR4-24D-21-0	1185	1268	1325	24	-	21	52	13

#### **ORDERING NOTES**

A Style (1 or 2) must be selected and noted clearly on Purchase Order.

#### ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select Style 1 or Style 2

#### **CODE DESCRIPTION**

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

#### STANDARD FINISHES

Virtu is available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes. Oak finishes are available on Rift Oak veneer. For a complete list of standard wood finishes please see page 359.

#### STANDARD WOOD SPECIES

Standard wood species available: Cherry, Maple, Rift Oak.

#### **METAL DETAILING**

Metal detailing is available in Silver Metallic only.


#### **GLASS**

Glass is available in frosted only. Glass tempered and 8mm thick. Floats on clear rubber bumpers.

### **MILLENNIUM** | ENVIRONMENTAL SUMMARY

#### **LEED CERTIFICATION**





PRE-CONSUMER
RECYCLED CONTENT = 6.43%

POST-CONSUMER
RECYCLED CONTENT = 16.25%

Up to 38.93% of this Millennium product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Millennium products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Millennium products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®


In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Millennium and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



### MILLENNIUM | OCCASIONAL TABLES

			FINISHES					
			CHERRY, MAPLE	DII	MENSIO	NS	SHIPPING	CUBIC
DESCRIPTION/MODEL	=	OAK	WALNUT, MEDIUM ANIGRE	L	W	Н	WEIGHT	FEET
	MILLENNIUM SQUARE	E, AND F	RECTANGLE					
	6800-18-18-21	696	799	18	18	21	19	5
	6800-18-18-29	731	844	18	18	29	23	9
	6800-24-18-21	766	887	24	18	21	20	6
	6800-24-24-21	795	909	24	24	21	23	8
U	6800-26-26-21	828	938	26	26	21	26	9
$\forall$	6800-30-30-16	916	1041	30	30	16	34	8
	6800-48-18-16	999	1158	48	18	16	36	9
	6800-48-18-29	1206	1358	48	18	29	46	15
	MILLENNIUM ROUND							
	6800-24Dia.	1148	1320	24 Dia.		21	27	8
	6800-30Dia.	1213	1378	30 Dia.		16	38	8
	6800-36Dia.	1315	1481	36 Dia.		16	42	12
u								

#### MILLENNIUM EDGE DETAIL PROFILES



An edge detail profile must be selected for Millennium occasional tables.

#### **ORDERING NOTES**

Optional laminate inlay available at a 10% upcharge. Please contact Customer Service for more information. Laminate is not available on *KrugExpress*.

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the table
- 3. Select and edge detail profile

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### STANDARD FINISHES

Millennium tables are available in Maple, Cherry, Oak, Walnut and Medium Anigre finishes, please see page 4.

#### STANDARD WOOD SPECIES

Standard wood species available: Oak, Cherry & Maple.


#### BIRDSEYE MAPLE

Bookmatched Birdseye Maple Veneer is available on Millenium occasional tables at an upcharge of **\$60 list** per square foot. Birdseye Maple is recommended in a clear finish only.

### PRADO | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 60%

POST-CONSUMER
RECYCLED CONTENT = 15%

Up to 88.5% of this Prado product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Prado products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR EMISSIONS**

All Prado products are supplied air-emissions certified. Contact customer service for information.

#### **FSC®**

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Prado and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



### PRADO | OCCASIONAL TABLES

#### **FINISHES**

		CHERRY,	MAPLE,						
		WALNUT, ME	DIUM ANIGRE		DIN	/IENSI	ONS	SHIPPING	CUBIC
DESCRIPTION/MODEL	-	STYLE 1	STYLE 2	LAMINATE	L	W	Н	WEIGHT	FEET
	PRADO SQUARE	AND RECTANG	GULAR						
	5610-18-18-16	1269	1365	1269	18	18	16	40	3
	5610-18-18-21	1281	1383	1281	18	18	21	42	4
	5610-18-24-16	1313	1412	1313	18	24	16	47	4
/	5610-18-24-21	1336	1433	1336	18	24	21	49	5
* \	5610-24-24-16	1362	1465	1362	24	24	16	53	5
8	5610-24-24-21	1387	1491	1387	24	24	21	55	7
	5610-30-30-16	1413	1543	1413	30	30	16	69	8
	5610-30-30-21	1461	1569	1461	30	30	21	72	11
	5610-36-36-16	1495	1606	1495	36	36	16	88	14
	5610-36-36-21	1518	1633	1518	36	36	21	90	15
	5610-48-24-16	1537	1656	1537	48	24	16	102	11
	5610-48-24-21	1563	1683	1563	48	24	21	108	14
		-0							
	ORDERING NOTE			D b O	l				
	A Style (1 or 2) mu	st de selected a	and noted clearly	y on Purchase Orc	ier.				
	PRADO ROUND								
	5611-18D-16	1423	1531	1423	18 Dia.	_	16	35	3
	5611-18D-21	1461	1569	1461	18 Dia.		21	37	4
	5611-24D-16	1512	1621	1512	24 Dia.	-	16	46	5
	5611-24D-21	1537	1652	1537	24 Dia.	-	21	49	7
n	5611-30D-16	1635	1757	1635	30 Dia.	-	16	59	11
<u>V</u>	5611-30D-21	1681	1804	1681	30 Dia.	-	21	63	12
	5611-36D-16	1924	2071	1924	36 Dia.	-	16	74	12
	5611-36D-21	1986	2135	1986	36 Dia.	-	21	79	15
	ODDEDING NOT								
	ORDERING NOTI		and nated alased	v an Durahaaa Orr	ام.				
	A Style (1 or 2) mu	ist de selected	and noted clean	y on Purchase Ord	der.				
	PRADO OVAL								
	5612-18-24-16	1904	2043	1904	18 2	24	16	47	5
	5612-18-24-21	2007	2156	2007	18 2	24	21	49	6
	5612-42-24-16	2303	2482	2303	42	24	16	102	9
	5612-42-24-21	2420	2605	2420		24	21	104	14
y   / y \									
/									

#### **ORDERING NOTES**

Prado comes with Silver Metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

#### **ORDERING PROCEDURE**

To order please specify the following:

- 1. Select model number
- 2. Select Style 1 or Style 2
- 3. Select a finish for the table

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### **CODE DESCRIPTION**

STYLE 1 - Book matched veneer top

STYLE 2 - Reverse diamond patterned veneer top (recommended in a clear or light finish only)

#### STANDARD FINISHES

Prado is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see Page 331.

#### STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.


#### **METAL DETAILING**

Prado comes with Silver Metallic legs. Legs with special finishes are available at 10% list upcharge and minimum order quanity of 25 units. Extra lead time is required. Please contact Customer Service for more information.

### **CARLYLE TABLE | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 50%

POST-CONSUMER RECYCLED CONTENT = 15%

Up to 49.33% of this Carlyle product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

#### **AIR-EMISSIONS**

All Carlyle products are supplied with air-emissions certified. Contact customer service for information.



#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Carlyle and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



## **CARLYLE** | OCCASIONAL TABLES

		FINISHES				CLUDDING	CLIBIC
DESCRIPTION/MODEL	-	CHERRY, MAPLE WALNUT, MEDIUM ANIGRE	W	D	Н	SHIPPING WEIGHT	CUBIC FEET
	CAR4-18-18-24	1135	18	18	24	30	5.5
	CAR4-24-24-22	1222	24	24	22	32	9
	CAR4-42-21-16	1522	42	21	16	65	9.9

#### ORDERING PROCEDURE

To order please specify the following:

- 1. Select model number
- 2. Select a finish for the wood frame

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

#### STANDARD FINISHES

Carlyle is available in Cherry, Maple, Walnut and Medium Anigre finishes. For a complete list of standard wood finishes please see Page 331.

#### STANDARD WOOD SPECIES

Standard wood species available: Cherry & Maple.

#### **METAL DETAILING**

The legs on the Carlyle series feature a Silver Metallic finish.

#### GENERAL INFORMATION

#### **Terms and Conditions**

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

#### Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

**Customer Service Hours** 

Please note customer service hours are:

8:30 am to 5:00 pm est

#### **Customer Satisfaction**

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

#### **Order Acknowledgments**

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

#### Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

#### **Pricing**

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

#### Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

#### Warrantv

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COMspecified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

#### **Blanket Wrapping**

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

#### **Export Packaging**

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada.

(B) all shipments that will be held in storage for an extended period prior to installation.

**Important:** Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

#### **Dimensions**

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

#### Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

### GENERAL INFORMATION

#### **Freight Terms and Conditions**

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$78/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$78/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$78/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

#### **Product Strength and Durability Testing**

All management seating meets or exceeds the testing requirements of ANSI/BIFMA X5.1-2011. All lounge seating meets or exceeds the testing requirements of FNAE-80-214A. Specific test results and documentation are available on request.

#### **Damaged Shipments**

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

#### Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

#### Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

#### **Custom Capabilities**

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

#### These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address <a href="mailto:engineering.co.">engquotes@krug.ca</a>.

#### **Care and Maintenance Leather**

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters

#### Fabric Upholstery

Professional upholstery cleaning is recommended.

#### Flammability Standards for Krug Fabric Program

 Passes State of California Technical Bulletin CAL 117-2013

### KRUG TEXTILES - UPHOLSTERY FABRICS



## Krug Textiles - Stocked Fabric Program Grade 2





### KRUG TEXTILES - UPHOLSTERY FABRICS

#### Krug Textiles - Stocked Fabric Program

#### Grade 2



### KRUG TEXTILES - UPHOLSTERY FABRICS




#### Krug Textiles - Stocked Fabric Program

#### Grade 2



#### Grade 3



#### Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



#### Krug Textiles - Cut fabric NET price per yard

Grade 1 \$21 Grade 2 \$33 Grade 3 \$44

#### **LATEX FREE**

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.





#### Krug Textiles - Faux Leather Program - Grade 2



#### CUSTOMER'S OWN MATERIAL - C.O.M.

#### Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

#### **Application of Directional Upholstery cover**

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

#### **COM/COL Shipping Procedures**

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

#### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

#### **Upholstery Cover Yardage Calculation**

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

#### GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

#### **Upholstery Grades**

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

#### **Upholstery Samples**

If you require additional samples or memos for presentation, please contact fabric supplier directly.

#### Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

#### **Special Conditions**

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

### KRUG EXPRESS PROGRAM

#### **PROGRAM DETAILS**

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

#### **SEATING & OCCASIONAL TABLES PROGRAM**

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

### WOOD FINISHES

#### **WOOD FINISHES**

Standard wood finishes are:

#### Finishes on Beech

Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry Natural Cherry

Sable Cherry

Standard Cherry Light Oak

Harvest Oak Mahogany

Mellow Oak

Espresso

Cordovan Walnut Natural Walnut

Regular Walnut

SilverGrey on Walnut

Dark Walnut

Clear Beech

Medium Anigre

### Finishes on Maple

Clear Maple Honey Maple Wheat Maple

#### **PALETTE**

Palette finishes available for applicable products. Black White Soft Green Steel Blue Slate

## WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

#### **NATURAL CHARACTERISTICS OF WOOD**

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

#### **Custom Wood Finishes**

Add 10% list to your order for special finishes a minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

#### **Dual Finishes**

Add 10% list per item if specifying dual finish.

#### **Standard Wood Finishes**

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

#### **LAMINATES**

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

<b>IN-STOCK LAMINATES</b>			
<b>Wood Grain Laminates</b>	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry Park Avenue Walnut	Tafisa T472CR Wilsonart 7984–38	Solid Laminates	
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR
Dark Walnut	Tafisa T469CR	Earth	Tafisa T767CR
		Charcoal	Tafisa T228CR

#### **PHASE OUT LAMINATES**


Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

#### **Non-Stocked Laminates**

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

### SOLID SURFACE PROGRAM


The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.



### **BASE STYLES**

Base Styles	Description	Description								
Black Nylon	5 blade glass rei	5 blade glass reinforced molded nylon base with 2 1/4" hooded dual wheel casters.								
Polished Aluminum	5 blade polished	5 blade polished cast aluminum base with 2 1/4" dual wheel casters (upcharge of \$115 applies.)								
Seat Slider		Seat slider mechanism featuring a 2" range of adjustment front to back when seated. The lever to activate this feature is located under the seat of the user's left side and is activated by a simple twist of the knob.								
Wood	5 blade steel bar	5 blade steel bar stock base with finished wood caps and 2" black hooded dual wheel casters.								
Chrome	5 blade polished	5 blade polished chrome base with 2 1/4" dual wheel casters.								
Jury Bases		Jury Bases assembly consists of a black 9" diameter conical/cast base for permanently mounting a chair to the floor.  Into the base is inserted a black pneumatic gas cylinder with self returning action from rotation, and self returning								
Jury Bases	height feature w	nen exiting the chair. Al	lows for full 360 degree	e rotation. Limited de	egrees of rotation are not available					
Pan Am Pan1-M11 <u>J</u>	Bank of England 177- <u>J</u>	Dorso D0S1-H2011 <u>J</u>	Cadence CAD1-HW12 <u>J</u>	C5 C5E1MB41A <u>J</u>	Aqua AQU1M33 <u>J</u>					

# krug









All products are air emissions certified and are available as FSC® certified