

**SOLIS**  
Price and Specification Guide  
USA



**vizient.**  
Awarded Supplier

**krug** HEALTHCARE

## SOLIS | BEHAVIORAL HEALTH

2	Solis Environmental Summary
3	Solis Behavioral Health Features
4	Solis Behavioral Health Options
5	Solis Behavioral Health Guest Dimensions & COM Requirements
6	Solis Behavioral Health Guest Pricing
7	Solis Behavioral Health Patient Dimensions & COM Requirements
8	Solis Behavioral Health Patient Pricing
9	Solis Behavioral Health Guest Multiple Seating Dimensions & COM Requirements
10	Solis Behavioral Health Guest Multiple Seating Pricing
12	Solis Behavioral Health Patient Multiple Seating Dimensions & COM Requirements
13	Solis Behavioral Health Patient Multiple Seating Pricing
15	Solis Behavioral Health Replacement Parts

## GENERAL INFORMATION


18	Terms & Conditions
18	Warranty
20	KRUG Textiles - Upholstery Fabrics
23	KRUG Textiles - Leather & Faux Leather
24	Customer's Own Material (COM/COL)
24	CAL 133 & Moisture Barrier
25	Graded-In Upholstery Programs
25	KRUGEXPRESS Program
26	Wood Finishes
26	Standard Laminates
27	Metal Finishes
27	Urethane Color Options
27	Solid Surface Program

# SOLIS BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



MATERIAL CONTENT:



### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (PLEASE ENQUIRE)	
	Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

\* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### AIR-EMISSIONS

All Solis products are supplied air-emissions certified. Contact customer service for information.

### FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# SOLIS BEHAVIORAL HEALTH | FEATURES



## CLEAN OUT

All Solis seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquids to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



## STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Solis to well exceed ANSI/BIFMA standards.




## FLEX BACK

The ergonomically-designed back has a slight flexing action, which significantly enhances comfort.



## WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility. Patient and Guest chairs with mesh backs are excluded as they do not have the wall saver feature.



## HIGH DENSITY FOAM

Solis features dual density foam that is soft on the outside for comfort, dense on the inside for high durability. The seat and back foam features a compound curvature that supports healthy sitting postures, while also designed to ease ingress and egress.



## SECURED WOODEN ARM

Solis Wood Arm caps are fastened to the side frames with tamper resistant security screws. Wood arms are available in either beech or maple hardwood and in 22 Krug standard finishes. Maple arm caps are available for an up-charge of **\$77 list** per arm using beech pricing.



## URETHANE ARM

Solis secured urethane arms are durable, comfortable, and long lasting. Urethane arms are available in three colors options; Black, Grey and Taupe.

## TAMPER RESISTANT HARDWARE

All screws used on the Solis Behavioral Health units have been replaced with tamper resistant security screws.

## GANGING

All Solis Freestanding chairs can be ganged using a ganging bracket. The powder-coated metal plate is fastened to the underside of the steel side rails using the pre-existing holes in the frame.

## SECURED GLIDES

Solis Behavioral Health chairs have their glides secured in place to prevent their removal and damage.

## BOTTOM STAPLE COVER/SHIELD

Solis Behavioral Health chairs come standard with a black painted plywood cover underneath the seat. This cover is designed to prevent access to the upholstery staples of the seat and to prevent the hiding of objects underneath the seat. The cover is also designed to allow for regular ganging hardware and proper seat ventilation. The cover is secured to the unit with tamper resistant security screws.

## BACK STAPLE COVER STRIP

The Solis Behavioral Health back upholstery has been altered to allow a staple cover strip to be attached; this will prevent access to the upholstery staples. The cover strip is nylon coated galvanized steel with vinyl coated ends to prevent any sharp edges. The back cover strip is fastened to the unit with tamper resistant security screws.

## TUBULAR STEEL CHAIR FRAME

The overall aesthetic frame of the chair is built from structural steel tubing, both elliptical and rectangular for exceptional strength and appealing design. The frame is electro welded and polished joints for ease of cleaning and a one piece look. Available in eight powder-coated finishes. Silver Metallic is offered as Krug's standard finish. For all metal finishes other than Silver Metallic, there is a minimum quantity of 30 units per color and are available for an upcharge of **\$64 list** per seat/table. Microban anti-microbial finish is standard, with no upcharge, when frame finishes other than Silver Metallic is ordered. Solis Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per chair or table. Upcharges for quantities less than 30 units per color, per order can be obtained through Customer Service.

## FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

## LATEX-FREE

Krug products are made with latex-free materials, to prevent the allergic reaction that latex causes in some people.

## WEIGHT CAPACITIES

Weight capacities are as follows:  
Guest & Patient Chairs (21" & 24") - **500 lbs**  
Plus Chairs (30" & 44") - **750 lbs**



# SOLIS BEHAVIORAL HEALTH | OPTIONS



## SLED BASE

The Solis side frames legs have the option to be tied front to back with a steel rail, this will strengthen the frames and eliminate the option of having legs.



## KINETIC BACK OPTION

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Solis chair back - Guest, Patient and Multiple Seating - with the exception of the 30" and 44" sizes.



## CLOSED ARM

Solis closed arm has an upholstered arm panel built into the side frame. It is between the middle rail on the side frame and the top of the arm.



## FULLY CLOSED ARM (SLEIGH BASE ONLY)

The fully closed arm includes the regular closed arm, but also adds a second upholstered arm panel between the middle rail on the side frame and the sleigh base bottom. This feature is only available when the sleigh base option is selected.

## FLOOR ANCHOR BRACKETS (SLEIGH BASE ONLY)

Floor mounting brackets are supplied to be secured to the bottom of the Solis sleigh base with tamper resistant security screws. The hardware to attach the brackets to the floor is not provided by Krug.

## WEIGHTED SHIELD

In place of the Bottom Staple Cover, a weighted black coated steel version is also available. This steel shield is designed to add enough weight for the product to be a minimum of 80 lbs. The shield is also designed to allow standard ganging hardware as well as proper seat ventilation. This is all achieved while also covering/preventing all access to the upholstery staples under the seat. The Weighted Shield is fastened with tamper-resistant security screws.

## COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$33 list** per unit and **\$64 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

## ANTI-MICROBIAL FINISH

Solis Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per chair or table.

## CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$64 list** per yard.

## REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable seat and back covers can be quickly installed on Solis products that were originally ordered with the Removable cover option. Replacement seat and back covers can also be installed on Solis products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs. Complete Mesh backs can be ordered and field replaced.

## NO SPRING SEATS

The springs in the seat have been removed and replaced with a solid plywood seat pan. Additional foam has also been added in place of the springs for comfort.

## TAMPER-RESISTANT SPLASHGUARD

All Solis seating models are available with a coated steel moisture barrier that covers and enclosed the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard replaces the Bottom Staple Cover on the underside of the seat. It is designed to still allowing ganging and has folded metal edges to prevent any sharp edges. The splashguard is fastened with tamper resistant security screws.

# SOLIS BEHAVIORAL HEALTH | GUEST -DIMENSIONS & COM REQUIREMENTS

## DIMENSIONS


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Base Shipping Weight	Cubes
21" Seat	25	28	34.5	18.5	26	20	20	51	16
24" Seat	28	28	34.5	18.5	26	23	20	55	18
30" Seat	34	28	34.5	18.5	26	29	20	60	22
44" Seat	48	28	34.5	18.5	26	43	20	74	31

## COM - YARDAGE REQUIREMENTS


	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Upper Arm Panel	Yardage Fully Closed Arm Panel (Upper & Lower)
21" & 24" - One Chair	1.6	0.9	1.6	0.8	1.6
21" & 24" - Two Chairs	3.1	1.3	1.6	1.2	2.4
21" & 24" - Three Chairs	4.7	2.1	3.7	1.6	3.2
30" Plus - One Chair	2.5	0.9	1.6	1.6	3.2
30" Plus - Two Chairs	5	1.8	3.2	1.2	2.4
30" Plus - Three Chairs	7.5	2.7	4.8	1.6	3.2
44" Plus - One Chair	2.5	0.9	2.3	0.8	1.6
44" Plus - Two Chairs	5	1.8	3.9	1.2	2.4
44" Plus - Three Chairs	7.5	2.7	5.5	1.6	3.2

**Closed Arm Panels (per chair)** - please add the following up charges for closed arm panels.





Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	Leather 8	9	COM
Closed Arm Panel (1 arm)	208	224	238	267	294	321	350	379	435	0.4
Closed Arm Panels (2 arms)	418	448	477	531	588	643	699	757	869	0.8



Fully Closed Arm (1 arm)	339	365	391	436	483	529	576	627	707	1.5
Fully Closed Arm (2 arms)	677	730	782	872	967	1054	1151	1253	1412	3



SOLIS BEHAVIORAL HEALTH | GUEST

DESCRIPTION/MODEL			COM		COL	FABRIC GRADES			LEATHER		
			1	2	3	4	5	6	7	8	9
	21" Open Arm, Mesh Back										
	SOL2-GBHM21OPU	Urethane	1119	1151	1181	1245	1309	1372	1434	1499	1596
	SOL2-GBHM21OPW	Beech	1240	1271	1304	1367	1429	1492	1556	1619	1716
	21" Open Arm, Upholstered Back										
	SOL2-GBHU21OPU	Urethane	1169	1220	1271	1373	1477	1578	1678	1779	1985
	SOL2-GBHU21OPW	Beech	1289	1340	1391	1493	1594	1697	1801	1899	2106
	24" Open Arm, Mesh Back										
	SOL2-GBHM24OPU	Urethane	1161	1192	1223	1285	1349	1414	1478	1538	1638
	SOL2-GBHM24OPW	Beech	1281	1311	1342	1405	1468	1534	1596	1661	1756
	24" Open Arm, Upholstered Back										
	SOL2-GBHU24OPU	Urethane	1209	1262	1312	1415	1515	1619	1719	1821	2028
	SOL2-GBHU24OPW	Beech	1331	1381	1433	1535	1638	1818	1840	1942	2146
	30" Open Arm, Upholstered Back										
	SOL2-GBHU30OPU	Urethane	1443	1522	1604	1761	1922	2083	2239	2401	2718
	SOL2-GBHU30OPW	Beech	1563	1642	1724	1882	2042	2201	2359	2522	2839
	44" Open Arm, Upholstered Back										
	SOL2-GBHUH44OPU	Urethane	1606	1686	1765	1923	2085	2241	2405	2562	2880
	SOL2-GBHUH44OPW	Beech	1727	1806	1884	2043	2205	2361	2524	2682	2999

**ORDERING NOTES:** Solis Behavioral Health guest chairs are standard with; secured glides, secured Arms, Bottom Staple shield/Cover, Non-Accessible Staples (Bottom of back) and Tamper- Resistant Hardware.

Solis Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	30" & 44" - Removable Back Cover (per back)	80
Guest chair - Removable Seat Cover	80	Kinetic Back option	120
21" & 24" - Removeable Back Cover	58	Maple Arm upgrade per arm (add to beech price)	80
Combination Upholstery - dual fabrics	33	Non-Marring Glide	37
Combination Upholstery -Three fabrics	64		

Solis Behavioral Health Option Upcharges \$ List			
Plywood Seat / No Springs	121	Weight Shield (to min 80lbs) - 21" Uph.	408
Sled Base	265	Weight Shield (to min 80lbs) - 21" Mesh	486
Anchor to Floor (Sleigh base only)	359	Weight Shield (to min 80lbs) - 24" Uph.	337
21" Tamper- Resistant Splashguard	157	Weight Shield (to min 80lbs) - 24" Mesh	412
24" Tamper- Resistant Splashguard	165	Weight Shield (to min 80lbs) - 30" Uph.	180
30" Tamper- Resistant Splashguard	340	Weight Shield (to min 80lbs) - 44" Uph.	171
44" Tamper- Resistant Splashguard	363		

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 5.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	GBH	U	21	OPU
Solis	Chair	Guest Seating	Upholstered Back		Open Arm - Urethane
		PBH	M	24	OPW
		Patient Seating	Mesh Back 21" & 24" Only		Open Arm - Wood
				30	CLW
					Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

# SOLIS BEHAVIORAL HEALTH | PATIENT -DIMENSIONS & COM REQUIREMENTS

## DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Base Shipping Weight	Cubes
<b>UPHOLSTERED BACK</b>									
21" Seat	25	28	43.75	18.5	26	20	20	54	21
24" Seat	28	28	43.75	18.5	26	23	20	58	23
30" Seat	34	28	43.75	18.5	26	29	20	64	28

## COM - YARDAGE REQUIREMENTS

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage-Closed Upper Arm Panel	Yardage-Fully Closed Arm Panel (Upper & Lower)
21" & 24" - One Chair	2.1	0.9	2	0.8	1.6
21" & 24" - Two Chairs	4	1.3	3.4	1.2	2.4
21" & 24" - Three Chairs	6.1	2.1	5.4	1.6	3.2
30" Plus - One Chair	3.1	0.9	2.2	0.8	1.6
30" Plus - Two Chairs	6.2	1.8	4.4	1.2	2.4
30" Plus - Three Chairs	9.3	2.7	6.6	1.6	3.2

## ORDERING NOTES:

### COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$33 list** per unit and **\$64 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product). Complete Mesh backs (21" & 24") can be ordered and field replaced.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$64 list** per arm frame pair, please see [page 27](#) for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table.

**Closed Arm Panels (per chair)** - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	Leather 8	9	COM
Closed Arm Panel (1 arm)	208	224	238	267	294	321	350	379	435	0.4
Closed Arm Panels (2 arms)	418	448	477	531	588	643	699	757	869	0.8






Fully Closed Arm (1 arm)	339	365	391	436	483	529	576	627	707	1.5
Fully Closed Arm (2 arms)	677	730	782	872	967	1054	1151	1253	1412	3





SOLIS BEHAVIORAL HEALTH | PATIENT

DESCRIPTION/MODEL			COM		COL	FABRIC GRADES				LEATHER	
			1	2	3	4	5	6	7	8	9
	21" Open Arm, Mesh Back										
	SOL2-PBHM21OPU	Urethane	1164	1241	1272	1335	1398	1461	1526	1589	1688
	SOL2-PBHM21OPW	Beech	1331	1360	1393	1456	1519	1583	1644	1709	1808
	21" Open Arm, Upholstered Back										
	SOL2-PBHU21OPU	Urethane	1265	1331	1396	1533	1664	1801	1932	2064	2333
	SOL2-PBHU21OPW	Beech	1384	1451	1518	1653	1782	1921	2054	2186	2453
	24" Open Arm, Mesh Back										
	SOL2-PBHM24OPU	Urethane	1247	1281	1311	1374	1439	1503	1565	1629	1727
	SOL2-PBHM24OPW	Beech	1370	1401	1431	1494	1559	1622	1686	1748	1845
	24" Open Arm, Upholstered Back										
	SOL2-PBHU24OPU	Urethane	1305	1372	1439	1570	1705	1839	1974	2108	2377
	SOL2-PBHU24OPW	Beech	1423	1492	1559	1692	1825	1959	2092	2229	2496
	30" Open Arm, Upholstered Back										
	SOL2-PBHU30OPU	Urethane	1640	1741	1837	2033	2234	2431	2629	2824	3220
	SOL2-PBHU30OPW	Beech	1760	1860	1957	2155	2354	2552	2746	2946	3342

Solis Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	30" - Removable Back Cover (per back)	80
Guest chair - Removable Seat Cover	80	Kinetic Back option	120
21" & 24" - Removeable Back Cover	58	Maple Arm upgrade per arm (add to beech price)	80
Combination Upholstery - dual fabrics	33	Non-Marring Glide	37
Combination Upholstery -Three fabrics	64		

Solis Behavioral Health Option Upcharges	\$ List		\$ List
Plywood Seat / No Springs	121	Weight Shield (to min 80lbs) - 21" Uph.	408
Sled Base	265	Weight Shield (to min 80lbs) - 21" Mesh	486
Anchor to Floor (Sleigh base only)	359	Weight Shield (to min 80lbs) - 24" Uph.	337
21" Tamper- Resistant Splashguard	157	Weight Shield (to min 80lbs) - 24" Mesh	412
24" Tamper- Resistant Splashguard	165	Weight Shield (to min 80lbs) - 30" Uph.	180
30" Tamper- Resistant Splashguard	340		

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the reqired arm type from the Product Code Key below and add the upcharge on page 7.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
<div>SOL</div> Solis	<div>2</div> Chair	<div>GBH</div> Guest Seating	<div>U</div> Upholstered Back	<div>21</div>	<div>OPU</div> Open Arm - Urethane
		<div>PBH</div> Patient Seating	<div>M</div> Mesh Back 21" & 24" Only	<div>24</div>	<div>OPW</div> Open Arm - Wood
				<div>30</div>	<div>CLW</div> Closed Arm - Wood
				<div>44</div>	<div>CLU</div> Closed Arm - Urethane
					<div>FCW</div> Fully Closed Arm - Wood
					<div>FCU</div> Fully Closed Arm - Urethane

# SOLIS BEHAVIORAL HEALTH | MULTIPLE SEATING - GUEST

## DIMENSIONS & COM. REQUIREMENTS - START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
<b>MESH BACK</b>														
SGM21	25	28	34.5	18.5	26	20	20	41	16	-	0.9	-	0.4	0.8
SGM24	28	28	34.5	18.5	26	23	20	44	18	-	0.9	-	0.4	0.8
<b>UPHOLSTERED BACK</b>														
SGU21	25	28	34.5	18.5	26	20	20	43	16	1.6	0.9	1.6	0.4	0.8
SGU24	28	28	34.5	18.5	26	23	20	47	18	1.6	0.9	1.6	0.4	0.8
SGU30	34	28	34.5	18.5	26	29	20	52	22	2.5	0.9	2.5	0.4	0.8
SGU44	48	28	34.5	18.5	26	43	20	66	31	2.5	0.9	2.5	0.4	0.8

## DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

										COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube				
MESH BACK													
CGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
CGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLSTERED BACK													
CGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
CGU24	26	28	34.5	18.5	26	23	20	41	19	1.6	0.9	1.6	0.4
CGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	2.5	0.4
CGU44	46	28	34.5	18.5	26	43	20	60	31	2.5	0.9	2.5	0.4

## DIMENSIONS & COM. REQUIREMENTS - END UNITS

										COM.	COM.	COM.	COM.	
	Overall	Overall	Overall	Seat	Height of	Width		Seat	Shipping		Seat &	Fabric	Fabric	Fabric
	Width	Depth	Height	Height	Arms	Between		Depth	Weight	Cube	Back	Seat	Back	Closed Arm
					from Floor	Arms					Yardage	Yardage	Yardage	Panel
														Yardage
MESH BACK														
EGM21	23	28	34.5	18.5	26	20		20	35	16	-	0.9	-	0.4
EGM24	26	28	34.5	18.5	26	23		20	38	18	-	0.9	-	0.4
UPHOLSTERED BACK														
EGU21	23	28	34.5	18.5	26	20		20	37	16	1.6	0.9	1.6	0.4
EGU24	26	28	34.5	18.5	26	23		20	41	18	1.6	0.9	1.6	0.4
EGU30	32	28	34.5	18.5	26	29		20	46	22	2.5	0.9	2.5	0.4
EGU44	46	28	34.5	18.5	26	43		20	60	31	2.5	0.9	2.5	0.4








### ORDERING NOTES:

When ordering multiple Start, Center, End units please refer to [page 5](#) for Yardage Requirements.

**Closed Arm Panels (per chair)** - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	(COL) 2	(COL) 3	(COL) 4	(COL) 5	(COL) 6	(COL) 7	Leather 8	9	COM
Closed Arm Panel (1 arm)	208	224	238	267	294	321	350	379	435	0.4
Closed Arm Panels (2 arms)	418	448	477	531	588	643	699	757	869	0.8
Fully Closed Arm (1 arm)	339	365	391	436	483	529	576	627	707	1.5
Fully Closed Arm (2 arms)	677	730	782	872	967	1054	1151	1253	1412	3

# SOLIS BEHAVIORAL HEALTH | START, CENTER & END GUEST UNITS









DESCRIPTION/MODEL			COM	2	COL	FABRIC GRADES				LEATHER	
			1		3	4	5	6	7	8	9
START											
	21" Open Arm Start Guest Unit, Mesh Back										
	SOL2-SGBHM21OPU	Urethane	1119	1151	1181	1245	1309	1372	1434	1499	1596
	SOL2-SGBHM21OPW	Beech	1240	1271	1304	1367	1429	1492	1556	1619	1716
	21" Open Arm Start Guest Unit, Upholstered Back										
	SOL2-SGBHU21OPU	Urethane	1169	1220	1271	1373	1477	1578	1678	1779	1985
	SOL2-SGBHU21OPW	Beech	1289	1340	1391	1493	1594	1697	1801	1899	2106
	24" Open Arm Start Guest Unit, Mesh Back										
	SOL2-SGBHM24OPU	Urethane	1161	1192	1223	1285	1349	1414	1478	1538	1638
	SOL2-SGBHM24OPW	Beech	1281	1311	1342	1405	1468	1534	1596	1661	1756
	24" Open Arm Start Guest Unit, Upholstered Back										
	SOL2-SGBHU24OPU	Urethane	1209	1262	1312	1415	1515	1619	1685	1821	2028
	SOL2-SGBHU24OPW	Beech	1331	1381	1433	1535	1638	1818	1840	1942	2146
30" Open Arm Start Guest Unit, Upholstered Back											
	SOL2-SGBHU30OPU	Urethane	1443	1522	1604	1761	1922	2083	2239	2401	2718
	SOL2-SGBHU30OPW	Beech	1563	1642	1724	1882	2042	2201	2359	2522	2839
44" Open Arm Start Guest Unit, Upholstered Back											
	SOL2-SGBHU44OPU	Urethane	1606	1686	1765	1923	2085	2241	2405	2562	2880
	SOL2-SGBHU44OPW	Beech	1727	1806	1884	2043	2205	2361	2524	2682	2999
CENTER											
	21" Open Arm Center Guest Unit, Mesh Back										
	SOL2-CGBHM21OPU	Urethane	1021	1054	1086	1147	1210	1273	1336	1401	1499
	SOL2-CGBHM21OPW	Beech	1083	1114	1143	1207	1271	1334	1396	1460	1559
	21" Open Arm Center Guest Unit, Upholstered Back										
	SOL2-CGBHU21OPU	Urethane	1064	1117	1168	1270	1372	1474	1572	1677	1881
	SOL2-CGBHU21OPW	Beech	1124	1177	1228	1331	1431	1534	1634	1738	1941
	24" Open Arm Center Guest Unit, Mesh Back										
	SOL2-CGBHM24OPU	Urethane	1046	1081	1110	1172	1237	1302	1361	1425	1524
	SOL2-CGBHM24OPW	Beech	1108	1139	1170	1232	1297	1359	1422	1485	1584
	24" Open Arm Center Guest Unit, Upholstered Back										
	SOL2-CGBHU24OPU	Urethane	1093	1143	1195	1297	1398	1503	1604	1704	1909
	SOL2-CGBHU24OPW	Beech	1153	1205	1254	1357	1459	1562	1664	1765	1968

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 9.

## PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

# SOLIS BEHAVIORAL HEALTH | CENTER & END GUEST UNITS

DESCRIPTION/MODEL	COM		COL	FABRIC GRADES			LEATHER		
	1	2		4	5	6	7	8	9
	30" Open Arm Center Guest Unit, Upholstered Back								
	SOL2-CGBHU30OPU	Urethane	1310 1389	1467	1631	1788	1946	2107	2265 2585
	SOL2-CGBHU30OPW	Beech	1371 1449	1529	1690	1846	2006	2167	2324 2642
	44" Open Arm Center Guest Unit, Upholstered Back								
	SOL2-CGBHU44OPU	Urethane	1463 1545	1617	1781	1942	2103	2263	2419 2740
	SOL2-CGBHU44OPW	Beech	1524 1606	1685	1842	2002	2163	2322	2480 2800
	21" Open Arm End Guest Unit, Mesh Back								
	SOL2-EGBHM21OPU	Urethane	1021 1054	1086	1147	1210	1273	1336	1401 1499
	SOL2-EGBHM21OPW	Beech	1083 1114	1143	1207	1271	1334	1396	1460 1559
	21" Open Arm End Guest Unit, Upholstered Back								
	SOL2-EGBHU21OPU	Urethane	1064 1117	1168	1270	1372	1474	1572	1677 1881
	SOL2-EGBHU21OPW	Beech	1124 1177	1228	1331	1431	1534	1634	1738 1941
	24" Open Arm End Guest Unit, Mesh Back								
	SOL2-EGBHM24OPU	Urethane	1046 1081	1110	1172	1237	1302	1361	1425 1524
	SOL2-EGBHM24OPW	Beech	1108 1139	1170	1232	1297	1359	1422	1485 1584
	24" Open Arm End Guest Unit, Upholstered Back								
	SOL2-EGBHU24OPU	Urethane	1093 1143	1195	1297	1398	1503	1604	1704 1909
	SOL2-EGBHU24OPW	Beech	1153 1205	1254	1357	1459	1562	1664	1765 1968
	30" Open Arm End Guest Unit, Upholstered Back								
	SOL2-EGBHU30OPU	Urethane	1310 1389	1467	1631	1788	1946	2107	2265 2585
	SOL2-EGBHU30OPW	Beech	1371 1449	1529	1690	1846	2006	2167	2324 2642
	44" Open Arm End Guest Unit, Upholstered Back								
	SOL2-EGBHU44OPU	Urethane	1463 1545	1617	1781	1942	2103	2263	2419 2740
	SOL2-EGBHU44OPW	Beech	1524 1606	1685	1842	2002	2163	2322	2480 2800

## ORDERING NOTES:

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$64 list** per arm frame pair, please see page 27 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table.

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 9.

## PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
<b>SOL</b>	<b>2</b>	<b>SG</b>	<b>U</b>	<b>21</b>	<b>OPW</b>
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		<b>CG</b>	<b>M</b>	<b>24</b>	<b>OPU</b>
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		<b>EG</b>		<b>30</b>	<b>CLW</b>
		End Unit Guest Multiple Seating			Closed Arm - Wood
				<b>44</b>	<b>CLU</b>
					Closed Arm - Urethane
					<b>FCW</b>
					Fully Closed Arm - Wood
					<b>FCU</b>
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | MULTIPLE SEATING - PATIENT BACKS

DIMENSIONS & COM. REQUIREMENTS - START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BACK														
SPM21	25	28	43.75	18.5	26	20	20	42	21	-	0.9	-	0.4	0.8
SPM24	28	28	43.75	18.5	26	23	20	45	23	-	0.9	-	0.4	0.8
UPHOLSTERED BACK														
SPU21	25	28	43.75	18.5	26	20	20	46	21	2.1	0.9	2.0	0.4	0.8
SPU24	28	28	43.75	18.5	26	23	20	50	23	2.1	0.9	2.0	0.4	0.8
SPU30	34	28	43.75	18.5	26	29	20	56	28	3.1	0.9	2.2	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
CPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
CPM24	26	28	43.75	18.5	26	23	20	39	23	-	0.9	-	0.4
UPHOLSTERED BACK													
CPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
CPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
CPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

DIMENSIONS & COM. REQUIREMENTS - END UNITS

										COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube				
MESH BACK													
EPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
EPM24	26	28	43.75	18.5	26	23	20	38	23	-	0.9	-	0.4
UPHOLSTERED BACK													
EPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
EPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
EPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

ORDERING NOTES:

Multiple yardage requirements for Patient back Start, Center and End units, please refer to [page 5](#).

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.


Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	Leather 8	9	COM
Closed Arm Panel (1 arm)	208	224	238	267	294	321	350	379	435	0.4
Closed Arm Panels (2 arms)	418	448	477	531	588	643	699	757	869	0.8
Fully Closed Arm (1 arm)	627	669	710	796	879	963	1048	1135	1304	1.5
Fully Closed Arm (2 arms)	835	890	948	1061	1172	1285	1335	1510	1736	3



# SOLIS BEHAVIORAL HEALTH | START & CENTER PATIENT UNITS

DESCRIPTION/MODEL	COM		COL	FABRIC GRADES			LEATHER		
	1	2		4	5	6	7	8	9

## START




### 21" Open Arm Start Patient Unit, Mesh Back

SOL2-SPBHM21OPU	Urethane	1164	1241	1272	1335	1398	1461	1526	1589	1688
SOL2-SPBHM21OPW	Beech	1331	1360	1393	1456	1519	1583	1644	1709	1808

### 21" Open Arm Start Patient Unit, Upholstered Back

SOL2-SPBHU21OPU	Urethane	1265	1331	1396	1533	1664	1801	1932	2064	2333
SOL2-SPBHU21OPW	Beech	1384	1451	1518	1653	1782	1921	2054	2186	2453




### 24" Open Arm Start Patient Unit, Mesh Back

SOL2-SPBHM24OPU	Urethane	1247	1281	1311	1374	1439	1503	1565	1629	1727
SOL2-SPBHM24OPW	Beech	1370	1401	1431	1494	1559	1622	1686	1748	1845

### 24" Open Arm Start Patient Unit, Upholstered Back


SOL2-SPBHU24OPU	Urethane	1305	1372	1439	1570	1705	1839	1974	2108	2377
SOL2-SPBHU24OPW	Beech	1423	1492	1559	1692	1825	1959	2092	2229	2496



### 30" Open Arm Start Patient Unit, Upholstered Back

SOL2-SPBHU30OPU	Urethane	1640	1741	1837	2033	2234	2431	2629	2824	3220
SOL2-SPBHU30OPW	Beech	1760	1860	1957	2155	2354	2552	2746	2946	3342

## CENTER




### 21" Open Arm Center Patient Unit, Mesh Back

SOL2-CPBHM21OPU	Urethane	1111	1142	1173	1239	1303	1363	1428	1491	1589
SOL2-CPBHM21OPW	Beech	1171	1203	1236	1298	1360	1423	1487	1552	1647

### 21" Open Arm Center Patient Unit, Upholstered Back

SOL2-CPBHU21OPU	Urethane	1161	1228	1294	1428	1562	1693	1832	1964	2232
SOL2-CPBHU21OPW	Beech	1220	1288	1355	1487	1622	1753	1890	2024	2293




### 24" Open Arm Urethane Cap Center Patient Unit, Mesh Back

SOL2-CPBHM24OPU	Urethane	1138	1169	1201	1265	1328	1390	1453	1515	1613
SOL2-CPBHM24OPW	Beech	1198	1229	1262	1323	1387	1451	1513	1578	1672

### 24" Open Arm Center Patient Unit, Upholstered Back

SOL2-CPBHU24OPU	Urethane	1187	1253	1319	1456	1589	1723	1856	1990	2257
SOL2-CPBHU24OPW	Beech	1246	1314	1381	1515	1647	1781	1915	2053	2319



### 30" Open Arm Center Patient Unit, Upholstered Back




SOL2-CPBHU30OPU	Urethane	1506	1606	1703	1899	2096	2295	2493	2692	3087
SOL2-CPBHU30OPW	Beech	1566	1666	1764	1960	2158	2355	2554	2751	3145

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 12.

## PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

# SOLIS BEHAVIORAL HEALTH | END PATIENT UNITS

DESCRIPTION/MODEL				COM		COL	FABRIC GRADES				LEATHER	
				1	2	3	4	5	6	7	8	9
	END	21" Open Arm End Unit, Mesh Back										
		SOL2-EPBHM21OPU	Urethane	1111	1142	1173	1239	1303	1363	1428	1491	1589
		SOL2-EPBHM21OPW	Beech	1171	1203	1236	1298	1360	1423	1487	1552	1647
		21" Open Arm End Unit, Upholstered Back										
		SOL2-EPBHU21OPU	Urethane	1161	1228	1294	1428	1562	1693	1832	1964	2232
		SOL2-EPBHU21OPW	Beech	1220	1288	1355	1487	1622	1753	1890	2024	2293
		24" Open Arm Urethane Cap End Unit, Mesh Back										
		SOL2-EPBHM24OPU	Urethane	1138	1169	1201	1265	1328	1390	1453	1515	1613
		SOL2-EPBHM24OPW	Beech	1198	1229	1262	1323	1387	1451	1513	1578	1672
		24" Open Arm End Unit, Upholstered Back										
		SOL2-EPBHU24OPU	Urethane	1187	1253	1319	1456	1589	1723	1856	1990	2257
		SOL2-EPBHU24OPW	Beech	1246	1314	1381	1515	1647	1781	1915	2053	2319
		30" Open Arm End Unit, Upholstered Back										
		SOL2-EPBHU30OPU	Urethane	1506	1606	1703	1899	2096	2295	2493	2692	3087
		SOL2-EPBHU30OPW	Beech	1566	1666	1764	1960	2158	2355	2554	2751	3145

## ORDERING NOTES:

Complete Mesh backs (21" & 24") can be ordered and field replaced.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$64 list** per arm frame pair, please see **page 27** for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table.

Solis Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Non-Marring Glide	37
Removable Seat Cover (per seat)	80	Kinetic Back option	120
21" & 24" - Removeable Back Covers (per back)	58	Maple Arm upgrade per arm (add to beech price)	80
30" - Removable Back Cover (per back)	80		
Combination Upholstery - dual fabrics	33		
Combination Upholstery -Three fabrics	64		

## Solis Behavioral Health Option Upcharges \$ List





Plywood Seat / No Springs	121	Weight Shield (to min 80lbs) - 21" Uph.	408
Sled Base	265	Weight Shield (to min 80lbs) - 21" Mesh	486
Anchor to Floor (Sleigh base only)	359	Weight Shield (to min 80lbs) - 24" Uph.	337
21" Tamper- Resistant Splashguard	157	Weight Shield (to min 80lbs) - 24" Mesh	412
24" Tamper- Resistant Splashguard	165	Weight Shield (to min 80lbs) - 30" Uph.	180
30" Tamper- Resistant Splashguard	340		

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 12.






## PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane


# SOLIS BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS

Description	Model	COM		COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube	
		1	2	3	4	5	6	7	8	9				
<div>Guest</div> 	21" Replacement Behavioral Health Guest Upholstered Backs													
	SOL2-RBBHGU21	508	555	598	665	740	807	883	977	1067	1.5	14	2.7	
	21" Replacement Behavioral Health Guest Mesh Backs													
	SOL2-RBBHGM21	441										10	2.7	
	24" Replacement Behavioral Health Guest Upholstered Backs													
	SOL2-RBBHGU24	529	571	620	687	763	829	904	995	1089	1.5	15	2.8	
	24" Replacement Behavioral Health Guest Mesh Backs													
	SOL2-RBBHGM24	468										11	2.8	
	30" Replacement Behavioral Health Guest Upholstered Backs													
	SOL2-RBBHGU30	597	652	705	780	905	940	1027	1135	1241	1.6	19	3.4	
	44" Replacement Behavioral Health Guest Upholstered Backs													
	SOL2-RBBHGU44	774	824	879	956	1039	1117	1202	1309	1416	2.25	28	4.8	
<div>Patient</div> 	21" Replacement Behavioral Health Patient Upholstered Backs													
	SOL2-RBBHPU21	628	695	764	856	961	1059	1165	1298	1433	2.0	21	3.8	
	21" Replacement Behavioral Health Mesh Backs													
	SOL2-RBBHPM21	478										15	3.8	
	24" Replacement Behavioral Health Patient Upholstered Backs													
	SOL2-RBBHPU24	662	729	796	889	997	1090	1198	1334	1466	2.0	21	3.8	
	24" Replacement Behavioral Health Patient Mesh Backs													
	SOL2-RBBHPM24	508										17	3.8	
	30" Replacement Behavioral Health Patient Upholstered Backs													
	SOL2-RBBHPU30	834	921	1009	1131	1270	1391	1533	1706	1881	2.2	24	4.8	
	<div>Guest</div> 	21" Replacement Behavioral Health Guest Upholstered Back Cover												
		SOL2-RBCBHGU21	155	202	246	313	389	455	531	624	717	1.5	2	.8
21" Replacement Behavioral Health Guest Mesh Back Cover														
SOL2-RBCBHGM21		191										2	.8	
24" Replacement Behavioral Health Guest Upholstered Back Cover														
SOL2-RBCBHGU24		155	202	247	313	389	455	532	624	720	1.5	2.3	.8	
24" Replacement Behavioral Health Mesh Back Cover														
SOL2-RBCBHGM24		232										2.3	.8	
30" Replacement Behavioral Health Guest Upholstered Back Cover														
SOL2-RBCBHGU30		169	224	274	350	435	512	597	717	811	1.6	2.6	.8	
44" Replacement Behavioral Health Guest Upholstered Back Cover														
SOL2-RBCBHGU44		178	232	284	362	448	518	606	715	821	2.25	3.5	.8	
<div>Patient</div> 	21" Replacement Behavioral Health Patient Upholstered Back Cover													
	SOL2-RBCBHPU21	199	267	334	427	535	628	735	870	1003	2.0	2.5	.8	
	21" Replacement Behavioral Health Mesh Back Cover													
	SOL2-RBCBHPM21	212										2.5	.8	
	24" Replacement Behavioral Health Patient Upholstered Back Cover													
	SOL2-RBCBHPU24	201	267	334	427	536	628	735	870	1003	2.0	2.7	.8	
	24" Replacement Behavioral Health Patient Mesh Back Cover													
	SOL2-RBCBHPM24	250										2.7	.8	
	30" Replacement Behavioral Health Patient Upholstered Back Cover													
	SOL2-RBCBHPU30	244	333	420	541	679	804	941	1117	1290	2.2	3	.8	

# SOLIS BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS

Description	Model	COM	COL		FABRIC GRADES			LEATHER			Yardage	Weight	Cube
		1	2	3	4	5	6	7	8	9			
	Seat	21" Replacement Behavioral Health Seat											
	SOL2-RSBH21	321	352	382	424	473	514	562	624	686	.9	9	2.7
	24" Replacement Behavioral Health Seat												
	SOL2-RSBH24	358	388	418	458	510	548	598	659	720	.9	10	2.7
	30" Replacement Behavioral Health Seat												
	SOL2-RSBH30	405	434	464	509	546	597	644	705	765	.9	12	3.4
	44" Replacement Behavioral Health Seat												
	SOL2-RSBH44	538	576	613	665	723	777	834	909	983	.9	14	4.8
	No Spring Seat	21" Replacement Behavioral Health No Spring Seat											
	SOL2-RSBH21NS	443	473	502	543	592	634	685	744	806	.9	9	2.7
	24" Replacement Behavioral Health No Spring Seat												
	SOL2-RSBH24NS	479	510	538	582	628	670	720	780	840	.9	10	2.7
	30" Replacement Behavioral Health No Spring Seat												
	SOL2-RSBH30NS	522	556	585	627	667	717	765	824	886	.9	12	3.4
	44" Replacement Behavioral Health No Spring Seat												
	SOL2-RSBH44NS	659	696	732	784	844	895	955	1030	1103	.9	12	3.4
	Seat Covers	21" Replacement Behavioral Health Seat Cover											
	SOL2-RSBHC21	108	138	169	210	259	301	348	409	470	1.0	1.6	.8
	24" Replacement Behavioral Health Seat Cover												
	SOL2-RSBHC24	111	140	170	212	260	302	350	410	471	1.0	1.7	.8
	30" Replacement Guest, Patient & Easy Access Seat Cover												
	SOL2-RSBHC30	119	141	179	223	270	312	362	422	481	1.0	2	.8
	44" Replacement Behavioral Health Seat Cover												
	SOL2-RSBHC44	140	178	213	267	326	376	434	510	583	1.0	2.5	.8
	Replacement Closed Arm												
	SOL2-RCA	195	207	220	238	259	276	297	321	345	.8	6	.9
	Replacement Lower Closed Arm Panel												
	SOL2-RCAB	137	151	163	182	202	218	240	265	291	.8	6	.9
	Bottom Staple Cover/Shield												
	SOL2-RBC21	82										2	0.8
	SOL2-RBC24	85										2.3	0.8
	SOL2-RBC30	95										2.6	0.8
	SOL2-RBC44	105										3.5	0.8
	Weighted Shield												
	SOL2-RWSU21	408										25	1
	SOL2-RWSM21	486										25	1
	SOL2-RWSU24	337										25	1
	SOL2-RWSM24	412										25	1
	SOL2-RWSU30	180										31	1
	SOL2-RWSU44	171										44	1
	Tamper- Resistant Splashguard												
	SOL2-RSGBH21	259										1	.3
	SOL2-RSGBH24	269										2	.4
	SOL2-RSGBH30	464										3	.5
	SOL2-RSGBH44	502										4	.6

## SOLIS BEHAVIORAL HEALTH | REPLACEMENT FRAMES

Description	Model	Price	Weight	Cubes
	Tamper- Resistant Side Frame Assembly - Start		9	1.5
	SOL2-RSFABHS - Urethane	178		
	- Beech	357		
	Tamper- Resistant Side Frame Assembly - Center		9	1.5
	SOL2-RSFABHC - Urethane	178		
	- Beech	357		
	Tamper- Resistant Side Frame Assembly - End		9	1.5
	SOL2-RSFABHE - Urethane	178		
	- Beech	357		
	Sleigh Base Side Frame Assembly - Start		9	1.5
	SOL2-RSFABHSSB - Urethane	585		
	- Beech	764		
	Sleigh Base Side Frame Assembly - Center		9	1.5
	SOL2-RSFABHCSB - Urethane	585		
	- Beech	764		
	Sleigh Base Side Frame Assembly - End		9	1.5
	SOL2-RSFABHESB - Urethane	585		
	- Beech	764		
	Sleigh Base Fully Closed Side Frame - Start		9	1.5
	SOL2-RSFABHSFC - Urethane	585		
	- Beech	764		
	Sleigh Base Fully Closed Side Frame - Center		9	1.5
	SOL2-RSFABHCFC - Urethane	585		
	- Beech	764		
	Sleigh Base Fully Closed Side Frame - End		9	1.5
	SOL2-RSFABHEFC - Urethane	585		
	- Beech	764		

Maple arm side frames are available for an upcharge of \$74 list per arm, please see [page 26](#) for finish selection.

Tamper- Resist Tool Kit	
SOL2-BHTK	143



# GENERAL INFORMATION

## Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

## Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: [orders@krug.ca](mailto:orders@krug.ca)

Web: [www.krug.ca](http://www.krug.ca) E-mail: [solutions@krug.ca](mailto:solutions@krug.ca)

## Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

## Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

## Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgment is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

## Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

## Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

## Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

## Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

**Jordan Sleepers Heavy-Duty Mechanism**, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

**Juno and Trevisa Overbed Tables** have a 2-year warranty.

## Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

## Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

**Important:** Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

## Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

## Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

## Product Strength and Durability Testing

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard. Specific test results and documentation are available on request.



## Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail [installationhelp@krug.ca](mailto:installationhelp@krug.ca) and you will be directed to the appropriate installation support person.

## Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or

storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

## Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

## Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

## Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address [engquotes@krug.ca](mailto:engquotes@krug.ca).

## Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

## Fabric Upholstery

Professional upholstery cleaning is recommended.

## Flammability Standards for Krug Textiles - Upholstery Program

- Passes State of California Technical Bulletin CAL 117-2013


# KRUG TEXTILES - UPHOLSTERY FABRICS



## Krug Textiles - Stocked Fabric Program

### Grade 1

#### ARLO



308 MIDNIGHT



306 PETROL



908 CHARCOAL



93 SEAL



601 PEARL



84 NUTMEG



62 OATMEAL



90 LIMESTONE

#### FRANKLIN




47 CAMEL



3009 MIDNIGHT



67 FAWN




97 CINDER



94 METAL



909 BLACK



9004 CHARCOAL




308 PETROL



108 ORCHID

#### COMRADE




309 MIDNIGHT



84 TEAK



63 LINEN



24 ALPINE



905 IRON



601 SNOW



57 MARIGOLD



31 DUCK EGG

#### FELICITY



601 IVORY



305 SKY



603 TAUPE



93 COAL



405 HENNA



64 PUTTY



62 FAWN



36 BLUEBERRY



**Krug Textiles - Stocked Fabric Program**

**Grade 2**

**GRADDY**



25 CAPER




31 SKY




604 FLAX



901 CHAR



93 GRAY



34 SLATE



84 TEAK



98 NICKLE

**YATES**




84 BIRCH




44 CLAY



87 TAUPE



25 JUNIPER




305 INDIGO




109 CRANBERRY



803 TOAST



92 ZINC



91 SILVER



908 CHARCOAL

**MCCOY**



608 TUNDRA



601 CREME



908 CHARCOAL



62 COPPER



108 CORDOVAN



32 ROBIN'S EGG



94 MERCURY



84 BARK

**ORIS**




908 DOMINO




604 BARK



601 CREAM



306 DELFT



902 ZINC



305 MIDNIGHT



64 PUTTY



205 CHARTREUSE



# KRUG TEXTILES - UPHOLSTERY FABRICS




## Krug Textiles - Stocked Fabric Program

### Grade 3


#### MORITZ



205 SPEARMINT




61 OYSTER




306 CADET




104 MULBERRY




31 AEGEAN



9008 CHARCOAL



82 CLAY



304 CAPRI

#### LORENZO



306 INDIGO



24 ALPINE




64 LINEN



91 FLANNEL



32 MIST



601 CREAM



106 HENNA



604 STUCCO

#### BISCOTTI



302 CAPRI



45 SPICE



61 DESERT



91 GRANITE

#### INTRIGUE



601 OYSTER



27 OLIVE



4003 OCHRE



908 CHARCOAL



3009 MIDNIGHT



805 PECAN



608 STUCCO



605 STRAW




## Krug Textiles - Faux Leather Program - Grade 2



## Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



## Krug Textiles - Cut fabric NET price per yard

Grade 1	\$22
Grade 2	\$34
Grade 3	\$46

## LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

# CUSTOMER'S OWN MATERIAL - C.O.M.

## Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

## Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).



Standard-Cut  
"up the roll"



Non-Standard-Cut  
across the roll "railroad"

## COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to:

Krug Inc.  
111 Ahrens Street  
Kitchener, Ontario  
Canada N2H 4C2

**Attention: RECEIVER**

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

**"For Customs Clearance by Willson International Custom Brokers".**

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

## CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

## C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

## Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

# GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

## Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

## Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

## Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

## Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

# KRUG EXPRESS PROGRAM

## PROGRAM DETAILS

*KrugExpress* orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

*KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances.

Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

## SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for *KrugExpress* orders. Laminates are not available on *KrugExpress*.

*Krug Express* includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

- Appalachian Cherry
- American Cherry
- Imperial Cherry
- Light Cherry
- Medium Cherry
- Natural Cherry
- Sable Cherry
- Standard Cherry
- Light Oak
- Harvest Oak
- Mahogany
- Mellow Oak
- Espresso
- Cordovan Walnut
- Natural Walnut
- Regular Walnut
- SilverGrey on Walnut
- Dark Walnut
- Clear Beech
- Medium Anigre

Finishes on Maple

- Clear Maple
- Honey Maple
- Wheat Maple

PALETTE

- Palette finishes available for applicable products.
- Black
  - White
  - Soft Green
  - Steel Blue
  - Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3” by 3” must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

- Willow on Beech
- Copper on Beech
- Shiraz Cherry on Beech
- Park Avenue Walnut on Beech
- Chocolate on Beech
- Nutmeg on Beech
- Portobello on Beech
- Ash on Beech
- Dune on Maple

LAMINATES

Krug’s in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug’s previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	<b>Solid Laminates</b>	
Park Avenue Walnut	Wilsonart 7984-38	Designer White	Wilsonart D354-60
Chocolate	Tafisa T498CR	Platinum	Tafisa T202CR
Nutmeg	Tafisa T477CR	Earth	Tafisa T767CR
Nightfall	Pionite WX421	Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates


For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

METAL FINISH - STANDARD




Silver Metallic

METAL FINISH -OPTIONAL (minimum order quantity see 3)



White



Parchment



Sand



Taupe



Warm Grey



Cool Grey




Black

URETHANE COLOR OPTIONS



Taupe



Grey




Black


SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

GROUP GRADE A - WHITE




Glacier White



Cameo White

GROUP GRADE A - COLOR




Bisque




Linen

GROUP GRADE B



Antarctica




Savannah

GROUP GRADE C



Dove



Deep Night Sky





All products are air emissions certified and are available as FSC® certified

# krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG