

SOLIS
Price and Specification Guide
CANADA



SOLIS | TABLE OF CONTENTS

SOLIS | GUEST BACK

- 2 Solis Environmental Summary
- 3 Solis Guest Features & Options
- 5 Solis Dimensions & COM Requirements
- 6 Solis Guest Pricing
- 7 Solis Replacement Components

SOLIS | PATIENT BACK

- 9 Solis Environmental Summary
- 10 Solis Dimensions & COM Requirements
- 11 Solis Patient Pricing
- 12 Solis Replacement Components

SOLIS | MULTIPLE GUEST & PATIENT SEATING

- 14 Solis Dimensions & COM Requirements | Guest
- 16 Solis Multiple Seating Pre-Configured Guest Units Pricing
- 17 Solis Multiple Seating Start, Center & End Guest Units Pricing
- 19 Solis Pre-Configured Freespan Multiple Seating Guest Units Pricing
- 21 Solis Dimensions & COM Requirements Patient Backs
- 22 Solis Multiple Seating Pre-Configured Patient Units Pricing
- 24 Solis Multiple Seating Start, Center & End Patient Units Pricing
- 26 Solis Pre-Configured Freespan Multiple Seating Patient Units Pricing
- 28 Solis Replacement Components

SOLIS | EASY ACCESS SEATING

- 33 Solis Environmental Summary
- 33 Solis Dimensions & COM Requirements
- 33 Solis Easy Access Chair Pricing

SOLIS | BEHAVIORAL HEALTH

- 34 Solis Environmental Summary
- 35 Solis Behavioral Health Features
- 36 Solis Behavioral Health Options
- 37 Solis Behavioral Health Guest Dimensions & COM Requirements
- 38 Solis Behavioral Health Guest Pricing
- 39 Solis Behavioral Health Patient Dimensions & COM Requirements
- 40 Solis Behavioral Health Patient Pricing
- 41 Solis Behavioral Health Guest Multiple Seating Dimensions & COM Requirements
- 42 Solis Behavioral Health Guest Multiple Seating Pricing
- 44 Solis Behavioral Health Patient Multiple Seating Dimensions & COM Requirements
- 45 Solis Behavioral Health Patient Multiple Seating Pricing
- 47 Solis Behavioral Health Replacement Parts

SOLIS | TABLES

- 50 Solis Environmental Summary
- 51 Solis Tables Features
- 52 Solis Linking Tables
- 53 Solis Free Standing Tables

GENERAL INFORMATION


- 54 Terms & Conditions
- 54 Warranty
- 56 KRUG Textiles - Upholstery Fabrics
- 58 KRUG Textiles - Leather & Faux Leather
- 60 Customer's Own Material (COM/COL)
- 60 CAL 133 & Moisture Barrier
- 61 Graded-In Upholstery Programs
- 61 *KRUGEXPRESS* Program
- 62 Wood Finishes
- 62 Standard Laminates
- 63 Metal Finishes
- 63 Urethane Color Options
- 63 Solid Surface Program

SOLIS | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 16%

POST-CONSUMER
RECYCLED CONTENT = 22%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (PLEASE ENQUIRE) Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

The above information regarding LEED contribution applies to both the upholstered as well as mesh back versions.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR-EMISSIONS

All Solis products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.




CLEAN OUT

All Solis seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquids to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Solis to well exceed ANSI/BIFMA standards. Rounded arms provide support for safe and easy ingress and egress.



HIGH DENSITY FOAM

Solis features dual density foam that is soft on the outside for comfort, dense on the inside for high durability. The seat and back foam features a compound curvature that supports healthy sitting postures, while also designed to ease ingress and egress.



FLEX BACK

Solis sets a new standard for comfort and ergonomics in healthcare seating. The ergonomically-designed back has a slight flexing action, which significantly enhances comfort.



URETHANE ARM

Solis arms are durable, comfortable, and long lasting. Urethane arms are available in three color options; Black, Grey and Taupe.



WOODEN ARM

Wood arms are available in either beech or maple hardwood and in 22 Krug standard finishes. Maple arm caps are available for an up-charge of **\$77 list** per arm using beech pricing.

REPLACEABLE COMPONENTS

Solis chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, arms, frames and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

TUBULAR STEEL CHAIR FRAME

The overall aesthetic frame of the chair is built from structural steel tubing, both elliptical and rectangular for exceptional strength and appealing design. The frame is electro welded and polished joints for ease of cleaning and a one piece look. Available in eight powder-coated finishes. Silver Metallic is offered as Krug's standard finish.

METAL FINISHES

Silver Metallic Standard - No Upcharge

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table. Additional Frame Finishes are available for an upcharge of **\$61 list** per seat/ table.

Available colors are: • White • Parchment • Sand • Taupe • Warm Grey • Cool Grey • Black

For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. The anti-microbial finish is included in the additional finish up-charge. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility. Patient and Guest chairs with mesh backs are excluded as they do not have the wall saver feature.

LATEX-FREE

Krug products are made with latex-free materials, to prevent the allergic reaction that latex causes in some people.

GANGING

All Solis Freestanding chairs can be ganged using a ganging bracket. The powder-coated metal plate is fastened to the underside of the steel side rails using the pre-existing holes in the frame.

EASY ACCESS ADJUSTABLE GLIDES

With the larger footprint of this chair and critical importance of stability for the user, we have included adjustable glides on the front legs - this allows the Easy Access chair to be perfectly leveled to any floor for maximum safety and stability.

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

WEIGHT CAPACITIES

Weight capacities are as follows:

Guest & Patient Chairs (21" & 24") - 500 lbs

Plus Chairs (30" & 44") - 750 lbs

Multiple Seating & Pre-configured - 500 lbs per seat

2-Seat Freespan - 525 lbs per unit

3-Seat Freespan = 750 lbs per unit

PLUS UPGRADE

Solis 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

[View Solis Images | www.krug.ca](http://www.krug.ca)

SOLIS | OPTIONS



ADJUSTABLE HEADREST

The adjustable headrest uses dual density foam providing excellent support and comfort. The headrest is securely fastened using an innovative clip allowing the headrest to be easily removed for cleaning and/or replacement. The headrest is easily adjusted by sliding the headrest vertically allowing the user to maximize their comfort.



EASY CLEAN BACKREST COVERS

Easy clean backrest covers are available on all mesh back Patient chairs. They are removable, replaceable and cleanable. The easy clean backrest cover features a foam interior for comfort and durability.



WOOD SIDE RAILS

Solis can be specified with solid wood side rails, which, along with the selection of wood arms and a choice of metal finishes, provides a warmer look and feel. All Solis wood components feature Krug's high durability Enduraguard finish. Wood Side Rails are available for an upcharge and are not available with closed arm panels.



CASTERS

Castors are available on all 21" and 24" guest and patient chairs. Two rear hard wheel casters or four hard wheel casters are available for an upcharge per chair. The option of soft wheel casters can be ordered for additional upcharge. Both hard and soft caster options are standard non-locking but can be specified locking at no additional charge. The Solis caster is not a heavy-duty caster - it is designed and rated for normal use and load bearing, but has the potential to fail with excessive use, force, or weight. The caster was designed to allow the chairs to be moved for ease of cleaning and furniture arranging. Krug is not responsible for caster breakage under any circumstances. Solis casters are field replaceable.



KINETIC BACK OPTION

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Solis chair back - Guest, Patient and Multiple Seating - with the exception of the 30" and 44" sizes.



SOLID SURFACE ARM

The optional Solid Surface Arm provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors. See [page 63](#) for color selection.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable seat and back covers can be quickly installed on Solis products that were originally ordered with the Removable cover option. Replacement seat and back covers can also be installed on Solis products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs. Complete Mesh backs can be ordered and field replaced.

CLEANABLE UNDER-SEAT SPLASHGUARD

All Solis seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable. The upcharges for the Splashguard are based on the size of the seat.

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

SOLIS | GUEST, DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back	COM Yardage Closed Arm Panel
UPHOLSTERED BACK													
21" Seat	25	28	34.5	18.5	26	20	20	51	16	1.6	0.9	1.5	0.8
24" Seat	28	28	34.5	18.5	26	23	20	55	18	1.6	0.9	1.5	0.8
30" Seat	34	28	34.5	18.5	26	29	20	60	22	2.5	0.9	1.6	0.8
44" Seat	48	28	34.5	18.5	26	43	20	74	31	3.2	1.1	2.3	0.8
MESH BACK													
21" Seat	25	28	34.5	18.5	26	20	20	49	16	-	0.9	-	0.8
24" Seat	28	28	34.5	18.5	26	23	20	52	18	-	0.9	-	0.8

COM - YARDAGE REQUIREMENTS

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.5	0.8
21" & 24" - Two Chairs	3.1	1.3	2.3	1.2
21" & 24" - Three Chairs	4.9	2.1	3.1	1.6
30" - One Chair	2.5	0.9	1.6	0.8
30" - Two Chairs	5	1.8	3.2	1.2
30" - Three Chairs	7.5	2.7	4.8	1.6
44" - One Chair	3.2	1.1	2.3	0.8
44" - Two Chairs	5.6	2.2	3.9	1.2
44" - Three Chairs	8.7	3.3	5.5	1.6

Multiple yardage requirements can also be used for Guest Back Easy Access chairs and Guest Back Start, Center, End Multiple seating.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Solis seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

For Maharam, Momentum or CF Stinson, Krug will obtain the fabric sample.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

MESH COLORS

- Slate
- Sand
- Celery
- Earth

- Warm Grey
- Terra
- Sky
- Olive

Mesh Specifications & Performance

ASTM D4157 Abrasion Resistance (Oscillatory Cylinder) 30,000 Rubs
ASTM D5034 Breaking Strength N 2167 Warp 1916 Weft
Flammability CAL177

AATCC TM8: Colorfastness to Crooking

Dry Class 5
Wet Class 5

ASTM D3511: Brush Pilling Rating 5

ASTM D6797: Ball Burst N 2486

Krug's Mesh backs covers are produced with Polyester yarns that are 100% recyclable. The yarn dying process is a closed loop system that recycles and recaptures 100% of the energy from the heating systems needed. All dyes contain no heavy metals, carcinogens or allergens.

SOLIS | GUEST | UPHOLSTERED BACKS








Solis Guest Chairs with Upholstered Backs are available in 21", 24", 30" and 44" widths.

SOLIS | GUEST | MESH BACKS



Solis Guest Chairs with Mesh Backs are available in 21" and 24" widths only.

SOLIS | GUEST

DESCRIPTION/MODEL		Arm Type	COM 1	2	COL 3	4	FABRIC GRADES 5		6	7	LEATHER 8	9
	21" Open Arm, Mesh Back											
	SOL2-GM21OPU	Urethane	964	995	1029	1088	1152	1216	1279	1342	1440	
	SOL2-GM21OPW	Beech	1084	1115	1146	1210	1273	1337	1398	1463	1561	
	21" Open Arm, Upholstered Back											
	SOL2-GU21OPU	Urethane	1013	1064	1115	1219	1319	1421	1522	1624	1829	
	SOL2-GU21OPW	Beech	1135	1185	1236	1338	1439	1541	1645	1746	1949	
	24" Open Arm, Mesh Back											
	SOL2-GM24OPU	Urethane	1003	1035	1065	1129	1192	1254	1319	1382	1481	
	SOL2-GM24OPW	Beech	1122	1155	1186	1249	1312	1377	1439	1503	1599	
	24" Open Arm, Upholstered Back											
	SOL2-GU24OPU	Urethane	1054	1103	1156	1255	1358	1461	1562	1664	1869	
	SOL2-GU24OPW	Beech	1172	1223	1277	1378	1481	1583	1683	1783	1989	
	30" Open Arm, Upholstered Back											
	SOL2-GU30OPU	Urethane	1225	1307	1387	1545	1705	1864	2023	2185	2504	
	SOL2-GU30OPW	Beech	1348	1426	1509	1665	1824	1986	2143	2304	2623	
	44" Open Arm, Upholstered Back											
	SOL2-GU44OPU	Urethane	1420	1498	1580	1736	1897	2058	2217	2375	2694	
	SOL2-GU44OPW	Beech	1540	1619	1698	1857	2018	2175	2337	2496	2816	
	Solis Ganging Bracket SOL2-RLKBS		32									

COMBINATION UPHOLSTERY OPTION
When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).
Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.









Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
2 ARMS	399	427	455	506	560	613	666	721	828

Solis Guest Option Upcharges		\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)		61	Solid Surface Arm (per pair) - Gr A White	465
Guest chair - Removable Seat Covers		86	Solid Surface Arm (per pair) - Gr A Color	481
21" & 24" - Removeable Back Covers		56	Solid Surface Arm (per pair) - Gr B	517
30" & 44" - Removable Back Covers		86	Solid Surface Arm (per pair) - Gr C	559
21" & 24" Cleanable Under-seat Splashguard		39	Maple Arm upgrade per arm (add to beech price)	77
30" Cleanable Under-seat Splashguard		46	Beech Wood Side Rails Upgrade (per chair)	121
44" Cleanable Under-seat Splashguard		61	Maple wood Side Rails Upgrade (per chair)	152
Soft Casters (21" & 24" chairs) -4 set		61	Kinetic Back option (not available for 30" & 44")	115
Soft Casters (21" & 24" chairs) -2 set		32	Non-Marring Glide	36
Non-locking Casters (21" & 24" chairs) -4 set		115		
Non-locking Casters (21" & 24" chairs) -2 set		77		
Note: Locking casters are available, clearly mark on the purchase order.				









PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type	
<div>SOL</div> <div>Solis</div>	<div>2</div> <div>Chair</div>	<div>G</div> <div>Guest Seating</div>	<div>U</div> <div>Upholstered Back</div>	<div>21</div>	<div>OPW</div> <div>Open Arm - Wood Arm</div>	<div>CLW</div> <div>Closed Arm- Wood Arm</div>
			<div>M</div> <div>Mesh Back 21" & 24" Only</div>	<div>24</div>	<div>OPU</div> <div>Open Arm Urethane Arm</div>	<div>CLU</div> <div>Closed Arm- Urethane Arm</div>
				<div>30</div>	<div>OSA</div> <div>Open Arm - Solid Surface Arm</div>	<div>CSA</div> <div>Closed Arm- Solid Surface Arm</div>
				<div>44</div>		

SOLIS | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL		COM	COL	FABRIC GRADES						LEATHER		Yds	Weight	Cube
		1	2	3	4	5	6	7	8	9				
	21" Replacement Guest Upholstered Backs SOL2-RBGU21	540	581	620	677	741	796	861	940	1020	1.5	14	2.7	
	21" Replacement Guest Mesh Backs SOL2-RBGM21	455										10	2.7	
	24" Replacement Guest Upholstered Backs SOL2-RBGU24	554	592	633	688	753	809	873	955	1035	1.5	15	2.8	
	24" Replacement Guest Mesh Backs SOL2-RBGM24	474										11	2.8	
	30" Replacement Guest Upholstered Backs SOL2-RBGU30	602	647	693	758	830	894	968	1059	1150	1.6	19	3.4	
	44" Replacement Guest Upholstered Backs SOL2-RBGU44	757	803	847	912	985	1050	1123	1213	1306	1.6	28	4.8	
	21" Replacement Guest Upholstered Back Covers SOL2-RBCGU21	189	229	274	324	389	445	510	589	669	1.5	2	.8	
	24" Replacement Guest Upholstered Back Covers SOL2-RBCGU24	189	229	274	324	389	445	510	589	669	1.5	2.3	.8	
	30" Replacement Guest Upholstered Back Covers SOL2-RBCGU30	204	248	295	360	432	496	569	660	752	1.6	2.6	.8	
	44" Replacement Guest Upholstered Back Covers SOL2-RBCGU44	208	255	300	364	437	502	574	664	758	2.25	3.5	.8	
	Replacement Mesh Back Top Bar SOL2-RMBTB21	32										2.5	.5	
	SOL2-RMBTB24	33										3.0	.7	
	21" Replacement Seat SOL2-RS21	371	399	422	459	499	535	577	628	681	.9	9	2.7	
	24" Replacement Seat SOL2-RS24	390	416	442	478	518	556	597	647	699	.9	10	2.7	
	30" Replacement Seat SOL2-RS30	464	489	515	550	591	628	669	720	771	.9	12	3.4	
	44" Replacement Seat SOL2-RS44	599	631	661	705	756	800	850	913	974	1.1	14	4.8	
	21" Replacement Seat Cover SOL2-RSC21	124	152	177	213	255	290	357	384	434	1.0	1.6	.8	
	24" Replacement Seat Cover SOL2-RSC24	128	153	180	217	258	292	334	386	437	1.0	1.7	.8	
	30" Replacement Seat Cover SOL2-RSC30	130	154	180	217	258	292	334	386	437	1.0	2	.8	
	44" Replacement Seat Cover SOL2-RSC44	145	178	208	253	303	346	397	460	521	1.1	2.5	.8	
	Replacement Splash Guard SOL2-RSG21	86										1	.3	
	SOL2-RSG24	105										2	.4	
	SOL2-RSG30	147										3	.5	
	SOL2-RSG44	159										4	.6	
	Replacement Closed Arm SOL2-RCA	198	208	220	236	255	270	289	312	334	0.4	6	.9	
	Replacement Arm Top - Urethane SOL2-RACU	67										1.5	.2	
	Replacement Arm Top - Beech SOL2-RACWB	203										1.0	.2	
	Replacement Arm Top - Maple SOL2-RACWM	219			Grade A- White	Grade A- Color		Grade- B	Grade- C			1.0	.2	
	Replacement Arm Top - Solid Surface SOL2-RACSS				244	249		269	290			1.0	.2	


SOLIS | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	Price	Yds	Weight	Cube
	Replacement Side Frame - Start			
	SOL2-RSFS 128		9	1.5
	Replacement Side Frame - Start - No Anti-Microbial			
	SOL2-RSFSX 106		9	1.5
	Replacement Side Frame - End			
	SOL2-RSFE 128		9	1.5
	Replacement Side Frame - End - No Anti-Microbial			
	SOL2-RSFEX 106		9	1.5
	Replacement Side Frame - Start - 1 Glide, 1 Non-locking Caster			
	SOL2-RSFSC 164		9.5	1.5
	Replacement Side Frame - Start - 1 Glide, 1 Non-locking Caster- No Anti-Microbial			
	SOL2-RSFSCX 132		9.5	1.5
	Replacement Side Frame - End - 1 Glide, 1 Non-locking Caster			
	SOL2-RSFEC 164		9.5	1.5
	Replacement Side Frame - End - 1 Glide, 1 Non-locking Caster- No Anti-Microbial			
	SOL2-RSFECX 132		9.5	1.5
	Replacement Side Frame - Start - 2Non-locking Casters			
	SOL2-RSFSC2 142		10	1.5
	Replacement Side Frame - Start - 2 Non-locking Casters- No Anti-Microbial			
	SOL2-RSFSC2X 139		10	1.5
	Replacement Side Frame - End - 2 Non-locking Casters			
	SOL2-RSFEC2 142		10	1.5
	Replacement Side Frame - End - 2 Non-locking Casters- No Anti-Microbial			
	SOL2-RSFEC2X 139		10	1.5
	Replacement Wood Side Rail Cover - Beech			
	SOL2-RSRCB 172		1.0	.3
	Replacement Wood Side Rail Cover - Maple			
	SOL2-RSRCM 220		1.0	.3
	Replacement Glide - Front			
	SOL2-RGF 21		.5	.1
	Replacement Glide - Back			
	SOL2-RGB 21		.5	.1
	Replacement Glide - Set of 4			
	SOL2-RGS4 23		2	.1
	Replacement Caster Glide - Front			
	SOL2-RGFC 22		2	.1
	Replacement Caster Glide - Back			
	SOL2-RGBC 22		2	.1
	Replacement Non-locking Caster - Hard Wheel			
	SOL2 - RCH 29		1.5	.3
	Replacement Non-locking Caster - Soft Wheel			
	SOL2 - RCS 32		1.5	.3
	Replacement Side Frame - Easy Access			
	SOL2-RSFSEA 195	14	2.2	
	SOL2-RSFEEA 195			
	Replacement Side Frame - Easy Access - No Anti-Microbial			
	SOL2-RSFSEAX 182	14	2.2	
	SOL2-RSFEEAX 182			
	Replacement Step for Easy Access			
	SOL2-RSTEP21 174	7	.8	
	SOL2-RSTEP24 178	9	1.2	
	SOL2-RSTEP21X 170	7	.8	
	SOL2-RSTEP24X 175	9	1.2	

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 17%

POST-CONSUMER
RECYCLE CONTENT = 22%

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



FSC
www.fsc.org
FSC® C021889

The mark of responsible forestry

AIR-EMISSIONS

All Solis products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SOLIS | PATIENT, DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM. REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back	COM Yardage Closed Arm Panel
UPHOLSTERED BACK													
21" Seat	25	28	43.75	18.5	26	20	20	54	21	2.1	0.9	2.0	0.8
24" Seat	28	28	43.75	18.5	26	23	20	58	23	2.1	0.9	2.0	0.8
30" Seat	34	28	43.75	18.5	26	29	20	64	28	3.1	0.9	2.2	0.8
MESH BACK													
21" Seat	25	28	43.75	18.5	26	20	20	50	21	-	0.9	-	0.8
24" Seat	28	28	43.75	18.5	26	23	20	53	23	-	0.9	-	0.8

COM - YARDAGE REQUIREMENTS

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Arm Panel
21" & 24" - One Chair	2.1	0.9	2	0.8
21" & 24" - Two Chairs	4	1.3	3.1	1.2
21" & 24" - Three Chairs	6.1	2.1	4.2	1.6
30" - One Chair	3.1	0.9	2.2	0.8
30" - Two Chairs	6.2	1.8	4.4	1.2
30" - Three Chairs	9.3	2.6	6.6	1.6

Multiple yardage requirements can also be used for Patient Back Easy Access chairs and Patient Back Start, Center, End Multiple seating.

Note: Some vinyls, leathers & fabrics may not be suitable for application on Solis seating.

The approval process is as follows:

1. A sample of the COM. must be provided to Krug Customer Service prior to or at the time of order.
For Maharam, Momentum or CF Stinson, Krug will obtain the fabric sample.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM. fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

FEATURES:

For a complete list of features see [page 3](#).

SOLIS | PATIENT | UPHOLSTERED BACK



Solis Patient Chairs with Upholstered Backs are available in 21", 24" and 30" widths.

SOLIS | PATIENT | MESH BACK



Solis Patient Chairs with Mesh Backs are available in 21" and 24" widths only.




ORDERING NOTES: Complete Mesh backs (21" & 24") can be ordered and field replaced. The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$61 list** per arm frame pair, please see [page 63](#) for color selection and [page 3](#) for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table.




Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
2 ARMS	399	427	455	506	560	613	666	721	828

[View Solis images | www.krug.ca](#)

SOLIS | PATIENT & OTTOMAN

DESCRIPTION/MODEL		Arm Type	COM		COL	FABRIC GRADES			LEATHER		
			1	2	3	4	5	6	7	8	9
	21" Open Arm, Mesh Back										
	SOL2-PM21OPU	Urethane	1055	1085	1116	1180	1244	1307	1370	1433	1531
	SOL2-PM21OPW	Beech	1173	1206	1237	1299	1363	1426	1489	1555	1650
	21" Open Arm, Upholstered Back										
	SOL2-PU21OPU	Urethane	1108	1173	1242	1377	1509	1645	1775	1909	2177
	SOL2-PU21OPW	Beech	1228	1294	1362	1495	1628	1765	1896	2031	2298
	24" Open Arm, Mesh Back										
	SOL2-PM24OPU	Urethane	1089	1122	1155	1219	1281	1344	1409	1470	1567
	SOL2-PM24OPW	Beech	1211	1244	1275	1338	1399	1464	1528	1590	1689
	24" Open Arm, Upholstered Back										
	SOL2-PU24OPU	Urethane	1146	1215	1281	1414	1547	1681	1818	1951	2218
	SOL2-PU24OPW	Beech	1268	1336	1399	1535	1669	1802	1937	2070	2340
	30" Open Arm, Upholstered Back										
	SOL2-PU30OPU	Urethane	1423	1522	1621	1819	2017	2214	2411	2610	3005
	SOL2-PU30OPW	Beech	1543	1645	1740	1938	2136	2335	2532	2728	3124

DESCRIPTION/MODEL	COM.		COL		FABRIC GRADES				LEATHER		W D H			Weight	Cubes
	1	2	3	4	5	6	7	8	9						
	Ottoman														
	SOL5	507	529	546	589	630	669	709	749	832	18.25	18.25	13	12	5
Fabric Yardage Required: 1 ottoman = 0.7 yards 2 ottoman = 1 yards															
	Easy Clean Backrest Cover, Mesh Back														
	SOL2-BCM21	106	116	123	144	162	184	203	220	245	20	0.5	8	3	0.9
	SOL2-BCM24	106	116	123	144	162	184	203	220	245	23	0.5	8	3	0.9
	Easy Clean Backrest Cover, Upholstered Back														
	SOL2-BCU21	106	116	123	144	162	184	203	220	245	20	0.5	8	3	0.9
	SOL2-BCU24	106	116	123	144	162	184	203	220	245	23	0.5	8	3	0.9
	Adjustable Headrest														
	SOL2-HRM	165	181	196	220	243	265	287	311	355	15	3	6.75	3	0.9
	SOL2-HRU	165	181	196	220	243	265	287	311	355					
Adjustable headrest are one size and can be used on all Patient Chair models. Fabric Yardage Required: 1 headrest = 0.3 yards 2 headrest = 0.6 yards 3 headrest = 0.6 yards															

Solis Patient Option Upcharges

\$ List

\$ List








CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm (per pair) - Gr A White	465
Removable Seat Covers	86	Solid Surface Arm (per pair) - Gr A Color	481
21" & 24" - Removeable Back Covers	56	Solid Surface Arm (per pair) - Gr B	517
30" Removable Back Covers	86	Solid Surface Arm (per pair) - Gr C	559
21" & 24" Cleanable Under-seat Splashguard	39	Maple Arm upgrade per arm (add to beech price)	77
30" Cleanable Under-seat Splashguard	46	Beech Wood Side Rails Upgrade (per chair)	121
Soft Casters (21" & 24" chairs) -4 set	61	Maple wood Side Rails Upgrade (per chair)	152
Soft Casters (21" & 24" chairs) -2 set	32	Kinetic Back option (not available for 30" & 44")	115
Non-locking Casters (21" & 24" chairs) -4 set	115	Non-Marring Glide	36
Non-locking Casters (21" & 24" chairs) -2 set	77		

Note: Locking casters are available, clearly mark on the purchase order.









PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type	
<div>SOL</div> Solis	<div>2</div> Chair	<div>P</div> Patient Seating	<div>U</div> Upholstered Back	<div>21</div>	<div>OPW</div> Open Arm - Wood Arm	<div>CLW</div> Closed Arm- Wood Arm
			<div>M</div> Mesh Back 21" & 24" Only	<div>24</div>	<div>OPU</div> Open Arm Urethane Arm	<div>CLU</div> Closed Arm- Urethane Arm
				<div>30</div>	<div>OSA</div> Open Arm - Solid Surface Arm	<div>CSA</div> Closed Arm- Solid Surface Arm

SOLIS | REPLACEMENT COMPONENTS

Description	Model	COM		COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube
		1	2		4	5	6	7	8	9			
	21" Replacement Patient Upholstered Backs SOL2-RBPU21	641	698	756	836	927	1008	1098	1212	1327	2.0	21	3.8
	21" Replacement Patient Mesh Backs SOL2-RBPM21	430										15	3.8
	24" Replacement Patient Upholstered Backs SOL2-RBPU24	678	735	793	872	964	1043	1136	1250	1365	2.0	21	3.8
	24" Replacement Patient Mesh Backs SOL2-RBPM24	493										17	3.8
	30" Replacement Patient Upholstered Backs SOL2-RBPU30	817	893	967	1069	1188	1294	1413	1562	1709	2.6	24	4.8
	21" Replacement Patient Upholstered Back Covers SOL2-RBCPU21	241	298	355	435	528	606	698	812	927	2.0	2.5	.8
	24" Replacement Patient Upholstered Back Covers SOL2-RBCPU24	242	299	357	436	529	607	699	813	928	2.0	2.7	.8
	30" Replacement Patient Upholstered Back Covers SOL2-RBCPU30	292	368	442	544	664	769	888	1037	1185	2.6	3	.8
	Replacement Mesh Back Top Bar SOL2-RMBTB21	32										2.5	.5
	SOL2-RMBTB24	33										3.0	.7
	21" Replacement Seat SOL2-RS21	371	399	422	459	499	535	577	628	681	.9	9	2.7
	24" Replacement Seat SOL2-RS24	390	416	442	478	518	556	597	647	699	.9	10	2.7
	30" Replacement Seat SOL2-RS30	464	489	515	550	591	628	669	720	771	.9	12	3.4
	44" Replacement Seat SOL2-RS44	599	631	661	705	756	800	850	913	974	.9	14	4.8
	21" Replacement Seat Cover SOL2-RSC21	124	152	177	213	255	290	357	384	434	1.0	1.6	.8
	24" Replacement Seat Cover SOL2-RSC24	128	153	180	217	258	292	334	386	437	1.0	1.7	.8
	30" Replacement Seat Cover SOL2-RSC30	130	154	180	217	258	292	334	386	437	1.0	2	.8
	44" Replacement Seat Cover SOL2-RSC44	145	178	208	253	303	346	397	460	521	1.0	2.5	.8
	Replacement Splash Guard SOL2-RSG21	86										1	.3
	SOL2-RSG24	105										2	.4
	SOL2-RSG30	147										3	.5
	SOL2-RSG44	159										4	.6
	Replacement Closed Arm SOL2-RCA	198	208	220	236	255	270	289	312	334	0.4	6	.9

SOLIS | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	Price	Weight	Cube
	Replacement Side Frame - Start		
	SOL2-RSFS 128	9	1.5
	Replacement Side Frame - Start - No Anti-Microbial		
	SOL2-RSFSX 106	9	1.5
	Replacement Side Frame - End		
	SOL2-RSFE 128	9	1.5
	Replacement Side Frame - End - No Anti-Microbial		
	SOL2-RSFEX 106	9	1.5
	Replacement Side Frame - Start - 1 Glide, 1 Non-locking Caster		
	SOL2-RSFSC 164	9.5	1.5
	Replacement Side Frame - Start - 1 Glide, 1 Non-locking Caster- No Anti-Microbial		
	SOL2-RSFSCX 132	9.5	1.5
	Replacement Side Frame - End - 1 Glide, 1 Non-locking Caster		
	SOL2-RSFEC 164	9.5	1.5
	Replacement Side Frame - End - 1 Glide, 1 Non-locking Caster- No Anti-Microbial		
	SOL2-RSFECX 132	9.5	1.5
	Replacement Side Frame - Start - 2 Non-locking Casters		
	SOL2-RSFSC2 142	10	1.5
	Replacement Side Frame - Start - 2 Non-locking Casters- No Anti-Microbial		
	SOL2-RSFSC2X 139	10	1.5
	Replacement Side Frame - End - 2 Non-locking Casters		
	SOL2-RSFEC2 142	10	1.5
	Replacement Side Frame - End - 2 Non-locking Casters- No Anti-Microbial		
	SOL2-RSFEC2X 139	10	1.5
	Replacement Arm Cap - Urethane		
	SOL2-RACU 67	1.0	.2
	Replacement Arm Cap - Beech		
	SOL2-RACWB 203	1.0	.2
	Replacement Arm Cap - Maple		
	SOL2-RACWM 219	1.0	.2
	Replacement Arm Cap - Solid Surface	Grade A- White	Grade A- Color
	SOL2-RACSS 244	244	249
			Grade- B
			Grade- C
			269
			290
	Replacement Wood Side Rail Cover - Beech		
	SOL2-RSRCB 172	1.0	.3
	Replacement Wood Side Rail Cover - Maple		
	SOL2-RSRCM 220	1.0	.3
	Replacement Glide - Front		
	SOL2-RGF 21	.5	.1
	Replacement Glide - Back		
	SOL2-RGB 21	.5	.1
	Replacement Glide - Set of 4		
	SOL2-RGS4 23	2	.1
	Replacement Caster Glide - Front		
	SOL2-RGFC 22	2	.1
	Replacement Caster Glide - Back		
	SOL2-RGBC 22	2	.1
	Replacement Non-locking Caster - Hard Wheel		
	SOL2 - RCH 29	1.5	.3
	Replacement Non-locking Caster - Soft Wheel		
	SOL2 - RCS 32	1.5	.3

Note: Locking casters are available, clearly mark on the purchase order.

SOLIS | MULTIPLE SEATING - GUEST BACKS

DIMENSIONS & COM. REQUIREMENTS - PRE-CONFIGURED UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCGM21X2	47	28	34.5	18.5	26	20	20	90	30	-	1.3	-	1.2
PCGM21X3	69.5	28	34.5	18.5	26	20	20	126	44	-	2.1	-	1.6
PCGM24X2	53	28	34.5	18.5	26	23	20	96	34	-	1.3	-	1.2
PCGM24X3	78.5	28	34.5	18.5	26	23	20	135	50	-	2.1	-	1.6
UPHOLSTERED BACK													
PCGU21X2	47	28	34.5	18.5	26	20	20	94	30	3.1	1.3	2.3	1.2
PCGU21X3	69.5	28	34.5	18.5	26	20	20	132	44	4.7	2.1	3.1	1.6
PCGU24X2	53	28	34.5	18.5	26	23	20	102	34	3.1	1.3	2.3	1.2
PCGU24X3	78.5	28	34.5	18.5	26	23	20	144	50	4.7	2.1	3.1	1.6

DIMENSIONS & COM. REQUIREMENTS - START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BACK														
SGM21	25	28	34.5	18.5	26	20	20	41	16	-	0.9	-	0.4	0.8
SGM24	28	28	34.5	18.5	26	23	20	44	18	-	0.9	-	0.4	0.8
UPHOLSTERED BACK														
SGU21	25	28	34.5	18.5	26	20	20	43	16	1.6	0.9	1.6	0.4	0.8
SGU24	28	28	34.5	18.5	26	23	20	47	18	1.6	0.9	1.6	0.4	0.8
SGU30	34	28	34.5	18.5	26	29	20	52	22	2.5	0.9	1.6	0.4	0.8
SGU44	48	28	34.5	18.5	26	43	20	66	31	3.2	1.1	2.5	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
CGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
CGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLSTERED BACK													
CGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
CGU24	26	28	34.5	18.5	26	23	20	41	19	1.6	0.9	1.6	0.4
CGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	1.6	0.4
CGU44	46	28	34.5	18.5	26	43	20	60	31	3.2	1.1	2.5	0.4

DIMENSIONS & COM. REQUIREMENTS - END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
EGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
EGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLSTERED BACK													
EGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
EGU24	26	28	34.5	18.5	26	23	20	41	18	1.6	0.9	1.6	0.4
EGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	1.6	0.4
EGU44	46	28	34.5	18.5	26	43	20	60	31	3.2	1.1	2.5	0.4

ORDERING NOTES:

When ordering multiple Start, Center, End units please refer to [page 5](#) for Yardage Requirements.

SOLIS | MULTIPLE SEATING - GUEST BACKS

DIMENSIONS & COM. REQUIREMENTS - FREESPAN WITH NO CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCFGM21X2A	46.5	28	34.5	18.5	26	41.5	20	85	30	-	1.3	-	0.8
PCFGM21X3A	68	28	34.5	18.5	26	63	20	114	44	-	2.1	-	0.8
PCFGM24X2A	52.25	28	34.5	18.5	26	47.5	20	92	34	-	1.3	-	0.8
PCFGM24X3A	77	28	34.5	18.5	26	72	20	124	50	-	2.1	-	0.8
UPHOLSTERED BACK													
PCFGU21X2A	46.5	28	34.5	18.5	26	41.5	20	89	30	3.1	1.3	2.3	0.8
PCFGU21X3A	68	28	34.5	18.5	26	63	20	120	44	4.7	2.1	3.1	0.8
PCFGU24X2A	52.25	28	34.5	18.5	26	47.5	20	96	34	3.1	1.3	2.3	0.8
PCFGU24X3A	77	28	34.5	18.5	26	72	20	131	50	4.7	2.1	3.1	0.8

DIMENSIONS & COM. REQUIREMENTS - FREESPAN WITH CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage
MESH BACK												
PCFGM21X2B	47.25	28	34.5	18.5	26	20	20	93	30	-	1.3	-
PCFGM21X3B	69.5	28	34.5	18.5	26	20	20	130	44	-	2.1	-
PCFGM24X2B	53.25	28	34.5	18.5	26	23	20	100	34	-	1.3	-
PCFGM24X3B	78.5	28	34.5	18.5	26	23	20	140	50	-	2.1	-
UPHOLSTERED BACK												
PCFGU21X2B	47.25	28	34.5	18.5	26	20	20	97	30	3.1	1.3	2.3
PCFGU21X3B	69.5	28	34.5	18.5	26	20	20	136	44	4.7	2.1	3.1
PCFGU24X2B	53.25	28	34.5	18.5	26	23	20	104	34	3.1	1.3	2.3
PCFGU24X3B	78.5	28	34.5	18.5	26	23	20	147	50	4.7	2.1	3.1
	COM. Fabric Closed Arm Panels (2 Arms)				COM Fabric Closed Arm Panels (3 Arms)				COM. Fabric Closed Arm Panels (4 Arms)			
PCFG21X2B	0.8				1.2							
PCFG21X3B	0.8								1.6			
PCFG24X2B	0.8				1.2							
PCFG24X3B	0.8								1.6			

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	199	214	227	255	280	306	334	361	415
2 ARMS	399	427	455	506	560	613	666	721	828
3 ARMS	598	638	677	759	838	918	999	1081	1242
4 ARMS	796	848	903	1011	1117	1224	1272	1439	1654

Solis Pre-configured Guest Option Upcharges

\$ List





\$ List

CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm (per pair) - Gr A White	465
Guest chair - Removable Seat Cover	86	Solid Surface Arm (per pair) - Gr A Color	481
21" & 24" - Removeable Back Cover	56	Solid Surface Arm (per pair) - Gr B	517
30" & 44" - Removable Back Cover	86	Solid Surface Arm (per pair) - Gr C	559
21" & 24" Cleanable Under-seat Splashguard	39	Maple Arm upgrade per arm (add to beech price)	77
30" Cleanable Under-seat Splashguard	46	Beech Wood Side Rails Upgrade (per chair)	121
44" Cleanable Under-seat Splashguard	61	Maple wood Side Rails Upgrade (per chair)	152
Soft Casters (21" & 24" chairs) -4 set	61	Kinetic Back option (not available for 30" & 44")	115
Soft Casters (21" & 24" chairs) -2 set	32	Non-Marring Glide	36
Non-locking Casters (21" & 24" chairs) -4 set	115		
Non-locking Casters (21" & 24" chairs) -2 set	77		

NOTE: Option upcharges are per back/seat.

Note: Locking casters are available, clearly mark on the purchase order.

SOLIS | MULTIPLE SEATING - PRE-CONFIGURED GUEST UNITS

DESCRIPTION/MODEL	Arm Type	COM	COL		FABRIC GRADES				LEATHER		
		1	2	3	4	5	6	7	8	9	
	2 Seat - 21" Open Arm Pre-configured Guest Unit, Mesh Back										
	SOL2-PCGM21X2OPU	Urethane	1817	1878	1940	2067	2194	2320	2447	2573	2770
	SOL2-PCGM21X2OPW	Beech	1995	2060	2122	2248	2375	2503	2629	2754	2950
	2 Seat - 21" Open Arm Pre-configured Guest Unit , Upholstered Back										
	SOL2-PCGU21X2OPU	Urethane	1907	2010	2112	2317	2517	2723	2927	3133	3538
	SOL2-PCGU21X2OPW	Beech	2088	2192	2293	2497	2700	2907	3110	3314	3719
	3 Seat - 21" Open Arm Pre-configured Guest Unit, Mesh Back										
	SOL2-PCGM21X3OPU	Urethane	2605	2699	2794	2984	3172	3364	3554	3743	4036
	SOL2-PCGM21X3OPW	Beech	2845	2940	3035	3223	3412	3604	3793	3983	4275
	3 Seat - 21" Open Arm Pre-configured Guest Unit, Upholstered Back										
	SOL2-PCGU21X3OPU	Urethane	2738	2892	3042	3349	3657	3962	4267	4571	5184
	SOL2-PCGU21X3OPW	Beech	2980	3133	3285	3589	3895	4204	4509	4814	5424
	2 Seat - 24" Open Arm Pre-configured Guest Unit, Mesh Back										
	SOL2-PCGM24X2OPU	Urethane	1866	1930	1992	2118	2245	2371	2499	2625	2821
	SOL2-PCGM24X2OPW	Beech	2045	2110	2173	2300	2427	2554	2679	2806	2999
	2 Seat - 24" Open Arm Pre-configured Guest Unit, Upholstered Back										
	SOL2-PCGU24X2OPU	Urethane	1961	2063	2165	2369	2573	2778	2983	3186	3593
	SOL2-PCGU24X2OPW	Beech	2142	2244	2346	2551	2754	2957	3162	3367	3773
	3 Seat - 24" Open Arm Pre-configured Guest Unit, Mesh Back										
	SOL2-PCGM24X3OPU	Urethane	2684	2779	2873	3062	3252	3441	3633	3820	4114
	SOL2-PCGM24X3OPW	Beech	2924	3019	3114	3304	3494	3683	3873	4062	4356
	3 Seat - 24" Open Arm Pre-configured Guest Unit, Upholstered Back										
	SOL2-PCGU24X3OPU	Urethane	2822	2972	3123	3421	3720	4020	4319	4622	5219
	SOL2-PCGU24X3OPW	Beech	3062	3214	3365	3662	3962	4260	4560	4863	5461

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).. Complete mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Guest Option Upcharges		\$ List	\$ List
CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm (per pair) - Gr A White	465
Guest chair - Removable Seat Cover	86	Solid Surface Arm (per pair) - Gr A Color	481
21" & 24" - Removeable Back Cover	56	Solid Surface Arm (per pair) - Gr B	517
30" & 44" - Removable Back Cover	86	Solid Surface Arm (per pair) - Gr C	559
21" & 24" Cleanable Under-seat Splashguard	39	Maple Arm upgrade per arm (add to beech price)	77
30" Cleanable Under-seat Splashguard	46	Beech Wood Side Rails Upgrade (per chair)	121
44" Cleanable Under-seat Splashguard	61	Maple wood Side Rails Upgrade (per chair)	152
Soft Casters (21" & 24" chairs) -4 set	61	Kinetic Back option (not available for 30" & 44")	115
Soft Casters (21" & 24" chairs) -2 set	32	Non-Marring Glide	36
Non-locking Casters (21" & 24" chairs) -4 set	115		
Non-locking Casters (21" & 24" chairs) -2 set	77		







Note: Locking casters are available, clearly mark on the purchase order.

NOTE: Option upcharges are per back/seat.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	PCG	U	21X2	OPW
Solis	Chair	Pre-configured Guest Multiple Unit	Upholstered Back		Open Arm - Wood Arm
			M	21X3	OPU
			Mesh Back		Open Arm - Urethane Arm
				24X2	OSA
					Open Arm - Solid Surface Arm
				24X3	CSA
					Closed Arm - Solid Surface Arm
					CLW
					Closed Arm - Urethane Arm
					CLU
					Closed Arm - Wood Arm









SOLIS | MULTIPLE SEATING - START, CENTER & END GUEST UNITS

DESCRIPTION/MODEL		Arm Type	COM	COL		FABRIC GRADES		LEATHER			
			1	2	3	4	5	6	7	8	9
	START										
	21" Open Arm Start Guest Unit, Mesh Back										
	SOL2-SGM21OPU	Urethane	964	995	1029	1088	1152	1216	1279	1342	1440
	SOL2-SGM21OPW	Beech	1084	1115	1146	1210	1273	1337	1398	1463	1561
	21" Open Arm Start Guest Unit, Upholstered Back										
	SOL2-SGU21OPU	Urethane	1013	1064	1115	1219	1319	1421	1522	1624	1829
	SOL2-SGU21OPW	Beech	1135	1185	1236	1338	1439	1541	1645	1746	1949
	24" Open Arm Start Guest Unit, Mesh Back										
	SOL2-SGM24OPU	Urethane	1003	1035	1065	1129	1192	1254	1319	1382	1481
	SOL2-SGM24OPW	Beech	1122	1155	1186	1249	1312	1377	1439	1503	1599
	24" Open Arm Start Guest Unit, Upholstered Back										
	SOL2-SGU24OPU	Urethane	1054	1103	1156	1255	1358	1461	1562	1664	1869
	SOL2-SGU24OPW	Beech	1172	1223	1277	1378	1481	1583	1683	1783	1989
	30" Open Arm Start Guest Unit, Upholstered Back										
	SOL2-SGU30OPU	Urethane	1225	1307	1387	1545	1705	1864	2023	2185	2504
	SOL2-SGU30OPW	Beech	1348	1426	1509	1665	1824	1986	2143	2304	2623
	44" Open Arm Start Guest Unit, Upholstered Back										
	SOL2-SGU44OPU	Urethane	1420	1498	1580	1736	1897	2058	2217	2375	2694
	SOL2-SGU44OPW	Beech	1540	1619	1698	1857	2018	2175	2337	2496	2816
	CENTER										
	21" Open Arm Center Guest Unit, Mesh Back										
	SOL2-CGM21OPU	Urethane	866	897	930	990	1056	1117	1181	1245	1342
	SOL2-CGM21OPW	Beech	927	957	988	1054	1115	1179	1242	1306	1403
	21" Open Arm Center Guest Unit, Upholstered Back										
	SOL2-CGU21OPU	Urethane	910	960	1012	1114	1216	1318	1417	1521	1724
	SOL2-CGU21OPW	Beech	969	1018	1071	1173	1277	1378	1480	1583	1783
	24" Open Arm Center Guest Unit, Mesh Back										
	SOL2-CGM24OPU	Urethane	888	921	954	1015	1080	1142	1206	1269	1366
	SOL2-CGM24OPW	Beech	950	982	1013	1075	1139	1203	1267	1328	1426
	24" Open Arm Center Guest Unit, Upholstered Back										
	SOL2-CGU24OPU	Urethane	937	987	1039	1139	1242	1344	1446	1546	1752
	SOL2-CGU24OPW	Beech	996	1045	1099	1200	1304	1407	1508	1608	1812

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type	
SOL	2	SG	U	21	OPW	CLW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm	Closed Arm - Wood Arm
		CG	M	24	OPU	CLU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm - Urethane Arm	Closed Arm - Urethane Arm
		EG		30	OSA	CSA
		End Unit Guest Multiple Seating			Open Arm - Solid Surface Arm	Closed Arm - Solid Surface Arm
				44		
					COW	
					Closed Start Arm/Open Center Arm - Wood Arm	
					COU	
					Closed Arm / Open Center Arm - Urethane Arm	

SOLIS | MULTIPLE SEATING - CENTER & END GUEST UNITS

DESCRIPTION/MODEL		Arm Type	COM 1	2	COL 3	4	FABRIC GRADES 5		6	7	LEATHER 8		9
	30" Open Arm Center Guest Unit, Upholstered Back												
	SOL2-CGU300PU	Urethane	1093	1172	1252	1413	1569	1731	1891	2046	2368		
	SOL2-CGU300PW	Beech	1155	1233	1312	1474	1632	1792	1951	2109	2428		
<hr/>													
	44" Open Arm Center Guest Unit, Upholstered Back												
	SOL2-CGU440PU	Urethane	1278	1358	1438	1597	1757	1915	2074	2234	2554		
	SOL2-CGU440PW	Beech	1338	1420	1496	1659	1818	1974	2135	2294	2613		
<hr/>													
	21" Open Arm End Guest Unit, Mesh Back												
	SOL2-EGM210PU	Urethane	866	897	930	990	1056	1117	1181	1245	1342		
	SOL2-EGM210PW	Beech	927	957	988	1054	1115	1179	1242	1306	1403		
	21" Open Arm End Guest Unit, Upholstered Back												
	SOL2-EGU210PU	Urethane	910	960	1012	1114	1216	1318	1417	1521	1724		
	SOL2-EGU210PW	Beech	969	1018	1071	1173	1277	1378	1480	1583	1783		
<hr/>													
	24" Open Arm End Guest Unit, Mesh Back												
	SOL2-EGM240PU	Urethane	888	921	954	1015	1080	1142	1206	1269	1366		
	SOL2-EGM240PW	Beech	950	982	1013	1075	1139	1203	1267	1328	1426		
	24" Open Arm End Guest Unit, Upholstered Back												
	SOL2-EGU240PU	Urethane	937	987	1039	1139	1242	1344	1446	1546	1752		
	SOL2-EGU240PW	Beech	996	1045	1099	1200	1304	1407	1508	1608	1812		
<hr/>													
	30" Open Arm End Guest Unit, Upholstered Back												
	SOL2-EGU300PU	Urethane	1093	1172	1252	1413	1569	1731	1891	2046	2368		
	SOL2-EGU300PW	Beech	1155	1233	1312	1474	1632	1792	1951	2109	2428		
<hr/>													
	44" Open Arm End Guest Unit, Upholstered Back												
	SOL2-EGU440PU	Urethane	1278	1360	1438	1597	1757	1915	2074	2234	2554		
	SOL2-EGU440PW	Beech	1338	1420	1496	1659	1818	1974	2135	2294	2613		









ORDERING NOTES:

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$61 list** per arm frame pair, please see **page 63** for color selection and **page 3** for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type	
SOL	2	SG	U	21	OPW	CLW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm	Closed Arm - Wood Arm
		CG	M	24	OPU	CLU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm - Urethane Arm	Closed Arm Urethane Arm
		EG		30	OSA	CSA
		End Unit Guest Multiple Seating			Open Arm - Solid Surface Arm	Closed Arm - Solid Surface Arm
				44		

SOLIS | PRE-CONFIGURED FREESPAN MULTIPLE SEATING GUEST UNIT WITHOUT CENTER ARM

DESCRIPTION/MODEL		Arm Type	COM 1	2	COL 3	4	FABRIC GRADES 5	6	7	LEATHER 8	9
	21" Pre-Configured Freespan Guest Unit - Open Arm 2 Seat, Mesh Back										
	SOL2-PCFGM21X2AOPU	Urethane	1722	1767	1812	1902	1992	2084	2173	2264	2399
	SOL2-PCFGM21X2AOPW	Beech	1842	1887	1934	2023	2113	2203	2294	2384	2517
	21" Pre-Configured Freespan Guest Unit - Open Arm 2 Seat, Upholstered Back										
	SOL2-PCFGU21X2AOPU	Urethane	1812	1912	2014	2218	2421	2626	2829	3035	3441
	SOL2-PCFGU21X2AOPW	Beech	1934	2033	2135	2340	2542	2746	2950	3156	3563
	21" Pre-Configured Freespan Guest Unit - Open Arm 3 Seat, Mesh Back										
	SOL2-PCFGM21X3AOPU	Urethane	2407	2473	2542	2677	2814	2949	3084	3220	3423
	SOL2-PCFGM21X3AOPW	Beech	2528	2594	2661	2797	2934	3068	3204	3340	3541
	21" Pre-Configured Freespan Guest Unit - Open Arm 3 Seat, Upholstered Back										
	SOL2-PCFGU21X3AOPU	Urethane	2533	2685	2840	3144	3448	3754	4060	4366	4980
	SOL2-PCFGU21X3AOPW	Beech	2655	2806	2958	3265	3567	3875	4183	4486	5099
	24" Pre-Configured Freespan Guest Unit - Open Arm 2 Seat, Mesh Back										
	SOL2-PCFGM24X2AOPU	Urethane	1761	1806	1852	1940	2032	2122	2213	2303	2439
	SOL2-PCFGM24X2AOPW	Beech	1882	1927	1971	2062	2150	2243	2333	2422	2558
	24" Pre-Configured Freespan Guest Unit - Open Arm 2 Seat, Upholstered Back										
	SOL2-PCFGU24X2AOPU	Urethane	1852	1956	2056	2260	2464	2669	2871	3076	3482
	SOL2-PCFGU24X2AOPW	Beech	1971	2073	2174	2379	2585	2788	2992	3196	3604
	24" Pre-Configured Freespan Guest Unit - Open Arm 3 Seat, Mesh Back										
	SOL2-PCFGM24X3AOPU	Urethane	2466	2533	2602	2737	2871	3009	3142	3278	3481
	SOL2-PCFGM24X3AOPW	Beech	2586	2655	2721	2856	2992	3129	3264	3397	3603
	24" Pre-Configured Freespan Guest Unit - Open Arm 3 Seat, Upholstered Back										
	SOL2-PCFGU24X3AOPU	Urethane	2590	2745	2898	3204	3510	3817	4122	4425	5038
	SOL2-PCFGU24X3AOPW	Beech	2713	2866	3017	3324	3631	3937	4244	4547	5160

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).. Complete mesh backs (21" & 24") can be ordered and field replaced.

Complete mesh backs (21" & 24") can be ordered and field replaced.





The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$61 list** per arm frame pair, please see **page 63** for color selection and **page 3** for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table.

Please note, Kinetic back is not available on Pre-Configured Freespan multiple seating guest units without center arm.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2	PCFG	U	21X2	A	OPW
Solis	Chair	Pre-Configured Freespan Multiple Guest Unit	Upholstered Back		Unit with no Center Arm	Open Arm
			M	21X3	B	OPU
			Mesh Back		Unit with Center Arm	Open Arm Urethane Arm
				24X2		CLW
						Closed Arm - Wood Arm
				24X3		CLU
						Closed Arm Urethane Arm

SOLIS | PRE-CONFIGURED FREESPAN MULTIPLE SEATING GUEST UNIT WITH CENTER ARM

DESCRIPTION/MODEL	Arm Type	COM		COL		FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8	9	
	21" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 2 Seat, Mesh Back										
	SOL2-PCFGM21X2BOPU	Urethane	1859	1904	1949	2039	2131	2219	2308	2400	2537
	SOL2-PCFGM21X2BOPW	Beech	2039	2086	2131	2219	2308	2400	2490	2583	2717
	21" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 2 Seat, Upholstered Back										
	SOL2-PCFGU21X2BOPU	Urethane	1956	2058	2159	2362	2566	2770	2972	3178	3584
	SOL2-PCFGU21X2BOPW	Beech	2134	2236	2340	2542	2745	2950	3155	3360	3766
	21" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 3 Seat, Mesh Back										
	SOL2-PCFGM21X3BOPU	Urethane	2618	2688	2756	2892	3028	3162	3297	3434	3637
	SOL2-PCFGM21X3BOPW	Beech	2861	2928	2996	3133	3267	3404	3538	3673	3877
	21" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 3 Seat, Upholstered Back										
	SOL2-PCFGU21X3BOPU	Urethane	2757	2910	3062	3367	3673	3980	4285	4592	5204
	SOL2-PCFGU21X3BOPW	Beech	2997	3150	3304	3608	3916	4219	4526	4834	5445
	24" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 2 Seat, Mesh Back										
	SOL2-PCFGM24X2BOPU	Urethane	1896	1940	1987	2077	2169	2258	2347	2439	2573
	SOL2-PCFGM24X2BOPW	Beech	2077	2122	2169	2258	2347	2439	2530	2617	2754
	24" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 2 Seat, Upholstered Back										
	SOL2-PCFGU24X2BOPU	Urethane	1992	2097	2198	2402	2606	2809	3013	3219	3625
	SOL2-PCFGU24X2BOPW	Beech	2173	2277	2378	2584	2787	2991	3194	3397	3805
	24" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 3 Seat, Mesh Back										
	SOL2-PCFGM24X3BOPU	Urethane	2679	2746	2816	2950	3085	3221	3355	3492	3696
	SOL2-PCFGM24X3BOPW	Beech	2921	2987	3056	3190	3325	3462	3597	3733	3936
	24" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 3 Seat, Upholstered Back										
	SOL2-PCFGU24X3BOPU	Urethane	2818	2969	3123	3428	3734	4041	4345	4653	5264
	SOL2-PCFGU24X3BOPW	Beech	3058	3211	3365	3669	3975	4284	4586	4893	5506

Solis Pre-configured Guest Option Upcharges		\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm (per pair) - Gr A White	465		
Guest chair - Removable Seat Cover	86	Solid Surface Arm (per pair) - Gr A Color	481		
21" & 24" - Removeable Back Cover	56	Solid Surface Arm (per pair) - Gr B	517		
30" & 44" - Removable Back Cover	86	Solid Surface Arm (per pair) - Gr C	559		
21" & 24" Cleanable Under-seat Splashguard	39	Maple Arm upgrade per arm (add to beech price)	77		
30" Cleanable Under-seat Splashguard	46	Beech Wood Side Rails Upgrade (per chair)	121		
44" Cleanable Under-seat Splashguard	61	Maple wood Side Rails Upgrade (per chair)	152		
Soft Casters (21" & 24" chairs) -4 set	61	Kinetic Back option (not available for 30" & 44")	115		
Soft Casters (21" & 24" chairs) -2 set	32	Non-Marring Glide	36		
Non-locking Casters (21" & 24" chairs) -4 set	115				
Non-locking Casters (21" & 24" chairs) -2 set	77				

Note: Locking casters are available, clearly mark on the purchase order.

NOTE: Option upcharges are per back/seat.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2	PCFG	U	21X2	A	OPW
Solis	Chair	Pre-Configured Freespan Multiple Guest Unit	Upholstered Back		Unit with no Center Arm	Open Arm- Wood Arm
			M	21X3	B	OPU
			Mesh Back		Unit with Center Arm	Open Arm Urethane Arm
				24X2		CLW
						Closed Arm - Wood Arm
				24X3		CLU
						Closed Arm Urethane Arm

SOLIS | MULTIPLE SEATING - PATIENT BACKS

DIMENSIONS & COM. REQUIREMENTS - PRE-CONFIGURED UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCPM21X2	47	28	43.75	18.5	26	20	20	92	38	-	1.3	-	1.2
PCPM21X3	69.5	28	43.75	18.5	26	20	20	129	56	-	2.1	-	1.6
PCPM24X2	53	28	43.75	18.5	26	23	20	98	43	-	1.3	-	1.2
PCPM24X3	78.5	28	43.75	18.5	26	23	20	138	46	-	2.1	-	1.6
UPHOLSTERED BACK													
PCPU21X2	47	28	43.75	18.5	26	20	20	100	38	4.0	1.3	3.1	1.2
PCPU21X3	69.5	28	43.75	18.5	26	20	20	141	56	6.1	2.1	4.2	1.6
PCPU24X2	53	28	43.75	18.5	26	23	20	108	43	4.0	1.3	3.1	1.2
PCPU24X3	78.5	28	43.75	18.5	26	23	20	153	63	6.1	2.1	4.2	1.6

DIMENSIONS & COM. REQUIREMENTS - START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BACK														
SPM21	25	28	43.75	18.5	26	20	20	42	21	-	0.9	-	0.4	0.8
SPM24	28	28	43.75	18.5	26	23	20	45	23	-	0.9	-	0.4	0.8
UPHOLSTERED BACK														
SPU21	25	28	43.75	18.5	26	20	20	46	21	2.1	0.9	2.0	0.4	0.8
SPU24	28	28	43.75	18.5	26	23	20	50	23	2.1	0.9	2.0	0.4	0.8
SPU30	34	28	43.75	18.5	26	29	20	56	28	3.1	0.9	2.2	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
CPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
CPM24	26	28	43.75	18.5	26	23	20	39	23	-	0.9	-	0.4
UPHOLSTERED BACK													
CPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
CPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
CPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

DIMENSIONS & COM. REQUIREMENTS - END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
EPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
EPM24	26	28	43.75	18.5	26	23	20	38	23	-	0.9	-	0.4
UPHOLSTERED BACK													
EPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
EPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
EPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

ORDERING NOTES:

Multiple yardage requirements for Patient back Start, Center and End units, please refer to [page 10](#).

SOLIS | MULTIPLE SEATING - PATIENT BACKS

DIMENSIONS & COM. REQUIREMENTS - FREESPAN WITH NO CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCFPM21X2A	46.5	28	43.75	18.5	26	41.5	20	87	38	-	1.3	-	0.8
PCFPM21X3A	68	28	43.75	18.5	26	63	20	118	56	-	2.1	-	0.8
PCFPM24X2A	52.25	28	43.75	18.5	26	47.5	20	94	43	-	1.3	-	0.8
PCFPM24X3A	77	28	43.75	18.5	26	72	20	128	63	-	2.1	-	0.8
UPHOLSTERED BACK													
PCFPU21X2A	46.5	28	43.75	18.5	26	41.5	20	95	38	4.0	1.3	3.1	0.8
PCFPU21X3A	68	28	43.75	18.5	26	63	20	129	56	6.1	2.1	4.2	0.8
PCFPU24X2A	52.25	28	43.75	18.5	26	47.5	20	103	43	4.0	1.3	3.1	0.8
PCFPU24X3A	77	28	43.75	18.5	26	72	20	141	63	6.1	2.1	4.2	0.8

DIMENSIONS & COM. REQUIREMENTS - FREESPAN WITH CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage
MESH BACK												
PCFPM21X2B	47.25	28	43.75	18.5	26	20	20	96	38	-	1.3	-
PCFPM21X3B	69.5	28	43.75	18.5	26	20	20	134	56	-	2.1	-
PCFPM24X2B	53.25	28	43.75	18.5	26	23	20	102	43	-	1.3	-
PCFPM24X3B	78.5	28	43.75	18.5	26	23	20	144	63	-	2.1	-
UPHOLSTERED BACK3.4												
PCFPU21X2B	47.25	28	43.75	18.5	26	20	20	103	38	4.0	1.3	3.4
PCFPU21X3B	69.5	28	43.75	18.5	26	20	20	145	56	6.1	2.1	5.4
PCFPU24X2B	53.25	28	43.75	18.5	26	23	20	111	43	4.0	1.3	3.4
PCFPU24X3B	78.5	28	43.75	18.5	26	23	20	157	63	6.1	2.1	5.4

	COM. Fabric Closed Arm Panels (2 Arms)	COM. Fabric Closed Arm Panels (3 Arms)	COM. Fabric Closed Arm Panels (4 Arms)
PCFP21X2B	0.8	1.2	
PCFP21X3B	0.8		1.6
PCFP24X2B	0.8	1.2	
PCFP24X3B	0.8		1.6

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product). Complete mesh backs (21" & 24") can be ordered and field replaced.

Complete mesh backs (21" & 24") can be ordered and field replaced.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$61 list** per arm frame pair, please see **page 63** for color selection and **page 3** for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	199	214	227	255	280	306	334	361	415
2 ARMS	399	427	455	506	560	613	666	721	828
3 ARMS	598	638	677	759	838	918	999	1081	1242
4 ARMS	796	848	903	1011	1117	1224	1272	1439	1654





Solis Pre-configured Option Upcharges

CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm (per arm) - Gr A White	244
Patient chair - Removable Seat Cover	86	Solid Surface Arm (per arm) - Gr A Color	249
21" & 24" - Removeable Back Cover	59	Solid Surface Arm (per arm) - Gr B	269
30" & 44" - Removable Back Cover	90	Solid Surface Arm (per arm) - Gr C	290
21" & 24" Cleanable Under-seat Splashguard	39	Maple Arm upgrade per arm (add to beech price)	77
30" Cleanable Under-seat Splashguard	46	Beech Wood Side Rails Upgrade (per arm)	61
Soft Casters (21" & 24" chairs) -4 set	61	Maple wood Side Rails Upgrade (per arm)	77
Soft Casters (21" & 24" chairs) -2 set	32	Kinetic Back option (not available for 30" & 44")	115
Non-locking Casters (21" & 24" chairs) -4 set	115	Non-Marring Glide	36
Non-locking Casters (21" & 24" chairs) -2 set	77		

Note: Locking casters are available, clearly mark on the purchase order.

NOTE: Option upcharges are per back/seat.

SOLIS | MULTIPLE SEATING - PRE-CONFIGURED PATIENT UNITS

DESCRIPTION/MODEL	Arm Type	COM		COL		FABRIC GRADES			LEATHER	
		1	2	3	4	5	6	7	8	9
	2 Seat - 21" Open Arm Pre-configured Patient Unit, Mesh Back									
	SOL2-PCPM21X2OPU	Urethane	2004	2066	2131	2257	2383	2510	2636	2761
	SOL2-PCPM21X2OPW	Beech	2185	2247	2308	2438	2564	2689	2817	2943
	2 Seat - 21" Open Arm Pre-configured Patient Unit, Upholstered Back									
	SOL2-PCPU21X2OPU	Urethane	2106	2234	2362	2615	2871	3127	3379	3635
	SOL2-PCPU21X2OPW	Beech	2287	2413	2542	2795	3054	3306	3561	3816
	3 Seat - 21" Open Arm Pre-configured Patient Unit, Mesh Back									
	SOL2-PCPM21X3OPU	Urethane	2899	2995	3090	3280	3469	3660	3848	4038
	SOL2-PCPM21X3OPW	Beech	3140	3241	3340	3521	3710	3899	4088	4278
	3 Seat - 21" Open Arm Pre-configured Patient Unit, Upholstered Back									
	SOL2-PCPU21X3OPU	Urethane	3051	3246	3438	3829	4216	4630	4993	5381
	SOL2-PCPU21X3OPW	Beech	3291	3487	3681	4068	4457	4870	5234	5623
	2 Seat - 24" Open Arm Pre-configured Patient Unit, Mesh Back									
	SOL2-PCPM24X2OPU	Urethane	2031	2092	2158	2282	2410	2537	2661	2789
	SOL2-PCPM24X2OPW	Beech	2211	2274	2337	2464	2589	2717	2844	2969
	2 Seat - 24" Open Arm Pre-configured Patient Unit, Upholstered Back									
	SOL2-PCPU24X2OPU	Urethane	2134	2263	2389	2646	2899	3156	3409	3664
	SOL2-PCPU24X2OPW	Beech	2316	2442	2570	2825	3082	3335	3589	3846
	3 Seat - 24" Open Arm Pre-configured Patient Unit, Mesh Back									
	SOL2-PCPM24X3OPU	Urethane	2955	3051	3144	3333	3523	3713	3903	4091
	SOL2-PCPM24X3OPW	Beech	3196	3291	3385	3575	3765	3955	4143	4332
	3 Seat - 24" Open Arm Pre-configured Patient Unit, Upholstered Back									
	SOL2-PCPU24X3OPU	Urethane	3105	3300	3495	3883	4273	4659	5050	5439
	SOL2-PCPU24X3OPW	Beech	3346	3540	3735	4125	4513	4900	5290	5680

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

CLOSED ARM PANELS - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
3 ARMS	598	638	677	759	838	918	999	1081	1242
4 ARMS	796	848	903	1011	1117	1224	1272	1439	1654

Solis Pre-configured Option Upcharges

\$ List







\$ List

Patient chair - Removable Seat Cover (per seat)	86	Solid Surface Arm (per arm) - Gr A White	244
21" & 24" - Removeable Back Cover (per back)	59	Solid Surface Arm (per arm) - Gr A Color	249
30" & 44" - Removable Back Cover (per back)	90	Solid Surface Arm (per arm) - Gr B	269
21" & 24" Cleanable Under-seat Splashguard	39	Solid Surface Arm (per arm) - Gr C	290
30" Cleanable Under-seat Splashguard	46	Maple Arm upgrade per arm (add to beech price)	77
Soft Casters (21" & 24" chairs) -4 set	61	Beech Wood Side Rails Upgrade (per arm)	61
Soft Casters (21" & 24" chairs) -2 set	32	Maple wood Side Rails Upgrade (per arm)	77
Non-locking Casters (21" & 24" chairs) -4 set	115	Kinetic Back option (not available for 30" & 44")	115
Non-locking Casters (21" & 24" chairs) -2 set	77	Non-Marring Glide	36
Note: Locking casters are available, clearly mark on the purchase order.		CAL 133 & Moisture Barrier (per yard)	61

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	PCP	U	21X2	OPW
Solis	Chair	Pre-configured Multiple Unit Patient	Upholstered Back		Open Arm - Wood Arm
			M	21X3	OPU
			Mesh Back		Open Arm Urethane Arm
				24X2	CLW
					Closed Arm - Wood Arm
				24X3	CLU
					Closed Arm Urethane Arm




SOLIS | MULTIPLE SEATING - PATIENT START & CENTER UNITS

DESCRIPTION/MODEL	Arm Type	COM		COL		FABRIC GRADES			LEATHER	
		1	2	3	4	5	6	7	8	9
START 	21" Open Arm Start Patient Unit, Mesh Back									
	SOL2-SPM21OPU Urethane	1055	1085	1116	1180	1244	1307	1370	1433	1531
	SOL2-SPM21OPW Beech	1173	1206	1237	1299	1363	1426	1489	1555	1650
	21" Open Arm Start Patient Unit, Upholstered Back									
	SOL2-SPU21OPU Urethane	1108	1173	1242	1377	1509	1645	1775	1909	2177
	SOL2-SPU21OPW Beech	1228	1294	1362	1495	1628	1765	1896	2031	2298
	24" Open Arm Start Patient Unit, Mesh Back									
	SOL2-SPM24OPU Urethane	1089	1122	1155	1219	1281	1344	1409	1470	1567
	SOL2-SPM24OPW Beech	1211	1244	1275	1338	1399	1464	1528	1590	1689
	24" Open Arm Start Patient Unit, Upholstered Back									
	SOL2-SPU24OPU Urethane	1146	1215	1281	1414	1547	1681	1818	1951	2218
	SOL2-SPU24OPW Beech	1268	1336	1399	1535	1669	1802	1937	2070	2340
	30" Open Arm Start Patient Unit, Upholstered Back									
	SOL2-SPU30OPU Urethane	1423	1522	1621	1819	2017	2213	2411	2610	3005
	SOL2-SPU30OPW Beech	1543	1645	1740	1938	2136	2335	2532	2728	3124
CENTER 	21" Open Arm Center Patient Unit, Mesh Back									
	SOL2-CPM21OPU Urethane	956	987	1017	1083	1182	1208	1272	1336	1433
	SOL2-CPM21OPW Beech	1015	1045	1080	1142	1206	1269	1332	1395	1493
	21" Open Arm Center Patient Unit, Upholstered Back									
	SOL2-CPU21OPU Urethane	1004	1071	1138	1272	1408	1539	1673	1807	2074
	SOL2-CPU21OPW Beech	1064	1134	1198	1332	1465	1598	1733	1867	2135
	24" Open Arm Urethane Cap Center Patient Unit, Mesh Back									
	SOL2-CPM24OPU Urethane	981	1012	1042	1107	1170	1233	1295	1358	1457
	SOL2-CPM24OPW Beech	1040	1071	1103	1166	1229	1293	1355	1420	1517
	24" Open Arm Center Patient Unit, Upholstered Back									
	SOL2-CPU24OPU Urethane	1031	1098	1164	1297	1432	1565	1698	1833	2101
	SOL2-CPU24OPW Beech	1088	1158	1223	1358	1491	1625	1758	1894	2161
	30" Open Arm Center Patient Unit, Upholstered Back									
	SOL2-CPU30OPU Urethane	1291	1390	1486	1685	1882	2079	2277	2478	2870
	SOL2-CPU30OPW Beech	1350	1450	1546	1746	1940	2138	2337	2537	2930

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL Solis	2 Chair	SP Start Unit Patient Multiple Seating	U Upholstered Back	21	OPW Open Arm - Wood Arm
		CP Center Unit Patient Multiple Seating	M Mesh Back 21" & 24" Only	24	OPU Open Arm Urethane Arm
		EP End Unit Patient Multiple Seating		30	CLW Closed Arm - Wood Arm
				44	CLU Closed Arm Urethane Arm
					COW Closed Start Arm/Open Center Arm Wood Arm
					COU Closed Start Arm/Open Center Arm with Urethane Arm

SOLIS | MULTIPLE SEATING - PATIENT END UNITS

DESCRIPTION/MODEL			Arm Type	COM		COL		FABRIC GRADES		LEATHER		
				1	2	3	4	5	6	7	8	9
	21" Open Arm End Patient Unit, Mesh Back											
	SOL2-EPM21OPU	Urethane	956	987	1017	1083	1145	1208	1272	1336	1433	
	SOL2-EPM21OPW	Beech	1015	1045	1080	1142	1206	1269	1332	1395	1493	
	21" Open Arm End Patient Unit, Upholstered Back											
	SOL2-EPU21OPU	Urethane	1004	1071	1138	1272	1408	1539	1673	1807	2074	
	SOL2-EPU21OPW	Beech	1064	1134	1198	1332	1465	1598	1733	1867	2135	
	24" Open Arm End Patient Unit, Mesh Back											
	SOL2-EPM24OPU	Urethane	981	1012	1042	1107	1170	1233	1295	1358	1457	
	SOL2-EPM24OPW	Beech	1040	1071	1103	1166	1229	1293	1355	1420	1517	
	24" Open Arm End Patient Unit, Upholstered Back											
	SOL2-EPU24OPU	Urethane	1031	1098	1164	1297	1432	1565	1698	1833	2101	
	SOL2-EPU24OPW	Beech	1088	1158	1223	1358	1491	1625	1759	1894	2161	
	30" Open Arm End Patient Unit, Upholstered Back											
	SOL2-EPU30OPU	Urethane	1291	1390	1486	1685	1882	2079	2277	2478	2870	
	SOL2-EPU30OPW	Beech	1350	1450	1546	1746	1940	2138	2337	2537	2930	

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$61 list** per arm frame pair, please see **page 63** for color selection and **page 3** for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table.

CLOSED ARM PANELS - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	199	214	227	255	280	306	334	361	415

Solis Pre-configured Option Upcharges

\$ List

\$ List





CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm (per arm) - Gr A White	244
Patient chair - Removable Seat Cover (per seat)	86	Solid Surface Arm (per arm) - Gr A Color	249
21" & 24" - Removeable Back Cover (per back)	59	Solid Surface Arm (per arm) - Gr B	269
30" & 44" - Removeable Back Cover (per back)	90	Solid Surface Arm (per arm) - Gr C	290
21" & 24" Cleanable Under-seat Splashguard	39	Maple Arm upgrade per arm (add to beech price)	77
30" Cleanable Under-seat Splashguard	46	Beech Wood Side Rails Upgrade (per arm)	61
Soft Casters (21" & 24" chairs) -4 set	61	Maple wood Side Rails Upgrade (per arm)	77
Soft Casters (21" & 24" chairs) -2 set	32	Kinetic Back option (not available for 30" & 44")	115
Non-locking Casters (21" & 24" chairs) -4 set	115	Non-Marring Glide	36
Non-locking Casters (21" & 24" chairs) -2 set	77		

Note: Locking casters are available, clearly mark on the purchase order.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SP	U	21	OPW
Solis	Chair	Start Unit Patient Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		CP	M	24	OPU
		Center Unit Patient Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EP		30	CLW
		End Unit Patient Multiple Seating			Closed Arm - Wood Arm
					CLU
					Closed Arm Urethane Arm

SOLIS | PRE-CONFIGURED FREESPAN MULTIPLE SEATING PATIENT UNIT WITHOUT CENTER ARM

DESCRIPTION/MODEL	Arm Type	COM		COL		FABRIC GRADES		LEATHER			
		1	2	3	4	5	6	7	8	9	
	21" Pre-Configured Freespan Patient Unit - Open Arm 2 Seat, Mesh Back										
	SOL2-PCFPM21X2AOPU	Urethane	1902	1948	1992	2084	2173	2264	2354	2444	2581
	SOL2-PCFPM21X2AOPW	Beech	2023	2067	2113	2203	2294	2384	2473	2566	2700
	21" Pre-Configured Freespan Patient Unit - Open Arm 2 Seat, Upholstered Back										
	SOL2-PCFPU21X2AOPU	Urethane	2000	2133	2269	2535	2803	3069	3339	3606	4141
	SOL2-PCFPU21X2AOPW	Beech	2121	2252	2388	2656	2923	3190	3459	3728	4260
	21" Pre-Configured Freespan Patient Unit - Open Arm 3 Seat, Mesh Back										
	SOL2-PCFPM21X3AOPU	Urethane	2675	2744	2812	2948	3083	3219	3353	3489	3692
	SOL2-PCFPM21X3AOPW	Beech	2796	2865	2932	3067	3203	3339	3473	3609	3814
	21" Pre-Configured Freespan Patient Unit - Open Arm 3 Seat, Upholstered Back										
	SOL2-PCFPU21X3AOPU	Urethane	2817	3016	3219	3618	4020	4420	4822	5224	6027
	SOL2-PCFPU21X3AOPW	Beech	2936	3138	3339	3742	4141	4540	4943	5345	6148
	24" Pre-Configured Freespan Patient Unit - Open Arm 2 Seat, Mesh Back										
	SOL2-PCFPM24X2AOPU	Urethane	1938	1985	2030	2118	2209	2300	2389	2482	2615
	SOL2-PCFPM24X2AOPW	Beech	2060	2105	2148	2240	2331	2420	2511	2602	2737
	24" Pre-Configured Freespan Patient Unit - Open Arm Uphrethane Cap 2 Seat, Upholstered Back										
	SOL2-PCFPU24X2AOPU	Urethane	2039	2173	2306	2575	2844	3111	3377	3645	4183
	SOL2-PCFPU24X2AOPW	Beech	2160	2294	2428	2695	2964	3229	3497	3766	4300
	24" Pre-Configured Freespan Patient Unit - Open Arm 3 Seat, Mesh Back										
	SOL2-PCFPM24X3AOPU	Urethane	2734	2802	2868	3005	3139	3274	3410	3544	3748
	SOL2-PCFPM24X3AOPW	Beech	2853	2922	2988	3124	3261	3395	3532	3680	3870
	24" Pre-Configured Freespan Patient Unit - Open Arm 3 Seat, Upholstered Back										
	SOL2-PCFPU24X3AOPU	Urethane	2878	3078	3276	3679	4082	4483	4881	5284	6086
	SOL2-PCFPU24X3AOPW	Beech	2996	3197	3396	3799	4201	4603	5005	5405	6208

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

CLOSED ARM PANELS - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
2 ARMS	399	427	455	506	560	613	666	721	828

Solis Pre-configured Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm (per arm) - Gr A White	244
Patient chair - Removable Seat Covers	86	Solid Surface Arm (per arm) - Gr A Color	249
21" & 24" - Removeable Back Covers	59	Solid Surface Arm (per arm) - Gr B	269
30" & 44" - Removeable Back Covers	90	Solid Surface Arm (per arm) - Gr C	290
21" & 24" Cleanable Under-seat Splashguard	39	Maple Arm upgrade per arm (add to beech price)	77
30" Cleanable Under-seat Splashguard	46	Beech Wood Side Rails Upgrade (per arm)	61
Soft Casters (21" & 24" chairs) -4 set	61	Maple wood Side Rails Upgrade (per arm)	77
Soft Casters (21" & 24" chairs) -2 set	32	Kinetic Back option (not available for 30" & 44")	115
Non-locking Casters (21" & 24" chairs) -4 set	115	Non-Marring Glide	36
Non-locking Casters (21" & 24" chairs) -2 set	77		





Note: Locking casters are available, clearly mark on the purchase order.

NOTE: Option upcharges are per back/seat.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2	PCFP	U	21X2	A	OPW
Solis	Chair	Pre-configured Freespan Multiple Patient Unit	Upholstered Back		Unit with no Center Arm	Open Arm - Wood Arm
			M	21X3	B	OPU
			Mesh Back		Unit with Center Arm	Open Arm Urethane Arm
				24X2		CLW
						Closed Arm -Wood Arm
				24X3		CLU
						Closed Arm Urethane Arm

SOLIS | PRE-CONFIGURED FREESPAN MULTIPLE SEATING PATIENT UNIT WITH CENTER ARM

DESCRIPTION/MODEL		Arm Type	COM	1	2	COL	3	4	FABRIC GRADES		LEATHER		
									5	6	7	8	9
	21" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 2 Seat, Mesh Back												
	SOL2-PCFPM21X2BOPU	Urethane		2038	2084	2130	2218	2307	2399	2488	2581	2716	
	SOL2-PCFPM21X2BOPW	Beech		2218	2264	2307	2399	2488	2581	2671	2760	2895	
	21" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 2 Seat, Upholstered Back												
	SOL2-PCFPU21X2BOPU	Urethane		2143	2275	2411	2677	2945	3214	3480	3748	4285	
	SOL2-PCFPU21X2BOPW	Beech		2324	2457	2590	2859	3127	3394	3661	3932	4463	
	21" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 3 Seat, Mesh Back												
	SOL2-PCFPM21X3BOPU	Urethane		2892	2958	3028	3162	3297	3434	3567	3705	3908	
	SOL2-PCFPM21X3BOPW	Beech		3133	3199	3267	3404	3538	3673	3809	3945	4147	
	21" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 3 Seat, Upholstered Back												
	SOL2-PCFPU21X3BOPU	Urethane		3040	3242	3441	3845	4245	4646	5048	5449	6253	
	SOL2-PCFPU21X3BOPW	Beech		3281	3482	3683	4085	4485	4888	5289	5689	6493	
	24" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 2 Seat, Mesh Back												
	SOL2-PCFPM24X2BOPU	Urethane		2074	2121	2165	2257	2346	2438	2528	2616	2753	
	SOL2-PCFPM24X2BOPW	Beech		2257	2302	2346	2438	2528	2616	2709	2797	2934	
	24" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 2 Seat, Upholstered Back												
	SOL2-PCFPU24X2BOPU	Urethane		2184	2317	2449	2718	2986	3252	3522	3790	4323	
	SOL2-PCFPU24X2BOPW	Beech		2363	2497	2632	2898	3166	3434	3703	3971	4505	
	24" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 3 Seat, Mesh Back												
	SOL2-PCFPM24X3BOPU	Urethane		2949	3015	3084	3220	3354	3491	3628	3762	3964	
	SOL2-PCFPM24X3BOPW	Beech		3189	3258	3324	3461	3595	3732	3867	4003	4206	
	24" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 3 Seat, Upholstered Back												
	SOL2-PCFPU24X3BOPU	Urethane		3102	3303	3503	3904	4306	4707	5108	5509	6312	
	SOL2-PCFPU24X3BOPW	Beech		3343	3541	3744	4145	4547	4947	5347	5748	6552	

Solis Pre-configured Option Upcharges			\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)			61		Solid Surface Arm (per arm) - Gr A White	244
Patient chair - Removable Seat Covers			86		Solid Surface Arm (per arm) - Gr A Color	249
21" & 24" - Removeable Back Covers			59		Solid Surface Arm (per arm) - Gr B	269
30" & 44" - Removable Back Covers			90		Solid Surface Arm (per arm) - Gr C	290
21" & 24" Cleanable Under-seat Splashguard			39		Maple Arm upgrade per arm (add to beech price)	77
30" Cleanable Under-seat Splashguard			46		Beech Wood Side Rails Upgrade (per arm)	61
Soft Casters (21" & 24" chairs) -4 set			61		Maple wood Side Rails Upgrade (per arm)	77
Soft Casters (21" & 24" chairs) -2 set			32		Kinetic Back option (not available for 30" & 44")	115
Non-locking Casters (21" & 24" chairs) -4 set			115		Non-Marring Glide	36
Non-locking Casters (21" & 24" chairs) -2 set			77			






Note: Locking casters are available, clearly mark on the purchase order.

NOTE: Option upcharges are per back/seat.












PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2	PCFP	U	21X2	A	OPW
Solis	Chair	Pre-configured Freespan Multiple Patient Unit	Upholstered Back		Unit with no Center Arm	Open Arm - Wood Arm
			M	21X3	B	OPU
			Mesh Back		Unit with Center Arm	Open Arm Urethane Arm
				24X2		CLW
						Closed Arm -Wood Arm
				24X3		CLU
						Closed Arm Urethane Arm


SOLIS | REPLACEMENT COMPONENTS - MULTIPLE SEATING

Description	Model	COM		COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube
		1	2		4	5	6	7	8	9			
	21" Replacement Guest Upholstered Backs SOL2-RBGU21	540	581	620	677	741	796	861	940	1020	1.5	14	2.7
	21" Replacement Guest Mesh Backs SOL2-RBGM21	455										10	2.7
	24" Replacement Guest Upholstered Backs SOL2-RBGU24	554	592	633	688	753	809	873	955	1035	1.5	15	2.8
	24" Replacement Guest Mesh Backs SOL2-RBGM24	474										11	2.8
	30" Replacement Guest Upholstered Backs SOL2-RBGU30	602	647	693	758	830	894	968	1059	1150	1.6	19	3.4
	44" Replacement Guest Upholstered Backs SOL2-RBGU44	757	803	847	912	985	1050	1123	1213	1306	2.25	28	4.8
	21" Replacement Guest Upholstered Back Covers SOL2-RBCGU21	189	229	274	324	389	445	510	589	669	1.5	2	.8
	24" Replacement Guest Upholstered Back Covers SOL2-RBCGU24	189	229	269	324	389	445	510	589	669	1.5	2.3	.8
	30" Replacement Guest Upholstered Back Covers SOL2-RBCGU30	204	248	295	360	432	496	569	660	752	1.6	2.6	.8
	44" Replacement Guest Upholstered Back Covers SOL2-RBCGU44	208	255	300	364	437	502	574	664	758	2.25	3.5	.8
	21" Replacement Patient Upholstered Backs SOL2-RBPU21	641	698	756	836	927	1008	1098	1212	1327	2.0	21	3.8
	21" Replacement Patient Mesh Backs SOL2-RBPM21	430										15	3.8
	24" Replacement Patient Upholstered Backs SOL2-RBPU24	678	735	793	872	964	1043	1136	1250	1365	2.0	21	3.8
	24" Replacement Patient Mesh Backs SOL2-RBPM24	493										17	3.8
	30" Replacement Patient Upholstered Backs SOL2-RBPU30	817	893	967	1069	1188	1294	1413	1562	1709	2.2	24	4.8
	21" Replacement Patient Upholstered Back Covers SOL2-RBCPU21	241	298	355	435	528	606	698	812	927	2.0	2.5	.8
	24" Replacement Patient Upholstered Back Covers SOL2-RBCPU24	242	299	357	436	529	607	699	813	928	2.0	2.7	.8
	30" Replacement Patient Upholstered Back Covers SOL2-RBCPU30	292	368	442	544	664	769	888	1037	1185	2.2	3	.8
	Replacement Mesh Back Top Bar SOL2-RMBTB21	32									2.5	.5	
	SOL2-RMBTB24	33									3.0	.7	

SOLIS | REPLACEMENT COMPONENTS - MULTIPLE SEATING








Description	Model	COM		COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube
		1	2		4	5	6	7	8	9			
	21" Replacement Seat												
	SOL2-RS21	371	399	422	459	499	535	577	628	681	.9	9	2.7
	24" Replacement Seat												
	SOL2-RS24	390	416	442	478	518	556	597	647	699	.9	10	2.7
	30" Replacement Seat												
	SOL2-RS30	464	489	515	550	591	628	669	720	771	.9	12	3.4
	44" Replacement Seat												
	SOL2-RS44	599	631	661	705	756	800	850	913	974	1.1	14	4.8
	21" Replacement Seat Cover												
	SOL2-RSC21	124	152	177	213	255	290	357	384	434	1.0	1.6	.8
	24" Replacement Seat Cover												
	SOL2-RSC24	128	153	180	217	258	292	334	386	437	1.0	1.7	.8
	30" Replacement Seat Cover												
	SOL2-RSC30	130	154	180	217	258	292	334	386	437	1.0	2	.8
	44" Replacement Seat Cover												
	SOL2-RSC44	145	178	208	253	303	346	397	460	521	1.1	2.5	.8
	21" Replacement Freespan Seat - A Center												
	SOL2-RS21A-C	378	403	430	465	507	540	583	634	686	0.9	9	2.7
	21" Replacement Freespan Seat - A Left Facing												
	SOL2-RS21A-L	374	400	427	463	505	538	581	632	684	0.9	9	2.7
	21" Replacement Freespan Seat - A Right Facing												
	SOL2-RS21A-R	374	400	427	463	505	538	581	632	684	0.9	9	2.7
	21" Replacement Freespan Seat - B												
	SOL2-RS21B	374	400	427	463	505	538	581	632	684	0.9	9	2.7
	24" Replacement Freespan Seat - A Center												
	SOL2-RS24A-C	396	422	447	485	526	561	603	655	705	0.9	9	2.7
	24" Replacement Freespan Seat - A Left Facing												
	SOL2-RS24A-L	393	420	445	483	521	559	600	653	703	0.9	9	2.7
	24" Replacement Freespan Seat - A Right Facing												
	SOL2-RS24A-R	393	420	445	483	521	559	600	653	703	0.9	9	2.7
	24" Replacement Freespan Seat - B												
	SOL2-RS24B	393	420	445	483	521	559	600	653	703	0.9	9	2.7
	21" Replacement Freespan Seat Cover - A Center												
	SOL2-RSC21A-C	124	152	177	213	255	290	331	384	434	0.9	9	2.7
	21" Replacement Freespan Seat Cover- A Left Facing												
	SOL2-RSC21A-L	124	152	177	213	255	290	331	384	434	0.9	9	2.7
	21" Replacement Freespan Seat Cover- A Right Facing												
	SOL2-RSC21A-R	124	152	177	213	255	290	331	384	434	0.9	9	2.7
	21" Replacement Freespan Seat Cover- B												
	SOL2-RSC21B	124	152	177	213	255	290	331	384	434	0.9	9	2.7
	24" Replacement Freespan Seat Cover- A Center												
	SOL2-RSC24A-C	128	153	178	214	256	290	332	385	435	0.9	9	2.7
	24" Replacement Freespan Seat Cover- A Left Facing												
	SOL2-RSC24A-L	128	153	178	214	256	290	332	385	435	0.9	9	2.7
	24" Replacement Freespan Seat Cover- A Right Facing												
	SOL2-RSC24A-R	128	153	178	214	256	290	332	385	435	0.9	9	2.7
	24" Replacement Freespan Seat Cover- B												
	SOL2-RSC24B	128	153	178	214	256	290	332	385	435	0.9	9	2.7
	Replacement Splash Guard												
	SOL2-RSG21											1	.3
	SOL2-RSG24	86										2	.4
	SOL2-RSG30	105										3	.5
	SOL2-RSG44	147										4	.6
	SOL2-RSG44	159											

SOLIS | REPLACEMENT COMPONENTS - MULTIPLE SEATING

Description	Model	COM		COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube
		1	2		4	5	6	7	8	9			
	Replacement Closed Arm SOL2-RCA	198	208	220	236	255	270	289	312	334	0.4	6	.9

Description	Model	Price	Weight	Cubes			
	Replacement Side Frame - Interim SOL2-RSFIB	123	7	1.2			
	Replacement Side Frame - Interim - No Anti-Microbial SOL2-RSFIBX	113	7	1.2			
	Replacement Side Frame - Start SOL2-RSFS	128	9	1.5			
	Replacement Side Frame - Start - No Anti-Microbial SOL2-RSFSX	106	9	1.5			
	Replacement Side Frame - Center SOL2-RSFC	128	9	1.5			
	Replacement Side Frame - Center - No Anti-Microbial SOL2-RSFCX	106	9	1.5			
	Replacement Side Frame - End SOL2-RSFE	128	9	1.5			
	Replacement Side Frame - End - No Anti-Microbial SOL2-RSFEX	106	9	1.5			
	Replacement Side Frame - Start - 1 Glide, 1 Non-locking Caster SOL2-RSFSC	164	9.5	1.5			
	Replacement Side Frame - Start - 1 Glide, 1 Non-locking Caster- No Anti-Microbial SOL2-RSFSCX	132	9.5	1.5			
	Replacement Side Frame - End - 1 Glide, 1 Non-locking Caster SOL2-RSFEC	164	9.5	1.5			
	Replacement Side Frame - End - 1 Glide, 1 Non-locking Caster- No Anti-Microbial SOL2-RSFECX	132	9.5	1.5			
	Replacement Side Frame - Start - 2 Non-locking Casters SOL2-RSFSC2	142	10	1.5			
	Replacement Side Frame - Start - 2 Non-locking Casters- No Anti-Microbial SOL2-RSFSC2X	139	10	1.5			
	Replacement Side Frame - End - 2 Non-locking Casters SOL2-RSFEC2	142	10	1.5			
	Replacement Side Frame - End - 2 Non-locking Casters- No Anti-Microbial SOL2-RSFEC2X	139	10	1.5			
	Replacement Wood Side Rail Cover - Beech SOL2-RSRCB	172	1.0	.3			
	Replacement Wood Side Rail Cover - Maple SOL2-RSRCM	220					
	Replacement Arm Cap - Urethane SOL2-RACU	67	1.5	.2			
	Replacement Arm Cap - Beech SOL2-RACWB	203	1.0	.2			
	Replacement Arm Cap - Maple SOL2-RACWM	219	1.0	.2			
	Replacement Arm Cap - Solid Surface SOL2-RACSS	244	2	.2			
		Grade A- White	Grade A- Color	Grade- B	Grade- C		
		249	249	269	290		

SOLIS | REPLACEMENT COMPONENTS


Description	Model	Price	Weight	Cubes
	Replacement Link/Ganging Brackets - Table to Chair SOL2-RLKB1	65	2.0	.2
	Replacement Link/Ganging Brackets - Chair to Chair SOL2-RLKB2	49	2.0	.2
	Replacement Link/Ganging Brackets - Chair to Chair (set of 10) SOL2-RLKB3	152	1.0	.2
  	Replacement Glide - Front SOL2-RGF	21	.5	.1
	Replacement Glide - Back SOL2-RGB	21	.5	.1
	Replacement Glide - Easy Access - Front SOL2-RGFEA	28	.5	.1
	Replacement Glide - Set of 4 SOL2-RGS4	23	2	.1
	Replacement Caster Glide - Front SOL2-RGFC	22	2	.1
	Replacement Caster Glide - Back SOL2-RGBC	22	2	.1
	Replacement Non-locking Caster - Hard Wheel SOL2 - RCH	29	1.5	.3
	Replacement Non-locking Caster - Soft Wheel SOL2 - RCS	32	1.5	.3
	Replacement Stretcher SOL2-RSTRETCHER21	174	1.0	.3
	SOL2-RSTRETCHER24	178	1.5	.4
	SOL2-RSTRETCHER21X	170	1.0	.5
	SOL2-RSTRETCHER24X	175	1.5	.6

SOLIS | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 15.28%

POST-CONSUMER
RECYCLED CONTENT = 21.71%

Up to 45.76% of this Solis product is recyclable at the end of its useful life.

CONTRIBUTES TO		
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



www.fsc.org
FSC® C021699

The mark of responsible forestry

AIR-EMISSIONS

All Solis products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.





Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



SOLIS | EASY ACCESS CHAIR

DIMENSIONS & COM. REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back
UPHOLSTERED GUEST BACK												
21" Seat	25	30.75	40.5	24.5	32	20	20	51	16	1.6	0.9	1.6
24" Seat	28	30.75	40.5	24.5	32	23	20	55	18	1.6	0.9	1.6
MESH GUEST BACK												
21" Seat	25	30.75	40.5	24.5	32	20	20	49	16	-	0.9	-
24" Seat	28	30.75	40.5	24.5	32	23	20	52	18	-	0.9	-
UPHOLSTERED PATIENT BACK												
21" Seat	25	30.75	49.75	24.5	32	20	20	54	21	2.1	0.9	2.0
24" Seat	28	30.75	49.75	24.5	32	23	20	58	23	2.1	0.9	2.0
MESH PATIENT BACK												
21" Seat	25	30.75	49.75	24.5	32	20	20	50	21	-	0.9	-
24" Seat	28	30.75	49.75	24.5	32	23	20	53	23	-	0.9	-
Footrest height (All Models) 7.25"												

DESCRIPTION/MODEL	Arm Type	COM.		COL	FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8	9
	21" Guest, Open Arm, Mesh Back									
	SOL2-HGM21OPU Urethane	1391	1422	1455	1517	1582	1645	1706	1769	1867
	SOL2-HGM21OPW Beech	1512	1542	1575	1636	1701	1765	1827	1891	1988
	21" Guest, Open Arm, Upholstered Back									
	SOL2-HGU21OPU Urethane	1464	1517	1568	1675	1779	1885	1989	2092	2304
	SOL2-HGU21OPW Beech	1585	1636	1690	1795	1899	2005	2110	2214	2424
	24" Guest, Open Arm, Mesh Back									
	SOL2-HGM24OPU Urethane	1420	1452	1483	1545	1609	1672	1735	1797	1896
	SOL2-HGM24OPW Beech	1540	1569	1603	1665	1730	1793	1855	1920	2017
	24" Guest, Open Arm, Upholstered Back									
	SOL2-HGU24OPU Urethane	1494	1547	1600	1707	1818	1923	2030	2135	2349
	SOL2-HGU24OPW Beech	1615	1669	1722	1829	1937	2043	2148	2257	2471
	21" Patient, Open Arm, Mesh Back									
	SOL2-HPM21OPU Urethane	1495	1528	1560	1622	1687	1749	1812	1875	1972
	SOL2-HPM21OPW Beech	1617	1648	1680	1745	1806	1869	1934	1995	2092
	21" Patient, Open Arm, Upholstered Back									
	SOL2-HPU21OPU Urethane	1575	1646	1716	1855	1993	2135	2275	2419	2699
	SOL2-HPU21OPW Beech	1694	1766	1835	1975	2114	2257	2397	2539	2819
	24" Patient, Open Arm, Mesh Back									
	SOL2-HPM24OPU Urethane	1540	1569	1603	1665	1730	1793	1855	1920	2017
	SOL2-HPM24OPW Beech	1661	1692	1723	1789	1850	1912	1975	2039	2136
	24" Patient, Open Arm, Upholstered Back									
	SOL2-HPU24OPU Urethane	1621	1693	1766	1909	2056	2199	2343	2488	2779
	SOL2-HPU24OPW Beech	1740	1815	1886	2031	2174	2319	2464	2611	2898

Solis Guest Option Upcharges

\$ List

\$ List

CAL 133 & Moisture Barrier (per yard)	61	Solid Surface Arm (per pair) - Gr A White	465
Guest chair - Removable Seat Covers	86	Solid Surface Arm (per pair) - Gr A Color	481
21" & 24" - Removeable Back Covers	56	Solid Surface Arm (per pair) - Gr B	517
21" & 24" Cleanable Under-seat Splashguard	39	Solid Surface Arm (per pair) - Gr C	559
Kinetic Back option	115	Maple Arm upgrade per arm (add to beech price)	77
Combination upholstery - Dual	32	Beech Wood Side Rails Upgrade (per chair)	121
Combination upholstery - Three	61	Maple wood Side Rails Upgrade (per chair)	152
Non-Marring Glide	35		

See [page 3](#) for Features and Options information.

PRODUCT CODE KEY


Line	Series	Chair Type	Style	Back Type	Size	Arm Type
<div>SOL</div> Solis	<div>2</div> Chair	<div>H</div> Easy Access	<div>G</div> Guest	<div>U</div> Upholstered Back	<div>21</div>	<div>OPW</div> Open Arm - Wood Cap
			<div>P</div> Patient	<div>M</div> Mesh	<div>24</div>	<div>OPU</div> Open Arm Urethane Arm Cap

SOLIS BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 16%

POST-CONSUMER
RECYCLED CONTENT = 22%

CONTRIBUTES TO

CREDIT	CONTRIBUTES TO	POINTS
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (PLEASE ENQUIRE) Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



FSC
www.fsc.org
FSC® C021699

The mark of responsible forestry

AIR-EMISSIONS

All Solis products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SOLIS BEHAVIORAL HEALTH | FEATURES



CLEAN OUT

All Solis seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquids to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Solis to well exceed ANSI/BIFMA standards.




FLEX BACK

The ergonomically-designed back has a slight flexing action, which significantly enhances comfort.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility. Patient and Guest chairs with mesh backs are excluded as they do not have the wall saver feature.



HIGH DENSITY FOAM

Solis features dual density foam that is soft on the outside for comfort, dense on the inside for high durability. The seat and back foam features a compound curvature that supports healthy sitting postures, while also designed to ease ingress and egress.



SECURED WOODEN ARM

Solis Wood Arm caps are fastened to the side frames with tamper resistant security screws. Wood arms are available in either beech or maple hardwood and in 22 Krug standard finishes. Maple arm caps are available for an up-charge of **\$77 list** per arm using beech pricing.



URETHANE ARM

Solis secured urethane arms are durable, comfortable, and long lasting. Urethane arms are available in three colors options; Black, Grey and Taupe.

TAMPER RESISTANT HARDWARE

All screws used on the Solis Behavioral Health units have been replaced with tamper resistant security screws.

GANGING

All Solis Freestanding chairs can be ganged using a ganging bracket. The powder-coated metal plate is fastened to the underside of the steel side rails using the pre-existing holes in the frame.

SECURED GLIDES

Solis Behavioral Health chairs have their glides secured in place to prevent their removal and damage.

BOTTOM STAPLE COVER/SHIELD

Solis Behavioral Health chairs come standard with a black painted plywood cover underneath the seat. This cover is designed to prevent access to the upholstery staples of the seat and to prevent the hiding of objects underneath the seat. The cover is also designed to allow for regular ganging hardware and proper seat ventilation. The cover is secured to the unit with tamper resistant security screws.

BACK STAPLE COVER STRIP

The Solis Behavioral Health back upholstery has been altered to allow a staple cover strip to be attached; this will prevent access to the upholstery staples. The cover strip is nylon coated galvanized steel with vinyl coated ends to prevent any sharp edges. The back cover strip is fastened to the unit with tamper resistant security screws.

TUBULAR STEEL CHAIR FRAME

The overall aesthetic frame of the chair is built from structural steel tubing, both elliptical and rectangular for exceptional strength and appealing design. The frame is electro welded and polished joints for ease of cleaning and a one piece look. Available in eight powder-coated finishes. Silver Metallic is offered as Krug's standard finish. For all metal finishes other than Silver Metallic, there is a minimum quantity of 30 units per color and are available for an upcharge of **\$61 list** per seat/table. Microban anti-microbial finish is standard, with no upcharge, when frame finishes other than Silver Metallic is ordered. Solis Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per chair or table. Upcharges for quantities less than 30 units per color, per order can be obtained through Customer Service.

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

LATEX-FREE

Krug products are made with latex-free materials, to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Weight capacities are as follows:
Guest & Patient Chairs (21" & 24") - **500 lbs**
Plus Chairs (30" & 44") - **750 lbs**

SOLIS BEHAVIORAL HEALTH | OPTIONS



SLED BASE

The Solis side frames legs have the option to be tied front to back with a steel rail, this will strengthen the frames and eliminate the option of having legs.



KINETIC BACK OPTION

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Solis chair back - Guest, Patient and Multiple Seating - with the exception of the 30" and 44" sizes.



CLOSED ARM

Solis closed arm has an upholstered arm panel built into the side frame. It is between the middle rail on the side frame and the top of the arm.



FULLY CLOSED ARM (SLEIGH BASE ONLY)

The fully closed arm includes the regular closed arm, but also adds a second upholstered arm panel between the middle rail on the side frame and the sleigh base bottom. This feature is only available when the sleigh base option is selected.

FLOOR ANCHOR BRACKETS (SLEIGH BASE ONLY)

Floor mounting brackets are supplied to be secured to the bottom of the Solis sleigh base with tamper resistant security screws. The hardware to attach the brackets to the floor is not provided by Krug.

WEIGHTED SHIELD

In place of the Bottom Staple Cover, a weighted black coated steel version is also available. This steel shield is designed to add enough weight for the product to be a minimum of 80 lbs. The shield is also designed to allow standard ganging hardware as well as proper seat ventilation. This is all achieved while also covering/preventing all access to the upholstery staples under the seat. The Weighted Shield is fastened with tamper-resistant security screws.

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

ANTI-MICROBIAL FINISH

Solis Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per chair or table.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$61 list** per yard.

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable seat and back covers can be quickly installed on Solis products that were originally ordered with the Removable cover option. Replacement seat and back covers can also be installed on Solis products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs. Complete Mesh backs can be ordered and field replaced.

NO SPRING SEATS

The springs in the seat have been removed and replaced with a solid plywood seat pan. Additional foam has also been added in place of the springs for comfort.

TAMPER-RESISTANT SPLASHGUARD

All Solis seating models are available with a coated steel moisture barrier that covers and enclosed the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard replaces the Bottom Staple Cover on the underside of the seat. It is designed to still allowing ganging and has folded metal edges to prevent any sharp edges. The splashguard is fastened with tamper resistant security screws.

SOLIS BEHAVIORAL HEALTH | GUEST -DIMENSIONS & COM REQUIREMENTS

DIMENSIONS


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Base Shipping Weight	Cubes
21" Seat	25	28	34.5	18.5	26	20	20	51	16
24" Seat	28	28	34.5	18.5	26	23	20	55	18
30" Seat	34	28	34.5	18.5	26	29	20	60	22
44" Seat	48	28	34.5	18.5	26	43	20	74	31

COM - YARDAGE REQUIREMENTS


	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Upper Arm Panel	Yardage Fully Closed Arm Panel (Upper & Lower)
21" & 24" - One Chair	1.6	0.9	1.6	0.8	1.6
21" & 24" - Two Chairs	3.1	1.3	1.6	1.2	2.4
21" & 24" - Three Chairs	4.7	2.1	3.7	1.6	3.2
30" Plus - One Chair	2.5	0.9	1.6	1.6	3.2
30" Plus - Two Chairs	5	1.8	3.2	1.2	2.4
30" Plus - Three Chairs	7.5	2.7	4.8	1.6	3.2
44" Plus - One Chair	2.5	0.9	2.3	0.8	1.6
44" Plus - Two Chairs	5	1.8	3.9	1.2	2.4
44" Plus - Three Chairs	7.5	2.7	5.5	1.6	3.2

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.




Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	Leather 8	9	COM
Closed Arm Panel (1 arm)	199	214	227	255	280	306	334	361	415	0.4
Closed Arm Panels (2 arms)	399	427	455	506	560	613	666	721	828	0.8



Fully Closed Arm (1 arm)	323	348	373	416	460	504	549	598	674	1.5
Fully Closed Arm (2 arms)	645	696	745	831	921	1004	1097	1194	1345	3



SOLIS BEHAVIORAL HEALTH | GUEST

DESCRIPTION/MODEL			COM		COL	FABRIC GRADES			LEATHER		
			1	2	3	4	5	6	7	8	9
	21" Open Arm, Mesh Back										
	SOL2-GBHM21OPU	Urethane	1066	1097	1125	1186	1247	1307	1366	1428	1520
	SOL2-GBHM21OPW	Beech	1181	1211	1242	1302	1361	1421	1482	1542	1635
	21" Open Arm, Upholstered Back										
	SOL2-GBHU21OPU	Urethane	1114	1162	1211	1308	1407	1503	1599	1695	1891
	SOL2-GBHU21OPW	Beech	1228	1277	1325	1422	1519	1617	1716	1809	2006
	24" Open Arm, Mesh Back										
	SOL2-GBHM24OPU	Urethane	1106	1136	1165	1224	1285	1347	1408	1465	1560
	SOL2-GBHM24OPW	Beech	1220	1249	1279	1339	1399	1461	1520	1582	1673
	24" Open Arm, Upholstered Back										
	SOL2-GBHU24OPU	Urethane	1152	1202	1250	1348	1443	1542	1638	1735	1932
	SOL2-GBHU24OPW	Beech	1268	1316	1365	1462	1560	1732	1753	1850	2044
	30" Open Arm, Upholstered Back										
	SOL2-GBHU30OPU	Urethane	1375	1450	1528	1678	1831	1984	2133	2287	2589
	SOL2-GBHU30OPW	Beech	1489	1564	1642	1793	1945	2097	2247	2402	2704

ORDERING NOTES: Solis Behavioral Health guest chairs are standard with; secured glides, secured Arms, Bottom Staple shield/Cover, Non-Accessible Staples (Bottom of back) and Tamper- Resistant Hardware.

Solis Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	61	30" & 44" - Removable Back Covers	77
Guest chair - Removable Seat Covers	77	Kinetic Back option	115
21" & 24" - Removeable Back Covers	56	Maple Arm upgrade per arm (add to beech price)	77
Non-Marring Glide	36		

Solis Behavioral Health Option Upcharges		\$ List	
Plywood Seat / No Springs	116	Weight Shield (to min 80lbs) - 21" Uph.	389
Sled Base	253	Weight Shield (to min 80lbs) - 21" Mesh	463
Anchor to Floor (Sleigh base only)	342	Weight Shield (to min 80lbs) - 24" Uph.	321
21" Tamper- Resistant Splashguard	150	Weight Shield (to min 80lbs) - 24" Mesh	393
24" Tamper- Resistant Splashguard	158	Weight Shield (to min 80lbs) - 30" Uph.	172
30" Tamper- Resistant Splashguard	324	Weight Shield (to min 80lbs) - 44" Uph.	163
44" Tamper- Resistant Splashguard	346		

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the reqired arm type from the Product Code Key below and add the upcharge on page 37.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	GBH	U	21	OPU
Solis	Chair	Guest Seating	Upholstered Back		Open Arm - Urethane
		PBH	M	24	OPW
		Patient Seating	Mesh Back 21" & 24" Only		Open Arm - Wood
				30	CLW
					Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | PATIENT -DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Base Shipping Weight	Cubes
UPHOLSTERED BACK									
21" Seat	25	28	43.75	18.5	26	20	20	54	21
24" Seat	28	28	43.75	18.5	26	23	20	58	23
30" Seat	34	28	43.75	18.5	26	29	20	64	28

COM - YARDAGE REQUIREMENTS

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage-Closed Upper Arm Panel	Yardage-Fully Closed Arm Panel (Upper & Lower)
21" & 24" - One Chair	2.1	0.9	2	0.8	1.6
21" & 24" -Two Chairs	4	1.3	3.4	1.2	2.4
21" & 24" - Three Chairs	6.1	2.1	5.4	1.6	3.2
30" Plus - One Chair	3.1	0.9	2.2	0.8	1.6
30" Plus - Two Chairs	6.2	1.8	4.4	1.2	2.4
30" Plus - Three Chairs	9.3	2.7	6.6	1.6	3.2

ORDERING NOTES:


COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product). Complete Mesh backs (21" & 24") can be ordered and field replaced.


The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$61 list** per arm frame pair, please see **page 24** for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.




Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	Leather 8	9	COM
Closed Arm Panel (1 arm)	199	214	227	255	280	306	334	361	415	0.4
Closed Arm Panels (2 arms)	399	427	455	506	560	613	666	721	828	0.8



Fully Closed Arm (1 arm)	323	348	373	416	460	504	549	598	674	1.5
Fully Closed Arm (2 arms)	645	696	745	831	921	1004	1097	1194	1345	3



SOLIS BEHAVIORAL HEALTH | PATIENT

DESCRIPTION/MODEL			COM 1	2	COL 3	FABRIC GRADES 4 5 6			LEATHER 7 8 9		
	21" Open Arm, Mesh Back										
	SOL2-PBHM21OPU	Urethane	1109	1182	1212	1272	1332	1392	1454	1514	1608
	SOL2-PBHM21OPW	Beech	1268	1296	1327	1387	1447	1508	1566	1628	1722
	21" Open Arm, Upholstered Back										
	SOL2-PBHU21OPU	Urethane	1205	1268	1330	1460	1585	1716	1840	1966	2222
	SOL2-PBHU21OPW	Beech	1319	1382	1446	1575	1698	1830	1957	2082	2337
	24" Open Arm, Mesh Back										
	SOL2-PBHM24OPU	Urethane	1188	1220	1249	1309	1371	1432	1491	1552	1645
	SOL2-PBHM24OPW	Beech	1305	1335	1363	1423	1485	1545	1606	1665	1758
	24" Open Arm, Upholstered Back										
	SOL2-PBHU24OPU	Urethane	1243	1307	1371	1496	1624	1752	1880	2008	2264
	SOL2-PBHU24OPW	Beech	1356	1421	1485	1612	1739	1866	1993	2123	2378
	30" Open Arm, Upholstered Back										
	SOL2-PBHU30OPU	Urethane	1562	1659	1750	1937	2128	2316	2504	2690	3067
	SOL2-PBHU30OPW	Beech	1677	1772	1864	2053	2242	2431	2616	2806	3183

Solis Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	61	30" - Removable Back Covers	77
Guest chair - Removable Seat Covers	77	Kinetic Back option	115
21" & 24" - Removeable Back Covers	56	Maple Arm upgrade per arm (add to beech price)	77
Non-Marring Glide	36		

Solis Behavioral Health Option Upcharges	\$ List		
Plywood Seat / No Springs	116	Weight Shield (to min 80lbs) - 21" Uph.	389
Sled Base	253	Weight Shield (to min 80lbs) - 21" Mesh	463
Anchor to Floor (Sleigh base only)	342	Weight Shield (to min 80lbs) - 24" Uph.	321
21" Tamper- Resistant Splashguard	150	Weight Shield (to min 80lbs) - 24" Mesh	393
24" Tamper- Resistant Splashguard	158	Weight Shield (to min 80lbs) - 30" Uph.	172
30" Tamper- Resistant Splashguard	324		

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the reqired arm type from the Product Code Key below and add the upcharge on page 39.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	GBH	U	21	OPU
Solis	Chair	Guest Seating	Upholstered Back		Open Arm - Urethane
		PBH	M	24	OPW
		Patient Seating	Mesh Back 21" & 24" Only		Open Arm - Wood
				30	CLW
					Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | MULTIPLE SEATING - GUEST

DIMENSIONS & COM. REQUIREMENTS - START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BACK														
SGM21	25	28	34.5	18.5	26	20	20	41	16	-	0.9	-	0.4	0.8
SGM24	28	28	34.5	18.5	26	23	20	44	18	-	0.9	-	0.4	0.8
UPHOLSTERED BACK														
SGU21	25	28	34.5	18.5	26	20	20	43	16	1.6	0.9	1.6	0.4	0.8
SGU24	28	28	34.5	18.5	26	23	20	47	18	1.6	0.9	1.6	0.4	0.8
SGU30	34	28	34.5	18.5	26	29	20	52	22	2.5	0.9	2.5	0.4	0.8
SGU44	48	28	34.5	18.5	26	43	20	66	31	2.5	0.9	2.5	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

										COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube				
MESH BACK													
CGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
CGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLSTERED BACK													
CGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
CGU24	26	28	34.5	18.5	26	23	20	41	19	1.6	0.9	1.6	0.4
CGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	2.5	0.4
CGU44	46	28	34.5	18.5	26	43	20	60	31	2.5	0.9	2.5	0.4

DIMENSIONS & COM. REQUIREMENTS - END UNITS

										COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube				
MESH BACK													
EGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
EGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLSTERED BACK													
EGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
EGU24	26	28	34.5	18.5	26	23	20	41	18	1.6	0.9	1.6	0.4
EGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	2.5	0.4
EGU44	46	28	34.5	18.5	26	43	20	60	31	2.5	0.9	2.5	0.4







ORDERING NOTES:

When ordering multiple Start, Center, End units please refer to [page 5](#) for Yardage Requirements.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	(COL) 2	(COL) 3	(COL) 4	(COL) 5	(COL) 6	(COL) 7	Leather 8	(COL) 9	COM
Closed Arm Panel (1 arm)	199	214	227	255	280	306	334	361	415	0.4
Closed Arm Panels (2 arms)	399	427	455	506	560	613	666	721	828	0.8
Fully Closed Arm (1 arm)	323	348	373	416	460	504	549	598	674	1.5
Fully Closed Arm (2 arms)	645	696	745	831	921	1004	1097	1194	1345	3

SOLIS BEHAVIORAL HEALTH | START, CENTER & END GUEST UNITS









DESCRIPTION/MODEL			COM	1	2	COL	3	4	5	6	7	8	9
	START												
	21" Open Arm Start Guest Unit, Mesh Back												
	SOL2-SGBHM21OPU	Urethane	1066	1097	1125	1186	1247	1307	1366	1428	1520		
	SOL2-SGBHM21OPW	Beech	1181	1211	1242	1302	1361	1421	1482	1542	1635		
	21" Open Arm Start Guest Unit, Upholstered Back												
	SOL2-SGBHU21OPU	Urethane	1114	1162	1211	1308	1407	1503	1599	1695	1891		
SOL2-SGBHU21OPW	Beech	1228	1277	1325	1422	1519	1617	1716	1809	2006			
	24" Open Arm Start Guest Unit, Mesh Back												
	SOL2-SGBHM24OPU	Urethane	1106	1136	1165	1224	1285	1347	1408	1465	1560		
	SOL2-SGBHM24OPW	Beech	1220	1249	1279	1339	1399	1461	1520	1582	1673		
	24" Open Arm Start Guest Unit, Upholstered Back												
	SOL2-SGBHU24OPU	Urethane	1152	1202	1250	1348	1443	1542	1605	1735	1932		
	SOL2-SGBHU24OPW	Beech	1268	1316	1365	1462	1560	1732	1753	1850	2044		
	30" Open Arm Start Guest Unit, Upholstered Back												
	SOL2-SGBHU30OPU	Urethane	1375	1450	1528	1678	1831	1984	2133	2287	2589		
	SOL2-SGBHU30OPW	Beech	1489	1564	1642	1793	1945	2097	2247	2402	2704		
	44" Open Arm Start Guest Unit, Upholstered Back												
	SOL2-SGBHU44OPU	Urethane	1530	1606	1681	1832	1986	2135	2291	2440	2743		
	SOL2-SGBHU44OPW	Beech	1645	1720	1795	1946	2100	2249	2404	2555	2857		
CENTER													
	21" Open Arm Center Guest Unit, Mesh Back												
	SOL2-CGBHM21OPU	Urethane	973	1004	1035	1093	1153	1213	1273	1335	1428		
	SOL2-CGBHM21OPW	Beech	1032	1061	1089	1150	1211	1271	1330	1391	1485		
	21" Open Arm Center Guest Unit, Upholstered Back												
	SOL2-CGBHU21OPU	Urethane	1014	1064	1113	1210	1307	1404	1498	1598	1792		
	SOL2-CGBHU21OPW	Beech	1071	1121	1170	1268	1363	1461	1557	1656	1849		
	24" Open Arm Center Guest Unit, Mesh Back												
	SOL2-CGBHM24OPU	Urethane	997	1030	1058	1117	1179	1240	1297	1358	1452		
	SOL2-CGBHM24OPW	Beech	1056	1085	1115	1174	1236	1295	1355	1415	1509		
	24" Open Arm Center Guest Unit, Upholstered Back												
	SOL2-CGBHU24OPU	Urethane	1041	1089	1139	1236	1332	1432	1528	1623	1819		
	SOL2-CGBHU24OPW	Beech	1099	1148	1195	1293	1390	1488	1585	1681	1875		

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 39.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | CENTER & END GUEST UNITS

DESCRIPTION/MODEL			COM	1	2	COL	3	FABRIC GRADES			4	5	6	7	LEATHER		8	9
	30" Open Arm Center Guest Unit, Upholstered Back																	
	SOL2-CGBHU30OPU	Urethane	1248	1323	1398	1554	1703	1854	2007	2158	2462							
	SOL2-CGBHU30OPW	Beech	1306	1380	1457	1610	1759	1911	2064	2214	2517							
	44" Open Arm Center Guest Unit, Upholstered Back																	
	SOL2-CGBHU44OPU	Urethane	1394	1472	1540	1697	1850	2003	2156	2304	2610							
	SOL2-CGBHU44OPW	Beech	1452	1530	1605	1755	1907	2060	2212	2362	2667							
END																		
	21" Open Arm End Guest Unit, Mesh Back																	
	SOL2-EGBHM21OPU	Urethane	973	1004	1035	1093	1153	1213	1273	1335	1428							
	SOL2-EGBHM21OPW	Beech	1032	1061	1089	1150	1211	1271	1330	1391	1485							
	21" Open Arm End Guest Unit, Upholstered Back																	
	SOL2-EGBHU21OPU	Urethane	1014	1064	1113	1210	1307	1404	1498	1598	1792							
	SOL2-EGBHU21OPW	Beech	1071	1121	1170	1268	1363	1461	1557	1656	1849							
	24" Open Arm End Guest Unit, Mesh Back																	
	SOL2-EGBHM24OPU	Urethane	997	1030	1058	1117	1179	1240	1297	1358	1452							
	SOL2-EGBHM24OPW	Beech	1056	1085	1115	1174	1236	1295	1355	1415	1509							
	24" Open Arm End Guest Unit, Upholstered Back																	
	SOL2-EGBHU24OPU	Urethane	1041	1089	1139	1236	1332	1432	1528	1623	1819							
	SOL2-EGBHU24OPW	Beech	1099	1148	1195	1293	1390	1488	1585	1681	1875							
	30" Open Arm End Guest Unit, Upholstered Back																	
	SOL2-EGBHU30OPU	Urethane	1248	1323	1398	1554	1703	1854	2007	2158	2462							
	SOL2-EGBHU30OPW	Beech	1306	1380	1457	1610	1759	1911	2064	2214	2517							
	44" Open Arm End Guest Unit, Upholstered Back																	
	SOL2-EGBHU44OPU	Urethane	1394	1472	1540	1697	1850	2003	2156	2304	2610							
	SOL2-EGBHU44OPW	Beech	1452	1530	1605	1755	1907	2060	2212	2362	2667							

ORDERING NOTES:

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$61 list** per arm frame pair, please see **page 63** for color selection and **page 3** for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table.

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 39.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | MULTIPLE SEATING - PATIENT BACKS

DIMENSIONS & COM. REQUIREMENTS - START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BACK														
SPM21	25	28	43.75	18.5	26	20	20	42	21	-	0.9	-	0.4	0.8
SPM24	28	28	43.75	18.5	26	23	20	45	23	-	0.9	-	0.4	0.8
UPHOLSTERED BACK														
SPU21	25	28	43.75	18.5	26	20	20	46	21	2.1	0.9	2.0	0.4	0.8
SPU24	28	28	43.75	18.5	26	23	20	50	23	2.1	0.9	2.0	0.4	0.8
SPU30	34	28	43.75	18.5	26	29	20	56	28	3.1	0.9	2.2	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
CPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
CPM24	26	28	43.75	18.5	26	23	20	39	23	-	0.9	-	0.4
UPHOLSTERED BACK													
CPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
CPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
CPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

DIMENSIONS & COM. REQUIREMENTS - END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
EPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
EPM24	26	28	43.75	18.5	26	23	20	38	23	-	0.9	-	0.4
UPHOLSTERED BACK													
EPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
EPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
EPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

ORDERING NOTES:


Multiple yardage requirements for Patient back Start, Center and End units, please refer to [page 10](#).


Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.


Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	Leather 8	9	COM
Closed Arm Panel (1 arm)	199	214	227	255	280	306	334	361	415	0.4
Closed Arm Panels (2 arms)	399	427	455	506	560	613	666	721	828	0.8
Fully Closed Arm (1 arm)	598	638	677	759	838	918	999	1081	1242	1.5
Fully Closed Arm (2 arms)	796	848	903	1011	1117	1224	1272	1439	1654	3


SOLIS BEHAVIORAL HEALTH | START & CENTER PATIENT UNITS


DESCRIPTION/MODEL	COM		COL		FABRIC GRADES			LEATHER	
	1	2	3	4	5	6	7	8	9


<div>START</div> <div></div>	21" Open Arm Start Patient Unit, Mesh Back										
	SOL2-SPBHM21OPU	Urethane	1109	1182	1212	1272	1332	1392	1454	1514	1608
	SOL2-SPBHM21OPW	Beech	1268	1296	1327	1387	1447	1508	1566	1628	1722
	21" Open Arm Start Patient Unit, Upholstered Back										
	SOL2-SPBHU21OPU	Urethane	1205	1268	1330	1460	1585	1716	1840	1966	2222
	SOL2-SPBHU21OPW	Beech	1319	1382	1446	1575	1698	1830	1957	2082	2337

	24" Open Arm Start Patient Unit, Mesh Back										
	SOL2-SPBHM24OPU	Urethane	1188	1220	1249	1309	1371	1432	1491	1552	1645
	SOL2-SPBHM24OPW	Beech	1305	1335	1363	1423	1485	1545	1606	1665	1758
	24" Open Arm Start Patient Unit, Upholstered Back										
	SOL2-SPBHU24OPU	Urethane	1243	1307	1371	1496	1624	1752	1880	2008	2264
	SOL2-SPBHU24OPW	Beech	1356	1421	1485	1612	1739	1866	1993	2123	2378

	30" Open Arm Start Patient Unit, Upholstered Back										
	SOL2-SPBHU30OPU	Urethane	1562	1659	1750	1937	2128	2316	2504	2690	3067
	SOL2-SPBHU30OPW	Beech	1677	1772	1864	2053	2242	2431	2616	2806	3183

	21" Open Arm Center Patient Unit, Mesh Back										
	SOL2-CPBHM21OPU	Urethane	1059	1088	1118	1180	1241	1299	1360	1420	1514
	SOL2-CPBHM21OPW	Beech	1116	1146	1178	1237	1296	1356	1417	1479	1569
	21" Open Arm Center Patient Unit, Upholstered Back										
	SOL2-CPBHU21OPU	Urethane	1106	1170	1233	1360	1488	1613	1745	1871	2126
	SOL2-CPBHU21OPW	Beech	1162	1227	1291	1417	1545	1670	1800	1928	2184

	24" Open Arm Urethane Cap Center Patient Unit, Mesh Back										
	SOL2-CPBHM24OPU	Urethane	1084	1114	1144	1205	1265	1324	1384	1443	1537
	SOL2-CPBHM24OPW	Beech	1141	1171	1202	1260	1321	1382	1441	1503	1593
	24" Open Arm Center Patient Unit, Upholstered Back										
	SOL2-CPBHU24OPU	Urethane	1131	1194	1257	1387	1514	1641	1768	1896	2150
	SOL2-CPBHU24OPW	Beech	1187	1252	1316	1443	1569	1697	1824	1956	2209




	30" Open Arm Center Patient Unit, Upholstered Back										
	SOL2-CPBHU30OPU	Urethane	1435	1530	1622	1809	1997	2186	2375	2564	2940
	SOL2-CPBHU30OPW	Beech	1492	1587	1680	1867	2056	2243	2433	2620	2996

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 39.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | END PATIENT UNITS

DESCRIPTION/MODEL			COM		COL	FABRIC GRADES			LEATHER		
			1	2	3	4	5	6	7	8	9
	21" Open Arm End Unit, Mesh Back										
	SOL2-EPBHM21OPU	Urethane	1059	1088	1118	1180	1241	1299	1360	1420	1514
	SOL2-EPBHM21OPW	Beech	1116	1146	1178	1237	1296	1356	1417	1479	1569
	21" Open Arm End Unit, Upholstered Back										
	SOL2-EPBHU21OPU	Urethane	1106	1170	1233	1360	1488	1613	1745	1871	2126
	SOL2-EPBHU21OPW	Beech	1162	1227	1291	1417	1545	1670	1800	1928	2184
	24" Open Arm Urethane Cap End Unit, Mesh Back										
	SOL2-EPBHM24OPU	Urethane	1084	1114	1144	1205	1265	1324	1384	1443	1537
	SOL2-EPBHM24OPW	Beech	1141	1171	1202	1260	1321	1382	1441	1503	1593
	24" Open Arm End Unit, Upholstered Back										
	SOL2-EPBHU24OPU	Urethane	1131	1194	1257	1387	1514	1641	1768	1896	2150
	SOL2-EPBHU24OPW	Beech	1187	1252	1316	1443	1569	1697	1824	1956	2209
	30" Open Arm End Unit, Upholstered Back										
	SOL2-EPBHU30OPU	Urethane	1435	1530	1622	1809	1997	2186	2375	2564	2940
	SOL2-EPBHU30OPW	Beech	1492	1587	1680	1867	2056	2243	2433	2620	2996

ORDERING NOTES:

COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$32 list** per unit and **\$61 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

Complete Mesh backs (21" & 24") can be ordered and field replaced.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$61 list** per arm frame pair, please see **page 24** for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table.

Solis Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	61	30" - Removable Back Covers	77
Removable Seat Covers	77	Kinetic Back option	115
21" & 24" - Removeable Back Covers	56	Maple Arm upgrade per arm (add to beech price)	77
Non-Marring Glide	36		

Solis Behavioral Health Option Upcharges \$ List





Plywood Seat / No Springs	116	Weight Shield (to min 80lbs) - 21" Uph.	389
Sled Base	253	Weight Shield (to min 80lbs) - 21" Mesh	463
Anchor to Floor (Sleigh base only)	342	Weight Shield (to min 80lbs) - 24" Uph.	321
21" Tamper- Resistant Splashguard	150	Weight Shield (to min 80lbs) - 24" Mesh	393
24" Tamper- Resistant Splashguard	158	Weight Shield (to min 80lbs) - 30" Uph.	172
30" Tamper- Resistant Splashguard	324		

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 44.






PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane


SOLIS BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS

Description	Model	COM	COL				FABRIC GRADES			LEATHER		Yardage	Weight	Cube	
		1	2	3	4	5	6	7	8	9					
<div>Guest</div> 	21" Replacement Behavioral Health Guest Upholstered Backs														
	SOL2-RBBHGU21	484	529	570	634	705	769	841	931	1017	1.5	14	2.7		
	21" Replacement Behavioral Health Guest Mesh Backs														
	SOL2-RBBHGM21	420										10	2.7		
	24" Replacement Behavioral Health Guest Upholstered Backs														
	SOL2-RBBHGU24	504	544	591	655	727	790	861	948	1038	1.5	15	2.8		
	24" Replacement Behavioral Health Guest Mesh Backs														
	SOL2-RBBHGM24	446										11	2.8		
	30" Replacement Behavioral Health Guest Upholstered Backs														
	SOL2-RBBHGU30	569	621	672	743	862	896	979	1081	1182	1.6	19	3.4		
	44" Replacement Behavioral Health Guest Upholstered Backs														
	SOL2-RBBHGU44	738	785	838	911	990	1064	1145	1247	1349	2.25	28	4.8		
<div>Patient</div> 	21" Replacement Behavioral Health Patient Upholstered Backs														
	SOL2-RBBHPU21	599	662	728	816	916	1009	1110	1237	1365	2.0	21	3.8		
	21" Replacement Behavioral Health Mesh Backs														
	SOL2-RBBHPM21	456										15	3.8		
	24" Replacement Behavioral Health Patient Upholstered Backs														
	SOL2-RBBHPU24	631	695	759	847	950	1039	1141	1271	1397	2.0	21	3.8		
	24" Replacement Behavioral Health Patient Mesh Backs														
	SOL2-RBBHPM24	484										17	3.8		
	30" Replacement Behavioral Health Patient Upholstered Backs														
	SOL2-RBBHPU30	795	878	961	1078	1210	1325	1460	1625	1792	2.2	24	4.8		
	<div>Guest</div> 	21" Replacement Behavioral Health Guest Upholstered Back Covers													
		SOL2-RBCBHGU21	148	193	235	299	371	434	506	595	683	1.5	2	.8	
21" Replacement Behavioral Health Guest Mesh Back Covers															
SOL2-RBCBHGM21		182										2	.8		
24" Replacement Behavioral Health Guest Upholstered Back Covers															
SOL2-RBCBHGU24		148	193	236	299	371	434	507	595	686	1.5	2.3	.8		
24" Replacement Behavioral Health Mesh Back Covers															
SOL2-RBCBHGM24		221										2.3	.8		
30" Replacement Behavioral Health Guest Upholstered Back Covers															
SOL2-RBCBHGU30		161	214	261	334	415	488	569	683	773	1.6	2.6	.8		
44" Replacement Behavioral Health Guest Upholstered Back Covers															
SOL2-RBCBHGU44		170	221	271	345	427	494	578	681	782	2.25	3.5	.8		
<div>Patient</div> 	21" Replacement Behavioral Health Patient Upholstered Back Covers														
	SOL2-RBCBHPU21	190	255	319	407	510	599	700	829	956	2.0	2.5	.8		
	21" Replacement Behavioral Health Mesh Back Covers														
	SOL2-RBCBHPU21	202										2.5	.8		
	24" Replacement Behavioral Health Patient Upholstered Back Covers														
	SOL2-RBCBHPU24	192	255	319	407	511	599	700	829	956	2.0	2.7	.8		
	24" Replacement Behavioral Health Patient Mesh Back Covers														
	SOL2-RBCBHPU24	239										2.7	.8		
	30" Replacement Behavioral Health Patient Upholstered Back Covers														
	SOL2-RBCBHPU30	233	318	400	516	647	766	897	1064	1229	2.2	3	.8		

SOLIS BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS


Description	Model	COM	COL		FABRIC GRADES				LEATHER			Yardage	Weight	Cube
		1	2	3	4	5	6	7	8	9				
	21" Replacement Behavioral Health Seat													
	SOL2-RSBH21	306	336	364	404	451	490	536	595	654	.9	9	2.7	
	24" Replacement Behavioral Health Seat													
	SOL2-RSBH24	341	370	399	437	486	522	570	628	686	.9	10	2.7	
	30" Replacement Behavioral Health Seat													
	SOL2-RSBH30	386	414	442	485	520	569	614	672	729	.9	12	3.4	
	44" Replacement Behavioral Health Seat													
	SOL2-RSBH44	513	549	584	634	689	740	795	866	937	.9	14	4.8	
	21" Replacement Behavioral Health No Spring Seat													
	SOL2-RSBH21NS	422	451	479	518	564	604	653	709	768	.9	9	2.7	
	24" Replacement Behavioral Health No Spring Seat													
	SOL2-RSBH24NS	457	486	513	555	599	639	686	743	800	.9	10	2.7	
	30" Replacement Behavioral Health No Spring Seat													
	SOL2-RSBH30NS	498	530	558	598	636	683	729	785	844	.9	12	3.4	
	44" Replacement Behavioral Health No Spring Seat													
	SOL2-RSBH44NS	628	663	698	747	804	853	910	981	1051	.9	12	3.4	
	21" Replacement Behavioral Health Seat Cover													
	SOL2-RSBHC21	103	132	161	200	247	287	332	390	448	1.0	1.6	.8	
	24" Replacement Behavioral Health Seat Cover													
	SOL2-RSBHC24	106	134	162	202	248	288	334	391	449	1.0	1.7	.8	
	30" Replacement Guest, Patient & Easy Access Seat Cover													
	SOL2-RSBHC30	114	135	171	213	258	298	345	402	459	1.0	2	.8	
	44" Replacement Behavioral Health Seat Cover													
	SOL2-RSBHC44	134	170	203	255	311	359	414	486	556	1.0	2.5	.8	
	Replacement Closed Arm													
	SOL2-RCA	186	198	210	227	247	263	283	306	329	.8	6	.9	
	Replacement Lower Closed Arm Panel													
	SOL2-RCAB	131	144	156	174	193	208	229	253	278	.8	6	.9	
	Bottom Staple Cover/Shield													
	SOL2-RBC21	79										2	0.8	
	SOL2-RBC24	81										2.3	0.8	
	SOL2-RBC30	91										2.6	0.8	
	SOL2-RBC44	100										3.5	0.8	
	Weighted Shield													
	SOL2-RWSU21	389										25	1	
	SOL2-RWSM21	463										25	1	
	SOL2-RWSU24	321										25	1	
	SOL2-RWSM24	393										25	1	
	SOL2-RWSU30	172										31	1	
	SOL2-RWSU44	163										44	1	
	Tamper- Resistant Splashguard													
SOL2-RSGBH21	247										1	.3		
SOL2-RSGBH24	257										2	.4		
SOL2-RSGBH30	442										3	.5		
SOL2-RSGBH44	479										4	.6		

SOLIS BEHAVIORAL HEALTH | REPLACEMENT FRAMES

Description	Model	Price	Weight	Cubes
	Tamper- Resistant Side Frame Assembly - Start		9	1.5
	SOL2-RSFABHS - Urethane	170		
	- Beech	340		
	Tamper- Resistant Side Frame Assembly - Center		9	1.5
	SOL2-RSFABHC - Urethane	170		
	- Beech	340		
	Tamper- Resistant Side Frame Assembly - End		9	1.5
	SOL2-RSFABHE - Urethane	170		
	- Beech	340		
	Sleigh Base Side Frame Assembly - Start		9	1.5
	SOL2-RSFABHSSB - Urethane	558		
	- Beech	728		
	Sleigh Base Side Frame Assembly - Center		9	1.5
	SOL2-RSFABHCSB - Urethane	558		
	- Beech	728		
	Sleigh Base Side Frame Assembly - End		9	1.5
	SOL2-RSFABHESB - Urethane	558		
	- Beech	728		
	Sleigh Base Fully Closed Side Frame - Start		9	1.5
	SOL2-RSFABHSFC - Urethane	558		
	- Beech	728		
	Sleigh Base Fully Closed Side Frame - Center		9	1.5
	SOL2-RSFABHCFC - Urethane	558		
	- Beech	728		
	Sleigh Base Fully Closed Side Frame - End		9	1.5
	SOL2-RSFABHEFC - Urethane	558		
	- Beech	728		
Maple arm side frames are available for an upcharge of \$74 list per arm, please see page 63 for finish selection.				
Tamper- Resist Tool Kit		137		
SOL2-BHTK				


SOLIS | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS
All Solis products are supplied air-emissions certified. Contact customer service for information.

FSC®
In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



SOLIS | TABLES, FEATURES & OPTIONS

STANDARD FINISHES

Solid Beech & Maple edges with Veneer tops. For a complete list of standard wood finishes, please see [page 62](#). Solis tables are available in 22 standard finishes.

LAMINATE AND POLYMER EDGE

Solis tables are available in laminates with wood or laminates with Polymer edge. See [page 62](#) for laminate information.

METAL FINISHES

Silver Metallic Standard - No Upcharge
Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$61 list** per arm frame pair or table. Additional Frame Finishes are available for an upcharge of **\$61 list** per seat/ table.

Available colors are: • White • Parchment • Sand • Taupe • Warm Grey • Cool Grey • Black

For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. The anti-microbial finish is included in the additional finish up-charge. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

[View Solis images | www.krug.ca](#)

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Krug Solis Multiple Seating. Linking tables are connected to the Multiple Seating via U-Shaped brackets. The design of the tables for Solis Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration - or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.


Linking tables also feature a universal, non-handed design:

They can be moved to reverse position in almost every configuration, providing a high level of flexibility for reconfiguring.








Please note Solis Plastic Laminate Linking Tables are not available on *KrugExpress*.

Wood Tops with Wood Edges are available on *KrugExpress* but with a minimum order requirement of 5 tables per order.

A drawing showing the configuration of the multiple seating and tables are required with each purchase order.



SOLIS | LINKING TABLES

DESCRIPTION/MODEL	Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	W	D	Weight	Cubes
 Center Square Table SOL4-LKI-22-22	588	617	717	563	22	22	18	1.5
 End Square Table SOL4-LKE-22-22	627	660	765	604	22	22	20	1.5
 Curvilinear Connector Table 45° with flat edge SOL4-LKCRF45	570	600	696	563	27.5	27.5	21	2.2
 Curvilinear Connector Table 45° SOL4-LKCRR45	599	631	730	593	27.5	27.5	21	2.2
 Curvilinear Connector Table 90° SOL4-LKCR90	675	711	825	673	30	30	27	2.2
 Curvilinear Connector Table 90° with flat edge SOL4-LKCRF90	666	703	812	662	30	30	29	2.2
 Rectilinear Corner Connector Table 90° SOL4-LKCSF90	748	790	913	704	30	30	32	2.2

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Solis Multiple Seating.
Linking tables are connected to the Multiple Seating via U-Shaped brackets.







Rectilinear Corner Connector table 90° include a support leg in the outer corner.

When specifying Linking Tables please ensure that each unit has legs on either side of the table.

Please note Solis Plastic Laminate Linking Tables are not available on *KrugExpress*.
Wood Tops with Wood Edges are available on *KrugExpress* but with a minimum order requirement of 5 tables per order.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

SOLIS | FREE STANDING TABLES

DESCRIPTION/MODEL		Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	W	D	H	Weight	Cubes
	Square Tables SOL4-22-22-16	556	584	675	526	22	22	16	26	5
	SOL4-42-22-16	771	812	941	723	42	22	16	46	9
	SOL4-22-22-21	560	589	682	532	22	22	21	28	7
Circular Tables										
	SOL4-18D-16	491	517	600	468	18 Diameter	-	16	20	3
	SOL4-18D-21	507	534	618	484	18 Diameter	-	21	22	4
	SOL4-24D-16	519	549	635	505	24 Diameter	-	16	32	5
	SOL4-24D-21	560	589	682	541	24 Diameter	-	21	35	7
	SOL4-36D-16	791	832	963	804	36 Diameter	-	16	43	12

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgment is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

Juno and Trevisa Overbed Tables have a 2-year warranty.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

GENERAL INFORMATION

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$78/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$78/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$78/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard. Specific test results and documentation are available on request.



Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or

storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Textiles - Upholstery Program


- Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

Grade 1

ARLO



308 MIDNIGHT



306 PETROL



908 CHARCOAL



93 SEAL



601 PEARL



84 NUTMEG



62 OATMEAL



90 LIMESTONE

FRANKLIN




47 CAMEL



3009 MIDNIGHT



67 FAWN



97 CINDER



94 METAL



909 BLACK



9004 CHARCOAL




308 PETROL



108 ORCHID

COMRADE



309 MIDNIGHT



84 TEAK



63 LINEN



24 ALPINE



905 IRON



601 SNOW



57 MARIGOLD



31 DUCK EGG

FELICITY



601 IVORY



305 SKY



603 TAUPE



93 COAL



405 HENNA



64 PUTTY



62 FAWN



36 BLUEBERRY

Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY



25 CAPER




31 SKY




604 FLAX



901 CHAR



93 GRAY



34 SLATE



84 TEAK



98 NICKLE


YATES




84 BIRCH




44 CLAY



87 TAUPE



25 JUNIPER



305 INDIGO



109 CRANBERRY



803 TOAST



92 ZINC



91 SILVER



908 CHARCOAL

MCCOY



608 TUNDRA



601 CREME



908 CHARCOAL



62 COPPER



108 CORDOVAN



32 ROBIN'S EGG




94 MERCURY



84 BARK

ORIS




908 DOMINO



604 BARK



601 CREAM



306 DELFT




902 ZINC



305 MIDNIGHT



64 PUTTY




205 CHARTREUSE

KRUG TEXTILES - UPHOLSTERY FABRICS


Krug Textiles - Stocked Fabric Program

Grade 3


MORITZ



205 SPEARMINT



61 OYSTER




306 CADET



104 MULBERRY



31 AEGEAN



9008 CHARCOAL



82 CLAY



304 CAPRI

LORENZO



306 INDIGO



24 ALPINE




64 LINEN



91 FLANNEL




32 MIST



601 CREAM



106 HENNA



604 STUCCO

BISCOTTI



302 CAPRI



45 SPICE



61 DESERT



91 GRANITE

INTRIGUE



601 OYSTER



27 OLIVE



4003 OCHRE



908 CHARCOAL



3009 MIDNIGHT



805 PECAN



608 STUCCO



605 STRAW

Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1	\$21
Grade 2	\$33
Grade 3	\$44

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER’S OWN MATERIAL - C.O.M.

Customer’s Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.


When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer’s own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54” wide, or patterned or striped and requires matching. All COMs are cut “up the roll” unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer’s behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut “up the roll” unless otherwise stated by the customer (please see below).



COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to:

Krug Inc.
111 Ahrens Street
Kitchener, Ontario
Canada N2H 4C2
Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked
“For Customs Clearance by Willson International Custom Brokers”.

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$874 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54” wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2”-14”	15”-19”	20”-27”	28”-36”
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances.

Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for *KrugExpress* orders. Laminates are not available on *KrugExpress*.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

SOLIS | FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

- Appalachian Cherry
- American Cherry
- Imperial Cherry
- Light Cherry
- Medium Cherry
- Natural Cherry
- Sable Cherry
- Standard Cherry
- Light Oak
- Harvest Oak
- Mahogany
- Mellow Oak
- Espresso
- Cordovan Walnut
- Natural Walnut
- Regular Walnut
- SilverGrey on Walnut
- Dark Walnut
- Clear Beech
- Medium Anigre

Finishes on Maple

- Clear Maple
- Honey Maple
- Wheat Maple

PALETTE

Palette finishes available for applicable products.

- Black
- White
- Soft Green
- Steel Blue
- Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$525 list per finish per order. (For example, on all orders up to \$5250 list, an upcharge of \$525 will apply, on orders \$5000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3” by 3” must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

- Willow on Beech
- Copper on Beech
- Shiraz Cherry on Beech
- Park Avenue Walnut on Beech
- Chocolate on Beech
- Nutmeg on Beech
- Portobello on Beech
- Ash on Beech
- Dune on Maple

LAMINATES

Krug’s in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug’s previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38	Designer White	Wilsonart D354-60
Chocolate	Tafisa T498CR	Platinum	Tafisa T202CR
Nutmeg	Tafisa T477CR	Earth	Tafisa T767CR
Dark Walnut	Tafisa T469CR	Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates


For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

METAL FINISH - STANDARD




Silver Metallic

METAL FINISH -OPTIONAL (minimum order quantity see [page 3](#))



White



Parchment



Sand



Taupe



Warm Grey



Cool Grey



Black

URETHANE COLOR OPTIONS



Taupe



Grey




Black


SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

GROUP GRADE A - WHITE




Glacier White



Cameo White

GROUP GRADE A - COLOR




Bisque




Linen

GROUP GRADE B




Antarctica




Savannah

GROUP GRADE C



Dove



Deep Night Sky



FSC
www.fsc.org
FSC® C021699

The mark of responsible forestry



All products are air emissions certified and are available as FSC® certified

krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG