

SOLIS

Price and Specification Guide

GSA

GS-03F-084DA



TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

**General Services Administration
Federal Supply Schedule**

FSC Groups 7110, 7125

Subcategory: Furniture

CONTRACT NUMBER: GS-03F-084DA

CONTRACT PERIOD: April 1, 2016 through March 31, 2026

CONTRACTOR/ ADMINISTRATOR: Mira Jaksic-Husic

Krug Inc.

421 Manitou Drive

Kitchener, Ontario, Canada

Tel: 1-800-265-2796

Fax: 1-800-265-2798

1. List of Special Item Numbers on Contract

33721P	Packaged Office Furniture w Ancillary Installation Services
33721	Office Furniture w Ancillary Installation Services
339113H	Healthcare Furniture w Ancillary Installation Services
OLM	Order Level Materials

2. SPECIAL ITEM NUMBER	MAXIMUM ORDER
33721P	\$5,000,000
33721	\$250,000
339113H	\$500,000
OLM	\$250,000

3. SPECIAL ITEM NUMBER	MINIMUM ORDER
33721P	\$100.00
33721	\$100.00
339113H	\$100.00
OLM	NA

4. Geographic Coverage

48 contiguous States and Washington, DC

5. Point of Production

Krug Inc.

421 Manitou Drive

Kitchener, Ontario, CANADA

N2C 15L

6. Discount from List Prices

33721P Package Office Furniture Krug Product Discounts As Below
 GSA Teaming Partner Products at their
 Approved GSA Discount Terms. Krug
 Installation Charge 12.75% of Net Order
 (Max.). No Charge for Project Mgt Services.

33721	Office Furniture	56.6%
Executive Office Furniture		56.6%
Executive Conference Furniture		56.6%
Tables and Accessories		56.6%
Fully Upholstered Lounge Furniture		56.6%
Multiple Seating		56.6%
Multi-Purpose Seating		56.6%
Stacking Chairs		56.6%
Installation Ancillary to these products		12.75% Charge of Net Order (Max.)

339113H	Healthcare Furniture	56.6%
Hospital Patient Room Furniture		56.6%
Hospital Geriatric Chairs & Lounge Seating		56.6%
Patient Service Systems		56.6%

7. Quantity Discounts (off Net pricing)

Multiple Seating, Multipurpose Seating, Stacking Chairs

25,001 – 50,000	1%
50,001 – 100,000	2%
100,001 – 150,000	3%
150,001 – 250,000	4%

Lounge Seating, Tables & Accessories

25,000 – 50,000	1%
50,001 – 75,000	2%
75,001 – 100,000	3%
100,001 – 180,000	4%
180,001 – 200,000	5%
200,001 – 250,000	6%

Hosp/Geriatric Chairs and Lounge, Patient Room Furniture, Patient Service Systems

\$100,000 - \$200,000	1%
\$200,000.01 - \$300,000	1.5%
\$300,000.01 - \$400,000	2%
\$400,000.01 - \$500,000	2.5%

Quantity Discounts for Executive Office and Executive Conference are no longer applicable based on the MAS Consolidation revisions to Maximum Order Limits.

8. Prompt Payment Terms

Net 30 Days

9. Visa and MasterCard are accepted above and below the micro-purchase threshold.

NOTE: No additional discount will be offered on orders placed using credit cards.

10. Foreign Items

All items manufactured in Canada.

11a. Time of Delivery

60-90 Days ARO for all items.

11b. Expedited Delivery

Please contact Krug GSA Customer Service for information on Expedited Delivery/Krug Express Program. 1-800-265-2796

11c. Overnight & 2 day Delivery

N/A

11d. Urgent Requirements

Please contact Krug for urgent requirements.

12. F.O.B. Point

Destination

13. Payment Address

Same as above

TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

14. Warranty

For commercial products, Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. For Krug Healthcare products (as outlined in the US Healthcare price and specification Guide dated March 1, 2019), Krug warrants the construction and finish of all Healthcare products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug.

Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug: Height Adjustable Mechanism Warranty Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase: a) Electronic components such as control boxes, hand switches and motors – two (2) years b) Mechanical components such as crank drives, spindles – five (5) years c) Structural components such as J-channels, feet and top supports – ten (10) years. The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced. Juno and Trevisa Overbed Tables have a 2-year warranty.

15. Export Packing Charges

Quoted upon request

16. Terms and Conditions of Government Commercial Credit Card

ACCEPTANCE: KRUG will accept the government commercial credit card but will not Offer any additional discount for orders placed using the credit card

17. Term and Conditions of Rental Maintenance and Repair.

N/A

18. Term and Conditions of Installation

N/A

19. Term and Conditions of Repair

N/A

20a. Term and Conditions for any other services

N/A

20. Service and Distribution points

Call contractor

21. Participating Dealers

Call contractor

22. Preventative Maintenance

N/A

23. Environmental Attributes

Krug maintains a program to reduce the impact on the environment of our products and operations.

24. Data Universal Number System (DUNS) number

251476669

25. Notification regarding registration in SAM.

Krug Inc.'s registration in SAM is current, accurate and valid.

26 Cage Code: 37310

SOLIS | GUEST BACK

- 2 Solis Environmental Summary
- 3 Solis Guest Features & Options
- 5 Solis Dimensions & COM Requirements
- 6 Solis Guest Pricing
- 7 Solis Replacement Components

SOLIS | PATIENT BACK

- 9 Solis Environmental Summary
- 10 Solis Dimensions & COM Requirements
- 11 Solis Patient Pricing
- 12 Solis Replacement Components

SOLIS | MULTIPLE GUEST & PATIENT SEATING

- 14 Solis Dimensions & COM Requirements | Guest
- 16 Solis Multiple Seating Pre-Configured Guest Units Pricing
- 17 Solis Multiple Seating Start, Center & End Guest Units Pricing
- 19 Solis Pre-Configured Freespan Multiple Seating Guest Units Pricing
- 21 Solis Dimensions & COM Requirements Patient Backs
- 22 Solis Multiple Seating Pre-Configured Patient Units Pricing
- 24 Solis Multiple Seating Start, Center & End Patient Units Pricing
- 26 Solis Pre-Configured Freespan Multiple Seating Patient Units Pricing
- 28 Solis Replacement Components

SOLIS | EASY ACCESS SEATING

- 33 Solis Environmental Summary
- 33 Solis Dimensions & COM Requirements
- 33 Solis Easy Access Chair Pricing

SOLIS | BEHAVIORAL HEALTH

- 34 Solis Environmental Summary
- 35 Solis Behavioral Health Features
- 36 Solis Behavioral Health Options
- 37 Solis Behavioral Health Guest Dimensions & COM Requirements
- 38 Solis Behavioral Health Guest Pricing
- 39 Solis Behavioral Health Patient Dimensions & COM Requirements
- 40 Solis Behavioral Health Patient Pricing
- 41 Solis Behavioral Health Guest Multiple Seating Dimensions & COM Requirements
- 42 Solis Behavioral Health Guest Multiple Seating Pricing
- 44 Solis Behavioral Health Patient Multiple Seating Dimensions & COM Requirements
- 45 Solis Behavioral Health Patient Multiple Seating Pricing
- 47 Solis Behavioral Health Replacement Parts

SOLIS | TABLES

- 50 Solis Environmental Summary
- 51 Solis Tables Features
- 52 Solis Linking Tables
- 53 Solis Free Standing Tables


GENERAL INFORMATION

- 54 Terms & Conditions
- 54 Warranty
- 56 KRUG Textiles - Upholstery Fabrics
- 58 KRUG Textiles - Leather & Faux Leather
- 60 Customer's Own Material (COM/COL)
- 60 CAL 133 & Moisture Barrier
- 61 Graded-In Upholstery Programs
- 61 KRUGEXPRESS Program
- 62 Wood Finishes
- 62 Standard Laminates
- 63 Metal Finishes
- 63 Urethane Color Options
- 63 Solid Surface Program

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 16%

POST-CONSUMER
RECYCLED CONTENT = 22%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (PLEASE ENQUIRE) Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

The above information regarding LEED contribution applies to both the upholstered as well as mesh back versions.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Solis products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.




CLEAN OUT

All Solis seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquids to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Solis to well exceed ANSI/BIFMA standards. Rounded arms provide support for safe and easy ingress and egress.



HIGH DENSITY FOAM

Solis features dual density foam that is soft on the outside for comfort, dense on the inside for high durability. The seat and back foam features a compound curvature that supports healthy sitting postures, while also designed to ease ingress and egress.



FLEX BACK

Solis sets a new standard for comfort and ergonomics in healthcare seating. The ergonomically-designed back has a slight flexing action, which significantly enhances comfort.



URETHANE ARM

Solis arms are durable, comfortable, and long lasting. Urethane arms are available in three color options; Black, Grey and Taupe.



WOODEN ARM

Wood arms are available in either beech or maple hardwood and in 22 Krug standard finishes. Maple arm caps are available for an up-charge of **\$84 list** per arm using beech pricing.

REPLACEABLE COMPONENTS

Solis chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, arms, frames and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

TUBULAR STEEL CHAIR FRAME

The overall aesthetic frame of the chair is built from structural steel tubing, both elliptical and rectangular for exceptional strength and appealing design. The frame is electro welded and polished joints for ease of cleaning and a one piece look. Available in eight powder-coated finishes. Silver Metallic is offered as Krug's standard finish.

GLIDES

Solis legs feature plastic glides. Floor-saver felt glides, non-slip rubber glides, metal glides and floor-saver nylon glides are all optional at an upcharge. Please see chart on Page 645 for more information.

METAL FINISH OPTIONS

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$67 list** per arm frame pair or table. Additional Frame Finishes, which include anti-microbial finish, are available for an upcharge of **\$67 list** per per arm frame pair or table. Available colors are: White, Parchment, Sand, Taupe, Warm Grey, Cool Grey or Black. For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility. Patient and Guest chairs with mesh backs are excluded as they do not have the wall saver feature.

LATEX-FREE

Krug products are made with latex-free materials, to prevent the allergic reaction that latex causes in some people.

GANDING

All Solis Freestanding chairs can be ganged using a ganging bracket. The powder-coated metal plate is fastened to the underside of the steel side rails using the pre-existing holes in the frame.

EASY ACCESS ADJUSTABLE GLIDES

With the larger footprint of this chair and critical importance of stability for the user, we have included adjustable glides on the front legs - this allows the Easy Access chair to be perfectly leveled to any floor for maximum safety and stability.

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

WEIGHT CAPACITIES

Weight capacities are as follows:

Guest & Patient Chairs (21" & 24") - 500 lbs

Plus Chairs (30" & 44") - 750 lbs

Multiple Seating & Pre-configured - 500 lbs per seat

2-Seat Freespan - 525 lbs per unit

3-Seat Freespan = 750 lbs per unit

PLUS UPGRADE

Solis 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

SOLIS | OPTIONS



ADJUSTABLE HEADREST

The adjustable headrest uses dual density foam providing excellent support and comfort. The headrest is securely fastened using an innovative clip allowing the headrest to be easily removed for cleaning and/or replacement. The headrest is easily adjusted by sliding the headrest vertically allowing the user to maximize their comfort.



EASY CLEAN BACKREST COVERS

Easy clean backrest covers are available on all mesh back Patient chairs. They are removable, replaceable and cleanable. The easy clean backrest cover features a foam interior for comfort and durability.



WOOD SIDE RAILS

Solis can be specified with solid wood side rails, which, along with the selection of wood arms and a choice of metal finishes, provides a warmer look and feel. All Solis wood components feature Krug's high durability Enduraguard finish. Wood Side Rails are available for an upcharge and are not available with closed arm panels.



CASTERS

Casters are available on all 21" and 24" guest and patient chairs. Two rear hard wheel casters or four hard wheel casters are available for an upcharge per chair. The option of soft wheel casters can be ordered for additional upcharge. Both hard and soft caster options are standard non-locking but can be specified locking at no additional charge. The Solis caster is not a heavy-duty caster - it is designed and rated for normal use and load bearing, but has the potential to fail with excessive use, force, or weight. The caster was designed to allow the chairs to be moved for ease of cleaning and furniture arranging. Krug is not responsible for caster breakage under any circumstances. Solis casters are field replaceable.



KINETIC BACK OPTION

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Solis chair back - Guest, Patient and Multiple Seating - with the exception of the 30" and 44" sizes.



SOLID SURFACE ARM

The optional Solid Surface Arm provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors. See Page 643 for color selection.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable seat and back covers can be quickly installed on Solis products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Solis products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs. Complete Mesh backs can be ordered and field replaced.

CLEANABLE UNDER-SEAT SPLASHGUARD

All Solis seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable. The upcharges for the Splashguard are based on the size of the seat.

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$34 list** per unit and **\$67 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS | GUEST, DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back	COM Yardage Closed Arm Panel
UPHOLSTERED BACK													
21" Seat	25	28	34.5	18.5	26	20	20	51	16	1.6	0.9	1.5	0.8
24" Seat	28	28	34.5	18.5	26	23	20	55	18	1.6	0.9	1.5	0.8
30" Seat	34	28	34.5	18.5	26	29	20	60	22	2.5	0.9	1.6	0.8
44" Seat	48	28	34.5	18.5	26	43	20	74	31	3.2	1.1	2.3	0.8
MESH BACK													
21" Seat	25	28	34.5	18.5	26	20	20	49	16	-	0.9	-	0.8
24" Seat	28	28	34.5	18.5	26	23	20	52	18	-	0.9	-	0.8

COM - YARDAGE REQUIREMENTS

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.5	0.8
21" & 24" - Two Chairs	3.1	1.3	2.3	1.2
21" & 24" - Three Chairs	4.9	2.1	3.1	1.6
30" - One Chair	2.5	0.9	1.6	0.8
30" - Two Chairs	5	1.8	3.2	1.2
30" - Three Chairs	7.5	2.7	4.8	1.6
44" - One Chair	3.2	1.1	2.3	0.8
44" - Two Chairs	5.6	2.2	3.9	1.2
44" - Three Chairs	8.7	3.3	5.5	1.6

Multiple yardage requirements can also be used for Guest Back Easy Access chairs and Guest Back Start, Center, End Multiple seating.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Solis seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

For Maharam, Momentum or CF Stinson, Krug will obtain the fabric sample.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

MESH COLORS

• Slate	• Warm Grey	Mesh Specifications & Performance	Krug's Mesh backs covers are produced with Polyester yarns that are 100% recyclable. The yarn dying process is a closed loop system that recycles and recaptures 100% of the energy from the heating systems needed. All dyes contain no heavy metals, carcinogens or allergens.
• Sand	• Terra	ASTM D4157 Abrasion Resistance (Oscillatory Cylinder) 30,000 Rubs	
• Celery	• Sky	ASTM D5034 Breaking Strength N 2167 Warp 1916 Weft	
• Earth	• Olive	Flammability CAL177	
		AATCC TM8: Colorfastness to Crooking	Dry Class 5
		ASTM D3511: Brush Pilling Rating 5	Wet Class 5
		ASTM D6797: Ball Burst N 2486	

SOLIS | GUEST | UPHOLSTERED BACKS



SOLIS | GUEST | MESH BACKS



SOLIS | GUEST

DESCRIPTION/MODEL	Arm Type	COM	COL	FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8
21" 21" Open Arm, Mesh Back SOL2-GM21OPU Urethane SOL2-GM21OPW Beech		1062	1096	1134	1199	1269	1339	1409	1479
		1194	1228	1263	1333	1402	1473	1540	1612
 21" Open Arm, Upholstered Back SOL2-GU21OPU Urethane SOL2-GU21OPW Beech		1116	1172	1228	1342	1453	1566	1677	1790
		1250	1306	1361	1474	1585	1698	1813	1924
24 24" Open Arm, Mesh Back SOL2-GM24OPU Urethane SOL2-GM24OPW Beech		1105	1140	1173	1244	1313	1381	1453	1523
		1236	1272	1307	1376	1445	1517	1585	1656
 24" Open Arm, Upholstered Back SOL2-GU24OPU Urethane SOL2-GU24OPW Beech		1161	1215	1273	1382	1496	1610	1722	1834
		1291	1348	1407	1518	1632	1745	1855	1965
 30" 30" Open Arm, Upholstered Back SOL2-GU30OPU Urethane SOL2-GU30OPW Beech		1350	1440	1528	1703	1879	2054	2230	2408
		1485	1571	1663	1835	2010	2189	2362	2539
 44" 44" Open Arm, Upholstered Back SOL2-GU44OPU Urethane SOL2-GU44OPW Beech		1565	1650	1741	1913	2090	2268	2443	2617
		1697	1783	1871	2046	2223	2397	2575	2751
 Solis Ganging Bracket SOL2-RLKBS		53							

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
2 ARMS	438	470	500	557	617	675	733	794	912



Solis Guest Option Upcharges	\$ List	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm (per pair) - Gr A White	512
Guest chair - Removable Seat Cover (per seat)	94	Solid Surface Arm (per pair) - Gr A Color	530
21" & 24" - Removeable Back Cover (per back)	60	Solid Surface Arm (per pair) - Gr B	569
30" & 44" - Removeable Back Cover (per back)	94	Solid Surface Arm (per pair) - Gr C	615
21" & 24" Cleanable Under-seat Splashguard	42	Maple Arm upgrade per arm (add to beech price)	84
30" Cleanable Under-seat Splashguard	50	Beech Wood Side Rails Upgrade (per chair)	133
44" Cleanable Under-seat Splashguard	67	Maple wood Side Rails Upgrade (per chair)	166
Combination Upholstery - Dual Fabrics	34	Kinetic Back option (not available for 30" & 44")	126
Combination Upholstery - Three Fabrics	67	Floor-saver Nylon Glides	38
Non-locking Soft Casters (21" & 24" chairs) -4 set	193	Floor-saver Felt Glides	30
Non-locking Soft Casters (21" & 24" chairs) -2 set	118	Non-slip Rubber Glides	18
Non-locking Hard Casters (21" & 24" chairs) -4 set	126	Metal Glides	26
Non-locking Hard Casters (21" & 24" chairs) -2 set	84		

Note: Soft & Hard casters are also available locking, clearly mark on the purchase order.






PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL Solis	2 Chair	G Guest Seating	U Upholstered Back	21	OPW Open Arm - Wood Arm
					CLW Closed Arm-Wood Arm
			M Mesh Back 21" & 24" Only	24	OPU Open Arm Urethane Arm
					CLU Closed Arm-Urethane Arm
				30	OSA Open Arm - Solid Surface Arm
					CSA Closed Arm-Solid Surface Arm

SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	COM 1	COL 2	3	FABRIC GRADES			7	LEATHER		Yds	Weight	Cube
				4	5	6		8	9			
 21" Replacement Guest Upholstered Backs SOL2-RBGU21 595 640 683	745	816	876	949	1036	1124	1.5	14	2.7			
	500									10	2.7	
	610	652	697	758	829	891	961	1052	1140	1.5	15	2.8
	521									11	2.8	
	663	712	763	834	914	984	1066	1166	1267	1.6	19	3.4
 44" Replacement Guest Upholstered Backs SOL2-RBGU44 833 885 933	1004	1085	1157	1237	1336	1439	1.6	28	4.8			
	207	252	301	357	428	490	561	648	737	1.5	2	.8
	207	252	301	357	428	490	561	648	737	1.5	2.3	.8
	224	273	324	396	475	546	626	727	828	1.6	2.6	.8
	228	280	330	401	480	553	632	731	834	2.25	3.5	.8
 Replacement Mesh Back Top Bar SOL2-RMBTB21 34 SOL2-RMBTB24 35										2.5	.5	
										3.0	.7	
 21" Replacement Seat SOL2-RS21 408	438	465	505	549	589	635	691	750	.9	9	2.7	
	429	457	487	526	570	612	657	712	769	.9	10	2.7
	511	538	567	605	651	691	737	793	849	.9	12	3.4
	659	695	728	777	832	882	936	1005	1073	1.1	14	4.8
	136	166	194	234	280	319	392	423	477	1.0	1.6	.8
 24" Replacement Seat Cover SOL2-RSC24 140	168	198	238	283	321	367	425	480	1.0	1.7	.8	
	142	169	198	238	283	321	367	425	480	1.0	2	.8
	159	195	228	278	333	381	436	507	574	1.1	2.5	.8
	94									1	.3	
	115									2	.4	
 Replacement Splash Guard SOL2-RSG21	161									3	.5	
	174									4	.6	
	217	228	242	259	280	297	318	343	367	0.4	6	.9
	223											
	240											
 Replacement Closed Arm SOL2-RCA	Grade A- White	Grade A- Color	Grade- B	Grade- C						1.0	.2	
	268	274	296	319						1.0	.2	
 Replacement Arm Top - Urethane SOL2-RACU	73									1.5	.2	
	223									1.0	.2	
	240											
	SOL2-RACSS	268	274	296	319					1.0	.2	


SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	Price	Yds	Weight	Cube
	Replacement Side Frame - Start SOL2-RSFS 140 Replacement Side Frame - Start - No Anti-Microbial SOL2-RSFSX 116	9	1.5	
	Replacement Side Frame - End SOL2-RSFE 140 Replacement Side Frame - End - No Anti-Microbial SOL2-RSFEX 116	9	1.5	
	Replacement Side Frame - Start - 1 Glide, 1 Caster SOL2-RSFSC 180 Replacement Side Frame - Start - 1 Glide, 1 Caster- No Anti-Microbial SOL2-RSFSCX 144	9.5	1.5	
	Replacement Side Frame - End - 1 Glide, 1 Caster SOL2-RSFEC 180 Replacement Side Frame - End - 1 Glide, 1 Caster- No Anti-Microbial SOL2-RSFECX 144	9.5	1.5	
	Replacement Side Frame - Start - 2 Caster SOL2-RSFSC2 156 Replacement Side Frame - Start - 2 Caster- No Anti-Microbial SOL2-RSFSC2X 152	10	1.5	
	Replacement Side Frame - End - 2 Caster SOL2-RSFEC2 156 Replacement Side Frame - End - 2 Caster- No Anti-Microbial SOL2-RSFEC2X 152	10	1.5	
	Replacement Wood Side Rail Cover - Beech SOL2-RSRCB 189	1.0	.3	
	Replacement Wood Side Rail Cover - Maple SOL2-RSRCM 242	1.0	.3	
	Replacement Glide - Front SOL2-RGF 23 Replacement Glide - Back SOL2-RGB 23 Replacement Glide - Set of 4 SOL2-RGS4 25 Replacement Caster Glide - Front SOL2-RGFC 24 Replacement Caster Glide - Back SOL2-RGBC 24	.5	.1	
	Replacement Caster - Hard Wheel SOL2 - RCH 31 Replacement Caster - Soft Wheel SOL2 - RCS 34	1.5	.3	
	Replacement Side Frame - Easy Access SOL2-RSFSEA 214 SOL2-RSFEEA 214	14	2.2	
	Replacement Side Frame - Easy Access - No Anti-Microbial SOL2-RSFSEAX 200 SOL2-RSFEEAX 200	14	2.2	
	Replacement Step for Easy Access SOL2-RSTEP21 191 SOL2-RSTEP24 195 SOL2-RSTEP21X 186 SOL2-RSTEP24X 192	7	.8	
		9	1.2	
		7	.8	
		9	1.2	

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
 RECYCLED CONTENT = 17%

POST-CONSUMER
 RECYCLE CONTENT = 22%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Solis products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SOLIS | PATIENT, DIMENSIONS & COM REQUIREMENTS**DIMENSIONS & COM. REQUIREMENTS**

Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back	COM Yardage Closed Arm Panel
UPHOLSTERED BACK												
21" Seat	25	28	43.75	18.5	26	20	20	54	21	2.1	0.9	2.0
24" Seat	28	28	43.75	18.5	26	23	20	58	23	2.1	0.9	2.0
30" Seat	34	28	43.75	18.5	26	29	20	64	28	3.1	0.9	2.2
MESH BACK												
21" Seat	25	28	43.75	18.5	26	20	20	50	21	-	0.9	-
24" Seat	28	28	43.75	18.5	26	23	20	53	23	-	0.9	-

COM - YARDAGE REQUIREMENTS

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Arm Panel
21" & 24" - One Chair	2.1	0.9	2	0.8
21" & 24" - Two Chairs	4	1.3	3.1	1.2
21" & 24" - Three Chairs	6.1	2.1	4.2	1.6
30" - One Chair	3.1	0.9	2.2	0.8
30" - Two Chairs	6.2	1.8	4.4	1.2
30" - Three Chairs	9.3	2.6	6.6	1.6

Multiple yardage requirements can also be used for Patient Back Easy Access chairs and Patient Back Start, Center, End Multiple seating.

Note: Some vinyls, leathers & fabrics may not be suitable for application on Solis seating.

The approval process is as follows:

1. A sample of the COM. must be provided to Krug Customer Service prior to or at the time of order.
For Maharam, Momentum or CF Stinson, Krug will obtain the fabric sample.
2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
3. The COM. fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

SOLIS | PATIENT | UPHOLSTERED BACK

Solis Patient Chairs with Upholstered Backs are available in 21", 24" and 30" widths.

SOLIS | PATIENT | MESH BACK

Solis Patient Chairs with Mesh Backs are available in 21" and 24" widths only.

ORDERING NOTES: Complete Mesh backs (21" & 24") can be ordered and field replaced. The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$67 list** per arm frame pair, please see page 24 for color selection. Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$67 list** per arm frame pair or table.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades (COM) 1 2 (COL) 3 4 5 6 7 8 9

2 ARMS 438 470 500 557 617 675 733 794 912

[View Solis images | www.krug.ca](http://www.krug.ca)

SOLIS | PATIENT & OTTOMAN

DESCRIPTION/MODEL	Arm Type	COM		COL		FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8	9	
21" Open Arm, Mesh Back											
SOL2-PM21OPU	Urethane	1162	1195	1229	1300	1371	1440	1509	1579	1687	
SOL2-PM21OPW	Beech	1292	1329	1362	1431	1502	1571	1641	1713	1818	



21" Open Arm, Mesh Back

SOL2-PU21OPU	Urethane	1221	1292	1369	1517	1663	1813	1956	2104	2399
SOL2-PU21OPW	Beech	1353	1425	1501	1647	1794	1945	2089	2238	2532



21" Open Arm, Upholstered Back

SOL2-PU21OPU	Urethane	1221	1292	1369	1517	1663	1813	1956	2104	2399
SOL2-PU21OPW	Beech	1353	1425	1501	1647	1794	1945	2089	2238	2532



24" Open Arm, Mesh Back

SOL2-PM24OPU	Urethane	1200	1236	1272	1342	1412	1481	1552	1620	1727
SOL2-PM24OPW	Beech	1334	1371	1404	1474	1541	1613	1684	1752	1861



24" Open Arm, Upholstered Back

SOL2-PU24OPU	Urethane	1263	1338	1412	1558	1705	1853	2003	2150	2444
SOL2-PU24OPW	Beech	1397	1472	1541	1691	1839	1986	2134	2281	2579



30" Open Arm, Upholstered Back

SOL2-PU30OPU	Urethane	1568	1677	1787	2004	2222	2440	2657	2877	3312
SOL2-PU30OPW	Beech	1701	1813	1918	2135	2354	2573	2790	3007	3444

DESCRIPTION/MODEL	COM.		COL		FABRIC GRADES			LEATHER			W	D	H	Weight	Cubes
	1	2	3	4	5	6	7	8	9						
Ottoman SOL5	558	582	601	648	694	737	781	825	916	18.25	18.25	13	12	5	

Fabric Yardage Required: 1 ottoman = 0.7 yards 2 ottoman = 1 yards

	Easy Clean Backrest Cover, Mesh Back													
	SOL2-BCM21	116	127	135	158	178	202	223	242	269	20	0.5	8	
SOL2-BCM24	116	127	135	158	178	202	223	242	269	23	0.5	8	3	0.9
	Easy Clean Backrest Cover, Upholstered Back													
	SOL2-BCU21	116	127	135	158	178	202	223	242	269	20	0.5	8	3
SOL2-BCU24	116	127	135	158	178	202	223	242	269	23	0.5	8	3	0.9

	Adjustable Headrest												
	SOL2-HRM	181	199	215	242	267	291	316	342	390	15	3	6.75
SOL2-HRU	181	199	215	242	267	291	316	342	390				

Adjustable headrest are one size and can be used on all Patient Chair models.


Fabric Yardage Required: 1 headrest = 0.3 yards 2 headrest = 0.6 yards 3 headrest = 0.6 yards

Solis Patient Option Upcharges	\$ List												\$ List
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm (per pair) - Gr A White											
Removable Seat Cover (per seat)	94	Solid Surface Arm (per pair) - Gr A Color											
21" & 24" - Removeable Back Covers (per back)	60	Solid Surface Arm (per pair) - Gr B											
30" Removable Back Cover (per back)	94	Solid Surface Arm (per pair) - Gr C											
21" & 24" Cleanable Under-seat Splashguard	42	Maple Arm upgrade per arm (add to beech price)											
30" Cleanable Under-seat Splashguard	50	Maple Wood Side Rails Upgrade (per chair)											
Non-locking Soft Casters (21" & 24" chairs) -4 set	193	Beech Wood Side Rails Upgrade (per chair)											
Non-locking Soft Casters (21" & 24" chairs) -2 set	118	Maple wood Side Rails Upgrade (per chair)											
Non-locking Hard Casters (21" & 24" chairs) -4 set	126	Kinetic Back option (not available for 30" & 44")											
Non-locking Hard Casters (21" & 24" chairs) -2 set	84	Combination Upholstery - dual fabrics											
Note: Soft & Hard casters are also available locking, clearly mark on the purchase order.		Combination Upholstery - Three fabrics											
		Floor-saver Nylon Glides											
		Floor-saver Felt Glides											
		Non-slip Rubber Glides											
		Metal Glides											





PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	P	U	21	OPW
Solis	Chair	Patient Seating	Upholstered Back		CLW
			M	24	OPU
			Mesh Back 21" & 24" Only		OPU
				30	OSA
					CSA
					OSA
					CSA
					OSA
					CSA
					OSA
					CSA

SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS | REPLACEMENT COMPONENTS

Description	Model	COM	COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube	
		1	2	3	4	5	6	7	8				
	21" Replacement Patient Upholstered Backs SOL2-RBPU21	706	768	832	920	1021	1110	1209	1335	1462	2.0	21	3.8
	21" Replacement Patient Mesh Backs SOL2-RBPM21	473									15		3.8
	24" Replacement Patient Upholstered Backs SOL2-RBPU24	746	809	873	960	1062	1149	1251	1377	1504	2.0	21	3.8
	24" Replacement Patient Mesh Backs SOL2-RBPM24	542									17		3.8
	30" Replacement Patient Upholstered Backs SOL2-RBPU30	899	983	1065	1178	1309	1425	1557	1722	1883	2.6	24	4.8
	21" Replacement Patient Upholstered Back Cover SOL2-RBCPU21	265	327	390	478	581	667	768	894	1021	2.0	2.5	.8
	24" Replacement Patient Upholstered Back Cover SOL2-RBCPU24	266	328	392	479	582	668	769	895	1022	2.0	2.7	.8
	30" Replacement Patient Upholstered Back Cover SOL2-RBCPU30	321	405	487	599	731	847	978	1142	1306	2.6	3	.8
	Replacement Mesh Back Top Bar SOL2-RMBTB21	34									2.5	.5	
	SOL2-RMBTB24	35									3.0	.7	
	21" Replacement Seat SOL2-RS21	408	438	465	505	549	589	635	691	750	.9	9	2.7
	24" Replacement Seat SOL2-RS24	429	457	487	526	570	612	657	712	769	.9	10	2.7
	30" Replacement Seat SOL2-RS30	511	538	567	605	651	691	737	793	849	.9	12	3.4
	44" Replacement Seat SOL2-RS44	659	695	728	777	832	882	936	1005	1073	.9	14	4.8
	21" Replacement Seat Cover SOL2-RSC21	136	166	194	234	280	319	392	423	477	1.0	1.6	.8
	24" Replacement Seat Cover SOL2-RSC24	140	168	198	238	283	321	367	425	480	1.0	1.7	.8
	30" Replacement Seat Cover SOL2-RSC30	142	169	198	238	283	321	367	425	480	1.0	2	.8
	44" Replacement Seat Cover SOL2-RSC44	159	195	228	278	333	381	436	507	574	1.0	2.5	.8
	Replacement Splash Guard SOL2-RSG21	94									1	.3	
	SOL2-RSG24	115									2	.4	
	SOL2-RSG30	161									3	.5	
	SOL2-RSG44	174									4	.6	
	Replacement Closed Arm SOL2-RCA	217	228	242	259	280	297	318	343	367	0.4	6	.9

SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	Price	Weight	Cube
	Replacement Side Frame - Start SOL2-RSFS 140 Replacement Side Frame - Start - No Anti-Microbial SOL2-RSFSX 116	9	1.5
	Replacement Side Frame - End SOL2-RSFE 140 Replacement Side Frame - End - No Anti-Microbial SOL2-RSFEX 116	9	1.5
	Replacement Side Frame - Start - 1 Glide, 1 Caster SOL2-RSFSC 180 Replacement Side Frame - Start - 1 Glide, 1 Caster- No Anti-Microbial SOL2-RSFSCX 144	9.5	1.5
	Replacement Side Frame - End - 1 Glide, 1 Caster SOL2-RSFEC 180 Replacement Side Frame - End - 1 Glide, 1 Caster- No Anti-Microbial SOL2-RSFECX 144	9.5	1.5
	Replacement Side Frame - Start - 2 Caster SOL2-RSFSC2 156 Replacement Side Frame - Start - 2 Caster- No Anti-Microbial SOL2-RSFSC2X 152	10	1.5
	Replacement Side Frame - End - 2 Caster SOL2-RSFEC2 156 Replacement Side Frame - End - 2 Caster- No Anti-Microbial SOL2-RSFEC2X 152	10	1.5
	Replacement Arm Cap - Urethane SOL2-RACU 73 Replacement Arm Cap - Beech SOL2-RACWB 223 Replacement Arm Cap - Maple SOL2-RACWM 240	1.0	.2
	Replacement Arm Cap - Solid Surface SOL2-RACSS	Grade A- White 268	Grade A- Color 274
		Grade- B 296	Grade- C 319
		2	.2
	Replacement Wood Side Rail Cover - Beech SOL2-RSRCB 189	1.0	.3
	Replacement Wood Side Rail Cover - Maple SOL2-RSRCM 242	1.0	.3
	Replacement Glide - Front SOL2-RGF 23 Replacement Glide - Back SOL2-RGB 23 Replacement Glide - Set of 4 SOL2-RGS4 25 Replacement Caster Glide - Front SOL2-RGFC 24 Replacement Caster Glide - Back SOL2-RGBC 24	.5	.1
		.5	.1
		2	.1
		2	.1
	Replacement Caster - Hard Wheel SOL2 - RCH 31 Replacement Caster - Soft Wheel SOL2 - RCS 34	1.5	.3
		1.5	.3

SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS | MULTIPLE SEATING - GUEST BACKS

DIMENSIONS & COM. REQUIREMENTS - PRE-CONFIGURED UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCGM21X2	47	28	34.5	18.5	26	20	20	90	30	-	1.3	-	1.2
PCGM21X3	69.5	28	34.5	18.5	26	20	20	126	44	-	2.1	-	1.6
PCGM24X2	53	28	34.5	18.5	26	23	20	96	34	-	1.3	-	1.2
PCGM24X3	78.5	28	34.5	18.5	26	23	20	135	50	-	2.1	-	1.6
UPHOLSTERED BACK													
PCGU21X2	47	28	34.5	18.5	26	20	20	94	30	3.1	1.3	2.3	1.2
PCGU21X3	69.5	28	34.5	18.5	26	20	20	132	44	4.7	2.1	3.1	1.6
PCGU24X2	53	28	34.5	18.5	26	23	20	102	34	3.1	1.3	2.3	1.2
PCGU24X3	78.5	28	34.5	18.5	26	23	20	144	50	4.7	2.1	3.1	1.6

DIMENSIONS & COM. REQUIREMENTS - START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BACK														
SGM21	25	28	34.5	18.5	26	20	20	41	16	-	0.9	-	0.4	0.8
SGM24	28	28	34.5	18.5	26	23	20	44	18	-	0.9	-	0.4	0.8
UPHOLSTERED BACK														
SGU21	25	28	34.5	18.5	26	20	20	43	16	1.6	0.9	1.6	0.4	0.8
SGU24	28	28	34.5	18.5	26	23	20	47	18	1.6	0.9	1.6	0.4	0.8
SGU30	34	28	34.5	18.5	26	29	20	52	22	2.5	0.9	1.6	0.4	0.8
SGU44	48	28	34.5	18.5	26	43	20	66	31	3.2	1.1	2.5	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
CGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
CGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLSTERED BACK													
CGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
CGU24	26	28	34.5	18.5	26	23	20	41	19	1.6	0.9	1.6	0.4
CGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	1.6	0.4
CGU44	46	28	34.5	18.5	26	43	20	60	31	3.2	1.1	2.5	0.4

DIMENSIONS & COM. REQUIREMENTS - END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
EGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
EGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLSTERED BACK													
EGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
EGU24	26	28	34.5	18.5	26	23	20	41	18	1.6	0.9	1.6	0.4
EGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	1.6	0.4
EGU44	46	28	34.5	18.5	26	43	20	60	31	3.2	1.1	2.5	0.4

SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS | MULTIPLE SEATING - GUEST BACKS

DIMENSIONS & COM. REQUIREMENTS - FREESPACE WITH NO CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCFGM21X2A	46.5	28	34.5	18.5	26	41.5	20	85	30	-	1.3	-	0.8
PCFGM21X3A	68	28	34.5	18.5	26	63	20	114	44	-	2.1	-	0.8
PCFGM24X2A	52.25	28	34.5	18.5	26	47.5	20	92	34	-	1.3	-	0.8
PCFGM24X3A	77	28	34.5	18.5	26	72	20	124	50	-	2.1	-	0.8
UPHOLSTERED BACK													
PCFGU21X2A	46.5	28	34.5	18.5	26	41.5	20	89	30	3.1	1.3	2.3	0.8
PCFGU21X3A	68	28	34.5	18.5	26	63	20	120	44	4.7	2.1	3.1	0.8
PCFGU24X2A	52.25	28	34.5	18.5	26	47.5	20	96	34	3.1	1.3	2.3	0.8
PCFGU24X3A	77	28	34.5	18.5	26	72	20	131	50	4.7	2.1	3.1	0.8

DIMENSIONS & COM. REQUIREMENTS - FREESPACE WITH CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage
MESH BACK												
PCFGM21X2B	47.25	28	34.5	18.5	26	20	20	93	30	-	1.3	-
PCFGM21X3B	69.5	28	34.5	18.5	26	20	20	130	44	-	2.1	-
PCFGM24X2B	53.25	28	34.5	18.5	26	23	20	100	34	-	1.3	-
PCFGM24X3B	78.5	28	34.5	18.5	26	23	20	140	50	-	2.1	-
UPHOLSTERED BACK												
PCFGU21X2B	47.25	28	34.5	18.5	26	20	20	97	30	3.1	1.3	2.3
PCFGU21X3B	69.5	28	34.5	18.5	26	20	20	136	44	4.7	2.1	3.1
PCFGU24X2B	53.25	28	34.5	18.5	26	23	20	104	34	3.1	1.3	2.3
PCFGU24X3B	78.5	28	34.5	18.5	26	23	20	147	50	4.7	2.1	3.1
COM. Fabric Closed Arm Panels (2 Arms)				COM. Fabric Closed Arm Panels (3 Arms)				COM. Fabric Closed Arm Panels (4 Arms)				
PCFG21X2B	0.8			1.2				1.6				
PCFG21X3B	0.8							1.6				
PCFG24X2B	0.8			1.2				1.6				
PCFG24X3B	0.8							1.6				

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Guest Option Upcharges	\$ List	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	Maple Arm upgrade per arm (add to beech price)	84
Kinetic Back option (not available for 30" & 44")	126	Beech Wood Side Rails Upgrade (per chair)	133
Guest chair - Removable Seat Cover (per seat)	94	Solid Surface Arm (per pair) - Gr A White	512
21" & 24" - Removeable Back Covers (per back)	60	Solid Surface Arm (per pair) - Gr A Color	530
30" & 44" - Removeable Back Covers	94	Solid Surface Arm (per pair) - Gr B	569
Combination Upholstery - dual fabrics (per chair)	34	Solid Surface Arm (per pair) - Gr C	615
Combination Upholstery - Three fabrics (per chair)	67	Solid Surface Arm (per arm) - Gr A White	256
Beech Wood Side Rails Upgrade (per chair)	133	Solid Surface Arm (per arm) - Gr A Color	265
Maple wood Side Rails Upgrade (per chair)	166	Solid Surface Arm (per arm) - Gr B	284
21" & 24" Cleanable Under-seat Splashguard	42	Solid Surface Arm (per arm) - Gr C	307
30" Cleanable Under-seat Splashguard	50	Non-locking Soft Casters (21" & 24" chairs) -4 set	193
44" Cleanable Under-seat Splashguard	67	Non-locking Soft Casters (21" & 24" chairs) -2 set	118
Floor-saver Nylon Glides	38	Non-locking Hard Casters (21" & 24" chairs) -4 set	126
Floor-saver Felt Glides	30	Non-locking Hard Casters (21" & 24" chairs) -2 set	84
Non-slip Rubber Glides	18	Note: Soft & Hard casters are also available locking, clearly mark on the purchase order.	
Metal Glides	26		

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	218	235	249	280	308	337	367	397	456
2 ARMS	438	470	500	557	617	675	733	794	912
3 ARMS	658	702	745	835	922	1011	1100	1191	1369
4 ARMS	876	934	995	1114	1230	1349	1401	1585	1822

SOLIS | MULTIPLE SEATING - PRE-CONFIGURED GUEST UNITS

DESCRIPTION/MODEL	Arm Type	COM			COL			FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8	9			
 2 Seat - 21" Open Arm Pre-configured Guest Unit, Mesh Back													
SOL2-PCGM21X2OPU	Urethane	2002	2069	2138	2278	2418	2557	2697	2836	3053			
SOL2-PCGM21X2OPW	Beech	2198	2271	2339	2478	2617	2759	2898	3035	3251			
 2 Seat - 21" Open Arm Pre-configured Guest Unit, Upholstered Back													
SOL2-PCGU21X2OPU	Urethane	2102	2215	2327	2553	2774	3001	3226	3453	3899			
SOL2-PCGU21X2OPW	Beech	2301	2416	2527	2752	2976	3204	3428	3652	4099			
 3 Seat - 21" Open Arm Pre-configured Guest Unit, Mesh Back													
SOL2-PCGM21X3OPU	Urethane	2871	2974	3079	3289	3496	3708	3917	4126	4448			
SOL2-PCGM21X3OPW	Beech	3136	3241	3345	3553	3761	3973	4181	4391	4712			
 3 Seat - 21" Open Arm Pre-configured Guest Unit, Upholstered Back													
SOL2-PCGU21X3OPU	Urethane	3017	3187	3353	3691	4030	4368	4704	5038	5715			
SOL2-PCGU21X3OPW	Beech	3285	3453	3621	3956	4293	4634	4970	5306	5979			
 2 Seat - 24" Open Arm Pre-configured Guest Unit, Mesh Back													
SOL2-PCGM24X2OPU	Urethane	2056	2127	2195	2334	2474	2613	2754	2893	3110			
SOL2-PCGM24X2OPW	Beech	2254	2325	2395	2535	2675	2815	2952	3093	3305			
 2 Seat - 24" Open Arm Pre-configured Guest Unit, Upholstered Back													
SOL2-PCGU24X2OPU	Urethane	2161	2274	2386	2611	2836	3061	3288	3512	3960			
SOL2-PCGU24X2OPW	Beech	2361	2473	2586	2811	3035	3259	3486	3711	4159			
 3 Seat - 24" Open Arm Pre-configured Guest Unit, Mesh Back													
SOL2-PCGM24X3OPU	Urethane	2958	3062	3166	3375	3584	3793	4004	4211	4534			
SOL2-PCGM24X3OPW	Beech	3223	3327	3432	3642	3851	4060	4269	4478	4801			
 3 Seat - 24" Open Arm Pre-configured Guest Unit, Upholstered Back													
SOL2-PCGU24X3OPU	Urethane	3111	3276	3442	3771	4101	4432	4760	5095	5752			
SOL2-PCGU24X3OPW	Beech	3375	3542	3709	4037	4368	4696	5027	5361	6020			

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Guest Option Upcharges	\$ List	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm (per pair) - Gr A White	512
Kinetic Back option (not available for 30" & 44")	126	Solid Surface Arm (per pair) - Gr A Color	530
Guest chair - Removable Seat Cover (per seat)	94	Solid Surface Arm (per pair) - Gr B	569
21" & 24" - Removeable Back Covers (per back)	60	Solid Surface Arm (per pair) - Gr C	615
Combination Upholstery - dual fabrics (per chair)	34	Solid Surface Arm (per arm) - Gr A White	256
Combination Upholstery - Three fabrics (per chair)	67	Solid Surface Arm (per arm) - Gr A Color	265
Beech Wood Side Rails Upgrade (per chair)	133	Solid Surface Arm (per arm) - Gr B	284
Maple wood Side Rails Upgrade (per chair)	166	Solid Surface Arm (per arm) - Gr C	307
21" & 24" Cleanable Under-seat Splashguard	42	Non-locking Soft Casters (21" & 24" chairs) -4 set	193
Maple Arm upgrade per arm (add to beech price)	84	Non-locking Soft Casters (21" & 24" chairs) -2 set	118
Floor-saver Nylon Glides	38	Non-locking Hard Casters (21" & 24" chairs) -4 set	126
Floor-saver Felt Glides	30	Non-locking Hard Casters (21" & 24" chairs) -2 set	84
Non-slip Rubber Glides	18	Note: Soft & Hard casters are also available locking, clearly mark on the purchase order.	
Metal Glides	26		

Additional features and options information see page 24, closed arm panels page 97.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	PCG	U	21X2	OPW
Solis	Chair	Pre-configured Guest Multiple Unit	Upholstered Back		Closed Arm Urethane Arm
			M	21X3	OPU
			Mesh Back		Closed Arm - Wood Arm
				24X2	OSA
				24X3	CSA
					Closed Arm - Solid Surface Arm

SOLIS | MULTIPLE SEATING - START, CENTER & END GUEST UNITS






DESCRIPTION/MODEL	Arm Type	COM	1	2	COL	3	4	FABRIC GRADES	7	LEATHER	8	9
		1	2	3	4	5	6	7	8	9		
START	21" Open Arm Start Guest Unit, Mesh Back											
	SOL2-SGM21OPU	Urethane	1062	1096	1134	1199	1269	1339	1409	1479	1587	
	SOL2-SGM21OPW	Beech	1194	1228	1263	1333	1402	1473	1540	1612	1720	
	21" Open Arm Start Guest Unit, Upholstered Back											
	SOL2-SGU21OPU	Urethane	1116	1172	1228	1342	1453	1566	1677	1790	2016	
	SOL2-SGU21OPW	Beech	1250	1306	1361	1474	1585	1698	1813	1924	2148	
	24" Open Arm Start Guest Unit, Mesh Back											
	SOL2-SGM24OPU	Urethane	1105	1140	1173	1244	1313	1381	1453	1523	1632	
	SOL2-SGM24OPW	Beech	1236	1272	1307	1376	1445	1517	1585	1656	1761	
	24" Open Arm Start Guest Unit, Upholstered Back											
	SOL2-SGU24OPU	Urethane	1161	1215	1273	1382	1496	1610	1722	1834	2060	
	SOL2-SGU24OPW	Beech	1291	1348	1407	1518	1632	1745	1855	1965	2192	
	30" Open Arm Start Guest Unit, Upholstered Back											
	SOL2-SGU30OPU	Urethane	1350	1440	1528	1703	1879	2054	2230	2408	2760	
	SOL2-SGU30OPW	Beech	1485	1571	1663	1835	2010	2189	2362	2539	2891	
	44" Open Arm Start Guest Unit, Upholstered Back											
	SOL2-SGU44OPU	Urethane	1565	1650	1741	1913	2090	2268	2443	2617	2969	
	SOL2-SGU44OPW	Beech	1697	1783	1871	2046	2223	2397	2575	2751	3103	
CENTER	21" Open Arm Center Guest Unit, Mesh Back											
	SOL2-CGM21OPU	Urethane	954	988	1024	1090	1163	1230	1302	1372	1479	
	SOL2-CGM21OPW	Beech	1021	1054	1088	1161	1228	1298	1369	1439	1546	
	21" Open Arm Center Guest Unit, Upholstered Back											
	SOL2-CGU21OPU	Urethane	1002	1058	1115	1227	1339	1452	1561	1676	1900	
	SOL2-CGU21OPW	Beech	1067	1121	1180	1292	1407	1518	1631	1745	1965	
	24" Open Arm Center Guest Unit, Mesh Back											
	SOL2-CGM24OPU	Urethane	978	1015	1051	1118	1190	1258	1329	1398	1505	
	SOL2-CGM24OPW	Beech	1046	1082	1116	1184	1254	1326	1396	1463	1571	
	24" Open Arm Center Guest Unit, Upholstered Back											
	SOL2-CGU24OPU	Urethane	1032	1087	1144	1254	1369	1481	1593	1704	1930	
	SOL2-CGU24OPW	Beech	1097	1151	1210	1323	1437	1550	1662	1772	1997	

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced. Additional features and options information see page 24, option upcharges page 97.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size		Arm Type	
SOL	2	SG	U	21		OPW	CLW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back			Open Arm -Wood Arm	Closed Arm- Wood Arm
		CG	M	24		OPU	CLU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only			Open Arm- Urethane Arm	Closed Arm Urethane Arm
		EG		30		OSA	CSA
		End Unit Guest Multiple Seating				Open Arm - Solid Surface Arm	Closed Arm- Solid Surface Arm
				44		COW	
						Closed Start Arm/Open Center Arm-Wood Arm	
						COU	
						Closed Arm / Open Center Arm- Urethane Arm	

SOLIS | MULTIPLE SEATING - CENTER & END GUEST UNITS

DESCRIPTION/MODEL	Arm Type	COM	1	2	COL	3	4	5	6	FABRIC GRADES	7	LEATHER	8	9								
		1204	1291	1379	1557	1729	1907	2084	2610	1272	1358	1445	1624	1798	1975	2150	2324	2676				
30" Open Arm Center Guest Unit, Upholstered Back																						
	SOL2-CGU30OPU	Urethane	1204	1291	1379	1557	1729	1907	2084	2255	2610	SOL2-CGU30OPW	Beech	1272	1358	1445	1624	1798	1975	2150	2324	2676
44" Open Arm Center Guest Unit, Upholstered Back																						
	SOL2-CGU44OPU	Urethane	1408	1496	1584	1759	1936	2110	2285	2462	2815	SOL2-CGU44OPW	Beech	1474	1565	1648	1828	2003	2175	2353	2528	2880
END	21" Open Arm End Guest Unit, Mesh Back																					
	SOL2-EGM21OPU	Urethane	954	988	1024	1090	1163	1230	1302	1372	1479	SOL2-EGM21OPW	Beech	1021	1054	1088	1161	1228	1298	1369	1439	1546
21" Open Arm End Guest Unit, Upholstered Back																						
	SOL2-EGU21OPU	Urethane	1002	1058	1115	1227	1339	1452	1561	1676	1900	SOL2-EGU21OPW	Beech	1067	1121	1180	1292	1407	1518	1631	1745	1965
24" Open Arm End Guest Unit, Mesh Back																						
	SOL2-EGM24OPU	Urethane	978	1015	1051	1118	1190	1258	1329	1398	1505	SOL2-EGM24OPW	Beech	1046	1082	1116	1184	1254	1326	1396	1463	1571
24" Open Arm End Guest Unit, Upholstered Back																						
	SOL2-EGU24OPU	Urethane	1032	1087	1144	1254	1369	1481	1593	1704	1930	SOL2-EGU24OPW	Beech	1097	1151	1210	1323	1437	1550	1662	1772	1997
30" Open Arm End Guest Unit, Upholstered Back																						
	SOL2-EGU30OPU	Urethane	1204	1291	1379	1557	1729	1907	2084	2255	2610	SOL2-EGU30OPW	Beech	1272	1358	1445	1624	1798	1975	2150	2324	2676
44" Open Arm End Guest Unit, Upholstered Back																						
	SOL2-EGU44OPU	Urethane	1408	1499	1584	1759	1936	2110	2285	2462	2815	SOL2-EGU44OPW	Beech	1474	1565	1648	1828	2003	2175	2353	2528	2880




ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced. Additional features and options information see page 24, option upcharges page 97.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Closed Arm- Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm- Urethane Arm
		EG		30	OSA
		End Unit Guest Multiple Seating			Open Arm - Solid Surface Arm
				44	CSA
					Closed Arm- Solid Surface Arm

SIN 339113H - Hospital Geriatric Chairs & Lounge

**SOLIS | PRE-CONFIGURED FREESPAN MULTIPLE SEATING GUEST UNIT
WITHOUT CENTER ARM**

DESCRIPTION/MODEL	Arm Type	COM	COL	FABRIC GRADES				LEATHER			
		1	2	3	4	5	6	7	8	9	
21" Pre-Configured Freespan Guest Unit - Open Arm 2 Seat, Mesh Back											
	SOL2-PCFGM21X2AOPU	Urethane	1898	1947	1997	2096	2195	2297	2395	2495	2643
	SOL2-PCFGM21X2AOPW	Beech	2030	2080	2131	2230	2328	2428	2528	2628	2774
21" Pre-Configured Freespan Guest Unit - Open Arm 2 Seat, Upholstered Back											
	SOL2-PCFGU21X2AOPU	Urethane	1997	2107	2219	2444	2669	2894	3118	3345	3793
	SOL2-PCFGU21X2AOPW	Beech	2131	2240	2353	2579	2802	3027	3251	3478	3928
21" Pre-Configured Freespan Guest Unit - Open Arm 3 Seat, Mesh Back											
	SOL2-PCFGM21X3AOPU	Urethane	2653	2725	2802	2950	3101	3250	3399	3550	3773
	SOL2-PCFGM21X3AOPW	Beech	2786	2859	2933	3082	3234	3382	3532	3682	3903
21" Pre-Configured Freespan Guest Unit - Open Arm 3 Seat, Upholstered Back											
	SOL2-PCFGU21X3AOPU	Urethane	2791	2959	3131	3466	3801	4138	4476	4813	5490
	SOL2-PCFGU21X3AOPW	Beech	2926	3093	3260	3599	3932	4271	4611	4945	5620
24" Pre-Configured Freespan Guest Unit - Open Arm 2 Seat, Mesh Back											
	SOL2-PCFGM24X2AOPU	Urethane	1941	1990	2041	2138	2239	2339	2439	2538	2688
	SOL2-PCFGM24X2AOPW	Beech	2074	2124	2172	2273	2369	2472	2571	2670	2819
24" Pre-Configured Freespan Guest Unit - Open Arm 2 Seat, Upholstered Back											
	SOL2-PCFGU24X2AOPU	Urethane	2041	2155	2265	2491	2716	2942	3164	3390	3838
	SOL2-PCFGU24X2AOPW	Beech	2172	2284	2396	2621	2849	3073	3298	3522	3973
24" Pre-Configured Freespan Guest Unit - Open Arm 3 Seat, Mesh Back											
	SOL2-PCFGM24X3AOPU	Urethane	2718	2791	2868	3016	3164	3316	3463	3613	3837
	SOL2-PCFGM24X3AOPW	Beech	2850	2926	2999	3147	3298	3449	3598	3744	3972
24" Pre-Configured Freespan Guest Unit - Open Arm 3 Seat, Upholstered Back											
	SOL2-PCFGU24X3AOPU	Urethane	2854	3026	3194	3532	3869	4207	4544	4878	5553
	SOL2-PCFGU24X3AOPW	Beech	2990	3159	3325	3664	4002	4339	4678	5012	5688









ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Guest Option Upcharges	\$ List	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	Maple Arm upgrade per arm (add to beech price)	84
Kinetic Back option (not available for 30" & 44")	126	Solid Surface Arm (per pair) - Gr A White	512
Guest chair - Removable Seat Cover (per seat)	94	Solid Surface Arm (per pair) - Gr A Color	530
21" & 24" - Removable Back Covers (per back)	60	Solid Surface Arm (per pair) - Gr B	569
Combination Upholstery - dual fabrics (per chair)	34	Solid Surface Arm (per pair) - Gr C	615
Combination Upholstery - Three fabrics (per chair)	67	Non-locking Soft Casters (21" & 24" chairs) -4 set	193
Beech Wood Side Rails Upgrade (per chair)	133	Non-locking Soft Casters (21" & 24" chairs) -2 set	118
Maple wood Side Rails Upgrade (per chair)	166	Non-locking Hard Casters (21" & 24" chairs) -4 set	126
21" & 24" Cleanable Under-seat Splashguard	42	Non-locking Hard Casters (21" & 24" chairs) -2 set	84
Floor-saver Nylon Glides	38	Note: Soft & Hard casters are also available locking, clearly mark on the purchase order.	
Floor-saver Felt Glides	30		
Non-slip Rubber Glides	18		
Metal Glides	26		

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL Solis	2 Chair	PCFG Pre-Configured Freespan Multiple Guest Unit	U Upholstered Back	21X2	A Unit with no Center Arm	OPW Open Arm
			M Mesh Back	21X3	B Unit with Center Arm	OPU Open Arm Urethane Arm
				24X2		CLW Closed Arm - Wood Arm
				24X3		CLU Closed Arm Urethane Arm

SOLIS | PRE-CONFIGURED FREESPAN MULTIPLE SEATING GUEST UNIT WITH CENTER ARM

DESCRIPTION/MODEL	Arm Type	COM		COL		FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8	9	
21" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 2 Seat, Mesh Back											
	SOL2-PCFGM21X2BOPU	Urethane	2048	2098	2148	2247	2348	2445	2544	2646	2796
	SOL2-PCFGM21X2BOPW	Beech	2247	2299	2348	2445	2544	2646	2744	2847	2994
21" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 2 Seat, Upholstered Back											
	SOL2-PCFGU21X2BOPU	Urethane	2155	2268	2379	2604	2828	3053	3276	3502	3951
	SOL2-PCFGU21X2BOPW	Beech	2352	2464	2579	2802	3026	3251	3477	3704	4151
21" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 3 Seat, Mesh Back											
	SOL2-PCFGM21X3BOPU	Urethane	2885	2963	3037	3187	3337	3486	3634	3785	4008
	SOL2-PCFGM21X3BOPW	Beech	3154	3227	3302	3453	3601	3752	3899	4048	4273
21" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 3 Seat, Upholstered Back											
	SOL2-PCFGU21X3BOPU	Urethane	3038	3207	3375	3711	4048	4387	4723	5062	5737
	SOL2-PCFGU21X3BOPW	Beech	3303	3472	3642	3977	4316	4650	4989	5328	6002
24" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 2 Seat, Mesh Back											
	SOL2-PCFGM24X2BOPU	Urethane	2089	2138	2190	2289	2390	2488	2587	2688	2836
	SOL2-PCFGM24X2BOPW	Beech	2289	2339	2390	2488	2587	2688	2788	2884	3035
24" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 2 Seat, Upholstered Back											
	SOL2-PCFGU24X2BOPU	Urethane	2195	2311	2422	2648	2872	3096	3321	3547	3996
	SOL2-PCFGU24X2BOPW	Beech	2395	2509	2620	2848	3072	3297	3520	3744	4194
24" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 3 Seat, Mesh Back											
	SOL2-PCFGM24X3BOPU	Urethane	2952	3027	3103	3251	3400	3551	3698	3849	4074
	SOL2-PCFGM24X3BOPW	Beech	3220	3292	3368	3516	3665	3816	3964	4114	4338
24" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 3 Seat, Upholstered Back											
	SOL2-PCFGU24X3BOPU	Urethane	3105	3272	3442	3778	4116	4455	4790	5129	5803
	SOL2-PCFGU24X3BOPW	Beech	3370	3539	3709	4044	4381	4722	5055	5393	6070

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Guest Option Upcharges	\$ List	\$ List
CAL 133 & Moisture Barrier (per yard)	67	Maple Arm upgrade per arm (add to beech price)
Kinetic Back option (not available for 30" & 44")	126	Solid Surface Arm (per pair) - Gr A White
Guest chair - Removable Seat Cover (per seat)	94	Solid Surface Arm (per pair) - Gr A Color
21" & 24" - Removeable Back Covers (per back)	60	Solid Surface Arm (per pair) - Gr B
Combination Upholstery - dual fabrics (per chair)	34	Solid Surface Arm (per pair) - Gr C
Combination Upholstery - Three fabrics (per chair)	67	Non-locking Soft Casters (21" & 24" chairs) -4 set
Beech Wood Side Rails Upgrade (per chair)	133	Non-locking Soft Casters (21" & 24" chairs) -2 set
Maple wood Side Rails Upgrade (per chair)	166	Non-locking Hard Casters (21" & 24" chairs) -4 set
21" & 24" Cleanable Under-seat Splashguard	42	Non-locking Hard Casters (21" & 24" chairs) -2 set
Floor-saver Nylon Glides	38	Note: Soft & Hard casters are also available locking, clearly mark on the purchase order.
Floor-saver Felt Glides	30	
Non-slip Rubber Glides	18	
Metal Glides	26	

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2	PCFG	U	21X2	A	OPW
Solis	Chair	Pre-Configured Freespan Multiple Guest Unit	Upholstered Back		Unit with no Center Arm	Open Arm- Wood Arm
			M	21X3	B	OPU
			Mesh Back		Unit with Center Arm	Open Arm Urethane Arm
				24X2		OPU
						Closed Arm - Wood Arm
				24X3		CLW
						Closed Arm Urethane Arm
					CLU	

SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS | MULTIPLE SEATING - PATIENT BACKS

DIMENSIONS & COM. REQUIREMENTS - PRE-CONFIGURED UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCPM21X2	47	28	43.75	18.5	26	20	20	92	38	-	1.3	-	1.2
PCPM21X3	69.5	28	43.75	18.5	26	20	20	129	56	-	2.1	-	1.6
PCPM24X2	53	28	43.75	18.5	26	23	20	98	43	-	1.3	-	1.2
PCPM24X3	78.5	28	43.75	18.5	26	23	20	138	46	-	2.1	-	1.6
UPHOLSTERED BACK													
PCPU21X2	47	28	43.75	18.5	26	20	20	100	38	4.0	1.3	3.1	1.2
PCPU21X3	69.5	28	43.75	18.5	26	20	20	141	56	6.1	2.1	4.2	1.6
PCPU24X2	53	28	43.75	18.5	26	23	20	108	43	4.0	1.3	3.1	1.2
PCPU24X3	78.5	28	43.75	18.5	26	23	20	153	63	6.1	2.1	4.2	1.6

DIMENSIONS & COM. REQUIREMENTS - START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BACK														
SPM21	25	28	43.75	18.5	26	20	20	42	21	-	0.9	-	0.4	0.8
SPM24	28	28	43.75	18.5	26	23	20	45	23	-	0.9	-	0.4	0.8
UPHOLSTERED BACK														
SPU21	25	28	43.75	18.5	26	20	20	46	21	2.1	0.9	2.0	0.4	0.8
SPU24	28	28	43.75	18.5	26	23	20	50	23	2.1	0.9	2.0	0.4	0.8
SPU30	34	28	43.75	18.5	26	29	20	56	28	3.1	0.9	2.2	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
CPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
CPM24	26	28	43.75	18.5	26	23	20	39	23	-	0.9	-	0.4
UPHOLSTERED BACK													
CPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
CPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
CPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

DIMENSIONS & COM. REQUIREMENTS - END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
EPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
EPM24	26	28	43.75	18.5	26	23	20	38	23	-	0.9	-	0.4
UPHOLSTERED BACK													
EPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
EPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
EPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

SOLIS | MULTIPLE SEATING - PATIENT BACKS**DIMENSIONS & COM. REQUIREMENTS - FREESPACE WITH NO CENTER ARM**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCFPM21X2A	46.5	28	43.75	18.5	26	41.5	20	87	38	-	1.3	-	0.8
PCFPM21X3A	68	28	43.75	18.5	26	63	20	118	56	-	2.1	-	0.8
PCFPM24X2A	52.25	28	43.75	18.5	26	47.5	20	94	43	-	1.3	-	0.8
PCFPM24X3A	77	28	43.75	18.5	26	72	20	128	63	-	2.1	-	0.8
UPHOLSTERED BACK													
PCFPU21X2A	46.5	28	43.75	18.5	26	41.5	20	95	38	4.0	1.3	3.1	0.8
PCFPU21X3A	68	28	43.75	18.5	26	63	20	129	56	6.1	2.1	4.2	0.8
PCFPU24X2A	52.25	28	43.75	18.5	26	47.5	20	103	43	4.0	1.3	3.1	0.8
PCFPU24X3A	77	28	43.75	18.5	26	72	20	141	63	6.1	2.1	4.2	0.8

DIMENSIONS & COM. REQUIREMENTS - FREESPACE WITH CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage
MESH BACK												
PCFPM21X2B	47.25	28	43.75	18.5	26	20	20	96	38	-	1.3	-
PCFPM21X3B	69.5	28	43.75	18.5	26	20	20	134	56	-	2.1	-
PCFPM24X2B	53.25	28	43.75	18.5	26	23	20	102	43	-	1.3	-
PCFPM24X3B	78.5	28	43.75	18.5	26	23	20	144	63	-	2.1	-
UPHOLSTERED BACK 3,4												
PCFPU21X2B	47.25	28	43.75	18.5	26	20	20	103	38	4.0	1.3	3.4
PCFPU21X3B	69.5	28	43.75	18.5	26	20	20	145	56	6.1	2.1	5.4
PCFPU24X2B	53.25	28	43.75	18.5	26	23	20	111	43	4.0	1.3	3.4
PCFPU24X3B	78.5	28	43.75	18.5	26	23	20	157	63	6.1	2.1	5.4
COM. Fabric Closed Arm Panels (2 Arms)				COM. Fabric Closed Arm Panels (3 Arms)				COM. Fabric Closed Arm Panels (4 Arms)				
PCFP21X2B	0.8			1.2								
PCFP21X3B	0.8							1.6				
PCFP24X2B	0.8			1.2								
PCFP24X3B	0.8							1.6				

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.





Solis Pre-configured Patient Option Upcharges	\$ List	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	Maple Arm upgrade per arm (add to beech price)	84
Kinetic Back option (not available for 30" & 44")	126	Beech Wood Side Rails Upgrade (per chair)	133
Patient chair - Removable Seat Cover (per seat)	94	Solid Surface Arm (per pair) - Gr A White	512
21" & 24" - Removeable Back Covers (per back)	64	Solid Surface Arm (per pair) - Gr A Color	530
30" & 44" - Removeable Back Covers	98	Solid Surface Arm (per pair) - Gr B	569
Combination Upholstery - dual fabrics (per chair)	34	Solid Surface Arm (per pair) - Gr C	615
Combination Upholstery - Three fabrics (per chair)	67		
Beech Wood Side Rails Upgrade (per chair)	133	Non-locking Soft Casters (21" & 24" chairs) -4 set	193
Maple wood Side Rails Upgrade (per chair)	166	Non-locking Soft Casters (21" & 24" chairs) -2 set	118
21" & 24" Cleanable Under-seat Splashguard	42	Non-locking Hard Casters (21" & 24" chairs) -4 set	126
30" Cleanable Under-seat Splashguard	50	Non-locking Hard Casters (21" & 24" chairs) -2 set	84
44" Cleanable Under-seat Splashguard	67	Note: Soft & Hard casters are also available locking, clearly mark on the purchase order..	
Floor-saver Nylon Glides	38		
Floor-saver Felt Glides	30		
Non-slip Rubber Glides	18		
Metal Glides	26		

Additional features and options information see page 24.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	218	235	249	280	308	337	367	397	456
2 ARMS	438	470	500	557	617	675	733	794	912
3 ARMS	658	702	745	835	922	1011	1100	1191	1369
4 ARMS	876	934	995	1114	1230	1349	1401	1585	1822

SOLIS | MULTIPLE SEATING - PRE-CONFIGURED PATIENT UNITS

DESCRIPTION/MODEL	Arm Type	COM		COL		FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8	9	
 2 Seat - 21" Open Arm Pre-configured Patient Unit, Mesh Back	SOL2-PCPM21X2OPU	Urethane	2209	2277	2348	2487	2627	2766	2905	3043	3259
	SOL2-PCPM21X2OPW	Beech	2408	2476	2544	2686	2826	2964	3104	3244	3458
 2 Seat - 21" Open Arm Pre-configured Patient Unit, Upholstered Back	SOL2-PCPU21X2OPU	Urethane	2321	2462	2604	2882	3164	3447	3724	4006	4569
	SOL2-PCPU21X2OPW	Beech	2521	2659	2802	3080	3366	3644	3925	4206	4767
 3 Seat - 21" Open Arm Pre-configured Patient Unit, Mesh Back	SOL2-PCPM21X3OPU	Urethane	3195	3301	3406	3616	3824	4035	4242	4450	4774
	SOL2-PCPM21X3OPW	Beech	3461	3573	3682	3881	4089	4297	4506	4715	5038
 3 Seat - 21" Open Arm Pre-configured Patient Unit, Upholstered Back	SOL2-PCPU21X3OPU	Urethane	3363	3578	3789	4221	4647	5104	5504	5932	6789
	SOL2-PCPU21X3OPW	Beech	3627	3844	4058	4484	4912	5368	5769	6199	7053
 2 Seat - 24" Open Arm Urethane Cap Pre-configured Patient Unit, Mesh Back	SOL2-PCPM24X2OPU	Urethane	2238	2305	2378	2515	2656	2796	2933	3074	3290
	SOL2-PCPM24X2OPW	Beech	2437	2506	2575	2716	2853	2994	3135	3272	3488
 2 Seat - 24" Open Arm Pre-configured Patient Unit, Upholstered Back	SOL2-PCPU24X2OPU	Urethane	2352	2494	2633	2916	3195	3478	3757	4039	4600
	SOL2-PCPU24X2OPW	Beech	2552	2692	2832	3114	3397	3676	3956	4239	4799
 3 Seat - 24" Open Arm Pre-configured Patient Unit, Mesh Back	SOL2-PCPM24X3OPU	Urethane	3257	3363	3466	3673	3883	4092	4302	4509	4836
	SOL2-PCPM24X3OPW	Beech	3522	3627	3731	3940	4150	4359	4567	4775	5101
 3 Seat - 24" Open Arm Pre-configured Patient Unit, Upholstered Back	SOL2-PCPU24X3OPU	Urethane	3423	3638	3852	4280	4710	5135	5567	5995	6853
	SOL2-PCPU24X3OPW	Beech	3688	3902	4117	4547	4974	5402	5831	6262	7119








ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Patient Option Upcharges	\$ List	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	Beech Wood Side Rails Upgrade (per chair)	133
Kinetic Back option (not available for 30" & 44")	126	Solid Surface Arm (per pair) - Gr A White	512
Patient chair - Removable Seat Cover (per seat)	94	Solid Surface Arm (per pair) - Gr A Color	530
21" & 24" - Removeable Back Covers (per back)	64	Solid Surface Arm (per pair) - Gr B	569
Combination Upholstery - dual fabrics (per chair)	34	Solid Surface Arm (per pair) - Gr C	615
Combination Upholstery - Three fabrics (per chair)	67	Solid Surface Arm (per arm) - Gr A White	256
Beech Wood Side Rails Upgrade (per chair)	133	Solid Surface Arm (per arm) - Gr A Color	265
Maple wood Side Rails Upgrade (per chair)	166	Solid Surface Arm (per arm) - Gr B	284
21" & 24" Cleanable Under-seat Splashguard	42	Solid Surface Arm (per arm) - Gr C	307
Maple Arm upgrade per arm (add to beech price)	84	Non-locking Soft Casters (21" & 24" chairs) -4 set	193
Floor-saver Nylon Glides	38	Non-locking Soft Casters (21" & 24" chairs) -2 set	118
Floor-saver Felt Glides	30	Non-locking Hard Casters (21" & 24" chairs) -4 set	126
Non-slip Rubber Glides	18	Non-locking Hard Casters (21" & 24" chairs) -2 set	84
Metal Glides	26	Note: Soft & Hard casters are also available locking, clearly mark on the purchase order.	
Additional features and options information see page 24, closed arm panel upcharges page 104.			

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	Chair	PCP	U	21X2
Solis		Pre-configured Patient Multiple Unit		Upholstered Back	OPW
					Open Arm - Wood Arm
			M	21X3	OPU
			Mesh Back		Open Arm - Urethane Arm
				24X2	CLW
					Closed Arm - Wood Arm
				24X3	CLU
					Closed Arm - Urethane Arm

SOLIS | MULTIPLE SEATING - PATIENT START & CENTER UNITS

DESCRIPTION/MODEL	Arm Type	COM		COL		FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8	9	
START 	21" Open Arm Start Patient Unit, Mesh Back										
	SOL2-SPM21OPU Urethane	1162	1195	1229	1300	1371	1440	1509	1579	1687	
	SOL2-SPM21OPW Beech	1292	1329	1362	1431	1502	1571	1641	1713	1818	
	21" Open Arm Start Patient Unit, Upholstered Back										
	SOL2-SPU21OPU Urethane	1221	1292	1369	1517	1663	1813	1956	2104	2399	
	SOL2-SPU21OPW Beech	1353	1425	1501	1647	1794	1945	2089	2238	2532	
	24" Open Arm Start Patient Unit, Mesh Back										
	SOL2-SPM24OPU Urethane	1200	1236	1272	1342	1412	1481	1552	1620	1727	
	SOL2-SPM24OPW Beech	1334	1371	1404	1474	1541	1613	1684	1752	1861	
	24" Open Arm Start Patient Unit, Upholstered Back										
	SOL2-SPU24OPU Urethane	1263	1338	1412	1558	1705	1853	2003	2150	2444	
	SOL2-SPU24OPW Beech	1397	1472	1541	1691	1839	1986	2134	2281	2579	
	30" Open Arm Start Patient Unit, Upholstered Back										
	SOL2-SPU30OPU Urethane	1568	1677	1787	2004	2222	2439	2657	2877	3312	
	SOL2-SPU30OPW Beech	1701	1813	1918	2135	2354	2573	2790	3007	3444	
CENTER 	21" Open Arm Center Patient Unit, Mesh Back										
	SOL2-CPM21OPU Urethane	1053	1087	1120	1193	1303	1331	1401	1472	1579	
	SOL2-CPM21OPW Beech	1118	1151	1190	1258	1329	1398	1467	1537	1645	
	21" Open Arm Center Patient Unit, Upholstered Back										
	SOL2-CPU21OPU Urethane	1106	1180	1253	1401	1551	1695	1843	1991	2285	
	SOL2-CPU21OPW Beech	1172	1249	1319	1467	1614	1760	1909	2058	2353	
	24" Open Arm Urethane Cap Center Patient Unit, Mesh Back										
	SOL2-CPM24OPU Urethane	1081	1115	1148	1220	1289	1358	1426	1496	1605	
	SOL2-CPM24OPW Beech	1146	1180	1215	1285	1354	1424	1493	1565	1671	
	24" Open Arm Center Patient Unit, Upholstered Back										
	SOL2-CPU24OPU Urethane	1136	1209	1283	1429	1578	1725	1871	2020	2316	
	SOL2-CPU24OPW Beech	1199	1275	1348	1496	1643	1791	1937	2087	2382	
	30" Open Arm Center Patient Unit, Upholstered Back										
	SOL2-CPU30OPU Urethane	1422	1531	1638	1857	2074	2291	2509	2731	3163	
	SOL2-CPU30OPW Beech	1487	1598	1704	1924	2138	2356	2575	2796	3229	

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Additional features and options information see page 24, closed arm panel upcharges page 104.


PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL Solis	2 Chair	SP Start Unit Patient Multiple Seating	U Upholstered Back	21	OPW Open Arm - Wood Arm
		CP Center Unit Patient Multiple Seating	M Mesh Back 21" & 24" Only	24	OPU Open Arm Urethane Arm
		EP End Unit Patient Multiple Seating		30	CLW Closed Arm - Wood Arm
				44	CLU Closed Arm Urethane Arm
					COW Closed Start Arm/Open Center Arm Wood Arm
					COU Closed Start Arm/Open Center Arm with Urethane Arm

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
 RECYCLED CONTENT = 15.28%

POST-CONSUMER
 RECYCLED CONTENT = 21.71%

Up to 45.76% of this Solis product is recyclable at the end of its useful life.

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Solis products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS | EASY ACCESS CHAIR

DIMENSIONS & COM. REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back
UPHOLSTERED GUEST BACK												
21" Seat	25	30.75	40.5	24.5	32	20	20	51	16	1.6	0.9	1.6
24" Seat	28	30.75	40.5	24.5	32	23	20	55	18	1.6	0.9	1.6
MESH GUEST BACK												
21" Seat	25	30.75	40.5	24.5	32	20	20	49	16	-	0.9	-
24" Seat	28	30.75	40.5	24.5	32	23	20	52	18	-	0.9	-
UPHOLSTERED PATIENT BACK												
21" Seat	25	30.75	49.75	24.5	32	20	20	54	21	2.1	0.9	2.0
24" Seat	28	30.75	49.75	24.5	32	23	20	58	23	2.1	0.9	2.0
MESH PATIENT BACK												
21" Seat	25	30.75	49.75	24.5	32	20	20	50	21	-	0.9	-
24" Seat	28	30.75	49.75	24.5	32	23	20	53	23	-	0.9	-
Footrest height (All Models) 7.25"												

DESCRIPTION/MODEL	Arm Type	COM. 1	2	COL 3	4	FABRIC GRADES	5	6	LEATHER 8	9
 21" Guest, Open Arm, Mesh Back										
SOL2-HGM21OPU Urethane		1533	1567	1603	1671	1744	1813	1880	1949	2058
SOL2-HGM21OPW Beech		1666	1699	1735	1802	1875	1945	2013	2084	2191
 21" Guest, Open Arm, Upholstered Back										
SOL2-HGU21OPU Urethane		1613	1671	1728	1845	1960	2077	2192	2305	2539
SOL2-HGU21OPW Beech		1747	1802	1862	1978	2092	2210	2325	2440	2672
 24" Guest, Open Arm, Mesh Back										
SOL2-HGM24OPU Urethane		1565	1600	1634	1703	1773	1842	1912	1980	2089
SOL2-HGM24OPW Beech		1697	1729	1767	1835	1906	1976	2044	2116	2222
 24" Guest, Open Arm, Upholstered Back										
SOL2-HGU24OPU Urethane		1646	1705	1764	1881	2003	2119	2237	2353	2589
SOL2-HGU24OPW Beech		1779	1839	1898	2016	2134	2252	2367	2487	2723
 21" Patient, Open Arm, Mesh Back										
SOL2-HPM21OPU Urethane		1647	1684	1719	1788	1859	1927	1997	2066	2173
SOL2-HPM21OPW Beech		1781	1816	1852	1923	1990	2060	2131	2198	2305
 21" Patient, Open Arm, Upholstered Back										
SOL2-HPU21OPU Urethane		1735	1814	1891	2044	2196	2353	2507	2665	2974
SOL2-HPU21OPW Beech		1866	1946	2022	2176	2329	2487	2641	2798	3106
 24" Patient, Open Arm, Mesh Back										
SOL2-HPM24OPU Urethane		1697	1729	1767	1835	1906	1976	2044	2116	2222
SOL2-HPM24OPW Beech		1831	1864	1899	1971	2039	2107	2176	2247	2354
 24" Patient, Open Arm, Upholstered Back										
SOL2-HPU24OPU Urethane		1787	1865	1946	2104	2265	2423	2583	2742	3062
SOL2-HPU24OPW Beech		1918	2000	2079	2238	2396	2555	2716	2878	3194

Solis Guest Option Upcharges	\$ List	\$ List	
CAL 133 & Moisture Barrier (per yard)	67	Solid Surface Arm (per pair) - Gr A White	512
Guest chair - Removable Seat Cover (per seat)	94	Solid Surface Arm (per pair) - Gr A Color	530
21" & 24" - Removeable Back Covers	60	Solid Surface Arm (per pair) - Gr B	569
21" & 24" Cleanable Under-seat Splashguard	42	Solid Surface Arm (per pair) - Gr C	615
Kinetic Back option	126	Maple Arm upgrade per arm (add to beech price)	84
Combination upholstery - Dual	34	Beech Wood Side Rails Upgrade (per chair)	133
Floor-saver Nylon Glides	38	Maple wood Side Rails Upgrade (per chair)	166
Floor-saver Felt Glides	30		
Non-slip Rubber Glides	18		
Metal Glides	26		
See page 24 for Features and Options information.			


PRODUCT CODE KEY

Line	Series	Chair Type	Style	Back Type	Size	Arm Type
SOL Solis	2 Chair	H Easy Access	G Guest	U Upholstered Back	21	OPW Open Arm - Wood Cap
			P Patient	M Mesh	24	OPU Open Arm Urethane Arm Cap

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
 RECYCLED CONTENT = 16%

POST-CONSUMER
 RECYCLED CONTENT = 22%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (PLEASE ENQUIRE) Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Solis products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SOLIS BEHAVIORAL HEALTH | FEATURES



CLEAN OUT

All Solis seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquids to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Solis to well exceed ANSI/BIFMA standards.



FLEX BACK

The ergonomically-designed back has a slight flexing action, which significantly enhances comfort.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility. Patient and Guest chairs with mesh backs are excluded as they do not have the wall saver feature.



HIGH DENSITY FOAM

Solis features dual density foam that is soft on the outside for comfort, dense on the inside for high durability. The seat and back foam features a compound curvature that supports healthy sitting postures, while also designed to ease ingress and egress.



SECURED WOODEN ARM

Solis Wood Arm caps are fastened to the side frames with tamper resistant security screws. Wood arms are available in either beech or maple hardwood and in 22 Krug standard finishes. Maple arm caps are available for an up-charge of **\$84 list** per arm using beech pricing.



URETHANE ARM

Solis secured urethane arms are durable, comfortable, and long lasting. Urethane arms are available in three colors options; Black, Grey and Taupe.

TAMPER RESISTANT HARDWARE

All screws used on the Solis Behavioral Health units have been replaced with tamper resistant security screws.

GANGING

All Solis Freestanding chairs can be ganged using a ganging bracket. The powder-coated metal plate is fastened to the underside of the steel side rails using the pre-existing holes in the frame.

SECURED GLIDES

Solis Behavioral Health chairs have their glides secured in place to prevent their removal and damage.

BOTTOM STAPLE COVER/SHIELD

Solis Behavioral Health chairs come standard with a black painted plywood cover underneath the seat. This cover is designed to prevent access to the upholstery staples of the seat and to prevent the hiding of objects underneath the seat. The cover is also designed to allow for regular ganging hardware and proper seat ventilation. The cover is secured to the unit with tamper resistant security screws.

BACK STAPLE COVER STRIP

The Solis Behavioral Health back upholstery has been altered to allow a staple cover strip to be attached; this will prevent access to the upholstery staples. The cover strip is nylon coated galvanized steel with vinyl coated ends to prevent any sharp edges. The back cover strip is fastened to the unit with tamper resistant security screws.

TUBULAR STEEL CHAIR FRAME

The overall aesthetic frame of the chair is built from structural steel tubing, both elliptical and rectangular for exceptional strength and appealing design. The frame is electro welded and polished joints for ease of cleaning and a one piece look. Available in eight powder-coated finishes. Silver Metallic is offered as Krug's standard finish. For all metal finishes other than Silver Metallic, there is a minimum quantity of 30 units per color and are available for an upcharge of **\$67 list** per seat/table. Microban anti-microbial finish is standard, with no upcharge, when frame finishes other than Silver Metallic is ordered. Solis Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$67 list** per chair or table. Upcharges for quantities less than 30 units per color, per order can be obtained through Customer Service.

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

LATEX-FREE

Krug products are made with latex-free materials, to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Weight capacities are as follows:

Guest & Patient Chairs (21" & 24") - **500 lbs**

Plus Chairs (30" & 44") - **750 lbs**



SLED BASE



KINETIC BACK OPTION

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Solis chair back - Guest, Patient and Multiple Seating - with the exception of the 30" and 44" sizes.



CLOSED ARM

Solis closed arm has an upholstered arm panel built into the side frame. It is between the middle rail on the side frame and the top of the arm.



FULLY CLOSED ARM (SLEIGH BASE ONLY)

The fully closed arm includes the regular closed arm, but also adds a second upholstered arm panel between the middle rail on the side frame and the sleigh base bottom. This feature is only available when the sleigh base option is selected.

FLOOR ANCHOR BRACKETS (SLEIGH BASE ONLY)

Floor mounting brackets are supplied to be secured to the bottom of the Solis sleigh base with tamper resistant security screws. The hardware to attach the brackets to the floor is not provided by Krug.

WEIGHTED SHIELD

In place of the Bottom Staple Cover, a weighted black coated steel version is also available. This steel shield is designed to add enough weight for the product to be a minimum of 80 lbs. The shield is also designed to allow standard ganging hardware as well as proper seat ventilation. This is all achieved while also covering/preventing all access to the upholstery staples under the seat. The Weighted Shield is fastened with tamper-resistant security screws.

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is **\$34 list** per unit and **\$67 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

ANTI-MICROBIAL FINISH

Solis Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$67 list** per chair or table.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for

seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$67 list** per yard.

REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable seat and back covers can be quickly installed on Solis products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Solis products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs. Complete Mesh backs can be ordered and field replaced.

NO SPRING SEATS

The springs in the seat have been removed and replaced with a solid plywood seat pan, Additional foam has also been added in place of the springs for comfort.

TAMPER-RESISTANT SPLASHGUARD

All Solis seating models are available with a coated steel moisture barrier that covers and enclosed the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard replaces the Bottom Staple Cover on the underside of the seat. It is designed to still allowing ganging and has folded metal edges to prevent any sharp edges. The splashguard is fastened with tamper resistant security screws.

SOLIS BEHAVIORAL HEALTH | GUEST -DIMENSIONS & COM REQUIREMENTS**DIMENSIONS**


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Base Shipping Weight	Cubes
21" Seat	25	28	34.5	18.5	26	20	20	51	16
24" Seat	28	28	34.5	18.5	26	23	20	55	18
30" Seat	34	28	34.5	18.5	26	29	20	60	22
44" Seat	48	28	34.5	18.5	26	43	20	74	31

COM - YARDAGE REQUIREMENTS


	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Upper Arm Panel	Yardage Fully Closed Arm Panel (Upper & Lower)
21" & 24" - One Chair	1.6	0.9	1.6	0.8	1.6
21" & 24" - Two Chairs	3.1	1.3	1.6	1.2	2.4
21" & 24" - Three Chairs	4.7	2.1	3.7	1.6	3.2
30" Plus - One Chair	2.5	0.9	1.6	1.6	3.2
30" Plus - Two Chairs	5	1.8	3.2	1.2	2.4
30" Plus - Three Chairs	7.5	2.7	4.8	1.6	3.2
44" Plus - One Chair	2.5	0.9	2.3	0.8	1.6
44" Plus - Two Chairs	5	1.8	3.9	1.2	2.4
44" Plus - Three Chairs	7.5	2.7	5.5	1.6	3.2

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM)		(COL)		Leather					COM
	1	2	3	4	5	6	7	8	9	
Closed Arm Panel (1 arm)	218	235	249	280	308	337	367	397	456	0.4
Closed Arm Panels (2 arms)	438	470	500	557	617	675	733	794	912	0.8



Fully Closed Arm (1 arm)	355	383	410	457	507	555	604	658	742	1.5
Fully Closed Arm (2 arms)	710	766	821	915	1015	1106	1208	1315	1482	3



SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS BEHAVIORAL HEALTH | GUEST

DESCRIPTION/MODEL	COM 1	COL 2	FABRIC GRADES			LEATHER 7	LEATHER 8	LEATHER 9	
			4	5	6				
 21" Open Arm, Mesh Back SOL2-GBHM21OPU Urethane SOL2-GBHM21OPW Beech	1174	1208	1240	1307	1374	1440	1505	1573	1675
	1302	1334	1369	1435	1500	1566	1633	1699	1801
 21" Open Arm, Upholstered Back SOL2-GBHU21OPU Urethane SOL2-GBHU21OPW Beech	1227	1281	1334	1441	1550	1656	1761	1867	2084
	1353	1407	1460	1567	1673	1781	1891	1993	2211
 24" Open Arm, Mesh Back SOL2-GBHM24OPU Urethane SOL2-GBHM24OPW Beech	1219	1251	1284	1349	1416	1484	1551	1614	1719
	1345	1376	1409	1475	1541	1610	1675	1744	1843
 24" Open Arm, Upholstered Back SOL2-GBHU24OPU Urethane SOL2-GBHU24OPW Beech	1269	1325	1377	1485	1590	1699	1804	1912	2129
	1397	1450	1504	1611	1719	1908	1932	2039	2253
 30" Open Arm, Upholstered Back SOL2-GBHU30OPU Urethane SOL2-GBHU30OPW Beech	1515	1598	1684	1849	2018	2187	2350	2521	2853
	1641	1724	1810	1976	2144	2311	2476	2648	2980
 44" Open Arm, Upholstered Back SOL2-GBHUH44OPU Urethane SOL2-GBHUH44OPW Beech	1686	1770	1853	2019	2189	2353	2525	2690	3024
	1813	1896	1978	2145	2315	2479	2650	2816	3148
ORDERING NOTES: Solis Behavioral Health guest chairs are standard with; secured glides, secured Arms, Bottom Staple shield/Cover, Non-Accessible Staples (Bottom of back) and Tamper- Resistant Hardware.									
Solis Guest Option Upcharges			\$ List			\$ List			
CAL 133 & Moisture Barrier (per yard)	67		30" & 44" - Removable Back Cover (per back)			84			
Guest chair - Removable Seat Cover	84		Kinetic Back option			126			
21" & 24" - Removeable Back Cover	60		Maple Arm upgrade per arm (add to beech price)			84			
Combination Upholstery - dual fabrics	34								
Combination Upholstery -Three fabrics	67								
Solis Behavioral Health Option Upcharges			\$ List			\$ List			
Plywood Seat / No Springs	127		Weight Shield (to min 80lbs) - 21" Uph.			428			
Sled Base	278		Weight Shield (to min 80lbs) - 21" Mesh			510			
Anchor to Floor (Sleigh base only)	376		Weight Shield (to min 80lbs) - 24" Uph.			353			
21" Tamper- Resistant Splashguard	164		Weight Shield (to min 80lbs) - 24" Mesh			432			
24" Tamper- Resistant Splashguard	173		Weight Shield (to min 80lbs) - 30" Uph.			189			
30" Tamper- Resistant Splashguard	357		Weight Shield (to min 80lbs) - 44" Uph.			179			
44" Tamper- Resistant Splashguard	381								
Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 423.									

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL Solis	2 Chair	GBH Guest Seating	U Upholstered Back	21	OPU Open Arm - Urethane
		PBH Patient Seating	M Mesh Back 21" & 24" Only	24	OPW Open Arm - Wood
				30	CLW Closed Arm - Wood
				44	CLU Closed Arm - Urethane
					FCW Fully Closed Arm - Wood
					FCU Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | PATIENT -DIMENSIONS & COM REQUIREMENTS**DIMENSIONS**

Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Base Shipping Weight	Cubes
UPHOLSTERED BACK								
21" Seat	25	28	43.75	18.5	26	20	20	54
24" Seat	28	28	43.75	18.5	26	23	20	58
30" Seat	34	28	43.75	18.5	26	29	20	64

COM - YARDAGE REQUIREMENTS

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage-Closed Upper Arm Panel	Yardage-Fully Closed Arm Panel (Upper & Lower)
21" & 24" - One Chair	2.1	0.9	2	0.8	1.6
21" & 24" - Two Chairs	4	1.3	3.4	1.2	2.4
21" & 24" - Three Chairs	6.1	2.1	5.4	1.6	3.2
30" Plus - One Chair	3.1	0.9	2.2	0.8	1.6
30" Plus - Two Chairs	6.2	1.8	4.4	1.2	2.4
30" Plus - Three Chairs	9.3	2.7	6.6	1.6	3.2


ORDERING NOTES:

Complete Mesh backs (21" & 24") can be ordered and field replaced.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$67 list** per arm frame pair, please see page 24 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$67 list** per arm frame pair or table.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.



Fabric Grades	(COM)		(COL)		Leather				COM
	1	2	3	4	5	6	7	8	
Closed Arm Panel (1 arm)	218	235	249	280	308	337	367	397	456
Closed Arm Panels (2 arms)	438	470	500	557	617	675	733	794	912



Fully Closed Arm (1 arm)	355	383	410	457	507	555	604	658	742	1.5
Fully Closed Arm (2 arms)	710	766	821	915	1015	1106	1208	1315	1482	3



SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS BEHAVIORAL HEALTH | PATIENT

DESCRIPTION/MODEL	COM 1	COL 2	FABRIC GRADES			7	LEATHER	
			4	5	6		8	9
 21" Open Arm, Mesh Back SOL2-PBHM21OPU Urethane SOL2-PBHM21OPW Beech	1222	1303	1335	1401	1467	1534	1602	1668 1772
	1397	1428	1462	1528	1594	1662	1726	1794 1898
 21" Open Arm, Upholstered Back SOL2-PBHU21OPU Urethane SOL2-PBHU21OPW Beech	1328	1397	1465	1609	1747	1891	2028	2167 2449
	1453	1523	1593	1735	1871	2017	2156	2295 2575
 24" Open Arm, Mesh Back SOL2-PBHM24OPU Urethane SOL2-PBHM24OPW Beech	1309	1345	1376	1442	1510	1578	1643	1710 1813
	1438	1471	1502	1568	1636	1703	1770	1835 1937
 24" Open Arm, Upholstered Back SOL2-PBHU24OPU Urethane SOL2-PBHU24OPW Beech	1370	1440	1510	1648	1790	1930	2072	2213 2495
	1494	1566	1636	1776	1916	2056	2196	2340 2620
 30" Open Arm, Upholstered Back SOL2-PBHU30OPU Urethane SOL2-PBHU30OPW Beech	1722	1828	1928	2134	2345	2552	2760	2965 3381
	1848	1953	2054	2262	2471	2679	2883	3093 3509

Solis Guest Option Upcharges	\$ List	\$ List
CAL 133 & Moisture Barrier (per yard)	67	30" - Removable Back Cover (per back)
Guest chair - Removable Seat Cover	84	Kinetic Back option
21" & 24" - Removeable Back Cover	60	Maple Arm upgrade per arm (add to beech price)
Combination Upholstery - dual fabrics	34	
Combination Upholstery -Three fabrics	67	

Solis Behavioral Health Option Upcharges	\$ List	\$ List
Plywood Seat / No Springs	127	Weight Shield (to min 80lbs) - 21" Uph.
Sled Base	278	Weight Shield (to min 80lbs) - 21" Mesh
Anchor to Floor (Sleigh base only)	376	Weight Shield (to min 80lbs) - 24" Uph.
21" Tamper- Resistant Splashguard	164	Weight Shield (to min 80lbs) - 24" Mesh
24" Tamper- Resistant Splashguard	173	Weight Shield (to min 80lbs) - 30" Uph.
30" Tamper- Resistant Splashguard	357	428
		510
		353
		432
		189

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 437.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL Solis	2 Chair	GBH Guest Seating	U Upholstered Back	21	OPU Open Arm - Urethane
		PBH Patient Seating	M Mesh Back 21" & 24" Only	24	OPW Open Arm - Wood
				30	CLW Closed Arm - Wood
				44	CLU Closed Arm - Urethane
					FCW Fully Closed Arm - Wood
					FCU Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | MULTIPLE SEATING - GUEST**DIMENSIONS & COM. REQUIREMENTS - START UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back	COM. Fabric Seat	COM. Fabric Back	COM. Fabric Panel (1 Arm)	COM. Fabric Panel (2 Arms)
										Yardage	Yardage	Yardage	Yardage	Yardage
MESH BACK														
SGM21	25	28	34.5	18.5	26	20	20	41	16	-	0.9	-	0.4	0.8
SGM24	28	28	34.5	18.5	26	23	20	44	18	-	0.9	-	0.4	0.8
UPHOLSTERED BACK														
SGU21	25	28	34.5	18.5	26	20	20	43	16	1.6	0.9	1.6	0.4	0.8
SGU24	28	28	34.5	18.5	26	23	20	47	18	1.6	0.9	1.6	0.4	0.8
SGU30	34	28	34.5	18.5	26	29	20	52	22	2.5	0.9	2.5	0.4	0.8
SGU44	48	28	34.5	18.5	26	43	20	66	31	2.5	0.9	2.5	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back	COM. Fabric Seat	COM. Fabric Back	COM. Fabric Panel	
										Yardage	Yardage	Yardage	Yardage	
MESH BACK														
CGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4	
CGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4	
UPHOLSTERED BACK														
CGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4	
CGU24	26	28	34.5	18.5	26	23	20	41	19	1.6	0.9	1.6	0.4	
CGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	2.5	0.4	
CGU44	46	28	34.5	18.5	26	43	20	60	31	2.5	0.9	2.5	0.4	








DIMENSIONS & COM. REQUIREMENTS - END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back	COM. Fabric Seat	COM. Fabric Back	COM. Fabric Panel	
										Yardage	Yardage	Yardage	Yardage	
MESH BACK														
EGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4	
EGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4	
UPHOLSTERED BACK														
EGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4	
EGU24	26	28	34.5	18.5	26	23	20	41	18	1.6	0.9	1.6	0.4	
EGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	2.5	0.4	
EGU44	46	28	34.5	18.5	26	43	20	60	31	2.5	0.9	2.5	0.4	

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM)		(COL)		Leather	8	9	COM		
	1	2	3	4						
Closed Arm Panel (1 arm)	218	235	249	280	308	337	367	397	456	0.4
Closed Arm Panels (2 arms)	438	470	500	557	617	675	733	794	912	0.8
Fully Closed Arm (1 arm)	355	383	410	457	507	555	604	658	742	1.5
Fully Closed Arm (2 arms)	710	766	821	915	1015	1106	1208	1315	1482	3

SOLIS BEHAVIORAL HEALTH | START, CENTER & END GUEST UNITS







DESCRIPTION/MODEL	COM		COL 3	FABRIC GRADES			LEATHER		
	1	2		4	5	6	7	8	9
START									
 21" Open Arm Start Guest Unit, Mesh Back	SOL2-SGBHM21OPU	Urethane	1174	1208	1240	1307	1374	1440	1505
	SOL2-SGBHM21OPW	Beech	1302	1334	1369	1435	1500	1566	1633
 21" Open Arm Start Guest Unit, Upholstered Back	SOL2-SGBHU21OPU	Urethane	1227	1281	1334	1441	1550	1656	1761
	SOL2-SGBHU21OPW	Beech	1353	1407	1460	1567	1673	1781	1891
 24" Open Arm Start Guest Unit, Mesh Back	SOL2-SGBHM24OPU	Urethane	1219	1251	1284	1349	1416	1484	1551
	SOL2-SGBHM24OPW	Beech	1345	1376	1409	1475	1541	1610	1675
 24" Open Arm Start Guest Unit, Upholstered Back	SOL2-SGBHU24OPU	Urethane	1269	1325	1377	1485	1590	1699	1769
	SOL2-SGBHU24OPW	Beech	1397	1450	1504	1611	1719	1908	1932
 30" Open Arm Start Guest Unit, Upholstered Back	SOL2-SGBHU30OPU	Urethane	1515	1598	1684	1849	2018	2187	2350
	SOL2-SGBHU30OPW	Beech	1641	1724	1810	1976	2144	2311	2476
 44" Open Arm Start Guest Unit, Upholstered Back	SOL2-SGBHU44OPU	Urethane	1686	1770	1853	2019	2189	2353	2525
	SOL2-SGBHU44OPW	Beech	1813	1896	1978	2145	2315	2479	2650
CENTER									
 21" Open Arm Center Guest Unit, Mesh Back	SOL2-CGBHM21OPU	Urethane	1072	1106	1140	1204	1270	1336	1402
	SOL2-CGBHM21OPW	Beech	1137	1169	1200	1267	1334	1400	1465
 21" Open Arm Center Guest Unit, Upholstered Back	SOL2-CGBHU21OPU	Urethane	1117	1172	1226	1333	1440	1547	1650
	SOL2-CGBHU21OPW	Beech	1180	1235	1289	1397	1502	1610	1715
 24" Open Arm Center Guest Unit, Mesh Back	SOL2-CGBHM24OPU	Urethane	1098	1135	1165	1230	1298	1367	1429
	SOL2-CGBHM24OPW	Beech	1163	1195	1228	1293	1361	1426	1493
 24" Open Arm Center Guest Unit, Upholstered Back	SOL2-CGBHU24OPU	Urethane	1147	1200	1254	1361	1467	1578	1684
	SOL2-CGBHU24OPW	Beech	1210	1265	1316	1424	1531	1640	1747

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 439.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | CENTER & END GUEST UNITS

DESCRIPTION/MODEL	COM	COL	FABRIC GRADES			LEATHER		
	1	2	3	4	5	6	7	8
 30" Open Arm Center Guest Unit, Upholstered Back								
SOL2-CGBHU30OPU Urethane 1375 1458 1540 1712 1877 2043 2212 2378 2714								
SOL2-CGBHU30OPW Beech 1439 1521 1605 1774 1938 2106 2275 2440 2774								
 44" Open Arm Center Guest Unit, Upholstered Back								
SOL2-CGBHU44OPU Urethane 1536 1622 1697 1870 2039 2208 2376 2539 2877								
SOL2-CGBHU44OPW Beech 1600 1686 1769 1934 2102 2271 2438 2604 2940								
 END 21" Open Arm End Guest Unit, Mesh Back								
SOL2-EGBHM21OPU Urethane 1072 1106 1140 1204 1270 1336 1402 1471 1573								
SOL2-EGBHM21OPW Beech 1137 1169 1200 1267 1334 1400 1465 1533 1636								
 21" Open Arm End Guest Unit, Upholstered Back								
SOL2-EGBHU21OPU Urethane 1117 1172 1226 1333 1440 1547 1650 1760 1975								
SOL2-EGBHU21OPW Beech 1180 1235 1289 1397 1502 1610 1715 1824 2038								
 24" Open Arm End Guest Unit, Mesh Back								
SOL2-EGBHM24OPU Urethane 1098 1135 1165 1230 1298 1367 1429 1496 1600								
SOL2-EGBHM24OPW Beech 1163 1195 1228 1293 1361 1426 1493 1559 1663								
 24" Open Arm End Guest Unit, Upholstered Back								
SOL2-EGBHU24OPU Urethane 1147 1200 1254 1361 1467 1578 1684 1789 2004								
SOL2-EGBHU24OPW Beech 1210 1265 1316 1424 1531 1640 1747 1853 2066								
 30" Open Arm End Guest Unit, Upholstered Back								
SOL2-EGBHU30OPU Urethane 1375 1458 1540 1712 1877 2043 2212 2378 2714								
SOL2-EGBHU30OPW Beech 1439 1521 1605 1774 1938 2106 2275 2440 2774								
 44" Open Arm End Guest Unit, Upholstered Back								
SOL2-EGBHU44OPU Urethane 1536 1622 1697 1870 2039 2208 2376 2539 2877								
SOL2-EGBHU44OPW Beech 1600 1686 1769 1934 2102 2271 2438 2604 2940								

ORDERING NOTES:

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$67 list** per arm frame pair, please see page 24 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$67 list** per arm frame pair or table.

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 439.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | MULTIPLE SEATING - PATIENT BACKS**DIMENSIONS & COM. REQUIREMENTS - START UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back	COM. Fabric Seat	COM. Fabric Back	COM. Closed Arm Panel (1 Arm)	COM. Closed Arm Panel (2 Arms)	COM. Fabric	COM. Fabric
										Seat & Back	Fabric Seat	Fabric Back	Closed Arm Panel (1 Arm) Yardage	Closed Arm Panel (2 Arms) Yardage	Fabric	Fabric
	Width	Depth	Height							Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage
MESH BACK																
SPM21	25	28	43.75	18.5	26	20	20	42	21	-	0.9	-	0.4	-	0.4	0.8
SPM24	28	28	43.75	18.5	26	23	20	45	23	-	0.9	-	0.4	-	0.4	0.8
UPHOLSTERED BACK																
SPU21	25	28	43.75	18.5	26	20	20	46	21	2.1	0.9	2.0	0.4	-	0.4	0.8
SPU24	28	28	43.75	18.5	26	23	20	50	23	2.1	0.9	2.0	0.4	-	0.4	0.8
SPU30	34	28	43.75	18.5	26	29	20	56	28	3.1	0.9	2.2	0.4	-	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back	COM. Fabric Seat	COM. Fabric Back	COM. Closed Arm Panel	COM. Fabric	
										Seat & Back	Fabric Seat	Fabric Back	Closed Arm Panel	Fabric	
	Width	Depth	Height							Yardage	Yardage	Yardage	Yardage	Yardage	Yardage
MESH BACK															
CPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	-	-	0.4
CPM24	26	28	43.75	18.5	26	23	20	39	23	-	0.9	-	-	-	0.4
UPHOLSTERED BACK															
CPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4	-	0.4
CPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4	-	0.4
CPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4	-	0.4

DIMENSIONS & COM. REQUIREMENTS - END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back	COM. Fabric Seat	COM. Fabric Back	COM. Closed Arm Panel	COM. Fabric	
										Seat & Back	Fabric Seat	Fabric Back	Closed Arm Panel	Fabric	
	Width	Depth	Height							Yardage	Yardage	Yardage	Yardage	Yardage	Yardage
MESH BACK															
EPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	-	-	0.4
EPM24	26	28	43.75	18.5	26	23	20	38	23	-	0.9	-	-	-	0.4
UPHOLSTERED BACK															
EPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4	-	0.4
EPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4	-	0.4
EPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4	-	0.4

ORDERING NOTES:

Multiple yardage requirements for Patient back Start, Center and End units, please refer to page 25.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM)		(COL)		5	6	7	8	9	COM
	1	2	3	4						
Closed Arm Panel (1 arm)	218	235	249	280	308	337	367	397	456	0.4
Closed Arm Panels (2 arms)	438	470	500	557	617	675	733	794	912	0.8
Fully Closed Arm (1 arm)	658	702	745	835	922	1011	1100	1191	1369	1.5
Fully Closed Arm (2 arms)	876	934	995	1114	1230	1349	1401	1585	1822	3

SOLIS BEHAVIORAL HEALTH | START & CENTER PATIENT UNITS

DESCRIPTION/MODEL	COM 1	COL 2	FABRIC GRADES			LEATHER 7	LEATHER 8	LEATHER 9
			4	5	6			
START	21" Open Arm Start Patient Unit, Mesh Back							
	SOL2-SPBHM21OPU	Urethane	1222	1303	1335	1401	1467	1534
	SOL2-SPBHM21OPW	Beech	1397	1428	1462	1528	1594	1662
	21" Open Arm Start Patient Unit, Upholstered Back							
	SOL2-SPBH21OPU	Urethane	1328	1397	1465	1609	1747	1891
	SOL2-SPBH21OPW	Beech	1453	1523	1593	1735	1871	2028
	24" Open Arm Start Patient Unit, Mesh Back							
	SOL2-SPBHM24OPU	Urethane	1309	1345	1376	1442	1510	1578
	SOL2-SPBHM24OPW	Beech	1438	1471	1502	1568	1636	1703
	24" Open Arm Start Patient Unit, Upholstered Back							
	SOL2-SPBH24OPU	Urethane	1370	1440	1510	1648	1790	1930
	SOL2-SPBH24OPW	Beech	1494	1566	1636	1776	1916	2056
	30" Open Arm Start Patient Unit, Upholstered Back							
	SOL2-SPBH30OPU	Urethane	1722	1828	1928	2134	2345	2552
	SOL2-SPBH30OPW	Beech	1848	1953	2054	2262	2471	2679
CENTER	21" Open Arm Center Patient Unit, Mesh Back							
	SOL2-CPBHM21OPU	Urethane	1166	1199	1231	1300	1368	1431
	SOL2-CPBHM21OPW	Beech	1229	1263	1297	1362	1428	1494
	21" Open Arm Center Patient Unit, Upholstered Back							
	SOL2-CPBH21OPU	Urethane	1219	1289	1358	1499	1640	1777
	SOL2-CPBH21OPW	Beech	1281	1352	1422	1561	1703	1840
	24" Open Arm Urethane Cap Center Patient Unit, Mesh Back							
	SOL2-CPBHM24OPU	Urethane	1194	1227	1261	1328	1394	1459
	SOL2-CPBHM24OPW	Beech	1257	1290	1325	1389	1456	1523
	24" Open Arm Center Patient Unit, Upholstered Back							
	SOL2-CPBH24OPU	Urethane	1246	1315	1384	1528	1668	1809
	SOL2-CPBH24OPW	Beech	1308	1379	1450	1590	1729	1870
	30" Open Arm Center Patient Unit, Upholstered Back							
	SOL2-CPBH30OPU	Urethane	1581	1686	1788	1993	2200	2409
	SOL2-CPBH30OPW	Beech	1644	1749	1852	2058	2265	2472

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 439.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS BEHAVIORAL HEALTH | END PATIENT UNITS

DESCRIPTION/MODEL	END	21" Open Arm End Unit, Mesh Back	COM	COL	FABRIC GRADES			LEATHER						
			1	2	3	4	5	6	7	8	9			
		SOL2-EPBHM21OPU Urethane	1166	1199	1231	1300	1368	1431	1499	1565	1668			
		SOL2-EPBHM21OPW Beech	1229	1263	1297	1362	1428	1494	1561	1629	1729			
		21" Open Arm End Unit, Upholstered Back			SOL2-EPBHU21OPU Urethane	1219	1289	1358	1499	1640	1777	1923	2062	2343
		SOL2-EPBHU21OPW Beech	1281	1352		1422	1561	1703	1840	1984	2125	2407		
		24" Open Arm Urethane Cap End Unit, Mesh Back			SOL2-EPBHM24OPU Urethane	1194	1227	1261	1328	1394	1459	1525	1590	1693
		SOL2-EPBHM24OPW Beech	1257	1290		1325	1389	1456	1523	1588	1656	1755		
		24" Open Arm End Unit, Upholstered Back			SOL2-EPBHU24OPU Urethane	1246	1315	1384	1528	1668	1809	1948	2089	2369
		SOL2-EPBHU24OPW Beech	1308	1379		1450	1590	1729	1870	2010	2155	2434		
		30" Open Arm End Unit, Upholstered Back			SOL2-EPBHU30OPU Urethane	1581	1686	1788	1993	2200	2409	2617	2826	3241
		SOL2-EPBHU30OPW Beech	1644	1749		1852	2058	2265	2472	2681	2888	3302		

ORDERING NOTES:

Complete Mesh backs (21" & 24") can be ordered and field replaced.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$67 list** per arm frame pair, please see [page 24](#) for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$67 list** per arm frame pair or table.

Solis Option Upcharges	\$ List	\$ List
CAL 133 & Moisture Barrier (per yard)	67	Maple Arm upgrade per arm (add to beech price)
Removable Seat Cover (per seat)	84	Kinetic Back option
21" & 24" - Removeable Back Covers (per back)	60	
30" - Removeable Back Cover (per back)	84	
Combination Upholstery - dual fabrics	34	
Combination Upholstery -Three fabrics	67	

Solis Behavioral Health Option Upcharges \$ List

Plywood Seat / No Springs	127	Weight Shield (to min 80lbs) - 21" Uph.	428
Sled Base	278	Weight Shield (to min 80lbs) - 21" Mesh	510
Anchor to Floor (Sleigh base only)	376	Weight Shield (to min 80lbs) - 24" Uph.	353
21" Tamper- Resistant Splashguard	164	Weight Shield (to min 80lbs) - 24" Mesh	432
24" Tamper- Resistant Splashguard	173	Weight Shield (to min 80lbs) - 30" Uph.	189
30" Tamper- Resistant Splashguard	357		

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 439.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS

Description	Model	COM	COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube
		1	2	3	4	5	6	7	8			
Guest												
	21" Replacement Behavioral Health Guest Upholstered Backs SOL2-RBBHGU21 533 582 627 698 777 847						927	1025	1120	1.5	14	2.7
	21" Replacement Behavioral Health Guest Mesh Backs SOL2-RBBHGM21 463										10	2.7
	24" Replacement Behavioral Health Guest Upholstered Backs SOL2-RBBHGU24 555 599 651 721 801 870						949	1044	1143	1.5	15	2.8
	24" Replacement Behavioral Health Guest Mesh Backs SOL2-RBBHGM24 491										11	2.8
	30" Replacement Behavioral Health Guest Upholstered Backs SOL2-RBBHGU30 626 684 740 819 950 987						1078	1191	1303	1.6	19	3.4
	44" Replacement Behavioral Health Guest Upholstered Backs SOL2-RBBHGU44 812 865 922 1003 1090 1172						1262	1374	1486	2.25	28	4.8
Patient												
	21" Replacement Behavioral Health Patient Upholstered Backs SOL2-RBBHPU21 659 729 802 898 1009 1111						1223	1362	1504	2.0	21	3.8
	21" Replacement Behavioral Health Mesh Backs SOL2-RBBHPM21 501										15	3.8
	24" Replacement Behavioral Health Patient Upholstered Backs SOL2-RBBHPU24 695 765 835 933 1046 1144						1257	1400	1539	2.0	21	3.8
	24" Replacement Behavioral Health Patient Mesh Backs SOL2-RBBHPM24 533										17	3.8
	30" Replacement Behavioral Health Patient Upholstered Backs SOL2-RBBHPU30 875 967 1059 1187 1333 1460						1609	1791	1975	2.2	24	4.8
Guest												
	21" Replacement Behavioral Health Guest Upholstered Back Cover SOL2-RBCBHGU21 162 212 258 328 408 477						557	655	752	1.5	2	.8
	21" Replacement Behavioral Health Guest Mesh Back Cover SOL2-RBCBHGM21 200										2	.8
	24" Replacement Behavioral Health Guest Upholstered Back Cover SOL2-RBCBHGU24 162 212 259 328 408 477						558	655	756	1.5	2.3	.8
	24" Replacement Behavioral Health Mesh Back Cover SOL2-RBCBHGM24 243										2.3	.8
	30" Replacement Behavioral Health Guest Upholstered Back Cover SOL2-RBCBHGU30 177 235 287 367 456 537						626	752	851	1.6	2.6	.8
	44" Replacement Behavioral Health Guest Upholstered Back Cover SOL2-RBCBHGU44 186 243 298 380 470 543						636	750	862	2.25	3.5	.8
Patient												
	21" Replacement Behavioral Health Patient Upholstered Back Cover SOL2-RBCBHPU21 208 280 350 448 561 659						771	913	1053	2.0	2.5	.8
	21" Replacement Behavioral Health Mesh Back Cover SOL2-RBCBHPM21 222										2.5	.8
	24" Replacement Behavioral Health Patient Upholstered Back Cover SOL2-RBCBHPU24 211 280 350 448 562 659						771	913	1053	2.0	2.7	.8
	24" Replacement Behavioral Health Patient Mesh Back Cover SOL2-RBCBHPM24 262										2.7	.8
	30" Replacement Behavioral Health Patient Upholstered Back Cover SOL2-RBCBHPU30 256 349 441 568 712 844						988	1172	1354	2.2	3	.8

SOLIS BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS

Description	Model	COM	COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube	
		1	2	3	4	5	6	7	8				
Seat	21" Replacement Behavioral Health Seat												
	SOL2-RSBH21	337	369	401	445	496	539	590	655	720	.9	9	2.7
	24" Replacement Behavioral Health Seat												
	SOL2-RSBH24	375	407	438	480	535	575	627	691	756	.9	10	2.7
	30" Replacement Behavioral Health Seat												
	SOL2-RSBH30	425	455	487	534	573	626	676	740	803	.9	12	3.4
	44" Replacement Behavioral Health Seat												
	SOL2-RSBH44	564	604	643	698	759	815	875	954	1032	.9	14	4.8
No Spring Seat	21" Replacement Behavioral Health No Spring Seat												
	SOL2-RSBH21NS	465	496	527	570	621	665	719	781	846	.9	9	2.7
	24" Replacement Behavioral Health No Spring Seat												
	SOL2-RSBH24NS	502	535	564	611	659	703	756	819	882	.9	10	2.7
	30" Replacement Behavioral Health No Spring Seat												
	SOL2-RSBH30NS	548	583	614	658	700	752	803	865	930	.9	12	3.4
	44" Replacement Behavioral Health No Spring Seat												
	SOL2-RSBH44NS	691	730	768	823	886	939	1002	1081	1158	.9	12	3.4
Seat Cover	21" Replacement Behavioral Health Seat Cover												
	SOL2-RSBHC21	113	144	177	220	271	316	365	429	493	1.0	1.6	.8
	24" Replacement Behavioral Health Seat Cover												
	SOL2-RSBHC24	116	147	178	222	273	317	367	430	494	1.0	1.7	.8
	30" Replacement Guest, Patient & Easy Access Seat Cover												
	SOL2-RSBHC30	124	148	187	234	283	327	380	443	505	1.0	2	.8
	44" Replacement Behavioral Health Seat Cover												
	SOL2-RSBHC44	147	186	223	280	342	394	455	535	612	1.0	2.5	.8
	Replacement Closed Arm												
	SOL2-RCA	204	217	231	249	271	289	311	337	362	.8	6	.9
	Replacement Lower Closed Arm Panel												
	SOL2-RCAB	143	158	171	191	212	228	252	278	305	.8	6	.9
	Bottom Staple Cover/Shield												
	SOL2-RBC21	86									2	0.8	
	SOL2-RBC24	89									2.3	0.8	
	SOL2-RBC30	99									2.6	0.8	
	SOL2-RBC44	110									3.5	0.8	
	Weighted Shield												
	SOL2-RWSU21	428									25	1	
	SOL2-RWSM21	510									25	1	
	SOL2-RWSU24	353									25	1	
	SOL2-RWSM24	432									25	1	
	SOL2-RWSU30	189									31	1	
	SOL2-RWSU44	179									44	1	
	Tamper- Resistant Splashguard												
	SOL2-RSGBH21	271									1	.3	
	SOL2-RSGBH24	282									2	.4	
	SOL2-RSGBH30	487									3	.5	
	SOL2-RSGBH44	527									4	.6	

SOLIS BEHAVIORAL HEALTH | REPLACEMENT FRAMES

Description	Model	Price	Weight	Cubes
	Tamper- Resistant Side Frame Assembly - Start SOL2-RSFABHS - Urethane - Beech	186 374	9	1.5
	Tamper- Resistant Side Frame Assembly - Center SOL2-RSFABHC - Urethane - Beech	186 374	9	1.5
	Tamper- Resistant Side Frame Assembly - End SOL2-RSFABHE - Urethane - Beech	186 374	9	1.5
	Sleigh Base Side Frame Assembly - Start SOL2-RSFABHSSB - Urethane - Beech	614 802	9	1.5
	Sleigh Base Side Frame Assembly - Center SOL2-RSFABHCSB - Urethane - Beech	614 802	9	1.5
	Sleigh Base Side Frame Assembly - End SOL2-RSFABHESB - Urethane - Beech	614 802	9	1.5
	Sleigh Base Fully Closed Side Frame - Start SOL2-RSFABHSFC - Urethane - Beech	614 802	9	1.5
	Sleigh Base Fully Closed Side Frame - Center SOL2-RSFABHCFC - Urethane - Beech	614 802	9	1.5
	Sleigh Base Fully Closed Side Frame - End SOL2-RSFABHEFC - Urethane - Beech	614 802	9	1.5


Maple arm side frames are available for an upcharge of **\$84 list** per arm, please see Page 642 for finish selection.

Tamper- Resist Tool Kit SOL2-BHTK	150
--------------------------------------	-----

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
 RECYCLED CONTENT = 54.33%

POST-CONSUMER
 RECYCLED CONTENT = 16.83%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS

All Solis products are supplied with air-emissions certified. Contact customer service for information.



FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS | TABLES, FEATURES & OPTIONS

STANDARD FINISHES

Solid Beech & Maple edges with Veneer tops. For a complete list of standard wood finishes, please see [Page 642](#). Solis tables are available in 22 standard finishes.

LAMINATE AND POLYMER EDGE

Solis tables are available in laminates with wood or laminates with Polymer edge. See [page 643](#) for laminate information.

METAL FINISHES

Silver Metallic Standard - No Upcharge
 Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$67 list** per arm frame pair or table. Additional Frame Finishes are available for an upcharge of **\$67 list** per seat/ table.

Available colors are: • White • Parchment • Sand • Taupe • Warm Grey • Cool Grey • Black

For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. The anti-microbial finish is included in the additional finish up-charge. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

[View Solis images | www.krug.ca](#)

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Krug Solis Multiple Seating. Linking tables are connected to the Multiple Seating via U-Shaped brackets. The design of the tables for Solis Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration - or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.


Linking tables also feature a universal, non-handed design:

They can be moved to reverse position in almost every configuration, providing a high level of flexibility for reconfiguring.








Please note Solis Plastic Laminate Linking Tables are not available on *KrugExpress*.

Wood Tops with Wood Edges are available on *KrugExpress* but with a minimum order requirement of 5 tables per order.

A drawing showing the configuration of the multiple seating and tables are required with each purchase order.



SIN 339113H - Hospital Geriatric Chairs & Lounge
SOLIS | LINKING TABLES

DESCRIPTION/MODEL	Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	W	D	Weight	Cubes
 Center Square Table SOL4-LKI-22-22	647	679	789	620	22	22	18	1.5
 End Square Table SOL4-LKE-22-22	690	727	843	665	22	22	20	1.5
 Curvilinear Connector Table 45° with flat edge SOL4-LKCRF45	627	661	766	620	27.5	27.5	21	2.2
 Curvilinear Connector Table 45° SOL4-LKCRR45	659	695	804	653	27.5	27.5	21	2.2
 Curvilinear Connector Table 90° SOL4-LKCRR90	743	783	909	741	30	30	27	2.2
 Curvilinear Connector Table 90° with flat edge SOL4-LKCRF90	733	774	894	729	30	30	29	2.2
 Rectilinear Corner Connector Table 90° SOL4-LKCSF90	824	870	1005	775	30	30	32	2.2

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Solis Multiple Seating. Linking tables are connected to the Multiple Seating via U-Shaped brackets.

Rectilinear Corner Connector table 90° include a support leg in the outer corner.

When specifying Linking Tables please ensure that each unit has legs on either side of the table.

Please note Solis Plastic Laminate Linking Tables are not available on *KrugExpress*.

Wood Tops with Wood Edges are available on *KrugExpress* but with a minimum order requirement of 5 tables per order.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

SOLIS | FREE STANDING TABLES

DESCRIPTION/MODEL	Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	W	D	H	Weight	Cubes
 Square Tables SOL4-22-22-16	612	643	743	579	22	22	16	26	5
 SOL4-42-22-16	849	894	1037	796	42	22	16	46	9
 SOL4-22-22-21	617	648	751	585	22	22	21	28	7
<hr/>									
 Circular Tables SOL4-18D-16	540	569	661	515	18 Diameter	-	16	20	3
 SOL4-18D-21	558	588	680	533	18 Diameter	-	21	22	4
 SOL4-24D-16	571	604	699	556	24 Diameter	-	16	32	5
 SOL4-24D-21	617	648	751	596	24 Diameter	-	21	35	7
 SOL4-36D-16	871	916	1061	886	36 Diameter	-	16	43	12

SIN 339113H - Hospital Geriatric Chairs & Lounge GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

Juno and Trevisa Overbed Tables have a 2-year warranty.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

SIN 339113H - Hospital Geriatric Chairs & Lounge

GENERAL INFORMATION

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$275/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$275/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$551/shipment. (local times).
5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$131/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$131/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$131/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard. Specific test results and documentation are available on request.



Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or

storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Textiles - Upholstery Program

- Passes State of California Technical Bulletin CAL 117-2013

Krug Textiles - Stocked Fabric Program

Grade 1

ARLO



308 MIDNIGHT



306 PETROL



84 NUTMEG



908 CHARCOAL




62 OATMEAL



93 SEAL



90 LIMESTONE



601 PEARL

FRANKLIN



47 CAMEL



3009 MIDNIGHT



909 BLACK



67 FAWN



9004 CHARCOAL



97 CINDER



308 PETROL



94 METAL



108 ORCHID

COMRADE



309 MIDNIGHT



84 TEAK




601 SNOW




63 LINEN



57 MARIGOLD



24 ALPINE



31 DUCK EGG



905 IRON

FELICITY



601 IVORY



305 SKY



64 PUTTY



603 TAUPE



62 FAWN



93 COAL




36 BLUEBERRY

Krug Textiles - Stocked Fabric Program

Grade 2

GRADDY



25 CAPER



31 SKY




604 FLAX



901 CHAR



93 GRAY



34 SLATE



84 TEAK



98 NICKLE

YATES



84 BIRCH



44 CLAY



87 TAUPE



25 JUNIPER



305 INDIGO



109 CRANBERRY

MCCOY



608 TUNDRA



601 CREME



908 CHARCOAL



62 COPPER



108 CORDOVAN



32 ROBIN'S EGG




94 MERCURY



84 BARK

ORIS



908 DOMINO




604 BARK



601 CREAM



306 DELFT



902 ZINC



305 MIDNIGHT



64 PUTTY




205 CHARTREUSE


Krug Textiles - Stocked Fabric Program

Grade 3

MORITZ




205 SPEARMINT



61 OYSTER



306 CADET



104 MULBERRY



31 AEGEAN



9008 CHARCOAL



82 CLAY



304 CAPRI

LORENZO



306 INDIGO



24 ALPINE



64 LINEN




91 FLANNEL



32 MIST



601 CREAM



106 HENNA



604 STUCCO

BISCOTTI



302 CAPRI



45 SPICE



61 DESERT



91 GRANITE

INTRIGUE



601 OYSTER



27 OLIVE



4003 OCHRE



908 CHARCOAL



3009 MIDNIGHT



805 PECAN



608 STUCCO



605 STRAW

Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1	\$23
Grade 2	\$36
Grade 3	\$48

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

SIN 339113H - Hospital Geriatric Chairs & Lounge
CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).



Standard-Cut
"up the roll"



Non-Standard-Cut
across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to:

Krug Inc.
111 Ahrens Street
Kitchener, Ontario
Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked
"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$962 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

FABRIC	2"-14"	15"-19"	20"-27"	28"-36"
Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%
53-50	16%	20%	25%	30%
48	16%	25%	30%	35%
45	40%	50%	55%	60%
36	50%	60%	65%	70%

SIN 339113H - Hospital Geriatric Chairs & Lounge GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances.

Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for *KrugExpress* orders. Laminates are not available on *KrugExpress*.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

Appalachian Cherry
American Cherry
Imperial Cherry
Light Cherry
Medium Cherry
Natural Cherry
Sable Cherry
Standard Cherry
Light Oak
Harvest Oak
Mahogany
Mellow Oak
Espresso
Cordovan Walnut
Natural Walnut
Regular Walnut
SilverGrey on Walnut
Dark Walnut
Clear Beech
Medium Anigre

Finishes on Maple

Clear Maple
Honey Maple
Wheat Maple

PALETTE

Palette finishes available for applicable products.

Black
White
Soft Green
Steel Blue
Slate

WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech
Copper on Beech
Shiraz Cherry on Beech
Park Avenue Walnut on Beech
Chocolate on Beech
Nutmeg on Beech
Portobello on Beech
Ash on Beech
Dune on Maple

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$630 list per finish per order. (For example, on all orders up to \$6300 list, an upcharge of \$630 will apply, on orders \$6300 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

SIN 339113H - Hospital Geriatric Chairs & Lounge LAMINATE PROGRAM

LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38	Designer White	Wilsonart D354-60
Chocolate	Tafisa T498CR	Platinum	Tafisa T202CR
Nutmeg	Tafisa T477CR	Earth	Tafisa T767CR
Nightfall	Pionite WX421	Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut


Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

GROUP GRADE A - WHITE




GROUP GRADE A - COLOR



GROUP GRADE B



GROUP GRADE C




METAL FINISH - STANDARD



Silver Metallic

METAL FINISH - OPTIONAL (*minimum order quantity see [page 3](#)*)



White

Parchment

Sand

Taupe

Warm Grey

Cool Grey

Black

URETHANE COLOR OPTIONS



Taupe



Grey



Black

GLIDE SELECTION CHART

Product	Floor Saver		Non-Slip		
	Nylon	Felt	Rubber	Metal	Plastic
Guest, Patient, Multiple & Multi-Purpose Seating					
Mobi	standard	optional	optional	n/a	optional
Karma	optional	optional	optional	optional	standard
Cressida	standard	n/a	n/a	n/a	n/a
Solis	optional	optional	optional	optional	standard
Faeron Wood	standard	optional	n/a	optional	optional
Faeron Metal	optional	optional	optional	optional	standard
Jordan	standard	optional	optional	optional	optional
Corfu	standard	n/a	n/a	optional	n/a
Easy Access and Stools					
Karma	optional	optional	optional	optional	standard
Solis	optional	optional	optional	optional	standard
Faeron Wood	standard	optional	n/a	optional	optional
Faeron Metal	optional	optional	optional	optional	standard
Jordan	standard	optional	optional	optional	optional
Corfu	standard	n/a	n/a	n/a	n/a
Lounge Seating					
Cressida	standard	n/a	n/a	n/a	n/a
Leyton	optional	n/a	n/a	n/a	standard
Zola	standard	optional	optional	optional	n/a
Zola Privacy	standard	optional	optional	optional	n/a
Faeron Wood	standard	n/a	n/a	optional	optional
Faeron Metal	standard	optional	optional	optional	n/a
Faeron Upholstered - Wood leg	standard	n/a	n/a	optional	optional
Faeron Upholstered - Metal leg	standard	optional	optional	optional	n/a
Jordan	standard	optional	n/a	optional	optional
Carlyle-wood base	standard	optional	n/a	optional	optional
Carlyle-metal base	n/a	n/a	n/a	n/a	standard
Benches					
Tate	optional	n/a	n/a	n/a	standard
Zola	standard	optional	optional	optional	n/a
Jordan	standard	optional	n/a	optional	optional
Carlyle	n/a	n/a	n/a	n/a	standard
Recliners					
Jordan	standard	optional	optional	optional	optional
Jordan Recliner Plus	standard	optional	optional	optional	optional
Jordan Sleep Recliner	standard	optional	optional	optional	optional
Sleepers					
Amelio Sofa Sleeper & Modular Sofa	standard	optional	optional	optional	optional
Amelio Bench Sleeper	optional	optional	optional	optional	standard
Jordan Lounge Sleeper	n/a	n/a	standard	n/a	n/a
Behavioral Health					
Solis	optional	optional	optional	optional	standard
Solis - Sled Base	standard	n/a	n/a	n/a	n/a
Zola	standard	n/a	n/a	n/a	n/a
Karma	n/a	n/a	n/a	n/a	standard

ORDERING NOTES: Glides options marked "n/a" are not available for that product due to leg style. Please see product pricing pages for optional glide upcharges.

SIN 339113H - Hospital Geriatric Chairs & Lounge
GLIDE RECOMMENDATION BY FLOORING TYPE

Glide Material	Carpet	Vinyl/Linoleum	VCT	Rubber	LVT/LVP	Ceramic Tile	Concrete	Hardwood
Nylon - Floor Saver	**	*	*	*	NR	*	*	NR
Felt - Floor Saver	NR	*	**	NR	**	**	*	**
Rubber - Non-slip	**	**	*	*	NR	*	**	NR
Metal	*	*	NR	NR	NR	*	**	NR
Plastic	**	*	*	*	NR	*	**	NR

** = Best Solution

* = Acceptable

NR = Not Recommended

ORDERING NOTES: The above chart shows our recommendation based on a clean, professionally finished floor without dust or debris between the glides and the flooring.

SIN 339113H - Hospital Geriatric Chairs & Lounge



All products are air emissions certified and are available as FSC® certified

krug

solutions@krug.ca | www.krug.ca | **1.888.578.KRUG**