

SOLIS
Price and Specification Guide
USA

vizient™



Effective July 10, 2023

krug HEALTHCARE 

SOLIS | TABLE OF CONTENTS

SOLIS | GUEST BACK

- 2 Solis Environmental Summary
- 3 Solis Guest Features & Options
- 5 Solis Dimensions & COM Requirements
- 6 Solis Guest Pricing
- 7 Solis Replacement Components

SOLIS | PATIENT BACK

- 9 Solis Environmental Summary
- 10 Solis Dimensions & COM Requirements
- 11 Solis Patient Pricing
- 12 Solis Replacement Components

SOLIS | MULTIPLE GUEST & PATIENT SEATING

- 14 Solis Dimensions & COM Requirements | Guest
- 16 Solis Multiple Seating Pre-Configured Guest Units Pricing
- 17 Solis Multiple Seating Start, Center & End Guest Units Pricing
- 19 Solis Pre-Configured Freespan Multiple Seating Guest Units Pricing
- 21 Solis Dimensions & COM Requirements Patient Backs
- 22 Solis Multiple Seating Pre-Configured Patient Units Pricing
- 24 Solis Multiple Seating Start, Center & End Patient Units Pricing
- 26 Solis Pre-Configured Freespan Multiple Seating Patient Units Pricing
- 28 Solis Replacement Components

SOLIS | EASY ACCESS SEATING

- 33 Solis Environmental Summary
- 33 Solis Dimensions & COM Requirements
- 33 Solis Easy Access Chair Pricing

SOLIS | BEHAVIORAL HEALTH

- 34 Solis Environmental Summary
- 35 Solis Behavioral Health Features
- 36 Solis Behavioral Health Options
- 37 Solis Behavioral Health Guest Dimensions & COM Requirements
- 38 Solis Behavioral Health Guest Pricing
- 39 Solis Behavioral Health Patient Dimensions & COM Requirements
- 40 Solis Behavioral Health Patient Pricing
- 41 Solis Behavioral Health Guest Multiple Seating Dimensions & COM Requirements
- 42 Solis Behavioral Health Guest Multiple Seating Pricing
- 44 Solis Behavioral Health Patient Multiple Seating Dimensions & COM Requirements
- 45 Solis Behavioral Health Patient Multiple Seating Pricing
- 47 Solis Behavioral Health Replacement Parts

SOLIS | TABLES

- 50 Solis Environmental Summary
- 51 Solis Tables Features
- 52 Solis Linking Tables
- 53 Solis Free Standing Tables


GENERAL INFORMATION

- 54 Terms & Conditions
- 54 Warranty
- 56 KRUG Textiles - Upholstery Fabrics
- 58 KRUG Textiles - Leather & Faux Leather
- 60 Customer's Own Material (COM/COL)
- 60 CAL 133 & Moisture Barrier
- 61 Graded-In Upholstery Programs
- 61 *KRUGEXPRESS* Program
- 62 Wood Finishes
- 62 Standard Laminates
- 63 Metal Finishes
- 63 Urethane Color Options
- 63 Solid Surface Program

SOLIS | ENVIRONMENTAL SUMMARY

LEED CI CREDITS

MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 16%

POST-CONSUMER
RECYCLED CONTENT = 22%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (PLEASE ENQUIRE) Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

The above information regarding LEED contribution applies to both the upholstered as well as mesh back versions.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR-EMISSIONS

All Solis products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.




CLEAN OUT

All Solis seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquids to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Solis to well exceed ANSI/BIFMA standards. Rounded arms provide support for safe and easy ingress and egress.



HIGH DENSITY FOAM

Solis features dual density foam that is soft on the outside for comfort, dense on the inside for high durability. The seat and back foam features a compound curvature that supports healthy sitting postures, while also designed to ease ingress and egress.



FLEX BACK

Solis sets a new standard for comfort and ergonomics in healthcare seating. The ergonomically-designed back has a slight flexing action, which significantly enhances comfort.



URETHANE ARM

Solis arms are durable, comfortable, and long lasting. Urethane arms are available in three color options; Black, Grey and Taupe.



WOODEN ARM

Wood arms are available in either beech or maple hardwood and in 22 Krug standard finishes. Maple arm caps are available for an up-charge of **\$74 list** per arm using beech pricing.

REPLACEABLE COMPONENTS

Solis chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, arms, frames and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

TUBULAR STEEL CHAIR FRAME

The overall aesthetic frame of the chair is built from structural steel tubing, both elliptical and rectangular for exceptional strength and appealing design. The frame is electro welded and polished joints for ease of cleaning and a one piece look. Available in eight powder-coated finishes. Silver Metallic is offered as Krug's standard finish.

METAL FINISHES

Silver Metallic Standard - No Upcharge

Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$60 list** per arm frame pair or table. Additional Frame Finishes are available for an upcharge of **\$60 list** per seat/ table.

Available colors are: • White • Parchment • Sand • Taupe • Warm Grey • Cool Grey • Black

For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. The anti-microbial finish is included in the additional finish up-charge. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility. Patient and Guest chairs with mesh backs are excluded as they do not have the wall saver feature.

LATEX-FREE

Krug products are made with latex-free materials, to prevent the allergic reaction that latex causes in some people.

GANGING

All Solis Freestanding chairs can be ganged using a ganging bracket. The powder-coated metal plate is fastened to the underside of the steel side rails using the pre-existing holes in the frame.

EASY ACCESS ADJUSTABLE GLIDES

With the larger footprint of this chair and critical importance of stability for the user, we have included adjustable glides on the front legs - this allows the Easy Access chair to be perfectly leveled to any floor for maximum safety and stability.

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

WEIGHT CAPACITIES

Weight capacities are as follows:

Guest & Patient Chairs (21" & 24") - 500 lbs

Plus Chairs (30" & 44") - 750 lbs

Multiple Seating & Pre-configured - 500 lbs per seat

2-Seat Freespan - 525 lbs per unit

3-Seat Freespan = 750 lbs per unit

PLUS UPGRADE

Solis 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

[View Solis Images | www.krug.ca](http://www.krug.ca)

SOLIS | OPTIONS



ADJUSTABLE HEADREST

The adjustable headrest uses dual density foam providing excellent support and comfort. The headrest is securely fastened using an innovative clip allowing the headrest to be easily removed for cleaning and/or replacement. The headrest is easily adjusted by sliding the headrest vertically allowing the user to maximize their comfort.



EASY CLEAN BACKREST COVERS

Easy clean backrest covers are available on all mesh back Patient chairs. They are removable, replaceable and cleanable. The easy clean backrest cover features a foam interior for comfort and durability.



WOOD SIDE RAILS

Solis can be specified with solid wood side rails, which, along with the selection of wood arms and a choice of metal finishes, provides a warmer look and feel. All Solis wood components feature Krug's high durability Enduraguard finish. Wood Side Rails are available for an upcharge of **\$1116 list** per chair in Beech or **\$145 list** per chair in Maple. Wood side rails are not available with closed arm panels.



CASTERS

Casters are available on all 21" and 24" guest and patient chairs. Two rear hard wheel casters or four hard wheel casters are available for an upcharge per chair. The option of soft wheel casters can be ordered for additional upcharge. Both hard and soft caster options are standard non-locking but can be specified locking at no additional charge. The Solis caster is not a heavy-duty caster - it is designed and rated for normal use and load bearing, but has the potential to fail with excessive use, force, or weight. The caster was designed to allow the chairs to be moved for ease of cleaning and furniture arranging. Krug is not responsible for caster breakage under any circumstances. Solis casters are field replaceable.



KINETIC BACK OPTION

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Solis chair back - Guest, Patient and Multiple Seating - with the exception of the 30" and 44" sizes.



SOLID SURFACE ARM

The optional Solid Surface Arm provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors. See [page 63](#) for color selection.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$852 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$60 list** per yard.

REMOVABLE COVERS & REPLACEMENT COMPONENTS

- Seat Covers - **\$85 list** per seat
- Back Covers (21", 24") - **\$55 list** per chair (uph. only)
- Back Covers (30" and 44") - **\$85 list** per chair.

Optional Removeable seat and back covers can be quickly installed on Solis products that were originally ordered with the Removable cover option. Replacement seat and back covers can also be installed on Solis products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs. Complete Mesh backs can be ordered and field replaced.

CLEANABLE UNDER-SEAT SPLASHGUARD

All Solis seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable. The upcharges for the Splashguard are based on the size of the seat.

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$31 list** per unit and **\$60 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).

SOLIS | GUEST, DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back	COM Yardage Closed Arm Panel
UPHOLSTERED BACK													
21" Seat	25	28	34.5	18.5	26	20	20	51	16	1.6	0.9	1.5	0.8
24" Seat	28	28	34.5	18.5	26	23	20	55	18	1.6	0.9	1.5	0.8
30" Seat	34	28	34.5	18.5	26	29	20	60	22	2.5	0.9	1.6	0.8
44" Seat	48	28	34.5	18.5	26	43	20	74	31	3.2	1.1	2.3	0.8
MESH BACK													
21" Seat	25	28	34.5	18.5	26	20	20	49	16	-	0.9	-	0.8
24" Seat	28	28	34.5	18.5	26	23	20	52	18	-	0.9	-	0.8

COM - YARDAGE REQUIREMENTS

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.5	0.8
21" & 24" - Two Chairs	3.1	1.3	2.3	1.2
21" & 24" - Three Chairs	4.9	2.1	3.1	1.6
30" - One Chair	2.5	0.9	1.6	0.8
30" - Two Chairs	5	1.8	3.2	1.2
30" - Three Chairs	7.5	2.7	4.8	1.6
44" - One Chair	3.2	1.1	2.3	0.8
44" - Two Chairs	5.6	2.2	3.9	1.2
44" - Three Chairs	8.7	3.3	5.5	1.6

Multiple yardage requirements can also be used for Guest Back Easy Access chairs and Guest Back Start, Center, End Multiple seating.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Solis seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

For Maharam, Momentum or CF Stinson, Krug will obtain the fabric sample.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

MESH COLORS

- Slate
- Sand
- Celery
- Earth

- Warm Grey
- Terra
- Sky
- Olive

Mesh Specifications & Performance

ASTM D4157 Abrasion Resistance (Oscillatory Cylinder) 30,000 Rubs
ASTM D5034 Breaking Strength N 2167 Warp 1916 Weft
Flammability CAL177

AATCC TM8: Colorfastness to Crooking

Dry Class 5
Wet Class 5

ASTM D3511: Brush Pilling Rating 5

ASTM D6797: Ball Burst N 2486

Krug's Mesh backs covers are produced with Polyester yarns that are 100% recyclable. The yarn dying process is a closed loop system that recycles and recaptures 100% of the energy from the heating systems needed. All dyes contain no heavy metals, carcinogens or allergens.

SOLIS | GUEST | UPHOLSTERED BACKS








Solis Guest Chairs with Upholstered Backs are available in 21", 24", 30" and 44" widths.

SOLIS | GUEST | MESH BACKS



Solis Guest Chairs with Mesh Backs are available in 21" and 24" widths only.

SOLIS | GUEST

DESCRIPTION/MODEL		Arm Type	COM 1	2	COL 3	4	FABRIC GRADES 5		6	7	LEATHER 8	9
	21" Open Arm, Mesh Back											
	SOL2-GM21OPU	Urethane	940	969	1002	1060	1123	1185	1247	1308	1403	
	SOL2-GM21OPW	Beech	1056	1086	1117	1179	1240	1303	1362	1426	1521	
	21" Open Arm, Upholstered Back											
	SOL2-GU21OPU	Urethane	987	1037	1086	1187	1285	1385	1483	1582	1782	
	SOL2-GU21OPW	Beech	1105	1154	1205	1304	1402	1501	1603	1701	1899	
	24" Open Arm, Mesh Back											
	SOL2-GM24OPU	Urethane	977	1008	1038	1100	1162	1222	1285	1347	1443	
	SOL2-GM24OPW	Beech	1093	1125	1155	1217	1278	1342	1402	1464	1558	
	24" Open Arm, Upholstered Back											
	SOL2-GU24OPU	Urethane	1027	1075	1126	1223	1323	1424	1522	1621	1820	
	SOL2-GU24OPW	Beech	1142	1191	1244	1343	1443	1542	1639	1738	1938	
	30" Open Arm, Upholstered Back											
	SOL2-GU30OPU	Urethane	1193	1273	1351	1505	1661	1816	1971	2128	2439	
	SOL2-GU30OPW	Beech	1313	1390	1471	1622	1777	1935	2087	2245	2556	
	44" Open Arm, Upholstered Back											
	SOL2-GU44OPU	Urethane	1384	1459	1539	1692	1848	2005	2160	2314	2625	
	SOL2-GU44OPW	Beech	1500	1577	1655	1809	1966	2119	2277	2432	2743	
	Solis Ganging Bracket SOL2-RLKBS		31									

ORDERING NOTES: Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$31 list** per unit and **\$60 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
2 ARMS	388	416	443	493	546	597	649	702	807









Solis Guest Option Upcharges

	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	60	Solid Surface Arm (per pair) - Gr A White	453
Guest chair - Removable Seat Covers	83	Solid Surface Arm (per pair) - Gr A Color	459
21" & 24" - Removeable Back Covers	55	Solid Surface Arm (per pair) - Gr B	504
30" & 44" - Removeable Back Covers	83	Solid Surface Arm (per pair) - Gr C	545
21" & 24" Cleanable Under-seat Splashguard	38	Maple Arm upgrade per arm (add to beech price)	78
30" Cleanable Under-seat Splashguard	45	Beech Wood Side Rails Upgrade (per chair)	118
44" Cleanable Under-seat Splashguard	60	Maple wood Side Rails Upgrade (per chair)	148
Casters (21" & 24" chairs) -4 set	112	Kinetic Back option (not available for 30" & 44")	112
Casters (21" & 24" chairs) -2 set	75		
Non-Marring Glide	35		









PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type	
<div>SOL</div> Solis	<div>2</div> Chair	<div>G</div> Guest Seating	<div>U</div> Upholstered Back	<div>21</div>	<div>OPW</div> Open Arm - Wood Arm	<div>CLW</div> Closed Arm- Wood Arm
			<div>M</div> Mesh Back 21" & 24" Only	<div>24</div>	<div>OPU</div> Open Arm Urethane Arm	<div>CLU</div> Closed Arm- Urethane Arm
				<div>30</div>	<div>OSA</div> Open Arm - Solid Surface Arm	<div>CSA</div> Closed Arm- Solid Surface Arm
				<div>44</div>		

SOLIS | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	COM	COL	FABRIC GRADES						LEATHER		Yds	Weight	Cube
	1	2	3	4	5	6	7	8	9				
	21" Replacement Guest Upholstered Backs SOL2-RBGU21	526	566	604	659	722	776	838	916	994	1.5	14	2.7
	21" Replacement Guest Mesh Backs SOL2-RBGM21	443										10	2.7
	24" Replacement Guest Upholstered Backs SOL2-RBGU24	540	576	616	671	734	788	851	930	1008	1.5	15	2.8
	24" Replacement Guest Mesh Backs SOL2-RBGM24	462										11	2.8
	30" Replacement Guest Upholstered Backs SOL2-RBGU30	587	631	675	738	809	871	943	1032	1121	1.6	19	3.4
	44" Replacement Guest Upholstered Backs SOL2-RBGU44	737	782	825	888	960	1023	1094	1182	1272	1.6	28	4.8
	21" Replacement Guest Upholstered Back Covers SOL2-RBCGU21	184	224	267	316	379	433	497	573	652	1.5	2	.8
	24" Replacement Guest Upholstered Back Covers SOL2-RBCGU24	184	224	267	316	379	433	497	573	652	1.5	2.3	.8
	30" Replacement Guest Upholstered Back Covers SOL2-RBCGU30	199	242	287	350	421	483	554	643	733	1.6	2.6	.8
	44" Replacement Guest Upholstered Back Covers SOL2-RBCGU44	203	248	292	354	426	490	559	647	738	2.25	3.5	.8
	Replacement Mesh Back Top Bar SOL2-RMBTB21	31										2.5	.5
	SOL2-RMBTB24	32										3.0	.7
	21" Replacement Seat SOL2-RS21	362	388	411	448	486	521	562	612	663	.9	9	2.7
	24" Replacement Seat SOL2-RS24	380	406	430	466	505	542	582	631	681	.9	10	2.7
	30" Replacement Seat SOL2-RS30	452	476	502	536	575	612	652	701	751	.9	12	3.4
	44" Replacement Seat SOL2-RS44	584	614	644	687	736	779	828	890	949	1.1	14	4.8
	21" Replacement Seat Cover SOL2-RSC21	121	148	172	207	248	283	347	374	423	1.0	1.6	.8
	24" Replacement Seat Cover SOL2-RSC24	124	149	175	211	251	285	326	376	426	1.0	1.7	.8
	30" Replacement Seat Cover SOL2-RSC30	126	150	175	211	251	285	326	376	426	1.0	2	.8
	44" Replacement Seat Cover SOL2-RSC44	142	173	203	246	295	337	387	449	508	1.1	2.5	.8
	Replacement Splash Guard SOL2-RSG21	83										1	.3
	SOL2-RSG24	102										2	.4
	SOL2-RSG30	143										3	.5
	SOL2-RSG44	155										4	.6
	Replacement Closed Arm SOL2-RCA	193	203	214	230	248	263	282	304	326	0.4	6	.9
	Replacement Arm Top - Urethane SOL2-RACU	65										1.5	.2
	Replacement Arm Top - Beech SOL2-RACWB	198										1.0	.2
	Replacement Arm Top - Maple SOL2-RACWM	213			Grade A- White	Grade A- Color		Grade- B	Grade- C			1.0	.2
	Replacement Arm Top - Solid Surface SOL2-RACSS				238	243		262	283			1.0	.2


SOLIS | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	Price	Yds	Weight	Cube
	Replacement Side Frame - Start			
	SOL2-RSFS 124		9	1.5
	Replacement Side Frame - Start - No Anti-Microbial			
	SOL2-RSFSX 103		9	1.5
	Replacement Side Frame - End			
	SOL2-RSFE 124		9	1.5
	Replacement Side Frame - End - No Anti-Microbial			
	SOL2-RSFEX 103		9	1.5
	Replacement Side Frame - Start - 1 Glide, 1 Non-locking Caster			
	SOL2-RSFSC 160		9.5	1.5
	Replacement Side Frame - Start - 1 Glide, 1 Non-locking Caster- No Anti-Microbial			
	SOL2-RSFSCX 128		9.5	1.5
	Replacement Side Frame - End - 1 Glide, 1 Non-locking Caster			
	SOL2-RSFEC 160		9.5	1.5
	Replacement Side Frame - End - 1 Glide, 1 Non-locking Caster- No Anti-Microbial			
	SOL2-RSFECX 128		9.5	1.5
	Replacement Side Frame - Start - 2Non-locking Casters			
	SOL2-RSFSC2 139		10	1.5
	Replacement Side Frame - Start - 2 Non-locking Casters- No Anti-Microbial			
	SOL2-RSFSC2X 136		10	1.5
	Replacement Side Frame - End - 2 Non-locking Casters			
	SOL2-RSFEC2 139		10	1.5
	Replacement Side Frame - End - 2 Non-locking Casters- No Anti-Microbial			
	SOL2-RSFEC2X 136		10	1.5
	Replacement Wood Side Rail Cover - Beech			
	SOL2-RSRCB 167		1.0	.3
	Replacement Wood Side Rail Cover - Maple			
	SOL2-RSRCM 214		1.0	.3
	Replacement Glide - Front			
	SOL2-RGF 20		.5	.1
	Replacement Glide - Back			
	SOL2-RGB 20		.5	.1
	Replacement Glide - Set of 4			
	SOL2-RGS4 22		2	.1
	Replacement Caster Glide - Front			
	SOL2-RGFC 21		2	.1
	Replacement Caster Glide - Back			
	SOL2-RGBC 21		2	.1
	Replacement Non-locking Caster - Hard Wheel			
	SOL2 - RCH 28		1.5	.3
	Replacement Non-locking Caster - Soft Wheel			
	SOL2 - RCS 31		1.5	.3
	Replacement Side Frame - Easy Access			
	SOL2-RSFSEA 190	14	2.2	
	SOL2-RSFEEA 190			
	Replacement Side Frame - Easy Access - No Anti-Microbial			
	SOL2-RSFSEAX 178	14	2.2	
	SOL2-RSFEEAX 178			
	Replacement Step for Easy Access			
	SOL2-RSTEP21 169	7	.8	
	SOL2-RSTEP24 173	9	1.2	
	SOL2-RSTEP21X 165	7	.8	
	SOL2-RSTEP24X 170	9	1.2	

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 17%

POST-CONSUMER
RECYCLE CONTENT = 22%

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR-EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



The mark of responsible forestry

AIR-EMISSIONS

All Solis products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SOLIS | PATIENT, DIMENSIONS & COM REQUIREMENTS

DIMENSIONS & COM. REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back	COM Yardage Closed Arm Panel
UPHOLSTERED BACK													
21" Seat	25	28	43.75	18.5	26	20	20	54	21	2.1	0.9	2.0	0.8
24" Seat	28	28	43.75	18.5	26	23	20	58	23	2.1	0.9	2.0	0.8
30" Seat	34	28	43.75	18.5	26	29	20	64	28	3.1	0.9	2.2	0.8
MESH BACK													
21" Seat	25	28	43.75	18.5	26	20	20	50	21	-	0.9	-	0.8
24" Seat	28	28	43.75	18.5	26	23	20	53	23	-	0.9	-	0.8

COM - YARDAGE REQUIREMENTS

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Arm Panel
21" & 24" - One Chair	2.1	0.9	2	0.8
21" & 24" - Two Chairs	4	1.3	3.1	1.2
21" & 24" - Three Chairs	6.1	2.1	4.2	1.6
30" - One Chair	3.1	0.9	2.2	0.8
30" - Two Chairs	6.2	1.8	4.4	1.2
30" - Three Chairs	9.3	2.6	6.6	1.6

Multiple yardage requirements can also be used for Patient Back Easy Access chairs and Patient Back Start, Center, End Multiple seating.

Note: Some vinyls, leathers & fabrics may not be suitable for application on Solis seating.

The approval process is as follows:

1. A sample of the COM. must be provided to Krug Customer Service prior to or at the time of order.
For Maharam, Momentum or CF Stinson, Krug will obtain the fabric sample.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM. fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

FEATURES:

For a complete list of features see [page 3](#).

SOLIS | PATIENT | UPHOLSTERED BACK



Solis Patient Chairs with Upholstered Backs are available in 21", 24" and 30" widths.

SOLIS | PATIENT | MESH BACK



Solis Patient Chairs with Mesh Backs are available in 21" and 24" widths only.





ORDERING NOTES: Complete Mesh backs (21" & 24") can be ordered and field replaced. The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$60 list** per arm frame pair, please see [page 63](#) for color selection and [page 3](#) for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$60 list** per arm frame pair or table.




Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
2 ARMS	388	416	443	493	546	597	649	702	807

[View Solis images | www.krug.ca](#)

SOLIS | PATIENT & OTTOMAN

DESCRIPTION/MODEL		Arm Type	COM		COL	FABRIC GRADES			LEATHER	
			1	2	3	4	5	6	7	8
	21" Open Arm, Mesh Back									
	SOL2-PM21OPU	Urethane	1028	1057	1087	1149	1212	1273	1335	1492
	SOL2-PM21OPW	Beech	1143	1175	1206	1266	1328	1390	1451	1608
	21" Open Arm, Upholstered Back									
	SOL2-PU21OPU	Urethane	1080	1143	1210	1342	1471	1603	1729	2121
	SOL2-PU21OPW	Beech	1196	1261	1327	1456	1586	1719	1847	2239
	24" Open Arm, Mesh Back									
	SOL2-PM24OPU	Urethane	1061	1093	1125	1187	1248	1309	1372	1527
	SOL2-PM24OPW	Beech	1180	1212	1242	1304	1363	1427	1489	1646
	24" Open Arm, Upholstered Back									
	SOL2-PU24OPU	Urethane	1117	1184	1248	1377	1507	1637	1771	2161
	SOL2-PU24OPW	Beech	1235	1302	1363	1495	1626	1756	1887	2280
	30" Open Arm, Upholstered Back									
	SOL2-PU30OPU	Urethane	1387	1483	1579	1772	1965	2157	2349	2927
	SOL2-PU30OPW	Beech	1503	1603	1696	1888	2081	2275	2467	3044








DESCRIPTION/MODEL	COM.		COL		FABRIC GRADES				LEATHER		W D H			Weight	Cubes
	1	2	3	4	5	6	7	8	9						
	Ottoman														
	SOL5	494	515	531	573	613	652	691	730	811	18.25	18.25	13	12	5
Fabric Yardage Required: 1 ottoman = 0.7 yards 2 ottoman = 1 yards															
	Easy Clean Backrest Cover, Mesh Back														
	SOL2-BCM21	103	113	120	141	158	180	198	214	239	20	0.5	8	3	0.9
	SOL2-BCM24	103	113	120	141	158	180	198	214	239	23	0.5	8	3	0.9
	Easy Clean Backrest Cover, Upholstered Back														
	SOL2-BCU21	103	113	120	141	158	180	198	214	239	20	0.5	8	3	0.9
	SOL2-BCU24	103	113	120	141	158	180	198	214	239	23	0.5	8	3	0.9
	Adjustable Headrest														
	SOL2-HRM	161	176	191	214	237	258	280	303	346	15	3	6.75	3	0.9
Adjustable headrest are one size and can be used on all Patient Chair models.															
Fabric Yardage Required: 1 headrest = 0.3 yards 2 headrest = 0.6 yards 3 headrest = 0.6 yards															

Solis Patient Option Upcharges			\$ List				\$ List
CAL 133 & Moisture Barrier (per yard)			60	Solid Surface Arm (per pair) - Gr A White			453
Removable Seat Covers			83	Solid Surface Arm (per pair) - Gr A Color			469
21" & 24" - Removeable Back Covers			55	Solid Surface Arm (per pair) - Gr B			504
30" Removable Back Covers			83	Solid Surface Arm (per pair) - Gr C			545
21" & 24" Cleanable Under-seat Splashguard			38	Maple Arm upgrade per arm (add to beech price)			75
30" Cleanable Under-seat Splashguard			45	Beech Wood Side Rails Upgrade (per chair)			118
Casters (21" & 24" chairs) -4 set			112	Maple wood Side Rails Upgrade (per chair)			148
Casters (21" & 24" chairs) -2 set			75	Kinetic Back option (not available for 30" & 44")			112
Non-Marring Glide			35				









PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type	
<div>SOL</div> Solis	<div>2</div> Chair	<div>P</div> Patient Seating	<div>U</div> Upholstered Back	<div>21</div>	<div>OPW</div> Open Arm - Wood Arm	<div>CLW</div> Closed Arm- Wood Arm
			<div>M</div> Mesh Back 21" & 24" Only	<div>24</div>	<div>OPU</div> Open Arm Urethane Arm	<div>CLU</div> Closed Arm- Urethane Arm
				<div>30</div>	<div>OSA</div> Open Arm - Solid Surface Arm	<div>CSA</div> Closed Arm- Solid Surface Arm

SOLIS | REPLACEMENT COMPONENTS

Description	Model	COM		COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube
		1	2		4	5	6	7	8	9			
	21" Replacement Patient Upholstered Backs SOL2-RBPU21	625	680	736	815	903	982	1070	1181	1293	2.0	21	3.8
	21" Replacement Patient Mesh Backs SOL2-RBPM21	419										15	3.8
	24" Replacement Patient Upholstered Backs SOL2-RBPU24	660	716	773	850	940	1016	1106	1218	1329	2.0	21	3.8
	24" Replacement Patient Mesh Backs SOL2-RBPM24	480										17	3.8
	30" Replacement Patient Upholstered Backs SOL2-RBPU30	796	870	942	1042	1158	1261	1376	1522	1665	2.6	24	4.8
	21" Replacement Patient Upholstered Back Covers SOL2-RBCPU21	235	290	346	424	514	591	680	791	903	2.0	2.5	.8
	24" Replacement Patient Upholstered Back Covers SOL2-RBCPU24	236	291	347	425	515	592	681	792	904	2.0	2.7	.8
	30" Replacement Patient Upholstered Back Covers SOL2-RBCPU30	285	359	430	530	647	749	865	1010	1154	2.6	3	.8
	Replacement Mesh Back Top Bar SOL2-RMBTB21	31										2.5	.5
	SOL2-RMBTB24	32										3.0	.7
	21" Replacement Seat SOL2-RS21	362	388	411	448	486	521	562	612	663	.9	9	2.7
	24" Replacement Seat SOL2-RS24	380	406	430	466	505	542	582	631	681	.9	10	2.7
	30" Replacement Seat SOL2-RS30	452	476	502	536	575	612	652	701	751	.9	12	3.4
	44" Replacement Seat SOL2-RS44	584	614	644	687	736	779	828	890	949	.9	14	4.8
	21" Replacement Seat Cover SOL2-RSC21	121	148	172	207	248	283	347	374	423	1.0	1.6	.8
	24" Replacement Seat Cover SOL2-RSC24	124	149	175	211	251	285	326	376	426	1.0	1.7	.8
	30" Replacement Seat Cover SOL2-RSC30	126	150	175	211	251	285	326	376	426	1.0	2	.8
	44" Replacement Seat Cover SOL2-RSC44	142	173	203	246	295	337	387	449	508	1.0	2.5	.8
	Replacement Splash Guard SOL2-RSG21	83										1	.3
	SOL2-RSG24	102										2	.4
	SOL2-RSG30	143										3	.5
	SOL2-RSG44	155										4	.6
	Replacement Closed Arm SOL2-RCA	193	203	214	230	248	263	282	304	326	0.4	6	.9

SOLIS | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	Price	Weight	Cube
	Replacement Side Frame - Start		
	SOL2-RSFS 124	9	1.5
	Replacement Side Frame - Start - No Anti-Microbial		
	SOL2-RSFSX 103	9	1.5
	Replacement Side Frame - End		
	SOL2-RSFE 124	9	1.5
	Replacement Side Frame - End - No Anti-Microbial		
	SOL2-RSFEX 103	9	1.5
	Replacement Side Frame - Start - 1 Glide, 1 Non-locking Caster		
	SOL2-RSFSC 160	9.5	1.5
	Replacement Side Frame - Start - 1 Glide, 1 Non-locking Caster- No Anti-Microbial		
	SOL2-RSFSCX 128	9.5	1.5
	Replacement Side Frame - End - 1 Glide, 1 Non-locking Caster		
	SOL2-RSFEC 160	9.5	1.5
	Replacement Side Frame - End - 1 Glide, 1 Non-locking Caster- No Anti-Microbial		
	SOL2-RSFECX 128	9.5	1.5
	Replacement Side Frame - Start - 2 Non-locking Casters		
	SOL2-RSFSC2 139	10	1.5
	Replacement Side Frame - Start - 2 Non-locking Casters- No Anti-Microbial		
	SOL2-RSFSC2X 136	10	1.5
	Replacement Side Frame - End - 2 Non-locking Casters		
	SOL2-RSFEC2 139	10	1.5
	Replacement Side Frame - End - 2 Non-locking Casters- No Anti-Microbial		
	SOL2-RSFEC2X 136	10	1.5
	Replacement Arm Cap - Urethane		
	SOL2-RACU 65	1.0	.2
	Replacement Arm Cap - Beech		
	SOL2-RACWB 198	1.0	.2
	Replacement Arm Cap - Maple		
	SOL2-RACWM 213	1.0	.2
	Replacement Arm Cap - Solid Surface	Grade A- White	Grade A- Color
	SOL2-RACSS 238	262	283
		Grade- B	Grade- C
		2	.2
	Replacement Wood Side Rail Cover - Beech		
	SOL2-RSRCB 167	1.0	.3
	Replacement Wood Side Rail Cover - Maple		
	SOL2-RSRCM 214	1.0	.3
	Replacement Glide - Front		
	SOL2-RGF 20	.5	.1
	Replacement Glide - Back		
	SOL2-RGB 20	.5	.1
	Replacement Glide - Set of 4		
	SOL2-RGS4 22	2	.1
	Replacement Caster Glide - Front		
	SOL2-RGFC 21	2	.1
	Replacement Caster Glide - Back		
	SOL2-RGBC 21	2	.1
	Replacement Non-locking Caster - Hard Wheel		
	SOL2 - RCH 28	1.5	.3
	Replacement Non-locking Caster - Soft Wheel		
	SOL2 - RCS 31	1.5	.3

Note: Locking casters are available, clearly mark on the purchase order.

SOLIS | MULTIPLE SEATING - GUEST BACKS

DIMENSIONS & COM. REQUIREMENTS - PRE-CONFIGURED UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCGM21X2	47	28	34.5	18.5	26	20	20	90	30	-	1.3	-	1.2
PCGM21X3	69.5	28	34.5	18.5	26	20	20	126	44	-	2.1	-	1.6
PCGM24X2	53	28	34.5	18.5	26	23	20	96	34	-	1.3	-	1.2
PCGM24X3	78.5	28	34.5	18.5	26	23	20	135	50	-	2.1	-	1.6
UPHOLSTERED BACK													
PCGU21X2	47	28	34.5	18.5	26	20	20	94	30	3.1	1.3	2.3	1.2
PCGU21X3	69.5	28	34.5	18.5	26	20	20	132	44	4.7	2.1	3.1	1.6
PCGU24X2	53	28	34.5	18.5	26	23	20	102	34	3.1	1.3	2.3	1.2
PCGU24X3	78.5	28	34.5	18.5	26	23	20	144	50	4.7	2.1	3.1	1.6

DIMENSIONS & COM. REQUIREMENTS - START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BACK														
SGM21	25	28	34.5	18.5	26	20	20	41	16	-	0.9	-	0.4	0.8
SGM24	28	28	34.5	18.5	26	23	20	44	18	-	0.9	-	0.4	0.8
UPHOLSTERED BACK														
SGU21	25	28	34.5	18.5	26	20	20	43	16	1.6	0.9	1.6	0.4	0.8
SGU24	28	28	34.5	18.5	26	23	20	47	18	1.6	0.9	1.6	0.4	0.8
SGU30	34	28	34.5	18.5	26	29	20	52	22	2.5	0.9	1.6	0.4	0.8
SGU44	48	28	34.5	18.5	26	43	20	66	31	3.2	1.1	2.5	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
CGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
CGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLSTERED BACK													
CGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
CGU24	26	28	34.5	18.5	26	23	20	41	19	1.6	0.9	1.6	0.4
CGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	1.6	0.4
CGU44	46	28	34.5	18.5	26	43	20	60	31	3.2	1.1	2.5	0.4

DIMENSIONS & COM. REQUIREMENTS - END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
EGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
EGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLSTERED BACK													
EGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
EGU24	26	28	34.5	18.5	26	23	20	41	18	1.6	0.9	1.6	0.4
EGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	1.6	0.4
EGU44	46	28	34.5	18.5	26	43	20	60	31	3.2	1.1	2.5	0.4

ORDERING NOTES:

When ordering multiple Start, Center, End units please refer to [page 5](#) for Yardage Requirements.

SOLIS | MULTIPLE SEATING - GUEST BACKS

DIMENSIONS & COM. REQUIREMENTS - FREESPAN WITH NO CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCFGM21X2A	46.5	28	34.5	18.5	26	41.5	20	85	30	-	1.3	-	0.8
PCFGM21X3A	68	28	34.5	18.5	26	63	20	114	44	-	2.1	-	0.8
PCFGM24X2A	52.25	28	34.5	18.5	26	47.5	20	92	34	-	1.3	-	0.8
PCFGM24X3A	77	28	34.5	18.5	26	72	20	124	50	-	2.1	-	0.8
UPHOLSTERED BACK													
PCFGU21X2A	46.5	28	34.5	18.5	26	41.5	20	89	30	3.1	1.3	2.3	0.8
PCFGU21X3A	68	28	34.5	18.5	26	63	20	120	44	4.7	2.1	3.1	0.8
PCFGU24X2A	52.25	28	34.5	18.5	26	47.5	20	96	34	3.1	1.3	2.3	0.8
PCFGU24X3A	77	28	34.5	18.5	26	72	20	131	50	4.7	2.1	3.1	0.8

DIMENSIONS & COM. REQUIREMENTS - FREESPAN WITH CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage
MESH BACK												
PCFGM21X2B	47.25	28	34.5	18.5	26	20	20	93	30	-	1.3	-
PCFGM21X3B	69.5	28	34.5	18.5	26	20	20	130	44	-	2.1	-
PCFGM24X2B	53.25	28	34.5	18.5	26	23	20	100	34	-	1.3	-
PCFGM24X3B	78.5	28	34.5	18.5	26	23	20	140	50	-	2.1	-
UPHOLSTERED BACK												
PCFGU21X2B	47.25	28	34.5	18.5	26	20	20	97	30	3.1	1.3	2.3
PCFGU21X3B	69.5	28	34.5	18.5	26	20	20	136	44	4.7	2.1	3.1
PCFGU24X2B	53.25	28	34.5	18.5	26	23	20	104	34	3.1	1.3	2.3
PCFGU24X3B	78.5	28	34.5	18.5	26	23	20	147	50	4.7	2.1	3.1
COM. Fabric Closed Arm Panels (2 Arms)					COM Fabric Closed Arm Panels (3 Arms)			COM. Fabric Closed Arm Panels (4 Arms)				
PCFG21X2B	0.8				1.2							
PCFG21X3B	0.8								1.6			
PCFG24X2B	0.8				1.2							
PCFG24X3B	0.8								1.6			

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$31 list** per unit and **\$60 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Complete Mesh backs (21" & 24") can be ordered and field replaced.





Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	194	208	221	248	273	298	326	351	405
2 ARMS	388	416	443	493	546	597	649	702	807
3 ARMS	583	621	659	739	817	895	973	1053	1210
4 ARMS	776	826	879	985	1088	1192	1239	1402	1612

Solis Pre-configured Guest Option Upcharges

			\$ List
CAL 133 & Moisture Barrier (per yard)	59	Solid Surface Arm (per pair) - Gr A White	443
Guest chair - Removable Seat Covers	82	Solid Surface Arm (per pair) - Gr A Color	459
21" & 24" - Removeable Back Covers	54	Solid Surface Arm (per pair) - Gr B	493
30" & 44" - Removable Back Covers	82	Solid Surface Arm (per pair) - Gr C	533
21" & 24" Cleanable Under-seat Splashguard	38	Maple Arm upgrade per arm (add to beech price)	74
30" Cleanable Under-seat Splashguard	44	Beech Wood Side Rails Upgrade (per chair)	116
44" Cleanable Under-seat Splashguard	59	Maple wood Side Rails Upgrade (per chair)	145
Casters (21" & 24" chairs) -4 set	110	Kinetic Back option (not available for 30" & 44")	110
Casters (21" & 24" chairs) -2 set	74		
Non-Marring Glide	35		

SOLIS | MULTIPLE SEATING - PRE-CONFIGURED GUEST UNITS

DESCRIPTION/MODEL	Arm Type	COM	COL		FABRIC GRADES				LEATHER		
		1	2	3	4	5	6	7	8	9	
	2 Seat - 21" Open Arm Pre-configured Guest Unit, Mesh Back										
	SOL2-PCGM21X2OPU	Urethane	1770	1830	1890	2014	2138	2260	2384	2507	2699
	SOL2-PCGM21X2OPW	Beech	1943	2007	2067	2190	2314	2438	2561	2683	2874
	2 Seat - 21" Open Arm Pre-configured Guest Unit , Upholstered Back										
	SOL2-PCGU21X2OPU	Urethane	1858	1959	2058	2257	2453	2653	2852	3052	3447
	SOL2-PCGU21X2OPW	Beech	2034	2136	2234	2433	2631	2832	3030	3229	3623
	3 Seat - 21" Open Arm Pre-configured Guest Unit, Mesh Back										
	SOL2-PCGM21X3OPU	Urethane	2538	2630	2722	2907	3090	3277	3462	3646	3932
	SOL2-PCGM21X3OPW	Beech	2772	2864	2957	3140	3324	3511	3696	3881	4165
	3 Seat - 21" Open Arm Pre-configured Guest Unit, Upholstered Back										
	SOL2-PCGU21X3OPU	Urethane	2667	2818	2964	3263	3563	3860	4157	4454	5051
	SOL2-PCGU21X3OPW	Beech	2904	3052	3200	3497	3795	4096	4393	4690	5284
	2 Seat - 24" Open Arm Pre-configured Guest Unit, Mesh Back										
	SOL2-PCGM24X2OPU	Urethane	1818	1881	1941	2064	2188	2310	2434	2557	2748
	SOL2-PCGM24X2OPW	Beech	1992	2056	2117	2241	2365	2488	2610	2734	2922
	2 Seat - 24" Open Arm Pre-configured Guest Unit, Upholstered Back										
	SOL2-PCGU24X2OPU	Urethane	1910	2010	2109	2308	2507	2706	2906	3104	3500
	SOL2-PCGU24X2OPW	Beech	2086	2187	2286	2485	2683	2881	3081	3280	3676
	3 Seat - 24" Open Arm Pre-configured Guest Unit, Mesh Back										
	SOL2-PCGM24X3OPU	Urethane	2615	2707	2799	2984	3169	3353	3539	3722	4009
	SOL2-PCGM24X3OPW	Beech	2849	2942	3034	3219	3404	3588	3773	3957	4244
	3 Seat - 24" Open Arm Pre-configured Guest Unit, Upholstered Back										
	SOL2-PCGU24X3OPU	Urethane	2749	2896	3043	3333	3624	3917	4208	4503	5085
	SOL2-PCGU24X3OPW	Beech	2984	3131	3278	3568	3860	4151	4442	4738	5320

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$31 list** per unit and **\$60 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.







Complete mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Guest Option Upcharges		\$ List	\$ List
CAL 133 & Moisture Barrier (per yard)	60	Solid Surface Arm (per pair) - Gr A White	453
Guest chair - Removable Seat Covers	83	Solid Surface Arm (per pair) - Gr A Color	469
21" & 24" - Removeable Back Covers	55	Solid Surface Arm (per pair) - Gr B	504
30" & 44" - Removable Back Covers	83	Solid Surface Arm (per pair) - Gr C	545
21" & 24" Cleanable Under-seat Splashguard	38	Maple Arm upgrade per arm (add to beech price)	75
30" Cleanable Under-seat Splashguard	45	Beech Wood Side Rails Upgrade (per chair)	118
44" Cleanable Under-seat Splashguard	60	Maple wood Side Rails Upgrade (per chair)	148
Casters (21" & 24" chairs) -4 set	112	Kinetic Back option (not available for 30" & 44")	112
Casters (21" & 24" chairs) -2 set	75		
Non-Marring Glide	35		

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	PCG	U	21X2	OPW
Solis	Chair	Pre-configured Guest Multiple Unit	Upholstered Back		Open Arm - Wood Arm
			M	21X3	OPU
			Mesh Back		Open Arm - Urethane Arm
				24X2	OSA
					Open Arm - Solid Surface Arm
				24X3	CSA
					Closed Arm - Solid Surface Arm
					CLW
					Closed Arm - Urethane Arm
					CLU
					Closed Arm - Wood Arm









SOLIS | MULTIPLE SEATING - START, CENTER & END GUEST UNITS

DESCRIPTION/MODEL		Arm Type	COM 1	2	COL 3	4	FABRIC GRADES 5		6	LEATHER 7		8	9
	START	21" Open Arm Start Guest Unit, Mesh Back											
		SOL2-SGM21OPU	Urethane	940	969	1002	1060	1123	1185	1247	1308	1403	
		SOL2-SGM21OPW	Beech	1056	1086	1117	1179	1240	1303	1362	1426	1521	
		21" Open Arm Start Guest Unit, Upholstered Back											
		SOL2-SGU21OPU	Urethane	987	1037	1086	1187	1285	1385	1483	1582	1782	
		SOL2-SGU21OPW	Beech	1105	1154	1205	1304	1402	1501	1603	1701	1899	
		24" Open Arm Start Guest Unit, Mesh Back											
		SOL2-SGM24OPU	Urethane	977	1008	1038	1100	1162	1222	1285	1347	1443	
		SOL2-SGM24OPW	Beech	1093	1125	1155	1217	1278	1342	1402	1464	1558	
		24" Open Arm Start Guest Unit, Upholstered Back											
		SOL2-SGU24OPU	Urethane	1027	1075	1126	1223	1323	1424	1522	1621	1820	
		SOL2-SGU24OPW	Beech	1142	1191	1244	1343	1443	1542	1639	1738	1938	
		30" Open Arm Start Guest Unit, Upholstered Back											
		SOL2-SGU30OPU	Urethane	1193	1273	1351	1505	1661	1816	1971	2128	2439	
		SOL2-SGU30OPW	Beech	1313	1390	1471	1622	1777	1935	2087	2245	2556	
		44" Open Arm Start Guest Unit, Upholstered Back											
		SOL2-SGU44OPU	Urethane	1384	1459	1539	1692	1848	2005	2160	2314	2625	
		SOL2-SGU44OPW	Beech	1500	1577	1655	1809	1966	2119	2277	2432	2743	
	CENTER	21" Open Arm Center Guest Unit, Mesh Back											
		SOL2-CGM21OPU	Urethane	843	874	906	964	1029	1088	1150	1213	1308	
		SOL2-CGM21OPW	Beech	903	932	962	1027	1086	1148	1210	1272	1367	
		21" Open Arm Center Guest Unit, Upholstered Back											
		SOL2-CGU21OPU	Urethane	886	936	986	1085	1185	1284	1381	1482	1679	
		SOL2-CGU21OPW	Beech	944	992	1043	1143	1244	1343	1442	1542	1738	
		24" Open Arm Center Guest Unit, Mesh Back											
		SOL2-CGM24OPU	Urethane	865	898	929	989	1052	1113	1175	1236	1330	
		SOL2-CGM24OPW	Beech	925	957	987	1047	1109	1172	1234	1294	1390	
		24" Open Arm Center Guest Unit, Upholstered Back											
		SOL2-CGU24OPU	Urethane	913	961	1012	1109	1210	1309	1409	1506	1707	
		SOL2-CGU24OPW	Beech	970	1018	1071	1169	1270	1370	1470	1567	1765	

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type	
SOL Solis	2 Chair	SG Start Unit Guest Multiple Seating	U Upholstered Back	21	OPW Open Arm - Wood Arm	CLW Closed Arm - Wood Arm
		CG Center Unit Guest Multiple Seating	M Mesh Back 21" & 24" Only	24	OPU Open Arm - Urethane Arm	CLU Closed Arm Urethane Arm
		EG End Unit Guest Multiple Seating		30	OSA Open Arm - Solid Surface Arm	CSA Closed Arm - Solid Surface Arm
				44	COW Closed Start Arm/Open Center Arm - Wood Arm	COU Closed Arm / Open Center Arm - Urethane Arm

SOLIS | MULTIPLE SEATING - CENTER & END GUEST UNITS

DESCRIPTION/MODEL		Arm Type	COM 1	2	COL 3	4	FABRIC GRADES 5	6	7	LEATHER 8	9
	30" Open Arm Center Guest Unit, Upholstered Back										
	SOL2-CGU300PU	Urethane	1064	1142	1220	1376	1529	1686	1842	1993	2307
	SOL2-CGU300PW	Beech	1125	1202	1278	1436	1590	1746	1901	2055	2366
<hr/>											
	44" Open Arm Center Guest Unit, Upholstered Back										
	SOL2-CGU440PU	Urethane	1246	1323	1401	1555	1712	1865	2021	2176	2488
	SOL2-CGU440PW	Beech	1304	1384	1457	1616	1771	1923	2080	2235	2546
<hr/>											
	21" Open Arm End Guest Unit, Mesh Back										
	SOL2-EGM210PU	Urethane	843	874	906	964	1029	1088	1150	1213	1308
	SOL2-EGM210PW	Beech	903	932	962	1027	1086	1148	1210	1272	1367
	21" Open Arm End Guest Unit, Upholstered Back										
	SOL2-EGU210PU	Urethane	886	936	986	1085	1185	1284	1381	1482	1679
	SOL2-EGU210PW	Beech	944	992	1043	1143	1244	1343	1442	1542	1738
<hr/>											
	24" Open Arm End Guest Unit, Mesh Back										
	SOL2-EGM240PU	Urethane	865	898	929	989	1052	1113	1175	1236	1330
	SOL2-EGM240PW	Beech	925	957	987	1047	1109	1172	1234	1294	1390
	24" Open Arm End Guest Unit, Upholstered Back										
	SOL2-EGU240PU	Urethane	913	961	1012	1109	1210	1309	1409	1506	1707
	SOL2-EGU240PW	Beech	970	1018	1071	1169	1270	1370	1470	1567	1765
<hr/>											
	30" Open Arm End Guest Unit, Upholstered Back										
	SOL2-EGU300PU	Urethane	1064	1142	1220	1376	1529	1686	1842	1993	2307
	SOL2-EGU300PW	Beech	1125	1202	1278	1436	1590	1746	1901	2055	2366
<hr/>											
	44" Open Arm End Guest Unit, Upholstered Back										
	SOL2-EGU440PU	Urethane	1246	1325	1401	1555	1712	1865	2021	2176	2488
	SOL2-EGU440PW	Beech	1304	1384	1457	1616	1771	1923	2080	2235	2546







ORDERING NOTES:

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$60 list** per arm frame pair, please see **page 63** for color selection and **page 3** for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$60 list** per arm frame pair or table.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type	
SOL	2	SG	U	21	OPW	CLW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm	Closed Arm - Wood Arm
		CG	M	24	OPU	CLU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm - Urethane Arm	Closed Arm Urethane Arm
		EG		30	OSA	CSA
		End Unit Guest Multiple Seating			Open Arm - Solid Surface Arm	Closed Arm - Solid Surface Arm
				44		

SOLIS | PRE-CONFIGURED FREESPAN MULTIPLE SEATING GUEST UNIT WITHOUT CENTER ARM

DESCRIPTION/MODEL		Arm Type	COM 1	2	COL 3	4	FABRIC GRADES 5		6	7	LEATHER 8		9
	21" Pre-Configured Freespan Guest Unit - Open Arm 2 Seat, Mesh Back												
	SOL2-PCFGM21X2AOPU	Urethane	1677	1721	1765	1853	1941	2030	2117	2206	2337		
	SOL2-PCFGM21X2AOPW	Beech	1795	1839	1884	1971	2059	2147	2235	2323	2453		
	21" Pre-Configured Freespan Guest Unit - Open Arm 2 Seat, Upholstered Back												
	SOL2-PCFGU21X2AOPU	Urethane	1765	1862	1963	2161	2359	2558	2756	2957	3353		
	SOL2-PCFGU21X2AOPW	Beech	1884	1981	2080	2280	2476	2676	2874	3075	3472		
	21" Pre-Configured Freespan Guest Unit - Open Arm 3 Seat, Mesh Back												
	SOL2-PCFGM21X3AOPU	Urethane	2345	2410	2476	2608	2741	2873	3005	3137	3334		
	SOL2-PCFGM21X3AOPW	Beech	2463	2527	2593	2725	2859	2989	3122	3254	3450		
	21" Pre-Configured Freespan Guest Unit - Open Arm 3 Seat, Upholstered Back												
	SOL2-PCFGU21X3AOPU	Urethane	2468	2616	2767	3063	3359	3658	3955	4254	4852		
	SOL2-PCFGU21X3AOPW	Beech	2587	2734	2882	3181	3476	3775	4075	4371	4968		
	24" Pre-Configured Freespan Guest Unit - Open Arm 2 Seat, Mesh Back												
	SOL2-PCFGM24X2AOPU	Urethane	1716	1759	1804	1890	1980	2067	2156	2244	2376		
	SOL2-PCFGM24X2AOPW	Beech	1834	1878	1921	2009	2095	2186	2273	2360	2493		
	24" Pre-Configured Freespan Guest Unit - Open Arm 2 Seat, Upholstered Back												
	SOL2-PCFGU24X2AOPU	Urethane	1804	1905	2004	2202	2400	2600	2797	2997	3393		
	SOL2-PCFGU24X2AOPW	Beech	1921	2020	2118	2318	2518	2717	2915	3114	3511		
	24" Pre-Configured Freespan Guest Unit - Open Arm 3 Seat, Mesh Back												
	SOL2-PCFGM24X3AOPU	Urethane	2403	2468	2536	2666	2797	2931	3061	3193	3392		
	SOL2-PCFGM24X3AOPW	Beech	2519	2587	2651	2782	2915	3048	3180	3310	3510		
	24" Pre-Configured Freespan Guest Unit - Open Arm 3 Seat, Upholstered Back												
	SOL2-PCFGU24X3AOPU	Urethane	2523	2675	2823	3122	3419	3719	4016	4311	4909		
	SOL2-PCFGU24X3AOPW	Beech	2643	2792	2940	3238	3538	3836	4134	4430	5028		

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$31 list** per unit and **\$60 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Complete mesh backs (21" & 24") can be ordered and field replaced.





The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$60 list** per arm frame pair, please see [page 63](#) for color selection and [page 3](#) for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$60 list** per arm frame pair or table.

Please note, Kinetic back is not available on Pre-Configured Freespan multiple seating guest units without center arm.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2	PCFG	U	21X2	A	OPW
Solis	Chair	Pre-Configured Freespan Multiple Guest Unit	Upholstered Back		Unit with no Center Arm	Open Arm
			M	21X3	B	OPU
			Mesh Back		Unit with Center Arm	Open Arm Urethane Arm
				24X2		CLW
						Closed Arm - Wood Arm
				24X3		CLU
						Closed Arm Urethane Arm

SOLIS | PRE-CONFIGURED FREESPAN MULTIPLE SEATING GUEST UNIT WITH CENTER ARM

DESCRIPTION/MODEL	Arm Type	COM		COL		FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8	9	
	21" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 2 Seat, Mesh Back										
	SOL2-PCFGM21X2BOPU	Urethane	1811	1855	1899	1986	2076	2162	2249	2338	2472
	SOL2-PCFGM21X2BOPW	Beech	1986	2032	2076	2162	2249	2338	2426	2516	2647
	21" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 2 Seat, Upholstered Back										
	SOL2-PCFGU21X2BOPU	Urethane	1905	2005	2104	2301	2500	2699	2896	3096	3492
	SOL2-PCFGU21X2BOPW	Beech	2079	2178	2280	2476	2675	2874	3074	3273	3669
	21" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 3 Seat, Mesh Back										
	SOL2-PCFGM21X3BOPU	Urethane	2551	2618	2685	2818	2950	3081	3212	3346	3543
	SOL2-PCFGM21X3BOPW	Beech	2787	2853	2919	3052	3183	3316	3447	3579	3777
	21" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 3 Seat, Upholstered Back										
	SOL2-PCFGU21X3BOPU	Urethane	2686	2835	2984	3280	3579	3878	4174	4474	5071
	SOL2-PCFGU21X3BOPW	Beech	2920	3069	3219	3516	3815	4111	4410	4709	5305
	24" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 2 Seat, Mesh Back										
	SOL2-PCFGM24X2BOPU	Urethane	1847	1890	1936	2024	2113	2200	2287	2376	2507
	SOL2-PCFGM24X2BOPW	Beech	2024	2067	2113	2200	2287	2376	2465	2550	2683
	24" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 2 Seat, Upholstered Back										
	SOL2-PCFGU24X2BOPU	Urethane	1941	2043	2142	2340	2539	2737	2936	3136	3532
	SOL2-PCFGU24X2BOPW	Beech	2117	2218	2317	2517	2716	2914	3111	3310	3707
	24" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 3 Seat, Mesh Back										
	SOL2-PCFGM24X3BOPU	Urethane	2610	2676	2743	2874	3006	3138	3269	3402	3600
	SOL2-PCFGM24X3BOPW	Beech	2845	2910	2977	3108	3239	3373	3504	3637	3835
	24" Pre-Configured Freespan Center Arm Guest Unit - Open Arm 3 Seat, Upholstered Back										
	SOL2-PCFGU24X3BOPU	Urethane	2745	2893	3043	3340	3638	3937	4234	4533	5129
	SOL2-PCFGU24X3BOPW	Beech	2979	3129	3278	3575	3873	4173	4468	4767	5364

Solis Pre-configured Guest Option Upcharges		\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	60	Solid Surface Arm (per pair) - Gr A White	453		
Guest chair - Removable Seat Covers	83	Solid Surface Arm (per pair) - Gr A Color	469		
21" & 24" - Removeable Back Covers	55	Solid Surface Arm (per pair) - Gr B	504		
30" & 44" - Removable Back Covers	83	Solid Surface Arm (per pair) - Gr C	545		
21" & 24" Cleanable Under-seat Splashguard	38	Maple Arm upgrade per arm (add to beech price)	75		
30" Cleanable Under-seat Splashguard	45	Beech Wood Side Rails Upgrade (per chair)	118		
44" Cleanable Under-seat Splashguard	60	Maple wood Side Rails Upgrade (per chair)	148		
Casters (21" & 24" chairs) -4 set	112	Kinetic Back option (not available for 30" & 44")	112		
Casters (21" & 24" chairs) -2 set	75				
Non-Marring Glide	35				

PRODUCT CODE KEY						
Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2	PCFG	U	21X2	A	OPW
Solis	Chair	Pre-Configured Freespan Multiple Guest Unit	Upholstered Back		Unit with no Center Arm	Open Arm- Wood Arm
			M	21X3	B	OPU
			Mesh Back		Unit with Center Arm	Open Arm Urethane Arm
				24X2		CLW
						Closed Arm - Wood Arm
				24X3		CLU
						Closed Arm Urethane Arm

SOLIS | MULTIPLE SEATING - PATIENT BACKS

DIMENSIONS & COM. REQUIREMENTS - PRE-CONFIGURED UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCPM21X2	47	28	43.75	18.5	26	20	20	92	38	-	1.3	-	1.2
PCPM21X3	69.5	28	43.75	18.5	26	20	20	129	56	-	2.1	-	1.6
PCPM24X2	53	28	43.75	18.5	26	23	20	98	43	-	1.3	-	1.2
PCPM24X3	78.5	28	43.75	18.5	26	23	20	138	46	-	2.1	-	1.6
UPHOLSTERED BACK													
PCPU21X2	47	28	43.75	18.5	26	20	20	100	38	4.0	1.3	3.1	1.2
PCPU21X3	69.5	28	43.75	18.5	26	20	20	141	56	6.1	2.1	4.2	1.6
PCPU24X2	53	28	43.75	18.5	26	23	20	108	43	4.0	1.3	3.1	1.2
PCPU24X3	78.5	28	43.75	18.5	26	23	20	153	63	6.1	2.1	4.2	1.6

DIMENSIONS & COM. REQUIREMENTS - START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BACK														
SPM21	25	28	43.75	18.5	26	20	20	42	21	-	0.9	-	0.4	0.8
SPM24	28	28	43.75	18.5	26	23	20	45	23	-	0.9	-	0.4	0.8
UPHOLSTERED BACK														
SPU21	25	28	43.75	18.5	26	20	20	46	21	2.1	0.9	2.0	0.4	0.8
SPU24	28	28	43.75	18.5	26	23	20	50	23	2.1	0.9	2.0	0.4	0.8
SPU30	34	28	43.75	18.5	26	29	20	56	28	3.1	0.9	2.2	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
CPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
CPM24	26	28	43.75	18.5	26	23	20	39	23	-	0.9	-	0.4
UPHOLSTERED BACK													
CPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
CPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
CPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

DIMENSIONS & COM. REQUIREMENTS - END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
EPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
EPM24	26	28	43.75	18.5	26	23	20	38	23	-	0.9	-	0.4
UPHOLSTERED BACK													
EPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
EPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
EPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

ORDERING NOTES:

Multiple yardage requirements for Patient back Start, Center and End units, please refer to [page 10](#).

SOLIS | MULTIPLE SEATING - PATIENT BACKS

DIMENSIONS & COM. REQUIREMENTS - FREESPAN WITH NO CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCFPM21X2A	46.5	28	43.75	18.5	26	41.5	20	87	38	-	1.3	-	0.8
PCFPM21X3A	68	28	43.75	18.5	26	63	20	118	56	-	2.1	-	0.8
PCFPM24X2A	52.25	28	43.75	18.5	26	47.5	20	94	43	-	1.3	-	0.8
PCFPM24X3A	77	28	43.75	18.5	26	72	20	128	63	-	2.1	-	0.8
UPHOLSTERED BACK													
PCFPU21X2A	46.5	28	43.75	18.5	26	41.5	20	95	38	4.0	1.3	3.1	0.8
PCFPU21X3A	68	28	43.75	18.5	26	63	20	129	56	6.1	2.1	4.2	0.8
PCFPU24X2A	52.25	28	43.75	18.5	26	47.5	20	103	43	4.0	1.3	3.1	0.8
PCFPU24X3A	77	28	43.75	18.5	26	72	20	141	63	6.1	2.1	4.2	0.8

DIMENSIONS & COM. REQUIREMENTS - FREESPAN WITH CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage
MESH BACK												
PCFPM21X2B	47.25	28	43.75	18.5	26	20	20	96	38	-	1.3	-
PCFPM21X3B	69.5	28	43.75	18.5	26	20	20	134	56	-	2.1	-
PCFPM24X2B	53.25	28	43.75	18.5	26	23	20	102	43	-	1.3	-
PCFPM24X3B	78.5	28	43.75	18.5	26	23	20	144	63	-	2.1	-
UPHOLSTERED BACK3.4												
PCFPU21X2B	47.25	28	43.75	18.5	26	20	20	103	38	4.0	1.3	3.4
PCFPU21X3B	69.5	28	43.75	18.5	26	20	20	145	56	6.1	2.1	5.4
PCFPU24X2B	53.25	28	43.75	18.5	26	23	20	111	43	4.0	1.3	3.4
PCFPU24X3B	78.5	28	43.75	18.5	26	23	20	157	63	6.1	2.1	5.4

	COM. Fabric Closed Arm Panels (2 Arms)	COM Fabric Closed Arm Panels (3 Arms)	COM. Fabric Closed Arm Panels (4 Arms)
PCFP21X2B	0.8	1.2	
PCFP21X3B	0.8		1.6
PCFP24X2B	0.8	1.2	
PCFP24X3B	0.8		1.6

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$31 list** per unit and **\$60 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Complete mesh backs (21" & 24") can be ordered and field replaced.





The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$60 list** per arm frame pair, please see [page 63](#) for color selection and [page 3](#) for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$60 list** per arm frame pair or table.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	194	208	221	248	273	298	326	351	405
2 ARMS	388	416	443	493	546	597	649	702	807
3 ARMS	583	621	659	739	817	895	973	1053	1210
4 ARMS	776	826	879	985	1088	1192	1239	1402	1612

Solis Pre-configured Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	60	Solid Surface Arm (per arm) - Gr A White	238
Patient chair - Removable Seat Covers	83	Solid Surface Arm (per arm) - Gr A Color	243
21" & 24" - Removeable Back Covers	58	Solid Surface Arm (per arm) - Gr B	262
30" & 44" - Removable Back Covers	87	Solid Surface Arm (per arm) - Gr C	283
21" & 24" Cleanable Under-seat Splashguard	38	Maple Arm upgrade per arm (add to beech price)	75
30" Cleanable Under-seat Splashguard	45	Beech Wood Side Rails Upgrade (per arm)	60
Casters (21" & 24" chairs) -4 set	112	Maple wood Side Rails Upgrade (per arm)	75
Casters (21" & 24" chairs) -2 set	75	Kinetic Back option (not available for 30" & 44")	112
Non-Marring Glide	35		

SOLIS | MULTIPLE SEATING - PRE-CONFIGURED PATIENT UNITS

DESCRIPTION/MODEL	Arm Type	COM		COL		FABRIC GRADES			LEATHER	
		1	2	3	4	5	6	7	8	9
	2 Seat - 21" Open Arm Pre-configured Patient Unit, Mesh Back									
	SOL2-PCPM21X2OPU	Urethane	1952	2013	2076	2199	2322	2445	2568	2690
	SOL2-PCPM21X2OPW	Beech	2128	2189	2249	2375	2498	2619	2744	2867
	2 Seat - 21" Open Arm Pre-configured Patient Unit, Upholstered Back									
	SOL2-PCPU21X2OPU	Urethane	2052	2176	2301	2548	2797	3047	3293	3541
	SOL2-PCPU21X2OPW	Beech	2229	2351	2476	2723	2975	3221	3470	3718
	3 Seat - 21" Open Arm Pre-configured Patient Unit, Mesh Back									
	SOL2-PCPM21X3OPU	Urethane	2824	2918	3010	3195	3379	3566	3749	3934
	SOL2-PCPM21X3OPW	Beech	3059	3158	3254	3431	3615	3799	3983	4168
	3 Seat - 21" Open Arm Pre-configured Patient Unit, Upholstered Back									
	SOL2-PCPU21X3OPU	Urethane	2972	3163	3350	3730	4108	4511	4865	5242
	SOL2-PCPU21X3OPW	Beech	3207	3397	3586	3964	4342	4745	5099	5479
	2 Seat - 24" Open Arm Pre-configured Patient Unit, Mesh Back									
	SOL2-PCPM24X2OPU	Urethane	1979	2038	2103	2224	2348	2472	2593	2718
	SOL2-PCPM24X2OPW	Beech	2154	2215	2277	2400	2522	2647	2771	2893
	2 Seat - 24" Open Arm Pre-configured Patient Unit, Upholstered Back									
	SOL2-PCPU24X2OPU	Urethane	2079	2205	2328	2577	2824	3075	3321	3570
	SOL2-PCPU24X2OPW	Beech	2256	2379	2504	2752	3003	3250	3497	3747
	3 Seat - 24" Open Arm Pre-configured Patient Unit, Mesh Back									
	SOL2-PCPM24X3OPU	Urethane	2879	2972	3063	3248	3433	3618	3803	3986
	SOL2-PCPM24X3OPW	Beech	3114	3207	3298	3483	3668	3853	4036	4220
	3 Seat - 24" Open Arm Pre-configured Patient Unit, Upholstered Back									
	SOL2-PCPU24X3OPU	Urethane	3026	3215	3405	3784	4163	4540	4920	5299
	SOL2-PCPU24X3OPW	Beech	3260	3449	3639	4019	4397	4774	5154	5534

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$31 list** per unit and **\$60 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CLOSED ARM PANELS - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
3 ARMS	583	621	659	739	817	895	973	1053	1210
4 ARMS	776	826	879	985	1088	1192	1239	1402	1612

Solis Pre-configured Option Upcharges

\$ List







\$ List

CAL 133 & Moisture Barrier (per yard)	60	Solid Surface Arm (per arm) - Gr A White	238
Patient chair - Removable Seat Covers	83	Solid Surface Arm (per arm) - Gr A Color	243
21" & 24" - Removeable Back Covers	58	Solid Surface Arm (per arm) - Gr B	262
30" & 44" - Removable Back Covers	87	Solid Surface Arm (per arm) - Gr C	283
21" & 24" Cleanable Under-seat Splashguard	38	Maple Arm upgrade per arm (add to beech price)	75
30" Cleanable Under-seat Splashguard	45	Beech Wood Side Rails Upgrade (per arm)	60
Casters (21" & 24" chairs) -4 set	112	Maple wood Side Rails Upgrade (per arm)	75
Casters (21" & 24" chairs) -2 set	75	Kinetic Back option (not available for 30" & 44")	112
Non-Marring Glide	35		

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	PCP	U	21X2	OPW
Solis	Chair	Pre-configured Multiple Unit Patient	Upholstered Back		Open Arm - Wood Arm
			M	21X3	OPU
			Mesh Back		Open Arm Urethane Arm
				24X2	CLW
					Closed Arm - Wood Arm
				24X3	CLU
					Closed Arm Urethane Arm




SOLIS | MULTIPLE SEATING - PATIENT START & CENTER UNITS

DESCRIPTION/MODEL		Arm Type	COM		COL		FABRIC GRADES				LEATHER	
			1	2	3	4	5	6	7	8	9	
	21" Open Arm Start Patient Unit, Mesh Back											
	SOL2-SPM21OPU	Urethane	1028	1057	1087	1149	1212	1273	1335	1396	1492	
	SOL2-SPM21OPW	Beech	1143	1175	1206	1266	1328	1390	1451	1515	1608	
	21" Open Arm Start Patient Unit, Upholstered Back											
	SOL2-SPU21OPU	Urethane	1080	1143	1210	1342	1471	1603	1729	1860	2121	
	SOL2-SPU21OPW	Beech	1196	1261	1327	1456	1586	1719	1847	1979	2239	
	24" Open Arm Start Patient Unit, Mesh Back											
	SOL2-SPM24OPU	Urethane	1061	1093	1125	1187	1248	1309	1372	1432	1527	
	SOL2-SPM24OPW	Beech	1180	1212	1242	1304	1363	1427	1489	1549	1646	
	24" Open Arm Start Patient Unit, Upholstered Back											
	SOL2-SPU24OPU	Urethane	1117	1184	1248	1377	1507	1637	1771	1901	2161	
	SOL2-SPU24OPW	Beech	1235	1302	1363	1495	1626	1756	1887	2017	2280	
	30" Open Arm Start Patient Unit, Upholstered Back											
	SOL2-SPU30OPU	Urethane	1387	1483	1579	1772	1965	2156	2349	2543	2927	
	SOL2-SPU30OPW	Beech	1503	1603	1696	1888	2081	2275	2467	2658	3044	
	21" Open Arm Center Patient Unit, Mesh Back											
	SOL2-CPM21OPU	Urethane	931	961	991	1055	1151	1177	1239	1302	1396	
	SOL2-CPM21OPW	Beech	989	1018	1052	1113	1175	1236	1298	1359	1454	
	21" Open Arm Center Patient Unit, Upholstered Back											
	SOL2-CPU21OPU	Urethane	979	1043	1108	1239	1371	1499	1630	1760	2021	
	SOL2-CPU21OPW	Beech	1037	1104	1167	1298	1428	1557	1688	1819	2080	
	24" Open Arm Urethane Cap Center Patient Unit, Mesh Back											
	SOL2-CPM24OPU	Urethane	956	986	1015	1079	1140	1202	1262	1323	1419	
	SOL2-CPM24OPW	Beech	1013	1043	1075	1136	1197	1260	1320	1384	1478	
	24" Open Arm Center Patient Unit, Upholstered Back											
	SOL2-CPU24OPU	Urethane	1004	1070	1134	1264	1395	1525	1655	1786	2047	
	SOL2-CPU24OPW	Beech	1060	1128	1191	1323	1452	1583	1713	1845	2106	
	30" Open Arm Center Patient Unit, Upholstered Back											
	SOL2-CPU30OPU	Urethane	1258	1354	1448	1641	1834	2025	2218	2414	2796	
	SOL2-CPU30OPW	Beech	1315	1412	1506	1701	1890	2083	2277	2472	2855	

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SP	U	21	OPW
Solis	Chair	Start Unit Patient Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		CP	M	24	OPU
		Center Unit Patient Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EP		30	CLW
		End Unit Patient Multiple Seating			Closed Arm - Wood Arm
				44	CLU
					Closed Arm Urethane Arm
					COW
					Closed Start Arm/Open Center Arm Wood Arm
					COU
					Closed Start Arm/Open Center Arm with Urethane Arm

SOLIS | MULTIPLE SEATING - PATIENT END UNITS

DESCRIPTION/MODEL			Arm Type	COM	2	COL	3	4	FABRIC GRADES		LEATHER		
				1					5	6	7	8	9
	END	21" Open Arm End Patient Unit, Mesh Back											
		SOL2-EPM21OPU	Urethane	931	961	991	1055	1116	1177	1239	1302	1396	
		SOL2-EPM21OPW	Beech	989	1018	1052	1113	1175	1236	1298	1359	1454	
		21" Open Arm End Patient Unit, Upholstered Back											
		SOL2-EPU21OPU	Urethane	979	1043	1108	1239	1371	1499	1630	1760	2021	
		SOL2-EPU21OPW	Beech	1037	1104	1167	1298	1428	1557	1688	1819	2080	
		24" Open Arm End Patient Unit, Mesh Back											
		SOL2-EPM24OPU	Urethane	956	986	1015	1079	1140	1202	1262	1323	1419	
		SOL2-EPM24OPW	Beech	1013	1043	1075	1136	1197	1260	1320	1384	1478	
		24" Open Arm End Patient Unit, Upholstered Back											
		SOL2-EPU24OPU	Urethane	1004	1070	1134	1264	1395	1525	1655	1786	2047	
		SOL2-EPU24OPW	Beech	1060	1128	1191	1323	1452	1583	1714	1845	2106	
		30" Open Arm End Patient Unit, Upholstered Back											
		SOL2-EPU30OPU	Urethane	1258	1354	1448	1641	1834	2025	2218	2414	2796	
		SOL2-EPU30OPW	Beech	1315	1412	1506	1701	1890	2083	2277	2472	2855	

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$31 list** per unit and **\$60 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$60 list** per arm frame pair, please see **page 63** for color selection and **page 3** for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$60 list** per arm frame pair or table.

CLOSED ARM PANELS - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	194	208	221	248	273	298	326	351	405





Solis Pre-configured Option Upcharges

Solis Pre-configured Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	60	Solid Surface Arm (per arm) - Gr A White	238
Patient chair - Removable Seat Covers	83	Solid Surface Arm (per arm) - Gr A Color	243
21" & 24" - Removeable Back Covers	58	Solid Surface Arm (per arm) - Gr B	262
30" & 44" - Removable Back Covers	87	Solid Surface Arm (per arm) - Gr C	283
21" & 24" Cleanable Under-seat Splashguard	38	Maple Arm upgrade per arm (add to beech price)	75
30" Cleanable Under-seat Splashguard	45	Beech Wood Side Rails Upgrade (per arm)	60
Casters (21" & 24" chairs) -4 set	112	Maple wood Side Rails Upgrade (per arm)	75
Casters (21" & 24" chairs) -2 set	75	Kinetic Back option (not available for 30" & 44")	112
Non-Marring Glide	35		

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SP	U	21	OPW
Solis	Chair	Start Unit Patient Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		CP	M	24	OPU
		Center Unit Patient Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EP		30	CLW
		End Unit Patient Multiple Seating			Closed Arm - Wood Arm
					CLU
					Closed Arm Urethane Arm

SOLIS | PRE-CONFIGURED FREESPAN MULTIPLE SEATING PATIENT UNIT WITHOUT CENTER ARM

DESCRIPTION/MODEL	Arm Type	COM		COL		FABRIC GRADES			LEATHER		
		1	2	3	4	5	6	7	8	9	
	21" Pre-Configured Freespan Patient Unit - Open Arm 2 Seat, Mesh Back										
	SOL2-PCFPM21X2AOPU	Urethane	1853	1898	1941	2030	2117	2206	2293	2381	2515
	SOL2-PCFPM21X2AOPW	Beech	1971	2014	2059	2147	2235	2323	2410	2500	2631
	21" Pre-Configured Freespan Patient Unit - Open Arm 2 Seat, Upholstered Back										
	SOL2-PCFPU21X2AOPU	Urethane	1948	2078	2210	2470	2731	2990	3253	3514	4034
	SOL2-PCFPU21X2AOPW	Beech	2066	2194	2327	2588	2848	3108	3370	3632	4151
	21" Pre-Configured Freespan Patient Unit - Open Arm 3 Seat, Mesh Back										
	SOL2-PCFPM21X3AOPU	Urethane	2606	2674	2740	2872	3004	3136	3267	3399	3597
	SOL2-PCFPM21X3AOPW	Beech	2724	2791	2857	2988	3121	3253	3384	3517	3716
	21" Pre-Configured Freespan Patient Unit - Open Arm 3 Seat, Upholstered Back										
	SOL2-PCFPU21X3AOPU	Urethane	2744	2939	3136	3525	3917	4306	4698	5090	5872
	SOL2-PCFPU21X3AOPW	Beech	2861	3057	3253	3645	4034	4423	4816	5208	5990
	24" Pre-Configured Freespan Patient Unit - Open Arm 2 Seat, Mesh Back										
	SOL2-PCFPM24X2AOPU	Urethane	1888	1934	1978	2064	2152	2241	2328	2418	2548
	SOL2-PCFPM24X2AOPW	Beech	2007	2051	2093	2183	2271	2358	2447	2536	2666
	24" Pre-Configured Freespan Patient Unit - Open Arm Urethane Cap 2 Seat, Upholstered Back										
	SOL2-PCFPU24X2AOPU	Urethane	1986	2117	2247	2509	2771	3031	3290	3551	4075
	SOL2-PCFPU24X2AOPW	Beech	2105	2235	2366	2626	2887	3146	3407	3669	4190
	24" Pre-Configured Freespan Patient Unit - Open Arm 3 Seat, Mesh Back										
	SOL2-PCFPM24X3AOPU	Urethane	2663	2730	2794	2927	3058	3190	3322	3453	3652
	SOL2-PCFPM24X3AOPW	Beech	2780	2847	2911	3044	3177	3308	3441	3585	3770
	24" Pre-Configured Freespan Patient Unit - Open Arm 3 Seat, Upholstered Back										
	SOL2-PCFPU24X3AOPU	Urethane	2804	2999	3191	3584	3977	4368	4755	5148	5930
	SOL2-PCFPU24X3AOPW	Beech	2919	3115	3309	3702	4093	4484	4876	5266	6048

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$31 list** per unit and **\$ list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

CLOSED ARM PANELS - please add the following up charges for closed arm panels.





Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
2 ARMS	388	416	443	493	546	597	649	702	807

Solis Pre-configured Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	60	Solid Surface Arm (per arm) - Gr A White	238
Patient chair - Removable Seat Covers	83	Solid Surface Arm (per arm) - Gr A Color	243
21" & 24" - Removeable Back Covers	58	Solid Surface Arm (per arm) - Gr B	262
30" & 44" - Removable Back Covers	87	Solid Surface Arm (per arm) - Gr C	283
21" & 24" Cleanable Under-seat Splashguard	38	Maple Arm upgrade per arm (add to beech price)	75
30" Cleanable Under-seat Splashguard	45	Beech Wood Side Rails Upgrade (per arm)	60
Casters (21" & 24" chairs) -4 set	112	Maple wood Side Rails Upgrade (per arm)	75
Casters (21" & 24" chairs) -2 set	75	Kinetic Back option (not available for 30" & 44")	112
Non-Marring Glide	35		

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2	PCFP	U	21X2	A	OPW
Solis	Chair	Pre-configured Freespan Multiple Patient Unit	Upholstered Back		Unit with no Center Arm	Open Arm - Wood Arm
			M	21X3	B	OPU
			Mesh Back		Unit with Center Arm	Open Arm Urethane Arm
				24X2		CLW
						Closed Arm -Wood Arm
				24X3		CLU
						Closed Arm Urethane Arm

SOLIS | PRE-CONFIGURED FREESPAN MULTIPLE SEATING PATIENT UNIT WITH CENTER ARM






DESCRIPTION/MODEL		Arm Type	COM	1	2	COL	3	4	5	6	7	8	9
	21" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 2 Seat, Mesh Back												
	SOL2-PCFPM21X2BOPU	Urethane	1985	2030	2075	2161	2248	2337	2424	2515	2646		
	SOL2-PCFPM21X2BOPW	Beech	2161	2206	2248	2337	2424	2515	2602	2689	2821		
	21" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 2 Seat, Upholstered Back												
	SOL2-PCFPU21X2BOPU	Urethane	2087	2216	2349	2608	2869	3131	3391	3652	4174		
	SOL2-PCFPU21X2BOPW	Beech	2264	2393	2523	2785	3047	3307	3567	3831	4348		
	21" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 3 Seat, Mesh Back												
	SOL2-PCFPM21X3BOPU	Urethane	2818	2882	2950	3081	3212	3346	3476	3610	3807		
	SOL2-PCFPM21X3BOPW	Beech	3052	3117	3183	3316	3447	3579	3711	3844	4040		
	21" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 3 Seat, Upholstered Back												
	SOL2-PCFPU21X3BOPU	Urethane	2962	3159	3353	3746	4135	4526	4918	5309	6092		
	SOL2-PCFPU21X3BOPW	Beech	3196	3393	3588	3980	4370	4763	5153	5543	6326		
	24" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 2 Seat, Mesh Back												
	SOL2-PCFPM24X2BOPU	Urethane	2021	2066	2109	2199	2286	2375	2463	2549	2682		
	SOL2-PCFPM24X2BOPW	Beech	2199	2243	2286	2375	2463	2549	2639	2725	2859		
	24" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 2 Seat, Upholstered Back												
	SOL2-PCFPU24X2BOPU	Urethane	2127	2257	2386	2648	2909	3169	3432	3693	4212		
	SOL2-PCFPU24X2BOPW	Beech	2302	2433	2564	2823	3085	3346	3608	3868	4389		
	24" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 3 Seat, Mesh Back												
	SOL2-PCFPM24X3BOPU	Urethane	2873	2938	3005	3137	3268	3401	3535	3665	3862		
	SOL2-PCFPM24X3BOPW	Beech	3107	3174	3238	3372	3502	3636	3767	3900	4098		
	24" Pre-Configured Freespan Center Arm Patient Unit - Open Arm 3 Seat, Upholstered Back												
	SOL2-PCFPU24X3BOPU	Urethane	3022	3218	3413	3804	4195	4586	4976	5367	6150		
	SOL2-PCFPU24X3BOPW	Beech	3257	3450	3648	4038	4430	4820	5210	5600	6383		

Solis Pre-configured Option Upcharges		\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	60	Solid Surface Arm (per arm) - Gr A White	238		
Patient chair - Removable Seat Covers	83	Solid Surface Arm (per arm) - Gr A Color	243		
21" & 24" - Removeable Back Covers	58	Solid Surface Arm (per arm) - Gr B	262		
30" & 44" - Removable Back Covers	87	Solid Surface Arm (per arm) - Gr C	283		
21" & 24" Cleanable Under-seat Splashguard	38	Maple Arm upgrade per arm (add to beech price)	75		
30" Cleanable Under-seat Splashguard	45	Beech Wood Side Rails Upgrade (per arm)	60		
Casters (21" & 24" chairs) -4 set	112	Maple wood Side Rails Upgrade (per arm)	75		
Casters (21" & 24" chairs) -2 set	75	Kinetic Back option (not available for 30" & 44")	112		
Non-Marring Glide	35				






PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2	PCFP	U	21X2	A	OPW
Solis	Chair	Pre-configured Freespan Multiple Patient Unit	Upholstered Back		Unit with no Center Arm	Open Arm - Wood Arm
			M	21X3	B	OPU
			Mesh Back		Unit with Center Arm	Open Arm Urethane Arm
				24X2		CLW
						Closed Arm -Wood Arm
				24X3		CLU
						Closed Arm Urethane Arm







SOLIS | REPLACEMENT COMPONENTS - MULTIPLE SEATING

Description	Model	COM		COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube
		1	2		4	5	6	7	8	9			
	21" Replacement Guest Upholstered Backs SOL2-RBGU21	526	566	604	659	722	776	838	916	994	1.5	14	2.7
	21" Replacement Guest Mesh Backs SOL2-RBGM21	443										10	2.7
	24" Replacement Guest Upholstered Backs SOL2-RBGU24	540	576	616	671	734	788	851	930	1008	1.5	15	2.8
	24" Replacement Guest Mesh Backs SOL2-RBGM24	462										11	2.8
	30" Replacement Guest Upholstered Backs SOL2-RBGU30	587	631	675	738	809	871	943	1032	1121	1.6	19	3.4
	44" Replacement Guest Upholstered Backs SOL2-RBGU44	737	782	825	888	960	1023	1094	1182	1272	2.25	28	4.8
	21" Replacement Guest Upholstered Back Covers SOL2-RBCGU21	184	224	267	316	379	433	497	573	652	1.5	2	.8
	24" Replacement Guest Upholstered Back Covers SOL2-RBCGU24	184	224	262	316	379	433	497	573	652	1.5	2.3	.8
	30" Replacement Guest Upholstered Back Covers SOL2-RBCGU30	199	242	287	350	421	483	554	643	733	1.6	2.6	.8
	44" Replacement Guest Upholstered Back Covers SOL2-RBCGU44	203	248	292	354	426	490	559	647	738	2.25	3.5	.8
	21" Replacement Patient Upholstered Backs SOL2-RBPU21	625	680	736	815	903	982	1070	1181	1293	2.0	21	3.8
	21" Replacement Patient Mesh Backs SOL2-RBPM21	419										15	3.8
	24" Replacement Patient Upholstered Backs SOL2-RBPU24	660	716	773	850	940	1016	1106	1218	1329	2.0	21	3.8
	24" Replacement Patient Mesh Backs SOL2-RBPM24	480										17	3.8
	30" Replacement Patient Upholstered Backs SOL2-RBPU30	796	870	942	1042	1158	1261	1376	1522	1665	2.2	24	4.8
	21" Replacement Patient Upholstered Back Covers SOL2-RBCPU21	235	290	346	424	514	591	680	791	903	2.0	2.5	.8
	24" Replacement Patient Upholstered Back Covers SOL2-RBCPU24	236	291	347	425	515	592	681	792	904	2.0	2.7	.8
	30" Replacement Patient Upholstered Back Covers SOL2-RBCPU30	285	359	430	530	647	749	865	1010	1154	2.2	3	.8
	Replacement Mesh Back Top Bar SOL2-RMBTB21	31									2.5	.5	
	SOL2-RMBTB24	32									3.0	.7	






SOLIS | REPLACEMENT COMPONENTS - MULTIPLE SEATING

Description	Model	COM		COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube
		1	2		4	5	6	7	8	9			
	21" Replacement Seat												
	SOL2-RS21	362	388	411	448	486	521	562	612	663	.9	9	2.7
	24" Replacement Seat												
	SOL2-RS24	380	406	430	466	505	542	582	631	681	.9	10	2.7
	30" Replacement Seat												
	SOL2-RS30	452	476	502	536	575	612	652	701	751	.9	12	3.4
	44" Replacement Seat												
	SOL2-RS44	584	614	644	687	736	779	828	890	949	1.1	14	4.8
	21" Replacement Seat Cover												
	SOL2-RSC21	121	148	172	207	248	283	347	374	423	1.0	1.6	.8
	24" Replacement Seat Cover												
	SOL2-RSC24	124	149	175	211	251	285	326	376	426	1.0	1.7	.8
	30" Replacement Seat Cover												
	SOL2-RSC30	126	150	175	211	251	285	326	376	426	1.0	2	.8
	44" Replacement Seat Cover												
	SOL2-RSC44	142	173	203	246	295	337	387	449	508	1.1	2.5	.8
FREESPAN													
	21" Replacement Freespan Seat - A Center												
	SOL2-RS21A-C	368	392	419	453	494	526	568	617	669	0.9	9	2.7
	21" Replacement Freespan Seat - A Left Facing												
	SOL2-RS21A-L	365	389	416	451	492	524	566	615	666	0.9	9	2.7
	21" Replacement Freespan Seat - A Right Facing												
	SOL2-RS21A-R	365	389	416	451	492	524	566	615	666	0.9	9	2.7
	21" Replacement Freespan Seat - B												
	SOL2-RS21B	365	389	416	451	492	524	566	615	666	0.9	9	2.7
	24" Replacement Freespan Seat - A Center												
	SOL2-RS24A-C	386	411	435	472	512	547	588	638	687	0.9	9	2.7
	24" Replacement Freespan Seat - A Left Facing												
	SOL2-RS24A-L	383	409	433	470	508	545	585	636	685	0.9	9	2.7
	24" Replacement Freespan Seat - A Right Facing												
	SOL2-RS24A-R	383	409	433	470	508	545	585	636	685	0.9	9	2.7
	24" Replacement Freespan Seat - B												
	SOL2-RS24B	383	409	433	470	508	545	585	636	685	0.9	9	2.7
	21" Replacement Freespan Seat Cover - A Center												
	SOL2-RSC21A-C	121	148	172	207	248	283	323	374	423	0.9	9	2.7
	21" Replacement Freespan Seat Cover- A Left Facing												
	SOL2-RSC21A-L	121	148	172	207	248	283	323	374	423	0.9	9	2.7
	21" Replacement Freespan Seat Cover- A Right Facing												
	SOL2-RSC21A-R	121	148	172	207	248	283	323	374	423	0.9	9	2.7
	21" Replacement Freespan Seat Cover- B												
	SOL2-RSC21B	121	148	172	207	248	283	323	374	423	0.9	9	2.7
	24" Replacement Freespan Seat Cover- A Center												
	SOL2-RSC24A-C	124	149	173	208	249	283	324	375	424	0.9	9	2.7
	24" Replacement Freespan Seat Cover- A Left Facing												
	SOL2-RSC24A-L	124	149	173	208	249	283	324	375	424	0.9	9	2.7
	24" Replacement Freespan Seat Cover- A Right Facing												
	SOL2-RSC24A-R	124	149	173	208	249	283	324	375	424	0.9	9	2.7
	24" Replacement Freespan Seat Cover- B												
	SOL2-RSC24B	124	149	173	208	249	283	324	375	424	0.9	9	2.7
	Replacement Splash Guard												
	SOL2-RSG21	83										1	.3
	SOL2-RSG24	102										2	.4
	SOL2-RSG30	143										3	.5
	SOL2-RSG44	155										4	.6

SOLIS | REPLACEMENT COMPONENTS - MULTIPLE SEATING


Description	Model	COM	2	COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube
		1	3	4	5	6	7	8	9				
	Replacement Closed Arm SOL2-RCA	193	203	214	230	248	263	282	304	326	0.4	6	.9
Description	Model	Price										Weight	Cubes
	Replacement Side Frame - Interim SOL2-RSFIB	120										7	1.2
	Replacement Side Frame - Interim - No Anti-Microbial SOL2-RSFIBX	110										7	1.2
	Replacement Side Frame - Start SOL2-RSFS	124										9	1.5
	Replacement Side Frame - Start - No Anti-Microbial SOL2-RSFSX	103										9	1.5
	Replacement Side Frame - Center SOL2-RSFC	124										9	1.5
	Replacement Side Frame - Center - No Anti-Microbial SOL2-RSFCX	103										9	1.5
	Replacement Side Frame - End SOL2-RSFE	124										9	1.5
	Replacement Side Frame - End - No Anti-Microbial SOL2-RSFEX	103										9	1.5
	Replacement Side Frame - Start - 1 Glide, 1 Non-locking Caster SOL2-RSFSC	160										9.5	1.5
	Replacement Side Frame - Start - 1 Glide, 1 Non-locking Caster- No Anti-Microbial SOL2-RSFSCX	128										9.5	1.5
	Replacement Side Frame - End - 1 Glide, 1 Non-locking Caster SOL2-RSFEC	160										9.5	1.5
	Replacement Side Frame - End - 1 Glide, 1 Non-locking Caster- No Anti-Microbial SOL2-RSFECX	128										9.5	1.5
	Replacement Side Frame - Start - 2 Non-locking Casters SOL2-RSFSC2	139										10	1.5
	Replacement Side Frame - Start - 2 Non-locking Casters- No Anti-Microbial SOL2-RSFSC2X	136										10	1.5
	Replacement Side Frame - End - 2 Non-locking Casters SOL2-RSFEC2	139										10	1.5
	Replacement Side Frame - End - 2 Non-locking Casters- No Anti-Microbial SOL2-RSFEC2X	136										10	1.5
	Replacement Wood Side Rail Cover - Beech SOL2-RSRCB	167										1.0	.3
	Replacement Wood Side Rail Cover - Maple SOL2-RSRCM	214											
	Replacement Arm Cap - Urethane SOL2-RACU	65										1.5	.2
	Replacement Arm Cap - Beech SOL2-RACWB	198										1.0	.2
	Replacement Arm Cap - Maple SOL2-RACWM	213										1.0	.2
		Grade		Grade									
		A- White		A- Color		Grade- B		Grade- C					
	Replacement Arm Cap - Solid Surface												
	SOL2-RACSS	238		243		262		283			2	.2	

SOLIS | REPLACEMENT COMPONENTS

Description	Model	Price	Weight	Cubes
	Replacement Link/Ganging Brackets - Table to Chair SOL2-RLKB1	63	2.0	.2
	Replacement Link/Ganging Brackets - Chair to Chair SOL2-RLKB2	48	2.0	.2
	Replacement Link/Ganging Brackets - Chair to Chair (set of 10) SOL2-RLKB3	148	1.0	.2
	Replacement Glide - Front SOL2-RGF	20	.5	.1
	Replacement Glide - Back SOL2-RGB	20	.5	.1
	Replacement Glide - Easy Access - Front SOL2-RGFEA	27	.5	.1
	Replacement Glide - Set of 4 SOL2-RGS4	22	2	.1
	Replacement Caster Glide - Front SOL2-RGFC	21	2	.1
	Replacement Caster Glide - Back SOL2-RGBC	21	2	.1
	Replacement Non-locking Caster - Hard Wheel SOL2 - RCH	28	1.5	.3
	Replacement Non-locking Caster - Soft Wheel SOL2 - RCS	31	1.5	.3
	Replacement Stretcher SOL2-RSTRETCHER21	169	1.0	.3
	SOL2-RSTRETCHER24	173	1.5	.4
	SOL2-RSTRETCHER21X	165	1.0	.5
	SOL2-RSTRETCHER24X	170	1.5	.6

SOLIS | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



CONTRIBUTES TO		
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS
All Solis products are supplied air-emissions certified. Contact customer service for information.





FSC®
In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Solis and other Krug products can be specified with one of two types of FSC® Certification:
(a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification)
Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SOLIS | EASY ACCESS CHAIR

DIMENSIONS & COM. REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back
UPHOLSTERED GUEST BACK												
21" Seat	25	30.75	40.5	24.5	32	20	20	51	16	1.6	0.9	1.6
24" Seat	28	30.75	40.5	24.5	32	23	20	55	18	1.6	0.9	1.6
MESH GUEST BACK												
21" Seat	25	30.75	40.5	24.5	32	20	20	49	16	-	0.9	-
24" Seat	28	30.75	40.5	24.5	32	23	20	52	18	-	0.9	-
UPHOLSTERED PATIENT BACK												
21" Seat	25	30.75	49.75	24.5	32	20	20	54	21	2.1	0.9	2.0
24" Seat	28	30.75	49.75	24.5	32	23	20	58	23	2.1	0.9	2.0
MESH PATIENT BACK												
21" Seat	25	30.75	49.75	24.5	32	20	20	50	21	-	0.9	-
24" Seat	28	30.75	49.75	24.5	32	23	20	53	23	-	0.9	-
Footrest height (All Models) 7.25"												

DESCRIPTION/MODEL	Arm Type	COM.		COL	FABRIC GRADES				LEATHER	
		1	2	3	4	5	6	7	8	9
	21" Guest, Open Arm, Mesh Back									
	SOL2-HGM21OPU Urethane	1355	1386	1417	1478	1541	1603	1662	1723	1819
	SOL2-HGM21OPW Beech	1473	1502	1534	1594	1657	1719	1780	1842	1937
	21" Guest, Open Arm, Upholstered Back									
	SOL2-HGU21OPU Urethane	1427	1478	1528	1632	1733	1837	1938	2038	2245
	SOL2-HGU21OPW Beech	1544	1594	1647	1749	1850	1953	2056	2157	2362
	24" Guest, Open Arm, Mesh Back									
	SOL2-HGM24OPU Urethane	1384	1414	1445	1505	1568	1629	1691	1751	1847
	SOL2-HGM24OPW Beech	1500	1529	1562	1622	1685	1747	1807	1871	1965
	24" Guest, Open Arm, Upholstered Back									
	SOL2-HGU24OPU Urethane	1455	1507	1559	1663	1771	1874	1978	2080	2289
	SOL2-HGU24OPW Beech	1574	1626	1677	1782	1887	1990	2093	2199	2408
	21" Patient, Open Arm, Mesh Back									
	SOL2-HPM21OPU Urethane	1456	1489	1520	1580	1643	1704	1765	1827	1922
	SOL2-HPM21OPW Beech	1575	1606	1636	1700	1759	1820	1884	1943	2038
	21" Patient, Open Arm, Upholstered Back									
	SOL2-HPU21OPU Urethane	1534	1604	1672	1807	1942	2080	2216	2356	2630
	SOL2-HPU21OPW Beech	1651	1720	1788	1924	2060	2199	2335	2474	2746
	24" Patient, Open Arm, Mesh Back									
	SOL2-HPM24OPU Urethane	1500	1529	1562	1622	1685	1747	1807	1871	1965
	SOL2-HPM24OPW Beech	1618	1649	1678	1743	1802	1862	1924	1986	2081
	24" Patient, Open Arm, Upholstered Back									
	SOL2-HPU24OPU Urethane	1579	1650	1720	1860	2004	2143	2283	2424	2707
	SOL2-HPU24OPW Beech	1696	1768	1838	1979	2118	2259	2400	2544	2823

Solis Guest Option Upcharges

	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	60	Solid Surface Arm (per pair) - Gr A White	453
Guest chair - Removable Seat Covers	83	Solid Surface Arm (per pair) - Gr A Color	469
21" & 24" - Removeable Back Covers	55	Solid Surface Arm (per pair) - Gr B	504
21" & 24" Cleanable Under-seat Splashguard	38	Solid Surface Arm (per pair) - Gr C	545
Kinetic Back option	112	Maple Arm upgrade per arm (add to beech price)	75
Combination upholstery - Dual	31	Beech Wood Side Rails Upgrade (per chair)	118
Combination upholstery - Three	60	Maple wood Side Rails Upgrade (per chair)	148
Non-Marring Glide	35		

PRODUCT CODE KEY


Line	Series	Chair Type	Style	Back Type	Size	Arm Type
SOL	2	H	G	U	21	OPW
Solis	Chair	Easy Access	Guest	Upholstered Back		Open Arm - Wood Cap
			P	M	24	OPU
			Patient	Mesh		Open Arm Urethane Arm Cap

SOLIS BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 16%

POST-CONSUMER
RECYCLED CONTENT = 22%

CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (PLEASE ENQUIRE) Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Behavioral Health products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



FSC
www.fsc.org
FSC® C021699

The mark of responsible forestry

AIR-EMISSIONS

All Behavioral Health products are supplied air-emissions certified. Contact customer service for information.

FSC®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Behavioral Health and other Krug products can be specified with FSC® Certification.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

SOLIS BEHAVIORAL HEALTH | FEATURES



CLEAN OUT

All Solis seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquids to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Solis to well exceed ANSI/BIFMA standards.



FLEX BACK

The ergonomically-designed back has a slight flexing action, which significantly enhances comfort.



WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility. Patient and Guest chairs with mesh backs are excluded as they do not have the wall saver feature.



HIGH DENSITY FOAM

Solis features dual density foam that is soft on the outside for comfort, dense on the inside for high durability. The seat and back foam features a compound curvature that supports healthy sitting postures, while also designed to ease ingress and egress.



SECURED WOODEN ARM

Solis Wood Arm caps are fastened to the side frames with tamper resistant security screws. Wood arms are available in either beech or maple hardwood and in 22 Krug standard finishes. Maple arm caps are available for an up-charge of **\$75 list** per arm using beech pricing.



URETHANE ARM

Solis secured urethane arms are durable, comfortable, and long lasting. Urethane arms are available in three colors options; Black, Grey and Taupe.

TAMPER RESISTANT HARDWARE

All screws used on the Solis Behavioral Health units have been replaced with tamper resistant security screws.

GANGING

All Solis Freestanding chairs can be ganged using a ganging bracket. The powder-coated metal plate is fastened to the underside of the steel side rails using the pre-existing holes in the frame.

SECURED GLIDES

Solis Behavioral Health chairs have their glides secured in place to prevent their removal and damage.

BOTTOM STAPLE COVER/SHIELD

Solis Behavioral Health chairs come standard with a black painted plywood cover underneath the seat. This cover is designed to prevent access to the upholstery staples of the seat and to prevent the hiding of objects underneath the seat. The cover is also designed to allow for regular ganging hardware and proper seat ventilation. The cover is secured to the unit with tamper resistant security screws.

BACK STAPLE COVER STRIP

The Solis Behavioral Health back upholstery has been altered to allow a staple cover strip to be attached; this will prevent access to the upholstery staples. The cover strip is nylon coated galvanized steel with vinyl coated ends to prevent any sharp edges. The back cover strip is fastened to the unit with tamper resistant security screws.

TUBULAR STEEL CHAIR FRAME

The overall aesthetic frame of the chair is built from structural steel tubing, both elliptical and rectangular for exceptional strength and appealing design. The frame is electro welded and polished joints for ease of cleaning and a one piece look. Available in eight powder-coated finishes. Silver Metallic is offered as Krug's standard finish. For all metal finishes other than Silver Metallic, there is a minimum quantity of 30 units per color and are available for an upcharge of **\$60 list** per seat/table. Microban anti-microbial finish is standard, with no upcharge, when frame finishes other than Silver Metallic is ordered. Solis Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$60 list** per chair or table. Upcharges for quantities less than 30 units per color, per order can be obtained through Customer Service.

FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

LATEX-FREE

Krug products are made with latex-free materials, to prevent the allergic reaction that latex causes in some people.

WEIGHT CAPACITIES

Weight capacities are as follows:
Guest & Patient Chairs (21" & 24") - **500 lbs**
Plus Chairs (30" & 44") - **750 lbs**

SOLIS BEHAVIORAL HEALTH | OPTIONS



SLED BASE

The Solis side frames legs have the option to be tied front to back with a steel rail, this will strengthen the frames and eliminate the option of having legs.



KINETIC BACK OPTION

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Solis chair back - Guest, Patient and Multiple Seating - with the exception of the 30" and 44" sizes.



CLOSED ARM

Solis closed arm has an upholstered arm panel built into the side frame. It is between the middle rail on the side frame and the top of the arm.



FULLY CLOSED ARM (SLEIGH BASE ONLY)

The fully closed arm includes the regular closed arm, but also adds a second upholstered arm panel between the middle rail on the side frame and the sleigh base bottom. This feature is only available when the sleigh base option is selected.

FLOOR ANCHOR BRACKETS (SLEIGH BASE ONLY)

Floor mounting brackets are supplied to be secured to the bottom of the Solis sleigh base with tamper resistant security screws. The hardware to attach the brackets to the floor is not provided by Krug.

WEIGHTED SHIELD

In place of the Bottom Staple Cover, a weighted black coated steel version is also available. This steel shield is designed to add enough weight for the product to be a minimum of 80 lbs. The shield is also designed to allow standard ganging hardware as well as proper seat ventilation. This is all achieved while also covering/preventing all access to the upholstery staples under the seat. The Weighted Shield is fastened with tamper-resistant security screws.

COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$31 list** per unit and **\$60 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).

ANTI-MICROBIAL FINISH

Solis Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$60 list** per chair or table.

CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$852 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$60 list** per yard.

REMOVABLE COVERS & REPLACEMENT COMPONENTS

- Seat Covers - **\$75 list** per seat
- Back Covers (21", 24") - **\$54 list** per chair (uph. only)
- Back Covers (30" and 44") - **\$75 list** per chair.

Optional Removeable seat and back covers can be quickly installed on Solis products that were originally ordered with the Removable cover option. Replacement seat and back covers can also be installed on Solis products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs. Complete Mesh backs can be ordered and field replaced.

NO SPRING SEATS

The springs in the seat have been removed and replaced with a solid plywood seat pan. Additional foam has also been added in place of the springs for comfort.

TAMPER-RESISTANT SPLASHGUARD

All Solis seating models are available with a coated steel moisture barrier that covers and enclosed the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard replaces the Bottom Staple Cover on the underside of the seat. It is designed to still allowing ganging and has folded metal edges to prevent any sharp edges. The splashguard is fastened with tamper resistant security screws.

SOLIS BEHAVIORAL HEALTH | GUEST -DIMENSIONS & COM REQUIREMENTS

DIMENSIONS


	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Base Shipping Weight	Cubes
21" Seat	25	28	34.5	18.5	26	20	20	51	16
24" Seat	28	28	34.5	18.5	26	23	20	55	18
30" Seat	34	28	34.5	18.5	26	29	20	60	22
44" Seat	48	28	34.5	18.5	26	43	20	74	31

COM - YARDAGE REQUIREMENTS


	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Upper Arm Panel	Yardage Fully Closed Arm Panel (Upper & Lower)
21" & 24" - One Chair	1.6	0.9	1.6	0.8	1.6
21" & 24" - Two Chairs	3.1	1.3	1.6	1.2	2.4
21" & 24" - Three Chairs	4.7	2.1	3.7	1.6	3.2
30" Plus - One Chair	2.5	0.9	1.6	1.6	3.2
30" Plus - Two Chairs	5	1.8	3.2	1.2	2.4
30" Plus - Three Chairs	7.5	2.7	4.8	1.6	3.2
44" Plus - One Chair	2.5	0.9	2.3	0.8	1.6
44" Plus - Two Chairs	5	1.8	3.9	1.2	2.4
44" Plus - Three Chairs	7.5	2.7	5.5	1.6	3.2

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.






Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	Leather 8	9	COM
Closed Arm Panel (1 arm)	180	193	205	230	253	277	302	326	375	0.4
Closed Arm Panels (2 arms)	360	385	411	457	506	553	601	651	747	0.8



Fully Closed Arm (1 arm)	292	315	337	376	416	455	496	540	608	1.5
Fully Closed Arm (2 arms)	583	628	673	750	831	907	990	1078	1214	3



SOLIS BEHAVIORAL HEALTH | GUEST

DESCRIPTION/MODEL			COM		COL	FABRIC GRADES			LEATHER		
			1	2	3	4	5	6	7	8	9
	21" Open Arm, Mesh Back										
	SOL2-GBHM21OPU	Urethane	1039	1069	1096	1155	1215	1273	1330	1391	1481
	SOL2-GBHM21OPW	Beech	1150	1180	1210	1268	1326	1385	1444	1502	1593
	21" Open Arm, Upholstered Back										
	SOL2-GBHU21OPU	Urethane	1085	1132	1180	1274	1370	1464	1558	1652	1842
	SOL2-GBHU21OPW	Beech	1196	1244	1291	1386	1480	1575	1672	1762	1954
	24" Open Arm, Mesh Back										
	SOL2-GBHM24OPU	Urethane	1078	1106	1135	1192	1252	1312	1371	1428	1520
	SOL2-GBHM24OPW	Beech	1188	1217	1247	1305	1363	1424	1481	1541	1630
	24" Open Arm, Upholstered Back										
	SOL2-GBHU24OPU	Urethane	1123	1171	1218	1313	1406	1502	1595	1691	1882
	SOL2-GBHU24OPW	Beech	1235	1282	1329	1425	1520	1687	1708	1802	1991
	30" Open Arm, Upholstered Back										
	SOL2-GBHU30OPU	Urethane	1340	1412	1489	1635	1784	1933	2078	2229	2522
	SOL2-GBHU30OPW	Beech	1451	1524	1599	1747	1895	2043	2189	2340	2635
	44" Open Arm, Upholstered Back										
	SOL2-GBHUH44OPU	Urethane	1491	1565	1637	1785	1935	2080	2232	2377	2673
	SOL2-GBHUH44OPW	Beech	1603	1676	1749	1896	2046	2191	2342	2489	2783
ORDERING NOTES: Solis Behavioral Health guest chairs are standard with; secured glides, secured Arms, Bottom Staple shield/Cover, Non-Accessible Staples (Bottom of back) and Tamper- Resistant Hardware.											

ORDERING NOTES: Solis Behavioral Health guest chairs are standard with; secured glides, secured Arms, Bottom Staple shield/Cover, Non-Accessible Staples (Bottom of back) and Tamper- Resistant Hardware.

Solis Guest Option Upcharges	\$ List		\$ List	
CAL 133 & Moisture Barrier (per yard)	60	30" & 44" - Removable Back Covers	75	
Guest chair - Removable Seat Covers	75	Kinetic Back option	112	
21" & 24" - Removeable Back Covers	55	Maple Arm upgrade per arm (add to beech price)	75	

Solis Behavioral Health Option Upcharges	\$ List		\$ List	
Plywood Seat / No Springs	113	Weight Shield (to min 80lbs) - 21" Uph.	379	
Sled Base	246	Weight Shield (to min 80lbs) - 21" Mesh	451	
Anchor to Floor (Sleigh base only)	333	Weight Shield (to min 80lbs) - 24" Uph.	313	
21" Tamper- Resistant Splashguard	146	Weight Shield (to min 80lbs) - 24" Mesh	383	
24" Tamper- Resistant Splashguard	154	Weight Shield (to min 80lbs) - 30" Uph.	167	
30" Tamper- Resistant Splashguard	316	Weight Shield (to min 80lbs) - 44" Uph.	159	
44" Tamper- Resistant Splashguard	337			

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the reqired arm type from the Product Code Key below and add the upcharge on page 37.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	GBH	U	21	OPU
Solis	Chair	Guest Seating	Upholstered Back		Open Arm - Urethane
		PBH	M	24	OPW
		Patient Seating	Mesh Back 21" & 24" Only		Open Arm - Wood
				30	CLW
					Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | PATIENT -DIMENSIONS & COM REQUIREMENTS

DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Base Shipping Weight	Cubes
UPHOLSTERED BACK									
21" Seat	25	28	43.75	18.5	26	20	20	54	21
24" Seat	28	28	43.75	18.5	26	23	20	58	23
30" Seat	34	28	43.75	18.5	26	29	20	64	28

COM - YARDAGE REQUIREMENTS

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage-Closed Upper Arm Panel	Yardage-Fully Closed Arm Panel (Upper & Lower)
21" & 24" - One Chair	2.1	0.9	2	0.8	1.6
21" & 24" -Two Chairs	4	1.3	3.4	1.2	2.4
21" & 24" - Three Chairs	6.1	2.1	5.4	1.6	3.2
30" Plus - One Chair	3.1	0.9	2.2	0.8	1.6
30" Plus - Two Chairs	6.2	1.8	4.4	1.2	2.4
30" Plus - Three Chairs	9.3	2.7	6.6	1.6	3.2


ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$31 list** per unit and **\$60 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Complete Mesh backs (21" & 24") can be ordered and field replaced.


The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$60 list** per arm frame pair, please see [page 24](#) for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$60 list** per arm frame pair or table.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.




Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	Leather 8	9	COM
Closed Arm Panel (1 arm)	180	193	205	230	253	277	302	326	375	0.4
Closed Arm Panels (2 arms)	360	385	411	457	506	553	601	651	747	0.8




Fully Closed Arm (1 arm)	292	315	337	376	416	455	496	540	608	1.5
Fully Closed Arm (2 arms)	583	628	673	750	831	907	990	1078	1214	3



SOLIS BEHAVIORAL HEALTH | PATIENT

DESCRIPTION/MODEL		COM	2	COL	4	FABRIC GRADES			7	LEATHER	
						5	6			8	9
	21" Open Arm, Mesh Back										
	SOL2-PBHM21OPU	Urethane	1081	1151	1181	1239	1298	1356	1416	1475	1567
	SOL2-PBHM21OPW	Beech	1235	1263	1293	1351	1410	1470	1526	1586	1677
	21" Open Arm, Upholstered Back										
	SOL2-PBHU21OPU	Urethane	1174	1235	1296	1422	1544	1672	1793	1916	2165
	SOL2-PBHU21OPW	Beech	1285	1347	1409	1534	1655	1783	1906	2028	2277
	24" Open Arm, Mesh Back										
	SOL2-PBHM24OPU	Urethane	1158	1188	1217	1275	1336	1395	1452	1513	1603
	SOL2-PBHM24OPW	Beech	1271	1301	1328	1387	1447	1505	1565	1622	1713
	24" Open Arm, Upholstered Back										
	SOL2-PBHU24OPU	Urethane	1211	1273	1336	1457	1582	1707	1832	1956	2206
	SOL2-PBHU24OPW	Beech	1321	1385	1447	1571	1695	1818	1942	2068	2317
	30" Open Arm, Upholstered Back										
	SOL2-PBHU30OPU	Urethane	1522	1616	1705	1887	2073	2256	2439	2620	2988
	SOL2-PBHU30OPW	Beech	1634	1726	1816	2000	2185	2369	2549	2734	3101

Solis Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	60	30" - Removable Back Covers	75
Removable Seat Covers	75	Kinetic Back option	112
21" & 24" - Removeable Back Covers	55	Maple Arm upgrade per arm (add to beech price)	75

	Solis Behavioral Health Option Upcharges		\$ List		\$ List
	Sled Base	246	21" Tamper- Resistant Splashguard		146
	Anchor to Floor (Sleigh base only)	333	24" Tamper- Resistant Splashguard		154
	Plywood Seat / No Springs	113	30" Tamper- Resistant Splashguard		316
	Weight Shield (to min 80lbs) - 21" Uph.	379			
	Weight Shield (to min 80lbs) - 21" Mesh	451			
	Weight Shield (to min 80lbs) - 24" Uph.	313			
	Weight Shield (to min 80lbs) - 24" Mesh	383			
	Weight Shield (to min 80lbs) - 30" Uph.	167			

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 39.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	GBH	U	21	OPU
Solis	Chair	Guest Seating	Upholstered Back		Open Arm - Urethane
		PBH	M	24	OPW
		Patient Seating	Mesh Back 21" & 24" Only		Open Arm - Wood
				30	CLW
					Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | MULTIPLE SEATING - GUEST

DIMENSIONS & COM. REQUIREMENTS - START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BACK														
SGM21	25	28	34.5	18.5	26	20	20	41	16	-	0.9	-	0.4	0.8
SGM24	28	28	34.5	18.5	26	23	20	44	18	-	0.9	-	0.4	0.8
UPHOLSTERED BACK														
SGU21	25	28	34.5	18.5	26	20	20	43	16	1.6	0.9	1.6	0.4	0.8
SGU24	28	28	34.5	18.5	26	23	20	47	18	1.6	0.9	1.6	0.4	0.8
SGU30	34	28	34.5	18.5	26	29	20	52	22	2.5	0.9	2.5	0.4	0.8
SGU44	48	28	34.5	18.5	26	43	20	66	31	2.5	0.9	2.5	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

											COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube					
MESH BACK														
CGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	-	0.4
CGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	-	0.4
UPHOLSTERED BACK														
CGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	1.6	0.4
CGU24	26	28	34.5	18.5	26	23	20	41	19	1.6	0.9	1.6	1.6	0.4
CGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	2.5	2.5	0.4
CGU44	46	28	34.5	18.5	26	43	20	60	31	2.5	0.9	2.5	2.5	0.4

DIMENSIONS & COM. REQUIREMENTS - END UNITS

										COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube				
MESH BACK													
EGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
EGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLSTERED BACK													
EGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
EGU24	26	28	34.5	18.5	26	23	20	41	18	1.6	0.9	1.6	0.4
EGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	2.5	0.4
EGU44	46	28	34.5	18.5	26	43	20	60	31	2.5	0.9	2.5	0.4







ORDERING NOTES:

When ordering multiple Start, Center, End units please refer to [page 5](#) for Yardage Requirements.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	(COL) 2	(COL) 3	(COL) 4	(COL) 5	(COL) 6	(COL) 7	Leather 8	(COL) 9	COM
Closed Arm Panel (1 arm)	198	212	226	253	279	304	333	359	414	0.4
Closed Arm Panels (2 arms)	396	425	453	504	558	610	663	718	825	0.8
Fully Closed Arm (1 arm)	322	346	372	415	459	502	547	596	671	1.5
Fully Closed Arm (2 arms)	643	693	742	828	918	1001	1093	1190	1340	3

SOLIS BEHAVIORAL HEALTH | START, CENTER & END GUEST UNITS








DESCRIPTION/MODEL			COM		COL	FABRIC GRADES			LEATHER		
			1	2	3	4	5	6	7	8	9
	START	21" Open Arm Start Guest Unit, Mesh Back									
		SOL2-SGBHM21OPU Urethane	1039	1069	1096	1155	1215	1273	1330	1391	1481
		SOL2-SGBHM21OPW Beech	1150	1180	1210	1268	1326	1385	1444	1502	1593
		21" Open Arm Start Guest Unit, Upholstered Back									
		SOL2-SGBHU21OPU Urethane	1085	1132	1180	1274	1370	1464	1558	1652	1842
		SOL2-SGBHU21OPW Beech	1196	1244	1291	1386	1480	1575	1672	1762	1954
		24" Open Arm Start Guest Unit, Mesh Back									
		SOL2-SGBHM24OPU Urethane	1078	1106	1135	1192	1252	1312	1371	1428	1520
		SOL2-SGBHM24OPW Beech	1188	1217	1247	1305	1363	1424	1481	1541	1630
		24" Open Arm Start Guest Unit, Upholstered Back									
		SOL2-SGBHU24OPU Urethane	1123	1171	1218	1313	1406	1502	1564	1691	1882
		SOL2-SGBHU24OPW Beech	1235	1282	1329	1425	1520	1687	1708	1802	1991
		30" Open Arm Start Guest Unit, Upholstered Back									
		SOL2-SGBHU30OPU Urethane	1340	1412	1489	1635	1784	1933	2078	2229	2522
		SOL2-SGBHU30OPW Beech	1451	1524	1599	1747	1895	2043	2189	2340	2635
		44" Open Arm Start Guest Unit, Upholstered Back									
		SOL2-SGBHU44OPU Urethane	1491	1565	1637	1785	1935	2080	2232	2377	2673
		SOL2-SGBHU44OPW Beech	1603	1676	1749	1896	2046	2191	2342	2489	2783
	CENTER	21" Open Arm Center Guest Unit, Mesh Back									
		SOL2-CGBHM21OPU Urethane	948	979	1008	1064	1124	1182	1240	1301	1391
		SOL2-CGBHM21OPW Beech	1005	1034	1061	1121	1180	1238	1296	1355	1447
		21" Open Arm Center Guest Unit, Upholstered Back									
		SOL2-CGBHU21OPU Urethane	988	1037	1084	1179	1273	1368	1459	1557	1746
		SOL2-CGBHU21OPW Beech	1043	1092	1140	1235	1328	1424	1517	1614	1801
		24" Open Arm Center Guest Unit, Mesh Back									
		SOL2-CGBHM24OPU Urethane	971	1003	1031	1088	1148	1208	1264	1323	1414
		SOL2-CGBHM24OPW Beech	1029	1057	1086	1144	1205	1262	1320	1379	1471
		24" Open Arm Center Guest Unit, Upholstered Back									
		SOL2-CGBHU24OPU Urethane	1014	1061	1109	1205	1298	1395	1489	1581	1772
		SOL2-CGBHU24OPW Beech	1071	1119	1165	1260	1354	1450	1544	1637	1827

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 39.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | CENTER & END GUEST UNITS

DESCRIPTION/MODEL			COM	1	2	COL	3	FABRIC GRADES			4	5	6	7	LEATHER		8	9
	30" Open Arm Center Guest Unit, Upholstered Back																	
	SOL2-CGBHU30OPU	Urethane	1216	1288	1362	1514	1659	1806	1955	2103	2398							
	SOL2-CGBHU30OPW	Beech	1272	1345	1419	1569	1714	1861	2011	2157	2453							
	44" Open Arm Center Guest Unit, Upholstered Back																	
	SOL2-CGBHU44OPU	Urethane	1358	1434	1500	1654	1802	1951	2101	2245	2543							
	SOL2-CGBHU44OPW	Beech	1414	1491	1564	1710	1858	2007	2155	2301	2598							
END	21" Open Arm End Guest Unit, Mesh Back																	
	SOL2-EGBHM21OPU	Urethane	948	979	1008	1064	1124	1182	1240	1301	1391							
	SOL2-EGBHM21OPW	Beech	1005	1034	1061	1121	1180	1238	1296	1355	1447							
	21" Open Arm End Guest Unit, Upholstered Back																	
	SOL2-EGBHU21OPU	Urethane	988	1037	1084	1179	1273	1368	1459	1557	1746							
	SOL2-EGBHU21OPW	Beech	1043	1092	1140	1235	1328	1424	1517	1614	1801							
	24" Open Arm End Guest Unit, Mesh Back																	
	SOL2-EGBHM24OPU	Urethane	971	1003	1031	1088	1148	1208	1264	1323	1414							
	SOL2-EGBHM24OPW	Beech	1029	1057	1086	1144	1205	1262	1320	1379	1471							
	24" Open Arm End Guest Unit, Upholstered Back																	
	SOL2-EGBHU24OPU	Urethane	1014	1061	1109	1205	1298	1395	1489	1581	1772							
	SOL2-EGBHU24OPW	Beech	1071	1119	1165	1260	1354	1450	1544	1637	1827							
	30" Open Arm End Guest Unit, Upholstered Back																	
	SOL2-EGBHU30OPU	Urethane	1216	1288	1362	1514	1659	1806	1955	2103	2398							
	SOL2-EGBHU30OPW	Beech	1272	1345	1419	1569	1714	1861	2011	2157	2453							
	44" Open Arm End Guest Unit, Upholstered Back																	
	SOL2-EGBHU44OPU	Urethane	1358	1434	1500	1654	1802	1951	2101	2245	2543							
	SOL2-EGBHU44OPW	Beech	1414	1491	1564	1710	1858	2007	2155	2301	2598							

ORDERING NOTES:

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$60 list** per arm frame pair, please see **page 63** for color selection and **page 3** for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$60 list** per arm frame pair or table.

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 39.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

SOLIS BEHAVIORAL HEALTH | MULTIPLE SEATING - PATIENT BACKS

DIMENSIONS & COM. REQUIREMENTS - START UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BACK														
SPM21	25	28	43.75	18.5	26	20	20	42	21	-	0.9	-	0.4	0.8
SPM24	28	28	43.75	18.5	26	23	20	45	23	-	0.9	-	0.4	0.8
UPHOLSTERED BACK														
SPU21	25	28	43.75	18.5	26	20	20	46	21	2.1	0.9	2.0	0.4	0.8
SPU24	28	28	43.75	18.5	26	23	20	50	23	2.1	0.9	2.0	0.4	0.8
SPU30	34	28	43.75	18.5	26	29	20	56	28	3.1	0.9	2.2	0.4	0.8

DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
CPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
CPM24	26	28	43.75	18.5	26	23	20	39	23	-	0.9	-	0.4
UPHOLSTERED BACK													
CPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
CPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
CPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

DIMENSIONS & COM. REQUIREMENTS - END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM. Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
EPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
EPM24	26	28	43.75	18.5	26	23	20	38	23	-	0.9	-	0.4
UPHOLSTERED BACK													
EPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
EPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
EPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

ORDERING NOTES:


Multiple yardage requirements for Patient back Start, Center and End units, please refer to [page 10](#).


Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.


Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	Leather 8	9	COM
Closed Arm Panel (1 arm)	194	208	221	248	273	298	326	351	405	0.4
Closed Arm Panels (2 arms)	388	416	443	493	546	597	649	702	807	0.8
Fully Closed Arm (1 arm)	315	339	364	406	449	491	535	583	656	1.5
Fully Closed Arm (2 arms)	629	678	726	810	898	979	1069	1164	1310	3


SOLIS BEHAVIORAL HEALTH | START & CENTER PATIENT UNITS


DESCRIPTION/MODEL	COM		COL	FABRIC GRADES			LEATHER	
	1	2		4	5	6	8	9


<div><div>START</div><div></div></div>	21" Open Arm Start Patient Unit, Mesh Back										
	SOL2-SPBHM21OPU	Urethane	1081	1151	1181	1239	1298	1356	1416	1475	1567
	SOL2-SPBHM21OPW	Beech	1235	1263	1293	1351	1410	1470	1526	1586	1677
	21" Open Arm Start Patient Unit, Upholstered Back										
	SOL2-SPBHU21OPU	Urethane	1174	1235	1296	1422	1544	1672	1793	1916	2165
	SOL2-SPBHU21OPW	Beech	1285	1347	1409	1534	1655	1783	1906	2028	2277

	24" Open Arm Start Patient Unit, Mesh Back										
	SOL2-SPBHM24OPU	Urethane	1158	1188	1217	1275	1336	1395	1452	1513	1603
	SOL2-SPBHM24OPW	Beech	1271	1301	1328	1387	1447	1505	1565	1622	1713
	24" Open Arm Start Patient Unit, Upholstered Back										
	SOL2-SPBHU24OPU	Urethane	1211	1273	1336	1457	1582	1707	1832	1956	2206
	SOL2-SPBHU24OPW	Beech	1321	1385	1447	1571	1695	1818	1942	2068	2317

	30" Open Arm Start Patient Unit, Upholstered Back										
	SOL2-SPBHU30OPU	Urethane	1522	1616	1705	1887	2073	2256	2439	2620	2988
	SOL2-SPBHU30OPW	Beech	1634	1726	1816	2000	2185	2369	2549	2734	3101

	21" Open Arm Center Patient Unit, Mesh Back										
	SOL2-CPBHM21OPU	Urethane	1032	1060	1089	1149	1209	1266	1325	1384	1475
	SOL2-CPBHM21OPW	Beech	1087	1117	1147	1206	1263	1321	1381	1441	1529
	21" Open Arm Center Patient Unit, Upholstered Back										
	SOL2-CPBHU21OPU	Urethane	1078	1140	1202	1325	1450	1572	1700	1822	2071
	SOL2-CPBHU21OPW	Beech	1132	1195	1258	1381	1505	1627	1754	1879	2127

	24" Open Arm Urethane Cap Center Patient Unit, Mesh Back										
	SOL2-CPBHM24OPU	Urethane	1056	1085	1115	1174	1232	1290	1349	1406	1497
	SOL2-CPBHM24OPW	Beech	1112	1141	1171	1227	1287	1347	1404	1464	1552
	24" Open Arm Center Patient Unit, Upholstered Back										
	SOL2-CPBHU24OPU	Urethane	1102	1164	1225	1351	1475	1598	1722	1847	2095
	SOL2-CPBHU24OPW	Beech	1157	1220	1282	1406	1529	1654	1777	1905	2152




	30" Open Arm Center Patient Unit, Upholstered Back										
	SOL2-CPBHU30OPU	Urethane	1398	1491	1580	1762	1945	2129	2314	2498	2864
	SOL2-CPBHU30OPW	Beech	1453	1546	1636	1819	2004	2186	2371	2553	2919

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 39.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane


SOLIS BEHAVIORAL HEALTH | END PATIENT UNITS

DESCRIPTION/MODEL			COM		COL	FABRIC GRADES			LEATHER		
			1	2	3	4	5	6	7	8	9
	21" Open Arm End Unit, Mesh Back										
	SOL2-EPBHM21OPU	Urethane	1032	1060	1089	1149	1209	1266	1325	1384	1475
	SOL2-EPBHM21OPW	Beech	1087	1117	1147	1206	1263	1321	1381	1441	1529
	21" Open Arm End Unit, Upholstered Back										
	SOL2-EPBHU21OPU	Urethane	1078	1140	1202	1325	1450	1572	1700	1822	2071
	SOL2-EPBHU21OPW	Beech	1132	1195	1258	1381	1505	1627	1754	1879	2127
	24" Open Arm Urethane Cap End Unit, Mesh Back										
	SOL2-EPBHM24OPU	Urethane	1056	1085	1115	1174	1232	1290	1349	1406	1497
	SOL2-EPBHM24OPW	Beech	1112	1141	1171	1227	1287	1347	1404	1464	1552
	24" Open Arm End Unit, Upholstered Back										
	SOL2-EPBHU24OPU	Urethane	1102	1164	1225	1351	1475	1598	1722	1847	2095
	SOL2-EPBHU24OPW	Beech	1157	1220	1282	1406	1529	1654	1777	1905	2152
	30" Open Arm End Unit, Upholstered Back										
	SOL2-EPBHU30OPU	Urethane	1398	1491	1580	1762	1945	2129	2314	2498	2864
	SOL2-EPBHU30OPW	Beech	1453	1546	1636	1819	2004	2186	2371	2553	2919

ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$31 list** per unit and **\$60 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Complete Mesh backs (21" & 24") can be ordered and field replaced.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$60 list** per arm frame pair, please see **page 24** for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$60 list** per arm frame pair or table.





	Solis Guest Option Upcharges		\$ List		\$ List
	CAL 133 & Moisture Barrier (per yard)		60	30" - Removable Back Covers	75
	Guest chair - Removable Seat Covers		75	Kinetic Back option	112
	21" & 24" - Removeable Back Covers		55	Maple Arm upgrade per arm (add to beech price)	75
	Solis Behavioral Health Option Upcharges		\$ List		
	Plywood Seat / No Springs	113	Weight Shield (to min 80lbs) - 21" Uph.		379
	Sled Base	246	Weight Shield (to min 80lbs) - 21" Mesh		451
	Anchor to Floor (Sleigh base only)	333	Weight Shield (to min 80lbs) - 24" Uph.		313
	21" Tamper- Resistant Splashguard	146	Weight Shield (to min 80lbs) - 24" Mesh		383
	24" Tamper- Resistant Splashguard	154	Weight Shield (to min 80lbs) - 30" Uph.		167
	30" Tamper- Resistant Splashguard	316			

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 44.






PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane


SOLIS BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS

Description	Model	COM	FABRIC GRADES						LEATHER		Yardage	Weight	Cube		
		1	2	3	4	5	6	7	8	9					
<div>Guest</div> <div></div>	21" Replacement Behavioral Health Guest Upholstered Backs														
	SOL2-RBBHGU21	471	515	555	617	687	749	819	907	991	1.5	14	2.7		
	21" Replacement Behavioral Health Guest Mesh Backs														
	SOL2-RBBHGM21	409										10	2.7		
	24" Replacement Behavioral Health Guest Upholstered Backs														
	SOL2-RBBHGU24	491	530	575	638	708	770	838	923	1011	1.5	15	2.8		
	24" Replacement Behavioral Health Guest Mesh Backs														
	SOL2-RBBHGM24	434										11	2.8		
	30" Replacement Behavioral Health Guest Upholstered Backs														
	SOL2-RBBHGU30	554	605	654	724	839	873	954	1053	1151	1.6	19	3.4		
	44" Replacement Behavioral Health Guest Upholstered Backs														
	SOL2-RBBHGU44	719	765	817	887	964	1037	1116	1215	1314	2.25	28	4.8		
	<div>Patient</div> <div></div>	21" Replacement Behavioral Health Patient Upholstered Backs													
		SOL2-RBBHPU21	584	645	709	795	893	983	1082	1206	1329	2.0	21	3.8	
21" Replacement Behavioral Health Mesh Backs															
SOL2-RBBHPM21		445										15	3.8		
24" Replacement Behavioral Health Patient Upholstered Backs															
SOL2-RBBHPU24		614	677	739	825	925	1012	1112	1238	1361	2.0	21	3.8		
24" Replacement Behavioral Health Patient Mesh Backs															
SOL2-RBBHPM24		471										17	3.8		
30" Replacement Behavioral Health Patient Upholstered Backs															
SOL2-RBBHPU30		775	856	937	1050	1179	1291	1422	1583	1746	2.2	24	4.8		
<div>Guest</div> <div></div>		21" Replacement Behavioral Health Guest Upholstered Back Covers													
		SOL2-RBCBHGU21	144	188	229	291	362	423	493	580	665	1.5	2	.8	
		21" Replacement Behavioral Health Guest Mesh Back Covers													
		SOL2-RBCBHGM21	178										2	.8	
	24" Replacement Behavioral Health Guest Upholstered Back Covers														
	SOL2-RBCBHGU24	144	188	230	291	362	423	494	580	669	1.5	2.3	.8		
	24" Replacement Behavioral Health Mesh Back Covers														
	SOL2-RBCBHGM24	215										2.3	.8		
	30" Replacement Behavioral Health Guest Upholstered Back Covers														
	SOL2-RBCBHGU30	157	208	254	326	405	475	554	665	753	1.6	2.6	.8		
	44" Replacement Behavioral Health Guest Upholstered Back Covers														
	SOL2-RBCBHGU44	165	215	264	336	416	481	563	663	762	2.25	3.5	.8		
	<div>Patient</div> <div></div>	21" Replacement Behavioral Health Patient Upholstered Back Covers													
		SOL2-RBCBHPU21	185	248	310	396	497	584	682	808	931	2.0	2.5	.8	
21" Replacement Behavioral Health Mesh Back Covers															
SOL2-RBCBHPM21		197										2.5	.8		
24" Replacement Behavioral Health Patient Upholstered Back Covers															
SOL2-RBCBHPU24		187	248	310	396	498	584	682	808	931	2.0	2.7	.8		
24" Replacement Behavioral Health Patient Mesh Back Covers															
SOL2-RBCBHPM24		233										2.7	.8		
30" Replacement Behavioral Health Patient Upholstered Back Covers															
SOL2-RBCBHPU30		227	309	389	503	631	746	874	1037	1197	2.2	3	.8		

SOLIS BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS


Description	Model	COM		COL	FABRIC GRADES			LEATHER			Yardage	Weight	Cube
		1	2	3	4	5	6	7	8	9			
	21" Replacement Behavioral Health Seat												
	SOL2-RSBH21	298	327	354	393	439	477	522	580	637	.9	9	2.7
	24" Replacement Behavioral Health Seat												
	SOL2-RSBH24	332	361	388	426	473	509	555	612	669	.9	10	2.7
	30" Replacement Behavioral Health Seat												
	SOL2-RSBH30	376	404	430	472	507	554	598	654	710	.9	12	3.4
	44" Replacement Behavioral Health Seat												
	SOL2-RSBH44	500	535	569	617	672	721	775	843	913	.9	14	4.8
	21" Replacement Behavioral Health No Spring Seat												
	SOL2-RSBH21NS	411	439	467	505	550	589	636	691	748	.9	9	2.7
	24" Replacement Behavioral Health No Spring Seat												
	SOL2-RSBH24NS	446	473	500	541	584	623	669	724	779	.9	10	2.7
	30" Replacement Behavioral Health No Spring Seat												
	SOL2-RSBH30NS	485	516	544	583	619	665	710	765	822	.9	12	3.4
	44" Replacement Behavioral Health No Spring Seat												
	SOL2-RSBH44NS	612	646	680	728	783	831	886	956	1024	.9	12	3.4
	21" Replacement Behavioral Health Seat Cover												
	SOL2-RSBHC21	101	128	157	195	241	280	324	380	436	1.0	1.6	.8
	24" Replacement Behavioral Health Seat Cover												
	SOL2-RSBHC24	103	130	158	197	242	281	326	381	437	1.0	1.7	.8
	30" Replacement Guest, Patient & Easy Access Seat Cover												
	SOL2-RSBHC30	111	131	166	207	251	290	336	391	448	1.0	2	.8
	44" Replacement Behavioral Health Seat Cover												
	SOL2-RSBHC44	130	165	198	248	303	349	404	473	542	1.0	2.5	.8
	Replacement Closed Arm												
	SOL2-RCA	182	193	204	221	241	256	276	298	321	.8	6	.9
	Replacement Lower Closed Arm Panel												
	SOL2-RCAB	127	141	152	169	188	203	224	246	271	.8	6	.9
	Bottom Staple Cover/Shield												
	SOL2-RBC21	77										2	0.8
	SOL2-RBC24	79										2.3	0.8
	SOL2-RBC30	89										2.6	0.8
	SOL2-RBC44	98										3.5	0.8
	Weighted Shield												
	SOL2-RWSU21	379										25	1
	SOL2-RWSM21	451										25	1
	SOL2-RWSU24	313										25	1
	SOL2-RWSM24	383										25	1
	SOL2-RWSU30	167										31	1
	SOL2-RWSU44	159										44	1
	Tamper- Resistant Splashguard												
	SOL2-RSGBH21	241										1	.3
	SOL2-RSGBH24	250										2	.4
	SOL2-RSGBH30	430										3	.5
	SOL2-RSGBH44	467										4	.6

SOLIS BEHAVIORAL HEALTH | REPLACEMENT FRAMES

Description	Model	Price	Weight	Cubes
	Tamper- Resistant Side Frame Assembly - Start		9	1.5
	SOL2-RSFABHS - Urethane	165		
	- Beech	331		
	Tamper- Resistant Side Frame Assembly - Center		9	1.5
	SOL2-RSFABHC - Urethane	165		
	- Beech	331		
	Tamper- Resistant Side Frame Assembly - End		9	1.5
	SOL2-RSFABHE - Urethane	165		
	- Beech	331		
	Sleigh Base Side Frame Assembly - Start		9	1.5
	SOL2-RSFABHSSB - Urethane	544		
	- Beech	709		
	Sleigh Base Side Frame Assembly - Center		9	1.5
	SOL2-RSFABHCBSB - Urethane	544		
	- Beech	709		
	Sleigh Base Side Frame Assembly - End		9	1.5
	SOL2-RSFABHESB - Urethane	544		
	- Beech	709		
	Sleigh Base Fully Closed Side Frame - Start		9	1.5
	SOL2-RSFABHSFC - Urethane	544		
	- Beech	709		
	Sleigh Base Fully Closed Side Frame - Center		9	1.5
	SOL2-RSFABHCFC - Urethane	544		
	- Beech	709		
	Sleigh Base Fully Closed Side Frame - End		9	1.5
	SOL2-RSFABHEFC - Urethane	544		
	- Beech	709		
Maple arm side frames are available for an upcharge of \$74 list per arm, please see page 63 for finish selection.				
<hr/>				
	Tamper- Resist Tool Kit			
	SOL2-BHTK	134		

SOLIS | ENVIRONMENTAL SUMMARY

LEED CI CREDITS



*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level® CERTIFICATION
BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.

AIR-EMISSIONS
All Solis products are supplied air-emissions certified. Contact customer service for information.

FSC®
In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Solis and other Krug products can be specified with one of two types of FSC® Certification:
(a) FSC®-certified (which includes FSC®-certified lumber, veneer and substrate material)
(b) FSC®-mix certified (which includes substrate material only, and is a lower cost option certification)
Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



SOLIS | TABLES, FEATURES & OPTIONS

STANDARD FINISHES

Solid Beech & Maple edges with Veneer tops. For a complete list of standard wood finishes, please see [page 62](#). Solis tables are available in 22 standard finishes.

LAMINATE AND POLYMER EDGE

Solis tables are available in laminates with wood or laminates with Polymer edge. See [page 62](#) for laminate information.

METAL FINISHES

Silver Metallic Standard - No Upcharge
Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$60 list** per arm frame pair or table. Additional Frame Finishes are available for an upcharge of **\$60 list** per seat/ table.

Available colors are: • White • Parchment • Sand • Taupe • Warm Grey • Cool Grey • Black

For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. The anti-microbial finish is included in the additional finish up-charge. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

[View Solis images | www.krug.ca](#)

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Krug Solis Multiple Seating. Linking tables are connected to the Multiple Seating via U-Shaped brackets. The design of the tables for Solis Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration - or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.


Linking tables also feature a universal, non-handed design:

They can be moved to reverse position in almost every configuration, providing a high level of flexibility for reconfiguring.








Please note Solis Plastic Laminate Linking Tables are not available on *KrugExpress*.

Wood Tops with Wood Edges are available on *KrugExpress* but with a minimum order requirement of 5 tables per order.

A drawing showing the configuration of the multiple seating and tables are required with each purchase order.



SOLIS | LINKING TABLES

DESCRIPTION/MODEL	Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	W	D	Weight	Cubes
 Center Square Table SOL4-LKI-22-22	572	601	698	549	22	22	18	1.5
 End Square Table SOL4-LKE-22-22	611	643	745	589	22	22	20	1.5
 Curvilinear Connector Table 45° with flat edge SOL4-LKCRF45	555	585	678	549	27.5	27.5	21	2.2
 Curvilinear Connector Table 45° SOL4-LKCRR45	584	614	712	577	27.5	27.5	21	2.2
 Curvilinear Connector Table 90° SOL4-LKCRR90	657	693	804	655	30	30	27	2.2
 Curvilinear Connector Table 90° with flat edge SOL4-LKCRF90	649	685	791	645	30	30	29	2.2
 Rectilinear Corner Connector Table 90° SOL4-LKCSF90	729	770	890	686	30	30	32	2.2

ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Solis Multiple Seating.
Linking tables are connected to the Multiple Seating via U-Shaped brackets.







Rectilinear Corner Connector table 90° include a support leg in the outer corner.

When specifying Linking Tables please ensure that each unit has legs on either side of the table.

Please note Solis Plastic Laminate Linking Tables are not available on *KrugExpress*.
Wood Tops with Wood Edges are available on *KrugExpress* but with a minimum order requirement of 5 tables per order.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

SOLIS | FREE STANDING TABLES

DESCRIPTION/MODEL		Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	W	D	H	Weight	Cubes
	Square Tables SOL4-22-22-16	542	569	657	512	22	22	16	26	5
	SOL4-42-22-16	751	791	917	704	42	22	16	46	9
	SOL4-22-22-21	546	573	664	518	22	22	21	28	7
Circular Tables										
	SOL4-18D-16	478	504	585	456	18 Diameter	-	16	20	3
	SOL4-18D-21	494	520	602	471	18 Diameter	-	21	22	4
	SOL4-24D-16	506	535	618	492	24 Diameter	-	16	32	5
	SOL4-24D-21	546	573	664	527	24 Diameter	-	21	35	7
	SOL4-36D-16	771	811	939	783	36 Diameter	-	16	43	12

GENERAL INFORMATION

Terms and Conditions

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

Contact Information

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783

Purchase Order E-mail: orders@krug.ca

Web: www.krug.ca E-mail: solutions@krug.ca

Customer Service Hours

Please note customer service hours are:

8:30 am to 5:00 pm est

Customer Satisfaction

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

Order Acknowledgments

Each order will be acknowledged via e-mail or fax. This acknowledgment is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

Order Cancellation

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$350 net charge for processing of the original order and for processing of cancellation invoicing.

Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

Juno and Trevisa Overbed Tables have a 2-year warranty.

Blanket Wrapping

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

Export Packaging

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination - please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

GENERAL INFORMATION

Freight Terms and Conditions

1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.

2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.

3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$250/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$250/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).

5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

Product Strength and Durability Testing

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard. Specific test results and documentation are available on request.



Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

Damaged Shipments

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or

storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

Field Product Report Authorization

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Custom Capabilities

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

Care and Maintenance Leather

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

Fabric Upholstery

Professional upholstery cleaning is recommended.

Flammability Standards for Krug Textiles - Upholstery Program


- Passes State of California Technical Bulletin CAL 117-2013

KRUG TEXTILES - UPHOLSTERY FABRICS

Krug Textiles - Stocked Fabric Program

Grade 1


ARLO



308 MIDNIGHT



306 PETROL



908 CHARCOAL



93 SEAL



601 PEARL



84 NUTMEG



62 OATMEAL



90 LIMESTONE

FRANKLIN



47 CAMEL



3009 MIDNIGHT



67 FAWN



97 CINDER



94 METAL



909 BLACK



9004 CHARCOAL




308 PETROL



108 ORCHID

COMRADE




309 MIDNIGHT




84 TEAK



63 LINEN



24 ALPINE



905 IRON



601 SNOW



57 MARIGOLD



31 DUCK EGG

FELICITY



601 IVORY



305 SKY



603 TAUPE



93 COAL



405 HENNA



64 PUTTY



62 FAWN



36 BLUEBERRY

Krug Textiles - Stocked Fabric Program

Grade 2

GRADY



25 CAPER




31 SKY




604 FLAX



901 CHAR



93 GRAY



34 SLATE



84 TEAK



98 NICKLE


YATES




84 BIRCH




44 CLAY



87 TAUPE



25 JUNIPER



305 INDIGO



109 CRANBERRY



803 TOAST



92 ZINC



91 SILVER



908 CHARCOAL

MCCOY



608 TUNDRA



601 CREME



908 CHARCOAL



62 COPPER



108 CORDOVAN



32 ROBIN'S EGG




94 MERCURY



84 BARK

ORIS




908 DOMINO



604 BARK



601 CREAM



306 DELFT



902 ZINC



305 MIDNIGHT



64 PUTTY




205 CHARTREUSE

KRUG TEXTILES - UPHOLSTERY FABRICS


Krug Textiles - Stocked Fabric Program

Grade 3


MORITZ




205 SPEARMINT



61 OYSTER




306 CADET



104 MULBERRY



31 AEGEAN



9008 CHARCOAL



82 CLAY



304 CAPRI

LORENZO



306 INDIGO



24 ALPINE



64 LINEN



91 FLANNEL



32 MIST



601 CREAM



106 HENNA



604 STUCCO

BISCOTTI



302 CAPRI



45 SPICE



61 DESERT



91 GRANITE

INTRIGUE



601 OYSTER



27 OLIVE



4003 OCHRE



908 CHARCOAL



3009 MIDNIGHT



805 PECAN



608 STUCCO



605 STRAW

Krug Textiles - Faux Leather Program - Grade 2



Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



Krug Textiles - Cut fabric NET price per yard

Grade 1	\$21
Grade 2	\$33
Grade 3	\$44

LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

CUSTOMER'S OWN MATERIAL - C.O.M.

Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.


Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).



Standard-Cut
"up the roll"



Non-Standard-Cut
across the roll "railroad"

COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to:

Krug Inc.
111 Ahrens Street
Kitchener, Ontario
Canada N2H 4C2

Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a [NAFTA Certificate of Origin](#) and a [Commercial Invoice](#) be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$852 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

Upholstery Cover Yardage Calculation

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

Upholstery Grades

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

Special Conditions

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

KRUG EXPRESS PROGRAM

PROGRAM DETAILS

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal *KrugExpress* lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to *KrugExpress* orders are not allowed under any circumstances.

Orders for product on *KrugExpress* must clearly state: "*KrugExpress*".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

SEATING & OCCASIONAL TABLES PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is not available on *KrugExpress*.

Only standard wood finishes are available for *KrugExpress* orders. Laminates are not available on *KrugExpress*.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

SOLIS | FINISHES

WOOD FINISHES

Standard wood finishes are:

Finishes on Beech

- Appalachian Cherry
- American Cherry
- Imperial Cherry
- Light Cherry
- Medium Cherry
- Natural Cherry
- Sable Cherry
- Standard Cherry
- Light Oak
- Harvest Oak
- Mahogany
- Mellow Oak
- Espresso
- Cordovan Walnut
- Natural Walnut
- Regular Walnut
- SilverGrey on Walnut
- Dark Walnut
- Clear Beech
- Medium Anigre

Finishes on Maple

- Clear Maple
- Honey Maple
- Wheat Maple

PALETTE

Palette finishes available for applicable products.

- Black
- White
- Soft Green
- Steel Blue
- Slate

NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

Custom Wood Finishes

Add 10% list to your order for special finishes, minimum upcharge is \$525 list per finish per order. (For example, on all orders up to \$5250 list, an upcharge of \$525 will apply, on orders \$5000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3” by 3” must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

Dual Finishes

Add 10% list per item if specifying dual finish.

Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

WOOD FINISHES TO MATCH STANDARD LAMINATES

- Willow on Beech
- Copper on Beech
- Shiraz Cherry on Beech
- Park Avenue Walnut on Beech
- Chocolate on Beech
- Nutmeg on Beech
- Portobello on Beech
- Ash on Beech
- Dune on Maple

LAMINATES

Krug’s in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug’s previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

IN-STOCK LAMINATES

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR
Dune	Tafisa T491CR	Ash	Tafisa T535AT
Copper	Tafisa T521CR	Willow	Tafisa T543AT
Shiraz Cherry	Tafisa T472CR	Solid Laminates	
Park Avenue Walnut	Wilsonart 7984-38	Designer White	Wilsonart D354-60
Chocolate	Tafisa T498CR	Platinum	Tafisa T202CR
Nutmeg	Tafisa T477CR	Earth	Tafisa T767CR
Dark Walnut	Tafisa T469CR	Charcoal	Tafisa T228CR

PHASE OUT LAMINATES

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

Non-Stocked Laminates


For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

METAL FINISH - STANDARD



Silver Metallic

METAL FINISH -OPTIONAL *(minimum order quantity see [page 3](#))*



White



Parchment



Sand



Taupe



Warm Grey



Cool Grey



Black

URETHANE COLOR OPTIONS



Taupe



Grey




Black


SOLID SURFACE PROGRAM

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

GROUP GRADE A - WHITE




Glacier White



Cameo White

GROUP GRADE A - COLOR




Bisque




Linen

GROUP GRADE B




Antarctica




Savannah

GROUP GRADE C



Dove



Deep Night Sky



FSC
www.fsc.org
FSC® C021699

The mark of responsible forestry



All products are air emissions certified and are available as FSC® certified

krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG