SOLIS
Price and Specification Guide
USA





**krug** HEALTHCARE ﴾

### **SOLIS | TABLE OF CONTENTS**

#### **SOLIS | GUEST BACK**

- 2 Solis Environmental Summary
- 3 Solis Guest Features & Options
- 5 Solis Dimensions & COM Requirements
- 6 Solis Guest Pricing
- 7 Solis Replacement Components

#### **SOLIS | PATIENT BACK**

- 9 Solis Environmental Summary
- 10 Solis Dimensions & COM Requirements
- 11 Solis Patient Pricing
- 12 Solis Replacement Components

#### **SOLIS | MULTIPLE GUEST & PATIENT SEATING**

- 14 Solis Dimensions & COM Requirements | Guest
- 16 Solis Multiple Seating Pre-Configured Guest Units Pricing
- 17 Solis Multiple Seating Start, Center & End Guest Units Pricing
- 19 Solis Pre-Configured Freespan Multiple Seating Guest Units Pricing
- 21 Solis Dimensions & COM Requirements Patient Backs
- 22 Solis Multiple Seating Pre-Configured Patient Units Pricing
- 24 Solis Multiple Seating Start, Center & End Patient Units Pricing
- 26 Solis Pre-Configured Freespan Multiple Seating Patient Units Pricing
- 28 Solis Replacement Components

#### **SOLIS | EASY ACCESS SEATING**

- 33 Solis Environmental Summary
- 33 Solis Dimensions & COM Requirements
- 33 Solis Easy Access Chair Pricing

#### **SOLIS | BEHAVIORAL HEALTH**

- 34 Solis Environmental Summary
- 35 Solis Behavioral Health Features
- 36 Solis Behavioral Health Options
- 37 Solis Behavioral Health Guest Dimensions & COM Requirements
- 38 Solis Behavioral Health Guest Pricing
- 39 Solis Behavioral Health Patient Dimensions & COM Requirements
- 40 Solis Behavioral Health Patient Pricing
- 41 Solis Behavioral Health Guest Multiple Seating Dimensions & COM Requirements
- 42 Solis Behavioral Health Guest Multiple Seating Pricing
- 44 Solis Behavioral Health Patient Multiple Seating Dimensions & COM Requirements
- 45 Solis Behavioral Health Patient Multiple Seating Pricing
- 47 Solis Behavioral Health Replacement Parts

#### **SOLIS | TABLES**

- 50 Solis Environmental Summary
- 51 Solis Tables Features
- 52 Solis Linking Tables
- 53 Solis Free Standing Tables

#### **GENERAL INFORMATION**


- 54 Terms & Conditions
- 54 Warranty
- 56 KRUG Textiles Upholstery Fabrics
- 58 KRUG Textiles Leather & Faux Leather
- 60 Customer's Own Material (COM/COL)
- 60 CAL 133 & Moisture Barrier
- 61 Graded-In Upholstery Programs
- 61 KRUGEXPRESS Program
- 62 Wood Finishes
- 62 Standard Laminates
- 63 Metal Finishes
- 63 Urethane Color Options
- 63 Solid Surface Program

### **SOLIS** | ENVIRONMENTAL SUMMARY

#### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 16%

POST-CONSUMER
RECYCLED CONTENT = 22%

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (PLEASE ENQUIRE) Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

<sup>\*</sup> This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

The above information regarding LEED contribution applies to both the upholstered as well as mesh back versions.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR-EMISSIONS**

All Solis products are supplied air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **SOLIS | FEATURES & OPTIONS**



#### **CLEAN OUT**

All Solis seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquids to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



#### STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Solis to well exceed ANSI/BIFMA standards. Rounded arms provide support for safe and easy ingress and egress.



#### HIGH DENSITY FOAM

Solis features dual density foam that is soft on the outside for comfort, dense on the inside for high durability. The seat and back foam features a compound curvature that supports healthy sitting postures, while also designed to ease ingress and egress.



#### **FLEX BACK**

Solis sets a new standard for comfort and ergonomics in healthcare seating. The ergonomically-designed back has a slight flexing action, which significantly enhances comfort.



#### **URETHANE ARM**

Solis arms are durable, comfortable, and long lasting. Urethane arms are available in three color options; Black, Grey and Taupe.



#### **WOODEN ARM**

Wood arms are available in either beech or maple hardwood and in 22 Krug standard finishes. Maple arm caps are available for an up-charge of \$80 list per arm using beech pricing.

#### REPLACEABLE COMPONENTS

Solis chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Seats, backs, arms, frames and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

#### **TUBULAR STEEL CHAIR FRAME**

The overall aesthetic frame of the chair is built from structural steel tubing, both elliptical and rectangular for exceptional strength and appealing design. The frame is electro welded and polished joints for ease of cleaning and a one piece look. Available in eight powder-coated finishes. Silver Metallic is offered as Krug's standard finish.

#### **GLIDES**

Solis legs feature floor-saver nylon glides. Floor-saver felt glides, non-slip rubber glides, metal glides and plastic glides are all optional at an upcharge.

#### **METAL FINISHES**

Silver Metallic Standard - No Upcharge

Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$64 list per arm frame pair or table. Additional Frame Finishes are available for an upcharge of \$64 list per seat/ table. Available colors are: • White • Parchment • Sand • Taupe • Warm Grey • Cool Grey • Black

For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. The anti-microbial finish is included in the additional finish up-charge. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

#### **WALL SAVER**

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility. Patient and Guest chairs with mesh backs are excluded as they do not have the wall saver feature.

#### LATEX-FREE

Krug products are made with latex-free materials, to prevent the allergic reaction that latex causes in some people.

#### GANGING

All Solis Freestanding chairs can be ganged using a ganging bracket. The powder-coated metal plate is fastened to the underside of the steel side rails using the pre-existing holes in the frame.

#### **EASY ACCESS ADJUSTABLE GLIDES**

With the larger footprint of this chair and critical importance of stability for the user, we have included adjustable glides on the front legs - this allows the Easy Access chair to be perfectly leveled to any floor for maximum safety and stability.

#### **FINISH DURABILITY**

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

#### **WEIGHT CAPACITIES**

Weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 500 lbs Plus Chairs (30" & 44") - 750 lbs Multiple Seating & Pre-configured - 500 lbs per seat 2-Seat Freespan - 525 lbs per unit 3-Seat Freespan = 750 lbs per unit

#### **PLUS UPGRADE**

Solis 30" and 44" models feature Plus Upgrade. Plus Upgraded seating has been engineered to support higher weight capacities, accommodating a wider variety of users.

### **SOLIS | OPTIONS**



#### **ADJUSTABLE HEADREST**

The adjustable headrest uses dual density foam providing excellent support and comfort. The headrest is securely fastened using an innovative clip allowing the headrest to be easily removed for cleaning and/or replacement. The headrest is easily adjusted by sliding the headrest vertically allowing the user to maximize their comfort.



#### **EASY CLEAN BACKREST COVERS**

Easy clean backrest covers are available on all mesh back Patient chairs. They are removable, replaceable and cleanable. The easy clean backrest cover features a foam interior for comfort and durability.



#### **WOOD SIDE RAILS**

Solis can be specified with solid wood side rails, which, along with the selection of wood arms and a choice of metal finishes, provides a warmer look and feel. All Solis wood components feature Krug's high durability Enduraguard finish. Wood Side Rails are available for an upcharge and are not available with closed arm panels.



#### **CASTERS**

Casters are available on all 21" and 24" guest and patient chairs. Two rear hard wheel casters or four hard wheel casters are available for an upcharge per chair. The option of soft wheel casters can be ordered for additional upcharge. Both hard and soft caster options are standard non-locking but can be specified locking at no additional charge. The Solis caster is not a heavy-duty caster - it is designed and rated for normal use and load bearing, but has the potential to fail with excessive use, force, or weight. The caster was designed to allow the chairs to be moved for ease of cleaning and furniture arranging. Krug is not responsible for caster breakage under any circumstances. Solis casters are field replaceable.



#### KINETIC BACK OPTION

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Solis chair back - Guest, Patient and Multiple Seating - with the exception of the 30" and 44" sizes.



#### SOLID SURFACE ARM

The optional Solid Surface Arm provides enhanced durability, protection and cleanability for the arms. This is field replaceable if this becomes damaged or degraded and is available in 8 standard colors. See <a href="mailto:page 63">page 63</a> for color selection.

#### **CAL133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information.

#### **REMOVABLE COVERS & REPLACEMENT COMPONENTS**

Optional Removeable seat and back covers can be quickly installed on Solis products that were originally ordered with the Removable cover option. Replacement seat and back covers can also be installed on Solis products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs. Complete Mesh backs can be ordered and field replaced.

#### **CLEANABLE UNDER-SEAT SPLASHGUARD**

All Solis seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable. The upcharges for the Splashguard are based on the size of the seat.

#### **COMBINATION UPHOLSTERY OPTION**

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

### **SOLIS** | GUEST, DIMENSIONS & COM REQUIREMENTS

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back	COM Yardage Closed Arm Panel
UPHOLS	TERED BA	CK											
21" Seat	25	28	34.5	18.5	26	20	20	51	16	1.6	0.9	1.5	0.8
24" Seat	28	28	34.5	18.5	26	23	20	55	18	1.6	0.9	1.5	0.8
30" Seat	34	28	34.5	18.5	26	29	20	60	22	2.5	0.9	1.6	0.8
44" Seat	48	28	34.5	18.5	26	43	20	74	31	3.2	1.1	2.3	0.8
MESH BA	ACK												
21" Seat	25	28	34.5	18.5	26	20	20	49	16	-	0.9	-	0.8
24" Seat	28	28	34.5	18.5	26	23	20	52	18	-	0.9	-	0.8

#### **COM - YARDAGE REQUIREMENTS**

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.5	0.8
21" & 24" - Two Chairs	3.1	1.3	2.3	1.2
21" & 24" - Three Chairs	4.9	2.1	3.1	1.6
30" - One Chair	2.5	0.9	1.6	0.8
30" - Two Chairs	5	1.8	3.2	1.2
30" - Three Chairs	7.5	2.7	4.8	1.6
44" - One Chair	3.2	1.1	2.3	0.8
44" - Two Chairs	5.6	2.2	3.9	1.2
44" - Three Chairs	8.7	3.3	5.5	1.6

Multiple yardage requirements can also be used for Guest Back Easy Access chairs and Guest Back Start, Center, End Multiple seating.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Solis seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

For Maharam, Momentum or CF Stinson, Krug will obtain the fabric sample.

- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

#### MESH COLORS

•	Slate
•	Sand
•	Celery

- Warm Grey
- Earth
- Terra • Sky Olive

### Mesh Specifications & Performance

ASTM D4157 Abrasion Resistance (Oscillatory Cylinder) 30,000 Rubs ASTM D5034 Breaking Strength N 2167 Warp 1916 Weft

Flammability CAL177

AATCC TM8: Colorfastness to Crooking

ASTM D3511: Brush Pilling Rating 5 ASTM D6797: Ball Burst N 2486

Dry Class 5 Wet Class 5 Krug's Mesh backs covers are produced with Polyester yarns that are 100% recyclable. The yarn dying process is a closed loop system that recycles and recaptures 100% of the energy from the heating systems needed. All dyes contain no heavy metals, carcinogens or allergens.

#### SOLIS | GUEST | UPHOLSTERED BACKS



Solis Guest Chairs with Upholstered Backs are available in 21", 24", 30" and 44" widths.

#### SOLIS | GUEST | MESH BACKS



Solis Guest Chairs with Mesh Backs are available in 21" and 24" widths only.

## **SOLIS** | GUEST

		COM			COL	FAE	RIC GRADI	ES		LEATHER		
DESCRIPTION/M	ODEL	Arm Type	1	2	3	4	5	6	7	8	9	
	21" Open Arm, Me SOL2-GM21OPU SOL2-GM21OPW 21" Open Arm, Up SOL2-GU21OPU SOL2-GU21OPW	Urethane Beech holstered Ba Urethane Beech	1012 1138 ack 1063 1191	1044 1170 1117 1244	1080 1203 1170 1297	1142 1270 1279 1404	1209 1336 1384 1510	1276 1403 1492 1618	1342 1467 1598 1727	1409 1536 1705 1833	1512 1639 1920 2046	
	24" Open Arm, Me SOL2-GM24OPU SOL2-GM24OPW 24" Open Arm, Up SOL2-GU24OPU SOL2-GU24OPW	Urethane Beech	1053 1178 ack 1106 1230	1086 1212 1158 1284	1118 1245 1213 1340	1185 1311 1317 1446	1251 1377 1425 1555	1316 1445 1534 1662	1384 1510 1640 1767	1451 1578 1747 1872	1555 1678 1962 2088	
	30" Open Arm, Up SOL2-GU30OPU SOL2-GU30OPW	holstered Bautrethane Beech		1372 1497	1456 1584	1622 1748	1790 1915	1957 2085	2124 2250	2294 2419	2629 2754	
	44" Open Arm, Up SOL2-GU44OPU SOL2-GU44OPW	holstered Ba Urethane Beech	ack 1491 1617	1572 1699	1659 1782	1822 1949	1991 2118	2160 2283	2327 2453	2493 2620	2828 2956	
	Solis Ganging Brad	cket										

SOL2-RLKBS

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels. Fabric Grades (COM) 1 (COL) 3 

Solis Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Solid Surface Arm (per pair) - Gr A White	488
Guest chair - Removable Seat Cover (per seat)	90	Solid Surface Arm (per pair) - Gr A Color	505
21" & 24" - Removeable Back Cover (per back)	58	Solid Surface Arm (per pair) - Gr B	542
30" & 44" - Removable Back Cover (per back)	90	Solid Surface Arm (per pair) - Gr C	586
21" & 24" Cleanable Under-seat Splashguard	40	Maple Arm upgrade per arm (add to beech price)	80
30" Cleanable Under-seat Splashguard	48	Beech Wood Side Rails Upgrade (per chair)	127
44" Cleanable Under-seat Splashguard	64	Maple wood Side Rails Upgrade (per chair)	159
Combination Upholstery - Dual Fabrics	33	Kinetic Back option (not available for 30" & 44")	120
Combination Upholstery - Three Fabrics	64	Floor-saver Felt Glides	29
Non-locking Soft Casters (21" & 24" chairs) -4 set	184	Non-slip Rubber Glides	18
Non-locking Soft Casters (21" & 24" chairs) -2 set	113	Metal Glides	25
Non-locking Hard Casters (21" & 24" chairs) -4 set	120	Plastic Glides	8
Non-locking Hard Casters (21" & 24" chairs) -2 set	80		

Note: Soft & Hard casters are also available locking, clearly mark on the purchase order.

#### PRODUCT CODE KEY

2 ARMS

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	G	U	21	OPW CLW
Solis	Chair	Guest Seating	Upholstered Back		Open Arm - Wood Arm Closed Arm- Wood Arm
			M	24	OPU CLU
			Mesh Back 21" & 24" Only		Open Arm Closed Arm- Urethane Arm Urethane Arm
				30	OSA CSA
					Open Arm - Closed Arm- Solid Surface Arm Solid Surface Arr
				44	

# **SOLIS** | REPLACEMENT COMPONENTS

		COM	COL		FAB	RIC GRA	ADES		LEATHER	3			
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9	Yds	Weight	Cube
	21" Replacement SOL2-RBGU21	567	610	651	ks 710	778	835	904	987	1071	1.5	14	2.7
	21" Replacement SOL2-RBGM21	477										10	2.7
	24" Replacement SOL2-RBGU24	581	621	664	ks 722	790	849	916	1002	1086	1.5	15	2.8
	24" Replacement SOL2-RBGM24	497										11	2.8
	30" Replacement SOL2-RBGU30	632	679	727	795	871	938	1016	1111	1207	1.6	19	3.4
	44" Replacement SOL2-RBGU44	Guest 0 794	Upholstere 843	ed Bac 889	ks 957	1034	1102	1179	1273	1371	1.6	28	4.8
	21" Replacement SOL2-RBCGU21	Guest 1 198	Upholstere 240	ed Bac 287	k Covers 340	408	467	535	618	702	1.5	2	.8
	24" Replacement SOL2-RBCGU24		Upholstere 240	ed Bac 287	k Covers 340	408	467	535	618	702	1.5	2.3	.8
	30" Replacement SOL2-RBCGU30		Upholstere 260	ed Bac 309	k Covers 378	453	520	597	693	789	1.6	2.6	.8
	44" Replacement SOL2-RBCGU44		Upholstere 267	ed Bac 315	k Covers 382	458	527	602	697	795	2.25	3.5	.8
	Replacement Mes SOL2-RMBTB21 SOL2-RMBTB24	sh Back 33 34	Top Bar									2.5 3.0	.5 .7
	21" Replacement SOL2-RS21	Seat 389	418	443	481	523	561	605	659	715	.9	9	2.7
	24" Replacement SOL2-RS24	Seat 409	436	464	501	543	583	626	679	733	.9	10	2.7
	30" Replacement SOL2-RS30	Seat 487	513	540	577	620	659	702	756	809	.9	12	3.4
	44" Replacement SOL2-RS44	Seat 628	662	694	740	793	840	892	958	1022	1.1	14	4.8
	21" Replacement SOL2-RSC21	Seat C 130	over 159	185	223	267	304	374	403	455	1.0	1.6	.8
1	24" Replacement SOL2-RSC24	Seat C 134	over 160	189	227	270	306	350	405	458	1.0	1.7	.8
	30" Replacement SOL2-RSC30	136	161	189	227	270	306	350	405	458	1.0	2	.8
	44" Replacement SOL2-RSC44	152	186	218	265	318	363	416	483	547	1.1	2.5	.8
	Replacement Spli SOL2-RSG21 SOL2-RSG24 SOL2-RSG30 SOL2-RSG44	ash Gua 90 110 154 166	ard									1 2 3 4	.3 .4 .5 .6
	Replacement Clos SOL2-RCA	sed Arn 207	n 218	231	247	267	283	303	327	350	0.4	6	.9
	Replacement Arm SOL2-RACU	1 Top - l 70	Urethane									1.5	.2
	Replacement Arm SOL2-RACWB	213										1.0	.2
	Replacement Arm SOL2-RACWM	229			Grade A- White		rade Color	Grade-	- B	Grade- C		1.0	.2
	Replacement Arm SOL2-RACSS	ı 10p - S	oona Surfa	ace	256	20	61	282		304		1.0	.2


# **SOLIS** | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL		Price	Yds	Weight	Cube
	Replacement Side Frame SOL2-RSFS	- Start 134		9	1.5
	Replacement Side Frame SOL2-RSFSX	- Start - No Anti-Microbial 111		9	1.5
	Replacement Side Frame SOL2-RSFE	134		9	1.5
u	Replacement Side Frame SOL2-RSFEX	- End - No Anti-Microbial 111		9	1.5
	SOL2-RSFSC	- Start - 1 Glide, 1 Non-locking Caster 172		9.5	1.5
	Replacement Side Frame SOL2-RSFSCX	- Start - 1 Glide, 1 Non-locking Caster- No Anti-Microbial 138		9.5	1.5
	SOL2-RSFEC	- End - 1 Glide, 1 Non-locking Caster 172		9.5	1.5
	Replacement Side Frame SOL2-RSFECX	- End - 1 Glide, 1 Non-locking Caster- No Anti-Microbial 138		9.5	1.5
	SOL2-RSFSC2	- Start - 2Non-locking Casters 149		10	1.5
	Replacement Side Frame SOL2-RSFSC2X	- Start - 2 Non-locking Casters- No Anti-Microbial 145		10	1.5
	SOL2-RSFEC2	- End - 2 Non-locking Casters 149		10	1.5
	Replacement Side Frame SOL2-RSFEC2X	- End - 2 Non-locking Casters- No Anti-Microbial 145		10	1.5
	Replacement Wood Side F SOL2-RSRCB	Rail Cover - Beech 180		1.0	.3
	Replacement Wood Side F SOL2-RSRCM	Rail Cover - Maple 231		1.0	.3
	Replacement Glide - Front SOL2-RGF	22		.5	.1
	Replacement Glide - Back SOL2-RGB	22		.5	.1
	Replacement Glide - Set of SOL2-RGS4	f 4 24		2	.1
	Replacement Caster Glide SOL2-RGFC	- Front 23		2	.1
	Replacement Caster Glide SOL2-RGBC			2	.1
	Replacement Non-locking SOL2 - RCH	Caster - Hard Wheel 30		1.5	.3
	Replacement Non-locking SOL2 - RCS	Caster - Soft Wheel 33		1.5	.3
	Replacement Side Frame SOL2-RSFSEA SOL2-RSFEEA	- Easy Access 204 204	14	2.2	
	Replacement Side Frame SOL2-RSFSEAX SOL2-RSFEEAX	- Easy Access - No Anti-Microbial 191 191	14	2.2	
	Replacement Step for Eas	y Access			
	SOL2-RSTEP21 SOL2-RSTEP24	182 186	7 9	.8 1.2	
	SOL2-RSTEP21X		7	.8	
	SOL2-RSTEP24X	178 183	9	1.2	

### **SOLIS** | ENVIRONMENTAL SUMMARY

### LEED CI CREDITS





PRE-CONSUMER
RECYCLED CONTENT = 17%

POST-CONSUMER
RECYCLE CONTENT = 22%

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2 Construction Waste Management 1-2 pc	int(s)
	(0)
CREDIT 3.3 Resource Reuse 1	point
CREDIT 4.1 Recycled Content 1	point
CREDIT 4.2 Recycled Content 1	point
CREDIT 4.5 Low Emitting Materials,	
Systems & Seating 1	point
CREDIT 5.1 Regional Materials* 1	point
CREDIT 7 Certified Wood 1 pc	int(s)
(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR-EMISSIONS**

All Solis products are supplied air-emissions certified. Contact customer service for information.



In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **SOLIS | PATIENT, DIMENSIONS & COM REQUIREMENTS**

#### **DIMENSIONS & COM. REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back	COM Yardage Closed Arm Panel
UPHOLSTERED BACK													
21" Seat	25	28	43.75	18.5	26	20	20	54	21	2.1	0.9	2.0	0.8
24" Seat	28	28	43.75	18.5	26	23	20	58	23	2.1	0.9	2.0	0.8
30" Seat	34	28	43.75	18.5	26	29	20	64	28	3.1	0.9	2.2	0.8
MESH BA	<b>VCK</b>												
21" Seat	25	28	43.75	18.5	26	20	20	50	21	-	0.9	-	0.8
24" Seat	28	28	43.75	18.5	26	23	20	53	23	-	0.9	-	0.8

#### **COM - YARDAGE REQUIREMENTS**

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Arm Panel
21" & 24" - One Chair	2.1	0.9	2	0.8
21" & 24" -Two Chairs	4	1.3	3.1	1.2
21" & 24" - Three Chairs	6.1	2.1	4.2	1.6
30" - One Chair	3.1	0.9	2.2	0.8
30" - Two Chairs	6.2	1.8	4.4	1.2
30" - Three Chairs	9.3	2.6	6.6	1.6

Multiple yardage requirements can also be used for Patient Back Easy Access chairs and Patient Back Start, Center, End Multiple seating.

Note: Some vinyls, leathers & fabrics may not be suitable for application on Solis seating.

The approval process is as follows:

- 1. A sample of the COM. must be provided to Krug Customer Service prior to or at the time of order. For Maharam, Momentum or CF Stinson, Krug will obtain the fabric sample.
- 2. The sample will be reviewed and the customer advised if the fabric is unsuitable.
- 3. The COM. fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

#### FEATURES:

For a complete list of features see page 3.

#### SOLIS | PATIENT I UPHOLSTERED BACK



Solis Patient Chairs with Upholstered Backs are available in 21", 24" and 30" widths.

#### SOLIS | PATIENT I MESH BACK



Solis Patient Chairs with Mesh Backs are available in 21" and 24" widths only.

**ORDERING NOTES:** Complete Mesh backs (21" & 24") can be ordered and field replaced. The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$64 list** per arm frame pair, please see **page 63** for color selection and **page 3** for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
2 ARMS	418	448	477	531	588	643	699	757	869

View Solis images | www.krug.ca

# **SOLIS** | PATIENT & OTTOMAN

DESCRIPTION/M	ODEL	Arm Type	COM 1	2	CO 3	L	FA 4	BRIC GRA	ADES 6	7		EATHER 8	9
	21" Open Arm, N SOL2-PM210PU SOL2-PM210PW	Urethane	1107 1231	1139 1266	11 <sup>1</sup>		1239 1363	1306 1431	1372 1497		38 663	1504 1632	1607 1732
	21" Open Arm, U SOL2-PU21OPU SOL2-PU21OPW	Urethane	ack 1163 1289	1231 1358	130 143		1445 1569	1584 1709	1727 1853		63 190	2004 2132	2285 2412
	24" Open Arm, N SOL2-PM24OPU SOL2-PM24OPW	Urethane	1143 1271	1178 1306	12 <sup>-</sup> 13:		1279 1404	1345 1468	1411 1537		79 604	1543 1669	1645 1773
	24" Open Arm, U SOL2-PU24OPU SOL2-PU24OPW	Urethane	ack 1203 1331	1275 1402	134 140		1484 1611	1624 1752	1765 1892		)08 )33	2048 2173	2328 2457
	30" Open Arm, U SOL2-PU30OPU SOL2-PU30OPW	Urethane	ack 1494 1620	1598 1727	170 182		1909 2034	2117 2242	2324 2451		531 558	2740 2864	3155 3280
DESCRIPTION/M	ODEL	COM. 1 2	COL 3	FA 4	BRIC GF 5	RADES 6	7	LEATHER 8	9	W	D H	Weight	Cubes
	Ottoman SOL5 Fabric Yardage	532 555 Required: 1 ott	573 oman = 0	618 .7 yards 2	661 2 ottoma	702 n = 1 ya	744 ards	786	873	18.25 18	3.25 13	12	5
	Easy Clean Bac SOL2-BCM21 SOL2-BCM24	ckrest Cover, M 111 121 111 121	esh Back 129 129	151 151	170 170	193 193	213 213	231 231	257 257	20 0. 23 0.		3	0.9 0.9
	Easy Clean Bac SOL2-BCU21 SOL2-BCU24	ckrest Cover, U <sub>l</sub> 111 121 111 121	holstered 129 129	1 Back 151 151	170 170	193 193	213 213	231 231	257 257	20 0. 23 0.		3 3	0.9 0.9
	Adjustable Hea SOL2-HRM SOL2-HRU	drest 173 190 173 190	205 205	231 231	255 255	278 278	301 301	326 326	372 372	15 3	6.75	5 3	0.9
Solis Patient O	Adjustable head Fabric Yardage ption Upcharges		adrest = 0						= 0.6 yards				\$ List
Removable Sea 21" & 24" - Rem 30" Removable 21" & 24" Clean 30" Cleanable L Non-locking Son Non-locking Hal Non-locking Hal	ture Barrier (per ya t Cover (per seat) loveable Back Cov Back Cover (per ba able Under-seat Sp Inder-seat Splashg t Casters (21" & 2 <sup>a</sup> t Casters (21" & 2 <sup>a</sup> rd Casters (21" & 2 <sup>a</sup> rd Casters (21" & 2 <sup>a</sup> rd Casters are also	ers (per back ack) blashguard uard 4" chairs) -4 s 4" chairs) -2 s 4" chairs) -2 s 4" chairs) -2 s	et et set set	64 90 58 90 40 48 184 113 120 80 arly mark	c on the	So So Ma Be Ma Kir Co Co Flo No	lid Surfa lid Surfa aple Arm ech Woa aple woo aple woo netic Baa ambinati oor-save	ace Arm ( ace Arm ( ace Arm ( a upgrade od Side F od Side R ok option on Uphol on Uphol or Felt Glid ubber Glid es		Gr A C Gr B Gr C (add to ade (pe ade (pe able fo al fabri	beech r chair r chair r 30" 8	·	488 505 542 586 80 127 159 120 33 64 29 18 25 8
PRODUCT CODE Line	KEY Series	Chair Type		Back T	vpe		Size			Arr	n Type		
SOL Solis	2 Chair	P Patient Seati		U	]		21	0	OP pen Arm - \	W	m C	CLW losed Arm-	
				Mesh B 21" & 24'			24	]	OP Open A Urethane	Arm	С	CLU losed Arm-ethane Arm	
							30		OS Open A		0	CSA losed Arm-	

Open Arm - Closed Arm-Solid Surface Arm Solid Surface Arm

# **SOLIS** | REPLACEMENT COMPONENTS

'		СОМ		COL	FAB	RIC GR	RADES	L	EATHER	}			
Description	Model	1	2	3	4	5	6	7	8	9	Yardage	Weight	Cube
	21" Replacement SOL2-RBPU21	Patient U 673	Jpholste 732	ered Bac 793	ks 877	973	1058	1152	1272	1393	2.0	21	3.8
	21" Replacement SOL2-RBPM21	Patient N 451	/lesh Ba	icks								15	3.8
Con	24" Replacement SOL2-RBPU24	Patient U	Jpholste 771	ered Bac 832	ks 915	1012	1095	1192	1312	1433	2.0	21	3.8
	24" Replacement SOL2-RBPM24	Patient N 517	/lesh Ba	icks								17	3.8
	30" Replacement SOL2-RBPU30	Patient U 857	Jpholste 937	ered Bac 1015		1247	1358	1483	1640	1794	2.6	24	4.8
	21" Replacement SOL2-RBCPU21		Jpholste 312	ered Bac 372	k Cover 456	s 554	636	732	852	973	2.0	2.5	.8
	24" Replacement SOL2-RBCPU24		Jpholste 313	ered Bac 374	k Cover 457	s 555	637	733	853	974	2.0	2.7	.8
	30" Replacement SOL2-RBCPU30		Jpholste 386	ered Bac 464	k Cover 571	s 697	807	932	1088	1244	2.6	3	.8
	Replacement Mes SOL2-RMBTB21 SOL2-RMBTB24	33	op Bar									2.5 3.0	.5 .7
	21" Replacement SOL2-RS21	Seat 389	418	443	481	523	561	605	659	715	.9	9	2.7
	24" Replacement SOL2-RS24	Seat 409	436	464	501	543	583	626	679	733	.9	10	2.7
	30" Replacement SOL2-RS30	Seat 487	513	540	577	620	659	702	756	809	.9	12	3.4
	44" Replacement SOL2-RS44	Seat 628	662	694	740	793	840	892	958	1022	.9	14	4.8
	21" Replacement SOL2-RSC21	Seat Cov	/er 159	185	223	267	304	374	403	455	1.0	1.6	.8
	24" Replacement SOL2-RSC24	Seat Cov 134	/er 160	189	227	270	306	350	405	458	1.0	1.7	.8
	30" Replacement SOL2-RSC30	Seat Cov 136	/er 161	189	227	270	306	350	405	458	1.0	2	.8
	44" Replacement SOL2-RSC44	Seat Cov 152	/er 186	218	265	318	363	416	483	547	1.0	2.5	.8
	Replacement Spl SOL2-RSG21 SOL2-RSG24 SOL2-RSG30 SOL2-RSG44	ash Guard 90 110 154 166	d									1 2 3 4	.3 .4 .5
	Replacement Clo SOL2-RCA	sed Arm 207	218	231	247	267	283	303	327	350	0.4	6	.9

# **SOLIS** | REPLACEMENT COMPONENTS

DESCRIPTION/MODEL	Price					Weight	Cube
	Replacement Side Frame - Start SOL2-RSFS 134					9	1.5
	Replacement Side Frame - Start - No	Anti-Microbial				9	1.5
	SOL2-RSFSX 111					9	1.5
	Replacement Side Frame - End						
U	SOL2-RSFE 134					9	1.5
	Replacement Side Frame - End - No A SOL2-RSFEX 111	Anti-Microbial				9	1.5
	TOTAL						
	Replacement Side Frame - Start - 1 G SOL2-RSFSC 172	ilide, 1 Caster				9.5	1.5
	Replacement Side Frame - Start - 1 G	ilide, 1 Caster- N	o Anti-Microbial			3.5	1.5
	SOL2-RSFSCX 138					9.5	1.5
	Replacement Side Frame - End - 1 Gl	ide, 1 Caster					
U	SOL2-RSFEC 172					9.5	1.5
	Replacement Side Frame - End - 1 Gl SOL2-RSFECX 138	ide, 1 Caster- No	Anti-Microbial			9.5	1.5
	Replacement Side Frame - Start - 2 C SOL2-RSFSC2 149	Saster				10	1.5
	Replacement Side Frame - Start - 2 C	aster- No Anti-M	licrobial			10	1.0
	SOL2-RSFSC2X 145					10	1.5
	Replacement Side Frame - End - 2 Ca	aster					
	SOL2-RSFEC2 149 Replacement Side Frame - End - 2 Ca	natar Na Anti Mi	arabial			10	1.5
	SOL2-RSFEC2X 145	aster- no Anti-ivii	Crobiai			10	1.5
	Produce and Assa Constitutions						
	Replacement Arm Cap - Urethane SOL2-RACU 70					1.0	.2
	Replacement Arm Cap - Beech						
	SOL2-RACWB 213 Replacement Arm Cap - Maple					1.0	.2
	SOL2-RACWM 229					1.0	.2
	Replacement Arm Cap - Solid Surface	Grade e A- White	Grade A- Color	Grade- B	Grade- C		
	SOL2-RACSS	256	261	282	304	2	.2
	Replacement Wood Side Rail Cover -	Beech					
	SOL2-RSRCB 180					1.0	.3
	Replacement Wood Side Rail Cover -	Maple					
	SOL2-RSRCM 231					1.0	.3
	Replacement Glide - Front					_	
	SOL2-RGF 22 Replacement Glide - Back					.5	.1
	SOL2-RGB 22					.5	.1
	Replacement Glide - Set of 4 SOL2-RGS4 24					2	.1
	Replacement Caster Glide - Front					_	
	SOL2-RGFC 23 Replacement Caster Glide - Back					2	.1
	SOL2-RGBC 23					2	.1
	Depleasement Costs:: Lland When I						
	Replacement Caster - Hard Wheel SOL2 - RCH 30					1.5	.3
	Replacement Caster - Soft Wheel						0
	SOL2 - RCS 33			2005		1.5	.3
				2025	HEAI THOA	H = H H	A 1 13

## **SOLIS** | MULTIPLE SEATING - GUEST BACKS

#### **DIMENSIONS & COM. REQUIREMENTS - PRE-CONFIGURED UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK	(												
PCGM21X2	47	28	34.5	18.5	26	20	20	90	30	-	1.3	-	1.2
PCGM21X3	69.5	28	34.5	18.5	26	20	20	126	44	-	2.1	-	1.6
PCGM24X2	53	28	34.5	18.5	26	23	20	96	34	-	1.3	-	1.2
PCGM24X3	78.5	28	34.5	18.5	26	23	20	135	50	-	2.1	-	1.6
UPHOLSTE	RED BAC	K											
PCGU21X2	47	28	34.5	18.5	26	20	20	94	30	3.1	1.3	2.3	1.2
PCGU21X3	69.5	28	34.5	18.5	26	20	20	132	44	4.7	2.1	3.1	1.6
PCGU24X2	53	28	34.5	18.5	26	23	20	102	34	3.1	1.3	2.3	1.2
PCGU24X3	78.5	28	34.5	18.5	26	23	20	144	50	4.7	2.1	3.1	1.6

#### **DIMENSIONS & COM. REQUIREMENTS - START UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH	BACK													
SGM2	1 25	28	34.5	18.5	26	20	20	41	16	-	0.9	-	0.4	0.8
SGM24	4 28	28	34.5	18.5	26	23	20	44	18	-	0.9	-	0.4	0.8
UPHO	LSTERE	D BACK												
SGU21	25	28	34.5	18.5	26	20	20	43	16	1.6	0.9	1.6	0.4	0.8
SGU24	1 28	28	34.5	18.5	26	23	20	47	18	1.6	0.9	1.6	0.4	0.8
SGU30	34	28	34.5	18.5	26	29	20	52	22	2.5	0.9	1.6	0.4	0.8
SGU44	48	28	34.5	18.5	26	43	20	66	31	3.2	1.1	2.5	0.4	0.8

#### **DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH B	ACK												
CGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
CGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLS	STERED E	BACK											
CGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
CGU24	26	28	34.5	18.5	26	23	20	41	19	1.6	0.9	1.6	0.4
CGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	1.6	0.4
CGU44	46	28	34.5	18.5	26	43	20	60	31	3.2	1.1	2.5	0.4

### **DIMENSIONS & COM. REQUIREMENTS - END UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH B	BACK												
EGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
EGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLS	STERED E	BACK											
EGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
EGU24	26	28	34.5	18.5	26	23	20	41	18	1.6	0.9	1.6	0.4
EGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	1.6	0.4
EGU44	46	28	34.5	18.5	26	43	20	60	31	3.2	1.1	2.5	0.4

#### **ORDERING NOTES:**

When ordering multiple Start, Center, End units please refer to <u>page 5</u> for Yardage Requirements.

## **SOLIS** | MULTIPLE SEATING - GUEST BACKS

#### DIMENSIONS & COM. REQUIREMENTS - FREESPAN WITH NO CENTER ARM

Over Wid		Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCFGM21X2A 46.	.5	28	34.5	18.5	26	41.5	20	85	30	-	1.3	-	0.8
PCFGM21X3A 68	3	28	34.5	18.5	26	63	20	114	44	-	2.1	-	0.8
PCFGM24X2A 52.2	25	28	34.5	18.5	26	47.5	20	92	34	-	1.3	-	0.8
PCFGM24X3A 77	7	28	34.5	18.5	26	72	20	124	50	-	2.1	-	8.0
UPHOLSTERED BA	ACK												
PCFGU21X2A 46.	.5	28	34.5	18.5	26	41.5	20	89	30	3.1	1.3	2.3	0.8
PCFGU21X3A 68	3	28	34.5	18.5	26	63	20	120	44	4.7	2.1	3.1	0.8
PCFGU24X2A 52.2	25	28	34.5	18.5	26	47.5	20	96	34	3.1	1.3	2.3	0.8
PCFGU24X3A 77	7	28	34.5	18.5	26	72	20	131	50	4.7	2.1	3.1	8.0

#### DIMENSIONS & COM. REQUIREMENTS - FREESPAN WITH CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage
MESH BACK												
PCFGM21X2B	47.25	28	34.5	18.5	26	20	20	93	30	-	1.3	-
PCFGM21X3B	69.5	28	34.5	18.5	26	20	20	130	44	-	2.1	-
PCFGM24X2B	3 53.25	28	34.5	18.5	26	23	20	100	34	-	1.3	-
PCFGM24X3B	78.5	28	34.5	18.5	26	23	20	140	50	-	2.1	-
UPHOLSTER	ED BAC	K										
PCFGU21X2B	47.25	28	34.5	18.5	26	20	20	97	30	3.1	1.3	2.3
PCFGU21X3B	69.5	28	34.5	18.5	26	20	20	136	44	4.7	2.1	3.1
PCFGU24X2B	53.25	28	34.5	18.5	26	23	20	104	34	3.1	1.3	2.3
PCFGU24X3B	78.5	28	34.5	18.5	26	23	20	147	50	4.7	2.1	3.1

	COM. Fabric Closed Arm Panels ( 2 Arms)	COM Fabric Closed Arm Panels ( 3 Arms)	COM. Fabric Closed Arm Panels ( 4 Arms)	
PCFG21X2B	0.8	1.2		
PCFG21X3B	0.8		1.6	
PCFG24X2B	0.8	1.2		
PCFG24X3B	0.8		1.6	

Solis Pre-configured Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Maple Arm upgrade per arm (add to beech price)	80
Kinetic Back option (not available for 30" & 44")	120	Beech Wood Side Rails Upgrade (per chair)	127
Guest chair - Removable Seat Cover (per seat)	90	Solid Surface Arm (per pair) - Gr A White	488
21" & 24" - Removeable Back Covers (per back)	58	Solid Surface Arm (per pair) - Gr A Color	505
30" & 44" - Removable Back Covers	90	Solid Surface Arm (per pair) - Gr B	542
Combination Upholstery - dual fabrics (per chair)	33	Solid Surface Arm (per pair) - Gr C	586
Combination Upholstery - Three fabrics (per chair)	64	Solid Surface Arm (per arm) - Gr A White	244
Beech Wood Side Rails Upgrade (per chair)	127	Solid Surface Arm (per arm) - Gr A Color	253
Maple wood Side Rails Upgrade (per chair)	159	Solid Surface Arm (per arm) - Gr B	271
21" & 24" Cleanable Under-seat Splashguard	40	Solid Surface Arm ( <b>per arm</b> ) - Gr C	293
30" Cleanable Under-seat Splashguard	48	Non-locking Soft Casters (21" & 24" chairs) -4 set	184
44" Cleanable Under-seat Splashguard	64	Non-locking Soft Casters (21" & 24" chairs) -2 set	113
Floor-saver Felt Glides	29	Non-locking Hard Casters (21" & 24" chairs) -4 set	120
Non-slip Rubber Glides	18	Non-locking Hard Casters (21" & 24" chairs) -2 set	80
Metal Glides	25	Note: Soft & Hard casters are also available locking,	clearly mark on the
Plastic Glides	8	purchase order.	

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	208	224	238	267	294	321	350	379	435
2 ARMS	418	448	477	531	588	643	699	757	869
3 ARMS	627	669	710	796	879	963	1048	1135	1304
4 ARMS	835	890	948	1061	1172	1285	1335	1510	1736

## **SOLIS** | MULTIPLE SEATING - PRE-CONFIGURED GUEST UNITS

			СОМ		COL	FA	ABRIC G	RADES	L	EATHER	ł
DESCRIPTION/MOD	EL	Arm Type	1	2	3	4	5	6	7	8	9
	2 Seat - 21" Open Arm F	re-configured G	uest Uni	t, Mesh	Back						
	SOL2-PCGM21X2OPU	Urethane	1907	1971	2037	2170	2303	2436	2569	2701	2908
	SOL2-PCGM21X2OPW	Beech	2094	2163	2228	2360	2493	2628	2760	2891	3097
	2 Seat - 21" Open Arm F	•									
,	SOL2-PCGU21X2OPU	Urethane	2002	2110	2217	2432	2642	2859	3073	3289	3714
	SOL2-PCGU21X2OPW	Beech	2192	2301	2407	2621	2835	3052	3265	3479	3904
	3 Seat - 21" Open Arm F	re-configured G	uest Uni	t, Mesh	Back						
	SOL2-PCGM21X3OPU	Urethane	2735	2833	2933	3133	3330	3532	3731	3930	4237
	SOL2-PCGM21X3OPW	Beech	2987	3087	3186	3384	3582	3784	3982	4182	4488
/ 4 / "	3 Seat - 21" Open Arm F	•									
•	SOL2-PCGU21X3OPU	Urethane	2874	3036	3194	3516	3839	4160	4480	4799	5443
	SOL2-PCGU21X3OPW	Beech	3129	3289	3449	3768	4089	4414	4734	5054	5695
	2 Seat - 24" Open Arm F	Pre-configured G	uest Uni	t, Mesh	Back						
	SOL2-PCGM24X2OPU	Urethane	1959	2026	2091	2223	2357	2489	2623	2756	2962
	SOL2-PCGM24X2OPW	Beech	2147	2215	2281	2415	2548	2681	2812	2946	3148
	2 Seat - 24" Open Arm F	0		′ '	stered B	ack					
•	SOL2-PCGU24X2OPU	Urethane	2059	2166	2273	2487	2701	2916	3132	3345	3772
	SOL2-PCGU24X2OPW	Beech	2249	2356	2463	2678	2891	3104	3320	3535	3961
	3 Seat - 24" Open Arm F	Pre-configured G	uest Uni	t, Mesh	Back						
	SOL2-PCGM24X3OPU	Urethane	2818	2917	3016	3215	3414	3613	3814	4011	4319
	SOL2-PCGM24X3OPW	Beech	3070	3169	3269	3469	3668	3867	4066	4265	4573
			23.0			00				00	
	3 Seat - 24" Open Arm F	re-configured G	uest Uni	t, Uphol	stered B	ack					
- U -	SOL2-PCGU24X3OPU	Urethane	2963	3120	3279	3592	3906	4221	4534	4853	5479
	SOL2-PCGU24X3OPW	Beech	3215	3374	3533	3845	4160	4473	4788	5106	5734

**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Solid Surface Arm (per pair) - Gr A White	488
Kinetic Back option (not available for 30" & 44")	120	Solid Surface Arm (per pair) - Gr A Color	505
Guest chair - Removable Seat Cover (per seat)	90	Solid Surface Arm (per pair) - Gr B	542
21" & 24" - Removeable Back Covers (per back)	58	Solid Surface Arm (per pair) - Gr C	586
Combination Upholstery - dual fabrics (per chair)	33	Solid Surface Arm (per arm) - Gr A White	244
Combination Upholstery - Three fabrics (per chair)	64	Solid Surface Arm (per arm) - Gr A Color	253
Beech Wood Side Rails Upgrade (per chair)	127	Solid Surface Arm (per arm) - Gr B	271
Maple wood Side Rails Upgrade (per chair)	159	Solid Surface Arm (per arm) - Gr C	293
21" & 24" Cleanable Under-seat Splashguard	40	Non-locking Soft Casters (21" & 24" chairs) -4 set	184
Maple Arm upgrade per arm (add to beech price)	80	Non-locking Soft Casters (21" & 24" chairs) -2 set	113
Floor-saver Felt Glides	29	Non-locking Hard Casters (21" & 24" chairs) -4 set	120
Non-slip Rubber Glides	18	Non-locking Hard Casters (21" & 24" chairs) -2 set	80
Metal Glides	25	Note: Soft & Hard casters are also available locking,	clearly mark on
Plastic Glides	8	the purchase order.	

|--|

Line	Series	Chair Type	Back Type	Size	Arm 7	Гуре
SOL	2	PCG	U	21X2	OPW	CLW
Solis	Chair	Pre-configured Guest Multiple Unit	Upholstered Back		Open Arm -	Closed Arm
				[2.112]	Wood Arm	Urethane Arm
			M	21X3	OPU	CLU
			Mesh Back		Open Arm	Closed Arm -
					Urethane Arm	Wood Arm
				24X2	OSA	CSA
					Open Arm -	Closed Arm -
					Solid Surface Arm	Solid Surface Arn

24X3

# **SOLIS** | MULTIPLE SEATING - START, CENTER & END GUEST UNITS

DESCRIPTION/MODEL	1	Arm Type	COM 1	2	COL 3	F. 4	ABRIC G	RADES 6	7	LEATHER 8	R 9
START	21" Open Arm Start G	•									
	SOL2-SGM210PU SOL2-SGM210PW	Urethane Beech	1012 1138	1044 1170	1080 1203	1142 1270	1209 1336	1276 1403	1342 1467	1409 1536	1512 1639
	21" Open Arm Start Go SOL2-SGU210PU SOL2-SGU210PW	uest Unit, Uphols Urethane Beech	1063	1117	1170	1279	1384	1492	1598	1705	1920
	50L2-5G0210PW	Беесп	1191	1244	1297	1404	1510	1618	1727	1833	2046
	24" Open Arm Start Gu	,	Back								
	SOL2-SGM24OPU	Urethane	1053	1086	1118	1185	1251	1316	1384	1451	1555
fil fr	SOL2-SGM24OPW	Beech	1178	1212	1245	1311	1377	1445	1510	1578	1678
	24" Open Arm Start Gu	uest Unit. Uphols	stered B	ack							
	SOL2-SGU24OPU	Urethane	1106	1158	1213	1317	1425	1534	1640	1747	1962
	SOL2-SGU24OPW	Beech	1230	1284	1340	1446	1555	1662	1767	1872	2088
	30" Open Arm Start Gu SOL2-SGU30OPU				1.450	1600	1700	1057	0104	0004	0000
	SOL2-SGU30OPU SOL2-SGU30OPW	Urethane Beech	1286 1415	1372 1497	1456 1584	1622 1748	1790 1915	1957 2085	2124 2250	2294 2419	2629 2754
	COLL COCCOON W	Decer	1413	1431	1304	1740	1313	2003	2230	2413	2154
	44" Open Arm Start Gu	uest Unit, Uphols	stered B	ack							
	SOL2-SGU44OPU	Urethane	1491	1572	1659	1822	1991	2160	2327	2493	2828
f	SOL2-SGU440PW	Beech	1617	1699	1782	1949	2118	2283	2453	2620	2956
ENTER											
)LIVI LIV	21" Open Arm Center SOL2-CGM21OPU	Guest Unit, Mes Urethane		941	976	1039	1108	1172	1240	1307	1409
	SOL2-CGM210PW	Beech	909 973	1004	1037	1106	1170	1237	1304	1307	1473
	OOLE OUNETOI W	Всссії	010	1004	1007	1100	1170	1207	1004	1071	1470
	21" Open Arm Center	Guest Unit, Uph									
Ц	SOL2-CGU21OPU	Urethane	955	1008	1062	1169	1276	1383	1487	1597	1810
	SOL2-CGU21OPW	Beech	1017	1068	1124	1231	1340	1446	1554	1662	1872
	24" Open Arm Center	Guest Unit, Mes	h Back								
	SOL2-CGM24OPU	Urethane	932	967	1001	1065	1134	1199	1266	1332	1434
_	SOL2-CGM24OPW	Beech	997	1031	1063	1128	1195	1263	1330	1394	1497
	COLE CONTENT VV										
	•	Guest Unit, Uph	olstered	Back							
	24" Open Arm Center SOL2-CGU24OPU	Guest Unit, Upho Urethane	983	1036	1090	1195	1304	1411	1518	1623	
	24" Open Arm Center				1090 1153	1195 1260	1304 1369	1411 1477	1518 1583	1623 1688	
	24" Open Arm Center SOL2-CGU24OPU SOL2-CGU24OPW	Urethane	983	1036							
	24" Open Arm Center of SOL2-CGU24OPU SOL2-CGU24OPW	Urethane Beech	983 1045	1036	1153	1260		1477	1583	1688	
Line Series	24" Open Arm Center SOL2-CGU24OPU SOL2-CGU24OPW	Urethane Beech	983 1045 ck Type	1036	1153 s	1260		1477		1688	
Line Series SOL 2	24" Open Arm Center SOL2-CGU24OPU SOL2-CGU24OPW  Chair Type	Urethane Beech	983 1045 ck Type	1036 1097	1153 s	1260		1477 A	1583 rm Type	1688	1902
Line Series	24" Open Arm Center SOL2-CGU24OPU SOL2-CGU24OPW	Urethane Beech Bar Bar est Uphols	983 1045 ck Type	1036 1097	1153 s	1260	1369	1477	1583 arm Type	1688	1902
Line Series SOL 2	24" Open Arm Center of SOL2-CGU24OPU SOL2-CGU24OPW  Chair Type  SG  Start Unit Gue Multiple Seating	Urethane Beech Bar Bar est Uphols	983 1045 ck Type U	1036 1097	1153	1260	1369	1477  OPW Open Arm -Wood Arr	1583 arm Type	CLW Closed Ar - Wood A	1902
Line Series SOL 2	24" Open Arm Center of SOL2-CGU24OPU SOL2-CGU24OPW  Chair Type  SG Start Unit Gue Multiple Seatil	Urethane Beech  Bactest Upholsing	983 1045 ck Type U stered Bac	1036 1097	1153	1260	1369	A OPW Open Arm-Wood Arr	1583 arm Type	CLW Closed Ar - Wood A	1902
Line Series SOL 2	24" Open Arm Center of SOL2-CGU24OPU SOL2-CGU24OPW  Chair Type  SG  Start Unit Gue Multiple Seating	Urethane Beech  Bac est Uphols ng  Lest Mes	983 1045 ck Type U	1036 1097	1153	1260	1369	1477  OPW Open Arm -Wood Arr	1583  arm Type	CLW Closed Ar - Wood A	1902
Line Series SOL 2	24" Open Arm Center of SOL2-CGU24OPU SOL2-CGU24OPW  Chair Type  SG Start Unit Gue Multiple Seatin  CG Center Unit Gue	Urethane Beech  Bac est Uphols ng  Lest Mes	983 1045 ck Type U stered Back	1036 1097	1153	1260	1369	A OPW Open Arm OPU Open Arm Irethane A	1583  arm Type	CLW Closed Ar - Wood A CLU Closed A Urethane	1902
Line Series SOL 2	24" Open Arm Center SOL2-CGU24OPU SOL2-CGU24OPW  Chair Type  SG Start Unit Gue Multiple Seatin  CG Center Unit Gu Multiple Seatin	Urethane Beech  Bar  est Uphols ng  est Meang 21" 8	983 1045 ck Type U stered Back	1036 1097	1153	1260 iize 21 24	1369 U	A OPW Open Arm OPU Open Arm	1583	CLW Closed Ar - Wood A CLU Closed A	1902
Line Series SOL 2	Chair Type  SG Start Unit Gue Multiple Seatin  Center Unit Gue Multiple Seatin  EG	Urethane Beech  Bar  est Uphols ng  est Meing 21" 8	983 1045 ck Type U stered Back	1036 1097	1153 S 2	1260  iize  21  30	1369 U	AAOOPW Open Arm -Wood Arr OPU Open Arm rethane A	1583	CLW Closed Ar - Wood A CLU Closed A Urethane	1902
Line Series SOL 2	24" Open Arm Center of SOL2-CGU24OPU SOL2-CGU24OPW  Chair Type  SG Start Unit Gue Multiple Seatin  CG Center Unit Gu Multiple Seatin  EG End Unit Gue	Urethane Beech  Bar  est Uphols ng  est Meing 21" 8	983 1045 ck Type U stered Back	1036 1097	1153 S 2	1260 iize 21 24	1369 U	OPW Open Arm -Wood Arm OPU Open Arm rethane Ar OSA Open Arm d Surface	1583	CLW Closed Ar - Wood A CLU Closed A Urethane	1902
Line Series SOL 2	24" Open Arm Center of SOL2-CGU24OPU SOL2-CGU24OPW  Chair Type  SG Start Unit Gue Multiple Seatin  CG Center Unit Gu Multiple Seatin  EG End Unit Gue	Urethane Beech  Bar  est Uphols ng  est Meing 21" 8	983 1045 ck Type U stered Back	1036 1097	1153 S 2	1260  size 21  30	1369 U	OPW Open Arm Wood Arr OPU Open Arm rethane A OSA Open Arm d Surface	rm Type	CLW Closed Ar - Wood A CLU Closed A Urethane CSA Closed Ar olid Surfac	1902
SOL 2	24" Open Arm Center of SOL2-CGU24OPU SOL2-CGU24OPW  Chair Type  SG Start Unit Gue Multiple Seatin  CG Center Unit Gu Multiple Seatin  EG End Unit Gue	Urethane Beech  Bar  est Uphols ng  est Meing 21" 8	983 1045 ck Type U stered Back	1036 1097	1153 S 2	1260  size 21  30	U Soli	OPW Open Arm -Wood Arm OPU Open Arm rethane Ar OSA Open Arm d Surface	1583  rrm Type  n  - Arm S	CLW Closed Ar - Wood A CLU Closed A Urethane CSA Closed Ar olid Surfac	1902
Line Series SOL 2	24" Open Arm Center of SOL2-CGU24OPU SOL2-CGU24OPW  Chair Type  SG Start Unit Gue Multiple Seatin  CG Center Unit Gu Multiple Seatin  EG End Unit Gue	Urethane Beech  Bar  est Uphols ng  est Meing 21" 8	983 1045 ck Type U stered Back	1036 1097	1153 S 2	1260  size 21  30	U Soli	OPW Open Arm -Wood Arr OPU Open Arm rethane Ar OSA Open Arm id Surface  COW Arm/Oper	1583  rrm Type  n  - Arm S	CLW Closed Ar - Wood A CLU Closed A Urethane CSA Closed Ar olid Surfac	arm   
Line Series SOL 2	24" Open Arm Center of SOL2-CGU24OPU SOL2-CGU24OPW  Chair Type  SG Start Unit Gue Multiple Seatin  CG Center Unit Gu Multiple Seatin  EG End Unit Gue	Urethane Beech  Bar  est Uphols ng  est Meing 21" 8	983 1045 ck Type U stered Back	1036 1097	1153 S 2	1260  iize 21  30  Clo	U Soli	A OPW Open Arm -Wood Arr OPU Open Arm irethane Ai OSA Open Arm d Surface COW Arm/Oper	arm Type  The man arm Some Center of	CLW Closed Ar - Wood A CLU Closed A Urethane A Closed Ar olid Surfac	1902

## **SOLIS** | MULTIPLE SEATING - CENTER & END GUEST UNITS

			CC	M	C	OL	FABRI	C GRAD	ES	LEAT	HER
DESCRIPTION/MODE	EL	Arm Type	1	1 2	3		5	6	7	8	9
	30" Open Arm Center G	uest Unit, Up	holstere	ed Back							
	SOL2-CGU30OPU	Urethane	1147	1230	1314	1483	1647	1817	1985	2148	2486
	SOL2-CGU30OPW	Beech	1212	1294	1377	1547	1713	1881	2048	2214	2549
Ц											
	44" Open Arm Center Gi	uest Unit. Un	holster	ed Back							
	SOL2-CGU44OPU	Urethane	1341	1425	1509	1676	1844	2010	2177	2345	2681
	SOL2-CGU44OPW	Beech	1404	1491	1570	1741	1908	2072	2241	2408	2743
END	21" Open Arm End Gues	st Unit, Mesh	Back								
LND	SOL2-EGM21OPU	Urethane	909	941	976	1039	1108	1172	1240	1307	1409
	SOL2-EGM21OPW	Beech	973	1004	1037	1106	1170	1237	1304	1371	1473
	01" On an Arms End Occas		lataua al I	Daal							
	21" Open Arm End Gues	Urethane			1000	4400	4070	4000	4 407	4507	1010
Ш	SOL2-EGU210PU SOL2-EGU210PW	Beech	955 1017	1008	1062	1169	1276	1383	1487	1597	1810
	SOLZ-EGUZTOPW	Deecn	1017	1068	1124	1231	1340	1446	1554	1662	1872
	24" Open Arm End Gues	st Unit, Mesh	Back								
1	SOL2-EGM24OPU	Urethane	932	967	1001	1065	1134	1199	1266	1332	1434
	SOL2-EGM24OPW	Beech	997	1031	1063	1128	1195	1263	1330	1394	1497
Ш	24" Open Arm End Gues	t Unit Unho	Istered	Back							
	SOL2-EGU24OPU	Urethane	983	1036	1090	1195	1304	1411	1518	1623	1839
	SOL2-EGU24OPW	Beech	1045	1097	1153	1260	1369	1477	1583	1688	1902
	30" Open Arm End Gues	st Unit Unbo	Istered	Back							
	SOL2-EGU30OPU	Urethane	1147	1230	1314	1483	1647	1817	1985	2148	2486
	SOL2-EGU30OPW	Beech	1212	1294	1377	1547	1713	1881	2048	2214	2549
	44" Open Arm End Gues	st Unit, Upho	Istered	Back							
T T	SOL2-EGU44OPU	Urethane	1341	1428	1509	1676	1844	2010	2177	2345	2681
	SOL2-EGU44OPW	Beech	1404	1491	1570	1741	1908	2072	2241	2408	2743

#### ORDERING NOTES:

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$64 list** per arm frame pair, please see <u>page 63</u> for color selection and <u>page 3</u> for required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table.

Line	Series	Chair Type	Back Type	Size	Arm Ty	/ре
SOL Solis	2 Chair	SG Start Unit Guest Multiple Seating	U Upholstered Back	21	OPW Open Arm -Wood Arm	CLW Closed Arm- - Wood Arm
		CG Center Unit Guest Multiple Seating	M Mesh Back 21" & 24" Only	24	OPU Open Arm- Urethane Arm	CLU Closed Arm Urethane Arm
		EG End Unit Guest Multiple Seating		30	OSA Open Arm - Solid Surface Arm	CSA Closed Arm- Solid Surface Arm

# **SOLIS** | PRE-CONFIGURED FREESPAN MULTIPLE SEATING GUEST UNIT WITHOUT CENTER ARM

250000000000000000000000000000000000000			COM		COL	FA	ABRIC G	RADES		LEATHER	₹
DESCRIPTION/MO	DEL	Arm Type	1	2	3	4	5	6	7	8	9
	21" Pre-Configured Freesp	an Guest Unit -	Open A	rm 2 Sea	at, Mesh	Back					
	SOL2-PCFGM21X2AOPU	Urethane	1808	1855	1902	1997	2091	2188	2281	2377	2518
	SOL2-PCFGM21X2AOPW	Beech	1934	1981	2030	2124	2218	2313	2408	2503	2642
	21" Pre-Configured Freesp	an Guest Unit -	- Open A	rm 2 Sea	at, Uphol	stered E	Back				
	SOL2-PCFGU21X2AOPU	Urethane	1902	2007	2114	2328	2542	2757	2970	3186	3613
	SOL2-PCFGU21X2AOPW	Beech	2030	2134	2241	2457	2669	2883	3097	3313	3741
	21" Pre-Configured Freesp	an Guest Unit -	- Open A	rm 3 Sea	at, Mesh	Back					
	SOL2-PCFGM21X3AOPU	Urethane	2527	2596	2669	2810	2954	3096	3238	3381	3594
	SOL2-PCFGM21X3AOPW	Beech	2654	2723	2794	2936	3080	3221	3364	3507	3718
	21" Pre-Configured Freesp		- Open A	rm 3 Sea	at, Upho	stered E	Back				
	SOL2-PCFGU21X3AOPU	Urethane	2659	2819	2982	3301	3620	3941	4263	4584	5229
	SOL2-PCFGU21X3AOPW	Beech	2787	2946	3105	3428	3745	4068	4392	4710	5353
	24" Pre-Configured Freesp		Open A	rm 2 Sea	at, Mesh	Back					
	SOL2-PCFGM24X2AOPU		1849	1896	1944	2037	2133	2228	2323	2418	2560
	SOL2-PCFGM24X2AOPW	Beech	1976	2023	2069	2165	2257	2355	2449	2543	2685
	24" Pre-Configured Freesp	an Guest Unit -	- Open A	rm 2 Sea	at, Uphol	stered E	Back				
	SOL2-PCFGU24X2AOPU	Urethane	1944	2053	2158	2373	2587	2802	3014	3229	3656
	SOL2-PCFGU24X2AOPW	Beech	2069	2176	2282	2497	2714	2927	3141	3355	3784
	24" Pre-Configured Freesp	an Guest Unit -	- Open A	rm 3 Sea	at, Mesh	Back					
	SOL2-PCFGM24X3AOPU	Urethane	2589	2659	2732	2873	3014	3159	3299	3441	3655
	SOL2-PCFGM24X3AOPW	Beech	2715	2787	2857	2998	3141	3285	3427	3566	3783
	24" Pre-Configured Freesp	an Guest Unit -	- Open A	rm 3 Sea	at, Uphol	stered E	Back				
	SOL2-PCFGU24X3AOPU	Urethane	2719	2882	3042	3364	3685	4007	4328	4646	5289
	SOL2-PCFGU24X3AOPW	Beech	2848	3009	3167	3490	3812	4133	4456	4774	5418
ORDERING NOTE	S: A drawing showing the	configuration	of the m	ultiple s	seating a	and table	es is rec	uired wi	th each	purchas	se order.

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Maple Arm upgrade per arm (add to beech price)	80
Kinetic Back option (not available for 30" & 44")	120	Solid Surface Arm (per pair) - Gr A White	488
Guest chair - Removable Seat Cover (per seat)	90	Solid Surface Arm (per pair) - Gr A Color	505
21" & 24" - Removeable Back Covers (per back)	58	Solid Surface Arm (per pair) - Gr B	542
Combination Upholstery - dual fabrics (per chair)	33	Solid Surface Arm (per pair) - Gr C	586
Combination Upholstery - Three fabrics (per chair)	64	(ps. pa) a. c	
Beech Wood Side Rails Upgrade (per chair)	127	Non-locking Soft Casters (21" & 24" chairs) -4 set	184
Maple wood Side Rails Upgrade (per chair)	159	Non-locking Soft Casters (21" & 24" chairs) -2 set	113
21" & 24" Cleanable Under-seat Splashguard	40	Non-locking Hard Casters (21" & 24" chairs) -4 set	120
Floor-saver Felt Glides	29	Non-locking Hard Casters (21" & 24" chairs) -2 set	80
Non-slip Rubber Glides	18	<b>Note:</b> Soft & Hard casters are also available locking,	
Metal Glides	25	the purchase order.	s.ca,an
Plastic Glides	8	the parenase order.	

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL Solis	2 Chair	PCFG Pre-Configured Freespan Multiple Guest Unit	U Upholstered Back	21X2	A Unit with no Center Arm	OPW Open Arm
			M Mesh Back	21X3	B Unit with Center Arm	OPU Open Arm Urethane Arm
				24X2		CLW Closed Arm - Wood Arm
				24X3		CLU Closed Arm Urethane Arm

# **SOLIS** | PRE-CONFIGURED FREESPAN MULTIPLE SEATING GUEST UNIT WITH CENTER ARM

			COM		COL	FA	ABRIC G	RADES		LEATHER	3
DESCRIPTION/MOD	DEL	Arm Type	1	2	3	4	5	6	7	8	9
	21" Pre-Configured Freesp	an Center Arr	n Guest L	Jnit - Op	oen Arm	2 Seat, N	/lesh Ba	ck			
	SOL2-PCFGM21X2BOPU		1951	1999	2046	2140	2237	2329	2423	2520	2663
	SOL2-PCFGM21X2BOPW	Beech	2140	2190	2237	2329	2423	2520	2614	2712	2852
	21" Pre-Configured Freesp	an Center Arr	n Guest L	Jnit - Or	oen Arm	2 Seat. U	Jpholste	red Back			
	SOL2-PCFGU21X2BOPU		2053	2160	2266	2480	2694	2908	3120	3336	3763
	SOL2-PCFGU21X2BOPW		2240	2347	2457	2669	2882	3097	3312	3528	3954
	21" Pre-Configured Freesp	an Center Arr	n Guest U	Jnit - Op	oen Arm :	3 Seat , l	Mesh Ba	ack			
	SOL2-PCFGM21X3BOPU	Urethane	2748	2822	2893	3036	3179	3320	3461	3605	3818
	SOL2-PCFGM21X3BOPW	Beech	3004	3074	3145	3289	3430	3574	3714	3856	4070
	21" Pre-Configured Freesp	an Center Arr	n Guest U	Jnit - Op	oen Arm	3 Seat ,	Upholste	ered Back	<		
	SOL2-PCFGU21X3BOPU		2894	3055	3215	3535	3856	4179	4499	4821	5464
	SOL2-PCFGU21X3BOPW	Beech	3146	3307	3469	3788	4111	4429	4752	5075	5717
	24" Pre-Configured Freesp	an Center Arr	n Guest U	Jnit - Or	oen Arm	2 Seat, N	∕lesh Ba	ck			
	SOL2-PCFGM24X2BOPU		1990	2037	2086	2180	2277	2370	2464	2560	2701
	SOL2-PCFGM24X2BOPW		2180	2228	2277	2370	2464	2560	2656	2747	2891
Ш	24" Pre-Configured Freesp	an Center Arr	n Guest L	Jnit - Or	oen Arm	2 Seat, U	Jpholste	red Back			
	SOL2-PCFGU24X2BOPU		2091	2201	2307	2522	2736	2949	3163	3379	3806
	SOL2-PCFGU24X2BOPW	Beech	2281	2390	2496	2713	2926	3140	3353	3566	3995
	24" Pre-Configured Freesp	an Center Arr	n Guest l	Jnit - Or	en Arm :	3 Seat. N	/lesh Ba	ck			
	SOL2-PCFGM24X3BOPU		2812	2883	2956	3097	3239	3382	3522	3666	3880
	SOL2-PCFGM24X3BOPW		3067	3136	3208	3349	3491	3635	3776	3919	4132
	24" Pre-Configured Freesp	an Center Arr	n Guest L	Jnit - Or	oen Arm	3 Seat. U	Jpholste	red Back			
	SOL2-PCFGU24X3BOPU		2958	3117	3279	3599	3920	4243	4562	4885	5527
	SOL2-PCFGU24X3BOPW	Beech	3210	3371	3533	3852	4173	4498	4815	5137	5781
										¢1:_+	
Solis Pre-configure	ed Guest Option Upcharges									\$ List	
CAL 133 & Moisture		64	Ма	ple Arm	upgrade	per arm	(add to	beech p	rice)	80	
Kinetic Back option	(not available for 30" & 44")	120			ce Arm ( <sub>l</sub>	,				488	
	vable Seat Cover (per seat)	90			ce Arm ( <sub>l</sub>			Color		505	
	able Back Covers (per back)				ce Arm ( <sub>l</sub>					542	
	stery - dual fabrics (per chair)		Sol	id Surfa	ce Arm ( <sub>l</sub>	per pair)	- Gr C			586	
	stery - Three fabrics (per cha	,			_						
	ails Upgrade (per chair)	127						chairs) -		184	
•	ails Upgrade (per chair)	159						chairs) -		113	
	Under-seat Splashguard	40						" chairs) -		120	
Floor-saver Felt Glid		29			•	•		" chairs)		80	
Non-slip Rubber Gli	des	18				asters a	re also a	vailable l	ocking,	clearly m	ark on
Metal Glides		25	the	purchas	se order.						
Plastic Glides		8									

Additional features and options information see page 24, closed arm panels page 97.

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2 Chair	PCFG Pre-Configured Freespan Multiple Guest Unit	U Upholstered Back	21X2	A Unit with no Center Arm	OPW Open Arm- Wood Arm
			M Mesh Back	21X3	B Unit with Center Arm	OPU Open Arm Urethane Arm
				24X2		CLW Closed Arm - Wood Arm
				24X3		CLU Closed Arm Urethane Arm

## **SOLIS** | MULTIPLE SEATING - PATIENT BACKS

#### **DIMENSIONS & COM. REQUIREMENTS - PRE-CONFIGURED UNITS**

	Overall Width	Overall Depth	Overall Height		Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK	(												
PCPM21X2	47	28	43.75	18.5	26	20	20	92	38	-	1.3	-	1.2
PCPM21X3	69.5	28	43.75	18.5	26	20	20	129	56	-	2.1	-	1.6
PCPM24X2	53	28	43.75	18.5	26	23	20	98	43	-	1.3	-	1.2
PCPM24X3	78.5	28	43.75	18.5	26	23	20	138	46	-	2.1	-	1.6
UPHOLSTER	RED BAC	K											
PCPU21X2	47	28	43.75	18.5	26	20	20	100	38	4.0	1.3	3.1	1.2
PCPU21X3	69.5	28	43.75	18.5	26	20	20	141	56	6.1	2.1	4.2	1.6
PCPU24X2	53	28	43.75	18.5	26	23	20	108	43	4.0	1.3	3.1	1.2
PCPU24X3	78.5	28	43.75	18.5	26	23	20	153	63	6.1	2.1	4.2	1.6

#### **DIMENSIONS & COM. REQUIREMENTS - START UNITS**

	Overall Width		Overall Height		Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BA	ACK													
SPM21	25	28	43.75	18.5	26	20	20	42	21	-	0.9	-	0.4	0.8
SPM24	28	28	43.75	18.5	26	23	20	45	23	-	0.9	-	0.4	0.8
UPHOLS	TERED B	ACK												
SPU21	25	28	43.75	18.5	26	20	20	46	21	2.1	0.9	2.0	0.4	0.8
SPU24	28	28	43.75	18.5	26	23	20	50	23	2.1	0.9	2.0	0.4	0.8
SPU30	34	28	43.75	18.5	26	29	20	56	28	3.1	0.9	2.2	0.4	0.8

#### **DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BA	ACK												
CPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
CPM24	26	28	43.75	18.5	26	23	20	39	23	-	0.9	-	0.4
UPHOLS1	TERED BA	СК											
CPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
CPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
CPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

#### **DIMENSIONS & COM. REQUIREMENTS - END UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH B	ACK												
EPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
EPM24	26	28	43.75	18.5	26	23	20	38	23	-	0.9	-	0.4
UPHOLS	STERED BA	ACK											
EPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
EPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
EPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

#### **ORDERING NOTES:**

Multiple yardage requirements for Patient back Start, Center and End units, please refer to page 10.

## **SOLIS** | MULTIPLE SEATING - PATIENT BACKS

#### DIMENSIONS & COM. REQUIREMENTS - FREESPAN WITH NO CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCFPM21X2A	46.5	28	43.75	18.5	26	41.5	20	87	38	-	1.3	-	0.8
PCFPM21X3A	68	28	43.75	18.5	26	63	20	118	56	-	2.1	-	0.8
PCFPM24X2A	52.25	28	43.75	18.5	26	47.5	20	94	43	-	1.3	-	0.8
PCFPM24X3A	77	28	43.75	18.5	26	72	20	128	63	-	2.1	-	8.0
UPHOLSTERE	D BACK												
PCFPU21X2A	46.5	28	43.75	18.5	26	41.5	20	95	38	4.0	1.3	3.1	0.8
PCFPU21X3A	68	28	43.75	18.5	26	63	20	129	56	6.1	2.1	4.2	0.8
PCFPU24X2A	52.25	28	43.75	18.5	26	47.5	20	103	43	4.0	1.3	3.1	0.8
PCFPU24X3A	77	28	43.75	18.5	26	72	20	141	63	6.1	2.1	4.2	8.0

#### **DIMENSIONS & COM. REQUIREMENTS - FREESPAN WITH CENTER ARM**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage
MESH BACK												
PCFPM21X2B	47.25	28	43.75	18.5	26	20	20	96	38	-	1.3	-
PCFPM21X3B	69.5	28	43.75	18.5	26	20	20	134	56	-	2.1	-
PCFPM24X2B	53.25	28	43.75	18.5	26	23	20	102	43	-	1.3	-
PCFPM24X3B	78.5	28	43.75	18.5	26	23	20	144	63	-	2.1	-
UPHOLSTERE	D BACKS	3.4										
PCFPU21X2B	47.25	28	43.75	18.5	26	20	20	103	38	4.0	1.3	3.4
PCFPU21X3B	69.5	28	43.75	18.5	26	20	20	145	56	6.1	2.1	5.4
PCFPU24X2B	53.25	28	43.75	18.5	26	23	20	111	43	4.0	1.3	3.4
PCFPU24X3B	78.5	28	43.75	18.5	26	23	20	157	63	6.1	2.1	5.4

	COM. Fabric Closed Arm Panels ( 2 Arms)	COM Fabric Closed Arm Panels ( 3 Arms)	COM. Fabric Closed Arm Panels ( 4 Arms)
PCFP21X2B	0.8	1.2	
PCFP21X3B	0.8		1.6
PCFP24X2B	0.8	1.2	
PCFP24X3B	0.8		1.6

**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Patient Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Maple Arm upgrade per arm (add to beech price)	80
Kinetic Back option (not available for 30" & 44")	120	Beech Wood Side Rails Upgrade (per chair)	127
Patient chair - Removable Seat Cover (per seat)	90	Solid Surface Arm (per pair) - Gr A White	488
21" & 24" - Removeable Back Covers (per back)	61	Solid Surface Arm (per pair) - Gr A Color	505
30" & 44" - Removable Back Covers	94	Solid Surface Arm (per pair) - Gr B	542
Combination Upholstery - dual fabrics (per chair)	33	Solid Surface Arm (per pair) - Gr C	586
Combination Upholstery - Three fabrics (per chair)	64		
Beech Wood Side Rails Upgrade (per chair)	127	Non-locking Soft Casters (21" & 24" chairs) -4 set	184
Maple wood Side Rails Upgrade (per chair)	159	Non-locking Soft Casters (21" & 24" chairs) -2 set	113
21" & 24" Cleanable Under-seat Splashquard	40	Non-locking Hard Casters (21" & 24" chairs) -4 set	120
30" Cleanable Under-seat Splashquard	48	Non-locking Hard Casters (21" & 24" chairs) -2 set	80
44" Cleanable Under-seat Splashguard	64	Note: Soft & Hard casters are also available locking,	clearly mark on the
Floor-saver Felt Glides	29	purchase order	
Non-slip Rubber Glides	18		
Metal Glides	25		
Plastic Glides	8		

Additional features and options information see page 24.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	208	224	238	267	294	321	350	379	435
2 ARMS	418	448	477	531	588	643	699	757	869
3 ARMS	627	669	710	796	879	963	1048	1135	1304
4 ARMS	835	890	948	1061	1172	1285	1335	1510	1736

22 | USA | HEALTHCARE | 2025

## **SOLIS** | MULTIPLE SEATING - PRE-CONFIGURED PATIENT UNITS

			COM		COL	FA	BRIC GE	RADES	LI	EATHER	
DESCRIPTION/MODE	L	Arm Type	1	2	3	4	5	6	7	8	9
_	2 Seat - 21" Open Arm I	Pre-configured P	atient U	nit. Mesl	h Back						
	SOL2-PCPM21X2OPU		2104	2169	2237	2369	2502	2635	2767	2899	3104
	SOL2-PCPM21X2OPW	Beech	2294	2359	2423	2559	2692	2823	2957	3090	3294
					0			_0_0		0000	020 .
	2 Seat - 21" Open Arm I		atient U	nit, Upho	olstered	Back					
	SOL2-PCPU21X2OPU		2211	2345	2480	2745	3014	3283	3547	3816	4352
	SOL2-PCPU21X2OPW	Beech	2401	2533	2669	2934	3206	3471	3739	4006	4540
	3 Seat - 21" Open Arm I	Pro configured D	ationt I I	nit Mosl	h Back						
	SOL2-PCPM21X3OPU	•	3043	3144	3244	3444	3642	3843	4040	4239	4547
	SOL2-PCPM21X3OPW		3297	3403	3507	3697	3895	4093	4040	4491	4799
	00 <u>11</u> . 0	2000	0237	0400	0007	0007	0000	4000	7232	7731	4733
	3 Seat - 21" Open Arm I	Pre-configured P	atient U	nit, Upho	olstered	Back					
	SOL2-PCPU21X3OPU	Urethane	3203	3408	3609	4020	4426	4861	5242	5650	6466
u g u s	SOL2-PCPU21X3OPW	Beech	3455	3661	3865	4271	4679	5113	5495	5904	6718
	2 Seat - 24" Open Arm I	Irethane Can Pr	e-confic	ured Pat	tient I Ini	t Mach	Rack				
	SOL2-PCPM24X2OPU		2132	2196	2265	2396	2530	2663	2794	2928	3134
	SOL2-PCPM24X2OPW		2321	2387	2453	2587	2718	2852	2986	3117	3322
			2021	2001	2400	2001	2710	2002	2000	0117	OOLL
	2 Seat - 24" Open Arm I	Pre-configured P	atient U	nit, Upho	olstered	Back					
	SOL2-PCPU24X2OPU	Urethane	2240	2376	2508	2778	3043	3313	3579	3847	4381
	SOL2-PCPU24X2OPW	Beech	2431	2564	2698	2966	3236	3501	3768	4038	4571
	3 Seat - 24" Open Arm I	Pre-configured P	ationt I I	nit Masi	h Back						
	SOL2-PCPM24X3OPU		3102	3203	3301	3499	3699	3898	4098	4295	4606
	SOL2-PCPM24X3OPW		3355	3455	3554	3753	3953	4152	4350	4548	4859
	00 <u>11</u> . 0	2000	0000	0400	0004	0700	0000	7102	4000	4040	4000
	3 Seat - 24" Open Arm I	Pre-configured P	atient U	nit, Upho	olstered	Back					
	SOL2-PCPU24X3OPU	Urethane	3260	3465	3669	4077	4486	4891	5302	5710	6527
U 4 U 5	SOL2-PCPU24X3OPW	Beech	3513	3717	3921	4331	4738	5145	5554	5964	6780
-											

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Patient Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Beech Wood Side Rails Upgrade (per chair)	127
Kinetic Back option (not available for 30" & 44")	120	Solid Surface Arm (per pair) - Gr A White	488
Patient chair - Removable Seat Cover (per seat)	90	Solid Surface Arm (per pair) - Gr A Color	505
21" & 24" - Removeable Back Covers (per back)	61	Solid Surface Arm (per pair) - Gr B	542
Combination Upholstery - dual fabrics (per chair)	33	Solid Surface Arm (per pair) - Gr C	586
Combination Upholstery - Three fabrics (per chair)	64	Solid Surface Arm (per arm) - Gr A White	244
Beech Wood Side Rails Upgrade (per chair)	127	Solid Surface Arm (per arm) - Gr A Color	253
Maple wood Side Rails Upgrade (per chair)	159	Solid Surface Arm (per arm) - Gr B	271
21" & 24" Cleanable Under-seat Splashguard	40	Solid Surface Arm (per arm) - Gr C	293
Maple Arm upgrade per arm (add to beech price)	80	Non-locking Soft Casters (21" & 24" chairs) -4 set	184
Floor-saver Felt Glides	29	Non-locking Soft Casters (21" & 24" chairs) -2 set	113
Non-slip Rubber Glides	18	Non-locking Hard Casters (21" & 24" chairs) -4 set	120
Metal Glides	25	Non-locking Hard Casters (21" & 24" chairs) -2 set	80
Plastic Glides	8	Note: Soft & Hard casters are also available locking,	clearly mark on the
Additional features and options information see page	je 24, closed	purchase order.	

PRODUCT CODE KEY

arm panel upcharges page 104.

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	PCP	U	21X2	OPW
Solis	Chair	Pre-configured Multiple Unit Patient	Upholstered Back		Open Arm - Wood Arm
			M	21X3	OPU
			Mesh Back		Open Arm Urethane Arm
				24X2	CLW
					Closed Arm - Wood Arm
				24X3	CLU
					Closed Arm Urethane Arm

## **SOLIS** | MULTIPLE SEATING - PATIENT START & CENTER UNITS

			СОМ	_	COL		BRIC GI			EATHER	
DESCRIPTION/MODEL		Arm Type	1	2	3	4	5	6	7	8	9
START	21" Open Arm Start		lesh Bacl	<							
	SOL2-SPM21OPU		1107	1139	1171	1239	1306	1372	1438	1504	1607
	SOL2-SPM21OPW	Beech	1231	1266	1298	1363	1431	1497	1563	1632	1732
	21" Open Arm Start		pholstere	ed Back							
	SOL2-SPU21OPU		1163	1231	1304	1445	1584	1727	1863	2004	2285
Ц Ц	SOL2-SPU21OPW	Beech	1289	1358	1430	1569	1709	1853	1990	2132	2412
	24" Open Arm Star										
	SOL2-SPM24OPU		1143	1178	1212	1279	1345	1411	1479	1543	1645
	SOL2-SPM24OPW	Beech	1271	1306	1338	1404	1468	1537	1604	1669	1773
	24" Open Arm Start										
Ш	SOL2-SPU24OPU		1203	1275	1345	1484	1624	1765	1908	2048	2328
	SOL2-SPU24OPW	Beech	1331	1402	1468	1611	1752	1892	2033	2173	2457
	30" Open Arm Start	Dationt Unit 11	pholotoro	d Pook							
	SOL2-SPU30OPU		1494		1700	1000	0117	0000	0501	0740	0155
	SOL2-SPU30OPW		1620	1598 1727	1702 1827	1909 2034	2117 2242	2323 2451	2531 2658	2740 2864	3155 3280
	30L2-3F0300FW	Deecn	1020	1/2/	1027	2034	2242	2451	2000	2004	3200
Ш											
CENTER	21" Open Arm Cent	er Patient Unit.	Mesh Ba	ıck							
	SOL2-CPM21OPU	,	1003	1036	1067	1137	1241	1268	1335	1402	1504
	SOL2-CPM21OPW	Beech	1065	1097	1134	1199	1266	1332	1398	1464	1567
	21" Open Arm Cent	er Patient Unit,	Upholste	ered Bac	k						
	SOL2-CPU21OPU	Urethane	1054	1124	1194	1335	1478	1615	1756	1897	2177
Ш	SOL2-CPU21OPW	Beech	1117	1190	1257	1398	1538	1677	1819	1960	2241
	24" Open Arm Ureth	nane Cap Cente	er Patient	Unit, Me	esh Back	(					
	SOL2-CPM24OPU		1030	1062	1094	1162	1228	1294	1359	1425	1529
	SOL2-CPM24OPW	Beech	1092	1124	1158	1224	1290	1357	1422	1491	1592
Î											
	24" Open Arm Cent		Upholste	ered Bac	k						
	SOL2-CPU24OPU		1082	1152	1222	1361	1503	1643	1782	1924	2206
	SOL2-CPU24OPW	Beech	1142	1215	1284	1425	1565	1706	1845	1988	2269
	30" Open Arm Cent		•								
	SOL2-CPU30OPU		1355	1459	1560	1769	1976	2182	2390	2601	3013
	SOL2-CPU30OPW	Beech	1417	1522	1623	1833	2037	2244	2453	2663	3076

**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Additional features and options information see page 24, closed arm panel upcharges page 104.

PRODUCT CODE KEY	PRODU	JCT	CODE	<b>KEY</b>
------------------	-------	-----	------	------------

THODOO	I CODE REI				
Line	Series	Chair Type	Back Type	Size	Arm Type
SOL Solis	2 Chair	SP Start Unit Patient Multiple Seating	U Upholstered Back	21	OPW Open Arm - Wood Arm
		CP Center Unit Patient Multiple Seating	M Mesh Back 21" & 24" Only	24	OPU Open Arm Urethane Arm
		EP End Unit Patient Multiple Seating		30	CLW Closed Arm - Wood Arm
				44	CLU Closed Arm Urethane Arm

Closed Start Arm/Open Center Arm Wood Arm

COU

Closed Start Arm/Open Center Arm with Urethane Arm

## **SOLIS** | MULTIPLE SEATING - PATIENT END UNITS

			COM		COL		FABRIC	GRADES	3	LEATHER	
DESCRIPTION/M	Arm Type	1	2	3	4	5	6	7	8	9	
END	21" Open Arm End Patient Unit, Mesh Back										
	SOL2-EPM21OPU	Urethane	1003	1036	1067	1137	1202	1268	1335	1402	1504
1	SOL2-EPM21OPW	Beech	1065	1097	1134	1199	1266	1332	1398	1464	1567
	21" Open Arm End Patient	Unit, Upholstered	d Back								
Ц	SOL2-EPU21OPU	Urethane	1054	1124	1194	1335	1478	1615	1756	1897	2177
	SOL2-EPU21OPW	Beech	1117	1190	1257	1398	1538	1677	1819	1960	2241
	04" O A E   D .	Hall Mark Bark									
	24" Open Arm End Patient										
	SOL2-EPM24OPU	Urethane		1062	1094	1162	1228	1294	1359	1425	1529
	SOL2-EPM24OPW	Beech	1092	1124	1158	1224	1290	1357	1422	1491	1592
	24" Open Arm End Patient	Unit Unhalatora	d Back								
	SOL2-EPU24OPU	Urethane		4450	4000	1001	4500	1010	4700	1001	0000
	SOL2-EPU24OPW	Beech		1152	1222	1361	1503	1643	1782	1924	2206
	30L2-LF0240FW	Deecn	1142	1215	1284	1425	1565	1706	1846	1988	2269
	30" Open Arm End Patient	Unit. Upholstere	d Back								
	SOL2-EPU30OPU	Urethane	1355	1459	1560	1769	1976	2182	2390	2601	3013
	SOL2-EPU30OPW	Beech		1522	1623	1833	2037	2244	2453	2663	3076
			1-111	1022	1020	1000	2001	22-1-1	2400	2000	0070
Ш											

**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Patient Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Beech Wood Side Rails Upgrade (per chair)	127
Kinetic Back option (not available for 30" & 44")	120	Solid Surface Arm (per pair) - Gr A White	488
Patient chair - Removable Seat Cover (per seat)	90	Solid Surface Arm (per pair) - Gr A Color	505
21" & 24" - Removeable Back Covers (per back)	61	Solid Surface Arm (per pair) - Gr B	542
30" & 44" - Removable Back Covers	94	Solid Surface Arm (per pair) - Gr C	586
Combination Upholstery - dual fabrics (per chair)	33	Solid Surface Arm (per arm) - Gr A White	244
Combination Upholstery - Three fabrics (per chair)	64	Solid Surface Arm (per arm) - Gr A Color	253
Beech Wood Side Rails Upgrade (per chair)	127	Solid Surface Arm (per arm) - Gr B	271
Maple wood Side Rails Upgrade (per chair)	159	Solid Surface Arm (per arm) - Gr C	293
21" & 24" Cleanable Under-seat Splashguard	40	Non-locking Soft Casters (21" & 24" chairs) -4 set	184
30" Cleanable Under-seat Splashguard	48	Non-locking Soft Casters (21" & 24" chairs) -2 set	113
44" Cleanable Under-seat Splashguard	64	Non-locking Hard Casters (21" & 24" chairs) -4 set	120
Maple Arm upgrade per arm (add to beech price)	80	Non-locking Hard Casters (21" & 24" chairs) -2 set	80
Floor-saver Felt Glides	29	Note: Soft & Hard casters are also available locking,	clearly mark on the
Non-slip Rubber Glides	18	purchase order.	
Metal Glides	25		
Plastic Glides	8		

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	208	224	238	267	294	321	350	379	435

#### PRODUCT CODE KEY

	OODLINE				
Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SP	U	21	OPW
Solis	Chair	Start Unit Patient Multiple Seating	Upholstered Back		Open Arm - Wood Arm
		СР	M	24	OPU
		Center Unit Patient Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EP		30	CLW
		End Unit Patient Multiple Seating			Closed Arm - Wood Arm
					CLU
					Closed Arm

Urethane Arm

# **SOLIS** | PRE-CONFIGURED FREESPAN MULTIPLE SEATING PATIENT UNIT WITHOUT CENTER ARM

		COM		COL	COL FABRIC G			GRADES LEATHER				
DESCRIPTION/MO	DEL	Arm Type	1	2	3	4	5	6	7	8	9	
	21" Pre-Configured Freespan Patient Unit - Open Arm 2 Seat, Mesh Back											
	SOL2-PCFPM21X2AOPU	Urethane	1997	2045	2091	2188	2281	2377	2471	2566	2710	
	SOL2-PCFPM21X2AOPW	Beech	2124	2170	2218	2313	2408	2503	2596	2694	2835	
	21" Pre-Configured Freespan Patient Unit - Open Arm 2 Seat, Upholstered Back											
шш	SOL2-PCFPU21X2AOPU	Urethane	2100	2239	2382	2661	2943	3222	3505	3786	4348	
	SOL2-PCFPU21X2AOPW	Beech	2227	2364	2507	2788	3069	3349	3631	3914	4473	
	21" Pre-Configured Freespa	an Patient Unit	- Open	Arm 3 S	Seat, Mes	sh Back						
	SOL2-PCFPM21X3AOPU	Urethane	2808	2881	2952	3095	3237	3379	3520	3663	3876	
	SOL2-PCFPM21X3AOPW	Beech	2935	3008	3078	3220	3363	3505	3646	3789	4004	
	21" Pre-Configured Freespa	an Patient Unit	- Open	Arm 3 S	Seat, Uph	nolstered	Back					
U U	SOL2-PCFPU21X3AOPU	Urethane	2957	3166	3379	3798	4221	4641	5063	5485	6328	
	SOL2-PCFPU21X3AOPW	Beech	3082	3294	3505	3929	4348	4767	5190	5612	6455	
	24" Pre-Configured Freespa	an Patient Unit	- Open	Arm 2 S	Seat, Mes	sh Back						
	SOL2-PCFPM24X2AOPU	Urethane	2034	2084	2131	2223	2319	2415	2508	2606	2745	
	SOL2-PCFPM24X2AOPW	Beech	2163	2210	2255	2352	2447	2541	2636	2732	2873	
	24" Pre-Configured Freespan Patient Unit - Open Arm Urethane Cap 2 Seat, Upholstered Back											
	SOL2-PCFPU24X2AOPU	Urethane	2140	2281	2421	2703	2986	3266	3545	3827	4392	
	SOL2-PCFPU24X2AOPW	Beech	2268	2408	2549	2829	3112	3390	3671	3954	4515	
	24" Pre-Configured Freespa	an Patient Unit	- Open	Arm 3 S	Seat, Mes	sh Back						
	SOL2-PCFPM24X3AOPU	Urethane	2870	2942	3011	3155	3295	3437	3580	3721	3935	
	SOL2-PCFPM24X3AOPW	Beech	2995	3068	3137	3280	3424	3564	3708	3864	4063	
	24" Pre-Configured Freespa	an Patient Unit	- Open	Arm 3 S	Seat, Uph	nolstered	Back					
U U	SOL2-PCFPU24X3AOPU	Urethane	3021	3231	3439	3862	4286	4707	5125	5548	6390	
	SOL2-PCFPU24X3AOPW	Beech	3145	3356	3565	3988	4411	4833	5255	5675	6518	

**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-co	onfigured Pati	ient Option Upcharges	\$ List			\$ List				
CAL 133 & N	Noisture Barrie	er (per yard)	64	Maple Arm upgrade per	r arm (add to beech	price) 80				
Kinetic Back	option (not av	ailable for 30" & 44")	120	Beech Wood Side Rails	Upgrade (per chair)	127				
Patient chair	r - Removable	Seat Cover (per seat)	90	Solid Surface Arm (per pair) - Gr A White 488						
21" & 24" - F	Removeable B	ack Covers (per back)	61	Solid Surface Arm (per	pair) - Gr A Color	505				
Combination	Upholstery -	dual fabrics (per chair)	33	Solid Surface Arm (per	pair) - Gr B	542				
Combination	Upholstery -	Three fabrics (per chair)	64	Solid Surface Arm (per	586					
Beech Wood	d Side Rails Up	ograde (per chair)	127							
Maple wood Side Rails Upgrade (per chair)			159	Non-locking Soft Caste	rs (21" & 24" chairs)	-4 set 184				
21" & 24" Cleanable Under-seat Splashguard			40	Non-locking Soft Caste	rs (21" & 24" chairs)	-2 set 113				
Floor-saver I	Felt Glides		29	Non-locking Hard Casters (21" & 24" chairs) -4 set 120						
Non-slip Rul	bber Glides		18	Non-locking Hard Caste	ers (21" & 24" chairs	) -2 set 80				
Metal Glides	3		25	Note: Soft & Hard caste	ers are also available	locking, clearly mark on the				
Plastic Glide	es		8	purchase order.						
PRODUCT CO	DDE KEY									
Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type				
SOL	2	PCFP	U	21X2	А	OPW				
Solis	Chair	Pre-configured Freespan	Upholstered Ba	ck	Unit with no	Open Arm - Wood Arm				

# **SOLIS** | PRE-CONFIGURED FREESPAN MULTIPLE SEATING PATIENT UNIT WITH CENTER ARM

			COM		COL	F	ABRIC G	RADES		<b>LEATHEI</b>	R
DESCRIPTION/MODEL		Arm Type	1	2	3	4	5	6	7	8	9
	21" Pre-Configured Freespa	an Center Arm Pa	atient U	nit - Ope	n Arm 2	Seat, M	lesh Bac	k			
	SOL2-PCFPM21X2BOPU	Urethane	2139	2188	2236	2328	2422	2518	2612	2710	2851
	SOL2-PCFPM21X2BOPW	Beech	2328	2377	2422	2518	2612	2710	2804	2898	3039
	21" Pre-Configured Freespa	an Center Arm Pa	atient U	nit - Ope	n Arm 2	Seat, U	pholster	ed Back			
Ш	SOL2-PCFPU21X2BOPU	Urethane	2250	2388	2531	2810	3092	3374	3654	3935	4499
	SOL2-PCFPU21X2BOPW	Beech	2440	2579	2719	3001	3283	3563	3844	4128	4686
	21" Pre-Configured Freespa	an Center Arm Pa	atient U	nit - Ope	n Arm 3	Seat, M	lesh Bac	k			
	SOL2-PCFPM21X3BOPU	Urethane	3036	3105	3179	3320	3461	3605	3745	3890	4103
	SOL2-PCFPM21X3BOPW	Beech	3289	3358	3430	3574	3714	3856	3999	4142	4354
	21" Pre-Configured Freespa	an Center Arm Pa	atient U	nit - Ope	n Arm 3	Seat, U	pholster	ed Back			
ш	SOL2-PCFPU21X3BOPU	Urethane	3192	3404	3613	4037	4457	4878	5300	5721	6565
	SOL2-PCFPU21X3BOPW	Beech	3445	3656	3867	4289	4709	5132	5553	5973	6817
	24" Pre-Configured Freespa	an Center Arm Pa	atient U	nit - Ope	n Arm 2	Seat, M	lesh Bac	k			
	SOL2-PCFPM24X2BOPU	Urethane	2177	2227	2273	2369	2463	2559	2654	2746	2890
	SOL2-PCFPM24X2BOPW	Beech	2369	2417	2463	2559	2654	2746	2844	2936	3080
	24" Pre-Configured Freespa	an Center Arm Pa	atient U	nit - Ope	n Arm 2	Seat, U	pholster	ed Back			
	SOL2-PCFPU24X2BOPU	Urethane	2293	2432	2571	2853	3135	3414	3698	3979	4539
	SOL2-PCFPU24X2BOPW	Beech	2481	2621	2763	3042	3324	3605	3888	4169	4730
	24" Pre-Configured Freespa	an Center Arm Pa	atient U	nit - Ope	n Arm 3	Seat, M	lesh Bac	k			
	SOL2-PCFPM24X3BOPU	Urethane	3096	3165	3238	3381	3521	3665	3809	3950	4162
	SOL2-PCFPM24X3BOPW	Beech	3348	3420	3490	3634	3774	3918	4060	4203	4416
	24" Pre-Configured Freespa	an Center Arm Pa	atient U	nit - Ope	n Arm 3	Seat, U	pholster	ed Back			
-	SOL2-PCFPU24X3BOPU	Urethane	3257	3468	3678	4099	4521	4942	5363	5784	6627
	SOL2-PCFPU24X3BOPW	Beech	3510	3718	3931	4352	4774	5194	5614	6035	6879

ORDERING NOTES: A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Solis Pre-configured Patient Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Beech Wood Side Rails Upgrade (per chair)	127
Kinetic Back option (not available for 30" & 44")	120	Solid Surface Arm (per pair) - Gr A White	488
Patient chair - Removable Seat Cover (per seat)	90	Solid Surface Arm (per pair) - Gr A Color	505
21" & 24" - Removeable Back Covers (per back)	61	Solid Surface Arm (per pair) - Gr B	542
Combination Upholstery - dual fabrics (per chair)	33	Solid Surface Arm (per pair) - Gr C	586
Combination Upholstery - Three fabrics (per chair)	64	Solid Surface Arm (per arm) - Gr A White	244
Beech Wood Side Rails Upgrade (per chair)	127	Solid Surface Arm (per arm) - Gr A Color	253
Maple wood Side Rails Upgrade (per chair)	159	Solid Surface Arm (per arm) - Gr B	271
21" & 24" Cleanable Under-seat Splashguard	40	Solid Surface Arm (per arm) - Gr C	293
Maple Arm upgrade per arm (add to beech price)	80	Non-locking Soft Casters (21" & 24" chairs) -4 set	184
		Non-locking Soft Casters (21" & 24" chairs) -2 set	113
		Non-locking Hard Casters (21" & 24" chairs) -4 set	120
		Non-locking Hard Casters (21" & 24" chairs) -2 set	80
		Note: Soft & Hard casters are also available locking, purchase order.	clearly mark on the

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2	PCFP	U	21X2	А	OPW
Solis	Chair	Pre-configured Freespan Multiple Patient Unit	Upholstered Back		Unit with no Center Arm	Open Arm - Wood Arm
			M Mesh Back	21X3	B Unit with	OPU OPO Arres
			Mesri Back		Center Arm	Open Arm Urethane Arm
				24X2		CLW
						Closed Arm -Wood Arm
				24X3		CLU
						Closed Arm Urethane Arm

# **SOLIS** | REPLACEMENT COMPONENTS - MULTIPLE SEATING

		COM COL FABRIC GRADES		I	_EATHEI	3							
Description	Model	1	2	3	4	5	6	7	8	9	Yardage	Weight	Cube
	21" Replacement G SOL2-RBGU21	uest Up 567	holstere 610	ed Backs 651	710	778	835	904	987	1071	1.5	14	2.7
	21" Replacement G SOL2-RBGM21	iuest Me 477	esh Back	KS								10	2.7
	24" Replacement G SOL2-RBGU24	iuest Up 581	holstere 621	ed Backs 664	5 722	790	849	916	1002	1086	1.5	15	2.8
	24" Replacement G SOL2-RBGM24	iuest Me 497	esh Back	KS								11	2.8
	30" Replacement G SOL2-RBGU30	iuest Up 632	holstere 679	ed Backs 727	s 795	871	938	1016	1111	1207	1.6	19	3.4
	44" Replacement G SOL2-RBGU44	uest Up 794	holstere 843	ed Backs 889	957	1034	1102	1179	1273	1371	2.25	28	4.8
	21" Replacement G SOL2-RBCGU21	uest Up 198	holstere 240	ed Back 287	Cover 340	408	467	535	618	702	1.5	2	.8
	24" Replacement G SOL2-RBCGU24	uest Up 198	holstere 240	ed Back 282	Cover 340	408	467	535	618	702	1.5	2.3	.8
	30" Replacement G SOL2-RBCGU30	uest Up 214	holstere 260	ed Back 309	Cover 378	453	520	597	693	789	1.6	2.6	.8
	44" Replacement G SOL2-RBCGU44	uest Up 218	holstere 267	ed Back 315	Cover 382	458	527	602	697	795	2.25	3.5	.8
	21" Replacement P SOL2-RBPU21	atient U 673	pholster 732	red Back 793	ks 877	973	1058	1152	1272	1393	2.0	21	3.8
	21" Replacement P SOL2-RBPM21	atient M 451	lesh Bac	cks								15	3.8
	24" Replacement P SOL2-RBPU24	atient U 711	pholster 771	red Back 832	ks 915	1012	1095	1192	1312	1433	2.0	21	3.8
	24" Replacement P SOL2-RBPM24	atient M 517	lesh Bac	cks								17	3.8
	30" Replacement P SOL2-RBPU30	atient U 857	pholster 937			1247	1358	1483	1640	1794	2.2	24	4.8
	21" Replacement P SOL2-RBCPU21	atient U 253	pholster 312	red Back 372	Cover 456	554	636	732	852	973	2.0	2.5	.8
	24" Replacement P SOL2-RBCPU24	atient U 254	pholster 313	red Back 374	Cover 457	555	637	733	853	974	2.0	2.7	.8
	30" Replacement P SOL2-RBCPU30	atient U 306	pholster 386	red Back 464	Cover 571	697	807	932	1088	1244	2.2	3	.8
	Replacement Mesh SOL2-RMBTB21 SOL2-RMBTB24	Back To 33 34	op Bar								2.5 3.0	.5 .7	

# **SOLIS** | REPLACEMENT COMPONENTS - MULTIPLE SEATING

Description	Model	COM 1	2	COL 3	FAB 4	RIC GF 5	RADES 6	7	LEATHER 8	9	Yardage	Weight	Cube
· · ·	21" Replacement S	Seat											
	SOL2-RS21	389	418	443	481	523	561	605	659	715	.9	9	2.7
	24" Replacement S SOL2-RS24	409	436	464	501	543	583	626	679	733	.9	10	2.7
	30" Replacement S SOL2-RS30	Seat 487	513	540	577	620	659	702	756	809	.9	12	3.4
	44" Replacement S SOL2-RS44	Seat 628	662	694	740	793	840	892	958	1022	1.1	14	4.8
	21" Replacement S SOL2-RSC21	Seat Cove	er 159	185	223	267	304	374	403	455	1.0	1.6	.8
	24" Replacement S SOL2-RSC24	Seat Cove	er 160	189	227	270	306	350	405	458	1.0	1.7	.8
	30" Replacement S SOL2-RSC30	Seat Cove	er 161	189	227	270	306	350	405	458	1.0	2	.8
	44" Replacement S SOL2-RSC44	Seat Cove	er 186	218	265	318	363	416	483	547	1.1	2.5	.8
FREESPAN	21" Replacement F SOL2-RS21A-C	reespan 396	Seat 423	- A Center 451	488	532	567	612	665	720	0.9	9	2.7
	21" Replacement F SOL2-RS21A-L	reespan 392	Seat 420	- A Left Fa 448	cing 486	530	564	610	663	718	0.9	9	2.7
	21" Replacement F SOL2-RS21A-R	reespan 392	Seat 420	- A Right F 448	acing 486	530	564	610	663	718	0.9	9	2.7
	21" Replacement F SOL2-RS21B	reespan 392	Seat 420	- В 448	486	530	564	610	663	718	0.9	9	2.7
	24" Replacement F SOL2-RS24A-C	reespan 415	Seat 443	- A Center 469	509	552	589	633	687	740	0.9	9	2.7
	24" Replacement F SOL2-RS24A-L	reespan 412	Seat 441	- A Left Fa 467	cing 507	547	586	630	685	738	0.9	9	2.7
	24" Replacement F SOL2-RS24A-R	reespan 412	Seat 441	- A Right F 467	acing 507	547	586	630	685	738	0.9	9	2.7
	24" Replacement F SOL2-RS24B	reespan 412	Seat 441	- В 467	507	547	586	630	685	738	0.9	9	2.7
	04" D												
	21" Replacement F SOL2-RSC21A-C		159	185	Senter 223	267	304	347	403	455	0.9	9	2.7
	21" Replacement F SOL2-RSC21A-L	reespan 130	Seat 159	Cover- A L 185	eft Fac 223	ing 267	304	347	403	455	0.9	9	2.7
	21" Replacement F SOL2-RSC21A-R	reespan 130	Seat 159	Cover- A R 185	Right Fa 223	cing 267	304	347	403	455	0.9	9	2.7
	21" Replacement F SOL2-RSC21B	reespan 130	Seat 159	Cover- B 185	223	267	304	347	403	455	0.9	9	2.7
	24" Replacement F SOL2-RSC24A-C	reespan 134	Seat 160	Cover- A C 186	Center 224	268	304	348	404	456	0.9	9	2.7
	24" Replacement F SOL2-RSC24A-L	reespan 134	Seat 160	Cover- A L 186	eft Fac 224	ing 268	304	348	404	456	0.9	9	2.7
	24" Replacement F SOL2-RSC24A-R	reespan 134	Seat 160	Cover- A R 186	Right Fa 224	cing 268	304	348	404	456	0.9	9	2.7
	24" Replacement F SOL2-RSC24B	reespan 134	Seat 160	Cover- B 186	224	268	304	348	404	456	0.9	9	2.7
	Replacement Splas	sh Guard											
	SOL2-RSG21 SOL2-RSG24 SOL2-RSG30 SOL2-RSG44	90 110 154 166										1 2 3 4	.3 .4 .5 .6

# **SOLIS** | REPLACEMENT COMPONENTS - MULTIPLE SEATING

Description	Model	COM 1	2	COL 3	FAI 4	BRIC GF 5	RADES 6	7	EATHEF 8	9	Yardage	e Weigh	t Cube
	Replacement Close SOL2-RCA	d Arm 207	218	231	247	267	283	303	327	350	0.4	6	.9
Description	Model	Price									٧	Veight C	Cubes
	Replacement Side I SOL2-RSFIB	rame - 129	Interim									7	1.2
	Replacement Side F SOL2-RSFIBX	rame - 118	Interim	- No An	ti-Micro	bial						7	1.2
	Replacement Side F SOL2-RSFS Replacement Side F	134		No Anti-	Microbi	ial						9	1.5
	SOL2-RSFSX	111	0									9	1.5
	Replacement Side I SOL2-RSFC Replacement Side I	134		- No An	ti-Micro	bial						9	1.5
	SOL2-RSFCX	111	Conto	1107111		Jiai						9	1.5
	Replacement Side I SOL2-RSFE	134										9	1.5
	Replacement Side F SOL2-RSFEX	-rame - 111	End - N	Io Anti-N	Viicrobia	al						9	1.5
	Replacement Side Frame - Start - 1 Glide, 1 Caster SOL2-RSFSC 172 Replacement Side Frame - Start - 1 Glide, 1 Caster- No Anti-Microbial												1.5
	SOL2-RSFSCX		9.5	1.5									
€0	Replacement Side I SOL2-RSFEC	172					i Miarabi	al.				9.5	1.5
	Replacement Side I SOL2-RSFECX	138	Ena - 1	Glide, I	Caster	- NO AIII	II-IVIICIODI	aı 				9.5	1.5
	Replacement Side F SOL2-RSFSC2	149										10	1.5
	Replacement Side I SOL2-RSFSC2X	rame - 145	Start - 2	2 Caster	r- No Ar	nti-Micro	bial					10	1.5
	Replacement Side I SOL2-RSFEC2	rame - 149	End - 2	Caster								10	1.5
	Replacement Side F SOL2-RSFEC2X	rame - 145	End - 2	Caster-	No Ant	ti-Microb	ial					10	1.5
	Replacement Wood SOL2-RSRCB	Side F	ail Cove	er - Beed	ch							1.0	.3
	Replacement Wood SOL2-RSRCM	Side F 231	ail Cove	er - Map	le								
	Replacement Arm ( SOL2-RACU	Cap - U 70	rethane									1.5	.2
	Replacement Arm ( SOL2-RACWB	213	eech									1.0	.2
	Replacement Arm C SOL2-RACWM	Cap - M 229	aple									1.0	.2
		Grade A- White	<b>;</b>		ade Color	Gr	ade- B	Gra	ade- C				
	Replacement Arm ( SOL2-RACSS						282		04			2	.2

# **SOLIS** | REPLACEMENT COMPONENTS


Description	Model	Price	Weight	Cubes
	Replacement Link/Ganging E SOL2-RLKB1	Brackets - Table to Chair 68	2.0	.2
	Replacement Link/Ganging B SOL2-RLKB2	Brackets - Chair to Chair 51	2.0	.2
	Replacement Link/Ganging B SOL2-RLKB3	Brackets - Chair to Chair (set of 10) 159	1.0	.2
	Replacement Glide - Front SOL2-RGF	22	.5	.1
	Replacement Glide - Back SOL2-RGB	22	.5	.1
	Replacement Glide - Easy Ac SOL2-RGFEA	ccess - Front 29	.5	.1
	Replacement Glide - Set of 4 SOL2-RGS4	24	2	.1
	Replacement Caster Glide - F SOL2-RGFC	Front 23	2	.1
	Replacement Caster Glide - E SOL2-RGBC	Back 23	2	.1
 A	Replacement Caster - Hard V	Vheel		
	SOL2 - RCH	30	1.5	.3
	Replacement Caster - Soft W	/heel		
	SOL2 - RCS	33	1.5	.3
	Replacement Stretcher SOL2-RSTRETCHER21 SOL2-RSTRETCHER24 SOL2-RSTRETCHER21X SOL2-RSTRETCHER24X	182 186 178 183	1.0 1.5 1.0 1.5	.3 .4 .5

### **SOLIS** | ENVIRONMENTAL SUMMARY

### **LEED CI CREDITS**



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 15.28%

POST-CONSUMER RECYCLED CONTENT = 21.71%

Up to 45.76% of this Solis product is recyclable at the end of its useful life.

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
UNEDIT 2.1 - 2.2	Ooristruction waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR-EMISSIONS**

All Solis products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **SOLIS** | EASY ACCESS CHAIR

#### **DIMENSIONS & COM. REQUIREMENTS**


	Overall Width	Overall Depth	Overall Height	Seat Height	Heigh Arms Floor	from	Wid Bet Arn	ween	Seat Depth	Shipping Weight	Cube	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back
UPHOLSTEP														
21" Seat 24" Seat	25 28	30.75 30.75	40.5 40.5	24.5 24.5	32 32		20 23		20 20	51 55	16 18	1.6 1.6	0.9 0.9	1.6 1.6
MESH GUES		000	.0.0	2.10	02								0.0	
21" Seat 24" Seat	25 28	30.75 30.75	40.5 40.5	24.5 24.5	32 32		20 23		20 20	49 52	16 18	-	0.9 0.9	-
UPHOLSTEF 21" Seat	RED PATIEN 25	NT BACK 30.75	49.75	24.5	32		20		20	54	21	2.1	0.9	2.0
24" Seat	28	30.75	49.75	24.5	32		23		20	58	23	2.1	0.9	2.0
MESH PATIE		00.75	10.75	04.5	00		00		00	50	0.1		0.0	
21" Seat 24" Seat Footrest heig	25 28 ht (All Mode	30.75 30.75 els) 7.25"	49.75 49.75	24.5 24.5	32 32		20 23		20 20	50 53	21 23	-	0.9 0.9	-
					COM.			COL	FA	ABRIC GRAD	DES		LEATHER	
DESCRIPTION	N/MODEL		Arm Type	Э	1	2		3	4	5	6	7	8	9
	21" (	Guest, Op	en Arm, Me	esh Bac	k									
			OPU Ureth OPW Beec		1460 1587	1493 1619		1527 1653	1592 1717	1661 1786	1727 1853	1791 1918	1857 1985	1960 2087
	21" (	Guest, Op	en Arm, Up	holster	ed Back									
			OPU Ureth		1537	1592		1646	1758	1867	1979	2088	2196	2419
•	SOL	2-HGU21	OPW Beec	h	1664	1717		1774	1884	1993	2105	2215	2324	2545
	24" (	Guest. Op	en Arm, Me	esh Bac	k									
			OPU Ureth		1491	1524		1557	1622	1689	1755	1821	1886	1990
	SOL	2-HGM24	OPW Beec	h	1617	1647		1683	1748	1816	1882	1947	2016	2117
			en Arm, Up		ed Back									
			OPU Ureth		1568	1624		1680	1792	1908	2019	2131	2241	2466
	SOL	2-HGU240	OPW Beec	n	1695	1752		1808	1920	2033	2145	2255	2369	2594
	21"	Patient, O	pen Arm, N	lesh Ba	ck									
			OPU Ureth		1569	1604		1638	1703	1771	1836	1902	1968	2070
	SOL	2-HPM21	OPW Beec	h	1697	1730		1764	1832	1896	1962	2030	2094	2196
			pen Arm, U		red Bacl	<								
			OPU Ureth OPW Beecl		1653	1728		1801	1947	2092	2241	2388	2539	2833
ŗ,	SOL	Z-NFUZ I	JEW Beec	11	1778	1854		1926	2073	2219	2369	2516	2665	2959
$\overline{}$	24"	Patient O	pen Arm, M	lesh Ba	ck									
			OPU Ureth		1617	1647		1683	1748	1816	1882	1947	2016	2117
	SOL	2-HPM24	OPW Beec	h	1744	1776		1809	1878	1942	2007	2073	2140	2242
	24" ا	Patient, O	pen Arm, U	pholste	red Bacl	<								
			OPU Ureth		1702	1777		1854	2004	2158	2308	2460	2612	2917
	SOL	2-HPU240	OPW Beec	h	1827	1905		1980	2132	2282	2434	2587	2741	3042
Solis Guest	-				\$ Lis									\$ List
CAL 133 & N Guest chair -				oot\	6			Soli	d Surface	Arm (per p	oair) - Gr A	White		488
21" & 24" - F			VI.	<del>c</del> ai)	5	0 8				Arm (per p				505
21" & 24" Cl				rd	4					Arm (per p	,			542 586
Kinetic Back	•				12					ograde per			price)	80
Combination upholstery - Dual					3 29			Bee	ch Wood	Side Rails	Upgrade (	per chair)	. ,	127
Floor-saver Felt Glides Non-slip Rubber Glides				18			Map	ole wood s	Side Rails	Upgrade ( <sub>l</sub>	per chair)		159	
Metal Glides Plastic Glide					2			See	page 24	for Feature	s and Opt	ions inforr	mation.	
PRODUCT CO	DDE KEY													
Line		Serie	s	Chai	r Type		Sty	le	Ba	ck Type	Si	ze	Ar	т Туре
SOL		2			Н			G		U		21		OPW
Solis	;	Chair		Easy	Access		(	Guest	Upho	olstered Bac	k	_ <del>_</del>	Open A	m - Wood Cap
							Г	Р		М	Γ	24	[	OPU
							Р	atient		Mesh	_			pen Arm
													Ureth	ane Arm Cap

### **SOLIS BEHAVIORAL HEALTH | ENVIRONMENTAL SUMMARY**

### LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 16%
POST-CONSUMER
RECYCLED CONTENT = 22%

#### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (PLEASE ENQUIRE) Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

<sup>\*</sup> This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **AIR-EMISSIONS**

All Solis products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **SOLIS BEHAVIORAL HEALTH | FEATURES**



#### **CLEAN OUT**

All Solis seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquids to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



#### STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Solis to well exceed ANSI/BIFMA standards.



#### **FLEX BACK**

The ergonomically-designed back has a slight flexing action, which significantly enhances comfort.



#### **WALL SAVER**

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility. Patient and Guest chairs with mesh backs are excluded as they do not have the wall saver feature.



#### **HIGH DENSITY FOAM**

Solis features dual density foam that is soft on the outside for comfort, dense on the inside for high durability. The seat and back foam features a compound curvature that supports healthy sitting postures, while also designed to ease ingress and egress.



#### SECURED WOODEN ARM

Solis Wood Arm caps are fastened to the side frames with tamper resistant security screws. Wood arms are available in either beech or maple hardwood and in 22 Krug standard finishes. Maple arm caps are available for an up-charge of \$77 list per arm using beech pricing.



#### **URETHANE ARM**

Solis secured urethane arms are durable, comfortable, and long lasting. Urethane arms are available in three colors options; Black, Grey and Taupe.

#### TAMPER RESISTANT HARDWARE

All screws used on the Solis Behavioral Health units have been replaced with tamper resistant security screws.

#### **GANGING**

All Solis Freestanding chairs can be ganged using a ganging bracket. The powder-coated metal plate is fastened to the underside of the steel side rails using the pre-existing holes in the frame.

#### **SECURED GLIDES**

Solis Behavioral Health chairs have their glides secured in place to prevent their removal and damage.

#### **BOTTOM STAPLE COVER/SHIELD**

Solis Behavioral Health chairs come standard with a black painted plywood cover underneath the seat. This cover is designed to prevent access to the upholstery staples of the seat and to prevent the hiding of objects underneath the seat. The cover is also designed to allow for regular ganging hardware and proper seat ventilation. The cover is secured to the unit with tamper resistant security screws.

#### **BACK STAPLE COVER STRIP**

The Solis Behavioral Health back upholstery has been altered to allow a staple cover strip to be attached; this will prevent access to the upholstery staples. The cover strip is nylon coated galvanized steel with vinyl coated ends to prevent any sharp edges. The back cover strip is fastened to the unit with tamper resistant security screws.

#### **TUBULAR STEEL CHAIR FRAME**

The overall aesthetic frame of the chair is built from structural steel tubing, both elliptical and rectangular for exceptional strength and appealing design. The frame is electro welded and polished joints for ease of cleaning and a one piece look. Available in eight powder-coated finishes. Silver Metallic is offered as Krug's standard finish. For all metal finishes other than Silver Metallic, there is a minimum quantity of 30 units per color and are available for an upcharge of \$64 list per seat/table. Microban anti-microbial finish is standard, with no upcharge, when frame finishes other than Silver Metallic is ordered. Solis Silver Metallic frames are available with an anti-microbial finish for an upcharge of \$64 list per chair or table. Upcharges for quantities less than 30 units per color, per order can be obtained through Customer Service.

#### **FINISH DURABILITY**

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

#### LATEX-FREE

Krug products are made with latex-free materials, to prevent the allergic reaction that latex causes in some people.

#### WEIGHT CAPACITIES

Weight capacities are as follows: Guest & Patient Chairs (21" & 24") - **500** lbs Plus Chairs (30" & 44") - **750** lbs

## **SOLIS BEHAVIORAL HEALTH | OPTIONS**



#### SLED BASE

The Solis side frames legs have the option to be tied front to back with a steel rail, this will strengthen the frames and eliminate the option of having legs.



#### KINETIC BACK OPTION

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Solis chair back - Guest, Patient and Multiple Seating - with the exception of the 30" and 44" sizes.



#### **CLOSED ARM**

Solis closed arm has an upholstered arm panel built into the side frame. It is between the middle rail on the side frame and the top of the arm.



#### **FULLY CLOSED ARM (SLEIGH BASE ONLY)**

The fully closed arm includes the regular closed arm, but also adds a second upholstered arm panel between the middle rail on the side frame and the sleigh base bottom. This feature is only available when the sleigh base option is selected.

## FLOOR ANCHOR BRACKETS (SLEIGH BASE ONLY)

Floor mounting brackets are supplied to be secured to the bottom of the Solis sleigh base with tamper resistant security screws. The hardware to attach the brackets to the floor is not provided by Krug.

### **WEIGHTED SHIELD**

In place of the Bottom Staple Cover, a weighted black coated steel version is also available. This steel shield is designed to add enough weight for the product to be a minimum of 80 lbs. The shield is also designed to allow standard ganging hardware as well as proper seat ventilation. This is all achieved while also covering/preventing all access to the upholstery staples under the seat. The Weighted Shield is fastened with tamperresistant security screws.

### COMBINATION UPHOLSTERY OPTION

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product).

## ANTI-MICROBIAL FINISH

Solis Silver Metallic frames are available with an antimicrobial finish for an upcharge of **\$64 list** per chair or table.

### **CAL133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for \$64 list per yard.

# REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable seat and back covers can be quickly installed on Solis products that were originally ordered with the Removable cover option. Replacement seat and back covers can also be installed on Solis products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs. Complete Mesh backs can be ordered and field replaced.

## **NO SPRING SEATS**

The springs in the seat have been removed and replaced with a solid plywood seat pan, Additional foam has also been added in place of the springs for comfort.

## TAMPER-RESISTANT SPLASHGUARD

All Solis seating models are available with a coated steel moisture barrier that covers and enclosed the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard replaces the Bottom Staple Cover on the underside of the seat. It is designed to still allowing ganging and has folded metal edges to prevent any sharp edges. The splashguard is fastened with tamper resistant security screws.

# **SOLIS BEHAVIORAL HEALTH** | GUEST -DIMENSIONS & COM REQUIREMENTS

### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Base Shipping Weight	Cubes
21" Seat	25	28	34.5	18.5	26	20	20	51	16
24" Seat	28	28	34.5	18.5	26	23	20	55	18
30" Seat	34	28	34.5	18.5	26	29	20	60	22
44" Seat	48	28	34.5	18.5	26	43	20	74	31

## **COM - YARDAGE REQUIREMENTS**

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Upper Arm Panel	Yardage Fully Closed Arm Panel (Upper & Lower)	
21" & 24" - One Chair	1.6	0.9	1.6	0.8	1.6	
21" & 24" - Two Chairs	3.1	1.3	1.6	1.2	2.4	
21" & 24" - Three Chairs	4.7	2.1	3.7	1.6	3.2	
30" Plus - One Chair	2.5	0.9	1.6	1.6	3.2	
30" Plus - Two Chairs	5	1.8	3.2	1.2	2.4	
30" Plus - Three Chairs	7.5	2.7	4.8	1.6	3.2	
44" Plus - One Chair	2.5	0.9	2.3	0.8	1.6	
44" Plus - Two Chairs	5	1.8	3.9	1.2	2.4	
44" Plus - Three Chairs	7.5	2.7	5.5	1.6	3.2	

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

	(COM)		(COL)	0 1	Ü			Leather		
Fabric Grades	1	2	3	4	5	6	7	8	9	COM
Closed Arm Panel (1 Closed Arm Panels (		224 448	238 477	267 531	294 588	321 643	350 699	379 757	435 869	0.4 0.8
Fully Closed Arm (1 Fully Closed Arm (2		365 730	391 782	436 872	483 967	529 1054	576 1151	627 1253	707 1412	1.5 3

## **SOLIS BEHAVIORAL HEALTH | GUEST**

	COM	COL	FABF	RIC GRAD	DES	LEATHER		
DESCRIPTION/MODEL	1 2	3	4	5	6	7	8	9
21" Open Arm, Mesh Back SOL2-GBHM210PU Urethane SOL2-GBHM210PW Beech	e 1119 1151 1240 1271	1181 1304	1245 1367	1309 1429	1372 1492	1434 1556	1499 1619	1596 1716
21" Open Arm, Upholstered Back SOL2-GBHU21OPU Urethand SOL2-GBHU21OPW Beech		1271 1391	1373 1493	1477 1594	1578 1697	1678 1801	1779 1899	1985 2106
24" Open Arm, Mesh Back SOL2-GBHM24OPU Urethane SOL2-GBHM24OPW Beech	e 1161 1192 1281 1311	1223 1342	1285 1405	1349 1468	1414 1534	1478 1596	1538 1661	1638 1756
24" Open Arm, Upholstered Back SOL2-GBHU24OPU Urethand SOL2-GBHU24OPW Beech		1312 1433	1415 1535	1515 1638	1619 1818	1719 1840	1821 1942	2028 2146
30" Open Arm, Upholstered Back SOL2-GBHU30OPU Urethane SOL2-GBHU30OPW Beech		1604 1724	1761 1882	1922 2042	2083 2201	2239 2359	2401 2522	2718 2839
44" Open Arm, Upholstered Back SOL2-GBHUH44OPU Urethand SOL2-GBHUH44OPW Beech		1765 1884	1923 2043	2085 2205	2241 2361	2405 2524	2562 2682	2880 2999



**ORDERING NOTES**: Solis Behavioral Health guest chairs are standard with; secured glides, secured Arms, Bottom Staple shield/Cover, Non-Accessible Staples (Bottom of back) and Tamper- Resistant Hardware.

Solis Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	30" & 44" - Removable Back Cover (per back)	80
Guest chair - Removable Seat Cover	80	Kinetic Back option	120
21" & 24" - Removeable Back Cover	58	Maple Arm upgrade per arm (add to beech price)	80
Combination Upholstery - dual fabrics	33	Non-Marring Glide	37
Combination Upholstery -Three fabrics	64		
Solis Behavioral Health Option Upcharges	\$ List		
Plywood Seat / No Springs	121	Weight Shield (to min 80lbs) - 21" Uph.	408
Sled Base	265	Weight Shield (to min 80lbs) - 21" Mesh	486
Anchor to Floor (Sleigh base only)	359	Weight Shield (to min 80lbs) - 24" Uph.	337
21" Tamper- Resistant Splashguard	157	Weight Shield (to min 80lbs) - 24" Mesh	412
24" Tamper- Resistant Splashguard	165	Weight Shield (to min 80lbs) - 30" Uph.	180
30" Tamper- Resistant Splashguard	340	Weight Shield (to min 80lbs) - 44" Uph.	171
44" Tamper- Resistant Splashguard	363		



Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the required arm type from the Product Code Key below and add the upcharge on page 423.

## PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	GBH	U	21	OPU
Solis	Chair	Guest Seating	Upholstered Back		Open Arm - Urethane
		PBH	M	24	OPW
		Patient Seating	Mesh Back		Open Arm - Wood
			21" & 24" Only	30	CLW
					Closed Arm - Wood
				44	CLU Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

## **SOLIS BEHAVIORAL HEALTH | PATIENT - DIMENSIONS & COM REQUIREMENTS**

#### **DIMENSIONS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Base Shipping Weight	Cubes
	TERED BAC		40.75	10.5	00	00	00	54	0.4
21" Seat	25	28	43.75	18.5	26	20	20	54	21
24" Seat	28	28	43.75	18.5	26	23	20	58	23
30" Seat	34	28	43.75	18.5	26	29	20	64	28

#### **COM - YARDAGE REQUIREMENTS**

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage-Closed Upper Arm Panel	Yardage-Fully Closed Arm Panel (Upper & Lower)	
21" & 24" - One Chair	2.1	0.9	2	0.8	1.6	
21" & 24" -Two Chairs	4	1.3	3.4	1.2	2.4	
21" & 24" - Three Chairs	6.1	2.1	5.4	1.6	3.2	
30" Plus - One Chair	3.1	0.9	2.2	0.8	1.6	
30" Plus - Two Chairs	6.2	1.8	4.4	1.2	2.4	
30" Plus - Three Chairs	9.3	2.7	6.6	1.6	3.2	

## **ORDERING NOTES:**

## **COMBINATION UPHOLSTERY OPTION**

When combination upholstery is specified with fabric of the same grade or COM, an upcharge for dual fabrics is \$33 list per unit and \$64 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest grade upholstery selected or to obtain a quote for blended grading contact Customer Service (please provide the fabrics specified and location of where each fabric is to be applied on the product). Complete Mesh backs (21" & 24") can be ordered and field replaced.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$64 list** per arm frame pair, please see <u>page 24</u> for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels

Closed Arm Panels (per c		se add th		up charge	es for clos	ed arm par				
	(COM)		(COL)					_eather		
Fabric Grades	1	2	3	4	5	6	7	8	9	COM
Closed Arm Panel (1 arm) Closed Arm Panels (2 arms	208	224 448	238 477	267 531	294 588	321 643	350 699	379 757	435 869	0.4 0.8
Fully Closed Arm (1 arm) Fully Closed Arm (2 arms)	339 677	365 730	391 782	436 872	483 967	529 1054	576 1151	627 1253	707 1412	1.5 3

# SOLIS BEHAVIORAL HEALTH | PATIENT

			COM		COL	FAB	RIC GRA	ADES	LEATHER		
DESCRIPTION	/MODEL		1	2	3	4	5	6	7	8	9
	21" Open Arm, Mesh Back SOL2-PBHM21OPU SOL2-PBHM21OPW	Urethane Beech	1164 1331	1241 1360	1272 1393	1335 1456	1398 1519	1461 1583	1526 1644	1589 1709	1688 1808
	21" Open Arm, Upholstere SOL2-PBHU21OPU SOL2-PBHU21OPW	d Back Urethane Beech	1265 1384	1331 1451	1396 1518	1533 1653	1664 1782	1801 1921	1932 2054	2064 2186	2333 2453
	24" Open Arm, Mesh Back SOL2-PBHM24OPU SOL2-PBHM24OPW	Urethane Beech	1247 1370	1281 1401	1311 1431	1374 1494	1439 1559	1503 1622	1565 1686	1629 1748	1727 1845
	24" Open Arm, Upholstere SOL2-PBHU24OPU SOL2-PBHU24OPW	d Back Urethane Beech	1305 1423	1372 1492	1439 1559	1570 1692	1705 1825	1839 1959	1974 2092	2108 2229	2377 2496
	30" Open Arm, Upholstere SOL2-PBHU30OPU SOL2-PBHU30OPW	d Back Urethane Beech	1640 1760	1741 1860	1837 1957	2033 2155	2234 2354	2431 2552	2629 2746	2824 2946	3220 3342

Solis Guest Option Upcharges	\$	List		\$ List
CAL 133 & Moisture Barrier (per yard) Guest chair - Removable Seat Cover 21" & 24" - Removeable Back Cover Combination Upholstery - dual fabrics Combination Upholstery - Three fabrics		64 80 58 33 64	30" - Removable Back Cover (per back) Kinetic Back option Maple Arm upgrade per arm (add to beech price) Non-Marring Glide	80 120 80 37
Solis Behavioral Health Option Upcharges	\$ List			
Plywood Seat / No Springs	121		Weight Shield (to min 80lbs) - 21" Uph.	408
Sled Base	265		Weight Shield (to min 80lbs) - 21" Mesh	486
Anchor to Floor (Sleigh base only)	359		Weight Shield (to min 80lbs) - 24" Uph.	337
21" Tamper- Resistant Splashguard	157		Weight Shield (to min 80lbs) - 24" Mesh	412
24" Tamper- Resistant Splashguard	165		Weight Shield (to min 80lbs) - 30" Uph.	180
30" Tamper- Resistant Splashguard	340			. 00

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the reqired arm type from the Product Code Key below and add the upcharge on page 425.

## PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	GBH	U	21	OPU
Solis	Chair	Guest Seating	Upholstered Back		Open Arm - Urethane
		РВН	M	24	OPW
		Patient Seating	Mesh Back		Open Arm - Wood
			21" & 24" Only	30	CLW
					Closed Arm - Wood
				44	CLU Closed Arm - Urethane
					FCW Fully Closed Arm - Wood
					FCU Fully Closed Arm - Urethane

## **SOLIS BEHAVIORAL HEALTH | MULTIPLE SEATING - GUEST**

## **DIMENSIONS & COM. REQUIREMENTS - START UNITS**

	all Overall h Depth			Height of Arms from Floor	Width Between Arms	Seat Depth			COM. Seat & Back Yardage	COM Fabric Seat Yardage	Back	٠,	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH BAC	K												
SGM21 25	28	34.5	18.5	26	20	20	41	16	-	0.9	-	0.4	0.8
SGM24 28	28	34.5	18.5	26	23	20	44	18	-	0.9	-	0.4	0.8
UPHOLSTE	ERED BA	СК											
SGU21 25	28	34.5	18.5	26	20	20	43	16	1.6	0.9	1.6	0.4	0.8
SGU24 28	28	34.5	18.5	26	23	20	47	18	1.6	0.9	1.6	0.4	0.8
SGU30 34	28	34.5	18.5	26	29	20	52	22	2.5	0.9	2.5	0.4	0.8
SGU44 48	28	34.5	18.5	26	43	20	66	31	2.5	0.9	2.5	0.4	8.0

## **DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH	BACK												
CGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
CGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOL	.STEREI	BACK											
CGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
CGU24	26	28	34.5	18.5	26	23	20	41	19	1.6	0.9	1.6	0.4
CGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	2.5	0.4
CGU44	46	28	34.5	18.5	26	43	20	60	31	2.5	0.9	2.5	0.4

## **DIMENSIONS & COM. REQUIREMENTS - END UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH	ВАСК												
EGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
EGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOL	STERED	BACK											
EGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
EGU24	26	28	34.5	18.5	26	23	20	41	18	1.6	0.9	1.6	0.4
EGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	2.5	0.4
EGU44	46	28	34.5	18.5	26	43	20	60	31	2.5	0.9	2.5	0.4

#### ORDERING NOTES:

When ordering multiple Start, Center, End units please refer to  $\underline{\textbf{page 5}}$  for Yardage Requirements.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

u.	(COM)		(COL)	Leather							
Fabric Grades	1	2	3	4	5	6	7	8	9	COM	
Closed Arm Panel (1 arm)	208	224	238	267	294	321	350	379	435	0.4	
Closed Arm Panels (2 arms	418	448	477	531	588	643	699	757	869	0.8	
Fully Closed Arm (1 arm)	339	365	391	436	483	529	576	627	707	1.5	
Fully Closed Arm (2 arms)	677	730	782	872	967	1054	1151	1253	1412	3	

# SOLIS BEHAVIORAL HEALTH | START, CENTER & END GUEST UNITS

DESCRIPTION/MODEL			COM 1	2	COL 3	FAE 4	BRIC GR	ADES 6	LEATHER 7 8		ER 9
START											
	21" Open Arm Start Gue	,	h Back								
	SOL2-SGBHM21OPU	Urethane	1119	1151	1181	1245	1309	1372	1434	1499	1596
	SOL2-SGBHM21OPW	Beech	1240	1271	1304	1367	1429	1492	1556	1619	1716
	04"0 4 01 10										
	21" Open Arm Start Gue										
ט ט	SOL2-SGBHU210PU SOL2-SGBHU210PW	Urethane Beech		1220	1271	1373	1477	1578	1678	1779	1985
	30L2-3GBH02TOFW	Deecn	1289	1340	1391	1493	1594	1697	1801	1899	2106
	24" Open Arm Start Gue	est Unit. Mes	h Back								
	SOL2-SGBHM24OPU	Urethane		1192	1223	1285	1349	1414	1478	1538	1638
	SOL2-SGBHM24OPW	Beech	1281		1342	1405	1468	1534	1596	1661	1756
			1201	1011	1012	1 100	1 100	1001	1000	1001	1100
	24" Open Arm Start Gue	est Unit, Uph	olstere	d Back							
ш ш	SOL2-SGBHU24OPU	Urethane	1209	1262	1312	1415	1515	1619	1685	1821	2028
	SOL2-SGBHU24OPW	Beech	1331	1381	1433	1535	1638	1818	1840	1942	2146
	30" Open Arm Start Gue										
	SOL2-SGBHU30OPU SOL2-SGBHU30OPW	Urethane Beech		1522	1604	1761	1922	2083	2239	2401	2718
	SULZ-SGBHU30UPW	Beecn	1563	1642	1724	1882	2042	2201	2359	2522	2839
	44" Open Arm Start Gue	est Unit, Uph	olstere	d Back							
	SOL2-SGBHU44OPU	Urethane		1686	1765	1923	2085	2241	2405	2562	2880
	SOL2-SGBHU44OPW	Beech	1727	1806	1884	2043	2205	2361	2524	2682	2999
CENTER	0411 0		l. D.	.1.							
CLIVILI	21" Open Arm Center G				1000	4447	1010	4070	1000	4 404	4.400
	SOL2-CGBHM210PU SOL2-CGBHM210PW	Urethane Beech		1054	1086	1147	1210	1273	1336	1401	1499
	30L2-0GBHIVIZ TOPVV	Deecn	1083	1114	1143	1207	1271	1334	1396	1460	1559
	21" Open Arm Center G	uest Unit Ur	holster	ed Back							
	SOL2-CGBHU21OPU	Urethane		1117	1168	1270	1372	1474	1572	1677	1881
•	SOL2-CGBHU21OPW	Beech		1177	1228	1331	1431	1534	1634	1738	1941
			1127		1220	1001	1401	100+	1004	1700	1041
	24" Open Arm Center G	uest Unit, Me	esh Bad	ck							
	SOL2-CGBHM24OPU	Urethane	1046	1081	1110	1172	1237	1302	1361	1425	1524
	SOL2-CGBHM24OPW	Beech	1108	1139	1170	1232	1297	1359	1422	1485	1584
	24" Open Arm Center G	′ '	pholster	red Back							
	SOL2-CGBHU24OPU	Urethane		1143	1195	1297	1398	1503	1604	1704	1909
	SOL2-CGBHU24OPW	Beech	1153	1205	1254	1357	1459	1562	1664	1765	1968

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the reqired arm type from the Product Code Key below and add the upcharge on page 39.

## PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU

Fully Closed Arm - Urethane

## **SOLIS BEHAVIORAL HEALTH | CENTER & END GUEST UNITS**

DESCRIPTION/MODEL			COM 1	2	COL 3	FAI 4	BRIC GR 5	ADES 6	7	LEATHI 8	ER 9
	30" Open Arm Center ( SOL2-CGBHU30OPU SOL2-CGBHU30OPW	Urethane	Uphols 1310 1371	1389	ck 1467 1529	1631 1690	1788 1846	1946 2006	2107 2167	2265 2324	2585 2642
	44" Open Arm Center C SOL2-CGBHU44OPU SOL2-CGBHU44OPW	Urethane	Uphols 1463 1524	1545	ck 1617 1685	1781 1842	1942 2002	2103 2163	2263 2322	2419 2480	2740 2800
END	21" Open Arm End Gue SOL2-EGBHM21OPU SOL2-EGBHM21OPW 21" Open Arm End Gue SOL2-EGBHU21OPU SOL2-EGBHU21OPW	Urethane Beech est Unit, Up Urethane	1021 1083 holster 1064	1054 1114 ed Back 1117	1086 1143	1147 1207	1210 1271 1372	1273 1334 1474	1336 1396	1401 1460 1677	1499 1559
	24" Open Arm End Gue SOL2-EGBHM24OPU SOL2-EGBHM24OPW 24" Open Arm End Gue SOL2-EGBHU24OPU SOL2-EGBHU24OPW	est Unit, Me Urethane Beech est Unit, Up Urethane	1046 1108 holster	k 1081 1139 ed Back 1143	1110 1170 1195 1254	1331 1172 1232 1297 1357	1237 1297 1398 1459	1302 1359 1503 1562	1361 1422 1604 1664	1738 1425 1485 1704 1765	1524 1584 1909 1968
	30" Open Arm End Gue SOL2-EGBHU30OPU SOL2-EGBHU30OPW	Urethane	1310		1467 1529	1631 1690	1788 1846	1946 2006	2107 2167	2265 2324	2585 2642
	44" Open Arm End Gue SOL2-EGBHU44OPU SOL2-EGBHU44OPW	Urethane	holster 1463 1524	1545	1617 1685	1781 1842	1942 2002	2103 2163	2263 2322	2419 2480	2740 2800

## ORDERING NOTES:

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$64 list** per arm frame pair, please see page 24 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table.

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the reqired arm type from the Product Code Key below and add the upcharge on page 427.

.ine	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
olis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG Center Unit Guest Multiple Seating	M Mesh Back 21" & 24" Only	24	OPU Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood

Fully Closed Arm - Urethane

# SOLIS BEHAVIORAL HEALTH | MULTIPLE SEATING - PATIENT BACKS

DIME	NSIONS	S & COM	И. REQU	IIREMEN	NTS - STAR					сом.	СОМ	сом.	COM. Fabric	COM. Fabric
	Overall	Overall	Overall	Seat	Height of Arms	Width Between	Seat	Shipping		Seat & Back	Fabric Seat		Closed Arm	Closed Arm Panel (2 Arms)
			Height		from Floor		Depth	- 11 5	Cube	Yardage			, ,	Yardage
MESH	BACK													
SPM2	1 25	28	43.75	18.5	26	20	20	42	21	-	0.9	-	0.4	0.8
SPM2	4 28	28	43.75	18.5	26	23	20	45	23	-	0.9	-	0.4	0.8
UPHO	LSTER	ED BAC	K											
SPU21		28	43.75	18.5	26	20	20	46	21	2.1	0.9	2.0	0.4	0.8
SPU24		28	43.75	18.5	26	23	20	50	23	2.1	0.9	2.0	0.4	0.8
SPU30	34	28	43.75	18.5	26	29	20	56	28	3.1	0.9	2.2	0.4	0.8

## **DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS**

			Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH B	ACK												
CPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
CPM24	26	28	43.75	18.5	26	23	20	39	23	-	0.9	-	0.4
UPHOLS	STERED	BACK											
CPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
CPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
CPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

## **DIMENSIONS & COM. REQUIREMENTS - END UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH	BACK												
EPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
EPM24	26	28	43.75	18.5	26	23	20	38	23	-	0.9	-	0.4
UPHOL	STERE	BACK											
EPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
EPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
EPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

## **ORDERING NOTES:**

Multiple yardage requirements for Patient back Start, Center and End units, please refer to page 10.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

	(COM)		(COL)					Leather		
Fabric Grades	1	2	3	4	5	6	7	8	9	COM
Closed Arm Panel (1 arm) Closed Arm Panels (2 arms) Fully Closed Arm (1 arm) Fully Closed Arm (2 arms)	208 418 627 835	224 448 669 890	238 477 710 948	267 531 796 1061	294 588 879 1172	321 643 963 1285	350 699 1048 1335	379 757 1135 1510	435 869 1304 1736	0.4 0.8 1.5

# SOLIS BEHAVIORAL HEALTH | START & CENTER PATIENT UNITS

			COM		COL	FAB	RIC GRA	DES		LEATHER	
DESCRIPTION/MOD	EL		1	2	3	4	5	6	7	8	9
START	21" Open Arm Start Pat	tient Unit Me	sh Back								
	SOL2-SPBHM21OPU	Urethane		1241	1272	1335	1398	1461	1526	1589	1688
	SOL2-SPBHM210PW	Beech		1360	1393	1456	1519	1583	1644	1709	1808
	COLE OF BITIME FOR W	Becom	1001	1000	1000	1400	1010	1000	1044	1700	1000
	21" Open Arm Start Pat	tient Unit, Up	holstered l	Back							
	SOL2-SPBHU21OPU	Urethane	1265	1331	1396	1533	1664	1801	1932	2064	2333
	SOL2-SPBHU21OPW	Beech	1384	1451	1518	1653	1782	1921	2054	2186	2453
	24" Open Arm Start Pa	atient Unit. Me	esh Back								
	SOL2-SPBHM24OPU	Urethane		1281	1311	1374	1439	1503	1565	1629	1727
	SOL2-SPBHM24OPW	Beech		1401	1431	1494	1559	1622	1686	1748	1845
	24" Open Arm Start Pat	tient Unit, Up	holstered l	Back							
	SOL2-SPBHU24OPU	Urethane	1305	1372	1439	1570	1705	1839	1974	2108	237
	SOL2-SPBHU24OPW	Beech	1423	1492	1559	1692	1825	1959	2092	2229	2496
	30" Open Arm Start Pat	tient Unit. Up	holstered l	Back							
	SOL2-SPBHU30OPU	Urethane		1741	1837	2033	2234	2431	2629	2824	322
	SOL2-SPBHU30OPW	Beech		1860	1957	2155	2354	2552	2746	2946	3342
CENTER	21" Open Arm Center F	Patient Unit. N	lesh Back								
	SOL2-CPBHM21OPU	Urethane		1142	1173	1239	1303	1363	1428	1491	1589
	SOL2-CPBHM21OPW	Beech		1203	1236	1298	1360	1423	1487	1552	1647
	21" Open Arm Center F				1001	4.400	4500	1000	4000	1001	0000
	SOL2-CPBHU21OPU	Urethane		1228	1294	1428	1562	1693	1832	1964	2232
	SOL2-CPBHU21OPW	Beech	1220	1288	1355	1487	1622	1753	1890	2024	2293
	24" Open Arm Urethane	e Cap Center	Patient Ur	nit, Mes	h Back						
	SOL2-CPBHM24OPU	Urethane		1169	1201	1265	1328	1390	1453	1515	1613
	SOL2-CPBHM24OPW	Beech	1198	1229	1262	1323	1387	1451	1513	1578	1672
	24" Open Arm Center F	Patient Unit, U	Jpholstere	d Back							
_	SOL2-CPBHU24OPU	Urethane	1187	1253	1319	1456	1589	1723	1856	1990	225
ш	SOL2-CPBHU24OPW	Beech	1246	1314	1381	1515	1647	1781	1915	2053	2319
	30" Open Arm Center P	Patient Unit, L	Jpholstered	d Back							
	SOL2-CPBHU30OPU	Urethane	1506	1606	1703	1899	2096	2295	2493	2692	3087
Ī	SOL2-CPBHU30OPW	Beech	1566	1666	1764	1960	2158	2355	2554	2751	3145
ш											

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the reqired arm type from the Product Code Key below and add the upcharge on page 44.

## PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG Center Unit Guest Multiple Seating	M Mesh Back 21" & 24" Only	24	OPU Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU

Fully Closed Arm - Urethane

## **SOLIS BEHAVIORAL HEALTH** | END PATIENT UNITS

		COM		COL	FAE	RIC GRA	ADES		LEATHE	R	
DESCRIPTION/MO	DEL		1	2	3	4	5	6	7	8	9
END	21" Open Arm End Unit,	Mesh Back									
	SOL2-EPBHM21OPU	Urethane	1111	1142	1173	1239	1303	1363	1428	1491	1589
	SOL2-EPBHM21OPW	Beech	1171	1203	1236	1298	1360	1423	1487	1552	1647
	21" Open Arm End Unit,	Upholstered Ba	ack								
	SOL2-EPBHU21OPU	Urethane	1161	1228	1294	1428	1562	1693	1832	1964	2232
_	SOL2-EPBHU21OPW	Beech	1220	1288	1355	1487	1622	1753	1890	2024	2293
24" Open Arm Urethane Cap End Unit, Mesh Back											
	SOL2-EPBHM24OPU	Urethane	1138	1169	1201	1265	1328	1390	1453	1515	1613
	SOL2-EPBHM24OPW	Beech	1198	1229	1262	1323	1387	1451	1513	1578	1672
	24" Open Arm End Unit,	Upholstered Ba	ack								
	SOL2-EPBHU24OPU	Urethane	1187	1253	1319	1456	1589	1723	1856	1990	2257
u	SOL2-EPBHU24OPW	Beech	1246	1314	1381	1515	1647	1781	1915	2053	2319
	30" Open Arm End Unit,	Upholstered Ba	ack								
	SOL2-EPBHU30OPU	Urethane	1506	1606	1703	1899	2096	2295	2493	2692	3087
	SOL2-EPBHU30OPW	Beech	1566	1666	1764	1960	2158	2355	2554	2751	3145

## **ORDERING NOTES:**

Complete Mesh backs (21" & 24") can be ordered and field replaced.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$64 list** per arm frame pair, please see <u>page 24</u> for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table.

Solis Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	64	Non-Marring Glide	37
Removable Seat Cover (per seat)	80	Kinetic Back option	120
21" & 24" - Removeable Back Covers (per back	ck) 58	Maple Arm upgrade per arm (add to beech price)	80
30" - Removable Back Cover (per back)	80		
Combination Upholstery - dual fabrics	33		
Combination Upholstery -Three fabrics	64		
Solis Behavioral Health Option Upcharges \$	List		

Discussed Cook / No Cooks	101	
Plywood Seat / No Springs	121	Weight Shield (to min 80lbs) - 21" Uph.
Sled Base	265	Weight Shield (to min 80lbs) - 21" Mesh
		,

Sled Base	265	Weight Shield (to min 80lbs) - 21" Mesh	486
Anchor to Floor (Sleigh base only)	359	Weight Shield (to min 80lbs) - 24" Uph.	337
21" Tamper- Resistant Splashguard	157	Weight Shield (to min 80lbs) - 24" Mesh	412
24" Tamper- Resistant Splashguard	165	Weight Shield (to min 80lbs) - 30" Uph.	180
30" Tamper- Resistant Splashguard	340		

Solis Behavioral Health guest chairs have the option of Closed or Fully Closed arms, change the last 3 letters of the model number to the reqired arm type from the Product Code Key below and add the upcharge on page 430.

408

Fully Closed Arm - Urethane

## PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU

# **SOLIS BEHAVIORAL HEALTH** | REPLACEMENT COMPONENTS

		COM		COL	FAE	BRIC GE	RADES		LEATHE	3			
Description	Model	1	2	3	4	5	6	7	8	9	Yardage	Weight	Cube
Guest	21" Replacement E SOL2-RBBHGU21 21" Replacement E SOL2-RBBHGM21	508 Behaviora	555	598	665	740	Backs 807	883	977	1067	1.5	14 10	2.7
	24" Replacement E SOL2-RBBHGU24 24" Replacement E SOL2-RBBHGM24	529 Behaviora	571	620	687	763	Backs 829	904	995	1089	1.5	15 11	2.8
	30" Replacement E SOL2-RBBHGU30		al Health 652	Guest 705	Uphols 780	stered E 905	3acks 940	1027	1135	1241	1.6	19	3.4
	44" Replacement E SOL2-RBBHGU44		al Health 824	Guest 879	Uphols 956	stered E 1039	Backs 1117	1202	1309	1416	2.25	28	4.8
Patient	21" Replacement E SOL2-RBBHPU21 21" Replacement E SOL2-RBBHPM21	628	695	764	856	Istered 961	Backs 1059	1165	1298	1433	2.0	21 15	3.8
	24" Replacement E SOL2-RBBHPU24 24" Replacement E SOL2-RBBHPM24	662 Behaviora	729	796	889	997	1090	1198	1334	1466	2.0	21 17	3.8
Lin	30" Replacement E SOL2-RBBHPU30	3ehaviora 834		Patien 1009			l Backs 1391	1533	1706	1881	2.2	24	4.8
Guest	21" Replacement E SOL2-RBCBHGU2 21" Replacement E SOL2-RBCBHGM2	:1 155 Behaviora	202	246	313	389	455	er 531	624	717	1.5	2	.8
	24" Replacement E SOL2-RBCBHGU2 24" Replacement E SOL2-RBCBHGM2	4 155 Behaviora	202	247	313	389	Back Cove 455	er 532	624	720	1.5	2.3 2.3	.8
	30" Replacement E SOL2-RBCBHGU3		al Health 224	Guest 274	Uphols 350	stered E 435	Back Cove 512	er 597	717	811	1.6	2.6	.8
	44" Replacement E SOL2-RBCBHGU4			Guest 284	Uphols 362	stered E 448	Back Cove 518	er 606	715	821	2.25	3.5	.8
Patient	21" Replacement E SOL2-RBCBHPU2 21" Replacement E SOL2-RBCBHPM2	1 199 Behaviora	267	334	427	535	Back Cov 628	er 735	870	1003	2.0	2.5 2.5	.8
	24" Replacement E SOL2-RBCBHPU2 24" Replacement E SOL2-RBCBHPM2	4 201 Behaviora	267	334	427	536	628	er 735	870	1003	2.0	2.7 2.7	.8
	30" Replacement E SOL2-RBCBHPU3	Behaviora	al Health 333	Patien 420	t Upho 541	Istered 679	Back Cov 804	er 941	1117	1290	2.2	3	.8

# **SOLIS BEHAVIORAL HEALTH** | REPLACEMENT COMPONENTS

		COM		COL	FABF	RIC GF	RADES	1	EATHE	R			
Description	Model	1	2	3	4	5	6	7	8	9	Yardage	Weight	Cube
Seat	21" Replacement I SOL2-RSBH21 24" Replacement I	321	352	382	424	473	514	562	624	686	.9	9	2.7
	SOL2-RSBH24	358	388	418	458	510	548	598	659	720	.9	10	2.7
	30" Replacement I SOL2-RSBH30	Behaviora 405	l Health 434	Seat 464	509	546	597	644	705	765	.9	12	3.4
	44" Replacement I SOL2-RSBH44	Behaviora 538	l Health 576	Seat 613	665	723	777	834	909	983	.9	14	4.8
No Spring Seat	21" Replacement I SOL2-RSBH21NS	443	473	502	543	592	634	685	744	806	.9	9	2.7
	24" Replacement I SOL2-RSBH24NS		Health 510	538	oring Sea 582	628	670	720	780	840	.9	10	2.7
	30" Replacement I SOL2-RSBH30NS		l Health 556	No Sp 585	oring Sea 627	t 667	717	765	824	886	.9	12	3.4
	44" Replacement I SOL2-RSBH44NS		l Health 696	No Sp 732	oring Sea 784	t 844	895	955	1030	1103	.9	12	3.4
Seat Covers	21" Replacement I SOL2-RSBHC21	108	138	169	210	259	301	348	409	470	1.0	1.6	.8
	24" Replacement I SOL2-RSBHC24	Benaviora 111	140	170	212	260	302	350	410	471	1.0	1.7	.8
	30" Replacement ( SOL2-RSBHC30		tient & I 141	Easy Ao 179	ccess Se 223	at Cov 270	er 312	362	422	481	1.0	2	.8
	44" Replacement I SOL2-RSBHC44	Behaviora 140	l Health 178	Seat ( 213	Cover 267	326	376	434	510	583	1.0	2.5	.8
	Replacement Clos SOL2-RCA	ed Arm 195	207	220	238	259	276	297	321	345	.8	6	.9
	Replacement Lowe SOL2-RCAB	er Closed 137	Arm Pa	anel 163	182	202	218	240	265	291	.8	6	.9
	Bottom Staple Co	ver/Shield											
	SOL2-RBC21 SOL2-RBC24 SOL2-RBC30 SOL2-RBC44	82 85 95 105										2 2.3 2.6 3.5	0.8 0.8 0.8 0.8
	Weighted Shield												
	SOL2-RWSU21 SOL2-RWSM21 SOL2-RWSU24 SOL2-RWSM24 SOL2-RWSU30 SOL2-RWSU44	408 486 337 412 180 171										25 25 25 25 25 31 44	1 1 1 1 1
	Tamper- Resistant SOL2-RSGBH21 SOL2-RSGBH24 SOL2-RSGBH30 SOL2-RSGBH44	Splashgu 259 269 464 502	ard									1 2 3 4	.3 .4 .5

# **SOLIS BEHAVIORAL HEALTH** | REPLACEMENT FRAMES

Description	Model	Price	Weight	Cubes
	Tamper- Resistant Side Frame Assembly - S	Start	9	1.5
	SOL2-RSFABHS - Urethane	178		
\\	- Beech	357		
	Tamper- Resistant Side Frame Assembly - C	Center	9	1.5
	SOL2-RSFABHC - Urethane	178		
\\	- Beech	357		
	Tamper- Resistant Side Frame Assembly - E	End	9	1.5
	SOL2-RSFABHE - Urethane	178		
U	- Beech	357		
	Sleigh Base Side Frame Assembly - Start		9	1.5
	SOL2-RSFABHSSB - Urethane	585	Ü	1.0
	- Beech	764		
	Sleigh Base Side Frame Assembly - Center		9	1.5
	SOL2-RSFABHCSB - Urethane	585	· ·	1.0
	- Beech	764		
	Sleigh Base Side Frame Assembly - End		9	1.5
	SOL2-RSFABHESB - Urethane	585		
	- Beech	764		
	Sleigh Base Fully Closed Side Frame - Start		9	1.5
	SOL2-RSFABHSFC - Urethane	585		
	- Beech	764		
	Sleigh Base Fully Closed Side Frame - Cent		9	1.5
	SOL2-RSFABHCFC - Urethane	585		
	- Beech	764		
	Sleigh Base Fully Closed Side Frame - End		9	1.5
	SOL2-RSFABHEFC - Urethane	585		
	- Beech	764		


Tamper- Resist Tool Kit SOL2-BHTK 143

## **SOLIS** | ENVIRONMENTAL SUMMARY

## LEED CI CREDITS



#### MATERIAL CONTENT:



PRE-CONSUMER
RECYCLED CONTENT = 54.33%

POST-CONSUMER RECYCLED CONTENT = 16.83%

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



## **AIR-EMISSIONS**

All Solis products are supplied air-emissions certified. Contact customer service for information.

## **FSC**®

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Solis and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **SOLIS | TABLES, FEATURES & OPTIONS**

### STANDARD FINISHES

Solid Beech & Maple edges with Veneer tops. For a complete list of standard wood finishes, please see <u>page 62</u>. Solis tables are available in 22 standard finishes.

#### **LAMINATE AND POLYMER EDGE**

Solis tables are available in laminates with wood or laminates with Polymer edge. See page 62 for laminate information.

### **METAL FINISHES**

Silver Metallic Standard - No Upcharge Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$64 list** per arm frame pair or table. Additional Frame Finishes are available for an upcharge of **\$64 list** per seat/ table.

Available colors are: • White • Parchment • Sand • Taupe • Warm Grey • Cool Grey • Black

For all metal finishes other than Silver Metallic Standard, there is a minimum order quantity of 30 units per color. The anti-microbial finish is included in the additional finish up-charge. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote

View Solis images | www.krug.ca

#### **ORDERING NOTES:**

Linking tables can be ordered in conjunction with any of the Krug Solis Multiple Seating. Linking tables are connected to the Multiple Seating via U-Shaped brackets. The design of the tables for Solis Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration - or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.


Linking tables also feature a universal, non-handed design:

They can be moved to reverse position in almost every configuration, providing a high level of flexibility for reconfiguring.

Please note Solis Plastic Laminate Linking Tables are not available on KrugExpress.

Wood Tops with Wood Edges are available on KrugExpress but with a minimum order requirement of 5 tables per order.

## A drawing showing the configuration of the multiple seating and tables are required with each purchase order.



## **SOLIS | LINKING TABLES**

DESCRIPTION/MODEL		Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	W	D	Weight	Cubes
	Center Square Table SOL4-LKI-22-22	617	647	752	591	22	22	18	1.5
	End Square Table SOL4-LKE-22-22	658	693	803	634	22	22	20	1.5
	Curvilinear Connector SOL4-LKCRF45	Table 45° 598	with flat 6 630	edge 730	591	27.5	27.5	21	2.2
	Curvilinear Connector SOL4-LKCRR45	628	662	766	622	27.5	27.5	21	2.2
	Curvilinear Connector SOL4-LKCRR90	Table 90° 708	746	866	706	30	30	27	2.2
	Curvilinear Connector SOL4-LKCRF90	Table 90° 699	with flat e 738	dge 852	695	30	30	29	2.2
	Rectilinear Corner Cor SOL4-LKCSF90	nnector Ta 785	ble 90° 829	958	739	30	30	32	2.2

## **ORDERING NOTES:**

Linking tables can be ordered in conjunction with any of the Solis Multiple Seating. Linking tables are connected to the Multiple Seating via U-Shaped brackets.

Rectilinear Corner Connector table 90° include a support leg in the outer corner.

When specifying Linking Tables please ensure that each unit has legs on either side of the table.

Please note Solis Plastic Laminate Linking Tables are not available on *KrugExpress*. Wood Tops with Wood Edges are available on *KrugExpress* but with a minimum order requirement of 5 tables per order.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

# **SOLIS** | FREE STANDING TABLES

DESCRIPTION/MODEL		Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	W	D	Н	Weight	Cubes
	Square Tables SOL4-22-22-16	583	613	708	552	22	22	16	26	5
	SOL4-42-22-16	809	852	988	759	42	22	16	46	9
	SOL4-22-22-21	588	618	716	558	22	22	21	28	7
	Circular Tables SOL4-18D-16	515	542	630	491	18 Diameter	-	16	20	3
	SOL4-18D-21	532	560	648	508	18 Diameter	-	21	22	4
	SOL4-24D-16	544	576	666	530	24 Diameter	-	16	32	5
	SOL4-24D-21	588	618	716	568	24 Diameter	-	21	35	7
	SOL4-36D-16	830	873	1011	844	36 Diameter	-	16	43	12

## GENERAL INFORMATION

### **Terms and Conditions**

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

#### **Contact Information**

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

**Customer Service Hours** 

Please note customer service hours are:

8:30 am to 5:00 pm est

#### **Customer Satisfaction**

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

### **Order Acknowledgments**

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

## **Order Cancellation**

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$367 net charge for processing of the original order and for processing of cancellation invoicing.

#### **Pricing**

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

## **Storage Charges**

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

## Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
- negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate-controlled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

Jordan Sleepers Heavy-Duty Mechanism, made with heavy gauge steel and minimal moving parts - is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be field-replaced.

Juno and Trevisa Overbed Tables have a 2-year warranty.

## **Blanket Wrapping**

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

#### **Export Packaging**

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

**Important:** Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

### **Dimensions**

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

## GENERAL INFORMATION

## **Freight Terms and Conditions**

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$262/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$262/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$525/shipment. (local times).
- 5. For all deliveries whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$125/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$125/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$125/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer.

## **Product Strength and Durability Testing**

All Krug products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA seating standard. Specific test results and documentation are available on request.



## Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

## **Damaged Shipments**

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or

storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

### **Field Product Report Authorization**

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

#### Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

## **Custom Capabilities**

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address engquotes@krug.ca.

## **Care and Maintenance Leather**

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

#### **Fabric Upholstery**

Professional upholstery cleaning is recommended.

#### Flammability Standards for Krug Textiles - Upholstery Program

 Passes State of California Technical Bulletin CAL 117-2013

## KRUG TEXTILES - UPHOLSTERY FABRICS



## ${\bf Krug\ Textiles\ -\ Stocked\ Fabric\ Program}$

### Grade 1

## **ARLO**





## KRUG TEXTILES - UPHOLSTERY FABRICS

## Krug Textiles - Stocked Fabric Program

## Grade 2

## **GRADDY**











84 TEAK



## **YATES**





34 SLATE















908 CHARCOAL

**MCCOY** 











608 TUNDRA



32 ROBIN'S EGG





108 CORDOVAN

## **ORIS**











305 MIDNIGHT

64 PUTTY

205 CHARTREUSE

## KRUG TEXTILES - UPHOLSTERY FABRICS



## Krug Textiles - Stocked Fabric Program

## Grade 3

## **MORITZ**















9008 CHARCOAL

82 CLAY

304 CAPRI

**LORENZO** 









24 ALPINE

601 CREAM



106 HENNA

91 FLANNEL

604 STUCCO

32 MIST

306 INDIGO

**BISCOTTI** 









91 GRANITE

302 CAPRI

## **INTRIGUE**











27 OLIVE 805 PECAN





58 | USA | HEALTHCARE | 2025



## Krug Textiles - Faux Leather Program - Grade 2



## Krug Textiles - Leather Program - Grade 8

Please contact Customer Service for specific information on leathers, available colors and lead times.



## Krug Textiles - Cut fabric NET price per yard

Grade 1 \$22 Grade 2 \$34 Grade 3 \$46

#### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

## CUSTOMER'S OWN MATERIAL - C.O.M.

## Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed. A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover. Krug is not responsible for instructions sent with the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

## **Application of Directional Upholstery cover**

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut

Non-Standard-Cut across the roll "railroad"

### **COM/COL Shipping Procedures**

For seating COM/COL upholstery covers, please send upholstery covers to: Krug Inc.

111 Ahrens Street Kitchener, Ontario Canada N2H 4C2

## Attention: RECEIVER

COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

All packages must be clearly marked

"For Customs Clearance by Willson International Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and a Commercial Invoice be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice. Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents.

### **CAL 133 & Moisture Barrier**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$917 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage. - 17 square feet in a yard

- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

## **Upholstery Cover Yardage Calculation**

To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784. Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats. The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

## GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

#### **Upholstery Grades**

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

### **Upholstery Samples**

If you require additional samples or memos for presentation, please contact fabric supplier directly.

#### Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

#### **Special Conditions**

Acknowledgments will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

## KRUG EXPRESS PROGRAM

### **PROGRAM DETAILS**

*KrugExpress* orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean".

Changes to KrugExpress orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

## **SEATING & OCCASIONAL TABLES PROGRAM**

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Please note that the CAL 133 option is <u>not</u> available on *KrugExpress*.

Only standard wood finishes are available for KrugExpress orders. Laminates are not available on KrugExpress.

Krug Express includes all Krug seating and occasional tables as well as Krug conference and casegood products to complement this seating offering.

## **SOLIS | FINISHES**

#### WOOD FINISHES

Standard wood finishes are:

Finishes on Beech Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry Natural Cherry Sable Cherry Standard Cherry Light Oak Harvest Oak Mahogany

Mellow Oak
Espresso
Cordovan Walnut
Natural Walnut
Regular Walnut
SilverGrey on Walnut
Dark Walnut
Clear Beech
Medium Anigre

Finishes on Maple

Clear Maple Honey Maple Wheat Maple

#### **PALETTE**

Slate

Palette finishes available for applicable products. Black White Soft Green Steel Blue

### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

#### **Custom Wood Finishes**

Add 10% list to your order for special finishes, minimum upcharge is \$600 list per finish per order. (For example, on all orders up to \$6000 list, an upcharge of \$600 will apply, on orders \$6000 and up add 10% list to your order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

#### **Dual Finishes**

Add 10% list per item if specifying dual finish.

#### Standard Wood Finishes

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

# WOOD FINISHES TO MATCH STANDARD LAMINATES

Willow on Beech Copper on Beech Shiraz Cherry on Beech Park Avenue Walnut on Beech Chocolate on Beech Nutmeg on Beech Portobello on Beech Ash on Beech Dune on Maple

## **LAMINATES**

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

## **IN-STOCK LAMINATES**

<b>Wood Grain Laminates</b>	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier	
Champagne	Tafisa T492CR	Gingerbread	Tafisa T556UR	
Hardrock Maple	Formica 86992-58	Portobello	Tafisa T557UR	
Dune	Tafisa T491CR	Ash	Tafisa T535AT	
Copper	Tafisa T521CR	Willow	Tafisa T543AT	
Shiraz Cherry Tafisa T472CR		Solid Laminates		
Park Avenue Walnut	Wilsonart 7984-38	John Laminates		
Chocolate	Tafisa T498CR	Designer White	Wilsonart D354-60	
Nutmeg	Tafisa T477CR	Platinum	Tafisa T202CR	
Nightfall	Pionite WX421	Earth	Tafisa T767CR	
_		Charcoal	Tafisa T228CR	

## **PHASE OUT LAMINATES**

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut

#### **Non-Stocked Laminates**

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.

# METAL FINISH - STANDARD

## METAL FINISH -OPTIONAL (minimum order quantity see page 3)




## **URETHANE COLOR OPTIONS**



### **SOLID SURFACE PROGRAM**

The Solid Surface option provides an enhanced durability, protection and cleanability. It is available in 8 standard colors and is replaceable if it becomes damaged or degraded. See individual products for list upcharge chart.

















All products are air emissions certified and are available as FSC® certified

