## **CASEGOODS**

Price and Specification Guide **CANADA** 



# krug

Advancing Design Through Innovation

# **CASEGOODS** | TABLE OF CONTENTS

5//	Stratiord
624	General Information
624	Warranty
626	Krug Textiles
627	C.O.M. & Laminates Program


# **STRATFORD** | TABLE OF CONTENTS

578	Environmental Summary
579	General Product Specification
580	Finishes
580	Edge Detail Profile
581	Profiles & Overhang
584	Drawer Pulls & Lock
585	Grommets
586	Laminate Worksurfaces
587	Non-Standard Product Guidelines for Pricing
588	Desk Specification
588	Credenza Specification
589	Overhead & Hutch Specification
590	Installation
591	Sample Configuration
592	Desks
596	Returns
598	Linking Units
598	Corner Units
599	Credenzas
603	Overheads
604	Hutches
607	Keyboard Tray & Cable Management
608	Modular Components
618	Bookcases
619	Storage
623	Reception

# **STRATFORD CASEGOODS** | ENVIRONMENTAL SUMMARY

### **LEED CERTIFICATION**





PRE-CONSUMER RECYCLED CONTENT - 77%

POST-CONSUMER RECYCLED CONTENT - 2.5%

		CONTRIBUTES TO
Credit 2.1 - 2.2	Construction Waste Management	1-
Credit 3.3	Resource Reuse	1 point
Credit 4.1	Recycled Content	1 point
Credit 4.2	Recycled Content	1 point
Credit 4.5	Low Emitting Materials, (MUST BE REQUESTED)	
	Composite Wood & Laminate Adhesives	1 point
Credit 5.1	Regional Materials*	1 point
Credit 6	Rapidly Renewable Materials (MUST BE REQUESTED)	1 point
Credit 7	Certified Wood (MUST BE REQUESTED )	1 point

<sup>\*</sup>This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished p oduct occurs within 500 miles of Kitchener, Ontario.



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Stratford products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard. All Stratford products can be supplied with level® certification. In order to accomplish this, the product must also be ordered with the air-emissions-certification option. Contact customer service for information and upcharges.



he mark of responsible forestr

# AIR-EMISSIONS

All Stratford products can be supplied with air-emissions-certified materials. Contact customer service for information and upcharges.

### FSC®

FSC® In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It verifies that the material for our FSC® certified products only come from well-managed, FSC®-certified forests and other controlled sources. FSC® is dedicated to the promotion of responsible forest management worldwide helping to take care of forests for future generations. Stratford and other Krug products can be specified with FSC® Certification. Contact customer service for further information, pricing and lead times.



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **STRATFORD | GENERAL PRODUCT SPECIFICATIONS**

### **WORKSURFACES**

Tops are made of 1 1/4" - 42 lbs. per cubic foot density particle board core with face and back veneers. All edges have 1 1/8" wide 1" thick solid Cherry or Walnut headers.

### **DRAWER FRONTS AND DOORS**

48 lbs. per cubic foot density Medium Density Fiberboard with face and back veneer.

### GABLES

Gables are 3/4" or 1 1/8" thick - 45 lbs. per cubic foot density particleboard core, 3 ply. Edges are banded with veneer. Bottom edges of 1 1/8" gables are banded with polyvinyl chloride edge banding.

### **VENEER**

External face veneers are flat sliced Black Walnut or Cherry bookmatched and of uniform color and grain pattern.

### **SOLIDS**

All solids used shall be American Black Walnut or Cherry kiln-dried by the manufacturer to a 6% moisture content

### **FINISH**

All surfaces to be finished are well sanded before applying finish materials. The procedure begins with the application of a base color via a Non-Grain Raising stain. Next a wash coat is applied to seal the NGR stain and ensure an even colored finish. The a filler coat is applied and hand wiped to fill the open pores in the wood surface and further enhance the depth color. A sealer is applied and scuff sanded to prepare the surfaces for the top coat (finish). The final procedure is to apply a coat of 52° sheen catalyzed varnish to protect the surfaces and add luster.

### LOCKS

Locks are standard on all pedestals and storage unit lateral file drawers. Locks are optional on door fronts and must be specified at time of order. Locks are not available on glass doors.

### **DRAWERS**

Box drawers have ball bearing movement, full extension slides with urethane cushioned stops and hold-in catch. Box drawers have a load bearing capacity of 100 lbs. per drawer. File drawers have progressive action ball bearing full-extension slides with urethane cushioned stops and hold-in catch. File drawers have a load bearing capacity of 100 lbs. per drawer. Lateral file drawers have full-extension slides with over-travel ball movement slides with urethane cushioned stops. Lateral file drawers have a load bearing capacity of 150 lbs. per drawer. All drawer slides allow for easy removal of the drawers. All drawer interiors are birch veneer. All file drawers are equipped for letter and legal filing. All desks with the center drawer option include a matching pencil tray in the center drawer. All standard desks with 2 box 1 file pedestals are specified without a center drawer option include one matching pencil tray.

### **BASE MOLDING**

The base moldings are made of profiled solid Black Walnut or Cherry.

### **GLIDES**

Glides are provided for every case and allow for 1 1/2" of adjustment.

### HINGES

Doors have European style hinges with a 95° opening.

### **PULLS**

Three pull options are available, please specify at time of order.

### **TESTING INFORMATION**

Stratford desks, credenzas, hutches, link units, and returns meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 and/or X5.9 - 2012.



### **WOOD FINISHES**

Standard wood finishes are:

SPECIES	FINISH
Cherry	Light Cherry Natural Cherry American Cherry Medium Cherry Standard Cherry Imperial Cherry Appalachian Cherry Sable Cherry
Walnut	Natural Walnut Regular Walnut Mahogany on Walnut Dark Walnut Cordovan Walnut

### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

### **CUSTOM WOOD FINISHES**

Add 10% net to your order for special finishes, minimum charge is **\$567 list** per finish per order. (For example, on all orders up to \$5250 list, an **upcharge of \$567** will apply, on orders \$5250 and up add 10% net to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules.

Since wood is a natural product, some variations in grain, color, and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

### **DUAL FINISH**

Add 10% net per item if specifying dual finish.

# WOOD FINISHES TO MATCH STANDARD LAMINATES

Copper on Cherry Shiraz Cherry Park Avenue Walnut Chocolate on Walnut Nutmeg on Walnut Dark Walnut

# **STRATFORD** | EDGE PROFILES



### **PROFILE - STANDARD**

The standard edge detail is included on the following Stratford products:

- -desks
- -linking units
- -credenzas
- -returns
- -corner units
- -30" high and 57" high bookcases
- -modular TP and TPR tops
- -30" high freestanding storage
- -occasional tables
- -conference tables



### PROFILE - INVERTED

The inverted edge detail is included on the following Stratford products:

- -hutches
- -wall mounted overheads
- -71" high bookcase
- -modular TPI tops
- -71" high and 84" high freestanding storage
- -visual boards

# **STRATFORD | PROFILES & OVERHANGS**

Please use the following summary of products to determine the profile direction and overhang dimensions for all Stratford products.



Profile Location: profile on all four sides

Profile Direction: standard

Overhang: left 1 1/2"
right 1 1/2"
user 3/4"

user 3/4" guest 1 1/2"

Picture Frame: on end panels, modesty panel and pedestal backs



Profile Location: profile on all four sides

Profile Direction: standard

Overhang: left 1 1/2"
right 1 1/2"
user 3/4"
guest 7 1/2"

Picture Frame: on end panels, modesty panel and pedestal backs

### **TABLE DESKS**

Profile Location: profile on all four sides

Profile Direction: standard

Overhang: left 1 1/2"
right 1 1/2"
user 3/4"
quest 1 1/2"

Picture Frame: none

### **BULLET AND P DESKS**

Profile Location: profile on all sides
Profile Direction: standard
Overhang: end panel 1 1/2"

Picture Frame: on end panel

### **RETURNS**


Profile Location: profile on all four sides, coved

Profile Direction: standard

Overhang: end panel 1 1/2" user 3/4"

guest 1 1/2"

Picture Frame: on end panel, modesty panel and pedestal back





# **STRATFORD | PROFILES & OVERHANGS**

Please use the following summary of products to determine the profile direction and overhang dimensions for all Stratford products.



### **LINK UNITS AND LINK TOPS**

Profile Location: profile on guest and suer sides, cover on connecting ends

Profile Direction: standard

Overhang: guest 1 1/2" Picture Frame: on modesty panel



### **CORNER UNITS**

Profile Location: profile on outside and user sides, coved on connecting ends

Profile Direction: guest 1 1/2" Overhang:

Picture Frame: on both outside panels



### **CREDENZAS**

Profile Location: profile on left, right and user side, flush on back edge

Profile Direction: standard Overhang: 1 1/2" left

right 1 1/2" 3/4" user

1/8" back

Picture Frame: on left and right panels



### **OVERHEADS**

Profile Location: inverted profile left, right, and user side, flush on back edge

Profile Direction: inverted

Overhang: left 1" right

user 3/4" back flush

Picture Frame: none

Please specify if flush sides are necessary for the purpose of ganging overheads at time of order. Upcharge for this option is \$218 list.

# **STRATFORD | PROFILES & OVERHANGS**

Please use the following summary of products to determine the profile direction and overhang dimensions for all Stratford products.





### **HUTCHES**

Profile Location: inverted profile on left, right, and user side, flush on back edge

Profile Direction: inverted Overhang: left right 1" 3/4" user

back Picture Frame: none



### **BOOKCASES AND FREESTANDING STORAGE (30" HIGH ONLY)**

flush

Profile Location: profile on left, right, and user side, flush on back edge

Profile Direction: standard 1 1/2" Overhang: left 1 1/2" right

> 3/4" (if unit has doors or drawers) user


1 1/2" (if unit is open)

back flush

Picture Frame: on left and right panels

Bookcases have non-shown wood backs, finished color.

Freestanding and modular storage have non-shown wood veneer, finished and top coated backs.





### **BOOKCASES AND FREESTANDING STORAGE (57", 71" AND 84" HIGH)**

Profile Location: profile on left, right, and user side, flush on back edge

Profile Direction: inverted Overhang: left right

user

3/4" (if unit has doors or drawers) 1 1/2" (if unit is open)

back flush

Picture Frame: none

Bookcases have non-shown wood backs, finished color.

Freestanding and modular storage have non-shown wood veneer, finished and top coated backs.

# **STRATFORD | DRAWER PULLS & LOCKS**

Stratford traditional series offers a choice of three pull combinations as described below.

Please indicate a pull designation for every Stratford product on your order. There is no default selection and orders will not be processed until a pull selection is received.

### **DEVON**

Drawers are furnished with an arced Devon bail finished in antiqued brass and mounted with rosettes. Bookcase doors and hutch doors are provided with an antiqued brushed brass knob.





### **CANTERBURY**

Drawers are furnished with a Canterbury bail finished in antiqued brass and mounted with rosettes. Bookcase doors and hutch doors are provided with an antiqued brushed brass knob.





### **AVON**

All drawers, bookcase doors and hutch doors are provided with an antiqued brushed brass knob.





### LOCKS

Locks are provided as a standard features on all pedestal drawers, including those in desks, credenzas and freestanding or modular storage units. All lock plugs have an antiqued brass finish.

Optional locks are available orbookcase, hutch and overhead doors at an upcharge of \$145 list per set of (2) doors. Please specify at time of order. If a hutch or overhead has an uneven amount of doors the single lock required is also \$145.

### **LOCK LOCATIONS**


**Desk Pedestals:** Lock plugs are located in the kneespace of all desks, with the exception of desks with the center drawer option where the central locking system lock plug is located on the center of the drawer front.

Hutches and Overheads: Lock plugs are located on the lower inside corner of the doors.

Bookcase Doors: Lock plugs are located on the top inside corner of the door.

Suites can be keyed alike at no upcharge, please specify on your purchase order.

# **STRATFORD | GROMMETS**



### **GROMMETS**

All products may be specified with either one black grommet or one brass grommet in a standard position at no upcharge. A \$145 list upcharge will apply to additional grommets in standard positions and for grommets in non-standard positions a \$145 list upcharge will apply.

The grommet position must be indicated for each case on the purchase order.


Standard Grommet

Black, rectangular, 4 1/8" x 2 11/16"

**Antiqued Brass Grommet** 


2 5/8" x 1 1/2"

Grommets can also be field installed with power drill, 2 1/4 hole saw and rasp or saber saw. Template for drilling is available.



### STANDARD GROMMET POSITIONS

### **Desks**



### 30" and 36" Deep Desks:

Position Code:

AL - left corner

BL - left end beside pedestal gable

C - center BR - right end beside pedestal gable

AR - right corner

### 42" Deep Desks:

Position Code:

AL - left corner

BL - left end beside pedestal gable

C - center

BR - right end beside pedestal gable

AR - right corner

### **Curvilinear Tops**



### Linking Units, Credenzas & Returns



Position Code:


C - center

This key applies to all bullet and P shaped tops. The support panel is notched out to accommodate cable management and also allows the installation of a pop-up power grommet.

Grommets cannot be located over pedestals on 20" or 24" units

NOTE: 'BL' and "BR' are only available on 42" on longer.

# **STRATFORD | GROMMETS & LAMINATE WORKSURFACES**



mounted in a hutch back panel



used as a surface grommet


### **POWER / DATA / VOICE GROMMET**

This unit is supplied in the wired hutches or can be ordered a surface mount power/data/voice option as a 98PDVM.

Black, rectangular with recessed cover. Includes two power outlets, one voice port, and one data port.

POWER DETAILS: two Simplex outlets 15 Amp, 10 ft. cord

COMMUNICATION DETAILS: one RJ11 phone line coupler one RJ45 data coupler




### WIRE MANAGEMENT CUT-OUT AND HINGED MODESTY PANELS

Returns, link units and credenzas with fixed modesty panels can be specified with an 8" x 1 1/2" wire management cut-out. All hinged modesty panels feature a cut-out as a standard.

The discreet cut-out allows for clean and easy access to power, data and communication sources.

# **STRATFORD** | LAMINATE WORKSURFACES



### LAMINATE WORKSURFACES

Laminate worksurfaces are available at an upcharge of 10% (a higher upcharge may apply to specially priced plastic laminates).

Where there are wood profile edges on worksurface tops, they will remain as wood profiles on laminate tops.

Where there are flush edges, as in the backs of link units, there will be laminate self edges. Please reference the illustration.

Krug will order and procure laminates. Purchase orders with a plastic laminate option must include laminate name.

When specifying laminate worksurfaces, the grain direction is such that the grain pattern runs the length of each surface, as shown in the diagram on the left.

Please contact Krug Customer Service for questions pertaining to laminate grain direction.

# STRATFORD | NON-STANDARD PRODUCT GUIDELINES FOR PRICING

### **PRICING METHOD**

Custom widths: Apply the price of the same unit in the price list that is one standard size larger than the desired case size (but same depth). For example: The required custom dimension is 74" x 24". The first standard size above this is 78" x 24", so in this case, you would apply the price of the 78" x 24" unit.

Custom depths: Apply the price for the same unit one size deeper (but same width).

For example: The required custom dimension is 72" x 26". The first standard size above this is 72" x 30", so in this case, you would apply the price of the 72" x 30" unit.

Custom width & depths: Apply the price for the same unit both one size wider and one size deeper.

For example: The required custom dimension is 74" x 26". The first standard size above this is 84" x 30", so in this case, you would apply the price of the 84" x 30" unit.

Custom height of desk height cases: Add 18%. (31-32" HI)

### OTHER PRICING METHODS

cases where tops are flush left/right or both, add:	\$115 ist
Grommets in non-standard positions, add:	\$145 list
To remove hutch or overhead doors, <b>deduct:</b>	4% list
convert 5-hi hutch to 6-hi hutch, add:	20% list
Bookcases with optional pull out printer shelf at standard shelf height, add:	\$227 list
Bookcases with optional vent in back (includes 2 vents and 1 grommet), add:	\$288 list
storage units flush, add:	\$190 list
2 lateral file and 3 or 4 closed shelves - convert to half open, half closed shelves, add:	15% list
2 lateral file and 3 or 4 closed shelves - convert to half open, half wardrobe, add:	15% list
To remove storage doors for open shelves, <b>deduct:</b>	4% list

### **EXCEPTIONS TO THE PRICING METHODS ABOVE**

Sizes larger than the largest shown Price List.

Non-standard extension on drawer slides.

Non-standard drawer depths in standard depth pedestals.

Glass door - any style.

Glass - face mounted modesty panels.

Perforated modesty panels.

Cases with curvilinear tops where the radius becomes non-standard.

A/V cabinets.

Any case with flipper doors.

Please contact Specials Coordinator or Krug Customer Service at 1.888.578.KRUG if you require assistance.

PLEASE NOTE: Cases with non-standard features do not apply to the rules above.

Contact Krug Customer Service if you require assistance.









### **Breakfront Modesty Panel**

All single pedestal and double pedestal desks have a breakfront modesty panel on the guest side of the desk. The dimension of recess is 4 1/2".

### **Oversized Top Option**

The oversized top option increases the overhang on the left and right sides of desks to 4 1/2" on each end, the guest and user side overhang remain unchanged.

### **Center Drawer Option**

Desks specified with the optional locking center drawer include the following features:

- center drawer lined with burgundy felt and a pencil tray.
- a pull out dictation slide in each pedestal
- a central locking system activated by a single lock located on the center drawer front Recent modifications:
- dictation slides are flush with drawer fronts and feature molding detail
- center drawer extends to underside of top with the lock on the drawer front


### **Chassis Dimensions**

Please use the reference chart below to determine chassis dimensions, top dimensions, and overhang dimensions for all desk sizes:

Desk	Chassis	Left	Right	Guest	User
	dimension	overhang	overhang	overhang	overhang
60" x 30"	57" x 27"	1 1/2"	1 1/2"	1 1/2"	3/4"
66" x 30"	63" x 27"	1 1/2"	1 1/2"	1 1/2"	3/4"
66" x 36"	63" x 27"	1 1/2"	1 1/2"	7 1/2"	3/4"
72" x 36" (oversized top)	63" x 27"	4 1/2"	4 1/2"	7 1/2"	3/4"
72" x 36"	69" x 27"	1 1/2"	1 1/2"	7 1/2"	3/4"
78" x 36" (oversized top)	69" x 27"	4 1/2"	4 1/2"	7 1/2"	3/4"
78"x 42"	75" x 33"	1 1/2"	1 1/2"	7 1/2"	3/4"
84" x 42" (oversized top)	75" x 33"	4 1/2"	4 1/2"	7 1/2"	3/4"
84" x 42"	81" x 33"	1 1/2"	1 1/2"	7 1/2"	3/4"

Dimensions have been rounded to the nearest 1/4", please contact Customer Service for exact measurements.

# **STRATFORD** | CREDENZAS



### **Oversized Top Option**

The oversized top option increases the overhang on the left and right sides of credenzas to 4 1/2" on each side, the guest and user side overhang remain unchanged. When using a hutch and credenza combination, we do not recommend specifying a hutch greater in size than the standard chassis size of the credenza. The left/right extensions on the oversized top should not be used for the support of a hutch.

### **Chassis Dimensions**

Please use the reference chart below to determine chassis dimensions, top dimensions, and overhang dimensions for all desk sizes:

	Credenza dimension	Chassis overhang	Left overhang	Right overhang	Guest User overhang
	diffictioioff	overnang	overnang	· ·	J
66" x 20"	63" x 18 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
72" x 20" (oversized top)	63" x 18 1/4"	4 1/2"	4 1/2"	3/4"	1/8"
66" x 24"	63" x 22 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
72" x 24" (oversized top)	63" x 22 1/4"	4 1/2"	4 1/2"	3/4"	1/8"
72" x 20"	69" x 18 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
78" x 20" (oversized top)	69" x 18 1/4"	4 1/2"	4 1/2"	3/4"	1/8"
72" x 24"	69" x 22 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
78" x 24" (oversized top)	69" x 22 1/4"	4 1/2"	4 1/2"	3/4"	1/8"
78" x 20"	75" x 18 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
84" x 20" (oversized top)	75" x 18 1/4"	4 1/2"	4 1/2"	3/4"	1/8"
78" x 24"	75" x 22 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
84" x 24" (oversized top)	75" x 22 1/4"	4 1/2"	4 1/2"	3/4"	1/8"
84" x 20"	81" x 18 1/4"	1 1/2"	1 1/2"	3/4"	1/8"
84" x 24"	81" x 18 1/4"	1 1/2"	1 1/2"	3/4"	1/8"

Dimensions have been rounded to the nearest 1/4", please contact Customer Service for exact measurements.

# **STRATFORD | OVERHEADS & HUTCHES**





Overheads include tasklights that are factory installed and require no field adjustment. Tasklights are mounted beneath the cabinet and hidden from view. Cords run down the right hand side of the tasklight to the worksurface where they can be routed behind the worksurface top. The use of a wall mounted tackboard conceals the cord from view.

Tackboards must be ordered separately and can be specified in any fabric grade (1-9). Wall mounted tackboards for overheads are supplied with all necessary hardware for installation.

Locks are optional on overheads and can be specified at time of order for an upcharge of \$145 list per set of (2) doors.



### **HUTCHES**

Hutches include tasklights that are factory installed and require no field adjustment. Tasklights are mounted beneath the cabinet and hidden from view.

A tackboard in grade 1 fabric is included with most hutches, see the hutch product section for specific products. Upcharges for higher graded fabrics are listed on page 603. Tackboard fabric selections should be supplied with the order information, fabric options are listed on page 4 of this price guide.

Tackboards for hutches are installed at the factory and require no additional set up on site.



### POWER/DATA/VOICE GROMMET

Access to power and data is made simple by using a hutch with a power/data/voice module built right into the tackboard. The module is fully installed at the factory but can be removed to connect data links on site. It features a flip door that retracts into the case of the unit when open.

### **INSTALLATION**



Hutch and overhead installation instructions are included with ever case, but basic installation instructions can be found in this guide on page 586. All required mounting hardware is included with all hutches.

# **STRATFORD** | INSTALLATION

### CONNECTING WORKSURFACES

It is important that the product is in its final position and the primary worksurface is leveled before connecting other joining pieces.

Detailed installation instructions are included with each unit, or available from Krug Customer Service.

Units are connected with mending plates under worksurfaces, and linking brackets on modesty and end panels. Locate connections and attach the mending plate under the worksurface. Level pieces if necessary by adjusting the glides to achieve flush and firm joints before completing installation of all hardware

# PRESS DOWN RIGHT SIDE LIFT UP LIFT SIDE RELEASE LEVER DRAWER SLIDE DRAWER SIDE

### **DRAWER REMOVAL**

To remove pedestal drawers, open to the extended position, press down on the right side nylon release lever and pull the drawers up on left side lever at the same time. Continue pulling the drawer out of the case.

### **GLIDE ADJUSTMENTS**


Raise one corner of the unit at a time and adjust the glide to the desired height by turning the glide in the hole. Make sure unit is level after adjusting the glides.

Please note that the maximum adjustment range of the glides is 1/2".

When moving units after glides have been inserted, dial the glides to the lowest position to prevent damage to the case.

### **BOOKCASE OR HUTCH DOOR ADJUSTMENT**


Hinges on all hutch and bookcase doors are designed to be adjusted fro depth, horizontal and vertical adjustment by means of screws into the hinge mounting plates.



 $_{\mbox{\scriptsize RELEASE}}$  To remove a door, pull the release clip away from the case, disconnecting the hinges.


### **OVERHEAD INSTALLATION**

The wall mounted overhead storage units must be installed on wall studs. The first step for installation is to locate the studs in the wall where the overhead is to be mounted. Measure the stud center line location and use this measurement to mark the hole locations on the mounting rail and the overhead back. Drill clearance holes at the hole locations. Hole requirements will depend on the fasteners chosen by the installer. 2 1/2" x #10 wood screws are adequate if going into wood studs. If studs cannot be accessed, then appropriate drywall plugs or butterfly bolts should be used. We recommend 2 fasteners per stud.




Fasten the mounting rail to the wall ensuring that it is level. Hang the overhead on the mounting rail and then fasten it to the wall. This prevents accidental removal and also allows for some leveling adjustment.


# **STRATFORD** | SAMPLE CONFIGURATIONS




	Model	Cherry Walnut	
Desk Hutch Credenza	98D72364L0RF 98HT721640 98C72244LDRF	4673 4839 5162	
TOTAL		\$14674	




	Model	Cherry Walnut	
Desk	98TD7236	4614	
Overhead Tackboard	98OH7216 98TBOH72	2689 485	
Credenza	98C72244LDRF	5162	
Flush Left	option 98WR30247101	115	
Storage	9677130247101	4604	
TOTAL		\$17669	





	Model	Cherry Walnut	
Desk	98D72364L0RF	4673	
Link Unit	98LU4224H	1843	
Hutch	98HT721640	4839	
Credenza	98C72244LDR0	4799	
TOTAL		\$16154	






	Model	Cherry Walnut	
Return Credenza Flush Right Storage	98BR6030 98C7220LFR0 option 98ST30207103	2037 4496 115 5303	
TOTAL		\$11051	

		Cherry					Shipping	Cubic
Description	Model	Walnut	W	D	Н	KW	Weight	Feet
Double Pedestal Desk	98D60304LDRD	6004	59.75	29.75	30.5	25.5	273	42
	98D60304LDRF	6004	59.75	29.75	30.5	25.5	273	42
N IV	98D60304LFRD	6004	59.75	29.75	30.5	25.5	273	42
10	98D60304LFRF	6004	59.75	29.75	30.5	25.5	273	42
	98D66304LDRD	6036	65.75	29.75	30.5	31.5	280	46
	98D66304LDRF	6036	65.75	29.75	30.5	31.5	280	46
	98D66304LFRD	6036	65.75	29.75	30.5	31.5	280	46
	98D66304LFRF	6036	65.75	29.75	30.5	31.5	280	46
	98D66364LDRD	6067	65.75	35.75	30.5	31.5	295	55
40	98D66364LDRF	6067	65.75		30.5	31.5	295	55
guest side of a 36"	98D66364LFRD	6067	65.75	35.75	30.5	31.5	295	55
deep desk**	98D66364LFRF	6067	65.75		30.5	31.5	295	55
deep desk	98D72364LDRD	6156	71.75		30.5	37.5	310	60
	98D72364LDRF*	6156	71.75	35.75	30.5	37.5	310	60
	98D72364LFRD	6156	71.75	35.75	30.5	37.5	310	60
	98D72364LFRF	6156	71.75	35.75	30.5	37.5	310	60
	98D78424LDRD	6295	77.75	41.75	30.5	43.5	327	72
	98D78424LDRF	6295	77.75	41.75	30.5	43.5	327	72
	98D78424LFRD	6295	77.75	41.75	30.5	43.5	327	72
	98D78424LFRF	6295	77.75	41.75	30.5	43.5	327	72
	98D84424LDRD	6437	83.75	41.75	30.5	49.5	337	78
	98D84424LDRF	6437	83.75	41.75	30.5	49.5	337	78
	98D84424LFRD	6437	83.75	41.75	30.5	49.5	337	78
	98D84424LFRF	6437	83.75	41.75	30.5	49.5	337	78

information on the desks overhang and chassis dimensions. A burled walnut top option is available at a 20% upcharge.

Double Pedestal Desk with Center Drawer Option



98D60304LFCDRF	6378	000		30.5	25.5 31.5	303	42
98D66304LFCDRF 98D66364LFCDRF	6378 6378	000	29.75 35.75	30.5 30.5	01.0	310 325	46 55
98D72364LFCDRF*	6378	000	35.75	00.0	0	340	60
98D78424LFCDRF	6378	77.75	41.75	30.5	43.5	357	72
98D84424LFCDRF	6378	83.75	41.75	30.5	49.5	367	78

Laminate worksurfaces are available at a 10% upcharge. 30" deep Stratford desks have a 1-1/2" overhang on the guest side. 36" deep Stratford desks have a 7 1/2" overhang on the guest side. See page 578 for more

### **ORDERING NOTES:**

**ORDERING NOTES:** 

The center drawer option includes:

- a felt-lined drawer with pencil tray
- two pull-out dictation slides on the user side of the desk.
- a central locking system activating center drawer and both pedestals with a single lock located on the left pedestal inside gable.

Laminate worksurfaces are available at a 10% upcharge. A burled walnut top option is available at a 20% upcharge.

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

0 - no pedestal

4 - full height pedestals

D - 2 file drawer

F - 2 box, 1 file drawe

L - left hand support position

R - right hand support position

CD - center drawer

OT - oversized top option

BT - bow top option

CC - corner credenza

### STANDARD FINISHES


For a complete list of standard wood finishes please see page 577.

### WIRING GROMMET

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
Oversized Top Option	OT98D66364	315	71.75	35.75	-	15	-
	OT98D72364*	315	77.75	35.75	-	15	-
	OT98D78424	315	83.75	41.75	-	15	-

### **ORDERING NOTES:**

The oversized top option is only available on stand-alone double pedestal desks and cannot be used in conjunction with any other run-off or connecting worksurfaces. Specifying the oversized top option increases the top width, increasing the left and right overhang measurement to 4-1/2". The guest side remains 7-1/2" (as is standard for 36" and 42" deep desks). Laminate worksurfaces are available at a 10% upcharge.



### ORDERING NOTES:

The oversized top option is only available on stand-alone double pedestal desks and cannot be used in conjunction with any other run-off or connecting worksurfaces. Specifying the oversized top option increases the top width, increasing the left and right overhang measurement to 4-1/2". The guest side remains 7-1/2" (as is standard for 36" and 42" deep desks). Laminate worksurfaces are available at a 10% upcharge.

### **ORDERING PROCEDURES**

To order, lease specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

Description	Model	Cherry Walnut	\	N	D	Н	KW	Shipping Weight	Cubic Feet
Single Pedestal Desk with	98D66304L0CDRF	4458	65	.75	29.75	30.5	46.5	252	46
Center Drawer Option	98D66304LFCDR0	4458	65	.75	29.75	30.5	46.5	252	46
	98D66364L0CDRF	4503	65	.75	35.75	30.5	46.5	267	55
100	98D66364LFCDR0	4503	65	.75	35.75	30.5	46.5	267	55
1000	98D72364L0CDRF*	4996	71	.75	35.75	30.5	52.5	282	60
	98D72364LFCDR0	4996	71	.75	35.75	30.5	52.5	282	60
	98D78424L0CDRF	5493	77	.75	41.75	30.5	58.5	299	72
	98D78424LFCDR0	5493	77	.75	41.75	30.5	58.5	299	72
	98D84424L0CDRF	5987	83	.75	41.75	30.5	64.5	309	78
	98D84424LFCDR0	5987	83	.75	41.75	30.5	64.5	309	78

guest side of a 36" deep desk\*\*

### **ORDERING NOTES:**


The center drawer option includes:

- a felt-lined drawer with pencil tray
- a central locking system activating center drawer and pedestal with a single lock located on the inside pedestal gable.
- pull-out dictation slide on the user side of the desk.

The space left between the pencil drawer and the open end of the desk allows for a 24" run off. Laminate worksurfaces are available at a 10% upcharge. A burled walnut top option is available at a 20% upcharge.

Desk Shells	98S6636L0R0* 98S7236L0R0	2797 3106	65.75 35.75 71.75 35.75	30.5 30.5	60.5 66.5	121 137	55 60
	98S7836L0R0	3446	77.75 35.75	30.5	72.5	153	64

Bow Top Option Upcharge



98D6636BT 638	_
98D7236BT* 688	-
98D7842BT 705	-
98D8442BT 714	-

### **ORDERING NOTES:**

The bow top option is available on all the desk sizes listed above. Please add "BT" to the model number of the desk and add the upcharge shown above. The bowtop option tapers the overhang back on the left and right sides, the depth of the overhang at the widest point is 7 1/2". Laminate worksurfaces are available at a 10% upcharge.

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

0 - no pedestal

4 - full height pedestals

D - 2 file drawer

F - 2 box, 1 file drawer

L - left hand support position

R - right hand support position

CD - center drawer

OT - oversized top option

BT - bow top option

CC - corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### WIRING GROMMET

		Cherry					Shipping	Cubic
Description	Model	Walnut	W	D	Н	KW	Weight	Feet
Queen Ann Table Desk	98TDQ7236	5074	83.75	35.75	30.5	65.75	150	60



### **ORDERING NOTES:**

Optional lock: Please add \$145 list and specify lock option in the product description. This item is NOT available on KrugExpress. Laminate worksurfaces are available at a 10% upcharge. Please note that pedestals can not be used with table desks.

Table Desk	98TD7236*	4614	71.75 35.75	30.5	66.5 131	12
	98TD7842	5124	77.75 41.75	30.5	72.5 148	14



### **ORDERING NOTES:**

Table desk includes a felt-liner center drawer with pencil tray. To add lock, please specify lock option and add \$137 list. The lock plug is located above the center drawer in the rail. The table desk is shipped knocked down. This table desk is NOT available on KrugExpress. Laminate worksurfaces are available at a 10% upcharge.

Bullet Desk, Post Leg	98BD6030	2928	59.75 29.75	30.5	140	36
	98BD6630	2985	65.75 29.75	30.5	154	40
	98BD7230	3042	71.75 29.75	30.5	170	47
	98BD6636	3015	65.75 35.75	30.5	184	43
	98BD7236*	3106	71.75 35.75	30.5	200	51



"P" Desk, Post Leg

98PD7230L	3818
98PD7230R	3818
98PD7236L	3899
98PD7236R*	3899
98PD7830L	3972
98PD7830R	3972
98PD7836R	4045
98PD7836R	4045
98PD8430L	4169
98PD8430R	4169
98PD8436L	4274
98PD8436R	4274

8PD7230L	3818	71.75 35.75 30.5 189	43
8PD7230R	3818	71.75 35.75 30.5 189	43
8PD7236L	3899	71.75 41.75 30.5 205	51
8PD7236R*	3899	71.75 41.75 30.5 205	51
8PD7830L	3972	77.75 35.75 30.5 219	47
8PD7830R	3972	77.75 35.75 30.5 219	47
8PD7836R	4045	77.75 41.75 30.5 233	56
8PD7836R	4045	77.75 41.75 30.5 233	56
8PD8430L	4169	83.75 35.75 30.5 247	50
8PD8430R	4169	83.75 35.75 30.5 247	50
8PD8436L	4274	83.75 41.75 30.5 260	60
8PD8436R	4274	83.75 41.75 30.5 260	60

### **ORDERING NOTES:**

"P" desk/return legs are 10.5 in diameter. Laminate worksurfaces are available at a 10% upcharge.

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **LOCKS**

Locks are standard on all lateral file drawers. Optional locks on bookcase doors are available at a \$145 list upcharge. Please specify at time of order.

# **STRATFORD** | RETURNS

Description	Model	Cherry Walnut	W	D	Н	KW	Shipping Weight	Cubic Feet
Single Pedestal Return	98RH4220L4D	3618	41.75	20.5	30.5	23	114	22
Origie i edestal rietarri	98RH4220L4F	3618	41.75		30.5	23	114	22
	98RH4220R4D	3618	41.75		30.5	23	114	22
	98RH4220R4F	3618	41.75		30.5	23	118	22
113	98RH4224L4D	3669		23.75	30.5	23	118	26
	98RH4224L4F	3669		23.75	30.5	23	114	26
8	98RH4224R4D	3669	41.75		30.5	23	114	26
	98RH4224R4F	3669	41.75		30.5	23	114	26
_	98RH4820L4D	3701	47.75		30.5	27	118	25
	98RH4820L4F	3701	47.75		30.5	27	118	25
	98RH4820R4D	3701	47.75		30.5	27	118	25
( )	98RH4820R4F	3701	47.75		30.5	27	122	25
	98RH4824L4D	3718		23.75	30.5	27	122	29
	98RH4824L4F*	3718	47.75	23.75	30.5	27	118	29
	98RH4824R4D	3718	47.75		30.5	27	118	29
	98RH4824R4F	3718	47.75		30.5	27	118	29
	98RH5420L4D	3748	53.75	5 20.5	30.5	35	122	28
	98RH5420L4F	3748	53.75		30.5	35	122	28
	98RH5420R4D	3748	53.75	20.5	30.5	35	122	28
	98RH5420R4F	3748	53.75	5 20.5	30.5	35	126	28
	98RH5424L4D	3793	53.75	23.75	30.5	35	126	32
	98RH5424L4F	3793	53.75	23.75	30.5	35	122	32
	98RH5424R4D	3793	53.75	23.75	30.5	35	122	32
	98RH5424R4F	3793	53.75	23.75	30.5	35	122	32
	98RH6020L4D	3873	59.75	20.5	30.5	41	126	31
	98RH6020L4F	3873	59.75	20.5	30.5	41	126	31
	98RH6020R4D	3873	59.75	20.5	30.5	41	126	31
	98RH6020R4F	3873	59.75	20.5	30.5	41	130	31
	98RH6024L4D	3944	59.75	23.75	30.5	41	130	36
	98RH6024L4F	3944	59.75	23.75	30.5	41	126	36
	98RH6024R4D	3944	59.75	23.75	30.5	41	126	36
	98RH6024R4F	3944	59.75	23.75	30.5	41	126	36
	98RH6620L4D	4140	65.75	20.5	30.5	47	130	33
	98RH6620L4F	4140	65.75	20.5	30.5	47	130	33
	98RH6620R4D	4140	65.75	20.5	30.5	47	130	33
	98RH6620R4F	4140	65.75	20.5	30.5	47	165	33
	98RH6624L4D	4187	65.75	23.75	30.5	47	165	39
	98RH6624L4F	4187	65.75	23.75	30.5	47	130	39
	98RH6624R4D	4187	65.75	23.75	30.5	47	130	39
	98RH6624R4F	4187	65.75	23.75	30.5	47	130	39

### **ORDERING NOTES:**

Modesty panels on returns are raised above the base mounding. Laminate worksurfaces are available at a 10% upcharge. For wire management cut out option on modesty panel add \$185 list upcharge. For hinged modesty panel upcharge insert Y after the C in the model number. e.g. 98CY7224LORF

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

0 - no pedestal

4 - full height pedestals

D - 2 file drawer

F - 2 box, 1 file drawer

L - left hand support position

R - right hand support position

CD - center drawer

OT - oversized top option

BT - bow top option

CC - corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### WIRING GROMMET

# **STRATFORD | RETURNS**


Description	Model	Cherry Walnut	W	D	Н	KW	Shipping Weight	Cubic Feet
Single Pedestal Return,	98RH7220L4D	4246	71.75	20.5	30.5	53	165	36
Continued	98RH7220L4F*	4246	71.75	20.5	30.5	53	165	36
	98RH7220R4D	4246	71.75	20.5	30.5	53	165	36
A de la constant de l	98RH7220R4F	4246	71.75	20.5	30.5	53	170	36
V.	98RH7224L4D	4324	71.75	23.75	30.5	53	170	42
U	98RH7224L4F	4324	71.75	23.75	30.5	53	165	42
No	98RH7224R4D	4324	71.75	23.75	30.5	53	165	42
	98RH7224R4F	4324	71.75	23.75	30.5	53	165	42

### **ORDERING NOTES:**

Modesty panels on returns are raised above the base mounding. Laminate worksurfaces are available at a 10% upcharge. For wire management cut out option on modesty panel add \$185 list upcharge. For hinged modesty panel upcharge insert Y after the C in the model number. e.g. 98CY7224LORF

Return Shells	98RH4224L0* 98RH4224R0	2184 2184	41.75 23.75 41.75 23.75	30.5	39.25	68 68	26 26
	98RH4824L0 98RH4824R0	2211 2211	47.75 23.75 47.75 23.75			72 72	29 29

Bullet Return, Post Leg



98BR6030	2037	59.75 29.75 30.5	66	3
98BR6630	2063	65.75 29.75 30.5	81	4
98BR6636	2090	65.75 35.75 30.5	101	4
98BR7230	2132	71.75 29.75 30.5	106	4
98BR7236*	2198	71.75 35.75 30.5	116	5

### **ORDERING NOTES:**

Bullet desk/return legs are 10.5 in diameter. Bullet desks are available in 72" lengths only for KrugExpress. Laminate worksurfaces are available at a 10% upcharge.

"P" Return, Post Leg	98PR7230L	3258	71.75 35.79	5 30.5	112	43
	98PR7230R	3258	71.75 35.7	5 30.5	112	43
	98PR7236L	3398	71.75 41.79	5 30.5	128	51
	98PR7236R*	3398	71.75 41.79	5 30.5	128	51
1-1-1	98PR7836L	3473	77.75 41.79	5 30.5	128	47
	98PR8430L	3473	83.75 35.79	5 30.5	128	47
	98PR8430R	3591	83.75 35.7	5 30.5	128	56
	98PR8436L	3591	83.75 41.79	5 30.5	128	56
	98PR8436R	3690	83.75 41.79	5 30.5	128	50
	98PR7836R	3690	77.75 41.79	5 30.5	128	50
	98PR7830L	3796	77.75 35.79	5 30.5	142	60
	98PR7830R	3796	77.75 35.75	5 30.5	142	60

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable

### CODE DESCRIPTION

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **WIRING GROMMET**

<sup>\*</sup> Indicates model illustrated by line drawing

# **STRATFORD | LINKING UNITS & CORNER UNITS**

5		Cherry	147	-		1011	Shipping	Cubic
Description	Model	Walnut	W	D	Н	KW	Weight	Feet
Linking Units	98LU3620H	1707	34.75	19.75	30.5		15	3
	98LU3624H	1759	34.75	23.75	30.5		16	3
	98LU4220H	1782	38.75	19.75	30.5		20	4
-	98LU4224H*	1843	38.75	23.75	30.5		24	4
	98LU4820H	1880	44.75	19.75	30.5		29	4
	98LU4824H	1920	44.75	23.75	30.5		36	4



### **ORDERING NOTES:**

Please note on order if picture frame molding is required on hinged modesty panel. Laminate worksurfaces are available at a 10% upcharge.

For wire management cut out option on modesty panel add \$185 list upcharge.

For hinged modesty panel upcharge add 10% and insert Y after the LU in the model number. e.g. 98LUY4224H

Linking Tops	98LT3620H	845	34.75 19.75 1.25	15	2
	98LT3624H	856	34.75 23.75 1.25	16	2
	98LT4220H	879	38.75 19.75 1.25	20	2
4	98LT4224H*	908	38.75 23.75 1.25	24	2
	98LT4820H	927	44.75 19.75 1.25	29	2
	98LT4824H	945	44.75 23.75 1.25	36	3

### **ORDERING NOTES:**

Laminate worksurfaces are available at a 10% upcharge.

Corner Units	98CU363620	3340	35.75 35.75	30.5	22.5	106	33
	98CU363624*	3340	35.75 35.75	30.5	1/	106	33
	98CU424224	3669	41.75 41.75	30.5	25.5	131	41



### **ORDERING NOTES:**

Laminate worksurfaces are available at a 10% upcharge. The x dimension on the 98CU363624 corner unit does not allow for an undersurface mounted keyboard or pencil drawer. Please specify a 98KBAC2110 with an extended mechanism if keyboard is required. See page 604.

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

4 - full height pedestals

D - 2 file drawer

F - 2 box, 1 file drawer

L - left hand support position

R - right hand support position

CU - corner unit

LT - linking top

Lu - linking unit


### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### WIRING GROMMET

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
Credenza Shells	98S6624L0R0* 98S7224L0R0 98S7824L0R0	2700 2945 3200	71.75	23.75 23.75 23.75	30.5 30.5 30.5	121 137 153	32 35 38

0	Destar Land	O
Single	Pedestal	Credenza





4723	65.75	19.75	30.5	46.5	163	33
4723	65.75	19.75	30.5	46.5	163	33
4723	65.75	19.75	30.5	46.5	163	33
4723			30.5	46.5	163	33
4725					171	38
4725						38
4725						38
4725					171	38
4764					179	36
4764						36
4764					179	36
4764					179	36
4799						41
4799						41
4799						41
4799						41
4778						38
4778						38
4778						38
4778						38
4778						44
4778						44
4778						44
4778						44
4803						41
4803						41
4803						41
4803						41
4824						48
4824						48
4824						48
4824	83.75	23.75	30.5	64.5	219	48
	4723 4723 4723 4725 4725 4725 4725 4764 4764 4764 4764 4799 4799 4799 4799 4798 4778 478 4	4723 65.75 4723 65.75 4723 65.75 4725 65.75 4725 65.75 4725 65.75 4725 65.75 4726 71.75 4764 71.75 4764 71.75 4769 71.75 4799 71.75 4799 71.75 4799 71.75 4799 71.75 4799 71.75 4799 71.75 4798 77.75 4778 77.75 478 77.75 4788 77.75 4788 77.75	4723       65.75       19.75         4723       65.75       19.75         4723       65.75       19.75         4725       65.75       23.75         4725       65.75       23.75         4725       65.75       23.75         4764       71.75       19.75         4764       71.75       19.75         4764       71.75       19.75         4799       71.75       23.75         4799       71.75       23.75         4799       71.75       23.75         4778       77.75       19.75         4778       77.75       19.75         4778       77.75       19.75         4778       77.75       23.75         4778       77.75       23.75         4778       77.75       23.75         4778       77.75       23.75         4778       77.75       23.75         4803       83.75       19.75         4803       83.75       19.75         4803       83.75       19.75         4824       83.75       23.75         4824       83.75       23.75 <td>4723       65.75       19.75       30.5         4723       65.75       19.75       30.5         4723       65.75       19.75       30.5         4725       65.75       23.75       30.5         4725       65.75       23.75       30.5         4725       65.75       23.75       30.5         4725       65.75       23.75       30.5         4725       65.75       23.75       30.5         4764       71.75       19.75       30.5         4764       71.75       19.75       30.5         4764       71.75       19.75       30.5         4799       71.75       23.75       30.5         4799       71.75       23.75       30.5         4799       71.75       23.75       30.5         4799       71.75       23.75       30.5         4778       77.75       19.75       30.5         4778       77.75       19.75       30.5         4778       77.75       19.75       30.5         4778       77.75       23.75       30.5         4778       77.75       23.75       30.5</td> <td>4723       65.75       19.75       30.5       46.5         4723       65.75       19.75       30.5       46.5         4723       65.75       19.75       30.5       46.5         4725       65.75       23.75       30.5       46.5         4725       65.75       23.75       30.5       46.5         4725       65.75       23.75       30.5       46.5         4725       65.75       23.75       30.5       46.5         4764       71.75       19.75       30.5       52.5         4764       71.75       19.75       30.5       52.5         4764       71.75       19.75       30.5       52.5         4799       71.75       19.75       30.5       52.5         4799       71.75       23.75       30.5       52.5         4799       71.75       23.75       30.5       52.5         4778       77.75       19.75       30.5       52.5         4778       77.75       19.75       30.5       58.5         4778       77.75       19.75       30.5       58.5         4778       77.75       23.75       30.5       &lt;</td> <td>4723</td>	4723       65.75       19.75       30.5         4723       65.75       19.75       30.5         4723       65.75       19.75       30.5         4725       65.75       23.75       30.5         4725       65.75       23.75       30.5         4725       65.75       23.75       30.5         4725       65.75       23.75       30.5         4725       65.75       23.75       30.5         4764       71.75       19.75       30.5         4764       71.75       19.75       30.5         4764       71.75       19.75       30.5         4799       71.75       23.75       30.5         4799       71.75       23.75       30.5         4799       71.75       23.75       30.5         4799       71.75       23.75       30.5         4778       77.75       19.75       30.5         4778       77.75       19.75       30.5         4778       77.75       19.75       30.5         4778       77.75       23.75       30.5         4778       77.75       23.75       30.5	4723       65.75       19.75       30.5       46.5         4723       65.75       19.75       30.5       46.5         4723       65.75       19.75       30.5       46.5         4725       65.75       23.75       30.5       46.5         4725       65.75       23.75       30.5       46.5         4725       65.75       23.75       30.5       46.5         4725       65.75       23.75       30.5       46.5         4764       71.75       19.75       30.5       52.5         4764       71.75       19.75       30.5       52.5         4764       71.75       19.75       30.5       52.5         4799       71.75       19.75       30.5       52.5         4799       71.75       23.75       30.5       52.5         4799       71.75       23.75       30.5       52.5         4778       77.75       19.75       30.5       52.5         4778       77.75       19.75       30.5       58.5         4778       77.75       19.75       30.5       58.5         4778       77.75       23.75       30.5       <	4723

### **ORDERING NOTES:**

Please note on order if picture frame molding is required on hinged modesty panel. Laminate worksurfaces are available at a 10% upcharge. For wire management cut out option on modesty panel add \$185 list upcharge. For hinged modesty panel add a 10% upcharge and insert Y after the C in the model number. e.g. 98CY72244LORF

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### WIRING GROMMET

Description	Model	Cherry Walnut	W	D	Н	KW	Shipping Weight	Cubic Feet
Double Pedestal	98C66204LDRD	5074	65.75	19.75	30.5	31.5	198	33
Credenza	98C66204LDRF	5074	65.75		30.5	31.5	198	33
Oredenza	98C66204LFRD	5074	65.75		30.5	31.5	198	33
1101	98C66204LFRF	5074		19.75	30.5	31.5	198	33
10	98C66244LDRD	5084		23.75	30.5	31.5	211	38
	98C66244LDRF	5084		23.75	30.5	31.5	211	38
	98C66244LFRD	5084		23.75	30.5	31.5	211	38
_	98C66244LFRF	5084	65.75	23.75	30.5	31.5	211	38
	98C72204LDRD	5128	71.75	19.75	30.5	37.5	214	36
	98C72204LDRF	5128	71.75	19.75	30.5	37.5	214	36
("")	98C72204LFRD	5128	71.75	19.75	30.5	37.5	214	36
	98C72204LFRF	5128	71.75	19.75	30.5	37.5	214	36
	98C72244LDRD	5162	71.75	23.75	30.5	37.5	227	41
	98C72244LDRF	5162	71.75	23.75	30.5	37.5	227	41
	98C72244LFRD	5162	71.75	23.75	30.5	37.5	227	41
	98C72244LFRF	5162	71.75	23.75	30.5	37.5	227	41
	98C78204LDRD*	5210		19.75	30.5	43.5	230	38
	98C78204LDRF	5210		19.75	30.5	43.5	230	38
	98C78204LFRD	5210		19.75	30.5	43.5	230	38
	98C78204LFRF	5210	77.75		30.5	43.5	230	38
	98C78244LDRD	5256	77.75		30.5	43.5	243	44
	98C78244LDRF	5256		23.75	30.5	43.5	243	44
	98C78244LFRD	5256		23.75	30.5	43.5	243	44
	98C78244LFRF	5256		23.75	30.5	43.5	243	44
	98C84204LDRD	5264		19.75	30.5	49.5	246	41
	98C84204LDRF	5264		19.75	30.5	49.5	246	41
	98C84204LFRD	5264		19.75	30.5	49.5	246	41
	98C84204LFRF	5264		19.75	30.5	49.5	246	41
	98C84244LDRD	5278	83.75		30.5	49.5	259	48
	98C84244LDRF	5278	83.75		30.5	49.5	259	48
	98C84244LFRD	5278	83.75		30.5	49.5	259	48
	98C84244LFRF	5278	83.75	23.75	30.5	49.5	259	48

### **ORDERING NOTES:**

Please note on order if picture frame molding is required on hinged modesty panel. Laminate worksurfaces are available at a 10% upcharge.

For wire management cut out option on modesty panel add \$185 list upcharge.

For hinged modesty panel add a 10% upcharge and insert Y after the C in the model number. e.g. 98CY7224LFRF

### **DIMENSION KEY**

 $W \ - \ width$ 

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

0 - no pedestal

4 - full height pedestals

D - 2 file drawer

F - 2 box, 1 file drawer

L - left hand support position

R - right hand support position

CD - center drawer

OT - oversized top option

BT - bow top option

CC - corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **WIRING GROMMET**

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
Oversized Top Option	OT98C6620	315	71.75	19.75	-	15	-
	OT98C6624	315	71.75	23.75	-	15	-
1 TV	OT98C7220	315	77.75	19.75	-	15	-
Nº E	OT98C7224	315	77.75	23.75	-	15	-
No.	OT98C7820*	315	83.75	19.75	-	15	-
	OT98C7824	315	83.75	23.75	-	15	-

### **ORDERING NOTES:**

In the 20" deep knee hole credenzas and/or shells the pencil drawer cannot be used. The oversized top option is only available on stand-alone double pedestal credenzas and cannot be used in conjunction with any other run-off connecting worksurfaces. Specifying the oversized top option increases the top width, increasing the left and right overhang measurement to 4 1/2". The front and rear overhang remains unchanged. Laminate worksurfaces are available at a 10% upcharge.

Lateral File or Bookcase	Э
Pedestal	



98C6620LBR0	4314	65.75 19.75 30.5 25.75 204 33
98C6620LFR0	4314	65.75 19.75 30.5 25.75 212 33
98C6620L0RB	4314	65.75 19.75 30.5 25.75 204 33
98C6620L0RF	4314	65.75 19.75 30.5 25.75 212 33
98C6624LBR0	4398	65.75 23.75 30.5 25.75 211 38
98C6624LFR0	4398	65.75 23.75 30.5 25.75 227 38
98C6624L0RB	4398	65.75 23.75 30.5 25.75 211 38
98C6624L0RF	4398	65.75 23.75 30.5 25.75 227 38
98C7220LBR0	4496	71.75 19.75 30.5 31.75 228 36
98C7220LFR0	4496	71.75 19.75 30.5 31.75 236 36
98C7220L0RB	4496	71.75 19.75 30.5 31.75 228 36
98C7220L0RF	4496	71.75 19.75 30.5 31.75 236 36
98C7224LBR0	4594	71.75 23.75 30.5 31.75 235 41
98C7224LFR0	4594	71.75 23.75 30.5 31.75 243 41
98C7224L0RB	4594	71.75 23.75 30.5 31.75 235 41
98C7224L0RF	4594	71.75 23.75 30.5 31.75 243 41
98C8420LBR0	4722	83.75 19.75 30.5 43.75 256 41
98C8420LFR0	4722	83.75 19.75 30.5 43.75 268 41
98C8420L0RB	4722	83.75 19.75 30.5 43.75 256 41
98C8420L0RF	4722	83.75 19.75 30.5 43.75 268 41
98C8424LBR0	4822	83.75 23.75 30.5 43.75 267 48
98C8424LFR0	4822	83.75 23.75 30.5 43.75 275 48
98C8424L0RB	4822	83.75 23.75 30.5 43.75 267 48
98C8424L0RF*	4822	83.75 23.75 30.5 43.75 275 48

### **ORDERING NOTES:**

Please note on order if picture frame molding is required on hinged modesty panel. Laminate worksurfaces are available at a 10% upcharge. Bookcase pedestals include one adjustable shelf. For hinged modesty panel add a 10% upcharge and insert Y after the C in the model number. e.g. 98CY7224L0RF

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **WIRING GROMMET**

Description	Model	Cherry Walnut	W	D	Н	KW	Shipping Weight	Cubic Feet
Full Face Credenza,	98C6320LFRF	6196	62.5	19.75	30.5		304	27
Lateral File and Bookcase	98C6324LFRF	6225	62.5	23.75	30.5		316	27
	98C7220LBRF	6333	71.75	19.75	30.5		320	29
100	98C7220LFRB	6333	71.75	19.75	30.5		320	29
	98C7224LBRF*	6456		23.75	30.5		331	35
	98C7224LFRB	6450	71.75	23.75	30.5		331	35
	98C7520LFRF	7084	74.5	19.75	30.5		334	37
	98C7524LFRF	7150	74.5	23.75	30.5		347	37
Full Face Credenza	98C66204FBCF	5821	65.75	19.75	30.5	25.75	250	33
	98C66204DBCD	5821	65.75	19.75	30.5	25.75	246	33
11 14	98C66244FBCF	5918		23.75	30.5	25.75	263	38
	98C66244DBCD	5918		23.75	30.5	25.75	259	38
	98C72204FBCF	6096	71.75	19.75	30.5	25.75	266	36
	98C72204DBCD	6096		19.75	30.5	25.75	262	36
1111	98C72244FBCF*	6268	71.75	23.75	30.5	25.75	279	41
	98C72244DBCD	6268	71.75	23.75	30.5	25.75	275	41
	98C84204FBCF	6447	83.75	19.75	30.5	31.75	298	41
	98C84204DBCD	6447		19.75	30.5	31.75	294	41
	98C84244FBCF**	6623	83.75	23.75	30.5	31.75	311	48
	98C84244DBCD	6623	83.75	23.75	30.5	31.75	307	48
Single Pedestal Corner	98CC6624L4D	4055	65.75	35.75	30.5	37.5	184	55
Credenza	98CC6624R4D	4055	65.75	35.75	30.5	20.5	184	55
	98CC6624L4F	4055	65.75	35.75	30.5	20.5	184	55
	98CC6624R4F	4055	65.75	35.75	30.5	20.5	184	55
	98CC7224L4D*	4150		35.75	30.5	20.5	202	60
9	98CC7224R4D	4150	71.75		30.5	20.5	202	60
	98CC7224L4F	4150	71.75	35.75	30.5	20.5	202	60
	98CC7224R4F	4150	71.75	35.75	30.5	20.5	202	60
	98CC7824L4D	4197	77.75 77.75	35.75 35.75	30.5	20.5	210	64
( )	98CC7824R4D 98CC7824L4F	4197 4197	77.75 77.75	35.75	30.5 30.5	20.5 20.5	210 210	64 64
	98CC7824L4F 98CC7824R4F	4197	77.75 77.75	35.75	30.5	20.5	210	64
	98CC8424L4D	4243	83.75	35.75	30.5	20.5	218	69
	98CC8424R4D	4243	83.75	35.75	30.5	20.5	218	69
	98CC8424L4F	4243	83.75	35.75	30.5	20.5	218	69
	98CC8424R4F	4243		35.75	30.5	20.5	218	69
			00.70	200	00.0			

### **ORDERING NOTES:**

Corner credenzas allow for a 24" deep unit at the connecting end. Laminate worksurfaces are available at a 10% upcharge. For wire management cut out option on modesty panel add \$185 list upcharge. For hinged modesty panel add a 10% upcharge and insert Y after the C in the model number. e.g. 98CY7224LORF

### **DIMENSION KEY**

W-width

 $\mathsf{D} - \mathsf{depth}$ 

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

0 - no pedestal

4 - full height pedestals

D - 2 file drawer

F - 2 box, 1 file drawer

L - left hand support position

R - right hand support position

CD - center drawer

OT - oversized top option

BT - bow top option CC - corner credenza


### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### WIRING GROMMET

# **STRATFORD** | OVERHEADS

Description	Model	Cherry Walnut	W	D	Н	Doors	Shipping Weight	Cubic Feet
Overheads with Wood	98OH3616*	1880	35.75	16	16	2	53	8
Doors	98OH4216	1999	41.75	16	16	2	57	9
	98OH4816	2077	47.75	16	16	3	77	10
*	98OH5416	2247	53.75	16	16	4	81	11
	98OH6016	2421	59.75	16	16	4	88	12
	98OH6616**	2555	65.75	16	16	4	94	13
	98OH7216	2689	71.75	16	16	4	99	14



### Tackboards Grades

Description	Model	1	2	3	4	5	6	7	8	9	W	Н	COM	<u>1 W</u> T
Tackboards for use with	98TBOH36	307	336	366	416	540	657	774	897	1165	34	26	1.5	11
Overheads	98TBOH42	320	347	374	422	546	662	781	903	1171	41.75	26	1.5	12
	98TBOH48	354	439	462	578	695	795	915	1054	1321	47.75	26	1.75	13
	98TBOH54	364	478	520	664	777	891	1023	1158	1423	55.75	26	1.75	14
P. Committee of the Com	98TBOH60	400	535	562	702	838	996	1149	1311	1576	61.75	26	2	15
	98TBOH66	441	598	590	817	982	1169	1327	1515	1798	67.75	26	2	16
	98TBOH72	485	740	770	1020	1255	1270	1460	1666	1934	74.75	26	2.25	19

### ORDERING PROCEDURES

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable

\* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

0H - overhead unit

W - includes power/data/voice grommet

G - includes glass doors

Z - includes grill doors

PM - paper manager

TBOH- tackboard for overhead

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **OVERHEADS**

All overheads include installed tasklights and mounting hardware. Contact customer service for information about flush units. Tackboards must be ordered separately.

# **STRATFORD | HUTCHES**

Description	Model	Cherry Walnut	W	D	Н	KW	Shipping Weight	Cubic Feet
5-Hi Hutch with Wood	98HT601640	3770	59.75	16	40	23.5	150	26
Doors	98HT661640*	4121	65.75	16	40	23.5	162	28
20013	98HT721640	4839	71.75	16	40	23.5	174	31
	98HT781640	5131	77.75	16	40	23.5	186	33
0000	98HT841640	5416	83.75	16	40	23.5	200	36
6-Hi Hutch with Wood Doors	98HT601653 98HT661653*	4584 5090	59.75 65.75	16 16	53 53	23.5 23.5	200 212	34 37
20010	98HT721653	5826	71.75	16	53	23.5	224	41
	98HT781653	6268	77.75	16	53	23.5	236	44
000	98HT841653	6716	83.75	16	53	23.5	250	47

hutches and overheads at \$145 list per set of (2) doors.

# 6-Hi Hutch with Glass

Doors



98HT601653G	4856	59.75	16	53	23.5	117	34
98HT661653G*	5392	65.75	16	53	23.5	126	37
98HT721653G	6174	71.75	16	53	23.5	135	41
98HT781653G	6649	77.75	16	53	23.5	146	44
98HT841653G	7117	83.75	16	53	23.5	154	47

Hutches are inset 1-1/2" on each side when sitting on the worksurface. Locks are available on wood door

### **ORDERING NOTES:**

**ORDERING NOTES:** 

All shelves in glass door hutches are 1/4" thick glass. Hutches are inset 1-1/2" on each side when sitting on the worksurface.

### 6-Hi Hutch with Grill Doors



98HT601653Z	5524	59.75	16	53	23.5	150	34
98HT661653Z*	6033	65.75	16	53	23.5	162	37
98HT721653Z	6770	71.75	16	53	23.5	174	41
98HT781653Z	7210	77.75	16	53	23.5	186	44
98HT841653Z	7658	83.75	16	53	23.5	200	47

### **ORDERING NOTES:**

All shelves in grill door hutches are 1/4" thick glass. This Hutch includes a factory installed tasklight and a tackboard in Grade 1 fabric. Grill doors are NOT available on KrugExpress. Hutches are inset 1-1/2" on each side when sitting on the worksurface.

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

0H - overhead unit

W - includes power/data/voice grommet

G - includes glass doors

Z - includes grill doors

PM - paper manager

TBOH- tackboard for overhead

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **HUTCHES**

Hutches include tasklights and a tackboard in grade 1 fabric. See page 603 for upcharges for grades 2-9.

# **STRATFORD** | HUTCHES

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
6-Hi Full Height Hutch	98HT60165301G	5342	59.75	16	53	200	34
with Clear Glass Doors	98HT66165301G*	5931	65.75	16	53	212	37
	98HT72165301G	6791	71.75	16	53	224	41
	98HT78165301G	7310	77.75	16	53	232	44
	98HT84165301G	7829	83.75	16	53	250	47
	ORDERING NOTES: All shelves in glass door the worksurface.	hutches are 1/4" thick glass. Hu	tches are	nset 1	-1/2" on ea	ach side when sitt	ing on
6-Hi Full Height Hutch	98HT60165301Z	6265	59.75	16	53	190	34
with Grill Doors	98HT66165301Z*	6634	65.75	16	53	202	37
	98HT72165301Z	7446	71.75	16	53	212	41
Assert Donner	98HT78165301Z	7933	77.75	16	53	222	44
	98HT84165301Z	8419	83.75	16	53	240	47
		utches are 1/4" thick glass. Grill of side when sitting on the worksur		NOT av	/ailable on	KrugExpress. Hut	tches

1820



Paper Managers

98PM18132001

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable

\* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

0H - overhead unit

W - includes power/data/voice grommet

G - includes glass doors

Z - includes grill doors

PM - paper manager

TBOH- tackboard for overhead

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **HUTCHES**

16.5

19.5

13

Hutches include tasklights and a tackboard in grade 1 fabric. See page 603 for upcharges for grades 2-9.

# **STRATFORD | HUTCHES**

Hutch tackboard upgrade chart

Use this chart to find the upcharge for tackboard fabrics graded 2–9 and add it to the cost of the hutch. Fabric grades can be referenced on page 4.

514



			FABF	IIC GRADE	:5				
	2	3	4	5	6	7	8	9	COM
65" hutch tackboard	141	299	434	581	718	858	999	1307	2
71" hutch tackboard	156	338	493	656	816	973	1127	1435	2.25
78" hutch tackboard	187	400	590	791	979	1165	1355	1665	2.5
84" hutch tackboard	224	472	742	980	1223	1430	1537	1848	2.5
91" hutch tackboard	265	546	808	1071	1330	1430	1854	2166	2.75

Pot light option for Hutches

### **ORDERING NOTES:**

Pot Light

The factory installed pot light option is available on any glass door or grill door hutch. The two lights are mounted through the hutch top and activated by a switch located on the light inside the case. Please add the upcharge shown above to hutch price and specify pot light option on your order. This item is not available on KrugExpress.

Per hutch (includes two lights)

On single piece hutches, the yardage requirement for two tackboards is the same as for one tackboard. Please keep this in mind when ordering more than one tackboard. For example, if the number of tackboards required is 7 and the COM requirement for 1 tackboard is 1.5 yards, the calculation for COM yardage is as follows: 4.5 yards are required for 6 tackboards + 1.5 yards for the 7th tackboard for a total of 6 yards. In the case of an even number of tackboards, divide the number of tackboards required by 2 and multiply that number by the COM requirement on the chart. The fabric must be at least 54" wide in order to qualify for this procedure. If the fabric is less than 54" wide, the COM yardage listed on the chart is the amount required for each tackboard.

Quantity of Tackboards Required (example: 60")	COM yardage Calculation Chart of Tackboa Number of yards Required per Tackboard (example: 60")	rds Number of yards Required in Total (example: 60")
one	2 yards	2
two	2 yards	2
three	2 yards	4
four	2 yards	4
fiv	2 yards	6
six	2 yards	6
seven	2 yards	8
eight	2 yards	8
nine	2 yards	10
ten	2 yards	10

W — width D — depth H — height of worksurface KW— kneehole width  Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.  *See page 5 for Krus Everge program.	DIMENSION KEy	CODE DESCRIPTION	
H — height of worksurface KW— kneehole width  Dimensions are in inches and approximate.  Contact Customer Service if dimensions are critical.	N — width	PM – paper manager	
KW — kneehole width  Dimensions are in inches and approximate.  Contact Customer Service if dimensions are critical.	O — depth		
Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.	<ul> <li>H — height of worksurface</li> </ul>		
Contact Customer Service if dimensions are critical.	KW— kneehole width		
Contact Customer Service if dimensions are critical.	Dimensions are in inches and approximate.		
	See page 5 for KrugExpress program.		

# **STRATFORD | KEYBOARDS & PENCIL DRAWERS**

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
Articulating Keyboard Tray with Palm Rest and Mouse Tray/Extended Mechanism	98KBAMT1912	706	-	-	-	20	2
	ORDERING NOTE This unit comes with	S: th a lever free arm keyboa	ard support. This unit is	s a gran	ite color.		
Pencil Drawer	98PD2116	600	-	-	-	2	1
(300)							
Wire Management Cover	98WM72	150	-	-	-	3	7
Velcro Wire Management	98WM4	32	-	-	-	1	1
Power Data Module	98PDVM	240	-	-	-	1	1



This grommet is only available in black.

### ORDERING PROCEDURES

**2**a **2**a

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

PD - pencil drawer WM - wire management

PDVM - power/data/voice grommet

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **BRASS FINISH**

Standard grommets and pop-up grommets are available in black or brass finishes.

# **STRATFORD | MODULAR COMPONENTS**

		Cherry				Shipping	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
Tops for 2-Hi Modular	98TP6020	1200	59.75	19.75	29.25	45	2
Storage	98TP6024	1269	59.75	23.75	1.25	52	2
	98TP6320	1294	62.75	19.75	1.25	48	2
	98TP6324	1312	62.75	23.75	1.25	51	3
	98TP6620*	1329	65.75	19.75	1.25	53	3
	98TP6624	1391	65.75	23.75	1.25	61	3
	98TP6920	1413	68.75	19.75	1.25	57	3
<b>+</b> \(	98TP6924	1439	68.75	23.75	1.25	61	3
	98TP7220	1455	71.75	19.75	1.25	63	3
	98TP7224	1507	71.75	23.75	1.25	65	3
	98TP7520	1518		19.75	1.25	67	3
	98TP7524	1554	74.75	23.75	1.25	70	3
	98TP7820	1566	77.75		1.25	71	3
	98TP7824	1623	77.75	23.75	1.25	73	3
	98TP8420	1673	83.75	19.75	1.25	76	3
	98TP8424	1724	83.75	23.75	1.25	78	4
	98TP9020	1773	89.75		1.25	81	3
	98TP9024	1822	89.75	23.75	1.25	86	4
	98TP9220	1837	91.75	19.75	1.25	85	3
	98TP9224	1863	91.75	23.75	1.25	89	4
	98TP9620	1871	95.75	19.75	1.25	88	4
	98TP9624	1924	95.75	23.75	1.25	92	4

### **ORDERING NOTES:**

A half gable is required on any open span greater than 48" that does not have a modesty panel. Standard 98TP tops have profile on the esides. They are designed to be flush on the back edge

Tops with one Coved End	98TPR6020L	1200	59.75 19.75 1.25	45	2
	98TPR6020R	1200	59.75 19.75 1.25	45	2
	98TPR6024L	1269	59.75 23.75 1.25	52	3
	98TPR6024R	1269	59.75 23.75 1.25	52	3
	98TPR6620L	1329	65.75 19.75 1.25	53	3
	98TPR6620R*	1329	65.75 19.75 1.25	53	3
	98TPR6624L	1391	65.75 23.75 1.25	61	3
	98TPR6624R	1391	65.75 23.75 1.25	61	3
	98TPR7220L	1455	71.75 19.75 1.25	63	3
	98TPR7220R	1455	71.75 19.75 1.25	63	3
	98TPR7224L	1507	71.75 23.75 1.25	65	3
	98TPR7224R	1507	71.75 23.75 1.25	65	3

### **ORDERING NOTES:**

A half gable is required on any open span greater than 48" that does not have a modesty panel. Standard 98TP tops have profile on the esides. They are designed to be flush on the back edge

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

### OPEN SPANS

It is not recommended that modular units be combined together to create open spans greater than 60".

### **STORAGE**

Freestanding storage has finished, profiled tops and base molding on three sides. Modular storage does not have finished tops (they must be ordered separately) and base molding is only across the front.

# **STRATFORD | MODULAR COMPONENTS**

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
Tops with one Coved End,	98TPR7820L	1566	77.75	19.75	1.25	71	3
Continued	98TPR7820R	1566	77.75	19.75	1.25	71	3
	98TPR7824L	1623	77.75	23.75	1.25	73	3
	98TPR7824R	1623	77.75	23.75	1.25	73	3
	98TPR8420L	1673	83.75	19.75	1.25	76	3
	98TPR8420R	1673	83.75	19.75	1.25	76	3
	98TPR8424L*	1724	83.75	23.75	1.25	78	4
1 5	98TPR8424R	1724	83.75	23.75	1.25	78	4
	98TPR9020L	1773	89.75	19.75	1.25	81	3
	98TPR9020R	1773	89.75	19.75	1.25	86	3
	98TPR9024L	1822	89.75	23.75	1.25	86	4
	98TPR9024R	1822	89.75	23.75	1.25	86	4
	98TPR9620L	1871	95.75	19.75	1.25	88	4
	98TPR9620R	1871	95.75	19.75	1.25	88	4
	98TPR9624L	1924	95.75	23.75	1.25	92	4
	98TPR9624R	1924	95.75	23.75	1.25	92	4

### **ORDERING NOTES:**

A half gable is required on any open span greater than 48" that does not have a modesty panel. Standard 98TP tops have profile on the e sides. They are designed to be flush on the back edge

Modular Pedestal	98P1620304D**	1867	15.75 19.7	5 29.25	68	6
	98P1624304D	2010	15.75 23.7	5 29.25	73	8
*	98P1620304F*	2005	15.75 19.7	5 29.25	70	6
FF	98P1624304F	2146	15.75 23.7	5 29.25	75	8



### **ORDERING NOTES:**

Modular storage units do not have finished tops and are intended to be combined with 98TP tops. Modular storage unit backs are finished. It is not recommended that modular units be combined together to create open spans greater than 60".

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe

G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

### STANDARD FINISHES


For a complete list of standard wood finishes please see page 577.

### STORAGE

Freestanding storage has finished, profiled tops and base molding on three sides. Modular storage does not have finished tops (they must be ordered separately) and base molding is only across the front.

# **STRATFORD** | MODULAR COMPONENTS

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet	
Modular Bookcase	98STM30203011	2136	29.75	19.75	29.25	105	13	
Pedestal	98STM36203011	2274		19.75	29.25	109	15	
	98STM30243011*	2202	29.75	19.75	29.25	113	15	
	98STM36243011	2347	35.75	19.75	29.25	117	18	
	ORDERING NOTES:  Modular storage units do not have finished tops and are intended to be combined with 98TP tops. Modular							
	storage unit backs are finished. Locks may be added to the bookcase doors at a \$145 list upcharge.							
Modular Lateral File	98STM30203001	2553	29.75	19.75	29.25	113	13	
Pedestal	98STM36203001	2695	35.75	19.75	29.25	117	15	
	98STM30243001*	2625		19.75	29.25	121	15	
0 0	98STM36243001	2772	35./5	19.75	29.25	129	18	
	ORDERING NOTES:  Modular storage units do not have finished tops and are intended to be combined with 98TP tops.							
	Modular storage unit	backs are finished						
Half Gable	98HG2710	454	10	27	27	11	1	
<b>19</b>	98HG2716	515	16	27	27	16	1	
	ORDERING NOTES:							
	This unit should be ordered to center-support open spans greater than 60". Use 98HG2710 with 20" & 24"							
		G2716 with 30" deep c						
Modular End Panel	98LB2030L	843	12	19.75	29.25	35		
Support	98LB2430L*	885	12	23.75	29.25	37	2	
	98LB2030R	843	12	19.75	29.25	35	2	
	98LB2430R	885	12	23 75	29.25	37	2	



30.5 3 98MPY72 853 43.5 3 98MPY78\* 30.5 50 887 98MPY84 49.5 30.5 60 3

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

915

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe

G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **STORAGE**

Freestanding storage has finished, profiled tops and base molding on three sides. Modular storage does not have finished tops (they must be ordered separately) and base molding is only across the front.

# Ordering modular storage with 98TP tops

30" high modular storage units are created by combining 98TP modular tops and modular bases. The top profile on a 98TP matches that of all other 30" high Stratford products including desks and credenzas. For example:





One 98TP-9224 modular top. Two 98STM-302430-11 modular bookcase pedestals. One 98STM-302430-01 modular lateral file pedestal


The modular components can be used together to create a variety of custom storage.

### Ordering modular storage with 98TPR tops

 $30\ensuremath{^{"}}$  high modular run-off units are created by combining 98TPR modular tops and modular bases.

For example:





One 98TPR-6624 modular top. One 98STM-302430-01 modular lateral file pedestal. One 98P-162430-4F modular B/B/F pedestal. The modular components can be used together to create a variety of custom run-off units.

# **Modular Top and Storage Flush Combinations**

Use this guide of recommendations to create flush units with modular tops and storage

# TOP SIZE PEDESTAL COMBINATIONS THAT FIT FLUSH LEFT/RIGHT OVERHANG

#### 2-hi modular storage

98TP-63	(2) 30" wide pedestals	1 1/2"
98TP-69	(1) 30" wide pedestal and (1) 36" wide	1 1/2"
98TP-75	pedestal (2) 36" wide pedestals	1 1/2"
98TP-92	(3) 30" wide pedestals	1 1/2"

# **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

Description	Model	Cherry Walnut	W D H	Shipping Weight	Cubic Feet
Top for 2-Hi Modular Bookcases	98TP7516	1215	74.75 16 1.25	55	2
2-Hi Modular Bookcase	98BCM361630	1609	35.75 16 29.25	91	12



#### **ORDERING NOTES:**

Modular bookcases do not have finished tops and a e intended to be combined with 98TP tops.

Ordering modular bookcases with 98TP tops 30" high modular bookcases can be created by combining modular tops and bookcase units.



One 98TP-7516 modular top. Two 98BCM-3616-30 modular bookcases. The modular components can be used together to create custom storage.

# **DIMENSION KEY**

W-width

D — depthH — height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are

\*See page 5 for KrugExpress program.

# **CODE DESCRIPTION**

G - includes glass doors

BC - bookcase

BCM- modular bookcase

TPI- modular bookcase top

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

Description	Maralal	Cherry	14/	_		Shipping	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
3-Hi Modular Bookcase	98TPI6216-3HI	1206		15.75	1.25	43	3
Tops	98TPI7416-3HI	1215		15.75	1.25	51	3
	98TPI9216-3HI*	1223	89.75	15.75	1.25	79	4
	98TPI9716-3HI	1234	95.75	15.75	1.25	92	4
3-Hi Modular Bookcase	98PRM301640	1779	29.5	15.75		120	22
Tops	98PRM361640	1822	35.75	15.75	39.25	135	26
3-Hi Modular Closed	98PRM30164011	2136	29.5	15.75	39.25	135	22
Bookcase Pier, No Base	98PRM36164011	2214	35.75	15.75	39.25	150	26



### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# STORAGE

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
Top for 5-Hi Modular Bookcases	98TPI7416	1215	73.75	16	1.25	55	2
	Profile of 98TPI top:	a 1" overhang on the left as are inverted.					
5-Hi Modular Bookcase	98BCM361671	2211	35.75	16	69.75	158	27
	ORDERING NOTES	• •	and are intended to	he co	mhined with (	09TD tone	

One 98TPI-7416 modular top. Two 98BCM-3616-71 modular bookcases.

The modular components can be used together to create custom storage.

# **DIMENSION KEY**

W-width

D — depthH — height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

G - includes glass doors

BC - bookcase

BCM- modular bookcase

TPI- modular bookcase top

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# WIRING GROMMET

One rectangular grommet in a standard position is optional at no charge. Additional rectangular grommets are available at an upcharge of \$145 list.

		Cherry				Shipping	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
Tops for 5-Hi Modular	98TPI6220	1200	61.75	19.75	1.25	45	2
Storage	98TPI6224	1269	61.75	23.75	1.25	52	2
	98TPI6820	1329	67.75	19.75	1.25	53	3
	98TPI6824	1391	67.75	23.75	1.25	61	3
	98TPI7420*	1455	73.75	19.75	1.25	63	3
	98TPI7424	1507	73.75	23.75	1.25	65	3
<i>\</i>	98TPI9220	1773	91.75	19.75	1.25	71	3
	98TPI9224	1822	91.75	23.75	1.25	73	3

#### **ORDERING NOTES:**


Profile of 98TPI tops are inverted.

#### Ordering modular storage with 98TPI tops

71 high modular storage units are created by combining 98TPI modular tops and modular bases.

The top profile on a 98TPI matches that of all other 71 high Stratfo d products including hutches and freestanding storage. For example:





One 98TPI-7424 modular top. One 98STM-362471-04G modular storage. One 98STM-362471-04 modular storage.

The modular components can be used together to create a variety of custom storage.

# **Modular Top and Storage Flush Combinations**

Use this guide of recommendations to create flush units with modular tops and storage.

TOP SIZE 5-hi modular storage	PEDESTAL COME	BINATIONS THAT FIT FLUSH	LEFT/RIGHT OVERHANG
98TPI-62	(2) 30 wide pedest	als	1
98TPI-68	(2) 30 wide pedest	als and (1) 36 wide	1
98TPI-74	pedestal (2) 36 wid	e pedestals	1
98TPI-92	(3) 30 wide pedest	als	1
Pot light option for modular	Upcharge	657	
storage	,	d pot light option is available on any gla	ss door or grill door

modular storage unit at an upcharge of \$657.

The light is mounted through the top of the storage unit and the modular top and activated by a switch located on the light inside the case.

Please add the upcharge shown to storage price and specify pot light option on your order.

A drawing showing assembled configuration of all modular storage must be provided when ordering the pot light option to accurately determine grommet locations.

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

# **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe

- G includes glass doors
- D 2 file drawer
- F 2 box, 1 file drawer

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.


# STORAGE

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
2 Lateral Files, 3 Open	98STM30207103	4612	29.75	19.75	70.5	198	28
Shelves	98STM36207103	4726	35.75	19.75	70.5	208	34
	98STM30247103*	4671	29.75	23.75	70.5	208	34
	98STM36247103	4789	35.75	23.75	70.5	218	40

### **ORDERING NOTES:**

Modular storage units do not have finished tops and are intended to be combined with 98TP tops. Modular storage unit backs are finished

2 Lateral File, 3 Closed Shelves



98STM30207104 5161 29.75 19.75 206 28 98STM36207104 5280 35.75 19.75 70.5 216 34 98STM30247104\* 29.75 23.75 70.5 216 34 5217 35.75 23.75 70.5 40 98STM36247104 5341

#### **ORDERING NOTES:**

Modular storage units do not have finished tops and are intended to be combined with 98TP tops. Modular storage unit backs are finished

2 Lateral Files, 3 Closed Clear Glass Doors



98STM30207104G	5445	29.75 19.75 70.5 21	6 28
98STM36207104G	5561	35.75 19.75 70.5 22	6 34
98STM30247104G*	5497	29.75 23.75 70.5 22	6 34
98STM36247104G	5623	35.75 23.75 70.5 23	6 40

# **ORDERING NOTES:**

All shelves in glass door bookcases are 1/4" thick glass. Modular pedestals do not have finished tops and are intended to be combined with 98TP tops. Modular pedestal backs are finished. This item is NOT available on KrugExpress.

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# **STORAGE**

		Cherry				Shipping	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
2 Lateral Files, 3 Closed	98STM30207104Z	6389	29.75	19.75	70.5	206	28
Grill Doors	98STM36207104Z	6506	35.75	19.75	70.5	216	34
	98STM30247104Z*	6441	29.75	23.75	70.5	216	34
	98STM36247104Z	6566	35.75	23.75	70.5	226	40



### **ORDERING NOTES:**


All shelves in glass door bookcases are 1/4" thick glass. Modular pedestals do not have finished tops and are intended to be combined with 98TP tops. Modular pedestal backs are finished. This item is NOT available on KrugExpress.

5 Closed Shelves	98STM30207111	4321	29.75 19.75 70.5 2	25 28
	98STM30247111	4306	29.75 19.75 70.5	235 34
	98STM36207111*	4368	35.75 23.75 70.5	245 34
4::25	98STM36247111	4424	35.75 23.75 70.5 2	255 40

# ORDERING NOTES:

Modular storage units do not have finished tops and are intended to be combined with 98TP tops. Modular storage unit backs are finished

5 Closed Shelves Left,	98WRM30247101	4006	29.75 19.75 70.5 22	25 34
Closed Wardrobe Right	98WRM36247101*	4164	35.75 23.75 70.5 24	40 to 40



# **ORDERING NOTES:**

Modular storage units do not have finished tops and are intended to be combined with 98TP tops. Modular storage unit backs are finished

### **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

### **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe

G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# STORAGE

# **STRATFORD** | BOOKCASES

		Cherry				Shipping Cu	ubic
Description	Model	Walnut	W	D	Н	Weight F	eet
2-Hi Open	98BC361630	2006	35.75	16	30.5	91	12



#### **ORDERING NOTES:**

This 30.25" high bookcase has a 1-1/2" overhang on the left and right sides. There is no overhang on the back

2-Hi with Clear Glass Doors

98BC36163011G

2124

35.75

30.5

12



### **ORDERING NOTES:**

This 30.25" high bookcase has a 1-1/2" overhang on the left and right sides. There is no overhang on the back edge. The glass shelf is 1/4" thick and adjustable. This item is NOT available on KrugExpress.

35.75 57 22 Open Bookcase 98BC361657 2545 16 115 98BC361671\* 35.75 70.5 166 27 2757 16



# **ORDERING NOTES:**

This bookcase has a 1" overhang on the left and right sides. There is no overhang on the back edge.

Computer Stand	98TH3624	2816	35.75 23.75 30.5	61	22
	98TH4824*	3095	47.75 23.75 30.5	82	28



#### **ORDERING NOTES:**

The computer stand includes a grommet in the back panel.

### **DIMENSION KEY**

W - width

D - depth

H - height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

### **CODE DESCRIPTION**

G - includes glass doors

BC - bookcase

BCM- modular bookcase

TPI- modular bookcase top

### STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# **WIRING GROMMET**

One rectangular black or one antique brass grommet in a standard position is optional at no charge. Please note grommet choice clearly on order form. Additional grommets are available at an upcharge of \$145 list.

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
2 Lateral Files	98ST30203001*	3631	29.75	19.75	30.5	140	13
	98ST36203001	3541		19.75	30.5	145	15
	98ST30243001	3683		19.75	30.5	145	15
000	98ST36243001	3683	35.75	19.75	30.5	150	18
2 Closed Shelves	98ST30203011*	2674	29.75	19.75	30.5	100	13
2 Closed Shelves	98ST36203011	2760		19.75	30.5	130	15
	98ST30243011	2718		19.75	30.5	130	15
	98ST36243011	2814		19.75	30.5	135	18
	ORDERING NOTES: Locks my be added t	o bookcase or wardrobe	doors at a <b>\$145 list</b>	upcharç	ge.		
4 Lateral Files	98ST30205701*	4983	29.75	19.75	57	186	28
	98ST36205701	4983		19.75	57	211	34
	98ST30245701	5104	29.75	23.75	57	211	34
0 0 0 0	98ST36245701	5420	35.75	23.75	57	236	40
2 Lateral Files, 3 Open	98ST30207103*	5303		19.75	70.5	220	28
Shelves	98ST36207103	5437		19.75	70.5	230	34
	98ST30247103	5437		23.75	70.5	230	34
	98ST36247103	5509	35.75	23.75	70.5	240	40

# **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

# CODE DESCRIPTION

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# **STORAGE**

		Cherry				Shipping	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
2 Lateral File, 3 Closed	98ST30207104*	5937	29.75	19.75	70.5	240	28
Shelves	98ST36207104	6072	35.75	19.75	70.5	250	34
	98ST30247104	5998	29.75	23.75	70.5	250	34
J-EX	98ST36247104	5998	35.75	23.75	70.5	260	40
4							
4-1-3	ODDEDING NOTES.						
U U	ORDERING NOTES:	all wood doors at \$	145 list per lock. 24",30	פ יינ			
	36" wardrobes require		143 list per lock. 24 ,30	, α			
2 Lateral Files, 3 Closed	98ST30207104G*	6219	29.75	19.75	70.5	250	28
Clear Glass Doors	98ST36207104G	6354	35.75	19.75	70.5	260	34
	98ST30247104G	6282	29.75		70.5	260	34
	98ST36247104G	6426	35.75	23.75	70.5	270	40
<b>*</b>							
0 0	ORDERING NOTES:						
U U	All shelves in glass do	or bookcases are 1/4	" thick glass. This item	is NOT	available or	n KrugExpress.	
2 Lateral Files, 3 Closed	98ST30207104Z*	6879	20.75	19.75	70.5	240	28
Grill Doors	98ST36207104Z	7015		19.75	70.5 70.5	250	34
dill bools	98ST30247104Z	6941		23.75	70.5	250	34
	98ST36247104Z	6941		23.75	70.5	260	40
1 (2000)	903130241104Z	0341	33.73	20.13	10.5	200	40

### **ORDERING NOTES:**

All shelves in glass door bookcases are 1/4" thick glass. This item is NOT available on KrugExpress.

# **DIMENSION KEY**

W-width

D — depthH — height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are

\*See page 5 for KrugExpress program.

# **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe

G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# **STORAGE**

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
5 Closed Shelves	98ST30207111 98ST36207111 98ST30247111* 98ST36247111	4890 5024 4952 5089	35.75 29.75	19.75 19.75 23.75 23.75	70.5 70.5 70.5 70.5	230 240 240 250	28 34 34 40
5 Closed Shelves, Closed Wardrobe	98WR30247101* 98WR36247101 98WR30247103 98WR36247103	4604 4789 4604 4789		23.75 23.75	70.5 70.5	245 265	34 40
2 Lateral Files, 4 Open Shelves	98ST30208403 98ST36208403 98ST30248403* 98ST36248403	6072 6133 6159 6225	35.75 29.75	19.75 19.75 23.75 23.75	83.5 83.5 83.5 83.5	260 270 270 290	33 40 40 47
2 Lateral File, 4 Closed Shelves	98ST30208404 98ST36208404 98ST30248404* 98ST36248404	6300 6357 6389 6459	35.75 29.75	19.75 19.75 23.75 23.75	83.5 83.5 83.5 83.5	285 295 295 315	33 40 40 47

#### **ORDERING NOTES:**

Locks are available on all wood doors at \$145 list per lock. 24", 30" & 36" wardrobes require 2 locks.

# **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

# CODE DESCRIPTION

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe

G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# **STORAGE**

Description	Model	Cherry Walnut	W	D	Н	Shipping Weight	Cubic Feet
2 Lateral Files, 4 Closed	98ST30208404G	6584		19.75	83.5	295	33
Clear Glass Doors	98ST36208404G	6642		19.75	83.5	205	40
KHAN	98ST30248404G* 98ST36248404G	6666 6741		23.75 23.75	83.5 83.5	205 325	40 47
	ODDEDING NOTES						
0 0	ORDERING NOTES: All shelves in glass doo	or bookcases are 1/4	" thick glass. This item	is NOT	available on	KrugExpress.	
2 Lateral Files, 4 Closed	98ST30208404Z	7243	29.75	19.75	83.5	285	33
Grill Doors	98ST36208404Z	7298		19.75	83.5	295	40
	98ST30248404Z*	7330		23.75	83.5	295	40
	98ST36248404Z	7397	35.75	23.75	83.5	315	47
<b>圖</b> 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ORDERING NOTES: All shelves in glass doo	or bookcases are 1/4	" thick glass. This item	is NOT	available on	KrugExpress.	
6 Closed Shelves	98ST30208411	5378	29.75	19.75	83.5	250	33
	98ST36208411	5529	35.75	19.75	83.5	260	40
	98ST30248411*	5449	29.75	23.75	83.5	260	40
	98ST36248411	5595	35.75	23.75	83.5	270	47
	ORDERING NOTES: Locks are available on & 36" wardrobes requi		<b>45 list</b> per lock. 24", 30	)"			
Mobile Pedestals	98MP1620294D* 98MP1620294F**	2156 2291	15.75 15.75	20	29 29	78 80	6
*	33.WI 102020-II		10.13	20	_0	30	J





# **DIMENSION KEy**

W-width

D — depthH — height of worksurface

KW- kneehole width

Dimensions are in inches and approximate. Contact Customer Service if dimensions are critical.

\*See page 5 for KrugExpress program.

# **CODE DESCRIPTION**

TP - modular top with standard profile TPR - modular top for run-offs with one coved connecting end

TPI - modular top with inverted profile

ST - freestanding storage

STM - modular storage

WRM - modular wardrobe

G - includes glass doors

D - 2 file drawer

F - 2 box, 1 file drawer

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

# **STORAGE**

# **STRATFORD | RECEPTION**

		Cherry				Snipping	Cubic
Description	Model	Walnut	W	D	Н	Weight	Feet
Gallery Reception Desk	98GD72304LFR0	7018	73.5	30.5	43	325	66
	98GD72304L0RF	7018	73.5	30.5	43	325	66



#### **ORDERING NOTES:**

Laminate worksurfaces are available at a 10% upcharge. 30" deep Stratford desks have a 1-1/2" overhang on the guest side. 36" deep Stratford desks have a 7 1/2" overhang on the guest side. See page 578 for more information on the desks overhang and chassis dimensions. A burled walnut top option is available at a 20% upcharge.

Reception Return	98GRH4824L4D	3623	47.75 23.1	5 41.75	28.5	250	38
	98GRH4824R4D	3623	47.75 23.1	5 41.75	28.5	250	38



#### **ORDERING NOTES:**

Laminate worksurfaces are available at a 10% upcharge. 30" deep Stratford desks have a 1-1/2" overhang on the guest side. 36" deep Stratford desks have a 7 1/2" overhang on the guest side. See page 578 for more information on the desks overhang and chassis dimensions. A burled walnut top option is available at a 20% upcharge.

Gallery Reception Linking Units	98GLU4224H	1956	41.75 23.75 41.75	105	34



#### **ORDERING NOTES:**

Linking unit is used to connect Gallery Desk and Credenza to form a 'U' station.

Reception Credenzas	98GC7224L4D 98GC7224L4F 98GC7224R4D 98GC7224R4F 98GC7824L4D 98GC7824L4F* 98GC7824R4D 98GC7824R4F	5985 5985 5985 5985 6623 6623 6623 6623	71.75 23.75 41.75 71.75 23.75 41.75 71.75 23.75 41.75 71.75 23.75 41.75 77.75 23.75 41.75 77.75 23.75 41.75 77.75 23.75 41.75 77.75 23.75 41.75 77.75 23.75 41.75	320 320 320 320 355 355 355 355	57 57 57 57 60 60 60
Transaction Top	98GRT66	1383	66.75 12 1.25	48	2



#### **ORDERING NOTES**

Laminate worksurfaces are available at a 10% upcharge. 30" deep Stratford desks have a 1-1/2" overhang on the guest side. 36" deep Stratford desks have a 7 1/2" overhang on the guest side. See page 578 for more information on the desks overhang and chassis dimensions. A burled walnut top option is available at a 20% upcharge.

# **ORDERING PROCEDURES**

To order, please specify the following:

- 1) Krug product model number
- 2) Wood species and finish, see page 577
- 4) Pull style and finish, see page 581
- 5) Grommet location and style if applicable
- \* Indicates model illustrated by line drawing

# **CODE DESCRIPTION**

- 0 no pedestal
- 4 full height pedestals
- D 2 file drawer
- F 2 box, 1 file drawer
- L left hand support position
- R right hand support position
- CD center drawer
- OT oversized top option
- BT bow top option
- CC corner credenza

# STANDARD FINISHES

For a complete list of standard wood finishes please see page 577.

### **WIRING GROMMET**

One rectangular black or one antique brass grommet in a standard position is optional at no charge. Please note grommet choice clearly on order form. Additional grommets are available at an upcharge of \$145 list.

# **GENERAL INFORMATION**

#### **Terms and Conditions**

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

#### **Contact Information**

Phone: 1.888.578.KRUG (5784) | Fax: 1.519.748.5177

Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

**Customer Service Hours** 

Please note customer service hours are:

8:30 am to 5:00 pm est

#### **Customer Satisfaction**

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

#### **Order Acknowledgments**

Each order will be acknowledged via e-mail or fax. This acknowledgments is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgments for accuracy, and advise Krug of any discrepancies with a purchase order.

### **Order Cancellation**

Krug reserves the right to not accept or allow cancellation of orders. All products are manufactured on a custom-made, make-to-order basis, and the purchasing, engineering and production of orders begins shortly after order placement - and the customer purchase order is a contract that authorizes Krug to manufacture the products. Acceptance of order cancellation (or partial cancellation) is solely at the discretion of Krug, and is dependent on the extent to which engineering, purchasing and manufacturing has been initiated by the time cancellation is requested. No order cancellations (partial or otherwise) are allowable more than 4 weeks from date of order placement (as order production is unable to be terminated by that point), and full payment of the acknowledged order value is required for any orders cancelled after 4 weeks. Cancellations may be allowable in less than 4 weeks after order placement, depending on the extent to which manufacturing has been initiated. An acceptance of order cancellation requires that the purchaser agrees to make payment for all costs incurred to the point of acceptance of cancellation. Cancellation charges include all costs for purchase of dedicated material and components, engineering costs for non-standard products, and all costs for manufacturing completed to that point, as well as a \$350 net charge for processing of the original order and for processing of cancellation invoicing.

# **Pricing**

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug reserves the right to acknowledge pricing that may be different from the price list.

#### Warranty

Krug warrants the construction and the finish of all our products to be free from defects in materials and workmanship for a period of 10 years from the date of purchase. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers,

if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and nor does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM-specified materials, damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variation. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser during the warranty period. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the p oduct
- negligence, misuse, excessive use, alteration, imp oper cleaning or repair
- substitution or use of incor ect or unauthorized components or material
- handling or installation that is incor ect, or that causes damage or defect
- damage incur ed by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in material (including dye lot variations)
- p operties of natural materials, including wood and leather
- exposu e to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

Note, specific warranties for components and materials not manufactured by Krug:

#### **Height Adjustable Mechanism Warranty**

Krug warrants to the original consumer purchaser its Height Adjustable Mechanism that it will be free from defects in material and workmanship. This limited warranty covers material and manufacturing defects, which cause a non-conformance in the function of a table base and is limited to the following products and warranty term determined from their dates of purchase:

a) Electronic components such as control boxes, hand switches and motors – two (2) years

b) Mechanical components such as crank drives, spindles – five ( years

c) Structural components such as J-channels, feet and top supports – ten (10) years

The start of the warranty period is the documented date of your purchase of the product. The warranty herein is made to and for the benefit of the original consumer purchaser of the product and is non-transferable. If you discover a defect in material or workmanship during the warranty period, and Krug agrees that the defect exists, Krug will, at its option, repair or replace the Product at no charge to you, provided it is returned during the warranty period. In the unlikely event that your product should require repair or replacement during the warranty period, please contact Krug to obtain warranty service. The warranty period on replacement products is the remainder of the warranty on the original product or 30 days, whichever is longer.

#### **Testing**

All Krug Conference products meet or exceed the testing requirements of ANSI/BIFMA X5.5-2014 or X5.9-2012.

BIFMA

#### **Dimensions**

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

### **Installation Support**

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

# GENERAL INFORMATION

#### Storage Charges

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

#### **Export Packaging**

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage. For shipments overseas, a quote for export packaging can be provided, based on the products to be ordered and the delivery destination please contact Customer Service or Bids & Specification Support for more information and a quotation. KRUG is not responsible for shipment damage occurring on overseas shipments

Export Packaging is STRONGLY RECOMMENDED for:

(A) all shipments outside of the lower 48 states and Canada

(B) all shipments that will be held in storage for an extended period prior to installation. Important: Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions where export packaging has not been utilized. Please contact Customer Service for specifications or any other assistance regarding export packaging.

### **Freight Terms and Conditions**

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination or not pre-paid, depending on established customer specific freight terms.
- 2. Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.
- 4. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. 5. For all deliveries - whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$75/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$75/hour. Direct deliveries to site for net orders are possible, must exceed \$60,000 net, and accommodate 48-53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer. Additional costs for partial shipment of orders are the responsibility of the customer, and will be added to invoices. This includes any part shipment costs due to delays from textile suppliers. Additional costs for partial order shipments will normally not be assessed if there is a delay caused by

#### **Damaged Shipments**

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and

packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

#### **Field Product Report Authorization**

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for returns, field repairs and replacements, post field repairs, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

#### **Care and Maintenance**

Wood Finishes - Although Krug's extensive finishing process ensures a durable finish on all our products, there are several steps that can be taken to protect and prolong the life and beauty of the finish. Protect the top by placing felt pads on the bottom of any accessories and mechanical equipment. Rubber and oil will permanently mark surfaces. Use a desk pad to prevent possible damage and imprinting caused by writing instruments and sharp objects. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

Plastic Laminates - Clean plastic laminates with mild soap and warm water. Do not use steel wool, hot water, or any abrasive cleaning product.

### **Custom Capabilities**

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities. These include:

- 1) Dimensional customization of standard size products
- 2) Custom wood finishes
- 3) For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times.

Contact Customer Service for more information.

#### Krug Panel Fabric Program

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The Momentum Panel fabrics are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca The Momentum panel fabrics pass ASTM-E84-87 Fire Codes. If memo samples are required please call Momentum at 1-800-366-6839.

#### **Program Details**

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for KrugExpress is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available readyto-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a KrugExpress order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any circumstances. Orders for product on KrugExpress must clearly state: "KrugExpress".



# KRUG TEXTILES | LUXE | FAUX LEATHER

# Krug Textiles - Leather Program

Grade	8
-------	---

Black K13.1000 Graphite K13.4000 Stone K13.3000 Espresso K13.8000 Sand K13.5000 White K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

### **Krug Textiles - Faux Leather Program**

#### Grade 2

White	Taupe	Bisque	Wine	Sprig	Lagoon
Cream	Mocha	Chocolate	Garnet	Chinchilla	Pacific Blue
Parchment	Tan	Black	Rust	Steel	Navy
Sandstone	Chestnut	Earth	Citron	Grey	Plum
\/a.a:II.a		Duiale		,	

# GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change. When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

#### **Upholstery Grades**

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

### **Upholstery Samples**

If you require additional samples or memos for presentation, please contact fabric supplier directly.

### Flammability Standards

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin CAL 117-2013

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

#### **Special Conditions**

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.

# TACKBOARD FABRICS

# KRUG PANEL FABRIC PROGRAM

Tackboards can be upholstered in COM material supplied by the customer, and in a selection of stocked tackboard fabrics supplied by Momentum. The in-stock Momentum fabrics are priced at Grade 1 and are available on Krug Express. They are 100% polyester. For additional information and color selections, please refer to our Panel Fabrics card and Krug's website. www.krug.ca If memo samples are required please call Momentum at 1-800-366-6839. The Momentum panel fabrics pass ASTM-E84-87 Fire Codes.

# KRUGEXPRESS

# **PROGRAM DETAILS**

KrugExpress orders are ready to ship by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of KrugExpress orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized. Available factory capacity for KrugExpress is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available readyto-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a KrugExpress order. Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received. KrugExpress orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to KrugExpress orders are not allowed under any

circumstances. Orders for product on KrugExpress must clearly state: "KrugExpress". \*Some conditions apply. Please note PALETTE finishes a e not available on KrugExpress.

# **CASEGOODS PROGRAM**

Orders for casegood products on the KrugExpress program may be subject to quantity maximums. Please contact Krug Customer Service for more information. Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time. Only actual casegood pieces and conference tables tops and bases are considered "units". Items such as tasklights, tackboards, keyboard trays and drawers, electrical and wire management components, etc., are not considered under the quantity restrictions. For example, a typical office configuration that includes a desk, linking unit, credenza and hutch/overhead, equals a total of four units for the purposes of the quantity maximum. Only Krug In-stock panel fabric is available on the KrugExpress program. Only standard wood finishes are available for KrugExpress orders. Grommets can be specified in standard positions only. KrugExpress also includes all Krug seating and occasional tables as well as Krug conference products to complement this casegoods offering.

# CUSTOMER'S OWN MATERIAL - C.O.M.

#### **Customer's Own Material (COM)**

COM must be received three weeks prior to the acknowledged ship date. Orders with COM not received by the required deadline will be delayed.

A description of the fabric, including supplier name, fabric name and color number must be included with the purchase order. When the COM fabric is received at Krug, it must be clearly identified with the fabric name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM fabric when received to determine if it will be suitable for upholstery. Where Krug feels that the fabric or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM fabrics or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is app oximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine fabric required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. As fabric is applied horizontally, non-directional fabrics are recommended. COM fabrics are applied as they come off the roll unless otherwise specified. All striped fabrics will be applied vertically unless otherwise stated by the customer and after approval by Krug. It is the customer's responsibility to advise Krug if the upholstery is to be applied otherwise, and to advise Krug of any special upholstery instructions. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the fabric. Krug is not responsible for instructions sent with the fabric rolls, or for the method of upholstery if no instructions have -been provided. COM fabrics for tackboards may be specified in either Maharam or Momentum panel fabrics. Krug is not responsible for determining if a fabric is not ideal for tackboard application.

Please contact Maharam at 1-800-645-3943 or Momentum at

**COM Shipping Procedures** 

For tackboard COM fabrics, please send

fabrics to:

Krug Inc.

111 Ahrens Street

Kitchener, Ontario

Canada N2H 4C2

**Attention: RECEIVER** 

All packages must be clearly marked "For Customs Clearance by Willson International Custom Brokers". According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a NAFTA Certificate of Origin and Commercial Invoice be completed and sent with the fabric shipment. The Commercial Invoice must clearly state the description of the fabric, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

# **LAMINATES**

#### LAMINATES

Krug's in-stock Laminates are available in 17 different laminate selections. Please note that 4 of the colors (Gingerbread, Portobello, Ash and Willow) have textured finishes and may not be appropriate for use in patient areas due to infection control concerns. Minimum order quantities and extended lead times may apply for exotic laminate colors, please check with customer service. Polymer Edge will be selected to match the worksurface. Krug's previous laminate in-stock program will be phased out as in-stock supply depletes. Please contact customer service for availability.

#### **IN-STOCK LAMINATES**

Wood Grain Laminates	High Pressure Laminate Supplier	Textured Wood Grain Laminates	High Pressure Laminate Supplier
Champagne Hardrock Maple Dune Copper Shiraz Cherry Park Avenue Walnut	Tafisa T492CR Formica 86992-58 Tafisa T491CR Tafisa T521CR Tafisa T472CR Wilsonart 7984-38	Gingerbread Portobello Ash Willow Solid Laminates	Tafisa T556UR Tafisa T557UR Tafisa T535AT Tafisa T543AT
Chocolate Nutmeg Dark Walnut	Tafisa T498CR Tafisa T477CR Tafisa T469CR	Designer White Platinum Earth Charcoal	Wilsonart D354-60 Tafisa T202CR Tafisa T767CR Tafisa T228CR

# **PHASE OUT LAMINATES**

Almond - Black- Shadows - Edgewood Sycamore - Gunstock Walnut Non-Stocked Laminates

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stock laminates may require a minimum order quantity, please contact customer service. Stocked polymer edges only can be specified for use with non-stocked laminates or tops will be self-edged.









All products are air emissions certified and are available as FSC® certified

